

Index of Constants

A

abbrevDate Tx 5-34, 5-35, 5-87, 5-90
abbrevDaysTableLength Tx B-33
abbrevDaysTableOffset Tx B-33
abbrevMonthsTableLength Tx B-33
abbrevMonthsTableOffset Tx B-33
acceptAppDied Pr 2-13
accessException PS 4-10
accRun D 1-35
activateEvt Tb 2-18
activateMsg MTb 8-62
activDev MTb 8-26
activMask Tb 2-27
addMax Im 4-39
addOver Im 4-38
addPin Im 4-38
admin Im 4-39
afpCall N 9-8
AIFCVersion1 S 2-85, 2-114
alertPositionMainScreen Tb 4-126, 6-63
alertPositionParentWindow Tb 4-127, 6-62
alertPositionParentWindowScreen Tb 4-127,
6-64
alignPixBit Im 6-40, 6-43, 6-44
alignPix Im 6-44
allCollectionAttributes XU 5-49
allInit Im 5-17, 5-23, 5-31, 5-36
alpha Tb 7-31
alphaStage S 2-118
altDBoxProc Tb 4-80, 4-84, 4-125
AnnotationID S 2-99
anyCodec Q 3-66, 3-84, 3-116
appendDITLBottom Tb 6-52, 6-126
appendDITLRight Tb 6-52, 6-126
appleMenuFolderIconResource MTb 1-132
ApplicationSpecificID S 2-98
appOpen F 1-34
appPrint F 1-34
aRdCmd D 1-33
asiAliasName F 4-24
asiParentName F 4-24
asiServerName F 4-24
asiVolumeName F 4-24
asiZoneName F 4-24
asyncTrpBit D 1-59
atAbsoluteCenter MTb 5-36
atBottom MTb 5-36
atBottomLeft MTb 5-36
atBottomRight MTb 5-36, 5-37
atCenterBottom MTb 5-36
atCenterLeft MTb 5-36
atCenterRight MTb 5-36
atCenterTop MTb 5-36
atHorizontalCenter MTb 5-36
atLeft MTb 5-36
atNone MTb 5-36
atpEOMBit N 6-9
atpEOMvalue N 6-9
atpSendChkvalue N 6-9
atpSTSBit N 6-9
atpSTSvalue N 6-9
atpTIDValidvalue N 6-9
atpXcall N 6-9
atpXOBit N 6-9
atpXOvalue N 6-9
atRight MTb 5-36
attnBufSize N 5-46
atTop MTb 5-36
atTopLeft MTb 5-36
atTopRight MTb 5-36
ATTransAuthShutdown AI 9-11
ATTransAuthStart AI 9-11
ATTransDirShutdown AI 8-16
ATTransDirStart AI 8-16
atVerticalCenter MTb 5-36
AudioMediaCharacteristic QC 10-28
AudioRecordingID S 2-98
AuthorID S 2-99
autoKey Tb 2-18
autoKeyMask Tb 2-27
autoTrack Tb 5-111, 5-115

AI AOCE Application Interfaces
AM AOCE Service Access Modules
D Devices
F Files
Im Imaging With QuickDraw
IC Interapplication Communication
M Memory
MTb More Macintosh Toolbox

N Networking
O Overview
Pr Processes
PN PowerPC Numerics
PS PowerPC System Software
Q QuickTime
QC QuickTime Components
S Sound

Tb Macintosh Toolbox Essentials
Tx Text
U Operating System Utilities
XD QuickDraw GX Printing Extensions and Drivers
XG QuickDraw GX Graphics
XO QuickDraw GX Objects
XP QuickDraw GX Printing
XT QuickDraw GX Typography
XU QuickDraw GX Environment and Utilities

aWrCmd D 1-33

B

bAccessCntl F 2-149
 badDelim Tx 6-98
 badEnding Tx 6-98
 BadZoneHintBit N 2-13
 batteryCharging D 6-55
 batteryDeadBit D 6-39
 batteryDeadMask D 6-39
 batteryInstalled D 6-55
 batteryLowBit D 6-39
 batteryLowMask D 6-39
 baud1200 D 7-19
 baud14400 D 7-19
 baud1800 D 7-19
 baud19200 D 7-19
 baud2400 D 7-19
 baud28800 D 7-20
 baud300 D 7-19
 baud3600 D 7-19
 baud38400 D 7-20
 baud4800 D 7-19
 baud57600 D 7-20
 baud600 D 7-19
 baud7200 D 7-19
 baud9600 D 7-19
 bDraftLoop Im 9-47
 bestCompressionCodec Q 3-66
 bestFidelityCodec Q 3-66, 3-84, 3-116
 bestSpeedCodec Q 3-66, 3-84, 3-116
 beta Tb 7-31
 betaStage S 2-118
 bHasBlankAccessPrivileges F 2-148
 bHasBtreeMgr F 2-148
 bHasCatSearch F 2-148
 bHasCopyFile F 2-149
 bHasDesktopMgr F 2-149
 bHasExtFSVol F 2-149
 bHasFileIDs F 2-148
 bHasFolderLock F 2-149
 bHasMoveRename F 2-149
 bHasOpenDeny F 2-149
 bHasPersonalAccessPrivileges F 2-149
 bHasShortName F 2-149

bHasUserGroupList F 2-149
 blackColor Im 3-123
 blend Im 4-38
 bLimitFCBs F 2-149
 bLocalWList F 2-149
 blueColor Im 3-123
 bNoBootBlks F 2-149
 bNoDeskItems F 2-149
 bNoLclSync F 2-149
 bNoMiniFndr F 2-149
 bNoSwitchTo F 2-149
 bNoSysDir F 2-149
 bNoVNEdit F 2-149
 bold Tx 3-70
 breakErr D 7-26
 breakEvent D 7-22
 bSpoolLoop Im 9-24, 9-47, 9-71
 btnCtrl Tb 6-121
 bTrshOffLine F 2-149
 burstDevice Im 5-17, 5-23, 5-31, 5-36
 Button Tb 6-153

C

calArabicCivil Tx 6-70, B-33
 calArabicLunar Tx 6-70, B-33
 calcCntlRgn Tb 5-111, 5-112 to 5-113
 calcCRgns Tb 5-110, 5-112 to 5-113
 calCoptic Tx 6-70, B-33
 calcThumbRgn Tb 5-111, 5-112 to 5-113
 calendarCode Tx B-33
 calGregorian Tx 6-70, B-33
 calJapanese Tx 6-70, B-33
 calJewish Tx 6-70, B-33
 callBackAtInterrupt Q 2-336, 2-341
 callBackAtRate Q 2-336, 2-338, 2-340, QC 11-11
 callBackAtTime Q 2-336, 2-337, 2-338, 2-340, QC 11-11
 callBackAtTimeJump Q 2-336, 2-341, QC 11-11
 calPersian Tx 6-70, B-33
 canAutoFeed XD 4-41
 cancel Tb 6-30
 cancelMsg MTb 8-62
 canGetBatteryTime D 6-42
 canMovieExportFiles QC 9-7
 canMovieExportHandles QC 9-7
 canMovieImportFiles QC 9-7

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

canMovieImportHandles QC 9-7
 canWakeupOnRing D 6-42
 CatBoard D 2-11
 CategoryMask AI 8-11
 cautionIcon Tb 6-111
 cBodyColor Tb 5-78, 6-162
 cDepthErr Im 6-40, 6-44
 cdevGenErr MTb 8-47
 cdevMemErr MTb 8-47
 cdevResErr MTb 8-48
 cdevStorageValue MTb 8-30
 cdevUnset MTb 8-30
 centerMainScreen Tb 4-126
 centerParentWindow Tb 4-126
 centerParentWindowScreen Tb 4-127
 CenterParetn Tb 4-127
 century Tx B-26
 cFrameColor Tb 5-78, 6-162
 channelFlagDontOpenResFile U 5-8
 channelFlagDontOpenResFile QC 7-15
 channelFlagHasDependency QC 7-15
 channelPlayAllData QC 5-62, 6-51
 channelPlayFast QC 5-62, 6-50
 channelPlayHighQuality QC 5-62, 6-51
 channelPlayNormal QC 5-62, 6-50
 chargeOverflowBit D 6-38
 chargeOverflowMask D 6-39
 chargerConnBit D 6-38
 chargerConnected D 6-55
 chargerConnMask D 6-39
 CharZCycleBit U 4-50
 CheckBox Tb 6-153
 checkBoxProc Tb 5-14, 5-120
 checkMark Tb 3-136
 chkCtrl Tb 6-121
 clearDev MTb 8-26
 ClientLineLayout Im B-42
 ClipAID Q 4-6
 clipPixBit Im 6-40, 6-43, 6-44
 clipPix Im 6-44
 clockComponentType QC 11-6
 closeAll N 8-14
 closeDev MTb 8-26
 closeSess N 8-13
 clutType Im 5-16
 cmpSH S 2-105
 cmpWantsRegisterMessage MTb 6-53
 codecBandCompress QC 4-53

codecBandDecompress QC 4-53
 codecCanAsync QC 4-39
 codecCanClipRectangular QC 4-39
 codecCanClipVertical QC 4-38
 codecCanCopyPrevComp QC 4-39
 codecCanCopyPrev QC 4-38
 codecCanFastDither QC 4-39
 codecCanMakeMask QC 4-39
 codecCanMask QC 4-38
 codecCanMatte QC 4-38
 codecCanRemapColor QC 4-39
 codecCanScale QC 4-38
 codecCanShift QC 4-39
 codecCanSpool QC 4-38
 codecCanSrcExtract QC 4-39
 codecCanTransferMode QC 4-38
 codecCanTransform QC 4-38
 codecCDSequenceBusy QC 4-53
 codecCompletionDest Q 3-155
 codecCompletionSource Q 3-155
 codecConditionCodecChangedMask QC 4-42, 4-49
 codecConditionFirstBand QC 4-42, 4-48
 codecConditionFirstFrame QC 4-48
 codecConditionLastBand QC 4-42, 4-48
 codecConditionNewAccuracy QC 4-49
 codecConditionNewClut QC 4-49
 codecConditionNewDepth QC 4-49
 codecConditionNewDestination QC 4-49
 codecConditionNewMatte QC 4-49
 codecConditionNewSrcRect QC 4-49
 codecConditionNewTransferMode QC 4-49
 codecConditionNewTransform QC 4-49
 codecFlagDontOffscreen Q 3-60
 codecFlagForceKeyFrame Q 3-47, 3-60
 codecFlagLiveGrab Q 3-61, QC 4-43
 codecFlagNoScreenUpdate Q 3-60
 codecFlagOnlyScreenUpdate Q 3-60
 codecFlagUpdatePreviousComp Q 3-32, 3-38, 3-60, QC 4-43
 codecFlagUpdatePrevious Q 3-32, 3-38, 3-59, QC 4-42
 codecFlagUsedImageBuffer Q 3-61
 codecFlagUsedNewImageBuffer Q 3-61
 codecFlagUseImageBuffer Q 3-59, 3-115
 codecFlagUseScreenBuffer Q 3-59, 3-115
 codecFlagWasCompressed Q 3-60, QC 4-43
 codecGetCodecInfo QC 4-53
 codecGetCompressedImageSize QC 4-53

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

- codecGetCompressionTime **QC** 4-53
- codecGetMaxCompressionSize **QC** 4-53
- codecGetSimilarity **QC** 4-53
- codecHighQuality **Q** 3-58
- codecInfoDepth16 **QC** 4-33
- codecInfoDepth1 **QC** 4-33
- codecInfoDepth24 **QC** 4-33
- codecInfoDepth2 **QC** 4-33
- codecInfoDepth32 **QC** 4-33
- codecInfoDepth33 **QC** 4-33
- codecInfoDepth34 **QC** 4-34
- codecInfoDepth36 **QC** 4-34
- codecInfoDepth40 **QC** 4-34
- codecInfoDepth4 **QC** 4-33
- codecInfoDepth8 **QC** 4-33
- codecInfoDoes16 **QC** 4-28
- codecInfoDoes1 **QC** 4-28
- codecInfoDoes2 **QC** 4-28
- codecInfoDoes32 **QC** 4-28
- codecInfoDoes4 **QC** 4-28
- codecInfoDoes8 **QC** 4-28
- codecInfoDoesBlend **QC** 4-31
- codecInfoDoesDither **QC** 4-28
- codecInfoDoesDouble **QC** 4-29
- codecInfoDoesHalf **QC** 4-29
- codecInfoDoesHorizFlip **QC** 4-30
- codecInfoDoesLossless **QC** 4-34
- codecInfoDoesMask **QC** 4-29
- codecInfoDoesQuad **QC** 4-29
- codecInfoDoesQuarter **QC** 4-30
- codecInfoDoesRateConstrain **Q** 3-127, **QC** 4-31
- codecInfoDoesRecompress **QC** 4-31
- codecInfoDoesRotate **QC** 4-30
- codecInfoDoesShrink **QC** 4-28
- codecInfoDoesSkew **QC** 4-30
- codecInfoDoesSpool **QC** 4-31
- codecInfoDoesStretch **QC** 4-28
- codecInfoDoesTemporal **QC** 4-29
- codecInfoDoesVertFlip **QC** 4-30
- codecInfoDoesWarp **QC** 4-31
- codecInfoSequenceSensitive **QC** 4-34
- codecInfoStores **QC** 4-34
- codecLosslessQuality **Q** 3-58
- codecLowQuality **Q** 3-58
- codecMaxQuality **Q** 3-58
- codecMinimumDataSize **Q** 3-45
- codecMinQuality **Q** 3-58
- codecNormalQuality **Q** 3-58
- codecPreCompress **QC** 4-53
- codecPreDecompress **QC** 4-53
- codecProgressClose **Q** 3-153
- codecProgressOpen **Q** 3-153
- codecProgressUpdatePercent **Q** 3-153
- codecTrimImage **QC** 4-53
- collectionReserved0Bit **XU** 5-51
- collectionReserved0Mask **XU** 5-52
- collectionUser0Bit **XU** 5-50
- collectionUser0Mask **XU** 5-52
- colonSymbol **Tx** B-23
- colorBankIs555 **Im** 7-62
- colorBankIsCustom **Im** 7-62
- colorBankIsExactAnd555 **Im** 7-62
- commaSymbol **Tx** B-23
- CommentID **S** 2-99
- CommonID **S** 2-83, 2-98
- compressorComponentType **Q** 3-48, **QC** 4-4
- condense **Tx** 3-70
- connChangedBit **D** 6-39
- connChangedMask **D** 6-39
- Control **Tb** 6-154
- controlPanelFolderIconResource **MTb** 1-132
- convertClipboardFlag **Tb** 2-59
- converttohex **XD** 6-83
- copyDev **MTb** 8-26
- CopyrightID **S** 2-99
- cProperty **IC** 3-42, 6-13, 6-27
- crash **Tx** 6-98
- createMovieFileDeleteCurFile **Q** 2-94, 2-97, 2-106, 2-108
- createMovieFileDontCreateMovie **Q** 2-97
- createMovieFileDontOpenFile **Q** 2-97
- crossCursor **Im** 8-8, 8-24
- cTextColor **Tb** 5-78 to 5-79, 5-122, 6-162
- ctrlItem **Tb** 6-121
- ctsEvent **D** 7-22
- currLeadingZ **Tx** B-25
- currNegSym **Tx** B-25
- currSymLead **Tx** B-25
- currTrailingZ **Tx** B-25
- curSysEnvVers **U** 1-33
- cutDev **MTb** 8-26
- cyanColor **Im** 3-123

| | | |
|--|--|--|
| <ul style="list-style-type: none"> AI AOCE Application Interfaces AM AOCE Service Access Modules D Devices F Files Im Imaging With QuickDraw IC Interapplication Communication M Memory MTb More Macintosh Toolbox | <ul style="list-style-type: none"> N Networking O Overview Pr Processes PN PowerPC Numerics PS PowerPC System Software Q QuickTime QC QuickTime Components S Sound | <ul style="list-style-type: none"> Tb Macintosh Toolbox Essentials Tx Text U Operating System Utilities XD QuickDraw GX Printing Extensions and Drivers XG QuickDraw GX Graphics XO QuickDraw GX Objects XP QuickDraw GX Printing XT QuickDraw GX Typography XU QuickDraw GX Environment and Utilities |
|--|--|--|

D

DashedLine **Im** B-42
 DashedStop **Im** B-42
 data5 **D** 7-20
 data6 **D** 7-20
 data7 **D** 7-20
 data8 **D** 7-20
 dataBreakpointException **PS** 4-11
 DataInfoAID **Q** 4-6
 dataOffsetFlag **S** 2-75
 DataRefAID **Q** 4-6
 dateStdMask **U** 4-32, 4-44
 dayLdingZ **Tx** B-26
 dayMask **U** 4-31, 4-43
 dayOfWeekMask **U** 4-32, 4-44
 dayOfYearMask **U** 4-32, 4-44
 dbBufferReady **S** 2-70, 2-113
 dbLastBuffer **S** 2-70, 2-113
 dBoxProc **Tb** 4-80, 4-83, 4-125, 6-116
 deactivateMsg **MTb** 8-63
 deActivDev **MTb** 8-26
 DECIMAL_DIG **PN** A-10
 decompressorComponentType **QC** 4-4
 defaultCollectionAttributes **XU** 5-49
 defaultComponentAnyFlags **MTb** 6-78
 defaultComponentAnyManufacturer **MTb** 6-78
 defaultComponentAnySubType **MTb** 6-78
 defaultComponentIdentical **MTb** 6-78
 defaultDither **Q** 3-91, 3-95, 3-98, 3-101
 delimPad **Tx** 6-58
 DENORMALNUM **PN** A-6
 desktopIconResource **MTb** 1-134
 development **Tb** 7-31
 developStage **S** 2-118
 dfClipToTextBox **Q** 2-294, 2-296
 dfDontAutoScale **Q** 2-294, 2-296
 dfDontDisplay **Q** 2-294, 2-296
 dfHorizScroll **Q** 2-294, 2-296
 dfReverseScroll **Q** 2-294, 2-296
 dfScrollIn **Q** 2-294, 2-296
 dfScrollOut **Q** 2-294, 2-296
 dfShrinkTextBoxToFit **Q** 2-294, 2-296
 dialogKind **Tb** 4-67
 diamondMark **Tb** 3-136
 digiInDoesBW **QC** 8-15
 digiInDoesColor **QC** 8-15
 digiInDoesComponent **QC** 8-15

digiInDoesComposite **QC** 8-14
 digiInDoesGenLock **QC** 8-14
 digiInDoesNTSC **QC** 8-14
 digiInDoesPAL **QC** 8-14
 digiInDoesSECAM **QC** 8-14
 digiInSignalLock **QC** 8-19
 digiInVTR_Broadcast **QC** 8-15
 digiOutDoes16 **QC** 8-15
 digiOutDoes1 **QC** 8-15
 digiOutDoes2 **QC** 8-15
 digiOutDoes32 **QC** 8-16
 digiOutDoes4 **QC** 8-15
 digiOutDoes8 **QC** 8-15
 digiOutDoesAsyncGrabs **QC** 8-18
 digiOutDoesBlend **QC** 8-18
 digiOutDoesCompress **QC** 8-18
 digiOutDoesCompressOnly **QC** 8-19
 digiOutDoesDither **QC** 8-16
 digiOutDoesDMA **QC** 8-18
 digiOutDoesDouble **QC** 8-16
 digiOutDoesHorizFlip **QC** 8-17
 digiOutDoesHWPlayThru **QC** 8-18
 digiOutDoesILUT **QC** 8-18
 digiOutDoesKeyColor **QC** 8-18
 digiOutDoesMask **QC** 8-16
 digiOutDoesPlayThruDuringCompress **QC** 8-19
 digiOutDoesQuad **QC** 8-16
 digiOutDoesQuarter **QC** 8-17
 digiOutDoesRotate **QC** 8-17
 digiOutDoesShrink **QC** 8-16
 digiOutDoesSixteenth **QC** 8-17
 digiOutDoesSkew **QC** 8-17
 digiOutDoesStretch **QC** 8-16
 digiOutDoesUnreadableScreenBits **QC** 8-18
 digiOutDoesVertFlip **QC** 8-17
 digiOutDoesWarp **QC** 8-18
 digitInDoesSVideo **QC** 8-15
 directoriesIconResource **AI** 4-97
 directoryFolderIconResource **AI** 4-97
 directType **Im** 5-16
 disabled **Tb** 6-29
 diskEvt **Tb** 2-18
 diskMask **Tb** 2-27
 dispCntl **Tb** 5-111, 5-113
 ditherCopy **Im** 3-10, 4-37
 ditherPixBit **Im** 6-40, 6-44
 ditherPix **Im** 6-44
 DIVBYZERO **PN** A-7

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

dmaDepth16 **QC** 8-65
 dmaDepth1 **QC** 8-65
 dmaDepth2 **QC** 8-65
 dmaDepth2Gray **QC** 8-65
 dmaDepth32 **QC** 8-65
 dmaDepth4 **QC** 8-65
 dmaDepth4Gray **QC** 8-65
 dmaDepth8 **QC** 8-65
 dmaDepth8Gray **QC** 8-65
 dmy **Tx** B-25
 documentProc **Tb** 4-80, 4-83, 4-125
 dollarsignSymbol **Tx** B-23
 domCannot **MTb** 7-41
 domNative **MTb** 7-41
 domTranslateFirst **MTb** 7-41
 domWildcard **MTb** 7-41
 donothing **XD** 6-83
 dontAutoFileMovieImport **QC** 9-7
 dontWantAttributes **XU** 5-49
 dontWantData **XU** 5-49
 dontWantId **XU** 5-49
 dontWantIndex **XU** 5-49
 dontWantSize **XU** 5-49
 dontWantTag **XU** 5-49
 dOpenedMask **D** 1-57
 DOWNWARD **PN** A-7
 draftBitsOp **Im** 9-52, 9-55
 dragCntl **Tb** 5-111, 5-114 to 5-115
 dRAMBasedMask **D** 1-57
 drawCntl **Tb** 5-110, 5-111 to 5-112
 DrHWBoard **D** 2-11
 dropFolderIconResource **MTb** 1-131
 DrSWBoard **D** 2-11
 drvQType **U** 6-7
 drvActiveMask **D** 1-57
 dsamData parameter **AM** 3-38
 dspAttention **N** 5-41
 dspCLDeny **N** 5-41, 5-67
 dspCLInit **N** 5-41
 dspCLListen **N** 5-41
 dspClose **N** 5-41
 dspCLRemove **N** 5-41
 dspInit **N** 5-41
 dspNewCID **N** 5-41
 dspOpen **N** 5-41
 dspOptions **N** 5-47
 dspRead **N** 5-41
 dspRemove **N** 5-41

dspReset **N** 5-41
 dspStatus **N** 5-41
 dspWrite **N** 5-41
 dtQType **Pr** 6-11, **U** 6-7
 dtrNegated **D** 7-26
 dumpstringlist **XD** 6-83
 dumpwidestring **XD** 6-83
 dym **Tx** B-25
 dynamicSpeedChange **D** 6-42

E

eAttention **N** 5-37
 eClosed **N** 5-37
 EditsAID **Q** 4-6
 EditsListAID **Q** 4-6
 EditText **Tb** 6-121, 6-153
 eFwdReset **N** 5-37
 enabled **Tb** 6-29
 ENetSetGeneral **N** 11-39
 env512KE **U** 1-29
 env68000 **U** 1-29
 env68010 **U** 1-29
 env68020 **U** 1-29
 env68030 **U** 1-29
 env68040 **U** 1-29
 envAExtendKbd **U** 1-30
 envCPUUnknown **U** 1-29
 envExtISOADBKbd **U** 1-30
 envMacAndPad **U** 1-30
 envMac **U** 1-29
 envMachUnknown **U** 1-29
 envMacIIci **U** 1-29
 envMacII **U** 1-29
 envMacIIcx **U** 1-29
 envMacIIfx **U** 1-29
 envMacIIx **U** 1-29
 envMacKbd **U** 1-30
 envMacPlus **U** 1-29
 envMacPlusKbd **U** 1-30
 envPortable **U** 1-29
 envPrtblADBKbd **U** 1-30
 envPrtblISOKbd **U** 1-30
 envSE30 **U** 1-29
 envSE **U** 1-29
 envStandADBKbd **U** 1-30

AI AOCE Application Interfaces
AM AOCE Service Access Modules
D Devices
F Files
Im Imaging With QuickDraw
IC Interapplication Communication
M Memory
MTb More Macintosh Toolbox

N Networking
O Overview
Pr Processes
PN PowerPC Numerics
PS PowerPC System Software
Q QuickTime
QC QuickTime Components
S Sound

Tb Macintosh Toolbox Essentials
Tx Text
U Operating System Utilities
XD QuickDraw GX Printing Extensions and Drivers
XG QuickDraw GX Graphics
XO QuickDraw GX Objects
XP QuickDraw GX Printing
XT QuickDraw GX Typography
XU QuickDraw GX Environment and Utilities

envStdISOADBKbd U 1-30
 envXL U 1-29
 EOLHook registers Tx 2-111
 eraMask U 4-31, 4-43
 eTearDown N 5-37
 evenParity D 7-20
 everyEvent Tb 2-27
 evType U 6-7
 excludedMemoryException PS 4-10
 ext32Device Im 5-17, 5-23, 5-31, 5-36
 extend Tx 3-70
 ExtendedBit N 2-13
 extendedBlock Pr 2-8
 extendedBlockLen Pr 2-9
 extModemSelected D 6-58
 extraDaysTableLength Tx B-33
 extraDaysTableOffset Tx B-33
 extraMonthsTableLength Tx B-33
 extraMonthsTableOffset Tx B-33
 extraSepsTableLength Tx B-33
 extraSepsTableOffset Tx B-33
 extSH S 2-105

F

f32BitMode D 2-54
 fAll D 2-24, 2-33, 2-36
 fCardIsChanged D 2-25, 2-79
 fCkForNext D 2-86
 fConsecBytes D 2-74
 FE_ALL_EXCEPT PN 8-6
 FE_DFL_ENV PN 8-10
 FE_DIVBYZERO PN 8-6
 FE_DOWNWARD PN 8-3
 FE_INEXACT PN 8-6
 FE_INVALID PN 8-6
 FE_OVERFLOW PN 8-6
 fetchReference PS 4-11
 FE_TONEAREST PN 8-3
 FE_TOWARDZERO PN 8-3
 FE_UNDERFLOW PN 8-6
 FE_UPWARD PN 8-3
 fenv_t type PN 8-10
 fexcept_t type PN 8-6
 fHasBundle Tb 7-48
 FilterAnyLetter AI 3-127

FilterAppleLetterContent AI 3-127
 FilterImageContent AI 3-127
 finalStage S 2-118
 findTextCaseSensitive Q 2-299
 findTextEdgeOK Q 2-299
 FindTextReverseSearch Q 2-299
 findTextUseOffset Q 2-299
 findTextWrapAround Q 2-299
 fInvisible Tb 7-48
 fixed1 XU 8-35
 fixedCompression S 2-110
 fixedType Im 5-16
 flattenActiveTracksOnly Q 2-106, 2-108
 flattenAddMovieToDataFork Q 2-106, 2-107
 flattenDontInterleaveFlatten Q 2-106, 2-108
 floatingPointException PS 4-11
 floppyIconResource MTb 1-133
 flushFromRam Q 2-141
 fNegative Tx 5-97
 fNext D 2-24, 2-34, 2-36
 fOneSlot D 2-24, 2-34, 2-36
 fOpenAtStart D 2-16
 forceDither Q 3-91, 3-95, 3-98, 3-101
 formAbsolutePosition IC 6-12, 6-14
 FormatVersionID S 2-83, 2-98
 FormID S 2-83, 2-98
 formName IC 3-36, 6-12, 6-14
 formPropertyID IC 3-36, 6-12, 6-13
 formRange IC 6-12
 formRelativePosition IC 3-36, 6-12, 6-15
 formTest IC 3-36, 6-12, 6-15, 6-64 to 6-72
 formUniqueID IC 3-36, 6-14
 formWhose IC 6-12, 6-42 to 6-45
 fPositive Tx 5-97
 fract1 XU 8-35
 framingErr D 7-22
 fsAtMark D 1-55, F 1-47, 2-89, 2-95, 2-116
 fsCurPerm D 1-55, F 1-21, 2-7
 fsFromLEOF F 1-47, 2-89, 2-95, 2-116
 fsFromMark D 1-55, F 1-47, 2-89, 2-95, 2-116
 fsFromStart D 1-55, F 1-47, 2-89, 2-95, 2-116
 fsQType U 6-7
 fsRdPerm D 1-55, F 1-21, 2-7, Tx 8-23
 fsRdWrPerm D 1-55, F 1-21, 2-8, Tx 8-23
 fsRdWrShPerm F 1-21, 2-8
 fsRtDirID F 2-25
 fsRtParID F 2-25
 fsSBDrBkDat F 2-40

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

fsSBDrcrDat F 2-40
 fsSBDrfndrInfo F 2-40
 fsSBDrmDdat F 2-40
 fsSBDrmFls F 2-40
 fsSBDrParID F 2-40
 fsSBDrUsrWds F 2-40
 fsSBFlAttrib F 2-40
 fsSBFlBkDat F 2-40
 fsSBFlCrDat F 2-40
 fsSBFlFndrInfo F 2-40
 fsSBFlLgLen F 2-40
 fsSBFlMgDat F 2-40
 fsSBFlParID F 2-40
 fsSBFLPyLen F 2-40
 fsSBFlRLgLen F 2-40
 fsSBFlRPyLen F 2-40
 fsSBFlXFndrInfo F 2-40
 fsSBFullName F 2-40
 fsSBNegate F 2-40
 fsSBPartialName F 2-40
 fsUnixPriv F 2-21
 fsWrPerm D 1-55, F 1-21, 2-8, Tx 8-23
 fullTrashIconResource MTb 1-133
 fWarmStart D 2-82
 fZero Tx 5-97

GA–GW

gdDevType Im 5-17, 5-23, 5-31, 5-33, 5-34, 5-36
 genCdevRangeBit U 4-50
 genericApplicationIconResource MTb 1-130
 genericAttributeIconResource AI 4-97
 genericDeskAccessoryIconResource MTb 1-130
 genericDirectoryIconResource AI 4-96
 genericDocumentIconResource MTb 1-130
 genericEditionFileIconResource MTb 1-130
 genericExtensionIconResource MTb 1-130
 genericFileServerIconResource MTb 1-134
 genericFolderIconResource MTb 1-131
 genericHardDiskIconResource MTb 1-133
 genericLockedDirectoryIconResource AI 4-96
 genericPreferencesIconResource MTb 1-130
 genericQueryDocumentIconResource MTb 1-130
 genericRecordIconResource AI 4-96
 genericSuitcaseIconResource MTb 1-134
 genericTemplateIconResource AI 4-97

gestalMultiChannels U 1-23
 gestalse30SlotPresent U 1-23
 gestalt16BitAudioSupport S 2-91, U 1-23
 gestalt16BitSoundIO S 2-91, 3-18, U 1-23
 gestalt32BitAddressing U 1-15
 gestalt32BitCapable U 1-15
 gestalt32BitQD11 Im 4-18, U 1-22
 gestalt32BitQD12 Im 4-18, U 1-22
 gestalt32BitQD13 Im 4-18, U 1-22
 gestalt32BitQD Im 4-18, U 1-22
 gestalt32BitSysZone U 1-15
 gestalt68000 U 1-22
 gestalt68010 U 1-22
 gestalt68020 U 1-22
 gestalt68030 U 1-22
 gestalt68030MMU U 1-20
 gestalt68040 U 1-22
 gestalt68040FPU U 1-18
 gestalt68040MMU U 1-20
 gestalt68851 U 1-20
 gestalt68881 U 1-18
 gestalt68882 U 1-18
 gestalt68k U 1-24
 gestalt8BitQD Im 4-18, U 1-22
 gestaltADBISOKbdII U 1-19
 gestaltADBKbdII U 1-19
 gestaltAddressingModeAttr U 1-15
 gestaltAliasMgrAttr F 4-9, U 1-7, 1-15
 gestaltAliasMgrPresent F 4-9, U 1-15
 gestaltAliasMgrSupportsRemoteAppleTalk
 U 1-15
 gestaltAMU U 1-20
 gestaltAppleAdjustADBKbd U 1-19
 gestaltAppleAdjustISOKbd U 1-19
 gestaltAppleAdjustKeypad U 1-19
 gestaltAppleEventsAttr U 1-7, 1-15
 gestaltAppleEventsPresent U 1-15
 gestaltAppleTalkVersion U 1-7, 1-15
 gestaltATalkVersion U 1-15, U 1-7
 gestaltAUXVersion U 1-7, 1-16
 gestaltBuiltInSoundInput S 2-90, 3-18, U 1-23
 gestaltCFMAttr U 1-7
 gestaltCFMPresent U 1-16
 gestaltClassic U 1-26
 gestaltClassicII U 1-26
 gestaltCloseViewAttr U 1-7
 gestaltCloseViewDisplayMgrFriendly U 1-16
 gestaltCloseViewEnabled U 1-16

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

gestaltComponentMgr **MTb** 6-6, U 1-7
 gestaltCompressionMgr **Q** 3-24, U 1-7
 gestaltConnMgrAttr U 1-7, 1-16
 gestaltConnMgrCMSearchFix U 1-16
 gestaltConnMgrErrorString U 1-16
 gestaltConnMgrMultiAsyncIO U 1-16
 gestaltConnMgrPresent U 1-16
 gestaltCPU601 U 1-20
 gestaltCPU68000 U 1-20
 gestaltCPU68010 U 1-20
 gestaltCPU68020 U 1-20
 gestaltCPU68030 U 1-20
 gestaltCPU68040 U 1-20
 gestaltCRMAttr U 1-7, 1-16
 gestaltCRMPersistentFix U 1-16
 gestaltCRMPresent U 1-16
 gestaltCRMToolRsrcCalls U 1-16
 gestaltCTBVersion U 1-7, 1-16
 gestaltCurrentGraphicsVersion **XU** 1-23
 gestaltDBAccessMgrAttr U 1-7, 1-16
 gestaltDBAccessMgrPresent U 1-16
 gestaltDictionaryMgrAttr **Tx** 8-11, U 1-17, U 1-7
 gestaltDictionaryMgrPresent **Tx** 8-11, U 1-17
 gestaltDigitalSignatureVersion **AI** 6-11
 gestaltDisplayMgrAttr U 1-7
 gestaltDisplayMgrPresent U 1-17
 gestaltDisplayMgrVers U 1-7
 gestaltDITLExtAttr **Tb** 6-127, 6-128, U 1-7, 1-17
 gestaltDITLExtPresent **Tb** 6-127, 6-128, U 1-17
 gestaltDragMgrAttr U 1-7
 gestaltDragMgrPresent U 1-17
 gestaltEasyAccessAttr U 1-7, 1-17
 gestaltEasyAccessLocked U 1-17
 gestaltEasyAccessOff U 1-17
 gestaltEasyAccessOn U 1-17
 gestaltEasyAccessSticky U 1-17
 gestaltEditionMgrAttr **MTb** 7-12, U 1-7, 1-17
 gestaltEditionMgrPresent U 1-17
 gestaltEditionMgrTranslationAware
 MTb 7-12, U 1-17
 gestaltEMMU1 U 1-20
 gestaltExtADBKbd U 1-19
 gestaltExtendedTimeMgr **Pr** 3-4, U 1-25
 gestaltExtISOADBKbd U 1-19
 gestaltExtToolboxTable U 1-8, 1-17
 gestaltFinderAttr U 1-8
 gestaltFinderCallsAETProcess U 1-17
 gestaltFinderDropEvent U 1-17

gestaltFinderHandlesCFMFailures U 1-17
 gestaltFinderHasClippings U 1-17
 gestaltFinderMagicPlacement U 1-17
 gestaltFinderSupports4GBVolumes U 1-17
 gestaltFindFolderAttr U 1-8, 1-18
 gestaltFindFolderPresent **Tb** 7-55, U 1-18
 gestaltFirstSlotNumber U 1-8
 gestaltFontMgrAttr U 1-8, 1-18
 gestaltFPUType U 1-8, 1-18
 gestaltFSAAttr U 1-8, 1-18
 gestaltFSMDoesDynamicLoad U 1-18
 gestaltFSSupports4GBVols U 1-18
 gestaltFullExtFSDispatching **F** 2-33, U 1-18
 gestaltFXfrMgrAttr U 1-8, 1-18
 gestaltFXfrMgrErrorString U 1-18
 gestaltFXfrMgrMultiFile U 1-18
 gestaltFXfrMgrPresent U 1-18
 gestaltGraphicsAttr **XU** 1-23
 gestaltGraphicsisDebugging **XU** 1-23
 gestaltGraphicsisLoaded **XU** 1-23
 gestaltGraphicsIsPowerPC **XU** 1-23
 gestaltGraphicsVersion **XU** 1-23
 gestaltGXVersion **XU** 1-23
 gestaltHardwareAttr **S** 2-36, U 1-9, 1-26
 gestaltHasASC **S** 2-36, U 1-26
 gestaltHasColor **Im** 4-19, U 1-22
 gestaltHasDeepGWorlds **Im** 4-19, U 1-22
 gestaltHasDirectPixMaps **Im** 4-19, U 1-22
 gestaltHasExtendedDiskInit U 1-18
 gestaltHasFileSystemManager U 1-18
 gestaltHasFSSpecCalls **F** 2-33, U 1-18
 gestaltHasGPIaToDCDa U 1-23
 gestaltHasGPIaToDCDb U 1-23
 gestaltHasGPIaToRTxCa U 1-23
 gestaltHasGrayishTextOr **Im** 4-19, U 1-22
 gestaltHasParityCapability U 1-21
 gestaltHasSCC U 1-26
 gestaltHasSCSI961 U 1-26
 gestaltHasSCSI962 U 1-26
 gestaltHasSCSI U 1-26
 gestaltHasSoftPowerOff U 1-26
 gestaltHasSoundInputDevice **S** 2-90, 3-18, U 1-23
 gestaltHasUniversalROM U 1-26
 gestaltHasVIA1 U 1-26
 gestaltHasVIA2 U 1-26
 gestaltHelpMgrAttr U 1-8, 1-18
 gestaltHelpMgrPresent U 1-18
 gestaltIconUtilitiesAttr U 1-8

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

- gestaltIconUtilitiesPresent U 1-18
- gestaltKeyboardType U 1-8, 1-18
- gestaltLaunchCanReturn Pr 2-14, U 1-21
- gestaltLaunchControl Pr 2-14, U 1-21
- gestaltLaunchFullFileSpec Pr 2-14, U 1-21
- gestaltLineLevelInput S 2-91, 3-18, U 1-23
- gestaltLogicalPageSize U 1-8, 1-19
- gestaltLogicalRAMSize U 1-8, 1-19
- gestaltLowMemorySize U 1-8, 1-19
- gestaltMac512KE U 1-26
- gestaltMacAndPad U 1-19
- gestaltMacCentris610 U 1-27
- gestaltMacCentris650 U 1-27
- gestaltMacCentris660AV U 1-27
- gestaltMacClassic U 1-26
- gestaltMacColorClassic U 1-27
- gestaltMachineIcon U 1-26
- gestaltMachineType U 1-26
- gestaltMacIIci U 1-26
- gestaltMacII U 1-26
- gestaltMacIIcx U 1-26
- gestaltMacIIifx U 1-26
- gestaltMacIIisi U 1-26
- gestaltMacIIivi U 1-27
- gestaltMacIIivx U 1-27
- gestaltMacIIix U 1-26
- gestaltMacKbd U 1-19
- gestaltMacLC475 U 1-27
- gestaltMacLC520 U 1-27
- gestaltMacLC575 U 1-27
- gestaltMacLC U 1-26
- gestaltMacLCII U 1-26
- gestaltMacLCIII U 1-27
- gestaltMacPlus U 1-26
- gestaltMacPlusKbd U 1-19
- gestaltMacQuadra605 U 1-27
- gestaltMacQuadra610 U 1-27
- gestaltMacQuadra650 U 1-27
- gestaltMacQuadra800 U 1-27
- gestaltMacQuadra840AV U 1-27
- gestaltMacSE030 U 1-26
- gestaltMacSE U 1-26
- gestaltMacTV U 1-27
- gestaltMacXL U 1-26
- gestaltMessageMgrVersion XU 6-16
- gestaltMiscAttr U 1-8, 1-20
- gestaltMixedModeVersion U 1-8
- gestaltMMUType U 1-8, 1-20
- gestaltMultiChannels S 2-91, U 1-23
- gestaltNativeCPUtype U 1-8
- gestaltNoFPU U 1-18
- gestaltNoMMU U 1-20
- gestaltNotificationMgrAttr U 1-8, 1-20
- gestaltNotificationPresent U 1-20
- gestaltNuBusConnectors U 1-8, 1-20
- gestaltNuBusPresent U 1-23
- gestaltNuBusSlotCount U 1-8
- gestaltOCETBAvailable AI 4-5, 8-16, 9-11
- gestaltOCETB AI 8-16, 9-12
- gestaltOCETBPresent AI 4-5, 8-16, 9-11
- gestaltOCEToolboxAttr AI 2-5, 4-5, 8-16, 9-11
- gestaltOCEToolboxVersion AI 8-16, 9-11
- gestaltOriginalQD U 1-22
- gestaltOSAttr Pr 2-14, U 1-8, 1-20
- gestaltOSLCompliantFinder U 1-17
- gestaltOSLInSystem U 1-15
- gestaltOSTable U 1-8, 1-21
- gestaltOutlineFonts U 1-18
- gestaltParityAttr U 1-8, 1-21
- gestaltParityEnabled U 1-21
- gestaltPartialRsrcs U 1-22
- gestaltPCXAttr U 1-8
- gestaltPCXHas8and16BitFAT U 1-21
- gestaltPCXHasProDOS U 1-21
- gestaltPerforma600 U 1-26, U 1-27
- gestaltPhysicalRAMSize U 1-8, 1-21
- gestaltPlayAndRecord S 2-90, 3-18, U 1-23
- gestaltPMgrCPUIdle D 6-14, U 1-21
- gestaltPMgrDispatchExists U 1-21
- gestaltPMgrExists D 6-14, U 1-21
- gestaltPMgrSCC D 6-14, U 1-21
- gestaltPMgrSound D 6-14, U 1-21
- gestaltPopupAttr U 1-8, 1-21
- gestaltPopupPresent U 1-21
- gestaltPortable U 1-26
- gestaltPortableSlotPresent U 1-23
- gestaltPowerBook100 U 1-26
- gestaltPowerBook140 U 1-26
- gestaltPowerBook145 U 1-26
- gestaltPowerBook160 U 1-27
- gestaltPowerBook165c U 1-27
- gestaltPowerBook165 U 1-27
- gestaltPowerBook170 U 1-26
- gestaltPowerBook180c U 1-27
- gestaltPowerBook180 U 1-27
- gestaltPowerBookDuo210 U 1-27

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

gestaltPowerBookDuo230 U 1-26, 1-27
 gestaltPowerBookDuo250 U 1-27
 gestaltPowerBookDuo270c U 1-27
 gestaltPowerMac6100_60 U 1-27
 gestaltPowerMac7100_66 U 1-27
 gestaltPowerMac8100_80 U 1-27
 gestaltPowerMgrAttr D 6-14, U 1-8, 1-21
 gestaltPowerPC U 1-24
 gestaltPPCSupportsIncoming U 1-21
 gestaltPPCSupportsOutgoing U 1-21
 gestaltPPCSupportsRealTime U 1-21
 gestaltPPCToolboxAttr U 1-8, 1-21
 gestaltPPCToolboxPresent U 1-21
 gestaltPrintingMgrVersion XU 1-23
 gestaltProcessorType U 1-8, 1-22
 gestaltPrtblADBKbd U 1-19
 gestaltPrtblISOKbd U 1-19
 gestaltPwrBookADBKbd U 1-19
 gestaltPwrBookISOADBKbd U 1-19
 gestaltQuadra700 U 1-26
 gestaltQuadra900 U 1-26
 gestaltQuadra950 U 1-26
 gestaltQuickdrawFeatures U 1-8, 1-22
 gestaltQuickdrawVersion U 1-8, 1-22
 gestaltQuickTime Q 2-33
 gestaltQuickTimeVersion U 1-8
 gestaltRealTempMemory U 1-21
 gestaltRealtimeMgrAttr U 1-8
 gestaltRealtimeMgrPresent U 1-22
 gestaltResourceMgrAttr U 1-8, 1-22, 1-23
 gestaltRevisedTimeMgr Pr 3-4, U 1-25
 gestaltROMSize U 1-28
 gestaltROMVersion U 1-28
 gestaltScrapMgrAttr MTb 2-14, 7-12, U 1-8
 gestaltScrapMgrTranslationAware MTb 2-14, 7-12, U 1-23
 gestaltScriptCount Tx 6-9, U 1-8, 1-23
 gestaltScriptingSupport U 1-15
 gestaltScriptMgrVersion Tx 6-8, U 1-8, 1-23
 gestaltScrollingThrottle U 1-20
 gestaltSDPFindVersion AI 4-5
 gestaltSDPPromptVersion AI 4-5
 gestaltSDPStandardDirectoryVersion AI 4-5
 gestaltSE30SlotPresent U 1-23
 gestaltSerialAttr U 1-8, 1-23
 gestaltSESlotPresent U 1-23
 gestaltSlotAttr U 1-8
 gestaltSlotMgrExists U 1-23

gestaltSMPMailerVersion AI 3-8
 gestaltSMPSendLetterVersion AI 3-8
 gestaltSndPlayDoubleBuffer S 2-91, U 1-23
 gestaltSoundAttr U 1-8, 1-23
 gestaltSoundIOMgrPresent S 2-90, 3-18, U 1-23
 gestaltSpecificMatchSupport U 1-25
 gestaltSpeechAttr U 1-9
 gestaltSpeechHasPPCGLue U 1-24
 gestaltSpeechMgrPresent U 1-24
 gestaltSquareMenuBar U 1-20
 gestaltStandardFile58 U 1-24
 gestaltStandardFileAttr MTb 7-12, U 1-9, 1-24
 gestaltStandardFileHasColorIcons MTb 7-12, U 1-24
 gestaltStandardFileTranslationAware MTb 7-12, U 1-24
 gestaltStandardTimeMgr Pr 3-4, U 1-25
 gestaltStdADBKbd U 1-19
 gestaltStdISOADBKbd U 1-19
 gestaltStdNBPAttr U 1-9, 1-24
 gestaltStdNBPPresent U 1-24
 gestaltStereoCapability S 2-90, U 1-23
 gestaltStereoInput S 2-91, 3-18, U 1-23
 gestaltStereoMixing S 2-90, U 1-23
 gestaltSupportsMirroring U 1-22
 gestaltSysArchitecture U 1-9
 gestaltSystemVersion U 1-28
 gestaltSysZoneGrowable U 1-21
 gestaltTE1 U 1-25
 gestaltTE2 U 1-25
 gestaltTE3 U 1-25
 gestaltTE4 U 1-25
 gestaltTE5 U 1-25
 gestaltTEAttr U 1-9
 gestaltTEHasGetHiliteRgn U 1-25
 gestaltTempMemSupport U 1-21
 gestaltTempMemTracked U 1-21
 gestaltTermMgrAttr U 1-9, 1-25
 gestaltTermMgrErrorString U 1-25
 gestaltTermMgrPresent U 1-25
 gestaltTextEditVersion U 1-9, 1-25
 gestaltThreadMgrAttr U 1-9
 gestaltThreadMgrPresent U 1-25
 gestaltTimeMgrVersion Pr 3-4, U 1-9, 1-25
 gestaltToolboxTable U 1-9, 1-25
 gestaltTranslationAttr MTb 7-12, U 1-9
 gestaltTranslationMgrExists MTb 7-12, U 1-25
 gestaltTranslationMgrHintOrder U 1-23

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

gestaltTSMgrVersion Tx 7-17, U 1-9
 gestaltVersion U 1-9, 1-25
 gestaltVMAttr U 1-9, 1-25
 gestaltVMPresent U 1-25
 GetATalkInfo N 2-11
 getParms N 8-22
 getRotnOp Im 9-52, 9-56
 getRslDataOp Im 9-52, 9-53 to 9-54
 goAway Tb 6-24
 goodbye D 1-35
 grabPictIgnoreClip QC 5-47
 grabPictOffScreen QC 5-47
 greenColor Im 3-123
 gwFlagErrBit Im 6-40, 6-44
 gwFlagErr Im 6-44

GXA–GXM

gxA4LetterBase XP 3-95
 gxAColorBitmap XD 4-33
 gxAddMode XO 5-14
 gxAlertAfter XP 3-80
 gxAlertBefore XP 3-80
 gxAllObjectValidation XU 4-31
 gxAllRunControlFlags XT 8-61
 gxAllViewDevices XO 7-69
 gxAlphaFirstPacking XO 4-54
 gxAlphaSpace XO 4-54
 gxAlsoOutlineFilledShapes XD 4-32
 gxAltLandscapeOrientation XD 4-17
 gxAltPortraitOrientation XD 4-17
 gxAlwaysGridPort XO 7-20, 7-68
 gxAnchorPointsText XT 6-39
 gxAndMode XO 5-17
 gxAnyPart XO 6-13
 gxApBlockValidation XU 4-31
 gxApHeapValidation XU 4-31
 gxApplicationPanel XD 5-15, XP 3-102
 gxARGB32Space XO 4-10
 gxAtopMode XO 5-22
 gxATransferMode XD 4-33
 gxAutoAdvanceDash XG 3-105
 gxAutoAdvanceText XT 6-39
 gxAutoFeed XD 4-15
 gxAutoInsetStyle XG 3-99
 gxAverageTint XO 7-67

gxB5LetterBase XP 3-95
 gxBendDash XG 3-105
 gxBestQuality XD 4-17
 gxBidirectional XD 4-16
 gxBidirectionalMotion XD 4-18
 gxBiggerPages XD 4-16
 gxBitmapAliasFlatten XO 2-48
 gxBitmapFileAliasImageValue XG 5-64
 gxBitmapFileAliasTagType XG 5-64, XO 8-6
 gxBitmapType XO 2-10
 gxBlendMode XO 5-14
 gxBoundingBoxesOption XD 4-27
 gxBoundsPart XO 6-12, XT 2-23
 gxBreakDash XG 3-105
 gxButtCap XP 4-47
 gxCachedShape XO 2-16
 gxCancelDialogAction XD 4-38, XP 3-101
 gxCancelSelected XP 2-49, 2-72, 2-74, 3-113, 2-72, 3-113
 gxCenterFrameStyle XG 3-98
 gxCenterJustify XT 6-38
 gxCheckApHeapValidation XU 4-31
 gxCheckFontHeapValidation XU 4-31
 gxClipDash XG 3-105
 gxClipLayer XT 6-38
 gxClosedFrameFill XO 2-13
 gxClosePanelAction XD 4-38, XP 3-101
 gxClosePathFlag XP 4-48
 gxCMYK32Space XO 4-15
 gxCMYKSpace XO 4-15
 gxCollationTag XD 3-22
 gxColorMode XD 4-16
 gxColorSet XD 4-33
 gxColorValue1constant XU 8-35
 gxComponent1Tint XO 7-67
 gxComponent2Tint XO 7-67
 gxComponent3Tint XO 7-67
 gxComponent4Tint XO 7-67
 gxConfirmDialogAction XD 4-38, XP 3-101
 gxContainsEmptyPostScript XU 1-20
 gxContainsFormsBegin XU 1-20
 gxContainsFormsEnd XU 1-20
 gxContainsPostScript XU 1-20
 gxControlPointPart XO 6-12, XT 2-23
 gxCopiesTag XD 3-22
 gxCopyMode XO 5-14
 gxCopyrightFontName XT 7-24
 gxCornerPointPart XO 6-12, XT 2-23

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

gxCrossHatch XP 4-48
 gxCubicSynonymTag XO 8-6
 gxCurveJoin XG 3-103
 gxCurveToFlag XP 4-48
 gxCurveType XO 2-9
 gxCustomizePageRange XP 3-82
 gxCustomPlatform XT 7-26
 gxCutterPlotter XD 4-33
 gxDashPart XO 6-12
 gxDashSynonymTag XO 8-6
 gxDefaultOffscreen XD 4-22
 gxDefaultOptionsTranslation XU 1-12
 gxDefaultPageRange XP 3-82
 gxDefaultPaperTypeFlag XP 3-97
 gxDefaultRaster XD 4-24, 6-9
 gxDefaultTrayMapping XD 5-13
 gxDeleteOnClose XD 4-80
 gxDeviceGridStyle XG 3-99
 gxDeviceUnits XD 4-35, XP 4-44
 gxDirectDevice XO 7-27, 7-68
 gxDirectionOverrideMask XT 8-61
 gxDirectShape XO 2-16
 gxDiskShape XO 2-18
 gxDispersedDot XO 7-15
 gxDontResolveTransferModes XD 4-24, 6-9
 gxDontSetHalftone XD 4-22
 gxDontSplitBuffer XD 4-140
 gxDotTypeIsDitherLevel XD 4-22
 gxDraftQuality XD 4-17
 gxDriverPanel XD 5-15, XP 3-102
 gxDriverScopeID XD 2-35
 gxEachPlane XD 4-92
 gxEdgePart XO 6-12, XT 2-23
 gxEllipticDot XO 7-15
 gxEmptyType XO 2-9
 gxEnableMatchPort XO 7-20, 7-68
 gxEndCapPart XO 6-12
 gxEndStatus XD 4-40, XP 4-43
 gxEntireFile XD 4-92
 gxEvenOddFill XO 2-14
 gxExcludeMode XO 5-22
 gxExtensionLoadAnywhere XD 2-39
 gxExtensionLoadFirst XD 2-39
 gxExtensionLoadLast XD 2-39
 gxExtensionPanel XD 5-15, XP 3-102
 gxFadeMode XO 5-22
 gxFamilyFontName XT 7-24
 gxFasterQuality XD 4-17

gxFatalError XD 4-40, XP 4-43
 gxFileDestinationTag XD 3-22
 gxFileFontsTag XD 3-22
 gxFileFontStorage XT 7-31
 gxFileFormatTag XD 3-22
 gxFileLocationTag XD 3-22
 gxFilePrinting XD 4-30, 4-102
 gxFillJustify XT 6-38
 gxFirstAppError XU 3-55
 gxFirstAppNotice XU 3-55
 gxFirstAppWarning XU 3-55
 gxFirstFatalError XU 3-55
 gxFirstFontScalerError XU 3-55
 gxFirstFontScalerWarning XU 3-55
 gxFirstImplementationLimitError XU 3-55
 gxFirstNonfatalError XU 3-55
 gxFirstPageCover XD 4-18
 gxFirstParameterError XU 3-55
 gxFirstParameterOutOfRangeWarning XU 3-55
 gxFirstResultOutOfRangeWarning XU 3-55
 gxFirstSystemDebuggingError XU 3-55
 gxFirstSystemDebuggingWarning XU 3-55
 gxFirstSystemError XU 3-55
 gxFirstSystemNotice XU 3-55
 gxFirstSystemWarning XU 3-55
 gxFirstTray XD 4-17
 gxFlatFontListItemTag XO 8-6
 gxFlipPageHoriz XD 4-16
 gxFlipPageVert XD 4-16
 gxFlushCenter XT 5-29
 gxFlushLeft XT 5-29
 gxFlushRight XT 5-29
 gxFontBlockValidation XU 4-31
 gxFontGlyphsFlatten XO 2-48
 gxFontHeapValidation XU 4-31
 gxFontListFlatten XO 2-48
 gxFontSubstitution XD 4-16
 gxFontVariationsFlatten XO 2-48
 gxForceDitherInk XO 5-9
 gxForceHanging XT 8-61
 gxFormathalftoneTag XO 8-6
 gxFormatPanelTag XD 3-22
 gxFrameFill XO 2-13
 gxFullFontName XT 7-24
 gxFullJustification XT 5-29
 gxFullType XO 2-11
 gxGeometryPart XO 6-12
 gxGetJobFormatFontCommonStylesQuery XP 4-40

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

gxGetJobFormatFontConstraintQuery XP 4-40
 gxGetJobFormatFontsQuery XP 4-40
 gxGetJobFormatLineConstraintQuery XP 4-40
 gxGlyphBoundsPart XO 6-12, XT 2-24
 gxGlyphFirstPart XO 6-13, XT 2-24
 gxGlyphLastPart XO 6-13, XT 2-24
 gxGlyphPlatform XT 7-25
 gxGlyphType XO 2-10
 gxGraphicsJobFormatMode XD 5-14, XP 4-39
 gxGraphicSmoothing XD 4-16
 gxGrayASpace XO 4-8
 gxGrayPort XO 7-20, 7-68
 gxGraySpace XO 4-8
 gxGroupShape XO 2-17
 gxHandleFontStorage XT 7-31
 gxHangingBaseline XT 9-59
 gxHatch XP 4-48
 gxHighlightAverageAngle XT 10-41
 gxHighlightMode XO 5-16
 gxHighlightStraight XT 10-41
 gxHLS32Space XO 4-13
 gxHLS5Space XO 4-13
 gxHollowFill XO 2-14
 gxHSV32Space XO 4-13
 gxHSV5Space XO 4-13
 gxIdeographicCenterBaseline XT 9-58
 gxIdeographicLowBaseline XT 9-59
 gxIgnoreFlag XP 4-48
 gxIgnorePlatformShape XO 2-17, XT 2-6, 2-22
 gxImposeArabic XT 8-62
 gxImposeLeftToRight XT 8-62
 gxImposeRightToLeft XT 8-62
 gxImposeWidth XT 8-60
 gxInactiveDevice XO 7-27, 7-68
 gxInches XP 3-96
 gxInchesUnits XD 4-35, XP 4-44
 gxIndexedSpace XO 4-23
 gxInformationalStatus XD 4-40, XP 4-43
 gxInhibitAlias XD 4-68
 gxInhibitUniqueName XD 4-68
 gxInitializePrinter XD 4-30, 4-102
 gxInsideFrameStyle XG 3-99
 gxInterCharPriority XT 9-60
 gxInterlaceColor XD 4-25, 6-11
 gxInternalValidation XU 4-31
 gxInverseEvenOddFill XO 2-14
 gxInverseFill XO 2-14
 gxInverseSolidFill XO 2-14

gxInverseWindingFill XO 2-14
 gxInvertPage XD 4-16
 gxJobTag XD 3-22
 gxJoinPart XO 6-12
 gxJustificationPriorityMask XT 9-63
 gxKashidaPriority XT 9-60
 gxKeepLooping XP 3-76
 gxLAB32Space XO 4-19
 gxLABSpace XO 4-19
 gxLandscapeLayout XP 3-90
 gxLandscapeOrientation XD 4-16
 gxLastAppError XU 3-55
 gxLastAppNotice XU 3-55
 gxLastAppWarning XU 3-55
 gxLastBaseline XT 9-59
 gxLastFatalError XU 3-55
 gxLastFontScalerError XU 3-55
 gxLastPageCover XD 4-18
 gxLastSystemError XU 3-55
 gxLastSystemNotice XU 3-55
 gxLastSystemWarning XU 3-55
 gxLayoutTextTranslation XU 1-13
 gxLayoutType XO 2-10
 gxLeftJustify XT 6-38
 gxLeftRightKeyboardCaret XT 10-42
 gxLevelDash XG 3-105
 gxLevelEndCap XG 3-101
 gxLevelJoin XG 3-103
 gxLevelStartCap XG 3-101
 gxLineCapSynonymTag XO 8-6
 gxLineDot XO 7-15
 gxLineIsDisplayOnly XT 5-30
 gxLineToFlag XP 4-48
 gxLineType XO 2-9
 gxLockedShape XO 2-17
 gxLong10ColorPacking XO 4-54
 gxLong8ColorPacking XO 4-54
 gxLuminanceTint XO 7-67
 gxLUV32Space XO 4-19
 gxLUVSpace XO 4-19
 gxMacintoshPlatform XT 7-26
 gxMakeBufferHex XD 4-140
 gxMakeImageFile XD 4-92
 gxMakeRemoteFile XD 4-80
 gxManualFeed XD 4-15, 5-13
 gxManualFeedTag XD 3-22
 gxManufacturerFontName XT 7-24
 gxMapTransformShape XO 2-17, XT 2-6, 2-22

AI AOCE Application Interfaces
AM AOCE Service Access Modules
D Devices
F Files
Im Imaging With QuickDraw
IC Interapplication Communication
M Memory
MTb More Macintosh Toolbox

N Networking
O Overview
Pr Processes
PN PowerPC Numerics
PS PowerPC System Software
Q QuickTime
QC QuickTime Components
S Sound

Tb Macintosh Toolbox Essentials
Tx Text
U Operating System Utilities
XD QuickDraw GX Printing Extensions and Drivers
XG QuickDraw GX Graphics
XO QuickDraw GX Objects
XP QuickDraw GX Printing
XT QuickDraw GX Typography
XU QuickDraw GX Environment and Utilities

gxMathBaseline XT 9-59
 gxMaximumMode XO 5-14
 gxMemoryShape XO 2-18
 gxMicrosoftPlatform XT 7-26
 gxMigrateMode XO 5-14
 gxMinimumMode XO 5-14
 gxMixtureTint XO 7-67
 gxMms XP 3-96
 gxMMUnits XD 4-35, XP 4-44
 gxMutuallyExclusiveFeature XT 7-24

GXN–GXZ

gxNeedsCommentsOption XD 4-27
 gxNeedsHexOption XD 4-27
 gxNegativeInfinity XT 8-64, XU 8-35
 gxNewPaperTypeFlag XP 3-97
 gxNfntFontStorage XT 7-31
 gxNoAttributes XO 2-16
 gxNoBackGround XD 4-33
 gxNoBufferOptions XD 4-140
 gxNoCaretAngle XT 8-60, 10-41
 gxNoCloseOptions XD 4-80
 gxNoColorPacking XO 4-54
 gxNoContourGridText XT 6-39
 gxNoCoverPage XD 4-18
 gxNoCreateOptions XD 4-68
 gxNoCrossKerning XT 8-61
 gxNoDirectionOverride XT 8-62
 gxNoFile XD 4-19
 gxNoFill XO 2-13
 gxNoFontName XT 7-23
 gxNoImageFile XD 4-92
 gxNoJustification XT 5-29
 gxNoLanguage XT 7-30
 gxNoLayoutOptions XT 5-30
 gxNoLigatureSplits XT 8-60
 gxNoMemoryManagerValidation XU 4-31
 gxNoMetricGridShape XT 2-22
 gxNoMetricsGridShape XO 2-18
 gxNoMetricsGridText XT 6-39
 gxNoMode XO 5-14
 gxNonFatalError XD 4-40, XP 4-43
 gxNoOpticalAlignment XT 8-61
 gxNoOpticalScaleText XT 6-39
 gxNoOverlap XD 4-33

gxNoOverrideBaseline XT 9-59
 gxNoPart XO 6-12
 gxNoPlatform XT 7-25
 gxNoPrintTimeAlert XP 3-80
 gxNormalMappingTag XD 3-22
 gxNoScript XT 7-27
 gxNoSpecialJustification XT 8-61, 9-25
 gxNoTint XO 7-67
 gxNoValidation XU 4-31
 gxNTSC32Space XO 4-21
 gxNTSCSpace XO 4-21
 gxNullJustificationPriority XT 9-60
 gxNumberOfBaselineTypes XT 9-59
 gxNumberOfJustificationPriorities XT 9-60
 gxOffset16_16 XT 10-42
 gxOffset16_8 XT 10-42
 gxOffset8_16 XT 10-42
 gxOffset8_8 XT 10-42
 gxOffsetInsideLigature XT 10-42
 gxOffsetInvalid XT 10-42
 gxOkSelected XP 2-49, 2-72, 2-74, 3-113
 gxOldAndNewPaperTypeFlag XP 3-97
 gxOldPaperTypeFlag XP 3-97
 gxOnePlaneAtATime XD 4-24, 6-9
 gxOpenConnectionStatus XD 4-40, XP 4-43
 gxOpenFrameFill XO 2-13
 gxOptimizedTranslation XU 1-12
 gxOrMode XO 5-17
 gxOtherAction XD 4-38, XP 3-101
 gxOutsideFrameStyle XG 3-99
 gxOverlayColor XD 4-25, 6-11
 gxOverMode XO 5-22
 gxOverResultComponent XO 5-35
 gxOverrideLimits XT 9-62
 gxOverridePriority XT 9-62
 gxOverrideUnlimited XT 9-63
 gxPageRangeTag XD 3-22
 gxPageTransmission XD 4-40, XP 4-43
 gxPAL32Space XO 4-21
 gxPALSpace XO 4-21
 gxPanelActivateEvt XD 2-21, 4-37, XP 3-99
 gxPanelCancelConfirmation XD 4-38, XP 3-100, 3-123
 gxPanelCancelEvt XD 4-37, XP 3-100
 gxPanelCloseEvt XD 4-37, XP 3-99
 gxPanelConfirmEvt XD 4-37, XP 3-100
 gxPanelDeactivateEvt XD 2-21, 4-37, XP 3-100
 gxPanelDialogEvt XD 4-37, XP 3-100

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

- gxPanelFilterEvt XD 4-37, XP 3-100
- gxPanelHitEvt XD 2-21, 4-37, XP 3-99
- gxPanelIconFocusEvt XD 2-21, 4-37, XP 3-100
- gxPanelNoEvt XD 4-37, XP 3-99
- gxPanelNoResult XD 4-38, XP 3-100, 3-123
- gxPanelOpenEvt XD 2-21, 4-37, XP 3-99
- gxPanelOtherEvt XD 4-37, XP 3-100
- gxPanelPanelFocusEvt XD 2-21, 4-37, XP 3-100
- gxPaperFeedTag XD 3-22
- gxPathType XO 2-10
- gxPatternPart XO 6-12
- gxPatternSynonymTag XO 8-6
- gxPenLessPlotter XD 4-33
- gxPenPart XO 6-12
- gxPercentageStatus XD 4-40, XP 4-43
- gxPicas XP 3-96
- gxPictureType XO 2-11
- gxPointType XO 2-9
- gxPolygonType XO 2-10
- gxPortablePostScriptOption XD 4-28
- gxPortAlignDitherInk XO 5-9
- gxPortAlignPattern XG 3-107
- gxPortMapPattern XG 3-108
- gxPortraitLayout XP 3-90
- gxPortraitOrientation XD 4-16
- gxPositiveInfinity XU 8-35
- gxPostControlTag XO 8-6
- gxPostScriptFile XD 4-19
- gxPostscriptFontName XT 7-24
- gxPostscriptJobFormatMode XD 5-14, XP 4-39
- gxPostScriptTag XO 8-6
- gxPostScriptTargetTranslation XU 1-13
- gxPreciseBitmap XD 4-16
- gxPrinterDriverType XD 3-55
- gxPrinterExceptionScopeID XD 2-35
- gxPrinterOK XD 4-102, 4-30
- gxPrinterReady XD 4-40, XP 4-43
- gxPrinterScopeID XD 2-35
- gxPrintingExtensionType XD 2-33
- gxPrintJobASAP XP 3-79
- gxPrintJobAtTime XP 3-79
- gxPrintJobHoldingAtTime XP 3-79
- gxPrintJobHolding XP 3-79
- gxPrintJobHoldingUrgent XP 3-79
- gxPrintJobUrgent XP 3-79
- gxPrintPanelTag XD 3-22
- gxPublicValidation XU 4-31
- gxQualityTag XD 3-22
- gxQuickDrawPictTag XP 4-12, 4-18, 4-49
- gxRampAndMode XO 5-19
- gxRampOrMode XO 5-19
- gxRampXorMode XO 5-19
- gxRangeBadFromValue XD 4-39, XP 3-102
- gxRangeBadToValue XD 4-39, XP 3-102
- gxRangeNotParsed XD 4-39, XP 3-102
- gxRangeParsed XD 4-39, XP 3-102
- gxRasterTargetTranslation XU 1-13
- gxReadOnlyFontAttribute XT 7-32
- gxRectangleType XO 2-10
- gxRedirectPages XP 3-87
- gxRejectDeviceTransfer XO 5-35
- gxRejectSourceTransfer XO 5-35
- gxRemoteDevice XO 7-27, 7-68
- gxRemoteShape XO 2-16
- gxRenderInReverse XD 4-24, 6-9
- gxReplaceLineWidthTranslation XU 1-12
- gxReplacePageRange XP 3-82
- gxReservePlatform XT 7-26
- gxResetCrossStreamFactor XT 8-64
- gxResetPrinter XD 4-30, 4-102
- gxResolveBitmapAlias XD 4-68
- gxResourceFontStorage XT 7-31
- gxReverseComponent XO 5-35
- gxRevertSelected XP 3-113
- gxRGB16Space XO 4-10
- gxRGB32Space XO 4-10
- gxRGBASpace XO 4-10
- gxRGBSpace XO 4-10
- gxRightJustify XT 6-38
- gxRightLeftKeyboardCaret XT 10-42
- gxRomanBaseline XT 9-58
- gxRotatedLandscapeLayout XP 3-90
- gxRotatedPortraitLayout XP 3-90
- gxRoundCap XP 4-47
- gxRoundDot XO 7-15
- gxScalePages XP 3-87
- gxScreenViewDevices XO 7-69
- gxSecondTray XD 4-17
- gxSendAllBands XD 4-24, 6-9
- gxSendAllColors XD 4-25, 6-11
- gxSetStyleJobFormatCommonStyleQuery XP 4-40
- gxSharpJoin XG 3-103
- gxSideBearingPart XO 6-13, XT 2-24
- gxSimpleGeometryTranslation XU 1-12
- gxSimpleLinesTranslation XU 1-13

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

gxSimpleScalingTranslation XU 1-12
 gxSingleComponentTransfer XO 5-35
 gxSkipWhiteSpaceLayer XT 6-38
 gxSolidFill XO 2-14
 gxSortbyPenPos XD 4-33
 gxSourceGridStyle XG 3-98
 gxSpecialMappingTag XD 3-22
 gxSpiralDot XO 7-15
 gxSplitCaretType XT 10-41
 gxSpoolingPageStatus XD 4-40, XP 4-43
 gxSquareCap XP 4-47
 gxSquareDot XO 7-15
 gxStartCapPart XO 6-12
 gxStaticHeapClient XU 2-18
 gxStopLooping XP 3-76
 gxStringLayer XT 6-38
 gxStructureValidation XU 4-31
 gxStyleFontName XT 7-24
 gxSuppressDitherInk XO 5-10
 gxSuppressHalftoneInk XO 5-10
 gxSysPaperType XP 3-96
 gxSystemFontAttribute XT 7-32
 gxTabloidBase XP 3-95
 gxTextJobFormatMode XP 4-39
 gxTextSmoothing XD 4-16
 gxTextType XO 2-10
 gxThirdTray XD 4-17
 gxThirtySeconds XP 3-80
 gxTilePages XP 3-87
 gxTrademarkFontName XT 7-24
 gxTransform XO 6-31
 gxTrayFeedTag XD 3-22
 gxTrayMappingTag XD 3-22
 gxTriangleCap XP 4-47
 gxTriangleDot XO 7-15
 gxTwoMinutes XP 3-80
 gxTypeValidation XU 4-31
 gxUnderlineAdvanceLayer XT 6-37
 gxUnderlineContinuationLayer XT 6-38
 gxUnderlineIntervalLayer XT 6-38
 gxUnicodePlatform XT 7-26
 gxUnidirectionalFill XD 4-32
 gxUnidirectionalMotion XD 4-18
 gxUniqueFontName XT 7-24
 gxUniqueItemsShape XO 2-17
 gxUnivFailToPrintIndex XD 3-44
 gxUnivManualFeedIndex XD 3-44
 gxUnivNoPaperTrayIndex XD 3-44

gxUnivOutOfPaperIndex XD 3-44
 gxUnivPaperJamIndex XD 3-44
 gxUnivPrinterReadyIndex XD 3-44
 gxUnknownBase XP 3-95
 gxUnlimitedGapAbsorption XT 9-63
 gxUpdateJobData XD 4-80
 gxUseColor XD 4-25, 6-11
 gxUseLevel2ColorOption XD 4-28
 gxUserAlert XD 4-40, XP 4-43
 gxUserAttention XD 4-40, XP 4-43
 gxUserPaperType XP 3-96
 gxUserWillConfirmEvt XD 4-37, XP 3-100
 gxUsLegalBase XP 3-95
 gxUsLetterBase XP 3-95
 gxVectorTargetTranslation XU 1-13
 gxVersionFontName XT 7-24
 gxVerticalText XT 6-39
 gxWhiteLayer XT 6-38
 gxWhiteSpacePriority XT 9-60
 gxWindingFill XO 2-14
 gxWord5ColorPacking XO 4-54
 gxXorMode XO 5-17
 gxXYZ32Space XO 4-19
 gxXYZSpace XO 4-19
 gxYIQ32Space XO 4-21
 gxYIQSpace XO 4-21
 gxYXY32Space XO 4-19
 gxYXYSpace XO 4-19

H

HandlerAID Q 4-6
 handlerCanClip QC 10-39
 handlerCanMatte QC 10-39
 handlerCanTransferMode QC 10-39
 handlerCGrafPortOnly QC 10-40
 handlerHasSpatial QC 10-39
 handlerNeedsBuffer QC 10-39
 handlerNoIdle QC 10-39
 handlerNoScheduler QC 10-39
 handlerWantsTime QC 10-39
 hasBundle Tb 7-34
 hasCustomIcon Tb 7-17 to 7-18, 7-34
 hasDimmingSupport D 6-42
 hasInternalModem D 6-58
 hasMovieExportUserInterface QC 9-7

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

hasMovieImportUserInterface **QC** 9-7
 hasProcessorCycling **D** 6-41
 hasReducedSpeed **D** 6-42
 hasSCSIDiskMode **D** 6-42
 hasSharedModemPort **D** 6-41
 hasWakeupTimer **D** 6-41
 hAxisOnly **Tb** 4-96, 5-100
 HelpItem **Tb** 6-121, 6-156
 HelpMgrVersion **MTb** 3-32
 hiChargeBit **D** 6-38
 hiChargeMask **D** 6-39
 highLevelEventMask **Tb** 2-27
 HighLevelEventMsgClass **Tb** 2-77
 hilite **Im** 4-44, **Tx** 3-96
 hintsScrubMode **Q** 2-138
 hitDev **MTb** 8-25
 hitMsg **MTb** 8-62
 hmAbsoluteCoords **MTb** 3-25 to 3-26
 HMCompareItem **MTb** 3-43 to 3-45
 hmDefaultOptions **MTb** 3-25
 HMNamedResourceItem **MTb** 3-46
 HMPictItem **MTb** 3-24
 hmSaveBitsNoWindow **MTb** 3-25 to 3-26
 hmSaveBitsWindow **MTb** 3-25 to 3-26
 HMScanAppendhdlg **MTb** 3-62, **Tb** 6-156
 HMScanhdlg **MTb** 3-62, **Tb** 6-156
 HMScanhrct **MTb** 3-62, **Tb** 6-156
 HMSkipItem **MTb** 3-24
 HMStringItem **MTb** 3-24
 HMStringResItem **MTb** 3-24
 HMSTRResItem **MTb** 3-24
 HMTEResItem **MTb** 3-24
 hmUseSubID **MTb** 3-25
 hourMask **U** 4-31, 4-43
 hPicture **XD** 4-41
 hrLeadingZ **Tx** B-27
 hwOverrunErr **D** 7-22

I, J

iBeamCursor **Im** 8-8, 8-24
 icmp **Q** 3-24
 Icon **Tb** 6-154
 iconItem **Tb** 6-121
 identityMatrixType **Q** 2-342
 IEEEDEFAULTENV **PN** A-7

illegalInstructionException **PS** 4-10
 inButton **Tb** 5-32, 5-89
 inCheckBox **Tb** 5-32, 5-89
 inContent **Tb** 4-93
 inDownButton **Tb** 5-32, 5-89
 inDrag **Tb** 4-93
 INEXACT **PN** A-7
 INFINITE **PN** A-6
 INFINITY **PN** 7-5
 inGoAway **Tb** 4-93
 inGrow **Tb** 4-93
 initChanLeft **S** 2-91
 initChanRight **S** 2-91
 initCntl **Tb** 5-110, 5-113
 initCompMask **S** 2-38, 2-102
 initDev **MTb** 8-25
 initMACE3 **S** 2-92
 initMACE6 **S** 2-92
 initMono **S** 2-92
 initMsg **MTb** 8-62
 initNoDrop **S** 2-92
 initNoInterp **S** 2-92
 initPanMask **S** 2-38, 2-102
 initSRateMask **S** 2-38, 2-102
 initStereo **S** 2-92
 initStereoMask **S** 2-38, 2-102
 inMenuBar **Tb** 4-92
 inPageDown **Tb** 5-32, 5-89
 inPageUp **Tb** 5-32, 5-89
 inpm **Tx** 7-15
 instructionBreakpointException **PS** 4-10
 InstrumentID **S** 2-98
 intArabic **Tx** 6-70
 intDrawHook **Tx** 2-111
 integerException **PS** 4-11
 intEOLHook **Tx** 2-111
 intEuropean **Tx** 6-70
 intHitTestHook **Tx** 2-111
 inThumb **Tb** 5-32, 5-89
 intJapanese **Tx** 6-70
 intModemOffHook **D** 6-58
 intModemRingDetect **D** 6-58
 intModemRingWakeEnb **D** 6-58
 intNWidthHook **Tx** 2-111
 intOutputMask **Tx** 6-70
 intRoman **Tx** 6-70
 intTextWidthHook **Tx** 2-111
 intWestern **Tx** 6-70

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

intWidthHook Tx 2-111
 inUpButton Tb 5-32, 5-89
 INVALID PN A-7
 invisible Tb 5-18, 5-19, 5-25, 6-22, 6-24, 6-61
 inZoomIn Tb 4-93
 inZoomOut Tb 4-93
 ioQType U 6-7
 iPFMaxPgs Im 9-19
 iPrBitsCtl Im 9-81, 9-82
 iPrDevCtl Im 9-81, 9-83
 iPrEvtCtl Im 9-81, 9-82 to 9-83
 iPrIOCtl Im 9-81, 9-82
 iPrPgMax Im 9-23
 isAlias AI 5-109, Tb 7-40
 isHighLevelEventAware IC 4-5
 isRecordRef AI 5-109
 isShared Tb 7-34
 isStationeryAware Tb 7-35
 isStationery Tb 7-34
 italic Tx 3-70
 itemDisable Tb 6-121
 itlcSysDirection Tx B-11

KA-KC

kADAPDNodeRecTypeNum AI 2-28
 kADAPDNodeRepRecTypeNum AI 2-28
 kADAPServerRecTypeNum AI 2-28
 kAddMask AI 8-13
 kAddressedAs_BCC AM 2-125
 kAddressedAs_CC AM 2-125
 kAddressedAs_TO AM 2-125
 kAdjective Tx 8-27
 kAdverb Tx 8-27
 kAEEAfter IC 8-6
 kAEAll IC 6-14
 kAEAlwaysInteract IC 4-46 to 4-47
 kAEAnswer IC 4-36
 kAEAny IC 6-14
 kAEApplicationDied Pr 2-13
 kAEBefore IC 8-6
 kAEBeginning IC 8-6
 kAEBeginsWith IC 6-51
 kAECanInteract IC 4-46 to 4-47
 kAECanSwitchLayer IC 4-47
 kAECompOperator IC 6-16

kAEContains IC 6-51
 kAECoreSuite IC 3-8
 kAECreatePublisher IC 4-22
 kAEDefaultTimeout IC 4-50, 5-20
 kAEDirectCall IC 4-30
 kAEDonReconnect IC 5-16
 kAEDontExecute IC 5-40, 9-12
 kAEDontReconnect IC 5-16
 kAEDontRecord IC 5-40, 9-3
 kAEEnd IC 8-6
 kAEEndsWith IC 6-51
 kAEEquals IC 6-51
 kAEFirst IC 6-14
 kAEGreaterThanEquals IC 6-51
 kAEHighPriority IC 5-38
 kAEIDoMarking IC 4-104, 6-47, 6-85
 kAEIDoMinimum IC 4-104, 6-47, 6-85
 kAEIDoWhose IC 6-47, 6-85
 kAELast IC 6-14
 kAELessThan IC 6-51, 8-6
 kAELessThanEquals IC 6-51
 kAELocalProcess IC 4-30
 kAEMiddle IC 6-14
 kAEMiscStdSuite IC 4-22
 kAENeverInteract IC 4-46 to 4-47
 kAENext IC 6-15
 kAENoDispatch IC 4-87, 10-72
 kAENoReply IC 5-14 to 5-15
 kAENormalPriority IC 5-38
 kAEObject2 IC 6-16
 kAEOpenApplication IC 3-9
 kAEOpenDocuments IC 3-9
 kAEPrevious IC 6-15
 kAEPrintDocuments IC 3-9
 kAEQueueReply IC 4-37, 5-14 to 5-15
 kAEQuitApplication IC 3-9
 kAERemoteProcess IC 4-30
 kAEReplace IC 8-6
 kAESameProcess IC 4-30
 kAEUnknownSource IC 4-30
 kAEUseStandardDispatch IC 10-72
 kAEWaitReply IC 4-36, 5-14 to 5-15
 kAEWantReceipt IC 5-16
 kAFPServiceRecTypeNum AI 2-29
 kAlertSoundsPanel U 5-8
 kAllPrivs AI 8-14
 kAnyTransactionID IC 5-4
 kAppleMenuFolderAliasType Tb 7-40

AI AOCE Application Interfaces
AM AOCE Service Access Modules
D Devices
F Files
Im Imaging With QuickDraw
IC Interapplication Communication
M Memory
MTb More Macintosh Toolbox

N Networking
O Overview
Pr Processes
PN PowerPC Numerics
PS PowerPC System Software
Q QuickTime
QC QuickTime Components
S Sound

Tb Macintosh Toolbox Essentials
Tx Text
U Operating System Utilities
XD QuickDraw GX Printing Extensions and Drivers
XG QuickDraw GX Graphics
XO QuickDraw GX Objects
XP QuickDraw GX Printing
XT QuickDraw GX Typography
XU QuickDraw GX Environment and Utilities

kAppleMenuFolderType **Tb** 7-54
 kApplicationAliasType **Tb** 7-40
 kARMmountVol **F** 4-21
 kARMMultVols **F** 4-21, **Q** 2-64
 kARMnoUI **F** 4-21
 kARMsearch **F** 4-22
 kARMsearchMore **F** 4-22, **Q** 2-64
 kARMsearchRelFirst **F** 4-22, **Q** 2-64
 kASHasOpenHandler **IC** 10-43
 kAssoDirectoryAttrTypeNum **AM** 4-67, 4-71
 kAssoMailServiceAttrTypeNum **AM** 4-68, 4-71
 kAudioComponentType **S** 6-6
 kAudioVisionHeadphoneSubType **S** 6-6
 kAudioVisionSpeakerSubType **S** 6-6
 kAuthenticatedInDirectoryBit **AI** 8-11
 kAuthenticatedInDirectoryMask **AI** 8-12
 kAuthenticatedInDNNodeBit **AI** 8-11
 kAuthenticatedInDNNodeMask **AI** 8-12
 kAuthLocalIdentityNameChangeOp **AI** 9-69
 kAuthLockLocalIdentityOp **AI** 9-69
 kAuthLockPending **AI** 9-69
 kAuthLockWillBeDone **AI** 9-69
 kAuthUnlockLocalIdentityOp **AI** 9-69
 kAutoGenerateReturnID **IC** 5-4
 kAwacsPhoneSubType **S** 6-6
 kBeginsWith **AI** 4-32, 4-63, 8-37
 kBusinessCardRecTypeNum **AI** 2-29
 kCallingConventionPhase **PS** 2-28
 kCallingConventionWidth **PS** 2-29
 kCanSupportNameOrderBit **AI** 8-30, **AM** 3-19
 kCanSupportNameOrderMask **AM** 3-43
 kCanSupportTypeOrderBit **AI** 8-30, **AM** 3-19
 kCanSupportTypeOrderMask **AM** 3-43
 kCCRegisterCBit **PS** 2-33
 kCCRegisterNBit **PS** 2-33
 kCCRegisterVBit **PS** 2-33
 kCCRegisterXBit **PS** 2-33
 kCCRegisterZBit **PS** 2-33
 kChangeMask **AI** 8-13
 kChangePrivsMask **AI** 8-14
 kClockCallMeWhenSelect **QC** 11-8
 kClockCancelCallbackSelect **QC** 11-8
 kClockDisposeCallbackSelect **QC** 11-8
 kClockGetRateSelect **QC** 11-8
 kClockGetTimeSelect **QC** 11-8
 kClockImplementsCallbacks **QC** 11-5
 kClockNewCallbackSelect **QC** 11-8
 kClockRateChangedSelect **QC** 11-8

kClockRateIsLinear **QC** 11-5
 kClockSetTimeBaseSelect **QC** 11-8
 kClockStartStopChangedSelect **QC** 11-8
 kClockTimeChangedSelect **QC** 11-8
 kCombinedRecTypeBody **AM** 4-75
 kCombinedRecTypeNum **AI** 2-29
 kCommentAttrTypeNum **AM** 4-69, 4-72
 kComponentCanDoSelect **MTb** 6-55, **U** 5-9
 kComponentCloseSelect **MTb** 6-55
 kComponentOpenSelect **MTb** 6-14
 kComponentRegisterSelect **MTb** 6-55
 kComponentSetTargetSelect **MTb** 6-55
 kComponentUnregisterSelect **MTb** 6-55
 kComponentVersionSelect **MTb** 6-55, **U** 5-9
 kContainerFloppyAliasType **Tb** 7-40
 kContainerFolderAliasType **Tb** 7-40
 kContainerHardDiskAliasType **Tb** 7-40
 kContainerServerAliasType **Tb** 7-40
 kContainerTrashAliasType **Tb** 7-40
 kContaining **AI** 4-32, 4-63, **AI** 8-37
 kControlPanelFolderAliasType **Tb** 7-40
 kControlPanelFolderType **Tb** 7-54
 kConvertedText **Tx** 7-70
 kCoreEventClass **IC** 3-8
 kCreateSoundSource **S** 5-27
 kCStackBased **PS** 2-30
 kCurrentProcess **IC** 5-10, 5-13, **Pr** 2-5, 2-15
 kCursorPosition **Tx** 7-70
 kCustomIconResource **Tb** 7-18

KD

kDODispatchedCStackBased **PS** 2-30
 kDODispatchedPascalStackBased **PS** 2-30
 kDlDispatchedPascalStackBased **PS** 2-30
 kDBAboutToInit **IC** 12-23
 kDBExecComplete **IC** 12-24
 kDBGetItemComplete **IC** 12-25
 kDBGetQueryResultsComplete **IC** 12-25
 kDBInitComplete **IC** 12-24
 kDBSendComplete **IC** 12-24
 kDBStartQueryComplete **IC** 12-24
 kDBUpdateWind **IC** 12-23
 kDeleteMask **AI** 8-13
 kDesktopFolderType **Tb** 7-54
 kDETFAddNewItem **AI** 5-87

AI AOCE Application Interfaces
AM AOCE Service Access Modules
D Devices
F Files
Im Imaging With QuickDraw
IC Interapplication Communication
M Memory
MTb More Macintosh Toolbox

N Networking
O Overview
Pr Processes
PN PowerPC Numerics
PS PowerPC System Software
Q QuickTime
QC QuickTime Components
S Sound

Tb Macintosh Toolbox Essentials
Tx Text
U Operating System Utilities
XD QuickDraw GX Printing Extensions and Drivers
XG QuickDraw GX Graphics
XO QuickDraw GX Objects
XP QuickDraw GX Printing
XT QuickDraw GX Typography
XU QuickDraw GX Environment and Utilities

- kDETAlias AI 5-171
- kDETAAllowNoColons AI 5-126
- kDETAAppFontLineHeight AI 5-127
- kDETAApplicationFont AI 5-127
- kDETAApplicationFontSize AI 5-127
- kDETAAspectAliasGender AI 5-94
- kDETAAspectAliasKind AI 5-93
- kDETAAspectAliasWhatIs AI 5-94
- kDETAAspectAttrDragIn AI 5-100
- kDETAAspectBalloons AI 5-105
- kDETAAspectCategory AI 5-91
- kDETAAspectCode AM 4-73, 4-79
- kDETAAspectDragInString AI 5-101
- kDETAAspectDragInSummary AI 5-102
- kDETAAspectDragInVerb AI 5-101
- kDETAAspectDragOut AI 5-102
- kDETAAspectExternalCategory AI 5-92
- kDETAAspectGender AI 5-93
- kDETAAspectInfoPageCustomWindow AI 5-97
- kDETAAspectKind AI 5-91, AM 4-73, 4-76
- kDETAAspectLookup AI 5-108
- kDETAAspectMainBitmap AI 5-90, AM 4-73, 4-78
- kDETAAspectName AI 5-86, 5-95, AM 4-73, 4-75
- kDETAAspectNewEntryName AI 5-95
- kDETAAspectNewMenuName AI 5-94
- kDETAAspectNewValue AI 5-96
- kDETAAspectRecordCatDragIn AI 5-99
- kDETAAspectRecordDragIn AI 5-99
- kDETAAspectReverseSort AI 5-104
- kDETAAspectSublistOpenOnNew AI 5-87, 5-96
- kDETAAspectTemplate AI 5-145
- kDETAAspectTemplateName AI 5-86
- kDETAAspectViewMenu AI 5-103
- kDETAAspectWhatIs AI 5-93, AM 4-73, 4-79
- kDETAAttributeAccessMask AI 5-87
- kDETAAttributeType AI 5-77
- kDETAAttributeValueTag AI 5-77
- kDETBold AI 5-127
- kDETBBoxIsGrayed AI 5-128
- kDETBBoxIsInvisible AI 5-128
- kDETBBoxIsRounded AI 5-128
- kDETBBoxTakesContentClicks AI 5-128
- kDETCallForAttributes AI 5-149
- kDETCallForCommands AI 5-149
- kDETCallForDrops AI 5-149
- kDETCallForEscalation AI 5-149
- kDETCallForEverything AI 5-149
- kDETCallForIdle AI 5-149
- kDETCallForKeyPresses AI 5-149
- kDETCallForNothing AI 5-149
- kDETCallForOther AI 5-149
- kDETCallForResources AI 5-149
- kDETCallForSyncing AI 5-149
- kDETCallForValidation AI 5-149
- kDETCallForViewChanges AI 5-149
- kDETCenter AI 5-127
- kDETCChangeViewCommand AI 5-128
- kDETCcmdAboutToTalk AI 5-200
- kDETCcmdAddMenu AI 5-238
- kDETCcmdAttributeChange AI 5-178
- kDETCcmdAttributeCreation AI 5-175
- kDETCcmdAttributeDelete AI 5-180
- kDETCcmdAttributeNew AI 5-176
- kDETCcmdBeep AI 5-198
- kDETCcmdBreakAttribute AI 5-224
- kDETCcmdBusy AI 5-200
- kDETCcmdChangeCallFors AI 5-198
- kDETCcmdCloseEdit AI 5-212
- kDETCcmdConvertFromNumber AI 5-190
- kDETCcmdConvertFromRString AI 5-191
- kDETCcmdConvertToNumber AI 5-188
- kDETCcmdConvertToRString AI 5-189
- kDETCcmdCustomMenuEnabled AI 5-194
- kDETCcmdCustomMenuSelected AI 5-195
- kDETCcmdCustomViewDraw AI 5-192
- kDETCcmdCustomViewMouseDown AI 5-193
- kDETCcmdDirtyProperty AI 5-233
- kDETCcmdDoPropertyCommand AI 5-245
- kDETCcmdDoSync AI 5-186
- kDETCcmdDropMeQuery AI 5-170
- kDETCcmdDropQuery AI 5-172
- kDETCcmdDynamicForwarders AI 5-155
- kDETCcmdDynamicResource AI 5-156
- kDETCcmdExit AI 5-151
- kDETCcmdGetCommandItemN AI 5-202
- kDETCmdGetCommandSelectionCount AI 5-201
- kDETCmdGetCustomViewBounds AI 5-244
- kDETCmdGetCustomViewUserReference AI 5-242
- kDETCmdGetDSSpec AI 5-209
- kDETCmdGetOpenEdit AI 5-211
- kDETCmdGetPropertyBinary AI 5-219
- kDETCmdGetPropertyBinarySize AI 5-218
- kDETCmdGetPropertyChanged AI 5-221
- kDETCmdGetPropertyEditable AI 5-222
- kDETCmdGetPropertyNumber AI 5-216
- kDETCmdGetPropertyRString AI 5-217

| | | |
|--|--|--|
| <ul style="list-style-type: none"> AI AOCE Application Interfaces AM AOCE Service Access Modules D Devices F Files Im Imaging With QuickDraw IC Interapplication Communication M Memory MTb More Macintosh Toolbox | <ul style="list-style-type: none"> N Networking O Overview Pr Processes PN PowerPC Numerics PS PowerPC System Software Q QuickTime QC QuickTime Components S Sound | <ul style="list-style-type: none"> Tb Macintosh Toolbox Essentials Tx Text U Operating System Utilities XD QuickDraw GX Printing Extensions and Drivers XG QuickDraw GX Graphics XO QuickDraw GX Objects XP QuickDraw GX Printing XT QuickDraw GX Typography XU QuickDraw GX Environment and Utilities |
|--|--|--|

kDETCmdGetPropertyType AI 5-214
 kDETCmdGetResource AI 5-207
 kDETCmdGetTemplateFSSpec AI 5-206
 kDETCmdIdle AI 5-157
 kDETCmdInit AI 5-150, AM 4-30
 kDETCmdInstanceExit AI 5-154
 kDETCmdInstanceInit AI 5-152
 kDETCmdItemNew AI 5-153
 kDETCmdKeyPress AI 5-163
 kDETCmdMaximumTextLength AI 5-166
 kDETCmdMenuItemRString AI 5-241
 kDETCmdOpenDSSpec AI 5-210
 kDETCmdOpenSelf AI 5-158
 kDETCmdPaste AI 5-164
 kDETCmdPatternIn AI 5-182
 kDETCmdPatternOut AI 5-184
 kDETCmdPropertyCommand AI 5-159
 kDETCmdPropertyDirty AI 5-167
 kDETCmdRemoveMenu AI 5-240
 kDETCmdRequestSync AI 5-237
 kDETCmdSaveProperty AI 5-234
 kDETCmdSelectedSublistCount AI 5-236
 kDETCmdSetPropertyBinary AI 5-229
 kDETCmdSetPropertyChanged AI 5-231
 kDETCmdSetPropertyEditable AI 5-232
 kDETCmdSetPropertyNumber AI 5-227
 kDETCmdSetPropertyRString AI 5-228
 kDETCmdSetPropertyType AI 5-225
 kDETCmdShouldSync AI 5-185
 kDETCmdSublistCount AI 5-235
 kDETCmdTemplateCounts AI 5-205
 kDETCmdUnloadTemplates AI 5-208
 kDETCmdValidateSave AI 5-168
 kDETCmdViewListChanged AI 5-166
 kDETCondense AI 5-127
 kDETDefaultFont AI 5-127
 kDETDefaultFontLineHeight AI 5-127
 kDETDefaultFontSize AI 5-127
 kDETDNodeAccessMask AI 5-87
 kDETDoNothing AI 5-171
 kDETDrag AI 5-171
 kDETDSSpec AI 5-144
 kDETDSType AI 5-203
 kDETDynamicSize AI 5-126
 kDETEnabled AI 5-126
 kDETExtend AI 5-127
 kDETForceLeft AI 5-127
 kDETForwarderTemplateName AI 5-139

kDETHFSType AI 5-203
 kDETHilightIfSelected AI 5-126
 kDETIconStyle AI 5-127
 kDETInfoPageMainViewAspect AI 5-136
 kDETInfoPageMenuEntries AI 5-137
 kDETInfoPageName AI 5-137
 kDETInfoPageNumber AI 5-86
 kDETInfoPageTemplate AI 5-145
 kDETInfoPageTemplateName AI 5-87
 kDETIItalic AI 5-127
 kDETKillerName AI 5-140
 kDETLastItemType AI 5-203
 kDETLLeft AI 5-127
 kDETMailType AI 5-203
 kDETMove AI 5-171
 kDETMoverType AI 5-203
 kDETMultiLine AI 5-126
 kDETNoFlags AI 5-126
 kDETNormal AI 5-127
 kDETNumericOnly AI 5-126
 kDETOpenSelectedItem AI 5-87
 kDETOutline AI 5-127
 kDETParent AI 5-144
 kDETPastFirstLookup AI 5-86
 kDETPopupDynamicSize AI 5-126
 kDETPrimaryAddMask AI 5-87
 kDETPrimaryChangeMask AI 5-87
 kDETPrimaryChangePrivsMask AI 5-87
 kDETPrimaryDeleteMask AI 5-87
 kDETPrimaryMaskByBit AI 5-87
 kDETPrimaryRenameMask AI 5-87
 kDETPrimarySeeMask AI 5-87
 kDETPrKind AI 5-86
 kDETPrName AI 5-86
 kDETPrTypeBinary AI 5-85
 kDETPrTypeNumber AI 5-85
 kDETPrTypeString AI 5-85
 kDETPrimaryAccessMask AI 5-87
 kDETPrimaryRecordType AI 5-76, AM 4-73, 4-74
 kDETPrimaryRemoveSelectedItem AI 5-87
 kDETPrimaryRight AI 5-127
 kDETPrimaryScaleToView AI 5-126
 kDETPrimarySelectedItem AI 5-144
 kDETPrimarySelf AI 5-144
 kDETPrimarySelfOtherAspect AI 5-144
 kDETPrimaryShadow AI 5-127
 kDETPrimarySublistItem AI 5-144
 kDETPrimarySystemFont AI 5-127

AI AOCE Application Interfaces
AM AOCE Service Access Modules
D Devices
F Files
Im Imaging With QuickDraw
IC Interapplication Communication
M Memory
MTb More Macintosh Toolbox

N Networking
O Overview
Pr Processes
PN PowerPC Numerics
PS PowerPC System Software
Q QuickTime
QC QuickTime Components
S Sound

Tb Macintosh Toolbox Essentials
Tx Text
U Operating System Utilities
XD QuickDraw GX Printing Extensions and Drivers
XG QuickDraw GX Graphics
XO QuickDraw GX Objects
XP QuickDraw GX Printing
XT QuickDraw GX Typography
XU QuickDraw GX Environment and Utilities

kDETSysFontLineHeight AI 5-127
 kDETSysFontSize AI 5-127
 kDETTemplateName AI 5-75, AM 4-73, 4-74
 kDETUnderline AI 5-127
 kDETUnused AI 5-128
 kDirAbort AM 3-44
 kDirAddADAPDirectory AM 3-44
 kDirAddAlias AM 3-44
 kDirAddAttributeValue AM 3-43
 kDirAddDSAM AM 3-44
 kDirAddDSAMDirectory AM 3-44
 kDirAddPseudonym AM 3-43
 kDirAddRecord AM 3-43
 kDirChangeAttributeValue AM 3-43
 kDirClosePersonalDirectory AM 3-44
 kDirCreatePersonalDirectory AM 3-44
 kDirDeleteAttributeType AM 3-44
 kDirDeleteAttributeValue AM 3-43
 kDirDeletePseudonym AM 3-43
 kDirDeleteRecord AM 3-43
 kDirectoryAttrTypeNum AM 4-66
 kDirectoryRecTypeBody AM 4-75
 kDirectoryRecTypeNum AI 2-28
 kDirEnumerateAttributeTypesGet AM 3-43
 kDirEnumerateAttributeTypesParse AM 3-43
 kDirEnumerateDirectoriesGet AM 3-44
 kDirEnumerateDirectoriesParse AM 3-43
 kDirEnumerateGet AM 3-43
 kDirEnumerateParse AM 3-43
 kDirEnumeratePseudonymGet AM 3-43
 kDirEnumeratePseudonymParse AM 3-43
 kDirFindADAPDirectoryByNetSearch AM 3-43
 kDirFindRecordGet AM 3-44
 kDirFindRecordParse AM 3-44
 kDirFindValue AM 3-44
 kDirGetAttributeAccessControlGet AM 3-44
 kDirGetAttributeAccessControlParse AM 3-44
 kDirGetDirectoryIcon AM 3-44
 kDirGetDirectoryInfo AM 3-44
 kDirGetDNodeAccessControlGet AM 3-44
 kDirGetDNodeAccessControlParse AM 3-44
 kDirGetDNodeInfo AM 3-44
 kDirGetDNodeMetaInfo AM 3-44
 kDirGetExtendedDirectoriesInfo AM 3-44
 kDirGetLocalNetworkSpec AM 3-44
 kDirGetNameAndType AM 3-43
 kDirGetOCESetupRefNum AM 3-44
 kDirGetRecordAccessControlGet AM 3-44

kDirGetRecordAccessControlParse AM 3-44
 kDirGetRecordMetaInfo AM 3-43
 kDirInstantiatedSAM AM 3-44
 kDirLookupGet AM 3-44
 kDirLookupParse AM 3-43
 kDirMakePersonalDirectoryRLI AM 3-44
 kDirMapDNodeNumberToPathName AM 3-44
 kDirMapPathNameToDNodeNumber AM 3-44
 kDirNativeNameAttrTypeNum AM 4-69, 4-72
 kDirNetSearchADAPDirectoriesGet AM 3-43
 kDirNetSearchADAPDirectoriesParse AM 3-43
 kDirOpenPersonalDirectory AM 3-44
 kDirRemoveDirectory AM 3-44
 kDirRemoveDSAM AM 3-44
 kDirSetNameAndType AM 3-43
 kDirUserKeyAttrTypeNum AM 4-69, 4-72
 kDirUserRIDAttrTypeNum AM 4-69, 4-72
 kDirVerifyAttributeValue AM 3-43
 kDiscriminatorAttrTypeNum AM 4-69, 4-72
 kDispatchedParameterPhase PS 2-29
 kDispatchedSelectorSizePhase PS 2-29
 kDispatchedSelectorSizeWidth PS 2-29
 kDNodeRecTypeNum AI 2-28
 kDontPassSelector PS 2-35
 kDropFolderAliasType Tb 7-40
 kDSAMFileAliasAttrTypeNum AM 4-66
 kDSAMRecTypeNum AI 2-28, 2-29, AM 4-64

KE-KL

keepInRam Q 2-140
 keepLocalBit Im 6-40, 6-43, 6-44
 keepLocal Im 6-44
 kEncryptPassword F 2-111, 2-223
 kEndingWith AI 4-32, 4-63, 8-37
 kEnumAliasMask AI 4-31, 8-35
 kEnumAllMask AI 4-31, 8-35
 kEnumDistinguishedNameMask AI 4-31, 8-35
 kEnumDNodeMask AI 4-31, 8-35
 kEnumInvisibleMask AI 4-31, 8-35
 kEnumPseudonymMask AI 4-31, 8-35
 kExactMatch AI 4-32, 4-63, 8-37
 kExportedFolderAliasType Tb 7-40
 kExtensionFolderAliasType Tb 7-40
 kExtensionFolderType Tb 7-54
 keyAddressAttr IC 3-15

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

keyAEClosureOffsets Tx 7-71
 keyAECContainer IC 3-34, 6-8, 6-55
 keyAECCurrentPoint Tx 7-73
 keyAEDesiredClass IC 3-34, 6-8, 6-55
 keyAEDragging Tx 7-73
 keyAEEditionFileLoc IC 4-22
 keyAEFixLength Tx 7-69
 keyAEHiliteRange Tx 7-70
 keyAEIndex IC 6-42
 keyAEKeyData IC 3-34, 6-8
 keyAEKeyForm IC 3-34, 6-8
 keyAEObject1 IC 6-16
 keyAEObject IC 8-5
 keyAEOffset Tx 7-73
 keyAEPinRange Tx 7-71
 keyAEPosition IC 8-5
 keyAERegionClass Tx 7-73
 keyAEScriptTag Tx 7-68
 keyAEServerInstance Tx 7-26, 7-68
 keyAETest IC 6-42
 keyAETheData Tx 7-68
 keyAETSMDocumentRefcon Tx 7-26, 7-68
 keyAEWhoseRangeStart IC 6-44
 keyAEWhoseRangeStop IC 6-44
 keyDirectObject IC 3-15
 keyDown Tb 2-18
 keyDownMask Tb 2-27
 keyErrorNumber IC 3-15, 4-36 to 4-37
 keyErrorString IC 3-15, 4-37
 keyEventClassAttr IC 3-15
 keyEventIDAttr IC 3-15
 keyEventSourceAttr IC 3-15
 keyEvtDev MTb 8-26
 keyEvtMsg MTb 8-62
 keyInteractLevelAttr IC 3-15
 keyMissedKeywordAttr IC 3-15, 4-30, 4-34 to 4-35,
 5-10
 keyOptionalKeywordAttr IC 3-15, 4-34, 5-7 to 5-10
 keyOriginalAddressAttr IC 3-15
 keyOSASourceEnd IC 10-39
 keyOSASourceStart IC 10-39
 keyPreDispatch IC 4-100, 4-101
 keyProcessSerialNumber Pr 2-13
 keyReturnIDAttr IC 3-15
 keySelectProc IC 4-102
 keyTimeoutAttr IC 3-15, 5-21
 keyTransactionIDAttr IC 3-15
 keyUp Tb 2-18

keyUpdateRange Tx 7-71
 keyUpMask Tb 2-27
 kFakeAttrTypeNum AM 4-27
 kFemale S 4-48
 kFindLib PS 3-20
 kFirstOCERecTypeNum AI 2-29
 kFirstSpinnerIcon AI 4-94
 kFontsFolderType Tb 7-54
 kFormatListFormat IC 2-25
 kFourByteCode PS 2-28
 kFragmentIsPrepared PS 2-34
 kFragmentNeedsPreparing PS 2-34
 kFriendsBit AI 8-11
 kFriendsMask AI 8-12
 kFullVolume Q 2-132, 2-151, 2-182, 2-183
 kGatewayFileIDAttrTypeNum AM 4-65
 kGroupRecTypeNum AI 2-28
 kGuestBit AI 8-11
 kGuestMask AI 8-12
 kHighLevelEvent IC 4-5, Tb 2-18, 2-68
 kHighQuality S 5-27
 kHMCheckedItem MTb 3-123, 3-127
 kHMDialogResType MTb 3-123, 3-126
 kHMDisabledItem MTb 3-123, 3-127
 kHMEnabledItem MTb 3-123, 3-127
 kHMFinderApplResType MTb 3-123, 3-126
 kHMHelpMenuID MTb 3-90 to 3-93
 kHMMenuResType MTb 3-123, 3-126
 khmmPict MTb 3-76 to 3-77, 3-96
 khmmPictHandle MTb 3-76 to 3-78, 3-96
 khmmString MTb 3-76 to 3-77, 3-96
 khmmStringRes MTb 3-76 to 3-79, 3-96
 khmmSTRRes MTb 3-76, 3-79, 3-96
 khmmTEHandle MTb 3-76, 3-80, 3-96
 khmmTERes MTb 3-76, 3-79, 3-96
 kHMOtherItem MTb 3-123, 3-127, 3-167
 kHMOverrideResType MTb 3-123, 3-126
 kHMRectListResType MTb 3-123, 3-126
 kHMRegularWindow MTb 3-81, 3-102
 kHMSaveBitsNoWindow MTb 3-81, 3-102
 kHMSaveBitsWindow MTb 3-81, 3-102
 kHMWindListResType MTb 3-123, 3-126
 killCode D 1-35
 kInputsPanel U 5-8
 kInsert Tx 8-31
 kInsertOrReplace Tx 8-31
 kInstallSelect U 5-10
 kIPMAnyPriority AI 7-34

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

kIPMAtMark AI 7-63, 7-100
 kIPMBCCRecBit AI 7-94
 kIPMBCCRecMask AI 7-94
 kIPMDeliveryNotificationBit AI 7-31
 kIPMDeliveryNotificationMask AI 7-31
 kIPMDigitalSignature AM 2-18
 kIPMDontEncloseOriginalMask AI 7-32
 kIPMDummyRecBit AI 7-93
 kIPMDummyRecMask AI 7-94
 kIPMEnclosedMsgType AM 2-18
 kIPMEncloseOriginalBit AI 7-31
 kIPMEncloseOriginalMask AI 7-32
 kIPMEncloseOriginalOnErrorMask AI 7-32
 kIPMFamilyUnspecified AI 7-35
 kIPMFamilyWildCard AI 7-35
 kIPMFeedbackRecBit AI 7-93
 kIPMFeedbackRecMask AI 7-94
 kIPMFixedInfo AI 7-91, AM 2-149
 kIPMFromDistListBit AI 7-93
 kIPMFromDistListMask AI 7-94
 kIPMFromLEOM AI 7-63, 7-100
 kIPMFromMark AI 7-64, 7-101
 kIPMFromStart AI 7-63, 7-100
 kIPMGroupExpansionProblem AI 7-30, AM 2-208
 kIPMHighPriority AI 7-34
 kIPMImmediateReportMask AI 7-32
 kIPMLowPriority AI 7-34
 kIPMMessageTitle AI 7-91, AM 2-149
 kIPMMessageType AI 7-91, AM 2-149
 kIPMMsgExpired AI 7-30, AM 2-209
 kIPMMsgNoTranslatableContent AI 7-30,
 AM 2-209
 kIPMMsgUnreadable AI 7-30, AM 2-208
 kIPMNonDeliveryNotificationBit AI 7-31
 kIPMNonDeliveryNotificationMask AI 7-31
 kIPMNoNotificationMask AI 7-31
 kIPMNormalPriority AI 7-34
 kIPMNoSuchRecipient AI 7-29, AM 2-208
 kIPMNoTransferDiskFull AI 7-30, AM 2-209
 kIPMNoTransferMsgRejectedbyDest AI 7-30, AM
 2-209
 kIPMNoTransferMsgTooLarge AI 7-30, AM 2-209
 kIPMOriginalOnlyOnErrorBit AI 7-31
 kIPMOriginalOnlyOnErrorMask AI 7-32
 kIPMOSFormatType AI 7-28
 kIPMProcessHint AI 7-91, AM 2-149
 kIPMRecipientAccessDenied AI 7-30, AM 2-208
 kIPMRecipientAmbiguous AI 7-29, AM 2-208

kIPMRecipientMalFormed AI 7-29, AM 2-208
 kIPMRecipientReqSnapShot AI 7-30, AM 2-209
 kIPMRecipientReqStdCont AI 7-30, AM 2-209
 kIPMReporterRecBit AI 7-94
 kIPMReporterRecMask AI 7-94
 kIPMSender AI 7-91, AM 2-149
 kIPMSenderRecordIDTag AI 7-40
 kIPMSenderRStringTag AI 7-40
 kIPMStringFormatType AI 7-28
 kIPMSummaryReportBit AI 7-31
 kIPMSummaryReportMask AI 7-32
 kIPMTOC AI 7-90, AM 2-149
 kIsCaseSensitive Tx 8-21
 kIsNotDiacriticalSensitive Tx 8-21
 kLarge4BitIcon MTb 9-13, 9-17
 kLarge4BitIconSize MTb 9-13, 9-18
 kLarge8BitIcon MTb 9-13, 9-17
 kLarge8BitIconSize MTb 9-13, 9-18
 KLargeIcon MTb 9-13, 9-17
 kLargeIconSize MTb 9-13, 9-18
 kLastOCERecTypeNum AI 2-29
 kLastSpinnerIcon AI 4-94, 4-95
 kLoadLib PS 3-20
 kLoadNewCopy PS 3-20

KM

kM68kISA PS 2-36
 kMACE3Compression S 5-26
 kMACE6Compression S 5-26
 kMachineNameStrID U 1-27
 kMailAppleMailCreator AM 2-51
 kMailAuthenticatedBit AM 2-103
 kMailAuthenticatedMask AM 2-240
 kMailBccBit AI 3-115, AM 2-100
 kMailBccMask AM 2-239
 kMailCcBit AI 3-115, AM 2-100
 kMailCcMask AM 2-239
 kMailContentType AM 2-18
 kMailConversationIDBit AM 2-100
 kMailConversationIDMask AM 2-239
 kMailDontArchiveBit AM 2-122
 kMailDontArchiveMask AM 2-123
 kMaileLEECorrectable AM 2-128
 kMaileLEError AM 2-128
 kMaileLEInformational AM 2-128

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

- kMailELEWarning AM 2-128
- kMailEnclosedOnNonReceipt AM 2-105
- kMailEnclosureDesktopType AM 2-18
- kMailEnclosureFileType AM 2-18
- kMailEnclosureListType AM 2-18
- kMailEPPCAdmin AM 2-33
- kMailEPPCContinue AM 2-33
- kMailEPPCCreateSlot AM 2-33
- kMailEPPCDeleteOutQMsg AM 2-33
- kMailEPPCDeleteSlot AM 2-33
- kMailEPPCInQUpdate AM 2-33
- kMailEPPCLocationChanged AM 2-33
- kMailEPPCMailboxClosed AM 2-33
- kMailEPPCMailboxOpened AM 2-33
- kMailEPPCModifySlot AM 2-33
- kMailEPPCMsgOpened AM 2-33
- kMailEPPCMsgPending AM 2-33
- kMailEPPCMsgVersion AM 2-114
- kMailEPPCSchedule AM 2-33
- kMailEPPCSendImmediate AM 2-33
- kMailEPPCShutDown AM 2-33
- kMailEPPCWakeup AM 2-33
- kMailErrorLogEntryVersion AM 2-129
- kMailFamily AI 7-35, AM 2-22
- kMailFamilyFile AI 7-35, AM 2-22
- kMailForwardedBit AM 2-103
- kMailForwardedMask AM 2-240
- kMailFromBit AM 2-100
- kMailFromLEOB AI 3-92, AM 2-195
- kMailFromMark AI 3-92, AM 2-195
- kMailFromMask AM 2-239
- kMailFromStart AI 3-92, AM 2-195
- kMailHasContentBit AM 2-103
- kMailHasContentMask AM 2-240
- kMailHasSignatureBit AM 2-103
- kMailHasSignatureMask AM 2-240
- kMailHopInfoType AM 2-238
- kMailImageBodyType AM 2-18
- kMailIndicationsBit AM 2-100
- kMailIndicationsMask AM 2-239
- kMailInTrashBit AM 2-122
- kMailInTrashMask AM 2-123
- kMailInvalidSegmentType AI 3-86, AM 2-110
- kMailIsLocalBit AM 2-122
- kMailIsLocalMask AM 2-122
- kMailIsReportBit AM 2-103
- kMailIsReportMask AM 2-240
- kMailIsReportWithOriginalBit AM 2-103
- kMailIsReportWithOriginalMask AM 2-240
- kMailLetterFlagsBit AM 2-100
- kMailLetterFlagsMask AM 2-239
- kMailLetterIDBit AM 2-100
- kMailLetterIDMask AM 2-239
- kMailLtrHdrType AM 2-18
- kMailLtrMsgType AM 2-64
- kMailMaxPMSAMMsgSummaryData AM 2-169
- kMailMiscError AM 2-128
- kMailMovieSegmentBit AM 2-111
- kMailMovieSegmentMask AM 2-111
- kMailMovieSegmentType AI 3-86, AM 2-110
- kMailMSAMActionStringListID AM 2-129
- kMailMSAMErrorCode AM 2-128
- kMailMSAMErrorStringListID AM 2-129
- kMailMSAMType AM 2-18
- kMailMsgFamilyBit AM 2-100
- kMailMsgFamilyMask AM 2-239
- kMailMsgSummaryVersion AM 2-127
- kMailMsgTypeBit AM 2-100
- kMailMsgTypeMask AM 2-239
- kMailNestingLevelBit AM 2-100
- kMailNestingLevelMask AM 2-239
- kMailNoModem AM 2-128
- kMailNonReceiptReportsBit AM 2-103
- kMailNonReceiptReportsMask AM 2-240
- kMailNoOriginal AM 2-105
- kMailOriginalInReportBit AM 2-103
- kMailOriginalInReportMask AM 2-240
- kMailPictSegmentBit AM 2-111
- kMailPictSegmentMask AM 2-111
- kMailPictSegmentType AI 3-85, AM 2-110
- kMailPriorityBit AM 2-103
- kMailPriorityMask AM 2-240
- kMailReadBit AM 2-122
- kMailReadMask AM 2-123
- kMailReceiptReportsBit AM 2-103
- kMailReceiptReportsMask AM 2-240
- kMailReplyIDBit AM 2-100
- kMailReplyIDMask AM 2-239
- kMailReportType AM 2-81
- kMailResolvedList AM 2-52
- kMailSendTimeStampBit AM 2-100
- kMailSendTimeStampMask AM 2-239
- kMailSentBit AM 2-103
- kMailSentMask AM 2-240
- kMailServiceAttrTypeNum AM 4-65
- kMailServiceRecTypeBody AM 4-75

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

kMailServiceRecTypeNum AI 2-29
 kMailSoundSegmentBit AM 2-111
 kMailSoundSegmentMask AM 2-111
 kMailSoundSegmentType AI 3-86, AM 2-110
 kMailStyledTextSegmentBit AM 2-111
 kMailStyledTextSegmentMask AM 2-111
 kMailStyledTextSegmentType AI 3-86, AM 2-110
 kMailSubjectBit AM 2-100
 kMailSubjectMask AM 2-239
 kMailTextSegmentBit AM 2-111
 kMailTextSegmentMask AM 2-111
 kMailTextSegmentType AI 3-85, AM 2-110
 kMailTimerFrequency AM 2-120
 kMailTimerOff AM 2-120
 kMailTimerTime AM 2-120
 kMailToBit AI 3-115, AM 2-100
 kMailToMask AM 2-239
 kMailTunnelLtrType AM 2-238
 kMale S 4-48
 kMatchAll AI 4-32, 4-63, 8-37
 kMeBit AI 8-11
 kMediaGetGraphicsModeSelect QC 10-8
 kMediaGetMediaInfoSelect QC 10-7
 kMediaGetNextBoundsChangeSelect QC 10-8
 kMediaGetSoundBalanceSelect QC 10-8
 kMediaGetSrcRgnSelect QC 10-8
 kMediaGetTrackOpaqueSelect QC 10-7
 kMediaGGetStatusSelect QC 10-7
 kMediaGSetVolumeSelect QC 10-8
 kMediaHasCharacteristicSelect QC 10-8
 kMediaIdleSelect QC 10-7
 kMediaInitializeSelect QC 10-7
 kMediaPrerollSelect QC 10-8
 kMediaPutMediaInfoSelect QC 10-7
 kMediaSampleDescriptionChangedSelect QC 10-8
 kMediaSetActiveSelect QC 10-7
 kMediaSetClipSelect QC 10-7
 kMediaSetDimensionsSelect QC 10-7
 kMediaSetGraphicsModeSelect QC 10-7
 kMediaSetGWorldSelect QC 10-7
 kMediaSetHandlerCapabilitiesSelect QC 10-7
 kMediaSetMatrixSelect QC 10-7
 kMediaSetMediaTimeScaleSelect QC 10-7
 kMediaSetMovieTimeScaleSelect QC 10-7
 kMediaSetRateSelect QC 10-7
 kMediaSetSoundBalanceSelect QC 10-8
 kMediaTrackEditedSelect QC 10-7

kMeMask AI 8-13
 kMnMForwarderRecTypeNum AI 2-28
 kMnMRecTypeNum AI 2-28
 kMountedFolderAliasType Tb 7-40
 kMovieExportDoUserDialogSelect QC 9-9
 kMovieExportGetAuxiliaryDataSelect QC 9-9
 kMovieExportSetProgressProcSelect QC 9-9
 kMovieExportToFileSelect QC 9-9
 kMovieExportToHandleSelect QC 9-9
 kMovieImportDoUserDialogSelect QC 9-9
 kMovieImportFileSelect QC 9-8
 kMovieImportHandleSelect QC 9-8
 kMovieImportSetAuxiliaryDataSelect QC 9-9
 kMovieImportSetChunkSizeSelect QC 9-9
 kMovieImportSetDimensionsSelect QC 9-8
 kMovieImportSetDurationSelect QC 9-9
 kMovieImportSetFromScrapSelect QC 9-9
 kMovieImportSetMediaFileSelect QC 9-8
 kMovieImportSetProgressProcSelect QC 9-9
 kMovieImportSetSampleDescriptionSelect QC 9-8
 kMovieImportSetSampleDurationSelect QC 9-8
 kMSAMRecTypeNum AI 2-28, AM 4-64

KN–KR

kNetworkSpecRecTypeNum AI 2-28
 kNeuter S 4-48
 kNoByteCode PS 2-28
 kNoChannelConversion S 5-28
 kNoDecompression S 5-28
 kNoEndingProsody S 4-51, 4-58
 kNoMixing S 5-28
 kNoPrivs AI 8-13
 kNoProcess Pr 2-5, 2-15
 kNoRealtimeProcessing S 5-29
 kNoSampleFormatConversion S 5-28
 kNoSampleRateConversion S 5-28
 kNoSampleSizeConversion S 5-28
 kNoSoundComponentChain S 5-27
 kNoSpeechInterrupt S 4-51, 4-58
 kNotifyLockBit AI 9-30
 kNotifyLockMask AI 9-30
 kNotifyNameChangeBit AI 9-30
 kNotifyNameChangeMask AI 9-31
 kNotifyUnlockBit AI 9-30

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

- kNotifyUnlockMask AI 9-31
- kNoTimeout IC 4-50, 5-20
- kNoun Tx 8-27
- kNoUserAuthentication F 2-111, 2-223
- kNoVolume Q 2-132, 2-151, 2-182, 2-183
- kNoVolumeConversion S 5-29
- kNumOCERecTypes AI 2-29
- kOASComponentType IC 10-4
- kOASNullScript IC 10-34
- kOCEAddrXtn AI 7-14
- kOCEalanXtn AM 2-31
- kOCEaphnXtn AM 2-31
- kOCEAttrType AI 2-25
- kOCEAttrXtn AI 7-14
- kOCEDirectoryDSSpec AI 2-104
- kOCEDirName AI 2-24
- kOCEDirsRootDSSpec AI 2-104
- kOCEDNodeDSSpec AI 2-104
- kOCEDontUseHandyDial AI 7-14
- kOCEentnDSSpec AI 2-104
- kOCEentnXtn AM 2-31
- kOCEGenericInsensitive AI 2-25
- kOCEGenericSensitive AI 2-25
- kOCEInvalidDSSpec AI 2-104
- kOCENetworkSpec AI 2-24
- kOCENOTentnDSSpec AI 2-104
- kOCEPackedRecipientMAXBYTES AI 7-25, 7-121
- kOCEQnamXtn AI 7-14
- kOCERecordDSSpec AI 2-104
- kOCERecordOrDNodeName AI 2-24
- kOCERecordType AI 2-24
- kOCESetupLocationMax AM 2-115
- kOCESetupLocationNone AM 2-115
- kOCESpAtXtn AI 7-14
- kOffset2Pos Tx 7-74
- kOffsetBinary S 5-26
- kOneByteCode PS 2-28
- kOSACanGetSource IC 10-43
- kOSAErrorApp IC 10-38
- kOSAErrorBriefMessage IC 10-38
- kOSAErrorMessage IC 10-38
- kOSAErrorNumber IC 10-38
- kOSAErrorOffendingObject IC 10-38
- kOSAErrorPartialResult IC 10-38
- kOSAErrorRange IC 10-38
- kOSAGenericScriptingComponentSubtype IC 10-4, 10-14
- kOSAScriptBestType IC 10-43
- kOSAScriptIsModified IC 10-42, 10-43
- kOSAScriptIsTypeCompiledScript IC 10-43
- kOSAScriptIsTypeScriptContext IC 10-43
- kOSAScriptIsTypeScriptValue IC 10-43
- kOSAScriptResourceType IC 10-14
- kOSASupportsAECOercion IC 10-52
- kOSASupportsAESending IC 10-5, 10-56
- kOSASupportsCoercion IC 10-5
- kOSASupportsCompiling IC 10-5, 10-47
- kOSASupportsDialects IC 10-5, 10-67
- kOSASupportsGetSource IC 10-5, 10-51
- kOSASupportsRecording IC 10-5, 10-59
- kOSASupportsTinkering IC 10-5, 10-72
- kOSASupportsWindowEditing IC 10-5
- kOtherServiceRecTypeNum AI 2-29
- kOutputsPanel U 5-8
- kPanelEventSelect U 5-10
- kPanelGetDitlSelect U 5-10
- kPanelGetSettingsSelect U 5-10
- kPanelItemSelect U 5-10
- kPanelRemoveSelect U 5-10
- kPanelSetSettingsSelect U 5-10
- kPanelValidateInputSelect U 5-10
- kParentDSAMAttrTypeNum AM 4-68, 4-71
- kParentMSAMAttrTypeNum AM 4-67, 4-71
- kPascalStackBased PS 2-30
- kPassSelector PS 2-35
- kPassThrough S 5-27
- kPassword F 2-111, 2-223
- kPICTformatMask IC 2-38, 2-92
- kPMSAMStatusCaching AM 2-212
- kPMSAMStatusError AM 2-212
- kPMSAMStatusPending AM 2-212
- kPMSAMStatusSending AM 2-212
- kPMSAMStatusSent AM 2-212
- kPos2Offset Tx 7-72
- kPowerPCISA PS 2-36
- kPreferencesFolderAliasType Tb 7-40
- kPreferencesFolderType Tb 7-54
- kPreviewEventSelector QC 12-6
- kPreviewFormat IC 2-25
- kPreviewMakePreviewReferenceSelector QC 12-6
- kPreviewMakePreviewSelector QC 12-6
- kPreviewShowDataSelector QC 12-6
- kPrintMonitorDocsFolderAliasType Tb 7-40
- kPrintMonitorDocsFolderType Tb 7-54
- kPrivateDataAttrTypeNum AM 4-70, 4-72

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

kProcDescriptorIsAbsolute PS 2-34
 kProcDescriptorIsRelative PS 2-34
 kPublisherDocAliasFormat IC 2-25
 kRateConvert S 5-27
 kRawText Tx 7-70
 kRC4KeySizeInBytes AI 9-20
 kRealNameAttrTypeNum AM 4-69, 4-72
 kRealTime S 5-27
 kRegisterA0 PS 2-33
 kRegisterA1 PS 2-33
 kRegisterA2 PS 2-33
 kRegisterA3 PS 2-33
 kRegisterA4 PS 2-33
 kRegisterA5 PS 2-33
 kRegisterA6 PS 2-33
 kRegisterBased PS 2-30
 kRegisterD0 PS 2-33
 kRegisterD1 PS 2-33
 kRegisterD2 PS 2-33
 kRegisterD3 PS 2-33
 kRegisterD4 PS 2-33
 kRegisterD5 PS 2-33
 kRegisterD6 PS 2-33
 kRegisterD7 PS 2-33
 kRegisterParameterPhase PS 2-29
 kRegisterParameterSizePhase PS 2-29
 kRegisterParameterWhichPhase PS 2-29
 kRegisterParameterWidth PS 2-29
 kRegisterResultLocationPhase PS 2-29
 kRegisterResultLocationWidth PS 2-29
 kRenameMask AI 8-13
 kReplace Tx 8-31
 kResultSizeMask PS 2-29
 kResultSizePhase PS 2-29
 kResultSizeWidth PS 2-29
 kReverse S 5-27
 kRoutineDescriptorVersion PS 2-38
 kRoutineIsDispatchedDefaultRoutine PS 2-35
 kRoutineIsNotDispatchedDefaultRoutine PS 2-35

KS

kSAMAspectCannotDelete AM 4-73, 4-77
 kSAMAspectKind AM 4-73, 4-76
 kSAMAspectSlotCreationInfo AM 4-73, 4-77

kSAMAspectUserName AM 4-73, 4-76
 kSDPChangedSelection AI 4-53, 4-60
 kSDPContainerAliasSelected AI 4-53, 4-55
 kSDPContainerSelected AI 4-55
 kSDPFindCompleted AI 4-77, 4-83
 kSDPFindPanelListHasFocus AI 4-64, 4-71
 kSDPFindPanelNoFocus AI 4-64, 4-71
 kSDPFindPanelResourceType AI 4-64
 kSDPFindPanelTextHasFocus AI 4-64, 4-71
 kSDPFindSelectionChanged AI 4-77
 kSDPFindTextExistsBit AI 4-79
 kSDPFindTextExistsMask AI 4-79
 kSDPFocusChanged AI 4-78
 kSDPGuestBit AI 4-97
 kSDPGuestMask AI 4-26
 kSDPItemIsSelectedBit AI 4-79
 kSDPItemIsSelectedMask AI 4-79
 kSDPLocalIdentityBit AI 4-97
 kSDPLocalIdentityMask AI 4-26
 kSDPLockedContainerSelected AI 4-55
 kSDPMenuChanged AI 4-78
 kSDPNothingSelected AI 4-55
 kSDPPanelResourceType AI 4-34
 kSDPProcessed AI 4-53, 4-60
 kSDPProcessedFind AI 4-78
 kSDPRecordAliasSelected AI 4-53, 4-55
 kSDPRecordSelected AI 4-53, 4-55
 kSDPRestrictToDirectory AI 4-26
 kSDPRestrictToRecord AI 4-26
 kSDPSelectedAFindItem AI 4-77
 kSDPSelectedAnItem AI 4-53, 4-60
 kSDPSelectionAndFocusChanged AI 4-78
 kSDPSelectionAndMenuChanged AI 4-78
 kSDPSpecificIdentityBit AI 4-97
 kSDPSpecificIdentityMask AI 4-26
 kSDPSuggestionOnly AI 4-27
 kSDPTextStateChanged AI 4-77
 kSeeFoldersMask AI 8-14
 kSeeMask AI 8-13
 kSelectedConvertedText Tx 7-70
 kSelectedRawText Tx 7-70
 kSelectorsAreIndexable PS 2-27
 kSelectorsAreNotIndexable PS 2-27
 kSelectVDClearKeyColor QC 8-9
 kSelectVDClearClipRgn QC 8-10
 kSelectVDCompressDone QC 8-10
 kSelectVDCompressOneFrameAsync QC 8-10
 kSelectVDDone QC 8-10

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

- kSelectVDGetActiveSrcRect QC 8-9
- kSelectVDGetBlackLevelValue QC 8-10
- kSelectVDGetBrightness QC 8-9
- kSelectVDGetCLUTInUse QC 8-10
- kSelectVDGetCompressionTypes QC 8-11
- kSelectVDGetContrast QC 8-9
- kSelectVDGetCurrentFlags QC 8-9
- kSelectVDGetDataRate QC 8-11
- kSelectVDGetDigitizerInfo QC 8-9
- kSelectVDGetDigitizerRect QC 8-9
- kSelectVDGetDMA Depths QC 8-11
- kSelectVDGetFieldPreference QC 8-10
- kSelectVDGetHue QC 8-9
- kSelectVDGetImageDescription QC 8-10
- kSelectVDGetInputColorSpaceMode QC 8-10
- kSelectVDGetInput QC 8-10
- kSelectVDGetInputFormat QC 8-10
- kSelectVDGetInputGammaRecord QC 8-10
- kSelectVDGetInputGammaValue QC 8-9
- kSelectVDGetKeyColor QC 8-9
- kSelectVDGetKeyColorRange QC 8-9
- kSelectVDGetMaskandValue QC 8-10
- kSelectVDGetMaskPixMap QC 8-9
- kSelectVDGetMaxAuxBuffer QC 8-9
- kSelectVDGetMaxSrcRect QC 8-9
- kSelectVDGetNextKeyColor QC 8-9
- kSelectVDGetNumberOfInputs QC 8-10
- kSelectVDGetPlayThruDestination QC 8-9
- kSelectVDGetPLLFilterType QC 8-10
- kSelectVDGetPreferredTimeScale QC 8-11
- kSelectVDGetSaturation QC 8-9
- kSelectVDGetSharpness QC 8-9
- kSelectVDGetSoundInputDriver QC 8-11
- kSelectVDGetVBlankRect QC 8-9
- kSelectVDGetVideoDefaults QC 8-10
- kSelectVDGetWhiteLevelValue QC 8-10
- kSelectVDGrabOneFrameAsync QC 8-10
- kSelectVDGrabOneFrame QC 8-9
- kSelectVDPreflightDestination QC 8-10
- kSelectVDPreflightGlobalRect QC 8-10
- kSelectVDReleaseAsyncBuffers QC 8-11
- kSelectVDReleaseCompressBuffer QC 8-10
- kSelectVDResetCompressSequence QC 8-10
- kSelectVDSetBlackLevelValue QC 8-10
- kSelectVDSetBrightness QC 8-9
- kSelectVDSetClipRgn QC 8-10
- kSelectVDSetClipState QC 8-10
- kSelectVDSetCompression QC 8-10
- kSelectVDSetCompressionOnOff QC 8-10
- kSelectVDSetContrast QC 8-9
- kSelectVDSetDigitizerRect QC 8-9
- kSelectVDSetDigitizerUserInterrupt QC 8-9
- kSelectVDSetFieldPreference QC 8-10
- kSelectVDSetFrameRate QC 8-11
- kSelectVDSetHue QC 8-9
- kSelectVDSetInputColorSpaceMode QC 8-10
- kSelectVDSetInput QC 8-10
- kSelectVDSetInputGammaRecord QC 8-10
- kSelectVDSetInputGammaValue QC 8-9
- kSelectVDSetInputStandard QC 8-10
- kSelectVDSetKeyColor QC 8-9
- kSelectVDSetKeyColorRange QC 8-9
- kSelectVDSetMasterBlendLevel QC 8-10
- kSelectVDSetPlayThruDestination QC 8-10
- kSelectVDSetPlayThruGlobalRect QC 8-10
- kSelectVDSetPlayThruOnOff QC 8-10
- kSelectVDSetPLLFilterType QC 8-10
- kSelectVDSetSaturation QC 8-9
- kSelectVDSetSharpness QC 8-9
- kSelectVDSetTimeBase QC 8-11
- kSelectVDSetupBuffers QC 8-10
- kSelectVDSetWhiteLevelValue QC 8-10
- kSelectVDUseThisCLUT QC 8-9
- kSetupRecTypeNum AI 2-28, AM 4-64
- kSFlagsAttrTypeNum AM 4-69, 4-72
- kSGAddFrameReferenceSelect QC 5-8
- kSGAddMovieDataSelect QC 5-8
- kSGAppendDeviceListToMenuSelect QC 5-6
- kSGCAddFrameSelect QC 5-8, 6-8
- kSGCAlignChannelRectSelect QC 6-9
- kSGCCompressFrameCompleteSelect QC 5-8, 6-8
- kSGCCompressFrameSelect QC 5-8, 6-8
- kSGCDisplayCompressSelect QC 5-8, 6-9
- kSGCDisplayFrameSelect QC 5-8, 6-8
- kSGCGetBufferInfoSelect QC 5-8, 6-9
- kSGCGetChannelBoundsSelect QC 5-7, 6-7
- kSGCGetChannelClipSelect QC 5-7, 6-7
- kSGCGetChannelDeviceListSelect QC 5-7, 6-8
- kSGCGetChannelInfoSelect QC 5-7, 6-7
- kSGCGetChannelMatrixSelect QC 5-7, 6-8
- kSGCGetChannelMaxFramesSelect QC 5-7, 6-7
- kSGCGetChannelPlayFlagsSelect QC 5-7, 6-7
- kSGCGetChannelSampleDescriptionSelect QC 5-7, QC 6-8
- kSGCGetChannelTimeScaleSelect QC 5-7, QC 6-8
- kSGCGetChannelUsageSelect QC 5-7, 6-7

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

kSGCGetChannelVolumeSelect QC 5-7, 6-7
 kSGCGetCompressBufferSelect QC 5-8, 6-9
 kSGCGetDataRateSelect QC 6-9
 kSGCGetFrameRateSelect QC 5-8, QC 6-9
 kSGCGetSoundInputDriverSelect QC 5-8, QC 6-9
 kSGCGetSoundInputParametersSelect QC 5-8, 6-9
 kSGCGetSoundInputRateSelect QC 5-8, QC 6-9
 kSGCGetSoundRecordChunkSizeSelect QC 5-8, QC 6-9
 kSGCGetSrcVideoBoundsSelect QC 5-7, 6-8
 kSGCGetUseScreenBufferSelect QC 5-8, 6-9
 kSGCGetVideoBottlenecksSelect QC 5-7, 6-8
 kSGCGetVideoCompressorSelect QC 5-7, 6-8
 kSGCGetVideoCompressorTypeSelect QC 5-7, 6-8
 kSGCGetVideoDigitizerComponentSelect QC 5-7, 6-8
 kSGCGetVideoRectSelect QC 5-7, 6-8
 kSGCGrabCompressCompleteSelect QC 5-8, 6-9
 kSGCGrabFrameCompleteSelect QC 5-7, 6-8
 kSGCGrabFrameSelect QC 5-7, 6-8
 kSGCChangedSourceSelect QC 5-8
 kSGCInitChannelSelect QC 6-9
 kSGCPanelCanRunSelect QC 7-8
 kSGCPanelEventSelect QC 7-8
 kSGCPanelGetDitlSelect QC 7-8
 kSGCPanelGetSettingsSelect QC 7-8
 kSGCPanelInstallSelect QC 7-8
 kSGCPanelItemSelect QC 7-8
 kSGCPanelRemoveSelect QC 7-8
 kSGCPanelSetGrabberSelect QC 7-8
 kSGCPanelSetResFileSelect QC 7-8
 kSGCPanelSetSettingsSelect QC 7-8
 kSGCPanelValidateInputSelect QC 7-8
 kSGCSetChannelBoundsSelect QC 5-7, 6-7
 kSGCSetChannelClipSelect QC 5-7, 6-7
 kSGCSetChannelDeviceSelect QC 5-7, 6-8
 kSGCSetChannelMatrixSelect QC 5-7, 6-8
 kSGCSetChannelMaxFramesSelect QC 5-7, 6-7
 kSGCSetChannelPlayFlagsSelect QC 5-7, 6-7
 kSGCSetChannelRefConSelect QC 5-7, 6-7
 kSGCSetChannelUsageSelect QC 5-7, 6-7
 kSGCSetChannelVolumeSelect QC 5-7, 6-7
 kSGCSetCompressBufferSelect QC 5-8, 6-9
 kSGCSetFrameRateSelect QC 5-8, 6-9
 kSGCSetSoundInputDriverSelect QC 5-8, 6-9
 kSGCSetSoundInputParametersSelect QC 5-8, 6-9

kSGCSetSoundInputRateSelect QC 5-8, 6-9
 kSGCSetSoundRecordChunkSizeSelect QC 5-8, 6-9
 kSGCSetUseScreenBufferSelect QC 5-8, 6-9
 kSGCSetVideoBottlenecksSelect QC 5-7, 6-8
 kSGCSetVideoCompressorSelect QC 5-7, 6-8
 kSGCSetVideoCompressorTypeSelect QC 5-7, 6-8
 kSGCSetVideoDigitizerComponentSelect QC 5-7, 6-8
 kSGCSetVideoRectSelect QC 5-7, 6-8
 kSGCSoundInputDriverChangedSelect QC 5-8, 6-9
 kSGCTransferFrameForCompressSelect QC 5-8, 6-8
 kSGCVideoDigitizerChangedSelect QC 5-7, 6-8
 kSGCWriteSamplesSelect QC 6-9
 kSGDisposeChannelSelect QC 5-6
 kSGDisposeDeviceListSelect QC 5-6
 kSGGetAlignmentProcSelect QC 5-6
 kSGGetChannelSettingsSelect QC 5-6
 kSGGetDataOutputSelect QC 5-6
 kSGGetFlagsSelect QC 5-6
 kSGGetGWorldSelect QC 5-6
 kSGGetIndChannelSelect QC 5-6
 kSGGetLastMovieResIDSelect QC 5-6
 kSGGetMaximumRecordTimeSelect QC 5-6
 kSGGetMovieSelect QC 5-6
 kSGGetNextFrameReferenceSelect QC 5-8
 kSGGetPauseSelect QC 5-6
 kSGGetSettingsSelect QC 5-6
 kSGGetStorageSpaceRemainingSelect QC 5-6
 kSGGetTimeBaseSelect QC 5-8
 kSGGetTimeRemainingSelect QC 5-6
 kSGGrabPictSelect QC 5-6
 kSGIdleSelect QC 5-6, 6-7
 kSGInitializeSelect QC 5-6
 kSGNewChannelFromComponentSelect QC 5-6
 kSGNewChannelSelect QC 5-6
 kSGPauseSelect QC 5-6, 6-7
 kSGPrepareSelect QC 5-6, 6-7
 kSGReleaseSelect QC 5-6, 6-7
 kSGSetChannelSettingsSelect QC 5-6
 kSGSetDataOutputSelect QC 5-6
 kSGSetDataProcSelect QC 5-6
 kSGSetFlagsSelect QC 5-6
 kSGSetGWorldSelect QC 5-6, 6-7
 kSGSetMaximumRecordTimeSelect QC 5-6
 kSGSetSettingsSelect QC 5-6

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

- kSGSettingsDialog QC 5-6
- kSGSortDeviceListSelect QC 5-8
- kSGStartPreviewSelect QC 5-6, 6-7
- kSGStartRecordSelect QC 5-6, 6-7
- kSGStopSelect QC 5-6, 6-7
- kSGUpdateSelect QC 5-6, 6-7
- kSGWriteMovieData QC 5-8
- kSharedFolderAliasType Tb 7-40
- kShowHideInputWindow Tx 7-76
- kSIGCommonName AI 6-26
- kSIGCountryCode AI 6-26
- kSIGDigestSize AI 6-44
- kSIGInvalidSignatureIconResID AI 6-26, 6-56
- kSIGLocality AI 6-26
- kSIGOrganization AI 6-26
- kSIGOrganizationUnit AI 6-27
- kSIGPostalCode AI 6-27
- kSIGSignatureIconResID AI 6-26, 6-56
- kSIGSignerCertIndex AI 6-56
- kSIGState AI 6-26
- kSIGStreetAddress AI 6-26
- kSIGTitle AI 6-26
- kSIGValidSignatureIconResID AI 6-26, 6-56
- kSlotIDAttrTypeNum AM 4-67, 4-71
- kSmall4BitIcon MTb 9-13, 9-17
- kSmall4BitIconSize MTb 9-13, 9-18
- kSmall8BitIcon MTb 9-13, 9-17
- kSmall8BitIconSize MTb 9-13, 9-18
- kSmallIcon MTb 9-13, 9-17
- kSmallIconSize MTb 9-13, 9-18
- kSMPAddressOMatic AI 3-32
- kSMPAppBecomesTargetBit AI 3-65
- kSMPAppBecomesTargetMask AI 3-65
- kSMPAppMayUndo AI 3-33
- kSMPAppMustHandleEventBit AI 3-65
- kSMPAppMustHandleEventMask AI 3-65
- kSMPAppShouldIgnoreEventBit AI 3-65
- kSMPAppShouldIgnoreEventMask AI 3-65
- kSMPAttachments AI 3-32, 3-114
- kSMPBCCAddress AI 3-115
- kSMPCCAddress AI 3-115
- kSMPClearCommand AI 3-68
- kSMPContractedBit AI 3-65
- kSMPContractedMask AI 3-65
- kSMPCopyCommand AI 3-68
- kSMPCreateCopyWindowBit AI 3-65
- kSMPCreateCopyWindowMask AI 3-65
- kSMPCursorOverMailerBit AI 3-65
- kSMPCursorOverMailerMask AI 3-65
- kSMPCutCommand AI 3-68
- kSMPPDisposeCopyWindowBit AI 3-65
- kSMPPDisposeCopyWindowMask AI 3-65
- kSMPExpandedBit AI 3-65
- kSMPExpandedMask AI 3-65
- kSMPPFrom AI 3-32, 3-112
- kSMPImageBit AI 3-35
- kSMPImageMask AI 3-35
- kSMPMailerBecomesTargetBit AI 3-65
- kSMPMailerBecomesTargetMask AI 3-65
- kSMPMailerUndo AI 3-34
- kSMPNativeBit AI 3-35
- kSMPNativeFormatNamek AI 3-127
- kSMPNativeMask AI 3-35
- kSMPOther AI 3-32
- kSMPPasteCommand AI 3-68
- kSMPRegarding AI 3-32, 3-112
- kSMPSaveACopy AI 3-79
- kSMPSaveAs AI 3-79
- kSMPSave AI 3-79
- kSMPSelectAllCommand AI 3-68
- kSMPSendAsEnclosureBit AI 3-40
- kSMPSendAsEnclosureMask AI 3-40
- kSMPSendAsImageBit AI 3-40
- kSMPSendAsImageMask AI 3-40
- kSMPSendDateTime AI 3-32, 3-112
- kSMPSendFileOnlyBit AI 3-40
- kSMPSendFileOnlyMask AI 3-40
- kSMPSendOptionsEnd AI 3-126
- kSMPSendOptionsStart AI 3-126
- kSMPStandardInterchangeBit AI 3-35
- kSMPStandardInterchangeMask AI 3-35
- kSMPToAddress AI 3-115
- kSMPTo AI 3-32, 3-114
- kSMPUndoCommand AI 3-68
- kSMPUndoDisabled AI 3-33
- kSMSAMFwdrConnectedToChangedBit AM 2-118
- kSMSAMFwdrConnectedToChangedMask AM 2-118
- kSMSAMFwdrEverythingChangedMask AM 2-118
- kSMSAMFwdrForeignRLIsChangedBit AM 2-118
- kSMSAMFwdrForeignRLIsChangedMask AM 2-119
- kSMSAMFwdrHomeInternetChangedBit AM 2-118
- kSMSAMFwdrHomeInternetChangedMask AM 2-118
- kSMSAMFwdrMnMServerChangedBit AM 2-118
- kSMSAMFwdrMnMServerChangedMask AM 2-119
- kSMSAMGetDynamicFwdrParams AM 2-116
- kSMSAMNotifyFwdrNameChange AM 2-116

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

kSMSAMNotifyFwdrPwdChange AM 2-116
 kSMSAMNotifyFwdrSetupChange AM 2-116
 ksndFormatMask IC 2-38, 2-92
 kSourcePaused S 5-27
 kSpecialCaseCaretHook PS 2-31
 kSpecialCase PS 2-30
 kSpecialCaseDrawHook PS 2-31
 kSpecialCaseEOLHook PS 2-31
 kSpecialCaseGNEFilterProc PS 2-32
 kSpecialCaseHighHook PS 2-31
 kSpecialCaseHitTestHook PS 2-32
 kSpecialCaseMBarHook PS 2-32
 kSpecialCaseNWidthHook PS 2-31
 kSpecialCaseProtocolHandler PS 2-32
 kSpecialCaseSocketListener PS 2-32
 kSpecialCaseTEDoText PS 2-32
 kSpecialCaseTEFindWord PS 2-32
 kSpecialCaseTERecalc PS 2-32
 kSpecialCaseTextWidthHook PS 2-31
 kSpecialCaseWidthHook PS 2-31
 kStackDispatchedPascalStackBased PS 2-30
 kStackParameterPhase PS 2-29
 kStackParameterWidth PS 2-29
 kStandardFindLayout AI 4-62
 kStartupFolderAliasType Tb 7-40
 kStartupFolderType Tb 7-54
 kStdSlotInfoAttrTypeNum AM 4-67, 4-71
 kStereoIn S 5-27
 kStereoOut S 5-27
 kSupportIndexRatioBit AI 8-30, AM 3-20
 kSupportIndexRatioMask AM 3-43
 kSupportsAliasesBit AI 8-30, AM 3-20
 kSupportsAliasesMask AM 3-43
 kSupportsAttributeCreationIDBit AI 8-29,
 AM 3-18
 kSupportsAttributeCreationIDMask AM 3-42
 kSupportsAuthenticationBit AI 8-31, AM 3-20
 kSupportsAuthenticationMask AM 3-43
 kSupportsBeginsWithBit AI 8-29, AM 3-19
 kSupportsBeginsWithMask AM 3-42
 kSupportsContainsBit AI 8-30, AM 3-19
 kSupportsContainsMask AM 3-43
 kSupportsDNodeNumberBit AI 8-29, AM 3-18
 kSupportsDNodeNumberMask AM 3-42
 kSupportsEndsWithBit AI 8-29, AM 3-19
 kSupportsEndsWithMask AM 3-43
 kSupportsEnumerateAttributeTypeContinueBit
 AI 8-30, AM 3-20

kSupportsEnumerateAttributeTypeContinueMask
 AM 3-43
 kSupportsEnumeratePseudonymContinueBit AI 8-30,
 AM 3-20
 kSupportsEnumeratePseudonymContinueMask AM 3-43
 kSupportsEnumerationContinueBit AI 8-30, AM 3-20
 kSupportsEnumerationContinueMask AM 3-43
 kSupportsExactMatchBit AI 8-29, AM 3-19
 kSupportsExactMatchMask AM 3-42
 kSupportsFileTranslation MTb 7-21
 kSupportsFindRecordBit AI 8-31, AM 3-20
 kSupportsFindRecordMask AM 3-43
 kSupportsLookupContinueBit AI 8-30, AM 3-20
 kSupportsLookupContinueMask AM 3-43
 kSupportsMatchAllBit AI 8-29, AM 3-18
 kSupportsMatchAllMask AM 3-42
 kSupportsOrderedEnumerationBit AI 8-30, AM 3-19
 kSupportsOrderedEnumerationMask AM 3-43
 kSupportSortBackwardsBit AM 3-19
 kSupportSortBackwardsMask AM 3-43
 kSupportsPartialPathnamesBit AI 8-31, AM 3-20
 kSupportsPartialPathNamesMask AM 3-43
 kSupportsProxiesBit AI 8-31, AM 3-20
 kSupportsProxiesMask AM 3-43
 kSupportsPseudonymsBit AI 8-31, AM 3-20
 kSupportsPseudonymsMask AM 3-43
 kSupportsRecordCreationIDBit AI 8-29, AM 3-18
 kSupportsRecordCreationIDMask AM 3-42
 kSupportsScrapTranslation MTb 7-21
 kSupportsSortBackwardsBit AI 8-30
 kSystemFolderAliasType Tb 7-40
 kSystemFolderType Tb 7-54
 kSystemProcess Pr 2-5, 2-15

KT-KZ

kTemporaryFolderType Tb 7-54
 kTEXTFormatMask IC 2-38, 2-92
 kTextServiceClass Tx 7-68
 kThinkCStackBased PS 2-30
 kThisRecordOwnerBit AI 8-11
 kThisRecordOwnerMask AI 8-12
 kTranslateGetFileTranslationList MTb 7-24
 kTranslateGetScrapTranslationList MTb 7-24
 kTranslateIdentifyFile MTb 7-24
 kTranslateIdentifyScrap MTb 7-24

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

kTranslateTranslateFile **MTb** 7-24
 kTranslateTranslateScrap **MTb** 7-24
 kTrashFolderType **Tb** 7-54
 kTwoByteCode **PS** 2-28
 kTwosComplement **S** 5-26
 kTwoWayEncryptPassword **F** 2-111, 2-223
 kUnconfiguredAttrTypeNum **AM** 4-27
 kUnresolvedSymbolAddress **PS** 1-25
 kUseCurrentISA **PS** 2-34
 kUseNativeISA **PS** 2-34
 kUseOptionalOutputDevice **S** 2-128
 kUserRecTypeNum **AI** 2-28
 kVerb **Tx** 8-27
 kVersionAttrTypeNum **AM** 4-65, 4-67, 4-68, 4-70
 kVolumesSubType **U** 5-8
 kWhereToEmptyTrashFolderType **Tb** 7-54
 kWildCardRecTypeNum **AI** 2-28

L

langAlbanian **Tx** 6-55
 langAmharic **Tx** 6-56
 langArabic **Tx** 6-54
 langArmenian **Tx** 6-55
 langAssamese **Tx** 6-56
 langAymara **Tx** 6-57
 langAzerbaijanAr **Tx** 6-55
 langAzerbaijani **Tx** 6-55
 langBasque **Tx** 6-56
 langBengali **Tx** 6-56
 langBulgarian **Tx** 6-55
 langBurmese **Tx** 6-56
 langByelorussian **Tx** 6-55
 langCatalan **Tx** 6-56
 langChewa **Tx** 6-56
 langCroatian **Tx** 6-54
 langCzech **Tx** 6-55
 langDanish **Tx** 6-54
 langDutch **Tx** 6-54
 langDzongkha **Tx** 6-57
 langEnglish **Tx** 6-54
 langEsperanto **Tx** 6-56
 langEstonian **Tx** 6-54
 langFaeroese **Tx** 6-54
 langFarsi **Tx** 6-55
 langFinnish **Tx** 6-54

langFlemish **Tx** 6-55
 langFrench **Tx** 6-54
 langGalla **Tx** 6-56
 langGeorgian **Tx** 6-55
 langGerman **Tx** 6-54
 langGreek **Tx** 6-54
 langGuarani **Tx** 6-57
 langGujarati **Tx** 6-56
 langHebrew **Tx** 6-54
 langHindi **Tx** 6-54
 langHungarian **Tx** 6-54
 langIcelandic **Tx** 6-54
 langIndonesian **Tx** 6-56
 langIrish **Tx** 6-55
 langItalian **Tx** 6-54
 langJapanese **Tx** 6-54
 langJavaneseRom **Tx** 6-57
 langKannada **Tx** 6-56
 langKashmiri **Tx** 6-55
 langKazakh **Tx** 6-55
 langKhmer **Tx** 6-56
 langKirghiz **Tx** 6-55
 langKorean **Tx** 6-54
 langKurdish **Tx** 6-55
 langLao **Tx** 6-56
 langLappish **Tx** 6-54
 langLapponian **Tx** 6-54
 langLatin **Tx** 6-56
 langLatvian **Tx** 6-54
 langLettish **Tx** 6-54
 langLithuanian **Tx** 6-54
 langMacedonian **Tx** 6-55
 langMalagasy **Tx** 6-56
 langMalayalam **Tx** 6-56
 langMalayArabic **Tx** 6-56
 langMalayRoman **Tx** 6-56
 langMaltese **Tx** 6-54
 langMarathi **Tx** 6-56
 langMoldavian **Tx** 6-55
 langMoldovan **Tx** 6-55
 langMongolian **Tx** 6-55
 langMongolianCyr **Tx** 6-55
 langNepali **Tx** 6-56
 langNorwegian **Tx** 6-54
 langOriya **Tx** 6-56
 langOromo **Tx** 6-56
 langPashto **Tx** 6-55
 langPersian **Tx** 6-55

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

langPolish Tx 6-54
 langPortuguese Tx 6-54
 langPunjabi Tx 6-56
 langQuechua Tx 6-57
 langRomanian Tx 6-55
 langRuanda Tx 6-56
 langRundi Tx 6-56
 langRussian Tx 6-55
 langSanskrit Tx 6-56
 langSerbian Tx 6-55
 langSimpChinese Tx 6-55
 langSindhi Tx 6-55
 langSinhalese Tx 6-56
 langSlovak Tx 6-55
 langSlovenian Tx 6-55
 langSomali Tx 6-56
 langSpanish Tx 6-54
 langSundaneseRom Tx 6-57
 langSwahili Tx 6-56
 langSwedish Tx 6-54
 langTagalog Tx 6-56
 langTajiki Tx 6-55
 langTamil Tx 6-56
 langTatar Tx 6-57
 langTelugu Tx 6-56
 langThai Tx 6-54
 langTibetan Tx 6-55
 langTigrinya Tx 6-56
 langTradChinese Tx 6-54
 langTurkish Tx 6-54
 langTurkmen Tx 6-55
 langUighur Tx 6-57
 langUkrainian Tx 6-55
 langUrdu Tx 6-54
 langUzbek Tx 6-55
 langVietnamese Tx 6-56
 langWelsh Tx 6-56
 langYiddish Tx 6-55
 LAPMgrCall N 10-35, 10-37
 launchContinue Pr 2-15
 launchDontSwitch Pr 2-16
 launchInhibitDaemon Pr 2-16
 launchNoFileFlags Pr 2-9, 2-15
 launchUseMinimum Pr 2-15
 lCloseMsg MTb 4-59
 lDoHAutoScroll MTb 4-24
 lDoVAutoScroll MTb 4-24
 lDrawMsg MTb 4-59

leftCaret Tx 3-96
 LeftStyleRun Tx 3-68
 lExtendDrag MTb 4-38
 lHiliteMsg MTb 4-59
 lHiPaintBits Im 9-82
 lHiScreenBits Im 9-82
 linearMatrixType Q 2-342
 linearTranslateMatrixType Q 2-342
 LineLayoutOff Im B-42
 LineLayoutOn Im B-42
 lInitMsg MTb 4-59
 lNoDisjoint MTb 4-38
 lNoExtend MTb 4-38
 lNoNilHilite MTb 4-38
 lNoRect MTb 4-38
 loadBackwardTrackEdits Q 2-141
 loadForwardTrackEdits Q 2-141
 localAndRemoteHLEvents IC 4-5
 lockedDirectoryFolderIconResource AI 4-97
 longDate Tx 5-34, 5-35, 5-87, 5-90
 longDay Tx B-30
 longMonth Tx B-30
 longWeek Tx B-30
 longYear Tx B-30
 lOnlyOne MTb 4-38
 loopTimeBase Q 2-330
 lPaintBits Im 9-82
 lPrDocClose Im 9-83
 lPrDocOpen Im 9-83
 lPrLFStd Im 9-83
 lPrLineFeed Im 9-83
 lPrPageClose Im 9-83
 lPrPageEnd Im 9-83
 lPrPageOpen Im 9-83
 lPrReset Im 9-83
 lScreenBits Im 9-82
 lUseSense MTb 4-38

M

MAC3 Q 2-80
 MAC6 Q 2-80
 macDev MTb 8-25
 magentaColor Im 3-123
 MailLocationMask AM 2-115
 mainScreen Im 5-17, 5-23, 5-31, 5-36

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

mapPixBit **Im** 6-40, 6-43, 6-44
 mapPix **Im** 6-44
 MarkerID **S** 2-98
 mask **Tx** 3-26
 MatchInTitle **MTb** 3-69
 mAtEnd **QC** 10-20
 MatteAID **Q** 4-6
 MatteCompAID **Q** 4-6
 maxCountry **Tx** 6-58
 mcActionActivate **QC** 2-17, 2-22
 mcActionBadgeClick **QC** 2-22
 mcActionControllerSizeChanged **QC** 2-13, 2-24
 mcActionDeactivate **QC** 2-17, 2-23
 mcActionDraw **QC** 2-17, 2-22
 mcActionGetFlags **QC** 2-20, 2-26
 mcActionGetKeysEnabled **QC** 2-19, 2-25
 mcActionGetLooping **QC** 2-18, 2-24
 mcActionGetLoopIsPalindrome **QC** 2-18, 2-24
 mcActionGetPlayEveryFrame **QC** 2-21, 2-27
 mcActionGetPlayRate **QC** 2-22
 mcActionGetPlaySelection **QC** 2-19, 2-25
 mcActionGetUseBadge **QC** 2-20, 2-25
 mcActionGetVolume **QC** 2-18, 2-23
 mcActionGotoTime **QC** 2-18, 2-23
 mcActionIdle **QC** 2-17, 2-22
 mcActionKey **QC** 2-17, 2-23
 mcActionMouseDown **QC** 2-17, 2-23
 mcActionMovieClick **QC** 2-22
 mcActionPlay **QC** 2-17, 2-23
 mcActionResume **QC** 2-22
 mcActionSetFlags **QC** 2-20, 2-26
 mcActionSetGrowBoundsBox **QC** 2-22, 2-27
 mcActionSetGrowBoxBounds **QC** 2-19
 mcActionSetKeysEnabled **QC** 2-19, 2-25
 mcActionSetLooping **QC** 2-18, 2-24
 mcActionSetLoopIsPalindrome **QC** 2-18, 2-24
 mcActionSetPlayEveryFrame **QC** 2-21, 2-27
 mcActionSetPlaySelection **QC** 2-19, 2-25
 mcActionSetSelectionBegin **QC** 2-19, 2-25
 mcActionSetSelectionDuration **QC** 2-19, 2-25
 mcActionSetUseBadge **QC** 2-20, 2-25
 mcActionSetVolume **QC** 2-18, 2-23
 mcActionShowBalloon **QC** 2-27
 mcActionStep **QC** 2-18, 2-24
 mcActionSuspend **QC** 2-22
 mcFlagSuppressMovieFrame **QC** 2-20, 2-26
 mcFlagSuppressSpeakerButton **QC** 2-20, 2-21, 2-26
 mcFlagSuppressStepButtons **QC** 2-20, 2-21, 2-26

mcFlagsUseWindowPalette **QC** 2-21, 2-27
 mcInfoClearAvailable **QC** 2-49
 mcInfoCopyAvailable **QC** 2-48
 mcInfoCutAvailable **QC** 2-48
 mcInfoEditingEnabled **QC** 2-49
 mcInfoHasSound **QC** 2-49
 mcInfoIsInPalindrome **QC** 2-49
 mcInfoIsLooping **QC** 2-49
 mcInfoIsPlaying **QC** 2-49
 mcInfoPasteAvailable **QC** 2-49
 mcInfoUndoAvailable **QC** 2-48
 mcMenuClear **QC** 2-56
 mcMenuCopy **QC** 2-56
 mcMenuCut **QC** 2-56
 mcMenuPaste **QC** 2-56
 mcMenuUndo **QC** 2-56
 mcNotVisible **QC** 2-30
 mcPositionDontInvalidate **QC** 2-34
 mcScaleMovieToFit **QC** 2-29, 2-34
 mcTopLeftMovie **QC** 2-29, 2-34
 mcWithBadge **QC** 2-29
 mcWithFrame **QC** 2-30
 mDidDraw **QC** 10-20
 mDownMask **Tb** 2-27
 mdy **Tx** B-25
 MediaAID **Q** 4-6
 mediaHandlerFlagBaseClient **QC** 10-8
 MediaHeaderAID **Q** 4-6
 MediaInfoAID **Q** 4-6
 medianMethod **Im** 7-48, 7-51, 7-54
 mediaQualityBest **Q** 2-214, 2-215
 mediaQualityBetter **Q** 2-208, 2-213, 2-215
 mediaQualityDraft **Q** 2-208, 2-213, 2-214
 mediaQualityNormal **Q** 2-208, 2-213, 2-215
 mediaSampleNotSync **Q** 2-276, 2-279, 2-281
 MIDIDataID **S** 2-98
 minCountry **Tx** 6-58
 minLeadingZ **Tx** B-27
 minuteMask **U** 4-31, 4-43
 mMustDraw **QC** 10-20
 mNeedsToDraw **QC** 10-21
 mntLdingZ **Tx** B-26
 mode32BitCompatible **Pr** 2-18
 modeCanBackground **Pr** 2-18
 modeDeskAccessory **Pr** 2-18
 modeDoesActivateOnFGSwitch **Pr** 2-18
 modeGetAppDiedMsg **Pr** 2-18
 modeGetFrontClicks **Pr** 2-18

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

modeHighLevelEventAware Pr 2-18
 modeLocalAndRemoteHLEvents Pr 2-18
 modemInstalledBit D 6-37
 modemInstalledMask D 6-37
 modemOnBit D 6-37
 modemOnHookBit D 6-37
 modemOnHookMask D 6-37
 modemOnMask D 6-37
 modeMultiLaunch Pr 2-18
 modeNeedSuspendResume Pr 2-18
 modeOnlyBackground Pr 2-18
 modeStationeryAware Pr 2-18
 modeUseTextEditServices Pr 2-18
 monthMask U 4-31, 4-43
 mountedFolderIconResource MTb 1-131
 mouseDown Tb 2-18
 mouseMovedMessage Tb 2-59
 mouseUp Tb 2-18
 movableDBoxProc Tb 4-80, 4-84, 4-125, Tb 6-116
 MovieAID Q 4-6
 MovieControllerComponentType QC 2-4
 MovieExportType QC 9-7
 movieFlattenFlags Q 2-106, 2-107
 MovieHeaderAID Q 4-6
 movieImportCreateTrack QC 9-22, 9-24
 movieImportInParallel QC 9-22, 9-23, 9-25
 movieImportMustUseTrack QC 9-22, 9-25
 movieImportResultUsedMultipleTracks
 QC 9-23, 9-25
 MovieImportType QC 9-7
 movieProgressClose Q 2-355
 movieProgressMessages enumeration Q 2-355
 movieProgressOpen Q 2-355
 movieProgressOperations enumeration Q 2-355
 movieProgressUpdatePercent Q 2-355
 movieScrapDontZeroScrap Q 2-244
 movieScrapFlagsEnum enumeration Q 2-244
 movieScrapOnlyPutMovie Q 2-244
 mPreflightDraw QC 10-20
 msgWasFullyAccepted Tb 2-77
 msgWasNotAccepted Tb 2-77
 msgWasPartiallyAccepted Tb 2-77
 mUpMask Tb 2-27
 mustProcessorCycle D 6-41
 myd Tx B-25

N

NameID S 2-99
 nameLocked Tb 7-18, 7-34
 NAN PN 7-5
 nAttnMsg Tb 2-75
 ndHdrNode F 2-65
 ndIndxNode F 2-65
 ndLeafNode F 2-65
 ndMapNode F 2-65
 newDepthBit Im 6-40, 6-43, 6-44
 newDepth Im 6-44
 newMovieActive Q 2-89, 2-90, 2-92, 2-97, 2-109, 2-245
 newMovieDontAskUnresolvedDataRefs Q 2-89,
 2-91, 2-110, 2-245
 newMovieDontAutoAlternate Q 2-89, 2-91, 2-92,
 2-97, 2-109, 2-245
 newMovieDontResolveDataRefs Q 2-89, 2-91,
 2-109, 2-245
 newRowBytesBit Im 6-40, 6-43, 6-44
 newRowBytes Im 6-44
 nextTimeEdgeOK Q 2-198, 2-200, 2-201
 nextTimeFlags Q 2-197
 nextTimeIgnoreActiveSegment Q 2-198, 2-200
 nextTimeMediaEdit Q 2-197, 2-199, 2-201
 nextTimeMediaSample Q 2-197, 2-199, 2-201
 nextTimeSyncSample Q 2-197, 2-200, 2-201
 nmQType U 6-7
 nmType Pr 5-7, 5-14, 5-15
 noAutoCenter Tb 4-126
 noCollectionAttributes XU 5-49
 noConstraint Tb 5-100
 noDraftBitsOp Im 9-52, 9-55
 noDriver Im 5-17, 5-23, 5-31, 5-36
 noGoAway Tb 6-24
 noGrowDocProc Tb 4-84, 4-125, Tb 6-116
 noGrtowDocProc Tb 4-80
 noMark Tb 3-136
 noNewDeviceBit Im 6-40, 6-43, 6-44
 noNewDevice Im 6-44
 noParity D 7-20
 noQueueBit D 1-15, 1-59
 normalMsg MTb 8-63
 NORMALNUM PN A-6
 notCompressed S 2-110
 NotConnected XD 4-133
 noteIcon Tb 6-110
 notPatBic Im 3-45

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

notPatCopy **Im** 3-45
 notPatOr **Im** 3-45
 notPatXor **Im** 3-45
 notSrcBic **Im** 3-114, 3-116
 notSrcCopy **Im** 3-114, 3-115
 notSrcOr **Im** 3-114, 3-115
 notSrcXor **Im** 3-114, 3-116
 nReturnReceipt **Tb** 2-75
 ntscIn **QC** 8-28, 8-34
 nulDev **MTb** 8-26
 nullEvent **Tb** 2-18

O

ocAccept **N** 5-52, 5-57
 ocEstablish **N** 5-52
 ocPassive **N** 5-52, 5-57
 ocRequest **N** 5-52
 oddParity **D** 7-20
 ok **Tb** 6-30
 okMsg **MTb** 8-62, 8-70
 OneZoneBit **N** 2-13
 OnlyStyleRun **Tx** 3-68
 openFolderIconResource **MTb** 1-133
 osEvt **Tb** 2-18
 osMask **Tb** 2-27
 outline **Tx** 3-70
 OVERFLOW **PN** A-7
 overlayDITL **Tb** 6-52, 6-126
 ownedFolderIconResource **MTb** 1-131

P

palindromeLoopTimeBase **Q** 2-330, 2-331
 palIn **QC** 8-28, 8-34
 PAP **XD** 4-133
 paperTypeName **XD** 4-41
 parityErr **D** 7-22
 pasteDev **MTb** 8-26
 pasteInParallel **Q** 2-252
 patBic **Im** 3-45
 patCopy **Im** 3-45
 patOr **Im** 3-45
 patXor **Im** 3-45

periodSymbol **Tx** B-23
 personalDirectoryIconResource **AI** 4-97
 pHiliteBit **Im** 4-42
 picItem **Tb** 6-121
 pi **PN** 10-30
 Picture **Tb** 6-154
 pixelsLockedBit **Im** 6-40, 6-43, 6-44
 pixelsLocked **Im** 6-44
 pixelsPurgeableBit **Im** 6-40, 6-43, 6-44
 pixelsPurgeable **Im** 6-44
 pixPurgeBit **Im** 6-40, 6-43, 6-44
 pixPurge **Im** 6-44
 plainDBox **Tb** 4-80, 4-83, 4-125
 plusCursor **Im** 8-8, 8-24
 pMapSIG **D** 3-25
 pmMask **U** 4-32, 4-44
 pnotComponentNeedsNoCache **QC** 12-4
 pnotComponentWantsEvents **QC** 12-6
 PolyBegin **Im** B-42
 PolyClose **Im** B-42
 PolyEnd **Im** B-42
 PolyIgnore **Im** B-42
 PolySmooth **Im** B-42
 popularMethod **Im** 7-48, 7-51, 7-54
 popUpFixedWidth **Tb** 5-120, **Tb** 5-28
 popupMenuProc **Tb** 5-14, 5-120
 popupTitleBold **Tb** 5-26, 5-119
 popupTitleCenterJust **Tb** 5-26, 5-119
 popupTitleCondense **Tb** 5-27, 5-119
 popupTitleExtend **Tb** 5-27, 5-119
 popupTitleItalic **Tb** 5-26, 5-119
 popupTitleLeftJust **Tb** 5-26, 5-119
 popupTitleNoStyle **Tb** 5-27, 5-119
 popupTitleOutline **Tb** 5-27, 5-119
 popupTitleRightJust **Tb** 5-26, 5-119
 popupTitleShadow **Tb** 5-27, 5-119
 popupTitleUnderline **Tb** 5-27, 5-119
 popUpUseAddResMenu **Tb** 5-120, 5-28
 popUpUseWFont **Tb** 5-28, 5-120
 posCntl **Tb** 5-111, 5-113 to 5-114
 PostScriptBegin **Im** B-42
 PostScriptEnd **Im** B-42
 PostScriptFile **Im** B-42
 PostScriptHandle **Im** B-42
 ppcNBPLocation **IC** 11-19
 ppcNBPTYPELocation **IC** 11-19
 ppcNoLocation **IC** 11-19, 11-53
 ppcServiceRealTime **IC** 11-57, 11-61, 11-67

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

preferencesFolderIconResource MTb 1-132
 preferredPersonalDirectoryIconResource AI 4-97
 PrinterShare XD 4-133
 priorityMask Tb 2-75
 privateFolderIconResource MTb 1-131
 privilegeViolationException PS 4-10
 progressOpAddMovieSelection Q 2-356
 progressOpCopy Q 2-356
 progressOpCut Q 2-356
 progressOpExportMovie Q 2-357, QC 9-38
 progressOpFlatten Q 2-355
 progressOpImportMovie Q 2-357, QC 9-32
 progressOpInsertMovieSegment Q 2-356
 progressOpInsertTrackSegment Q 2-356
 progressOpLoadMediaIntoRam Q 2-356
 progressOpLoadMovieIntoRam Q 2-356
 progressOpLoadTrackIntoRam Q 2-356
 progressOpPaste Q 2-356
 PSBeginNoSave Im B-42
 pumManual IC 2-19
 pumOnSave IC 2-19
 pushButProc Tb 5-14, 5-120
 pushButProcUseWFont Tb 5-120

Q

QNAN PN A-6
 qtcbNeedsRateChanges Q 2-402, QC 11-7
 qtcbNeedsStartStopChanges QC 11-7
 qtcbNeedsTimeChanges Q 2-402, QC 11-7

R

radCtrl Tb 6-121
 radioButProc Tb 5-14, 5-120
 RadioButton Tb 6-153
 rAliasType F 4-12
 ramInit Im 5-17, 5-23, 5-31, 5-36
 rate11025hz S 2-16
 rate11khz S 2-16
 rate22050hz S 2-16
 rate22khz S 2-16
 rate44khz S 2-16

rDocProc Tb 4-80, 4-84, 4-125
 rdVerify D 1-56, F 2-90, 2-95
 readOnlyMemoryException PS 4-10
 readReference PS 4-11
 reallocPixBit Im 6-40, 6-43, 6-44
 reallocPix Im 6-44
 receiverIDisPSN Tb 2-75
 receiverIDisSessionID Tb 2-75
 receiverIDisSignature Tb 2-75
 receiverIDisTargetID Tb 2-75
 receiverIDMask Tb 2-75
 recordComments Im 7-48, 7-53
 recordFontInfo Im 7-48, 7-53
 redColor Im 3-123
 registerCmpGlobal MTb 6-61
 registerCmpGlobal MTb 6-58
 registerCmpNoDuplicates MTb 6-61
 registerCompAfter MTb 6-59, 6-61
 release Tb 7-31
 resCtrl Tb 6-121
 ResourcePS Im B-42
 resumeFlag Tb 2-59
 returnColorTable Im 7-48, 7-51, 7-53
 returnPalette Im 7-48, 7-51, 7-53
 RGBDirect Im 4-47
 RgnClipAID Q 4-6
 rightCaret Tx 3-96
 RightStyleRun Tx 3-68
 ringDetectBit D 6-37
 ringDetectMask D 6-37
 ringWakeUpBit D 6-37
 ringWakeUpMask D 6-37
 RotateBegin Im B-42
 RotateCenter Im B-42
 RotateEnd Im B-42
 RouterBit N 2-13
 rtrnReceiptMsgID Tb 2-77

SA-SL

sampledSynth S 2-21
 SampleTableAID Q 4-6
 sbSIGWord D 3-24
 scAdd D 3-27
 scaleMatrixType Q 2-342
 scaleTranslateMatrixType Q 2-342

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

- scAllowZeroFrameRate QC 3-23
- scAllowZeroKeyFrameRate QC 3-23
- scbMemSize N 8-10
- scCancelItem QC 3-46
- scCodecFlagsType QC 3-15
- scColorTableType QC 3-15
- scComp D 3-27
- scCompressImage QC 3-14
- scCompressPicture QC 3-14
- scCompressPictureFile QC 3-14
- scCompressSequenceBegin QC 3-14
- scCompressSequenceEnd QC 3-14
- scCompressSequenceFrame QC 3-14
- scCustomItem QC 3-46
- scDataRateSettingsType QC 3-15
- scDefaultPictFileSettings QC 3-14
- scDefaultPictHandleSettings QC 3-14
- scDefaultPixMapSettings QC 3-14
- scExtendedProcsType QC 3-15
- scGetBestDeviceRect QC 3-14
- scGetInfo QC 3-14
- scInc D 3-27
- scListEveryCodec QC 3-16, 3-23
- scLoop D 3-27
- scClosed N 5-37
- scClosing N 5-37
- scMove D 3-27
- scNewGWorld QC 3-14
- scNoInc D 3-27
- scNop D 3-27
- scOKItem QC 3-46
- scPositionDialog QC 3-14
- scPositionRect QC 3-14
- scPreferCropping QC 3-38, 3-39, 3-41
- scPreferenceFlagsType QC 3-15
- scPreferScalingAndCropping QC 3-38, 3-40, 3-41
- scPreferScaling QC 3-38, 3-40, 3-41
- scProgressProcType QC 3-15
- scrBic Tb 6-164
- screenActive Im 5-17, 5-23, 5-31, 5-36
- screenDevice Im 5-17, 5-23, 5-31, 5-36
- scRequestImageSettings QC 3-14
- scRequestSequenceSettings QC 3-14
- scrollBarProc Tb 5-14, 5-120
- scrOr Tb 6-164
- scSequenceIDType QC 3-15
- scSetInfo QC 3-14
- scSetTestImagePictFile QC 3-14
- scSetTestImagePictHandle QC 3-14
- scSetTestImagePixMap QC 3-14
- scSettingsStateType QC 3-15
- scShowBestDepth QC 3-23
- SCSI XD 4-133
- scSpatialSettingsType QC 3-15
- scStop D 3-27
- scTemporalSettingsType QC 3-15
- scUseMovableModal QC 3-23
- scWindowPositionType QC 3-15
- sdOnDrivers Pr 8-9, 8-11, 8-14
- sdOnPowerOff Pr 8-11, 8-14
- sdOnRestart Pr 8-11, 8-14
- sdOnUnmount Pr 8-9, 8-11, 8-14
- sdRestartOrPower Pr 8-14
- secamIn QC 8-28, 8-34
- secLeadingZ Tx B-27
- secondMask U 4-32, 4-43
- SectionEventMsgClass IC 4-21
- SectionReadMsgID IC 4-21
- SectionScrollMsgID IC 4-21
- SectionWriteMsgID IC 4-21
- semicolonSymbol Tx B-23
- sendChk N 6-9
- seqGrabAppendToFile QC 5-27, 5-28
- SeqGrabChannelType QC 6-6
- SeqGrabComponentType QC 5-5
- SeqGrabCompressionPanelType QC 7-8
- seqGrabDontAddMovieResource QC 5-27, 5-29
- seqGrabDontMakeMovie QC 5-27, 5-29
- seqGrabDontUseTempMemory QC 5-26, 5-28
- seqGrabHasBounds QC 6-50
- seqGrabHasDiscreteSamples QC 6-50
- seqGrabHasVolume QC 6-50
- SeqGrabPanelType QC 7-7
- seqGrabPause QC 5-41, 6-44
- seqGrabPause QC 5-42
- seqGrabPauseForMenu QC 5-41, 5-42
- seqGrabPlayDuringRecord QC 5-60, 6-48, 6-49
- seqGrabPreview QC 5-59, 6-48, 6-49
- seqGrabRecord QC 5-59, 6-48, 6-49
- SeqGrabSourcePanelType QC 7-8
- seqGrabToDisk QC 5-26, 5-28
- seqGrabToMemory QC 5-26, 5-28
- seqGrabUnpause QC 5-41, 5-42, 6-44
- seqGrabWriteAppend QC 5-121, 6-86
- seqGrabWriteFill QC 5-121, 6-86
- seqGrabWriteReserve QC 5-121, 6-86

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

- Serial XD 4-133
- SetGrayLevel **Im** B-42
- SetLineWidth **Im** B-42
- setRslOp **Im** 9-52, 9-54 to 9-55
- sfErrorDialogRefCon **F** 3-27
- sfHookChangeSelection **F** 3-25
- sfHookCharOffset **F** 3-25
- sfHookFirstCall **F** 3-24
- sfHookFolderPopUp **F** 3-25
- sfHookGoToAliasTarget **F** 3-26
- sfHookGoToDesktop **F** 3-25
- sfHookGoToNextDrive **F** 3-26
- sfHookGoToParent **F** 3-26
- sfHookGoToPrevDrive **F** 3-26
- sfHookLastCall **F** 3-24
- sfHookNullEvent **F** 3-24
- sfHookOpenAlias **F** 3-25
- sfHookOpenFolder **F** 3-25
- sfHookRebuildList **F** 3-24
- sfHookSetActiveOffset **F** 3-25
- sfItemBalloonHelp **F** 3-22
- sfItemCancelButton **F** 3-23
- sfItemDesktopButton **F** 3-23
- sfItemDividerLinePict **F** 3-22
- sfItemEjectButton **F** 3-23
- sfItemFileListUser **F** 3-24
- sfItemFileNameTextEdit **F** 3-24
- sfItemNewFolderUser **F** 3-24
- sfItemOpenButton **F** 3-23
- sfItemPopUpMenuUser **F** 3-24
- sfItemPromptStaticText **F** 3-22
- sfItemVolumeUser **F** 3-23
- sfLockWarnDialogRefCon **F** 3-27
- sfMainDialogRefCon **F** 3-26
- sfNewFolderDialogRefCon **F** 3-26
- sfpItemCreatePreviewButton **Q** 2-68
- sfpItemPreviewAreaUser **Q** 2-67
- sfpItemPreviewDividerUser **Q** 2-68
- sfpItemPreviewStaticText **Q** 2-67
- sfpItemShowPreviewButton **Q** 2-68
- sfReplaceDialogRefCon **F** 3-26
- sfStatWarnDialogRefCon **F** 3-26
- sgDeviceListDontCheckAvailability **QC** 5-74, 6-60
- sgDeviceListWithIcons **QC** 5-74, 6-60
- sgDeviceNameFlagDeviceUnavailable **QC** 5-73, 6-59
- sgFlagControlledGrab **QC** 5-57, 5-58
- shadow **Tx** 3-70
- sharedFolderIconResource **MTb** 1-131
- shortDate **Tx** 5-34, 5-35, 5-87, 5-90
- siActiveChannels **S** 3-11, 3-20
- siActiveLevels **S** 3-11, 3-20
- siAGCOnOff **S** 3-11, 3-20
- siAsync **S** 3-11, 3-20
- siBestQuality **S** 1-29
- siBetterQuality **S** 1-29
- siChannelAvailable **S** 3-11, 3-20, 5-23
- siCloseDriver **S** 3-11, 3-20
- siCompressionAvailable **S** 3-11, 3-20, 5-23
- siCompressionFactor **S** 3-11, 3-20, 5-23
- siCompressionHeader **S** 3-11, 3-20
- siCompressionNames **S** 3-21
- siCompressionType **S** 3-11, 3-21, 5-23
- siContinuous **S** 3-11, 3-21
- siDeviceBufferInfo **S** 3-11, 3-21
- siDeviceConnected **S** 3-11, 3-22
- siDeviceIcon **S** 3-11, 3-22
- siDeviceIsConnected **S** 3-22
- siDeviceName **S** 3-11, 3-22
- siDeviceNotConnected **S** 3-22
- siDontKnowIfConnected **S** 3-22
- siGoodQuality **S** 1-29
- siHardwareMute **S** 5-23
- siHardwareVolume **S** 5-23
- siHardwareVolumeSteps **S** 5-24
- siHeadphoneMute **S** 5-24
- siHeadphoneVolume **S** 5-24
- siHeadphoneVolumeSteps **S** 5-24
- siInitializeDriver **S** 3-11, 3-22
- siInputGain **S** 3-22
- siInputSource **S** 3-22
- siLevelMeterOnOff **S** 3-11, 3-23
- siNumberChannels **S** 3-11, 3-23, 5-24
- siOptionsDialog **S** 3-11, 3-23
- siPauseRecording **S** 3-11, 3-24
- siPlayThruOnOff **S** 3-11, 3-24
- siQType **U** 6-7
- siQuality **S** 5-24
- siRateMultiplier **S** 5-24
- siReadPermission **S** 3-9
- siRecordingQuality **S** 3-11, 3-24
- siSampleRateAvailable **S** 3-11, 3-24, 5-25
- siSampleRate **S** 3-11, 3-24, 5-25
- siSampleSizeAvailable **S** 3-11, 3-25, 5-25
- siSampleSize **S** 3-11, 3-24, 5-25

| | | |
|--|--|--|
| <ul style="list-style-type: none"> AI AOCE Application Interfaces AM AOCE Service Access Modules D Devices F Files Im Imaging With QuickDraw IC Interapplication Communication M Memory MTb More Macintosh Toolbox | <ul style="list-style-type: none"> N Networking O Overview Pr Processes PN PowerPC Numerics PS PowerPC System Software Q QuickTime QC QuickTime Components S Sound | <ul style="list-style-type: none"> Tb Macintosh Toolbox Essentials Tx Text U Operating System Utilities XD QuickDraw GX Printing Extensions and Drivers XG QuickDraw GX Graphics XO QuickDraw GX Objects XP QuickDraw GX Printing XT QuickDraw GX Typography XU QuickDraw GX Environment and Utilities |
|--|--|--|

siSourceNames S 3-23
 siSpeakerMute S 5-25
 siSpeakerVolume S 5-25
 siStereoInputGain S 3-25
 siTwosComplementOnOff S 3-11, 3-25
 siUserInterruptProc S 3-11, 3-25
 siVolume S 5-25
 siVoxRecordInfo S 3-11, 3-25
 siVoxStopInfo S 3-11, 3-25
 siWritePermission S 3-9
 sixToOne S 2-110
 sixToOnePacketSize S 2-110
 slashSymbol Tx B-23
 sleepDemand D 6-21
 sleepRequest D 6-21
 sleepRevoke D 6-21
 sleepWakeUp D 6-21
 sListening N 5-36
 slpQType U 6-7

SM–SZ

smallDateBit U 4-50
 smArabic Tx 6-52
 smArmenian Tx 6-53
 smBengali Tx 6-53
 smBidirect Tx 6-11, 6-61, 6-62
 smBurmese Tx 6-53
 smcClassMask Tx 6-86
 smcDoubleMask Tx 6-86
 smChar1byte Tx 6-31
 smChar2byte Tx 6-31
 smCharAscii Tx 6-28
 smCharBidirect Tx 6-29
 smCharBopomofol Tx 6-29
 smCharContextualLR Tx 6-29
 smCharExtAscii Tx 6-28
 smCharHangul Tx 6-29
 smCharHiragana Tx 6-29
 smCharHorizontal Tx 6-30
 smCharIdeographic Tx 6-29
 smCharJamo Tx 6-29
 smCharKatakana Tx 6-29
 smCharLeft Tx 6-31
 smCharLower Tx 6-31
 smCharNonContextualLR Tx 6-29

smCharPortion Tx 6-12, 6-61, 6-64
 smCharPunct Tx 6-28, 6-29
 smCharRight Tx 6-31
 smCharTwoByteGreek Tx 6-29
 smCharTwoByteRussian Tx 6-29
 smCharUpper Tx 6-31
 smCharVertical Tx 6-30
 smcOrientationMask Tx 6-86
 smcReserved Tx 6-86
 smcRightMask Tx 6-86
 smcTypeMask Tx 6-86
 smcUpperMask Tx 6-86
 smCurrentScript Tx 6-52
 smCyrillic Tx 6-52
 smDefault Tx 6-11, 6-63
 smDevanagari Tx 6-52
 smDoubleByte Tx 6-12, 6-61, 6-64
 smEastEurRoman Tx 6-53
 smEnabled Tx 6-9, 6-11, 6-61, 6-62
 smEthiopic Tx 6-53
 smExtArabic Tx 6-53
 smfDualCaret Tx 6-64
 smfNameTagEnab Tx 6-64
 smFontForce Tx 6-11, 6-61, 6-62
 smForced Tx 6-11, 6-61, 6-63
 smfShowIcon Tb 6-68, Tx 6-64, C-26
 smGeez Tx 6-53
 smGenFlags Tx 6-11, 6-61, 6-64
 smGeorgian Tx 6-53
 smGreek Tx 6-52
 smGujarati Tx 6-53
 smGurmukhi Tx 6-53
 smHebrew Tx 6-52
 smIdeographicLevel1 Tx 6-30
 smIdeographicLevel2 Tx 6-30
 smIdeographicUser Tx 6-30
 smIntlForce Tx 6-11, 6-61, 6-62
 smJamoBogJaeum Tx 6-29
 smJamoBogMoeum Tx 6-29
 smJamoJaeum Tx 6-29
 smJamoMoeum Tx 6-29
 smJapanese Tx 6-52
 smKanaHardOK Tx 6-30
 smKanaSmall Tx 6-30
 smKanaSoftOK Tx 6-30
 smKannada Tx 6-53
 smKCHRCache Tx 6-12, 6-61, 6-64
 smKeyCache Tx 6-11, 6-61, 6-64

AI AOCE Application Interfaces
AM AOCE Service Access Modules
D Devices
F Files
Im Imaging With QuickDraw
IC Interapplication Communication
M Memory
MTb More Macintosh Toolbox

N Networking
O Overview
Pr Processes
PN PowerPC Numerics
PS PowerPC System Software
Q QuickTime
QC QuickTime Components
S Sound

Tb Macintosh Toolbox Essentials
Tx Text
U Operating System Utilities
XD QuickDraw GX Printing Extensions and Drivers
XG QuickDraw GX Graphics
XO QuickDraw GX Objects
XP QuickDraw GX Printing
XT QuickDraw GX Typography
XU QuickDraw GX Environment and Utilities

- smKeyDisableKybds Tx 6-18
- smKeyDisableKybdSwitch Tx 6-18
- smKeyDisableState Tx 6-12, 6-61, 6-64
- smKeyEnableKybds Tx 6-18
- smKeyNextInputMethod Tx 6-18
- smKeyNextKybd Tx 6-18
- smKeyNextScript Tx 6-18
- smKeyRoman Tx 6-18
- smKeyScript Tx 6-11, 6-61, 6-63
- smKeySetDirLeftRight Tx 6-18
- smKeySetDirRightLeft Tx 6-18
- smKeySwap Tx 6-11, 6-61, 6-64
- smKeySwapInputMethod Tx 6-18
- smKeySwapKybd Tx 6-18
- smKeySwapScript Tx 6-18
- smKeySysScript Tx 6-18
- smKeyToggleDirection Tx 6-18
- smKeyToggleInline Tx 6-18
- smKhmer Tx 6-53
- smKorean Tx 6-52
- smLaotian Tx 6-53
- smLastScript Tx 6-11, 6-61, 6-63
- smMalayalam Tx 6-53
- smMaskAscii1 Tx 6-46
- smMaskAscii2 Tx 6-46
- smMaskBopomofo2 Tx 6-46
- smMaskGana2 Tx 6-46
- smMaskHangul2 Tx 6-46
- smMaskJamo2 Tx 6-46
- smMaskKana1 Tx 6-46
- smMaskKana2 Tx 6-46
- smMongolian Tx 6-53
- smMunged Tx 6-11, 6-61, 6-62
- smOriya Tx 6-53
- smOverride Tx 6-12, 6-61, 6-64
- smPrint Tx 6-11, 6-61, 6-63
- smPunctBlank Tx 6-29
- smPunctGraphic Tx 6-29
- smPunctNormal Tx 6-29
- smPunctNumber Tx 6-29
- smPunctRepeat Tx 6-29
- smPunctSymbol Tx 6-29
- smRedrawChar Tx 6-67
- smRedrawLine Tx 6-67
- smRedrawWord Tx 6-67
- smRegionCode Tx 6-12, 6-61, 6-64
- smRoman Tx 6-52
- smRSymbol Tx 6-52
- smScriptAliasStyle Tx 6-15, 6-66, 6-73
- smScriptAppFond Tx 6-14, 6-65, 6-67
- smScriptAppFondSize Tx 6-15, 6-66, 6-72
- smScriptCreator Tx 6-14, 6-66, 6-71
- smScriptDate Tx 6-14, 6-65, 6-68
- smScriptEnabled Tx 6-14, 6-65, 6-66
- smScriptEncoding Tx 6-14, 6-66, 6-70
- smScriptFile Tx 6-14, 6-66, 6-71
- smScriptFlags Tx 6-14, 6-65, 6-68
- smScriptHelpFondSize Tx 6-15, 6-66, 6-72
- smScriptIcon Tx 6-14, 6-66, 6-71
- smScriptJust Tx 6-14, 6-65, 6-67
- smScriptKeys Tx 6-14, 6-66, 6-71
- smScriptLang Tx 6-14, 6-66, 6-70
- smScriptMonoFondSize Tx 6-15, 6-66, 6-71
- smScriptMunged Tx 6-14, 6-65, 6-66
- smScriptName Tx 6-15, 6-66, 6-71
- smScriptNumber Tx 6-14, 6-65, 6-68
- smScriptNumDate Tx 6-14, 6-66, 6-70
- smScriptPrefFondSize Tx 6-15, 6-66, 6-72
- smScriptPrint Tx 6-14, 6-66, 6-71
- smScriptRedraw Tx 6-14, 6-65, 6-67
- smScriptRight Tx 6-14, 6-65, 6-67
- smScriptSmallFondSize Tx 6-15, 6-66, 6-72
- smScriptSort Tx 6-14, 6-65, 6-68
- smScriptSysFond Tx 6-14, 6-65, 6-67
- smScriptSysFondSize Tx 6-15, 6-66, 6-72
- smScriptToken Tx 6-14, 6-66, 6-69
- smScriptTrap Tx 6-14, 6-66, 6-71
- smScriptValidStyles Tx 6-15, 6-66, 6-72
- smScriptVersion Tx 6-14, 6-65, 6-66
- smsfAutoInit Tx 6-69
- smsfBODigits Tx 6-69
- smsfContext Tx 6-68
- smsfForms Tx 6-69
- smsfIntellCP Tx 6-68
- smsfLigatures Tx 6-69
- smsfNatCase Tx 6-68
- smsfNoForceFont Tx 6-69
- smsfReverse Tx 6-69
- smsfSingByte Tx 6-68
- smsfSynchUnstyledTE Tx 6-69
- smsfUnivExt Tx 6-69
- smSimpChinese Tx 6-53
- smSinhalese Tx 6-53
- smSysRef Tx 6-11, 6-61, 6-63
- smSysScript Tx 6-11, 6-61, 6-63
- smSystemScript F 1-40, 3-43, Tx 6-52

| | | |
|--|--|--|
| <ul style="list-style-type: none"> AI AOCE Application Interfaces AM AOCE Service Access Modules D Devices F Files Im Imaging With QuickDraw IC Interapplication Communication M Memory MTb More Macintosh Toolbox | <ul style="list-style-type: none"> N Networking O Overview Pr Processes PN PowerPC Numerics PS PowerPC System Software Q QuickTime QC QuickTime Components S Sound | <ul style="list-style-type: none"> Tb Macintosh Toolbox Essentials Tx Text U Operating System Utilities XD QuickDraw GX Printing Extensions and Drivers XG QuickDraw GX Graphics XO QuickDraw GX Objects XP QuickDraw GX Printing XT QuickDraw GX Typography XU QuickDraw GX Environment and Utilities |
|--|--|--|

smTamil Tx 6-53
 smTelugu Tx 6-53
 smThai Tx 6-53
 smTibetan Tx 6-53
 smTradChinese Tx 6-52
 smTransAscii Tx 6-46
 smTransBopomofo2 Tx 6-47
 smTransCase Tx 6-46
 smTransGana2 Tx 6-47
 smTransHangul2 Tx 6-47
 smTransJamo2 Tx 6-47
 smTransKana1 Tx 6-47
 smTransKana2 Tx 6-47
 smTransLower Tx 6-47
 smTransNative Tx 6-46
 smTransRoman1 Tx 6-47
 smTransRoman2 Tx 6-47
 smTransSystem Tx 6-46
 smTransUpper Tx 6-47
 smUninterp Tx 6-53
 smVersion Tx 6-8, 6-11, 6-61, 6-62
 smVietnamese Tx 6-53
 smWordSelectTable Tx 6-92
 SNAN PN A-6
 soCharacterMode S 4-40
 soCommandDelimiter S 4-40
 soCurrentA5 S 4-20, 4-41
 soCurrentVoice S 4-41
 soErrorCallBack S 4-20, 4-41
 soErrors S 4-20, 4-41
 soInputMode S 4-42
 soNumberMode S 4-42
 soOpen N 5-36
 soOpening N 5-36
 soPhonemeCallBack S 4-20, 4-42
 soPhonemeSymbols S 4-42
 soPitchBase S 4-43
 soPitchMod S 4-43
 soRate S 4-43
 soRecentSync S 4-20, 4-43
 soRefCon S 4-20, 4-43
 soReset S 4-44
 soSpeechDoneCallBack S 4-19, 4-44
 soStatus S 4-44
 soSyncCallBack S 4-20, 4-44
 soSynthExtension S 4-44
 soSynthType S 4-45
 soTextDoneCallBack S 4-19, 4-45

SoundDataID S 2-83, 2-98
 SoundMediaInfoHeaderAID Q 4-6
 SoundMediaType QC 9-29
 SoundPanelType U 5-8
 soVolume S 4-45
 soWordCallBack S 4-20, 4-21, 4-45
 sPassive N 5-36
 spoolFolderIconResource MTb 1-132
 squareWaveSynth S 2-21
 srcBic Im 3-114, 3-115
 srcCopy Im 3-114, 3-115
 srcOr Im 3-114 to 3-115
 srcXor Im 3-114, 3-115, Tb 6-164
 ssmNumberPartsTable Tx 6-92
 ssmUnTokenTable Tx 6-92
 ssmWhiteSpaceList Tx 6-92
 ssmWordWrapTable Tx 6-92
 stackOverflowException PS 4-11
 staggerMainScreen Tb 4-126
 staggerParentWindow Tb 4-127
 staggerParentWindowScreen Tb 4-32, 4-127
 StandardCompressionSubType QC 3-8, 3-14
 StandardCompressionType QC 3-8, 3-14
 startupFolderIconResource MTb 1-132
 startupMsg MTb 8-62, 8-66
 stateBlockSize S 2-119
 stateNIL D 2-87
 statePInit D 2-87
 statePRAMInit D 2-87
 stateSDMInit D 2-87
 stateSInit D 2-87
 StaticText Tb 6-153
 statText Tb 6-121
 STChunkOffsetAID Q 4-6
 stdQLength S 2-21
 stdSH S 2-105
 stop10 D 7-20
 stop15 D 7-20
 stop20 D 7-20
 stopIcon Tb 6-109
 stPublisher IC 2-17, 2-72
 stretchPixBit Im 6-40, 6-44
 stretchPix Im 6-44
 StringBegin Im B-42
 StringEnd Im B-42
 stringOverflow Tx 6-98
 STSampleDescAID Q 4-6
 STSampleSizeAID Q 4-6

AI AOCE Application Interfaces
AM AOCE Service Access Modules
D Devices
F Files
Im Imaging With QuickDraw
IC Interapplication Communication
M Memory
MTb More Macintosh Toolbox

N Networking
O Overview
Pr Processes
PN PowerPC Numerics
PS PowerPC System Software
Q QuickTime
QC QuickTime Components
S Sound

Tb Macintosh Toolbox Essentials
Tx Text
U Operating System Utilities
XD QuickDraw GX Printing Extensions and Drivers
XG QuickDraw GX Graphics
XO QuickDraw GX Objects
XP QuickDraw GX Printing
XT QuickDraw GX Typography
XU QuickDraw GX Environment and Utilities

STSampleToChunkAID Q 4-6
 STShadowSyncAID Q 4-6
 stSubscriber IC 2-17, 2-72
 STSyncSampleAID Q 4-6
 STTimeToSampAID Q 4-6
 subOver Im 4-39
 subPin Im 4-39
 sumAutomatic IC 2-19
 sumManual IC 2-19
 supDay Tx B-29
 superMsg MTb 8-63
 supMonth Tx B-29
 suppressBlackAndWhite Im 7-48, 7-51, 7-53
 suppressDither Q 3-91, 3-95, 3-98, 3-101
 supWeek Tx B-29
 supYear Tx B-29
 suspendResumeMessage Tb 2-59
 svAll11BitData AI 4-89, MTb 5-32
 svAll14BitData AI 4-89, MTb 5-32
 svAll18BitData AI 4-89, MTb 5-32
 svAllAvailableData AI 4-89
 svAllAvailableD MTb 5-32
 svAllLargeData AI 4-89, MTb 5-31
 svAllMiniData AI 4-89, MTb 5-32
 svAllSmallData AI 4-89, MTb 5-31
 svLarge1Bit AI 4-89, MTb 5-31
 svLarge4Bit AI 4-89, MTb 5-31
 svLarge8Bit AI 4-89, MTb 5-31
 svMini1Bit AI 4-89, MTb 5-31
 svMini4Bit AI 4-89, MTb 5-31
 svMini8Bit AI 4-89, MTb 5-31
 svSmall11Bit AI 4-89, MTb 5-31
 svSmall4Bit AI 4-89, MTb 5-31
 svSmall8Bit AI 4-89, MTb 5-31
 swOverrunErr D 7-26
 sysPatListID Im 3-128
 systemFolderIconResource MTb 1-132
 systemMethod Im 7-48, 7-51, 7-54
 systemMicrosecondClock QC 11-6
 systemMillisecondClock QC 11-6
 systemOptionsMask Tb 2-75
 systemSecondClock QC 11-6
 systemTickClock QC 11-6

T

taDstDocNeedsResourceFork MTb 7-34, 7-47
 taDstIsAppTranslation MTb 7-35, 7-47
 TEBitClear Tx 2-107
 TEBitSet Tx 2-107
 TEBitTest Tx 2-107
 teCenter Tx 2-24, 2-51
 teFAutoScroll Tx 2-107
 teFlushDefault Tx 2-24, 2-51
 teFlushLeft Tx 2-24, 2-51
 teFlushRight Tx 2-24, 2-51
 teFOutlineHilite Tx 2-107
 teFTextBuffering Tx 2-107
 terminationException PS 4-11
 testCntl Tb 5-110, 5-112
 teUseTextServices Tx 2-107
 TextBegin Im B-42
 TextCenter Im B-42
 TextEnd Im B-42
 TextIsPostScript Im B-42
 tFlipHorizontal Im B-19
 tFlipNone Im B-19
 tFlipVertical Im B-19
 theSender AI 7-40
 theText XD 4-41
 threeToOne S 2-110
 threeToOnePacketSize S 2-110
 thumbCntl Tb 5-111, 5-114
 tidValid N 6-9
 timeBaseAfterStopTime Q 2-332
 timeBaseBeforeStartTime Q 2-332
 timeBaseFlags Q 2-330
 tJusCenter Im B-19
 tJusFull Im B-19
 tJusLeft Im B-19
 tJusNone Im B-19
 tJusRight Im B-19
 togChar12HourBit U 4-50
 togDelta12HourBit U 4-50
 tokDecPoint Tx B-56
 token1Quote Tx 6-60
 token2Equal Tx 6-59
 token2Quote Tx 6-60
 tokenAlpha Tx 6-59
 tokenAltNum Tx 6-59
 tokenAltReal Tx 6-59
 tokenAmpersand Tx 6-60

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

tokenAsterisk Tx 6-59
 tokenAtSign Tx 6-60
 tokenBackSlash Tx 6-59
 tokenBar Tx 6-60
 tokenCapPi Tx 6-60
 tokenCaret Tx 6-60
 tokenCenterDot Tx 6-61
 tokenColon Tx 6-60
 tokenColonEqual Tx 6-59
 tokenComma Tx 6-60
 tokenDivide Tx 6-59
 tokenDollar Tx 6-60
 tokenEllipsis Tx 6-61
 tokenEmpty Tx 6-58
 tokenEqual Tx 6-59
 tokenEscape Tx 6-59
 tokenExclam Tx 6-60
 tokenExclamEqual Tx 6-60
 tokenFraction Tx 6-60
 tokenGreat Tx 6-59
 tokenGreatEqual1 Tx 6-59
 tokenGreatEqual2 Tx 6-59
 tokenHash Tx 6-60
 tokenInfinity Tx 6-60
 tokenIntegral Tx 6-60
 tokenIntlCurrency Tx 6-60
 tokenLeft1Quote Tx 6-60
 tokenLeft2Quote Tx 6-60
 tokenLeftBracket Tx 6-59
 tokenLeftComment Tx 6-59
 tokenLeftCurly Tx 6-59
 tokenLeftEnclose Tx 6-59
 tokenLeftLit Tx 6-58
 tokenLeftParen Tx 6-59
 tokenLeftSingGuillemet Tx 6-60
 tokenLess Tx 6-59
 tokenLessEqual1 Tx 6-59
 tokenLessEqual2 Tx 6-59
 tokenLessGreat Tx 6-60
 tokenLiteral Tx 6-59
 tokenMicro Tx 6-60
 tokenMinus Tx 6-59
 tokenNewLine Tx 6-59
 tokenNoBreakSpace Tx 6-60
 tokenNotEqual Tx 6-60
 tokenNumeric Tx 6-59
 tokenOK Tx 6-98
 tokenOverflow Tx 6-98

tokenPercent Tx 6-60
 tokenPeriod Tx 6-60
 tokenPerThousand Tx 6-61
 tokenPi Tx 6-60
 tokenPlus Tx 6-59
 tokenQuestion Tx 6-60
 tokenRealNum Tx 6-59
 tokenReserve1 Tx 6-59
 tokenReserve2 Tx 6-59
 tokenRight1Quote Tx 6-60
 tokenRight2Quote Tx 6-60
 tokenRightBracket Tx 6-59
 tokenRightComment Tx 6-59
 tokenRightCurly Tx 6-59
 tokenRightEnclose Tx 6-59
 tokenRightLit Tx 6-59
 tokenRightSingGuillemet Tx 6-60
 tokenRoot Tx 6-60
 tokenSemicolon Tx 6-60
 tokenSigma Tx 6-60
 tokenSlash Tx 6-59
 tokenTilde Tx 6-60
 tokenUnderline Tx 6-60
 tokenUnknown Tx 6-58
 tokenWhite Tx 6-58
 tokEPlus Tx B-56
 tokEscape Tx B-56
 tokLeader Tx B-56
 tokLeadPlacer Tx B-56
 tokLeftQuote Tx B-56
 tokMaxSymbols Tx B-56
 tokMinusSign Tx B-56
 tokNonLeader Tx B-56
 tokPercent Tx B-56
 tokPlusSign Tx B-56
 tokRightQuote Tx B-56
 tokSeparator Tx B-56
 tokThousands Tx B-56
 tokZeroLead Tx B-56
 TONEAREST PN A-7
 TOWARDZERO PN A-7
 traceException PS 4-10
 TrackAID Q 4-6
 TrackEnable Q 4-15
 TrackHeaderAID Q 4-6
 TrackInMovie Q 4-15
 TrackInPoster Q 4-15
 TrackInPreview Q 4-15

AI AOCE Application Interfaces
AM AOCE Service Access Modules
D Devices
F Files
Im Imaging With QuickDraw
IC Interapplication Communication
M Memory
MTb More Macintosh Toolbox

N Networking
O Overview
Pr Processes
PN PowerPC Numerics
PS PowerPC System Software
Q QuickTime
QC QuickTime Components
S Sound

Tb Macintosh Toolbox Essentials
Tx Text
U Operating System Utilities
XD QuickDraw GX Printing Extensions and Drivers
XG QuickDraw GX Graphics
XO QuickDraw GX Objects
XP QuickDraw GX Printing
XT QuickDraw GX Typography
XU QuickDraw GX Environment and Utilities

trackUsageInMovie Q 2-115, 2-116
 trackUsageInPoster Q 2-115, 2-116
 trackUsageInPreview Q 2-115, 2-116
 translateMatrixType Q 2-342
 transparent Im 4-39
 trapException PS 4-10
 trashIconResource MTb 1-133
 triggerRateChange Q 2-338, QC 11-12
 triggerRateEqual Q 2-338, QC 11-13
 triggerRateGTE Q 2-338, QC 11-13
 triggerRateGT Q 2-338, QC 11-13
 triggerRateLTE Q 2-338, QC 11-13
 triggerRateLT Q 2-338, QC 11-12
 triggerRateNotEqual Q 2-338, QC 11-13
 triggerTimeBwd Q 2-337, QC 11-12
 triggerTimeEither Q 2-337, QC 11-12
 triggerTimeFwd Q 2-337, QC 11-12
 TruncEnd Tx 5-20, 5-71 to 5-73
 TruncMiddle Tx 5-20, 5-71 to 5-73
 tsvc Tx 7-15
 ttDisabled MTb 5-37
 ttLabel1 MTb 5-37
 ttLabel2 MTb 5-37
 ttLabel3 MTb 5-37
 ttLabel4 MTb 5-37
 ttLabel5 MTb 5-37
 ttLabel6 MTb 5-37
 ttLabel7 MTb 5-37
 ttOffline MTb 5-37
 ttOpen MTb 5-37
 ttSelected MTb 5-37
 ttSelectedDisabled MTb 5-37
 ttSelectedOffline MTb 5-37
 ttSelectedOpen MTb 5-37
 twelfthRootTwo S 4-7
 twos Q 2-80
 txtProcDefaultDisplay Q 2-365
 txtProcDoDisplay Q 2-365
 txtProcDontDisplay Q 2-365
 TypBoard D 2-11
 typeAbsoluteOrdinal IC 6-14
 typeAEList IC 4-57
 typeAERecord IC 4-57
 typeAlias IC 4-58
 typeAnyType IC 12-38
 typeAppleEvent IC 4-57
 typeApplSignature IC 3-14, 4-58, 5-10
 typeAppParameters IC 4-58

typeBinary AI 2-43
 typeBoolean IC 12-38, IC 4-57
 typeChar IC 12-38, IC 4-57
 typeColBreak IC 12-40
 typeComp IC 4-57
 typeCompDescriptor IC 6-16
 typeCurrentContainer IC 6-20
 typeDate IC 12-38
 typeDiscard IC 12-40
 typeEnumerated IC 4-58
 typeExtended IC 4-57
 typeFalse IC 4-58
 typeFloat IC 12-38
 typeFSS IC 4-58
 typeInteger IC 12-38
 typeKeyword IC 4-58
 typeLBin IC 12-40
 typeLChar IC 12-40
 typeLetterSpec AI 3-127
 typeLogicalDescriptor IC 6-17
 typeLongFloat IC 4-57
 typeLongInteger IC 4-57
 typeMagnitude IC 4-57
 typeMoney IC 12-39
 typeNone IC 12-38
 typeNull IC 4-58, 6-26
 typeObjectSpecifier IC 4-22, 6-55 to 6-75, 6-76
 typeOSAEErrorRange IC 10-39
 typeOSAGenericStorage IC 10-14
 typeOSAGenericStorageType IC 10-12
 typePackedDSSpec AI 2-43
 typeProcessSerialNumber IC 3-14, 4-58, 5-10, 5-13
 typeProperty IC 4-58
 typeRangeDescriptor IC 6-20
 typeRowBreak IC 12-40
 typeRString AI 2-43
 typeSectionH IC 4-58
 typeSessionID IC 3-14, 4-58, 5-10
 typeShortFloat IC 4-57
 typeShortInteger IC 4-57
 typeSMFloat IC 12-38
 typeSMInt IC 12-38
 typeTargetID IC 3-14, 4-58, 5-10
 typeTime IC 12-38
 typeTimeStamp IC 12-38
 typeTrue IC 4-57
 typeType IC 4-58
 typeVBin IC 12-40

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

typeVChar IC 12-39
 typeWhoseDescriptor IC 6-42
 typeWhoseRange IC 6-44
 typeWildcard IC 4-10, 4-58, 4-63, 6-26 to 6-27

U

UNDERFLOW PN A-7
 underline Tx 3-70
 undoDev MTb 8-26
 unitTypeNoSelection S 2-53, 2-100
 unitTypeSeconds S 2-53, 2-100
 unkeepInRam Q 2-141
 unknownException PS 4-10
 unmappedMemoryException PS 4-10
 unresolvablePageFaultException PS 4-10
 updateDev MTb 8-26
 updateEvt Tb 2-18
 updateMask Tb 2-27
 updateMsg MTb 8-62
 UPWARD PN A-7
 useForInput AI 5-109
 useForOutput AI 5-109
 useInSublist AI 5-109
 userCollectionAttributes XU 5-49
 UserDataAID Q 4-6
 UserItem Tb 6-121, Tb 6-155
 userKind Tb 4-67
 useTempMemBit Im 6-40, 6-43, 6-44
 useTempMem Im 6-44
 useText XD 4-41
 useWFont Tb 5-120

V

validDateFields U 4-50
 variableCompression S 2-110
 vAxisOnly Tb 4-96, Tb 5-100
 vdTypeAlpha QC 8-21
 vdTypeBasic QC 8-21
 vdTypeKey QC 8-21
 vdTypeMask QC 8-21
 verArabia Tx 6-57
 verArabic Tx 6-57

verAustralia Tx 6-57
 verBritain Tx 6-57
 verChina Tx 6-58
 verCyprus Tx 6-58
 verDenmark Tx 6-57
 verEstonia Tx 6-58
 verFaeroeIsl Tx 6-58
 verFinland Tx 6-57
 verFrance Tx 6-57
 verFrBelgiumLux Tx 6-57
 verFrCanada Tx 6-57
 verFrSwiss Tx 6-57
 verGermany Tx 6-57
 verGreece Tx 6-58
 verGrSwiss Tx 6-57
 verHungary Tx 6-58
 verIceland Tx 6-58
 verIndiaHindi Tx 6-58
 verIran Tx 6-58
 verIreland Tx 6-58
 verIsrael Tx 6-57
 verItaly Tx 6-57
 verJapan Tx 6-57
 verKorea Tx 6-58
 verLapland Tx 6-58
 verLatvia Tx 6-58
 verLithuania Tx 6-58
 verMalta Tx 6-58
 verNetherlands Tx 6-57
 verPakistan Tx 6-58
 verPoland Tx 6-58
 verPortugal Tx 6-57
 verRussia Tx 6-58
 verSweden Tx 6-57
 verTaiwan Tx 6-58
 verThailand Tx 6-58
 verTurkey Tx 6-58
 verUS Tx 6-57
 verYugoCroatian Tx 6-58
 videoDigitizerComponentType QC 8-11
 VideoMediaInfoHeaderAID Q 4-6
 VideoMediaType QC 9-29
 visible Tb 5-18, 5-19, 5-25, 6-22, 6-24, 6-61
 VisualMediaCharacteristic QC 10-28
 vType Pr 4-7, U 6-7

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |

W

watchCursor **Im** 8-9, 8-24
 waveInitChannel0 **S** 2-92
 waveInitChannel1 **S** 2-92
 waveInitChannel2 **S** 2-92
 waveInitChannel3 **S** 2-92
 waveTableSynth **S** 2-21
 wCalcRgns **Tb** 4-123
 wContentColor **Tb** 4-72, 4-128
 wDialogDark **Tb** 4-72, 4-129
 wDialogLight **Tb** 4-72, 4-129
 wDispose **Tb** 4-123
 wDraw **Tb** 4-121
 wDrawGIcon **Tb** 4-123
 weekOfYearMask **U** 4-32, 4-44
 wFrameColor **Tb** 4-72, 4-128
 wGrow **Tb** 4-123
 wHiliteColor **Tb** 4-72, 4-128
 wHiliteColorDark **Tb** 4-72, 4-128
 wHiliteColorLight **Tb** 4-72, 4-128
 wHit **Tb** 4-122
 whiteColor **Im** 3-123
 wNew **Tb** 4-123
 writeReference **PS** 4-11
 wTextColor **Tb** 4-72
 wTingeDark **Tb** 4-72, 4-129
 wTingeLight **Tb** 4-72, 4-129
 wTitleBarColor **Tb** 4-72, 4-128
 wTitleBarDark **Tb** 4-72, 4-129
 wTitleBarLight **Tb** 4-72, 4-128

Z

zeroCycle **Tx** B-26
 ZERONUM **PN** A-6
 zipGetLocalZones **N** 4-12
 zipGetMyZone **N** 4-12
 zipGetZoneList **N** 4-12

X

xCall **N** 4-12
 xOffWasSent **D** 7-26

Y

ydm **Tx** B-25
 yearMask **U** 4-31, 4-43
 yellowColor **Im** 3-123
 ymd **Tx** B-25

| | | |
|--|-----------------------------------|--|
| AI AOCE Application Interfaces | N Networking | Tb Macintosh Toolbox Essentials |
| AM AOCE Service Access Modules | O Overview | Tx Text |
| D Devices | Pr Processes | U Operating System Utilities |
| F Files | PN PowerPC Numerics | XD QuickDraw GX Printing Extensions and Drivers |
| Im Imaging With QuickDraw | PS PowerPC System Software | XG QuickDraw GX Graphics |
| IC Interapplication Communication | Q QuickTime | XO QuickDraw GX Objects |
| M Memory | QC QuickTime Components | XP QuickDraw GX Printing |
| MTb More Macintosh Toolbox | S Sound | XT QuickDraw GX Typography |
| | | XU QuickDraw GX Environment and Utilities |