

The Multifaceted Apple II GS:

Mixed Blessings from a 16-bit CPU

13

Apple Ba

Also

Public Domain Powerhouses Reviewed: New Compaq II



Turbo Pascal Programming!



\$10.00 Scratch 'n Win Rebate!

Turbo GameWorks®

Also recently released, Turbo GameWorks is what you think it is: "Games" and "Works." Games you can play right away (like Chess, Bridge and Go-Moku), plus the Works-which is how computer games work. All the secrets and strategies of game theory are there for you to learn. You can play the games "as is" or modify

them any which way you want. Source code is included to let you do that, and whether you want to write your own games or simply play the off-the-shelf games, Turbo GameWorks will give hours of diversion, education, and intrigue. George Koltanowski, Dean

of American Chess, and former President, United States Chess Federation. reacted to Turbo Game-Works like this: "With Turbo GameWorks. you're on your way to becoming a master chess player." And Kit Woolsey, writer, author, and twice Champion of the Blue



Turbo GameWorks' Chessboard

Ribbon Pairs, wrote, "Now play the world's most popular card game-Bridge ... even program your own bidding and scoring conventions." Suggested retail: \$69.95. Use a \$10.00 Scratch 'n Win Rebate and you're talking an incredible \$59.95! Minimum memory: 192K.



Recognition for Borland International has come from business, trade, and media, and includes both product awards and awards for technical excellence and marketing America's Cup. Coming Soon!

PASCAL





Turbo Graphix Toolbox®

It includes a library of graphics routines for Turbo Pascal programs. Lets even beginning programmers create highresolution graphics with an IBM, Hercules," or compatible graphics adapter. Our Turbo Graphix Toolbox includes all the tools you'll ever need for complex business graphics,

easy windowing, and storing screen images to memory. It comes complete with source code, ready to compile. Suggested retail: \$69.95, but with a \$10.00 Scratch 'n Win Rebate, only \$59.95! Minimum memory: 192K.

The Ultimate Learning Experience!



\$10.00 Scratch 'n Win Rebate!

COMPLETELY NEW VERSION Turbo Tutor[®] 2.0

The new Turbo Tutor can take you from "What's a computer?" through complex data structures, assembly languages, trees, tips on writing long programs in Turbo Pascal, and a high level of expertise. Source code for everything is included. New split screens allow you to put source text in the bottom half

Sail designs presented from Shore Sah. Turke Pascal programs.

of the screen and run the examples in the top half. There are quizzes that ask you, show you, tell you, teach you. You get a 400page manual—which is not as daunting as it sounds, because unlike many software manuals, it was not written by orangutans. Suggested retail: \$39.95. Use a \$10.00 Scratch 'n Win Rebate and you're down to an unheard of \$29.95! Minimum memory: 192K.

It's really simple, you purchase the product detween 9/5/86 and 3/31/8/, and return the license agreement along with dated proof of purchase and your reba card. We'll mail you a check for \$10.00 on single product purchases or a check tor \$15.00 when you buy an advertised "bundle"-which means our Turbo Pascal Jumbo Pack, or Turbo Lightning and Lightning Word Wizard, or Reflex: The Analyst and Reflex Workshop, or SideKick and Traveling SideKick. (Restrictions do apply. Rebates are not valid in combination with any other Borland or dealer discount. See Official Rules on back of Instant Winner card).

New! Artificial Intelligencel

> 5th-Generation Language

\$10.00 Scratch 'n Win Rebate!

Turbo Prolog"

"If you're at all interested in artificial intelligence, databases, expert systems, or new ways of thinking about programming, by all means plunk down your \$100 and buy a copy of Bruce Webster, BYTE Turba Prolog.

"Borland International, Inc. is gunning onto the fast track in the artificial intelligence and engineering-language-software race, riding aboard a new \$99 Turbo Prolog," says Tom Schwartz in Electronic Engineering Times. And so we are. Our new Turbo Prolog has drawn rave reviews-which we think are

well deserved-because Turbo Prolog

brings 5th-generation language and supercomputer power to your IBM PC and compatibles. Turbo Prolog is a highspeed compiler for the artificial intelligence language. Prolog, which is probably one of the most powerful programming languages ever conceived. We made a worldwide impact with Turbo Pascal and you can expect the same results and revolution from Turbo Prolog, the natural language of artificial intelligence. Darryl Rubin, writing in AI Expert said, "Turbo Prolog offers generally the fastest and most approachable implementation of Prolog." Suggested retail, \$99.95. Use a \$10.00 Scratch 'n Win Rebate and that goes down to only \$89.95/ Minimum memory: 384K.

Technical Specilications:

Pascal 20 TUHBU PHULUG Minimum memory 394K, HEFLEX: THE AMALTS I* Minimum memory 394K Heguins teM CGA, Hercuse And CGA, Hercuse And CGA, Hercuse And CGA, Hercuse Manager and RAMagael and RAMagael AI. Quadram's Liberly-PC and -AT, Tecmar's 640 Plus. IBM's EGA and 3270/PC, AT&T's 6300 and many others. REFLEX WORKSHOP* Minimum memory 384K Requires Reliex The Analyst TURBO LIGHTNING* Minimum memory 256K Two disk drives required Hard disk recommended. LIGHTNING WORD WIZARD* Minimum memory 256K Requires Turbo Lightning Turbo Pascal 30 required to edit source code. SIDEKCK* Minimum memory. 128K. TRAVELING SIDEKCK* Minimum memory 256K. SUPERKEY* Minimum memory 128K. "For IBM PC, AT, XT, PCy and Irue compatibles only. Turbo PC/UKE DOS 2.0 ex Liber." running PC/MS-DOS 2 0 or tale

Turbo Pascal Programming!

Build Your Own Word Processor!



\$10.00 Scratch 'n Win Rebate!

Turbo Editor Toolbox"

Recently released, we called our new Turbo Editor Toolbox a "construction set to write your own word processor." Peter Feldmann of PC Magazine covered it pretty well with, "A 'write your own word processor' program for intermediate level programmers, with lots of help in the form of prewritten

procedures covering everything from word wrap to pull-down windows." Source code is included, and we also include Micro-Star, a full-blown text editor with pull-down menus and window-

ing. It interfaces directly with Turbo Lightning to let you spell-check your MicroStar files. Jerry Pournelle of BYTE magazine said, "The new Turbo Editor Toolbox is the Turbo Pascal source code to just about anything you ever wanted a PCcompatible text editor to



MicroStar file directory accessed by pu l-down menu

do." Suggested retail: \$69.95. Use a \$10.00 Scratch 'n Win Rebate and you'll get all this for only \$59.95! Minimum memory: 192K.

Boriand's Business Productivity Programs:

Rellex: The Analyst* Analytical database manager. Provides complete, new look at data normally hidden by programs like 1-2-3" and dBASE" Best report generator for, and complement to, 1-2-3,

Reflex Workshop" Important new addition to Reflex: The Analyst. Gives you 22 different templates to run your business right.

SideKick* Complete RAM-resident desktop management includes notepad, diater, calculator and more.

Traveling SideKick* Electronic version of business/personat diaries, daytime organizers; works with your SideKick files; important professional tool.

SuperKey" Keyboard enhancer. Simple macros turn 1000 keystrokes into 1. Also encrypts your files to keep confidential files confidential

Borland's Electronic Reference Programs:

Turbo Lightning" Works with all your programs and checks your spelling while you type! Includes 80,000-word Random House" Concise Word List and 50,000word Random House Thesaurus, Forerunner of Turbo Lightning Library.

Lightning Word Wizard" Includes ingenious crossword solver and six other word chatlenges. If you're into programming, Lightning Word Wizard is also a development toolbox and the technical reference manual for Turbo Lightning.

All Borland products are registered trademarks or trademarks of Borland International, Inc. or Borland/Analytica, Inc. Turbo Lightni Library is a trademark of Borland International Inc. AST Turbolaser, RAMpagel AT, AdvantagePremium, SurPakPremium, 3G Pak ar RAMpagel are trademarks of AST Research, Inc. Lobs 1–2–3 is a registered trademark of Lobus Development Corp. dBASE is a uro 3G Pak and recistered trademark of Ashton-Tale IBM is a recistered trademark of International Business Machines Corp. Random House is a registered trademark of Random House, Inc. Hercules is a trademark of Hercules Computer Technology. CP/M is a registered trademark of Digital Research. Inc. Traveling SideKick is not in any way associated with Traveling Software, Inc. of Seattle, Washington Copyright 1986 Borland International BI-1075

RAPHIN



BORLAND

"I think those who grasp the technology will prevail"

Bill Shore, President, Shore Sails Co., Newport, RI



HEART OF AMERICA

"S ail-making is traditional—a craft—but I think we're huge steps ahead of the competition when we get involved with higher technology," says Shore.

He and Shore Sails' 17 different franchised sail lofts in the U.S. are in what Shore describes as a "highly competitive business, whether it's America's Cup racing or any race." And he adds, "You guys (Borland) do good stuff that's affordable, which is one of the reasons why we wrote all our sail design programs in Turbo Pascal.^e"

"These days," he says, "there are many parts to a sail, and Turbo Pascal lets us arrange all the parts properly. We design what the garment industry calls a 'marker'—and rely on Turbo Pascal tc critical things like getting thread lines in the same direction as load lines.

We take the diskette to our new \$250,000 laser cutter, which follows the Pascal program precisely, draws out the sail and cuts out the sail. We glue and sew and you've got the best there is."

> "Heart of America" surfing downwind, Santa Cruz, California

"The wrong sails will sink your chances—if not your boat —so we wrote Turbo Pascal programs" Win Powler, Shore Sails Co., Portland, Maine.

The right sail design, at the right price, right now, has to happen in 17 different Shore Sails Lofts across America.

It had to happen with America's Cup challenger Heart of America which carries Shore sails—and it has to happen with the (currently) 700 different boats that Shore Sails has in their Turbo Database Toolbox."

Sail design, sail pricing and "beating the handicapper" are all done at Shore Sails with Turbo Pascal.

In case you don't know the sharp end from the blunt end of a boat, the right sail design for any boat is more than design and price. It's tactical advantage. Designing sails that take the greatest advantage of the boat's basic design and rigging without getting stuck with a heavier-than-desirable Official Handicap. (Handicaps can eat your chances faster than a Great White.)

The "right sail" design bends but doesn't break the racing rules written by, amongst others, MORR (Midget Offshore Racing Rules) or IOR (International Offshore Rules). Turbo Pascal spills out "right sail" designs for Shore Sails so their customers tend to "handicap" the Rules Committee instead of the other way around.

Shore Sails' connection with Borland doesn't end with Turbo Pascal and our Database Toolbox.

Shore's Fowler has also written SuperKey[®] macros for "every file we have" and says, "We'd be lost without them."

He uses SideKick* to dial every phone call and Side-Kick's Notepad to communicate between all the Lofts, saying, "That way we don't need a word processor." Shore Sails also uses Turbo Lightning* and Reflex: The Analyst.*

So why so many Borland products in one company? Win Fowler says, "We'd be sunk without them!"

Saf designs permanent hom Show Saits · Tothe Parami Ampane.

rgis 1963. Lonnod-Material Program property of BORLAND International, Inc. 4545 Scena V

PASCAL

Borland's Instant Winner Game

Scratch this card now and you could *instantly* win 2 free round-trip airline tickets to Australia for the America's Cup Race!

\$10,000

First Prize (\$10,000 value!) includes accommodations for two in Perth, Australia

during the final America's Cup races, which start January 31, 1987. See America win it back after our *only* loss in 134 years! There's more than one *instant winner* in Borland's



Instant Winner Game, because you could win one of two new \$6,895 4-WD Suzuki Samurai convertibles, or a \$4,995 AST TurboLaser™

printer, or a \$4,499 \$2,399 Toshiba T1100™



Toshiba T3100,™ or a Plus, or a \$595

AST SixPakPremium[™], or a \$69.95 Traveling SideKick,[®] or any one of hundreds of other Borland products—and at





\$69.95

See Official Rules on the back of this card for details.

Don't delay! There will be a second-chance drawing for the trip if not claimed by 12/30/86. There's also a second-chance drawing for the two Suzukis if not claimed by 2/26/87. All rebate coupons are good for products purchased 9/5/86-3/31/87. Product prices above are suggested list prices.



Second-Chance Sweepstakes Entry!

We're running two Second-Chance Sweepstakes drawings to award the trip and cars. They will be won by someone—it could be you! Fill in the entry coupon and mail it now. Winners will be notified immediately, because the final America's Cup races start in Australia on January 31, 1987, and you'll have to pack in a hurry.

(You will need a valid passport and the ability to comprehend Australian versions of the English language.)

Name		_
Address		
City		
State	Zip	_

If you have any questions concerning the Borland Instant Winner Game, call: 1-800-451-4471.

c

1987 will remain unclaimed

Determined with the owner of the owner owner owner the second data and the owner owner

accompanie by parent or legal guardian. Suzuki 4W Samurai Convertible JA Standard Equipment Package (or S6,895), verified winner will be responsible for all registration, insurance, and licensing lees. AST Turbo Laser, Toshiba Portable Computer Model # T1 100; Toshiba Portable Com-puter Model # T3 100; AST Memory Boards and Free Borland Products are non-substitutional except by sponsor due to productavailability and all warranties and guarantees are subject to manufacturers terms. All prizes are non-substitutional except by sponsor due to productavailability and all warranties and guarantees are subject to manufacturers terms. All prizes are non-substitutional except by sponsor due to productavailability and all warranties and guarantees are subject to manufacturers terms. All prizes are non-substitutional except by sponsor due to productavailability and all warranties and guarantees are subject to manufacturers terms.

All remaining game cards will contain a \$10 rebate good on any individual Borland product or a \$15 rebate good toward any advertised Borland software bundle 11. PRIZE DETAILS: Trip for two to America's Cup Races (or \$10,000) will include coach seating round trip airfaie on regularly scheduled commercial airline from San Francisco. California to Perth, Australia and up to two weeks hotel accom-modations in Perth, Australia plus \$4,500 spending cash. Winners will be responsible for obtaining visa, passport, and all other travel documents. Trip does not include meals, taxes, excess baggage charges and other hotel charges. Minor must be

PRIZE	Qty.	Total Value	Odds of Winning
Trip for Two to America's Cup or \$10,000	1	\$ 10,000 00	1 in 6, 458,000
Suzuki 4W Samurai Convertible JA or \$6,895	2	\$ 13,790.00	I in 3,229,000
AST Turbo Laser	1	S 4,995 00	I in 6, 458,000
Toshiba Portable Computer	2	\$ 6,898.00	I in 3.229.000
AST Memory Boards	25	S 15,025 00	1 in 258,320
Borland Products	1,000	\$149,000.00	1 in 6, 458
OVERALL TOTAL	1,031	\$199,708.00	1 in 6,264
All companying some could us it contain a C10 solute and an any or	where he deal first and an adv	the state there are done	a data a di set se di Casta di seta

10. ODOS CHART: The odds of winning prizes are based upon obtaining the one rare game piece among the applicable number of game pieces

agree to be bound by these rules and the decision of the Utrical Hedemption Lenter which will be final 8. ELIGIBILITY: Participations open solely to residents of the United States 18 years of age and over, except emptoyees and agents of Borland International, service agencies, and individual sengaged in the development, production, or distribution of game materials. The Merritt Group, Inc. and their immediate family or members of their households. Void in Vermont and where prohibited by law. 9. GAME SCHEDULE AND AWARD OF PRIZES: The Borland Instant Winner Game will commence on or about September 5, 1986 and end on January 30, 1987. It will officially end, however, when all game pieces are distributed. Verified game prizes will be awarded within thirty (30) days from the date of their receipt for verification at the Official Redemption Center. A major prize winners' list can be obtained by sending a stamped, self-addressed envelope to: Borland Instant Winner Game Winners' List P. O. Box 7089, Witton, CT 06897.

5. REPAIR CLARINGS: Repairs are global for products purchases non-september 57, 1967 times to revair signate to any nonvouse portant product and the 15 or repair signate to any access are global for any access and and product and the store for any access are global for any access and and product and the store for any access and and product and the store for any access are global for any access and and will be rejected in any bar rejected for any access and and product and the store for any access are global for any access and and will be rejected in any way, or if materials contain printing, typographical, or mechanical errors. Decisions of the Redemption Center are final Game pieces from any game other than the Borland Instant Winner Game may not be used in this game.
7. CONDITIONS OF PARTICIPATION: Material submitted becomes the property of Borland Internet towal, and any game other endered and seeking verification, whore solely responsibility of the verified winner. Winner Game may not be used in this game.
7. CONDITIONS OF PARTICIPATION: Material submitted becomes the property of Borland Internet towal clocal execute an affidavit of eligibility and name and likeness publicity release. By participating in the game you accept and agree to be bound by these rules and the decision of the Official Redemption Center which will be final

Provide one of any any enventse boltand boltand boltand over the price or the game card and send wa certified mail (copy should be made for your records) along with your name and address to: Borland International Prize Claim, 196 Danbury Road, Wilton, CT 06897. All prize stated in the received or postmarked by February 15, 1987 (See Rule # 12 for Trip for Two to America's Cup exception.)
5. REBATE CLAIM S: It you do for products purchased from September 5, 1986 through March 31, 1987. The S10 rebate isgood for any individual Borland product and the S15 rebate isgood for any advertised Borland software bundle. To

DFFICIAL RULES - BORLAND INSTANT WINNER GAME 1. NO PURCHASE NECESSARY: To participate, you may obtain a game card mered mto the October, November, December, or January issue of the following magazines: PC World; Byte, PC Tech Journal; PC Magazine. You may also obtain a game card by mailing a self- addressed, stamped envelope to: Boriand International Game Card, P. 0. Box 870, Withon, CT 06897 (Washington State residents send self- addressed envelope), Limit one game card per stamped request. All requests must be received by January 15, 1987. 2. TO PLAY: Remove the rub-off area on the game card to reveal what prize or rebate offer you have obtained 3. PRIZES, REBATES: Beneath the rub-off area on the following prizes may be revealed. Trip for Two to America's Cup Races or \$10,000; 1986 Suzuki 4W Samurai Convertible or \$6,895. AST Turbo Laser. Toshiba 1100 Portable Computer, AST Six Pakpremium, AST Advantagepremium, SST Advantagepre

The Worldwide Programming Standard

Turbo Pascal Programming!

more than 500.000 other

people around the world think Mr. Ray got that

right, Since launch, Turbo

Pascal has become the de

facto worldwide standard

in high-speed Pascal com-

pilers. Described by Jeff

"Language deal of the

century," Turbo Pascal is

now an even better deal

than that-because we've

included the most popular

options (BCD reals and

8087 support). What used

Duntemann of PC

Magazine as the



\$10.00 Scratch 'n Win Rebate!

Turbo Pascal® 3.0

"For the IBM" PC, the benchmark Pascal compiler is undoubtedly Borland International's Turbo Pascal," says Gary Ray of PC Week. We and

<u>\$10.00 Scratch 'n Win Rebate!</u> Turbo Database Toolbox™

A perfect complement to Turbo Pascal, because it contains a complete library of Pascal procedures that allows you to search and sort data and build powerful database applications. Having Turbo Database Toolbox means you don't have to re-invent the wheel each time you write a Turbo Pascal program. It comes with source code for a free sample database—right on disk. The database can be searched by key words or numbers. Update, add, or delete records as needed. Just compile it and it's ready to go to work for you. (Shore Sails has

Turbo Pascal now includes free 8087 support and BCD!

to cost \$124.95 is now only \$99.95! You now get a lot more for a lot less: the compiler, a completely integrated programming environment, and BCD reals and 8087 support all for a suggested retail of only \$99.95. And with a Scratch 'n Win \$10.00 Rebate, you pay only \$89.95—which really is the "language deal of the century"! Minimum memory: 128K.

Build Your Own Database Applications!

more than 700 boat designs and rigs in their Database Toolbox. See

story.) Suggested retail: \$69.96. With a \$10.00 Scratch 'n Win Rebate check back from us, only \$59.95! Minimum memory: 128K.

SPECIAL PRICES! AMAZING VALUE! ACT NOW!

It's the Works! Everything! The whole electronic enchilada! It's the Jumbo Pack -- Turbo Pascal 3.0, Turbo Tutor 2.0, Turbo Editor, Turbo GareWorks, Turbo Garehix and Turbo Database. All 6 Turbo Pascal programs for only \$299.00--or only \$284.00 with a \$15.00 Scratch 'n Win Rebate! That's about \$47.00 each and that's a dea!!



SideKick and Traveling SideKick for only \$125.00 but only \$110.00 after a \$15.00 Scratch 'n Win Rebate!



Reflex: The Analyst and the new Reflex Workshop for only \$199.951 And a \$15 00 Scratch 'n Win Rebate cuts that down to only \$184.951




4585 SCOTTS VALLEY DRIVE SCOTTS VALLEY, CA 95066 (408) 438-8400 TELEX: 172373

Inquiry 48 for End-Users. Inquiry 49 for DEALERS ONLY.

TTDOI	want	
	the bes	t!
For credit card	orders	
or the dealer nea		
call (800) 2 in CA call (800)		5
Copies Product	Price	Totals
Turbo Pascal 3.0		
w/8087 & BCD	\$99.95 \$.	i
Rellex: The Analyst	149.95° \$.	—- î
Reflex Workshop	69.95° \$	— i
Reliex, Reliex Workshop		
Turbo Prolog		— i
Turbo Pascal forCP/M-80		
Turbo Dalabase Toolbox Turbo Graphix Toolbox	69.95 \$	
Turbo Editor Toolbox		
Turbo GameWorks	69.95 \$	
Turbo Lightning		
Lightning Word Wizard	69.95 \$	
Turbo Lightning,		
Lightning Word Wizard	149.95 \$	
SideKick	84.95 \$!
Traveling SideKick	69.95* \$	
SideKick,	105 000 0	
Traveling SideKick	125.00* \$	
SuperKey	69.95 \$	
Outside USA add \$10 per of CA and MA res. add sales		
Amount enclosed	\$	
Prices include shipping to a		
Carelully describe your compu Mine is:8-bil16-bil	-	
I use:PC-DDSCP/N		
MS-DOSCP/I		
My computer's name and mod	el is:	9 - Q
The state stars in the same	0.000	
The disk size I use is: 3½* Payment: VISA MC M		Check
Credit card expiration date		O. NOT
Card #		
NOT COPY PR		GF15
Name:	UK UUAKAN	
Shipping Address:		
Cil;		
State: Zij	0:]
Talahona		
	The eccentral	Reduct
CODs and purchase orders WILL NG Outside USA make payment by bank	17 be accepted (draft, payable ir	by Borland. US
CODs and purchase orders WILL NO Outside USA make payment by bank dollars drawn on a US bank. "Umited Time Offer	IT be accepted (draft, payable it	by Borland.
CODs and purchase orders WILL NC Outside USA make payment by bank dollars drawn on a US bank. "Umited Time Olfer ""YES, it within 60 days of purchase that this product does not beform in	17 be accepted t draft, payable ir you find	by Borland. a US
CQDs and purchase orders WHL MC Quisde USA make payment by bank oblass otherm On a US bank. 'United Time Oller "*YES. Il within 80 days of purchase that Ikis product does not perform in accordance with our claims, call our cusjomer Seivice deaamenen and	IT be accepted (draft, payable in you find	by Borland. a US
CQDs and purchase orders WILL MC Quisde USA make payment by bank oblass of when 0 n a US bank "Umiked Time Oller ""YES. II within 80 days of purchase that Iris; product does not perform in accordance with our claims, call our cusiomer service department and we will gladly arrange a refund.	T be accepted (draft, payable in you find	by Borland. a US
CQOs and purchase orders WILL MC Outside USA make purment by bank ofolias claws on a US Dank. "United Time Offer ""FES. If within 60 days of purchase that this product does no for perform in accordance with our claws. call our customes service department perform we will gladly arrange a refund. All prices are suppested list prices and we subject	IT be accepted t draft, payable ii you find	by Borland. A US
CQOs and purchase orders WILL MC Outside USA make purment by bank oblias claws on a US bank. "United Time Offer ""165. If within 60 days of purchase that this product does no plottom in accordance with our claws. call our customer service department and we will gladfy arrange a refund. All proces are suppested list proces and are subject to change without motice.	T be accepted t draft, payable if you find	y Borland. US
CQDs and purchase orders WILL MC Quissde USA make payment by bank dollars order on a US bank. "Umited Time Oller "'YES, il within B0 days of purchase that Ihis product does not perform in accordance with our claims, call our cusiomet service department and we will glody arrange a refund. All prices are supgested ifst prices and are subject to change without notice.	T be accepted (draft, payable if	y Borland. US
CQDs and purchase orders WILL MC Quissde USA make payment by bank dollas of dwar on a US bank. 'Umited Time Oller '''TES, is monite do days of purchase that Inis; conduct does not perform in accordance with our claims, call our cusiomer service department and we will glody arrange a refund. All prices are suppested its prices are suppested to change without notice.	T be accepted (draft, payable ii you find	ny Borland. I US
CQDs and purchase orders WILL MC Quisde USA make payment by bank dollars order on a US bank. "United Time Oller "'YES, il within B0 days of purchase that Ihis product does not perform in accordance with our claims, call our customet service department and we will glody arrange a refund. All prices are supposed ifst prices and are subject to change without notice.	IT be accepted d drall, payable # you find	ny Borland. I US
CODs and purchase orders WILL MC Quisde USA make payment by bank dollars order on a US bank. "United Time Oller "'YES, il within 60 days of purchase that Ihis product does not perform in accordance with our claims, call our custome Sevice department and we will glody arrange a refund. All prices are suppested ifst prices are suppested to change without notice.	IT be accepted (dral), payable # you find	ny Borland. . US
CODs and purchase orders WILL MC Quisde USA make payment by bank doltas others on a LUS bank. "L'united Time Oller ""TES, il within 60 days of purchase that Iris product does not perform in accordance with our claims, call our cusiome Seivice department and we will glody arrange a reliefd. All prices and are subject to change without notice.	IT be accepted (dral), payable # you find	y Barland. US
City:	T be accepted (drah, payable ii you lind	y Barland. US
CQDs and purchase orders WHL MC QUisde USA mate payment by bank dollas of dwar on a US bank. "United Time Ollor "'YES, il within 80 days of purchase that Nis product does not perform in accordance with our claims, call our cusioner service department and we will globy arrange a relief. All prices are supgested first prices and are subject to change without notice.	T be accepted (drah, payable ii you lind	y Borland. US
CODs and purchase orders WILL MC Outside USA make payment by bank doltas others of ALS Dark "United Time Oller ""TES, il within 60 days of purchase that Iris product does not perform in accordance with our claims, call our cusiomet Seivice department and we will glody arrange a relief. All prices and are subject to change without notice.	T be accepted (drah, payable ii you lind	y Bortand.
CQDs and purchase orders WILL MC QUisde USA make payment by bank dollas of dwar on a US bank. "United Time Ollor "'YES, il within 60 days of purchase that INs; roduct does not perform in accordance with our claims, call our cusionne service department and we will globy arrange a relief. All prices are supgested fist prices and are subject to change without notice.	T be accepted (drah, payable in you lind	y Bortand.
CQDs and purchase orders WILL MC Outsde USA make purvent by bank obliast deux on a LUS Dank. "Umeed Time Offer "'TES.4 minit Odds of algo sof purchase that this product does not perform in accordance with our claus. call our customer service department are we will goldly arrange a rehard. All process and are subject to change without notice.	T be accepted (drah, payable in you lind	y Bortand.

$C \cdot O \cdot N \cdot T \cdot E \cdot N \cdot T \cdot S$



FEATURES

INTRODUCTION
PRODUCT PREVIEW: THE APPLE II GS by Gregg Williams and Richard Grehan The 65C816 processor brings the Apple II into the 16-bit world.
CIARCIA'S CIRCUIT CELLAR: BUILD AN INTELLIGENT SERIAL EPROM PROGRAMMER by Steve Ciarcia
PROGRAMMING PROJECT: SAFE STORAGE ALLOCATION by Jonathan Amsterdam 122 Some techniques to avoid the dangers involved in allocati 122
Sound and the Amica by David D. Thiel
PROGRAMMING INSIGHT: A USEFUL PROPERTY OF 2 ⁿ by Robert C. Arp Jr


THEME: PUBLIC DOMAIN POWERHOUSES

INTRODUCTION	2
PD PROLOG by Robert Morein	5
AN ICON TUTORIAL by Ralph E. Griswold and Madge T. Griswold	7
ENHANCED CONSOLE DRIVER by Anthony Zackin	3
ABUNDANCE by Roedy Green	3
Z80MU by Robert A. Baumann	3
CP/M Hall of Fame by Brock N. Meeks	9

REVIEWS

INTRODUCTION	
REVIEWER'S NOTEBOOK by Jon Edwards	
THE COMMODORE AMIGA by Tom Thompson	
THE COMPAG PORTABLE II by Stan Miastkowski	

BYTE (ISSN 0360-5280) is published monthly with one extra issue per year by McGraw-Hill Inc. Founder, Tames H. McGraw (1860-1948). Executive editorial circulation, and advertising offices. One Phoenix Mill Lane. Peterborough. NH 03458, phone (603) 924-9281. Office hours. Monday through Thursday 8:30 AM — 4:30 PM, Friday 8:30 AM — 1:00 PM. Eastern Time. Address subscriptions to BYTE Subscriptions. PO. Box 590. Martinsville, NJ 08836. Postmaster send address ubscriptions to BYTE Subscriptions. PO. Box 590. Martinsville, NJ 08836 Second-class postage paid at Peterborough. NH 03458 and additional mailing offices. Postage paid at Winnipeg, Manitoba. Registration number 9321 Subscriptions are 521 for one year. 538 for two years, and 555 for three years in the U.S. and its possessions. In Canada and Mexico. 523 for one year. 531 for two years, for diverse the supers 6400 was for one year. Substripturb are s21 for one year. S61 for three years sand S35 for intree years in the U.S. and its possessions. In Canada and Mexico S25 for one year S42 for two years. S61 for three years. S60 for one year air delivery to Europe. 31.000 year for one year air delivery to Iapan. IS30 year for one year surface delivery to Iapan. S37 surface delivery elsewhere. Air delivery to selected areas at additional rates upon request. Single copy price is S35 50 in the U.S. and its possessions. S425 in Canada and Mexico. S45 0 in Europe. and S5 elsewhere. Foreign subscriptions and sales should be remitted in U.S. funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue. Printed in the United States of America




152

evie October

VOLUME 11, NUMBER 10, 1986

FOUR ¼-INCH TAPE BACKUP UNITS by Malcolm C. Rubel
muLISP-86 by Robert J. Schalkoff
ITC'S MODULA-2 SOFTWARE DEVELOPMENT SYSTEM by Mark Bridger
MICROSOFT WORD VERSION 3.0 by Malcolm C. Rubel
THE NORTON UTILITIES, PC TOOLS, AND SUPER UTILITY by Rubin Rabinovitz
REVIEW FEEDBACK



226

KERNEL


BEST OF BIX

Аміда	
ATARI ST	
IBM PC AND COMPATIBLE	s 333
EDITORIAL: SIGNS OF VITALI	TY 6
MICROBYTES	9
LETTERS	14
WHAT'S NEW	
EVENTS AND CLUBS	

MACINTOSH											•		.335
S-100	•	• •	•	•	,			,		*	3		.338

CIRCUIT CELLAR FEEDBACK
BOOK REVIEWS
CHAOS MANOR MAIL
BOMB RESULTS AND NEXT MONTH IN BYTE
READER SERVICE

Address editorial correspondence to: Editor. BYTE, One Phoenix Mill Lane, Peterborough, NH 03458, Unacceptable manuscripts will be returned if Accompanied by sufficient postale. Not responsible for lost manuscripts or photos. Opinions expressed by the authors are not necessarily those of BYTE Copyright © 1986 by McGraw-Hill Inc. All rights reserved. Tademark registered with the Copyright Center of the authors are not necessarily permission is granted by the copyright owner for libraries and others registered with the Copyright Center Copy any article herein for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC. 29 Congress 51. Safett. MA 01970. Specify ISSN 0360-528083. 51.50. Copying done for other than personal or internal reference use without the permis-sion of McGraw-Hill Inc. Is prohibited. Recurst for special permission or bulk orders should be addressed to the publisher. BYTE is available in microform from University Microfilms International. 300 North Zeeb Rd. Dept. PR. Ann Arbor, MI 48106 or 18 Bedford Row. Dept. PR. London WCIR 4EJ, England, Subscription questions or problems should be addressed to: BYTE Subscriber Service, P.O. Box 328, Hancock, NH 03449



276

BYTE

SENIOR VICE PRESIDENT/PUBLISHER Harry L. Brown EDITOR IN CHIEF PHILIP LEMMONS

MANAGING EDITOR, BYTE Frederic S. Langa

ASSISTANT MANAGING EDITOR

GLENN HARTWIG CONSULTING EDITORS STEVE CIARCIA JERRY POURNELLE EZRA SHAPIRO BRUCE WEBSTER SENIOR TECHNICAL EDITORS ION R. EDWARDS Reviews G. MICHAEL VOSE, Themes GREGG WILLIAMS, Features TECHNICAL EDITORS DENNIS ALLEN **RICHARD GREHAN** KEN SHELDON GEORGE A. STEWART ANE MORRILL TAZELAAR TOM THOMPSON CHARLES D. WESTON EVA WHITE STANLEY WSZOLA ASSOCIATE TECHNICAL EDITORS CURTIS FRANKLIN, JR., Best of BIX MARGARET COOK GURNEY, Book Reviews BRENDA MCLAUGHLIN, Applications Software Reviews, San Francisco

COPY EDITORS

BUD SADLER, Chief JEFF EDMONDS FAITH HANSON NANCY HAYES CATHY KINGERY PAULA NOONAN WARREN WILLIAMSON IDDY WINKLER

ASSISTANTS

Peggy Dunham, Office Manager Martha Hicks L. Ryan McCombs June N. Sheldon

ADVERTISING SALES

DENNIS J. RILEY, Director of Sales and Marketing SANDRA FOSTER. Administrative Assistant ADVERTISING/PRODUCTION (603-924-6448) LISA WOZMAK, Supervisor LYDA CLARK, Senior Account Coordinator MARION CARLSON KAREN CILLEY WAI CHIU LI. Quality Control Manager JULIE MURPHREE. Advertising/Production Coordinator MARKETING COMMUNICATIONS HORACE T. HOWLAND, Director (603-924-3424) VICKI REYNOLDS, Promotion Manager LISA JO STEINER, Marketing Assistant STEPHANIE WARNESKY, Marketing Art Director SHARON PRICE, Associate Art Director WILBUR S. WATSON, Operations Manager. Exhibits . RESEARCH JULIE PERRON, Market Research Analyst

CYNTHIA DAMATO SANDS. Reader Service Coordinator

NEWS AND TECHNOLOGY

GENE SMARTE. Bureau Chief, Costa Mesa IONATHAN ERICKSON, Senior Technical Editor, San Francisco RICH MALLOY, Senior Technical Editor, New York CINDY KIDDOO, Editorial Assistant, San Francisco ASSOCIATE NEWS EDITORS DENNIS BARKER. Microbyles CATHRYN BASKIN, What's New ANNE FISCHER LENT, What's New

CONTRIBUTING EDITORS

IONATHAN AMSTERDAM, programming projects MARK DAHMKE, video, operating systems MARK HAAS, at large RIK JADRNICEK, CAD, graphics, spreadsheets ROBERT T. KUROSAKA. mathematical recreations PHL LOPICCOLO, computers in medicine ALASTAIR J. W. MAYER, software ALAN R. MILLER, languages and engineering DICK POUNTAIN, U.K. ROGER POWELL computers and music WILLIAM M. RAIKE, Japan PHILLIP ROBINSON, semiconductors

ART

NANCY RICE, Art Director JOSEPH A. GALLAGHER, Associate Art Director JAN MULLER, Art Assistant ALAN EASTON, Drafting

PRODUCTION

DAVID R. ANDERSON. Production Director DENISE CHARTRAND MICHAEL J. LONSKY VIRCINIA REARDON

TYPOGRAPHY

(603-924-7255)

SHERRY MCCARTHY, Chief Typographer Len Lorette Donna Sweeney

MICHELE P. VERVILLE, Director

FINANCIAL SERVICES

CHRISTINE LEE, Assistant

MARILYN HAIGH

VERN ROCKWELL

DIANE HENRY

LISA TEATES

JOANN WALTER

BEVERLY JACKSON

LINDA SHORT, D/P Manager

PUBLISHER'S ASSISTANT

FAITH KLUNTZ, Copyrights Coordinator

KENNETH A. KING. Business Director

VICKI WESTON, Accounting Manager

PHILIP L. PENNY, Director of Finance and Services

BIX

EXECUTIVE EDITOR, BIX

SENIOR EDITOR DAVID BETZ ASSOCIATE EDITORS TONY LOCKWOOD DONNA OSGOOD, San Francisco

BIX GROUP MODERATORS

DAVID P. ALLEN. Applications Programs FRANK BOOSMAN, Artificial Intelligence LEROY CASTERLINE, Other MARC F. GREENFIELD, Programming Languages and Tools JIM HOWARD, Graphics GARY KENDALL, Operating Systems STEVE KRENEK, Personal Computers BROCK MEEKS, Telecommunications BARRY NANCE, New Technology DONALD OSCOOD, Personal Computers SUE ROSENBERG, Other JON SWANSON, Chips

BUSINESS AND MARKETING

DOUG WEBSTER, Director. (603) 924-9027 PATRICIA BAUSUM, Secretary BRIAN WARNOCK, Customer Service DENISE A. GREENE, Customer Service TAMMY BURGESS, Customer Credit and Billing

TECHNOLOGY

CLAYTON LISLE, Director, Business Systems Technology, MHIS BILL GARRISON, Business Systems Analyst JACK REILLY, Business Systems Analyst LINDA WOLFF. Senior Business Systems Analyst

PLANNING AND DEVELOPMENT/PUBLIC RELATIONS CIRCULATION (800-258-5485)

ANDREW JACKSON, Subscriptions Manager LAURIE SEAMANS, Assistant Manager SUSAN BOYD MARY EMERSON LOUISE MENEGUS AGNES E. PERRY JENNIFER PRICE JAMES BINGHAM, Single-Copy Sales Manager CATHY A. RUTHERFORD, Assistant Manager CLAUDETTE CARSWELL KAREN DESROCHES

PERSONNEL

CHERYL HURD, Office Manager PATRICIA BURKE. Personnel Coordinator

BUILDING SERVICES/TRAFFIC

ANTHONY BENNETT, Building Services Manager BRIAN HIGGINS MARK MONKTON

RECEPTIONIST

DONNA HEALY

EDITORIAL AND BUSINESS OFFICE: One Phoenix Mill Lane. Peterborough. New Hampshire 03458, (603) 924-9281. West Coast Offices: 425 Battery SL. San Francisco, CA 94111.

Officers of McGraw-Hill Information Systems Company: President: Richard B. Miller. Executive Vice Presidents: Frederick P. Jannott. Construction Information Group; Russell C. White. Computers and Communications Information Group; J. Thomas Ryan, Marketing and International. Senior Vice Presidents: Francis A. Shinal. Controller; Robert C. Violette, Manufacturing and Technology. Senior Vice Presidents and Publishers: Laurence Altman. Electronics Week: Harry L. Brown. BYTE; David J. McGrath, Construction Publications. Group Vice President: Peter B. McCuen. Communications Information. Vice President: Fred O. Jensen, Planning and Development. Officers of McGraw-Hill, Inc.: Harold W. McGraw, Jr., Chairman; Joseph L. Dionne. President and Chief Executive Officer: Robert

Officers of McGraw-Hill, Inc.: Harold W. McGraw, Jr., Chairman; Joseph L, Dionne, President and Chief Executive Officer: Robert N. Landes, Executive Vice President and Chief Financial Officer: Shel F. Asen. Senior Vice President, Manufacturing; Robert I. Bahash, Senior Vice President, Finance and Manufacturing; Ralph R. Schulz, Senior Vice President, Editorial; George R. Elsinger, Vice President, Circulation; Ralph J, Webb, Vice President and Treasurer.


BYTE, BYTE, and The Small Systems Journal are registered trademarks of McGraw-Hill Inc.

4 BYTE · OCTOBER 1986

(4151 954-9718; 300) Red Hill Ave. Building #1, Suite 222, Costa Mesa, CA 92626, (714) 557-6292, New York Editorial Office: 1221 Avenue of the Americas, New York, NY 10020, (212) 512-2000.

BYTEnet: (617) 861-9764 (set modem at 8-I-N or 7-2-E; 300 or 1200 baud).

Circuit-Board-Artwork Software: \$895. And guaranteed.



smARTWORK® lets the design engineer create and revise printed-circuit-board artwork on the IBM Personal Computer. You keep complete control over your circuit-board artwork — from start to finish.

And smARTWORK® is reliable. When we couldn't find a package that was convenient, fast, and affordable, we created smARTWORK® to help design our own microcomputer hardware. We've used it for over two years, so we know it does the job.

That's why we offer every design engineer a thirty-day moneyback no-nonsense guarantee.

smARTWORK® advantages:

- Complete interactive control over placement and routing
- Quick correction and revision
- Production-quality 2X artwork from a pen-and-ink plotter

- Prototype-quality 2X artwork from a dot-matrix printer
- Easy to learn and operate, yet capable of sophisticated layouts
- Single-sided and double-sided printed circuit boards up to 10 x 16 inches
- Multicolor or black-and-white display

System Requirements:

- IBM Personal Computer, XT, or AT with 320K RAM, 2 disk drives, and DOS Version 2.0 or later
- IBM Color/Graphics Adapter with RGB color or black-andwhite monitor
- IBM Graphics Printer or Epson FX/MX/RX series dot-matrix printer
- Houston Instrument DMP-41 pen-and-ink plotter
- Microsoft Mouse (optional)

The Smart Buy

At \$895, smARTWORK[®] is proven, convenient, fast — and guaranteed. Call us today. And put smARTWORK[®] to work for yourself next week. Try it for 30 days at absolutely no risk. That's smart work.

Wintek Corporation 1801 South Street Lafayette, IN 47904-2993 Telephone: (317) 742-8428 Telex: 70-9079 WINTEK CORP UD



In Europe contact: RIVA Terminals Limited, Woking, Surrey GU21 5JY ENGLAND, Telephone: 04862-71001, Telex: 859502

"smARTWORK", "Wintek" and the Wintek logo are registered trademarks of Wintek Corporation.

E·D·I·T·O·R·I·A·L

SIGNS OF VITALITY

Several recent and anticipated developments point to signs of renewed vitality in the personal computer industry. Following are comments on some of these developments.

THE TREND TO OPEN HARDWARE

The new Apple II GS featured on this month's cover has something the attractive and compact Apple IIc was supposed to render obsolete: internal expansion slots. It is widely believed that the new Macintosh will have slots as well. Amiga developers expect a more powerful version of that machine with internal expansion slots. Expansion slots will make all these machines more adaptable and therefore more appealing.

80386-BASED COMPUTERS

The Intel 80386, described in considerable detail in our special issue (the Fall 1986 *Inside the IBM PCs*) to be published later this month, is beginning to appear in personal computers. Programmers who have battled the segment registers of the 8086 and 80286 are rejoicing at the ability of the 80386 to use a vast linear address space. Simplified memory addressing and greater raw computing power will at last make Macintosh-like applications perform at high speed on IBM PC–compatible machines.

68020-BASED COMPUTERS

A new generation of personal computers based on the Motorola 68020 will also appear during the next several months. Apple is hard at work on an open-architecture Macintosh. Commodore seems to be weathering its difficulties and is preparing new versions of the Amiga. Some new Amigas are believed to have 68020s. Atari executives have often spoken of a 32-bit UNIX workstation under development there. The 68020 will make this new generation of machines far more powerful than current models.

IBM'S NEED TO OFFER SOMETHING BETTER

IBM's vulnerability to inexpensive IBM PC compatibles may force the industry leader to lead through superior technology. If

IBM is forced to compete on the basis of new technology, computer users everywhere will benefit.

What exactly will IBM do? Most of the talk in the industry suggests a short-term approach featuring a new round of 80286based PCs with an operating system that uses the protected mode and supports large memory. The new 80286 machines will bundle in everything provided on the best-selling combination boards today. IBM's new 80286 machines will raise the hardware standard for workhorse machines but probably won't convince anyone that IBM has more to offer than other vendors-particularly if other vendors are selling 80386-based machines at prices comparable to IBM's 80286-based machines

More dramatic departures will come in IBM's 80386 machines—originally scheduled for February 1988 but now more likely to appear in mid-1987. The IBM 80386based systems will incorporate a great deal of proprietary technology. According to one line of speculation, IBM actually has obtained the rights to the masks of the 80386 and can extend the chip's functionality in proprietary ways. Speculation can run rampant on this theme.

A second line of speculation says that IBM will equip its 80386 machines with ROMs and systems software that implement the LU 6.2 and PU 2.1 protocols of the Systems Network Architecture (SNA) standard. These protocols support peerto-peer communications, as distinguished from host-to-terminal communications. Large corporations that own IBM mainframes would love to have IBM solve the problem of connecting PCs, minicomputers, and local area networks to mainframes in a convenient way. Bundling LU 6.2 and PU 2.1 would help. The protocols are complex enough that other companies would need at least a year to implement compatible systems. This would give IBM a big advantage in the corporate market

SUCCESS IN THE HOME

In the eyes of some, the failure of the IBM PCjr doomed the market for home computers. But significant stirrings are again occurring in the home computer market. The software house Electronic Arts, which has never lost its faith in the home computer, saw its revenues grow 55 percent in 1985 and another 100 percent in 1986. The Tandy 1000 EX is the first of a new kind of IBM PC compatible intended for the home. Highly compact, attractively packaged, and relatively inexpensive, this machine will be an appealing home computer for people who use a desktop PC compatible at work. (For more details, see What's New, page 31.)

Open systems, the arrival of personal computers based on the 80386 and the 68020, a new line of workhorse machines from IBM, pressure on IBM to offer end users valuable new technology, and even signs of life for computing in the home all these will make the next year a watershed in personal computing. We'll do our best to keep you abreast of changes. In addition to coverage here in BYTE, we will host events on BIX for interactive discussion of new developments.

BIX EVENTS FOR OCTOBER

The following special conferences will take place this month: The Apple II GS: First Users' Early Impressions; New Generation Laptops: Compatible Computing on the Go; The IBM RT PC: Which Niche for RISC?; Publishing Your Own Software; and Macintosh in the Sciences.

> -Phil Lemmons Editor in Chief

Free BIX Time for Apple II GS Owners If you're an owner of the new Apple, you may be eligible for a free BIX membership and 10 free hours of connect time. The only qualifications are that you have accepted delivery of an Apple II GS; that you are willing to share your experiences with the new machine by participating in this month's BIX Special Event on the II GS; that you can provide your own modem and telecommunications software; and that you are one of the first 10 persons to call in response to this announcement. To participate, please call Associate Technical Editor Curt Franklin at (603) 924-9281 during normal East Coast business hours.



When computers get down to business, they move up to Maxell.

Maxell was first to provide you with a 5¼" high density floppy disk. Just another example of how we keep you a step ahead.





SMACLETM The Communications Software That Knows You Can't Ignore Evolution

The world of computing has much in common with nature: Those who adapt to their environment flourish. Those who can't-go the way of the dinosaur.

If your computing environment includes mini computers, you can access them using standard terminals. But the smarter alternative is an IBM* compatible PC* and SmarTerm terminal emulation software—an advanced species of communications software.

Persoft began where most terminal emulation software companies strive to end—with exact, feature-forfeature emulation. Then Persoft took SmarTerm software to the next stage of evolution: superiority.

SmarTerm 240, the latest in the SmarTerm series, not only provides the ReGIS* and Tektronix* graphics capabilities of a DEC* VT240* terminal, but adds capabilities that are only possible through the power of a PC.

Features like error-free data transfer (using Kermit or XMODEM protocols), on-line help screens, remappable keyboard layouts, and programmable softkeys.

SmarTerm 240 is just one example of the most advanced line-up of DEC, Data General and Tektronix terminal emulation software in the industry.

Make the "natural selection." Ask your local dealer about SmarTerm terminal emulation software. Or contact:

Persoft, Inc. 465 Science Drive Madison, WI U.S.A. 53711 (608) 273-6000 Telex 759491

Visit Booth #8624 Hilton Pavillion West COMDEX/Las Vegas





SmarTerm Terminal Emulation Software ... The Natural Selection

*SmarTerm is a registered trademark of Persoft, Inc. IBM and IBM PC are registered trademarks of International Business Machines Corporation. DEC. VT and ReGIS are trademarks of Digital Equipment Corporation. Tektronix is a registered trademark of Tektronix, Inc. • Persoft, 1986. All rights reserved.

persoj

nerson

M·I·C·R·O·B·Y·T·E·S

Staff-written highlights of developments in technology and the microcomputer industry.

Bell Labs Develops Optical Logic Device, Draws Nearer to Light-Beam Computer

The staff of the optical research department at AT&T's Bell Labs (Holmdel, NJ) reports they've drawn closer to building a computer that uses light beams instead of electrical signals. Alan Huang, division head, claims electronic computers are outrunning the capabilities of integrated circuits; an alternative technology would process data with optical rays rather than electrical impulses. An optical computer could conceivably run 1000 times faster than conventional electronic machines.

One of the biggest obstacles Huang and crew faced was coming up with a device that could control light beams the way transistors control electrical signals. But that problem was at least partially solved when Bell Labs developed a breakthrough optical logic device. Called a SEED (self electro-optic effect device), the optical transistor functions as a NOR gate and, according to Huang, matches electronic logic elements in speed and power. The chip is made of gallium arsenide and aluminum gallium arsenide.

Huang, who's examining alternatives to electronic elements, says that while extensive work remains, his group hopes to build a functional optical computer within three years.

Softguard Working on VM Operating System for the 80386

What do you do if your company's premier software product (in this case, copy-protection systems) is becoming increasingly less popular with both users and manufacturers? Well, if you're part of Softguard Systems (Santa Clara, CA) and you're a former IBM mainframe programmer, you try to get your favorite operating system, VM, running on a microcomputer.

By the second quarter of next year, Softguard hopes to have available for the new 80386-based machines a virtual operating system very similar to that of IBM's VM mainframe. The system will be able to play host to several other operating systems, including MS-DOS and UNIX, and run multiple copies of each of these at the same time. The system should also be able to emulate extended memory systems. Thus, according to Softguard, the VM system will obviate the need for a multitasking version of MS-DOS that can break the 640K-byte memory barrier.

Modeled after IBM's VM/370, the system should be able to run on several of the new 80386-based computers, expected to be available shortly. It should also be able to run on 80386 speedup boards for the IBM PC, XT, and AT. Softguard will make its VM system available only to OEMs, but the company expects the end user to pay under \$200.

Commodore Improving Amiga Chips; Has Redesigned Genlock

Jay Miner, general manager at Commodore-Amiga (Los Gatos, CA), says the company is working on an improved version of the Agnus and Denise chips, two of the three custom chips in the Amiga 1000 that provide many of its advanced features. The improved chips will not work in existing Amigas but will be used in a future Amiga-family machine.

The Agnus chip is being upgraded to address 2 megabytes of display memory (the memory that must be used to store all video images) independent of the expansion memory. The current Agnus controls 512K bytes of memory. The bimmer (bit-mapped image manipulator) in the Agnus chip will be able to address 4K pixels at one time, up from the current chip's 1K-pixel capability. The new Agnus and Denise chips will also support higher-resolution, noninterlaced graphics.

Commodore-Amiga has also redesigned its Genlock peripheral to meet FCC radiofrequency interference specifications. (Genlock enables the Amiga's display to overlay an external video signal.) Barring production problems the firm expects to have the product in the stores by November.

(continued)

MIT's Media Lab Produces Holographic Image Generated by Computer

The Media Lab at the Massachusetts Institute of Technology (Cambridge) has demonstrated a small monochromatic hologram of a car. While the hologram in itself is not exactly extraordinary, the car is: It was entirely computer-generated. The so-called "synthetic hologram"—a hologram not of an actual object, but of a computer-generated model of an object—was created by interpolating 130 different views of the car onto a piece of film.

After the film was exposed, it was processed into a semicylindrical hologram, which allowed observers to look at the image from any point within a 180-degree viewing angle. Stephen Benton, associate professor of media technology at the lab's Spatial Imaging Group, described the image as "completely projected into space, suspended." He said the technology involved will someday let architects show buildings in true 3-D instead of on a flat drawing board and let surgeons examine images of body parts before operating.

According to Tim Browne, associate director of the Media Lab, a significant amount of development work remains to be done. The researchers hope to shorten the processing time of the hologram to 24 hours. The process currently requires approximately one week.

They also hope to enlarge the dimensions of the image from its present 8-inch by 4-inch size to something large enough to represent a human body. Other goals include adding full-color images (the car demo is green), 360-degree viewing, and transporting the graphics imaging software to a personal computer.

The researchers expect that a commercial implementation of the technology may be ready within five years.

Manhattan Graphics Claims Desktop Publishing Package Signals "Next Generation"

Manhattan Graphics Inc. (Valhalla, NY), maker of the Ready Set Go page-maker package, is working on what it says will be a "next generation" advance in a Macintosh desktop publishing program. The firm hopes to release the software before Christmas. "Basically it's a major extension of WYSIWYG |what you see is what you get] for desktop publishing," said Ken Abbot, company president. Some packages have a preview mode that lets you view a document in WYSIWYG format before printing. The Manhattan Graphics program will have only one mode, which always provides a WYSIWYG display.

"We see the future for desktop publishing in having one mode [so that] you work with a simulation of the thing [you want to produce] at all times," Abbot said. "The question of one mode is how far you can go and still get professional typographical features."

The forthcoming package is capable of word wrap and hyphenation in real time and in six languages; it will let you choose a range of text and change it from English to Spanish, for example, on the fly (with a menu selection) and have it all fit in the document according to the design parameters in place. The company is considering porting the program to other workstations and to IBM PC AT-style machines under Windows.

NANOBYTES

A spokesperson at Microsoft (Redmond, WA) said the company's next-generation operating system for personal computers will have a special high-bandwidth interface to keyboard, mouse, and video. Besides a very high-performance subsystem for user interaction, the operating system will provide networking in a transparent form that can always be present in the background Sources within Motorola's microprocessor group (Austin, TX) confirm that two new central processing units will be released by that company in the near future. Slated for autumn arrival is the 68030, an integrated version of the 68020 microprocessor. This chip reportedly will include a memory management unit and a math coprocessor. Due in the first quarter of next year is the 20-MIPS 78000 CPU. Sources said the 78000 is a RISC processor that represents an evolutionary progression of the 68020.... AT&T Technology Systems (Berkeley Heights, NJ) has developed a chip it says is key to implementing an integrated services digital network (ISDN). The new chip, called UNITE, can be used by any builder of telecommunications equipment. It will allow fully digital transmission and reception of voice, data, video, hi-fi audio, and other types of communications over the same wires that carry regular phone calls.... A reliable industry source says IBM may attempt to stave off compatibles companies by implementing its SNA in ROM in its new personal computers. IBM could then extend its operating system to take advantage of the ROMs. According to the source, builders of PC compatibles would have trouble developing comparable systems quickly. The SNA implementation would simplify connecting IBM's microcomputers with its larger machines.

Ven-Tel clears the path to 2400 baud.

Trying to install a 2400 baud modem in your PC can make you feel like you're trying to get through a maze.

With most 2400 baud modems, you'll wade through pages of documentation...only to learn that you must set dozens of parameters and reconfigure your software. Even buy all new software.

Ven-Tel 2400 baud modems eliminate the barriers. Just plug one in, and you're ready to transmit your data twice as fast. Using whatever

2400

2.00

software you're using today. Choose Ven-Tel 2400 baud modems in either our convenient desktop, or Half Card[™] internal, versions. Each requires minimal installation and will automatically connect with 1200/300 baud modems and services. And each is available with or without X.PC error correction built-in. Like all of our PC products, Ven-Tel 2400 baud modems are backed by a free five-year warranty. No other major

manufacturer even comes close. So when you decide to shift into high gear, do it with a Ven-Tel 2400. We give you the speed you want—without making you work for it.



Our free 24-page booklet, "How to Select The Correct Modem," contains specific information about our full line of Ven-Tel 1200 and 2400 baud modems. To request your copy, call 800-538-5121. In California, call 408-727-5721.

In 1950 America saw the future in Packard Bell.

America grew up listening to Packard Bell radios. Then Packard Bell television entertained the nation. Today Packard Bell has launched the products that provide American business

with a faster, more powerful, more reliable computer system.




A total business system solution. A solution capable of expanding, networking, multi-tasking, and of keeping pace with software developments. It is a system so versatile it will optimize the hardware and software the user may have already invested in. It is, in-



deed, a total business system solution.

The EGA Color Monitor. Super high resolution. 64 color capability. EGA, CGA, MGA compatible.

The VT 286 Business Computer. PC/AT compatible. Ultra fast, ultra reliable.



As the future unfolds, Packard Bell will continue to develop the products and services needed by the business and professional user. Products that perform reliably, economic-

ally, and deliver the value not often provided

The 1200 or 2400 bps modems are Hayes compatible.

by major manufacturers.

America began listening to Packard Bell in 1929. Since then Packard Bell has become a familiar name...a name that

has stood for quality. It still does. It always will.



The high speed laser printer provides superb letter quality at the rate of 8 pages per minute.

PACKARD BELL

America grew up listening to Packard Bell. It still does.

For more information call toll free: 1-800-521-7979 or 1-800-327-4499 6045 Variel Avenue Woodland Hills, CA 91367 (818) 704-3905 Hayes is a registered trademark of Hayes Microcomputer Products. Inc. IBM PC and AT are trademarks of International Business Machines Corporation.

Inquiry 222 for End-Users. Inquiry 223 for VARS.

$L{\cdot}E{\cdot}T{\cdot}T{\cdot}E{\cdot}R{\cdot}S$

SCREAMING COMPUTERS

In all the discussions about the possible health hazards of VDTs, I have seen no mention of what is, for me, an obvious and serious discomfort: the piercing *audio* shriek that is emitted by all standard VDTs. Apparently, most people cannot hear this 15.75-kHz whistle. I belong to the minority that avoids certain intersections where "ultrasonic" motion detectors are deployed and that gets headaches in airports due to the VDTs that are hanging everywhere.

Engineers who design VDTs, switching power supplies, security systems, and so on—please remember that some people do hear all the way to 20 kHz. Please design things so as to lessen the emission of high-frequency audio waves (stiffer flyback transformers?). And please hurry up the transition to higher-resolution video, which is linked to higher scanning rates. For example, the 35-kHz scanning rate in the Atari ST monochrome monitor was a major factor in my decision to go with that system. Having gotten used to it, I can hardly believe that I used computers at all before.

> Moshe Braner Ithaca, NY

HORIZONTAL SYNC

While trying to prepare myself for the shock that will surely accompany my first telephone bill after I start using BIX. I have been reading the Best of BIX section with great interest.

I own an Atari ST and was interested to read that Dave Menconi (July, page 399) was having the same problem I had a couple of months ago. The monochrome monitor often moves the screen horizontally, so that one side of the screen wraps around to the other side.

This is not a problem with the ST but with the monochrome monitor. It is easily fixed by opening up the monitor and twiddling a small pot marked "Horizontal Sync." For accuracy, this is best done when the monitor is on and connected to the ST. Of course, this can be dangerous unless extreme care is taken. A plastic screwdriver is essential. The adjustment could also be made on a trial-and-error basis when the monitor is off. It would then be turned on to test the position of the screen.

I have just completed my first piece of commercial software for the ST series and I could certainly have used the help of the BIXen during the early days. I hope to be BIXing soon!

> ANDREW R. BENNETT Harrogate, North Yorkshire United Kingdom

MATHEMATICS OF PROGRAMMING

May I commend you for your selection of "Mathematics of Programming" by C. A. R. Hoare (August). In addition to the specific points made (lucidly!) by the author, it provides some hope that what good analysts and programmers know intuitively can someday be taught to future toilers specifically.

Hoare's approach would be a significant addition to (and in many instances a substitution for) the variety of mathematical and logical courses now provided wouldbe analysts/programmers. Many of the current courses are merely dogmatic exercises in complexity.

SETH S. GROSSMAN Delmar, NY

MATHEMATICS OF MUSIC

We are glad to see that Charles Dodge and Curtis Bahn ("Musical Fractals," June) have made it known to your readers that fractal mathematics is not limited to the graphics screen. We would like to add that there are a great many possibilities not touched upon in that article.

In 1981, Hologramophone Research was formed for the purpose of exploring the possibilities of computer-assisted music. Since then, with the help of the ideas of Benoit Mandelbrot (*The Fractal Geometry of Nature*) and Douglas Hofstadter (*Goedel*, *Escher, Bach: An Eternal Golden Braid*) we have discovered many ways to take advantage of music's inherent mathematical nature. The computer can be programmed to fractalize real-time acoustical events in any number of ways, so it is valuable as an improvisational (as well as a compositional) tool. We have found that much of the great music in history can be described by simple fractal formulas, right down to the sounds the instruments make. We believe the fractal concept to be responsible for much of the beauty in nature, and we expect that the next generation of synthesizers will embody a deeper understanding of these possibilities. We would be delighted to correspond with any of your readers who are interested in this field, which, though small, presents boundless potential.

> JUSTIN PARKER PETER MCCLARD Hologramophone Research 316 Sena St. Santa Fe, NM 87501

UPDATES FOR ATOMCC

The response to my article "The ATOMCC Toolbox" (April) has been good. Many have approached me for the source code of the program. There must be many more who have obtained the executable and object files from BYTE.

The purpose of this letter is to inform users of ATOMCC that I have found and fixed several important bugs. Of course, all programs of such size will have some bugs, and perhaps some users will simply work around them. However, some of the bugs are rather severe.

Bug #1

While doing research on differentialalgebraic equations (DAEs), I found that the ATOMCC compiler did not properly search all the binary tree branches for certain types of equations. For example, the following input equations will produce messages of "undefined operator number

(continued)

LETTERS POLICY: To be considered for publication, a letter must be typed double-spaced on one side of the paper and must include your name and address. Comments and ideas should be expressed as clearly and concisely as possible. Listings and tables may be printed along with a letter if they are short and leaible.

Because BYTE receives hundreds of letters each month, not all of them can be published. Letters will not be returned to authors. Generally, it takes four months from the time BYTE receives a letter until it is published.

LOOKING FOR THE BEST VALUE IN PC/AT COMPATIBLES?



INTRODUCING THE \$1495 A * STAR"

Looking for a lower priced, higher quality PC/AT compatible than our new $A \star Star^{M}$ is like looking for a needle in a haystack. You're more apt to come up with a case of hayfever.

A★Star gives you features you won't get from any other vendor. Not IBM. Not Compaq. Not even those foreign manufacturers. Features like a 220 watt power supply, eight available expansion slots and "network ready" multi-user operation. All for only \$1495. And that price includes a 1.2MB diskette drive, 512KB memory, a fixed disk/diskette drive controller, a tactile feedback keyboard (you'll love it!) and a 6/8MHz switch/software selectable 80286 CPU.

Best of all, A★Star is quality built right here in America by Wells American Corporation - an American Stock Exchange manufacturer. So now you can buy with confidence from a vendor you can trust, just like you've trusted IBM. And you'll get a genuine, top quality product (not a cheap imitation) for a price even less than those "questionable" mail order clones. And if that's not enough, it's all money-back guaranteed!

The S1495 Wells American A + Star.™



A PC/AT FOR ONLY \$1495? THAT'S NOTHING TO SNEEZE AT!

(Hurry! This offer is limited.)

🗆 I'm tired of sneezing! Have someone call
me immediately to take my order.

A * Star sounds terrific. Tell me more.

Name:	
Compan	y:
Phone:	
Address	¢
City:	
State:	Zip:
	Wells American 803/796-7800-TWX 510-601-2645 souleyard - West Columbia SC 29169

IBM. Personal Computer AT and AT are trademarks of International Business Machines Corporation

LETTERS



Super Power Compatibility

The POWER SYSTEMTM from PECAN has set a new standard for comprehensiveness in program development environments that you won't find anywhere else:

PORTABILITY: Whether you're an ardent beginner or a seasoned pro, THE POWER SYSTEM lets you design software that can run on virtually any mini or micro without having to rewrite the program. The program you write on one computer will operate on another — even if the two hardware systems are incompatible. Your software never becomes obsolete — even if your hardware does.

INTEGRATABILITY: The versatility and flexibility of THE POWER SYSTEM enables different users to exchange program modules freely with one another, even though the modules may be written in different programming languages.

LANGUAGE INTERCHANGEABILITY: THE POWER SYSTEM lets you customize the modules of your application in the most appropriate of Pecan's powerful languages including UCSD PASCAL, BASIC, FORTRAN-77, ASSEMBLER, or MODULA-2. Once you've created your multi-language program, the modules are linked automatically. The application then runs as if you'd written it all in one language.

THE POWER SYSTEM FEATURES:

NATIVE CODE • SEPARATE COMPILATION OF UNITS • EXTENDED PRECISION ARITHMETIC
 DYNAMIC MEMORY MANAGEMENT • EVENT-DRIVEN MULTI-TASKING • CONFORMANT ARRAYS
 PROCEDURAL PARAMETERS • 8087 AND BCD SUPPORT (PC's AND COMPATIBLES) • LARGE FILE EDITOR
 • LIBRARY UTILITY • ON-LINE HELP SYSTEM • FILE MANAGER

THE POWER SYSTEM Only \$99.95

For PC-DOS, MS-DOS, AMIGA, ATARI ST, MACINTOSH, RAINBOW, TANDY, STRIDE, as well as most popular 8/16/32 bit systems. Also available in VAX, UNIX, PDP-11 OS's & others.

THE POWER SYSTEM includes the language of your choice: UCSD PASCAL, MODULA-2, BASIC, ASSEMBLER and FORTRAN-77. Choose an additional language for only \$79.95. Buy three and we will send you a fourth one FRE!

To custom-tailor software, PECAN offers such programming tools as:

CROSS-ASSEMBLER/NCG PACKAGE\$79.95	SDFTEACH TUTORIAL\$49.95					
KEYED SEQUENTIAL ACCESS METHOD\$59.95	MENUMAKER\$49.95					
CODE OPTIMIZER\$59.95	PROGRAM ANALYSIS TOOLKIT\$59.95					
SYMBOLIC DEBUGGER\$59.95	SORT UTILITY\$59.95					
Write for complete list of development aids						

ATTENTION CORPORATIONS: Call and ask about our training seminars. **SCHOOLS:** Special Educational Discounts

NOT COPY PROTECTED

Mail Your Check Or Money Order To: Pecan Software Systems, Inc. 1410 - 39th Street Brooklyn, New York 11218 (718) 851-3100 ITT TELEX NUMBER: 494 8910 COMPUSERVE CODE: 76703.520



Credit Card Orders Call Toll Free **1-800-63-PECAN** (NYS) 1-800-45-PECAN

Please add \$2.50 for shipping within the US. Foreign orders add \$10.00 and make payment by bank draft payable in US dollars on US bank. New York State residents add appropriate sales fax. UCSD Pascal is a trademark of The Regents of University of California. Inquiry 23.2 0" and gaps in the object program:

DIFF(X,T,1) = X*X Y = 2*(X + 1 + EXP(-T))/X \$ \$ \$

The tree for the second equation is as shown below, where all the nodes are circled and labeled a to g. The original processing saved all the right branches as nodes and processed the left branches as it went along. Therefore, the nodes pushed down on the stack (MSTK) are, in order, b, d, and e. The correct order of processing sequence is f, g, e, d, c, b, and a. However, since node c was not saved on the stack, the actual processing was c, g, f, e, d, b, and a, which created havoc.




Figure 1: Tree for Y=2*(X+1+EXP(-T))/X.

The result was that e did not compile properly, and errors were produced in the object code.

The fix is to force saving onto a stack all the nodes of the binary tree. A subroutine within ATOMCC called FORMAT has (continued)

STELES SE



n expert system is like borrowing someone else's experience and expertise on a given subject. UNDERSTANDING COMPUTERS by TIME-LIFE BOOKS is exactly that, an expert system on the subject of computers.

It's not software based, so it can't crash. And since it's not machine-specific, it won't become outdated easily, which means you'll find it an invaluable, long-lived reference whether you have an IBM®PC, an Apple IIe®, a multimillion dollar Cray®, or no computer at all right now.

A BRAND NEW SERIES THAT PRESENTS COMPUTERS IN A WHOLE NEW WAY.

UNDERSTANDING COMPUTERS is a new series of books that presents computers in a unique, broad-based way, unlike any other



computer book you've ever seen. It gets "under the hood," right down to the nuts and bolts of computers to explain what you need to know about them in plain English.

On a digital record, sound is carried by pits and spaces, which are read by a laser beam.

The first volume, Computer Basics, unwraps the mystery of writing binary code... the concept of logic

gates...how chips are designed...haw a light pen works far graphic effects... the sequence of events in a computer from the first clock pulse to the last. And much, much more.

Succeeding volumes cover Software. Input/ Output. Graphics. Networking. The entire gamut of computer topics.

EVERY IMPORTANT CONCEPT IS ILLUSTRATED TO HELP ASSURE YOU UNDERSTAND.

Not only does UNDERSTANDING COMPUTERS give you all the computer backgraund you want that you won't find elsewhere, it also shows you

what it's all about. Full-color illustrations help make every concept crystal clear. And glossaries of terms help ensure your understanding. Each volume is a big 91/4" x 11 1/8" hardcover book with approximately 128 pages.

FREE 10 DAY EXAMINATION. NO OBLIGATION.

Begin to expand your computer know-how now by examining Computer Basics for 10 days free. Keep it and pay only \$12.95 (\$15.95 in Canada), plus shipping and handling. Then you can continue to receive other volumes every other month, always



How a transistor operates as a switch.

with a 10-day free trial. Keep only the books you want. And you can cancel any time. Or return Computer Basics and owe nothing.

Return the coupon today, and start to bridge the gap from computer buff to computer expert.

IBM is a registered trademark of International Business Machines Corporation. Apple lie is a registered trademark of Apple Computer, Inc. Cray is a registered trademark of Cray Research, Inc. © 1986. Time-Life Books Inc. Time & Life Building, Chicago, IL 60672-2058

UNDERSTANDING COMPUTERS STARTS HERE. Mail to TIME-LIFE BOOKS, Inc. Time & Life Building, Chicago, IL 60672-2058 YES! Send me Computer Bosics, os my introduction to the shelf-based expert system, UNDERSTANDING COMPUTERS. l agree to the terms outlined in this ad. D1AFG8 Address City TIME Stateor Zin or Province Postal Code.

All orders subject to approval. Price subject to change.



UNDERSTANDING COMPUTE



LATTICE® C

The well known LATTICE® C compiler, full featured portable implementation.

MCCTM PASCAL

An ISO/ANSI standard Pascal. A fast single pass compiler, ideal for commercial, educational and personal use.

MCCTM ASSEMBLER

A professional standard macro assembler with many powerful features.

CAMBRIDGE LISP

LISP interpreter/compiler providing a complete, LISP development environment. Now available for ST.

BCPL

A powerful compiler offering the convenience of a high level language with the flexibility of an assembler.

MAKE *NEW

UNIXTM compatible MAKE utility with extended functions.

SHELL ¥NEW

Versatile programming environment with full screen command line editing.

MENU + TM

The best selling menu generator for the Atari ST.

TOOLKIT

Provides useful tools and utilities including Librarian and Disassembler, from the people who wrote AmigaDOS.

	A	0	Ola Inform
Product	Atari™ ST	Commodore™ Amiga	Sinclair™ QL
Lattice C	\$149.95	\$149.95	\$129.95
Pascal	\$99.95	\$99.95	\$99.95
Assembler	\$79.95	\$99.95	\$49.95
Lisp	\$199.95*	\$199.95	\$79.95
BCPL	\$149.95*	TBA	\$79.95
MAKE	\$69.95 🔻		-
Shell	-	\$79.95*	-
MENU+	\$29.95		-
TOOLKIT	TBA	\$49.95	-

Cambridge LISP is also available for CP/M-68K™ OL Lisp includes interpreter only

All languages come with full documentation, libraries & screen editor. Languages for the ST come with MENU+ and provide full interfaces to GEM VDI and AES functions.

METACOMCO

The Quality Source for 68000 Software 5353 #E Scotts Valley Dr., Scotts Valley, CA 95066

Contact your local dealer or call: (US) 800-AKA-META (CA) 800-GET-META

BIX: mhill Eur (UK) 44-272-428781 Telex (UK) 444874 Add 6.5% tax if CA resident. Resistered trademarks:

Lattice - Lattice Inc; Amiga and AmigaDOS - Commodore-Amiga Inc.; Atari ST - Atari Inc.; CP/M-68K - GEM Digital Research Inc; UNIX - Bell Labs. been rewritten. The processing is now done correctly without missing any node.

You can work around this bug by breaking up the second equation into smaller parts, such as shown below. You must simplify any equation that may invoke the error message as given above.

DIFF(X,T,1) = X * X Y = 2 * PARTAPARTA = PARTB/X PARTB = (X + 1 + EXP(-T))\$

¢
Φ.
5

\$

Bug #2

Jet Propulsion Labs has had a copy of ATOMCC for over a year, and mathematicians there have made some extensive comparisons of this method with other methods. They have produced a paper on this subject. The bug in question here arose when they tried to submit the entire solar system including relative corrections to ATOMCC. There were over 900 equations. As anyone doing *n*-body problems knows, in such problems there are many exponentials such as (Sun – Earth)**2.

When ATOMCC was first written, we had planned on only a handful of these exponentials. So, the design was to move a certain stack for triplets (MTRPL) up by 50 to make room for these exponential functions. When this number of 50 was exceeded by JPL, the triplets on the stack wrote over onto themselves and produced an infinite loop.

The fix is to use another stack for the input stream (INOUT2), which happens to be the same size as (MTRPL) and which contains the input stream that can be discarded at this stage. Thus, the new design can handle as many of these exponentials as the user may wish to enter. For users who need to solve very large systems of equations, there is no way to work around this bug.

Bug #3

While working on the other bugs, I decided to test the implementation of some of the functions. One of them proved to have an error. There was a misalignment in the output code for the arc tangent function. If you wish to use the arc tangent function, you must obtain the new version of ATOMCC.

Bug #4

In testing ATOMCC, Jet Propulsion Labs used a certain parameter (HMAX) to control the accuracy of the results. JPL had an earlier version of ATOMCC that retained this parameter.

Once I got wind of this, I realized that

there was a bug in the RDCV subroutine. The accuracy of the results produced by ATOMCC is properly controlled only by ERRLIM.

The algorithm in the RDCV subroutine comprises three parts. The first part, called three-term analysis, is used to calculate the position and order of a singularity on the real axis. The second part, called six-term analysis, is used to calculate the position and order of a pair of conjugate singularities in the complex plane.

The third part, called top-line analysis. is used to *estimate* the distance of a simple pole with unknown position and order. The first two analyses are based on sound fundamental mathematical bases. The topline analysis is only an estimate. This estimate is used only when the other two analyses fail.

When the parameter HMAX is used to limit the step size and control the error, the effect is only to reduce the step size when top-line is being used, because the step size is large only when the solution point is between singularities and the other analyses fail. Therefore, there must be an error in top-line. This is a severe bug.

The fix is to completely rewrite top-line. You can raise the parameter MPRINT to 6 or 8 and observe whether top-line is being used appreciably. If it is being used a lot, the accuracy of the results is in doubt. You must then obtain the new version of ATOMCC. This leads to the next bug.

Bug #5

The version of ATOMCC mentioned in the article was version 7.10. It contained a significant advancement over previous versions in that stiff equations could be solved. As mentioned in the user manual, stiff equations are solved only in double precision. What I am leading up to is that I have left a developmental flag in the DRDCV subroutine. This is sort of like a mechanic leaving a screwdriver inside the air conditioning duct propping open an air valve.

What was the purpose of this flag? It was used to bypass the three-term and sixterm analyses. What is the result? The result is that only top-line is being used in this subroutine. Examples 3 to 17 of the user manual will not yield any result in double precision. Since three-term and six-term analyses are bypassed, therefore, in double precision, version 7.10 of ATOMCC has poor error **control** as explained above. This is the most severe bug. The user must obtain version 7.20 if there is much intent to solve problems in double precision.



I/O Meets EG

Announcing The AST-3G Pak™ For Single-Slot EGA Graphics And I/O.

AST-3G Pak packs it all...complete four-mode graphics and popular input/output features...in a single-slot.

An Idea Whose Time has Come. The AST-3G Pak is designed for new IBM[®] PC XTs, and is compatible with the entire IBM PC/XT/AT family. It saves valuable slots within your PC by combining parallel, serial and optional game ports, battery-backed clock/calendar and full-function graphics onto a single board.

And AST-3G Pak does it all at a price that's competitive with twoboard graphics and I/O combinations!

All Graphics Standards. Fourmode graphics means compatibility with every major PC graphics standard. There's <u>EGA</u> (Enhanced Graphics Adapter), CGA (Color Graphics Adapter), _____'^{\starset} <u>Graphics</u> and <u>MDA</u> (Monochrome Display and Printer Adapter) modes.

So whether you need simple monochrome graphics or advanced state-of-the-art graphics capabilities, AST-3G Pak is the right solution for you.



Free Graph-In-The-Box[™] Software. Another AST extra, Graph-In-The-Box lets users pull data from spreadsheet, word processing and database applications to generate of graphs and charts.

on-the-spot graphs and charts.

AST-3G Pak—The Winning Graphics and I/O Combination. For more information call our Product Information Center at **(714) 863-1480** or send the coupon to: AST Research, Inc., 2121 Alton Avenue, Irvine, CA 92714-4992.

AST-3G Pak trademark of AST Research, Inc. IBM registered trademark of International Itsisivess Machines Corp. Hercules trademark of Hercules Computer Products, Inc. Graph-In-The-Box trademark of New England Soltware. Copyright + 1986 AST Research, Inc. All right reserved.

AST RESEARCH INC.	today!
Name	
Title	
Company:	
Address	
City: St:	Zip:
Telephone:	
Send to: AST Research, Inc., 212 Irvine, CA 92714-4992	21 Alton Avenue, BiGPK068-Al

Added Features

Since Jet Propulsion Labs expressed a desire to solve systems of more than 900 equations, I have made some changes in ATOMCC to accommodate. If the user has sufficient memory capacity (at least a megabyte of RAM would be required), he can use ATOMCC version 7.20 to solve up to 9000 equations or perhaps even more.

Version 7.20 also has an automatic KTRDCV feature where only those

variables with the smallest radii of convergence are fully analyzed in the subroutine RDCV. This yields an appreciable savings of computational time in instances when the system of equations to be solved is large.

Another added feature is where the ATOMCC compiler prints out the amount of internal stack spaces being used for each problem versus the total stack spaces available. The user can then see just how much resource is used and how big


Fox BASE wins the dBASE race! 6.43 times faster than dBASE III PLUS

New FoxBASE+ sweeps the field: runs 2.26 times faster than Clipper, 6.69 times faster than dBCOMPILER, and 10.86 times faster than dBMAN! And FoxBASE compiles programs up to 60 times faster than other compilers.

The others aren't even close!

New FoxBASE+ is totally compatible with dBASE III PLUS as is original FoxBASE with dBASE II. No changes in your present programs, databases, screens, or reports!

Though FoxBASE is a super-fast compiler, it offers the familiar, user-friendly interactive features of dBASE and the full power of "dot prompt" mode *plus* many significant enhancements.



So call (419) 874-0162 now, and ask for a copy of our detailed benchmarks. After all . . .

Nothing Runs Like a Fox.



Fox Software 27475 Holiday Lane, Perrysburg, OH 43551 (419) 874-0162 Telex: 6503040827



a problem can be solved by using ATOMCC.

Y. F. CHANG Claremont, CA

TONGUE-TYING VOICEWRITERS

In order to clear away hype and set standards. I suggest that the following text be read in clear measured tones to all devices purporting to function as "voicewriters":

"Cap Ten and my caftan," kept on crving the Captain. "Cap Ten!" Of numbered caps, Cap Ten suited the Captain. He had numbered them as the numb bird landed. "Land dead ahead!" called out the Mate to cawing from the numb bird. Would its gnaw tickle? It cawed, but it was caught on the carpet. "Correction!" the Captain would carp pettily. "Your nautical law has no tickle. We've three types of wreck: surface, deeper, core. Sir, fuss deeper, weave, hear the screw's deep purr. This ship's an old seesaw!" The Captain capped an epigram: "Old sea saw: Correction! Core wreck shun. Cap Ten and my caftan! I, as a Copenhagen Captain, coped on a captstan and kept on coping!"

If the device makes more than five or six errors in transcription (or about one per twenty words dictated), some careful examination of the voicewriting concept may be in order.

While it may seem that this text has been contrived to place a fairly high strain on such machines, the difficulties it presents are not only normal but inevitable. Similar ones are found in everyday spoken English, where not only isolated homonyms but the ordinary internal phonetics of words and phrases can create obstacles to sound and word recognition. In some foreign languages, particularly Chinese and other members of the Sino-Tibetan family, this problem is many times more difficult than in English.

A few years ago there was a great deal of noise to the effect that computers would soon replace "analog," or human. translators. This was before it was realized how difficult the problems of translating natural languages actually are, and now those companies involved in machine translation talk of working with, rather than replacing, the translator.

Some of the same **problems involved in** machine translation are also present in transcribing spoken words, in some ways in even more acute forms. Hence, it may be a bit premature to talk of replacing (continued)

LANGUAGES THAT ARE CAUSING THE BIGGEST PROGRAMMING BACKLOG IN HISTORY ARE ALSO EATING NICE BIG HOLES IN OUR POCKETS.

Whether it's BASIC, COBOL, Pascal, "C", or a data base manager, you're being held back. Held back because the language

has frustrating limitations, and the programming environment isn't intuitive enough to keep track of what you're working on.

In the real world, there's pressure to do more impressive work, in less time, and for more clients.

We've been given some incredibly powerful hardware in recent times, but the languages aren't a whole lot better than they were 20 years ago.

So, whatever language you have chosen, by now you feel it's out to get you - because it is.

Sure, no language is perfect, but you have to wonder, "Am I getting all I deserve?"

And, like money, you'll never have enough. Pretty dismal, huh?

We thought so, too.

So we did something about it. We call it CLARION

You'll call it "incredible." Distributed on 7 diskettes, CLARION consists of over 200,000 lines of code, taking 3+ years to hone to "world-class" performance.

With CLARION you can write, compile, run and debug complex applications in a New York afternoon.

Even if you're in Savannah.

It gives you the power and speed to create screens, windows and reports of such richness and clarity you would never attempt them with any other language. Because you would have to

write the code.

With CLARION you simply design the screens using our SCREENER utility and then CLARION writes the source code AND compiles it for you in seconds.

Likewise, you can use **REPORTER** to create reports.

Remember, only CLARION can recompile and display a screen or report layout for modification.

And with no time wasted. All the power and facilities you need to write great programs, faster than you ever dreamed of.

Programs that are easy to use. Programs that are a pleasure to write.

And to you that means true satisfaction.

You've coveted those nifty pop-up help windows some major applications feature. But you can't afford the time and energy it takes to write them into your programs.

That's the way it used to be.

So we fixed that, too.

CLARION's HELPER is an interactive utility that let's you design the most effective pop-up help screens that you can imagine. And they're "context sensitive," meaning you can have help for every field in your application.

Unlike the other micro languages, CLARION provides declarations, procedures, and functions to process

dates, strings,

screens, reports, indexed files, DOS files and memory tables.

ð

CLAR

I()N

Imagine making source program changes with the CLARION EDI-TOR. A single keystroke terminates the EDITOR, loads the COM-PILER, compiles the program, loads the PROCESSOR and executes the program. It's that easy!

Our data management capabilities are phenomenal. CLARION files permit any number of composite keys which are updated dynamically.

A file may have as many keys as it needs. Each key may be composed of any fields in any order. And key files are updated whenever the value of the key changes.

Like SCREENER and RE-PORTER, CLARION'S FILER utility also has a piece of the CLARION COMPILER. To create a new file, you name the Source Module. Then you name the Statement Label of a file structure within it.

FILER will also automatically rebuild existing files to match a changed file structure. It creates a new record for every existing record, copying the existing fields and initializing new ones.

Sounds pretty complicated, huh? Not with CLARION's documentation and on-line help screens. If you are currently competent in BASIC, Pascal or "C" you can be writing CLARION applications in a day. In two days you won't believe the eloquence of your CLARION programs. Okay, now for the best part of all. You can say it in CLARION

for \$295.00-plus shipping and handling. All you need is an IBM® PC, XT, AT or true compatible, with 320 KB of memory, a hard disk drive, and a parallel port. And we'll allow a full 30 day evaluation period. If you're not satisfied with CLARION, simply return it in its

original condition for a full refund. If you're not quite ready to take advantage of this no-risk opportunity, ask for our detailed 16 page color brochure. It vividly illustrates the elegance of CLARION. Consider it a preview of programming in the fast lane. Either way, the 800 call's a freebie.

150 EAST SAMPLE ROAD POMPANO BEACH, FLORIDA 33064 305/785-4555 BARGINGTON SYSTEMS, INC.

IBM is a registered trademark of International Business Machines Corporation. CLARION™ is a trademark of Barrington Systems, Inc. @1986 Barrington Systems

SAY IT IN

DEPT. A4BY/6

1-800-354-54

VISA

secretaries and stenographers with voicewriting devices.

> ALEX GROSS New York, NY

COMBINING LANGUAGES

I would like to comment on the remarks in the June Best of BIX about the similarities and differences between Ada and Modula-2 (pages 376–378).

I believe that the real debate between the proponents of each language should not rest upon whether one should have an "everything but the kitchen sink" philosophy or a "do the rest by yourself" philosophy. The real debate is on how much information a programmer can absorb in learning while remaining proficient at the job and how to increase programming efficiency.

The first philosophy (that of Ada) creates an environment where programmers must absorb an incredible amount of information. They must remember not only the keywords of the Ada language but also a very sophisticated syntax.

In this philosophy, programmers are easily overwhelmed, especially if they already know another language. On the other hand, this philosophy provides an identical environment for all Ada programmers. An Ada programmer can move from one environment to another with very little difficulty.

The second philosophy (that of Modula-2) represents a language stripped down to its essential parts. It becomes a pure and simple tool. What is the problem with that? you might say. There is the lack of an identical environment for all Modula-2 programmers. Having a module capability provides access to independently written functions for doing all sorts of work.

But this capability, if left completely free. can have harmful effects, too. For example, each time Modula-2 programmers have to change systems, they have to relearn the graphics procedures of the other environment. This is a matter of philosophy, not implementation, because, although it would be easy for Modula-2 to define the workings of certain external modules, this clashes with its minimalist philosophy.

Still, the learning problem remains. We become victims of what is commonly called the "tyranny of large numbers" by

electrical engineers. This problem arises in the construction of VLSI chips. These chips contain around 200,000 components. It has now become impossible for an engineer to design and lay out one of these chips without the help of logic simulators, circuit simulators, and a slew of computer-aided engineering tools.

If you compare the situation of electrical engineers to that of today's programmers you see that, although programmers are faced with tasks of ever-greater complexity, they do not have the computer tools that will help them perform their jobs with the greatest possible efficiency. Programming as a discipline has not changed since 1959. In other words, we are using 27-yearold technology. We are still entering our programs by hand, still designing them (sometimes) with pencil-drawn flowcharts, and still using simplified documentation systems (i.e., comments). Can you imagine an electrical engineer spreading out a large sheet of paper on the kitchen table to design even a very simple microprocessor? Yet many programmers are faced with tasks of this complexity.

What programmers really need is not a (continued)



That's how easy it is to implement on the Apple Macintosh the enormous volume of applications written in dBase III for the IBM PC. Using dMac III, you can develop applications on the Macintosh and transfer them to the PC where they can be implemented under dBase III. With dMac III, the IBM PC and the Apple Macintosh work as a smooth running, tireless team.

- dMac III's nearly limitless range of power includes:
 - *Up to 2.000 procedures per procedure file
 - *Up to 2.000 memory variables *Up to 2.000 fields per record
 - "Up to 253 bytes per field
- Like dBase III, dMac III features a powerful programming language that offers Macintosh users the ability to create professional business applications.
- dMac III shares data with other major Macintosh software packages... in both
- directions
- To run dMac III you need:
 - *Apple Macintosh or Macintosh plus with 512 KB RAM *two disc drives or one disk drive and a hard disk

dMac III is immediately available at a suggested retail price of \$495.00

For your authorized dMac III dealer contact:

FORMAT SOFTWARE, INC. 11770 Bernardo Plaza Ct. Suite 217 San Diego, CA 92128 (619) 487-6946

IBM is a trademark of the IBM Corporation. Matintosh is a trademark licensed to Apple Computer. Inc. dBase III is a trademark of Ashton-Tate. Inc.

dMac III makes the exchange smoothly and in stride.

Ten Good Reasons to Buy an Amazing Things[™] Model "A" Series[™] Modem

You can access over 2,500 informational databases with an Amazing Things Modem. Research topics from astrohow to zoology stock minter nowe

2.

3. Tou can relecommute with Amazing Things Moderns.

Work at home and send your data to the office via telephone. Observers believe that 15-20 percent of the office work force will be telecommuting by 1990.

Access your company's mainframe from your office, from your home or on the road with an Amazing Things Modem.

5. Amazing Things Modems Overcome Incompatibility Problems. Send documents from one personal computer to

another, even if the systems are incompatible.

6. Amazing Things Modems Bring You Elec-

tronic Banking and Shopping. Many banks now offer banking and investment services over the telephone. And you can shop for thousands of products — from cameras to clothing — with electronic catalogues.

- 7. You Can Send and Receive Electronic Mail with Amazing Things Modems. Send letters and memos instantly. Mass mail them automatically, across the office or across the country.
- 8. Amazing Things Moderns are Inexpensive Alternatives to the Telex. Send and receive volumes of inform overse at a fraction of the cost of a Telex.

I brough various bulletin boards, you can join clubs, exchange software, advertise, meet people, find jobs and much more.

- 10. Amazing Things Modems are Inexpensive. The Amazing Things Model "A" Series 1200B Modem is priced at \$149.95 about one third the price of an equivalent Hayes Modem. And the 2400B is priced at only \$289.
 - 300-1200 Baud \$149.95
 - Half-Card
 - Auto-Answer, Auto-Dial
 - Hayes[®]-Compatible
 - Full or Half-Duplex
 - Two-Year Warranty
 - For Leading Edge[®] Personal Computers, IBM and Compatibles

For a dealer near you or to order direct, call 1-800-835-0139, (617) 551-0880 in MA. MasterCard and Visa accepted.



Amazing Things Inc. **57 Providence Highway** Norwood, MA 02062




Amazing Things and Logo and Model "A" Series are trademarks of Amazing Things, Inc. Hayes is a registered trademark of Hayes Microcomputer Products. Inc. IBM is a registered trademark of International Business Machines Corp. Apple is a registered trademark of Apple Computer Inc. Leading Edge is a registered trademark of Leading Edge Products. Inc. single "do it all" language but an environment providing tools for creation, verification, and documentation of programs. Who cares if the program is written in five different languages if each one is used to perform a task it is intended for. The goal of a programmer is not to program in a certain language but to produce a program. Loyalty to a programming language is ridiculous! The end justifies the means. It would seem logical to call these systems computer-aided programming (CAP), Unfortunately, these systems do not have widespread use. Instead of worrying about user-friendliness, how about worrying about programmer-friendliness a little bit? If programmers are given better working conditions, they will find it easier to produce user-friendly interfaces. It seems evident that more effort will be put into designing something if the design process becomes simpler.

You may be wondering why I wrote this letter. I am an 18-year-old student and I


CONSIDER THIS JUST BRIEFAI




ACTOR™ is a new, interactive programming system, the first with Microsoft® Windows. You have Windows when you write a program, and users have Windows when they run it.



Moreover, ACTOR is a new, objectoriented programming language. Winding objects up and turning them loose is a loteasier; more productive, and more fun than old fashioned programming.



Thanks to a new method of" incremental garbage collection," ACTOR never has to slow down to clean up memory like other advanced languages. You can even use it for real-time control. It's that fast.



ACTOR offers all the features of an ideal artificial intelligence language, but in a familiar, Pascal-style syntax. Which makes artificial intelligence programming easier. And what could be smarter than that?

From a brief audition like this, you really can't see how much better it is programming with ACTOR ACTOR is more than just a research tool. It's an effective language for developing real applications. For more information, write us at the address below or call **312-491-2370**. It'll help you appreciate the performance.



find it difficult to understand why grown men can be such crybabies when it comes to computer languages. I also find it hard to believe that, after 27 years, we do not have commercial CAP systems readily available for many machines such as the IBM PC or the Macintosh. At a time when businesses talk about "efficiency" and productivity," I find this aberrant.

Although I have voiced a number of strong opinions. I would like to thank you for producing the Best of BIX column. It provides an excellent forum for user feedback and lets many of us, who do not access BIX directly, benefit from the experiences of others. Although I do not always agree with many of the comments. I enjoy reading them very much.

RONALD J. PERRELLA St. Jean de Braye, France

ACCESSING FOREIGN ON-LINE SERVICES

I have been following the discussion of international access to data networks, and I'd like to add my part of the story.

I have called different on-line services from Argentina, where the organization of telephone lines, as well as the access to data networks. is government-controlled, as in Europe.

The rates are \$12 an hour, plus \$.58 per kilosegment, plus the call to the local node, about \$.60 an hour.

There's no membership nor minimum usage and neither annual nor monthly fees. I noticed that some readers had complaints about some on-line services billing a surcharge for the network usage within the U.S., which added to the service fee plus the international access, which increases the overall cost even more. There is, however, an on-line service that not only doesn't surcharge for network usage, but also has a flat, 24-hour fee for international users. This system is Delphi, which is located in Cambridge, Massachusetts.

Anyway, all the letters up to this point have been about access to the U.S. What about access from the U.S. to foreign online services? I moved to the U.S. last December, and since then I haven't been able to call the Argentinian systems. Maybe a reader can come up with some idea? I called the network's customer support numbers without success.

> **IAVIER HENDERSON** Alta Loma, CA

INVERSION DIVERGENCE

After reviewing "Inverting Large Matrices" by Thomas E. Phipps (April), we ran the program on page 186 without lines 150 (continued)



SYNCmodem[™] is your SNA or BSC Gateway

\$250 SH

5250 SZA

cigo/1

3270 SM

3270 SN

CLOUI

3780P

CLEO S

Features: • PC/XT/AT bus compatible Auto-dial auto-answer • Tone or pulse dial • Supports Bisync or SDLC links

> 3 Models: • 201

> > (2400 baud)

• 212AT/201 (1200 and 2400 baud)

• 208 (4800 baud)

Description:

SYNCmodem is an IBM PC, XT or AT bus compatible interface card capable of operating as a synchronous modem or as a synchronous interface card.

SYNCmodem is ideal for remote PC-tomainframe or PC-to-PC communications. It comes fully integrated with 3780Plus[™], CLEO-3270 SNA or BSC, and CLEO-5250 SNA software packages.

3780Plus allows fast and efficient file transfers, over common phone lines, between your PC and any micro, mini, or mainframe that supports 2780/3780 Bisync protocol.

CLEO-3270 SNA or BSC and CLEO-5250 SNA allow your PC to emulate a remote 327x or 525x terminal device. All you need is a phone line.

The 212/201 modem includes the Mirror asynchronous software package in addition to your selected CLEO SNA or BSC package.

For details call 1(800)233-CLEO. In Illinois 1(815)397-8110.



a division of Phone 1, Inc. 1639 North Alpine Road Rockford, IL 61107 TELEX 703639

CLEO Ista registered trademark of CLEO Software. SYNCmodem and 3780Plus are trademarks of CLEO Software. and 160. We found that the technique was highly oscillating in nature and diverged within 5 iterations. With the above lines, the program converged in 5 minutes, 20 seconds with 14 iterations. We would like to hear the author's comments on this. H. V. RAMAKRISHNAN Bombay, India

Dr. Ramakrishnan is quite correct about the instability of the published algorithm for the case in which entries (whether random numbers or user-supplied numbers) are all of one algebraic sign. This took me completely by surprise, since I had assumed that random signs would stress the algorithm more, and I failed to check this unwarranted assumption. Other users of the program have reported occasional instabilities of largematrix inversions.

The cure for all such problems is immediate if we recognize that the plain Newton's iteration is always stable. The



trouble lies in my "improvement" on that algorithm—particularly in my choice of parameter value m = 4 in equations 12 and 13, in figure 1 of the article (page 182). The smaller the m value, the greater the assurance of stability. The choice m= 1 provides a reliable compromise between speed and assurance of stability for inverting matrices whose real-number entries are all of one sign. (m = 2 also works, but m > 2 is unsafe.) Thus, in the program listing one just changes line 380 to read

380 FOR I=1 TO N:X(I,I)=1+E(I,I):NEXT

For greater flexibility, I find it useful to rewrite the program to make *m* an optional input parameter.

> THOMAS E. PHIPPS JR. Urbana, IL

NEW CHIP SHIPPED BY REQUEST ONLY

After visiting COMDEX in Atlanta this spring, we were immensely impressed with the new Star Micronics NX-10. It is without a doubt the best sub-\$300 printer available. Having owned a Star Gemini-10X, we were cognizant of Star's exceptional quality, cost, and performance. Immediately, we each ordered one and we were startled at what we received.

The problem was that the print quality and print fonts were completely different from, and substantially inferior to, what we saw at COMDEX. Fortunately, we had retained a sample printout from the printer at COMDEX and quickly notified Star of our displeasure. After first denying the problem then taking our names and telephone numbers, the people at Star assured us they were aware of the problem and action would be taken.

Approximately four weeks and three phone calls later, the new EPROM chips arrived. They were labeled version 1.3 and replaced version 1.2. The print is nearly identical to that of the COMDEX display.


Finally, we asked how long someone would have to wait in order to purchase an NX-10 with the new chip from a local computer store. The technical representative said Star has no plans to update this chip in the NX-10, and if you want the new chip you have to call Star and ask for it.

How do you tell which version your NX-10 has? Simply remove the ribbon cartridge and look through the plastic cover at the chip beside the two banks of DIP switches. The number is printed on the chip. Our advice is to call Star and ask what action to take for replacing the chip.

DALE S. OWENS ARTHUR J. FASKE Atlanta, GA ■

Ste. 303

Dealer and Education Discounts Available.



New Line of Everex Cards For Your AT

E verex announces a new line of add-in peripheral cards that increase the power and performance of your IBM AT ™ or compatible.

Magic I/O[™]

The Everex Magic I/O is a half size multifunction board that is just right for extra I/O. You get one standard RS-232C serial port, an optional serial port, and a parallel printer port. Extra I/O at a low price!

1-800-821-0806

48431 Milmont Dr. Fremont, CA 94538 (415) 498-1111

Maxi Magic EMS ™

maximum amount 4MB of RAM in a single slot. This expanded memory card supports the Lotus-Intel-Microsoft expanded memory specification. You can configure the memory any way you like with user-selectable memory addressing. And there's split memory addressing so that you can use some of the RAM to upgrade your PC to 640K.



RAM 3000 ™

The Maxi Magic EMS gives you the The RAM 3000 is an extended memory board that gives you up to 3MB in user-assignable RAM, using either 64K or 256K RAM chips. This board is perfect for UNIX and those applications that require direct memory addressing.

Magic Card 16 ™

This multifunction has it all! Two megabytes of RAM that lets you customize the memory to your existing memory. One standard serial port and a parallel port, plus an optional serial port handles all your I/O problems. There is also a game port, and included is word processing, Ramdisk, spooler, and Form Manager software. Call your local dealer for a demo, or call EVEREX to get all the facts on our new line of AT peripheral cards.

Tech Personal Computer's

Tech PC Twin Multiuser Starting From \$1699

Tech PC/XT base unit with 640K, and two 360K disk drives.

Two high resolution monitors, two selectric style Hi-Tek keyboards, 50 feet of shielded cable to separate the two stations.

System supports up to six printers.

Full software support with multi-level file, security, electronic message facility to send and receive messages between users, password logon system, and system operator command level.

System supports all popular software such as Wordstar, dBaseIII, Lotus 123, Multimate, etc.

Tech PC Triad Multiuser Starting From \$2599

Tech PC/XT base unit with 640K, and two 360K disk drives. Separate Intel 80188 microprocessor running at 8 MHz and 512K for each terminal.

Three high resolution monitors, three Selectric style Hi-Tek keyboards, 50 feet of shielded cable to separate the three stations.

System expandable to 32 workstations.

System supports up to six printers.

Full support for multitasking multiterminal use with print spooling for multiple printers, background monitoring of the system, dial up bulletin board support, passwork protection, and file/record locking supporting PC Network protocol.

System supports all popular software such as Wordstar, dBaseIII, Lotus 123, Multimate, etc.

THIRD PARTY MAINTENANCE AVAILABLE THROUGH MOMENTUM SERVICE CORPORATION



Multiuser Systems...

Tech PC Quad Multiuser Starting From \$4499

Tech Turbo PC/AT base unit in portable or desktop configuration with 512K, multiple serial ports, three Tech PC terminals, connecting cables, and networking software.

Four users expandable to nine users over dumb terminals or PC's with terminal emulation software.

Capacity for up to 16 printers at remote sites with up to 6 local printers attached to the main unit.

Each user can access 512K of RAM with memory expansion boards.

Full support for multitasking multiterminal use with print spooling for central or terminal printing, background monitoring of the system, dial up bulletin board support, password protection, and File/Record locking using PC etwork protocol.

System supports all popular software such as Wordstar, dBaseIII, Lotus 123, Multimate, etc.

Tech PC Turbo Quad Multiuser Starting From \$5999

Tech PC/XT base unit in portable or desktop configuration with 640K, multiple serial ports, three Tech PC terminals, connecting cables, and networking software.

Separate NEC V208088 Intel compatible 8 MHz CPU and up to 1 MB RAM for each terminal on the system.

Two fully functional serial ports per terminal.

Four users expandable to 32 users over **dumb** terminals or PC's with terminal emulation software. Capacity for unlimited number of local printers.

Full support for multitasking multiterminal use with print spooling for multiple printers, background monitoring of the system, dial up bulletin board support, password protection, and File/Record locking supporting PC Network protocol.

System supports all popular software such as Wordstar, dBaseIII, Lotus 123, Multimate, etc.






1911 Betmor Lane, Anaheim, California 92805 Telex 272006 Answer Back - TECH FAX: 714-5568325



Open Access II Comparison Chart	Database	Form Query	Report Generator	Ouery Processor	Relational Database	Graphics	3-D Graphics	Spreadsheet	Goal Seeking	Word Processor	Communications	Time Management	Price
Open Access II	1	V	1	1	1	V	V	V	V	V	~	1	59500
Lotus 1 • 2 • 3	~					~		~					49500
Symphony	~	~	10			~		50		~	~		69500
Framework	-		~	~		1		~		~	1		69500
Enable	-		1			~	1	~		1	1		69500
Smart	-		1			~	1	~		1	4	~	89500



INTRODUCING OPEN ACCESS® II**

THE FULLY INTEGRATED BUSINESS SYSTEM WITH THE WORLD AT YOUR FINGERTIPS

Open Access II is a new, super-program which can perform virtually every managerial and business task you'll ever need with performance and ease-ofuse unheard of in the industry.

Open Access II combines an extremely powerful relational database and superior spreadsheet with data communications, word processing, 3-dimensional graphics, and time management. Information is conveniently changed from module to module.

Open Access II's Database features an effective and flexible report generator and user definable screens. "Programmer," our new Database language, features simple interacting English-like commands to produce your customized applications.

Open Access II's Spreadsheet offers a unique combination of business problem solving capabilities; including goal-seeking, and an advanced table look-up command. Professional business presentations are easily produced by the enhanced graphic capabilities.

Open Access II's improved Word Processor can merge data from Spreadsheet or Database easily to produce reports, mail merge and graphic presentations.

> Inquiry 280 for End-Users. Inquiry 281 for DEALERS ONLY.

Open Access II's data communications provides you with the capabilities to handle any of your micro computer communications needs. All of Open Access II's modules work together and data is easily communicated to the rest of the world.

BEST OF ALL, THE PRICE \$595. U.S. Version Only

Open Access II's super program is also available in the network version. Ask for details. Call (619) 450-1526 in California, or (800) 521-3511 if outside California for your nearest authorized dealer or distributor and expand your business base with Open Access II, the fully integrated business system.



10240 Sorrento Valley Road San Diego, California 92121 (619) 450-1526 For Your Authorized Dealer In California (800) 621-7490 Outside California

(800) 521-3511

1985 Software Products International, Inc. Al highs reterred Open Access of a registered thatgenine to Software Products International, Inc. Lotus 1.2.3 and Symphomy are registered trademarks of Lotus DevelopmentCorp Framework as legistered todamust Ad Astion Tatle Enables a usefermank of The Software Group Samarks a tudemark of Innoval VeSoftware.

Tandy Announces Five Systems

T andy Corp. has introduced five computers, including two PC compatibles, an XT compatible, an AT clone, and a new version of the Color Computer.

The 1000 EX, a PC compatible which sells for \$799, is a one-piece unit that resembles a wide Apple IIe. The EX's dual-speed 8088-2 runs at 7.16 or 4.77 MHz. The machine comes with one 5¼-inch floppy disk drive (an external 31/2- or 5¼-inch floppy drive is optional); 256K bytes of RAM (expandable to 640K); three Plus expansion slots; and a new version of DeskMate, called Personal DeskMate. that has a graphical interface similar to Microsoft Windows, A monochrome monitor costs an extra \$129.95; a color monitor, \$299.95

The Tandy 1000 SX, priced at \$1199, a PC compatible that physically resembles the current Tandy 1000 and comes with two 5¼-inch floppy disk drives, 384K bytes of RAM, five PCcompatible expansion slots, DeskMate II, MS-DOS 3.2, and GW-BASIC. The computer uses the same processor as the EX. An external 31/2-inch floppy disk drive costs \$279; monitor options are the same as with the EX.

The first of the new 3000 series, the 3000 HL, uses an 80286 but is not fully compatible with the IBM PC AT. Tandy bills the \$1699 machine as an XT compatible. The HL comes with 512K bytes of RAM, one 360Kbyte floppy disk drive, and



Tandy's 1000 EX. an 8088-based IBM PC compatible.



The Tandy 3000 HL, an XT compatible based on an 80286.

seven expansion slots. Hard disks are optional: a 20megabyte unit costs \$799 (plus \$399 for the controller), and a 40-megabyte model costs \$1799 (plus the \$399 controller). A monitor is extra.

The 80286-based 3000 HD is an enhanced version of

the AT-compatible Tandy 3000. Priced at \$4299, the HD comes with a 1.2-megabyte floppy disk drive, a 40-megabyte hard disk drive, 640K bytes of RAM. 10 expansion slots, and a realtime clock. An optional parallel/serial adapter costs \$79.95. A monitor is extra. The system will run XENIX System V, which will enable its memory to be expanded to 12 megabytes. lomega Corp. says its new Beta 20 internal disk drive, which utilizes 20-megabyte 5!4-inch removable cartridges, is available as an option with the Tandy 3000 HL and 3000 HD.

The Color Computer 3, priced at \$219.95, uses a 6809E processor with clock speeds of 0.87 or 1.7 MHz. It comes with 128K bytes of RAM (expandable to 512K) and a memory-management unit; 15- and 30-megabyte hard disks are available as extras. The machine displays 640 by 192 pixels, 80 characters by 24 lines, and four colors (out of a possible 64) on its CM-8 color monitor, which costs \$299.95. The CoCo 3 can run the OS-9 Level 2 operating system, which gives it multitasking capability, and it's software- and hardware-compatible with the CoCo 2.

Tandy said it is discontinuing the Model 1200 and the old Tandy 1000. For more information, contact Tandy Corp./Radio Shack, 1800 One Tandy Center, Fort Worth, TX 76102, (817) 390-2129. Inquiry **550.**

(continued)

Amiga Expansion Chassis

The PAL System, an expansion chassis for the Commodore Amiga, enables you to add extra RAM, hard disks, and other options to the computer. In its base configuration, the unit sells for \$1795. This includes 1 megabyte of RAM, which is located in the Amiga's reserve memory and can be autoconfigured; a batterybacked clock/calendar; and five DMA expansion slots that conform to the computer's 100-pin connector architecture. The chassis can hold three half-height drives and comes with a 200-watt power supply and fan.

Units with 20- and 45megabyte hard disks are available for \$3195 and \$3995, respectively. Optional expansion cards include prototyping cards (\$63) and a 2-megabyte RAM card (\$1195) that can be upgraded to 8 megabytes. For more information, contact Byte by Byte Corp., 3736 Bee Cave Rd., Suite 3, Austin, TX 78746, (512) 328-2983. Inquiry 551.

PFS Products Replaced with Series

The PFS:Professional series for IBM PCs and compatibles combines four individual programs for database management, word processing, spreadsheet analysis, and network capabilities. The programs work with other common office software, exchange data with each other, and read current PFS files directly.

PFS:Professional File, the database management program, has searching and sorting capabilities and offers global updating and reporting with up to 64 sorting levels, crosstab reports, and mailing labels. It requires 256K bytes of RAM



The PAL System, an expansion unit for the Amiga.

and MS-DOS or PC-DOS 2.0 or higher and sells for \$249.

PFS:Professional Write, the word processing program, offers a 70,000-word spelling checker with a thesaurus that has 20,000 keywords and 120.000 synonyms. Other features include an address book for mail merge, a line-drawing capability, single- and double-spacing of the same document, and block editing capabilities. It requires 320K bytes of RAM and MS-DOS or PC-DOS 2.0 or higher and is priced at \$199.

PFS:Professional Plan, the spreadsheet program, combines recalculation ability and expanded spreadsheet size with analytical graphics. Its formulas are cell- as well as row/column-oriented, and its 94 formula keywords provide date, logic, mathematical, statistical, string, financial, if-then-else, and table lookup functions. Professional Plan requires 384K bytes of RAM and MS-DOS or PC-DOS 2.0 or higher. The list price is \$249. The series also includes

The series also includes PFS:Professional Network, which sells for \$499, and enables multiple users to share Professional Series programs on a network. Requirements for Professional Network, as well as any of the series when used on a network, include 512K bytes of RAM and MS-DOS or PC-DOS 3.1.

For more information, contact Software Publishing. Corp., P.O. Box 7210, Mountain View, CA 94039, (415) 962-8910. Inquiry **552**.

Two Token Ring Networks

3 Com introduced a line of networking products, Com introduced a line called TokenPlus, for connecting computers and workstations to a 3Com or IBM Token Ring network. The products include the Ringlap (\$95) and TokenPlus Cabling System, connectors and cables for hooking computers and workstations to a Token Ring network; prices for the trunk cables start at \$50. The TokenLink Plus, an 80186-based adapter card that sells for \$1095, provides 256K bytes of RAM for a computer or workstation connected to a network. The Token Connection (\$1295), an expansion card for 3Com's 3Server, connects the file server to a Token Ring network and can act as a gateway between a Token Ring and an Ethernet network.

The company's 3+ network operating system software provides support for an Ethernet or Token Ring network; 3+NetConnect, a 3+ software module, connects Ethernet and Token Ring networks.

A TokenPlus Starter Kit, which contains three Token-Link Plus adapters, three RingTaps, and associated cabling, sells for \$3755. For more information, contact 3Com Corp., 1365 Shorebird Way, P.O. Box 7390, Mountain View, CA 94039, (415) 961-9602. Inquiry 553.

nivation's LANscape is an Ethernet-based local area network for IBM PCs and compatibles that provides links to Token Ring and UNIX systems. The 10megabit-per-second network supports NETBIOS applications and uses Novell's Advanced Netware 2.0 operating system software, to which the company has added menu-driven diagnostics, monitoring, security, and software loading functions.

The system consists of the FS 2000 Series file server, which is based on a 10-MHz Intel 80286 and is available in capacities from 30 to 1200 megabytes. The unit can support up to 100 workstations. The network can also convert existing personal computers to file servers. A second component is the NC 516 Network Interface Card that connects computers, workstations, and file servers to Ethernet-

(continued)



The Facit "C-line" includes the 400 cps, 15-color C7500 and the 250 cps, 7-color C5500

The 400 cps report is finished. You press a button and the printer is ready for a single sheet, 15-color business graphics. Then you change to a multifont NLQ printout from a second connected computer. At the same time, you also change the paper path for document-on-demand. Then you...

The Facit C7500 and C5500 Matrix Printers not only handle a multitude of different applications. They permit instant switching from one application to another.

Printout options (including NLQ, multi-fonts and graphics), paper handling and all set-up parameters are changed in a matter of seconds using the "Yes" and "No" keys. Two entire parameter sets can even be pre-defined for instant selection. All at the touch of a key.

INSTANT PAPER LOADING AND SWITCHING

To save more time, paper loading is fully automatic with a choice of three different paper paths. This enables accurate feed of multi-part invoices and paper tear-off without losing a single form. You can even hold a continuous form in stand-by while cut-sheets are printed.

To facilitate easy integration in your system, both parallel and serial interfaces are provided as standard along with Epson FX/JX or IBM Graphics Printer emulation. You can use the pre-defined set-ups to alternate between different hosts, if required.

For a demonstration of how the Facit C7500 and C5500 boost the efficiency of your computer system, contact your nearest Facit representative. It will be a real timetrip.

IBM and Epson are reg. trademarks



Head Office: Facit AB, S17291 Sundbyberg. Sweden. Phone: 4687643000. USA: Facit Inc. P.O. Box 334, Merrimack. NH 03054. Phone: (603) 424-8000

AUSTRALIA: EAI Electronics Associates Pty Ltd., 427-3322. AUSTRIA: Ericsson Information Systems GmbH, 0222-613 641. BELCIUM: Ericsson S.A., 02-243 82 11. CANADA: Facit Canada Inc., 416-821-9400. CYPRUS: LBM (Lillytos) Ltd 516 46 34. DENMARK: Facit A/S, 02-63 3311. FINLAND: OY Facit, 90-420 21. FRANCE: Facit S.A., 1-4780 7117. GREAT BRITAIN: Facit 0634-40 20 80. GREECE: Computer Application Co. Ltd., 01-671 97 22. HONGKONG: Gilman & Co. Ltd., 5-893 00 22. ICELAND: Gisli J. Johnsen HF, 354-64 12 22. INDIA: Forbes Forbes Campbell & Co. Ltd., 22-20 48 081. IRELAND: Ericsson Information Systems Ltd., 75 30 93. ITALY: Facit Data Products S.p.A., 039-63 31. JAPAN: Electrolux (Japan) Ltd., 03-479-3411. KOREA: K.D.C. Corporation, 723-8555/8236. THE NETHERLANDS: Ericsson Information Systems BV., 03480-70911. NEW ZEALAND: Northrop Instruments and Systems, 501-219. NORWAY: Ericsson Information Systems A/S, 02-35 58 20. PORTU-GAL: Regisconta Sarl, 1-56 00 91. SINGAPORE: Far East Office Eqpts Pte Ltd., 745 82 88. SPAIN: Facit, 91-457 90 81. SWEDEN: Ericsson Information Systems Sverige AB, 08-28 28 60. SWITZERLAND: Ericsson Information Systems AG, 01-391 97 11. WEST GERMANY: Ericsson Information Systems GmbH, 0211-61090. based networks. The NC 516 is equipped with 16K bytes of memory; the half-size card plugs into a single expansion slot in an IBM PC, XT, AT, or compatible.

The system's software includes Novell's Netware 2.0 with drivers for the Univation hardware, along with a Workstation Shell that the company says provides transparent access to file servers and supports DOS commands. An optional **NETBIOS Emulator supports** applications written for IBM's PC and Token Ring networks, and the UNIX software implements the TCP/IP protocol, which enables nodes on the network to . communicate with UNIX or other TCP/IP-based systems.


A five-user system without a file server sells for \$4665: with a 30-megabyte file server, \$12,260. Contact Univation Inc., 1231 California Circle, Milpitas, CA 95035, (408) 263-1200. Inquiry 554.

Two- and Three-**Dimensional Business** Graphics


nerCharts lets you create up to four bar, pie, or line charts on one screen in both two- and three-dimensional display. This business graphics program from Enertronics is compatible with over 35 printers and plotters, as well as with the Polaroid Palette for creating 35mm slides or photographs.

With EnerCharts you can customize your presentations by adding text, lines, and symbols; by changing font, size, color, slant, angle, or text; and by framing lines of text or the whole chart. On-screen prompts and popup help screens facilitate your editing.

The program runs on IBM PC X'Is, ATs, and com-



EnerCharts presentation graphics package.



SuperExpert expert-system development interface.

patibles with at least 384K bytes of RAM running MS-DOS or PC-DOS 2.0 or higher. A color graphics card and monitor are required. EnerCharts is priced at \$395. For more information, contact Enertronics Research Inc., #5 Station Plaza, 1910 Pine St., St. Louis, MO 63103, (314) 421-2771. Inquiry 555.

80386-based Board **Runs LISP**

old Hill Computers and Al Architects have introduced an Intel 80386-based board for IBM PCs. XTs. ATs. and compatibles that runs the Golden Common LISP (GCLISP) Developer. The

board, called the 386 HummingBoard, executes GCLISP five times faster than an IBM PC AT, the company claims, and is tailored to run large LISP applications.

The board's 32-bit 80386 processor runs at 16 MHz, and its directly addressable on-board memory is expandable to 24 megabytes with 1-megabit DRAMs or to 6 megabytes with 256K-bit DRAMs. The HummingBoard offers 32-bit data paths. 2K line high-speed cache memory, and multibuffered nonsuspensive I/O that enables it to compute in parallel with I/O operations, the company says. Also provided is an interface for

sharing expanded memory with the computer's base processor, as well as optional support for Intel's 80287 or 80387 floatingpoint coprocessor.

The GCLISP 386 Developer that runs on the board includes a compiler, an interpreter, a GMACS editor. an on-line help facility, and a tutorial. With 6 megabytes of RAM and the 386 Developer, the HummingBoard costs \$7000. For more information, contact Gold Hill Computers, 163 Harvard St., Cambridge, MA 02139, (800) 242-5477 or (617) 492-2071; or Al Architects Inc., One Kendall Square, Suite 2200, Cambridge, MA 02139, (617) 577-8052.

Inquiry 556.

Expert-System **Development Package** with Spreadsheet-like Interface

uperExpert is an expert-System development package written by Donald Michie's group at the Turing Institute in Glasgow, Scotland

With SuperExpert, you use a spreadsheet-like interface to enter and adjust information. You can enter a set of examples and let Super-Expert induce its own rules. And the query system is in natural language, so nonexperts can understand it.

The program runs on IBM PCs, XTs, ATs, and compatibles that use PC-DOS or MS-DOS 2.0 or higher and have at least 256K bytes of RAM. An Apple Macintosh version is also available.

SuperExpert comes in three levels. The most powerful version is Level 3 (\$1199), which lets you enter up to 1000 examples for each problem, up to 50 logical or integer attributes per problem, and up to eight levels of attribute subproblems. Level 2 (\$599) lets (continued) Clipper is the fastest dBase III and dBase III Plus[™] compiler available. Nothing else comes close. When performance counts, experts rely on Clipper for more speed, more power, and more creative freedom. You can, too. Call for details.

 Clipper compiled programs run 2 to 20 times faster.

- No royalties...no runtime fees.
- Source code security.
- User defined functions.
- Arrays.
- Simple menu commands.

• Context sensitive help can be included with programs.

More fields; more memory variables.

- Call C and Assembly programs.
- Complete debugging facilities.

 Multiple file relationships
 IBM PC, XT, AT, 3270 compatible[™].

Multi-user capability.

Clipper™

CLIPPER. THE dBASE COMPILER. A WINNING PERFORMANCE EVERY TIME.



Nantucket

Nantucket Corporation 5995 South Sepulveda Boulevard Culver City, California 90230 (213) 390-7923 Outside California call toll-free: 1-800-251-8438 dBase, dBase III, and dBase III Plus are trademarks of Ashton-Tate, Inc. IBM PC, XT. AT, and 3270 are trademarks of International Business Machines Corporation. Clipper and Nantucket are trademarks of Nantucket Corporation. you enter up to 200 examples per problem, up to 31 logical or integer attributes per problem, and up to four levels of attribute subproblems. With Level 1 (\$199), you can enter up to 50 examples per problem, up to 31 logical or integer attributes per problem, and up to two levels of attribute subproblems.

For more information, contact Softsync Inc., 162 Madison Ave., New York, NY 10016, (212) 685-2080. Inquiry **557**.


CADKEY Version 2.1

C ADKEY. a computeraided design and drafting system for IBM PCs and compatibles, is enhanced with new font files, entity grouping, and two- and three-dimensional cubic parametric splines. The new version supports highresolution color graphics cards, color printers, and plotters.

Version 2.1 costs \$2695. It requires a minimum of 512K bytes of RAM, a color graphics card, and an input device. For more information, contact Micro Control Systems Inc., 27 Hartford Turnpike, Vernon, CT 06066. (203) 647-0220. Inquiry **558.**

Imagraph's Hi-Res Graphics Boards

magraph Corp. has released the Imaging series of high-resolution graphics . controllers and a display adapter that works with the controllers. Based on the Hitachi HD-63484 Advanced Graphic Chip, most of the controllers consist of a single board that plugs into an IBM PC, XT, AT, RT, or compatible. The boards can display 8- to 24-bit two- and three-dimensional shaded images, as well as 8- to 12-bit gray shaded medical images.





The controllers are available with five display resolutions: 512 by 480, 640 by 480, 768 by 480, 768 by 576, and 1024 by 1024. Each resolution offers pixel depths ranging from 8 to 24 bits per pixel and provides a programmable palette of 16.8 million colors. All of the boards support a display refresh rate of 25/30 Hz interlaced; a 60-Hz noninterlaced refresh rate is also available.

Priced from \$1995 to \$3495, the boards feature a draw rate of 40,000 vectors per second and an image update rate of 5 million 8-bits/pixel per second; according to the company, this is equivalent to loading a 512 by 512 by 8 display buffer at 20 frames per second. Software drivers for Media Cybernetics' Halo and GSS's VDI are available.

The company's Single-Monitor Graphic Adaptor (SGA) board, which sells for \$895, is compatible with the IBM Color Graphics Adapter. The SGA lets you combine a CGA monitor and highresolution monitor in a single system and enables you to switch between CAD and CGA-compatible software via software commands. The board accepts RGB video signals: its horizontal scan rate is 50 kHz or 64 kHz. For more information, contact Imagraph Corp., 400 West Cummings Park, Suite 3600, Woburn, MA 01801, (617) 938-5480. 938-5480. Inquiry **559.**

Portfolio Management on the Apple

C ompusec is a portfolio management program for the Apple II family that sells for \$79.50. It performs 18 functions automatically, according to the manufacturer. Some of the functions include calculating compound growth rates between any two earnings-per-share figures, calculating years required to earn back market price, showing daily volume, and recording the date and time of the quote.

Compusec requires one disk drive, but you do not need a printer, as the program gives you the option of viewing reports instead of only printing. For more information, contact Compunetics Inc., 6601 River Rd., Bethesda, MD 20817, (301) 320-5820. Inquiry **560**.

Webster's New World Writer

A word processor, thesaurus, and spelling checker are what you get with Webster's New World Writer. The on-line thesaurus has more than 120,000 synonyms and phrases. The word processor offers a graphics key, so you can draw lines and boxes around your text, and another key recovers copy you've accidentally **deleted**.

You'll need an IBM PC, XT. AT. or compatible with at least 256K bytes of RAM and MS-DOS or PC-DOS 2.0 or higher (3.0 with an AT). Two floppy disk drives or one floppy and one hard disk drive are required, along with an 80-column color or monochrome display. With an IBM Enhanced Graphics Adapter, the program can support a 43-line display. The list price is \$150. Contact Simon & Schuster Computer Software. Gulf & Western Building, One Gulf & Western Plaza, New York, NY 10023, (212) 333-2882. Inquiry 561.

WordPerfect Enhanced

W ordPerfect Corp.'s WordPerfect version 1.1 includes an install program, a 50,000-word speller, and support for proportional printing. The word speller checks a word, page, or document and lists a variety of spellings to help you find the correct one.

WordPerfect 1.1 runs on the Apple IIe and IIc with 128K bytes of RAM. The price remains at \$179. Contact WordPerfect Corp., 266 West Center, Orem, UT 84057, (801) 227-4020. Inquiry 562.

(continued)

YOU ARE ABOUT TO BE SEDUCED BY POWER AND MONEY.

Admit it. You're intrigued with the idea of C programming. You may be working in BASIC, Pascal or Assembler now. But you're drawn to the power, portability and flexibility of C. And if money is what motivates you, imagine having it all for just \$75 with Mark Williams Let's C.[®]

EVERYTHING YOU COULD ASK FOR IN A C COMPILER.

Let's C is no mere training tool. It's a complete, high quality C compiler. With the speed and code density to run your programs fast and lean. It won't get you side-

tracked on some quirky aberration of C; Let's C supports the complete Kernighan & Ritchie C language—to the letter. And it comes from the family of Mark Williams C compilers, the name chosen by DEC, Intel, Wang and thousands of professional programmers.

POWERFUL UTILITIES ARE A REAL BONUS

Let's C doesn't stop with being a high performance C compiler. It includes utilities you'd expect to pay extra for—like a linker and assembler plus the MicroEMACS full screen editor with source code included. Having the source code not only allows you to customize the editor, it offers a close up, fully commented view of C programming at its best.

REVIEWERS ARE SOLD ON LET'S C, TOO.

"Let's C is an inexpensive, high-quality programming package...with all the tools you will need to

Features

- For the IBM-PC and Compatibles
- Fast compact code plus
- register variablesFull Kernighan & Ritchie C
- Full UNIX compatibility and
- complete librariesSmall memory modelMany powerful utilities includ-
- ing linker, assembler, archiver, cc one-step compiling, egrep, pr, tail, wc • MicroEMACS full screen
- MicroEMACS full screen editor with source

- Supported by dozens of third
- party libraries
 Upgradeable to C Programming System for large scale
- applications development
 Not copy protected

Let's C Benchmark Done on an IBM-PC/XT, no 8087. Program: Floating Point from BYTE, August, 1983. Exec Time in Seconds Let's C 134

Let's C 134 MS 4.0 147

MARK WILLIAMS LET'S C \$75 60 DAY MONEY BACK GUARANTEE




create applications."

–William G. Wong, BYTE, August 1986.

"Let's C is a thoroughly professional C environment loaded with tools and programming utilities...another fine Mark Williams product."

-Christopher Skelly, COMPUTER LANGUAGE, February 1986



ADD THE csd DEBUGGER AND CUT DEVELOPMENT TIME IN HALF.

Invest another \$75 and you've got Mark Williams revolutionary source level debugger. *csd* lets you bypass clunky assembler and actually debug in C. That's a big help when you're learning C and indispensable when you're programming. *csd* combines the interactive advantages of an interpreter with the speed of a compiler,



slicing development time in half. This is how Byte Magazine summed it up: "csd is close to the ideal debugging environment." William G. Wong, *BYTE*, August 1986

ARE YOU STILL RESISTING?

If there's any doubt that now's the time to get your hands on the power of C, consider Mark Williams 60-day money back guarantee. You can't lose. But with Let's C and *csd*, imagine what you could gain.

Ask for Let's C and *csd* at your software dealer's, in the software department of your favorite bookstore, through the Express Program at over 5500 Tandy stores or order now by calling **1-800-MWC-1700.*** 'In Illinois call 312-472-6659



1430 West Wrightwood, Chicago, Illinois 60614 © 1986, Mark Williams Company Let's C is a registered trademark of the Mark Williams Company UIXL's a trademark of Bell Labs. Inquiry 183

MARK WILLIAMS LET'S C. ONLY \$75.

SYSTEMS

S-100 Board Based on 80186

The Thunder Plus 80186, an S-100-bus singleboard computer, runs on an 8-MHz 80186 microprocessor. The board is equipped with 1 megabyte of zerowait-state memory. two RS-232C serial ports, a parallel port, and a floppy disk controller that can control 8-, 5¼-, and 3½-inch drives. Available as options are a 10-MHz processor and an 8087 math coprocessor.

The board, which sells for \$1195, comes with Concurrent DOS. For CAD applications, the company also sells fully configured systems based on the Thunder Plus. Contact Lomas Data Products Inc., 182 Cedar Hill St., Marlboro, MA 01752, (617) 460-0333. Inquiry **563.**

XT Compatible with Voice Control

Microphonics Technology has announced the VOX/COM PC, an IBM PC XT-compatible computer that incorporates the company's Pronounce voicecontrol system. The Pronounce system gives you the ability to operate PC-DOS and MS-DOS software using spoken commands.

Priced at \$2495, the computer operates at speeds from 4.77 to 14 MHz, Standard features include a 20-megabyte hard disk and a 5¼-inch floppy disk drive. A monochrome graphics display adapter, AT-style keyboard, and internal Hayescompatible 1200-bps modem are also included. For \$199, you can upgrade the modem to 2400 bps

The computer provides communications functions such as automatic redialing of busy numbers, password security, call progress tone detection, and an electronic mailbox buffer. A Touch-Tone decoder enables the computer to accept data input from Touch-Tone phones. With an optional speech synthesizer connected to the computer's audio input jack, the system can read messages to callers at remote locations. Using the concurrent software provided, you can create voice macros that perform like keyboard macros but instead are invoked with words.

Contact Microphonics Technology Corp., 25 37th

PERIPHERALS

St. NE, Suite B, Auburn, WA 98002, (800) 325-9206. Inquiry **564.**

AT Compatible Equipped for Color

MicroDirect has introduced the SST 286/C, an IBM PC AT-compatible computer with full color capabilities. Priced at \$4786, the 6- or 8-MHz machine comes with an EGA-compatible graphics adapter, an NEC Multisync color monitor, and an NEC P56 XL 24-pin dot-matrix color printer.

Standard features of the base model include I megabyte of RAM, a 1.2-megabyte floppy disk drive, and a 30-megabyte hard disk drive. Two serial ports, a parallel port, and eight expansion slots are also standard.

The computer is bundled with PC-DOS 3.1; also included in the base price is a one-year warranty and onsite service contract. According to the company, the computer is compatible with software and networks designed for the IBM PC AT. Contact MicroDirect Inc., 180 Bent St., Cambridge, MA 02141, (617) 494-5300. Inquiry **565**.

Multibus Board Runs on NEC V30

🗖 omark's MV30/35 is an 8-MHz Multibus singleboard computer that features a NEC V30 microprocessor and up to I megabyte of dual-ported paritychecked RAM. The system provides sockets for an 8087 floating-point coprocessor, an 8089 DMA controller, and four 28-pin EPROMs (up to 256K bytes). Its I/O support includes two 16-bit-wide SBX connectors and programmable parallel and serial ports.

Other standard features include three independent counter/timers, a programmable interrupt controller, a programmable PROM disable, on-board status LEDs, and a 4-bit page register. The MV30/35 is compatible with Intel's iSBC 8630 and iSBC 8635: it is also available with Concurrent DOS and a 10-MHz processor.

With 128K bytes of RAM, the board costs \$1067; with 256K bytes, \$1139; and with 1 megabyte, \$1355. For more information, contact Comark Corp., 93 West St., P.O. Box 474. Medfield, MA 02052, (617) 359-8161. Inquiry **566.**

I/O Interface for Apple IIe

The Simple Interface IIe System lets you connect Apple IIe computers to a variety of test and measurement devices. Priced at \$46.95, the system consists of a plug-in card and external interface unit and optional special-function conditioner boards.

The interface enables you to connect up to eight switches and eight loads, including lamps, relays, and small motors. The card plugs into a slot in the computer; connections to various devices are made through signal-conditioning circuits that are housed in a cartridge case connected to the card with a cable. The unit can be operated with BASIC or machine language programs and is accompanied by a sample program disk.

Available plug-in conditioning boards include optoisolated I/O conditioners, terminal strip boards, relay output boards with up to

7-amp control capability. 3-channel 8-bit A/D converters, and temperature sensors. Contact Proteus Electronics Inc., RD 2. Spayde Rd., PO. Box 693, Bellville, OH 44813, (419) 886-2296. Inquiry **567.**

Hard Disks for Laptop PCs

The Diskit Portable Series of hard disk drives works with the Zenith Z-171, Kaypro 2000, and IBM PC Convertible portable computers. The series features an autobooting 20-megabyte hard disk with battery backup and an average access time of 65 milliseconds.

The Z-171-compatible drive plugs into an expansion port on the computer and works on AC power or with an optional DC adapter. Its controller lets you add a second drive or drives with a capacity of up to 180 megabytes. The Kaypro-compatible drive works with 100/ (continued)

38 BYTE · OCTOBER 1986

MARK WILLIAMS C. AN ENLIGHTENING DEVELOPMENT FOR ATARI ST USERS.

If you've tried your hand at developing applications on the Atari ST, you know the problem. Programming tools aren't only hard to come by, they're hard to use. One might even say primitive. But now for some enlightening news: you can have all the power, portability and versatility of the C language from a leader in professional C programming tools, Mark Williams.

BRING YOUR PROGRAMMING UP TO SPEED.

The Mark Williams C compiler produces fast, dense code and supports the complete Kernighan & Ritchie industry standard C. You'll have access to GEM's AES and VDI libraries for programs using graphics, icons and the Atari mouse. And Mark Williams C lets you take advantage of the full 16 megabytes in Atari's 68000 microprocessor.

STREAMLINE DEVELOPMENT WITH POWER UTILITIES.

Mark Williams C is loaded with everything you'll need for professional development. Bring the power of the UNK environment to your Atari ST with our

> Microshell Command Processor, powerful UNIX style shell includes

I/O redirection, pipes, command

MicroEMACS Full Screen Editor

MakeProgram Building Discipline

with single-step, breakpoints and

Powerful Utilities Package: egrep,

Over 600 pages of documentation including 120 sample C programs

sort, diff, cmp, pr, tail, uniq, wc

with commented source code

Complete symbolic debugger

Assembler, linker and archiver

substitutions

stack traceback

Not copy protected

and more

included

Features

C compiler

- Complete Kernighan & **Ritchie C plus extensions**
- Up to eight register variables
- Full access to AES and VDI libraries for programs using graphics, icons and mouse Complete UNIX-compatible libraries allow easy portability to and from UNIX development
- environment. Over 300 Atari-specific
- routines
- · One-step compiling, linking with cc command
- · English error messages
- · Lint-like error checking

MARK WILLIAMS C FOR THE ATARI ST \$179.95 **60 DAY MONEY BACK GUARANTEE**

Microshell Command Processor including pipes. I/O redirection and more. Edit your program with the highly acclaimed MicroEMACS full screen editor. Accelerate and simplify compiling with make which finds and recompiles only those modules affected by your changes. Then, when you're ready for debugging, call on our db Symbolic Debugger with single step, breakpoint and stack traceback functions. Over 40 commands, including a linker and assembler, provide a total development package for your Atari ST.

DEPEND ON A NAME WITH A HISTORY OF PERFORMANCE.

Mark Williams C for the Atari ST is part of our growing line of C compilers. A line that includes the C compiler chosen by DEC. Intel, Wang and thousands of professional programmers. Now our Atari C compiler is earning its own reputation:

"Finally a great C compiler that exploits the power of the ST"-Sigmund Hartmann, President, Atari Software Group

"The all-around best choice for serious software development on the ST."-Douglas Weir of ANALOG COMPUTING

GET WHAT YOUR ATARI ST HAS BEEN WAITING FOR.

Mark Williams C is just what your Atari ST was


made for: powerful, professional programming. So now that you can have Mark Williams C for just \$179.95, what are you waiting for?

Ask your Atari dealer about Mark Williams C or order today by calling 1-800-MWC-1700.* *In Illinois call: 312-472-6659



1430 West Wrightwood, Chicago, Illinois 60614 © 1986, Mark Williams Company UNIX is a trademark of Bell Labs.

Inquiry 184




AT Power, Toshiba-Style.

TOSHIBA

73100

HINKI

The Toshiba T3100.



Try tucking <u>this</u> into a drawer when you're done! Until now, you had to be tied to your desk in a tangle of cables and hardware to get AT power. Toshiba's T3100, on the other hand, puts AT performance <u>anywhere you want</u>.

Specifications:

- IBM PC-AT compatible
- 80286 processor, running at 8MHz or 4 MHz
- · 640KB RAM, extendable to 2.6MB
- · Built-in 10MB hard disk
- Built-in 720KB 31/2" diskette drive
- MS-DOS 2.11 operating system
- · High-resolution gas plasma display
- IBM Color Graphics Adapter (CGA) compatible
- 80 × 25 character display
- 640 × 400 bit-mapped
- graphics display
- RGB, parallel, serial and external diskette drive ports
 Carrying case, MS-DOS,TM
- BASIC included
- · Full-sized 81-key keyboard
- 110/220 VAC switch-selectable power supply
- 12.2" W × 3.1" H × 14.2" D
- All this—and only 15 pounds

Toshiba technology improves on AT functionality: The T3100 gives you the power of an IBM[®] PC-AT^m in a lean, 15-pound computer that looks superb on your desk, and slips into a drawer when you don't need it. Take it home, take it to a meeting, take it around the world — wherever your work takes *you*.

Don't let its size fool you.

The T3100 is less than a third the size of the Compaq[™] Portable II, yet every bit as powerful. It uses the same 80286 microprocessor as the AT, and is fully IBM-compatible, so you can share data with the other desktop computers in your office. The T3100's 10MB internal hard disk gives you ample storage for sophisticated applications. A dual-voltage power supply lets you plug in and go to work just about anywhere in the world. And Toshiba built in an advanced gas plasma screen, to give you the clarity and brightness of a CRT display without the bulk.



Compact is as compact does: The T3100 is less than a <u>third</u> the size of the Compaq Portable II.

More memory for more applications.

The T3100's full 640KB RAM lets you work with the most popular IBM PC/XT[™] and AT software: Integrated financial and analysis programs, large spreadsheets, lengthy documents, electronic filing and more. A built-in 720KB diskette drive handles the new industry standard 3½" diskettes. Each IBMcompatible pocket-sized disk holds *twice* as much information as a conventional 5¼" diskette! And you can easily transfer data to and from other desktop computers using Toshiba's optional external 5¼" diskette drive.

Trademarks: PC-AT, PC/XT—International Business Machines Corporation; Compaq—Compate Computer Corporation: MS-DOS—Microsoft Corporation. Registered Trademarks: IBM—International Business Machines Corporation; Hayes—Hayes Microcomputer Products, Inc.; SuperKey and SidelVick— Borland International. Inc.

"Big" system expansion options.

Like any full-function desktop system, the T3100 grows with your computing needs. Toshiba offers a full line of internal



Software, everywhere: The T3100 runs the most popular applications written for the IBM PC/XT and AT.

and external options, including an expansion chassis with 5 IBM-compatible slots, and an internal 300/1200 bps Hayes[®]compatible modem.

The next generation of computing is here. And it sure would look great on your desk. Or away from it.

Desktop computing will never be quite the same again, thanks to Toshiba's advanced CMOS and proprietary gate array LSI technology. The T3100 is backed by our reputation for high quality electronics, and by our 110-year commitment to technological excellence.

See where desktop AT power is headed.

The T3100 is *here now!* Call: 1-800-457-7777

for your nearest Toshiba dealer.

Now! Includes SideKick[®] and SuperKey.[®]



PERIPHERALS

220-volt AC power or with a cigarette lighter adapter.

Retail prices for the drives range from \$1095 to \$1295. For more information, contact Systems Peripherals Consultants, 9747 Businesspark Ave., San Diego, CA 92131, (619) 693-8611. Inquiry **568.**

Plug-in IEEE-488 Controller

D esigned for test and measurement applications, the BusMate instrument controller enables computers with an RS-232C or RS-422 serial port to control up to 14 instruments. The \$695 unit contains firmware that enables it to operate as an IEEE-488 bus controller and run programs written in BASIC. FORTRAN. Pascal, and other languages. The controller accepts the instructions you write and generates the appropriate IEEE-488 control commands and codes; a demonstration disk and instruction manual are packaged with the unit. For more information, contact ICS Electronics Corp., 2185 Old Oakland Rd., San Jose, CA 95131, (408) 263-4844.

Inquiry 569.

Peachtree's Hard Disk for the Mac Plus

P eachtree Technology's S-20Plus hard disk drive offers 20 megabytes of storage capacity for the Apple Macintosh Plus. The external drive connects to the computer's SCSI port and provides a controller and selfdiagnostic capabilities. Retail price for the drive is \$1395. For more information, contact Peachtree Technology Inc., 3120 Crossing Park, Norcross, GA 30071. Inquiry **570**.

Centronics Laser Printer

Centronics announced its first laser printer, the PagePrinter 8, which prints at a rate of eight pages per minute. The standard model comes with 256K bytes of memory, which enables you to print 3 square inches of graphics at a resolution of 300 by 300 dots per inch. To print a full page of graphics at 300 by 300 dpi, you can add a memory board that upgrades the printer's RAM to 1.5 megabytes.

The \$2495 printer offers a choice of three interfacesparallel, serial, and IEEE-488-that come on plug-in modules. The resident font is Courier 10; other fonts and character sets are available on plug-in cards. Standard emulations include Diablo 630 and Epson FX-80, with Diablo 630 ECS. IBM ProPrinter, and IBM Graphics Printer emulations available as options. Contact Centronics Data Computer Corp., One Wall St., Hudson, NH 03051, (603) 883-0111. Inquiry 571.

Boards Combine 2400-bps Modem, Display Adapter

E mulex's Persyst Division is selling enhancement boards for IBM PCs. XTs, ATs, and compatibles that combine communications and display capabilities on a unit that holds a 2400-bps modem, a display adapter, a parallel port, and a clock/ calendar. Modem Combo cards are offered in two versions: the Modem Mono Combo, which provides a monochrome display adapter and lets your machine run software written for IBM's CGA, and the Modem Color Combo, an 1BM-compatible color display adapter.

The async full-duplex modem is compatible with the Hayes Smartmodem and responds to the AT command set. The serial port is dedicated to the modem. Communications parameters are set using software. Because no jumpers are needed to set parameters, you can configure your computer using a batch file, Persyst says. Both modems have a parallel printer port that's compatible with a Centronics or Dataproducts interface. You can configure the bidirectional I/O port for custom devices that require two-way communications.

The monochrome version supports a 7- by 9-dot character in a 9- by 14-dot field and provides an 8-character by 25-row display. The color display adapter supports a 7- by 7-dot character in an 8- by 8-dot field. Both boards include IBM's 256character set and work with a light pen.

Suggested list price for each Modem Combo card is \$899. Contact Emulex Corp., 3545 Harbor Blvd., P.O. Box 6725, Costa Mesa, CA 92626, (714) 662-5600. Inquiry **572.**

Recoverable RAM Disk for Mac Plus

ADD-INS

MacMemory's MaxSave recoverable RAM-disk system for the Macintosh Plus combines a card with RAM disk and print spooler software. In the event of a system crash, the company says, you only have to press the computer's reset button to recover the RAM disk's data; MaxSave intercepts the reset signal to preserve RAM disk information while rebooting.

The unit plugs into the Mac's ROM sockets without modification and uses the machine's internal memory. It can fully use 1-megabyte , or larger memories.

The system's MaxRAM software automatically creates the RAM disk when you boot up the machine and copies your files to it. MaxRAM works with hard disks. 400K- and 800K-byte drives, and memory sizes from 512K bytes to 4 megabytes. MaxPrint, a deskaccessory print spooler, handles graphics as well as text. It enables you to spool several documents at once and change applications while printing. It can also spool to a hard disk.

The MaxSave System sells for \$119. You can buy Max-RAM and MaxPrint as a separate package for \$49.95. Contact MacMemory Inc., 473 Macara Ave., Suite 701, Sunnyvale, CA 94086, (408) 773-9922. Inquiry **573.**

Card, Software Let PCs Read Apple Disks


The Matchpoint-PC package, which includes a card and software, lets IBM PC users read from and write to Apple DOS, Pro-DOS, SOS, and CP/M disks. The half-size card fits in a PC expansion slot and in-(continued)

Where to look to find over 600 software programs.

Introducing the 1987 edition of Radio Shack's software reference guide.

Now there's no more searching for the "right" program. The new 1987 Radio Shack Software Reference Guide is all you need for one-stop shopping. You'll find hundreds of programs for all our computers—from XENIX® and MS-DOS® lines to portables.

This catalog features the most comprehensive software selection available. Essential business programs such as accounting, database management, and business graphics are available, as well as a variety of word-processing, entertainment and educational software programs.



We've got the program for your specific need

There is a variety of industryspecific programs from which you may choose regardless of whether you are a doctor, a lawyer or other professional.

And of course, there are dozens of programs and utilities specifically for progammers, including the popular XENIX Development System, and Microsoft MS-DOS languages like COBOL, Fortran, and Pascal. We also included such utilities as Superkey[™], which customizes and automates your software, and XMENU[™], a XENIX utility that gives your system a menu-driven interface for the system administrator.

We offer you the software you need most—whatever the application. So visit a Radio Shack Computer Center today—it's your one-stop software store.

Radio Shack The Technology Store" A DIVISION OF TANDY CORPORATION

Send me an RSC-18 Software Guide.
Mail To: Radio Shack, Dept. 87-A-297 300 One Tandy Center, Fort Worth, TX 76102
Name
Company
Address
City
State ZIP
Phone

Tandy/Registered TM Tandy Corp. XENIX and MS-DOS/Registered TM Microsoft Corp. Superkey/TM Borland International. XMENU/TM Telexpress. ADD-INS

cludes connectors and cable to hook it to the floppy disk drives.

Besides Matchpoint software, the package comes with UniForm-PC (version 2), which makes the computer read CP/M disks as if they were PC-DOS disks. Used with the Matchpoint board, it also lets you use Apple SoftCard and North Star CP/M disks on a PC.

MatchPoint-PC retails for \$195. Contact Micro Solutions Inc., 125 South Fourth St., DeKalb, IL 60115, (815) 756-3411.

Inquiry 574.

Memory Upgrade for Atari 520ST

E ZRAM 520, a 512K-byte memory upgrade for Atari's 520ST, raises RAM to I megabyte. Terrific Peripherals says the kit is designed for simple installation. You make the 13 solder connections on a template, not on the motherboard. The kit comes with a high-speed digital signal cable, and the memory banks are fully decoupled with high-frequency ceramic capacitors.

The upgrade kit has a suggested retail price of \$199 and is covered by a 180-day warranty. Contact 'Terrific Peripherals, 17 St. Mary's Court, Brookline, MA 02146, (617) 232-2317. Inquiry **575**.

Multiuser Converter Adds Serial Ports

Control Electronics has a Cline of multiuser boards compatible with Software Link's MultiLink and with UNIX-based systems. The MultiSerial-4 and Multi-Serial-8 add multiuser capabilities to IBM PC ATs and compatibles through the use of fully wired 25-pin RS-232C asynchronous ports. Each serial port can support either a modem or a terminal. The ports are fully programmable for start bits, stop bits, parity bits, and data-transmission rate. You can address as many as 64 ports.

The MultiSerial-4 port board lists for \$259; Multi-Serial-8 lists for \$359. Contact Control Electronics Inc., 37450 Enterprise Ct., Farmington Hills, MI 48018, (313) 553-3400. Inquiry **576.**

SOFTWARE • PROGRAMMING LANGUAGES AND AIDS

AC/FORTRAN Compiler for the Atari 520ST and 1040ST

A bsoft Corp. designed its ANSI FORTRAN 77 compiler with debugger to run mainframe programs downloaded to an Atari 520ST or 1040ST. AC/FOR-TRAN is a disk-based compiler, requiring 46K bytes of RAM, which enables you to develop large programs on a standard 256K-byte machine.

Native object code for the MC68000 is generated by AC/FORTRAN. Development tools support of overlays and virtual arrays and dynamic linking of programs at run time. Included are a full-screen source-level symbolic debugger, linker, library manager, single- and double-precision floatingpoint software, complex number support, and a C interface. According to Absoft. there is no limit on code or data size.

AC/FORTRAN is sourcecompatible with Microsoft's FORTRAN compiler for the Macintosh and AC/FORTRAN for the Amiga. The program is not copy-protected and sells for \$199.95. For more information, contact Absoft Corp., 4268 North Woodward, Royal Oak, MI 48072, (313) 549-7111. Inquiry **577**.

C Library Support Package

C Tools Plus consists of over 200 functions supplied in source code that run on the Microsoft and Lattice 3.0 C compilers. A utility is included that formats the source code listings for printing.

The program supports the IBM Enhanced Graphics Adapter, and you can create applications using more than one display adapter and monitor at a time. Other features include screen handling, windows, interrupt service routines, DOS directory and file handling, memory management, and string functions.

You can write memoryresident routines by accessing DOS functions from within an interrupt service routine. A sample program is provided that dumps the screen to a disk file.

To use C Tools Plus, you must have an IBM PC, XT, AT, or compatible with MS-DOS 2.0 or higher, and a Microsoft or Lattice 3.0 (or later) C compiler. C Tools Plus sells for \$175. For more information, contact Blaise Computing Inc., 2560 Ninth St., Suite 316, Berkeley, CA 94710, (415) 540-5441. Inquiry **578.**

Program in C Using English Syntax

P rogramming in C is possible without knowing C. according to cLine. The language cEnglish uses English-like syntax and compiles your programs into Lattice C-compatible source code.

Programs in cEnglish run on IBM PCs with MS-DOS or PC-DOS 2.0 or higher and a hard disk. They also run on the AT&T 3B series running UNIX, the ITT XTRA, XL, and XP series running XENIX, and the DEC VAX series.

The cEnglish Data Base interface Library's functions provide access to C-ISAM and compatibility with PC-NET and any other MS-NET file-sharing system, the company reports. The price of cEnglish is \$795. Contact cLine Inc., 3550 Camino del Rio N, Suite 208, San Diego, CA 92108, (619) 281-5593. 281-5593. Inquiry **579**.

Pascal Cross Compiler

The CP-97 Pascal Cross Compiler for the 8097 16-bit microcontroller on a chip runs on IBM PCs and compatibles. The CP (Control Pascal) system includes a screen editor, cross compiler, interpreter, translator, terminal driver, and run-time support software.

Compiler output is in intermediate p-code, which is later translated into 8097 object code. The editor, compiler, and interpreter are integrated into a single menu-driven module.

The CP-97 system costs \$200. Contact Allen Systems, 2151 Fairfax Rd., Columbus, OH 43221, (614) 488-7122. Inquiry **580**.

(continued)

THE GREAT ESCAPE!

FROM IVORY TOWERS AND COLD COMPUTER ROOMS TO THE WARMTH OF YOUR OFFICE.

Artificial intelligence for business has arrived in a revolutionary new product...Guru.

At last, artificial intelligence designed especially for business! Guru brings together expert system capabilities of artificial intelligence, the productivity of familiar business computing tools and the ease of communicating with your computer using menus, commands or plain English. All available in a single, integrated program.

Guru works like human experts, considering uncertainties, reasoning through forward and backward chaining, asking for more information when needed, and explaining its recommendations.

Guru's expert system works hand-in-hand with all the familiar business computing tools like spreadsheets, statistical analysis, business graphics and a programming language, always available for both expert consultation and your everyday business computing needs.

Best of all, you won't need to learn LISP or PROLOG or buy fancy computers ... Guru runs on your PC and communicates in plain English! Guru is artificial intelligence that means business.

For more information, call or write Micro Data Base Systems, Inc./Marketing & Sales, P.O. Box 248, Lafayette, IN, 47902, 317/463-2581, Telex 209147 ISE UR.

MEANS BUSINESS.



THAT

INTELLIGENCE

ARTIFICIAL

SOFTWARE • SCIENTIFIC AND ENGINEERING

TUTSIM Linked with FFT

F ANSY is a program that analyzes the time response of a TUTSIM model on the IBM PC and compatibles. Developed at the University of Waterloo in Canada, FANSY stands for frequency analysis and synthesis.


TUTSIM is a computer simulation program that uses block diagrams to implement system equations term by term. You can vary the model design, add or delete blocks, change interconnections, and vary parameters and values at any time during a simulation. Conversion of a filed time response of a TUTSIM simulation to the frequency domain is done by FFT routines.

FANSY requires the IBM Color Graphics Adapter to show gain and phase plots versus frequency. 'Two versions of FANSY come on one disk: Both run on the IBM PC. but one is for the PC with an 8087/80287 coprocessor. FANSY is priced at \$185. For more information, contact Applied i, 200 California Ave., Suite 214, Palo Alto, CA 94306, (415) 325-4800. Inquiry 581.

Data Acquisition and Display on the Apple IIe and IIc

Y ou can perform numerical operations on large sets of data on an Apple IIe or IIc with Vidichart-IV. The program enables you to define four data sets of up to 8192 values, each with its own scaling information that transforms the raw data into physical values in any units you choose.

On a high-resolution screen (560 by 192 pixels),



EE Designer circuit design CAD package.

you can display up to four windows of any size at any position. Each plot is labeled with numbers and text labels along the axes, and you can superimpose additional labels anywhere on the screen. You can plot or overlay any data set in any window, using dotted or solid lines or filled-area plots in white on a black background. In any window you can shift, compress, or expand the x or y scale, or vou can zoom in on a region framed by the cursors. The cursor displays any value along a curve.

You can enter data from the keyboard, disk, or joystick, and output data to the screen, disk, or printer. Menus list options, and online help screens are available for any commands. The program includes utility, numerical, normalization, baseline definition, and peak integration commands. You must have an Apple lie with a 64K-byte extended 80column card or an Apple llc. The price is \$165, Contact Interactive Microware Inc., P.O. Box 139, State College, PA 16804-0139, (814) 238-8294. Inquiry 582.

EE Designer Enhanced

V isionics announced enhancements to its EE Designer CAE/CAD software for circuit design and printed circuit board layout. It now supports the Enhanced Graphics Adapter in 640 by 350 resolution in 16 colors. And it supports the bus version of the Microsoft mouse and compatibles as well as the serial mouse.

The \$975 package runs on IBM PCs, XTs, ATs, and compatibles. Contact Visionics Corp., 1284 Geneva Dr., Sunnyvale, CA 94089, (800) 225-5669; in California, (408) 745-1551. Inquiry 583.

Three-Dimensional Graphics on the Atari ST

C AD-3D is a computeraided design program for the Atari 520ST and 1040ST. It can create solidmodel animation sequences and three-dimensional scenes in color, with shading from adjustable multilight sources.

The software uses Digital Research's GEM interface and comes with four sample scenes. It is priced at \$49.95. For more information, contact Antic Publishing Inc., 524 Second St., San Francisco, CA 94107, (415) 957-0886. Inguiry **584.**

Mainframe Statistics Package on the AT&T UNIX PC

P-STAT has been converted from mainframe software to a package that runs on the AT&T UNIX PC (Model 7300). It manages and analyzes data by combining data and file management, data display, statistical analysis, survey analysis, and report-writing capabilities.

P-STAT features an on-line help facility, an interactive editor, flexible data entry and validation, relational database capabilities, macros, and statistical procedures. The program consists of a single source file of about 300,000 lines of FORTRAN code and costs \$995. For more information, contact P-STAT Inc., P.O. Box AH, Princeton, NJ 08542, (609) 924-9100. Inquiry 585.

Uni-CAD for MS-DOS Systems

ysys announced that Uni-CAD, a computeraided design program, is now available for IBM PC XTs, ATs, and compatibles. Uni-CAD supports systems with Color Graphics Adapters or Enhanced Graphics Adapters and one monitor, or it will run with two screens.

Uni-CAD requires PC-DOS or MS-DOS 2.1 or higher, 640K bytes of RAM, a graphics adapter, and a plotter. Prices start at \$1695. Contact Cyber/Source, 24000 Telegraph Rd., Southfield, MI 48034, (313) 353-8660. Inguiry 586.

(continued)

THIRD GENERATION PROGRAMMERS FROM GTEK

GTEK MODEL 9000 (E)(E)PROM/MPU PROGRAMMER If time is money, then let us save some for you. The new model 9000, using its quick pulse algorithms, can program a 2764 in 10 seconds. The 9000 offers higher performance than the competition has even begun to think about. Baud rates to 57,600. Supports thru 1024K standard, 8 meg wordwide parts with adapter, Cypress proms, mpu's. NO personality modules. As with our other programmers, RS-232, ASCII data formats, and flexible hand-shaking make the model 9000 compatible with virtually any computer. Introductory price \$749.

MODEL 7228 (E)EPROM/MPU

mmm

PROGRAMMER The standard by which other other programmers are judged. With thousand in the field, the time proven 7228 has become our most popular programmer. Intelligent al-gorithms standard. Programs a 2764 in one min ute. Supports devices thru 512K mpu's, eeproms, cmos. NO personality modules. Price \$599

> MODEL 7956 GANG (E)EPROM/MPU PROGRAMMER

The 7956 can program eight 2764's in one minute using intelligent algorithms. Standard support thru 512K, eeproms, cmos, mpu's. A must or production environments. Available in stand alone only configuration for \$979 or with RS-232 interface for \$1099

MODEL 7128 (E)EPROM/MPU PROGRAMMER The programmer that won't die. Thousands manufactured since 1982. Supports thru 256K. PRICE REDUCED to \$389 including free PGX communications software, a \$95 value.

MODEL 705 Motorola 68705 family programmer. Transfers object code to 28 and 40 pin mpu's. Single key stroke operation.....\$299

MODEL 7324 PAL PROGRAMMER The 7324 has a built-in compiler. It supports 20 and 24 pin pals by MMI, NATIONAL, and TI, including the new shared product parts 20S10, 20RS10, 20RS10, 20RS8, 20RS4. It operates stand alone or via RS-232 with PALX communications package. Functionally tests parts after programming and securing. External compilers are supported thru JEDEC and AHS object formats...... \$1499

MODEL 7322 Same as 7324 but no stand alone capability. \$1249

UTILITYPACKAGES

PGMX High Speed Communications Package. For IBM PC, AT and compatibles. Bidirectional data rates to a scorching 57600 bps. Provides flexible manipulation of Intel Hex files, both 8 and 16 bit formats, and binary files. Use with model 9000. \$149 PGX Utility Package. For PCDOS, CPM, TRSDOS, ISIS, MSDOS. Use with 9000, 7956.

PALX Utility Package. Provides communication, download of Palasm source, JEDEC and

CROSS ASSEMBLERS and SIMULATORS

You name the cpu, we've got the assembler. Simulators allow target software development and testing on your computer. Versions available for PCDOS, MSDOS, CPM. . Start at \$250

ERASERS-We stock both Ultra Violet				
Products and Spectronics for your selection.				
MODEL	CHIPS	TIMER	LAMP	PRICE
DE4	8	N	Tube	\$80
PE14T	9	Y	Tube	\$139
C25	25	Y	Grid	\$350
C50	50	Y	Grid	\$600

ACCESSORIES CABLES-serial \$30, parallel \$30, custom Call For Quote MODEL 481/482/483 8048family \$98 adapters MODEL 511/512 8051 family adapter \$174 MODEL 755/756 8755 adapter ... \$135

SPECIAL REQUIREMENTS? Call Us For A Quote On Custom OEM Programmers.

Run CPM Software on Your IBM or IBM Compatible Call GTEK's CPM Hotline 1-601-467-9019

If you are a CPM user who wants to convert to MSDOS or PCDOS or a PC user who would like access to the thousands of CPM programs in existance, here is the perfect solution to the problem: CPMulator from GTEK.

CPMulator is the only field proven emulator which emulates the complete Z-80 instruction set. Terminal attribute emulation is Televideo, Lear Siegler, or the ANSI standard, CPM .COM programs reside under PCDOS and are executable under PCDOS as well as 8086 programs.

Comes complete with COPYCPM, a disk conversion utility which allows transferring data and programs to and from 54 different CPM disk formats. Free CPM utility programs are also included.

For speed use the 8080 CPMulator along with the NEC V20 or V30 chip.

PRICE	REDUCED
Z80 CPMulator, DR5PC-EMZ80.	. \$ 99.00
8080 CPMulator, DR5PC-EMV20	5 \$ 99.00*
Z80, 8080 CPMulator,	
DR5PC-EMZV205	\$149.00°
*Requires NEC V20 or V30.	
NEC V20 (5Mhz)	\$ 12.00



Single Board Computer Model 2010

- 64 to 256K bytes data or program ram. • Use 2764 or 27512 eprom or eeprom
- Dise single ended 9V @ 500 ma supply. Uses single 32, 8751, 8752 mpu.
- . 40 bit programmable I/O lines.
- Expansion interface connector.
- Baud rates to 57,600 baud.
- Built in 5 volt regulator.
- Built in rom monitor.
- Small 3.5 x 7 inches.
- 8052AH basic option.
 - ONLY \$299.00 WITH MANUAL

MODEL 8014 PRINTER BUFFER/SWITCH OK is \$99, 128K is \$339, and 256K is \$399

Development Hardware & Software

P.O. Box 1346, Bay St. Louis, MS 39520 U.S.A. (601) 467-8048; TELEX 315814 (GTEK UD) , INC.

GTEK, PALASM, CPM, MS-DOS, PC-DOS, ISIS, TRSDOS, & CPEmulator are registered trademarks.

SOFTWARE • BUSINESS AND OTHER

Design and Paint with Atari ST

The GEM-based package PaintPro lets you design and paint on the Atari ST. It supports up to three active windows and comes with free-form sketching, lines, circles, ellipses, boxes, fill, copy, move, spray, zoom, undo, and text capabilities.

PaintPro works with most dot-matrix printers, the company reports, and it works with either monochrome or color systems.

The price of the program is \$49.95. For more information, contact Abacus Software, PO. Box 7211, Grand Rapids, MI 49510, (616) 241-5510. Inquiry **587.**

Amortization in C

MicroCost Software announced Effortless Interest, an amortization program written in C that runs on 64K-byte RAM CP/M-80 systems or IBM PCs and compatibles with PC-DOS or MS-DOS 2.0. The company reports that the program is accurate up to 14 significant digits.

With Effortless Interest, you select daily, weekly, biweekly, monthly, quarterly, semiannual, or annual payments on a loan, or compounding interest on a loan. Up to 36 combinations of time periods are possible. You can also value a monthly payment as an annuity, on the assumption of monthly payments and compounding of discounts, for as many months as you select.

Effortless Interest costs \$25. For more information, contact MicroCost Software, 22015 Marine View Dr. S, Des Moines, WA 98198, (206) 878-2796. Inquiry **588.**

The firs your	Bras - HOUSE Fill	
State Setting we Spell is the etc with a 65,00 Accessory : Wind real operation 5 of your moste, w are such cher	Learn I. rue desk accessory	top as an Lend.
95 32		- 16

Palantir's window-oriented spelling checker.

Spell-Check Windows

P alantir Software's Windows Spell was created for use with Microsoft Windows, but it will work with most windows documents, the company reports.

Windows Spell can check spelling in long documents while you work on another application. It will flash when it spots a spelling error. The program comes with a 65,000-root-word dictionary, and it will display guesses to help you correct misspellings.

Suggested retail price of Windows Spell is \$79.95. It runs on IBM PCs and compatibles with 512K bytes of RAM. For more information, contact Palantir Software, 12777 Jones Rd., Suite 100, Houston, TX 77070, (713) 955-8880. Inguiry **589.**

Printer Command Control

The memory-resident program Key Print from Instant Data Processing Inc. lets you send commands to keypress. You can set the trigger keys and printer commands although the program has predefined files that you can use or reconfigure.

IDPI claims that the program supports all printers. It is compatible with the IBM PC family and requires MS-DOS or PC-DOS 2.0 or higher. The minimum memory requirement is 128K bytes of RAM.

Key Print sells for \$18. For more information, contact Instant Data Processing Inc., 411 East Commercial Way, La Habra, CA 90631, (213) 691-0216. Inquiry **590.**

WHERE DO NEW PRODUCT ITEMS COME FROM? The new products listed in this section of BYTE are chosen from the thousands of press releases, letters, and telephone calls we receive each month from manufacturers, distributors, designers, and readers. The basic criteria for selection for publication are: (a) does a product match our readers' interests? and (b) is it new or is it simply a reintroduction of an old item? Because of the volume

One Phoenix Mill Lane, Peterborough, NH 03458.

is it new or is it simply a reintroduction of an old item? Because of the volume of submissions we must sort through every month, the items we publish are based on vendors' statements and are not individually verified. If you want your product to be considered for publication (at no charge), send full information about it, including its price and an address and telephone number where a reader can get further information, to New Products Editor, BYTE,

Business Database for IBM PCs

T eleMagic! maintains your database of contacts, telling you who to call and when, and even dials the phone. You can produce labels, letters, order forms, invoices, packing slips, envelopes, phone lists, and customer names with one keystroke. A scripting feature enables telemarketers to run through a sales presentation, making changes as necessary according to the customer's response.

The list price of TeleMagic! is \$95. Contact Remote Control. P.O. Box 2861, Del Mar, CA 92014, (800) 992-9952; in California, (800) 992-5228. Inquiry **591.**

Small Business Accountant

C Accountant enables you to keep track of your small-business income and expenses. It can print and address checks, balance your bank accounts, and track accounts payable and receivable. It can also provide reports on income and expenses. PC Accountant can handle up to 200 names and addresses, 200 accounts with balances, and 1500 transactions per month. Menus and windows guide you through the program.

You need an IBM PC or compatible with 128K bytes of RAM, MS-DOS or PC-DOS 2.1 or higher, a monochrome or color monitor, an 80-column printer, and one floppy disk drive.

The program costs \$39.95 plus \$5 shipping. Contact Business Applications Inc., 3211 Bonnybrook Dr. N, Lakeland, FL 33803, (813) 644-5026. Inquiry **592**.

$E{\cdot}V{\cdot}E{\cdot}N{\cdot}T{\cdot}S \quad A{\cdot}N{\cdot}D \quad C{\cdot}L{\cdot}U{\cdot}B{\cdot}S$

October 1986

EVENTS

PC Expo, McCormick Place II, Chicago, IL. Jim Mion, PC Expo, 333 Sylvan Ave., Englewood Cliffs, NJ 07632, (800) 922-0324; in New Jersey, (201) 569-8542. October 7–9

ECCO'S SIXTH ANNUAL EDUCATIONAL COMPUTER FAIR—THE COMPUTER CONNEC-TION: USING THE COMPUTER IN THE CLASS-ROOM, Cleveland, OH. Alice Fredman, Educational Computer Consortium of Ohio, 1123 S.O.M. Center Rd., Cleveland, OH 44124, (216) 461-0800. October 9–10

SIXTH ANNUAL SYMPOSIUM ON SMALL COMPUTERS IN THE ARTS, Philadelphia, PA. Symposium. PO. Box 1954, Philadelphia, PA 19107. October 10–12

FIFTH INTERNATIONAL ELECTRONIC IMAG-ING CONFERENCE & EXHIBITION, Arlington, VA. Conference Management Corp., 17 Washington St., P.O. Box 4990, Norwalk, CT 06856-4990, (203) 852-0500. October 14–15

SECOND ANNUAL CONFERENCE: COMPUTER TECHNOLOGY/SPECIAL EDUCATION/REHABIL-ITATION, California State University, Northridge. Dr. Harry Murphy, CSUN Office of Disabled Student Services, 18111 Nordhoff St., Northridge, CA 91330, (818) 885-2578. October 16–18

UNIX EXPO, Jacob K. Javits Convention Center, New York, NY. National Expositions Co. Inc., 49 West 38th St., Suite 12A, New York, NY 10018, (212) 391-9111. October 20–22

INFOMATICS 86, Sheraton Centre, Toronto, Ontario, Canada. Infomatics 86, International Information Management Congress, PO. Box 34404. Bethesda, MD 20817, (301) 983-0604. October 20–23

SECOND ANNUAL SYMPOSIUM FOR MICRO-COMPUTERS IN LAW ENFORCEMENT, Jacksonville, FL. Russ Arend, Institute of Police Technology and Management, 4567 St. Johns Bluff Rd. S, Jacksonville, FL 32216, (904) 646-2722. October 21–23

ERGODESIGN '86: THE EVOLUTION OF THE ELECTRONIC WORKPLACE, Montreux, Switzerland. Ergodesign '86, PO. Box 122, CH-1820 Montreux. Switzerland, telephone: (21) 63 04 40, telex: 453 254 mtx ch. October 21–24 THIRD ANNUAL FLAT INFORMATION DIS-PLAYS CONFERENCE, San Jose, CA. International Planning Information Inc., 465 Convention Way, Suite 1, Redwood City, CA 94063, (415) 364-9040. October 22–23

INTERNATIONAL COMPUTERS & COMMUNI-CATIONS 1986–2000, Washington, DC. International Computers & Communications, P.O. Box 17392, Washington, DC 20041, (703) 476-2604. October 22–25

FOURTH ANNUAL COMPUTER TECHNOLOGY FOR THE HANDICAPPED INTERNATIONAL CONFERENCE, Minneapolis, MN. Closing the Gap, P.O. Box 68, Henderson, MN 56044, (612) 248-3294. October 22-26

MEDINFO 86: FIFTH WORLD CONGRESS ON MEDICAL INFORMATICS, Washington, DC. Medinfo 86, Secretariat: Office of CME, George Washington University, 2300 K St. NW, Washington, DC 20037, (202) 676-8929. October 26–30

FIFTH ANNUAL PACIFIC NORTHWEST COM-PUTER GRAPHICS CONFERENCE. Eugene, OR. Pacific Northwest Computer Graphics Conference, University of Oregon Continuation Center, 1553 Moss St., Eugene, OR 97403. (800) 228-6891; in Oregon, (800) 824-2714 or (503) 686-3537. October 27–28

NINTH NORTHEAST COMPUTER FAIRE, Boston, MA. The Interface Group Inc., 300 First Ave., Needham, MA 02194, (617) 449-6600. October 30–November 1.

1986 NATIONAL CONFERENCE-EAST: COM-PUTERS & READING/LEARNING DIFFICULTIES, Philadelphia, PA. Diane Frost, Educational Computer Conferences, Dept. N, 1070 Crows Nest Way, Richmond, CA 94803. (415) 222-1249. October 30-November 1

1986 INTERNATIONAL WORKSHOP ON FORTH AND ITS APPLICATIONS, National Taiwan Institute of Technology, Taipei, Republic of China. FORTH Interest Group, P.O. Box 8231, San Jose, CA 95155, (408) 277-0668. October 31–November 2

If you send notice of your organization's public activities at least four months in advance, we will publish them as space permits. Please send them to BYTE (Events and Clubs), One Phoenix Mill Lane, Peterborough, NH 03458.

CLUBS

NASHVILLE MACINTOSH USERS GROUP, do Clark Thomas, 2305 Ellison Place #C-5, Nashville, TN 37203, (615) 327-1757.

PC-SIG News, 1030 East Duane Ave., Suite D, Sunnyvale, CA 94086, (418) 730-9291.

WORLD WIDE ST USERS GROUP, WW STUG, 77 Kenton Place, Hamburg, NY 14075.

SATRONICS INFORMATION EXCHANGE (satellite TV SIG), Mark Miller, P.O. Box 52261, Philadelphia, PA 19115. BBS at (215) 698-1905.

HOT FLASH (newsletter for UNIX users), Unisource Software Corp., Donna Woznicki, 23 East Street, Cambridge, MA 02141, (617) 577-8383.

SOUTHWEST APL USERS GROUP (SWAPL), Jim Fiegenschue, 120 Oak Grove Circle, Double Oak, TX 75067-8461, (214) 539-9281.

TINKER ATARI COMPUTER ENTHUSIASTS (TACE), P.O. Box 19456, Oklahoma City, OK 73144.

CALGARY HYPERION USER'S GROUP (CHUG), David Tansey, 3411–33 Street SE, Calgary, Alberta, Canada T2B 0V9.

GREEN COUNTRY COMPUTER ASSOCIATION, Michael S. Keller, P.O. Box 497, Tulsa, OK 74101.

MS-DOS USER GROUP (MUG) OF OLYMPIA, Brian Geppert, 1321 Skyridge Street SE, Lacey, WA 98503.

THE CARRIER (journal of the Telecommunications Users Group), PO. Box 45254, Seattle, WA 98145-0254.

CODEWORKS (magazine devoted to problem solving with BASIC), 80-Northwest Publishing Inc., 3838 South Warner, Tacoma, WA 98409-4698, (206) 475-2219.

LASERBOARD, NEW YORK'S ELECTRONIC MAC USER'S GROUP, Stuart Gitlow, 1212 Fifth Avenue, Suite 15C, New York, NY 10029-5210, (212) 831-6413 (voice), 348-5714 (data).

THE SENTINEL (newsletter for TI Professional users), Dick Mitch, Box 635, Dunlap, CA 93621, (209) 338-2472. ■

Princeton. The



Here are some of the reasons why

Full EGA and CGA support. Princeton EGA monitor bring you 64 brilliant colors and bright sharp images enhanced graphics mode, with 640 x Your EGA software never looked better. Plus our HXand HX-9E automatically switch from EGA to CGA mode, when needed.

Compatibility. Princeton monitors are 100% compatible with leading personal computers like IBM®, Compaq®, and more. No matter what system you have, there's a Princeton monitor that's right for you.

Quality Image. A .28mm dot pitch (the finest dot pitch of all leading EGA displays), bright colors, and sharp resolution give Princeton monitors a quality image that cannot be beat.

Easy Viewing and Ergonomic Design. Princeton monitors are designed for easy use, too. You get easy viewing with the HX-12E's black matrix tube and etched the finest components are used. T performance day in and day out.

Availability. Princeton monitors are as easy to get your hands on as they are easy to use. You can find them at computer stores around the world.


Reputation. More and more, people are making Princeton Graphic Systems their number one choice in personal computer displays. Because people know Princeton delivers the ultimate in compatibility, reliability, and performance.

IBM is a trademark of International Business Machine, Inc. Compaq is a trademark of Compaq Computer Corp. Wall Street Journal is a registered trademark of Dow Jones, Inc.

best choice EGA monitors.



For the no-compromise enhanced graphics monitors, look for the Princeton Graphic Systems name. Princeton delivers everything you need in a quality EGA display, from crisp, clear, full EGA support to rugged reliability. When you choose Princeton you choose the best.



HX-9E. The first IBM compatible 9" high resolution color monitor to support EGA. Has a .28mm dot pitch black matrix tube and etched nonglare screen for sharp, crisp displays and features a built-in till/swivel stand and green/amber switch.

HX-12E. The first IBM compatible high resolution color monitor to support EGA with a .28mm dot pitch. The HX-12E builds on the award winning features of the HX-12 and features 640 x 350 resolution for sharp, crisp text and colorful graphics.



GRAPHIC SYSTEMS AN INTELLIGENT BYBTEMB COMPANY 601 Ewing Street, Bldg. A Princeton, NJ 08540, Telex: 821402 PGSPRIN, (609) 683-1660, (800) 221-1490, Ext. 804

Conducted by Steve Ciarcia

FOREIGN-LANGUAGE DAISY WHEELS

Dear Steve,

A letter by Chris Leiss in the November 1985 BYTE (page 48) attracted my attention. He is using a Brother CE-50 typewriter to print Arabic; I'm using a Brother HR-15 XL printer (which uses the same daisy wheels) and a BASIC program to print in various European languages (generally, European versions of American word processors do not permit you to mix several languages in the same text).

I would like to know who sells Russian and/or Greek daisy wheels that fit the Brother printers.

> J. DINGS Pisa, Italy

You're in luck! I found a distributor that can obtain Russian and Greek print wheels for your printer.

Mr. Peter Neidenbach PrinterLand Inc. 210 West Roosevelt Rd. Villa Park, IL 60181 (314) 833-5074

Mr: Neidenbach stated that he could obtain other foreign-language print wheels as well.—Steve

C COMPILERS

Dear Steve,

At present, I am doing some initial work using a BASIC compiler. I am not satisfied, however, because the resulting programs are far slower than I expected (besides, the version I have does not support the 80287). I would like to use a C compiler instead, and I need one that meets the following requirements:

• Optimized for the 80286/80287 instruction set

Supports virtual memory

• Graphics support for the IBM Professional Graphics Adapter (PGA)

• Can address more than the 640K-byte memory limit imposed by PC-DOS

• Has a friendly and effective editor and debugger

Also, I recently acquired an OEM board of an IBM PC AT-compatible computer.

This machine is equipped with an 8-MHz 80286 and 80287. I intend to use this machine for real-time 3D graphics animation. Could you help me find references for further study? I am also very interested in fractal geometry.

Do you have any suggestions?

ANTHONY CAYETANO Paranaque, Philippines

The January 1986 issue of PC Tech Journal reviewed a crop of C compilers. Rather than pick one out of the list for you, I'd suggest that you go through the article and match them against your requirements. However, some caveats are in order.

None of the compilers will generate code for the 80286 in protected mode because DOS doesn't support this. Therefore, all of your programs will treat the 80286 as just a faster 8086. Similarly, the 80287 will be run as a faster 8087.

The 640K-byte limit imposed by DOS is, unfortunately, rooted in hardware: That's all the space that's left after you account for all the display adapters and whatnot that share the address space with the system RAM. The 80286 can address up to 16 megabytes in protected mode, but you can't get there from here. The new Lotus/Intel/Microsoft Expanded Memory Specification boards allow you to stuff up to 8 megabytes in a PC, but it's bank-switched using four 16K-byte windows inside the 640K-byte limit and isn't handy for your project.

Similarly, virtual memory is handled by the operating system rather than the language. PC-DOS, as you might have guessed by now, doesn't support virtual memory.

Support for the PGA isn't part of the compiler but is provided as either a set of library functions or a device driver. Given the complexity of the PGA, the support code is only now starting to appear; and I don't have any recommendations on any packages.

The basic reference for fractals is The Fractal Geometry of Nature by Benoit B. Mandelbrot (W. H. Freeman, 1982). It's not particularly helpful with programming, but it gives you a good understanding of just what fractals are. The Computer Recreations column of Scientific American has had several fractal and 3D programs lately.—Steve

NEW LIFE FOR LIL' ORPHAN ADAM? Dear Steve

I am planning to buy a Coleco Adam. It's cheap, comes with a word processor in ROM and a printer, and has a keyboard that feels comfortable to me. However, I like to program in C, and since the machine does not come with CP/M or a disk drive, I must find a way to port a C compiler over to the Adam.

I have decided that the easiest way to do this is to write a macro assembler in Coleco's SmartBasic, use the assembler to write a TIL (threaded interpreted language)-based operating system, and then write a C compiler in TIL code. The compiler that I have settled on is the Small-C compiler. I have the source code for this compiler in The Small C Handbook by Hendrix (Reston, 1984). Unfortunately, the compiler uses a standard function library as well as an "stdio.h" file, and the source code for either file is not listed in the book. Where can I get an example of the source code for a Z80-based system?

Also, I was recently reading a copy of Computer Shopper magazine, in which I ran across an advertisement for a subscription to a magazine called Computersmyth. I cut out the return slip and purchased a money order for a two-year subscription, but (continued)

IN ASK BYTE. Steve Ciarcia answers questions on any area of microcomputing. The most representative questions received each month will be answered and published. Do you have a nagging problem? Send your inquiry to

Ask BYTE

c/o Steve Ciarcia

P.O. Box 582 Glastonbury, CT 06033

Due to the high volume of inquiries, personal replies cannot be given. All letters and photographs become the property of Steve Ciarcia and cannot be returned. Be sure to include "Ask BYTE" in the address.

The Ask BYTE staff includes manager Harv Weiner and researchers Eric Albert, Bill Curlew, Ken Davidson, Jeannette Dojan, Jon Elson, Roger James, Frank Kuechmann, Dave Lundberg, Edward Nisley, Dick Sawyer, Andy Siska, and Robert Stek.

News about the Microsoft Language Family

Compiling With The cl Interface in Microsoft[®] C Compiler

The *cl* interface is an alternative driver to *msc* that comes with the Microsoft C Compiler. It is very similar to the XENIX[®] and UNIX^{*m*} *cc* driver. *cl* will not only compile your program, but will also compile and link multiple source files, object files and libraries, all in one step. *cl* looks at the file name extension (.c or .obj) and determines whether it is necessary to compile and link or just to link.

Example:

cl-Ox-FPa-F 2000-Zi main.c subl.obj-link mylib.lib

This example compiles main.c, creating main.obj, then links main.obj file with subl.obj, the alternative math library (/FPa) and mylib.lib. /Ox sets maximum optimization, with stack checking off. The executable stack size is set to 8K (decimal) with /F 2000(hex). Full symbolic information for use with Microsoft CodeView[™] is enabled.

As with *msc*, *cl* will automatically use the PATH, INCLUDE, TMP and LIB environment variables. This allows you to set up specific search paths for your executable compiler files, include files, temporary files and library files.

All of the options available with *msc* are also available with *cl*. The default options for the Microsoft C Compiler Version 4.0 interfaces are as follows:

 -As
 Small Model.

 -FPi
 Generous floating point calls; selects emulator math library.

 -Ot
 Controls optimizations; favors execution time.

 -Ze
 Enables language extensions, such a *cdecl, far, fortran, huge, near, pascal*.

 The default for the -Ox option has been changed to favor execution time.

In addition, *cl* will automatically invoke the linker and use the default C libraries. The following are some of the options that are available from *cl*:

- -link "libraryfield" The linker is invoked; linker options and alternate library names may be given.
- -c Suppress linking.
- -Fe Names the executable file.
- -Fm Creates a map file.

Third-Party Libraries Available For Microsoft FORTRAN Compiler

Microsoft FORTRAN for MS-DOS[®] provides a number of utilities and math libraries in the product itself, but there are a number of additional subroutine libraries that can be obtained through third-party software vendors that could speed your development even more. There are a whole range of graphic libraries such as plotting libraries (ATC, Microcompatibles, GSS), 3-D graphics (Microcompatibles), ANSI/ISO graphics (GSS, ATC), image processing (Werner Frei) and general graphics (Media Cybernetics). If you need data management, Softcraft provides Btrieve for ISAM support and Microrim provides a Microsoft FORTRAN program interface to their RBase product. Although Microsoft FORTRAN math support is already extensive, there are other more specialized math libraries available such as modelling (Mitchell & Gauthier), FFT (MicroWay, Wiley), vector, matrix numerical analysis, signal and image processing libraries (Wiley, Quantitative Technology Corporation, Systolic Systems), statistic (Wiley, IMSL, MAGUS, IMSL), and broad engineering/scientific math libraries (Wiley, NAG). General purpose libraries are available through MEF that provide communications, file management, graphics, DOS, screen handling and string handling support all in one package. Even very specialized libraries such as IEEE 488 Support (Tecmar) are available.

Contact these third party vendors for more information on their libraries for Microsoft FORTRAN or receive a copy of the Language Support Directory by contacting Microsoft.

For more information on the products and features discussed in the Newsletter,	Latest DOS Versions:	
write to: Microsoft Languages Newsletter	Microsoft C Compiler	4.00
16011 NE 36th Way, Box 97017, Redmond, WA 98073-9717	Microsoft COBOL	2.10
Or phone:	Microsoft FORTRAN	3.31
(800) 426-9400. In Washington State and Alaska, call (206) 882-8088. In Canada, call (416) 673-7638.	Microsoft Macro Assembler	4.00
	Microsoft Pascal	3.31
Microsoft, MS-DOS and XENIX are registered trademarks and CodeView is a trademark of Microsoft Corporation. UNIX is a trademark of AT&T Bell Laboratories.	Microsoft QuickBASIC	2.00

Look for the Microsoft Languages Newsletter every month in this publication.

before I could mail it out, I lost the slip of paper with the address on it. Can you help?

DEREK A. BENNER Missoula, MT

Woof! You've certainly got a project in front of vou!

The original source for Small-C was Dr. Dobb's Journal in 1980. Version 2 of the language was presented in that magazine in December 1982 and January 1983, with source for a small library. An expanded library was printed in May and June of 1984, and a variety of additions, corrections, and modifications have come out since then. Most of the library functions are in C rather than assembler, so you may well be in luck. Also, you may want to look at Dr. Dobb's Toolbook of C, a recently published book available from M & T Publishing Inc. ((415) 366-3600, ext. 216).

In all seriousness, I think that your project is too big for an Adam. Given the amount of software you're planning to write and the amount of debugging required to get it all running, you're going to spend an unreasonable amount of

time watching those little tape drives whir. You can get a single-board CP/M system for about the same money, so an orphan Adam doesn't make sense.

Computersmyth caters to hardware tinkerers of all flavors and has had a variety of interesting articles in the first four issues. The address is

Computersmyth P.O. Box 176 Peterborough, NH 03458

-Steve

COMPUTERIZING MODEL RAILROADS

Dear Steve.

One of my hobbies is model railroading. For many years I have wondered about the practicality of using a computer to completely control a model railroad (including switching operations), which I could scale up to a railroad of arbitrary size. I think that I have solved all the engineering problems except one, and perhaps you can help me with it.

The problem is train sensing. Most train sensors I know of merely detect whether railroad cars are in track blocks. I need

more precision. I recently had an idea to use strain gauge sensors in the track, possibly across rail gaps, to sense when train wheels pass points on the railroad.


Using wheel counting and a real-time clock (and software that I believe I can write). I could get very precise measurements of train position and speed. I could even sense derailments and broken trains.

I know very little about strain gauges. How sensitive are they? I need to sense the presence of % ounce (3-ounce model railroad car divided by 8 wheels). Thanks for any information you can give me.

> DAVID W. ROSCOE Chelmsford, MA

Strain gauges are very tricky components, and you can make them as sensitive as you need. They are used in microgram analytical balances, which are more sensitive than any beam balance. They provide millivolt signals, however, and require complicated amplifiers and very effective noise shielding to work properly.

I would recommend that you try another approach to train sensing. An op-(continued)



95^{Complete} under MS-DOS*

The UniWare™ family of cross assemblers. Fully relocatable, of course, but absolute listings are no problem, even in loads with many source files. With a linker so capable that even multiple overlays are a breeze. Lots of macro power. And all tools have unlimited symbol capacity. UNIX is a trademark of AT&T. XENIX and MS-DOS are trademarks of Microsoft.

\$695^{complete} under XENIX**

Intel	8086, 80186, 80286, 8051, 8048, 8080/5, 8041
Motorola	68000, 68010, 68020, 68HC11, 6809, 6805, 6801, 6800
Hitachi	HD64180, 6305, 6301
Zilog	Z80, Z8
Others	6502, 1802, TMS7000, 3870/F8

Software Development Systems, Inc. 3110 Woodcreek Dr., Downers Grove, IL 60515

395 Complete under UNIX**

Call today (312) 971-8170

Visa & Master Charge Accepted (U.S.A.) England: Unit-C, Ltd., (0903) 205233

*Minimum 512K memory recommended. **Call for host machine availability. The above prices include one assembler. Discounts avail-able on purchases of multiple assemblers; prices subject to change without notice.

We have 100's of Software and hardware items in stock. Shipments on almost all items within 24 hours!

Call for programs not listed



Technical & Other Info. (602) 246-2222

FREE O NE 1-800-42 RDER L 35

WAR


OUSE

FREE! UP TO \$100 SOFTWARE FREE!

With every purchase over \$100.00 you can select one of the following MS/DOS diskettes at no charge. Please indicate choice(s). 1. Blueberry I-54 basic utility programs includes printer select, graphic generation, etc. Retail value \$10. 2. Blueberry II-includes a banner generator, a label maker and a checker game (requires graphics card). Retail value \$10.3. Print Select program - Assembly language program to select different type fonts, etc., or make your printer function as a correctable typewriter - perfect for envelopes, notes, etc. Adaptation modules for popular printers included and capability to adapt to any printer. Retail value \$40.4. Deposit Program Compiled DBase to list and total cash, check, bank card for bank deposit and keeps history - Developed for our corporate use - Super Program! (source code available). Retail value \$40. Select an additional diskette for every additional purchase of \$150 or purchase over \$500 and receive all four at no charge.

DATA BASE MANAGERS	Microsoft Project \$219	KEYBOARDS	BOARDS
Clipper \$334	Super Project Plus 239	Keytronics 5151 \$155	AST Advantage \$329
Clout 2 117	Timeline 2.0 209	Keytronics 5153	AST Premium 359
Condor III 310	EDUCATIONAL		AST Sixpac (384K) Call
Knowledgeman II 290	Flight Simulator 28	PRINTERS	Hercules Color Card 145
Nutshell Filer 59	Turbo Tutor 20	CANON LASER 1939	Hercules Graphics + 182
Powerbase 2.2 212	Typing Tutor III Call	CITIZEN	Intel Above Boards Call
PFS: File	LANGUAGES	MSP-10 285	J Lazer (Tall Tree) Call
Q&A	Lattice C Compiler 242	MSP-15 385	J Ram III (Tall Tree) 179
Quickcode 138	Microsoft C Compiler 249	MSP-20 325	J Ram III AT (Tall Tree) Call
Quickreport 138 Revelation 445	Microsoft Fortran 195	Premiere 35 Daisywheel 469	STB Chauffeur 185
R: Base System V 332	Microsoft Macro Assembler 84	EPSON - Call on all models	STB Mono
	Microsoft Pascal Compiler 166	NEC	
WORD-PROCESSING	Microsoft Quick Basic 55 Ryan McFarlan Fortran 305	NEC P5XLP 1126	COMPUTERS
Easy	Ryan McFarlan Cobol 479	NEC P7 Parallel 635	
Leading Edge w/Merge/Spell 75 Microsoft Word 252	Turbo Pascal w/8087 + BCD 55	NEC 8850 1098	ABBOTT TURBO PC
Multimate Advantage Call	UTILITIES	NEC P6 Parallel 455	IBM Compatible Computer,
Peachtext 5000 145	Carbon Copy 115	Elf 360 398	4.77 or 7.47 key selectable,
PFS: Write	Copy II PC 19	OKIDATA - Call on all models	AT style keyboard, 640K,
Volkswriter 3 139	Copywrite	PANASONIC	dual drive, 135 watt power
Webster Spellcheck	Desqview	1091 235	supply\$599
Wordstar	Double Dos 27	1092 299	or with 20 MB Seagate
Wordstar Propac 233	Fastback	1592 425	Harddrive \$970
Wordstar 2000 233	Microsoft Windows 55	KXP3151 399	6 month limited warranty
Wordstar 2000+ 278	Norton Commander 37	STAR MICRONICS	
SPREADSHEET	Norton Utilities 3.1 49 PC Tools 19	LV1210 179	Corona PC Call
Microsoft Multiplan 108	Prokey 4.0	NB15	
PFS: Plan	Sidekick	NX10	Multitech 900 Accel
Spreadsheet Auditor 3.0 82	Sidekick (unprotected) 47	SG15	IBM AT Compatible, 512K,
Supercalc 4 Call	Sideway 3.1 36	SR15	expandable to 1 MB on the
VP Planner 49	Superkey 39	TOSHIBA	mother board, one 1.2 MB drive,
ACCOUNTING	Traveling Sidekick 39	P351	195 watt powersupply, MS/DOS
BPI AP, AR, PR, GA 299 ea.	XTree	P341	3.1, clock, 6 or 10 MHZ key
Cyma Call	ACCESSORIES	P321 Call	selectable, soft white monitor,
Dac Easy Accounting 39	Copy II PC Board		AT style keyboard, 1 year
Managing Your Money 94	IBM 135 watt power supply 59 Mini Micro Parallel	MONITORS	TRW warranty Call
INTEGRATIVE	Print Buffer	AMDEK 310A 142	
Ability	Masterpiece	AMDEK 600 395	
Enable 312	Masterpiece Plus 113	Magnovox Color RGB Call	Multitech Turbo
Smart Software Call		Multitech Color RGB 259	IBM Compatible Computer,
COMMUNICATION	INCREDIBLE VALUE	Princeton Max 12 159	256K, dual drives, 8 MHZ, ports-
PROGRAMS	Nationally advertised boards for	Samsung TTL Amber 72	parallel-serial-clock, 5151 type
Crosstalk	IBM PC and most compatibles	Samsung TTL Green 70	keyboard, graphics board (sim
Microsoft Access Call	at give away prices.	EGA MONITORS	ilar to Hercules), mono monitor
Remote 89	Keyboards (similar	AMDEK 722 505	DOS 3.1, 6 month national
Smartcom II 83	to 5151\$79 Monochrome Board w/printer	NEC Multisync Call	warranty Call
GRAPHICS	port (similar to Hercules	EGA BOARDS	
Chartmaster 205	Graphics)\$79	Everex Enhancer EGA 235	Sharp Portable Call
Energraphics 2.0 269	Expansion Board	Paradise Auto Switch	T
In-A-Vision 249	0 to 576K\$42	EGA Card 359	TERMS: Add 3% for C.O.D. orders.
Microsoft Bus Mouse 106	Multifunction Board w/game	Quad EGA Plus	Shipping on most software is \$5.00.
Microsoft Chart 164	port (similar to AST	STB EGA Plus Call	AZ orders +6.7% sales tax. Personal
Microsoft Serial Mouse 119	six pack)\$79	Vega Video 375	check - allow fourteen (14) days to
Newsroom	Four Drive Floppy		clear. We accept purchase orders
PC Mouse W/DR Halo II 106	Controller\$39	RAM	from authorized institutions. All
Printshop	Color Card w/o printer	64K 150NS (set of 9) 11.50	returns are subject to our approval.
Signmaster 132	port\$69 Color card w/printer	256K 150NS (set of 9) 30	There will be a 20% restock fee. Min- imum phone order \$50.
PROJECT MANAGER	port\$79	256K 200NS (set of 9) 39	multi prione order \$30.
Harvard Total Project 262	port	8087-2 Call	
No Observation March 20 - 1 - 10			
No Charge for Master Card or Visa		LINE 1-800-421-3135	Hause 7.4 M to 5.20 B to 6.7 House 1.
	WAREHOUSE D	ATA PRODUCTS	Hours 7 A.M. to 5:30 P.M. M.S.T Mon. thru Fri. Saturday 10:00 A.M. to 3:00 P.M.
MasterCard WISA		Dhoopiy A7 95051	outer out reade rates to block I att.

2701 West Glendale Ave. • Phoenix, AZ 85051



ONLY PANASONIC GIVES YOU A BUSINESS PARTNER.

Everyone seems to be jumping on the bandwagon. Today, companies that weren't there yesterday, and may not be there tomorrow, are building computers from easily assembled components.

The result is a sea of computer clones with little to distinguish one from another.

THE PANASONIC DIFFERENCE—A POWERFUL

BUSINESS ALLY. Our approach to offering you a computer was entirely different. We looked at what would work best for you and your business.

The result is the Panasonic Business Partner and Panasonic Business Partner 286. Two powerful business allies, designed to answer your most demanding computer requirements.

YOU CAN SEE THE DIFFERENCE PANASONIC MAKES. With our long, unparalleled heritage in video technology, you get high-quality, high resolution monitors. An optional Panasonic CGA PLUS board is switchable to let you use a color or



monochrome display for both graphics and text. **BUILT-IN FLEXIBILITY.** No two businesses run exactly the same way. So you can configure the Business Partners to your own individual needs. In addition to



their built-in floppy disk drives, you can add a hard disk drive, additional half-height drives—even a magnetic tape drive.

SPEED AND PERFORMANCE. The Business Partner 286 is built with maximum power and speed. Its 80286 processor runs at 6 MHz or 8 MHz, with the ability of addressing up to 15Mb RAM.

The Business Partner, with its 8086-2 processor, runs at 4.77 MHz, and for projects that need added acceleration, it will run up to 7.16 MHz.

FUTURE GROWTH. Both Business Partners have been designed to grow as your business grows. Extra

slots are built in to offer you the flexibility now and in the future to add on cards for high resolution graphics, communications accesso




communications accessories and other peripherals.

*IBM is a registered trademark of the International Business Machines Corp.

POWER TO SPARE. As your business grows, you'll

put greater demands on your Business Partner. Don't worry, it can handle it. With 130 watts on the Business Partner and 220 watts on the Business Partner 286, you'll be able to drive additional peripherals and expansion boards.



IMPORTANT DESIGN CONSIDERATIONS. The deluxe, detachable keyboards on both models have been designed for comfort and ease

of use. We've separated the cursor keys and numeric keys for quick, convenient



access. Swivel monitors adjust for each operator. On the Business Partner 286, you can lock the cabinet with a key to help prevent tampering and prying.



SOME REASSURING LAST WORDS. You'll find the Business Partner compatible with the IBM* PC/XT. And the Business Partner 286, with the PC/AT. So you'll be able to run the most popular software. You'll also get compatibility with Panasonic's wide range of quality peripherals, for the complete Panasonic office.

And more importantly, both Business Partners are from Panasonic, the company firmly committed to building a high-quality and dependable reputation in computer products. So both are backed with a full-year limited warranty.



For more information, and the location of the dealer nearest you, call **1-800-PIC-8086.** Or write: Panasonic Industrial Company, Computer Products Division, Two Panasonic Way, Secaucus, NJ 07094. And discover how the right Business Partner can make running your business easier. You'll see: **THE EASIER, THE BETTER.**



tical sensor placed under the track would work very well. If you want to sense wheels, you could put sensors on opposite sides of the track, just peeking over the top of the rails. You could put these in housings that would look very much like standard railway equipment, so as not to be unrealistic. A sensor under the track could sense available room light, while the wheel sensors could use paired infrared emitters and detectors.

A third approach would be to use the

Your modem should be this good

reflective sensing emitter-detector sets and put a bit of aluminized plastic tape on the bottom of each car that could be sensed from below the track. To get really fancy, put a bar code on each car and have the computer keep track of individual cars and locomotives.

If the sensors are infrared phototransistors, the interface to TTL levels can be a transistor or a comparator. The comparator gives more sensitivity and a way to set each sensor for the optimum

USRobotics' COURIER 2400™ ... The most dependable at 2400- or 1200-bps

ou get 2400/1200/300-bps data communications and every first-class feature you'd expect in an auto-dial, autoanswer modem...at a surprisingly affordable price.

But a modem at any price is only as good as its performance...And that's where Courier 2400 really shines. Don't take our word for it. Ask any of the nearly 2,000 electronic bulletin board system operators who have chosen the Courier 2400 for one of the most demanding modem applications imaginable.

Listen to the unanimous chorus of praise for the Courier 2400 from tough reviewers at more than a dozen highly respected computer magazines.

Consider Courier 2400's performance record-less than one percent of all Courier 2400s sold have been returned for service, a record we challenge the industry to match. And we back up our confidence in Courier 2400 with a full two-year parts and service warranty.

Quality, performance, value-your modem should be this good. It is, if it's the Courier 2400 from USRobotics.

(1)11111655

The Intelligent Choice in Data Communications

8100 McCormick Blvd., Skokie, Illinois 60076 Phone toll free 1 (800) DIAL USR In Illinois (312) 982-5001

To learn more, send for our FREE booklet: "24 Questions and Answers on 2400-BPS Modems."
NAME
ADORESS
CITY
STATEZIP
COMPANY
TITLE
PHONE (1

PERSONAL USE BUSINESS USE

threshold to compensate for mechanical, optical, and component variations (which are rather large in LEDs and photodetectorsI -- Steve

USING AN IEEE-488 PORT Dear Steve.

I have a Zorba CP/M computer that has. among numerous other features. an IEEE-488 port installed. I am interested in using this port to drive peripherals such

as speech synthesizers, voice recognition units, and nonwire communication links (light beam, radio, etc.) to robots and other computers. There seems to be a dearth of information on this port in the popular literature.

Have you had any experience using the IEEE-488 port? Can you refer me to any sources of information on it? From what I have seen, it has been wrongfully neglected.

> BILLY R. ROGUE Lake Havasu City, AZ

The IEEE-488 bus is an 8-bit parallel bus that was originally designed to connect test and measurement instruments to early programmable calculators to form production test systems in factories. The document, IEEE Standard 488-1978, Digital Interface for Programmable Instrumentation, can be obtained from the IEEE. Another source is the Intel Component Data Catalog. The section on the 8291, 8292, and 8293 circuits has much information on this bus and describes interface circuits as well. Intel calls the IEEE-488 the GPIB (general-purpose interface bus) and Hewlett-Packard originally called it the HP-IB. Intel in Phoenix (1602) 997-96951 or BFA in Scottsdale ((602) 924-5400) should be able to get you the Intel catalog.-Steve

CIRCUIT CELLAR FEEDBACK

LED GRAPHICS DISPLAY PANEL Dear Steve,

I am interested in building a light panel with incandescent or LED lamps (colored, if possible) that I can use as an advertisement board. I would like to construct a panel ranging in size from 3 feet by 4 feet to possibly 12 feet by 12 feet, capable of displaying text, graphics, or animation.

I presently have an Apple IIe, an 80column card, Duodisk, Imagewriter, and a green monochrome monitor. I have seen (continued)

Inquiry 313 for End-Users. Inquiry 314 for DEALERS ONLY.

\$2000? That's Too Darned High!

Why should a CAD package cost more than a Word Processor? It shouldn't! Lots of people ask how we can offer a CAD system as good as ProDesign II at a price as low as \$299. It's easy. A PC Software Package does not cost \$2000 to manufacture. It doesn't even cost \$200. It makes us ask the questions, "Why do comparable CAD packages cost \$2000 and more?" "What makes a CAD package cost more than a Word Processor?"

ProDesign II doesn't. ProDesign II is the complete CAD package you get for \$299. With ProDesign II, you get such advanced features as Auto Dimensioning, Area Fill, Fillets, Mirroring, Isometrics, Curve Fitting, Object Snap, Attributes, Drawing Merge, and many, many more. Features once available only for \$2000 or more. Features you get at no extra charge with ProDesign II.

But there is another, very important reason you should get ProDesign II. ProDesign II is very unique among CAD packages. It is easy to learn and use. When we call ProDesign II "The Easy To Use CAD System", we're not joking. You will be productive with ProDesign II in an hour or two instead of a week or two.


What else does ProDesign II offer? Compatibility. Compatibility with over 100 printers. Compatibility with over 50 plotters. Compatibility with most graphics adapters, digitizing tablets, and mice. Compatibility with most display adapters. Compatibility with any software that can produce HP plotter commands. Compatibility with mainframe CAD systems (IGES). All at no extra charge! (You can also get an AutoCAD Interchange Utility for \$99 that converts drawings to or from the AutoCAD format.)

What additional hardware do you need? None! An IBM PC compatible and 512K RAM are all you need. ProDesign II produces high resolution drawings on your dot matrix printer - better than .005" resolution on an IBM/Epson compatible printer. And you don't have to get a mouse or digitizing tablet. ProDesign II is designed for easy and efficient keyboard use. You won't even need a math coprocessor, although it is supported. From a small drawing on a dot matrix printer to an E-Size drawing on a large plotter, ProDesign II is the one to use!

ProDesign II — Affordable, Compatible, and Usable!

Where do you get it? See your local dealer or contact: American Small Business Computers, Inc. 118 South Mill Street Pryor, OK 74361 918/825-4844

PRODESIGN II — ONLY \$299!



How to tackle a 300 page monster.

Turn your PC into a typesetter.

If you're writing a long, serious document on your IBM PC, you want it to look professional. You want MicroT_EX. Designed especially for desktop publishers who require heavy duty typesetting, MicroT_EX is based on the T_EX standard, with tens of thousands of users worldwide. It easily handles documents from smaller than 30 pages to 5000 pages or more. No other PC typesetting software gives you as many advanced capabilities as MicroT_EX.

So if you want typesetting software that's as serious as you are about your writing, get MicroT_EX. *Call toll free* 800-255-2550 to order or for more information.* Order with a 60-day money back guarantee.

MicroT_EX[™] from Addison-Wesley

Serious typesetting for serious desktop publishers. *Dealers, call our Dealer Hot Line: 800-447-2226 (In MA, 800-446-3399), ext. 2643.



Copying diskettes will never be easier than pushing one button.

While your computer is busy doing other things, your Victory Duplicator can be making as many as eight copies of a diskette at once —producing up to 400 copies in an hour. DualMaster[™] models can even make multiple copies of two different diskettes simultaneously. Just insert the diskettes and press one button.

Copy different formats, flawlessly.

An automatic format analysis program makes it possible for the Victory Duplicator to copy virtually any 54, 31/2 or 8-inch diskette. The system tests for quality and accuracy at every stage of the process.

It practically services itself.

Each drive has a separate controller to maximize uptime. Simple diagnostics to verify drive alignment and industry standard drives allow you to maintain your system without waiting for outside service.

All at an attractive price. Victory Duplicators offer fast copying, serialization,

Come see us at Fall COMDEX.

copy protection, a communications port, a four-month warranty and much more all for one low price.

Call 1-800-421-0103.

Call today for more information. (In Texas, call 512-450-0801.)



8910 Research Blvd., Suite B2 Austin, Texas 78758 software from Broderbund called Fantavision that does color animation on the IIe and is reportedly able to do up to a three-hour show.

I know a little about electricity and would like to build a small panel to experiment with. Can you give me any information on this?

> KENT BARNARD Wayne City, IL

Volume II of Ciarcia's Circuit Cellar (BYTE Books, McGraw-Hill) contains details on a self-refreshing LED graphics display panel. The circuits shown in that article could be readily adapted to the Apple IIe (you could drive them using a parallel port). This would allow you to experiment with the fundamentals.

The April 1984 Circuit Cellar column featured a scrolling LED display driven by the Z8 control computer. This display could also be driven by a suitably equipped Apple.—Steve

TESTING AND RECALIBRATING FLOPPY DISK DRIVES

Dear Steve,

I am in charge of the PC Laboratory at the Weizmann Institute. We have over 100 IBM and IBM-compatible PCs and two of us to give advice on purchasing hardware and software, hooking it all up, arranging for maintenance, etc. I wonder if you could help us with one of our biggest maintenance headaches—floppy disk drives.

As a research institution, we are exempt from custom duties on most laboratory equipment that we buy. Therefore, we often buy mail-order equipment from the United States (often from advertisements in the back of BYTE), since it can be cheaper than ordering from a dealer here. This has had mixed results in terms of the quality of the hardware we purchase. For instance, we have ordered drives that, when we receive them, don't work until we play around with the little jumpers on the drive circuit board (e.g., DS0, DS1, MS, HS. etc.). Of course, the drives never come with documentation, so I am working in the dark. I have been forced to pay an outside laboratory to adjust some drives that I couldn't get to work.

I also find that heavily used floppy disk drives go out of calibration. There is a laboratory here that repairs drives, but it seems a shame to pay them \$75 to calibrate a drive that costs \$100 new. While we do not intend to become a facility for repairing drives. I would like to be able to recalibrate them here.

Could you recommend a book on floppy disk drive maintenance? Also, perhaps (continued)

With all these SoftLogic Solutions, you could run out of problems.

Now there's a whole family of low-cost, easy to use Softlogic software for the IBM PC, XT, AT, and compatibles. They'll save you time, aggravation, and lots of money. Got a problem? Check out these Softlogic Solutions.



Software Carousel[™]—The easy way to move from one program to another.

What a hassle. Saving, exiting, loading, retrieving—just to move from one application to another. With Software Carousel, you can keep up to ten programs loaded and ready to run. Best of all, you can use all your memory in each and every one. Supports AboveBoard[™] and RAMpage,[™] too.

Disk Optimizer[™] Speeds up your disk by cleaning up your files.

You may not notice, but your hard drive is getting slower. Because your files keep getting fragmented and scattered on your disk. Reading, writing, everything takes longer, because your disk is working harder. Disk Optimizer puts back the speed by putting your files back in one piece—where they belong.






Cubit[™] Packs more of your data onto less disk space.

Filling up your hard disk again? Don't run out and get a bigger drive. Get Cubit, and get up to twice the storage capacity from the drive you already have. Cubit compresses and decompresses word processor, spreadsheet, database, all kinds of files—quickly, safely, invisibly.

DoubleDOS[™]—The multitasking software that takes less of everything.

You can spend more money, load more memory, and read more manuals with systems like Top-View[™] or Windows.[™] Or you can get Double-DOS, the amazingly simple concurrent software environment that lets you and your computer each work on different tasks at once. Nothing could be easier. And nothing costs you less.



Put your problems behind you. Order these SoftLogic

Solutions today.



So why put up with problems? Especially when you can get dependable SoftLogicSolutions for just \$49.95* each. Ask for SoftLogic products at your computer dealer. Or order directly from SoftLogic Solutions by calling 800-272-9900 (603-627-9900 in New Hampshire).




Order today: 800-272-9900

SoftLogic Solutions, Inc. 530 Chestnut Street Manchester, NH 03101 800-272-9900 (603-627-9900 in NH)

"Now In Our 8тн Year"

In The World of PC Upgrades



1 YEAR WARRANTY, 30 DAY MONEY BACK GUARANTEE



you could suggest what sort of equipment we would need to keep drives calibrated? SAMUEL GAMORAN

The Weizmann Institute of Science Israel

The minimum equipment you need to test floppy disk drives is a computer to run the drive, an alignment disk, and an oscilloscope to read the output signals produced by the alignment disk.

PC Tech Journal reviewed five floppy disk drive diagnostic disks in the May 1985 article "Testing 1,2,3,4,5" by James Chumbley. These disks provide data on speed, alignment, centering, head backlash, etc. Of the five, only the following vendors provided quantitative data:

Interrogator Dysan Corporation 1244 Reamwood Ave. Sunnyvale, CA 94089 (408) 734-1624

Memory Minder J & M Systems Ltd. 15100A Central Ave. SE Albuquerque, NM 87123 (505) 292-4182

ReadiScope ReadiWare Systems Inc. P.O. Box 515 Portage, M1 49081 (616) 327-9172

Recent issues of Computer Shopper magazine carry ads for disk drive service manuals from

Consumertronics Co. Attn.: Computers 2011 Crescent Alamogordo, NM 88310

and a drive tester, the EX2000 Disk Drive Exerciser, from

Proto PC 2439 Franklin Ave. St. Paul, MN 55114 (612) 644-4660

-Steve

MUSIC PROJECT FOR THE IBM PC Dear Steve,

I am interested in using an IBM PC-type computer for music synthesis and audio editing. Ideally, such a system would be capable of digitizing input data on a single channel with 12-bit resolution and 50-kHz sampling rate. It should also be capable of synthesizing two channels with a 12- to 16-bit dynamic range at the above sampling rate. A 40-megabyte hard disk could store six minutes of input data and three (continued)

JOB INVOICE

South Seas Shipping Company

November 20, 1986

Ms. Cathy Lyons Import Officer Botanical Research Ltd. 55 Wewak Road Moresby, Papua, New Guinea

Re: Palm Fruit Research

BOLD TO

ATTENTION

OUR

MANNATTAN EXPORTS

Dear Ms. Lyons

BY BURANCE FARMAND

This letter confirms the agreement we reached at our meeting last week in San Francisco Botanical Rosearch, Ltd. will recommend the optimal conditions for shipping paim fruit and palm oil.

t important issues for consideration are: tomporaturo during shipping and length of time between

" he completed by June 1, 1987. South Seas Shipping Company Corporate Organizational Chart PRESIDENT for Cardinal INVESTOR'S UPDATE H PACIFIC KONTHI BEAS WORVERS COLUPANY NEWHATTER

SHIPPING GOES WILD

Competitive Factors

And the primary factors in Competitive Factors in One of the primary factors in South Sea wacceal how the compary ability to identify new marker opportunities and them to the dominant position of trade is a the dominant position of trade is a the dominant position of the veccerdain prime scample or this veccerdain prime scample or the become the prime scample of the become the become the prime scample of the become the become the prime scample of the become the become the become the prime scample of the become the become the become the become th be dominate the dominate of this second of this second reliance the m prime example strategy Since in 1977, South key player in ping market. in the

SHARE OF FALM OIL TRADE (1985) DOLLAR VOLUME

thous the for the first or will set the pace for what are will set the pace for what thy statysts expect will be a first for South Seat. South 50 Ty enalysts south Seat. Joer for South Seat. Will be the industry leader by rays Michael Word, a vice-rays Michael Word, Kroll & Co-deal at Donovan, Kroll & South More than the strategy is south for growth strategy there to:

to b ev. 1 basel cor Torest \$26 ching will 14 60

Noverver, LRC LML is exercised by broome a surrer afficure physic processing and the service physic restriction of the service physic constraints of reliability in the train of the service physical and trained the service physical and trained of the service physical and the service physical and the of the service physical and the service physical of the service physical and the service

Joint Ventures

Considered indher growth strategy So in exploring is to estab-ventures with several of ventures with sever entures wo Tri r in shippin re of the ve ing cape opera offer shar the UPPere e company is ry talks with and firms. A

DAT 04 11 80 NO: 8210 DAB 2188 ODE ALIOUNT: \$10,287.50 THEY SU B Ltd. resentative No; Ext. Price 7.000.00 1.750.00 .000.00 Cost \$1.530.00 En

YOU COULD PRINT EVERYTHING ON THIS DESK FROM A BUSINESS PC?

The world's best-selling desktop laser printer has something in store for just about every business that's ever dealt with the printed word.

Because the Hewlett-Packard LaserJet Printer is the only printer of its kind specifically designed to work with over 300 software programs. And since it hooks up to almost any business PC, it's right for all kinds of users—not just the art department. So you can print everything on this desk-from simple memos to your life's memoirs. And get high-quality, professional-looking output.

Combined with our very fast, very versatile HP Vectra PC (it's IBM PC/AT compatible) and the software of your choice, the HP LaserJet is the cornerstone for a complete desktop publishing solution. One your whole company can easily use.

Of course, the HP Laser Jet also works with IBM PC's and compatibles. As well as software like Lotus 1-2-3, WordStar and d:BASE II. And, for around \$3,000, it's the laser printer you can afford.

.

121-14-1-21

HP LaserJet



HP Vectra PC We can't print all the reasons our HP LaserJet is the printer of choice. But if you stop by an authorized HP dealer or call us at 1800 367-4772, Dept. 276D for the one nearest you, we'll show you why HP quality printing makes very good business sense indeed.

Ami samples produced on a Laberful Puis with the following software pockages. Studio Software, Spritbinder® Des Abstein Marchen WordStar 2000°L (due 1-23° and Formkaleur III* HP Weicht PC e a Ingelmank of Hewlith Pack BM PC is a regulated Institution of International Business Machines Carp Cuist. 2-23 is a registered indextrant of Labus Development Dorp WardStat is a regulated todamark of Marchen International. SBASE H is a registered had a Amana Tale. I 1986 Hewlet Reduct Ca





Introducing the Lattice MS-DOS C Compiler, Version 3.

There's never been a better time to buy Lattice C. Professional programmers the world over have made Lattice C the standard compiler for serious MS-DOS programming. Now Version 3 offers even more of the features that have made our previous versions so popular. Our new compiler features include:

ANSI language constructs including, *unsigned* as a modifier, *void* data type, *enum* data type, structure assignments, structure arguments, structure returns, and argument type checking.

The compiler also contains better aliasing algorithms, more efficient code generation, and more flexible segmentation, in-line 8087 code generation, and 80186/ 80286 code generation.

The library contains more than 200 new functions, including: ANSI/UNIX/XENIX compatibility; extended support for MS-DOS; extended support for networking including file sharing, file locking, and I/O redirection; and flexible error handling via user traps and exits. Plus the library has also been re-engineered to produce much smaller executables.

Try the new Version 3 C Compiler from Lattice. Because C-ing is believing.



Lattice, Incorporated P.O. Box 3072 Glen Ellyn, IL 60138 312/858-7950 TWX 910-291-2190

INTERNATIONAL SALES OFFICES: Benelux: Ines Datacom (32) 2-720-51-61 Japan: Lifeboat Inc. (03)293-4711 England: Roundhill (0672)54675 France: SFL (1)46-66-11-55 Germany: (49)7841/4500 (49)8946/13290

CIARCIA FEEDBACK

minutes of stereo output. Obviously, the data transfer rates would be quite high (200K bytes per second). **requiring** specialized hardware such as a dual-port memory buffer. Are you aware of any commercially available option boards for the PC that might perform these functions? If not, do you have any interest in developing such a board?

DAVID J. STATES San Diego, CA

I don't have a music project like you requested in the works at this time for the IBM PC. There are a few A/D boards capable of sampling at rates of 50 kHz or more; a couple of vendors are

Metrabyte 440 Myles Standish Blvd. Taunton, MA 02780 (617) 880-3300

Data Translation Inc. 100 Locke Dr. Marlborough, MA 01752 (617) 481-3700

If you can reduce the 50-kHz sample rate, you might get by with an IBM PC with a hard disk. I calculate a data rate of 100K bytes per second, assuming the 12-bit data is stored as 16-bit words to save time // don't have a calculation for the compression time). This is a little fast for a PC. The Norton Utilities Disk Test can read an entire 10-megabyte hard disk with an interleave factor of 2 in just about 2 minutes, or 83K bytes per second. This isn't up to the specified data rate of 5 megabits per second for this drive/controller, but it is consistent with wait states for the PC DMA controller and a little processing by the controller, and, thus, is probably close to what you can expect in real applications.

A PC AT or one of the faster clones might be better. If you want real speed, you might consider an array processor of the type available from Data Translation or Datacube as well as other companies. These are usually used as highspeed graphics processors but are quite adaptable.—Steve

Over the years I have presented many different projects in BYTE. I know many of you have built them and are making use of them in many ways.

I am interested in hearing from any of you telling me what you've done with these projects or how you may have been influenced by the basic ideas. Write me at Circuit Cellar Feedback, PO. Box 582, Glastonbury, CT 06033, and fill me in on your applications. All letters and photographs become the property of Steve Ciarcia and cannot be returned.

AN OLD RESPECTED NAME. A BOLD NEW LOOK.

Computer Mail Order is one of the oldest computer mail order companies in the country. We've succeeded where others have failed, because year after year, we've delivered to you the most product performance for your dollar and given you the attentive service you desire and deserve. This month we launch a new look. We hope you'll find it as easy on your eyes as Computer Mail Order has been on your pocketbook. We also hope you'll do us the honor of calling us C-M-O.



FINE PRODUCTS.

When you call CMO toll-free, you order from a selection of the finest computer hardware, software and peripherals available. More than 5000 items from the best sources in the business (including PC-TOO; the tailor-made clone, direct from CMO!).

FINE PRICES.

Call us. Compare us. Talk to us. We won't hang up. We like talking price as much as we like talking computers.

FINE SERVICE.

We know computers. And we back that product knowledge with our best warranty package ever. And we deliver with next-day shipping on our entire inventory. At CMO, we're committed to keeping you up, running and satisfied.

NO FINE PRINT.

We're CMO. No hot air. No come-ons. No hang-ups. And no fine print. Turn the page. Explore CMO.



Presenting PC TOO.[™] Only from CMO.

When you think of tailor-made, you think expensive, right? Think again.

Now CMO can offer you a 20 Mb PC-compatible—one we assemble in our Pennsylvania lab just for you. To your specifications. With the attention to quality and performance you've come to expect from CMO. All for just \$999.

Every tailor-made clone we make is backed with a full 90-day warranty on labor and parts, a 30 day money back guarantee and easy access to CMO technical support after the sale—the kind that keeps you up, running and satisfied.

For \$999, you get: A 20 Mb, PC-XT compatible that runs thousands of programs, including Lotus 1-2-3[™] A 4.77 Mh chip speed An XT chassis with 256K (expandable to 640K) A 20 Mb hard drive A 360K floppy drive A floppy disk and hard drive controller A 150 watt power supply (not just 130) Open architecture with 8 expansion slots (not just 7) And an 84-key, XT-style keyboard.

Need more power and more flexibility? Call us. Let's talk about your tailor-made PC TOO.

Your options are unlimited.

CMO. Policies and particulars.

Next day shipping on all in-stock items. • Free technical support from our own factory-trained staff. • Toll-free order inquiry. • No surcharge on VISA or MasterCard orders. • Credit cards will not be charged until the order is shipped. • No limit and no deposit on COD orders. • No sales tax on orders shipped outside PA. • No waiting period for cashier's checks.

SHIPPING. Add 3% (minimum \$7.00) shipping and handling on all orders. • Larger shipments may require additional charges. • Returned items may be subject to a restocking fee. • All items subject to availability and price changes.

EDUCATIONAL INSTITUTIONS: 1 800 221-4283



When you want to talk computers. When you want to talk price. Call toll-free: 1 800 233-8950.

Outside the U.S.A. 717 327-9575 Telex 5106017898 CMO. 477 East Third Street, Dept. A110, Williamsport, PA 17701 All major credit cards accepted

CMO. Doing business-to-b

Person to person.

Not too long ago, I got a call from a new customer with an unexpected problem—we had delivered his order too quickly. He had placed a COD order with one of our sales consultants on the 14th. It went through our system and was shipped the 15th. When the shipment arrived, the customer called. He said he hadn't expected it so soon and hadn't had time to arrange for payment.

It turned out the customer had worked as a sales rep for a competitor of ours. He said it takes them 3 or 4 weeks to complete most orders. Consequently, he didn't think there was any hurry to get a check ready for the CMO order.

"They must have a lot of cancelled orders," I said.

He said yes, that in a typical month they only ship 40% of what's ordered.

That surprised me. I told him we ship 90% of our orders the next day. And we have very few cancellations.

Well, everything worked out. I apologized for our promptness. He laughed and said he'd be ready for us the next time he ordered.

And we'll be ready for him. CMO is committed to its customers. We operate an IBM System 38 with state-of-the-art software to help expedite the tens of thousands of orders we receive. Thanks to this system CMO is able to provide customers with up-to-the-minute information about their orders.

Thomas A. Penfield Sales Manager, CMO

SOFTWARE.

Ansa	
Paradox	\$499.00
Ashton-Tate	
d-Base III +	429.00
Framework II	429.00
Borland	
Reflex	59.99
Lightening/Word Wizard	99.99
Central Point Software	
Copy I PC	24.99
5th Generation	
Fastbacks	ee special
IMSI	
Mouse w/Dr. Halo	119.00
IUS-Sorcim	
General Ledger	299.00
SuperCalc III	
Super Project Plus	299.00
Lifetree	
Volkswriter III	149.00
Lotus	
Lotus 1•2•3	329.00
Symphony	449.00
MECA	
Managing Your Money	119.00
MicroPro	
Wordstar 2000 +	299.00
Wordstar Professional w/GL D	emo 189.00
Microrim	
R:Base 5000	359.00
Micro Soft	
Micro Soft Word	
Micro Soft Mouse/Serial	
Micro Soft Mouse/Bus	139.00
Microstuf	
Crosstalk XVI	89.99
Multimate	
Multimate 3.3	
Multimate Advantage	
Norton Software	
Norton Utilities	57.99
PFS	
First Choice	
Professional Write	
Professional File	159.00
Satellite Systems	
Word Perfect 4.1	219.00
The Software Group	
Enable	369.00

MONITORS.

Amdek


Annuek
Color 600 RGB, IBM CGA \$399.00
Color 722 RGB, CGA/EGA499.00
Color 730 RGB Analog
Magnavox
8CM515 RGB Monitor 80289.00
7BM623 PC Monitor 8099.99
NEC
JC-1401P3A Multi-Sync599.00
JB-1280 TTL Green139.00
JB-1285 TTL Amber139.00
Princeton Graphics
MAX-12 Amber169.00
HX-12 16 Color429.00
HX12e 64 Color509.00
SR-12e Super Hi-Res
SR-12e RGB Analog649.00
Taxan
640 RGB Hi-Res

MODEMS.

Anchor
Expressi 1200 Half Card \$149.00
Everex
Evercom 920 1200 Baud139.00
Hayes
Smartmodem 1200B359.00
Smartmodem 2400599.00
Smartmodem 2400B539.00
Practical Peripherals
Practical Modem 1200SA179.00

DRIVES.

CMS
Drive Plus 20 MB Card\$499.00
T-120 20 MB Tape-Backup469.00
T-160 60 MB Tape-Backup 699.00
lomega
A210H 10+10 Bernoulli Box1899.00
A220H 20+20 Bernoulli Box2499.00
Mountain
Drive Card-20
Drive Card-30949.00
Priam
Innerspace ID-60AT1349.00
Seagate
ST-4026 20 MB Hard Drive689.00
ST-4038 30 MB Hard Drive 739.00



usiness, person to person.

PRINTERS.

Canon
LBP-8 Lazersee special
Citizen
MSP-10 Dot Matrix
MSP-20 Dot Matrix
Premier 35 Daisywheel449.00
C.Itoh
8510-SEP Dot Matrixcall
Diablo
635 Daisywheel1099.00
Epson
FX-85 Dot Matrixcall
FX-286 Dot Matrixcall
LQ-800 24 Pincall
LQ-1000 24 Pincall
Hewlett Packard
2686A Lasercall
7475S Plottercall
7550S 8-pen Plottercall
Juki
6100 Daisywheelcall
6300 Daisywheelcall
5510C Colorcall
NEC
P560, P660, P760call
3550 Spinwriter779.00
8850 Spinwriter1099.00
Okidata
ML-192 IBMcall
ML-193 IBMcall
OK293 Dot Matrixcall
OK2410 Hi Speedcall
Panasonic
KX-1091 Dot Matrix229.00
KX-1592 Dot Matrix469.00
Star Micronics
NX-10 Dot Matrix249.00
SR-15 Dot Matrix549.00
Toshiba
P321 24 Pin479.00
P351 24 Pin1049.00
DISKETTES

DISKETTES.

Maxell	
MD-2 DS/DD 51/4	.12.99
MD-2HD Hi Density 51/4	.24.99
Sony	
MD2D DS/DD 51/4	.11.99
MD2HD Hi Density 51/4	.24.99
MFD-2DD DS/DD 31/2 5 pak	9.99

MS/DOS SYSTEMS

AT&T	from	\$1699.00
Compaq	from	\$1499.00
Corona	fror	n \$995.00
IBM-PC	from	\$1199.00
IBM-XT	se	e special
IBM-AT	from	\$2799.00
Leading Edge	from	\$1299.00
Sperry		\$1899.00
Zenith		

MULTIFUNCTION CARDS.

AST Six Pak Plus PC/XT.....\$169.00 Advantage IBM/AT......339.00 Rampage PC/XT.....279.00 Rampage-AT IBM/AT......479.00 DCA IRMA PC-3278-I/O......849.00 Everex EV-640 Edge Card......259.00 Hercules Graphics Card......219.00 Graphics Card Plus......219.00 Color Card......169.00 **IDEAssociates** IDE-5251 Emulation Board.......589.00 Intel 1110 PC-Above Board.....call 2010 AT-Above Board.....call 8087, 80872, 80287, 802878......call Paradise Color/Mono Card......139.00 Multidisplay Card......179.00 **Polaroid Pallette** Computer Image Recorder......1399.00 Ouadram Quad EGA Graphics Adapter....369.00 Expanded Quadboard......149.00 Silver Quadboard......239.00 STB Video-7 Vega Video adapter-EGA......339.00 Zuckerboard Color Card w/parallel......89.99 Monochrome Card......99.99 576-Memory Card......59.99

CM Only! 5th Generation Fast Back **CM Only!** Amdek 310A Amber Screen CM Only! Paradise Auto Switch EGA Card CM Only! Hayes Smartmodem 1200 External CM Only! CMS 20 MB Kit w/Western Digital Controller CM Only! **IBM-XT** 268 6 w/Americare CM Only! Toshiba 1100 +\$1749 Lap-top Computer CM Only! Canon LPB8 LPB8 Laser Printer \$1789

When you want to talk computers. When you want to talk price. Call toll-free: 1800 233-8950.

Outside the U.S.A. 717 327-9575 Telex 5106017898 CMO. 477 East Third Street, Dept. A110, Williamsport, PA 17701 All major credit cards accepted

B·O·O·K R·E·V·I·E·W·S

CD ROM:

THE NEW PAPYRUS Steve Lambert and Suzanne Ropiequet, eds. Microsoft Press Redmond, WA: 1986 619 pages, \$21.95

PROGRAMMING PEARLS Jon Bentley Addison-Wesley Reading, MA: 1986 195 pages, \$14.95

ADVANCED UNIX PROGRAMMING Marc J. Rochkind Prentice-Hall Englewood Cliffs, NJ: 1986 265 pages, \$24.95

CD ROM: THE NEW PAPYRUS Reviewed by Paul E. Hoffman

Very few technologies come with their own fanfare before they are generally available to the public. The possibilities for CD-ROMs (compact-disk

read-only memories), however, have intrigued so many people that the announcements and pronouncements on their future have preceded their commercial use. Industry prognosticators often use phrases like "revolutionary medium" and "huge acceptance" when they discuss CD-ROMs.

CD ROM: The New Papyrus is a hefty collection of papers on all aspects of CD-ROMs, ranging from the technical aspects of how data is stored and retrieved to the commercial aspects of CD-ROM technology. The authors of the papers are active in the CD-ROM industry, and they speak with the authority and enthusiasm that you would expect from people in a cutting-edge field. Fortunately, The New Papyrus is not simply a glowing report of how wonderful the CD-ROM will be; it includes a number of



skeptical views and warnings about what needs to be done to encourage consumer acceptance of the product.

OVERVIEW

CD-ROMs are very similar to audio compact-disk players except that they hold data instead of music (for an extended discussion of CD-ROMs, see the May BYTE theme articles). A single CD-ROM disk can hold more than 500 megabytes of information, or half a billion characters of text. Unlike floppy disks, CD-ROM disks can be read from but not written to. These two features, huge storage capacity and no capability for modification. force hardware and software manufacturers to treat CD-ROMs very differently from current magnetic media.

The New Papyrus covers a wide latitude of subjects and is thus a useful reference both for people new

to the field and for those who already know something about it. Forty-five articles are arranged into sections by topic. The structure of the book makes it easy for readers to skip the familiar parts and get to the meat of each article. While some articles are highly technical, many are simply theoretical discourses on the future of CD-ROMs.

The book's introduction offers a useful overview of the current state of the CD-ROM industry. It includes a fascinating article by Vannevar Bush, written in 1945, that predicted the technology of the CD-ROM medium before computers were even commercially available. The second section on the CD system covers the nuts-and-bolts technical issues of CD-ROM hardware and file systems.

Other sections of The New Papyrus cover the steps in-

A REAL

Clocksin & Mellish Prolog for BOTH major microcomputing operating systems with full cross-compatibility.

Complete with the predicates necessary for POWER AI programming: op () name () functor () clause () = .. ("Univ") ... And no constraining data typing.

Floating point Step-by-step tutorial

Math functions Integrated editor



Extensible overlay library, 8087 support, large memory model (up to 640K)



Complete Macintosh environment with extensive pull-down menus and dialogue boxes.

No Risk Offer: Examine the PROLOG/i or PROLOG/m documentation at our risk for days. If not completely satisfied, return with disk still sealed for refund. - 30

APPLICATIONS-Complete with SOURCE CODE

NFL X-pert

A true interactive expert system written by a professional knowledge engineer. A valuable learning tool for any Prolog programmer interested in using Prolog to develop expert systems

TOOLBOX

2995 More than 50 subroutines that speed and compress list handling, searches, sorts, and reversal algorithms. An inside look at the tricks of the professional Prolog programmer.

TOYBOX

Written by an academician to help his students understand Prolog, this collection of puzzles and mind-teasers will illustrate how the Prolog programmer creates programs that find the best solution to the problem. Turn your computer into a super reasoning machine!

System Requirements: Minimum 256K RAM

(320K recommended) PC DOS/MS-DOS ANSI Standard Support

Minimum S12K Macintosh Macintosh-plus and HFS Compatible SAVE 10% when you buy either PROLOG/i or PROLOG/m and all 3 applications.

CHALCEDONY

5580 LA JOLLA BLVD.

SUITE 126 B LA JOLLA, CA

(619) 483-8513

92037

SOFTWARE, INC.

PHONE ORDERS: 1-800-621-0852 EXT 468 -

\$4995

2995

\$

5

- PAIMENI ENCL	OSED %	_	PROLOG/i PROLOG/m	\$99.95 W
	dents add 6 to sales tax D MasterCard	🗆 Visa	Check: MS-DOS NFL X-pert	Mac [] 49.95 []
Card No	Exp. Date		TOOLBOX TOYBOX Complete	29.95
Signature			Pack SHIPPING	188.82
Addeses	(please print full name,)	\$ 5.00 U.S. 7.50 Canad 10.00 Carribe	ean,
City/State/Zip			Hawaii 20.00 Overse	
		Inquiz	v 60 for End-	leere

66 BYTE · OCTOBER 1986

Inquiry 6I for DEALERS ONLY.

BOOK REVIEWS

volved in producing a CD-ROM (it's significantly more complicated than producing a floppy disk) and designing the data that goes on CD-ROMs. The authors of these sections explain in great detail the salient features of CD-ROMs that must be addressed before you can create a CD-ROM. Even though CD-ROM disks contain much more information than floppy disks, it takes longer to find information on a CD-ROM drive than with even an inexpensive floppy disk drive. This means that manufacturers must spend a great deal of time analyzing the best way to arrange the information on the disk before putting their data on a master for duplication. On the other hand, this necessity means that you can arrange data "neatly," which is more difficult on media like floppy disks.

The book's final sections cover the future of CD-ROMs in publishing and other applications. The publishing section discusses the importance of computer display technology to the public acceptance of CD-ROMs, since most people are happier with books on paper than on a computer screen. Most of the applications in the last section discuss CD-ROMs as giant databases for specific fields such as library science, medicine, and law. The use of CD-ROMs in vehicle navigation suggests the unexpected places that we may find CD-ROMs in the near future.

COVERAGE

Since almost every author represented in The New Papurus works in the CD-ROM industry, you might expect all the articles to paint a rosy picture of the future of CD-ROMs. That is not the case, although many authors chose to ignore some of the major technical difficulties of CD-ROMs. The first two sections of the book were especially well balanced with respect to the strengths and weaknesses of the medium.

The technical articles go into great detail about both hardware and software. Instead of glossing over the technical points, The New Papyrus presents detailed descriptions of the servo systems and optics of the CD-ROM readers. The book also covers many system-level software issues such as error detection and correction and how to design file systems that exploit the medium's strengths while minimizing its weaknesses. You may find that the 60 pages of technical information alone are worth the price of the book. Other sections also contain technical detail that many readers are unaccustomed to in a book that is supposed to be an overview of a new technology. For example, the article on cartographic databases includes the data structures for the maps that the authors describe.

Another example is the article on compressing digitized images; the author ably describes the technical problem and solution to getting as many images as possible onto a CD-ROM disk. Unfortunately, other authors ignored the technical aspects of the system when they wrote their articles and ended up describing systems that would be excessively slow and clunky due to the long seek time of CD-ROM readers.

You may find The New Papurus interesting reading if only to see the discrepancy between some of the suggested (continued)

THE PROFESSIONAL'S CHOICE

Lotus	Paradox	dBase		neWork	MultiM	late	Word	
1-2-3		Plus	3	II	Advant		Perfect 4	1
\$319	\$469	\$38	9 \$2	589	\$26	9	\$209	
					_			
Software	Spreadsheets/ Integrated Packages	C		\$179 GE	lay Boards	\$239	AMDEK 310A	\$159
Word Processing Editors FANCY FONT	\$139 FRAMEWORK II	\$389 C	86 C COMPILER	\$319 C	RCULES GRAPHICS	\$199	NEC MULTISYNC	\$529
FANCY WORD FINAL WORD II	\$109 JAVELIN \$219 LOTUS 1-2-3 \$279 MULTIPLAN	\$319 L	ATTICE C	\$269 (RCULES COLOR CARD RADISE MODULAR	\$159	PRINCETON HX-12 PRINCETON MAX-12E PRINCETON SR-12	\$449 \$179 \$499
MICROSOFT WORD 3.0 MULTIMATE	\$279 MULTIPLAN \$219 OPEN ACCESS SMART SYSTEM		ICROSOFT C	C	GRAPHICS	\$259 \$369	PRINCETON HX-12E PRINCETON HX-9	\$539 \$529
MULTIMATE ADVANTAGE OFFICE WRITER/	\$269 SPREADSHEET AUDITOR	\$ 99 M	SFORTRAN	\$249 SIC \$229 SIC	GMA EGA 350 GMA COLOR 400	\$379 \$449	SAMSUNG TAXAN 122 AMBER	\$Call \$159
SPELLER	\$239 SUPERCALC 3 \$ 89 SYMPHONY	\$449 Q	UICK BASIC	\$ 65 TE	B EGA PLUS CMAR GRAPHICS	\$339 \$399	TAXAN 630/640. \$	169/539
THINK TANK	\$259 TWIN \$109 Network Applications	T	URBO PASCAL	\$ 49 TS	AASTER ENG ULTRA PAK ENG ULTRA PAK-S	\$429 P	rinters/Plotters BROTHER TWINWRITE	R \$939
VOLKSWRITER 3	\$ 65 DBASE III LAN PAK \$159 KMAN 2	\$639 X \$899 Z	ENIX	\$Call	lation Boards		DATAPRODUCTS DIABLO 635	\$Call \$1149
VOLKSWRITER SCIENTIFIC WORD PERFECT 4.1	MICROSOFT WORD \$259 MULTIMATE \$209 MULTIMATE		counting	AS	T 5251-11 + T 5251-12	\$499	EPSON FX-85 EPSON FX-286	\$399 \$549
WORDSTAR 2000 WORDSTAR 2000+	\$249 ADVANTAGE \$289 OPEN SYSTEMS	\$749 G	REAT PLAINS	\$479 AS	T BSC	\$599	EPSON HI-80 EPSON CR-420 I EPSON LQ-800	\$349 \$1569 \$589
WORDSTAR PRO	\$259 R BASE 5000 \$239 REVELATION	\$799 0	JS EASYBUSINESS INE WRITE PLUS IPEN SYSTEMS		MA IART ALEC 5251		EPSON LQ-1000 HP 7475A	\$729 \$Call
Database Systems	SAMNA WORD III WORD PERFECT	\$450 P	EACHTREE EAL WORLD	\$259 Mod	iems TREACH 1200	\$359	NEC 3550 OKIDATA 182	\$799 \$249
CLIPPER CONDOR III	\$359 Desktop Environments \$339 DESQVIEW		TAR ACCOUNTING PARTNER II	eren HA	YES 1200 YES 1200B	8000	OKIDATA 192 OKIDATA 193	\$379 \$519
DBASE III PLUS KMAN 2 PARADOX	\$339 MS WINDOWS GEM DESKTOP	\$ 69 \$ 69 \$ 39		HA	YES 2400 YES 2400B	\$579 \$549	OKIDATA 292 OKIDATA 293 TOSHIBA P321	\$539 \$589 \$565
PFS: FILE/REPORT PLEASE!	\$169 SIDEKICK \$99 Project Management	\$ 39 H	lardware		ANSNET 1000 NTEL 1200	\$279	TOSHIBA P341 TOSHIBA P351	\$829 \$1069
Q & A QUICKCODE III	\$219 HARVARD TOTAL \$159 PROJECT MANAGER		Ititunction Boards	VE	HALF CARD NTEL 1200 PLUS ATSON	\$300		
QUICKREPORT R BASE 5000	\$359 MICROSOFT	\$240 A	ST ADVANTAGE (128K) ST I/O MINI	\$349 \$139 Mag	s Storage/Backup	4339 II	IDUT Devices	\$179
REFLEX	\$499 PROJECT SCHEDULER NETWORK	\$339 A	ST 6 PAK PLUS (64K)	100	MEGA 10+10 W/INTFC	1999 2599	KEYTRONIC 5153 MICROSOFT MOUSE PC MOUSE/PAINT+	\$299 \$129 \$139
Graphics CHARTMASTER	QUICKNET 500 SUPERPROJECT + \$219 TIMELINE 2.0	\$269	ST 6 PAK PREMIUM (512K) ST RAMPAGE PC	\$359 IR	WIN 120D 20MB TOU WIN 145AT 40MB TOU	\$599 \$699	TO MODULITAILTY	
DIAGRAPH DIAGRAM MASTER	\$219 TIMELINE 2.0 \$309 \$199 Communications/	A	ST RAMPAGE AT ST SHORTRAM (0K)	\$459 MG \$159 DI	OUNTAIN DRIVECARD 20MB .US HARDCARD 10MB	\$719 \$569	CCESSORIES	\$Call
ENERGRAPHICS 2.0 FREELANCE	\$339 Productivity Tools \$209 CARBON COPY	\$120	OLD QUADBOARD (0K)	\$279 PL	US HARDCARD 20MB	\$719 \$949	CURTIS SURGE PROTECTORS	SCali
GEM DRAW GRAPHWRITER	\$149 CROSSTALK PROKEY	\$ 85 1	NTEL ABOVEBOARD AT NTEL ABOVEBOARD PS (64K)	\$120 SY	SGEN SMART IMAGE	\$625	DATASHIELD BACKUP POWER DATASHIELD SURGE	\$Call
COMBO IN-A-VISION MAPMASTER	\$299 RELAY GOLD \$259 REMOTE \$239 SMARTERM	0103	RAM AT-3 (OK) RAM 3 (OK)	\$239 TA	LLGRASS	\$Call	PROTECTORS GILTRONIX SWITCHES	\$Call \$Call
MS CHART PC DRAW	\$189 SMARTCOM II \$209 SUPERKEY	\$ 99 0	ORCHID CONQUEST	\$279 TE	(INT) CMAR QIC-60H (EXT)	\$1199 \$1599	MASTERPIECE PLUS MICROFAZER INLINE	\$135
PC PAINTBRUSH PFS: GRAPH	\$ 99 \$ 89 Statistics	P	DÀCHID ECCEL (0K) C TURBO 286 (1MB) C TINY TURBO 286		works	\$Call	BUFFERS 256K RAM SET 8087 MATH CHIP	\$Call \$39 \$135
PICTURE PERFECT GRAPHICS PRINTSHOP SIGNMASTER	\$245 SPSS/PC+ \$49 STATGRAPHICS \$149 STATPAC GOLD-	\$449 0	UADBOARD (64K)	\$139 NO	OVELL RCHID PC NET	\$Call \$Call	80287 MATH CHIP	\$199
WINDOWS/DRAW	\$119 WALONICK SYSTAT-NEW	\$399 \$499	(0K)	\$219 30	COM	\$Call *	CALL FOR SHIPPING C	OSTS
NEC	Mountain	Quadra	How	s 12001			IRMA	
Multisync	Drivecard 20	EGA		/2 Card	JRAM A	Δ Τ-3	Board	
-			10		\$23			
\$529	\$719	\$36	9 14. 4	349			\$799	
CALL FOR SHIPPING C	COSTS				_			
	NNI	LOW	EST PR	RICE	C	1	8	
~ NW	Nº L		ARANTE		tre	e: †		-
COI COI	EE a K				J •		S XE	2
	ping 🔶		vill match cu onally adver		Disk		\$ c0	1
	edit card aid orders	nrices	on most pro	aducte	Libra			TRY
or prepa	aid orders	Cal	and compa	are	Case	our or	der	7/
and all orde	aid orders over \$1000	Oui	r and oomp	uro.	with y	our or	uer	9
1		1.	DMC		NCC	-		
		- (J'C	22.1			
× 🖊			In New Y	ork Sta	ate call (718) 438-	-6057	
TERMS Checks-allow 14 days to	clear. Credit processing-add 3%	COD ordere		0	6	2		
M.O. or certified check-a	add \$5.00. Shipping and handling I	JPS surface-	add \$3.00	2	1Ca II	0		
All prices subject to change	per item). NY State Residents-ad ge.	u applicable s	ales tax.	16	REPP	OI IF		
			(/	NC				
	MON,-THURS. 9:	00 AM-8	B:00 PM 🚺	19	Softline C	orpora	tion	
MosterCore VISA	SUN. & FRI. 9:00			- 1	P.O. Box 72 TELEX: 4210	9, Broo	oklyn, N.Y. 112	30
				-	FAX: 718-97			BYT-

BYT-1

FAX: 718-972-8346



William F. BUCKley, Jr.," editor of National Heview, writer and political commentator famous for his way with words, says: "Your Word Finder has changed my life! I never used to use a thesaurus...the speed is incredible, the wit of its arrangements marvelous."

PC Week agrees: "A huge synonym list...the intelligence of the word-list [makes it] a genuinely useful business tool."

Finding the **RIGHT** word and finding it **FAST** can mean the difference between success and failure, in business or anywhere.

More words. OVER 220,000 SYNONYMS. 4x the competition. Easier to use. • Not copy-protected • A more contemporary vocabulary • Uses only 31K of memory • Works with 24 popular word processors (see list below) • Best price performance. Write better memos, make better speeches, expand your vocabulary.

(Students improve SAT test scores.) Get your way with words.

COMPATIBLE WORD PROCESSORS: DisplayWinle 3. Easy, Easy Writer II. Einstein-Winler, Framework, 18M Winling Assisten LeadingEdge.Microsoft Word, Multimete, Norton Editor, OfficeWinter, Palaniik, PrstWinte, Practiword, Ready, Sichekck, SuperWinter, Think Tank, Wolkswinter Dalure, Word Perfect, Wordstar 2000. and XywWite III

Company
-
Sireel
Zip Phone

applications and the limitations of the medium. It is clear that many authors were enamored of the **capacity** and ignored the access-speed problems. Only a few of the articles address how the CD-ROM will fit in with the current state of computers where users expect to be able to save information in their own formats for future use. Some authors assumed that consumers would want to be able to access vast quantities of data on a computer, while others noted that the assimilation of computers has already slowed and that the expected boom in electronic publishing has failed to materialize to the extent predicted a few years ago.

The New Papyrus describes the important features of CD-ROM use. A great deal of space is devoted to a discussion of how the user will interact with such a large quantity of data. Appropriate warnings are given to people designing CD-ROM applications: If they do not do a great deal of planning, their products will go unused. Since many of the proposed applications for CD-ROM technology involve people who haven't used computers before, the user interface for handling such a huge amount of data will be very important.

Some of the articles go off on tangents that detract from the overall quality of the book, but they are easy to skip. Most of the book is well grounded in facts and concepts that the readers can use. One criticism, though, is that the authors' biographies are at the end of the articles instead of at the beginning. Many articles describe commercial products, and it is disconcerting to find at the end of an article that some of the products described are produced by the author's company. While some authors are candid about their company affiliations, others slip in references to their products without indicating their legitimate biases about them. The skeptical reader should read the author biographies before reading the articles.

SUMMARY

CD ROM: The New Papyrus contains enough information to give any reader an in-depth view of the CD-ROM market. Considering how few CD-ROM players are in commercial use, this collection covers an incredible amount of information from a wide variety of sources. It will be a valuable reference over the next few years as CD-ROM technology matures.

Paul E. Hoffman (2000 Center St., Suite 1024, Berkeley, CA 94704) writes and edits books. He holds two degrees from MIT, and he is the editor of 'Text In Computers, a new scholarly journal.

PROGRAMMING PEARLS Reviewed by Michael O'Neill

Jon Bentley's column "Programming Pearls" has appeared in the journal Communications of the Association for Computing Machinery (CACM) since 1983. This popular feature presents interesting and useful programming tech-

In*a*Vision "a marvelous little CAD system"

Listen To What The Critics	Are Saying About In*a*Vision	PC Magazine
PC Week	September 1985	
"Stands out from the crowd."	"It has the makings of a winner."	
InfoWorld	February 1986	
"In*a*Vision is very easy-to-	learn and easy-to-use."	
PC Magazine "Fast, accurate and fun to use	March 1986 ." "Excellent template system."	
Computer Buyers Gui "A remarkable value." "Fast		
Power. Versatility. Ease. All of these add up to perform- ance. And performance is what In*a*Vision is all about. Power! "What surprised us was how fast In*a*Vision works."	"The spooling mechanism is a real timesaver." PC Magazine "The system is ideal for the kind of fine detail work that engi- neers, draftsmen and designers demand." Computer Buyers Guide	"In*a*Vision is so easy to learn that its menu bar will tempt you to begin using it without even reading the documentation." "The program's use is intuitive." InfoWorld Order Now!
PC Magazine "Even complex command		1-800-272-3729 Yes, I want to improve my CAD performance
sequences are generated with lightning speed." "This is arguably the first piece of software that fully utilizes the power of the AT." Computer Buyers Guide	IEI) IE-72.00:0-80.0 Солонисти IC-5 IE-72.00:0-80.0 Голонисти Голонисти IC-5 IE-72.00:0-80.0 Голонисти Голонисти IC-1 IE-72.00:0-80.0 Голонисти Голонисти IE-72.00:0-80.0 IE-72.00:0-80.0 Голонисти Голонисти IE-3 IE-72.00:0-80.0 Голонисти Голонисти IE-200:0-77.00:0-80.0 IE-72.00:0-80.0 Голонисти Голонисти IE-200:0-77.00:0-80.0 IE-72.00:0-80.0 IE-72.00:0-80.0 IE-72.00:0-80.0 IE-72.00:0-80.0	i es, i wanto implove inj CAD performance with In*a*Vision. Please send me copies at \$495 each. Optional Clip Art library (two diskettes) copies at \$39.95 each. I enclose: Check Money Order Credit Visa MasterCard Card: Amer. Exp.
	Ease!	Name
	"An hour with In*a*Vision and even the most devoted MAC fan will be a convert." PC Magazine	Company Name Address City
	"The program is quickly mas- tered; intuitive quickness is what this system is all about."	State Zip Country
Versatility! "In*a*Vision's text provisions are flexible and impressive."	"The program's ease-of-use and speedy execution allow you to concentrate on design" Computer Buyers Guide	Credit Card No. Exp. Date Send to: MICROGRAFX, Inc. 1820 N. Greenville Ave. Richardson, TX 75081 In Texas: 214-234-1769
This advertisement was created with In*a*Vision and output at 300 DPI.	MICROGRAFX The Picture of Success	Runs with or without Microsoft Windows on two-floppy or hard disk IBM PC or compatible with 320K; hard disk and 512K recommended.

The Picture of Success

ONE SIMPLE QUESTION CAN MAKE YOUR PC CLONE A GOOD INVESTMENT...


is the power supply a FORTRON®?

Your PC represents a substantial investment, it does not make sense to risk costly downtime or system failure due to the use of a so called "BARGAIN" power supply.

At Fortron we insist on quality and reliability that is what earned us a full U.L. rating, and why we feel confidence in offering our warranty, as well as technical support.

Invest in the best and you will be delighted at how little it cost to be powered by FORTRON®

PROFITABLE DISCOUNT PRICES FOR DEALERS & SYSTEM INTEGRATORS AVAILABLEI



FC 5192 PC AT (200W) \$189.00





PC XT SIDE SWITCH 150W MAX. \$129.00

- U.L. recognized, file #E-IOI115(s)
- Meet European safety spec.
- II5/230 AC convertible
- Low noise DC fan
- Good for up-grading PC or replacement to original PC power supply.

FORTRON 3225 SELDON CT.

REAR SWITCH (130W) \$109.00

PC XT

- OVP. OCP. short circuit protection
- IBM® standard pin-out or Faraday
- Type pin-out selectable · 100% 24 hrs burn-in, 100% preshipping test. One full year
- warranty. • Meet FCC class B.

ORDERS ONLY: (800) 821-9771 IN CALIF .: (415) 490-8171 FREMONT, CA 94538 TELEX: 559291 FORTRON U.D. niques gathered from a variety of sources: journals, programmers' folklore, the author's own experience, and that of his friends and correspondents. Programming Pearls consists of revised and expanded versions of thirteen of these columns.

AMPLE CHOICE

Bentley usually presents more than one application of each technique; Column 2 and Problem 2.2, for example, explain some not widely known applications of the widely known binary search technique. Bentley often presents more than one way of solving a given problem as well. For instance, in Column 11 he shows five different ways to perform one task, and he details the conditions under which one or another approach would be superior.

Programming Pearls contains some awfully clever tricks. My favorite is the combination of tricks that is used to store the dictionary for a commercial spelling checker program. Doug McIlroy, the program's author, managed to store 75,000 English words in 52K bytes, less than a fifth of the space required for storing the dictionary as ASCII characters. (Sorry, I don't have the space here to tell you how he did it.) Column 2, "Aha! Algorithm." and its associated problem set contain several very clever tricks, too. There are many more. But Bentley does not present cleverness for the sake of cleverness; each of his tricks provides increased efficiency, comprehensibility, or both.

The book, however, is not just a bag of tricks: Bentley has tried, with some success, to organize his material into a coherent whole. While there may be many books on programming, there are few collections of tricks of the trade. Programming Pearls is the best collection I've seen.

STRUCTURAL SCHEMAS

The book is divided into three parts: "Preliminaries," "Performance," and "The Product." The first section contains material dealing with what might be called pre- and postprogramming issues. Here Bentley offers program planning and verification techniques. "Performance" contains the columns that concern ways of producing efficient programs. "The Product" consists of four columns in which Bentley presents applications of the previously given techniques to more involved programs such as the spelling checker. This organizational scheme is very approximate; there is considerable overlap of material from section to section, and the assignment of columns to sections is somewhat arbitrary.

Bentley imposes a second form of organization by highlighting certain motifs that recur throughout Programming Pearls. Each column includes a section called "Principles" in which the author lists the motifs that appear in the column. Some of these motifs are programming techniques such as binary search; others are general principles such as "Keep it simple" and "Work on the right problem." This organizational scheme effectively links the individual columns together and is more successful than the previously mentioned three-part schema.

Bentley includes a section of hints and solutions to (continued)

Inquiry 112 for End-Users Inquiry 113 for DEALERS ONLY.

Powerful MS⁻DOS Software. For the IBM® - PC, XT, AT & others with generic MS-DOS/PC-DOS 2.0 or higher.





COBOL

Whether student, teacher or professional programmer, this is the one you've heard so much about.

- □ It's easy to use. Compiles 5000 statements on a 128K machine.
- 170 clear error messages, i.e. DATA-NAME IS MISSING OR MISSPELLED.
- Distribute your object code programs royalty free.
- □ Small object code programs conserve disk space.
- Fast compile times to increase programmer productivity. Over 25 times faster than one compiler costing \$995!
- You get a diskette and 213-page manual with lots of examples and 16 complete COBOL source code programs. \$39.95.

Also available: COBOL Application Packages, Book 1 \$9.95.



- 14-digit precision, BCD math, no round-off errors with decimal arithmetic for business and floating point +63 -64 for scientific.
- A very nice TRACE style debugging.
- Arrays up to 8 dimensions and 64K strings.
- External procedures and functions with dynamic auto-loading.
- One-step compile, no assembly or link required.
- □ You get a 132-page manual and diskette. \$39.95



- Perfect for industrial training, office training, drill and testing, virtually all programmed instruction, word puzzle games, and data entry facilitated by prompts.
- John Starkweather, Ph.D., the inventor of the PILOT language, has added a built-in full-screen text editor, and much more.
- Meets all PILOT-73 standards for full compatibility with older versions.
- You get a diskette, 125-page manual and ten useful sample programs. \$39.95.

Also still available for 8-bit machines with CP/M[®] is our world famous Nevada Software Series used by 50,000 customers in 40 countries. These include Nevada COBOL, Nevada FORTRAN, Nevada PASCAL, Nevada PILOT, Nevada BASIC and Nevada EDIT. **\$39.95** each.

Satisfaction guaranteed. If for any reason you're not completely satisfied, just return the package within 15 days in good condition, and we'll refund your money.

IBM is a registered trademark of International Business Machines Corp. CPIM is a registered trademark of Digital Research. MS is a trademark of Microsoft Corp. $\textcircled{\sc Corp.}$ 1985 Ellis Computing, Inc.

FORTRANTM

- FORTRAN IV based upon ANSI-66 standards.
- □ Very fast compile times and easy to use.
- □ IF .. THEN .. ELSE constructs.
- Chaining with blank and named common.
- Copy statement.
- □ ENCODE and DECODE.
- Free-format input and output.
- A very nice TRACE style debugging.
- □ 150 English language error messages.
- You get a diskette, and 223-page manual. \$39.95



- A character-oriented full-screen video display text editor designed specifically to create COBOL, FORTRAN and PASCAL programs.
- Only requires 15K disk space so it can fit on the same disk as your compilers.
- Completely customizable tab stops, default file type, keyboard control key layout and CRT by menu selection.
- Diskette comes with easy to read 58-page manual. \$39.95.



- □ This interpreter has a built-in full-screen editor.
- Single- and Multi-line user definable functions.
- BCD Math- no round-off errors.
- Full Matrix operations.
- You get 220-page manual and diskette. \$39.95.


Handling/Shipping: No shipping charge within US. Overseas add \$10 for first package, \$5 each additional. Checks must be in US Dollars, drawn on a US bank.

Utah Software requires 128K RAM and PC-DOS or MS-DOS 2.0 or higher.

HOW TO ORDER. Send check or money order to Ellis Computing, Inc. with VISA or MASTERCARD order by phone. Sorry no COD's.



NOW POWERFUL WITHOUT POWE



A typical DBMS user's screen, after the 497th line of code.

ith most database management software for the IBM PC family and compatibles, you're quickly confronted with a painful reality: the only way to make your package live up to its promise is to learn its programming language. Which can take months. Then you have to write the code, line after frustrating line.

But now, there's R:BASE[™] System V. And for the first time, you can quickly create programs that automate your most important data management tasks. Without programming.

Of course, with R:BASE System V, you can enter, query, and report on data in a nonautomated, ad hoc fashion. Without programming. And there's a high-level procedural language for programmers. But that's just the beginning.

R:BASE SYSTEM V. IT GIVES NON-PROGRAMMERS POWERFUL PROGRAMS.

With the EXPRESS System in R:BASE System V, you can access powerful features, without programming, that other data management software can't touch. With Definition EXPRESS.
 SELECT ALLFROM callrpt SORTED BY calldate WHERE

 —Choose an operator to combine conditions—Choose (Done) when done-AND OR AND NOT OR NOT (Done)

 QR
 district

 Column
 Operator

 Value

 district
 EQ

 DR
 district

 EQ
 Boston

 NDD
 calldate

 AND
 calldate

 AND
 comment

 Contains
 American Bahing Company

An R:BASE System V Prompt-By-Example (PBE) screen. With PBE's query capabilities, you can retrieve just the information you need. Without programming.

you can build a database structure with advanced features like computed columns, and *searchable* note fields. VIEWS that combine up to five tables in a single, powerful table. Data validation rules that check incoming data for errors. All without programming.

Then you can use Forms EXPRESS to create customized data entry forms. The forms you create can load data into five different tables, linked in One-To-Many relationships. You can also include scrolling regions, custom borders, and custom colors, all without programming.

And with Reports EXPRESS, you can design reports exactly the way you want. And see what they'll look like, right on the screen. To see how complex your reports can be, take a close look at the example at the end of this page.

Finally, you can tie it all together with Application EXPRESS. First, you design your own multilevel system of menus. Your first menu level might look like this:

Aunt Betty's Sales Reporting System
(1) Enter Sales Data
(2) Edit Sales Data
(3) Print Daily Sales Report
(4) File Processing
(5) Exit

For each menu choice, you assign an action. For example, to define

	ion date: 6/23/86			Date 6/25/86
	r number: 666			
	Address: 4092 Lity, State, Zip: Dryde	dy Shopper, I Industrial W In, New York 555-0661	ay	
Stock .	Brand	Qty.	Price	Extended Frice
207	Bake-A-Batch Cooki	es 93	2.00	186.00
308	Peanut Butter Crunc	h 100	2.50	250.00

A data entry screen designed without programming, using Forms EXPRESS.

menu choice #3, choose the action "PRINT," select the report you just created in Reports EXPRESS, and specify the appropriate data sorting and selection criteria. Then Application EXPRESS automatically writes the program code.

Which means you've just created a very sophisticated program to deliver the full power of your DBMS. And you've done it all without learning how to program. From this point on, every time you want to run a report, all you do is choose item #3. With one simple keystroke, you've got it.

R:BASE SYSTEM V. IT GIVES PROGRAMMERS A POWERFUL ENVIRONMENT.

If you're an experienced programmer, you can use R:BASE System V to tackle the most demanding applications. You can use Application EXPRESS to create prototypes faster than with any other microcomputerbased DBMS.

There's a high-level procedural language, and a full set of relational operators that can leverage up to 80 tables, all of which can be open at once. While you're racing along, a data dictionary

DBMS PROGRAMS RFUL DBMS PAIN.

keeps track of the action. Automatically.

For demanding analyses, there's a set of 70 math, statistical, financial, scientific, and string manipulation functions. You also get more capacity for your data. Comprehensive menu-driven import/export capabilities. Superior relational power. And much, much more.


THE MOST POWERFUL DBMS FOR ONE USER OR A WHOLE NETWORK— ALL IN ONE PACKAGE.

In addition to its standalone personal computing power, R:BASE System V has all the features you need to share data on a local area network (LAN) built right in. When you're ready to network—now or later—this is the only DBMS package you'll ever need. And no matter how many users you add, you'll never have any growing pains. Because an unlimited number of users, attached to a LAN, can access R:BASE System V.

SEE FOR YOURSELF: \$15.95.

We're confident you'll find R:BASE System V the shortest distance to your data management solution. Visit your computer dealer for a trial run. Or, if you prefer, we'll send you a Trial Pack

NEW R:BASE SYSTEM V



for only \$15.95, plus shipping. It's a fully functional, row-limited version of R:BASE System V. Just call 1-800-547-4000, Dept. 969. In Oregon or outside the U.S., call 1-503-684-3000, Dept. 969.

What if you already own R:BASE 5000? If you bought your copy before June 30, 1986, you can trade it for the full power of R:BASE System V. For only \$99. (Offer expires January 31, 1987.) Just give us a call at 1-800-248-2001. Outside the U.S., call 1-206-885-2000. A program to print this report daily, with a one-keystroke menu pick, was developed without programming using R:BASE System V's EXPRESS Technology. Whether you know how to program or not, R:BASE System V is the shortest distance to your data management solution.



Trademarks/Owners: Microrim, R:BASE/Microrim, Inc.; IBM/International Business Machines, Inc. © 1986 Microrim, Inc.



BOOK REVIEWS

selected problems and a catalog of the algorithms contained in the book (classified by type).

DIFFERENT APPROACHES

I have two suggestions about how to read this book. First, the epilogue, in which Bentley interviews himself, is the best summary of the purpose of the book and the themes that run through it; read it first. Second, each problem set has many practice problems closely related to the material in its associated column. Try to do each problem set before reading the column because it may be too easy afterward.

Jon Bentley has produced a fascinating collection of programming tricks. He obviously enjoys programming, and his enthusiasm and writing skill make this book fun to read as well as educational. By emphasizing recurring motifs, Bentley stresses techniques and rules of thumb that are of general usefulness for writing programs that are correct, fast, compact, and easy to understand and maintain. If you are a programmer who wants to improve the quality of the programs you write, *Programming Pearls* is well worth reading.

Michael O'Neill (2227 Dwight Way #4, Berkeley, CA 94704) has been programming computers for 20 years.

ADVANCED UNIX PROGRAMMING Reviewed by Brian Edginton

H ere, at last, is a book that can be put on the shelf next to definitive standards such as Kernighan and Ritchie's The C Programming Language (Prentice-Hall, 1978) and Kernighan and Pike's The UNIX Programming Environment (Prentice-Hall, 1984). Marc Rochkind has given us a technically coherent and complete guide to programming in the UNIX operating systems, System III, System IV, Berkeley 4.2, and XENIX. He has demonstrated the differences in programming techniques between the different systems and has conveniently included information relating specifically to XENIX.

SYSTEM CALLS

Most programmmers write applications for end users that require little, if any, direct or visible interaction with the operating system. In fact, most of the common operating systems other than UNIX require that system calls and operating system interfaces be written in assembly language, a skill few COBOL or FORTRAN programmers have or want. The UNIX operating system requires the full use of system calls to display its entire range and flavor. These calls give the programmer very fine control over the operating system and the functionality of the programs.

The chapters divide the system calls into logical groups. These include a review of fundamental concepts, file I/O, terminal I/O, signals, processes, and interprocess communication. The book concludes with a collection of miscellaneous system calls and two appendixes that contain a (continued)

If you think you can't afford a UNIX® system, we've got a \$160 surprise.

Turn your PC into a multi-user system.

Convert your IBM PC-AT (or compatible) into a multiuser/tasking UNIX work station-at absolutely the best price anywhere, any time. Based on the AT&T-certified UNIX System V/286, the MICROPORT SYSTEM VIAT is designed for use in virtually any computer environment, from office automation to software development.

Dynamic disk buffer allocation provides RAM disk performance for systems with large memory configuration,

Runs on virtually all PC-AT clones.

Binary compatible with the AT&T 6300 Plus UNIX System.

Super software-

development

environment

Over 200 utilities come standard.

Grep, awk, sort, split, cut, paste, vi and ed (and many more) now let you search and modify files, make use of electronic mail, emulate terminals, calculate electronically, convert data and publish.

SYSTEM V/AT is more than a look-alike. It was derived from AT&T's own UNIX System V release 2 iAPX286. It thereby contains standard System V features the competitors don't support, such as the powerful symbolic debugger, sdb, the shell-layering job-control facility and the F77 Fortran compiler, as well as programming tools such as ctrace, cflow, and bs. Also standard is File System Hardening which greatly reduces data loss in a power failure.

Want some more features?

- Console driver providing ANSI terminal . interface for monochrome, CGA, Hercules and EGA cards.
- Multiple Virtual consoles allow up to four virtual windows of operation.
- Record and File Locking ٠
- Supports the 286's 16 megabyte virtual address space and fully utilizes its other advance features.
- Supports all standard IBM drive types and most non-standard hard-disk drives.
- Requires only one hard-disk partition, and allows DOS to reside on the same hard disk.
- · Provides utilities to transfer files to-andfrom DOS file systems.

UNIX and DWB are trademarks of AT&T IBM and IBM PCAT are trademarks of IBM CORPORATION. SYSTEM VIAT is a trademark of MICROPORT SYSTEMS, INC.

Inquiry 198

We've provided everything: Make, yacc, lex, sccs, cflow, ctrace plus every standard System V software-development tool. The F77 Fortran compiler. And the AT&T Portable C compiler for the 286. Both C and Fortran compilers generate 287 instructions directly-for systems not containing 287 math coprocessors, a kernelresident IEEE-compatible 287 emulator is provided. The large-model code produced by the compiler is among the densest and fastest currently available.

So, how do we do it?

MICROPORT offers SYSTEM V/AT at a fraction of the price of the competitors simply because we build on the generic System V/286 product from AT&T. This entire utility package from the certified release has been copied directly to SYSTEM V/AT-without so much as a recompile. Not only does this mean that MICROPORT can offer SYSTEM V/AT at a remarkable low price, it also guarantees a level of quality present in few (if any) other UNIX-system implementations. (And, since our staff was part of the group that im-plemented the standard System V/286 port for Intel, MICROPORT can offer comprehensive support for the system, as well.)

And a dollar change

The price is even better than you thought. Order right away and we'll return one silver dollar just as rapidly, with your product shipment. (If you'd like a little more time we'll apply that dollar to the cost of a brochure-which we'll send right away too.)

90 DAY MONEY BACK GUARANTEE

)llar change

To order: Complete the information below. Your attractively-packaged and fully-documented order will be shipped within two weeks.

MICROPORT SYSTEMS, INC.

Subtotal:

TOTAL DUE:

4200 Scotts Valley Drive Scotts Valley, CA 95066 408/438-UNIX or 800/PC2-UNIX (outside CA)

	NAME
operation	TELEPHONE
\$160.00	ADDRESS
mplete I.	CITY
_ \$169.00 roff, spell	STATEZIP
_ \$169.00	COUNTRY
ickages	
\$439.00	CARD NUMBER EXP DATE
\$99.00	Send a brochure only and keep me on your mailing list, please.
ıl:);	122

I C R OP B



RUNTIME SYSTEM Includes the SYSTEM VIAT operation

SOFTWARE DEVELOPMENT SYSTEM The complete

TEXT PREPARATION SYSTEM Includes nroff, troff, spell

THE COMPLETE SYSTEM Contains all three packages

Shipping and handling charges (In the USA, \$14.00; in Canada, \$18.00; and in Europe, \$110, ...;

QUANT:

OUANT:

QUANT:

(CA residents add 6.5% tax per copy): _

Software Generation System for 286 development. QUANT: _____

system and over 200 utilities, for two users. QUANT: ____

OPTIONAL three to eight-user upgrade.

SYSTEM V/AT

and other programs.

indicated above.

П

BOOK REVIEWS

STATISTICAL PACKAGES

Complete, high-performance data-analysis software from:



Unbeatable power and flexibility for unbeatable prices!

1. **STATS-2[™]** (release 2.1): A complete, superfast statistical package. Can also be used as a statistical supplement for Lotus 1-2-3[™] and other spreadsheet programs. Runs on IBM[™] and compatibles, 256k, 2dd, 8087 support**\$149**

2. STATFAST-2[™] (release 2.1): The most powerful statistical package developed for the Macintosh[™] 128k/512k/Plus, 1dd......**\$119**

4. **PSYCHOSTAT-3[™]:** A complete statistical package, available for Kaypro[™] and all CP/M[™] computers, 1dd **\$99**

All of these statistical packages are user friendly and supereasy to use. They include the full range of basic statistical analyses (descriptive statistics, t-tests, correlations, crosstabulations, nonparametric statistics, and much more) and advanced multivariate statistics (comprehensive multiple regression with forecasting, general multifactor ANOVA/AN-COVA up to 5 factors including a covariate, repeated measures, contrasts, unbalanced designs, and more). All packages can handle **data files of unlimited size**, include flexible Data Editors with complex transformations and complete data-base management functions, and can access data files from spreadsheets, data-bases, and mainframes.

Ask for our statistical packages for other computers.



summary of subroutines and System V process attributes.

An excessive number of technical books on the shelves today spend an inordinate amount of time telling you "how to." There are books on programming and systems design that contain hundreds of lines of code but spend very little time explaining why and when to use the skills they teach. Advanced UNIX Programming goes beyond the normal how-to mindset and teaches the philosophy behind the different system calls. Rochkind very capably describes when to use the system calls that parallel each other in function and details the most common side effects of each call so that readers and programmers can decide which best meets their intended purpose and goals. This is very important when you are dealing directly with the operating system and when you want to avoid hours of debugging the results of an undocumented "feature."

TERMINAL I/O

Programming in UNIX involves the use of some complicated techniques to exhaust all the features available with a true multitasking system. And since this is still an evolving operating system, the ability to add or modify existing support and application programs that depend on the hardware peculiarities of new and enhanced peripherals is of primary importance to the systems programmer.

Terminal I/O is a complex topic that is handled very thoroughly in a chapter by itself. Terminal communications in UNIX take place through programs called device drivers. The user makes a request to the kernel for data transfer through a particular device, and that request is passed off to the appropriate device driver for processing, completion, and error detection and recovery if necessary or appropriate. This means the device driver must be very comprehensive and must fully use a great many of the available system calls.

The chapter on terminal I/O is indicative of the completeness and depth found throughout the book. With more than three structure types and 50 different flags to deal with in working with the typical communications line, the information is well presented and easily understood.

MULTITASKING AND PROCESSES

A full chapter is devoted to multitasking, one of the main features of the UNIX operating system. Two chapters are devoted to interprocess communication. Rochkind takes the reader through a tutorial on the environment and explains how to use system calls to read and write to the process environment, a feature that allows users to customize features of their shell. He also explains how to use other application programs that read environment variables.

Since almost everyone who uses UNIX is familiar with the shell and how it operates, the author demonstrates the system calls exec, fork in its various forms, and related calls by building a small shell. The detail and complexity of the shell and its features are developed and matured as more and more system calls are discovered. This is an excellent way to learn to use the system calls because it (continued)

The C for Microcomputers

PC-DOS, MS-DOS, CP/M-86, Macintosh, Amiga, Apple II, CP/M-80, Radio Shack,

MS-DOS, PC-DOS, CP/M-86, XENIX, 8086/80x86 ROM

Manx Aztec C86

"A compiler that has many strengths ... quite valuable for serious work'

Computer Language review, February 1985 Great Code: Manx Aztec C86 generates fast executing compact code. The benchmark results below are from a study conducted by Manx. The Dhrystone benchmark (CACM 10/84 27:10 p1018) measures performance for a systems software instruction mix. The results are without register variables. With register variables, Manx, Microsoft, and Mark Williams run proportionately faster, Lattice and Computer Innovations show no improvement.

	Execution Time	Code Size	Compile/ Link Time
Dhrystone Benchmark			
Manx Aztec C86 3.3	34 secs	5,760	93 secs
Microsoft C 3.0	34 secs	7,146	119 secs
Optimized C86 2.20J	53 secs	11,009	172 secs
Mark Williams 2.0	56 secs	12,980	113 secs
Lattice 2.14	89 secs	20,404	117 secs

Great Features: Manx Aztec C86 is bundled with a powerful array of well documented productivity tools, library routines and features

Optimized C compiler	Symbolic Debugger
AS86 Macro Assembler	LN86 Overlay Linker
80186/80286 Support	Librarian
8087/80287 Sensing Lib	Profiler
Extensive UNIX Library	DOS, Screen, & Graphics Lib
Large Memory Model	Intel Object Option
Z (vi) Source Editor -c	CP/M-86 Library -c
ROM Support Package -c	INTEL HEX Utility -c
Library Source Code -c	Mixed memory models -c
MAKE, DIFF, and GREP -c	Source Debugger -c
One year of updates -c	CP/M-86 Library -c

Manx offers two commercial development systems, Aztec C86-c and Aztec C86-d. Items marked -c are special features of the Aztec C86-c system.

Aztec C86-c Commercial System	\$499
Aztec C86-d Developer's System	\$299
Aztec C86-p Personal System	\$199
Aztec C86-a Apprentice System	\$49

All systems are upgradable by paying the difference in price plus \$10.

Third Party Software: There are a number of high quality support packages for Manx Aztec C86 for screen management, graphics, database management, and software development.

C-tree \$395	Greenleaf \$185
PHACT \$250	PC-lint \$98
HALO \$250	Amber Windows \$59
PRE-C \$395	Windows for C \$195
WindScreen \$149	FirsTime \$295
SunScreen \$99	C Util Lib \$185
PANEL \$295	Plink-86 \$395

MACINTOSH, AMIGA, XENIX. CP/M-68K, 68k ROM

Manx Aztec C68k

"Library handling is very flexible ... documentation is excellent ... the shell a pleasure to work in ... blows away the competition for pure compile speed ... an excellent effort

Computer Language review, April 1985 Aztec C68k is the most widely used commercial C compiler for the Macintosh. Its quality, performance, and completeness place Manx Aztec C68k in a position beyond comparison. It is available in several upgradable versions

Optimized C	Creates Clickable Applications
Macro Assembler	Mouse Enhanced SHELL
Overlay Linker	Easy Access to Mac Toolbox
Resource Compiler	UNIX Library Functions
Debuggers	Terminal Emulator (Source)
Librarian	Clear Detailed Documentation
Source Editor	C-Stuff Library
MacRam Disk -c	UniTools (vi,make,diff,grep) -c
Library Source -c	One Year of Updates -c

Items marked -c are available only in the Manx Aztec C86-c system. Other features are in both the Aztec C86-d and Aztec C86-c systems.

Aztec C68k-c Commercial System	\$499
Aztec C68d-d Developer's System	\$299
Aztec C68k-p Personal System	\$199
C-tree database (source)	\$399
AMIGA, CP/M-68k, 68k UNIX	call

Apple II, Commodore, 65xx, 65C02 ROM

Manx Aztec C65

"The AZTEC C system is one of the finest software packages I have seen"

NIBBLE review, July 1984

A vast amount of business, consumer, and educational software is implemented in Manx Aztec C65. The quality and comprehensiveness of this system is competitive with 16 bit C systems. The system includes a full optimized C compiler, 6502 assembler, linkage editor, UNIX library, screen and graphics libraries, shell, and much more. The Apple II version runs under DOS 3.3, and ProDOS, Cross versions are available.

The Aztec C65-c/128 Commodore system runs under the C128 CP/M environment and generates programs for the C64, C128, and CP/M environments, Call for prices and availability of Apprentice, Personal and Developer versions for the Commodore 64 and 128 machines.

Aztec C65-c ProDOS & DOS 3.3	\$399
Aztec C65-d Apple DOS 3.3	\$199
Aztec C65-p Apple Personal system	\$99
Aztec C65-a for learning C	\$49
Aztec C65-c/128 C64, C128, CP/M	\$399

Distribution of Manx Aztec C

In the USA, Manx Software Systems is the sole and exclusive distributor of Aztec C. Any telephone or mail order sales other than through Manx are unauthorized.

Manx Cross Development Systems

Cross developed programs are edited, compiled, assembled, and linked on one machine (the HOST) and transferred to another machine (the TARGET) for execution. This method is useful where the target machine is slower or more limited than the HOST. Manx cross compilers are used heavily to develop software for business, consumer, scientific, industrial, research, and educational applications.

HOSTS: VAX UNIX (\$3000), PDP-11 UNIX (\$2000), MS-DOS (\$750), CP/M (\$750), MACINTOSH (\$750), CP/M-68k (\$750), XENIX (\$750).

TARGETS: MS-DOS, CP/M-86, Macintosh, CP/M-68k, CP/M-80, TRS-80 3 & 4, Apple II, Commodore C64, 8086/80x86 ROM, 68xxx ROM, 8080/8085/Z80 ROM. 65xx ROM.

The first TARGET is included in the price of the HOST system. Additional TARGETS are \$300 to \$500 (non VAX) or \$1000 (VAX).

Call Manx for information on cross development to the 68000, 65816, Amiga, C128, CP/M-68K, VRTX, and others.

CP/M, Radio Shack, 8080/8085/Z80 ROM

Manx Aztec CII

"The had a lot of experience with different C compilers. but the Aztec C80 Compiler and Professional Development System is the best f've seen.

80-Micro, December, 1984, John B. Harrell III

Aztec C II-c (CP/M & ROM)	\$349
Aztec C II-d (CP/M)	\$199
C-tree database (source)	\$399
Aztec C80-c (TRS-80 3 & 4)	\$299
Aztec C80-d (TRS-80 3 & 4)	\$199

How To Become an Aztec C User

To become an Aztec C user call 1-800-221-0440 or call 1-800-832-9273 (800-TEC WARE). In NJ or outside the USA call 201-530-7997. Orders can also be telexed to 4995812.

Payment can be by check, COD, American Express, VISA, Master Card, or Net 30 to qualified customers.

Orders can also be mailed to Manx Software Systems, Box 55, Shrewsbury, NJ 07701.

How To Get More Information

To get more information on Manx Aztec C and related products, call 1-800-221-0440, or 201-530-7997, or write to Manx Software Systems.


30 Day Guarantee

Any Manx Aztec C development system can be returned within 30 days for a refund if it fails to meet your needs. The only restrictions are that the original purchase must be directly from Manx, shipped within the USA, and the package must be in resalable condition. Returned items must be received by Manx within 30 days. A small restocking fee may be required.

Discounts

There are special discounts available to professors, students, and consultants. A discount is also available on a "trade in" basis for users of competing systems. Call for information.

Inquiry 181



X is a required TM of Bel Exboratories, Latice TM Latice TM Faircom, Inc. (PriACT TM PHACT ASSOC., C) Deureong CAB TM Companie Innovations, Inc. (MACHTOSH: APPLE TM APPLE INC. PLIAC ASSOC AS

PC/VI

Full Screen Editor for MS-DOS (PC-DOS)

Looking for an Ultra-Powerful Full-Screen editor for your MS-DOS or PC-DOS system? Are you looking for an editor FULLY COMPATIBLE with the UNIX*VI editor?Are you looking for an editor which not only runs on IBM-PC's and compatibles, but ANY MS-DOS system? Are you looking for an editor which provides power and flexibility for both programming and text editing? If you are, then look no further because PC/VI IS HERE!


The following is only a hint of the power behind **PC/VI**: English-like syntax in command mode, mnemonic control sequences in visual mode; full undo capability; deletions, changes and cursor positioning on character, word, line, sentence, paragraph or global basis; editing of files larger than available memory; powerful pattern matching capability for searches and substitutions; location marking; joining multiple lines; auto-indentation; word abbreviations and MUCH, MUCH MORE!

The PC/VI editor is available for IBM-PC's and generic MS-DOS based systems for only \$149. For more information call or write:

Custom Software Systems P.O. Box 678 Natick, MA 01760 617-653-2555

The UNIX community has been using the VI editor for years. Now you can run an implementation of the same editor under MS-DOS. Don't miss out on the power of **PC/VI**!

*UNIX is a trademark of AT&T Bell Laboratories.



Advanced UNIX

Programming is an invaluable

aid in creating more efficient

programs.

exercises the programmer's skill and imagination in a learn-by-doing situation.

Although this book is directed toward experienced programmers who have already perfected their own bad habits, the style and consistency of the code examples will be a help to anyone who chooses to use this work as a guide or text.

INTERPROCESS COMMUNICATION

By the end of the fifth chapter, the author has covered most of the system calls used in programming and still has four more chapters to go. I say most because the calls used in interprocess communications are rarely implemented because of the lack of understandable documentation available before now.

Pipes are generally understood at a lower level because shell programmers have always been able to use the "!" symbol to connect the output of one program with the nput of another. In completing the shell started in the chapter on processes, Rochkind goes into detail on the construction and use of pipes. Bidirectional pipes are explained, along with examples of where a pipe can be used and several examples of where pipes should not be used.

FIFOs, semaphores, and shared memory are the advanced interprocess communications techniques that have been developed and carried across the System III and System V families. Communications that were developed for the Berkeley family are not as portable or as easily understood as AT&T's and are not covered in this book.

FIFOs are fancy pipes with names and attributes like files so that they can be used by different processes, and quite a bit of time is spent developing the proper use of FIFOs in a database management system application. The coverage of this topic is quite lively, and several primitives or functions are developed and supplied to the readers for their toolboxes.

I have covered only half the information in this **book**; its depth and comprehensiveness go farther. The information is presented with thought and humor, and the author displays a genuine understanding of the subject matter. There are exercises at the end of each chapter that can aid in developing skills in using system calls effectively. No matter what version of UNIX you work with, the information in Advanced UNIX Programming will be an invaluable aid in creating more efficient programs.

Brian Edginton (551 Ramona Ave., Salt Lake City, UT 84105) is a consultant for UNIX, XENIX, PC-DOS, and networking applications. ■

The Shape. Sharp. Sleek, And amazingly adaptable. The Genicom 1000 Series Desktop Printers. Ready for anything from business forms to spreadsheets; word processing to heavy-duty data processing. With letter quality printing at 100 cps. And data processing printing at 200 cps. Open the clamshell casing and look inside. Discover just how simple the future can be.

There's never bee a desktop printer like this before.

The Personality. IBM, "Epson," Diablo"-the Genicom 1000 can be all of these printers and more. Because we've built their personalities into plug-in cartridges. Changing personalities is as easy as changing your mind. Simply plug in the personality cartridge of your choice, and your Genicom 1000 is off and running. Working with almost any PC or software program you care to mention. Effortlessly.

Express your personality. With font cartridges that plug right into the front of the printer. Pick your type; you've got hundreds of fonts to choose from. Insert up to three cartridges at once, and vary type styles within the same document. The Design. The Genicom 1000 is the first desktop printer designed with common sense, right down to its built-in printer stand.

The unique design also makes paper loading faster and easier than ever before. Feed tractor paper straight through the bottom. Or from the rear. With Genicom's automatic, zero tear-off bar, no matter how you feed it, you'll never waste a piece of paper again.

When you want to print on letterhead, just feed single sheets of paper, typewriter style. You don't even have to remove the tractor paper.

But the 1000 Series was designed for more than ease of use. It was also designed for performance, Its 18-wire printhead delivers high resolution graphics and word processing printing that can only be called letter quality.

The Controls. Easy to adapt. Easy to use. And easy to control. With the Genicom 1000's front panel. total command is at your fingertips. Choose fonts, character spacing, line spacing, form length and print guality with the push of a button. No dipswitches. And no fumbling inside the printer.

The Track Record. When it comes to reliability, Genicom stands by its record. We've created a full line of printers: from desktop models to machines that print 800 lines per minute. Our printers have proven their rugged dependability performing for some of the world's largest corporations. Now we're ready to prove it to you. So stop by your authorized Genicom dealer today and ask for a demonstration of the new

1000 Series; the 1025 and the 1020 for wide column printing. We think you'll agree, these printers are a radical departure from the crowd. For the Genicom dealer nearest vou, call 1-800-437-7468. In Virginia, call 1-703-949-1170.



IBM is a registered trademark of International Business Machines Corp. Epson is a registered trademark of Epson America, Inc. Diablo is a registered trademark of Xerox Corporation.

Simply put: THE[™] highest quality and best value in computer products anywhere.

THE ™ MODEMS

100% Hayes compatible

This self-testing 1200 BPS modem comes

with auto answer, auto dial, auto redial and

THE[™] 1200 COM EXTERNAL

a built-in speaker. Retail Price \$161.25*



THE™MULTI 384

This multi-function card features 0-384K memory, a parallel printer port, a serial port for communications, a clock/calendar with battery backup, and a software bonus that includes RAMdisk and other utilities. Retail \$90.00



THE ** COLOR CARD

100% compatible with the IBM¹⁴ colorcard with display modes of 80x25 alphanumeric and 320x200 graphic. Retail Price \$75.00

Special Wholesale Price \$60.00*

THE ** 576K MEMORY +

Supports 0-576K of available memory and is compatible with all IBM[™] PC's. Retail \$46.25

Special Wholesale Price \$35.00*

THE "PRINTERFACE

Supports all text and graphics features and is fully compatible with third party software. Retail Price \$23.13



'All Items Subject to Availability—Prices Subject to Change TM—Registered Trademarks of IBM/Ast Research/ Microsoft/Hercules/Hayes



THE[™]1200 COM INTERNAL

Features auto answer, dial and redial, with a built-in speaker, RS 232-C serial port and PC Talk III. Retail Price \$148.75 $\,$



THE[™] 2400 COM EXTERNAL


Eight times the speed of a 300 BPS unit makes this 2400 Baud modern truly affordable, and we've made it truly compatible. With auto answer, auto dial, auto redial, and a built-in speaker with volume control. Retail Price \$346.25




THE™H720 MONO

This monochrome graphics card with printer port features 100% IBM™ and Hercules™ compatibility, at a fraction of their prices. Retail Price \$91.25







THE[™] 20MB HARD DISK

Featuring a half-height IBM™PC compatible internal 20MB disk drive, controller card, connecting cables and installation manual. Retail \$458.75

Special \$357.00*

THE™MULTI I/O

Feature for feature, **THE™** matches the AST™I/O+ and comes up a winner, with serial/parallel and game ports standard, (a second serial port optional), a clock/calendar, RAMdisk and print spooler. Retail Price \$75.00



THE[™]EGA PLUS

With 256K standard this 100% IBM[™] EGA and Hercules Graphics compatible card is ideal for high resolution graphics display of Microsoft[™] Windows, Lotus[™] and AutoCAD[™]. Retail Price \$283.75[•]

Special \$220.00*





THE[™]**PC** + **COMPUTER**


THE[™]PC + is compatible with all business, professional and personal software written for the IBM[™]PC. It will also enhance your productivity with its ability to switch to an 8 megahertz clock rate, enabling you to run your software twice as fast as the IBM[™] PC. **THE**[™] PC+ also comes standard with an "AT" style keyboard, correcting the inefficiencies found by IBM™on their regular PC keyboard. 256K standard (640K optional) on the mother board will allow you to run memory intensive programs such as Lotus 1-2-3, DBase III and Framework without adding extra memory cards. Plenty of power, with a 135 Watt source and lots of room for expansion

with 8 card slots is also standard. Base unit includes: 256K RAM, Computer with One 360K 5¼" Floppy Drive, Dual Turbo Clock Speed, 8 Expansion Slots, 135 Watt Power Supply, "AT" Style Keyboard, Full 1 Year Warranty and 45 Day Money Back Guarantee! Retail Price \$586.25*

Special Wholesale Ptice



All **THE** products in this special sale are offered thru







Thompson, Harriman and Edwards Computer Products Company Ltd.

THE MOST INCREDIBLE LIMITED TIME OFFER IN COMPUTER HISTORY, FROM THE [™] and PC NETWORK...

"THE PC + is well built and has enough company support behind it to make it a very attractive alternative to higher-priced competition."

PC LABS FIRST LOOK/AUGUST 1986

256K RAM, IBM [™] PC compatible, 360K 5.25" Disk Drive, Disk Drive, Turbo Speed, "AT" Style Keyboard

PC

Special Wholesale Price

\$469.00* for 640K System

Dealer Inquiries Call **THE**™at (312) 642-9626 319 West Ontario Street, Chicago, Illinois 60610

ΔΔΔ

NETWORK P **BUY HARDWARE AND SOFTWARE AT WHOLESALE +8%,** AND GET 14-30 DAY SOFTWARE RENTALS[†]...

Listed below are just a few of the over 30,000 products available at our EVERYDAY LOW PRICES! The Network carries products for Apple, IBM, CP/M and most other popular computer families.

1

(10.37)

(7.97)

(9.29)

GAMES & EDUCATIONAL SOFTWARE FOR YOUR APPLE // & MACINTOSH

GAMES & EDUCATIONAL SOF		for each title ordered from below.)	
	Wholesale	g for each the ordered from below.)	Wholesale
Arrays Home Accountant-Mac Only	\$42.00*	Penguln Graphics Magician	28.97*
Bluechlp Baron/Millionaire/Tycoon	23.66"	Penguin Pensale/Xyphus/Transylvania	
Broderbund Lode Runner, Choplitter Broderbund Print Shop	17.25° 24.75°	Professional Software Trivia Fever Pryority Software Forbidden Ouest	23.97* 21.00*
Broderbund Dazzle Draw	30.25*	Scarborough Master Type	22,77*
CBS Murder by the Dozen	20.97*	Scarborough Run for the Money	26.00*
CBS Goren Bridge Made Easy	45.00°	Simon & Schuster Typing Tutor III	28.25*
Counterpoint The News Room	26.97° 31.00°	Sir-Tech Wizardry Sir-Tech Knight of Diamonds or Rescu	26.97*
Davidson Speed Reader II Davidson Math Biaster or Word Attack!	21.50*	Sublogic Night Mission Pinball	20.00"
1st Byte Smooth Talker-Mac Only	44.00*	Sublogic Flight Simulator II	27.25*
Hayden DaVinci-House/Interiors/Landscapes	23.00*	Spinnaker Alphabet Zoo, Face Maker,	15.97*
Hayden Sargon III Infocom Deadline or Suspended	24.75° 24.00°	Kinder Comp, Hey Dudde Diddle, Rhymes & Riddles, Story Machine	
Infocom Enchanter, Planetfall,	20.00*	Spinnaker Most Amazing Thing/Delta	Drawing 20,77*
Cuthroats, Witness or Zork I		Spinnaker Della Drawing	24.97*
Infocom Hitchhiker's Guide or Seastalker	20.00*	T/Maker Click Art-Mac Only	25.00"
Infocom Suspect, Sorcerer, Inlidel, Zork II or Layered Front Desk-Mac Only	III 22.00* 65.00*	Warner Desk Organizer Videx Fun Pack-Mac Only	59.90° 19.77°
Miles Computing Mac Attack-Mac Only	20.50*	Videx Mac Checkers & Reversal	25.17*
Palantir Mac Type-Mac Only	26.37*	Virtual Combinatics Micro Cookbook	17.50*
		YOUR APPLE // & MACINTO	SH
(Please add \$2.50 shippin		ling for each title ordered from below.)	
Apple Apple Works	\$160.00*	Living Videotext ThinkTank-Mac Too!	\$75.00*
Assimilation ProcessMac Memory Disk Beadle Brothers Macro Works	19.25° 21.00°	Main Street Filer-Mac Only	67.00° 99.00°
	59.00*	MECA Managing Your Money Microsoft Word File Multiplan for Maca	
Borland International Reflex for the Mac Borland International SideKick wipnonelink	49.85*	Microsoft Excel for Macintosh	197.500*
Borland International Turbo Pascal	30.00*	Microsoft Basic for Macintosh	75.00*
BPI GL, AP, AR, PR or INV Broderbund Bank Street Writer	209.00° 35.25°	Microsoft Chart for Macintosh Monogram Dollars & Sensefor Apple I	62.50° / 55.00°
Central Point Copy Il Plus or Copy Il Mac	16.25*	Monooram Dollars & Sense for Macinh	osh 71.99*
Epyx Winter Games	20.00*	Odesta Helix for Macintosh Reg's 512h	195.00*
Funk Software Sideways	26.50*	Provue Overvue-Mac Only	130.00*
Funsoft Macasm Haba Habadex	40.00*	Sensible Software Sensible Speller IV Softcraft Fancy Fonts	67.50° 125.00°
Harvard Mac Manager	29.95*	Softech Microsystema UCSD Pascal	37.00
Human Edge Mind Prober	24.00*	Softech Microsystema UCSD Pascal Software Publishing PFS: File, Write,	or Graph 61.00"
Human Edge Sales Edge	21.00*	Stoneware DB Master-Mac Too!	90.00*
Human Edge Communication Edge	98.00*	Telos Filevision for Mac	85.00*
		APPLE // & MACINTOSH charges found in Italics next to price.)	
DISK DRIVES	r nanuling c		
		MODEMS	
Apple MAC 800KB External Drive \$349.9 Haba 800KB Double Sided Mac Drive 215.0	5° (7.50) 0° (4.64)	Hayes Micromodem lie w/Smartcom 1 Novation Apple Cat II	125.00° (2.50) 174.45° (3.50)
IOmega Macnoulli 5MB Removable 999.0		Prometheus 1200 A	253.00 (6.00)
Drive for Macintosh		Low Cost 1200 Baud Internal Modern	for Apple II
Omega Dual 10M8 Bernoullifor Mac 1,800.0	0° (38.88)	PrometheusPromodern1200/MacPack	299.00" (6.00)
with SCSI Port Micro Sci A2 143KB Drive 150.00	0* (5.00)	Prentice Popcom MacPack 1200 Baud Modern, Cable, Straightal	219.00' (2.50)
Just like Apple's Own		ACCESSORIES	
Micro Sci Floppy Controller 65.0	0° (2.50)		
Paradise Mac 10MB Hard Drive 525.0 Hard Drive Subsystem	0° (11.34)	Apple Macintosh Carrying Case Apple Macintosh Security Kit	
Paradise Mac 20MB Hard Drive 745.0	0* (16.09)		\$69.00" (1.49)
Mand Dalue Culturation			29.00" (1.50)
Haro Unive Subsystem		Curtls Ruby Surge Protector Hayes Mach III Joystick	
Hard Drive Subsystem PC Network 140K External Drive 95.0		Curtle Ruby Surge Protector Hayes Mach III Joystick w/Fire Bulton for Ile	29.00' (1.50) 39.00' (1.50) 26.50' (1.50)
PC Network 140K External Drive 95.0 for Apple IIC	0° (2.50)	Curtle Ruby Surge Protector Hayea Mach III Joystick w/Fire Bulton for Ile KensIngton Dust Cover for MAC	29.00° (1.50) 39.00° (1.50)
 ▶ PC Network 140K External Drive 95.0 for Apple lic ▶ PC Network 140K Drive for Applelle 95.0 Tecmar 5MB Removable Drive forMAC 999.0 	0° (2.50) 0° (2.05) 0° (21.58)	Curtle Ruby Surge Protector Hayes Mach III Joystick w/Fire Bulton for Ile	29.00° (1.50) 39.00° (1.50) 26.50° (1.50) 6.00° (1.50) 44.50° (3.00)
 ▶PC Network 140K External Drive 95.0 for Apple llc ▶PC Network 140K Drive for AppleIle 95.0 	0° (2.50) 0° (2.05) 0° (21.58)	Curtle Ruby Surge Protector Hayes Mach III Joyatick w/Fire Bulton for Ile Kensington Dust Cover for MAC or ImageWriter Kensington Starter Pack Kensington Surge Protector	29.00° (1.50) 39.00° (1.50) 26.50° (1.50) 6.00° (1.50) 44.50° (3.00) 29.50° (250)
 ▶ PC Network 140K External Drive 95.0 for Apple IIc ▶ PC Network 140K Drive for AppleIIe 95.0 Tecmar 5MB Removable Drive for MAC 999.0 Tecmar 10 MB MAC Drive 999.0 	0° (2.50) 0° (2.05) 0° (21.58) 0° (21.58)	Curtile Ruby Surge Protector Hayes Mach III Joystick wrFire Bulton for lie Kensington Dust Cover for MAC or Image/Writer Kensington Starter Pack Kensington System Saver Fan Kensington System Saver Fan	29.00° (1.50) 39.00° (1.50) 26.50° (1.50) 6.00° (1.50) 44.50° (3.00) 29.50° (250) 56.97° (1.50)
PC Network 140K External Drive 95.0 for Apple Ic PC Network 140K Drive for AppleIIe 95.0 Tecmar 5MB Removable Drive for MAC 9990.0 Tecmar 10 MB MAC Drive 9990.0 BOARDS AND BUFFER:	0° (2.50) 0° (2.05) 0° (21.58) 0° (21.58) S	Curitle Ruby Surge Protector Hayes Mach III Joyatch wrFire Bullon for lie Kensington Dust Cover for MAC or ImageWriter Kensington Starter Pack Kensington Surge Protector Kensington System Saver Fan Koals MacVision	29.00° (1.50) 39.00° (1.50) 26.50° (1.50) 6.00° (1.50) 44.50° (3.00) 29.50° (2.50) 56.97° (1.50) 144.50° (3.00)
PC Network 140K External Drive 95.0 Ior Apple IIc PC Network 140K Drive for AppleIIe 95.0 Tecmar 5MB Removable Drive for MAC 999.0 Tecmar 10 MB MAC Drive 999.0 BOARDS AND BUFFER AST" Multi/D-2 Serial/Clock 1155.00 Microsoft Premium Softcard IIe 243.6	0° (2.50) 0° (2.05) 0° (21.58) 0° (21.58) S 0° (2.50) 7° (2.50)	Curitle Ruby Surge Protector Hayea Mach III Joyatick w/Fire Bullon for lie Kensington Dust Cover for MAC or InageWriter Kensington Surge Protector Kensington Surge Protector Kensington Surge Protector Koals MacVision Koale Koalapad Touch Tablet MaR Surp-Mod PF Modulation	29.00° (1.50) 39.00° (1.50) 26.50° (1.50) 6.00° (1.50) 44.50° (3.00) 29.50° (2.50) 56.97° (1.50) 144.50° (3.00) 74.97° (1.50)
	0* (2.50) 0* (2.05) 0* (21.58) 0* (21.58) 0* (21.58) S 0* (2.50) 0* (2.50) 0* (2.50)	Curtile Ruby Surge Protector Hayes Mach III Joyatck wrFire Bullon for Ile Kensington Dust Cover for MAC or ImageWriter Kensington Starter Pack Kensington Surge Protector Kensington Surge Protector Kosla MacVision Kosla MacVision Kosla Koslapad Touch Tablet M&R Sup-R-Mod RF Modulation PC Network Cocking Far with Surge	29.00° (1.50) 39.00° (1.50) 26.50° (1.50) 6.00° (1.50) 44.50° (3.00) 29.50° (250) 56.97° (1.50) 144.50° (3.00) 74.97° (1.50)
	0* (2.50) 0* (21.58) 0* (21.58) 5 5 0* (2.50) 0* (2.50) 0* (2.50) 0* (2.50) 0* (2.50)	Curitle Ruby Surge Protector Hayea Mach III Joyatick wr/Fire Bullon for Ile Kensington Dust Cover for MAC or ImageWriter Kensington Surge Protector Kensington Surge Protector Kensington Surge Protector Koals MacVision Koals Kadapad Touch Tablet MaR Sup-RMod RF Modulation PC Network Cooling Fan with Surge Protector & Dual Outlets	29.00° (1.50) 38.00° (1.50) 26.50° (1.50) 6.00° (1.50) 44.50° (3.00) 29.50° (250) 56.97° (1.50) 144.50° (3.00) 74.97° (1.50) 24.00° (1.50) 25.00° (250)
	0° (2.50) 0° (2.58) 0° (21.58) 0° (21.58) S 0° (2.50) 0° (2.50) 0° (2.50) 0° (2.50) 0° (2.50)	Curitle Ruby Surge Protector Hayes Mach III Joyatch w/Fire Bulton for lie Kensington Dust Cover for MAC or ImageWriter Kensington Surge Protector Kensington Surge Protector Kensington Surge Protector Koale Kadepaal Touch Tablet M&R Sup-R-Mod RF Modulation PC Network Cooling Fan with Surge Protector & SubD Outlets PC Network SSDDDJskettes{Boxoft0}	22.00° (1.50) 39.00° (1.50) 26.50° (1.50) 44.50° (3.00) 29.50° (2.50) 56.97° (1.50) 44.60° (2.50) 74.97° (1.50) 44.00° (1.50) 25.00° (2.50) 7.95° (1.00)
PC Network 140K External Drive 95.0 Ior Apple IIc PC Network 140K Drive for AppleIIe 95.0 Tecmar 3MB Provoable Drive for MAC 959.0 BOARDS AND BUFFER AST"* Multi/O−2 Serial/Clock 9155.0 Microsoft Premium Softcard IIe 243.6 Microsoft Premium Softcard IIe 243.6 Microsoft Corage Jerrer 66.0 Orange Micro Serial Grappler + 66.0 Orange Micro Serial Grappler 66.0 PC Network 280 Card 95.0 Ouadram APIC/S Graphics Interface 52.0	0° (2.50) 0° (2.05) 0° (21.58) 0° (25.0) 0° (25.0)	Curitle Ruby Surge Protector Hayee Mach III Joyatck w/Fire Bulton for lie Kensington Dust Cover for MAC or ImageWriter Kensington Surge Protector Kensington Surge Protector Kensington Surge Protector Koale Kadengad Touch Tablet M&R Sup-R-Mod RF Modulation PC Network Cooling Fan with Surge Protector & Dual Outlets PC Network SSDDDJskettesfBoxoft0) PC Network Macintosh Diskettes	29.00 (1.50) 39.00 (1.50) 39.00 (1.50) 6.00 (1.50) 6.00 (1.50) 44.50 (3.00) 29.50 (250) 56.97 (1.50) 444.50 (3.00) 74.97 (1.50) 25.00 (250) 7.95 (1.00) 12.50 (1.50)
PPC Network 140K External Drive 5.0 Ior Apple lic 5.0 PPC Network 140K Drive for AppleIde 5.0 Tecmar 51MB Renovable Drive for MAC 999.0 Tecmar 10 MB MAC Drive 999.0 BOARDS AND BUFFER. AST™ Multi/O-2 Serial/Clock \$155.0 Microsoft Premium Softead I/e 243.6 Microtak Dumpling/CX 55.00 Orange Micro Grapher + 66.0 Orange Micro Grapher + 66.0 Orange Micro Grapher + 65.0 Orange Micro Grapher 5.0 Cuadram APIC/G Graphics Interface 52.0 Cuadram E FAM-80	0* (2.50) 0* (2.53) 0* (21.58) 0* (21.58) 0* (21.58) 0* (2.50) 0* (2.50	Ciritle Ruby Surge Protector Hayes Mach III Joyatck w/Fire Bullon for lie Kensington Dust Cover for MAC or ImageWriter Kensington Starter Pack Kensington Surge Protector Kensington System Saver Fan >Koala MacVision Koala MacVision AFF Modulation PC Network Coding Fan with Surge Protector & Dual Outlets PC Network Macintosh Diskettes Includes Free Filp & File Case These Diskettes are Quaranteed forbi	29.00 (1.50) 38.00 (1.50) 56.50 (1.50) 44.50 (3.00) 29.50 (250) 144.50 (3.00) 24.50 (250) 144.50 (3.00) 74.97 (1.50) 25.00 (250) 7.95 (1.00) 7.95 (1.50)
P-C Network 140K External Drive 95.0 lor Apple ilc 95.0 P-C Network 140K Drive for Applelle 95.0 Tecmar 5MB Removable Drive for MAC 999.0 999.0 BOARDS AND BUFFER 805.0 AST" Multil0-2 Serial/Clock \$155.0 Microsoft Premium Softcard Ile 243.6 Microsoft Premium Softcard Ile 243.6 Microsoft Core Grappler 66.0 Orange Micro Grappler + 66.0 Oudram APIC/G Graphics Interface 82.0 Quadram APIC/G Graphics Interface 62.0 Quadram E FAM-80 88.0 Quadram I Aplicore-1 Parallel 140.01	0* (2.50) 0* (2.53) 0* (21.58) 0* (21.58) 0* (21.58) 0* (21.58) 0* (21.58) 0* (21.50) 0* (2.50) 0* (2	Curitle Ruby Surge Protector Hayes Mach III Joyatck w/Fire Bullon for lie Kensington Dust Cover for MAC or ImageWriter Kensington Surge Protector Kensington Surge Protector Koals MacVision Koale Kadeyaat Touch Tablet MAR Sup-Rivder Maduation PC Network Cooling Fan with Surge Protector & Dual Outlets PC Network SDDDiskettes(Boxof10) PC Network Macinosh Diskettes Includes Free Filp & File Case These Diskettes (Box of 10)	29.00 (1.50) 39.00 (1.50) 39.00 (1.50) 6.00 (1.50) 6.00 (1.50) 44.50 (3.00) 28.50 (1.50) 56.97 (1.50) 56.97 (1.50) 74.97 (1.50) 25.00 (2.50) 7.95 (1.00) 12.50 (1.50) VelNo Generics! (1.50)
PC Network 140K External Drive Ior Apple lic PC Network 140K Drive for AppleIle Solution PC Network 140K Drive for AppleIle Solution PSC Network 140K Drive for AppleIle Solution PC Network 280 Card Solution Solutio	0° (2.50) 0° (2.05) 0° (21.58) 0° (21.58) 0° (2.50) 0° (2.50) 0° (2.50) 0° (2.50) 0° (2.50) 0° (2.50) 0° (2.50) 0° (2.50)	Ciritle Ruby Surge Protector Hayes Mach III Joyatck w/Fire Bullon for lie Kensington Dust Cover for MAC or ImageWriter Kensington Starter Pack Kensington Surge Protector Kensington System Saver Fan >Koala MacVision Koala MacVision AFF Modulation PC Network Coding Fan with Surge Protector & Dual Outlets PC Network Macintosh Diskettes Includes Free Filp & File Case These Diskettes are Quaranteed forbi	29.00 (1.50) 38.00 (1.50) 56.50 (1.50) 44.50 (3.00) 29.50 (250) 144.50 (3.00) 24.50 (250) 144.50 (3.00) 74.97 (1.50) 25.00 (250) 7.95 (1.00) 7.95 (1.50)
P-C Network 140K External Drive 95.0 lor Apple lic 5.0 P-C Network 140K Drive for Applelle 95.0 Tecmar 5MB Removable Drive for MAC 999.0 999.0 BOARDS AND BUFFER AST" Multil0-2 Serial/Clock \$155.00 Microsoft Premium Softcard lie 233.6 Microsoft Premium Softcard lie 243.6 Microsoft Premium Softcard lie 430.0 Crange Micro Grappler + 66.0 65.00 Conge Micro Serial Grappler - 65.00 PC Network 280 Card 35.00 Quadram APIC/G Grappics Interface 62.00 Quadram APIC/G Graphics Interface 62.00 Quadram E FAM-80 88.00 Remove 194.00 88.00	0° (250) 0° (205) 0° (2158) 0° (2158) 0° (2158) S 0° (250) 0° (250)	Curitle Ruby Surge Protector Hayes Mach III Joyatck w/Fire Bullon for lie Kensington Dust Cover for MAC or ImageWriter Kensington Surge Protector Kensington Surge Protector Koals MacVision Koale Kadeyaat Touch Tablet MAR Sup-Rivder Maduation PC Network Cooling Fan with Surge Protector & Dual Outlets PC Network SDDDiskettes(Boxof10) PC Network Macinosh Diskettes Includes Free Filp & File Case These Diskettes (Box of 10)	29.00 (1.50) 39.00 (1.50) 39.00 (1.50) 6.00 (1.50) 6.00 (1.50) 44.50 (3.00) 28.50 (1.50) 56.97 (1.50) 56.97 (1.50) 74.97 (1.50) 25.00 (2.50) 7.95 (1.00) 12.50 (1.50) VelNo Generics! (1.50)
PC Network 140K External Drive 5.0 Ior Apple IIc PC Network 140K Drive for AppleIIe PC Network 140K Drive for AppleIIe Spectra 5MB Bernovable Drive for MAC 999.0 Teomar 10 MB MAC Drive 999.0 BOARDS AND BUFFER AST" Multi/O-2 Seria/Clack Microsoft Premium Softcard IIe 243.6 Microsoft Premium Softcard IIe 243.6 Microsoft Premium Softcard IIe 243.6 Microsoft Complex Complex Astrice Astrice Complex Astrice Astr	0° (250) 0° (205) 0° (2158) 0° (2158) 0° (2158) S 0° (250) 0° (250)	Curitle Ruby Surge Protector Hayes Mach III Joyatck w/Fire Bullon for lie Kensington Dust Cover for MAC or ImageWriter Kensington Surge Protector Kensington Surge Protector Koals MacVision Koale Kadeyaat Touch Tablet MAR Sup-Rivder Maduation PC Network Cooling Fan with Surge Protector & Dual Outlets PC Network SDDDiskettes(Boxof10) PC Network Macinosh Diskettes Includes Free Filp & File Case These Diskettes (Box of 10)	29.00 (1.50) 39.00 (1.50) 39.00 (1.50) 6.00 (1.50) 6.00 (1.50) 44.50 (3.00) 28.50 (1.50) 56.97 (1.50) 56.97 (1.50) 74.97 (1.50) 25.00 (2.50) 7.95 (1.00) 12.50 (1.50) VelNo Generics! (1.50)
PC Network 140K External Drive 5.0 Ior Apple IIc PC Network 140K Drive for AppleIIe PC Network 140K Drive for AppleIIe Spectra 5MB Bernovable Drive for MAC 999.0 Teomar 10 MB MAC Drive 999.0 BOARDS AND BUFFER AST" Multi/O-2 Seria/Clack Microsoft Premium Softcard IIe 243.6 Microsoft Premium Softcard IIe 243.6 Microsoft Premium Softcard IIe 243.6 Microsoft Complex Complex Astrice Astrice Complex Astrice Astr	0° (250) 0° (205) 0° (2158) 0° (2158) 0° (2158) S 0° (250) 0° (250)	Curitle Ruby Surge Protector Hayes Mach III Joyatck w/Fire Bullon for lie Kensington Dust Cover for MAC or ImageWriter Kensington Surge Protector Kensington Surge Protector Koals MacVision Koale Kadeyaat Touch Tablet MAR Sup-Rivder Maduation PC Network Cooling Fan with Surge Protector & Dual Outlets PC Network SDDDiskettes(Boxof10) PC Network Macinosh Diskettes Includes Free Filp & File Case These Diskettes (Box of 10)	29.00 (1.50) 33.00 (1.50) 56.00 (1.50) 44.50 (3.00) 29.50 (250) 144.50 (3.00) 29.50 (250) 144.50 (3.00) 44.00 (1.50) 25.00 (250) 7.95 (1.00) 7.95 (1.50) 7.95 (1.50) 15.50 (3.24)
PCC Network 140K External Drive Ior Apple lic \$5.0 PCC Network 140K Drive for Applelle \$5.0 Tecmar 5MB Renovable Drive for MACC 999.0 999.0 BOARDS AND BUFFER. \$5.0 AST** MultiO-2-Serial/ACICack \$155.0 Microsoft Premium Softcard IIe \$243.6 Microsoft Premium Softcard IIe \$60.0 Orange Micro Grapher + 66.0 Orange Micro Grapher + 66.0 Orange Micro Grapher > 88.0 Quadram APIC/G Graphics Interface 80.0 Quadram EAM-BOCk Expandable to 25KK Thunderware Thundarclock 104.0 Titan Technologiea Accelerator Iie 207.3	0° (2.50) 0° (2.53) 0° (21.58) S S 5 0° (250) 0°	Circlie Ruby Surge Protector Hayee Mach III Joyatic Wire Bulton for lie Rensington Dust Cover for MAC or ImageWriter Rensington Strater Pack Kensington Surge Protector Kensington System Saver Fan Koels Machenson Role Koelegael Touch Tablet MAR Sup-AMcd PF Modulation PC Network Cooling Fan with Surge Protector & Duel Outlets PC Network SSDDDJskettes[Box 0110] PC Network SSDDDJskettes[Box 0110] Rose Diskettes (Box 0110) Thunderware Thunderscan	29.00 (1.50) 38.00 (1.50) 26.50 (1.50) 44.50 (3.00) 29.50 (250) 44.50 (3.00) 29.50 (250) 144.50 (3.00) 25.00 (250) 44.00 (1.50) 25.00 (250) 12.50 (1.50) 12.50 (1.50) 15.50 (3.24) Wholesale
PC Network 140K External Drive [so Apple lic [context] 140K External Drive [context] 140K Drive for Appletile [so Board Berovable Drive for Appletile [so Board Berovable Drive [context] 160K Berovable Drive [cont	0° (2.50) 0° (21.58) 0° (21.58) 0° (21.58) 0° (250) 0° (250)	Curitle Ruby Surge Protector Hayea Mach III Joyatick wr/Frie Bullon for Ile Kensington Dust Cover for MAC or ImageWriter Kensington Surge Protector Kensington Surge Protector Koals Machieven Koals Machieven Tablet MAR Sup-Rhod RF Modulation PC Network Cooling Fan with Surge Protector & Dual Outlets PC Network SciDoDiskettes{Box of 10} PC Network Machinosh Diskettes Includes Free Filg & File Case These Diskettes (Box of 10) Thunderware Thunderscan MCNITCORS	29.00 (1.50) 39.00 (1.50) 50.00 (1.50) 44.50 (3.00) 29.50 (250) 144.50 (3.00) 29.50 (250) 144.50 (3.00) 40.00 (1.50) 44.00 (1.50) 44.00 (250) 7.95 (1.00) 45.00 (3.24) 15.50 (3.24) Wholesale \$110.00 (3.20)
▶PC Network 140K External Drive Ior Apple IIc 95.0 ▶PC Network 140K Drive for AppleIIC 95.0 Tecmar 5MB Removable Drive for MAC 999.0 999.0 BOARDS AND BUFFER 8155.0 AST" Multi/O – 2 Serial/Clock 8155.0 Microsoft Premium Softeard IIc 8135.0 Orange Micro Grappler 65.0 Orange Micro Grappler 65.0 Orange Micro Grappler 65.0 Quadram APIC/G Graphics Interface 810.0 J Serial/Clock Expandable to 255K 8140.0 Thunderware Thunderclock 104.0 Thunderware Thunderclock 104.0 Remory Chips Guaranteel for Li 207.33	0° (2.50) 0° (2.53) 0° (21.58) S S 5 0° (250) 0°	Curitle Ruby Surge Protector Hayee Mach III Joyatck wr/Fire Bulton for Ite Kensington Dust Cover for MAC or ImageWriter Kensington Surge Protector Kensington Surge Protector Kensington Surge Protector Koals MackVision Koals Kaalapad Touch Tablet MAR Sup-RMod RF Modulation PC Network Cooling Fan with Surge Protector & Dual Outlets PC Network SDDDJskeites(Box of 10) PC Network Macinosh Diskeites Includes Free Filp & File Case These Diskeites (Box of 10) Thunderware Thunderscan MONITORS	29.00 (1.50) 38.00 (1.50) 26.50 (1.50) 44.50 (3.00) 29.50 (250) 144.50 (3.00) 29.50 (250) 144.50 (3.00) 25.00 (250) 14.50 (1.50) 25.00 (1.50) 12.50 (1.50) 12.50 (1.50) 12.50 (3.24) 15.50 (3.24) Wholesale \$110.00 (3.00) 12.00 (3.00) 12.00 (3.00)
▶PC Network 140K External Drive Ior Apple IIc 95.0 ▶PC Network 140K Drive for AppleIIC 95.0 Tecmar 5MB Removable Drive for MAC 999.0 BOARDS AND BUFFER AST" Multi/O – 2 Serial/Clock 9155.0 Microsoft Premium Softeard IIc 243.6 Orange Micro Grappler + 66.0 PC Network 200 Card 35.00 Quadram APIC/G Graphics Interface 62.00 Quadram APIC/G Graphics Interface 140.00 1 Serial/Clock Expandable to 256K 114.00 Thunderware Thunderclock 104.01 Titan Technologiea Accelerator IIc 207.33 CAII Memory Chips Guaranteed for LI ▶64K Nemory Lipgrade Kits (9 Chips) \$7. Outantity Discounts Available! 54K	0° (2.50) 0° (2.53) 0° (21.58) S 0° (250) 0° (250)	Curitle Ruby Surge Protector Hayee Mach III Joyatck wr/Fire Button for lie Kensington Dust Cover for MAC or ImageWriter Kensington Starter Pack Kensington Surge Protector Kensington Surge Protector Kensington System Saver Fan Koale Koalapad Touch Tablet MAR Sup-Rhod FF Modulation PC Network Cooling Fan with Surge Protector & Dual Outlets Protector & Dual Outlets PC Network SDDDJskeites(Box of 10) PC Network Macinosh Diskeites Includes Free Filp & File Case These Diskeites (Box of 10) Thunderware Thunderscan MONITORS Amdek Video 300A Composite Amber Amdek Video 300A Composite Amber Amdek Video 300A Composite Amber	29.00 (1.50) 38.00 (1.50) 26.50 (1.50) 44.50 (3.00) 29.50 (2.50) 144.50 (3.00) 29.50 (2.50) 144.50 (3.00) 7.4.97 (1.50) 25.00 (2.50) 7.95 (1.00) 12.50 (1.50) 15.50 (3.24) 15.50 (3.24) Wholesale \$110.00 (3.20) 130.00 (3.00) 130.00 (3.00) 3.65.00 (7.88)
PC Network 140K External Drive Ior Apple IIc 95.0 Ior Apple IIC 95.0 PC Network 140K Drive for AppleIIE 95.0 Tecmar 51MB Renovable Drive for MACC 999.0 999.0 BOARDS AND BUFFER. 85.7 AST" Multil/D-2 Serial/Clock \$155.0 Microsoft Premium Scheard IIe 243.6 Microsoft Premium Scheard IIe 243.6 Microsoft Premium Scheard IIe 35.0 Orange Micro Grapher + 66.0 Orange Micro Grapher + 66.0 Orange Micro Graphies Interface 82.0 Quadram APIC/G Graphies Interface 80.0 Quadram APIC/G Graphies Interface 15.00 Thunderware Thuderclock 140.01 1 Serial/Clock Expandable to 25KK 55K MEMORY Chips Guaranteed for Li 15.0 Stall Memory Upgrade Kits (9 Chip)s 37.3 Dusaring Upsconts Availablet 256K Stall Memory Upgrade Kits (9 Chip)s 47.0 Ouanting Ussconts Availablet 255K	0° (2.50) 0° (2.50) 0° (2.53) 0° (2.53) 0° (2.53) 0° (2.50) 0° (2.50)	Curitle Ruby Surge Protector Hayea Mach III Joyatick wr/Frie Bullon for Ile Kensington Dust Cover for MAC or ImageWriter Kensington Surge Protector Kensington Surge Protector Koals Machine Surge Protector Koals Machine Surge Protector Koals Koalapad Touch Tablet MAR Sup-RMod RF Modulation PC Network Cooling Fan with Surge Protector & Dual Outlets PC Network Macintoon Diskettes Includes Free Filg & File Case These Diskettes (Box of 10) Thunderware Thunderscan MCNITCORS Amdek Video 300G Composite Green Amdek Video 300G Composite Green Amdek Video 300G NEWI High Res RG Amdek Coor 600 NEWI High Res RG	29.00 (1.50) 33.00 (1.50) 33.00 (1.50) 5.00 (1.50) 44.50 (3.00) 29.50 (250) 144.50 (3.00) 7.4.97 (1.50) 144.50 (3.00) 7.4.97 (1.50) 7.4.97 (1.50) 7.55 (1.00) 7.55 (1.50) 7.55
▶PC Network 140K External Drive 95.0 lor Apple lic 95.0 ▶PC Network 140K Drive for Applelle 95.0 Tecmar 5MB Bernovable Drive for MAC 999.0 999.0 BOARDS AND BUFFER 999.0 AST" Multi/0-2 Serial/Clock \$155.0 Microsoft Premium Softcard lie \$155.0 Orange Micro Grappier 66.0 Orange Micro Grappier + 66.0 Orange Micro Grappier + 66.0 Ouadram APIC/G Graphics Interface 82.0 Quadram Multicore: 1 Parallel 140.01 1 Serai/Clock Expandable to 256K 140.01 Thunderware Thunderclock 104.01 Thunderware Thunderclock 104.01 Clal Memory Chips Guaranteed for Li \$7.0 Ouadrim Reference Ram Chips (Each) 1 >454K Dynamic Ram Chips (Each) 1 >128KIBM At MotherBoard Chips (Each) 1	0° (2.50) 0° (2.53) 0° (21.58) S 0° (250) 0° (250)	Curitle Ruby Surge Protector Hayes Mach III Joyatck wr/Fire Button for lie Kensington Dust Cover for MAC or ImageWriter Kensington Starter Pack Kensington Surge Protector Kensington Surge Protector Kensington System Saver Fan Koale Kadeyaat Mar Sup-Andor FF Modulation PC Network Cooling Fan with Surge Protector A Dual Outlets PC Network SDDD/Starttes(Box of 10) PC Network Macinosh Diskettes Includes Free Filp & File Case These Diskettes (Box of 10) Thunderware Thunderscan MONITORS Amdek Video 300A Composite Amber Amdek Cideo 300A Composite Amber Amdek Zideo 300A Composite Amber Amber Xideo 300A Composite Amber Xideo 300	29.00 (1.50) 38.00 (1.50) 26.50 (1.50) 44.50 (3.00) 29.50 (2.50) 44.50 (3.00) 29.50 (2.50) 144.50 (3.00) 24.50 (2.50) 7.4.57 (3.50) 44.00 (1.50) 7.4.57 (1.50) 7.4.57 (1.50) 7.55 (1.00) 12.50 (3.24) 7.55 (1.50) 15.50 (3.24) 7.55 (1.50) 7.55

GAMES & EDUCATIONAL SOFTWARE FOR YOUR IBM

		OFTWARE FOR YOUR IBM for each title ordered from below.)	
	holesale		holesale
ATI Intro to PC DOS Vol. 1 & II or BASIC	\$23.00*	Microsoft Flight Simulator	27.00*
Bluechlp Millionaire/Oil Baron or Tycoon Broderbund Lode Runner	28.99* 17.25*	Mouse Systems PC Paint—Turn your PC Into A Color Macintosh!	59.95*
CBS Goren Bridge Made Easy	40.00*	Pinpoint Publishing Micro Cookbook	21.00*
CBS Mastering the SAT	50,00"	Scarborough Master Type	19.75*
CDEX Training for Wordstar Comprehensive Intro to Personal Computing	37.25* 32.00*	Sierra On-Line <i>Crossfire</i> Sierra On-Line <i>King's Ouest II</i>	18.00° 24.75°
Davidson Math Blaster, Word Attack!	21.50*	Spectrum Holobyte GATO	18.00°
Davidson Speed Reader II	31.00*	Spinnaker Alphabet Zoo. Kinder Comp.	15.97*
Hayden Sargon III Individual Professor DOS	26.00° 29.75°	Story Machine, Face Maker, Hey Diddle, Didd Rhymes & Riddles	zie,
Individual The Instructor	24.50*	Spinnaker DeltaDrawingor Most Amazing Thing	
Infocom Zark I or Witness Infocom Deadline or Suspended	20.00* \$24.00*	Sublegic Jet	27.50° 19.25°
		Sublogic Night Mission Pinbali ARE FOR YOUR IBM	19.20
		ing for each title ordered from below.)	
	\$365.00*		\$259.00*
Beagle Brothers Macro Works	21.00° 35.00°	MicroFilm R8ase 5000	215.00*
Borland Turbo Pascal Borland SideKick (Protected)	26.00*	Microsoft C Complier	230.00*
Borland SuperKey	34.50*	Microsoft Word—Latest Version 3.0 Microsoft Multiplan	229.00* 98.00*
BPI G/L A/R or A/P	305.00*	Microsoft Mouse	107.00*
BPI Personal Accounting Breakthrough Timeline	43.75° 203.00°	Migent Ability Monogram Dollars & Sense	55.00*
Central Point Copy II PC	20.00*	Multimate Multimate (Latest Version)	87.00° 180.00°
Computer Associates Supercalc IV	239.95*	Norton Notton Utilities 3.1	43.00*
Digital Research Gern Desktop Digital Research Gern Draw	26.00* 128.00*	Open Systems P/O Sales A/R INV G/L et A/P Team Mgr Ver. 3.X	3.395.00*
Enertronics Energraphics	147.00*	Power Base Power Base	200.00*
FGS Fastback	85.00*	Real World GALA, PAR or OEANY es	.350.00*
Funk Software Sideways Harvard Harvard Project Manager	32.00*	Rosesoft ProKey Version 3 Ryan McFarland RM COBOL (Dev. System)	65.00*
Harvard Total Project Manager	250.00*	Samna Samna III Word Processor	520.00° 207.75°
Hayes Smartcom II-New VT100 Emulator	78.00*	Samna Word +	340.00*
Human Edge Management Edge or Mind Probe Infocom Cornerstone	70.50*	Satellite Software Word Perfect Softcraft Fancy Fonis	180.00° 125.00°
Lifetree Volkswriter III	126.50*	Software Group Enable	293.00
Lotus Development Lotus 1-2-3 MDBS Knowledgeman/2	280.00* 229.00*	Software Publishing PFS:File. Write,Graph	68.00°
MicroPro Wordstar 2000	210.00*	Software Publishing PFS:Report	·59.50°
		OR YOUR IBM	
		charges found in italics next to price.)	
DISK DRIVES		MODEMS	
►IOmega Bernoulli Box \$1,710.00*	(36 94)	Hayes Smartmodern 1200B \$315.00*	(2.50)
Dual 10MB Drives	10 101	with New Smartcorn II T100 Emulator	
► PC Network 10MB INTERNAL 1/2 299.00* Height Autobool Drive: New lower price	(6.46)	Hayes Smartmodem 2400B 478.00* PrometheusPromodem1200Binternal 225.00*	(2.50) (2.50)
PC Network 10MB Tape Backup 395.00*	(8.94)	THE "Internal 1200 1200BPS Modem 109.00"	
Same unit used in Compaq's DeskPro!		Lowest Cost Hayes Compatible w/FREE PC	Talk II
PC NetworkAT 42M8 Internal HD 1,050.00* 35MS Access Time-Comes Complete	(24.95)	VIDEO CARDS	
PC Network 20MB Tape Backup 495.00*	(10.69)	Hercules Color Card mParallel Port \$126.00*	(2.50)
Half Height Internal w/controller PC Network Half Height DS/DD Drives 78.00*	(1. 60)	Hercules Monochrome Graphics Card 162.00* Orchid Turbo EGA Card 610.00*	(2.50)
Tandon TM-100 120.00*	(1.68) (2.20)	Paradise Modular Graphics Card 219.00"	(2.50)
2 Full Height DS/DD Drives		Quadram Quad EGA + Enhanced 323.00*	(2.50)
THE 20MB Internal 1/2 Height 357.00*	(7.71)	Graphics Adapter THE *EGA Plus EGA Clone 220.00'	(2.50)
Autoboot Drive: By Seagate or Microscience		with 256K & printer port	(2.00)
MULTIFUNCTION CARDS		THE *HT20 Mono Mono Graphics 73.00*	(2,50)
Apparat AT Ram Expansion Card \$139.00* AST SixPakPremium "2MB Multi/DK 315.00*	(2.50) (2.50)	with parallel port, 100% Hercules Compatible THE Color Card 60.00*	(2 50)
►AST SixPakPlus "with 64K 139.00"		100% IBM Compatible!	1= 00)
AST " 1/O Plus II " 120.00"	(2.50)	ACCESSORIES	
AST" Advantage for AT" 325.00 Everex Magic Card II 64K 140.00	(2.50) (2.50)	Brand Name DS/DD Diskettes \$7.95"	(1 00)
Quadram Gold Card 340.00*	(2.50)	Guaranteed for Life! Not Generic!	
384K Multifunction/Color Card w/0K Tecmar Captain Multi Card w/0K 109.00*	10.50	DS/DD Bulk Rate Special each.54* Packaged in 50 with sleeves and labels	
TILE "576K Plus Memory Doard # DK 35.00"	(2.50)	Guaranteed for Life!	
THE * Multi 384 A functional clone 67.00*	(2.50)	►PC Network Replacement 130 Watt 79.00*	(5.00)
of AST's "SixPakPlus " Includes up to 384K of expansion memory,		IBM-PC Power Supply—Gives your PC the su Capacity as an XT Good for add in Tape Dri	ves
1 senal, 1 parallel, 1 game port,		(wilhout need for a piggyback unit) and large	
a clock/calendar and 3 software standard.		capacity disk drives. SMAPC Documete: Keyboard 9 99*es.	(1 00)
SerPar Game-Clock standard 60.00*	(2.50)	SMAPCDocumate: Keyboard 9.99°ea. Templates for Lotus/DBase/Multimate and oth	(1.00) ers
	LET	E SYSTEMS	
Apple Macintosh Base System CALL		COMPAQ Hard Disk Portable \$1,910.00*	(41.26)
Central Point Laser 128 \$355.00"	(7 67)	20M8Hard Disk # Floppy/256K	
Apple lie and lic Compatible	(70.00)	HBM PCBase System 2500 FDC 2560 1,025.00*	(22.14)
AT&T 7300 Unix PC 3,699.00* 10MB Hard Disk/1 Floppy/512K	(79.90)	►IBM PC Professional Hard Disk 1,337.00* IBM PC/AT Base System - 1.2MB 2,875.00*	(28.88) (62.10)
COMPAQ DeskPro w/256K 1.805.00*	(38.99)	Floppy/256K	()
1 Floppy/30MB Hard Disk		IBM AT Professional System CALL 1.2MB Floppy/20MB Hard Disk/1 Ser/1 Par/51	2K
	PRIM	TERS	
Citizen MSP-10 NEWI \$225.00*			(10 10)
160CPS/80COL/Fric + Trac		►NEC 3530 33CPS LO Parallel \$888.00" ►NEC 3550 33CPS LO 690.00"	(19 18) (14.90)
Citizen MSP-15 NEWI 340.00'	(7.34)	►NEC 8850 55CPS 949.00*	(20.50)
160CPS 132COL.Frc: + Trac ►Cilizen MSP-20 NEW! 299.00*	(6 46)	NEC PinWriter P-7 180CPS/132COL 535.00* Okidata ML 182 New 120CPS LO 188.00*	(11.56)
200CPS/80COL/Fric + Trac		Model Fric/IBM Graphics & More	(4.06)
Citizen MSP-25 NEW! 435.00*	(9 40)	Okłdała ML 192 New Sleek Design 299.00*	(6.46)
STOCPS T32COL FIC + Trac Citizen Premiere 35 NEW! 420.00*	(9 07)	160CPS/LO/Fric/IBM Graphics Okldata Color 20 80CPS/100+ 129.00*	(2.77)
35CPS Daisywheel/132COL/Fric + Trac		Colors/1,0/IBM Graphics & More	(237)
Citizen 120-D 125CPS 10"/Trac 169.00"	(3.63)	(Requires Interface)	
Epson LX 80 100CPS/80COLLO 225.00" Epson FX 85 345.00"	(4.86) (7.45)	Okidata ML 193P 60CPS 425.00* Okidata IBM Interface 69.00*	(9.18) (1.50)
Epson FX 286 NEW! 505.00*		for Okidata Color 20	
►Epson LQ 1000 NEW! CALL 180CPS-80CPS NLQ		Okidata ML 84P 200CPS/132COL 599.00*	(12.94)
Epson SQ 2000 Inkjet Printer 1,453.00*	(31.38)	Okldata 2410 P Pacemark 350CPS CALL Panasonic KX-1091 120/75/22CPS 220.00*	(4.75)
Epson DX 35 35CPS LO Model 590.00"	(12.74)	Panasonic KX-1092180CPSw/Tractor 329.00*	(7.11)
►NEC 2030 20CPS LQ Parallel 605.00* ►NEC 2050 20CPS Letter Quality 570.00*	(13.05) (13.00)	Toshiba P341 210CPS/132COL 714.00* Toshibe P351 P/5 288CPS/132COL 974.00*	(15.42) (21.04)
Store and Store	1.0.007	100.100 1007 10 2000F 3/13200C 9/4.00	(21.04)

Copyright (=) 1985, PC NETWORK, INC

TERMS & CONDITIONS

IEMMS & CONDITIONS why, may note stelled a 3%cosh discount loding charges Money Orders, personal lo charge without notice! ess and Game software Rental Lubraries our needs and The NETWORK's rental MBER WHOL ESALE PRICE Rental titles where in IBM/Apple/MAC and CP/M Formats. Hardware prices highlided cy i> reflect recent major price inductions

EXTERNAL MODEMS

 EXTENSION

 Anchor Lightring Express
 \$205.00°
 (5.00)

 Anchor Lightring 2400
 308.00°
 (25.00)

 Hayes Smattmodem 300
 125.00°
 (5.00)

 Hayes Smattmodem 1200
 340.00°
 (5.00)

 Hayes Smattmodem 1200
 340.00°
 (5.00)

 Hayes Smattmodem 1200
 247.00°
 (5.00)

 US. Robotics Courier2400BPSMdem
 345.00°
 (5.00)

 US. Robotics Password
 172.00°
 (4.00)

 JU.S. Robotics Courier2400BPSMdem
 345.00°
 (5.80)

 JLS. Robotics Com External
 128.00°
 (5.80)

 THE"
 2400 Com External
 128.00°
 (5.80)

A great looking/performing monochrome NEC SC-1401 Multisync RGB Princeton HX-12 RGB Monitor 369.00° Princeton HX-12 EGAorEGA Monitor 430.00°

 [5:00]
 Princeton
 HX-12E
 CGA02EGA
 Monitor
 (9:25)

 [2:50]
 Princeton
 MAX-12e
 138.00°
 (9:25)

 [5:00]
 Warks with Color or Mono Card
 138.00°
 (5:00)

 [5:00]
 Ouadram Amberchrome IZ'
 17L
 125.00°
 (220)


 [5:00]
 Taxan 630 Highers FRB Monitor
 383.00°
 (8:27)

 [5:00]
 Taxan 630 Highers FRB (720x400)
 439.00°
 (8:27)

 [4:00]
 Currently Available–Works with Persyst
 116.08
 080 Gard & He AT & TC Computer

 [2:5:2]
 Zentht
 ZVM 1230A/HighRes/NonGlare
 91.00°
 (2:50)

Prices subject to change without notice.



HALE CARCEGU 368 XS

Features

PRODUCT PREVIEW: THE APPLE II GS
by Gregg Williams and Richard Grehan 84 CIARCIA'S CIRCUIT CELLAR:
BUILD AN INTELLIGENT SERIAL EPROM PROGRAMMER by Steve Ciarcia
PROGRAMMING PROJECT: SAFE STORAGE ALLOCATION by Jonathan Amsterdam
Sound and the Amiga by David D. Thiel
PROGRAMMING INSIGHT: A USEFUL PROPERTY OF 2" by Robert C. Arp Jr

1

THIS MONTH OUR FEATURES SECTION starts with a Product Preview. The product in question, the Apple II GS, is the most recent incarnation in the rather long and curious line of Apple IIs. In their article, Senior Technical Editor Gregg Williams and Technical Editor Richard Grehan examine a preliminary version of the machine and consider its potential. A complete review of the Apple II GS will follow in a subsequent issue.

Back in February 1985, Steve Ciarcia's Circuit Cellar project was a serial EPROM programmer. Steve intended it as an experimenter's project that would satisfy a certain core of supporters yet enlighten the larger audience of readers about EPROM programming in general. This proved to a miscalculation. It was much better received than Steve thought it would be. Unfortunately, he hadn't arranged to have it made into a printed circuit board. To make up for this, Steve returns this month with an improved serial EPROM programmer that includes an on-board CPU and intelligent firmware.

All useful programs need storage to go about their business, and Jonathan Amsterdam's "Safe Storage Allocation" explains how to avoid the dangers involved in allocating memory. This Programming Project focuses on four storage allocators that are available to readers in a variety of formats.

In our ongoing coverage of 68000 machines, this month we look at the Commodore Amiga. David D. Thiel's "Sound and the Amiga" explores the Amiga's enhanced, hardware-assisted, digital-to-analog converter approach to sound. Within processor and RAM limitations, says the author, you can do whatever musical flights of fancy you are clever enough to conceive.

Finally, in his October Programming Insight. "A Useful Property of 2^n ," Robert C. Arp Jr. discusses how he solved the problem of a shortage of user flags by exploiting a property of summations of 2^n .

The Apple II GS

The 65C816 processor brings the Apple II into the 16-bit world.

Editor's note: The following is a BYTE product preview. It is not a review. We provide an advanced look at this new product because we feel it is significant. A complete review will follow in a subsequent issue.

he Apple II has a curious history. It was originally designed by Steve Wozniak and Alan Baum in 1976 as a homebrew computer that squeezed maximum features out of minimum parts. Over the years, it evolved into the Apple II+, then the IIe, then the IIc. Once, Apple tried to kill it off with the Apple III (which itself died) and, later, with the Macintosh and the IIc. Despite corporate attempts to ignore it and retard its evolution, the Apple II continued to bring in the major part of Apple's income. Finally, in May 1984 Apple acknowledged the reality of the Apple II's success when it titled its day-long introduction of the Apple IIc "Apple II Forever." (Despite Apple's wishes to the contrary, the IIe continued to sell better than the nonexpandable IIc-people wanted their expansion slots.) By mid-1985, though, the Apple II began to lose its sales appeal, and Apple engineers were already working on a product called, at various times, Phoenix, Columbia, Cortland, and Granny Smith: the Apple II GS.

The Apple II GS looks back to the past and forward to the future, and

the machine might best be summarized by saying that it takes a giant step in both directions. Its new styling and modularity (see photo 1) foreshadows a day when Macintosh and Apple II products will use the same keyboard and 3½-inch disk drives.

SYSTEM DESCRIPTION

Here are the most important features of the Apple II GS:

• Apple II compatibility: The Apple II GS will run most Apple II software and expansion cards. It can run at normal Apple II speed or at a higher rate that makes most software run two to three times faster. IEditor's note: In this article, "Apple II" refers to the traditional Apple II computer as defined by the Apple II, II+, IIe, and IIc.) The Apple II GS composite video signal has been corrected so that it will be recorded correctly by a videotape recorder. Apple lle owners can upgrade to complete II GS compatibility by replacing the motherboard and back/bottom plate with a II GS retrofit kit.

• A 16-bit, 6502-compatible processor: With a 16-bit address bus and 8 "bank address" lines, the Western Design Center's W65C816 can address 256 banks of 64K bytes each, for a total of 16 megabytes. It can also go into a 6502 mode, where it emulates the 65C02A used in the Apple IIe and IIc. The processor's accumulator, stack pointer, and all its registers are 16 bits wide, and its instruction set includes 11 new addressing modes.

• Greatly expanded memory capacity: The machine's architecture reserves space for 8 megabytes of user RAM and I megabyte of system ROM. It comes with 256K bytes of RAM, 128K bytes of system ROM, and 64K bytes of dedicated sound-waveform memory, but you will have to wait for new programs to use most of the memory above the first 128K bytes. Apple currently has plans for 1- and 4-megabyte expansion cards, although an 8-megabyte card is possible.

• New graphics capabilities: The Apple II GS adds two "super hi-res" graphics modes: 200 by 320 pixels with a 16-color palette and 200 by 640 pixels with a 4-color palette; the colors come from a color set of 4096. The machine can use up to 16 palettes per screen and change palettes and resolution on a line-by-line basis. Programmers can use two experimental modes: a 640- by 200-pixel, 16-color (with restrictions) palette mode, and a high-speed "fill mode" variation of the 200 by 320, 16-color mode.

• New sound capabilities: The 32voice Ensoniq Digital Oscillator Chip (DOC), used in the Ensoniq Mirage sampled-sound music synthesizer, and system firmware can drive the (continued)

Gregg Williams is a senior technical editor at BYTE: he bought his first Apple II+ in 1980 and now owns an Apple IIe. Richard Grehan, who has owned an Apple II+ since 1985, is a technical editor at BYTE. They can be reached at One Phoenix Mill Lane, Peterborough, NH 03458.



Deluxe Paint drawing program. (Photo by Electronic Arts.)

	(c) Yersso	a Seft 1		0
I.I.	1	A	1	
22				
	w word processor for l phting, processors for		mouter.	H
The second party of the se	and a lot of the set of	Continue Lond +	res red	
plan tert Bere	greet bothy sund for	proved looks like		
				л
				and l

Writer's Choice Elite word processor. (Photo by Activision Inc.)



Photo I: The Apple II GS.

chip to produce up to 15 musical "instruments."

• Mouse, keyboard, and disks: A one-button mouse and a detachable keyboard with keypad are standard equipment. The Apple II GS does not have an internal disk drive, but you can daisy-chain up to two 800K-byte 3½-inch drives and two 140K-byte 5¼-inch drives to the disk drive port on the rear panel. The system software will come on 3½-inch disks, which silently but forcefully indicates Apple's intent to phase out the 5¼-inch floppy disk.

• The Toolbox: Application programs can use built-in code (some in ROM, some in RAM) to provide a mousedriven desktop environment and orderly use of system resources.

• The Finder: Finder software, supplied with the basic system, allows users to interact with disks and files using windows, icons, and a mousedriven cursor (as popularized by the Apple Macintosh).

• Desk accessories: The Apple II GS makes available Macintosh-like desk accessories; some are available from all programs, and others work only with programs specifically designed for the Apple II GS. The Control Panel, accessible from any program, allows the user to change the date, slot assignments, operating speed, and similar parameters.

• New languages and tools: For the software developer, Apple will offer a 6502/65C02/65816 assembler and versions of C and Pascal; the three languages share a standard editor and linker and allow object code modules from any source to be used together. For the hobbyist, Apple has extended the Apple IIe monitor to work in the Apple II GS 16-bit **environment** and has added new functions to it.

• No enhanced, built-in language: Like the Macintosh (and unlike most other computers), the Apple II GS contains no built-in language (such as Microsoft BASIC) that interacts with the machine's new features. Applesoft BASIC is available in system ROM, but it has no way of directly interacting with the new Apple II GS features.

• A new 16-bit operating system: ProDOS 16 extends Apple's ProDOS (which runs on the Apple II+, IIe, and IIc) to be the standard Apple II GS operating system; it runs on the 65816 in native 16-bit mode, is functionally similar to the 8-bit ProDOS, and shares an identical file structure with ProDOS. Apple has also made slight modifications to the 6502-based Pro-DOS so that it will run on the Apple II GS's Apple II emulation mode; this operating system is named ProDOS 8.

TWO MACHINES

The case of an Apple II GS contains, in a sense, two machines: the full Apple II GS, with all its memory and new features, and a 128K Apple IIe. Much of this article will explain the design elements that allow these two "machines" to exist together. You may want to refer to figure 1, which is a block diagram of the Apple II GS.

THE MEGA II

The Mega II is a custom CMOS chip containing about 3000 gates and a 2K-byte by 8 ROM (for the character generator). It replaces the following chips from the Apple IIe and IIc: character generator ROMs for eight languages, several TTL chips that perform logic functions, and the MMU (memory management unit), IOU (input/output unit), TMG (timing generator), and GLU (general logic unit) custom chips.

In previous Apple II designs, the refreshing of memory was tied directly to the Apple II video mode. The Mega II includes an 8-bit counter for refreshing the 128K bytes of (slow) memory associated with the Apple IIe/IIc model; it does five cycles of RAM refresh during the horizontal retrace of each video scan line and refreshes the 128K bytes of memory in 3.25 milliseconds. By taking care of RAM refresh, the Mega II chip opens the Apple II design to new video modes that were impossible before.

SPEEDING UP THE II GS

The Apple II GS designers had many conflicting goals. They wanted to make a machine that runs as much existing Apple II software as possible and to make it run software (both old and new) faster than on an Apple II. In order to accomplish this, they changed the memory map and employed a technique called shadowing.

Figure 2 shows the Apple II GS memory map. Remember that many memory areas in the Apple II are special; the memory-mapped "soft switches" in the COOO-COFF hexadecimal region control many key functions, interaction with the peripheral cards occurs through locations in the CI00-CFFF hexadecimal region, and several areas of memory determine what graphics and/or text are shown on the video display. Many of these areas are limited by the original Apple Il design to being accessed at I MHz. A straightforward expansion of the Apple II design would put the slow memory in banks 00 and 01, their location in the Apple IIe and IIc. (A bank is defined as the 64K-byte address space from hexadecimal location XX0000 to XXFFFF. Actually, the two 64K-byte banks of memory in the Apple IIe and IIc are called simply the main and auxiliary banks, but you can imagine the bank select as the 17th bit of the corresponding Apple II GS memory address.)


Instead, the designers put the slow memory (with the corresponding control circuitry) in banks EO and E1 hexadecimal and assigned fast memory to banks 00 through 7F. This gives you 8 megabytes of linearly addressed memory (something new to Apple II programmers), and all existing Apple II programs (which must run in banks 00 and 01) will run in fast, not slow, memory. (The 65C816 runs at 2.8 MHz, but the overhead of dynamic memory refreshing slows the average speed of RAM memory access to about 2.5 MHz; ROMs are accessed at the full 2.8-MHz speed.)

This scheme gives us speed but not compatibility. Programs that do I/O using the peripheral slots and video display write to addresses in banks 00 and 01, but the hardware they need to interact with is tied to the slow memory in banks E0 and E1 hexadecimal. How can we get this scheme to work?

The answer is shadowing. The Apple II GS engineers designed the Fast Processor Interface (FPI) custom chip to monitor any attempt to write to the area to be shadowed (in bank (continued)

OCTOBER 1986 - BYTE 87

Figure 1: , bloc, diagram of the Apple II GS



00 or 01), then slow itself down to I MHz and write to the location and its equivalent in bank E0 or E1 hexadecimal. In many locations (video display memory, for example) read operations from the same location have no timing constraints and can proceed at the higher 2.5-MHz speed. Because other locations (like the ones associated with peripheral card I/O) must always be written to and read from at I MHz, the speedup of Apple




Figure 2: The Apple 11 GS memory map. Shaded areas indicate shadowed memory, where any write operation is duplicated to the corresponding location in banks EO and E1 hexadecimal. The super hi-res screen does not need shadowing, but it is included as a convenience to Applesoft and 6502 programmers, who can only work with banks OO and O1. Memory areas are not drawn to scale.

Il software depends on the memory locations the software uses.

Note that this scheme gets two things done. First, it allows existing Apple II programs to write to bank 00 and 01 locations at the correct speed and have the associated hardware perform the expected interaction. Second, it allows programs to execute in the fast 2.5-MHz memory, slowing down only at specific times.

By default, the Apple II GS shadows text page 1 in both banks, hi-res pages 1 and 2 in bank 00, a 32K-byte area (2000–9FFF hexadecimal) in bank 01 used for the new super hi-res graphics modes, and the 4K-byte section of memory at CXXX hexadecimal in bank 00. However, programs can access a "shadow register" that can disable shadowing in individual areas. This speeds up program execution and allows the program to use the unshadowed areas and their E0/E1 (hexadecimal) counterparts for other things.

(The bit that shadows the CXXX [hexadecimal] area also uses the actual memory in locations COOO-CFFF hexadecimal to hold the 4K-byte alternate language-card areas for both banks. When this shadowing is turned off, the language cards of banks 00 and 01 are no longer present, and the 65C816 sees a completely linear address space in banks 00 and 01. [However, all Apple system software requires the CXXX shadowing to be enabled.| The FPI chip controls shadowing and, in general, the intercepting and translating of all the address requests from the 65C816.)

SLOTS AND PORTS

The II GS's expansion slots are identical in function and configuration to the Apple IIe's slots with the exception of one added signal. /M2SEL, which appears at pin 39, replacing the 6502 SYNC signal. /M2SEL is an active-low signal that indicates when the II GS is executing at slow speed (I MHz) and the address lines AO–A15 are valid (i.e., the II GS is talking to the slow RAM or I/O). In some ways, this signal is redundant with the old IOSEL and DEVSEL signals in the II+/IIe, and boards that use these signals should have no problem operating in an Apple II GS. Control-signal generation and clock-signal buffering on the ports are handled by the SlotMaker custom IC.

Associated with each I/O expansion slot are built-in circuits and firmware that form an "invisible" port. The default settings for the seven slots are

- Slot I serial printer port
- Slot 2 serial modem port
- Slot 3 80-column display
- Slot 4 mouse
- Slot 5 31/2-inch disk drives
- Slot 6 5¼-inch disk drives
- Slot 7 AppleTalk

It is as though you had an Apple IIe with boards for all the above devices already plugged in. Unfortunately, this wealth of built-in interfaces carries with it some restrictions, the most severe being that if you have an expansion board you want to run in your II GS, you must give up the built-in port of whatever slot you plug the board into. (You use the Control Panel to choose whether a slot is using its associated default port or a plug-in board: this information is retained in battery-backup RAM.) The serial ports of the Apple II GS appear on the rear of the cabinet in the form of a pair of 8-pin mini-DIN connectors. They are pin- and signal-compatible with the serial connectors on the back of the Macintosh Plus-in fact, the USART in the II GS is the same as the Macintosh's: a Zilog 8530 serial communications chip. If you access the serial ports through the firmware, they "appear" identical to the Apple Super Serial Card (SSC), even though the SSC uses a different UART, a 6551. This has dire consequences for software that talks directly to the serialport hardware on Apple IIs equipped with SSCs. Such software-and this includes practically all of the commercial communication packages-will certainly fail on the II GS.

Programs that bypassed the SSC's firmware did so to break the speed limitations of the firmware's non-interrupt-driven, unbuffered I/O routines, which were virtually useless for dependable communications at 1200 baud. The II GS's serial port firmware solves these troubles: It is interrupt-driven, and each serial port has input

and output buffers that default to 2K bytes each but can be set to up to 64K bytes each.

The Apple II GS's built-in disk port is a 19-pin miniature D-type connector in the middle rear of the machine. You can daisy-chain up to four drives, up to two 3½-inch drives followed by up to two 5¼-inch drives. Owners of Apple IIs who might want to use their drives on the II GS can simply plug their Disk II controller into slot 5 or 6 and override the default setting for that slot.

MEMORY EXPANSION SLOT

The Apple II GS motherboard has a special memory-expansion slot designed for a card with up to 8 megabytes of RAM and 896K bytes of ROM (bringing the system's total ROM to 1 megabyte). The RAM maps into banks 02 to 7F hexadecimal, and the ROM maps into banks F0 to FD hexadecimal. It is easiest to design 1- and 4-megabyte RAM cards (using 256Kbit by I chips and I megabit by I chips, respectively), but the II GS engineers said that, with a few extra chips for interfacing, you could design an 8-megabyte RAM card; however, since the machine is not designed to hold user RAM above bank 7F hexadecimal, an 8-megabyte RAM card would be unable to access the top two banks (128K bytes) of its memory.

SMARTPORT

SmartPort is a set of assembly language routines (held in firmware) for accessing block and (as yet undesigned) character I/O devices on the Apple II GS. The SmartPort routines provide support for 3½-inch disk drives, a RAM memory disk (called the /RAM device), or a ROM memory disk (5½-inch drives, though part of the daisy chain, are controlled by the Disk II firmware, and future hard disks can be designed to respond to Smart-Port routines without being part of the daisy chain).

SmartPort handles I/O in blocks of 512 bytes; since the routines permit up to a 4-byte block number, Smart-Port can manage devices with storage capacities up to 2,199,023,255,552 bytes. SmartPort's basic functions include get device status, reset a device, format a device, read a block from a device, write a block, and send control information.

Any I/O expansion card that adheres to SmartPort conventions will have signature bytes at specific locations in its on-board ROM. The II GS's firmware will hunt for and recognize these at boot-up time, just as ProDOS currently does on the Apple II.

As its name implies, the ROM disk is the equivalent of a RAM disk emulator in nonvolatile read-only memory. This could come in handy for keeping frequently used programs like assemblers, compilers, or the like on hand for rapid execution. The II GS memory space has eight 64K-byte banks set aside for ROM disk expansion, located just beneath the firmware ROM in banks F0–F7 hexadecimal.

DESK ACCESSORIES AND THE CONTROL PANEL

You can think of a desk accessory as a mini-application that can be run from within another program. Macintosh owners are already familiar with desk accessories-those utility programs from the menu bar that appear when you click on the apple symbol. The II GS supports two types of desk accessories (with a tip of the hat, perhaps, to Coca-Cola): classic desk accessories (CDA) and new desk accessories (NDA). A classic desk accessory can be activated only by a keypress. Classic desk accessories can be run with older Apple II programs (such as Appleworks) and new II GS programs. A new desk accessory runs in the II GS's desktop environment and is available from a pull-down menu similar to the Macintosh's deskaccessory menu.

One classic desk accessory is built into the II GS: the Control Panel. You call up the Control Panel by simultaneously pressing open-apple-Control-Escape, which presents you with a menu containing the following system configuration options:

• Display selects color or monochrome monitor, display width, and colors for text, background, and border.

(continued)

• Sound displays two "slider switches" used to adjust the II GS speaker's pitch and volume.

• Speed selects 1.0-MHz or 2.8-MHz ("normal" or "fast") operation of the 65C816 CPU.

• Clock sets the II GS system clock time and date.

• Options alters parameters of the II GS's keyboard: keyboard layout, keyboard buffering on or off, repeat speed and delay, and others.

• Slots lets you indicate for each of the II GS's seven I/O slots whether the slot is running an "invisible" port or a plug-in board.

Other selections from the Control Panel let you set parameters for the serial ports and enable a RAM disk. You can use the Control Panel from within any program; we even used it in the middle of a disk access with no adverse effects.

VIDEO MODES AND THE VGC

Because the Apple II GS emulates the Apple II, it contains all the text and graphics modes of the Apple II: 24 by

40 text. 24 by 80 text. 48 by 40 lowresolution and 48 by 80 mediumresolution graphics with 16 predefined colors, 192 by 140 hi-res graphics with 6 predefined colors, and 192 by 140 double hi-res graphics with 16 predefined colors and 192 by 560 monochrome graphics. (Apple claims double the above numbers for hi-res resolutions in the horizontal directions, but the numbers here more accurately reflect the true nature of hi-res graphics because of the color limitations between adjacent pixels.)

As stated earlier, removing the banks E0 and E1 (hexadecimal) dynamic RAM refreshing from the video display circuitry makes new video modes possible. A new custom chip, the Video Graphics Controller (VGC), implements both old and new video modes as well as unrelated support functions for the built-in clock chip, the disk drives, the interrupt system, and built-in chip and board testing routines. The VGC enhances current text modes by allowing the user to choose from the Control Panel




Photo 2: Apple super hi-res graphics (200 by 320), fill mode, and lineaddressable mode switching. The top (green) portion of this photo is in fill mode, while the bottom is not. Note that the colored outline of the cube determines what color a given face will be painted in fill mode. Note also the green line running down the left side the screen; this line makes the background color of the screen green. [Courtesy of Apple Computer.] the color (or gray scale value) of the text, its background, and the border outside the active text/graphics area. These modes are available only when using an RGB color or monochrome monitor.

SUPER HI-RES GRAPHICS

The new modes are called "super hires." Actually, there are three modes that can be used in four ways; two of them are pretty straightforward and useful, while the other two are more experimental.

Associated with the super hi-res modes is a 32K-byte chunk of memory in bank El ranging from addresses 2000 to 9FFF (assume that the addresses in this section are hexadecimal and the quantities are decimal). The pixel map occupies the range from 2000 to 9CFF, an important set of pointers occupies locations 9D00 through 9DFF, and color palette information fills the remainder of the area, from 9E00 to 9FFF. (To get into these modes, write CI hexadecimal to location C029, and write 41 hexadecimal into it to restore the Apple II modes.)

The pixel map contains exactly 32,000 bytes arranged as 200 rows of 160 bytes each. Apple II programmers, who have always struggled with a convoluted pixel-to-memory mapping scheme, will be surprised by the fact that the super hi-res modes are completely linear, with a row-first stream of pixels corresponding to an unbroken, increasing progression of memory addresses. In other words, the first pixel on the first line uses the high bits of location 2000, while the same pixel in the second line uses location 20A0 (160 bytes later), and so on.

There are two super hi-res modes. Both have 200 lines per screen, but one has 320 pixels per line (see photo 2), while the other has 640 pixels per line. Since each line is represented by 160 bytes, each pixel has 4 bits of memory in the 320 mode and 2 bits in the 640 mode (see figure 3). This scheme gives you 16 colors in the 200 by 320 mode and 4 colors in the 200 by 640 mode, with no restrictions on the color of adjacent pixels (a prob-(continued)



Inquiry 14

B

lem that complicates the Apple II hi-res modes).

With the old Apple II hi-res modes, the electronic characteristics of both the Apple II and its video display determined the colors that were available; for example, the hi-res mode gave you the colors violet, blue, green, orange, black, and white. The Apple II GS, through the VGC chip, gives you more control over the colors in your graphic display. The super hi-res mode lets you choose your palette of 16 colors from a color set of 4096.

But which of these 16 colors are used in the 640 by 200, 4-color mode? The answer is all of them, the details of which lead us to one of the experimental super hi-res modes. The two bits of a pixel in this mode can have four values, so they are used in this mode to choose from 4 colors in the 16-color palette. Which 4 colors? Apple II programmers will recognize

(b) Pixel data byte format, 640 7 6 5 4 3 2 1 for 2r ixel (hexadecimal) Selects f or colors 8-B for 1st p vel (hexadecimal)

Figure 3: (a) Pixel decoding in the 320 by 200 and (b) 640 by 200 super hi-res modes.

the answer as yet another convoluted video mode in the Apple II tradition: The 4 colors available for a pixel depend on its position within a byte (see figure 3b).

PALETTES AND POINTERS

Actually, the Apple II GS defines a 512-byte area starting at location 9E00 hexadecimal; this area contains 16 color palettes of 32 bytes each, numbered from 0 to F hexadecimal. Each color in a palette is defined in 2 bytes, using 4 bits each to describe the red, green, and blue components of the color. The first byte contains the values for green (bits 7-4) and blue (bits 3-0); the second byte contains the red value (bits 3-0), with the remaining bits set to zeros.

Why are there 16 palettes? Because each scan line can use any of them in any order. This brings the total number of colors that can appear onscreen to $16 \times 16 = 256$ colors. Expect to see some uncharacteristic graphics as soon as programmers learn their way around the machine.

The final surprise of the super hi-res graphics modes comes from the pointer area. The pointer byte at location 9D00 hexadecimal corresponds to the top line of the video display, with each successive scan line getting the next byte: 9D01, 9D02,..., etc. This byte is read and interpreted during the horizontal retrace of the previous video line.

Within each pointer byte, bits 3 through 0 determine which of the 16 color palettes is to be used. Bit 4 is not used and should be set to 0. Bit 6 does nothing if set to 0. If it and an interrupt register at address C023 hexadecimal are both set to I, the VGC generates an interrupt at the beginning of the line; this will allow the advanced programmer to wring extra performance out of the super hires screen by altering palette values (or making other useful changes) "on the fly"-that is, while the machine is drawing the video display. Bit 7 determines the resolution: 0 for 320 pixels, I for 640.

This leaves bit 5, which does nothing if set to 0 but which activates the final, experimental super hi-res mode, called *fill mode* (see photo 2). In fill mode (which works in 200 by 320 resolution only), you have access to 15 colors (numbers I through F, hexadecimal). A pixel value of 0 means that its color is the same as the last nonzero pixel to the left. In other words, pixels with the values

3000200000009000

would appear as colors

3 3 3 3 2 2 2 2 2 2 2 2 9 9 9 9

and you could change the large area painted with color 2 to, say, color 5 by changing one pixel (the fifth one) from a 2 to a 5. (Note that the first pixel in a line must always be nonzero.) This mode will be good for drawing large areas and changing their colors very quickly.

SOUND

The heart of the II GS's sound system is the Digital Oscillator Chip manu-(continued)

12MHz SPEED plus A MEGABYTE FOR DOS!



THEY ALL NEED NUMBER SMASHER/ECM[™]

Turn your PC or XT into the machine it should have been! The 12 MHz Number Smasher/ECM is the fastest accelerator on the market. It is also the most powerful, providing a true megabyte for DOS!

To break the 640K DOS barrier MicroWay designed a Memory Management Unit (MMU) that is tailored to DOS plus a 2000 byte resident driver– MegaDOS[™]. MicroWay calls this breakthrough Extended Conventional Memory. When you type CHKDSK with the board installed, your system will report 1,036,288 bytes total memory and 1,010,016 bytes free! Any conventional DOS program can utilize a full megabyte for data or *code* without changing a byte.

Downloading a mainframe application? ECM memory runs with any program that uses DOS for screen services including RM and MS FORTRAN and MS and LATTICE C! This means you have an additional 384 K available for oversized applications. Programs which write directly to the screen require a simple patch to adhere to the new standard. MicroWay has already developed patches for the Lotus, WORDSTAR and AUTOCAD screen drivers. Release 1 A of 1-2-3 jumps from 535,516 to 916,444 bytes available and runs faster than Release 2 for most worksheets. **Number Smasher/ECM is 100% compatible** with all hardware and software including EMS and EGA boards. The compatibility is a result of control: its speed is switch, keyboard or software selectable from 4.77 MHz to 12.0 MHz. Applications which have not been upgraded to ECM can still be run by setting DOS to 640K or 704K and using the memory above DOS for I/O enhancers.

Number Smasher/ECM runs floating point bound programs faster than an AT or any other 80286 based machine. In fact, Number Smasher's 12 MHz 8087 runs a factor of three faster than the standard 80287 on the AT, delivering up to 125 kflops. Software is included for RAM Disk, print spooler, and disk caching, which speeds up floppy and hard disks by a factor of 2 to 10!

Number Smasher/ECM is the most cost effective productivity tool you can buy. The base board which runs at 9.54 MHz comes with 512K and costs only \$599! The complete system which includes a motherboard accelerator, one megabyte of memory and a 12 MHz 8087 is just \$1199. Call today to discuss your particular configuration. Remember: "The advantage of buying from MicroWay is outstanding personal service." (PC Magazine, 6/10/86 – p. 162)



The World Leader in 8087 Support

P.O. Box 79, Kingston, Mass. 02364 USA (617) 746-7341 Tempo House, London, U.K. call 01-223-7662

Number Smasher, ECM and MegaDOS are trademarks of MicroWay, Inc. MicroWay is a registered trademark of MicroWay, Inc.

factured by Ensonig and used in the Mirage digital synthesizer. The DOC is attached to its own personal bank of 64K memory into which programs store wave tables that the DOC uses to generate sound. This memory is accessible only through special registers in the Sound General Logic Unit, a custom chip that acts as an interface between the DOC and its memory and thus allows sound generation to proceed independent of other processing in the Apple II GS. Additionally, registers within the Sound GLU chip regulate the gain of the II GS's audio amplifier, providing control of the speaker's volume.

The Ensoniq DOC contains 32 oscillators that the II GS firmware operates in pairs to generate a tone. Since one of the oscillators is used by the system to generate a time-slice interrupt for the DOC, the Apple II GS can produce up to 15 independent tones simultaneously.

A wave table is a series of bytes in the DOC's memory such that each byte represents the instantaneous value of the amplitude of the sound's output waveform. An oscillator on the DOC will step through this table fetching bytes and passing them to an onchip digital-to-analog converter that produces the analog waveform that, after filtering, goes to the speaker. This technique allows generation of a theoretically limitless range of sounds, bounded only by the amount of memory available. The limit of 64K dedicated memory is no impediment, since the II GS allows you to fill one portion of a wave table while the DOC is fetching information out of another.

The II GS passes the unamplified monophonic signal of the sound system's output to a mini stereo phone jack on the back panel of the machine. This output is capable of driving a pair of Walkman-style headphones or, with the proper adapter cable, the input of a stereo amplifier. The designers of the II GS have also provided a connector on the motherboard that gives direct access to several useful DOC signals, including an unfiltered audio output, channel selection logic signals (can be used to implement eight independent audio channels), and an input to the DOC's analog-to-digital converter (for a sound sampler/digitizer).

THE APPLE II GS TOOLBOX

In the past, the Apple II could be almost completely described by its hardware features. The Apple II GS ends this tradition with its inclusion of significant amounts of system software in both ROM and RAM meant to be available to all programs. It is not accidental that these routines are similar in name and function to those in the Macintosh computer. The Mac toolbox is an elegant, powerful system proven to work and improved by two years of intensive use.

The Apple II GS toolbox implements the most useful Macintosh toolbox functions, though sometimes it does so in a different way; the Memory Manager, for instance, works quite differently from its Macintosh counterpart because of the way the Apple II GS's memory is divided into 64K-byte banks. However, the Apple II GS doesn't duplicate all of the Macintosh toolbox.

The code in the Apple II GS toolbox is divided into *tool sets*, and the individual routines are called *tool calls*. The tool sets that are in ROM are the Tool Locator, Memory Manager, SANE (Standard Apple Numerics Environment) Numerics, Desk Accessory Manager, Event Manager, Sound Manager, Integer Math Tools, Text Screen Tools, Scheduler, and Miscellaneous Tools. QuickDraw II is divided between ROM and RAM.

The remaining tool sets are stored on disk and loaded into RAM by the application that needs them. Once in memory, they are indistinguishable from tools stored in ROM. They are the Menu Manager, Window Manager, Control Manager, Line Editor, Dialog Manager. Scrap Manager, and Print Manager.

TOOL SET STRUCTURE

The Apple II GS tool set has no fixed routine entry points and only four fixed addresses associated with its toolkits, yet any program can execute any toolbox routine in RAM or ROM, even if a routine is changed or moved to a different location after the program is written. Both tool sets and tool calls are numbered (starting with I), and any tool call can be executed by the following assembly language sequence:

push inp1 ldx #CallID jsl Dispatch

This pushes any input onto the stack. loads the 16-bit X register with a call ID constant that has the tool call number in the high byte and the tool set number in the low byte, and does a subroutine jump to a fixed entry point. A high-level language would compile a normal procedure call as a series of 0 or more push instructions. followed by a jump to a different location that performs the above function while handling an extra 3-byte return value on the stack. The Apple II GS designers estimate that this type of call has an overhead of about 118 microseconds. Parameters can be passed in several ways, based on the needs of the individual routine: on the stack, in a known block of memory. or in the A, X, and Y registers.

To increase the usability and extensibility of the II GS, its designers provided an identical but parallel structure that allows programmers to build and use their own tool sets without "borrowing" tool set numbers that Apple may later use. The only difference between the two is a different entry point, "UDispatch" instead of "Dispatch."

TOOLKIT MEMORY USAGE

Many tool calls need their own memory-sometimes page zero locations to speed up their execution, sometimes other memory for passing parameters or sharing or storing data. The Apple II GS designers resolved the conflicting memory needs of many different tool calls by regulating memory usage as follows: The program using the tool sets will itself allocate page zero memory, and tool sets will allocate the other memory they need by asking for it through the Memory Manager. They can then point to it with the WAPT (Work Area Pointer Table) entry reserved for that tool set, and their tool calls will always (continued)

PERFORMANCE THAT IS OUT OF THIS WORLD...

\$38900 MODEL 2000 20MHz DUAL TRACE \$54900 MODEL 3500 35MHz DUAL TRACE DELAYED SWEEP

...AT A DOWN TO EARTH PRICE

At last! Truly affordable test equipment with no compromise in design, and features you would expect to find only on oscilloscopes costing hundreds of dollars more! JDR Instruments presents two, new, high-performance models backed by a two year warranty and technical support which is only a phone call away. Perfect for the technician or advanced hobbyist, both models feature Dual Trace capability and a variety of operating and triggering modes, including CH-B Subtract and X-Y operation.

MODEL 2000 has a 20 MHz bandwidth and 20 calibrated sweeps ranging from .2s to .2µs. A convenient built-in component tester provides additional diagnostic power.



MODEL 3500 features a 35 MHz bandwidth and exceptional 1mV/DIV sensitivity. Delayed sweep and variable holdoff allow stable viewing of complex waveforms.

ORDER TOLL FREE 800-538-5000 800-662-6279 (CA)

1224 South Bascom Avenue San Jose, California 95128 (408) 995-5430

COPYRIGHT 1965 JDR INSTRUMENTS, EARTH PHOTO COURTESY OF NASA. THE JDR INSTRUMENTS LOGO IS A REGISTERED TRADEMARK OF JDR MICRODEVICES. JDR INSTRUMENTS IS A TRADEMARK OF JDR MICRODEVICES be able to access that memory in whatever way they wish.

QUICKDRAW II

QuickDraw II deserves mention because of its importance for desktop-based Apple II GS software. It is a tool set, partly in ROM and partly in RAM, that provides a standard set of useful graphics routines for drawing window/menu-oriented screens. Wherever possible and appropriate, it attempts to work equivalently to a subset of Macintosh QuickDraw routines. The pre-release documentation lists 146 QuickDraw II tool calls, of which 114 are listed as being the same as their Macintosh equivalents, 22 are listed as being similar, and 10 are entirely different or absent. The degree of consistency between QuickDraw and QuickDraw II will be very important to Macintosh software developers attempting to convert their software to the Apple II GS.

PRODOS

Apple has crowned ProDOS *the* operating system for the Apple II series of computers, and the company will be guiding ProDOS along a carefully controlled development path that proceeds as follows:

• ProDOS 1.1.1 will continue to be supported for the Apple IIe and IIc computers and many ProDOS 1.1.1 programs will run on the II GS.

ProDOS 8, an altered version of ProDOS 1.1.1, will become the standard 8-bit operating system for the Apple II. It will work on the IIe, IIc, and II GS.
ProDOS 16 will be the 16-bit operating system used for Apple II GS software. Version 1.0, supplied with the machine at its introduction, is built on a ProDOS 16 framework but is implemented by a ProDOS 8 core surrounded by a shell handling ProDOS 16–style calls. ProDOS 16 version 2.0 will be released in the first quarter of 1987.

THE FINDER

We did not see the Finder working when we saw the Apple II GS, but its preliminary documentation describes it as "a combination Program Selector/Disk Utility for managing docu-

EXTENDED APPLE II GS COVERAGE ON BIX

B YTE magazine has a lead time of several months, but the lead time on BIX (BYTE Information Exchange) is measured by how fast we can type. By the time you read this, we will have active a special "Apple II GS event" on BIX that will include further technical details. exact prices, BIX users giving their impressions of the machine as it comes out of the box, and more. Much of this information will be excerpted in the Best of BIX section of BYTE as soon as our lead time allows.

For more details about the special Apple II GS coverage in BIX, log on to BIX, type join apple, and then join the first topic with 'GS' somewhere in its name.

ments and directing traffic between the user and storage devices." It seems to be a pretty faithful imitation of the Macintosh desktop interface, with several exceptions.

First, the "Special" menu has two new items—"Check Drives" and "Format." The first causes the Finder to update its knowledge of what disk is in each drive (remember that, in an Apple II system, you can change the floppy disk in a drive without the computer knowing what you've done). The second will eventually allow you to format a disk in either ProDOS, Apple Pascal, DOS 3.3, or Apple CP/M formats; the initial release, however, will only format disks for ProDOS.

Second, the Finder will interact most fully with ProDOS disks and programs. Since only the ProDOS operating system has subdirectories, only ProDOS disks will have folders in their windows. When you exit a ProDOS program, it will return you to the Finder.

Third, the Finder does not support custom file icons. Each icon will have a shape determined by its file type.

Finally, the Finder will support rudimentary printing of text files.

A future version of the Finder will probably add the Macintosh MFS (old) and HFS (hierarchical) disk formats. Apple Pascal 1.3, and Apple CP/M to the file types supported.

APPLE DESKTOP BUS

The Apple Desktop Bus (ADB) is used for the generalized connection of the computer with up to 16 input devices daisy-chained to a single connector on the back panel; it currently supports multiple keyboards (for educational and other programs) and a mouse (ending the daisy chain), but the design can accommodate other kinds of devices. Devices are connected through a shielded 3-conductor cable using mini-DIN-4 connectors.

The ADB is controlled by a dedicated 8-bit processor called the ADB microcontroller (abbreviated here as ADBM); in addition, the mouse and keyboard are controlled by custom microcontrollers that interact with the ADBM. The ADBM and the intelligent devices "talk" on a bus where only the ADBM can issue commands: the devices reply as appropriate with data or requests for service.

In general, the ADBM handles lowlevel interaction with the keyboard, mouse, and other input devices, thus freeing the 65C816 processor from having to handle such tasks.

APPLETALK

Unlike any other Apple Computer product, the Apple II GS includes built-in AppleTalk code in RAM and ROM. Through the Control Panel, you can configure slot 7 as AppleTalk; the II GS then uses one of the two serial ports as its AppleTalk port.

The II GS implements the bottom two (of seven) levels of **AppleTalk** protocol: Link Access Protocol (LAP) and Datagram Delivery Protocol (DDP). It also implements enough of the next (continued)

Explore AI on your PC

Smalltalk/V transforms your PC into a versatile AI workstation

Only Smalltalk/V lets you experience the thrill of a responsive AI workstation while learning artificial intelligence techniques and using them to create practical applications.

"Smalltalk/V gives me the feel of an AI workstation on my PC." -Darryl Rubin.

Technical Editor. AI Expert Magazine

Watching someone use an AI workstation is a vision of what the computer was meant to be. Fingers dance across the keys as windows dilate, shift, overlap, and disappear on the bit-mapped display. Ideas spring to life as program fragments execute, are modified, expanded, combined and tried again in a creative arabesque of text and graphics. The interface vanishes, man and machine are one. Smalltalk/V brings that experience to vour IBM-PC.

"We use Smalltalk as our primary language for teaching artificial intelligence."

-Dr. John Pugh Director, School of Computer Science Carleton University

Of the three main AI languages, Smalltalk, LISP, and Prolog, only Smalltalk was intended for individual use on a personal computer. Only Smalltalk was designed to provide a match between human and computer models of reality. Only Smalltalk is easy to learn, easy to read, and easy to use.

YES! I want to turn my PC into an AI workstation.	Send me
Smalltalk/V	I enclose
Communications for Smalltalk/V \$49 Methods (including Communications)	Credit o
Shipping and Handling	Number:
CA residents add applik sales tax\$	Signature
TO'TAL	Street Address
Shipping and Handling U.S., Canada and Mavico \$ 5.00	City/State/Zip:
Elsewhere\$15.00	Phone:

"Smalltalk/V is the highest performance object-oriented programming system available for PCs." -Dr. Piero Scaru ffi **Chief** Scientist Olivetti Artificial Intelligence Center

Smalltalk/V Features

High-performance

object-oriented programming Integrates object-based and rule-based

- programming with object-oriented Prolog
- A user-extensible, open-ended environment
- A responsive graphical user interface
- Supports exploratory programming and prototyping
- Class hierarchy with inheritance creates highly re-useable code
- Smalltalk source code included, with browser windows for easy access and modification
- A huge toolkit of classes and objects for building a variety of applications
- Object-swapping creates virtual memory on hard or RAM disk
- Bit-mapped graphics with bit and form editors
- A sophisticated source-level debugger
- Automatic change log for easy recovery from errors
- Powerful directory/file browser system for organizing DOS files
- Optional communications interface to Unix[™] and other systems
- Access to other languages and DOS functions
- DOS command shell
- Detailed owner's manual designed for both beginners and advanced programmers

NOT COPY PROTECTED, 60-DAY MONEY-BACK GUARANTEE ON-LINE USER-SUPPORT CONFERENCE ON BYTE'S BIXTM

Smalltalk/V requires DOS and 512K RAM on IBM PCs (including AT) or "compatibles," a Microsoft or compatible mouse, and a CGA, EGA, Hercules, or AT&T Hi-Res graphic controller.



5200 West Century Boulevard Los Angeles, CA 90045 (213) 645-1082

"We found Smalltalk/V excellent for developing advanced decisionsupport tools based on decision analysis and AI techniques."

> -Dr. Samuel Holtzman, Professor, Stanford University

Smalltalk/V is pure object-oriented programming - a powerful tool for designing frame/scriptbased knowlege representations, inference engines, expert systems, simulation environments, intelligent interfaces, network control software, communications interfaces, and much more.

Methods, our character-based Smalltalk, is now available for \$79. It has all of the features of Smalltalk/V except graphics, rules, source-level debugger, and object-swapping. However, it supports color, includes the communication package, and does not require a mouse.

BYTE and BIX are trademarks of McGraw-Hill, Inc. IBM, IBM-PC, and IBM PC-AT are trademarks of International Business Machines Corporation. Unix is a trademark of Bell Laboratories Inquiry 92

I enclose 🗌 Check 🗌 Money Order

Credit card information MC VISA Number: ____ Expiration____ Signature __ Name: Street Address:____ City/State/Zip: _____ Phone:

.

two levels, Name Binding Protocol (NBP) and AppleIalk Transaction Protocol (ATP), to boot the II GS from a remote file server (thus allowing it to be used in a network environment without its own disk drive).

PRICING

The price for the Apple II GS had not been set at the time of this writing, but we expect the price for a starter system with one 3½-inch disk drive and a monochrome monitor to be in the \$1400 to \$1600 range.

COMPATIBILITY

For many users. especially current owners, software and hardware compatibility will be the make-or-break factor in their decision to buy an Apple II GS. The II GS engineers did an incredible job of designing a new, more powerful computer that is largely compatible with the existing body of Apple II hardware and software. One engineer estimated the II GS's hardware compatibility at "about 80 percent" and its software compatibility at "95 to 99 percent."

Complete software compatibility is impossible, largely because of the completely unregulated way the Apple II has been programmed in the last 10 years. People wrote code that jumped into the middle of ROM routines, used machine language op codes that were unimplemented in the 6502 (but that are in the 65C816), and implemented countless copyprotection schemes, many of which depended on particular hardware details that were replaced in later Apple II designs.

The final verdict must wait until we get to test a production-line machine, but we tested several Apple II game and business programs and found two that fail trying to execute former-ly unimplemented op codes (THE Spreadsheet and Serpentine) and one (HomeWord running under ProDOS 1.1.1) that doesn't work because the 65C816 does not completely emulate the way the 6502 wraps an X-register address from FFFF hexadecimal to 0000 (it wraps to 10000 hexadecimal).

Most peripheral cards that do not implement "phantom slots" (where a multifunction card appears to be several cards in different slots) will work, but some cards won't; we were told, for example, that the Mountain Computer Music Card set won't work because of the way it uses interrupts.

As with previous enhancements to the Apple II line, such differences cause problems for the first year or so, then they fade from consciousness as companies revise their products and users find patches or workaround measures for products that don't work. In general, the more recent your Apple II software or hardware, the more likely it is to run properly.

CAVEATS

We wrote this product preview in July 1986, after two days with the Apple II GS engineering staff, much study of seven volumes of developers' technical documentation, and subsequent telephone conversations with the engineers. When we saw the Apple II GS, the firmware was about to be "frozen," and the machine itself was in "final preproduction"; only minor changes are likely to be made at this point. We did not get to see the Finder software, but we had several hours of hands-on experience and ran several impressive sound and graphics demos.

(We wish to thank Rob Moore, Harvey Lehtman, and many other Apple people for their help.)

CONCLUSIONS

What do you say about such innovative energy that has been directed primarily toward preserving a hardware design that is 10 years old? The Apple II GS designers' achievements are remarkable, but the burden of the classic Apple II architecture, now as venerable (and outdated) as COBOL and batch processing, may have weighted them down and denied them any technological leaps beyond an exercise in miniaturization. Also, the 65C816 may prove to be an IC of mixed blessings: While it does provide a means of supporting the 6502 within a processor that also operates in a 16-bit mode, to programmers it represents yet another instruction set that has to be learned and whose oddities will have to be dealt with.

The Apple II GS affirms several trends in microcomputer design that we should not ignore: improved graphics and sound, larger processor and memory capacity, and the use of a mouse and a desktop/icon/windows user interface. The machine also follows a trend but breaks new ground in the Apple II line by including large amounts of system firmware that is as important as the machine's new hardware features.

Because Apple perceives itself as a "premium label," its pricing will not be as aggressive as many users would like it to be. Apple is becoming—dare we say it?—more and more like IBM, selling more on name, reputation, and installed base of software and hardware (not a strong selling point, in the case of Apple II software) than on computing-power-per-dollar value.

The Apple II GS, hog-tied by Apple Il compatibility, approaches but does not match or exceed current microcomputer capabilities. The 8086-like segmented memory of the 65C816 is not as elegant as that of the 68000, used in the Apple Macintosh, the Commodore Amiga, and the Atari 520ST. In addition, the 65C816 lacks the hardware multiply and divide instructions available in both the 8086 and the 68000 processors. The Apple II GS's graphics, though now competitive, do not offer any advantages over the Amiga's or the Atari ST's, nor is its price competitive with either. Its only clear superiority is in its sound capabilities, which for many buyers will not outweigh graphics and price.

Ironically, the Apple II GS will suffer from the traditional lack of software and hardware upon its introduction. Vendors will take longer than they expect to come out with new products, and many will enhance existing products for the Apple II instead of writing new software that fully exploits (and is limited to) the Apple II GS. Granted, a tremendous amount of software is already out there, but the Apple IIe and IIc will run it with fewer compatibility problems and at a significantly lower cost. As with new machines before it, people will buy the Apple II GS because they see the unrealized promise of its new features.

Microsoft FORTRAN. The overwhelming favorite.

How did Microsoft[®]FORTRAN get so popular? It could be the mainframe compatibility. Our compiler makes porting applications a cinch with overlays and the ANSI features you need.

It could be our support for arrays and COMMON blocks larger than 64K. So you can tackle mainframe-size problems.

It might be the shelves and shelves of third party support libraries. No other FORTRAN comes close.



Cut your development time dramatically. The Symbolic Debug utility, part of the Microsoft Macro Assembler, lets you debug your FORTRAN programs using your original source code or the resulting disassembly. For example, you can set breakpoints on line numbers, observe the contents of variables and expressions, and examine the contents of the stack.

It could be the extensive math support. Our collection of math libraries is simply the largest available. Tackle real problems with direct 8087 support or emulation. Use IEEE floating point or—for extra speed—the altmath package.

It could be the **comprehensive** set of utilities. A powerful linker **and library** manager combination. Plus tools like EXEMOD and EXEPACK. Standard.

It could be the XENIX[®] and MS-DOS[®] source-level compatibility. Or the direct interlanguage calling to Microsoft C, Pascal and Assembler. Or the ability to work with our Macro Assembler's symbolic debugger.

It could be the value. Nobody offers a FORTRAN package this complete at this low a price.

Why is Microsoft FORTRAN the most popular FORTRAN? All the above.

Microsoft FORTRAN Compiler Version 3.3 for MS-DOS and XENIX 286

Microsoft FORTRAN Compiler

- •Implements most ANSI 77 standard features, plus extensions.
- Easily port mainframe/minicomputer programs with little or no modification.
- •Overlay support in the compiler and linker.
- •Common blocks and arrays greater than 64K.
- •Supported by the largest number of third party libraries.
- Includes a full set of math libraries to select from:
 - •8087/80287 emulation.
 - •8087/80287 coprocessor support.
 - Floating Point without 8087/80287.
- BCD Floating Point.
- Conditional compilation.
- Link your FORTRAN routines with Microsoft C Compiler (version 3.0 or higher), Microsoft Pascal (version 3.3 or higher), and Microsoft Macro Assembler.
- higher), and Microsoft Macro Assembler. • MS-DOS 3.1 network support and IBM[®] local area network support.
- Source code compatible between MS-DOS and XENIX 286
- Do source level debugging with the Symbolic Debug Utility, available separately with Microsoft Macro Assembler.
- **Object Code Overlay**
- Simple overlay linker combines relocatable object modules created using Microsoft languages into a single program.
- Link very large programs (over 1 megabyte) using overlays. Library Manager
- Create, organize and maintain your object module libraries created with Microsoft languages.
- Microsoft EXE File Compression Utility (MS-DOS only)
- •A utility to pack EXE files for smaller size on disk and faster loading at execution time. Microsoft EXE File Header Utility (MS-DOS only)

Microsoft EXE File Header Utility (MS-DOS only) • A utility that allows you to display and modify the fields in EXE file headers.

For the name of your nearest Microsoft dealer call (800) 426-9400. In Washington State and Alaska, (206) 882-8088. In Canada, call (416) 673-7638.



Microsoft, XENIX and MS-DOS are registered trademarks and The High Performance Software is a trademark of Microsoft Corporation. IBM is a registured trademark of International Business Machines Corporation.

Finally, a language worth

For years BASIC has been everyone's first language. And for almost as long, they've been tempted by other languages. Lured by promises of more speed, more power.

We have a solution. A new language that's a substantial improvement over BASICA. Faster. More structured. Finally, a compelling reason to leave BASIC.

Introducing Microsoft's QuickBASIC Compiler Version 2.0.

At last, you can have the latest programming techniques, combined with the solid foundation of BASIC. Our new compiler is as compatible with BASICA as you can get. At the same time it offers the extra speed and power you've been looking for.

Run faster with compiled code.

If there's one thing you've asked for, it's speed. And Microsoft[®] QuickBASIC simply blazes. Old BASICA programs will run up to ten times quicker once they've been compiled. Sometimes even faster.

Everything you need. Built-in.

Making programs run faster is only part of the story, though. The new Microsoft QuickBASIC Compiler includes a full-screen editor, built-in. So now you can make the jump from writing to RUNning in no time flat. Edit your program, compile it, and run it. Faster than any other BASIC compiler around. All without leaving our on-line help and prompts.



leaving BASIC for.

On the rare chance your program doesn't run 100% the first time out, we've got another surprise for you. The Microsoft QuickBASIC debugger. Our full-screen tracing lets you debug your programs while watching the source code execute. A line at a time, or with breakpoints. As easy as can be.

Our compiler is also smart enough to save you time. First, by finding any errors in one pass. Second, by putting your editor's cursor on the problem. Automatically. So you don't have to get lost in a maze of error codes and line-numbers.

The BASIC virtues. And more.

Speaking of line numbers, let's not. Because line numbers are strictly optional. And Microsoft QuickBASIC lets you use alphanumeric labels as well. Now you can GOTO ErrorCheck instead of line number 6815.

Or you could stop using GOTOs altogether. There are a variety of options that could make the GOTO an endangered species. Features like multi-line IF-THEN blocks. And named subprograms. Now your BASIC programs can be as structured and organized as you want.

We've only just begun to talk about the virtues of Microsoft QuickBASIC. There are dozens of enhancements to your favorite language. Things like larger arrays. Local and global variables. Reusable modules that let you create libraries of your most often-used routines. All explained in a revised manual that includes a complete language reference.

Making your quick escape.

If all these features follow your BASIC instincts, then zip on down to your nearest Microsoft dealer. That's where you'll discover the best surprise of all. The price. Only \$99 for the best reason to leave BASIC.

For the name of your nearest Microsoft dealer, call (800) 426-9400. In Washington State and Alaska, (206) 882-8088. In Canada, call (416) 673-7638.

Microsoft[®] QuickBASIC

The High Performance Software™

Microsoft is a registered trademark and The High Performance Software is a trademark of Microsoft Corporation. IBM is a registered trademark of International Business Machines Corporation.

Microsoft QuickBASIC Compiler Version 2.0 for IBM® PC and Compatible Computers.

BASICA Compatibility


- Sound statements including SOUND and PLAY.
- Graphics statements including WINDOW, VIEW, DRAW, GET, PUT, LINE, CIRCLE, LOCATE and SCREEN.
- Support of EGA extended graphics modes. NEW!
- BASICA structures are supported including WHILE/WEND, IF/THEN/ELSE, FOR/NEXT, GOSUB/RETURN, and event handling. Microsoft

Results of Sieve Benchmark BASICA 3.1 QuickBASIC 2.0 0.52 Seconds per iteration

Complete Programming Environment

- · Built-in Editor that places the cursor on found errors automatically, NEW!
- Compile entirely in memory at speeds up to 6000 lines per minute. NEW!
- ·Link routines once when starting a programming session and no need to link again when changing programs. NEW!
- · Built-in debugger with single-step, animate, and trace modes. NEW
- Create stand-alone programs.
- Alphanumeric Labels
- Can be used to make your programs more readable. Line numbers are not required but are supported for BASICA compatibility.
- Structured Programming Support
- Block IF/THEN/ELSE/END IF eliminates the need for GOTO statements. NEW!
- Subprograms can be called by name and passed parameters. Both local and global variables are supported.
- Modular Programming Support
- Separate compilation allows you to create compiled BASIC libraries to use and re-use your programs.
- A library of routines to access DOS and BIOS interrupts is supplied. NEW!
- Large Program Support
- · Code can use up to available memory.
- ·Numeric arrays, each up to 64K bytes, can use up to available memory.
- Microsoft QuickBASIC

Multiuser & LAN Solutions For IBM PC/XT/AT



MULTIUSER

KT-7/PC² PC Work-a-like Terminal Compatibility: Multilink Advanced³, PC-Slave/164, PC-Slave12 Display: 80 x 25, IBM PC character set, PC look-a-like attributes, 14" green or amber Keyboard: AT style std. IBM scan/ASCII codes. 5161/AT style opt. Pages of memory: 1 std. 2 or 4 opt. Communications: 2 bi-directional RS-232C serial (data & printer) ports Operating systems: works with PC-DOS1, MS-DOS5, QNX6, UNIX7, XENIX5, THEOS8, PICK9, and Concurrent DOS10. Retail price: \$695.00 QUARTET² 4-port I/O card, **RS-232C** Retail price: \$299.00

LAN

K-Net² Local Area Network Software Compatibility: IBM's

NetBIOS¹, Token-Ring¹, PC Network¹, Novell's Advanced Netware¹¹, Kimtron's K-Net² Access Method: CSMA/CD Topology: Distributed Bus Data Rate: 1 million bps (baseband) Cable: Twisted-pair/phone wire Distance: Up to 4000 ft. Addressable users: Up to 255 Physical: Half-sized card Operating systems: PC-DOS¹/MS-DOS⁵ 2,0 or later

PC-DOS¹/MS-DOS³ 2.0 or later Dedicated file server: Not needed Multiuser solutions supported: Multilink Advanced³, PC-Slave/16⁴, PC-Slave¹² Other features: message

communication and print spooling Retail price: \$395.00

WORKSTATIONS

KW-1 8088, 4.77 MHz, 256 Kbytes Retail price: \$995.00

KW-2 8088-2, 8 MHz, 256 Kbytes Retail price: \$1,195.00

KW-3 80286, 6 or 8 MHz, 256 Kbytes Retail price: \$1,995.00

All the above include: AT style keyboard, 8 slots, built-in K–Net² with remote boot. Upgradeable to "complete" PC. Monitors, video boards, additional memory, and other keyboard layouts are also available.

(800) 828-8899 (408) 436-6550 (In CA) 1705 Junction Ct., Bldg. #160 San Jose, California 95112



Trademarks: 'IBM ²Kimtron ³Software Link ⁴Alloy ⁵Microsoft ⁶Quantum ⁷Bell Labs ⁸THEOS Software ⁹PICK Technologies ¹⁰Digital Research ¹¹Novell ¹²ADC [©] Copyright 1986 by Kimtron Corp.

BUILD AN INTELLIGENT SERIAL EPROM PROGRAMMER

BY STEVE CIARCIA

Steve's new and improved device includes on-board CPU and intelligent firmware



I don't like admitting that I made a mistake, but apparently I did. Well, not actually. You see, I was dragged into . . . Let me start from the beginning. My February 1985 Cir-

cuit Cellar article was a project on how to build a serial EPROM programmer, about which I said: "The latest Circuit Cellar EPROM programmer is a serial-port programmer that has the speed of a turtle, the intelligence of the mightiest computer (that is, it has absolutely no smarts of its own), and is as functional as a doorstop between uses. On the positive side, it's fully documented, universally applicable, and easily expandable to accommodate future EPROM types."

What a mess after it was published! Everybody must have built this programmer. BYTEnet almost shut down the Peterborough phone company as people downloaded the BASIC listings, and my staff developed "postage tongue" replying to the correspondence. Needless to say, the project was well received.

In truth, it was an experimenter's project intended to satisfy a certain core of supporters yet enlighten the larger audience of readers about EPROM programming in general. Because I could not gauge its potential reception, and also because I

didn't see it as having any greater performance than low-cost bus-compatible programmer boards, I didn't arrange to have it made into a printed circuit board as are most of my projects. I'm embarrassed to say that even after all these years I underestimated the number of experimenters who wanted to build a serial EPROM programmer.

It's too late to go back now, but I have to make up for past indiscretion and find some way to save face. I know that there are warmed soldering irons all across the country waiting for me to apologize appropriately. I trust you'll accept this improved rendition on an old theme as proper recompense.

As the title indicates, this programmer is still intended for serial-port operation. Thus, it retains computer and bus independence. The primary difference between then and now, however, is the addition of a microprocessor that greatly enhances its functions. The new Circuit Cellar intelligent serial EPROM programmer (CCSP for short) programs more types of EPROMs faster and (continued)

Steve Ciarcia (pronounced "see-ARE-see-ah") is an electronics engineer and computer consultant with experience in process control, digital design, nuclear instrumentation, and product development. The author of several books on electronics, he can be reached at P.O. Box 582, Glastonbury, CT 06033.

more reliably. It also functions as a stand-alone programmer for copying or verifying EPROMs. (See photo 1.) The following is a list of CCSP features:

 RS-232-compatible (no handshaking necessary)

• internal V_{pp} power generation

menu-selectable EPROM types (no

programming configuration jumpers)
default power-up selectable data rates

• automatic power-down of EPROM for installation/removal

• stand-alone or computer system/terminal-connected operation

menu-driven operation

• single-byte or full-buffer write modes

32K-byte on-board memory buffer

read, copy, or verify EPROM

• Intel hexadecimal file upload/download

• verify after write

verify EPROM erasure

screen dump by page or byte

• BASIC driver that can be modified by the user

program EPROMs in standard 50-

millisecond and 1-ms fast algorithm modes

• support V_{pp} settings of 25, 21, and 12.5 volts

• program all 27xxx 5-V single-supply EPROMs, including 2716, 2732, 2732A, 2764, 2764A, 27C64, 27128, 27128A, 27C128, 27256, 27512, and any functional equivalents

Obviously, a list this impressive would take a great deal of effort to put together as a single month's project. The potential software development nightmares of assembly language serial drivers, menu displays, and table manipulations hardly made it worth adding a microprocessor to my original BASIC-language-manipulated unit. Besides, how could it be done in one month?

BASIC allowed a significant level of interactive menus and help displays while requiring little software overhead. Unfortunately, using a highlevel-language interpreter to simplify software development is of little value when the primary goal of producing a better programmer requires fast data manipulations that are best ac-




Photo I: Finished printed circuit prototype of the serial EPROM programmer. The digital section and memory buffer are at the bottom center. The analogvoltage-level switching section is at the top center.

complished in assembly language.

Rather than be thwarted by this apparent dilemma, I decided to design a hybrid system that used both BASIC and assembly language. The obvious choice was the BASIC-52 computer/ controller I presented in the August 1985 project. With the help of software guru and friend Bill Curlew, the CCSP was designed, built, and tested in two weeks flat.

The CCSP uses an Intel 8052AH-BASIC microprocessor that contains an 8K-byte ROM-based BASIC interpreter. Besides manipulating strings, tables, and menus, the BASIC contains serial communication drivers and easily links to assembly language routines. It seemed the perfect engine for a quickly designed user-modifiable project.

A HYBRID APPROACH

The CCSP is a stand-alone microcomputer with an application-specific I/O configuration. It supports 40K bytes of operating system and buffer RAM and 16K bytes of program ROM. It uses six parallel I/O ports to drive the programming-pin level-shifter voltagecontrol circuitry, EPROM address and data lines, and user-interactive buttons and display. The CCSP can be used by itself to copy EPROMs or, when connected to a terminal or computer, as a full-function programmer/ verifier. It requires no programming jumpers or personality modules and is completely automatic. It programs/ examines/verifies all 5-V EPROMs from 2716s through 27512s in both standard and fast modes (on applicable devices).

In the sections that follow, I'll describe the configuration of the microcomputer and its unique I/O structure. Once you have the hardware in hand, I'll describe the system software and how the different modes operate. First, I'll go over some EPROM basics.

A REVIEW

A personal computer, even in its minimum configuration, always contains some user-programmable memory, or RAM, usually in the form of semiconductor-memory integrated circuits. This memory can contain both programs and data. Any machine-word-level storage element within the memory can be individually read or modified (written) as needed.

Any of several kinds of electronic components can function as bitstorage elements in this kind of memory. TTL-type 7474 flip-flops, bistable relays, or tiny ferrite toroids (memory cores) are suitable, but they all cost too much, are hard to use, and have other disadvantages.

In personal computer and other microprocessor-based applications, the most cost-effective memory is made from MOS integrated circuits. Unfortunately, data stored in these semiconductor RAMs is volatile. When the power is turned off, the data is lost. Many ways of dealing with this problem have been devised, with essential programs and data usually stored in some nonvolatile medium.

In most computer systems, some data or programs are stored in ROM. A semiconductor ROM can be randomly accessed for reading in the same manner as the volatile memory, but the data in the ROM is permanent. The data in a mask-programmed ROM is determined during the manufacturing process. Whenever power is supplied to the ROM, this permanent data (or program) is available. In small computer systems, ROM is chiefly used to contain operating systems and/or BASIC interpreters—programs that don't need to be changed.

Another type of ROM is the PROM, which is delivered from the factory containing no data. The user decides what data to put in it and permanently programs it with a special device. Once programmed, PROMs exhibit the characteristics of mask-programmed ROMs. You might label such PROMs "write-once" memories.

The ultraviolet-light erasable EPROM is a compromise between the "write-once" kind of PROM and volatile memory. You can think of the EPROM as a "read-mostly" memory, used in read-only mode most of the time but occasionally erased and reprogrammed as necessary. The EPROM is erased by exposing the silicon chip to ultraviolet light at a wavelength of 2537 angstroms. Conveniently, most EPROM chips are packaged in an enclosure with a transparent quartz window.

HOW AN EPROM WORKS

EPROMs from several manufacturers store data bits in cells formed from stored-charge FAMOS (floating-gate avalanche-injection metal-oxide semiconductor) transistors. Such transistors are similar to positive-channel silicon-gate field-effect transistors, but with two gates. The lower or floating gate is completely surrounded by an insulating layer of silicon dioxide, and the upper control or select gate is connected to external circuitry.

The amount of electric charge stored on the floating gate determines whether the bit cell contains a I or a 0. Charged cells are read as 0s; uncharged cells are read as Is. When the EPROM chip comes from the factory, all bit locations are cleared of charge and are read as logic 1s; each byte contains hexadecimal FF.

When a given bit cell is to be burned from a 1 to a 0, a current is passed through the transistor's channel from the source to the gate. (The electrons, of course, move the opposite way.) At the same time, a relatively high-voltage potential is placed on the transistor's upper select gate, creating a strong electric field within the layers of semiconductor material. (This is the function of the +12.5-V, +21-V, or +25-V Vpp charging potential applied to the EPROM.) In the presence of this strong electric field, some of the electrons passing through the source-drain channel gain enough energy to tunnel through the insulating layer that normally isolates the floating gate. As the tunneling electrons accumulate on the floating gate, it takes on a negative charge. which makes the cell contain a 0.

When data is to be erased from the chip, it is exposed to ultraviolet light, which contains photons of relatively high energy. The incident photons excite the electrons on the floating gate to sufficiently high-energy states that they can tunnel back through the insulating layer, removing the charge from the gate and returning the cell to a state of 1.

When data is to be erased from the chip, it is exposed to ultraviolet light.

The 27xxx EPROMs contain bitstorage cells configured as individually addressable bytes. This organization is often called "2K by 8" for a 2716 or "8K by 8" for a 2764. The completely static operation of the device requires no clock signals. The primary operating modes include read, standby, and program (programinhibit and program-verify modes are important primarily in high-volume applications).

Control inputs are used to select the chip and configure it for one of these operating modes. In the program mode, particular bit cells are induced to contain 0 values. Both is and 0s are in the data word presented on the data lines, but only a 0 causes action to take place. For example, the 27128 is in the programming mode when V_{pp} input is at 21 V and CE and PGM are both at TTL low. The data to be programmed is applied 8 bits in parallel to the data output pins. For regular programming, CE should be kept TTL low at all times while V_{pp} is kept at 21 V. When the address and data are stable, a 50-ms (55 ms maximum) active-low TTL program pulse is applied to the PGM input. A program pulse must be applied at each address location to be programmed.

STANDARD VS. FAST

In the old days, all we had to contend with were 50-ms timing pulses (neglecting obsolete 1702 and 2708 EPROMs). Today, the newest EPROMs can use a fast closed-loop programming algorithm that lessens programming time (realize that a 27512 takes about I hour to program in 50-ms increments). The CCSP supports fast programming.

(continued)

The fast algorithm uses closed-loop margin checking. To ensure reliable program margin, the fast algorithm utilizes two different pulse types: initial and overprogram. The duration of the initial PGM pulse(s) is I ms, which will then be followed by a longer overprogram pulse of length 4x ms; some chip types use 3x (x is the number of initial 1-ms pulses applied to a particular location before a correct verify occurs). Once it is verified, four times that number of pulses are applied to the same location to permanently burn the data. If 15 (some chip types require 25 pulses) 1-ms pulses are ap-

(a)						
PIN #	2716	2732	2764	27128	27256	27512
ī	N/C	N/C	V _{PP} 21V 12.5V	V _{PP} 21V 12.5V	V _{PP} 12.5v	
28	N/C	N/C	Vcc* ev	Vcc* 64	Vcc* 5v	Vcc *
27	N/C	N/C		PGM 5V		A14
26/24	V _{CC} 5V	Vcc 5V	N/C		A13	A13
23/21	VPP 25V		A11 5V 0V	A11 5V ov		
22/20		0E/VPP 25V 21V				0E/V _{PP} 12.5V
20/18				CE CE		
	* 6.0 VOL	TS ONLY ON E	PROMS THAT	ALLOW FAST	PROGRAMMIN	G

plied to any single-byte location without reaching the margin, the overprogram pulse is applied automatically.

The entire sequence of program pulses and byte verifications is performed at $V_{ee} = 6.0 \text{ V}$ and $V_{pp} = 21.0 \text{ V}$ (V_{pp} may be 12.5 V on some EPROMS). When the fast programming cycle has been completed, all bytes should be compared to the original data with $V_{ee} = V_{pp} = 5.0 \text{ V}$.

The fast algorithm may be the preferred programming method since it allows certain EPROMs to be programmed in significantly less time than the standard 50-ms-per-byte programming routine. Typical programming times for 27128s, for example, are on the order of 2 minutes, a sixfold reduction in programming time from the standard method.

CONFIGURATION MAZE

The first problem encountered in any EPROM programmer design is to compare the pins of the various EPROMs (see figure 1b). Among the 28 defined pins (four are unused on 24-pin devices), 21 are used for the same functions (address and data). Evidently, semiconductor manufacturers never thought very far ahead or talked to each other, because the remaining seven pins are a complicated switching maze. Among the different EPROMs, the same pin location can

27512	27256	27128	2764	2732A	2716	_	27XXX	_	2716	2732A	2764	27128	27256	27512
A15	VPP	VPP	VPP				\smile	28			Vcc	Vcc	Vcc	Vcc
A12	A12	A12	A12		1 m 1	C 2		27			PGM	PGM	A14	A14
Α7	A7	Α7	Α7	A7	Α7	C 3		26	Vcc	Vcc	N.C.	A13	A13	A13
A6	A6	A 6	A 6	A6	A6	□4		25	A8	A8	A8	A8	A8	A 8
A5	A5	A5	Α5	A5	A5	5		24	A9	A9	A9	A9	Α9	A9
Α4	A4	A4	Α4	A4	A4	6		23	VPP	A11	A11	A11	A11	A11
Α3	A 3	A 3	A3	A3	A3			22	ŌĒ	OE/VPP	OE	ŌĒ	ŌĒ	OE/VPP
A2	A2	A2	AZ	A2	A2	C a		21	A10	A10	A10	A10	A10	A10
A1	A1	A1	A1	A1	A1	٩Þ		20	CE	CE	CE	CE	ĈĒ	CE
AO	AO	AO	AO	AO	AO	10		19	07	07	07	07	07	07
00	00	00	00	00	00	L 11		18	06	06	06	06	06	06
01	01	01	01	01	01	L 12		17	05	05	05	05	05	05
02	02	02	02	02	02	1 13		16	04	04	04	04	04	04
GND	GND	GND	GND	GND	GND	14		15	03	03	03	03	03	03

Figure I: (a) EPROM programming-pin functions by EPROM type. (b) The great EPROM pin-out maze, illustrating the configuration of those EPROMs the CCSP is designed to handle.

supply power, address, or programming pulses. Figure 1a illustrates the differences in detail.

In inexpensive programmers, configuration jumpers are frequently used to select the specific wiring configuration for different EPROM types. Wire jumpers rather than semiconductor switches are used because of the high currents involved. Take pin 26 (pin 24 on 24-pin EPROMs) with either a 2732 or 27128 installed, for example. In both cases, the voltage level is 5 V. On a 27128 it is a TTL A13 address line; on a 2732 it is a 150-milliampere V_{cc} power line. Similarly, pin 22 (all pin numbers are referenced to a 28-pin layout) has to be set at 0 V, 5 V, 12.5 V, 21 V, or 25 V at currents ranging from 400 microamperes to 50 mA, depending upon the EPROM.

Fortunately, only five of the seven configuration pins require elaborate voltage and current control. Rather than use mechanical **jumpers**, I designed a voltage-control circuit that could be preset to the voltage limits of the desired EPROM type and easily pass high current when required. Figure 2 illustrates this basic circuit that is duplicated for each of the five pins (pins 28, 26, 1, 22, and 23).

The level shifter uses an LM317 voltage regulator as a programmable voltage controller. The basic LM317 output voltage is set by two resistors: R1 between the adjustment pin and ground and R2 between the adjustment pin and the output. As the formula shows, with R1=665 ohms and R2=221 ohms, the output is 5.0 V.

In this configuration, various R1 resistors can be connected from the adjustment pin to ground through open-collector 7407 drivers. These were used since they operate at up to 30 V (don't substitute a 7417). The four drivers from top to bottom set 5 V, 12.5 V, 21 V, and 25 V, respectively (not all sections are required for each EPROM pin). Their inputs are fed by a parallel output port.

Normally, the regulated output of an LM317 is 1.2 V to 32 V. An additional two-transistor control circuit is added to allow the output to go to 0 V on command. Rather than providing a resistance path to ground, however, this is accomplished by applying a negative 1.2 V to the adjustment pin. Because there is no way to know how many of the control circuits will be set to 0 V at any one time or if the 7407 drivers are enabled concurrently, the -1.4-V bias source is itself a regulated supply.

The CCSP level-shifter circuit can simulate a variety of programmable conditions. For example, by setting the 7407 driver that limits the output to 5 V and pulsing the 0-V enable line, we have a TTL-level PGM, OE, or CE control line. (In the tests I conducted, the circuit easily responded to control input changes of 20 kilohertz with little overshoot on the output. At those speeds, however, the output filter capacitor should be small.) Since the circuit is also capable of supplying 500 mA at 5 V, it is also appropriate to use this same circuit to supply and control V_{cc}.

The heart of the CCSP is found in the analog switching system and the management of the seven control lines in figure Ia. While I haven't ex-

I designed a circuit that could be preset to the voltage limits of the desired EPROM.

plained yet how these level shifters are individually controlled, it still seems appropriate to show how they are ultimately configured. Figure 3a demonstrates how they are connected to the ZIF socket (zero insertion force programming socket), and figure 3b outlines their power source connections.

8-BIT MICROCOMPUTER INTELLIGENCE

As I mentioned earlier, the CCSP's intelligence is provided by an Intel 8052AH microcomputer. BASIC-52 is particularly suited for this application, (continued)




Figure 2: Typical programmable voltage-control circuit for EPROM pins 28, 26, 1, 22, and 23.

Three control lines— RD, WR, and PSEN—are gated to allow 64K bytes of combined program and data memory.

providing IF. . .THEN, FOR . . . NEXT, DO. . .WHILE/UNTIL, ONTIME, and CALL statements as well as a broad repertoire of 8051 assembly language instructions. Calculations can be handled in integer or floating-point math. The 8052AH contains an 8K-byte BASIC interpreter in ROM, 256 bytes of RAM, three 16-bit counter/timers, six interrupts, and 32 I/O lines that are redefined as a 16-bit address and an 8-bit data bus. A minimum of IK byte of RAM is required for BASIC-52 to function, and any RAM must be located starting at 0000 hexadecimal. (I won't go into great detail on this computer since it closely resembles the BCC-52 presented in August 1985.) The microcomputer section of the CCSP is outlined in figure 4.

Three control lines—RD (pin 17), \overline{WR} (pin 16), and \overline{PSEN} (pin 29)—are gated to allow 64K bytes of combined program and data memory. The three most significant address lines (A13-A15) are connected to a 74LS138 decoder chip, IC4, which separates

the addressable range into eight 8Kbyte memory segments, each with its own chip select (Y0–Y7). The four most significant chip selects are connected to 8K-byte 6264 static RAMs, ICs 7–10. This area is the RAM buffer for reading or writing EPROMs. IC6, addressed at 0000 hexadecimal, must be another 6264 RAM for BASIC-52 to function. ICI I (2000–3FFF hexadecimal) contains the programmer software and is intended for either a 2764 or 27128.

All together, 56K bytes of memory are defined on the CCSP if you use five 6264 RAMs (as ICs 6–10) and a 27128 EPROM in ICII. To use the programmer, you need only the one RAM chip installed in IC6 (such a limited buffer area will require many passes to write or copy any large




Figure 3: (a) Block diagram showing the connections to the ZIF socket. Note the level-shifter circuitry connections for those pins that require programming voltages or that differ across EPROM types.


EPROM). The memory cannot be expanded since the rest of the address space is decoded as I/O.

The address range of 6000-7FFF hexadecimal is divided into two I/O strobes at 6000 and 7000 through IC17. [Editor's note: For the remainder of the article, all addresses will be in hexadecimal. Two 8255A-5 peripheral interface adapters providing three 8-bit I/O parallel ports each are controlled by a strobe line. The three I/O portslabeled A, B, and C-and a write-only mode-configuration port on each 8255 occupy four consecutive addresses at 6000-6003 (IC12) and 7000-7003 (IC13), respectively. The ZIF socket and level-shifting circuitry outlined in figure 2 are connected to 41 of these parallel I/O bits. The lines attached to ICI2 (the control PIA) are used primarily for presetting the level shifters and providing the programming pulses. ICI3 (the address and data PIA) supplies the address and data bus lines to the EPROM. Figure 5 details the configuration and connection of the level shifters and power distribution.

The CCSP communicates with a terminal or host computer through an on-board serial port. The port's data rate is hard-coded in the program ROM and is preset at 1200 bits per second, but you can reprogram it to any standard value between 300 and 19,200 bps. (The 8052AH chip has the capability for automatic data-rate selection on the console port. Because the CCSP has both a local and a remote operating capability triggered by the GET command, the Power supplies with the required output are readily available, so I excluded an on-board supply to keep costs lower.

automatic data rate cannot be used.) MC1488 and MC1489 drivers/receivers (ICs 14 and 15) convert the 8052's serial I/O line TTL logic levels to RS-232.

(continued)




(b) CCSP power-distribution block diagram.



-





Power for the CCSP is provided by an external supply that must deliver +12 V at 200 mA, +5 V at 800 mA, and -5 V to -12 V at 30 mA. Power supplies with these outputs are readily available on the surplus market, so I excluded an on-board supply to keep costs lower. In fact, a perfect unit is the Coleco computer power supply available from Radio Shack for \$4.95 (part #277-1022).

Three V_{pp} voltages must be contended with: 12.5 V, 21 V, and 25 V. All are derived from the +30-V output of the DC-to-DC converter circuit shown in figure 5. IC24 is a 78S40 switching regulator configured as a voltage multiplier. This circuit is capable of producing 30 V at 50 mA from a 5-V input. (For more information on this regulator and this specific circuit, see my November 1981 article, "Switching Power Supplies: An Introduction.")

The user entry/display interface is shown in figure 6. It consists of a twobutton entry panel through which you operate the programmer in local mode, a local/remote LED indicator, EPROM power-on indicator, and a seven-segment display through which the computer displays EPROM type and errors. To save I/O bits. I used a somewhat unorthodox display driver rather than the usual parallel port and seven-segment decoder configuration. The seven-segment LED is attached to an 8-bit shift register that has each output connected to drive an individual segment and the decimal point. To display a character, the seven-segment information is extracted from a memory-resident table and quickly shifted into the shift register. Ordinarily, I wouldn't use such a software-intensive approach, but I didn't have to write the software.

PROGRAMMER SOFTWARE

The CCSP is controlled by a program that is a combination of BASIC and 8051 assembly language. The BASIC-52 program provides all initialization and control functions, including local mode support and menu processing in the remote mode. The assembly language routines are used only where speed is critical, as in reading, comparing, verifying erasure, and programming EPROMs. In addition, the Intel hexadecimal file upload and download routines are written in (continued)




Figure 5: Detailed schematic of the programmer's level-shifting circuitry.

When working in local mode, you can copy any 27xxx EPROM by swapping the original and copy EPROMs multiple times.

assembly language to keep up with the attached ASCII terminal device. Figure 7 outlines the CCSP software logic flow.

The software that drives the CCSP is capable of running in two basic modes: local, where the CCSP acts as an EPROM copier controlled by buttons, and remote, where the CCSP acts as a full-featured programming workstation serially connected to the user's terminal. When working in local mode, you can copy any 27xxx EPROM regardless of its size by swapping the original and copy EPROMs multiple times. The larger the RAM buffer is, the fewer times you will have to change the EPROMs.

POWER-UP AND RESET

When the CCSP is first powered up or reset, its software configures itself for a 2716 EPROM, the default type. After setting up the hardware, the software outputs a 0 in the seven-segment LED display to indicate the EPROM type, turns on the local mode LED, and sizes the RAM buffer.

If no memory is located at 8000 (the buffer area), the CCSP allocates 4K bytes of system RAM in IC6 as the

buffer area. If it is unable to accomplish this, it will stop and display an alternating error code, E and O, in the seven-segment LED display. Pressing a button or sending a character to the serial port will force the CCSP to reattempt sizing memory (memory sizing is destructive). If you have RAM chips plugged into locations IC7 through ICIO, this will provide additional buffer memory. After memory is sized, the CCSP enters a loop to determine what mode you want the programmer to operate in.

During the mode-setting loop, the CCSP will decide if it is going to run in local or remote mode. The mode selected is determined by which event occurs first: If one of the buttons is pressed first, the CCSP establishes local mode; if a character is detected at the serial port first (via the BASIC-52 GET command), the pro-




Figure 5 continued.

grammer enters remote mode. Once a mode has been selected, the CCSP must be reset or powered off/on to change modes.

STAND-ALONE LOCAL MODE

In local mode, the CCSP is controlled by two buttons called 'Type and Start/ Next. Displays to the user are made via the seven-segment LED display. When local mode is initially entered, or at any point between **completed** programming cycles, you can change the designated EPROM type by pressing 'Type. Each press of the button steps the CCSP to the next EPROM type, and the seven-segment LED display is updated with the number that indicates the currently selected type. The designations are shown in table I.

After setting the type of EPROM to work with, you begin the copy cycle by pressing Start/Next. At this point the seven-segment LED will display an alternating L and O. **indicating** that you should insert the original EPROM into the ZIF socket. You then load the original EPROM and press Start/Next again to begin the next step: reading the EPROM.

When the CCSP has read as much of the EPROM data as the memory buffer will allow, it signals you to remove the original EPROM and insert the copy EPROM by displaying an alternating L and C on the seven-segment display. After doing this, you again press Start/Next.

The CCSP will now attempt to program the contents of the RAM buffer into the copy EPROM. After verifying that the target area of the copy EPROM is erased, the letter "P" is displayed on the seven-segment display to indicate that programming is in progress (LED2 will be red, indicating that power is on to the EPROM and it should not be removed). When programming is complete, the contents of the EPROM are compared to the memory buffer contents. During this time, the letter "C" is displayed on the seven-segment display (LED2 will be green, indicating power off).

If the target EPROM is not erased or the programming was not successful (bad compare), the seven-segment LED will display an alternating E and a numeral, either a I for an unerased target EPROM or a 2 for a failed comparison. If an error does occur, you will be returned to the "between copies" state at the next press of the button.


Assuming all went well, the CCSP checks to see if the entire EPROM has been copied. If it has, the CCSP returns to the "between copies" state and displays the current EPROM type selected on the seven-segment display.


If the entire EPROM has not yet been copied, the effective starting address of the RAM buffer will be incremented by the size of the RAM buffer, and the CCSP will prompt you to insert the original EPROM again. This time, the programmer reads the EPROM starting at the new address. The amount of data read will be either the RAM buffer size or the remaining bytes to be copied from the EPROM, whichever is less. After reading the original, the CCSP calls for the copy EPROM, and programming continues as described above.

These steps will continue until the entire contents of the original EPROM have been transferred into the copy EPROM. Using this approach allows any size EPROM to be copied, regardless of the amount of memory in the RAM buffer.

REMOTE MODE OPERATION

When used in remote mode, the CCSP turns into a menu-driven programming workstation, controlled by an (continued)





All menus displayed on the terminal are generated by the CCSP. A terminal-emulation program is the only software necessary to use this programmer.

ASCII terminal. (See photo 2.) The data rate of the terminal must be hard-coded because the 8052 cannot automatically start the BASIC-52 program unless the data rate is defined. Using the automatic data-rate feature causes the 8052 to wait for a "space" character from the serial port before executing any program stored in it; this would eliminate the local mode of the CCSP. The data rate is set at 1200 bps. but you can change it to any standard value by reprogramming the system ROM with the default datarate byte changed (details on this procedure are included with the software).

All the menus displayed on the screen of the terminal or computer are generated by the CCSP. No software other than a terminal-emulation program (if connected to a computer rather than a real terminal) is necessary to use this programmer. The remote mode menu provides the following options:

 read, compare, program, and verify EPROM

• display and change RAM buffer contents

• download and upload intel hexadecimal files

set EPROM type

• set effective starting address of the RAM buffer

The menu screens contain enough information to guide you through the use of most of these functions. Other pertinent information on the various options is given below.

Read, compare, program, and verify

EPROM all depend on the RAM buffer, and they usually use the effective starting address and the length of the RAM buffer to determine the area of the EPROM that is being worked with. Think of the RAM buffer as a window into the contents of the EPROM. If the RAM buffer is not large enough to show you the whole EPROM, you can move it around by changing its effective starting address.

Let's use an example. The EPROM

type is a 27512, which is 64K bytes, and the RAM buffer is 16K bytes. It should be pretty obvious that you can't get the whole 27512 into the RAM buffer at the same time. In this case, you would set the starting address of the RAM buffer to 0000 to work with the first quarter of the EPROM and then set it to 4000 to work with the second quarter, 8000 for the third, and C000 for the last. The READ, COMPARE, and PRO-




Figure 7a: Flowchart 1 of the CCSP's overall logic flow, showing the power-up and reset routines.

GRAM commands would use the starting address of the RAM buffer to see where to read data from or write data to the EPROM. The greatest length of the transferred data would be the size of the RAM buffer or the remaining number of bytes in the EPROM, whichever was smaller.

Even though the VERIFY command does not care about the size of the buffer, its default start and end addresses are controlled as described above. This is because VERIFY generally precedes a programming cycle (you use VERIFY to confirm that the EPROM is properly erased), and the RAM buffer addressing controls programming default start and end addresses.

The following functions—display and change RAM buffer contents and download/upload Intel hexadecimal files—are also tied into the RAM buffer. Since the RAM buffer is supposed to mirror the equivalent area of the EPROM, displays, changes, and uploads/downloads must be addressed to the RAM buffer, just as they would be in the real EPROM. This means that the software will reject addresses outside the range of the current RAM buffer area, which is especially important when doing uploads and downloads. These loads *must* be broken up to fit into the current RAM buffer area




Figure 7b: Flowchart 2, logic flow for the remote mode.

Table 1: "	The CCSP's E	PROM sele	ction number and	l correspondin	g EPROM	1
types. Note	e that this list	is of generic	EPROM types,	and other m	anufacturer	
			to it. Also, sinc			
			ard EPROMs, s	eparate 27C	(XX	
designation	s are not inclu	ided.				
Number	EPROM	Туре	Number	EPROM	Type	

EFROM	туре	Number	EFROM	Type	_
2716	25 V	5	27128	21 V	
2732	25 V	6	27128A	12.5 V	
2732A	21 V	7	27256	12.5 V	
2764	21 V	8	27512	12.5 V	
2764A	12.5 V				
	2732 2732A 2764	2716 25 V 2732 25 V 2732A 21 V 2764 21 V	2716 25 V 5 2732 25 V 6 2732A 21 V 7 2764 21 V 8	2716 25 V 5 27128 2732 25 V 6 27128A 2732A 21 V 7 27256 2764 21 V 8 27512	2716 25 V 5 27128 21 V 2732 25 V 6 27128A 12.5 V 2732A 21 V 7 27256 12.5 V 2764 21 V 8 27512 12.5 V




Figure 7c: Flowchart 3, logic flow for the local mode.

address range. Trying to go outside the range will abort the display/ change/load processes.

The remaining two functions—set EPROM type and set RAM buffer starting address—let you deal with various EPROM types and manipulate the starting address of the RAM buffer. Setting the RAM buffer address lets you change the location of the window into the EPROM. This should be necessary only if the size of the EPROM exceeds the size of the RAM buffer. Otherwise, there is no reason to change the starting address from its default value of 0000.

UNDER THE COVERS

In order to handle the various combinations of sizes, programming voltages, and control lines used with different EPROM types, the software incorporates control tables. Four such tables are used in the CCSP:

- system global table G(x)
- LED character table L(x)
- EPROM string table \$(x)
- EPROM data table E(x)

SYSTEM GLOBAL TABLE

The system global table contains information about current values for critical system information. The table's entries are set up as is shown in table 2.

The values for these items change based on the type of EPROM you are using, how much contiguous memory is at address 8000 (or the 4K bytes stolen from system RAM), and the last bytes written to the 8255s.

LED CHARACTER TABLE

The seven-segment LED display is controlled by a serial-to-parallel shift register. In order to create a character in the LED, the bits for the various segments must be shifted out in the correct order. This table contains the LED code byte needed to create the characters that can be displayed (see table 3).

EPROM STRING TABLE

BASIC-52 does not **allow** the mixing of text and numeric data in the same table, so the S(x) string table function is used to store this information. This

table contains the EPROM designator and the programming voltage used with that type of EPROM. Actually, the programming voltage indicated in the table is only a reminder. You have to set the correct bits in the EPROM data table to ensure that the programmer uses the proper voltage.

EPROM DATA TABLE

The EPROM data table contains all the information the system requires to work with the different EPROM types. The items in each record of the EPROM data table are shown in table 4.

Listing 1 illustrates how this is handled in BASIC. This data is maintained for the use of both the BASIC and assembly language routines. BASIC passes data from the EPROM data table to the assembly language routines via the free registers of the 8052 device.

THE ASSEMBLY LANGUAGE ROUTINES

The CCSP software is a hybrid of BASIC and assembly language. Besides reading and verifying, the EPROM programming pulses are accurately timed in assembly language routines. The derivation of the timing's accuracy is given in table 5.

IN CONCLUSION

At first look, the CCSP appears to be considerably more complicated than my programmer of 18 months ago. I think at this point I can change my new description to more accurately state that "this programmer is a serialport programmer that has the speed of lightning, the intelligence of the mightiest computer (on-board), and is far too functional to be used as a doorstop between uses."

In actuality, only the explanation is more involved. With microcomputer intelligence, the CCSP achieves performance levels approaching kilobuck commercial units yet is flexible enough to be adapted to the next V_{pp} change when it happens.

I'm quite satisfied with my two-week miracle, but I still have to contend with a potential horde of builders. To make amends for my past indiscretion, (continued)

Index	Use
0	Type number of the current EPROM.
1	Amount of RAM buffer available in 256-byte increments. increments.
2	Current starting address of RAM buffer.
3	Number of items in EPROM table entry.
4	Reserved.
5,6,7	Value of the last data byte written to IC12 address/data PIA (3 bytes, one for each port of the 8255).
8,9,10	Value of the last data byte written to IC13 control PIA.
11	Number of EPROM types in the EPROM string and data tables.

Index	Use
0–9	Characters 0-9 (no decimal point)
10-15	Characters A-F (no decimal point)
16-25	Characters 0-9 (decimal point)
26-31	Characters A-F (decimal point)
32	Blanks LED
33	Character H
34	Character L
35	Character P
36	Character U



Photo 2: Typical menu display presented when operating the serial EPROM programmer through a serial terminal or computer running in terminal-emulation mode.

Try It. Then Buy It. *PC-Writ*e.


A fast, full-featured word processing package for the unbelievable price of \$10. Complete. You get a manual on disk, mail merge, split screen, keyboard macros, on-screen formatting, full printer support, and more.

Try *PC-Write* for \$10. Then register for \$75 to get:

- latest diskette
- printed manual
- two updates
- phone support
- newsletter

Registration supports our "shareware" concept that keeps our prices low, and allows our development of *PC-Write* enhancements.

Shareware means you can get *PC-Write* from a friend or user group to try, and give away copies yourself. Then register if you like it. No risk!



CIRCUIT CELLAR

Table	4:	Contents of	of the	EPROM	data	table.
-------	----	-------------	--------	-------	------	--------

Index	Use
0	Number of the EPROM.
1	Size of the EPROM in 256-byte increments.
2	The pin Vee is applied to, referenced to a 28-pin socket.
3,4,5	The initialization values for IC13 control PIA's ports A, B, and C
6,7	The programming mode values for IC13's ports A and B.
8	Logic true value of the programming pin (CE and PGM).
9	Normal mode programming pulse width in milliseconds.
10	Fast mode programming pulse in milliseconds (0 if no fast programming allowed).
11	Maximum number of fast programming pulses before forced overprogram pulse occurs.
12	Overprogram pulse multiplication factor.

Table 5: Derivation of the timing for the CCSP's 1-ms timing routine.

Label	Instruction	Frequency of Execution	Clock Periods Used
PPLOOP	EQU \$ PUSH B CALL ONEMS POP B DJNZ B,PPLOOP RET	A C C C C O	0 24 24 24 24 24 24
ONEMS	EQU \$ MOV B,#MSDLAY	AC	0 24
MSLOOP	EQU \$ NOP DJNZ B,MSLOOP RET	A L L C	0 12 12 24 24
MSDLAY	EQU 227 END	A	0
C—Executed o O—Executed o	only, not executed ince per 1-ms count only once per entry to su each loop of the 1-ms r		
Timing Calcula	tions:		
1MS=11059.2 d	clock periods (clock is 11	059200 Hz)	
11059.2 = 24	+ (24+24+24+24+24+	24) + N(12+12+24)	
11059.2 = 168	+ (N × 48)		
(11059.2 - 168	3)/48 = N		
N = 226.9 (rou	und to 227)		
Error for 1-ms	pulse is 0.1 × 48 × (1/1	1059200) = 0.00044	3 ms
Cumulative erro	or for 100-ms pulse is:		
<u>1105920-24-1</u> 4800	4400 = 227.395 (use 22	27)	
0.395 × 48 ×	(1/11059200) = 0.00171	ms	

Listing 1: The BASIC-52 code to initialize the EPROM data table.

14170 REM 14180 REM INITIALIZE EPROM DATA TABLE 14190 REM 14200 FOR X=0 TO A:READ E(X):NEXT X TYPE SIZE PWR 7XPA 7XPB 7XPC 7PCP 7PBP PLV NPL FP FXP FACTR 14210 REM 14220 DATA 2716,008H,026,0BBH,061H,001H,008H,000H,001,050,000,000,000 14230 DATA 2732,010H,026,0BFH,051H,001H,008H,000H,000,050,000,000,000 14240 DATA 2732,010H,026,0BFH,051H,001H,004H,000H,000,050,000,000,000 14250 DATA 2764,020H,028,0BFH,014H,001H,000H,000H,000,050,001,025,003 14255 DATA 2764,020H,028,0BBH,012H,001H,000H,000H,000,050,001,025,003 14260 DATA 27128,040H,028,0BBH,014H,001H,000H,000H,000,050,001,015,004 14265 DATA 27128,040H,028,0BBH,012H,001H,000H,000H,000,050,001,015,004 14270 DATA 27256,080H,028,0BBH,052H,001H,000H,000H,000,050,001,025,003 14280 DATA 27512,0100H,028,0BBH,051H,002H,000H,000H,000,050,001,025,003 14281 REM SET UP EPROM NAME TABLE 14283 \$(1)="2716 25V u 14284 \$(2)="2732 25V 14285 \$(3)="2732A 14286 \$(4)="2764 21V 21V 14287 \$(5)="2764A 12.5V 14288 \$(6)="27128 21V 14289 \$(7)="27128A 12.5V" 14290 \$(8)="27256 12.5V" 14291 \$(9)="27512 12.5V" 14295 RETURN

there is indeed a printed circuit board and kit for this programmer. For those of you with the components at hand and a desire for wire-wrapper's cramp, the finished code for the programmer is available on a 27128 EPROM or is downloadable from the Circuit Cellar BBS and BYTEnet Listings. The phone number for BYTEnet Listings is (617) 861-9764. This file contains the 12K bytes of executable code that should be put into a 27128 EPROM and installed in ICI1.

CIRCUIT CELLAR FEEDBACK

This month's feedback begins on page 58.

NEXT MONTH

Build the GT180 professional graphic adapter for the SB180. ■

Special thanks to Bill Curlew for his software expertise.

There is an on-line Circuit Cellar bulletin board **system** that supports past and present projects. You are invited to call and exchange ideas and comments with other Circuit Cellar supporters. The 300/1200/2400-bps BBS is on-line 24 hours a day at (203) 871-1988.

Editor's note: Steve often refers to previous Circuit Cellar articles. Most of these past articles are available in book form from BYTE Books, McGraw-Hill Book Company, PO. Box 400, Hightstown, NJ 082 50.

Ciarcia's Circuit Cellar, Volume I covers articles in BYTE from September 1977 through November 1978. Volume II covers December 1978 through June 1980. Volume III covers July 1980 through December 1981. Volume IV covers January 1982 through June 1983. Volume V covers July 1983 through December 1984.

The following items are available from

CCI P.O. Box 428 Tolland. CT 06084

 supply.....\$199 3. Preprogrammed 27128 EPROM containing serial EPROM programmer system software\$22

The serial EPROM programmer is currently available only in kit form. It is available assembled and tested only in volume OEM quantities (telex: 643331). Price and delivery information available on request.

All payments should be made in U.S. dollars by check, money order, MasterCard, or Visa. Surface delivery (U.S. and Canada only): add \$5 for U.S. \$10 for Canada. For delivery to Europe via U.S. airmail, add \$20. Three-day air freight delivery: add \$8 for U.S. (UPS Blue), \$25 for Canada (Purolator overnight). \$45 for Europe (Federal Express), or \$60 (Federal Express) for Asia and elsewhere in the world. Shipping costs are the same for one or two units. Connecticut residents please include 7.5 percent sales tax.

Most of the individual components are available from JDR Microdevices, 1224 South Bascom Ave., San Jose, CA 95128, (800) 538-5000.

To be included on the Circuit Cellar mailing list and receive periodic project updates and support materials, please circle 100 on the Reader Service inquiry card at the back of the magazine.

Escort Refuses!

Dear Customer,

Escort turned down our \$10,000 head to head challenge described below. Escort says that Maxon's Radar Detector is "primitive", "bottom-end" and "an off-shore produced electronics 'gadget' ". I don't know about you, but to me these words conjure up visions of a cheap toy being produced off in the middle of a rice paddy somewhere in the middle of nowhere. Escort, on the other hand, which is mean a high manufacturing cost. is a top notch company. They make a

Escort, on the other hand, which is made in the U.S., exudes a high cost, quality image. Don't you just bet that it costs a fortune to build Escort and Passport (the smaller version)?

Well, we are going to challenge Escort AGAIN to a head to head 'duel to the death' on Maxon's electronic merits alone. And, we plan to win. But first there are a few things you should know.

Cincinnati Microwave, the company that makes Escort & Passport, is a public company. And being public, they have to file financial information with the SEC.

The public information they have published appears to show that in the year that ended Dec. 1985, Cincinnati Microwave with "substantially all of its revenues and profits derived from the sale of radar warning receivers" made an operating profit of about \$45,810,000 on sales of about \$112,605,000. Wow!

The \$45 million profit is after all engineering, selling and General & Administrative expenses, but before taxes.

Their cost of sales (goods) was only about \$40,027,000. So, if you divide \$40,027,000 by \$112,605,000 it doesn't take a genius to figure out that cost of goods represents an average of only about 35.5% of selling price. Wow!

I only bring up their profit to illustrate that a high retail price doesn't always was \$10.000

There's no question in my mind that Maxon can manufacture cheaper in an offshore 'rice paddy', but if you pay \$245 for Escort or \$295 for Passport, it should be based on a head to head test with Maxon, not on perceived retail price points.

FORGET PRICE COMPLETELY

So, forget that Escort costs \$245, Passport \$295, and Maxon \$99⁹⁰. Let's judge them on their own merits. And, let's look at just what Escort itself has to say about our challenge. (Please read DAK's and Escort's letters to the right.)

Escort says that, "Regardless of the results, such an event lends credibility to the challenger." Well, they are absolutely correct. That's why I put up the \$10,000 in the first place. Fair is fair.

Plus, there are several radar detectors that claim to have won this or that ranking in "Independent Magazine Reviews." So, I'm ignoring any reviews and asking for a one on one, head to head test.

But look at what Escort says in their letter: "Range is the easiest detector quality to measure, but by no means the only important quality." Wow, I thought range was really important?? Escort refers to "goodness" being determined by things not so easily measured.

Well frankly, I don't know how to measure "goodness". Escort, in my opinion, is a top notch company. They make a superb product I'd be proud to sell. And, they have great customer service.

DAK has great toll free technical and regular customer service. But, I'd be the first to admit that with over \$45 million in profits, Escort can probably run circles around us in advertising, and maybe even in service. But, I don't think they can beat Maxon's Radar Detector.

HOW GOOD IS GOOD?

When Escort was introduced, it was revolutionary. But, you can only go so far. And in my opinion (someone else might object), radar detecting has gone about as far as it can go. So, while Escort has made improvements, it's Maxon who has moved mountains to catch up.

DAK UPs THE ANTE TO \$20,000

Now I realize that next to \$45 million dollars, \$20,000 isn't much, but it's a lot to DAK. And, I'll even go one step farther. I'll print the exact results of the test, win, lose, draw, or no-show in the first catalog I publish after January 1, 1987.

Escort, the ball is now in your court. Below is the "**NEW**" version of my challenge with the time and amount changed.

I don't know what else DAK or Maxon can do to prove that the RD-1 Superheterodyne Detector should be judged on its head to head performance against Escort, not on its selling price!

A \$20,000 Challenge To Escort

Let's cut through the Radar Detector Glut. We challenge Escort to a one on one Distance and Falsing 'duel to the death' on the highway of their choice. If they win, the \$20,000 (was \$10,000) check pictured below is theirs.

By Drew Kaplan

We've put up our \$20,000 (was 10). We challenge Escort to take on Maxon's new Dual Superheterodyne RD-1 \$99^{so} radar detector on the road of their choice in a one on one conflict.

Even Escort says that everyone compares themselves to Escort, and they're right. They were the first in 1978 to use superheterodyne circuits and they've got a virtual stranglehold on the magazine test reports.

But, the real question today is: 1) How many feet of sensing difference, if any, is there between this top of the line Maxon Detector and Escort's? And 2) Which unit is more accurate at interpreting real radar versus false signals?

So Escort, you pick the road (continental U.S. please). You pick the equipment to create the false signals. And finally, you pick the radar gun.

Maxon and DAK will come to your highway with engineers and equipment to verify the results. And oh yes, we'll have the \$20,000 check (pictured) to hand over if you beat us by more than 10 feet in either X or K band detection.

BOB SAYS MAXON IS BETTER

Here's howit started. Maxon is a mammoth electronics prime manufacturer. They actually make all types of sophisticated electronic products for some of the biggest U.S. Electronics Companies. (No, they don't make Escort's).



Bob Thetford, the president of Maxon Systems Inc., and a friend of mine, was explaining their new RD-1 anti-falsing **Dual** Superheterodyne Radar detector to me. I said "You know Bob, I think Escort really has the market locked up." He said, "Ournew design can beat theirs".

So, since I've never been one to be in second place, I said, "Would you bet

\$20,000 (10) that you can beat Escort?" And, as they say, the rest is history.


By the way, Bob is about 6'9" tall, so if we can't beat Escort, we can sure scare the you know what out of them. But, Bob and his engineers are deadly serious about this 'duel'. And you can bet that our \$20,000 (was \$10,000) is serious. ...Next Page Please . . .Challenge Continued

We ask only the following. 1) The public be invited to watch. 2) Maxon's Engineers as well as Escort's check the radar gun and monitor the test and the results.

3) The same car be used in both tests. 4) We'd like an answer from Escort no later than December 31, 1986 and 60 days notice of the time and place of the conflict. And, 5) We'd like them to come with a \$20,000 (was \$10,000) check made out to DAK if we win. into action in just 1/4 of one second.

Just imagine the sophistication of a device that can test a signal 4 times in less than 1/4 of one second. Maxon's technology is mind boggling. **But, using it isn't.** This long range detector has all the bells and whistles. It has separate audible sounds for X and K radar signals because you've only got about 1/3 the time to react with K band.

There's a 10 step LED Bar Graph Meter to accurately show the radar signal's



SO,WHAT'S DUAL SUPERHETERODYNE? Ok, so far we've set up the conflict. Now let me tell you about the new dual superheterodyne technology that lets

Maxon leap ahead of the pack. It's a technology that tests each suspected radar signal 4 separate times before it notifies you, and yet it explodes strength. And, you won't have to look at a needle in a meter. You can see the Bar Graph Meter with your peripheral vision and keep your eyes on the road and put your foot on the brake.

So, just turn on the Power/Volume knob, clip it to your visor or put it on your dash. Then plug in its cigarette lighter cord and you're protected. And you'll have a very high level of protection. Maxon's Dual Conversion Scanning Superheterodyne circuitry combined with its ridge guide wideband horn internal antenna, really ferrets out radar signals.



By the way Escort, we'll be happy to have our test around a bend in the road or over a hill. Maxon's detector really picks up 'ambush type' radar signals.

And the key word is 'radar', not trash signals. The 4 test check system that operates in 1/4 second gives you extremely high protection from signals from other detectors, intrusion systems and garage door openers.

So, when the lights and X or K band sounds explode into action, take care, there's very likely police radar nearby. You'll have full volume control, and a City/Highway button reduces the less important X band reception in the city.

Maxon's long range detector comes complete with a visor clip, hook and loop dash board mounting, and the power cord cigarette adaptor.

It's much smaller than Escort at just 3½" Wide, 4¾" deep and 1½" high. It's backed by Maxon's standard limited warranty. Note from Drew: 1) Use of radar detectors is illegal in some states.

2) Speeding is dangerous. Use this detector to help keep you safe when you forget, not to get away with speeding.

	2741
00	DGLAS
JARLY PY. STAR	10.000
	00

RISK FREE

Put this detector on your visor. When it sounds, look around for the police. There's a good chance you'll be saving money in fines and higher insurance rates. And, if you slow down, you may even save lives.


If you aren't 100% satisfied, simply return it in its original box within 30 days for a courteous refund.

To get your Maxon, Dual Superheterodyne, Anti-Falsing Radar Detector risk free with your credit card, call toll free or send your check for just \$99^{so} (\$4 P&H). Order No. 4407. CA res add tax.

OK Escort, it's up to you. We've got \$20,000 (10) that says you can't beat Maxon on the road. Your answer, please? Ecort and Peepport are registered trademarks of Cincinnati Microwave.



For Toll Free Information, Call 6AM-5PM Monday-Friday PST Technical Information. . . . 1-800-272-3200 Any Other Inquiries. 1-800-423-2866 8200 Remmet Ave., Canoga Park, CA 91304



SAFE STORAGE ALLOCATION

BY JONATHAN AMSTERDAM

How to avoid the dangers of allocating memory



The term "storage allocator" is an instructive misnomer, for the complexity of such a system lies not in allocating storage but in reclaiming it. If computer memories

were arbitrarily large, storage allocation would be trivial. Because they aren't, the process can be complicated.

I will discuss four storage allocators. The first, the basic allocator, uses standard algorithms and is quite common, appearing in many implementations of programming languages that provide storage allocation, like Pascal, C. and Modula-2. The other three are all attempts to correct the problems of the first. |Editor's note: The four allocators in Modula-2 source code, along with their driver programs, are available on disk, and on BIX. The filenames are as follows: ALLOC.DOC (a "readme" file), AITEST.MOD, ALLOCI.MOD, ALLOCI.DEF, A2TEST.MOD, ALLOC2.MOD, ALLOC2.DEF, A3TEST.MOD, ALLOC3.MOD, ALLOC3.DEF, A4TEST.MOD, ALLOC4.MOD, ALLOC4.DEF, MYTERMIN, MOD, MYTER-MIN.DEF, MACHINES.MOD, and MA-CHINES.DEF: See the insert card after page 320. Listings are also available on BYTEnet. See page 4.1

WHAT IS STORAGE ALLOCATION?

All useful programs need storage to go about their business. A program could not

accomplish much if it didn't use variables. and variables occupy space in the computer's memory. Many programs can get by with a fixed amount of storage, an amount determined when the program is written and compiled. Most FORTRAN programs fit into this category. Other programs need to allocate storage while they are running but can get by with a stack-based allocation scheme like that provided by many highlevel programming languages-for example, a Pascal program that contains procedures with local variables. Some programs, however, not only need to acquire additional storage while running but also cannot deallocate that storage in the last-in, first-out manner demanded by a stack. Furthermore, they may require many pieces of storage of different sizes.

For example, the SIMPL compiler I presented in the December 1985, January 1986, and February 1986 issues of BYTE ('A SIMPL Compiler,'' parts 1, 2, and 3) must allocate storage for parse trees and symbol table records. These objects must exist for long periods of time, across the execution of many procedures, and may be deallocated in an order different from that in *(continued)*

Jonathan Amsterdam is a graduate student at the Massachusetts Institute of Technology Artificial Intelligence Laboratory. He can be reached at 1643 Cambridge St. #34, Cambridge, MA 02138. which they were allocated. So a stackbased scheme is inadequate. Something more general is needed: a program that allows the allocation and deallocation of memory parcels of various sizes in any order. For the purposes of this article, such a program is called a storage allocator.

THE ABSTRACT STORAGE ALLOCATOR

A storage allocator is a program that manages a contiguous region of memory called the heap. It allocates arbitrarily sized, contiguous segments of the heap, called blocks, when asked to do so by other programs in need of storage. The storage allocator also allows these programs to deallocate. or free, blocks that they no longer need. To these basic facilities, I add the ability to examine and change any location inside an allocated block. If you call the minimal unit of storage a word, you can characterize a storage allocator in the abstract as comprising these four operations:

• allocate: takes the number of words to allocate as an argument and returns either a block of the appropriate size from the heap or an indication that no block that size is available.

free: takes a block as an argument and returns it to the heap for reuse.
getWord: takes a block and a number n as arguments and returns the nth word of the block. (By convention, the block's contents are numbered from 0 to one less than the size of the block.)

• setWord: takes a block, a number *n*, and a word *w* as arguments and sets the *n*th word of the block to *w*.

THE BASIC ALLOCATOR

The first allocator organizes the heap as a linked list of available blocks called the free list. When a program requests storage, the allocator searches the list for a large enough block. If it finds one, the allocator removes the block from the list and returns a pointer to it to the requesting program. If no available block is large enough, the allocator returns a NIL, or empty, pointer. When a program frees a previously allocated block, it is returned to the free list. This scheme, with minor variations, is used by many extant storage allocators.

For the scheme to work, each block must contain certain information. In my implementation, all blocks, whether free or allocated, contain a size field as their first word. The size is simply the number of words occupied by the block, not including the size field itself. So, for example, if a block has a size of six, it actually occupies seven words of memory. You can obtain the size of a block by calling the blockSize function, which takes a pointer to the block as its argument.

When a block is allocated, all of it except the size field is available for use through the setWord and getWord procedures. When a block is not allocated, part of its space is used to hold a pointer to the next free block in the free list. (If a block is the last one in the free list, its pointer is NIL.) The number of words occupied by this pointer is the smallest allowable block size you may have; any request for a smaller block will receive one of this size. In my implementation, the minimum block size is two words because Macintosh pointers are two words long (on other microcomputers, a pointer can fit in a single word). Hence, in my implementation, the smallest block actually occupies three words of memory: one for the size and two for the pointer.

Initially, the free list contains a single block, which constitutes the entire heap. As blocks are allocated, the initial free block is broken up; when allocated blocks are freed, they are added back onto the free list. When a program requests a block of storage, the allocator chooses one from the list to satisfy the request. If the block is just the right size, it is spliced out of the free list and returned to the program. However, if the block is larger than the amount of storage requested, it is split into two blocks: One is the requested size and is returned; the other is put on the free list.

The chosen block may be only slightly larger than the request. In particular, it may be small enough so that after splitting, the remaining portion is too small to form a block of its own. For instance, if a program requests 10 words and the chosen block has a size of 12, the block cannot be split, since the two words remaining are not enough to form a block. In this case, the allocator returns the entire chosen block.

There are several possible strategies for choosing a block of storage. In the best-fit strategy, the allocator searches the free list from beginning to end and chooses the block whose size comes closest to the request without being too small. While this scheme requires searching the entire free list, it seems likely to make a good choice. However, if the chosen blocks are often slightly larger than the requests, then many small blocks are left on the free list. The allocator may then be unable to satisfy a request, not because there isn't enough storage in the heap, but because the storage is distributed among many different blocks, each of which is too small, This is called fragmentation.

In an effort to reduce fragmentation, you might use the worst-fit strategy choosing the largest block on the free list. Another strategy, called first-fit, chooses the first block on the list that is big enough to satisfy the request. And Donald Knuth has proposed a next-fit strategy, which is similar to first-fit except that on subsequent requests, the search for a suitable block resumes from where it left off during the prior request instead of starting again from the beginning of the free list (see reference 1).

A lot of experiments have been done to see which of these methods allocates blocks most rapidly and results in the least amount of memory fragmentation. And the consensus on which one to use is that it depends. It depends on the order of allocation and deallocation, the size of the blocks allocated, and goodness knows what else. One thing's for sure, though: J. Robson has shown that for any allocation scheme that does not move blocks around in the heap to reduce fragmentation, there exists a sequence of allocations that will result in a request being made that cannot be satisfied due to fragmentation (see reference 2). Even if the sequence consists only of requests for one-word and two-word blocks, the allocator can fail when memory is only twothirds full. So all the methods have the same worst-case behavior. (Moving blocks around in the heap is not feasible for the basic allocator because the program allocating storage may have pointers to the blocks.)

The conclusion I draw is this: Unless you have a particular application in mind and understand its allocation pattern well, it doesn't much matter which strategy you choose. I have chosen first-fit for my basic allocator, since it is the easiest strategy to implement and has the undeniable advantage that it cannot possibly take longer to allocate a block than bestfit or worst-fit.

To deallocate, or free, a block, you could simply add it to the front of the free list. The speed of this process is hard to beat-two machine instructions on many computers-but it has a disadvantage. If two blocks occupying adjacent regions of memory have been freed, you want to merge them into a single block to reduce fragmentation. If you add freed blocks to the front of the free list, there is no easy way of checking for adjacency without searching the entire free list. You can do it if you incorporate more information into each block, but each word used in bookkeeping is a word denied the user. My method sacrifices time for space.

I maintain the free list in order of increasing addresses, so that the first block on the free list has the lowest address of any free block. When a program frees a block, the allocator traverses the free list until it finds the right spot for insertion. It is easy to check for adjacency now because the only candidates are those blocks on the list immediately before and after the insertion point. Using the size fields of the blocks and their addresses, it is easy to calculate if block boundaries coincide and the blocks can be merged.

The algorithm for this method is summarized in the text box "Algorithm for the Basic Allocator" above. The scheme is simple to implement, versatile, and has a minimum of overhead. But I come to bury the basic al-

ALGORITHM FOR THE BASIC ALLOCATOR

nitially: set the free list to point to a block consisting of the entire heap.

allocate: takes as argument the number of words to allocate; returns a pointer to a block with at least that many words if it can find one; returns NIL if it fails.

Begin

- If there are no blocks big enough to satisfy the request, fail.
- Otherwise, choose the first block 6 big enough to satisfy the request. If the block is big enough to split, then

split the block into two parts: cwith the requested number of words and d with the re-

- mainder: put d on the free list,
- and return c.

Otherwise, remove b from the free list and return it.

End.

free: takes a pointer to a block f as argument.

Begin

Search the free list from the beginning until reaching a block b whose address is larger than the one being freed. Let *a* be the block ahead of b on the free list. Put *f* onto the free list between *a* and

- b. β b.
- If f and b are adjacent, merge them into a single block.
- If f and a are adjacent, merge them into a single block.

End.

getWord: takes a pointer to a block band an offset *n* as arguments; returns the *n*th word of *b*, starting from 0. Begin

If n < 0 or n > size of b, then error. Otherwise, add n to the address of b to index the *n*th word, and return the word.

End.

setWord: takes a pointer to a block β , an offset *n*, and a word *w* as arguments. Begin

If n < 0 or n > size of b, then error. Otherwise, add n to the address of b to index the *n*th word, and store w in the word.

End.

locator, not to praise it, for it has a serious flaw. The problem is the wellknown dangling reference. For example, let's allocate a block and copy its pointer,

newPtr := allocate(10); copiedPtr := newPtr;

and then free the block by using free (newPtr). Even if the free procedure invalidates newPtr (by setting it to NIL, perhaps), copiedPtr still points to the freed block. It is possible for the program to use copiedPtr to access a deallocated block. You can avoid this by providing a bit in each block indicating whether or not it is free and by modifying getWord and setWord so that they detect accesses to a freed block and signal an error. But the real trouble occurs when the block is reallocated. Then copiedPtr can do some real damage, by changing portions of a block it shouldn't be pointing to, a block that may even belong to a different application.

I take this dangling reference problem very seriously. Many programmers think it is a minor nuisance that must be endured for efficiency's sake. I disagree. I expect programming languages to do their utmost to protect me from myself—from the many stupid errors I am bound to commit when I program. Modern programming languages like Modula-2 have gone a long way in this direction, but storage allocation is still an area where they provide more than (continued) enough rope to hang yourself. The rest of the article examines ways to shorten the rope.

THE TOMBSTONE ALLOCATOR

One solution to the dangling reference problem is never to reallocate a block once you have freed it. This is a little extreme, but a related solution might be worth exploring. When a block is freed, return all but its first word to the free list. Put a special value in the first word so that getWord and setWord can recognize it if an illegal access is made. I call these oneword markers *tombstones*. Tombstones are never freed; they are always there, ready to catch references to blocks that no longer exist.

You can easily modify the basic allocator to use tombstones. When a block is freed, you put all but its first word—the one containing the block's size—on the free list. Then you set the first word to zero. When getWord and setWord are called, they check the block's size field and signal an error if it is zero.

The tombstone scheme is simple to implement, but it too has a serious fragmentation problem. Each tombstone is an unreclaimable piece of storage in the middle of the heap. Adjacent freed blocks, which might have been merged by the basic allocator, can't be merged because of the intervening tombstones. You end up littering the heap with tombstones.

THE INDIRECT APPROACH

The dangling reference problem arises in the first place because several copies of a block's pointer may exist. You could avoid the problem altogether if you could ensure that only one pointer to a block would ever exist. It's unreasonable to demand that pointers never be copied, and you couldn't enforce it anyway, but there is another way. When a program makes a request for a new block, the storage allocator allocates both the block and a pointer to it, called the master pointer. The allocator then returns a pointer to the master pointer, or a handle, rather than a pointer to the block itself.

Adding this extra level of indirection goes a long way toward solving the dangling reference problem. You can make as many copies of the handle as you want, but all references to the block go through the master pointer. When a block is freed, the allocator




Figure 1: Compacting the heap: (a) shows the heap before compaction; (b) after compaction.

adds it to the free list and sets its master pointer to a special value, say NIL. The allocator can then catch any subsequent references to that block. When the block is reallocated, a new master pointer is used. The technique is reminiscent of tombstones, but with one important difference: Master pointers need not be allocated in the middle of the heap. In my implementation, I start allocating master pointers from the top of the heap, and I try to confine them to a contiguous region. Blocks, meanwhile, are allocated from the bottom. The severe fragmentation problem of tombstones does not arise.

If this were the only benefit of double indirection, as the method is sometimes called, it would be worth implementing. However, since the storage allocator knows about all the pointers into the heap-the master pointers-it can play a couple of other useful roles as well. For one thing, the allocator can enable you to change a block's size, making it grow or shrink as you wish. To do this, the allocator allocates a new block of the desired size, copies the contents of the old block into it, and changes the master pointer to point to the new one. Any handles now reference the new block. and the original block appears to have magically changed its size.

More important, the allocator can perform compaction of the heap. Because it has the only direct access to the master pointers, the allocator is free to move blocks around in the heap. In particular, it can implement the following simple algorithm: First, find the allocated block with the lowest address (easily determined by scanning the list of master pointers). Copy the contents of this block to the bottom of the heap and update its master pointer to point to the new location. Then find the second-lowest block in the heap and move it to just after the first block. Do the same for all the allocated blocks. The result is a heap free of fragmentation with the allocated blocks at the low end, the master pointers at the high end, and the middle free. Figure 1 shows before and after pictures of a compacted heap. If you want, you can compact (continued)



Actual image on Sony CPD-1302.

Look at the picture. It's got to be a Sony.

25 years have gone into the making of this picture.

Every Sony advance in the guality of your TV picture has been applied to the improvement of your computer picture.

That's why a Sony monitor is so clearly superior to other monitors. And that's why you can get a brighter, sharper picture for your computer the same way you'd get one for your home. Ask for a Sony.

Why the leading name in living rooms is about to become the leading name in offices.

The monitor you see above, the CPD-1302, is Sony's newest 13" Multiscan™ Monitor, with an actual image generated on it using an IBM®AT.

Its advantage is that it works with CGA, EGA and even PGA graphics cards. So, with Sony, you'll not only have dazzling high-resolution graphics, you'll have a monitor that won't become obsolete.

But other Sony monitors have the same impressive .25mm Super-Fine Pitch™



Sony CPO-1310

13" Medium-Resolution

Monitor

Sony KV-2011CR

20" Combination Computer

Monitor/Receive



Sany KV-1311CR

13"Combination Computer

Monitor/Receiver

Sony KY-2511CR

Monitor/Receiver

Combination Computer

25'

Sony VPH-1030Q1 & VPH-2030Q1 100" & 200" Multiscan Video Projector Aperture Grille, giving them the highest resolution of any monitors in their class. Only Sony could give you 9 clear choices for better monitors.

Only Sony could improve office images from desks, to conference rooms, to office auditoriums.

Because only Sony makes color monitors from 9" to 25", plus Multiscan Video Projectors that display computer images on 100" and 200" screens, with astonishing resolution.

And Sony has an answer for those of you who take your computer work home, too. We offer you monitors that are also remote-control Sony TVs.

The bottom line is this: in business, everyone wants to see a brighter picture. In monitors, the brightest picture comes from Sony.

To find out more, call Sony at 1-800-222-0878 (in N.J., 1-800-222-0879).

Trinitron Computer Monitors SONY.

(# 1986 Sony Corporation of America, Sony, Timitron, Multiscan, Super-Fine Pitch and The One and Only are trademarks of Sony. IBM is a registered trademark of International Business Machines Corp. Because the computer industry lacks standards, Sony does not and cannot make any warranty or representation with respect to performance of its monitors with each and every software or hardware option.



Algorithm for the Double-Indirection Allocator

nitially: Set aside room at the top of the heap for master pointers. Set the free list to point to a block consisting of the rest of the heap.

allocate:

Begin

Allocate a master pointer *m*. getting a handle to it. h. If no master pointer can be allocated, fail. Allocate a block b as in the basic allocator. If none is found, compact heap, and try again. If there is still not enough room, fail. Set *m* to point to b and return h.

End.

allocate master pointer: returns a handle (a pointer to a master pointer). Begin

If there is room in the master pointer area, allocate space for another master pointer, and return a pointer to it.

Otherwise, compact the heap.

If there is now room to extend the master pointer area, then extend it, allocate a master pointer, and return a pointer to it. If there is no room left, fail.

End

compact:

Begin

Let *l* be the bottom of the heap. While there is an allocated block that is higher in the heap than *l*:

copy the lowest such block, b, to l; update b's master pointer to point to l;

set *l* to the address just after *b*. Set the free list to point to the remaining free space.

End.

free: takes a handle as argument. Begin

- Let *m* be the master pointer that the handle points to.
- Free the block that *m* points to as in the basic allocator.

Set m to NIL.

End.

resize: takes a handle h and a new size n as arguments.

Begin

- Allocate a block b of size *n* as in the basic allocator. If none is found, do nothing.
- If a block b is found, then let *m* be the master pointer that h
 - points to; copy the block pointed to by minto the new block b;
- set *m* to point to b.

End.

getWord, setWord: as in the basic allocator, but take a handle instead of a pointer.

- Begin
- If the master pointer that the handle points to is NIL, then error.
- Otherwise, access the block as in the basic allocator, using the master pointer.

End.

the heap every time a block is freed, thereby making a free list unnecessary. But since compaction can be expensive, it is probably better to use the free-list method, saving compaction for the time when a storage request can't be filled.

The algorithm for this method is shown in the text box "Algorithm for the Double-Indirection Allocator" above. Macintosh programmers will recognize the scheme as a subset of the Macintosh memory manager. The Macintosh allocator allows reuse of master pointers, though so it's not as safe as this one.

There are two problems with my implementation of the double-indirection technique. The first is implicit in the name: An extra indirection (memory reference) must be performed for every access to a block. Furthermore, getWord and setWord have to check for a NIL master pointer on every access. You could do away with this check, but then an attempt to dereference the NIL pointer will make the program crash. If the allocator checks explicitly, it can die gracefully and provide information about the error, but even an uninformative crash is better than no check at all. Another way to reduce the overhead of double indirection is to hand out pointers to the blocks themselves, rather than to master pointers, if specifically requested to do so. This feature should be used only where speed is of the utmost importance, and you should check carefully to be sure that no invalid copies of this direct pointer are created. If there is a chance that the allocator will perform a compaction while the pointer is in a programmer's hands, then the allocator must provide a facility for

locking a block in place so that it is not moved during a compaction. Providing direct pointers to blocks compromises the safety of the allocator, so I don't recommend it unless the application truly requires it.

The second problem with my double-indirection scheme is more serious. You can't reclaim a master pointer; once it's allocated, it's there for good. It can't even be reused. So every new allocation decreases the heap size by the length of one pointer. The list of master pointers will march relentlessly from the top of the heap to the bottom, bringing the allocator to a suffocating halt.

THE CAPABILITY-BASED ALLOCATOR

My fourth and final allocator attempts to get around the problem of nonre-(continued)

59,95, with trial membership.

A

\$95.00

value

and on a periodic table; semiconductor and electronic symbols; etc.

• A 30,000 Entry Index—providing you with easy access to the information you need.

And all this is yours for just \$9.95 when you join. So send for your copy today.

The Library of Computer and Information Sciences is the oldest and largest book club especially designed for the computer professional. In the incredibly fast-moving world of data processing, where up-to-date knowledge is essential, we make it easy for you to keep totally informed on all areas of the information sciences.

Begin enjoying the club's benefits today!

4 Good Reasons to Join

1. The Finest Books. Of the hundreds of books submitted to us each year, only the very finest are selected and offered. Morever, our books are always of equal quality to publishers' editions, *never* economy ditions.

2. Big Savings. In addition to getting the McGraw-Hill Concise Encyclopedia of science & Technology for only \$995 when you join, you keep saving substantially, up to 30% and occasionally even more. (For example, your total savings as a trial member—including this introductory offer—can easily be over 50%. That's like getting every other book free!)

3. Bonus Books. Also, you will immediately become eligible to participate in our Bonus Book Plan, with savings of up to 65% off the publishers' prices.

4. Convenient Service. At 3–4 week intervals (16 times per year), you will receive the Library of Computer and Information Sciences News, describing the Main Selection and Alternate Selections, together with a dated reply card. If you want the Main Selection, do nothing, and it will be sent to you automatically. If you prefer another selection, or no book at all, simply indicate your choice on the card and return it by the date specified. You will have at least 10 days to decide. If, because of late mail delivery of the News, you should receive a book you do not want, we guarantee return postage.

If reply card has been removed, please write to: The Library of Computer and Information Sciences, Dept. 7-DS3-6162, Riverside, N.J. 08075 to obtain membership information and an application. Byte 10/86

TAKE THE McGRAW-HILL CONCISE ENCYCLOPEDIA OF SCIENCE AND TECHNOLOGY YOURS FOR ONLY **\$9.95!**

McGraw-

When you join the

Library of Computer and Information Sciences. You simply agree to buy three more books—ot handsome discounts within the next 12 months.

7,300 authored articles by the world's leading scientists

Combining the accessibility of a dictionary with the thoroughness of a full-length encyclopedia, the McGRAW-HILL CONCISE ENCY-CLOPEDIA OF SCIENCE AND TECHNOLOGY brings the forefront of scientific research to your fingertips. World-renowned experts—from such acclaimed computer science institu-

What Your \$9.95 Buys You

- a 2,000-page treatise worth \$95.00
- more than 7,300 alphabetically arranged, cross-referenced articles
- 1,600 illustrations and line drawings, many in two colors
- a 30,000 entry index
- measurements in both US and SI units
- comprehensive bibliagraphic and data base listings
- membership to the oldest and most respected computer book club

tions as Carnegie-Mellon University and Burroughs Corporation—share their definitions, explanations, insights, and opinions on such topics as:

- artificial intelligence and expert systems
- computer graphics
- database management
- programming languages
- real-time systems
- simulation
- software engineering
- and much more, covering virtually every aspect of science and technology

You also get:

• Bibliographies and Data Bases documenting hundreds of books and journals arranged by subject category, as well as 81 of the leading scientific data base systems

• Appendices—containing measurement systems and conversion tables; mathematical signs, symbols, and notations; fundamental constants; chemical elements listed both alphabetically

Algorithm for the Capability-based Allocator

nitially: Set aside room at the top of the heap for master pointers. Set the free list of point to a block consisting of the rest of the heap. Set the master pointer free list to NIL.

allocate: returns a capability c. Begin

> Allocate a master pointer *m*, getting a handle h. If none is found, fail. Allocate a block b as in the basic allocator. If none is found, compact the heap and try again. If

- there is still not enough room, fail. Set *m* to point to b. Set c's handle
- to h. Set d's generation count to m's generation count. Return c.

End.

allocate master pointer: returns a handle (a pointer to a master pointer). Begin

- If the master pointer free list is not empty (NIL), remove the first master pointer on the list and return it.
- If the master pointer area has room, allocate space for another master pointer, set its generation count to zero, and return a pointer to it.

Otherwise, compact the heap.

If there is now room to extend the master pointer list, then extend the list, allocate a master pointer, set its generation count to zero, and return a pointer to it.

If there is no room left, fail. End.

compact: as in the double-indirection allocator.

free: takes a capability as argument. Begin

- If the generation count of the capability does not equal that of the master pointer that the capability points to, then error.
- Otherwise, free the block as in the basic allocator; increment the master pointer's generation count; add the master pointer to the master pointer free list. End.

resize: as in the double-indirection allocator, but takes a capability instead of a handle. Begin

If the generation count of the capability does not equal that of the master pointer that the capability points to, then error.

Otherwise, proceed as in the doubleindirection allocator.

End.

getWord, setWord: as in the basic allocator, but take a capability instead of a pointer. Begin

- If the generation count of the capability does not equal that of the master pointer that the capability points to, then error.
- Otherwise, access the block as in the basic allocator, using the master pointer.

End.

usable master pointers. It uses double indirection, but instead of providing a handle to a block, it returns a *capability*. A capability uniquely identifies the block; no two blocks ever have the same capability, not even if they occupy the same part of memory. When a block is allocated, a unique capability is associated with it. When the block is freed, the capability becomes invalid. Any block subsequently allocated, even if it comprises memory from the old block, will have a different capability.

A capability consists of a handle and a nonnegative integer that is a generation count. Each master pointer has its own generation count. When a new master pointer is allocated, its generation count is zero. When a block is allocated and associated with a master pointer, a capability is returned to the requesting program. That capability consists of a handle and the master pointer's generation count. When the allocator frees a block, it increments the generation count of that block's master pointer. When getWord or set-Word accesses a block, it checks the generation count of the capability against that of the master pointer. If they are not the same, access is denied. The algorithm for this process is shown in the text box "Algorithm for the Capability-based Allocator" above.

In addition to the advantages of the double-indirection scheme, the capability-based method allows reuse of master pointers. When a block is freed, its master pointer can be linked into a second free list that is used for master pointers only. There is nothing to worry about when you reuse the master pointer because the safety checks are performed with the generation count, not with the value of the pointer.

When the generation count approaches an overflow condition, the simplest thing to do is to abandon the master pointer just before the overflow happens. When the allocator frees a block, it increments the master pointer's generation count, but if the new value is the largest possible value for the counter, the allocator does not link the master pointer into its free list. This pointer will never be reused, but the generation count will still work to prevent access. The space occupied by the abandoned master pointer is wasted, but overflow should be a rare occurrence if you provide a large enough generation counter. I provide 16 bits, which makes overflow very unlikely unless the allocating program runs for days on end.

You may wonder if you can implement the capability scheme with only a single indirection. Why not let a capability contain a pointer to the block, instead of a pointer to a master pointer? The problem then becomes where to put the block's generation count. You can't put it with the block, because it must remain even when the block is freed; you would have a variant of the tombstone allocator in which the merging of adjacent blocks is impossible. If you put the generation count somewhere else, you would basically have a second level of indirection. This might work, but I don't see how it would be superior to the capability scheme described here.

A minor implementation problem arises that illustrates an important technique. A capability is larger than a pointer: It is in fact a pointer plus an integer. An object that large is inconvenient to manipulate in most programming languages; for instance, you can't return it from a function. A more serious problem arises in a Modula-2 implementation that does not export the representation of capabilities. This opaque export of types, as it is called, is what you want, since to export the capability's data type is to allow other programs to manipulate it. But the catch is that in Modula-2, an opaque type can be no larger than a pointer. How can you store a pointer and an integer in the space for just a pointer?

My solution is to replace the pointer part of the capability with an offset, in words, from the start of the list of master pointers. Since Macintosh pointers are a hefty 32 bits, I can squeeze a 16-bit integer-the generation count-and a 16-bit word offset into a single pointer-size area. If your pointers are only 16 bits long, you'll have to economize more: perhaps an 8-bit generation count and an 8-bit offset. You can even do better than a word offset if you are willing to perform a multiplication on each access: Since all master pointers are the same size and they are allocated contiguously, you can treat the list of master pointers as an array. An offset of *n* can then be used to pick out the nth master pointer, just like an array index. If the size of a master pointer is s, then the *n*th master pointer is $s \times n$ words away from the start of the master pointer list (assuming n = 0 for the first master pointer). The word-offset trick can also be used to shorten the master pointers: Instead of containing a pointer to a block, a master pointer could contain an offset from the beginning of the heap.

While the capability scheme provides the ability to reuse master pointers, it is not ideal. For one thing, vou still can't reclaim master pointers. If the allocating program allocates 100 blocks without freeing any, then it must create 100 master pointers. If the program then frees 95 of the blocks. there are still 100 master pointers, and there always will be. The capability scheme also takes a lot of time. There is no getting around doing a comparison on each access of a block, unless you resort to the risky expedient of handing out pointers to blocks. (It is possible to provide facilities for accessing several words of a block with a single check, but in most programming languages these can't be made very general.) Finally, the generation counts themselves occupy space that could be used for other purposes.

Although we have been coming closer and closer to a safe storage allocator, none of these approaches is perfect. All but the first of the allocators are safe, but at a price: slow access, in some cases severe fragmentation, and in all cases the inability to reclaim certain parts of the heap (tombstones or master pointers). There is also another problem: leakage. If the program allocates a block and then loses all references to it, that block can never be freed. If this happens frequently, available storage leaks away until the program crashes, its memory source exhausted.

Implementing the accessing procedures in hardware would solve the speed problem, but the others won't go away so easily. If the storage allocator is implemented as a subprogram, or module, in a high-level language such as Modula-2, you can't do anything about leakage or about reclaiming tombstones or master pointers. Since the storage allocator doesn't have access to the internals (continued)

CopyWrite

Backs Up IBM PC Software

Hundreds of the most popular copy-protected programs are copied readily. CopyWrite needs no complicated parameters. It needs an IBM Personal Computer, or an XT or an AT, 128k bytes of memory, and one diskette drive. CopyWrite will run faster with more memory or another drive.


CopyWrite is revised monthly to keep up with the latest in copy-protection. You may get a new edition at any time for a \$15 trade in fee.

CopyWrite makes back up copies to protect you against accidental loss of your software. It is not for producing copies for sale or trade, or for any other use that deprives the author of payment for his work.

To order CopyWrite, send a check for \$50 U.S., or call us with your credit card. We will ship the software within a day.



Ask about ZeroDisk to run copy-protected software from a hard disk without floppies.



Inquiry 79

of the programs that invoke it, it cannot know when a block no longer has active pointers. Moreover, the allocator must always protect against attempted access by invalid pointers or handles. Thus, it needs some memory to note the invalidity of a particular pointer or handle value. Perhaps you could reduce the memory set aside to one bit per pointer, but I very much doubt it; in any case, there must be some memory usage.

However, if the storage allocator *does* know about the internals of programs that invoke it—in other words, if the allocator is an integral part of the implementation of the programming language—then you can do something.

GARBAGE COLLECTION

A storage allocator that has access to the constants, global variables, and stack of the program using it need not fear invalid pointers. It can periodically search the program's storage areas looking for invalid pointers and destroy them, allowing reclamation of tombstones or master pointers. And if it finds no references to a particular block, the allocator can free it. So leakage ceases to be a problem as well.

A storage allocator that frees storage without user intervention is called a *garbage collector*. It is possible to get by with garbage collection and nothing else. In other words, you can allocate storage but not deallocate it, leaving that job to the garbage collector. (LISP uses this solution.)

Garbage collectors eliminate the problems of dangling references and leaks and are even safer than the safe allocators for two reasons First, while safe allocators can catch an illegal access and halt a program gracefully, an illegal access can't even happen with garbage collection because the garbage collector won't free a block unless there are no pointers to it. Second, it is usually possible, especially in systems programming languages like C and Modula-2, to subvert a safe allocator. For example, if you are using a double-indirection allocator, you can subvert it by dereferencing a handle only once, resulting in a pointer to a block. There is no ironclad way to prevent this subterfuge, and indeed, you may even want to provide pointers to blocks, because double indirection is slow. Garbage collectors can also be subverted, but it is more difficult and would only be done maliciously; there is no good reason to do it.

However, garbage collection also has its drawbacks. Unless you use special hardware to support it, the process itself can be slow (though references to blocks are not affected). Most garbage collectors cannot permit a user program to run while garbage collection is taking place. so noticeable pauses can occur when running a program that allocates a lot of memory. Garbage collectors can also be difficult to write and debug.

CONCLUSION

On a fast machine that can support it in hardware, garbage collection is definitely preferred. But on other machines, especially microcomputers, it is often desirable to let programs free storage as well. To compromise, vou can use one of the safe allocators presented here and occasionally perform a garbage collection to reclaim the space occupied by tombstones or master pointers and to free storage that has leaked. In fact, the tombstone allocator looks very good in this light: It allows fast access to blocks (a single indirection), and its fragmentation problems are greatly ameliorated by the garbage collector.

Unfortunately, you can't implement garbage collection as an extension to an already existing implementation; you have to build it into the language you are implementing. So if you are thinking of designing a programming language, think about storage allocation right from the start. Don't be one of those designers who, much to the chagrin of safety-conscious programmers, have left storage allocation to be dealt with as an afterthought; who, in effect, have said: "See you later, allocator."

REFERENCES

I. Knuth, Donald E. The Art of Computer Programming, Vol. 3: Sorting and Searching. Reading, MA: Addison-Wesley, 1973. 2. Robson, J. M. "An Estimate of the Store Size Necessary for Dynamic Storage Allocation." Journal of ACM, July 1971. ■

OCTOBER 1986

The most significant development in monochrome graphics since the Hercules Graphics Card.

Announcing the Hercules Graphics Card Plus.

Four years ago, the Hercules^{**} Graphics Card brought high resolution monochrome graphics to the IBM[®] PC for the first time. And revolutionized the world of personal computers.

Now, it's happening again. Because now there's the Hercules Graphics Card Plus. A giant step forward in technology that creates a whole new standard for graphics hardware and a world of potential for software.

Three modes are better than two. Until now, graphics cards have had only two modes to work with: text and graphics.

Text mode is very fast, but it's limited to 256 pre-programmed characters.

Graphics mode, on the other hand, lets your software create as many characters as you want. But for text processing, graphics mode can be slow, painfully slow.

Enter a new, third mode. Called RamFont."

Two years in development, RamFont gives you the best of both worlds. It blends the blinding speed of text with the flexibility of graphics.



The heart of the Graphics Card Plus: the V112 microchip, Hercules' next generation video processor that makes the RamFont mode possible.

Enough flexibility to blow the doors off the 256-character limit of text mode.


Because RamFont can handle an astonishing 3072 different characters of various widths and heights.

Instead of 256 canned, unchangeable ones.

The future according to RamFont. With all these characters and fonts to work with, software will never be the same again.

RamFont word processors, for example, will put italics, boldface, and scientific characters right on the screen with standard text. So you can see what you're about to print.

RamFont spreadsheets will use smaller characters to display larger amounts of information. So you



can get the big picture.

RamFont integrated packages will mix true text and graphics and turn your PC's screen into a fast-lane version of the Macintosh's:

And if you happen to be one of those geniuses who's fluent in five languages, you'll be able to type a letter in all of them.

Simultaneously.

A Herculean feat. How did we manage to combine the radical new RamFont on the same card with

Hercules' legendary sharp text and high resolution 720x348 graphics and still be 100% compatible with the original Hercules Graphics Card?

It wasn't easy.

The Hercules Printer Cable a \$40 value, free with each

Graphics Card Plus.

In fact, it took two years and all of the sophisticated CAD tools at our disposal to create our exclusive V112 microchip.*


This totally new generation of video processor is at the heart of every Hercules Graphics Card Plus.

It's also at the heart of a revolution in software that's beginning right now.

Turn the page and you'll see what we mean.

*Patent applied for.

Another Hercules innovation: the new LPT112. It's a parallel printer port on a chip.



Lotus 1-2-3 Rel. 2 in the RamFont mode of the Graphics Card Plus: fast scrolling, a 90-column by 38-row screen and a pop-up graphics window.

Software will never be the same again.

The trouble with most new hardware introductions is that there isn't any software available to introduce them to.

Not so with the new Hercules Graphics Card Plus.

It runs everything the original Hercules Graphics Card runs.

Better yet, it comes complete with the software you need to start using the revolutionary new RamFont mode right now with some of the world's favorite programs.

Lotus blossoms.

Of course, if you want to talk about the world's favorite programs, you have to start with Lotus[®] 1-2-3.[®] You won't recognize Release 2. Because now you can put nearly twice as much information on your screen, scrolling right and left and up and down at speeds you'll remember nostalgically from the days of Version 1A.

Another thing you won't recognize is that cute little graphics window. You can thank RamFont for that.

Now that RamFont is with us, you can pop up a graphics window any time you're in the mood and still keep your 1-2-3 spreadsheet in the background.

And you can do the same with Symphony,[™] of course.

Or, if your tastes tend toward Ashton-Tate[®]'s Framework[®] II, you'll be pleased to hear that you can really

RAMFONT

Tety pole out, when he sate one syste

The RawFontTH node of the Bercales Graphics Card model 63112 is a wersatile and pomerful new mode. The 63112 provides familities for software to easily eccomplish is a RawFont vector, mist used to require a great deal of effort is graphics node.

Rans are a few weamples of funts created for Dunkant mode. We call this fout the "Nolice" feet.


Here is an example of an Unit character set, and now and ITALICS In Automatics there are 3072 assenderinatic characters.

FROM HERCULES

Just node will naves he the some opain ..

The Graphics Card Plus in RamFont mode

showing multiple fonts created using FontMan;" a Hercules program that comes free with each Card.



The programmable RamFont is so flexible, Symphony can mix true text and graphics.

 Image: Self Least free birt hans. East Part

 Image: Self Least free birt hans. East Part

 Image: Self Least free birt

 <td

Ashton-Tate's Framework II with italics and boldface and speed in the RamFont mode of the new Hercules Graphics Card Plus.



Microsoft Word in RamFont mode: italics, boldface and small caps—plus speed and lots of it, at last.

burn rubber with its word processor.

The revealed Word.

Speaking of word processors, remember a couple of pages ago how we said they would be forever changed? Well, the change has already begun.

For example, the Hercules Graphics Card Plus with RamFont makes Microsoft[®] Word a whole new program.

Suddenly the italics, boldface, superscripts and subscripts scroll superfast. Which means you don't have to twiddle your thumbs waiting for the screen to catch up with your fingers.

More to come. As time goes by, more and more major programs will take advantage of the extraordinary capabilities of RamFont.

Which gives you two choices.

You can buy a Hercules Graphics Card Plus and look forward to getting your socks knocked off.

Or you can buy another card and watch while technology leaves you and your socks behind.

To help you make up your mind, we've prepared a little surprise for you on the next page.

Just make sure you're sitting down.





Shocked? We thought you'd be.

Imagine, the new Hercules Graphics Card Plus with the power of RamFont plus everything that made the original Hercules Graphics Card the monochrome standard.

At about half the old price.

Now that's progress.

Call 1-800-532-0600 ext. 202 (in Canada call 1-800-323-0601 ext. 202) for the name of an Authorized Hercules Dealer near you and we'll rush you a free info kit.

Hercules. We're strong on graphics.

Address: 2550 Ninth St., Berkeley, CA 94710 Ph: 415 540-6000 Telex: 754063

Trademarks/Owners: IBM/IBM; Macintosh/Apple; Lotus, 1-2-3, Symphony/Lotus; Microsoft/Microsoft; Framework II/Ashton-Tate; Hercules, RamFont, FontMan/Hercules.

Sound and the Amiga

The amount of RAM available to the sound system provides the limit of what you can do

hile the Amiga's sound-producing capabilities surpass the primitive squarewave sounds of early personal computers, the machine still has limitations to overcome. Making sound with



microcomputers is sort of a trick. For example, when a microcomputer makes a clarinet sound, it actually produces a square wave. The result sounds like a clarinet because a clarinet's waveform is close to a square wave. But the waveform of a piano or a flute is more complex and can't be created easily with most microcomputers.

53000

Sound data is a description of how you want to push air around with a transducer (speaker) so that the resulting fluctuations in air pressure are perceived by the ear as sounds. The amount of data involved in making complex, realistic sound events is tremendous. Consider the compact disk: 75 minutes of high-fidelity audio on a disk or 550 megabytes of 8-bit data; that's roughly 12K bytes of data per second. That much data can quickly swamp the capabilities of an 8-bit microcomputer.

HARDWARE-GENERATED SOUND

Before the advent of microcomputers, mainframe hackers had discovered that printing certain sequences of letters on a line printer would create certain pitched tones. Before long, enormous amounts of paper were being used to play Christmas carols.

The KIM-1, introduced in 1975, was not equipped to produce sound. But by 1976 hackers were connecting its hardware timer to an output bit at-(continued)

David D. Thiel is vice president of research and development for Free-Radical Software (1323 South Yale Ave., Arlington Heights, IL 60005). He is a musician turned programmer who has done considerable sound-programming work for coin-operated and home video games. tached to a speaker. This simplified the sound data to a waveform that the hardware could make. This technique produces the square-wave sound found in digital watches and computers like the IBM PC. The advantages of this approach are its low cost and the minimal software and processor time you need to control a sound.

With a little more hardware, you can control the amplitude of the voltage swing from low to high and thus the amplitude, or volume, of the sound. The combination of a timer-based square-wave generator with amplitude hardware is the fundamental building block of the hardware-based sound generation found in microcomputers ranging in complexity from the Commodore VIC-20 to the Atari 520ST. A pseudorandom hardware bit generator can be added to produce nonperiodic sound information, commonly called noise.

There are several advantages to this type of hardware-based approach: You don't need to spend a lot on specialized hardware, little processor intervention is necessary, and you won't use large quantities of memory to store the sound data. However, there are also disadvantages: The sound has a computerlike quality, you have a fixed and limited number of channels, and you are limited to

10

1111111111

NO CO LUI

coarse amplitude and frequency resolution.

ANOTHER APPROACH

In 1980, I started creating sound with microcomputers in a different way. I was given a 6502 microprocessor, 128 bytes of RAM, 4K bytes of ROM, an 8-bit DAC (digital-to-analog converter), and the assignment to "make a sound that goes boing." I quickly learned a technique that acknowledges the periodic nature of sound-using algorithms, tables of sound data, or some combination of the two. This technique requires a DAC for the microprocessor whose output (after signal processing and amplification) you intend to hook up to a speaker. The number of bits in the DAC establishes the range of amplitudes and, to a degree, the complexity of the waveform

This approach is used in its simplest form on the Apple II, which has a 1-bit DAC directly under software control. Even though the Apple II has only two levels of output, you can precisely control the time between pulses, which allows an amazing variety of sounds, music, even speech. However, while the microprocessor is producing sound data, there is little time for it to do anything else. Careful and meticulous interleaving of software tasks can give the appearance of two things happening at once, but this is time-consuming and not a general-. ized solution.

The Macintosh takes the DAC approach one step further by integrating sound production with video processing. While the monitor's video beam moves back to the left edge of the screen for each scan line, the Mac's sound hardware takes a byte out of a fixed-length buffer and outputs it to an 8-bit DAC. Since the microprocessor is freed from having to interleave the sound-generation task with other tasks, the effect is a stable soundgeneration rate. However, the microprocessor still has to put sound data in the buffer ahead of the video beam for every frame (60 times a second).

There are trade-offs with the Macintosh's approach to sound. When the Mac creates four-voice sound, it uses about 50 percent of the microprocessor's throughput. This doesn't include waveform scaling for independent control of each voice's volume. Since graphics on the Mac are processor-intensive, it's difficult to create elaborate sound and graphics at the same time.

SAMPLING

You can also directly digitize sound from other sources, store it, and play it back through the DAC. This technique is called sampling, and it has the best potential for reproducing

NEW FROM LOGICAL DEVICES INC:

PROMPRO-8X[™]Model II

A stand-alone programmer starting at \$895.00 can put you in business to program EE/EPROMs PAL/ PLDs,* Single Chip micros,* and Bipolar PROMs,* + EPROM IN-CIRCUIT EMULATION* capability that can speed up your development time considerably and an RS-232 communications port that lets you integrate it with your IBM PC as a total firmware and Logic development station.

All from a company with an excellent reputation for quality and service.

UNIVERSAL DEVICE PROGRAMMER

complex realistic sound with a computer. Once you have sampled the sound data, you can process it further for special effects, splice it, loop it, and set it up for random access.

One problem with sampling is the amount of sound data you need. The Mac's sampling rate, for example, is 22,300 samples (bytes of data) per second. For this reason, sampling has been used very little on the 128K-byte Mac.

Sampling also has the special problem of trying to produce realistic sound by pumping numbers through a DAC. You can get audio-aliasing distortion, or the "sonic jaggies" (the sonic equivalent of the jagged lines you get when you draw angled or curved lines on a raster display). You can get false harmonics if you use too slow a sampling period to reproduce sound of a given frequency.

THE AMIGA

The Commodore Amiga offers an enhanced, hardware-assisted, DAC approach to sound. It has more than four times as much sound hardware as the Mac. Each channel is composed of an 8-bit DAC with 5 bits of amplitude control, and the microprocessor can output sound data to each DAC independently.

The Amiga has a low-pass filter that cuts out most output with frequencies

above 7 kHz. This eliminates the aliasing distortion that occurs above 7 kHz when sampling at 28,800 samples per second. While not high-fidelity, the sound is good for a personal computer. The usable sampling period in terms of the filter is 14,000 to 28,800 samples per second. This range can be used for one octave of musical notes reproduced faithfully up to 7 kHz. In actual practice the sampling rate can be as low as 7000 samples per second for some applications where waveform data space is at a premium.

The Amiga's hardware design philosophy is to leave the processor free as much as possible. The direct memory access (DMA) hardware for sound generation complies with this rule. The Amiga uses four variable-period DMA channels. You can vary the sampling rate from 28,800 samples per second to one sample every two seconds. These samples can be anywhere in a 512K-byte address space and can be as short as 2 bytes or as long as 256K bytes. The output of each DMA channel is processed by a low-pass filter that becomes effective at 4 kHz and cuts out sound frequencies greater than 7 kHz.

To generate sound on the Amiga, you must load the DMA hardware registers with the starting location of the sound data, its length, and the The Amiga has four times as much sound hardware as the Macintosh.

sampling period. When enabled, the Amiga generates sound until it gets to the end of the sound data; then it resets the location and length and repeats the process until it is disabled. This frees the processor from the majority of the work typically associated with audio sampling.

The DMA hardware retrieves each byte of the sound buffer sequentially. Since every byte in the wave table is pumped out, the length of the wave table determines the highest fundamental frequency that the channel can play. For example, to play the musical octave from A (at 440 kHz) to G# (at 830 kHz) without the distortion of aliasing, the waveform length must be 16 bytes. This is not a lot of resolution with which to describe a complex waveform. The waveform length for the next octave can only be 8 bytes, and so on. Therefore, reproducing the sound range of the upper half of the piano keyboard is subject to (continued)

LEADER IN DEVICE PROGRAMMING



*some devices require optional adaptors.

FEATURES:

- Stand-Alone/RS-232
- 512K bits RAM buffer
- EPROMs 2716-1 MEG
- Capacity: Two EPROMs (set programming)
- Accepts Intel, Mot. Hex files
- Accepts JEDEC files
- Optional Keypad/Alpha display
- Tilt stand and carrying handle
- Works with Exatron IC handler

also available: UV ERASERs and GANG programmers.

All products 100% made in U.S.A.

CALL 1-800-331-7766

Logical Devices Inc. 1321 NW 65th Place Ft. Lauderdale, FL 33309

	TELEPHONE	TELEX
U.S.A.	(305) 974-0967	383142
Canada East	(514) 694-7710	05-823554
Canada West	(604) 291-8866	04-356533
England	0652-688626	527339
Itly., Ger., Swss	(02) 688-2141	845 79734
Australia	(03) 560-1011	790 35703
	(02) 736-1564	790 82635

WITH AN UNUSUAL PRICE TAG: \$895

Substantial software
exists to support
the use of sound
hardware in the
Amiga's multitasking
environment.

some compromise.

The DMA sound hardware also has the ability to seamlessly join waveform data together. When the audio DMA hardware reads its registers, it copies them into internal registers and an interrupt occurs. At this time you can change the data pointer and length so that when DMA starts the process again, it could be accessing a new and different piece of sampled data. This has many exciting ramifications. You can simulate a musical instrument's sound by sampling its attack and splicing that to its waveform. This saves a great deal of space and opens up a whole new world of hybrid instruments.

In addition, the Amiga has the first standard left and right stereo outputs in personal computer history. The four channels of DMA-driven sampling hardware are output through the lowpass filter and routed through fixedassignment stereo jacks for connection to external audio equipment. By using two complementary channels, you can position sound in left-to-right space with software. Obviously, there is a trade-off between the number of discrete channels desired and the stereo spread, but it is a lot of fun to put explosion sounds together with their visual counterparts. If you are using a monaural monitor, attaching a Y-connector makes it possible to hear all four channels.

The Amiga's sound hardware also has the capability to modulate one channel's period and/or volume by the output of another's. You disable the modulating channel's audio output and then use its data to modify the modulated channel's frequency and/or amplitude. Used in its simplest form, this relieves the load on the processor for effects like tremolo (amplitude modulation) and vibrato (frequency modulation).

SOFTWARE SOUND SYNTHESIS

In 1973, Dr. John Chowning published a paper in the Journal of the Audio Engineering Society entitled "The Synthesis of Complex Audio Spectra by Means of Frequency Modulation." This FM model of sound synthesis has become the basis for several professional musical instruments, including the Yamaha DX-7. If you use channels to modulate other channels, the Amiga can achieve a variety of the synthesis models proposed by Dr. Chowning. While this mode uses up all of the Amiga's sound resources, it can create one very complex voice that rivals those of dedicated hardware synthesizers.

Substantial software exists to support the use of sound hardware in the Amiga's multitasking environment. Since many tasks can run concurrently—each assuming that it "owns" the machine—there needs to be a way of arbitrating who gets the sound hardware. Audio software support on the Amiga follows the same device model established for all peripherals on the system.

The Amiga allocates virtual audio channels on a priority basis and supports all of the above-mentioned hardware features. It also supports interrupt processing for waveform splicing with a queue that stores the sound requests for a particular channel until it can process them. While the audio device is flexible, it is complex to use. For certain types of sound synthesis, direct access to the hardware registers is more processor-efficient.

One sound innovation on the Amiga is its support of voice synthesis as a standard peripheral. Without any additional hardware, the narrator device does an understandable simulation of the human voice. The Soft-Voice program, which is the heart of the narrator device, provides all the elements for phonetic speech generation. In addition, there is a text-tophoneme program called Translator that you can use to create phonetic strings for input to the narrator device. The only costs for using speech as part of the man-machine interface are some RAM and some processor time.

RESOURCE LIMITATIONS

It is important to remember that sound is data to a computer. This is the key to using the Amiga to produce sound. You must make major tradeoffs in space and processor utilization. Unfortunately, Commodore has marketed the Amiga as a 256K-byte machine. Full utilization of its sound and graphics hardware requires a lot of memory. A wave table for six octaves of a good string sound takes 32K bytes. If you wanted to have six different instruments available for random access in a music program, and if your program required 70K bytes, the waveform data and program together would need 262K bytes; in other words, they wouldn't fit.

In my experience in recreational software, the resources allocated to sound production are usually oneeighth of the total. In the coinoperated video-game world of Reactor and Q*Bert, the sound program required 4K bytes of EPROM compared to 32K bytes for the game computer. In a Commodore 64 program, 3K to 6K bytes were set aside in RAM for sound. If this ratio holds true, then the available RAM for sound samples and the sound system on the Amiga is 32K of its 256K bytes. These numbers do not take into account the Amiga's multitasking nature that makes the available RAM an indefinite concept. The point is, the amount of RAM available to the sound system provides the limit of what you can do with sound and the Amiga.

To overcome space limitations, you can use the Amiga's 68000 to create sound data "on the fly." This approach trades space for speed and is not usually acceptable unless you plan to dedicate the machine to sound production. The really exciting part of the Amiga's sound system is its hardware-assisted software-based approach. A DAC is to sound as a bit map is to graphics. A software approach is open-ended. Within processor and RAM limitations, you can do whatever you are clever enough to conceive.




The initial step from computer technology to computer disks was a natural for TDK, because they're more than manufacturers, they're creative innovators. TDK has used its expertise as one of the world's major producers of electronic component parts (including the most sophisticated heads for disk drives) to design floppy disks that deliver error free performance.

Absolute quality has always been a major source of pride for TDK. Their position as the world's largest manufacturer of magnetic media has been earned by an unparalleled level of technical superiority that spans over 50 years.

Millions of people around the world rely on TDK for the ultimate in audio and video recording performance. Now they can rely on TDK for the same consistently high performance in floppy disks. After all, PCs have feelings too. They deserve the TDK advantage other sophisticated electronic equipment has always enioved.

Let your PC know you care, choose from TDK's family of 5.25-inch standard, 5.25-inch High Density and 3.5-inch No-Risk[™] Disks. Because it just doesn't pay to cut corners when it comes to floppy disks.



Northeastern Region: 516-625-0100; Southern Region: 404-948-1346; Midwestern Region: 312-676-5356; Western Region: 714-863-1844

LYCO COMPUTER MARKETING & CONSULTANTS, INC.

					The subscription of the su
	1080\$195	SAVE	ON THESE PRIN	TERS	NX-10Call
LYC	PANASONIC 1080 195 1091 225 3131 249 1092 309 1592 419 1595 595	EPSON LX80 CALL FX85 CALL DX10 CALL HIB0 CALL HS80 CALL FX286 CALL FX286 CALL	SEIKOSHA SP-1000 VC (C-64) 175 SP-1000 ACentronics 195 SP-1000 IBM 195 SP-1000 As RS-232 195 SP-1000AP Apple IIC 195 BP-1300	JUKI Juki 6100CALL 5510 JukiCALL Juki 6300CALL RS-232 Serial Board55 Color Kit	STAR MICRONICS LV 12-10 (New) CALL NL-10 CALL NK-10 CALL NB-15 CALL SB-15 CALL
0 0	CITIZEN 120-D 179 MSP-10 285 MSP-15 385 MSP-20 325 MSP-25 485 Premier 35 469	LO800. CALL LO1000. CALL SILVER REED EXP 420P. CALL EXP 600P. 489 EXP 800P. 649 EXP 770. 740	BP-5200	LEGEND 808	SG-15
M P U T E	C.ITOH	DIABLO D25 549 P-32 COI 699 635 1029 P-38. 1749 D-80 IF. 2395		TOSHIBA 321 P/S	Okimate 10XE
R M A R	PANASONIC TR-122 MYP 12' Amber TTL 139 TR-122 MYP 12' Green TTL. 139 TX-12H3P 12' GGB	ZENITH ZVM 1220	MONITORS HITACHI MM-1218 12" Green	TEKNIKA MJ-10	PRINCETON GRAPHICS MAX-12 Amber 175 HX-12 RGB 458 SR-12 RGB 575
KE	MODEMO	THOMPSON 365 12 RGBCALL	CM-1455S 13 720x350525 CM-1457A 13 RGB 720x460	COMMODORE 1902 ColorCALL 1802CALL	DISKETTES
T I N	MODEMS 200M PC 1200 ST PC 1200 XL PC 1200 XL PC 1200 XL	DUST CO PC-AT 2 pc PC-XT 2 pc	VERS JOY	STICK /Pc)22.95	MAXELL SSDD
G &	ANCHOR Volksmodem 55 Volksmodem 12 179	DISK NOTCHERS		NST us	BONUS SSDD6.99 DSDD7.50
a C	US ROBOTICS Password 1200M 189 Courier 2400	• TANDC 1320K ⁰o ½ Drive		5 TB	SKC SSDD8.50 DSDD9.50
O N S U L T	BRODERBUND (IBM) Bank Street Wriler 48.95 Print Shop	MICRO- LEAGUE (IBM) ML Baseball	NAME BRAND VIDEO TAPES from \$4.49	SUBLOGIC (IBM) Set Simulator	ACTIVISION (IBM) Borrowed Time 24.75 Mindshadows 24.75 Music Studio 29.95 Alter Ego 29.95 Alter Ego (Male) 29.55
A N T	Karateka 22.95	INNOVATIVE CONCEPTS Flip-N-File 102.49 Flip-N-File 25 Lock . 10.95 Flip-N-File 50 Min10.95 Flip-N-File 50 Lock . 15.95 Flip-N-File ROM7.99	Available S	SSI (IBM) Battle for Normandy24.95 Knights of Desert24.95 Tigers in Snow24.95 Computer Baseball24.95 Cartels & Cutthroats24.95	QUADRAM Gold Quadboard . 399 Silver Quadboard . 229 Quadboard . 199
S	с то	DLL FRE	E 1-800	-233-87	60
	B	In PA 717-4 Customer Service	94-1030	or send order to Lyco Computer P.O. Box 5088 Jersey Shore, PA 17740	= 7 6
	NEW HOURS! Mon-Thur SAM-6PM Fri 9AM-6PM Set 10AM-6PM	ble. PA residents add salt 3% for prorify mail servic for MasterCard and Visa. We do not guarantee com UPS Blue and Red label warranty. Return restriction to change without notice.		on C.O.D. orders. Free Nume discounts avaita- orders add \$5.00 plus ount for cash, add 4% trance before shipping. herchandise. Ask about under manufacturer's quired. All items subject	NEW HOURS! Mon-Thur 9AM-8PM Fri 9AM-6PM Set 10AM-6PM
	A	MERICA'S MA	LORDERHE	ADQUARTER	D Inquiry 179

A USEFUL PROPERTY OF 2"

BY ROBERT C. ARP JR.

Simplified flag testing and input comparison by exploiting powers of 2

WHILE WRITING FEDERAL tax programs for my HP-41CV calculator recently, I repeatedly needed more than the 11 available user flags. Because I have the Extended Functions/Memory Module (EF/MM), I considered a suggestion from the owner's manual to increase the number of *apparent* general flags by using the X < >F (X exchange flags) function.

For reasons I will discuss, I was not satisfied with the results. However, this exercise led me to observe a remarkable property of summations of 2ⁿ.

I do not intend to offer a rigorous mathematical proof of the 2^{*n*} property; I have simply verified that the property functions within the limits of my calculator.

I have studied many math and computer books during my career, but I cannot recall ever having seen reference to this property. However, if there is someone to whom credit should be extended, then I apologize for the oversight.

THE PROBLEM

I had been designing a system of programs for federal taxes that would permit updating of totals in a spreadsheet fashion. Because of the required number of schedules and forms, I was using the status of flags to branch to labels in order to implement various options. The HP-41CV has 11 general-purpose flags. I needed more.

The EF/MM owner's manual suggests the use of X < >F to increase the number of apparent generalpurpose flags. This is possible because executing this function sets the status of flags 0 through 7 according to a status code previously entered into the X register. Simultaneously, a code representing the former status of those flags is transferred from the F register to the X register. A numeric code for each of the eight flags is shown in table 1.

You set one or more of the flags, 0 through 7, by forming a sum of the numeric codes for each flag affected. For example, to set flags 1 and 2, you set the sum to 2+4=6. The sum 255 is required to set all flags; 0 is required to clear all flags. Flags whose numeric code is not an addend of the sum are cleared.

You can realize the apparent increase in available flags by calculating several summations and storing them in separate registers for later recall and comparison. In this manner, a combination of flag statuses is understood to represent the status of an apparent flag. For example, if the sum 6 were stored in a register, by recalling its contents and comparing it to the contents of the X register after an execution of X < >F, you could determine if and only if both flags 1 and 2 were set.

I felt that I could tolerate the clumsiness of the operation; however, I could not afford to devote one register for each of the required status codes. Memory in the HP-41CV is organized in registers of 7 bytes in size; most instructions require only 1 or 2 bytes. Of course, registers used for storage cannot be used for programming.

While reviewing the X < >F function, I had noticed that the numeric code for each flag *n* was 2^{*n*}. I am sure that it was this observation that prompted the lateral thinking required (continued)

Robert C. Arp Jr. (278 San Tomas Aquino Rd. #1, Campbell, CA 95008) holds a B.S. in electrical engineering. He is currently conducting independent research in natural and artificial intelligence. for the unconscious formulation of a satisfactory method of generating any number of flags.

THE QUESTION

Because computers use the binary system and because powers of the base must certainly be associated with the system. I wondered if there was a property of 2^{*i*} that could be exploited to create an association between the presence or absence of a particular 2^{*n*}.

THE INVESTIGATION

After playing with numbers for a while, I made the following supposition: If a Σ 2^{*i*} is divided by $X = 2^n$, and $X \leq \Sigma 2^i$, then the quotient will be odd when X is an addend of $\Sigma 2^i$ but will be even otherwise. If this is true, then quotient modulo 2 will be I or 0.

The example in figure 1 shows what happens when a $\Sigma 2^i$ is divided by an arbitrary 2^n . Suppose that the summa-

Flag

Code

Numeric

Table I: Numeric code for each of eight flags.

0

1

1

2

 $\frac{\Sigma}{2^0} = 137.000$ $\frac{\Sigma}{2^1} = 68.500$

 $\frac{\Sigma}{2^3} = 17.125$ $\frac{\Sigma}{2^4} = 8.563$

 $\frac{\Sigma}{26} = 2.141$ $\frac{\Sigma}{27} =$

2

4

4

16

3

8

1.070

5

32

 $\frac{\Sigma}{28} =$

tion is composed of random addends that are each 2^{*n*}. If n = 0, 3, 7, then $\Sigma 2^i = 2^0 + 2^3 + 2^7 = 1 + 8 + 128 = 137$. Notice the quotients for the following divisions, where $\Sigma = 137$.

Note also that whenever 2" is an addend of the summation, the integer portion of the quotient is odd. However, whenever 2" is not an addend, the integer portion of the quotient is even (0 is considered to be even). Thus, performing modulo 2 on the integer portion yields a 1 when 2" is an addend but yields a 0 otherwise.

Keeping in mind that n has remained positive throughout the example, these observations and conclusions may be summarized, as they are in figure 2.

At this point we have verified that there is an association between a summation of 2's and its addends that enables us to determine whether a particular 2^n is one of the addends. Furthermore, a mathematical calcula-

6

64

7

128

34.250

4.281

0.535

tion will produce a I if the test is true and a 0 if the test is false.

USAGE

The discovery of the association between a summation of 2's and its addends was only a beginning. Now I had to determine a method of setting, clearing, and testing the condition of flags that does not depend upon variable assignment limitations of the programming medium.

The following concept-level algorithms are limited only by the largest number that can be processed by the programming medium:

Setting a flag:

- I. Input a flag number, n.
- 2. Compute $X = 2^n$.
- 3. Add X to $\Sigma 2^i$.

Clearing a flag:

- 1. Input a flag number, n.
- 2. Compute $X = 2^n$.
- 3. Subtract X from $\Sigma 2^i$.

Testing a flag condition:

- 1. Input a flag number, n.
- 2. Compute $X = 2^n$.
- Recall Σ2ⁱ.
- 4. Compute $Y = \Sigma 2^{i}/X$.
- 5. Extract Z = integer portion of Y.
- 6. Compute state = $Z \mod 2$.

These concept-level algorithms represent minimum algorithms. Caution is required when setting and clearing flags because an erroneous sum would be accumulated whenever setting a flag more than once or whenever clearing a flag not previously set.

These minimum algorithms may be used in cases where attention is being paid to flag conditions during programming. Alternately, you may test the condition of a flag before setting or clearing. Exercising this caution alters the algorithms as shown below:


Set flag if clear:


- I. Execute test-flag algorithm.
- 2. If state = 1, then end, else continue.


Clear flag if set:

- 1. Execute test-flag algorithm.
- 2. If state = 0, then end, else continue.


The three algorithms expect an in-(continued)







Free source code in every box.



Actually, we give you two things free. Our source code. And your freedom.

Just buy part or all of our excellent integrated business accounting system, the SBT Database Accounting Library.

We'll give you our source code absolutely free.

Which, in turn, gives you the freedom to customize our software to fit your business needs.

Say, for instance, you want to change the way a management report is formatted. Our free source code enables you to change it.

What's more, the change will be quick and simple because our software is written in easy-touse dBASE.

In fact, the entire SBT Database Accounting Library runs with dBASE III or dBASE II, * so you get the power and flexibility of those best-selling programs. Plus the freedom to use any computer that runs dBASE.

The SBT Database Accounting Library. Great software and freedom. All in the same box.

Three Harbor Drive Sausalito, CA 94965 (415) 331-9900 Call today for our demo disk and brochure. (415) 331-9900.

	ABASE ACCOUNTING LIBI	
dProfessional	Time & Billing	\$395
dOrder	Sales Order processing	\$195
dInvoice	Billing/Inventory Control	\$195
dStatement	Accounts Receivable	\$ 95
dPurchase	Purchase Order	\$195
dPayable	Accounts Payable	\$295
dPayroll	Payroll/Labor	\$395
dLedger	General Ledger/Finance	\$395
dAssets	Asset/Depreciation	\$295
dProject	Project/Job Accounting	\$395
dProperty	Tenant/Unit Management	\$395
dBackup	Menu/Backup	\$ 65
MultiNet ver	rsions additional \$200 per mod	lule

Call today for the name of the SBT consultant in your area.



Compiled and Multi-User versions also available. dBASE III and dBASE II are registered trademarks of Ashton-Tate, Inc. Copyright 1985, SBT Corporation.



POWERS C	アレ	W	U
----------	----	---	---

To the user, n is a flag that must be set, cleared, or tested.

teger, *n*. as a passed parameter. To the user, *n* is a flag that must be set, cleared, or tested. Each algorithm raises 2 to the power of *n*. The set-flag algorithm accumulates 2^n as a component of a sum consisting of addends 2^i , where each *i* is a member of the set of all flags that you have set previously but not cleared. The clear-flag algorithm subtracts 2^n from $\Sigma 2^i$. The test-flag algorithm divides $\Sigma 2^i$ by 2^n , discards the quotient's fractional component, and uses remainder division to report the condition of flag *n*.

When executing the test-flag algorithm, there may be times when you want to test for $2^n \leq \Sigma 2^i$ before performing the division. When this condition is false, a 0 may be returned by the algorithm immediately. Furthermore, the subroutine is not restricted to the use of a single $\Sigma 2^i$. Any of several summations could be used depending upon the validity of some particular condition.

An added attraction of the process, whether it is useful or not, is the fact that all components 2^i of any $\Sigma 2^i$ may be extracted by processing each 2^n less than or equal to $\Sigma 2^i$ and noting those that produce a 1.

ADDITIONAL USES

I also discovered that in addition to solving my problem of inadequate flags, I was able to simplify an aggravating problem associated with the correctness of keyboard input and input-driven processing.

Like most other computers, the HP-41CV permits the programmer to process alphanumeric input by the detection of key codes. There are actually two sets of codes associated with HP-41CV keyboard inputs. One code represents the topographical location of keys; the other is an internal representation of character codes based on ASCII. I had been executing certain options that depended on keyboard input, and I was using both of the key codes. In doing this, I had to verify the **correctness** of user choices and establish the numerous branching and subroutine calls. All of this was dependent upon the complexity of the tax system itself and upon unpredictable user selection. The test-flag algorithm immediately simplified the process.

In use, to prevent the summations of 2^{*i*} from growing too rapidly, I first converted the HP-41CV codes to something more palatable by subtracting a base number from particular inputs. For example, the ASCII equivalent codes for letters A through Z are numbers 65 through 90. After any alphabetic input, I simply subtracted 65 from the ASCII equivalent code for the input. This produced equivalent codes 0 through 25.

It is easy to see that $2^{25} = 33,554,432$, which is the largest possible 2^n with the modified code, is much less than $2^{90} = 1.238 \times 10^{27}$, which would have been the largest possible otherwise.


I then passed the resultant *n* to a keytest subroutine along with the required Σ^{2i} , in which each *i* was a permissible code. I included a provision for detecting codes less than zero, because they were possible (the conversion uses subtraction) but illegal. All codes producing values of 2^n that were not addends of Σ^{2i} would then return a 0. In the calling program, a 0 would cause a branch to an error subroutine. This adaptation is shown below.

Keytest:

- I. Input n.
- 2. If n < 0, return a 0,
- else continue. 3. Compute $X = 2^n$.
- 4. Compute $Y = \Sigma 2^{i}/X$.
- 5. Extract Z = integer portion of Y.
- 6. Compute Z modulo 2.

Thereafter, this algorithm became a valuable programming tool, providing many simplifications that could not have been realized otherwise. Eventually, the input detection function became as important as the process for which I developed the original algorithm. ■

AVOCET INTRODUCES MACRO ASSEMBLERS.



Put your design ideas into more chips.

New AVMAC[™] Macro crossassemblers, combined with our simulators, emulators and EPROM programmers, turn your PC or VAX into a complete development system.

AVMAC is fast. Its transparent buffering scheme provides the speed of memory-based assembly without restricting file size. And, AVMAC has one of the most comprehensive macro facilities available.

AVMAC is loaded with features that make your development job easier. You get source code flexibility; AVMAC supports over 1000 relocatable segments. AVLINK[™] linker and AVLIB[™] librarian support modular programming with full control over segment combination and placement. AVREF[™] generates crossreferences by line and procedure. And, AVMAC gives you informative, plain English error messages. AVMAC offers superior compatibility with manufacturers' assembly languages. And it's designed to work hand-in-hand with AVSIM[™], Avocet's software simulator/debugger.

Every company talks about service. But at Avocet we're committed to satisfying customer requests for in-stock items in 2-3 working days. And that's a fact!

For easy access, call our 800 number for ordering, product information and technical assistance. We're also interested in *your* ideas on how we can better serve your needs.

XMAC68K	ro Cross-ass CDOS [™]	\$349 \$595
Targe Fan	et Microproc nilies Suppor	essor ted;
6804 6805 6809 1802/1805 8048/8041 8051	6502/65C02 6800/01,6301 NEC 7500 8085 COP400 F8/3870	
NEW!	TMS32010	TMS32020

In addition to AVMAC, Avocet provides everything you need to develop microprocessor software.

AVSIM full-screen Simulator/ Debuggers make software simulation practical. Test your code in a crashproof, interactive environment, without additional hardware. Price \$299. TRICE [™] self-powered In-circuit Emulators recognize 34 different commands; set break points, single-step, trace and more. Priced from \$498.

AVPROM[™] Programmers work with any PC. Program over 37 different devices, including EPROMs through 27512, CMOS and E²PROMS, and MPU/EPROM combos, using fast, "adaptive" algorithms. From \$429. Gang programmers from \$979.

To find out more about Avocet software development tools, call us toll-free:

1-800-448-8500

(In the U.S. except Alaska.)

VISA and Mastercard accepted. Most popular disk formats now available—please specify. Software shipment by second-day air within the continental U.S. included. Special handling and other shipping additional; call for exact quotes. OEM INQUIRIES INVITED. Avocet Systems Inc., P.O. Box 490-B16, Rockport, Maine 04856, (207) 236-9055. Telex: 467210 AVOCET CI.



THE COMPUTER THAT CONQUERED TIME ALSO CONQUERS SPACE.

Finally: the computers you've been waiting for. Speed. Power. Flexibility. And IBM PC/XT/AT compatibility.

The PC's Limited 286¹⁰ and 286¹² are the most technologically-advanced personal computers ever designed. They run at 10 and 12 megahertz, respectively, providing the fastest processing times of any PC-compatible.

Who needs 12 megahertz speed? You do, if you use dBase and you're tired of waiting dur-

ing long sorts and indexes. You do, if you're tired of going out to lunch while your compiler finishes its work. You do, if you want to see Microsoft Windows fly. Or AutoCAD or P-CAD take off.

The PC's Limited 286s also have the exclusive SmartVu panel — an alphanumeric window into the computer that reports on processing speed and provides diagnostic messages in English. It can even help predict hard-disk failures before you lose a month's work.

The 286s are also smaller than the other AT-compatibles — more than 25% smaller than the IBM PC-AT, for example. Which means you can find your desk again.

And they're not stripped, Asian wonder-boxes. Designed and built in the U.S., the 286¹⁰ and 286¹² come with 1,024K of fast RAM on the motherboard, 1.2 Mb floppy drive, 200-watt power supply, and an AT-style keyboard.



And every 286 goes through extensive bench-testing and extended burn-in before it leaves our plant.

What more can we say? Except that you can buy the 286¹² for just \$2,695, the 286¹⁰ for \$2,295. Including shipping. Both hacked, of course, by PC's Limited's One-Year Limited Warranty and 30-Day Money-Back Guarantee.





Call for litest prices. * Limited Warranty

FREE SHIPPING in the continental United Sinus via UPS Ground.

\$1495 PC'S LIMITED 2868TM

High Performance, Competitive Price PC Magazine "Editor's Choice" Feb. 25, 1986

Includes: 80286-based system unit, 1024K on mother board,

1.2 Meg Floppy Drive, Combined Floppy and Hard Disk Controller Card, AT Style Keyboard, 192W Power Supply, 2 Serials and I Parallel Port, and Clock/Calendar with Battery Backup. Runs all Major Software written for the IBM PC™, PC XT™, and PC AT™. (Processor): Intel 80286 running at 8MHZ. (Expansion Slots): 8. Same Bus Configuration as IBM PC AT". One Year Warranty





PC'S LIMITED 20 MEG HARD DISK ON A CARD

- \$409
- 31/2 " Tandon Hard Disk
- · Software included
- · Easy to install
- One Year Warranty



External \$179

WANGTEK 60 MEG TAPE BACKUP SYSTEM

+795

\$129

· Backs up 5 Mcgs per minute · Runs under MS DOS or PC DOS

· Palse Software Included

MONO-II • 12" flat and compact screen • TTL signal input · Built-in swivel and tilt base · Instant action system

EGAds! MONITOR

· Low distortion

\$479

CGA/EGA compatible

- 13" screen .31mm pitch
- Uses Linear Voice Coil Activator. Heads park automatically at power down. Includes Seagate Full Height Hard Disk, Cable, and Mounting Rails. Boots from Hard Disk. One Year Warranty



XT™ POWER 130W

\$99

Solve Your Power Problem. Directly replaces Power Supply in PC" Fully XT* compatible. One War Warranty."



MALES CALLS INSIDE TERMS, 1-800-252-0336 1611 Headway Cincle, Building 5, Austin, Teass 76754 Sales Calls from anywhere In the country, (512) 539-6092 Technical Support Calls, 1-(800) 624-9896 or PC's Limited BBs (512) 539-4127 Commer Service Calls, 1 (800) 624-9897 or MCI MAIL PC + LINITED Teles No. 9203008386 PC LTD | IAX (512) 339-6720

PC'S LIMITED TURBO PC™ High Performance, Competitive Price

Includes: System Unit, 640K on Mother Board, 360K Floppy Drive, AT Style Keyboard, 130W Power Supply.

Runs all major software written for the IBM PC™, PC/XT™, 40% faster, without

modifications. Processor: 16-bit 8088-2, 4.77 or 6.66 MHZ Clock Speed. Expansion Slots: 8; 7 are available in above configuration. One Year Warranty *

TANDON HARD DISK **WESTERN DIGITAL** CONTROLLER

Internal \$409

20 MB Hard Disk System for PC" Includes Tandon Hard Disk, Western Digital Controller, Cables, Manual, Software, and Mounting

Hardware. Boots from Hard disk Our Hard Disk Systems are compatible with the latest versions of the following computers: IBM PC, IBM XT, AT&T 6300, Compaq Deskpro, Tandy 1000, Tandy 1200, PC's Limited Turbo PC. Leading Edge PC (Both Models), Sperry PC. Wyse PC, ITT PC, and most other Compatibles.

PLEASE SPECIFY YOUR COMPUTER TYPE WHEN ORDERING. One Year Warranty*

PC'S LIMITED

W/OK \$99

Clock/Calendar

· Parallel Port

Serial Port

. Game Port Two Year Warranty'

TIME HARD DRIVES FOR AT" AND NOW - 80 MEG 28 MS ACCESS TIME

HARD DRIVE FOR AT ".

20 MEG \$ 579

Includes Software

40 MEG \$699

40 MEG \$819 80 MEG \$1495

· Upgradable to 384K

SIX FUNCTION CARD

w/384K \$149

SEAGATE 20, 30 AND 40 MEG HIGH SPEED 40 MS ACCESS

- \$99 • Serial port
- · Parallel port Clock
- · Software · Fits in short slot

FLOPPY DISK DRIVE

\$795



Mitsubishi Electronics Half-Height, DS/DD Also available for AT* in gray.



EGAde! CARD



- Full IBM EGA compatibility.
- Full 256K Video RAM installed at no extra cost.

· Fully compatible with IBM CGA, Plantronics COLORPLUS,

· Includes Parallel Port and fits in a "short" slot.

IBM Monochrome, and Hercules compatible graphics modes.

UNIVERSAL **GRAPHICS CARD II** 199



Piggy Back Board \$59 w/UK Expandable to 3 MEG (1.5 on Board/1.5 on Piggy Back Board) . Supports 64 or 256K RAMS . Parallel Port . Scrial Port (2nd serial option)

TOTAL SATISFACTION GUARANTEE WARRANTY

For warranty service; one year limited warranty on PC's Limited products. Contact Technical Support for a Return Authorization Number (RMA). Returns must be accompanied by your RMA, the invoice, and a brief explanation. During the warranty period, PC's Limited will repair or replace items at our option.

30-DAY TOTAL SATISFACTION GUARANTEE


Any liem bought from PC's Limited may be returned within 30 days from the date it was shipped for a full refund of your purchase price. Returned items must be as-new, not modified or damaged, with all warranty cards, manuals, and packaging intact. Returned items must be shipped prepaid and insured, and must bear a PC's Limited Credit Return Authorization (CRA) on the shipping label. Call PC's Limited Customer Support Department for CRA. No credit issued after 30 days from date of shipment. CONSUMER TIP

When shopping for PC products, ask our competitors about *their* refund policies. Missubish, Intel, IOM, Hercules, Plantronics, Scagare, Western Digital, AT&T, Compaq, Tandy, Leading Edge, Sperry, Wyse, and ITT are registered trademarks of their respective companies. IBM PC, IBM XT, IBM XT, are trademarks of IBM Corporation. Leading Edge PC, Sperry PC, Wyse PC, Compaq, Designo, AT&T 6300, Tandy 1000 and Tandy 1200 are trademarks of their respective companies.

Some quantities may be limited. PC's Limited sells equipment certified to be compliant with FCC Class B standards. All prices are subject to change inhour notice.







Public Domain Powerhouses

PD PROLOG by Robert Morein	
An Icon Tutorial by Ralph E. Griswold and Madge T. Griswold	
ENHANCED CONSOLE DRIVER by Anthony Zackin	
Abundance by Roedy Green	
Z80MU by Robert A. Baumann	
CP/M Hall of Fame by Brock N. Meeks	

I BEGAN MY "RESEARCH" on this theme last December by placing a call for submissions in the Fixes and Updates section. Within weeks, readers submitted over a hundred programs. I have considerable regret that we can highlight only five of these, though I think you will agree that they are indeed powerhouses.

Bob Morein's PD PROLOG is a public domain implementation of the fifthgeneration language for MS-DOS and PC-DOS environments. Bob wrote the syntax to conform closely to the Edinburgh syntax, but his implementation contains several notable extensions.

Ralph and Madge Griswold present a tutorial on Icon, a high-level language that emphasizes the processing of strings and structures. The language was originally implemented under UNIX, but it has been transported to other operating systems, including MS-DOS.

Anthony Zackin has written an enhanced console driver that will allow you to create your own user interface for DOS. This replacement for the ANSI.SYS file performs all of that file's functions plus many, many more. Read and be informed.

Roedy Green's Abundance is a FORTH-based, data-entry, database, screenhandling language that performs a variety of housekeeping tasks automatically. The language was originally designed to serve charities, but it is now a complete business programming language.

Bob Baumann has written a Zilog Z80 and CP/M 2.2 emulator. With it, you may well be able to run some CP/M software on your IBM PC or compatible. We therefore asked Brock Meeks to summarize some of the best public domain CP/M programs. His selections are included in a "CP/M Hall of Fame."

There is a tremendous amount of code associated with this theme. Abundance, for example, comes on 15 disks. BYTEnet, BIX, and the disk copy service will be able to provide most, but obviously not all. Please read the editor's notes in each article carefully for instructions on how to obtain the programs.

In my mind, a much larger problem is that we cannot feature many more of the programs that were submitted. Although it was not ready in time for this issue, we hope soon to provide a new portable implementation of the SAIL language called PSAIL, which produces C code and uses run-time packages also written in C.

Other submissions are available now, and we are placing many of them on BYTEnet and BIX. These include New York Word, a fine shareware word processor for the IBM PC family, and a Turbo Editor. VT100 emulator, and Mandlebrot utilities from Tim McGrath. In addition to these programs, we have uploaded the text of an interview that Dave Betz and I carried out with Richard Stallman, the author of GNU (GNU's Not UNIX), a UNIX-compatible software system.

After reviewing a tremendous number of programs, I am pleased to report that the public domain is as vibrant and potent as ever.

—Jon Edwards, Senior Technical Editor



TP?

Face it. Everybody needs somebody sometime. And even the best PC occasionally needs help with faulty power.

So give your hard disc or critical-use system LINE 2° power conditioning. And eliminate those nagging problems that your PC can't prevent. Like voltage sags and surges. Brownouts. Spikes.

LINE 2 Power Conditioners are designed

specifically with your PC in mind. High inrush currents don't affect them. Neither do power problems. And they're amazingly economical.

TOPAZ

A LINE 2 Power Conditioner can be your PC's best friend. And a friend in need is a friend indeed. Call us today at (619) 279-0831, or contact your local Square D distributor.



PD PROLOG

BY ROBERT MOREIN

A public domain version of the fifth-generation language

PD PROLOG, an implementation of the Edinburgh syntax of Prolog, was a prototype for the commercial Prologs of which I am also the author. I intended the syntax of PD PROLOG to conform so closely to the Edinburgh syntax that it would be possible to execute PD PROLOG successfully with only W. F. Clocksin and C. S. Mellish's Programming in Prolog (Springer-Verlag, 1981) as a companion. Only two things distinguish PD PROLOG by their absence: debugging facilities and the definite-clause grammar syntax. And it contains several notable extensions to the Edinburgh syntax. [Editor's note: For an introduction to Prolog, see "Prolog Goes to Work" by Clara Y. Cuadrado and John L. Cuadrado in the August 1985 BYTE, "Logic Programming" by Robert Kowalski in the same issue, and Prolog for Programmers by Feliks Kluzniak and Stanislaw Szpakowicz (Academic Press, 1985).]

PD PROLOG runs under MS-DOS and PC-DOS and uses all memory allocatable by DOS. There is a definite advantage to having 640K bytes of RAM, so coresident programs that use a lot of memory should be excluded from the system.

PD PROLOG is not a completely in-

tegrated programming environment in the manner of BASIC because the edit and execute modes are distinct. You compose a Prolog program using a text editor (this can be done from within the Prolog environment), "consult" the program, and then execute it by giving goals. Users of small resident auxiliary editors or "notepad" programs will find the process considerably streamlined and fairly interactive. Also, the latest version of PD PROLOG comes with a screenoriented text editor.

That is not to say that PD PROLOG is not a conversational language—the system prompt is ?-, which is the equivalent of "I am ready for your questions." A structure that you enter at this point is *not* construed as new knowledge to be entered into the knowledge base—rather, it serves as the initial goal of the backward-chaining inference engine, which is Prolog's inherent form of reasoning.

The fundamental Prolog statement is the Horn clause, or simply clause, which has two manifestations:

head(params) :- body(params). and

unit(params).

In the first type of clause, a rule, the head is true if the body is true; hence the head is the consequent and the body the antecedent. The unit clause, also known as a fact, has no body and is always true if selected. The params are optional variables or structures that, when present, pass and return values to the clauses and allow Prolog's pattern match to discriminate among clauses by embedded structure. A set of clauses with the same name, if they have the same number of params in the head, is variously referred to as a module or function.

PATTERN MATCHING

The selection process is guided by the resolution principle, one of the pillars of the Prolog computational process. The resolution principle is derived from predicate calculus and is closely related to proof by negation. But the basic operation is nothing (continued)

Robert Morein is president of Automata Design Associates (1570 Arran Way, Dresher, PA 19025) and a physicist with an interest in non-von Neumann architectures and symbolic computation. He is the author of PD PROLOG and commercial Prolog development systems. more than pattern matching. Thus Prolog would match the structure

alpha(1, X).

with the structure

alpha(Y, 2).

and the structure

'has a feature' (chimney, door, window).

with the structure

'has a feature' (X, Y, window).

Logic has no regard for computational complexity or the methods of finding the solution; it merely rigidly prescribes the correctess of the proposed solution and in this regard is hopelessly detached from the realworld considerations of finite resources and time. The method universally used for finding a solution is the backtracking depth-first search, which proposes to find the solution with the least expense, although it can be misled, which causes the program's downfall.

The backtracking search is a mechanical maze-searching procedure that can best be described visually. Imagine the clauses constituting a program as a tree, the search tree, through which Prolog will run, searching for satisfaction like a mouse searching for cheese. The ends of the tree are terminated with unit clauses, which are true if matched. The question becomes, is the tree finite or infinite?

Consider the following set of clauses:

- a :- b.
- b :- c.
- b.
- c :- b.

If you give the program the goal "a" at the system prompt (i.e., if you ask, "Is a true?"), the search will recurse infinitely, an example of misleading the backtracking inference engine. The set of clauses should be reordered:

- a :- b.
- b.
- b :- c.
- c :- b.

so that the system will see the

economical solution: a if b, b is true, therefore, a is true.

VARIABLES

Prolog variables are denoted by a capital first letter. Thus, X, Varsym, and Param3 are legitimate variable names. A variable's scope is limited to the clause in which it appears and to the particular instance of usage of that clause. In the clause

a(X,Y):-b(Y,X)

the values of X and Y are entirely private and are not seen even by other calls to that clause elsewhere in the search.

The binding of a variable to a value, known as "instantiation," is temporary in the following sense: The backtracking search requires that Prolog run in reverse as well as forward, and a variable must frequently be returned to the unassigned state. In forward search, the value of an instantiated variable cannot be reassigned, as it can in a conventional language. Prolog variables are "polymorphic"-they may be bound to a structure, list, number, or anything at all. Once bound, the variable itself disappears, being transparent to the resolution algorithm.

LISTS

A list is a data structure of the form

[element1, element2, element3, ...].

The elements may themselves be lists or other data structures. The vertical bar, or list extraction operator, combines the virtues of LISP's car and cdr operators. For example, [X|Y] is the list with a first element of X and a remainder list of Y. Prolog's pattern matcher matches the two structures

[X|Y] = [a,b,c,d]

so as to set X = a, and Y = [b,c,d].

A functor-argument set is a basic structure: We take a group of structures separated by commas, enclose them in a set of parentheses, and give them a functor name, such as

alpha(X, 33, beta(xxx), [a,b,c]).

STRUCTURES

A classic example illustrates how Prolog constructs data structures, thus leaving the realm of passive tree searches.

Clause 1: append([], L, L).

Clause 2:

append([X|List1], List2, [X|List3]) :append(List1, List2, List3).

The general scheme is this: The definition consists of one fact and one rule. The rule will be used over and over again until what little is left of the goal given matches the fact. The [] stands for empty list.

The question that serves as the initial goal is

append([a,b,c], [d,e,f], Result).

Clause 2 is invoked with arguments

([a,b,c], [d,e,f], Result).

Clause 2 is invoked again with arguments

([b,c], [d,e,f], List3).

Clause 2 is invoked again with arguments

([b], [d,e,f], List3).

The arguments are now

([], [d,e,f], List3).

Clause I now matches. Since it is a unit clause, the search terminates.

How does this cause a list to be constructed? The key is in the third argument, which returns the constructed list to the uppermost, or first invoked, rule. The inference engine matches it to [X|List3] in clause 2. Now let's trace this (in figure 1) as clause 2 is successively invoked.

In clause 1, L is [d,e,f] for the following reason: Notice that clause 2 never alters List2 but supplies it to whatever clause it invokes. Thus, L in clause 1 is the original List2, or [d,e,f].

This example would not have worked if the order of clauses I and 2 were reversed. The backtracking, depth-first search strategy, which always attempts to use the first clause encountered, would have looped forever.

BUILT-IN PREDICATES

Built-in predicates are required to make PD PROLOG a programming (continued)

TPUTER WAREHOUS

CALL TOLL FREE -8 28-1 **FPRICES**

Air Express Shipping See Details Below

PRINTERS	
Death and the second second	
Brother All Models	
Cannon Laser Printer	
Citizen MSP-10	\$279
MSP-15	
MSP-20	\$315
MSP-25	\$479
Premier35	\$479
Diablo D-25	
635	\$1035
	_
EPSON	
All Printer Models	.Call
Fujitsu	Call
IBM Proprinter	
Juki	
6100	6240
6300	
NEC 3510, 3550, 3515, 3530	
8810, 8830, 8850	
P5	
P6	\$429
P7	\$609
OKIDATA	
All Printer Models	Call
Panasonic 1080	
1091	\$239
1092	\$309
1592	\$425
KXP3151	
STAR MICRONICS	
All Printer Models	Call
Toshiba 321 Parallel & Serial	\$449
341	
P351 Parallel & Serial	5010
Laser Printer	
KEYBOARDS	
Keytronics 5151	
	Call
PLOTTERS Epson Hi-80	Call

TRAINING

LANGUAGES

C Compiler (Microsoft) ...

Flight Simulator

PC Logo S75 Typing Instructor \$28 Typing Tutor [1] \$28

 Fortran Compiler (Microsoft)
 \$195

 Lattice C Compiler
 \$242

 Macro Assembler (Microsoft)
 \$84

Turbo Database Tool Box.....Call

Harvard Total Project Manager \$262

MicrosoftProject \$219 Super Project Plus \$239

COMMUNICATIONS

Remote .

nartcom II .

PROJECT MANAGEMENT

Run C Interpreter Turbo Pascalw/8087 & BCD

\$28

S249

\$59

\$92

583

DISKETTES
Maxell MD-2 (Qty 100)
MONITORS
Amdex All Monitors
VIDEO TERMINALS
Qume QVT Green 101 \$299 QVT Amber 101 \$314 Wyse 30 \$299 50 \$299 75 \$559 Wyse 350 \$439 Wyse 350 \$859 Zenith Z-22 \$455 Z-29A \$559 Z-49 Call
MODEMS
Anchor Automation Signalman Express. \$235 Practical Peripherals Practical 1200 Baud \$124
HAVES
All Modems
Prometheus All Models Call US Robotics Courier 2400 \$369 Password 1200 \$175 Microlink 2400 \$369 DISK DRIVES \$369
lomega Bernoulli 10 meg
SEAGATE 20 meg w/Western I/O \$395

INTEGRATIVE SOFTWARE

Framework II Call Smart Software System S379 Symphony

Symphony.....Call

 Microsoft Buss Mouse
 \$106

 w/PC Paintbrush 3.0
 \$164

 Microsoft Chart
 \$164

 Microsoft Serial Mouse
 \$119

 Newsroom
 \$31

 PC Draw
 \$190

 PC Draw
 \$199

 Click Art Personal Publisher
 \$99

 PC Mouse w/Dr. Halo II
 \$99

 PC Paint w/Mouse
 \$115

 PFS Graph
 \$76

 Printmaster
 \$290

No Charge for Bank Cards

NOV

BOARDS AST Advantage \$329 Rampage AT Six Pack Plus. \$445 \$239 \$159 \$149 \$179 \$239 Hercules Color Card Hercules Color Card Graphic Card Intel Above Board PC(1110) Above Board AT (2010) Above Board PS/AT (2110) \$329 \$369 Paradise Modular Graphic 06-1 ... \$239 Plus Development S115 \$669 Plus Hard Card 20 Megabyte. Quadram Gold & Silver Boards ... Call \$329 \$359 Quad EGA+ Tec Mar Graphics Master Captain No Memory

\$445 \$169 SPERRY Sperry IT \$1999 Other Models Call Call Wyse pc 1100-1 \$979 FCC pproved Wyse pc 1100-20 \$1539 Zenith Computer Products SAVE Up to 50% All Models ... COPIERS

548

\$72

\$249

\$269

\$162

\$19

546

\$86

\$48 \$36

\$30 \$47 \$85

\$39 \$54

\$34

\$39

FUETEWE Turbo PC/XT 256 Memory, One 360K Brand Name Floppy Drive • 135 Watt Power Supply, Slide Case, AT Style Keyboard 8 MHz Clock Speed, (Keyboard Selectable), 8 Expansion Slots Canon PC-20 Canon PC-25

SOFTWAR

ESSOR

Leading Edge Word Processor . . . Leading Edge W/P w/Spell & Mail

Copyll PC

Norton Utilities 3.1

Printworks.....

Sidekick (Unprotected)

Sidekick (Onpoleteig) Sidekick – Superkey (Bundle) Tavelling Sidekick Turbo Prolog

Sideways 3.1

Superkey

Word Perfect (Ver.4.1)\$196 Wordstar 2000 + 2.0 \$278

Lightening

UTILITIES

Lightening Microsoft Word 3.0

CODEADQUEE

Canon

(((PG)))

COMPUTERS

XT 1 Drive 256K

Other Models

PC 1 Drive 256K

TOSHIBA

.....

S1199

\$1729 \$2169

\$2849

\$4449

.....Call

\$979

\$719

\$939

IEM

AT/339 .

Lotus 1-2-3 Multiplan Spreadsheet Auditor 3.0 VP Planner Supercalc 4	\$108 \$82 \$48
MONEY MANAGEMEN Dollars & Sense w/Forcast Tobias Managing Your Money	
DATA BASE MANAGEN Clipper	AFNT
Cornerstone dBase II dBase III Plus	Call
Extended Report Writer Knowledgeman II Nutshell 2.0	
PFS: File PFS: Report	
Quickcode QuickReport Reflex	\$138
R:Base 5000	te
System V	\$329 §

1	75	for	MS-DOS	Products.	Inquiry	76	for	all	others.
4	75	for	MS-DOS	Products.	Inquiry	76	for	all	l

Turbo Graphix Tool Box

Signmaster

GRAPHICS

Microsoft Buss Mouse



Order Line: 1-800-528-1054 Order Processing: 602-224-9345 2222 E. Indian School Rd.

Call

IBM PC and 100% Compatibles

Phoenix, Arizona 85016 602-954-6109

.....\$132

Store Hours: Mon-Fri 10-5:30 Saturday 9-1 Order Line Hours: Mon-Fri 7-5:30 Saturday 9-1 Order Processing Hours: Mon-Fri 10-3

Product shipped in factory cartons with manufacturer's warranty. Please add \$6.00 per order for UPS ground shipping on orders up to 10 lbs. Orders 10 lbs and under you pay for ground service, receive al revrice at no extra charge. Available on orders 11-30 lbs. \$17 for air service. Prices & availability subject to change without notice. Send cashier's check or money order..all other checks will delay shipping two weeks.

VISA

CWF-886

system. In one category of such builtin predicates is the cut, symbolized by an exclamation point, which modifies the search behavior. Without the cut. implementing the resolution principle would be practically impossible. Maintaining the search tree in such a way that backtracking is possible is feasible only for portions of a Prolog search. Once the program ascertains that the path chosen is a correct one. committing the system so that backtracking is not possible permits reclamation of large amounts of memory. It would be very desirable to use the exclamation point in conjunction with append in the following way:

modified_append(X,Y,Z):append(X,Y,Z),!

Thus, modified__append recognizes that there is only one way to append lists, and backtracking information need not be retained. The ! means that memory used need not be proportional to the amount of time spent in forward search. The cut is an extralogical feature, one that compromises Prolog's claim to be an implementation of predicate calculus, but it is necessary for practical programming.

Other built-in predicates construct data structures or have residual side effects. Accomplishment by side effect is typical of the way that parsers, or expression recognizers, construct data structures while seeming to answer the useless question "Is this a sentence in the language?" This is not a new idea. The predicate read creates a new structure in response to keyboard input or input from a file. The predicates asserta and assertz add new clauses to the database. Thus, if you were interested in adding integrated editing capability to PD PROLOG (so that you could add clauses without exiting to an external editor), you might write the following clause:

```
add :- read( X ), assertz( X ).
rem :- read( X ), retract( X ).
```

INPUT

The predicate see tells the PD PRO-LOG shell to accept goals from a file in place of the keyboard. You could write a form of another built-in predicate, consult, with the following primitives:

consultfile(Filename):see(Filename), repeat, doread(X), assertclause(X), var(X), see(Filename), see(user), !.

doread(X) :- read(X), !. doread(__).

assertclause(X) :- assertz(X), !. assertclause(____).




Figure 1: The successive invocation of clause 2 (defined in the text of this article) with the end result L = [d,e,f].

Note that repeat always succeeds upon backtracking. This causes the read...assert loop. The form of loop control depends upon the nature of the parameter of doread. When end of file is reached, the read predicate fails, and doread returns an uninstantiated variable. This is accepted by assertclause, although assert fails, so the variable test var is executed. If end of file has not occurred, var fails because X is a bound variable, so control backtracks to repeat, which always succeeds, causing another clause to be read. If end of file is reached, var succeeds, the input stream is closed by see(user), and consultfile succeeds.

THE CONTROL STRATEGY OF PROLOG


It has been thought by some that the backward-chaining inference engine built into Prolog prescribes and limits the method of problem solving. This, the opponents say, implies that a language like LISP, which manipulates structures on a lower level, is better for serious work because you can build an inference engine especially for the problem at hand.

I would argue, however, that while backward chaining is always conveniently available for problem solving, it can be viewed on another level as simply a control structure. All languages have control structures, which simply represent the bottom end of the capabilities of sophisticated inference engines. No one would suggest that the if, for, do, or while statements of the C language delimit what can be written in the language.

The simplest inference engine you can construct in Prolog is the one used by Prolog itself:

- g(true):-!.
- g((E1, E2)) :- !, g(E1), g(E2). g(E) :- clause(E, Antecedents), interpret(Antecedents).

The ! in the first clause modifies the behavior on backtracking so that the Prolog system never attempts the other g clauses. This is desirable because true is a Prolog quantity that is, by definition, true. The second clause simplifies a logical expression



MY OWN WORKSTATION




How many long unproductive hours have you spent "in line" for your simulation? Well, no more. MICROCAP and MICROLOGIC can put you on line by turning your PC into a productive and cost-effective engineering workstation.

Both of these sophisticated engineering tools provide you with quick and efficient solutions to your simulation problems. And here's how.

MICROCAP: Your Analog Solution

MICROCAP is an interactive analog circuit drawing and simulation system. It allows you to sketch a circuit diagram right on the CRT screen, then run an AC, DC, or Transient analysis. While providing you with libraries for defined models of bipolar and MOS devices, Opamps, transformers, diodes, and much more, MICROCAP also includes features not even found in SPICE.

MICROCAP II lets you be even more productive. As an advanced version, it employs sparse matrix techniques for faster simulation speed and larger net-




"Typical MICROCAP Transient Analysis"

works. In addition, you get even more advanced device models, worst case capabilities, temperature stepping, Fourier analysis, and macro capability.

MICROLOGIC: Your Digital Solution

MICROLOGIC provides you with a similar interactive drawing and analysis environment for digital work. Using standard PC hardware, you can create logic diagrams of up to 9 pages with each containing up to 200 gates. The system automatically creates the netlist required for a timing simulation and will handle networks of up to 1800 gates. It provides you with libraries for 36 user-defined basic gate types, 36 data channels of 256 bits each, 10 user-defined clock waveforms, and up to 50 macros in each network. MICROLOGIC produces high-resolution timing diagrams showing selected waveforms and associated delays, glitches, and spikes-just like the real thing.



"Typical MICROLOGIC Diagram"

Reviewers Love These Solutions

Regarding MICROCAP..."A highly recommended analog design program" (PC Tech Journal 3/84). "A valuable tool for circuit designers" (Personal Software Magazine 11/83).

Regarding MICROLOGIC... "An efficient design system that does what it is supposed to do at a reasonable price" (Byte 4/84).

MICROCAP and MICROLOGIC are available for the Apple II (64k), IBM PC (128k), and HP-150 computers and priced at \$475 and \$450 respectively. Demo versions are available for \$75.

MICROCAP II is available for the Macintosh, IBM PC (256k), and HP-150 systems and is priced at \$895. Demo versions are available for \$100.

Demoprices are credited to the purchase price of the actual system.

Now, to get on line, call or write today!



by subdividing it into two smaller problems, or goals, while the cut blocks the third clause from ever trying to satisfy a logical goal. The third clause actually searches the database with the built-in predicate clause and tries to satisfy the antecedents of what it finds. In most cases, the third clause will be invoked first, then the second, and the first possibly not at all. Thus, if you have a database of facts

alpha(X, Y) :- beta. alpha. alpha(X, Y, z).

and you give the Prolog system the goal

clause(alpha(Var, const), Body)

a search will be made for clauses in the database matching the descrip-

tion given to clause. The only match would be

Var = X, Body = beta.

Backward chaining means to reason from a presumed form of the solution to find the proof that the solution is true. But this is only the basic motif of programming. Prolog is not a true implementation of predicate calculus (continued)


A PROLOG STRATEGY FOR TELECOMMUNICATIONS ROUTING

In my work for a large corporation, I was able to solve a common telecommunications problem in a flexible way. This corporation uses a private telephone network to communicate between various divisions located throughout the United States. The switching algorithm is handled locally utilizing routing tables prepared by a Prolog program. Optimal routing computed by an intelligent strategy is more efficient than a rigid star network topology.

by Li Su

My program implements these concepts in PD PROLOG. In figure A, the large boxes represent corporate divisions, and the small boxes represent telephones, numbered 1 through 16. The short lines represent local (directconnect) phone lines, and the heavy lines represent long-distance lines. The phones connected by long-distance lines are gate phones between the individual offices.

The rules for making a call are as follows:



1. If two phones are connected to the same local line (e.g., PH01 and PH02), the call will be routed through directly. One local call is charged.

2. If two gate phones are connected by a long-distance line (such as PH04 and PH13), the call will be routed through directly. One long-distance call is charged.

3. If two phones are not covered by the preceding cases (such as PH05 and PH11), the call will first be connected to the local gate phone. One local call is charged. Then the call will be connected by a long-distance line to the next gate phone (it is picked by the Prolog program). One long-distance call is charged. The rest of the handling will be in the same manner until the call is finally through. The total charges for the call will depend on how many intermediate connections are made. This is one of the advantages of using local switching.

A text file contains a list of divisions, phone numbers, and gate phones. Another text file contains all the physical connections between two divisions and the type of each connection. The reason for keeping two text files is that adding or removing a phone number will have no effect on the physical connections. On the other hand, changing the physical connections will not impact the phone numbers.

Li Su (729 East 77th St. #301, Richfield. MN 55432) is a systems analyst working in the area of network management.

LOGITECH MODULA-2/86 HOLIDAY PACKAGE

\$89 Price

- Separate Compilation
- Native Code Generation
- Large Memory Model Support
- Multitasking
- Powerful Debugging Tools
- Comprehensive Module Library
- Available for the PC and the VAX

Use LOGITECH MODULA-2/86 to decrease your overall development cycle and produce more reliable, more maintainable code.

LOGITECH MODULA-2/86

Includes Editor, Run Time System, Linker, 8087 Software Emulation, Binary Coded Decimal (BCD) Module, Logitech's comprehensive library, Utility to generate standard .EXE files. AND more!

\$89



LOGITECH MODULA-2/86 PLUS \$189

For machines with 512K of RAM. Increases compilation speed by 50%.

RUN TIME DEBUGGER (Source level!) \$69

The ultimate professional's tool! Display source, data, call chain and raw memory. Set break points, variables, pinpoint bugs in your source!



Features a Post-Mortem Debugger (PMD). If your program crashes at run-time the PMD allows you to analyze the status of the program and locate the error. Also includes a Disassembler, Cross Reference Utility, and Version that allows conditional compilation.

LIBRARY SOURCES \$99 r Source code now available for customization or exemplification. Inquiry 173

WINDOW PACKAGE \$49

Build windows into your programs. Features virtual screens, color support, overlapping windows and a variety of borders.

MAKE UTILITY

Figures out dependencies and automatically selects modules affected by code changes to minimize recompilation and relinking.

\$29

CROSS RUN TIME \$199 Debugger and ROM Package Still available at an introductory price!

TURBO PASCAL to \$49 MODULA-2 TRANSLATOR "Turbo Pascal...is a very good system.

But don't make the mistake of trying to use it for large programs." Niklaus Wirth*

Our Translator makes it even easier for Turbo users to step up to Modula-2/86. It changes your Turbo source code into Modula-2/86 source, solves all the incompatibilities, and translates the function calls of Turbo into Modula-2/86 procedures. Implements the complete Turbo libraries!

Call for information about our VAX/VMS version, Site License, University Discounts, Dealer & Distributor pricing.

30 Day Money Back Guarantee! To place an order call our special toll free

> 800-231-7717 in California 800-552-8885

\$199 Special Holiday Offer

Step up to the power of LOGI/TECH MODULA-2/86 at a saving of nearly 5100 off our usual low prices! We're offering a complete tool set including our compiler with 8087 support (for use with or without an 8087), our Turbo to Modula-2/86 Translator, Run Time Debugger, and Utilities in one holiday package at a special price!

YES LO	ant to step up t	
Here's the conf	0	
□ Special Holid		\$199
Logitech Mo		\$89
with 8087 Plus Packa		\$129
Turbo to Mo		s189 r \$49
Run Time D		s69
Utilities Pack		\$49
Library Sour		\$99
U Window Pac		\$49
□ Make Utility		\$29
ROM Packa		\$199
Add \$6.50 for sh		lling.Calif.
residents add ap		
in U.S. only.		
Total Enclosed		5
🗆 Visa 🗆 Mast	erCard 🗆 Che	ck Enclosed
		er Enclosed
Card Number		Expiration Date
Signature		
Name		
Address		
City	State	Zip
	State	Zip
City Phone	State	Zip
Phone		
Phone		
Phone		
Phone	DGITE	ECH
Phone LC	DGITE Logitech, Inc. 5 Veterans Blyd	ECH
Phone Phone 80 Redw	DGITE	ECH
Phone Phone 80 Redw	Logitech, Inc. 5 Veterans Blvd ood City, CA 94 :l: 415-365-9852	ECH
Phone LC 80 Redw Te	Logitech, Inc. 5 Veterans Blvd ood City, CA 94	ECH 063

In Italy: Tel: 39-2-215-5622

*as reported in Miaro Cornucopia, August-September 1985, Tarbo Pascal is a registered trademark of Borland International.

number:

and in fact has a procedural as well as logical interpretation. The side effects of a Prolog proof, which may intentionally never be completed, are usually the most important part. These effects are the accumulated irreversible effects of the built-in predicates, which can change the state of the system over time. The assert and retract predicates allow a Prolog program to modify the source code as a routine procedure and let you construct systems that learn.

The general problem solver notion (GPS) of Newell and Simon can be implemented easily in Prolog and exemplifies a forward-chaining inference engine (see listing I). This is schematic code that ignores the great problem of all forward-chaining engines, which is to narrow down the search space and obtain optimal solutions. But consider for a moment a "travel" problem. You have a map of the United States. You wish to travel from New York to San Francisco. The road map is a network of nodes, each consisting of the intersection of two or more roads. Permitted moves are along roads. The procedure is roughly this:

I. Find a town closer to the destination.

2. Qualify the move. Is the town accessible by interstate, for example?

3. Select a method of travel (a road and conveyance).

4. Add this to the route that is being constructed.

5. Repeat this procedure unless the goal has been reached.

The monitoring of large systems can be easily handled through the statevariable approach. In such cases it does not suffice to consider only the variables local to a particular subprocess, since the goal is to avert hazardous conditions as well as recognize them. A Prolog system obtains a complete characterization of state, which is saved in added clauses. A logical analysis and recharacterization suc-

```
Listing I: A simplified general problem solver algorithm.
```

```
progress( Current, Goal, Path_sofar, Path_sofar ) :-
Current = Goal, !.
progress( Current, Goal, Path_sofar, Final_path ) :-
find_move( New ),
qualify( New ),
select_op( Current, New, Method ),
add_to_path( Path_sofar, New, Method, New_path_sofar ),
progress( New, Goal, New_path_sofar, Final_path ).
```

Listing 2: The state-variable monitoring approach.

```
monitor_process :-
      repeat,
      get_state_of_system,
      check_alarm,
      fail.
get_state_of_system :-
      retractali( state_of_system ),
      read( Temperature ),
read( Pressure ),
      assert( state_of( temp, Temperature ) ),
assert( state_of( pressure, Pressure ) ).
check_alarm :-
      state_of( temp, T ),
      state_of( pressure, P ),
      Max is T * P,
      Max > 340,
      alarm_operator.
check_alarm.
```

ceed each other indefinitely. The example in listing 2 gives the idea.

PROLOG OPERATORS

Prolog is a simple language compared to something like Common LISP. Possibly jealous of LISP's complexity, syntacticians worked arduously to complicate Prolog's syntax. The user-definable operator, really a functor in disguise, was found to serve very well. A simple Prolog clause might be

alpha(arg1, arg2) :-

$$arg1 = arg2, arg1 > 40$$

but if we declare it as an operator

op(40, yfy, alpha)

where op is a built-in predicate, 40 is the precedence, and yfy describes the associative properties, it becomes possible to write

```
arg1 alpha arg2 :-
```

```
arg1 = arg2, arg1 > 40.
```

In DECsystem-10-compatible Prolog it also becomes possible to write complex expressions like

a op1 b + c

– d op2 u xx v

- y ** d op3 op4

To translate this, Prolog uses the display predicate, which displays operator-loaded expressions in functor format. Note that an operator performs no function by itself but is merely food for Prolog's inference engine, just like a functor.

An exception was made for arithmetic expressions. Evaluation of expressions containing the operators +, -, *, and / can be forced by the builtin predicate is. The goal

X is 3 + 4

which is really the same as

'is'(+(3,4), X)

results in X = 7, while the goal

$$X = 3 + 4$$

or

'='(+(3,4), X)

gives the surprising result

X = 3 + 4.

The dual mode facilitates symbolic manipulation of arithmetic expres-(continued)

LOGIMOUSE HOLIDAY GRAPHICS PACKAGE

\$99 LOGIMOUSE C7



To place a credit card order call our special toll-free number: 800-231-7717

> Call toll-free in California: 800-552-8885

YES Iwant	to add the po	wer of
LOGIPAINT-&		holidays! \$219
□ LOGIMOUSE w		\$99
LOGICADD w/ & Plus Software	Logimouse	\$189
LOGIPAINT w	/Logimouse	\$169
& Plus Software	. 0	0100
REFLEX w/Log Plus Software	imouse &	\$199
For my computer n	nodel:	
30-Day Money-Back Guarantee		
UVISA MasterCard Check Enclosed		
Add \$6.50 for shipping and handling, Calif, residents add applicable sales tax. Prices valid		
in U.S. only.		
Card Number	Expira	tion Date
C '		
Signature		
Name		
Address		
City	State	Zip
Phone		
DEALER INQUIRIES WELCOME		
	GITE	$\neg \square$
Logi	U	
805 Vet	tech, Inc. terans Blvd.	<u> </u>
805 Ver Redwood	tech, Inc. terans Blvd. City, CA 94063	<u> </u>
805 Ver Redwood Tel: 41	tech, Inc. terans Blvd.	<u> </u>
805 Ver Redwood Tel: 41 In 1 Logitech S	tech. Inc. terans Blvd. City, CA 94062 5-365-9852 Europe: GA, Switzerland	3
805 Ver Redwood Tel: 41 In 1 Logitech S Tel: 41	tech.Inc. terans Blvd. City, CA 94063 5-365-9852 Europe:	, 1

Just for the holidays we've wrapped up LOGIMOUSE and its Plus Software with Generic CADD and PC Paintbrush into the graphics package of the year. LOGIPAINT-&-DRAW is the complete graphics toolkit for combining freehand and technical drawing.

Use LOGIPAINT-&-DRAW to design your holiday greeting, enhance your spreadsheets, graphs and memos, or create and personalize a map or mechanical. Just create your CADD drawing, import it into PC Paintbrush, and embellish it with paint sketches and fancy fonts.

At a saving of almost \$50 off our usual low prices, LOGIPAINT-&-DRAW is a holiday package you can't afford to pass up.

LOGIPAINT-&-DRAW includes:

LOGIMOUSE C7 with Plus Software

LOGIMOUSE is the high resolution (200-dot-per-inch) mouse that is ideal for CADD and paint. It connects directly to the serial port of any IBM PC/XT/AT or compatible, with no pad or external power supply required. The Plus Package is our top-of-the-line mouse software featuring a pop-up menu system, an automatic mouse configurator, a unique mouse interface for Lotus 1-2-3, and a mouse based text editor.



LOGICADD-Generic CADD 2.0 and Dot Plot

Generic CADD is the sensational, new CADD package that offers

the features and performance of highpriced at an unbelievably low price. The package also includes DotPlot, the add-on utility that turns your dot matrix printer into a plotter.

LOGIPAINT-PC Paintbrush

PC Paintbrush is the most advanced paint set available for the PC. It's the preferred choice of professional users,



but with its icon menus for both graphics and text it's easy and fun for beginners as well. It offers complete graphic capabilities as well as 11 type fonts and a palette of 16 colors.

LOGIMOUSE \$199 with Borland's Reflex

Reflex, Borland's amazing database management program, flies with LOGIMOUSE! We offer Reflex with LOGIMOUSE and the Plus Package Software at a very special price!

Inquiry 174

LOGIMOUSE is a registered trademark of LOGITECH, Lotus and 1-2-3 are trademarks of Lotus Development Corp. Reflex is a trademark of Borland-Analytica. Generic CADD is a trademark of Generic Software, Inc. PC Paintbrush is a registered trademark of ZSoft Corp.

If You Need Data Communication Software Try BitCom[™] 3.0

Before you invest in costly and hard to use communication software, look into BitCom 3.0. More than 100,000 users told us they prefer BitCom over other communications software. Here are just some of the reasons:

Simple User Interface

While other programs force you to type commands after commands, BitCom just gives you a form to fill out. To help you select the correct answer, there are even multiple choices for you to pick. Once you set up the parameters for communication, you can start up BitCom without even touching a key.

Flexible File Transfer

Now, BitCom 3.0 supports the most popular public domain file transfer protocols including XMODEM CRC, YMODEM and batch file transfer. You can send and receive multiple files as easy as typing "*.*". With CRC error checking, you can be sure data are sent and received without error.

Make Your Own Communication Procedures.

There are over 70 powerful script file functions to turn BitCom 3.0 into a flexible tool. For example, you can set up a script file to dial into Western Union's Easylink™, check your mail box, read your messages, print them and save them to a disk file.

Other features are:

- Supports speed up to 9600 baud.
- Uses XON/XOFF flow control for talking to systems with different speeds.
- Can be set up to work on COM1 to COM4
- Can re-assign or re-define any function keys.
- Phone directory stores up to 32,767 names and descriptions.
- Sorts phone directory by name, ID or phone number.
- Terminal emulation includes IBM 3101, VT100, VT52.
- Set your own screen color during communications.
- 132 column support with graphics card.

Only \$6900 Not Copy Protected. Order Today.

Call (408) 262-1054



BitCom is a trademark of Bit Software, Inc. Easylink is a trademark of Western Union.

PIE: A PROLOG KNOWLEDGE

BY SIMON Y. BLACKWELL

While experimenting with modeling theories of knowledge via a computer, I found that no affordable expert system tools were flexible or powerful enough to meet my needs. Hence, I wrote PIE, a Prolog Inference Engine and Truth Maintenance System, using ADA Prolog (the commercial version of PD PROLOG).

Various versions of PIE have provided mechanisms for forward and backward chaining, consistency checking, and dependency-based truth maintenance. However, one of its most interesting features is an editor and compiler based on user-defined Prolog operators. Such an editor/compiler is outlined below.

To implement the editor/compiler, you write Prolog rules in which the goals are the same as the syntax of a higher-level language developed to represent the knowledge. (The design of the higher-level language is left to the reader.) The antecedent conditions should be a series of Prolog predicates that assert Prolog clauses to the Prolog database.

Suppose that only if is a logical connector in the higher-level language. Declare only if as an operator and define a rule as follows:

RULE I

Consequent only if Antecedent :- asserta(Consequent:-Antecedent).

This rule will accept input from either the user or a stream opened using the Prolog predicate see(<file>). For example.

boy(X) only if (male(X),human(X),young(X)).

would result in

boy(X) :- male(X),human(X),young(X).

You can take this several steps further by declaring another operator, @. This will allow you to name rules and assign a certainty factor to them, as in

RULE 2

Rule @ Certainty @ Consequent only if Antecedents : – asserta(rule(Rule,Certainty,Consequent,Antecedents)), asserta(Consequent :– Antecedents,I,

low_antecedent_cert(Antecedents,L), Cons-cert is ((Certainty * L) / 100)) asserta(Consequent), asserta(fact(Consequent,Cons-cert,Rule))).

Note the Prolog rule that is asserted in Rule 2. A rule of such a form takes full advantage of the built-in Prolog inference engine. A programmer might be tempted to write rules or have the compiler write rules of the form of Rule 3.

RULE 3

fact(boy(X),Cert)): -fact(male(X),Cert1)), fact(buman(X),Cert2)),

fact(young(X),Cert 3)), low_antecedent-cert([Cert1,Cert2,Cert3],L), Cert is ((<rule-certainty> * L) / 100).

sions as well as simple evaluation. PD PROLOG supports 97 built-in predicates, all of which are described in *Programming in Prolog* or in the PD PROLOG documentation. Ramachandran Bharath provides exercises in the use of PD and ED PROLOG in *Introduc*- tion to Prolog (Tab Books, 1985).

The accompanying text boxes by Li Su and Simon Y. Blackwell demonstrate the power of PD PROLOG to handle specific, physically constrained problems as well as knowledge representation in the abstract sense.

PD PROLOG

BASE EDITOR AND COMPILER

Such rules are not efficient because they generate a large list to be searched, the list of all structures with the functor fact.

Rule 3 may also have to be resatisfied if the goal fact(boy(X),Cert)) appears in several rules. Note, however, that all goals in Rule 2 are asserted once satisfied. This prevents them from having to be satisfied multiple times. Asserting the satisfied goal to the top of the database stack is very important; otherwise subsequent calls to the goal will reinvoke the rule, since the rule will be higher in the search stack.

The assertion of rule(Name,Certainty,Consequent,Antecedents) in Rule 2 gives you the ability to retrieve, print out, reason about, or reference rules easily. The assertion of fact(Consequent,Cons-cert,Rule) allows you to track the certainty of and provide justification for the facts.

I have left the definition of the predicate low___antecedent___cert to the reader. Given the Antecedents, the predicate should return the lowest certainty by retrieving their fact forms with attached certainties.

Cons-cert is ((Certainty \star L) / 100) multiplies the certainty in the rule by the lowest antecedent certainty to determine the certainty in the consequent. I've arbitrarily chosen a scale of 1 to 100 for this example.

The efficiency of certainty propagation could be improved by tagging each fact directly, for example, boy(X,Certainty). Such an implementation removes the need to search for certainties after satisfying the antecedent goals. However, this is at the expense of considerably complicating the editor/compiler.

A final modification of the editor/compiler will allow a threshold certainty to be placed on the rule. If the certainty in the antecedent conditions is below a set limit, the goal will then fail. This is accomplished by

Rule @ Certainty @ Threshold @ Consequent only if Antecedents :- asserta(rule(Rule,Certainty,Threshold,Consequent,Antecedents)) assert(Consequent :- Antecedents.!.

low_antecedent_cert(Antecedents,L), L < Threshold, Cons-cert is ((Certainty * L) / 100), asserta(Consequent), asserta(fact(Consequent,Cons-cert,Rule))).

This rule will accept input of the form

rule-1 @ 100 @ 75 @ boy(X) only if (male(X),human(X),young(X)).

As a result, boy(<something>) would never be asserted with less that 75 percent confidence.

The same principles, with some embellishment, can be used to convert input like X is a boy into boy(X), create a frame-based inheritance system, or implement dependency tracking and forward-chaining mechanisms. For example, for a general forward chainer, you would declare an operator implies, define your own assert predicate, and utilize rule facts like those asserted by the editor/ compiler outlined here.

Simon Y. Blackwell (Inference Corp., 2777 Summer St., Suite 402. Stamford, CT 06905) is a knowledge engineering consultant.

Editor's note: PD PROLOG is available on disk, and on BIX. See the insert card after page 320 for details. Listings are also available on BYTEnet. See page 4. You will need an IBM PC or compatible with 256K bytes of memory and MS-DOS 2.0. There are four compressed files: PDPROLOG.EQE, PRO- LOG.DQC. PROLOGED.CQM, and PR-CONF.EQE, as well as USQ.EXE, which you will need to decompress them. Simon Blackwell's expert system shell, PIE, is also available. The files are KNOW.PQO, PIE.PQT, and KOPS.QQQ, which must also be decompressed with USQ.EXE. ■




Microprocessor Development Dreams Come True!

On-Line Help menus, Command Glossary, ____ and Word List.

Windows can be used to view source files, _____ previous traces, and more.

Symbol translation or source code — line display.

Screen displays scroll off into history buffer – can be viewed later.



NEW UniLab II[™]: FOUR INSTRUMENTS IN ONE!

Here are all the development tools you ever dreamed of integrated into one PC-controlled system:

- An Advanced 48-Channel Bus State Analyzer
- An 8/16-Bit Universal Emulator
- A Built-In EPROM Programmer
- An Input Stimulus Generator

The synergy of these instruments that were designed together to work together saves you time and money. All UniLab II commands and menus are seamlessly integrated into a single, super-efficient working environment.



An Integrated Software Environment, too!

Imagine being able to split your screen and look at real-time program traces and the source code that produced them at the same time! Then go to the On-Line Help or pop-up Mode Panels instantly.

If you see something on a trace that doesn't look like last time, you can hold it in one window while you scroll back through your previous displays.

If you set a breakpoint and single-step you can then go back to using the analyzer without missing a beat. You can even execute a DOS batch file from UniLab to edit, assemble, and link, then automatically load the new program and symbol table. UniLab uses the full power of the PC.

Find bugs fast with Hardware-assisted Debugging

The traditional way to look for bugs is to single-step through suspect parts of the code until you catch it in the act. This requires a lot of guessing and wasted time.

With UniLab's built-in analyzer you eliminate the guesswork. Just describe the bug symptom as a trigger, and let the UniLab hardware search for it as your program runs in real time. UniLab will show you a trace of the program steps leading up to the symptom, almost like magic.

A friendly user interface

UniLab lets you use commands or menus – or a mixture of both. An on-line manual, soft-key help screens, a glossary of commands and their parameters, with full-screen writeups are also at the ready.

Reconfigure for any 8 or 16-bit processor in seconds

Thanks to our unique approach to emulation, changes between processor types require only cable and diskette changes. At last count, we specifically support over 120 microprocessors.

Bonus! The built-in EPROM Programmer and Stimulus Generator are simply icing on the cake.

Affordable capability

How much does all this superior capability cost? A lot less than our less able competitors, and probably a lot less than you expect. Our products are sold with a Money Back Guarantee, and our crack team of Applications Engineers is standing by if you need help. Get the full story on the amazing UniLab II and how it can liberate your development projects, today.

CALL TOLL FREE: 1-800-245-8500

In California (415) 361-8883

P·U·B·L·I·C D·O·M·A·I·N P·O·W·E·R·H·O·U·S·E·S

AN ICON TUTORIAL

BY RALPH E. GRISWOLD AND MADGE T. GRISWOLD

An expression can produce a sequence of results if it succeeds—or none at all if it fails

ICON IS A high-level, general-purpose programming language that emphasizes nonnumeric computation, that is, the processing of character strings and structures. It is written in C. Originally implemented under UNIX, Icon has been transported to other operating systems including DOS and VAX/VMS. It runs on machines ranging from personal computers to mainframes. Its application areas include artificial intelligence, expert systems, symbolic mathematics, text generation, editing, analysis, string processing, program generation, cryptography, language translation, molecular genetics, and others. Editor's note: Versions for MS-DOS, UNIX, and VAX/VMS are available from the authors in executable and C source code. The MS-DOS executable code and some sample programs are available on BIX and BYTEnet under the following filenames: ICON-READ.ME, ICONT.EXEC, ICONX.EXE, ILINK.EXE, ITRAN.EXE, HELLO.ICN, CROSS.ICN, CROSS.DAT, MEANDER. ICN, MEANDER.DAT, ROMAN.ICN, WORDCTN.ICN. OVERVIEW.DOC. EXTEN.DOC, RUN.DOC, REGIS.FRM, and TROUBLE.FRM. See page 4 and the insert card following page 320 for details. For the source code, write to the Icon Project, Department of Computer Science, The University of Arizona, Tucson, AZ 85721.

The design of Icon stresses ease of programming, which permits short, concise programs. It has two major characteristics: expressions that can produce sequences of results and a goal-directed evaluation that automatically searches for solutions. In addition to a large repertoire of simple string operations, Icon has a high-level string-scanning facility for pattern matching.

Its data structures include lists with stack and queue access, sets that can have members of any type, and tables with associative lookup. A data structure can have values of various types. For example, a list can contain both integers and strings—and even lists. Icon also has automatic storage management; it creates objects at run time instead of during compilation. And you don't need type declarations; Icon has run-time checking and automatic type conversion.

GENERAL ASPECTS OF ICON

You may not notice anything unusual if you look at an Icon program. It looks a lot like a Pascal, C, or PL/I program. It is not distinctive in appearance. Icon's distinctive aspects lie in its unusual expression-evaluation mechanism, its data structures, and its emphasis on high-level processing of character strings.

An Icon program consists of a collection of procedure declarations within which are the expressions that carry out the program's various computations. The simple program

procedure main()

write ("welcome to outer space") end

does what you think it would—it writes out "welcome to outer space." (continued)

Ralph E. Griswold, a professor of computer science at The University of Arizona, was one of the originators of the Icon Programming Language. He has a B.S. in physics and M.S. and Ph.D. degrees in electrical engineering, all from Stanford University.

Madge T. Griswold is a freelance writer and consultant on computing applications and computer-based publication techniques. She has a B.A. in history and journalism from Syracuse University and an M.A. in history from The University of Arizona.

The Griswolds can be reached at the Department of Computer Science, The University of Arizona, Tucson, AZ 85721.

The syntax of expressions in Icon is similar to that in most other programming languages. There are the usual operations, both unary (prefix) and binary (infix), function calls, reserved words for control structures and declaration components, and so on. This article does not contain details of the syntax, but the examples given provide the general idea. A precise description of Icon's syntax is found in reference I.

To understand lcon, you need to have a general idea of the types of data it supports and the operations it performs on that data. In addition to integers and real (floating-point) numbers, lcon supports many less conventional data types, including strings (ordered sequences of characters), "csets" (unordered sets of characters), lists (ordered sequences of values), sets (unordered sets of values), and tables (unordered sets of value pairs). lcon even considers procedures to be data types.

You can represent integers, real numbers, strings, and csets literally. The syntax is conventional; for example,

i := 20 n := 3.14159 greeting := "howdy" vowels := 'aeiou'

Identifiers are sequences of letters, and the := operator indicates assignment. Strings and csets are enclosed in double and single quotes, respectively. Many operations compute values for the various data types.

Since Icon has no type declarations, any variable can have any type of value at any time, depending on what happens during program execution. For example, you can write

x := 1

x := "hello"

Icon takes care of type checking and conversion; you don't have to specify them when writing your program. You can even use types that are collections of values. A list, for instance, may have values (elements) of different types. An example is city := ["Tucson",500000,1986]. The square brackets enclose the three list values, one of which is a string while the other two are integers. This ability to have *heterogeneous* structures often allows programs to be written more concisely. The freedom from type declarations certainly makes it easier to write programs albeit at some expense in efficiency and error checking.

EXPRESSION EVALUATION

One thing that distinguishes Icon from other programming languages is the method it uses to evaluate expressions. In most programming languages, an expression always produces a result—one result. It may be difficult to imagine how this could be otherwise. After all, computation means the production of a result. On the other hand, every programming language has conditional operations. An example is if i < j then write(i). Usually, a conditional operation such as i < j produces a Boolean value, either true or false, depending on the specified relation. (Some languages use nonzero and zero integer values in place of Booleans but with the same meaning.) Control structures then test these values.

Icon takes another view of this situation: In Icon, if the relation does not hold (if i is not less than j, for example), the corresponding expression does not produce a result; it fails. However, if the relation does hold, the expression does produce a resultits right argument; it succeeds. Thus, i < j fails if i is not less than j and produces no result: but it produces the value of j if the expression succeeds, that is, if i is less than j. Correspondingly, control structures in Icon are driven by the success or failure of their control expressions rather than by Boolean values,

These conditional operations appear exactly the same as they do in conventional languages, but Icon offers other possibilities. For instance, control expressions are no longer limited to those that produce Boolean values. In Icon, you can use any expression as a control expression. It may produce a meaningful result, or it may fail. Since the result is not limited to being Boolean, you can use it in another computation. Consider,

for example, while line := read() do write(line). The function read() produces the next line, if there is one, from standard input but fails at the end of the file. The value it produces is used in assignment, but the loop terminates at the end of the file. This has two important side effects. First, it eliminates any need for end-of-file testing; it follows automatically from the read function. Second, it is not an error for an expression to fail to produce a result; it is a normal consequence of computation.

In Icon, failure is "inherited," since, if an expression fails, there is nothing to operate on and no result can be produced. Thus, you can write this example more concisely if you omit the do clause and combine the read and write as in while write(read()).

The distinction between success and failure in Icon's expression evaluation is only the beginning. In some situations, a computation may have more than one possible result. For example, the following function produces the position of one string that exists as a substring of another:

s := "There are several errors" find("er",s)

The string, or substring, "er" occurs at three different places in the string s. Most programming languages solve this ambiguity by picking one of the three results-usually the first one. Of the three positions-3, 14, and 19two would be discarded. If the discarded possibilities are needed, they must be obtained by using substrings or some similar mechanism. In Icon, however, an expression can generate a sequence of results if that is appropriate in context. There are two contexts in which this may be appropriate: iteration and goal-directed evaluation. The control structure every expr1 do expr2 performs iteration and causes expr1 to produce all its results in sequence. For every result exprl produces, Icon evaluates expr2. For example, the function find can generate all positions, so that for the value of s given above, every i := find ("er",s) do write(i) writes 3, 14, and 19. Generation, like failure, is inherited; therefore, you can write this expres-(continued)

Now available worldwide: Prospero's professional language compilers for PCs and STs

PRO PASCAL & PRO FORTRAN-77:

FOR IBM PCs, XTs, ATs & COMPATIBLES, & ALL OTHER MS-DOS MACHINES. ALSO FOR ATARI ST, AND SINCLAIR QL

USE THE LANGUAGES THE PROFESSIONALS USE: PASCAL AND FORTRAN.

C is high on performance but low on safety, structure, portability and maintainability. Pascal is excellent for education and for long-term projects. Fortran gives you access to hundreds of existing programs – and uses established programming skills!

ISO-PASCAL

Pro Pascal is validated to ISO 7185 / ANSI 770X3.97 Class A (no errors) on the Z80 processor under CP/M and the 8088 processor under PC-DOS. This provides a guarantee that the compiler is complete and works perfectly.

FORTRAN-77

Pro Fortran-77 is a full implementation of ANSI Fortran-77 with no omissions and many useful extensions. Validation is imminent.

Prospero Compilers Work!

No known bugs when we ship - so you don't have to program around the holes!

"Lazy I/O" for interactive use.

Good Housekeeping

All files closed on exit from procedure

Hand-coded library

Produces compact and efficient programs.

Ideal for

- software developers
- universities and colleges
- government and industry
- students of computing
- development of personal skills
- solving technical problems
- training institutions

16 digit accuracy

Single and double precision IEEE format arithmetic gives 7 or 16 digit precision.

50,000 Lines Big

Compiles big programs >50,000 lines... >5,000 identifiers...Separate compilation to build libraries and massive program suites.

Jumbo

New Jumbo memory model with Pro Fortran-77 gives unrestricted access to all 640K under MS-DOS.

Compilers include

- compiler
- linker
- run-time libraries
- librarian
- X-ref program
- sample programs
- 200+ page manual

GEM

Full GEM AES and VDI bindings supplied with Atari products and (on request) with Pro Pascal for MS-DOS.

Z80

Pro Pascal and Pro Fortran-66 are available for Z80 machines.

Symbolic debugger

16 bit versions include Probe - a superb symbolic debugger. You can view fully compiled code as source, backtrack, display and change variables using source names, check the calling stack, and break anywhere. Pro Fortran-77 version can also Debug and produce execution profiles.

Pascal «—» Fortran

Interlinkable code means you can use the best of both languages. Ask for details.

We Specialize

At Prospero we specialize in writing language compilers. We produce the best possible compilers, conforming to the appropriate standard, and giving programmers a secure base on which to build.

Cross Compilers & Specials

We can provide cross compilers in Pascal and Fortran within the 68000 - 8086 -Z80 triangle. We'll also develop special compilers to customer specifications.

Quote: "Pro Pascal is not only ISOvalidated, it is also a superb-quality and very full software development tool." Personal Computer World Nov 1985 Prospero compilers are used at more than 6000 sites around the world.

It's easy to order!

Credit card holders phone Sue Thomas on 703-354-0866. Mastercard, Visa, Diners & Amex accepted.

Free Reviews & Info

Call this number also for a free info pack with datasheets and magazine reviews.

Prospero's compilers are also available from good software dealers and distributors worldwide.

Software distributors

Contact us for our Worldwide Distribution Guide, or see us in the Hilton at Comdex Fall, Las Vegas.

butors:
PC Brand 212-410-4001
Software Consulting
215-837-8484
Apex Resources 617-232-
Oreman Sales 504-468-2001
A+ Computer Resources 603-357-1800
Quantum 201-328-8846

Call for worldwide distributor list

Prospero Software

LANGUAGES FOR MICROCOMPUTER PROFESSIONALS

Mail order service

Send this coupon with check to Prospero Software Ltd, 190 Castelnau, London SW13 DH, England. Add \$7 shipping and allow 28 days for delivery. Please supply (enter number required): Pro Fortran-77 for Atari ST at \$149 Pro Pascal for Atari ST at \$149 Pro Fortran-77 for Sinclair QL at \$129 Pro Pascal for Sinclair QL at \$129 Pro Fortran-77 for MS-DOS at \$495 Pro Pascal for MS-DOS at \$390 1 enclose payment of 3 Name..... Address..... State/ Zip..... Telephone No..... In case of query call 011-441-741 8531 or telex 3814396. Tick product name if you just require Byte 10/86 nformation!

sion more compactly as every write (find("er",s)).

While iteration forces an expression to generate all its results, there are many situations in which you need only one result. Therefore, i := find ("er",s) assigns the value 3 to i. This method generates no more results since they are not needed. Thus, conventional expression evaluation occurs automatically if you don't use a context that generates more than one result.

Another possibility: There are often several possible solutions to a problem, but they don't all satisfy a larger goal. A simple example would be determining whether "er" occurs in both s1 and s2. It may occur in several positions in both, but locating a common position is laborious in most programming languages. Icon automatically forces expressions to produce results if they are needed to satisfy a condition in an enclosing expression. An example: find("er",s1) = find ("er",s2) succeeds if and only if "er" occurs at the same position in s1 and s2 (the operator = compares for numerical equality).

The mechanism is simple and automatic. If the left and right expressions produce results, but they are not equal, Icon generates the next result from the right expression. This process continues until either the comparison succeeds or the right expression has no more results. If the right expression has no more results, Icon generates the next result of the left expression, and each of the results for the right expression is generated again. It is simple and natural and straightforward. Much of the conciseness of Icon programs comes from the use of this facility-and it is completely general; it applies to all expressions and to all types of results in all contexts.

Given the idea of expressions that can produce sequences of results, there are all kinds of possibilities. For example, i to j is an expression that generates the integers from i to j. Thus, you can write a for-style control structure using every...do, as in every i := 1 to 10 do f(i). The rigid format of the for-style control structure in conventional languages is not

```
Listing I: An lcon procedure to
produce the larger of two numbers.
procedure max(i,j)
if i > j then return i
else return j
end
```

```
Listing 2: An example of how a
procedure can fail.
procedure greater (i,j)
if i > j then return i
else fail
end
```

Listing 3: A procedure to generate the successive powers of a number i. procedure powers(i) j := 0 repeat { suspend i ^ j j +:= 1

needed. You can write this expression more concisely as every f(1 to 10).

Another control structure that follows naturally from having sequences of results is alternation: expr1 expr2 produces the results for expr1 followed by the results for expr2. In conditional contexts, this amounts to logical disjunction. For example, if find ("er",s) = (4 | 14) then write(s) writes the value of s if it contains "er" at position 4 or 14. In iterative contexts, alternation has the effect of "exprl then expr2." For example, every write(find("er",s1 | s2)) writes all the positions of "er" in s1 followed by all the positions of "er" in s2.

PROCEDURES

Procedures provide a way of extending Icon's built-in repertoire of operators and functions. For example, Icon has no function for producing the larger of two numbers. The procedure in listing I does this. You call such a procedure exactly the same way you call a function: write(max(i,j)). It can also fail the same way a function can fail (see listing 2). In this case, if i is not greater than j, the procedure fails.

An Icon procedure can also be a generator, by using suspend instead of return to produce a result. When a procedure suspends, its environment is left intact and you can resume executing the procedure to produce another result. For example, the procedure in listing 3 generates the successive powers of a number. The expression i j produces i. The procedure suspends for the first time when i is raised to the zeroth power (i.e., is equal to I). If the procedure resumes to obtain another result, j is incremented (j +:= 1 is an abbreviation for j := j + 1). The repeat control structure is a loop that never terminates. Thus, the procedure powers next suspends when j is raised to the first power, then when it is squared, cubed, and so on. For example, powers(2) generates 1, 2, 4, 8, 16, and so on. Note that this generator produces an infinite sequence (or could, except for arithmetic overflow). An infinite generator presents no problem unless you use it in an iterative context. There is also a control structure expr1 $\ expr2$ that limits the number of exprl results to at most the value of expr2. Thus, every write(powers(2)) \ 5 writes 1, 2, 4, 8, 16.

STRING PROCESSING

After considering the possibilities of lcon expression evaluation, character string processing may seem mundane. Nonetheless, much computing involves string processing, and conventional programming languages have limited facilities for such computations. Icon has two levels of string processing: analyzing and synthesizing strings based on character position, and pattern matching, which lets you scan strings without worrying about the details.

First, while strings are sequences of characters, Icon has no character data type. Strings can be arbitrarily long, limited only by available memory space. The underlying character set of Icon is ASCII-based. Any 8-bit ASCII character (including the null character) (continued)

The computer below gives you \$6000 performance.



The computer above gives you a \$2995 price.

Introducing the TeleCAT-286." No matter how you look at it, now you can have all the power and speed of the IBM AT-for the price of a comparably-equipped IBM XT. With the new TeleCAT-286, from TeleVideo.

It starts you off with everything you need. Including IBM AT compatibility. 512K RAM. A 20MB hard disk. A 1.2MB floppy. Plus an Intel 80286 CPU that runs at either 6 or 8MHz clock speed. All standard.

But we didn't just stop at performance. We've also designed a complete set of ergonomic features into the TeleCAT-286. Like a high resolution 640 x 400 monitor. Sculptured keycaps on a high quality keyboard. Even LEDs right on top of the three critical locking keys, where they won't get covered up by overlays. Best of all, you get all this in a size 28% smaller than the IBM AT. The new TeleCAT-286.

Want to learn more about it? Call us at 1-800-TELECAT, Dept. 115, and we'll tell you the nearest place you can find one.

Then check out the computer with performance above your expectations-at a price below them.



TeleVideo Systems, Inc. 1170 Morse Avenue, Sunnyvale, CA 94088-3568 (408) 745-7760

IBM is a registered trademark of International Business Machines, Inc.

Inquiry 300

© 1986 TeleVideo Systems, Inc.

can occur in an Icon string. Thus, Icon can process binary data as if it were string data. Icon strings are *not* arrays of characters. You cannot *change* a character within a string, although there are many ways to create new strings from old ones. This property lets you think of strings as atomic objects that cannot be corrupted.

Since a string is a sequence of characters, concatenating two strings to form a longer one is a natural operation. In Icon, concatenation has the form s1 || s2. For example, the sequence

s1 := "welcome aboard" s2 := "mate" s3 := s1 || ", " || s2

produces the value "welcome aboard, mate" in s3. Since Icon handles storage management automatically, you don't need to know—or worry about—how long a string is. (The operator *s produces the length of s in characters if you need it.)

Icon has a number of other operations for constructing strings. For example, repl(s,i) produces i number of concatenations of s; and left(s,i) constructs a string of length i with s positioned to the left and padded with blanks to the right if needed.

Much string processing involves analysis—locating the positions of substrings—or extracting specified




Figure 1: A string's character location numbers start to the left of the first character.




Figure 2: String positions can also start from the right and decrease in number. However, character referencing still begins from the left.

positions from a string. A string's character locations are specified by positions that are *between* the characters, starting at I (which is prior to the first character, as in figure 1). A substring within another string is specified by its bounding positions. For example, if the value of pet is "Rowdy", then pet[1:4] specifies the substring "Row". If you need only a single character, you can omit the second position, so that pet[1] specifies "R". You may assign this substring to

another string, as in nickname := pet[1,4]. This expression assigns a new string "Row" to nickname; it does not change the value of pet.

Since Icon cannot change the characters in a string, it has a convenient abbreviation that appears to do this. If you assign a substring of a variable, Icon constructs a new string to replace the value of the subscripted variable. For instance, pet[1] := "D" appears to change the value of pet to "Dowdy". Icon really performs a concatenation: pet := "D" || pet[2:6]. Consequently, the first character of pet has not really been modified; pet has been assigned an entirely new string. A moot point, perhaps, but a different approach nonetheless.

If you don't know how long a string will be when you write a program, you can specify string positions in a decreasing fashion starting from the right as illustrated in figure 2. Thus, pet[-1] is "y." Note that although the numbering starts from the right, the position number for a particular letter still commences from the left.

While strings are useful for representing all kinds of textual material, there are situations in which the *order* of characters is not important but the properties of the character set are. Csets provide this facility and can be (continued)



Aztec C ... The Best C Frees the genius in you

You've got a great idea . . .

... you're ready to write your programs.

You don't want to be sidetracked by all the paperwork. With Manx Aztec C and the ingenious **make** function, your creative processes won't get bogged down in program administration and housekeeping. Manx Aztec C has the most sophisticated, hardworking program administrator available to you. Once you've described your project, adding new features or enhancements is simple. You never have to concern yourself with the repetitive, tedious task of rebuilding your systems.

The development process moves quickly. Compiles, assemblies, link edits . . . all finish in record time.

Manx Aztec C is the fastest, most efficient C development system in the industry. Benchmarks show it . . . reviews commend it . . . users praise it.

You're ready to test the program. You're ahead of schedule. The Manx Aztec C Source Level Debugger shows you the exact C language statement giving you a problem. You fix the problem quickly . . . you're still ahead of schedule.

You've got some time for fine tuning. The Manx Aztec C Profiler examines your program, tells you where the slow spots are and validates your test procedure. A few changes and it's exactly what you wanted.

You've made it!

Aztec C is available for MS-DOS/PC DOS. Call for details on Macintosh, Amiga, Apple II, CP/M-80, CP/M-86, TRS-80, ROM and others.

To order, or, for information Call Today **1-800-221-0440**

In NJ or outside the USA call (201) 542-2121

30-day satisfaction guarantee. Special Discounts are available to professors, students, independent developers, and on a "trade-in" basis. Site licenses.



Manx Software Systems One Industrial Way Eatontown, NJ 07724

MS is a registered TM of Microsott. Inc.. CP/M TM DRI, HALOTM Media Cybernetics. PANEL T Roundhill Computer Systems, Ltd.. PHACT TM PHACT Assoc. PRE-C. Plink-86 TM Phoenix, dl Vista TM Raima Corp., C-terp, PC-lint, TM Gempel Software, C-tree TM Faircom, Inc.. Windows I C TM Creative Solutions, Apple II. Macintosh TM Apple. Inc., TRS-80 TM Radio Shack, Amiga T Commodore Int'l. "... a superb linker, a profiler, an assembler, and a set of development utilities are only the beginning of this package ... performed admirably on the benchmarks, with short compile times and the best link times in this review ... includes the most professional make utility ... documentation is clear and complete. There is no doubt that this is a valuable and powerful programming environment." **Computer Languages Feb. '86**

"... execution times are very good, close to the best on most tests..." PC Tech Journal Jan. '86

"Easily one of the fastest compilers overall . . . library provides a lot of flexibility . . . generates small .EXE files." **Dr. Dobbs Journal Aug. '85**

C'Prime (Compiler, Assembler, Linker)	\$ 99.
Aztec C 86-d Developer's System	\$299.
Aztec C 86-c Commercial System	\$499.
PC ROM (8086, 68000, 8080, or 6502)	\$750.
Third Party Software for Aztec C: HALO, PHACT, C	
PRE-C. Windows for C, PC-lint, PANEL, Greenleaf	, db Vista,
C-terp, Plink-86, FirsTime, C Util Lib,	
and others.	

aztec C Evaluation NOTES 6 FEATURES C Compiler Querlay Cinter Source for library Ravines Make, grep, diff, utilities Saurce level debugger and profiler 8086 Mart Asemble. Source level debugger and profiler vi earth of UNIX, and Sereen Libraries math, 5057/80287, and sensing Libraries math, they utility Intel they utility mixed memory models Juntel object utility detailed documentation year of free updates Rom support for 68009 6502, 8080/280 Series Cross development to mar, Amiga, Apole Cross development of mars and others ODTIONS MANY 21 CUHC 800-

specified literally-

Built-in csets are keyword values (values of special importance to Icon). A keyword name begins with an ampersand; for example, some csetvalued keywords are &lcase, &ucase, and &cset. The first two have cset values consisting of the lowercase and uppercase letters, respectively. The last, &cset, is the set of all 256 ASCII characters. You can perform set operations on csets. For example, the cset union &lcase + + &ucase consists of all the lowercase and uppercase letters in the alphabet. Similarly, the cset difference &cset -- &lcase, consists of all ASCII characters except the lowercase letters.

Both strings and csets are used for analyzing textual material. The function find(s1,s2) is an example. A similar function, upto(c,s), generates the positions of the characters in the cset c that occur in s. For example, the code in listing 4 writes 3, 5, 7, 9, 12, 14, 16, 19, and 22. Both find and up-

Listing 4: The Icon code to generate the positions of the various vowels in s.

```
s := "There are several errors"
every write(upto('aeiou',s))
```

Listing 5: The Icon code to break a text file into its individual words and write them out one at a time and one to a line.

```
procedure main()
    letter := &lcase ++ &ucase
    while line := read() do {
        i := 1
        while j := upto(letter,line,j) do {
            i := many(letter,line,j)
            write(line[j:i])
        }
end
```

Listing 6: A rewrite of the code in listing 5 using string scanning.

```
procedure main()
letter := &lcase ++ &ucase
while line := read() do
line ? while tab(upto(letter)) do
write(tab(many(letter)))
end
```

Table 1: The input file used for the examples in this article.

It was the best of times, it was the worst of times, it was the age of wisdom, it was the age of foolishness,

 Table 2: The output from the code in listing 5 when table 1 is its input.

 It

 was

 the

 best

 of

 times

 it

 was

to have an optional third argument that tells Icon where to begin. If you don't specify that argument, Icon assumes it is position 1, the beginning of the string being examined. However, you can specify any other value. For example, every write(upto ('aeiou',s,10)) writes 12, 14, 16, 19, and 22, the vowel positions beyond the tenth position, for the same s. Another function that uses csets is many. For example, many(c,s) will skip as many characters as it finds at the beginning of s and produce the position in s following those characters.

You can use the functions upto and many, which produce positions, in combination with subscripting operations. For example, if you define a word to be a sequence of uppercase and lowercase letters, the program in listing 5 will break a text file into individual words and write them out individually. For each line, i starts at 1. The position of the first letter is assigned to j; then i is set to the position of the last letter starting from that point. The value of line[j:i] is the word itself. The process continues until there are no more letters starting at i. Then another line is read and processed, and so on. For example, if the input file consists of the data in table I, the output of the program will appear as in table 2.

This typifies low-level string analysis: It computes positions, determines substrings by position, and so on. String scanning handles much of this detail automatically. In a stringscanning expression, which has the form exprI ? expr2, the string value of expr1 provides the subject for analysis-corresponding to line in the example-and expr2 contains matching functions that operate on this subject, automatically changing position as they find specified substrings. The position starts at I. One matching function, tab(i), sets the position to i and returns the substring located between the old and the new positions. Since i is a position, it can be provided by a function like upto, which assumes it is examining the current subject if you omit its second argument. Using string scanning, you can rewrite listing 5 as listing 6, and you don't need to (continued)



Motorola's MC68020 VME computer board meets system integration needs for less than \$1500* in OEM quantities of 100 or more.

This highly-integrated computer board features the 32-bit performance of our proven 12.5 MHz MC68020 MPU and our MC68881 Floating-Point Coprocessor—at OEM volume pricing

RELATIVE PRICE

MICROPROCESSOR

of less than \$1500* It's the smart answer for small single CPU systems and embedded controller applications in robotics, industrial automation, image processing and many others.

Advanced features of the MVME133 include 1 Mbyte of shared local

DRAM accessible from the VMEbus: on-board MC68881 floating-point math coprocessor; serial debug and multiprotocol serial ports; three 8-bit timers; real-time clock; four 28-pin JEDEC sockets for ROM/PROM/EPROM/ EEPROM; A24/D32 VMEbus master interface; and built-in system controller which can provide all the required functions for many applications.

You can also expand the board's capabilities with one or more VMEbuscompatible modules from Motorola and over 200 other worldwide vendors of VME products.

*Pricing in U.S. dollars for U.S. delivery only, and is subject to change without notice.

VRTX is a registered trademark of Hunter & Ready. PDOS is a trademark of Eyring Research. pSOS is a trademark of Software Components Group. MTOS is a trademark of Industrial Programming, Inc. VMEmodule, VMET33Durg, and VERSAXde are trademarks of Motorola, Inc.

The software's also in place. To speed development of your application, we back up the MVME133 Monoboard Microcomputer module with our full-featured VERSAdos™ real-

time operating system. And for initial system checkout, you can select Motorola's optional VME133bug[™] firmware package with a full range of onboard diagnostics and debug utilities.


Want to use your favorite realtime software package on the MVME133 board? Porting of pSOS,™ PDOS,™ RTUX,™ MTOS,™ and VRTX[®] software

packages is under way at their respective vendors, with availability planned for the Fall of '86.

One-on-one design-in help.

Get an engineer-to-engineer update.

From anywhere in the U.S. or Canada, call toll-free any weekday, 8:00 a.m. to 4:30 p.m. MST.



If the phone call itself can't answer your needs, we'll have our local applications engineer contact you face-to-face. With answers. And get you to market faster.

For a data sheet on our new MVME133 computer board...or any of our other VME modules, write

to Motorola Semiconductor Products, Inc., P.O. Box 20912, Phoenix, Arizona 85036. Or use the coup n below.





•	To: Motorola Semiconductor Products, Inc. P.O. Box 20912, Phoenix, AZ 85036 Pleasesend me more information on the MVME133 Microcomputer board.
	2868YEL00086
VMEnystem Poster	Title
AND THE REAL	Company
A STATE OF STATE	Address
	City State Zip

Call me (



specify the subject of analysis within the scanning expression.

STRUCTURES

Different values often have a common property or are considered part of an aggregate of values. Conventional programming languages provide arrays or vectors for grouping values that occur in sequence and are referred to by position. Icon provides such a facility in its list data type. It also has sets, which are unordered collections of values, and tables, in which pairs of values can be associated. All of these aggregates are themselves data values and are constructed during program execution. Therefore, you can compute their sizes as you need them rather than having to specify them when you write the program.

Lists. A list is a sequence of values. You can construct a list by specifying its elements explicitly or by specifying its size and the initial values of all its elements. For example, tabulation := list(1000,0) assigns a list of 1000 zero values to tabulation. You can reference list elements by position by using their subscripts, and you can change them by assignment, as in tabulation[30] := 10, which changes the 30th element of the list to the value 10.

A list element is a variable and, like other variables in Icon, can have any type of value, for example, tabulation[1] := "first place". Since a list is a sequence of values, it is natural to have a generator (!a) produce this sequence. For example, every write(!a) writes out all the values in a. Since a list points to the aggregate of its elements (the address where the elements are kept), a list element may also be a list. For example,

node1 := ["a",0] node2 := ["b",0] node1[2] := node2 node2[2] := node1

The zero values are place holders that are then replaced by list values. Figure 3 depicts graphically the resulting structure. Therefore, you can use lists in Icon to represent graphs and other structures that have connections between various objects. Note that these




Figure 3: A graphic representation of the structure of an Icon list.

Listing 7: The Icon code to read in all the lines in a file and write them out again in reverse order, last line first. procedure main() lines := [] while push(lines, read()) while write(pop(lines)) end

lists are heterogeneous, consisting in this case of a string value and a list value.

Arrays in most languages are fixed in size and can be referenced only by position. Icon supports stack and queue access to its lists to allow them to grow and shrink. The function push(a,x) pushes the value x onto the beginning (left end) of the list a, increasing its size by one. The function put(a,x) puts the value of x onto the right end of a, also increasing its size by one. Correspondingly, pop(a) removes the leftmost value from a, whatever it may be, and fails if a is empty. The rightmost value is similarly removed by pull(a).

You can use push and pop in combination to make a list look like a stack—a last-in, first-out data structure where you add and remove values at the same end. The function get is synonymous with pop: therefore, you can use put and get to make a list look like a queue—a data structure where you add values to one end and remove them from the other.

Often a program reads data from an input file and puts it into a list for processing, yet you don't know the number of input lines you will have when you write the program. You can handle this by starting with an empty list (indicated by []) and pushing or putting input lines into it. For example, the program in listing 7 reads in all the lines of a file and writes them out in reverse order, last line first. This kind of program is practical only if the file is small and can be stored in a list in memory at one time.

Sets. Sometimes a collection of values has no particular order. Instead, the values have some common property such as being words from an input file. Icon provides sets for such purposes and supports the usual set operations: membership testing, insertion and deletion of values, and the union, intersection, and difference of two sets.

The function set(a) creates a set from list a. For example, articles := set(["the", "a"]) creates a set with two members. You can insert, or add, a member to a set, as in insert(articles,:"an"); adding a member more than once has no effect. The number of members in a set is limited only by the amount of memory available. Sets also share several other characteristics with lists: The operator Is generates all the members of set s: a set value is a pointer to one of that set's members; and sets can have members of different types. A set can even point to itself as a member! For example,

s := set(a) insert(s,s)

There is no paradox here since a set value is just a pointer; the challenge is to find a constructive use for this capability.

The program in listing 8 illustrates one use of sets; it writes a list of all the different words that occur in the input file. The function sort produces a sorted list, so that the words are written in alphabetical order (see table 3). Each word appears only once regardless of the number of times it appears in the input file. Note that "It" appears before words beginning with lowercase letters because uppercase letters precede lowercase ones in the ASCII collating sequence.

Tables. While lists deal with sequences of values and sets handle unordered collections of values, Icon uses tables containing value pairs to

```
Listing 8: An illustration of one use of Icon sets. This program writes a sorted list of all the different words that occur in an input file.
```

```
procedure main()
    letter := &lcase ++ &ucase
    words := set([])
    while line := read() do
        line ? while tab(upto(letter)) do
            insert(words,tab(many(letter)))
    every write(lsort(words))
end
```

```
Table 3: The output from the<br/>program in listing 8 when table 1 is<br/>its input.It<br/>age<br/>best<br/>foolishness<br/>it<br/>of<br/>the<br/>times<br/>was<br/>wisdom<br/>worst
```

associate two values—for example, the number of times a word occurs in a file. One value, such as a word, is used as a key to index the table; the other value, such as the number of times the word occurs in the file, is associated with the key. Keys are unique in any table; only one value can be associated with a given key.

To create a table, you use table(x), where x is the default initial value automatically associated with new keys. Tables are initially empty. To add pairs to a table, you subscript the table with a key and assign a corresponding value. Thus, if t is a table, t["the"] := 1 assigns the value 1 to the key "the" in t. Tables grow automatically as you assign values to new keys; the size of a table is limited only by the amount of memory available.

Since you can compute keys, you may need to find out what keys are (continued)

AA

State of the Smart.

SmarTEAM 2400

- 0-300, 1200, 2400 bps. Bell 103, 212A.
 CCITT V22, V22 bis. Full duplx duplex
- Auto dial (pulse or tone), auto answer automatically switches between tone and pulse
- Hayes 2400 commands compatible
- 6 self test modes
- Call progress detection (ringing, dial tone, busy)





HEAD OFFICE:

TEAM TECHNOLOGY INC.

2F,Na.4, Szu Wei Land Chung Cheng Rd.,Hsin-Tien City Taipei, Taiwan, R.O.C. TLX: 19725 PETRCHEN FAX: (02)7251830 TEL: (02)918-9249

SmarTEAM 2400B

- Internal slot modem for IBM PC. XT, AT and compatible computers
- 7.5 inches length with the same great
- features of SmarTEAM 2400 • MITE⁺ software optional

SmarTEAM 1200 AT

- Bell 103, 212A standard
- Fully Hayes compatible.
- Auto dial (pulse or tone), auto answer • 2 self test modes (analog loop back and

TR CO SO RO HS

- remote digital loop back test)
- Call progress detection (dial tone, busy)

SmarTEAM 1200 CT

- Compatible with CCITT V.21 and V.22 Alternate B 1200bps asynchronous
- 0-300, 1200 bps full duplex
- Compatible with Hayes commands Auto dial (pulse or tone), auto answer

U.S. Soles Rep. SmarTEAM INC. 19205 PARTHENIA St. Ste, J Northridge, CA 91324 TEL:(818)886-9726 INTERWELL CO. 13441 Pumice St. Narwolk, CA 90650

TEL: (213)921-3799

SmarTEAM 1200 BH

• 51/4' length with the same great

· Internal slot modem for IBM

PC, XT, AT and compatible

features of SmarTEAM 1200 AT

CANADA	
BUDGETRON INC.	
TEL: (416)673-7800	

SINGAPORE: PET Computers TEL:5331313 SPAIN ARCE IBERICA. S.A TEL:(4)4440462

Hayes is a registered trademark of Hayes Microcomputer Products, Inc.

IBM PC. XT. AT are registered trademarks of International Business Machines Corp.

MITE is a registered trademark of MYCROFT LABS INC.

Listing 9: An illustration of one use of Icon tables. This program lists alphabetically all the words in the input file with a count of how many times each one occurs.

```
procedure main()
    letter := &lcase ++ &ucase
    wordcount := table(0)
    while line := read() do
        line ? while tab(upto(letter)) do
            wordcount[tab(many(letter))] +:= 1
    wordlist := sort(wordcount,3)
    while write(get(wordlist), " : ", get(wordlist))
end
```

```
Table 4: The output from the
program in listing 9 when table 1 is
its input.
It : 1
age : 2
best : 1
foolishness : 1
it : 3
of : 4
the : 4
times : 2
was : 4
wisdom : 1
worst : 1
```

in the table: To do this, you can produce a corresponding list in which keys and their values alternate with a := sort(t,3), where sort (with a second argument of 3) produces a list sorted on the keys. (Other second arguments for sort will produce different kinds of sorting for tables.)

The program in listing 9 illustrates the use of tables; it lists all the words occurring in the input file with a count of how many times each one occurs. The output is shown in table 4. Note that the initial value for a new key is 0. The final line of the program uses get(a) to extract alternate keys and their values. The function write may have several arguments; if it does, they are automatically concatenated on the output line.

Other Features. Icon also has a number of other features worth noting (see reference I for a complete description).

• Icon has an extensive repertoire of functions and operations for performing numerical computation, string analysis and synthesis, and list processing.

• You can call Icon procedures recursively, allowing you to handle recursively defined structures, like trees, in a natural way. Generators also can be recursive.

• You can declare records whose elements are referenced by names. This lets you extend lcon's repertoire of built-in data types.

• You can contain expressions in *co*expressions, so that generators can produce their results as needed throughout a program.

IMPLEMENTATIONS

Icon includes a translator, a linker, and a run-time system. The translator converts an Icon source program to an intermediate form that consists of instructions for a "virtual" machine. This virtual machine can be thought of as an Icon machine, although it is implemented in software, not hardware, (A description of the implementation appears in reference 2.) The linker combines virtual machine code from separately translated modules and produces a binary output, much like an assembler produces executable binary code from assembly language input.

When an Icon program executes, the binary code is read into memory and interpreted. Using an interpreter rather than executing compiled machine code provides portability and flexibility. In addition, the interpreter is only slightly slower than the compiler that was originally used. Compilation does not provide a big performance improvement because many Icon operations are executed in compiled run-time subroutines. This is true regardless of whether the source program is compiled into executable machine code or translated into a machine-independent form for interpretation.

IN CONCLUSION

Icon is a multifaceted, multifunctional, character-string processing language

available in the public domain. Its method of evaluating expressions producing a result (or sequence of results) if the expression succeeds, and no result if it fails—distinguishes it from other high-level programming languages. Since Icon is written in C, it runs on a wide range of computers with little or no modification; you do, however, need a production-quality C compiler and library to compile it from source code. If you don't have a C compiler, executable binary files for DOS 2.0 or higher are also available.

ACKNOWLEDGMENT

Icon is a result of ongoing research in programming languages supported by the National Science Foundation and The University of Arizona.

REFERENCES

1. Griswold, Ralph E., and Madge T. Griswold, The Icon Programming Language, Englewood Cliffs, NJ: Prentice-Hall, 1983. 2. Griswold, Ralph E., and Madge T. Griswold, The Implementation of the Icon Programming Language, Princeton, NJ: Princeton University Press. To appear.

BIBLIOGRAPHY

- Fonorow, Owen R., "From SNOBOL4's Founder Comes Icon," Computer Language, vol. 3, no. 7 (July 1986), pages 73-84.
- Fonorow, Owen R., "Users Press Icon Into Commercial Service," *Computerworld*, vol. XIX, no. 46 (November 18, 1985), pages 75–92.
- Griswold, Ralph E., and Madge T. Griswold, "High-Level String Processing Languages: COMIT. SNOBOL4, and Icon," Abacus, vol. 3, no. 4 (Summer 1986), pages 32–34. ■



ACS-1000

- 8 Or 4.77 MHz
- Up to 1 Meg Memory
- 2 Serial Ports
- 1 Parallel Port
- On Board Disk Controller
 On-Board Clock/ Calendar
- ET-286 plus
 - 10/6 & 12.5MHz
 - Up to 4 Meg Memory
 - 3 Serial Ports
 - 2 Parallel Ports
 - 8 Expansion Slots
 - 5 MHz DMA
 - On-Board Clock/ Calendar

NOW AVAILABLE: • Optional 10 MHz Coprocessor

- ACS MS-DOS 3.2
- GW Basic 3.2
- A HERITAGE OF EXCELLENCE In any marketplace one product stands out as the pinnacle of performance and value. In the PC/XT marketplace, that product is the ACS-1000: 4.77 or 8 MHz operation, 1 Megabyte memory, built in communications, built in floppy disk controllers, even a SASI interface—all packaged on a single board and priced competitively with the merely compatible.

Building on the heritage of the ACS-1000, the ET-286 plus brings the same standards of excellence to the AT marketplace.



Push Back The Envelope: **10/6** & **12.5 MHz** AT Compatibility

IBM obviously positioned the AT as the hub of the microcomputer network. ACS has included what IBM left out.

SPEED The ET-286 nearly doubles the clock speed of the AT at 10 MHz and we are already 12.5 MHz capable. With access to 4 Megabytes of on-board memory via a 5MHz DMA bus, the ET-286 bypasses additional wait states required to maintain compatibility with expansion bus memory. With memory intensive network software like Unix and Xenix, this becomes critical. Naturally, the ET-286 toggles from Hy-perSpeed at 10MHz to 100% 6MHz compatibility for those applications that demand it.

COMMUNICATIONS The ET-286 plus is designed with communications in mind. There are three on-board serial ports that are configurable as either RS-422 or RS-232 depending on your application. 2 parallel ports further extend your communications ability. And there are still 8 expansion slots for additional I/O.

AN ACCESSIBLE SOURCE

Part of the success of the ACS-1000 and our other products is the availability of our people. We provide the support that OEM's need in order to win major contracts — engineering support,

— engineering support, competitive pricing, even specialized packaging. Service is the key issue in the information marketplace and we provide the kind of service and reliability that you can only find in an American made product.

ACS MS-DOS 3.2 We want to help you compete. That's why we have licensed MS-DOS 3.2 and GW Basic 3.2 and made them available in OEM packages at OEM prices.



NEW DASH FOR YOU

Your old printer should look so good. Introducing the ImagEnhancer[™] PC addon board. It enables ordinary monochrome or color dot matrix printers to produce highquality, plotter-like graphics.

THE OUTPUT IS OUTSTANDING.

The ImagEnhancer is the perfect way to get presentation-quality graphs, charts and artwork from your old dot matrix printer.

What's more, it comes with a built-in 512K memory. So while your printer is printing one job, you can use your PC for another. Which will improve your productivity tremendously.

And of course, the ImagEnhancer works with the same computer products most everyone works with.

IBM* PCs, XTs, ATs or 100% compatibles



with graphics capability. Alps, Epson^{*} or Epsoncompatible monochrome or color dot matrix printers. And


The ImagEnhancer PC add-on board brings plotter-like output to dot matrix printers.

Houston Instrument (DM/PL) plottercompatible software, including Lotus" 1-2-3," Symphony," PFS^{*}:Graph and Framework," among others.

AND THE PRICE IS RIGHT.

At \$595*, the ImagEnhancer costs a fraction of what you'd pay for a new plotter. It's simple to install, too. And backed by a one-year warranty.

The ImagEnhancer is a product of Alps rica, a U.S. subsidiary of Alps Electric d. of Japan, an International Fortune



500 company. Other Alps America products include a full line of high-quality printers.


For more information, print samples, or the name of the dealer/distributor nearest you, write to Alps America, 3553 North First Street, San Jose, CA 95134. Or call (800) 828-ALPS. In California, (800) 257-7872. In Canada, (800) 858-2577.

Better yet, send in this coupon along with your payment. And teach your old dot matrix some new tricks. Inquiry 15 for End-Users. Inquiry 16 for DEALERS ONLY.

R OLD DOT MATRIX.

IICS BOARD MARKET

recast - Office/Government



This image was printed with an ordinary color dot matrix printer and the ImagEnhancer PC add-un board. With a monochrome printer, you get the same high peopletion in black and while

SO ORDER TODAY.	Method of payment (circle one): Check Money Order MASTERCARD VISA
Address:	Card number:
City:	Exp. date:
State:Zip:	Signature:
Phone:	Mail to: Alps America 3553 North First Street
Send ImagEnhancer(s) at \$595 each.*	San Jose, CA 95134
*Add \$10.00 shipping and handling for each. California residents add 7% sales tax. Offer available in U.S.A. only.	Or call (800) 828-ALPS In California, (800) 257-7872 <i>AMERICA</i>

WE TOP IBM BEAUTIFULLY



BM's Personal Computer is the standard of the industry, but a Thomson monitor gives your IBM's great body a beautiful face. A Thomson monitor atop your IBM simply outperforms the IBM Color Display.

Here's proof:

FEATURE Dot pitch (in mm) Screen Switch for green/amber text All major controls up front Warranty List Price

THOMSON 38mm COLOR IBM COLOR DISPLAY Nonglare Yes Yes 1 yr. \$549

BENEFIT Superior resolution Less evestrain Improved legibility Greater convenience Greater confidence A bargain

TV-grade to high resolution. Call 1-800-325-0464. In California call 1-213-568-1002 (Monday-Friday, 9 a.m. to 5 p.m. PST) for your local Thomson dealer, and start looking at a beautiful face.

Who is Thomson? Thomson is a six billion dollar

design and build our own monitors with stringent quality

multi-national company. Unlike our competition, we

control. We offer monochrome or color monitors from

SIGHT FOR SORE EYES." A

.43 Glare

No

No

90 days SERD

© 1986 Thomson Consumer Products Corporation 5731 W. Slauson Avenue, Suite 111, Culver City, CA 90230 ison is a trademark of Thomson S.A. IBM is a registered trademark of International Business Machines Corp. IBM model number 5153. List prices in effect on Feborary 10, 1986.

P·U·B·L·I·C D·O·M·A·I·N P·O·W·E·R·H·O·U·S·E·S

ENHANCED CONSOLE DRIVER

BY ANTHONY ZACKIN

Create a user-friendly interface for DOS with this ANSI.SYS replacement

ONE OF THE most important functions of an operating system is to provide centralized support for I/O devices. When doing an input or output operation via the operating system, a program normally needs only to identify the device-the operating system then handles the details. For example, writing to the console and writing to a printer are similar and may, in fact, be performed by the same high-level language program statement, but from the operating system's point of view they are quite different. Consequently, to handle the differences between computer I/O devices the operating system must provide a set of routines called device drivers, usually one per device type, that handle the peculiarities of each device. These drivers are resident extensions of the operating system, which can call them as needed.

Versions 2.0 and later of MS-DOS and PC-DOS allow user-defined device drivers. You can define drivers to support new devices or replace existing DOS device drivers. An additional device driver for the console, which includes the keyboard and the display, comes in the DOS distribution package. This driver, ANSI.SYS, supports a subset of the American National Standards Institute cursor control sequences for terminal control. You can use these sequences, for example, to clear the screen, position the cursor, set display attributes such as foreground and background colors, and reassign the meaning of the keyboard keys.

REPLACING ANSI.SYS

I've written a complete replacement of the ANSI.SYS driver that provides the same functions and supports many more. I've also developed a utility to make programming the driver a simple matter. My driver, the Enhanced Console Driver (ECD), has a 2000-byte key definition buffer, which is almost seven times larger than that of ANSI.SYS. |Editor's note: The ECD and associated files (CONDRV43.SYS, CU.E.XT, READ.ME. AUTOEXECBAT. CONFIG-43.SYS, MENU25.BAT, STDKEYS.CU, CONDRV.DOC, MENU43.BAT, MENU-2.BAT, STDFKEYS.CU, and MENU.BAT) are available on disk and on BIX. See the insert card following page 320. Listings are also available on BYTEnet. See page 4. You will need an IBM PC or compatible with DOS 2.0 or later.

The ECD also provides for a more

friendly user interface to the operating system. It does this by adding an on-screen clock with alarm, a Caps Lock, Num Lock, and Print Screen indicator, and the ability to define text windows, which may be displayed by either an application program or the operating system PROMPT command.

You control these functions in a manner similar to controlling ANSI.SYS-via special control sequences that start with an Escape character (ASCII value 27) followed by a left bracket (|, ASCII value 91). However, valid control sequences are never shown directly on the display device. The ECD examines all DOS output to the screen, looking for this sequence. If a control sequence is found, the ECD examines the remaining characters for a valid command and executes that command: otherwise, the output is displayed normally on the console.

Because device drivers become (continued)

Anthony Zackin, an assistant vice president with Citibank N.A. (399 Park Ave., New York, NY 10043), has an M.S. in computer science from Rutgers and more than 12 years of professional programming experience with IBM mainframes and assorted micros. resident extensions of DOS, you can issue commands to the ECD at any time. The only caveat is that you must execute the commands via the operating system so that the console driver recognizes them. Thus, you may execute the ECD commands in any program that updates the display through a DOS function call (interrupt 21H). Since there are many programs that avoid DOS for performance reasons, the ECD has the additional capability to support programs that do their console output via the system BIOS. However, programs that write directly to the display adapter are not supported by the ECD.

WINDOWS

Probably the most useful feature of the ECD is its ability to define windows in memory and then display them instantly on the console. One 80-column by 25-line text screen (4000 bytes, including 1 attribute byte per character) is available as a private screen buffer for storing windows. The ECD can also take advantage of the extra memory on the IBM Color Graphics Adapter (CGA). The CGA contains 16K bytes of memory of which only 4K are needed in the 80-column text mode. You may use the remaining 12K as three additional buffers to store more windows; unlike the ECD's private buffer, however, this 12K-byte area cannot be guaranteed across all program calls.

A window is nothing more than a set of four coordinates defining the upper left and lower right window corners relative to the display buffer. Each set of window coordinates in a buffer has a number, which you assign, and each buffer can hold up to eight windows. You place window text in a buffer by passing to the ECD a color attribute, a row and column coordinate, and a string of text. To display a window, you select the appropriate buffer and pass the window number to the ECD. The ECD instantly displays the window during the vertical retrace interval.

OTHER DISPLAY OPTIONS

You don't have to use the windows, however, to take advantage of the ECD's other features. The ECD can also display the current time anywhere on the screen and, if you have a color display, in any color. In a similar manner the ECD can display the seven-character (including spaces) string "CNP" to indicate the toggle settings for Caps Lock, Num Lock, and Print Screen—where the **individual let**ters are displayed only when **the** corresponding setting is on.

The time display is a familiar hoursand-minutes format that you can easily move or switch on or off. For example, Lotus 1-2-3 version IA does not display the current time, but with the ECD you could place the time display in, say, line 25 using the same colors as the other 1-2-3 status items. (continued)

"IF YOU'RE LEARNING C AND NOT USING ECO-C88, YOU'RE WORKING TOO HARD!" Eco-C88 is a full C compiler for MSDOS machines. Everything you need is included We've continually improved Microstat since it was introduced in 1978, and in the low price of \$59.95, including a full-screen editor. Here's what some reviewers are saying about the Eco-C88 C Compiler: the latest release includes many new features you've wanted. Interactive and Batch Processing Data sets that can exceed memory "Eco-C performed well on all the benchmarks, generating code that was quite comparable to that of compilers 10 times as costly. Expanded Data Management Multiple Regression (including Christopher Skelly, Computer Language, Feb., 1986 Subsystem with New Data Stepwise) "This compiler does handle syntax errors much better than average Transforms Scatterplots (including best fit no avalanche of spurious messages here. Reading data files created by other regression) William Hunt, PC Tech Journal, Jan., 1986 programs (e.g., Lotus) "Eco-C88 is a high-quality package ... convenient to use ..." **Correlation Analysis** Dr. David Clark, Byte, Jan., 1986 **3 types of Analysis of Variance** "Eco-C is definitely a bargain ... it includes both the compiler and an 12 Nonparametric tests excellent Turbo-style editor... a useful compiler for advanced applications, and will serve far beyond the beginning phase." Time Series 8 Probability Distributions Gary Entsminger, Micro Cornucopia, April-May, 1986 Crosstabs and Chi-Square **Descriptive Statistics** The compiler comes with a standard library of over 200 functions, cc Factorials, Permutations, and and "mini-make" utilities, ANSI language enhancements (e.g., prototyping), expanded user's manual, plus much more, all for the low Easy Installation Combinations price of only \$59.95. Also ask about our support products! Hypothesis Tests Microstat's algorithms have been designed to prevent numeric overflow errors If ordered with the compiler, the C library source code (excluding transcendentals) is \$10.00 and the ISAM file handler (as published in the C **Programmer's Library**, Que Corp) in OBJ format is an additional \$15.00. Please add \$4.00 for shipping and handling. To order, call or write: and yield unsurpassed accuracy. Microstat's price is \$375.00 including the user's manual and is available for the Z80, 8086, 8088 CPU's and CP/M80, CP/M86, MS-DOS, and PC-DOS. To order, call or write. **Ecosoft Inc.** 1-800-952-0472 6413 N. College Avenue Indianapolis, IN 46220 (orders only) (317) 255-6476 · 8:30-4:30 Trademarks: Eco-C88, Microstat (Ecosoft), CP/M (Digital Research), MSDOS (Microsoft), PC-DOS (IBM), Z80 (Zilog), 8086, 8087, 8088 (Intel).

ENHANCED CONSOLE DRIVER

THE CU COMMAND SYNTAX

T he following is a list of the commands supported by the Console Utility. Variables that you supply are indicated with variable words written in lowercase. Items in square brackets refer to optional fields; items separated by a vertical bar (|) indicate alternatives, one of which should be used. Bracketed fields followed by an ellipsis mean that zero or more occurrences of that field are acceptable; for example, [[attr] string] . . . means that any number of occurrences of a character string or a string preceded by an attribute or any combination thereof is valid.

An attribute represents the color or brightness of a character displayed on the console. It consists of two letters, one for the background color and one for the foreground color. A capital letter usually sets a blinking field for the background color and high intensity for a foreground color. Valid color values are w|W = white, b|B = black, u|U = blue, r|R = red, g|G = green, y = brown (Y = yellow), c|C = cyan, and m|M = magenta.

COMMANDS

@ row [,] col [attr] string [[attr] string]...

or

@ NEXTROW | NR [,] col [attr] string [[attr] string]...

locates text in the current buffer. If multiple attributes and strings are specified, they will be placed in the next buffer position following the preceding specified string. The row value should be between I and 25 inclusive, the column value (col) between 1 and either 40 or 80 inclusive depending on the current screen mode. If NEXTROW or NR is used instead of a row number, the number used will be equal to the row value of the previous @ command + 1.

ALARM [[AT | @] hh[:mm][xx] [[DISPLAY] [WINDOW] number]

or

ALARM [[AT | @] hh[:mm][xx] [[DISPLAY] [attr] string [[attr] string] . . .]

hh:mmxx represents the ASCII value of the time on a 12- or 24-hour clock; if the former, xx should be am or pm; if omitted, hours between 8 and 11 inclusive will be assumed am, all others pm. The window number should be a value between 0 and 7 inclusive. If a window number is specified, then every time the alarm sounds, that window in buffer ZERO is displayed. If a string is specified, then up to 80 characters of text will be placed in row 25 of screen buffer ZERO and assigned to window 7; this is equivalent to issuing the three commands ALARM hh:mmxx 7; DEFINE WIND 7 AS 25,1 THRU 25,80 AT 24,1; @25,1 attr "This is the message text." Note that the message is placed in line 25 of the buffer but is displayed in line 24 because the latter is less likely to contain system status information. The alarm will sound approximately every 30 seconds until explicitly reset; this may be done by typing CU ALARM RESET or more simply by pressing both the left and right Shift keys simultaneously (this will also reset a pending alarm). If no arguments are specified, the alarm will be sounded once.

ALARM RESET


turns off a currently ringing or pending alarm.

BIOSTRAP OUTPUT | NONE

OUTPUT means that output operations to the console via the BIOS will be trapped; that is, programs that bypass DOS calls using direct BIOS calls instead may issue console driver commands via their escape sequences. NONE means that BIOS call trapping will be turned off if set.

(continued)

Math CAD The Engineer's Scratch Pad



A powerful computation and documentation tool for your IBM-PC.

With MathCAD you simply and interactively create, edit and display formulas on the screen the way you are used to writing them. Equations are instantly computed and the results displayed on the screen as a single number or a plot. Text may be added to the screen and everything may be printed out as an integrated document. MathCAD has built-in hyperbolic and circular functions, performs all calculations with real and complex numbers, performs iterative calculations, handles all units, performs error checking and dimensional analysis and much more

The price of MathCAD-\$189. In Massachusetts add 5% sales tax.

To order send check, p.o., call us with your MasterCard number or call us for the nearest dealer.

1.800.MathCAD or 617.577.1017



One Kendall Square Cambridge, Massachusetts 02139

C-SIG 1 Keeps on growing.. Π New disks recently added to our library of user-supported and public domain software for the PC: #471 Present V5.1 Make your own slide shows

for business or home using your color monitor. #477 Name Gram/Break Down/Fone Word Do anagrams, find what words your phone number #480 PC-Outline Outline and organize

information much like Thinktank

- #481 Still River Shell Makes DOS easy to use.
- #483 Mail Master Keeps track of multiple lists. sorts and prints by city, state, zip and name.
- П #485 Icon Maker and FX-Matrix Makes graphics characters like the MAC for your screen
- and you can paint them on your EPSON printer.
- #487 Reflex Point An action game modeled after the ROBOTECH cartoon series
- П #492 Nutrient Tracks your diet and its calorie/
- nutrient value #494, 495, 496 The World Digitized Find over 100,000 different locations in the world and display
- them on screen. #498 DOS-a-Matic Load different programs and

- #499 **PROCOMM** Communications with XMODEM, KERMIT, ASCII protocols, supports IBM– 3101, DECVT52/1000, ADM-3 and ANSI. I Т
- #501 & 502 Saleseye Tracks prospects, leads and memos and prints letters with that information,
- 1 #503 Reliance Mailing List Keeps track of
- multiple lists, sorts and prints by specific group-
- good for custom mailing. #506 Bibliography of Business Ethics and Moral Values The regularly updated master 1
- bibliography for those doing papers and research involving business ethics. #507 PC-Sprint Software and instruction on how
- D. to cheaply speed up your system 2-3 times
- #508&509 Statistics Tools Factor experiments, "FORGETIT" plots, simultaneous confidence П intervals, randomization tests, expected mean souares
- #510 Visible PASCAL Complier Learn to program PASCAL and watch the internal functions of PASCAL as it runs.
- #511 Turbo Sprites and Animation Create, П maintain and animate your own images in TURBO PASCAL

RECENT DISK UPDATES 5 PC-File Ver. 4 # I # 78 PC-Write Ver. 2.6/1 #124 Extended Batch Ver. 2.04a П #199 PC-Calc Ver. 3 #212, 334 RBBS-PC (2 disks) Ver. 3.7 #388 100 Letters Ver. 1.1 П П 1 #393 Checkbook Ver. 2 п B Π #395 Home Inventory Ver. 2 #397 Checkbook Program Ver. 3.31 П П П #402 IBM 370 Cross Assembler Ver. 11 E #403 Computer Tutor Ver. 4.2 П #417 ADA Prolog Ver. 1.90 #449 Gags Vers. 1.06 п #468 CPA Ledger Ver. 1.1 1 Includes printed directory, supplement, bimonthly magazine SPECIAL Any 5 Disks plus 1-Year Membership \$39 Disks are \$6 each. Add \$4 postage and handling (\$10 foreign)- CA residents add state sales tax. Total Enclosed \$____ by 🗌 Check 🔲 VISA 🔲 MC 🖡 Card No. Phone Exp. date Name 1 Address. Т State City _ Zip_ I To order, call: 800-245-6717 In CA: 800-222-2996 PC·SIG

For technical questions or local orders: (408) 730-9291 1030-D East Duane Avenue

Sunnyvale, CA 94086 -

213

BUFFFR number

sets the current buffer: number should be a value between 0 and 3 inclusive; default = 0. All subsequent commands affecting a buffer, namely, @, CLEAR, DEFINE, and DISPLAY, will use this buffer until it is explicitly reset.

CLEAR [attr] row [,] col [THRU | THROUGH] row [,] col clears a portion of the current buffer and resets its attribute bytes.

CLEAR EOL

Ì.

l

Г

Ľ

T

"clears" from the current position to the end of that line by filling it with blanks using the last specified attribute. (The current position is the location in the buffer immediately following the last character written by the @ command.)

CLOCK [attr] [BLINK] [SUPPRESS number] [[AT | @] row [,] col]

displays the time as hh:mmxx (xx=am/pm) at the specified location. The row value should be between I and 25 inclusive, the column value (col) between I and either 40 or 80 inclusive depending on the current screen mode. BLINK determines whether the colon will blink. SUPPRESS will suppress the next number clock calls so that this call may be effective even though a subsequent call to display the clock is made via the system PROMPT string; a value of 255 will keep the clock off until a subsequent CLOCK SUPPRESS call with a value < 255 (e.g., 0). If the [AT row,col] specification is omitted, the time will not be displayed until the next CLOCK command with an AT row, col parameter. If the CLOCK is not set by the PROMPT string, then typing CLOCK alone turns off the display; if the CLOCK is set by the PROMPT, use CLOCK SUPP 255 to temporarily turn off the display.

CLOCK DISABLE

releases all control of the system clock and is useful to enable other programs to get control of the clock interrupt; the next CLOCK call without the DISABLE option will reenable control of the system clock. CLOCK DISABLE can be used to temporarily give up control of the system clock to allow a timer-sensitive application to get precedence. Control of the system clock is initially disabled.

DEFINE [WINDOW number] [AS] row [,] col | [THRU | THROUGH] row [,] col [AT] @] row [.] col

defines a window (default is 0) in the current buffer for a subsequent display. The row values should be between 1 and 25 inclusive, the column values (col) between 1 and either 40 or 80 inclusive depending on the current screen mode. The AT parameters refer to the location on the screen where the window will be placed.

DISPLAY [WINDOW number]

immediately displays the specified window (0 if omitted) of the current buffer. This command may also be used as the redefinition value of a key.

FXIT

takes you out of the CU program (needed only in the interactive mode).

HELP [PRINT] [string]

HELP string displays a summary of all commands whose names start with the specified string; commands include @, ALARM, BIOSTRAP, BUFFER, CLEAR, CLOCK, DEFINE, DISPLAY, EXIT, LOCKS, READ, STACK, or KEY for key redefinition information. If HELP ALL or HELP PRINT ALL is specified, the full document is listed or printed. If PRINT is specified, the output will be directed to the printer.

KEYDEF SUPPRESS number

KEYDEF SUPPRESS n will set the DOS keyboard redefinition suppress count: 0 = interpret redefinitions. 1-254 = suppression count. Keyboard redefinition should be suppressed prior to running programs that use DOS I/O and need to read the keys you have redefined for DOS. KEYDEF SUPPRESS 255 will (continued)



BALANCE OF POWER.

Introducing the new power in AT-class personal business computers. The NEC Advanced Personal Computer IV.

You're the kind of person who's very serious about personal computers. The kind of person who will never settle for just a powerful machine. Or just a compatible machine. Because you want them both. You're a Power User. And the NEC APC IV[™] is the one machine that strikes a perfect balance between compatibility and power.


Because the APC IV offers both 6 MHz and 8MHz processing speeds. So you can run all the industry standard software. Like Lotus 1-2-3.™ dBase III.™ Multiplan.™ Windows.™ You name it.

Plus the APC IV has the power of NEC behind it. The \$10 billion leader in computers and communications. So you never have to worry about support. The new NEC APC IV. Because sooner or later, you're going to have to take it to the limit. For more information, call NEC at 1-800-343-4419 (in MA 617-264-8635). NEC Information Systems, Inc., Dept. 1610, 1414 Massachusetts Avenue, Boxborough, MA 01719.

Take it to the limit.







decrement the keyboard redefinition suppress count if it is nonzero (i.e., keyboard redefinition has been suppressed); KEYDEF SUPPRESS -1 may be specified instead for clarity. This corresponds to Esc[136;255:, which normally should be part of the system prompt as \$e[136;255: to explicitly decrement any nonzero redefinition suppress count. Note that this suppression count should be 1 greater than the count used in the other commands (e.g., CLOCK), since the count will be decremented explicitly by the system prompt prior to the use of any redefined key.

LOCKS [attr] [SUPPRESS number] [[AT | @] row [,] col]

displays the current toggle status for Caps Lock, Num Lock, and Print Screen (set/reset via Ctrl-PrtSc or Ctrl-P). SUPPRESS will suppress the next number lock display calls so that this call may be effective even though a subsequent call is made via a user-defined PROMPT string: a value of 255 will keep the locks off until a subsequent LOCKS SUPPRESS call with a value < 255 (e.g., 0). The row value should be between 1 and 25 inclusive, the column value (col) between 1 and either 40 or 80 inclusive depending on the current screen mode. If the AT row,col specification is omitted, the lock display will not be displayed until the next LOCKS command with an AT row,col parameter. If the LOCKS are not set by the PROMPT string, typing LOCKS alone turns off the display; if the LOCKS are set by the PROMPT, use LOCKS SUPP 255 to temporarily turn off the display.

LOCKS DISABLE

releases all control of the keyboard and is useful to enable other programs toget control of the keyboard interrupt; the next LOCKS call without the DISABLE option will reenable control of the keyboard. LOCKS DISABLE can be used to temporarily give up control of the keyboard to allow a keyboard-sensitive application to get precedence. Control of the keyboard is initially disabled.

MODE screen-size-number [SUPPRESS number]

screen-size-number should be 25 or 43. MODE 43 sets the number of screen lines to 43 for use with the Enhanced Graphics Adapter or equivalent. MODE 25 resets the number of lines per screen to the standard value. SUPPRESS will suppress the next *number* mode calls so that this call may be effective even though. a subsequent call is made via a user-defined PROMPT string; a value of 255 will disable subsequent MODE calls until one with a SUPPRESS value < 255 (e.g., 0) is issued. (The console driver window buffers are still limited to 25 lines even in 43-line mode.)

READ [device:][path]filename [,[device:][path]filename]...

accepts CU input from the specified file or files. This command can be specified only from the parameter string or the keyboard; that is, a READ file cannot contain another READ command.

STACK string

puts the specified string at the end of the DOS keyboard input buffer. This command is useful for providing a predefined response for applications that use DOS commands to read keyboard input. READ should be either the only command or the last command in a file processed by CU READ since it causes CU to terminate.

The ECD clock also includes an audible alarm. The alarm has a distinctive sound, which you can use in lieu of the standard bell, for example, to signal the end of a batch file. Or, of course, you can set the alarm for a specific time. You can even have a text window display a message on the console when the alarm goes off. (If the alarm goes off when the display is in graphics mode, the text window will not be legible.) Once activated, the alarm will continue ringing until you turn it off by issuing a command sequence to the ECD or by pressing both Shift keys at once. In the latter case the ECD sounds two beeps to indicate the alarm has been reset.

For systems with an IBM Enhanced (continued)

Why Do They Look So Different But Cost About The Same?

This is Toshiba 24 pin letter quality.

This is 9 pin printer quality.

When we developed the P321 and P341 3-In-One[™] dot matrix printers, we had just two goals in mind.

Superb 24-pin letter-quality reproduction. And a price that's as close as possible to standard 9-pin models.

One look at the print sample shows you we succeeded. So will one look at the price.

In fact, we were so successful, we gave these 24-pin printers with the 9-pin price a special name: *The Affordable Class*.

And we included features—starting with type font cartridge capability—that put them in a class by themselves.

Both the Toshiba P321 and P341 printers produce letter-quality documents at 72 CPS, drafts at 216 CPS and high-resolution graphics at 180 x 360 dpi.

Each printer has our industry-standard P351 command set for more sophisticated word processing and high-resolution graphics.

And each printer has standard application compatibility with the entire IBM-PC¹ line of products.

Options include downloadable disk capability and type font cartridges for an unlimited range of type styles, a one- or two-bin sheet feeder as well as continuous forms tractor feeder.

The affordable and compact P321: If your budget is less than compatible with your business and correspondence needs, you need our popular P321.

You get letter-quality reproduction in a printer that looks great on the bottom line.

The affordable extended-carriage P341: If you need to do full-size spreadsheets, you need our wide-carriage P341.

Like the P321, the P341 uses our 24-pin printhead that lasts up to four times longer than other printheads, and has made us the number one seller in the business.

So buy a Toshiba Affordable Class P321 or P341 printer today. You'll get letters that look perfect every time.

And a type font cartridge free* For the name and location of the Toshiba printer and computer dealer nearest you, call 1-800-457-7777.

IBM-PC is a registered trademark of International Business Machines Corporation.
 Offer expires 2/15/87. See your Toshiba dealer for details. Or call 1-800-457-7777.



Toshiba America, Inc., n ormation Syst ms Division

Programming the Keyboard

In addition to the standard, typewriter-like keys on the keyboard, you can also redefine any of the special keys listed below. All names preceded by an A, C, or S refer to the concurrent typing of the Alt, Ctrl, or Shift keys respectively—except for names beginning with CU, which refers to the arrow (cursor) keys on the numeric keypad. For example, CULE is the cursor left (arrow) key; CCULE is that key plus the Ctrl key; AI is the 1 key plus the Alt key; SF1 is the Shift key plus the F1 key, etc. Some of the keys can be specified in more than one way, for example, CCULE or CCURSORLEFT. These special key names may also be used in the redefinition string to reset a special key to its original value. You should not use quotation mark delimiters when entering these key names.

A-, AO, A1, A2, A3, A4, A5, A6, A7, A8, A9, A=, AA, AB, AC, AD, AE, AF, AF1, AF10, AF2, AF3, AF4, AF5, AF6, AF7, AF8, AF9, AG, AH, A1, AJ, AK, AL, AM, AN, AO, AP, AQ, AR, AS, AT, AU, AV, AW, AX, AY, AZ, BACKTAB, CCULE, CCUR1, CCURSORLEFT, CCURSORRIGHT, CEND, CF1, CF10, CF2, CF3, CF4, CF5, CF6, CF7, CF8, CF9, CHOME, CPAGEDOWN, CPAGEUP, CPGDN, CPGUP, CPRTS, CPRTSC, CUDN, CULE, CURI, CURSORDOWN, CURSORLEFT, CURSORRIGHT, CURSORUP, CUUP, DEL, END, F1, F10, F2, F3, F4, F5, F6, F7, F8, F9, HOME, INS, PAGEDOWN, PAGEUP, PGDN, PGUP, SF1, SF10, SF2, SF3, SF4, SF5, SF6, SF7, SF8, SF9, STAB

EXAMPLES

To define the key combination Alt plus function key FI so that it changes the current directory to one named WP and invokes a program named WORD, you could use any of the three following statements (the Enter key can be represented by either ~013 or }):

AF1 CD\WP~013WORD~013

AF1 "CD\WP ~013 WORD ~013"

AF1 CD\WP}WORD}

To undefine (return to its original state) the key combination Alt plus function key F1, use AF1 AF1.

Graphics Adapter or equivalent the ECD provides 43-line support. This feature is useful primarily for certain DOS operations, but you can also use it with programs that are easily modified, such as WordStar 3.3, to take advantage of the additional display lines. Most DOS commands, unfortunately, expect a 25-line display, but many, such as MORE, for example, can be patched to work with 43 lines. Others, including DEBUG, work great in the 43-line mode. Switching between 25and 43-line modes is easy.

DISPLAYING MENUS FROM THE PROMPT COMMAND

Because the DOS PROMPT command can send an escape character to the console via a special meta string (\$e), you could use PROMPT to completely control the ECD. This means that every time your computer would normally display the standard system prompt, the ECD can automatically display one or more windows. Such an ability lets you easily create a shell screen for DOS. For example, you can have help information or menus appear on the screen—in effect, just a fancy system prompt—and you can still issue all DOS commands normally.

When used with its key assignment feature, the ECD even lets you invoke a program with a single key. Thus, the prompt menu could list each program and the associated key or key combination that invokes it. When you terminate the program, the PROMPT command also ensures that a new menu is displayed; that way, you always know what programs are available and how to run them.

PROGRAMMING THE ECD

As with ANSI.SYS, the native ECD command syntax extensions were designed for computers, not for people. For example, to put a red-on-white "HELLO" followed by a magenta-onblack "THERE" in the first positions of a memory buffer, you would have to send the following escape sequences to the ECD (where Esc refers to the 1-byte value of the escape character, ASCII value 27):

Esc[2;116;1;1;"HELLO": Esc[66;5;"THERE":

You could issue the sequence from a file using the DOS TYPE command (assuming the file contains embedded escape values) or an ad hoc program, which might translate every occurrence of \$e to an escape character, or you could simply use the system PROMPT command. In any case, the syntax is unwieldy and certainly hard to remember.

Hence I developed the Console Utility (CU)—a program that accepts less cryptic commands for controlling the ECD functions. In general, with the help of the CU you have to use native ECD commands only for functions controlled by the system prompt. Otherwise, the CU provides a much easier way to issue ECD commands either directly on the DOS command line or as part of a batch file. It also provides help information for all the commands as well as general information about how to use the program. (Type CU HELP ALL for a full list of commands and options.) See the text box "The CU Command Syntax" on page 185.) If the CU is run without command parameters, it will prompt you for commands with a question mark.

When issuing CU commands from a batch file, you can specify an entire set of commands by separating the commands with semicolons. One of the CU commands, READ, enables the CU to read and interpret one or more command files; consequently, you can create complicated window definitions with just one call of the CU program.

New GPS Series: Tek sets the pace with SmartCursors™ and push-button ease.

Work faster, smarter, with two new general purpose scopes from

Tektronix. The four-channel, 100 MHz 2246 and 2245 set the new, fast pace for measurements at the bench or in the field. They're easy to use and afford, by design.

On top: the 2246 with exclusive integrated push-button measurements. Measurements are accessed through easy, pop-up menus and implemented at the touch of a button. Measure peak volts, peak-to-peak, ± peak, dc volts and gated volts with new handsoff convenience and on-screen readout of values.

SmartCursors[™] track voltmeter measurements in the 2246 and visually indicate where ground and trigger levels are located. Or use cursors in the manual mode for immediate, effortless measurement of waveform parameters.

Both scopes build on performance you haven't seen at the bandwidth or prices. Lab grade features include sweep speeds to 2 ns/div. Vertical sensitivity of 2 mV/div at full bandwidth for low-level signal capture. Plus trigger

Features	2246	2245
Bandwidth	100 MHz	100 MHz
No. of Channels	4	4
Scale Factor Readout	Yes	Yes
SmartCursors™	Yes	No
Volts Cursors	Yes	No
Time Cursors	Yes	No
Voltmeter	Yes	No
Vertical Sensitivity	2 mV/div	2 mV/div
Max. Sweep Speed	2 ns/div	2 ns/div
Vert/Hor Accuracy	2%	2%
Trigger Modes	Auto Level, Auto, Norm, TV Field,	TV Line, Single Sweep
Trigger Level Readout	Yes	No
Weight	6.1 kg	6.1 kg
Warranty	3-year on parts and la	abor including CRT
Price	\$2400	\$1875

sensitivity to 0.25 div at 50 MHz, to 0.5 div at 150 MHz.

Accuracy is excellent: 2% at vertical, 2% at horizontal. And four-channel capability includes two channels optimized for logic signals. Best of all, high performance

comes with unmatched convenience. You can see it and feel it _____in the responsive controls and simple frontpanel design, in extensive on-screen scale factor readouts, and in simplified trigger operation that includes Tek's Auto Level mode for automatic triggering on any signal. Start to finish, the GPS Series saves steps and simplifies tasks.

Get out in front! Call toll-free today to order, to get more details or a videotape demonstration.

1-800-433-2323 In Oregon, call collect 1-627-9000



Featuring four channels, flexible triggering, extensive CRT readouts and push-button ease of use, the new Tek 2246 (left) and 2245 (above) bring high-quality, low-cost analysis to diverse applications in digital design, field service and manufacturing.



Inquiry 299

KEY ASSIGNMENTS

The CU also provides an easy method to redefine the keyboard. You can assign a character—letters, digits, special characters such as $\tilde{}$, !, /, ?, and so forth—to any of the single-character keys (the white keys in the center of the keyboard) or to a combination of keys.

To redefine a key you need only specify that key in guotation marks,

followed by a space and the new definition string of characters, which needs to be delimited by quotation marks only if the string contains embedded spaces. You can specify any ASCII character with a tilde ($\tilde{~}$) followed by the three-digit ASCII value of the keystroke. You can represent the Enter key either by the closing brace character (}) or by $\tilde{~}$ 013. In addition to the standard, typewriter-like

Listing 1: A sample CU command file that creates a menu and redefines associated keys. To execute the file, you should place the line CU READ STDFKEYS.CU in the AUTOEXEC.BAT file. In addition to the standard ANSI.SYS-type sequences that control the display colors used by DOS and the cursor position, all other ECD functions are accessible from the prompt string using the \$e specification to represent an escape character.

STDFKEYS.CU

AF1 "CU LOCK SUPP 2 @ 25 67;CLOCK SUPP 2 @ 2 CD\XTALK{XTALK}"	25 74}
AF2 "CU LOCK SUPP 2; CLOCK SUPP 2; CD\FW; FW;	0 0 05 75
AF3 "CU LOCK SUPP 2;CLOCK cb BLINK SUPPRESS	2 @ 25 35}
CD\LOTUS 123 "	
AF4 CD\DBASE BBASE	
AF5 "CU KEYDEF SUPP 3}CD\ROL}ROLODEX}"	
@ 1,64 wr " "	
@ 2,64 wr *	
@ 3,64 wr "	
@ 4,64 wr "	
@ 5,64 wr "	
@ 6,64 wr "	
@ 7,64 wr "	
@ 2,65 mW "aF1 " cW " Crosstalk '	1
@ 3,65 mW "aF2 " cW " Framework '	1
@ 4,65 mW "aF3 " cW " 123 '	4
	1
@ 6,65 mW "aF5 " cW " Rolodex '	
	~
DEFINE WIND 0 1,64 THRU 7,80 AT 1,	64

Listing 2: This sample batch file sets the system prompt to display window 0 of the private buffer. Once the batch file has been executed, you can enter MENU ON or just MENU at the DOS command prompt to create a new system prompt that will display the menu created by listing 1.

MENU.BAT

```
echo off
if .%1 == .off goto OFF
if .%1 == .OFF goto OFF
rem
rem Set menu ON
rem
PROMPT $e[136;255:$e[10:$e[128:$e[1;31;40m$e[1;1H$p$e[14;206
;1;67:$e[76;14;1;74:$e[37;44m$e[25;1H$e[K$g
goto DONE
:OFF
PROMPT $e[136;255:$e[2A$e[s$e[14;206;1;8:$e[76;14;1;1:$e[1;
15H$e[K$e[31;40m$p$e[0;1;37;44m$e[K$e[u$e[B$g
:DONE
```

keys on the keyboard, you can also change assignments for any of the keys listed in the text box "Programming the Keyboard" on page 190.

You can also display a window with an appropriately designated key or combination of keys, such as Ctrl-Home. To display window 1, for example, every time the Ctrl-Home key combination is pressed, specify CHOME DISPLAY WINDOW 1.

CREATING A PROMPT COMMAND TO DISPLAY THE MENU

To create a menu display you can use the CU input file like the one in listing 1. Once the CU file has been processed, you can turn the menu display on or off by creating a new system prompt with a batch file like the one in listing 2, which sets the system prompt to display window 0 of the private buffer. After that batch file has been executed you can type MENU ON (or just MENU), and from that point on, the ECD will display window 0 of the private buffer in its designated position; the key toggle settings and the time will appear in the upper right corner. (The remainder of the sequences in listing 2 are standard ANSI.SYS codes that display the current drive and subdirectory in the upper left of the screen and place a ">" as the DOS prompt in the first column of line 25.) Typing MENU OFF turns off the menu and places the time display at line 1, column 1, the key toggle indicators in line 1, column 8, and the current device, directory, and ">" starting in column 15.

I designed the Enhanced Console Driver to provide a simpler user interface than the normally terse DOS system screen. The ECD achieves this at a relatively small cost-about 10K bytes of storage with no noticeable performance degradation. And in combination with the Console Utility the ECD provides an easy way to define menu screens and redefine the special keys. Of course it won't become a threat to the new multitasking windowing environments, but for anyone who does not want to invest the extra money and system resources in one of those sophisticated commercial programs, the ECD is a useful tool.

When Harvard needs Princeton they should call Logicsoft



Whether Harvard University needs Princeton Graphics monitors or any of the over 800 computer products we stock, Logicsoft can get it there quickly, efficiently and at the right price.

Logicsoft is a direct distributor to over 50,000 corporations worldwide including 90% of the Fortune 1000 and most of the nation's leading universities and colleges (including Harvard and Princeton).

Service is the difference between suppliers— that's why we guarantee the lowest price, offer free overnight delivery*, carry products that are fully backed by manufacturers' warranties and offer toll-free customer service and technical support.

And we are the only direct distributor to offer national on-site installation and service on systems through our 96 authorized service centers.

It's easy to do business with Logicsoft. We offer terms to qualified institutions; accept all major cards; and now our newest service...leasing.

Therefore, when Princeton needs Harvard (Total Project Manager) they should call us too!



LOGICSOFT SPECIAL OF THE MONTH Princeton Graphics HX-12 color monitor. High resolution, 16 superb colors, .31mm dot pitch. CALL FOR OUR SPECIAL LOW PRICE!



110 Bi-County Blvd., Dept. 543 Farmingdale, NY 11735 CANADA: 800-433-6235 Domestic/Int'l Telex 286905 SoftUR lo order or receive technical assistance, call our National Hotline:

1-800-645-3491 NY STATE: 1-800-235-6442 (516) 249-8440 Customer Service: 1-800-431-9037 NYS: 516-249-8440 FAX #516-249-5289 EUHOPE: 020-83 48 64 Telex: 10759 Logic NL Mail orders to: LOGICSOFT EUROPE BV Baarsjesweg 224 Amsterdam, Holland



• No surcharge for MasterCard, VISA. American Express. C.O.D., money order, check or PO's (please call for price verification) • No sales tax on orders shipped outside N.Y. State • Please add 2% for insurance and handling (\$3.00 minimum) (int'l orders add'I) • We do not bill until we ship. All products covered by mfg's warranty. Defective merchandise may be returned for repair or exchange only. We do not guarantee compatibility. Any goods returned for credit are subject to a 15% restocking charge. All prices and policies subject to change without notice

*FREE OVERNIGHT DELIVERY—available on orders totaling over \$100. Shipped UPS, FREE, if under \$100 (within Cont. U.S.) Due to weight restrictions, printers and monitors & some misc, bulk items are also shipped UPS, FREE. LOWEST PRICE GUARANTEE—II you find a lower price (bonafide advertisement or quote) we'll beat it by \$10. On items under \$100. American Expressor terms orders we will meet any lower price. We reserve the right to request a current written price quote.

ree on-site insta



Enhanced Leading Edge New IBM **Model D**

 512K RAM Memory - 1200B Internal Modem • Two 360K Half / Height Floppy Drives . Four Expansion Slots . Keyboard . Text Display Card . Monochrome Monitor. One Serial and Parallel Port . Software Bundle . Color Monitor Option Available. Purchase Price: \$1,375

Lease For \$59 per month



XT-20 Mb

• 512K • 20 Mb IBM Hard Drive • 360K Floppy Drive Half / Height • Eight Expansion Slots • IBM Enhanced PC Keyboard · Asynchronous Communications Adapter • Free 90-Day, On-Site Service Contract . Color or Monochrome Monitor Available as Option. Purchase Price: \$2,299

Lease For **\$98** per month



New IBM AT-30 Mb

• 8 MHz • 512K • 30 Mb IBM Hard Drive (Full Height, w/controller) • 1.2 Mb Half/Height Floppy . Eight Expansion Slots • IBM Enhanced PC Keyboard • Serial/Parallel Adapter • Free 90-day, On-Site Service Contract · Color or Monochrome Monitor Available as Option. • Purchase Price: \$4,179

Lease For \$165 per month



New Compag Portable II 20 Mb

• 640K RAM Memory • 8 MHz • 80286 Based CPU . One 20Mb Half/ Height Hard Drive (w/controller) • Dr 360K one/third Height Floppy Drive Two Expansion Slots . Compag II Keyboard • Text/Graphics Display • 9" Text/Graphics Monochrome Monitor . One Serial and Parallel Port Free 90-Day, On-Site Service Contrac • Purchase Price: \$3,879

Lease For \$153 per month



A Logiclease of any system entiltles you to free installation and 90-day service contract at your place of business! Outstanding flexibility plus possible tax benefits. We'll process your lease application in 24 hours!

A purchase of any system entitles you to installation for only \$99, and free service for 90 days at your place of business.





Logic AT

FCC Class B Approved. 8 MHz • 512K RAM Memory •
80286 Based CPU □ ROM BIOS 32K (Includes auto system test when power (includes due system respectively) Floppy Drive • Eight Expansion Slots Enhanced Keyboard • (1) Serial Port & (1) Parallel • Clock/calendar • Graphics Card • Programmable Speak Automatic Lock/Unlock Mechanism Monochrome or Color Monitor Available as Option. Hard Drive Options Available • Purchase Price: \$1,485

Lease For **\$58** per month

100% Burn-In and Testing.

All systems undergo a 48-hour configuration, testing and burn-in period. We configure system boards, set DIP switches, format hard drives, perform memory diagnostics and cher system with monitor.

ation and service



ew Compag eskpro 286-30 Mb

512K RAM Memory • 80286 Based U . One 30 Mb Hard Drive (controller) • One 1.2 Mb f/Height Floppy Drive . Seven pansion Stots . Compag Keyboard . aphics Card • One Parallel Port • e 90-Day, On-Site Service Contract Color or Monochrome Available as tion

urchase Price: \$3,859 ase For \$152 per month



AT&T 6300

Half / Height Hard Drive (w/controller) . One 360K Floppy Drive . Seven Expansion Slots • AT&T Keyboard • High-Resolution Monochrome Graphics Card . High-Resolution Monochrome Graphics Monitor . Serial & Parallel Ports . GW Basic and MS. DOS. Free 90-Day, On-Site Service Contract. Color Monitor Optional.

Purchase Price: \$1,799

Lease For **\$76** per month



ITT XTRA (Dual Floppy)

 256K RAM Memory • Two 360K Half / Height Floppy Drives • 4.77 MHz 8088 Based CPU . 5 Expansion Slots . ITT Keyboard • Text Display Card • ITT Monochrome Monitor (Amber or Green.) One Parallel and Serial Port . Color Option Available.

Purchase Price: \$1339

Lease For **\$58** per month



ITT XTRA XP W/20 Mb

IBM XT Compatible with speed of an AT . 512K of RAM Memory (Expandable to 640K on Mother Board) . 80286 Based CPU running at 6 MHz • One 20 MB Hard Drive . One 360K Floppy Drive . 5 Expansion Slots • ITT Keyboard • One Serial Port
One Parallel Port Color or Monochrome Monitor Available as Option.

• Purchase Price: \$2,049 Lease For **\$88** per month



ogic Turbo XT

C Class B Approved. 3 MHz • 640K RAM Memory • stem ROM 8K BIOS . 360K Half / ight Floppy Drive . Eight Expansion its . Enhanced Keyboard . (1)Serial Parallel Port • Clock Calendar • aphics Card • Monochrome Monitor • for Option Available . 30-Day Money ck Satisfaction Guarantee • 1 Year irranty. Hard Drive Options Available. ^{ourchase Price:} \$795

TOSHIBA Lap-Top T-1100 Plus

111

(DUAL FLOPPY)

• 640K RAM Memory • CMOS 80C86 Running at 7.1 MHz • Two 720K 3.5" Floppy Drives . One Expansion Slot . TOSHIBA Keyboard . LCD Display . Color Graphics/ Monochrome Composite Card . One Parallel and Serial Port . Clock Calendar • External Floppy Drives Ontional

 Purchase Price: \$1,799 Lease For **\$76** per month



IBM AT TOTAL BUSINESS SYSTEM

We'll configure a system to your needs, including peripherals and software and make the price affordable through low monthly Logiclease payments. Here's an example of what you can dot

 512K RAM Memory • 6 MHz • One 30 Mb Hard Drive • One 1.2 Mb High Density Floppy . Eight Expansion Slots IBM AT Keyboard
 Serial/Parallel Port . IBM Color Monitor . Color

Graphics Card • Tobshiba 351 P/S Printer & Cable . Software Bundle (Lotus 1-2-3, dBase III, Wordperfect, IBM DOS 3.2). Free 90-Day On Site Service Contract

Purchase Price: \$5.499

Lease For \$208 per month



- 2

Farmingdale, NY 11735 CANADA: 800-433-6235 Domestic/Int'l Telex 286905 SoftUR

To order or receive technical assistance, call our National Hotline:

D-645-3

NY STATE: 1-800-235-6442 (516) 249-8440 Customer Service: 1-800-431-9037 NYS: 516-249-8440

FAX #516-249-5289

EUROPE: 020-83 48 64 Telex: 10759 Logic NL Mail orders to: LOGICSOFT EUROPE BV Baarsjesweg 224 Amsterdam, Holland

argest selection of peripherals ee overnight delivery!



w/0K	59
w/384K	129
w/576K	138
EVEREX	
Magic Card II w/384K	199
Logic (AST Comp.) I/O	
Mini Half Card	99
TECMAR	
Captain(384K)	199
QUADRAM	
Quadboard (384K)	199
Silverboard	209
Ems w/256K	349
Liberty (AT) w/128K	315
INTEL	
Above Board (PS/AT)	
w/128K	\$399
Above Board (PC) w/64K	275
Above Board (AT) w/128K	419
Above Board (PS)64K	309
Above Board (PS) 256K	389
8087-2 Math Co-Processor .	139
8087-3 Math Co-Processor .	179
80287 Math Co-Processor	199
	.00

GRAPHICS BOARDS

AST	200
	\$239
EVEREX	
The Edge	239
Evergraphics Low Price (Call
HERCULES	
Monochrome Graphics	
Card	199
Color Card	155
Graphics Card Plus	209
LOGICWARE	
Logic (Hercules Comp.)	
Color Graphics Board	99
oolor draphilos bourd	00
	. 1
	6
Concerning of the local division of the loca	
Logic (IBM Comp.)	
Enhanced Graphics	
Adapter(EGA)	239

			= 4
$b_{1} =$			- 1 - E
	_	The second s	

Logic (Hercules Comp.)	
Monographics Board	109
PARADISE SYSTEMS	
Auto Switch EGA Card	359

Modular Graphics Card Color/Mono QUADRAM	249 159
EGA Plus Graphics	369
EGA Board Color 400 (Princeton) STB	369 479
Chauffeur EGA Plus TECMAR	209 309
Graphics Master	399
COMMUNICATIONS BOARDS	
AST 5251-11 Plus 5251-11 DCA IRMA Board	629
MODEMS	
AST Reach 1200 Half Card S EVEREX	\$299
Evercom II	149
Smartmodem 1200 Smartmodem 1200B	389
w/Smartcom II	359
K STON	



Baba External modern : :	000
Baud External Modem	309
Logic (Hayes Comp.) 2400	
Baud External Modems .	199
Logic (Hayes Comp.) 1200	
LOGICWARE	
w/Smartcom II	549
	F 40
Smartmodem 2400B	
Smartinodein 2400	233



Logic (Hayes Comp.) 1200B	
Internal Modem with	
Mirror (Crosstalk Clone)	
Software	149
Logic 2400B Internal Modern	
2400B w/Software	299
PROMETHEUS	
Pro-modem 1200	279
Pro-modem 1200B	
w/software	239
QUADRAM	
Quadmodem Series	
Low Price (Call!

VEN-TEL

PC Modem 1200 Half Card 。	359
1200 Plus	329
PC Modem 2400 Half Card .	469
MOUSE INPUT DEVICES	
MOUSE SYSTEMS	
PC Mouse w/DR Halo 2	\$129
PC Mouse w/DR Halo 2 MICROSOFT	\$129
	\$129 135

SURGE PROTECTORS

KENSINGTON MICROWARE

Masterpiece Plus \$119
Diamond 39
Emerald 49 Ruby 59
KEYBOARDS
KEYTRONIC

5151 (Deluxe)	\$169
5153 (w/touch Pad)	279
3270 PC	235
5151 (AT&T)	189
Keytronic Jr. 5151	169

MEMORY STORAGE

Bernoulli Box (10 + 10) ... \$1999



Bernoulli Box (20 Mb) 189 Bernoulli Box (20 + 20) 275	-
Bernoulli Box (20 + 20) 275 Bernoulli Box Plus 419	-
HARD DISK DRIVES	
MOUNTAIN COMPUTER	-
Hard Drive Card (20 Mb) \$86	
Hard Drive Card (30 Mb) 104 PRIAM CORP	9
60 Mb Internal Hard Drive	
144 Innerspace ID 40 Mb 124 PLUS +	-
Hard Card 10 Mb 62	9

Hard Card 20 Mb	699
SEAGATE	
10 Mb 1/2 Ht Int	465

20 Mb Full Ht (AT)	5
30 Mb Full Ht (AT)	5.74
40 Mb Full Ht (AT)	- 87
30 Mb Full Ht (AT)	
CORE	
20 Mb Int (AT)	123
30 Mb Int (AT)	139
40 Mb Int (AT)	149
72 Mb Int (AT)	274
CARTRIDGE TAPE BACK	UP
	•••
EVEREX	
E VEREX Excel Stream 20 Mb Int Excel Stream 60 Mb Int	\$63
EVEREX Excel Stream 20 Mb Int	\$63
E VEREX Excel Stream 20 Mb Int Excel Stream 60 Mb Int	\$63
EVEREX Excel Stream 20 Mb Int Excel Stream 60 Mb Int Excel Stream 60 Mb Ext RWIN	\$67 12 34
E VEREX Excel Stream 20 Mb Int Excel Stream 60 Mb Int Excel Stream 60 Mb Ext	\$67 28 4 15
EVEREX Excel Stream 20 Mb Int Excel Stream 60 Mb Int Excel Stream 60 Mb Ext RWIN rwin 110 10 Mb Int	\$67 28 4 15
EVEREX Excel Stream 20 Mb Int Excel Stream 60 Mb Int Excel Stream 60 Mb Ext RWIN rwin 110 10 Mb Int	(1) F 26 平 55

5



Logic 60 Mb Internal	
Cartridge Tape Backup	
Kit	7
Logic 20 Mb Internal	
Cartridge Tape Backup	
Kit	5
SYSGEN	
Image Tape Backup	
10 Mb Int	7
Image Tape Backup	
20 Mb Int	5
Image Tape Backup	
20 Mb Ext	5
TECMAR	
QIC 60 AT	12
QIC 60 Ext Tape Backup	
CORE	
60 Mb Ext	15
FLOPPY DISK DRIVES	

FLOPPY DISK DRIVES

Panasonic 360 K 1/2 Ht	\$1"
Tandon TM-100 360 K F/Ht	1
Tandon TM-100 360 K 1/2 Ht.	10
Toshiba 360 K 1/2 Ht	1

BACK UP POWER SUPPLIES

DAIA SHIE	-						
200 Wt (PC)							\$24
300 Wt (XT)							



*Due to weight restrictions, Printers and Monitors and some misc, bulk items are shipped UPS-free. All prices and policies subject to change without notice

5 YEAR WARRANTY

Look for the items printed in blue to identify our line of LogicWare computer hardware products. They are fully compatible with, but priced well below, the major manufacturers. You save—not by our use of inexpensive labor and parts—but through state-of-theart technology. Each product carries our 5 year unconditional replace or repair warranty.

SPECIALS



Canon LBP8A1 Laser Printer LEASE PRICE \$85 PER MONTH Purchase price \$1985

• 8 Pages Per Minute • 128K Built-In Memory • Super Quiet • Has Four Built-In Fonts plus the ability to accept fonts downloaded from a computer and various plug-in font cartridges • As many as 16 different fonts can be mixed on a single page. Great for Word Processing, Spreadsheets & Business Graphics.

CANON LEPBA2 LASER PRINTER

Lease for \$122 per month Purchase price \$3089

CANON LEPBA 1/2 TONER CARTRIDGE-\$95

DESKTOP PUBLISHING SOFTWARE

ScLASER plus\$	329
Softype	795
Spellbinder Desktop	
Publisher	429

PRINTERS*

CANON	
Bubble Jet BJ-80	\$449
EPSON	
LQ 800	569
LQ 1000	749
FX-85	389



FX-286 589

The Nation's k and fr

JUKI	
6100 389	
6300 699	
NEC	
Pinwriter P-5 Series	
Low Price Call!	
Pinwriter P-6 489	
Pinwriter P-7 679	
OKIDATA	
182 Plug & Play 223	
192 Plug & Play 349	
193 Plug & Play	
2410 P Plug & Play 1729	
PANASONIC	
KX 1091 245	
KX 1595 619	
TOSHIBA	
P/S 321 489	
P341	
P/S 351 999	
CITIZEN	
MSP 15 399	
MSP 20 339	
MSP 25 499	
Premier 35 509	
LASER PRINTERS*	
CANON	
Laser Printer LBP8A1 \$1985	

ILIZI

CANON
Laser Printer LBP8A1 \$1985
Laser Printer LBP8A2 3089
HEWLETT PACKARD
Laser Printer 2489
Laser Printer Plus 2899
Laser Jet 500 (+) 4299
OASYS
Laser Pro Express 1699
PLOTTERS*
PLOTTERS* CAL COMP
CAL COMP
CAL COMP 1043 \$7899
CAL COMP 1043 \$7899 FACIT
CAL COMP 1043
CAL COMP 1043 \$7899 FACIT 4550 (6 Pen Plotter) 395 HEWLETT PACKARD \$100 Pen Plotter 100 Pen Plotter
CAL COMP 1043 \$7899 FACIT 4550 (6 Pen Plotter) 395 HEWLETT PACKARD 7475A 1629

DMP 40				-	-				899
DMP 41									2549
DMP42									2549
DMP 51									3849
DMP 52							•		3849
DMP 52	MP					-			4889

PRINTER BUFFERS

QUADRAM

Microfazer Series

MONITORS*

AMDEK	
Color 600 \$	389
Color 722	499
Color 725 Low Price	Call!
12" Amber 310A	149
IBM	
Color Monitor	545
Monochrome Monitor	225
Enhanced Color Display	679

Circle #400 on reader service card.

NEC



JC-1401P 3A Multi-sync	
color w/swivel base	559
PRINCETON GRAPHICS	
RGB HX-12	419
RGB HX-12E	535
RGB SR-12	559
RGB SR-12P	625
Amber Max 12	159
QUADRAM	
Amberchrome 12"	145
Enhanced Graphics	
Monitor w/swivel	549
TAXAN	
121/122	145
620	415
640	515
MULTI-EUNCTION BOARD	S

MULTI-FUNCTION BOARDS

AST RESEARCH

Six Pack Premium	\$379
Six Pack Plus (384K)	229
Rampage w/256K	
Rampage (AT) w/512K	449
Advantage (128K)	359
I/O Mini Half Card	119
I/O Plus II	125
OGICWARE	

LOGICWAR



Logic Above Board (Lotus/ Intel/Microsoft Expanded memory specification) . . 189





Logic (AST Compatible) AT Multifunction Board w/128K (Expandable to 2.0 Mb 219 Logic (AST Compatible) 576K Ram Board ½ Card

Free overnight delivery on software for all your IBM PC applications!

30 DAY MONEY BACK GUARANTEE ON LOGICWARE...THE LOGICSOFT LOW COST ALTERNATIVE



WORDSTAR CLONE Processing your words now becomes more

affordable through this amazing clone! only \$79⁹⁵

dB III CLONE A clone that gives you the same capabilities at a very capable cost!

only S7995



- . . .

1-2-3 CLONE Now, a 1-2-3 clone; we've cloned the software, but we didn't clone the price! only \$79⁹⁵

You may return LonicWare software for any reason within 30 days of purchase. Please call for return authorization number

WORD PROCESSING

Display Write III	\$369
Easy Writer II	195
Microsoft Word 3	269
Multimate	229
Multimate Advantage	277
New Word 3	269
OfficeWriter	245
PFS Write	85
Volkswriter III	147
Word Perfect	219
Wordstar	169
Wordstar Pro Pak	239
Wordstar 2000	245
Wordstar 2000 Plus	295
XY Write III	219

WORD PROCESSING

ADD-ONS	
Fancy Font\$	145
Punctuation & Style	75
Reference Set Low Price C	all!
Turbo Lightning	57
Word Finder	59
DATABASE MGMT.	
Cornerstone\$	75
d Base III Plus	429
Knowledgeman/2	275
Paradox	495
Powerbase	209
Q&A	040
	249
R. Base 5000	249

R: Base System V 369 Revelation 495 Reflex 59 Think Tank 109
DATABASE MGMT.
ADD-ONS
Clipper\$349
Clout 2 139
dGraph III 149
Ext Report Writer 85
Quickcode III 145
Quick Report 139
SPREADSHEET/
INTEGRATED
Ability \$ 69

Enable	339
First Choice Low Price C	Call!
Framework II	419
Lotus 123 (Ver. 2.01)	317
Multiplan	119
Smart Series	409
Supercalc IV (NEW)	279
Symphony	443
oymphony	10
SPREADSHEET ADD-OP	
	IS
SPREADSHEET ADD-ON	IS
SPREADSHEET ADD-ON Lotus Report Writer \$	IS
SPREADSHEET ADD-OP Lotus Report Writer \$ Cambridge Spreadsheet	10 9
SPREADSHEET ADD-ON Lotus Report Writer\$ Cambridge Spreadsheet Analyst	109 75
SPREADSHEET ADD-ON Lotus Report Writer\$ Cambridge Spreadsheet Analyst Sideways	109 75 45



DESKTOP PUBLISHING

Spellbinder Desktop

GRAPHICS

Sc LASERplus \$329

SofType 795

Chartmaster \$209

Diagram Master 195

Diagraph 309 Energraphics w/Plotter

Graphwriter 219

Map Master 229

Microsoft Chart 179

Graphics

Harvard Presentation

Option 289

Publisher 429

FASTBACK A low cost alternative to tape backup hardware. Back up 10 Mb in less than 8 minutes using 51/4" diskettes. only

\$93

289



PFS Graph 85 Sign Master

Auto CAD \$247

Drafix1 239

C Compiler (MS) (4.0) . . . \$265

Cobol Compiler (MS) ... 425 Fortran Compiler (MS) . .

Lattice C Compiler 259 Macro Assembler (MS) .

Pascal Compiler(MS) .. 183 Quick Basic (MS)

True Basic 119

Generic CAD

Pro Design II

CAD/CAM

LANGUAGES

LOTUS REPORT WRITER The next step for the Power User! Format your own reports, forms and mailings using 1-2-3 files. only



Turbo Pascal (plus BCD & 8087) 65

PROJECT MANAGEMENT

Harvard Total Project	\$285
Microsoft Project	237
Super Project Plus	285
Timeline	235

FINANCIAL

Managing Your Money	\$109
Dollars and Sense	107

ACCOUNTING

BPI	\$299
Champion III	279
Computer Associates	317
(formerly IUS)	

VAYS	spreadsheets withou the mess of staples,
	oniy \$45

SIDEWAYS

Now you can

create extra wide

printouts of your

Dac Easy	57
Great Plains	447
Open Systems (3.0)	417
Real World	395

MISC/UTILITIES

Copy PC \$	35
Crosstalk XVI	99
Fast Back	93
Microsoft Windows	67
Norton Commander	49
Norton Utilities	55
Prokey	77
Remote	99
Sideways	45
Sidekick	47
Superkey	45

2 NEW FREE CATALOGS. **CALL TODAY!** 1-800-645-3491

149

119

237

217

97

67

 Brand new Programmer's Language and Utilities Guide • A convenient and valuable listing of timesaving tools for the programming professional . Complete with product description.

 Brand new Productivity Guide • Full line catalog of software enhancements for the business professional . Full descriptions of templates, memory management, menu management, backup software, training, and much more.

P·U·B·L·I·C D·O·M·A·I·N P·O·W·E·R·H·O·U·S·E·S

ABUNDANCE

BY ROEDY GREEN

A database language that can run backward in time

ABUNDANCE IS a public domain, FORTH-based, data-entry, database, screen-handling language that automatically handles the routine "housekeeping" that accounts for a major part of interactive application code. It does not use artificial intelligence techniques; it simply performs these tasks as a side effect of the work you explicitly ask it to do. If you want to take control of any of these tasks yourself, you can.

Abundance was originally designed to serve charities working to create an *abundance* of food, water, and shelter on the planet; hence, its name. But because of its features, it has become a business programming language and has been used in production environments since 1981. Although Abundance was designed for the computer-naive volunteer worker, it is responsive enough for a business environment.

[Editor's note: The Abundance package of 15 disks includes source code in IBM Backup/Restore format for Abundance itself, a 32-bit FORTH compiler, a postfix assembler, a screen editor, some sample applications, documentation, tutorials, and more. Since it is too large for BYTE to distribute, it is available only by mail for \$75 U.S. cash, check, or money order (the cost of duplication) from the author at his address.

A RICH LANGUAGE

Abundance is a rich language with 600 verbs of its own, 400 from Forth-83, 300 from assembler, and 900 hidden ones. It can open files, validate data entry, convert values back and forth between binary and ASCII, keep track of how many elements in an array are in use, read from and write to disk, and lay out fields in columns on an appropriately labeled screen—all without being explicitly asked.

If you recompute a variable currently displayed on the screen, Abundance, like a spreadsheet, automatically refreshes the screen with the new value. It understands the zip code system, the telephone numbering system, and the states of the union and can cross-check all three: it can perform similar cross-checks for other countries as well. Abundance knows that phone numbers need a dash in the middle and that area codes are enclosed in parentheses. It also knows that 555-1212 is not the phone number of any real person. It knows the calendar; it knows that 1900 was not a leap year and that 2000 will be. And it knows that the people in India use the date format DD/MM/YY while Swedes use YY.MM.DD. Most important, however, Abundance takes the initiative and uses this knowledge without your having to explicitly ask for it.

Abundance also understands the limitations, quirks, and control sequences of at least 20 brands of printer. It lets you think that you have the perfect printer, one that can print in any pitch, any type style, and any of the 256 accented and special characters. You can use words like ITALIC, BOLD, and WP-QUALITY, and Abundance will do the best it can with your actual printer. It can also number your pages 1 of 20, 2 of 20, etc.

Abundance can speak in English, French, Swedish, or Esperanto, and you can key all the accented characters without resorting to the numeric keypad. It can also interface with other packages, including Btrieve, Lotus 1-2-3, VP-Planner, Microsoft (continued)

Roedy Green is president of Canadian Mind Products (11-3856 Sunset St., Burnaby, BC, Canada V5G 1T3). He has a B.S. in mathematics from the University of British Columbia. Word MailMerge. Ready!, Optimum Data External Sort. SuperKey, and ProKey.

In addition to its main features, **Abundance** has many other novel features with colorful names like humps, jives, combos, anchors. gauntlets. living fields, fast forwards, variable variables. **moods**, promises, safes, rikt**nummers**, and graceful bailouts.

THE USER INTERFACE

Because Abundance is a superset of both 8086 Assembler and 32-bit Forth-83 and because the hidden verbs that form the language itself are available to you, you can interface with it at any level you choose.

When you use Abundance, you see a traditional full-screen arbitrary layout, often in columns or rows with boxes, color, and data labeled with the appropriate variable names. Each time an Abundance application expects you to key in data, it highlights the field in reverse video and puts an oversized blinking cursor on the first character of the field. It then produces a uniform prompt message containing the name of the variable being keyed, its upper and lower acceptable bounds (or a list of choices), what sort of data it wants (name, date, etc.), and usually some other explanatory information. In addition, Abundance maintains the Caps Lock, Shift, and Num Lock keypad indicators.

You can use the backspace, arrow, and function keys to edit the data in such a way that they mimic your favorite word processor. If you get lost, you can hit the Oops key (the FIO function key) to put the field back the way it was. Abundance usually detects any errors in keying as soon as you make them. It makes various sounds for different classes of warnings and errors that indicate immediately what you did wrong. Abundance works in the background, inserting the Shift key when you forget to, jumping over the dash in a phone number, and keeping numbers right-justified (calculator-style) as you enter them.

If you realize you made a mistake in a prior field, you can hit the up arrow to make the program "run backward in time." Then you can enter a new value for the prior field and use the down arrow to carry on where you left off. You can also hit the Escape key at any time. In general, this stops the application in an orderly fashion so that files are kept logically consistent and no data is lost.

JAUNTING

Jaunting is the ability to run backward in time. It is simply a streamlined version of the IBM OS/370 checkpointing facility. When you key in a field, Abundance secretly takes a "snapshot" of the *state* of the application program. When you hit the up arrow, it finds the appropriate old snapshot of the application and restores it to the current view. The application then carries on as if it had never been any further than that.

Jaunting has no perceptible overhead. It is quick because you don't need to save all of RAM, just the data stack, the return stack, and a few critical internal-state variables. As in FORTH, the data stack **holds tem**porary variables and parameters passed to procedures, and the return stack keeps track of which procedure called which procedure.

Surprisingly. the values of the variables are not saved as part of the snapshot. If Abundance did save the variables and then restored them to the old state after jaunting backward, you would lose the data you had entered since then. When the application program wakes up after its jaunt. the values of the variables keyed just prior to jaunting are intact. You might think it would confuse the program to find the variables it is about to request already present, but in practice this rarely causes any problem.

MUSTS AND WARNS

Jaunting has some wonderful fringe benefits. For instance, an Abundance (continued)



More of the Pacific from the airline that brings you more of the U.S.

No other U.S. airline offers you more across the Pacific than United.

United is the only U.S. airline serving thirteen cities in the Far East and South Pacific. With more nonstops from more U.S. gateways than any other airline. A total of 84 nonstops every week from six convenient U.S. gateways. Including nonstop service to Tokyo, Hong Kong, Osaka, Taipei, Sydney and Auckland.

United's Mileage Plus Frequent Flyer Program offers exciting travel awards that can take you around the world.

Ánd United's Royal Pacific Service offers you the best of the friendly skies every step of the way.

So let United bring you more of the Pacific.

Call your Travel Agent or United Airlines.

Tokyo Taipei Osaka Hong Kong Seoul Manila Beijing Bangkok Shanghai Singapore Sydney Melbourne Auckland

United



application can assert that a certain expression *must* be true, for example, that *three* fields must add up to 100 percent. If the program detects that a MUST has failed, it jaunts the program back to the first input involved. As a programmer, you can optionally provide hints as to which field you think is wrong, but even if you guess wrong, the end user can hit the up and down arrow keys to correct the real culprit.

There is also a variant of the MUST called the WARN that makes an "eh?" noise—1 *am* Canadian—and asks you to confirm that an unusual condition is indeed correct. If you answer "No," the program jaunts backward the way a MUST would.

IMPLICIT ARRAY SUBSCRIPTS

In traditional programming languages, for every array you declare, you must also declare three other variables: ArrayMax, the maximum size the array can be; ArrayHighWater, the number of array slots currently containing data; and ArrayIndex, the array element you are currently working on. Then you refer to Array[ArrayIndex] over and over again. You rarely use any other subscript. When you do, it's usually by mistake, and you spend a long time trying to find the bug in your program. In addition, you must manually maintain ArrayHighWater and make sure that ArrayIndex stays safely within bounds. And you must explicitly mention ArrayIndex and ArrayHighWater every time you loop through the array elements-yet another place for bugs to creep in.

Abundance dispenses with all but the array index. It invisibly maintains ArrayHighWater and ensures that the index remains within bounds. You don't need to write [ArrayIndex] each time; it is assumed. And you don't need to mention anything other than the array index in a <<< FOR loop since Abundance keeps track of the array's upper limit.

You can convert a program that handles a single record to one that handles an array of records simply by changing the declaration. You don't need to change any procedural code; you need only add one line of code to set the implicit subscript. (The

```
From:
1 1000 <<< FLEX My-Index
To:
" C:MyFile.Dat"
1 1000 <<< SEQ My-Index
```

Figure 1: The only change necessary to convert a program from one that keeps its data in an array to one that keeps it in a file.

equivalent changes in Pascal would require modifying a great many lines of code.)

FILE HANDLING

To an Abundance application, a file is simply a large array, too large to fit into RAM. You read and write the records by changing the implicit array subscript that indexes the record you want to work on. Abundance automatically handles blocking and deblocking, reading, writing, opening, closing, caching, and "dirty" bits. It does everything it can to avoid doing physical disk I/O. It handles standard DOS files with fixed-length records, but it also has other higher-performance options.

You can convert a program from one that keeps its data in an array to one that keeps it in a file by changing the word <<< FLEX in the data definition area to <<< SEQ and adding an external DOS filename (see figure I). (The equivalent change to a Pascal program would require almost a complete rewrite.)

SCAFFOLDS

There never seems to be enough room on the screen to simultaneously display everything you would like to show. You may only have room to show the details of four transactions when you would like to show 40. The ability to scroll lets you show any of the 40 that you want, four at a time. In traditional languages, handling this scrolling can be very complex.

In Abundance, scaffolds come to the rescue. You simply write the name of a particular scaffold in the declaration of a variable array element. A scaffold might have a name like 2x6 for two rows of six columns or 4Deep for rows with a maximum of four elements. From then on, Abundance monitors the implicit subscript of the array. It makes sure that the current element is always visible on the screen. As the subscript changes, Abundance scrolls the display automatically so you can always see the current, some preceding, and some succeeding elements in the array.

Other than in the declaration, the application code is totally oblivious to this scrolling. Abundance makes sure that the array element you are keying or computing is always visible. In addition, scaffolds can take any shape you can describe; they don't need to be simple rowed windows.

WHAT YOU NEED

To experiment with Abundance, you need MS- or PC-DOS 3.1 running on an IBM PC, XT, AT, or a close clone. You need at least 320K bytes of RAM and a hard disk. The applications you write can run on floppy disk systems, however.

You need to know FORTH. I recommend practicing with a 16-bit FORTH compiler using Leo Brodie's book Starting FORTH (Prentice-Hall, 1981) if you are currently unfamiliar with the language. Sooner or later you will probably want an assembler to generate customized versions of the BBL FORTH compiler and a text editor to edit the assembler source code. Depending on how you use Abundance, you may also want other packages, such as a keyboard enhancer, an external sorter, a B-tree handler, a form-letter generator, or an automatic means of transferring a database into Abundance.

WHAT YOU GET

Abundance and its documentation come on floppy disks in IBM Backup/ Restore format. You are strongly encouraged to copy the disks and give them to your friends. There is only one restriction on how you may use the package: You may not use it for any military purpose. You are welcome to create your own dialects of Abundance, sell it, or cannibalize it.

& c5			EST P		
OPIN A			URCHA ANK C/		MOUTERS
Brother AR Models Save	PRINTERS H	ARDWA	Anchor Automation	ES IN	A TO ICE
Glizen MSP-10 \$279 MSP-10 \$379 MSP-20 \$313 MSP-20 \$315 MSP-20 \$315 MSP-20 \$315 MSP-20 \$315 MSP-20 \$315 MSP-20 \$315 MSP-20 \$315 MSP-20 \$100 Premier 35 \$497 Diable D-25 \$496 G35 \$1035	P351 Porallel & Serial Loser Printer DISKETTES MaxellMD-2(Q1y 100) . Sony MD/2 (Q1y 100)	Save Practical I Save Practical I Save All Mar Save Promethe	Peripherols 00 Bowl \$124 HAYES dems \$200 NJS All Models \$200 \$369	11日前 COMPUTER PC1 Drive 256K. X11 Drive 256K. X11 Drive 20 Mg 640K A7/68	\$1199 \$1729 \$2169 \$2849

Save \$329 \$359 Manter \$445 \$169


Citizen MSP-X	\$279	321 Parallel & Serial	5449	Signolman Express	5235
MSP 15	\$379	P351 Porallel & Serial	\$919	Practical Peripherals	
M58-20	\$315	Loser Printer	Save	Practical 1200 Baud	\$124
M5P-25	\$479	DISKETTES		LIAWP?	
Premier 35	5479	MaxellMD-2(Qty 100)	\$100	HAYES	
Diabio D-25	5489	Sony MD/2 (Qty 100)	\$119	All Modems	. 30V0
635	\$1035		\$119	Prometheus All Models	Save
	11035	MONITORS		US Robotics Courier 2400	\$369
EPSON		Amdex All Monitors	. Save	Passward 1200	\$175
All Printer Models	Save	NEC All Monitors	Şave	Microlink 2400	\$369
		Princeton Graphics	\$ave		
Fulitzu	Şave	Zenith All Models	Şave		
IBM Proprinter .	\$399	VIDEO TERMINALS		BOARDS	
Juki		Quime QVT Green 101	5299	AST Advantage	\$329
6100	\$349		\$314	Rampage AT	\$445
6300 -	\$669	QVT Amber 301		Rampage PC	\$239
NEC		Wyse 30	\$299	Six Pack Plus	\$159
3510, 3550, 3515, 3530	\$729	50	\$419	Hercules Color Card.	\$149
	51039	75	\$559	Graphic Cord	\$179
M	\$959	Wyse 85	\$439	Intel	
P6	\$429	Wyte 350	\$859	Above Boord PC (1110)	\$239
	\$609	Zenith Z-22	\$455	Above Boord AT (2010)	\$329
	1007	Z-29A	\$559	Above Boord PS/AT (2110).	\$369
OKIDATA		Z-49	Save	Paradise Modular Graphic 06-1	\$239
All Printer Models	7110	DISK DRIVES			\$115
the second s		lomega Bernoulli 10 meg	\$1359	Five Pok .	\$115
Panasonic 1080	\$199	Bernovili 20 meg	\$1749	Plus Development	
10.01	\$239	Bernaulli 40 meg	\$2469	Plus Hard Card 20 Megabyte	\$669
1091		Bernoulli 40 meg		Quadram	
1092	\$309	the second s			
	\$309	SEAGATE		Cold & Silver Boards	Save
1092			\$395	Gold & Silver Boards Opentifiels	\$329
1092 1552 KXP3131	\$425	20 meg w/Western I/O	\$395	OyodBek Ound EGA +	\$329 \$359
1092 1592 8393151 STAR MICRONICS	\$425 \$399	20 meg w/Western I/O		OyodBek Ound EGA +	\$329 \$359 phics Monter \$4
1092 1552 KXP3131	\$425 \$399	20 meg w/Western I/O		Oyodlink Qued EGA +	\$329 \$359 phics Monter \$4
1092 1592 SXF3151 STAR MICRONICS All Printer Models	\$425 \$399	20 meg w/Western I/O PLOTTERS Epson Hi-80 Save	SOFT	WARE Grand EGA + Tec Mar Grand	\$329 \$359 phics Monter \$4
1092 1592 5XP3151 STAR MICRONICS All Printer Models	\$425 \$399 ave	20 meg w/Western I/O PLOTTERS Epson Hi-80 Save	SOFT	WARE Grand EGA + Tec Mar Grand	\$329 \$359 phics Monter \$4
1092 1592 EX23151 STAR MICRONICS All Printer Models S TRAINING Flight Simulator	\$425 \$399 ave \$28	20 meg w/Western I/O PLOTTERS Epson Hi-80 Save	SOFT	Ound EGA + Tec Mar Gro Criptican No M One Compatibles	\$329 \$359 phics Monter \$4
1092 1592 5XP331 STAR MICRONICS All Printer Models S TRAINING Flight Simulater PC Lope	\$425 \$399 ave \$28 \$75	20 meg w/Western I/O PLOTTERS Epson HI-80 Save IBM PC / COMMUNICATIONS	SOFT	Overdieve WARE Green Compatibles WORD PROCESSORS	\$329 \$359 phics Moster \$4 amory \$1
1092 1592 5XP3151 STAR MICRONICS All Printer Models	\$425 \$399 ave \$28 \$75 \$28	20 meg w/Western I/O PLOTTERS Epson HI-80 Save IBM PC A COMMUNICATIONS CompuServe Starter Kit	SOFT AND 100 Best Price	Oyedliek WARRE Crigotain No M Compatibles WORD PROCESSORS Leading Edge Word Processor.	\$329 \$359 phice Monter \$4 amory \$1 \$48
1092 1592 EXP3151 STAR MICRONICS All Printer Models S TRAINING Fight Simulator PC Look Typing Instructor Typing Instructor Typing Instructor	\$425 \$399 ave \$28 \$75	20 meg w/Western I/O PLOTTERS Epson HI-80 Save BBM PC A COMMUNICATIONS CompuServe Starter Kit Crastalik XVI	SOFT AND 100 Best Price 592	Oversities WARRE Control of the second Control of the second Con	\$329 \$359 phice Monter \$4 amory \$1 \$48 \$72
1092 1592 EXR3151 STAR MICRONICS All Printer Models S TRAINING Fight Simulater PC Loge Typing Instructor Typing Tutor III INTEGRATIVE SOFTWARE	\$425 \$399 ave \$28 \$75 \$28 \$28 \$28	20 meg w/Western I/O PLOTTERS Epson HI-80 Save BBM PC A COMMUNICATIONS CompuServe Starter Kit Crosstalk XVI MS Access 1.0	SOFT AND 100 Best Price \$92 \$139	Overd Erst. WARRE Gurd Erst. Compatibles WORD PROCESSORS Leading Edge Word Processor. Leading Edge W/P w/Spell & Moil Lightening	\$329 \$359 philos Manter \$4 amory \$1 \$48 \$72 \$55
1092 1592 EXP3151 STAR MICRONICS All Printer Models S TRAINING Fight Simulator PC Look Typing Instructor Typing Instructor Typing Instructor	\$425 \$399 eve \$28 \$75 \$28 \$28 \$28 \$28 \$28 \$28 \$319	20 meg w/Western I/O PLOTTERS Epson Hi-80 Save BBM PC A COMMUNICATIONS CompuServe Stater Kit Crostolk XVI MS Access 1.00 PES Access .	SOFT AND 100 Best Price \$92 \$139 \$76	Aurorities WARRE Carter Mar Cart Carter Mar Cart Marcasoft Word 3.0	\$329 \$359 phics Master \$4 emory \$1 \$48 \$72 \$55 \$249
1092 1592 EXR3151 STAR MICRONICS All Printer Models S TRAINING Fight Simulater PC Loge Typing Instructor Typing Tutor III INTEGRATIVE SOFTWARE	\$425 \$399 ave \$28 \$75 \$28 \$28 \$28	20 meg w/Western I/O PLOTTERS Epson HI-80 Save BBM PC A COMMUNICATIONS Composerve Starter Kit Crosstalk XVI MS Access 1,01 PFS Access Remote	SOFT AND 100 Best Price \$92 \$139 \$76 \$92	Overd Erst. WARRE Gurd Erst. Compatibles WORD PROCESSORS Leading Edge W/P w/Spell & Moil Lightening	\$329 \$359 phice Mender \$4 amory \$1 \$48 \$72 \$55 \$249 \$269
1092 1592 txx2351 STAR MICRONICS All Printer Models 5 TRAINIG Figlit Simulator PC Logie Typing Naturetor Typing Tutor III INTEGRATIVE SOFTWARE Enable 1.1	\$425 \$399 eve \$28 \$75 \$28 \$28 \$28 \$28 \$28 \$28 \$319	20 meg w/Western I/O PLOTTERS Epson Hi-80 Save BBM PC A COMMUNICATIONS CompuServe Stater Kit Crostolk XVI MS Access 1.00 PES Access .	SOFT AND 100 Best Price \$92 \$139 \$76	Aurorities WARRE Carter Mar Cart Carter Mar Cart Marcasoft Word 3.0	\$329 \$359 phics Master \$4 emory \$1 \$48 \$72 \$55 \$249
1092 1592 EXR3131 STAR MICRONICS All Printer Models S TRAINING Flight Simulator PC Lope Typing Instructor Typing Instructor Typing Tutor III INTEGRATIVE SOFTWARE Enable 1.1 Framework II Smart Software System	\$425 \$399 ave \$28 \$75 \$28 \$28 \$28 \$28 \$28 \$28 \$28 \$28 \$28	20 meg w/Western I/O PLOTTERS Epson HI-80 Save BBM PC A COMMUNICATIONS Composerve Starter Kit Crosstalk XVI MS Access 1,01 PFS Access Remote	SOFT AND 100 Best Price .592 \$139 \$76 \$92 .583	Oversities WARRE Out ECA + Tec Mar Gree Cristicio No M OS Compatibles WORD PROCESSORS Leading Edge W/P w/Spell & Moil Lightening Microsoft Word 3.0 Multimed Advantage	\$329 \$359 phice Mender \$4 amory \$1 \$48 \$72 \$55 \$249 \$269
1092 1592 txrs131 STAR MICRONICS All Printer Models S TRAINING Flight Simulator PC Logio Typing Instructor Typing Inter III INTEGRATIVE SOFTWARE Enable 1.1 Fromework II Smort Softwore System Symphony	\$425 \$399 ave \$28 \$75 \$28 \$28 \$28 \$28 \$28 \$28 \$28 \$28 \$28 \$28	20 meg w/Western I/O PLOTTERS Epson HI-80 Save BBM PC A COMMUNICATIONS CompuServe Starter Kit Crosstolik XVI M5 Access . Remate Smartcam II.	SOFT AND 100 Best Price \$92 \$139 \$76 \$92	Overdilek Ward ECA + Tec Mar Gre Criptoin No M Compatibles WORD PROCESSORS Leading Edge Word Processor, Leading Edge Word Processor, Leading Edge W/P w/Spell & Moil Lightening Microsoft Word 3.0 Multimate Advantage PfS: Write w/Spell Oucher	\$329 \$359 phice Mender \$4 amory \$1 \$48 \$72 \$55 \$249 \$269 \$76
1092 1592 EXPOSIS All Printer Models S TRAINING Flight Simulator PC Lope Typing Instructor Typing Instructor Typing Instructor INTEGRATIVE SOFTWARE Enable 1.1 . Framework II Smort Software System Symphony GRAPHICS	\$425 \$399 ave \$28 \$75 \$28 \$28 \$28 \$28 \$28 \$28 \$28 \$28 \$29 \$319 \$ave \$379 \$ave	20 meg w/Western I/O PLOTTERS Epson HI-80 Save BBM PC A COMMUNICATIONS CompuServe Stater Kit. Crosstalk XVI MS Access 3.00 PFS Access. Remate Smartcam II. UTILITIES	SOFT AND 100 Best Price .592 \$139 \$76 \$92 .583	Ound ECA + Tec Mar Care Caretain No M Caretain No M Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caret	\$329 5359 phice Menter \$4 emory \$1 \$48 \$72 \$55 \$249 \$269 \$269 \$376 \$162 \$233
1092 1592 txcr3151 STAR MICRONICS All Printer Models 5 TRAINIG Figlit Simulator PC Lope Typing Naturetor Typing Naturetor Typing Tutor III INTEGRATIVE SOFTWARE Enoble 1.1 . Framework II Smarl Software System Symphony GRAPHICS Charlmoster	\$425 \$399 \$28 \$75 \$28 \$28 \$28 \$319 \$ave \$379 \$ave \$379 \$ave \$379	20 meg w/Western I/O PLOTTERS Epson HI-80 Save BBM PC A COMMUNICATIONS CompuServe Starter Kit, Crosstolik XVI M5 Access Access 1,0) PF5 Access Remote Smortcom II. UTILITIES Copy II PC	SOFT AND 100 Best Price 592 5139 576 592 583 519	Oversited Ward ECA + Tec Mar Gree Capitale No M Compact Data Compact Data Compact Data Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Compact Comp	\$329 5359 phice Menter \$4 emory \$1 \$48 \$72 \$55 \$249 \$269 \$269 \$376 \$162 \$233
1092 1592 EXERTISE All Printer Models S TRAINING Fight Simulator PC Look Typing Instructor Typing Instructor Typing Totor III INTEGRATIVE SOFTWARE Enable 1.1 Framework II Simot Softwore System Symphony GRAPHICS Chorimoster Diogeem Master	\$425 \$399 \$28 \$75 \$28 \$28 \$28 \$28 \$319 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$199 \$185	20 meg w/Western I/O PLOTTERS Epson HI-80 Save BBM PC A COMMUNICATIONS CompuServe Starter Kit Crasstalk XVI MS Access 3.00 PES Access Remate Smartcam II. UTILITES Copy II PC 1 DIR Fostback	SOFT AND 100 Best Price 592 5139 576 592 583 519 546	Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Audita	\$329 phice Meader \$4 amory \$1 \$48 \$72 \$55 \$249 \$269 \$76 \$162 \$233 1)\$196
1092 1592 1592 1592 STAR MICRONICS All Printer Models S TRAINING Flight Simulator PC tope Typing Instructor Typing Instructor Typing Turo III INTEGRATIVE SOFTWARE Enable 1.1 Framework II Smort Software System Symphony GRAPHICS Chartmoster Diageen Master Emergraphiles 2.0	\$425 \$399 \$28 \$75 \$28 \$28 \$28 \$319 \$309 \$309 \$309 \$309 \$309 \$309 \$309 \$30	20 meg w/Western I/O PLOTTERS Epson Hi-80 Save BBM PC A COMMUNICATIONS CompuServe Starter Kit Crossfolk XVI MS Access 1 MS Access 1 Remote Smartcam II. UTILITIES Copy II PC 1 DIR Fastback Morao (Utilines 3.1	SOFT AND 100 Best Price \$92 \$139 \$76 \$92 \$83 \$19 \$46 \$86 \$86 \$48	Ound ECA + Tec Mar Care Caretain No M Caretain No M Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caretain Caret	\$329 phice Meader \$4 amory \$1 \$48 \$72 \$55 \$249 \$269 \$76 \$162 \$233 1)\$196
1092 1592 1592 ISP2 ISP2 ISP2 All Printer Models S TRAINING Fight Simulator PC Loge Typing Intractor Typing Tutor III INTEGRATIVE SOFTWARE Enable 1, 1. Fromework II Smort Softwore System Symphony GRAPHICS Chortmostler Diogeom Master Energraphies 2.0 ImrA-Vision .	\$425 \$399 \$28 \$75 \$28 \$28 \$28 \$28 \$319 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$199 \$185	20 meg w/Western I/O PLOTTERS Epson HI-80 Save BBM PC A COMMUNICATIONS CompuServe Stater Kit. Crosstalk XVI MS Access 3.00 PFS Access Remate Smortcom II. UTILITES Cop U IPC TO UR Fostback Nonoo Utilities 3.1 Pidetworks	SOFT AND 100 Best Price \$92 \$139 \$76 \$92 \$83 \$19 \$46 \$86 \$48 \$36	Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Audita	\$329 phice Meader \$4 amory \$1 \$48 \$72 \$55 \$249 \$269 \$76 \$162 \$233 1)\$196
1092 1592 1592 1592 1592 1592 1592 1592 15	\$425 \$399 ave \$28 \$75 \$28 \$28 \$28 \$28 \$28 \$28 \$319 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$349 \$549 \$185 \$269 \$269 \$269 \$269 \$269 \$269 \$269 \$269	20 meg w/Western I/O PLOTTERS Epson Hi-80 Save BBM PC A COMMUNICATIONS CompuServe Starter Kit Crosstalk XVI MS Access 1.00 PFS Access Remote Smortcam II. UTILITES Copy II PC 1 DIR Fostback Norion Utilities 3.1 Pictworks Stiplack.	SOFT AND 100 Best Price 592 5139 576 592 583 519 546 548 548 536 536 530	Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Audita	\$329 phice Meader \$4 amory \$1 \$48 \$72 \$55 \$249 \$269 \$76 \$162 \$233 1)\$196
1092 1592 1592 1592 1592 All Printer Models All Printer Models All Printer Models All Simulator PC Lope Typing Nature Typing Tutor III INTEGRATIVE SOFTWARE Enable 1.1 Framework II Smart Software System Symphony GRAPHICS Chortmoster Emergraphics 2.0 Im-A-Yalan Microsoft Busy Mouse w/PC Poliofhault 3.0	\$425 \$399 \$28 \$75 \$28 \$28 \$319 \$0ve \$379 \$0ve \$379 \$0ve \$199 \$185 \$269 \$249 \$106	20 meg w/Western I/O PLOTTERS Epson Hi-80 Save COMMUNICATIONS CompuServe Stater Kit Crostolk XVI MS Access 1.01 PFS Access Remate Smart.cm II. UTILITIES Capy II PC 1 DIR Fastback Moran Utilities 3.1 Printworks Sidelack.	SOFT AND 100 Best Price 592 5139 576 592 583 519 546 548 546 548 536 530 547	Average and the second	\$329 phice Meader \$4 amory \$1 \$48 \$72 \$55 \$249 \$269 \$76 \$162 \$233 1)\$196
1092 1592 1592 1592 1592 All Printer Models S TRAINING Fight Simulator PC Lopo Typing Instructor Typing Instructor Typing Instructor Typing Instructor Figure Simulator Software System Symphony GRAPHICS Charimoster Energraphics 2.0 Im-A-Vision . Microsoft Buss Mouse w/PC PrintPoint 3.0	\$425 \$399 ave \$28 \$75 \$28 \$28 \$28 \$319 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$328 \$319 \$ave \$328 \$319 \$ave \$328 \$319 \$ave \$328 \$328 \$319 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$329 \$319 \$ave \$329 \$3269 \$249 \$3106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106 \$106	20 meg w/Western I/O PLOTTERS Epson HI-80 Save BBM PC / COMMUNICATIONS CompuServe Starter Kit. Crasstalk XVI MS Access 3.0) PFS Access Remate Smartcam II. UTILITES Capy II PC 1 DIR Fastback Norioo URIlities 3.1 Prilatworks Sideluch. Sideluch. Sideluch (Laprotected) Sideluch (Sperverv) (Bondle)	SOFT AND 100 Best Price 592 5139 576 592 583 519 546 546 546 548 536 530 547 585	Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria Auditaria	\$329 phice Medaer \$4 amory \$1 \$48 \$72 \$55 \$249 \$269 \$76 \$162 \$233 1)\$196 \$278
1092 1592 1592 1592 1592 All Printer Models All Printer Models All Printer Models All Simulator PC Lope Typing Nature Typing Tutor III INTEGRATIVE SOFTWARE Enable 1.1 Framework II Smart Software System Symphony GRAPHICS Chortmoster Emergraphics 2.0 Im-A-Yalan Microsoft Busy Mouse w/PC Poliofhault 3.0	\$425 \$399 \$28 \$75 \$28 \$28 \$319 \$0ve \$379 \$0ve \$379 \$0ve \$199 \$185 \$269 \$249 \$106	20 meg w/Western I/O PLOTTERS Epson Hi-80 Save BBM PC A ComsUserve Stater Kit Crossfuk XVI MS Access 1,0) PS Access Smartcan II. UTLITIES Copy II PC 1 DIR Fostback Morion Utilities 3.1 Priatworks Sidelick - Superlay (Bondie) Torosting Statistick	SOFFT AND 100 592 5139 576 592 583 519 546 586 548 536 530 547 585 539	Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Auditade Audita	\$329 sister State amory 51 \$48 \$72 \$55 \$249 \$269 \$269 \$162 \$233 1)\$196 \$278 \$249
1092 1592 1592 1592 1592 1592 1592 1592 15	\$425 \$399 ave \$28 \$75 \$28 \$28 \$319 \$ave \$379 \$ave \$379 \$ave \$199 \$185 \$249 \$106 \$164 \$119 \$31	20 meg w/Western I/O PLOTTERS Epson HI-80 Save BBM PC A COMMUNICATIONS CompuServe Stater Kit. Crostalk XVI MS Access 1.01 PFS Access Renate Smortcom II. UTILITES Copy II PC 1 DIR Fostback Nonoo Utilities 3.1 Proteinvorks Sidekick. Sidekick. Sidekick. Sidekick. Sidekick. Sidekick. Sidekick. Sidekick. Sidekick. Sidekick. Sidekick. Sidekick.	SOFT AND 100 Best Price \$92 \$139 \$76 \$92 \$83 \$19 \$46 \$86 \$48 \$36 \$30 \$30 \$30 \$37 \$39 \$54	Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Auditation Audita	\$329 phics Monder \$4 amory \$1 \$48 \$72 \$55 \$249 \$76 \$162 \$233 I)\$196 \$278 \$249 \$195
1092 1592 1592 1592 1592 1592 All Printer Models All Printer Models All Printer Models All Printer Models Fight Simulator PC Lope Typing Instructor Typing Instructor Typing Instructor INTEGRATIVE SOFTWARE Enable 1.1 Framework II Smith Software System Symphony GRAPHICS Chartmaster Diageom Master Energregables 2.0 Im-A-Vision Wiccosoft Buss Mouse W/PC Pointbrush 3.0 Microsoft Buss Mouse W/PC Pointbrush 3.0 Microsoft Seriel Maguer	\$425 \$399 \$28 \$75 \$28 \$28 \$28 \$319 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$328 \$ave \$328 \$ave \$319 \$ave \$328 \$ave \$328 \$ave \$328 \$ave \$328 \$ave \$329 \$ave \$329 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$319 \$328 \$319 \$ave \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319	20 meg w/Western I/O PLOTTERS Epson HI-80 Save BBM PC / COMMUNICATIONS CompuServe Starter Kit Crasstalk XVI MS Access 3.0 PES Access Remate Smartcam II. UTILITES Copy II PC 1 DIR Fostback Norson Utilities 3.1 Printworks Sidelack - Superlay (Bandle) Torwilling Sidelakds Turbo Prolog	SOFFT AND 1000 Best Price 592 5139 576 592 583 519 546 548 536 530 547 555 539 554 534	Auditadi Audit ECA + Tec Mar Gra Cristain Na M Compact States Audit Edge W/P w/Spell & Moil Edding Edge W/P w/Spell & Moil Britten Campiler (Microsoft) Edding Compiler (Microsoft) Edding Compiler (Microsoft) Edding Compiler (Microsoft) Edding Compiler (Microsoft)	\$329 shire Mender \$4 amory \$1 \$48 \$72 \$55 \$249 \$269 \$76 \$162 \$233 1)\$196 \$278 \$249 \$269 \$76 \$162 \$233
1092 1592 1592 1592 1592 1592 1592 1592 15	\$425 \$399 ave \$28 \$75 \$28 \$28 \$319 \$ave \$379 \$ave \$379 \$ave \$199 \$185 \$249 \$106 \$164 \$119 \$31	20 meg w/Western I/O PLOTTERS Epson HI-80 Save BBM PC A COMMUNICATIONS CompuServe Stater Kit. Crostalk XVI MS Access 1.01 PFS Access Renate Smortcom II. UTILITES Copy II PC 1 DIR Fostback Nonoo Utilities 3.1 Proteinvorks Sidekick. Sidekick. Sidekick. Sidekick. Sidekick. Sidekick. Sidekick. Sidekick. Sidekick. Sidekick. Sidekick. Sidekick.	SOFT AND 100 Best Price \$92 \$139 \$76 \$92 \$83 \$19 \$46 \$86 \$48 \$36 \$30 \$30 \$30 \$37 \$39 \$54	Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev	\$329 phice Mender \$4 amory \$1 \$48 \$72 \$55 \$249 \$269 \$76 \$162 \$233 1)\$196 \$278 \$249 \$195 \$2278
1092 1592 1592 1592 1592 1592 1592 All Printer Models All Printer Models S TRAINING Flight Simulator PC Lope Typing Instructor Typing Instructor Pyping Turber III INTEGRATIVE SOFTWARE Enable 1.1 Framework II Smart Software System Symphony GRAPHICS Chartmoster Emergraphies 2.0 Im-A-Vision Microsoft Buss Mouse w/PC Pointerbush 3.0 Microsoft Buss Mouse W/PC Pointerbu	\$425 \$399 \$28 \$75 \$28 \$28 \$319 \$ave \$319 \$ave \$379 \$ave \$199 \$185 \$249 \$106 \$164 \$119 \$31 \$199 \$31	20 meg w/Western I/O PLOTTERS Epson HI-80 Save BBM PC / COMMUNICATIONS CompuServe Starter Kit Crasstalk XVI MS Access 3.0 PES Access Remate Smartcam II. UTILITES Copy II PC 1 DIR Fostback Norson Utilities 3.1 Printworks Sidelack - Superlay (Bandle) Torwilling Sidelakds Turbo Prolog	SOFT AND 100 Best Price 592 5139 576 592 583 519 546 586 548 536 530 547 554 539 554 539	Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augen	\$329 phice Medaer \$4 amory \$1 \$48 \$72 \$55 \$249 \$269 \$76 \$162 \$233 1)\$196 \$278 \$249 \$278 \$249 \$249 \$278 \$249 \$249 \$249 \$249 \$249 \$195 \$248 \$195 \$248 \$195 \$248 \$195 \$248
1092 1592 1592 1592 1592 1592 1592 All Printer Models All Printer Models Fight Simulator PC Lopo Typing Instructor Typing Instructor Typing Totor III INTEGRATIVE SOFTWARE Enable 1.1 Framework II Smott Software System Symphony GRAPHICS Chartmoster Energraphics 2.0 In-A-Vision Microsoft Burs Mouse w/PC Printional 3.0 Microsoft Burs Mouse w/PC Printional 3.0 Microsoft Chaer Microsoft Surial Mouse Neuropage PC Draw Click Art Personal Publisher PC Mouse W/DC Halle II	\$425 \$399 ave \$28 \$75 \$28 \$28 \$319 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$319 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$328 \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$ave \$319 \$319 \$ave \$319 \$319 \$3269 \$3119 \$3119 \$310 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3119 \$3118 \$3119 \$3118 \$3119 \$3118 \$3119 \$3118 \$3118 \$3119 \$3118 \$3119 \$3118 \$3118 \$3119 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$3118 \$	20 meg w/Western I/O PLOTTERS Epson Hi-B0 Save COMMUNICATIONS CompuServe Stater Kit Crossful XVI M5 Access 1.0) P55 Access Rendte Smartcam II. UTLLTIES Copy I PC 1 D/R Fostback Noroa Utilites 3.1 Priotworks Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch: Sideluch	SOFT AND 100 Best Price 592 5139 576 592 583 519 546 586 548 536 530 547 554 539 554 539	Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev	\$329 sister State sase sase sase sase sase sase sase
1092 1592 1592 1592 1592 1592 1592 1592 15	\$425 \$399 \$28 \$75 \$28 \$28 \$28 \$319 \$106 \$104 \$109 \$106 \$104 \$119 \$119 \$115	20 meg w/Western I/O PLOTTERS Epson HI-80 Save BBM PC / COMMUNICATIONS CompuServe Stater Kit. Crosstalk XVI MS Access 3.00 PFS Access Renate Smortcom II. UTILITES Copy II PC 10 JIR Fastback Nortoo Utilities 3.1 Priotworks Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sideluck. Sid	SOFT AND 100 Best Price 592 5139 576 592 583 519 546 548 536 530 547 585 539 554 539 554 534 539	Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augentilied Augen	\$329 phice Medaer \$4 amory \$1 \$48 \$72 \$55 \$249 \$269 \$76 \$162 \$233 1)\$196 \$278 \$249 \$278 \$249 \$249 \$278 \$249 \$249 \$249 \$249 \$249 \$195 \$248 \$195 \$248 \$195 \$248 \$195 \$248
1092 1592 1592 1592 1592 1592 1592 1592 15	\$425 \$399 ave \$28 \$75 \$28 \$319 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$319 \$ave \$328 \$319 \$ave \$328 \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$319 \$ave \$329 \$319 \$ave \$319 \$329 \$329 \$315 \$249 \$310 \$318 \$319 \$329 \$329 \$319 \$329 \$319 \$329 \$319 \$329 \$319 \$318 \$319 \$329 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$31 \$319 \$399 \$99 \$399 \$399 \$315 \$576 \$399 \$399 \$399 \$399 \$399 \$399 \$399 \$399 \$399 \$315 \$576	20 meg w/Western I/O PLOTTERS Epson Hi-B0 Save BBM PC / COMMUNICATIONS CompuServe Stater Kit Crostolk XVI MS Access 1.01 PFS Access Smartcam II. UTILITIES Copy II PC 1 DIR Fostback Norion Utilities 3.1 Protovorbs Sidelack. Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Statelack Moreon Management	SOFT AND 100 Best Price 592 5139 576 592 583 519 546 546 548 536 530 547 555 539 554 539 554 539	Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev Augentiev	\$329 sister State sase sase sase sase sase sase sase
1092 1592 1592 1592 1592 1592 1592 All Printer Models All Printer Models All Printer Models Fight Simulator PC Logo Typing Instructor Typing Instructor Typing Instructor Pyping Tutor III INTEGRATIVE SOFTWARE Enable 1.1 Framework II Smart Software System Symphony GRAPHICS Chartmoster Emergraphics 2.0 Im-A-Vision Diageam Master Emergraphics 2.0 Im-A-Vision Microsoft Burst Mouse w/PC Pointbrust 3.0 Microsoft Burst Mouse W/PC Pointbrust PS Graph PS G	\$425 \$399 ave \$28 \$75 \$28 \$28 \$28 \$319 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$319 \$ave \$319 \$106 \$119 \$199 \$106 \$119 \$199 \$199 \$106 \$119 \$199 \$199 \$106 \$115 \$75 \$28 \$28 \$28 \$106 \$119 \$106 \$119 \$106 \$119 \$106 \$115 \$26 \$115 \$26 \$115 \$276 \$106 \$115 \$276 \$106 \$115 \$276 \$106 \$115 \$276 \$106 \$115 \$276 \$106 \$115 \$276 \$106 \$115 \$276 \$106 \$115 \$276 \$106 \$115 \$276 \$106 \$115 \$276 \$279 \$28 \$28 \$106 \$115 \$269 \$115 \$276 \$279 \$106 \$115 \$276 \$106 \$115 \$276 \$279 \$279 \$279 \$269 \$269 \$279 \$106 \$115 \$276 \$279 \$279 \$279 \$269 \$269 \$279 \$269 \$269 \$279 \$279 \$269 \$279 \$279 \$279 \$269 \$269 \$279 \$279 \$279 \$269 \$279 \$269 \$279 \$279 \$269 \$279 \$279 \$269 \$279 \$279 \$269 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$279 \$2	20 meg w/Western I/O PLOTTERS Epson HI-80 Save BMC PLOT COMMUNICATIONS CompuServe Stater Kit. Crosstalk XVI MS Access 3.0) PFS Access Remate Smartcom II. UTILITES Copy II PC I Dir Copy II PC I Dir Fastback Norson Utilites 3.1 Petatworks Sidelick, Superkey (Bordle) Travelling Sidelick Sidelick (Usprotected) Sidelick - Superkey (Bordle) Travelling Sidelick Travelling Sidelick Travelling Sidelick PROJECT MANAGEMEN Harvard Total Project Manager Microant Project	SOFFT AND 1000 Best Price 592 5139 576 592 583 519 546 588 536 530 547 585 539 554 539 554 539 554 539 554 539 554 539	Complex Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Construction Constru	\$329 phice Medaer \$4 amory \$1 \$48 \$72 \$55 \$249 \$76 \$162 \$233 I)\$196 \$278 \$249 \$195 \$242 \$195 \$249 \$195 \$242 \$384 \$166 \$555 \$65
1092 1592 1592 1592 1592 1592 1592 1592 15	\$425 \$399 ave \$28 \$75 \$28 \$319 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$379 \$ave \$319 \$ave \$328 \$319 \$ave \$328 \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$319 \$ave \$329 \$ave \$319 \$ave \$319 \$ave \$329 \$319 \$ave \$319 \$329 \$329 \$315 \$249 \$310 \$318 \$319 \$329 \$329 \$319 \$329 \$319 \$329 \$319 \$329 \$319 \$318 \$319 \$329 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$319 \$31 \$319 \$399 \$99 \$399 \$399 \$315 \$576 \$399 \$399 \$399 \$399 \$399 \$399 \$399 \$399 \$399 \$315 \$576	20 meg w/Western I/O PLOTTERS Epson Hi-B0 Save BBM PC / COMMUNICATIONS CompuServe Stater Kit Crostolk XVI MS Access 1.01 PFS Access Smartcam II. UTILITIES Copy II PC 1 DIR Fostback Norion Utilities 3.1 Protovorbs Sidelack. Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Statelack Copy II PC 1 DIR Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidelack Sidela	SOFFT AND 100 Best Price 592 5139 576 592 583 519 546 548 530 547 585 539 554 534 539 554 534 539 554 534 539	Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Complex Com	\$329 \$359 phic Meder \$4 amory \$1 \$48 \$72 \$55 \$249 \$269 \$76 \$162 \$233 \$1)\$196 \$2778 \$249 \$195 \$242 \$84 \$195 \$242 \$384 \$195 \$255 \$242 \$385 \$355 \$255 \$255 \$249 \$195 \$255 \$255 \$255 \$255 \$255 \$255 \$255 \$2


		<u> </u>
IEM COMPUTERS		
PC 1 Drive 256K .	\$1199	
XT 1 Drive 256K	\$1729	
XT 1 Drive 20 Meg 640K	\$2169	
AT/68	\$2849	
AT/339	\$4449	
COMPAQ **		
Portable II - 2 Drive	\$1649	
PANASONIC	\$1309	
Sr. Portner Dual Drive	\$1309	
	. 31077	
TOSHIBA	\$1299	
T-1100 Plus	Sove	
T-3100	. Save	
SPERRY		
Sperry IT	. \$ 1999	
Other Models	. Sove	
WYSE		
Wyse pc 1100-1	\$979	
Wyse pc 1100-20	\$1539	
Zenith Computer Pro	oducts	
SAVE Up to 50 ⁴ All Models		
All Models .	, \$ave	
KEYBOARDS		
Keytronics 5151	\$159	
Contraction of the local division of the loc		-
SPREADSHEETS		
Lotus 1-2-3 .	. Şave	
Lotus 1-2-3 . Multiplan	\$108	
Lotus 1-2-3 . Multiplan Spreadilitiest Auditor 3.0	\$108 \$82	
Lotus 1-2-3 . Multiplan Spreadsheet Auditor 3.0 VP Planner	\$108 \$82 \$48	
Lotus 1-2-3 . Multiplan Spreadsheet Auditor 3.0 VP Planner	\$108 \$82 \$48	
Lotus 1-2-3 . Multiplom Spreadhheet Auditor 3.0 VP Plonner Supercolc 4	\$108 \$82 \$48	
Lotus 1-2-3 . Multiplon Symedolweet Auditor 3.0 VP Plonner Supercolc 4 MONEY MANAGEMENT	\$108 \$82 \$48 \$259	
Lotis 1-2-3 Multiplon Spreachheet Auditor 3.0 VP Plonner Supercolc 4 MONEY MANAGEMENT Dollars & Sense w/Forcosi	\$108 \$82 \$48	
Lotis 1-2-3 . Multiplois Symodhwest Auditor 3.0 VP Plonner Supercolc 4 MONEY MANAGEMENT Dollors 3 Sense w/Forcost Doblos Monging Your Money	\$108 \$82 \$48 \$259 \$94 \$ave	
Lohis 1-2-3 . Multiplion Spreachkeet Auditor 1.0 VP Plonner Supercolc 4 MONEY MANAGEMENT Dollars & Sense w/Forcost Tobias Monaging Your Money DATA BASE MANAGEMEN	\$108 \$82 \$48 \$94 \$ave IT	
Lotis 1-2-3 . Multiplois Symodhwest Auditor 3.0 VP Plonner Supercolc 4 MONEY MANAGEMENT Dollors 3 Sense w/Forcost Doblos Monging Your Money	\$108 \$82 \$48 \$259 \$94 \$ave	
Lotis 1-2-3 Multiplon Spracchivest Auditor 1.0 VP Plonner Supercalc 4 MONEY MANAGEMENT Dollars 5 Sense w/Forcost Toblas Managing Your Money DATA BASE MANAGEMENT Clipper	\$108 \$82 \$48 \$94 \$94 \$94 \$94 \$94 \$94	
Lotis 1-2-3 . Multiplois Sormodikeet Audior 3.0 VP Plonner Supercolc 4 MONEY MANAGEMENT Dollors & Sense w/Forcost Tobios Monaging Your Money DATA BASE MANAGEMEN Clipper . Cornerstone	\$108 \$82 \$48 .\$259 .\$94 \$ave IT \$329 \$67	ble.
Lotus 1-2-3 . Multiplon Sormodikeet Audior 3.0 VP Plonner Supercold 4 MONEY MANAGEMENT Dollars & Sense w/Forcost Tobias Monoging Your Money DATA BASE MANAGEMEN Clipper . Cornerstone dBase II dBase II Plon Extended Report Writer	\$108 \$82 \$48 \$259 \$329 \$329 \$67 \$329 \$67 \$329 \$67	lioble.
Lotis 1-23 Multiplon Spracchwest Auditor 1.0 VP Plonner DUP: Collers 5 Sense w/Forcost Dollars 5 Sense w/Forcost Dollars 5 Sense w/Forcost Data BASE MANAGEMENT Clipper Cornerstone dBase II dBase II dBase II Pha Extended Report Writer Knowhedgemost II	\$108 \$82 .\$48 \$259 \$94 \$ave IT \$329 \$67 \$ave \$ave \$74 \$249	voliobie.
Lotis 1-23 . Multiplois Symodheet Audior 3.0 VP Plonner Supercold 4 MONEY MANAGEMENT Dollors 3 Sense w/Forcost Tobios Monging Your Money DATA BASE MANAGEMEN Clipper . Cornerstone dBose II dBose II Bose II Bose II Bose II Money Estended Report Writer Knowledgemos II Nushell 2.0	\$108 \$82 \$48 \$259 \$94 \$ave \$ave \$529 \$67 \$67 \$67 \$67 \$67 \$67 \$67 \$67 \$67 \$50 \$67 \$57	s avaitable.
Lotis 1-2-3 Multiplon Spracchivest Auditor 1.0 VP Plonner MONEY MANAGEMENT Dollars & Sense w/Forcost Tobios Monaging Your Money DATA BASE MANAGEMENT Clipper Cornerstone dBose II dBose II dBose II standad Report Writer Knowledgemas II Nashall 2.0 PS: File	\$108 \$82 \$48 \$259 \$94 \$ave \$329 \$67 \$ave \$329 \$67 \$ave \$329 \$57 \$57 \$57 \$57	tles available.
Lots 1-23 . Multiplon Symodheest Auditor 1.0 VP Plonner Supercolc 4 MONEY MANAGEMENT Dollars 5 Sense w/Forcosi Tobios Managing Your Money DATA BASE MANAGEMEN Clipper Cornerstone dBose II Plos Extended Report Writer Renowledgemont II Mushall 2.0 PFS: Report	\$108 \$82 \$48 \$259 \$94 \$ave \$ave \$67 \$ave \$74 \$249 \$57 \$576 \$67	r titles avaitable.
Lotus 1-2-3 . Multiplois Sormadkeet Audior 3.0 VP Planner Supercalc 4 MONEY MANAGEMENT Dollars & Sense w/Forcast Dollars & Sense w/Forcast Clipper . Cornerstone dBase II dBase II Plan Estemded Rapart Writer Knowledgemast II Nushell 2.0 PFS: Report Oukcode	\$108 \$82 \$82 \$259 \$259 \$329 \$67 \$ave \$74 \$59 \$59 \$59 \$74 \$59 \$59 \$76 \$67 \$138	her ritles available.
Lots 1-23 . Multiplon Symodheest Auditor 1.0 VP Plonner Supercolc 4 MONEY MANAGEMENT Dollars 5 Sense w/Forcosi Tobios Managing Your Money DATA BASE MANAGEMEN Clipper Cornerstone dBose II Plos Extended Report Writer Renowledgemont II Mushall 2.0 PFS: Report	\$108 \$82 \$48 \$259 \$94 \$ave \$ave \$67 \$ave \$74 \$249 \$57 \$576 \$67	ather titles available.
Lotis 1-23 . Multiplon Syraedheet Audior 1.0 VP Plonner MONEY MANAGEMENT Dollars & Series w/Forcosi Tobics Monaging Your Money DATA BASE MANAGEMEN Clipper Cornerstone dilace III Pho Extended Report Witee Knowledgement II Nushall 2.0 PFS: File PFS: Report QuickRopert	\$108 \$82 \$48 \$259 \$349 \$349 \$57 \$349 \$57 \$574 \$249 \$57 \$574 \$574 \$574 \$576 \$575	ny ather titles available.
Lotus 1-2-3 . Multiplois Spreadsheet Audior 3.0 VP Plonner Supercold 4 MONEY MANAGEMENT Dollors & Sense w/Forcost Tobios Monaging Your Money DATA BASE MANAGEMEN Clipper . Cornerstone dBose II Plois Estended Report Writer Knowledgemos II Nushell 2.0 PFS: Report Ouickcode Ouickcode Ouickcode Ouickcode Ouickcode Clipker	\$108 \$82 \$82 \$259 \$259 \$329 \$329 \$329 \$349 \$329 \$349 \$329 \$349 \$576 \$349 \$59 \$59 \$59 \$59 \$59 \$59 \$59 \$59 \$59 \$5	Morry ather titles available.
Lotis 1-2-3 Multiplom Spracchivest Auditor 1.0 VP Ponner Supercold 4 MONEY MANAGEMENT Dollars & Sense w/Forcos Tobis Monaging Your Money Data Base ManaGement Clipper Cornerstone dBose II Conserstone dBose II Conserstone dBose II Conserstone Base II Conserstone Base II Conserstone Base II Conserstone Clipper Conserstone Base II Conserstone Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Conserstone Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper Clipper	\$108 \$82 \$82 \$94 \$259 \$329 \$67 \$ave \$74 \$249 \$59 \$74 \$59 \$59 \$74 \$67 \$138 \$59 \$76 \$67 \$138 \$82 \$91	Morry ather titles available.
Lotus 1-2-3 . Multiplois Spreadsheet Audior 3.0 VP Plonner Supercold 4 MONEY MANAGEMENT Dollors & Sense w/Forcost Tobios Monaging Your Money DATA BASE MANAGEMEN Clipper . Cornerstone dBose II Plois Estended Report Writer Knowledgemos II Nushell 2.0 PFS: Report Ouickcode Ouickcode Ouickcode Ouickcode Ouickcode Clipker	\$108 \$82 \$82 \$94 \$259 \$329 \$67 \$ave \$74 \$249 \$59 \$74 \$59 \$59 \$74 \$67 \$138 \$59 \$76 \$67 \$138 \$82 \$91	Mary ather titles evoluable.

	SPECIAL Over \$200 worth or Paperback Software Prog \$49 with each system	grams	Ċ,	
PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED PROVED	Turbo PC/XTw/256K&1 Drive. Turbo PC/XTw/640K & 1 Drive. Turbo PC/XTw/640K & 2 Drives Turbo PC/XTw/640K & 2 Drives Turbo PC/XTw/640K, 1 Drive & 20MG MonGraphics Cord with Software and Parollel Printer Port Color Card with Tarollel Print Port Multifunction. Cord w/Software Amber Monitor (TTL) Color Amitor (RGB). Segs Enhanced Graphics Cord , I/O Card (Seriol/Porollel). I/O Card (Seriol/Clock Colendor) I/O Card (Seriol/Clock Colendor) I/O Card (Seriol/Clock Colendor) I/O Card (Seriol/Clock Colendor) I/O Card (Seriol/Clock Colendor)	5449 5499 5929 5929 5 79 5 79 5 79 5 79 5 289 2259 5 289 5 29 5 39 5 39 5 79	CON MESSION	110000 511005001

Inquiry 271 for MS-DOS Products. Inquiry 272 for all others.

ī





When 1-2-3[®] was first introduced it quickly became the best-selling, best-working software in the industry. Today it's practically an industry all by itself.

An example: there are more than 1000 independent software developers who have created and continue to create specialized applications for 1-2-3...steadily adding value to the product for people in all areas of business. Today 1-2-3 is the engine that drives an industry full of software tools designed for such specialized jobs as construction management, tax planning, business modeling and more.

Add to this Lotus supported companion products such as 1-2-3 Report Writer,[™] Freelance,[®] Graphwriter[®]—and soon-to-be available products such as Lotus HAL[™] and others—and it's clear that you're looking at an entire *system* of products to help you work more productively with 1-2-3.

All of which makes 1-2-3 better than it ever was.

About a thousand times better, in fact.

Learn about the 1-2-3 system and how it can work for you. Talk to an authorized Lotus dealer.

Lotus 1-2-3

The business software integrating spreadsheet, graphics and database.

© 1986 Lotus Development Corporation. Lotus, 1-2-3, Freelance and Graphwriter are registered trademarks of Lotus Development Corporation. 1-2-3 Report Writer and Lotus HAL are trademarks of Lotus Development Corporation. "Lotus HAL is distinguished from HAL, which is a trademark of Qantel for its Hotel and Leisure Software".



There are enough copies of Symphony[®] software in use today to make Symphony, by itself, the fourth largest independent microcomputer software company in the world. Now let's discuss why. It's a truly complete workstation for the modern manager...incorporating 1-2-3's[®] powerful spreadsheet capability with Symphony's own word processing, graphics, database and communications. All of them working together, all in one program.

complete mente management

As your computer knowledge grows, so Symphony grows. The more you use Symphony, the more you find you can do with it. And with a growing line of Symphony add-in products from Lotus[®] (Text Outliner, Spelling Checker, Symphony Link[™] etc.), Symphony offers steady and seemingly endless potential for expansion.

A workstation. Thoroughly integrated. Geared for growth.


That's why Symphony is one of the world's most successful business software programs for IBM[®] personal computers and compatible products.

And that's why you ought to get a complete demonstration.

Lotus Symphony


A complete general-purpose software tool built around the world's leading spreadsheet technology.

© 1986 Lotus Development Corporation. Lotus, 1-2-3 and Symphony are registered trademarks of Lotus Development Corporation. Symphony Link is a trademark of Lotus Development Corporation. IBM is a registered trademark of International Business Machines Corporation.



UNIT 110 STOOUTH

10 MHz 286 TURBO[™]



The Code of the West

The Good

Western

286 Turbo™

Western Computer Corp. has built a strong reputation in the Microcomputer Industry by sticking to a few basic principles. We call it the "Code of the West" and it goes something like this:

MAKE IT BETTER.

with added features like 8-10 MHz switchable, 512K of RAM expandable to 1MB, Standard RS-232, Parallel Ports and 1 year Warranty on parts and labor.

MAKE IT NOW.

it doesn't matter how good a deal you make if you have to wait forever to get it!

MAKE IT CHEAPER.

and pass the savings on to the Buyer.

202 BYTE • OCTOBER 1986

MAKE IT COMPATIBLE.

we can't think of anything worse than getting a good deal on a new system, but not being able to run your favorite Software! By the way, we use Phoenix Bios for total compatibility.

MAKE IT IN AMERICA.

Please!

The Bad

\$5295.00

What could a Personal Computer with fewer standard features, actually do for you that would compel you to part with an additional \$3,300.00. Will it pick-up the kids from school, wash the car or walk the dog? Think about it!

& The Ugly

Regardless of what you pay for it, a Foreign Import can be one big gamble, with no guarantees of compatibility, service, or support. Western Computer Corp. has a full line of personal computers and peripherals designed around your needs and your budget including: WESTERN COMPUTER XT TURBO[™] WESTERN CARRY-ON[™] and...

Coming soon—WESTERN 80386! Call one of our salespersons at (714) 553-1611 to find out how to hang-on to more of your money!

Western Computer

17781 Mitchell St., Irvine, CA 92714 USA Phone (714) 553-1611 Customer Service Only (714) **533-1705** Telex: 7566731 Answer Back WESTERN COMP FAX (714) 553-0236

Western Computer Australasia Limited 4-82 Abbot Street, Ascot Brisba Queensland, Australia 4007 *(07) 268-6589 - Telex: AA144746 FAX: *(07) 2685256 - Answer Back MCGUIR

> Western Computer Spain Diputacion, 238-6° Despacho 8 08007 Barcelone, Spain Tele: 317 7128

Western Computer Greece - Busisoft Ltd. 102 Syngrou Ave., Athens 11741, Greece Tele: 902 4248 - TLX: 210364

P·U·B·L·I·C D·O·M·A·I·N P·O·W·E·R·H·O·U·S·E·S

Z80MU

by Robert A. Baumann

This program for the IBM PC emulates the Zilog Z80 and CP/M 2.2

Z80MU ("the Emulator") runs on the IBM PC and emulates the Zilog Z80 processor and CP/M 2.2. It can be used as a Z80 development system whether or not the final Z80 code is designed to run under CP/M. The Emulator requires PC-DOS 2.0 or higher. While memory requirements vary depending on which Emulator facilities you use, if a CHKDSK of your system shows at least 256K bytes of free memory, you have room to run the Emulator. Computerwise Consulting Services developed the Emulator and decided to release it to the public domain for three reasons: it's good advertising for the work we do, we've benefited from public domain software in the past and this is one way to return the favor, and we get the benefit of hundreds of testers. |Editor's note: The executable code for the Z80MU runs on an IBM PC. The archive file Z80MU310.ARC contains six files, including the emulator and a user's guide. See the insert card following page 320 for details. The programs are also available on BYTEnet; see page 4.

The heart of the Emulator is a carefully coded "Z80 engine" (written entirely in 8088 assembly language) that emulates Z80 op codes, the CP/M BIOS and BDOS functions, and a VT52 terminal for full-screen CP/M applications (e.g., WordStar, dBASE II, etc.).

Around the Z80 engine is a whole lot of high-level code (written in Lattice C) that provides the user interface, debug commands, PC-DOS interface commands, a full Z80 disassembler and RESOURCE facility, and environment control.

HOW ACCURATE AN EMULATION IS IT?

The Emulator's Z80 engine emulates the Z80 almost perfectly, down to an emulation of all six flag bits in the flags register. Even the seldom-used half-carry and add/subtract flag bits are emulated. But for faster execution, the Emulator ignores the two unused bits in the flags register, so these will not act exactly as they would on a real Z80.

I/O instructions (the INs and OUTs) perform everything except the actual strobe of the I/O data lines. The data transfer has been disabled because it is dangerous to have Z80 code accessing I/O addresses that mean something entirely different on the IBM PC. But setup, auto-increment of registers, and flag effects have been emulated even for the INs and OUTs.

We took a less precise approach when emulating CP/M 2.2. We wanted to keep the interface close to CP/M's but weren't interested in emulating the limitations of CP/M. We wanted to include many of the benefits of PC-DOS and to add many more built-in commands than were available with CP/M. We also demanded the largest possible Transient Program Area (TPA—the amount of memory available to be used by a Z80 program).

So we decided to support only "well-behaved" CP/M applications. A well-behaved CP/M program is one that accesses the disk via CP/M's file BDOS functions and doesn't look too closely at the reserved fields of the file control block (FCB). It doesn't use the Z80 IN or OUT instructions. It performs device I/O (to the screen, the printer, etc.) via BIOS or BDOS calls.

The program interface (via the BIOS and BDOS) is exactly the same as CP/M's. Some BIOS and BDOS func-(continued)

Robert A. Baumann, the owner of Computerwise Consulting, writes custom software for the IBM PC, mostly in assembly language and C. He can be contacted at P.O. Box 813. McLean, VA 22101. tions that are hardware-specific—or expect disks to have the CP/M format—are not supported.

The handling of commands and command arguments (the command "tail") appears to the Z80 application exactly as it would on a real CP/M system. The default FCB at 005C is formatted with the filename implied by the first command-line argument, and the FCB at 006C with the second argument. (All addresses are hexadecimal unless otherwise noted.) The byte at 0080 is set to the number of characters in the command tail and is followed by an uppercase version of the command tail as typed by the user. The Emulator has a TPA of 65,022 bytes, more than is available on most "real" CP/M systems.

We built a pseudo VT52 terminal into the Emulator, since many CP/M applications (especially those doing full-screen editing) assume that they are being run from a serial ASCII terminal. A list of some of the CP/M applications that we have successfully run is shown in table 1.

WHAT WON'T RUN UNDER THE EMULATOR?

Some hardware-specific CP/M programs cannot be run under the Emulator or must be run carefully to avoid functions that examine the hardware environment. STAT.COM. for instance, interrogates the physical layout of the disk and interprets it as if it were formatted for CP/M. Since PC-DOS disks aren't in CP/M format, STAT is immediately aborted by the Z80 engine. WordStar's SpellStar won't work, either. It tries to call CP/M's console command processor (CCP) within the 64K-byte CP/M segment. In the Emulator, however, there *is* no CCP in the CP/M segment.

Some CP/M programs look too closely at the "reserved" fields of the FCB and thus ought not to be emulatable at all. We have added special code to the Z80 engine that tries to keep the FCB looking as though it was being manipulated by CP/M, not PC-DOS.

MOVING CP/M PROGRAMS TO THE IBM PC

There are two ways to transfer a CP/M program to a PC-DOS file format. The first is to use a PC-DOS utility that runs on the IBM PC and is capable of reading the foreign CP/M disk format. Two such utilities are Convert (from Selfware Inc., Fairfax, Virginia) and Xenocopy (from Vertex Systems Inc.,

Table 1: Some Emulator.	e CP/M applications that have run successfully under the	
Standard Digita ASM LOAD ED DDT DUMP PIP	al Research Programs:	
Compilers, Ass M80 L80 LIB MBASIC LASM MAC Telecon C Software Toolwo	-	
Others: WordStar 3.0 ar dBASE II PMATE-80 rev. Chang Labs Me LU version 3.00	emoPlan	1

Los Angeles, California). This approach is nice, but only certain disk formats are recognized by each of these utilities. Apple II CP/M and North Star Horizon CP/M disks, for example, cannot be read on the IBM PC without special hardware.

Another approach is to transfer the CP/M files to the IBM PC via a communications line. If you have a CP/M system and an IBM PC. you can directly connect the two machines' serial ports and transfer files at 9600 baud. Otherwise, you can make the transfer over the phone at whatever speeds the respective modems can handle. In either case, the CP/M system (running BYE and XMODEM/MODEM7) sends its files to the IBM PC, which may be running any of the public domain communications programs that support the XMODEM protocol. The major advantage of this approach is that you don't need to know the disk format. If the CP/M system can read its own disks, the files can be transferred to the IBM PC. This works well when transferring Apple II CP/M and North Star Horizon CP/M files.

CP/M and PC-DOS files are similar enough that we have never had to alter a file that was transferred using the second approach (XMODEM), but Convert and Xenocopy don't always create a PC-DOS file of the same size as the CP/M original.

The biggest problem is **remember**ing which files are PC-DOS files and which are CP/M files. If you transfer a CP/M file called DUMP.COM, for example, from a CP/M system to the IBM PC's disk and accidentally invoke DUMP.COM from PC-DOS, the IBM PC's 8088 will attempt to execute the Z80 op codes and it will be time to reach for that Big Red Switch on the side of your PC. You must run such CP/M command (.COM) files under the Emulator.

One way to keep things straight is to store CP/M files under separate PC-DOS directories. The Z80PATH environment string makes this particularly convenient.

THE EMULATOR ENVIRONMENT

The Z80PATH environment string is equivalent to the PC-DOS PATH com-

Princeton Graphic Systems wins World Class competition three years running.

Sharp resolution, full compatibility, and rugged reliability. That's what you get in every Princeton Graphic Systems monitor. That's why Princeton Graphic Systems is number one in the minds of more and more personal computer owners every year.

Only Princeton Graphic Systems offers a complete family of quality personal computer displays. Our color and monochrome monitors outperform the competition every time. That's why, for the third year in a row, our HX-12 high resolution color monitor has been voted best in the world.*

So for the very best in personal computer monitors, pick the company that's number one. Princeton Graphic Systems.

PC WORLD Magazine's 1986 World Class Survey.





GRAPHIC SYSTEMS AN INTELLIGENT SYSTEMS COMPANY 601 Ewing Street, Bidg. A, Princeton, NJ 08540, (609) 683-1660, Telex: 821402 PGSPRIN. (800)221-1490, ext. 1702 mand. It allows you to tell the Emulator where to look for Z80.COM files. You give it a string that is a list of fully qualified names of directories that are to be searched when the Emulator is looking for a .COM file to load **and** run. If there is no Z80PATH string defined in the PC-DOS environment, the search stops with the current disk drive's current PC-DOS directory. If no matching filename is found, the Emulator indicates that it doesn't know what you mean with the same terse error indication that CP/M would.

How Do I Use IT?

For the most part, all you do while using the Emulator as a standard CP/M system is invoke various CP/M programs. The Emulator prompts you for input the same way that CP/M does—by displaying the currently logged drive with the string Z80 in front of the drive name, to remind you that you are using the Z80 and CP/M Emulator and not PC-DOS.

The Emulator includes CP/M's usual built-in commands, although the output display may vary because this really is a PC-DOS file system. An effort has been made to accept both CP/M and PC-DOS versions of the same command:

Z80 A>dir Z80 A>stat *.* Z80 A>type foo.txt Z80 A>era b:*.* Z80 A>delete *.foo

You can also add a few PC-DOS options, since these commands are ac-

tually passed to PC-DOS for handling:

```
Z80 A>dir /w
Z80 A>dir >foo
Z80 A>dir b: \ cpm \ *.*
Z80 A>rename *.c *.bak
Z80 A>copy foo.doc lpt1:
```

If a command starts with an exclamation point, the rest of the command line is passed to PC-DOS for handling. This is for PC-DOS commands that have no CP/M equivalent. You can use it to change working directories, invoke your favorite PC editor, or even "drop into" PC-DOS for a while. You do this by invoking COMMAND.COM and returning to the Emulator via the EXIT PC-DOS command.

Z80 A>!mkdir foo Z80 A>!cd foo Z80 A>!cd \ cpm \ test Z80 A>!chkdsk Z80 A>!chkdsk Z80 A>!ws Z80 A>!format b:/s Z80 A>!command A> (you're in DOS now) A>WS (invoke WordStar) A>EXIT

Z80 A> (back in the Emulator now)

ADVANCED FEATURES

There's far more to the Emulator than the simple CP/M environment. A host of special built-in commands gives the Emulator power beyond CP/M's. Some of the miscellaneous Emulator commands are shown in table 2.

Some of these built-in commands control the Emulator environment. To tell the Emulator that you want illegal Z80 op codes to cause a visible fault

Table 2: A sampling of the commands available under the Emulator.

Long	Short	Meaning
delete	del	Delete file(s)
erase	era	Delete file(s)
stat	dir	Display file(s) in directory
type	ty	Type contents of file to screen
copy	co	Copy file(s)
rename	ren	Rename file(s)
help	?	Get on-line help
illop	1	Control Z80 illegal op codes
exit	е	Exit the Emulator to PC-DOS
howfast?	speed?	Calculate effective Z80 speed
coldboot!	cold!	Cold-boot the 64K-byte CP/M segment
submit	sub	Switch input to file

with a proper error message, for example, you use the illop built-in command:

Z80 A>illop fault

To tell the Emulator to not fault on illegal Z80 op codes but to treat them as NOPs, you say:

Z80 A>illop nop

The Emulator's debug facility is built into the Emulator, which means that debug commands are always available when using the Emulator. Table 3 shows some of the debug commands.

DISASSEMBLY AND RESOURCE COMMANDS

RESOURCE is short for 'regenerating source code." Ward Christensen wrote the original RESOURCE many years ago for CP/M. The basic idea is to automate the disassembly of object code into source code, complete with labels and comments.

If you simply disassemble a **piece** of Z80 object code, you get a primitive type of source code. There are instruction mnemonics, so you can at least tell what instructions are involved. But addresses are just hexadecimal numbers.

You can explain to the Emulator's disassembler as much as you know about some object code. It will use this information in subsequent disassemblies, resulting in much more understandable displays. The first thing that you usually want to see are symbolic labels instead of hexadecimal addresses. The label directive (abbreviated as =) enables you to assign symbolic names to Z80 addresses:

Z80 A>label 5c first_fcb Z80 A>label 6c second_fcb Z80 A>= 5 BDOS

Now an instruction sequence like

0253 LD DE,005Ch 0256 CALL 0005H

will disassemble as

0253 LD DE,first_fcb 0256 CALL BDOS

The next most useful thing to do is (continued)

Now Available!

FIVE NEW MODELS

SHARE PRINTERS AND BUFFER PRINT JOBS WITH ONE VERSATILE UNIT

Print Master from BayTech is an intelligent printer controller that connects between your computers and printers. It allows you to share one printer automatically, contend for multiple printers automatically, or switch between several printers by sending a simple code, not by changing cables. Plus, Print Master's generous built-in buffer spools data until your printers can receive it.

Because Print Master is a very flexible device, you can set it up to fit your application, even if your application changes.

YOU SET UP The in-out ports

You configure Print Master's ports for any combination of printers and computers by answering questions from easy-tofollow menus. For example, with the ten port Print Master, nine computers can share one printer, eight computers can share two printers, seven computers can share three printers, and so on, to one computer which can share nine printers. You can also menu-select the disconnect time-out, form feeds, etc. and on serial models, the configuration of individual ports to translate for printers and computers using different configurations.



512K OR ONE MEGABYTE BUFFER KEEPS YOU WORKING INSTEAD OF WAITING

Since Print Master can accept data faster than your printer (up to 19.2KB serial or 5,000 characters per second parallel), you can send a print job to Print Master's standard 512K buffer and then go on to another project. All users connected to Print Master can send data to this common pool buffer, and they can be doing it simultaneously, even if no printer is available. Data is stored in the buffer until it can be sent on a first-job-in first-jobout basis to the selected printer. If you need more memory than 512K, Print Master is optionally available with one megabyte buffer.

If several users are sharing one printer, printer sharing via Print Master is completely automatic. There are no codes to send. You simply perform your normal print operation. If you are sharing several identical printers, connection

is also

automatic. Again, you perform your normal print operation and are connected to the next available printer on a first-comefirst-serve basis. Print Master will send data to all printers simultaneously to keep your printers running at full capacity.

If you are sharing several different printers, such as a laser-jet, a dot matrix and a plotter, and you wish to select a specific printer, you do your normal print routine and also send a printer select code (which you can define yourself) before the first characters of your data. The data is then routed to the selected printer. It's that easy.

PARALLEL, RS-232C OR RS-422A MODELS

706A (6 parallel ports), \$795 706C (6 serial ports), \$795 708C (8 serial ports), \$895 710C (10 serial ports), \$995 706D (4 parallel/2 serial), \$795 708D (6 parallel/2 serial), \$895 706E (4 serial/2 parallel), \$895 708E (6 serial/2 parallel), \$895 710E (8 serial/2 parallel), \$895 708F (4 serial/4 parallel), \$895 710F (6 serial/4 parallel), \$895 710F (6 serial/4 parallel), \$995 All above models have standard 512K buffers. Additional 500K buffer, \$249 RS422A for distances up to 4,000 feet now available on some models.

WANT DETAILS?

Call or write BayTech at P.O. Box 387, Highway 603, Bay Saint Louis, Mississippi 39520, USA. Telex 910-333-1618. Phone 601-467-8231 or

800-523-2702

BAY TECHNICAL ASSOCIATES, INC.

Typical application using the Model 710C assign comments to certain addresses. This is done with the built-in **command** comment (abbreviated ";"):

Z80 A>comment 253 "Point to FCB" Z80 A>; 256 "open the file"

Our example sequence (when disassembled) then looks like:

0253 LD DE,first_fcb ;Point to FCB 0256 CALL BDOS ;open the file

One common problem in obtaining a sensible disassembly of object code is that of embedded data being misinterpreted as instructions. You can use the control command (abbreviated c) to control whether the disassembler interprets object code as data or instructions. Several types of these "control breaks" can be associated with an address:

Instructions-Z80 instruction

mnemonics are used.

Bytes-DBs are used.

Words—DWs are used (multiple DWs per line).

Table—DWs are used (one per line). Storage—DS is used.

For example:

Z80 A>control 253 instructions Z80 A>c first_fcb bytes Z80 A>c bios_table table Z80 A>c 80 storage

Finally, there is the disassembly command itself—list (abbreviated I). You use this to list whatever object addresses you like. As the code is listed, it is disassembled according to whatever you've explained about the code.

EXPRESSIONS

Many of the built-in commands accept arguments. In general, these arguments can be numbers (in hexadecimal, decimal, or binary), ASCII characters, or symbolic labels that have been assigned via the label command. Additionally, they can be expressions made up of two or more such values joined by "+" or "-" operators. This can make things considerably easier for the poor befuddled user when it's three a.m. and he's hot on the trail of a bug. Instead of having to disassemble a piece of code with something cryptic like

Z80 A>dump 5c 6b Z80 A>list 700 740

he can type

Z80 A>dump first_fcb first_fcb+fcb_size Z80 A>list table_start+'A table_offset+'A

EMULATOR INTERNALS

When you type in the name of a CP/M program, the Emulator searches for the corresponding .COM file according to the Z80PATH PC-DOS environment string. When the program is located, it is read into the 64K-byte CP/M memory segment starting at address 0100. The default FCBs at 005C and 006C are formatted from the

Table 3: Debug commands built into the Emulator.

Long	Short	Meaning
save	sa	Save memory (starting at 0100 hexadecimal) to disk
btrace	bt	BDOS trace control or display
break	b	Set, clear, or display breakpoints
dump	d	Dump memory in hexadecimal and ASCII
find	f	Locate pattern in memory
go	g	Continue execution of Z80
patch	p	Patch memory
xreg	x	Display/modify Z80 registers
trace	t	Trace Z80 instructions
notrace	n	Invisibly trace Z80 instructions
pctrace?	pc?	Display traceback of Z80 PC values
move	m	Move memory
math	ma	Evaluate expression
args	ar	Set default FCBs at 005C and 006C hexadecimal
read	r	Read file into memory
write	w	Write memory to file

a

command arguments, as is the command tail at 0080. The Z80 stack is set just below our BDOS hook at address FEFE, and a word of zeros is pushed onto the stack so that if the CP/M program exits by a return, it will go to address 0000, which is a jump to the Warm Start entry in the BIOS table.

Once Z80 code is loaded into the 64K-byte CP/M memory, the guts of the Emulator—the Z80 engine—takes over. It fetches op codes from the CP/M memory and "executes" them by emulating what the Z80 would do with them.

Z80 AND 8088 REGISTER EQUIVALENTS

For speed, the Z80 engine keeps in 8088 registers emulated copies of the most-used Z80 registers, as follows:

Z80 Registers	8088 Registers
A register	AL
Flags	AH
B register	CH
C register	CL
D register	DH
E register	DL
H register	BH
L register	BL
Stack pointer	BP
PC	SI

The DI and ES registers are available for temporary use by the Z80 engine. All emulation of Z80 op codes is performed either by manipulating emulated Z80 registers that reside in 8088 registers or by using DI and ES to access and manipulate RAM. Seldomused Z80 registers are kept in RAM within the Z80 engine. Because these are in RAM and not in 8088 registers. it takes longer to access them. Fortunately, these particular Z80 registers are not used very often. They are

- the alternate registers AF', BC', DE', and HL'
- index registers IX and IY
- the interrupt flip-flops IFF1 and IFF2
- the interrupt mode flip-flop IMF
- the interrupt register
- the refresh register

While the Z80 engine is in control, the 8088 DS register points to the 64K-byte CP/M memory segment. The 8088 stack registers SS and SP are not (continued)



Casio challenges you to find more power. At any price.

The amazing Casio FX-4000P programmable science calculator. In

power, it's comparable to the most highly touted calculators on the many today.

It offers you 160 total func

tific functions, such as nexal annally decimal/binary/octal conversions, standard deviation and repression analysis

long computations, its 12 character

alpha-numeric display scrolls to 79 characters and us instant formula

	CASIO		HP	T I:	
	FX-4000P		15C	60	
Memory	550	c	448 Step	84 Ste	
Formula Replay	Yes		No	No	
Computer Math	Yes		No	Some	

replay feature lets you review, edit and replay vour formula at the toucn or a

at the touch of a button. It even has an answer key that computed value.

the FX-4000P has a "perfect entry" system, which allows you to enter and display formula exactly as written Plus, it has a non-volatile 550

step program memory with 10 program

divisions. This allows 10 different programs to be stored at once.

And it includes up to 94 data memories, which are invaluable for statistical analysis.

Finding all this power at your fingertips is remarkable enough, let alone at half the price of some competitors. If you can put your finger on a scientific calculator that gives you more power at any price, by all means buy it.



It is not enough to use the 8088's LAHF and SAHF instructions to emulate the Z80 flags.

altered and are used to maintain linkage with the calling C program.

Z80 OP CODE FETCH AND EMULATION

The Z80 engine works as follows:

1. Fetches a Z80 op code from the 64K-byte CP/M memory segment.

2. Jumps to the code to emulate this op code.

3. Updates the emulated Z80 flags per this op code.

4. Goes back to step 1.

The 8088 SI register emulates the Z80 program counter. To execute the next Z80 instruction, the byte that the SI register points to is read from memory. It is then used to index into a table of 256 possible op codes, and the routine to handle this particular op code is jumped to (not called, as that is just too slow).

Each of the 256 primary Z80 op codes has a 16-byte 8088 routine that emulates it. Fixing the size of each handler at 16 bytes eliminates the need to use a real table to look up the address of the op code's emulation routine and speeds things up considerably. Some op codes just can't be fully emulated in 16 bytes. The 16-byte handlers for these few exceptions are simply jumps to larger routines elsewhere within the Z80 engine. Most Z80 op codes, however, can be handled in 16 bytes— assuming some very careful coding of the routines.

The main dispatch code is shown in figure I. Notice that the label INTERP__TRAP is normally a NOP. If you press Break on the IBM keyboard, the Break interrupt handler (part of the Z80 engine) changes the NOP to a single-byte 8088 breakpoint interrupt (INT 3). When execution gets back to INTERP__TRAP, the breakpoint interrupt in turn causes Z80 emulation to halt, with a return from the Z80 engine to the main C part of the Emulator. This is how to interrupt the Z80 between Z80 instructions.

The 16-byte handler that is jumped to via the above dispatch code does whatever is necessary to emulate its Z80 op code. This includes adjusting the Z80 program counter (held in the 8088 SI register). The Z80 NOP op code handler, for example, increments the Z80 PC by 1. A Z80 CALL op code causes the Z80 PC to be set to the value of the called address.

When emulating an op code, the Z80 flags must be emulated identically to the way a real, hardware Z80 would. It is not enough to use the 8088 LAHF and SAHF instructions. Once the 16-byte interrupt handler has finished executing its assigned op code, it jumps back to one of eight different flag-updating routines, each of which updates the Z80 flags in what-

INTERP_ NOP	_TRAP:	
MOV	DI,AX AL,[SI] AH,AH AX,1 AX,1	SAVE Z80 AF FETCH Z80 OP CODE FROM MEMORY CLEAR REST OF AX TIMES 16 BYTES PER HANDLER
SHL	AX,1 AX,OFFSET CGROUP:0	OP00 ;ADD FIRST HANDLER'S ADDRESS ;RECOVER Z80 FLAGS AND A REGISTER TO AX ;GOTO 16-BYTE OP CODE HANDLER

Figure 1: The main dispatch code for the Emulator's Z80 engine.

ever manner the true Z80 op code would have done. **Each of** the eight flag-updating routines ends with a jump back to INTERP__TRAP, thus completing the Z80 emulation loop.

CP/M BIOS AND BDOS HOOKS

If a Z80 HALT op code occurs in the CP/M memory segment below address FEFE, the Z80 engine saves all emulated Z80 register values and returns to the main C program. Such a HALT can be used as a debug breakpoint, or it may be a bug in the program. If the HALT occurs at an address above FEFD, some CP/M function is being requested by the executing Z80 program. To understand why and how, it is necessary to backtrack a moment.

When the Z80 engine first formats the 64K-byte CP/M segment, it zeros most of that memory. The first page, however, is formatted the same way that CP/M would format it. At location 0000 there is a jump to the CP/M BIOS Warm Start entry, which is itself just a jump within the BIOS vector table. This is the same BIOS organization that CP/M uses. Unlike CP/M. however, each BIOS vector table entry in Z80MU's CP/M memory does nothing but jump to a specific HALT higher up in memory. The address of the HALT tells the Z80 engine that the BIOS vector table entry was called.

At location 0005 is placed a jump to the BDOS function handler, which is just a HALT at address FEFE. So a HALT at this address means that the Z80 program is requesting a CP/M BDOS function. The Z80 engine looks at the address of the HALT, determines which CP/M function is being called, and emulates that function.

EMULATING CP/M BIOS AND BDOS FUNCTIONS

A common misconception is that since PC-DOS was derived from CP/M, all you have to do to convert CP/M functions to PC-DOS functions is move the Z80 C register to the 8088 AH register, move a few other registers around, and call PC-DOS via INT 21H. In reality it's not that simple. First, let's review the various CP/M functions a Z80 program can call.

TRANSEC NEW PRODUCTS

Program Review:



Makes dBASE Easier to Program, **Reduces Logic Errors, Bugs**

TranSec dANALYST[™] automatically converts any dBASE III program to dBASE III PLUS with true record and file locking for multi-user operation. Features include syntax/blocking analysis, tabbed file output, variable cross reference. Framework-type interface command windows, pop-up menus, graphic analysis REPORTS menu. Saves programmer's time to analyze and debug dBASEII, III, or PLUS. Supports multi-user Clipper and network version of WordTech. Not copy protected. Rated a "best buy."

TranSec dANALYST" \$74.95 plus \$5 s/h TO ORDER: 1-800-423-0772 VISA/MC IN FL: 1-305-474-7548

Program Review:



Simplify Naming, Finding Your Files with 32-Character File Names

TranSec PCEasy[™] is a new easyto-use "office environment" file management system that allows anyone to easily organize large amounts of data on a hard disk. Expands DOS file name limit to 32 characters to name files naturally, the way you think. Use easily remembered plain words or numbers. The interface structure mimics the paper world, only it's faster, better and easier to use ... by programmers, managers, secretaries, clerks. PCEasy immediately finds file cabinets, file drawers, file folders, spread sheets, reports in their own logical location. Automatic menu access to application programs. Works with all popular applications and utilities. Not copy protected. Rated "**** for ease of use.

\$74.95 plus \$5 s/h TranSec PCEasy** TO ORDER: 1-800-423-0772 VISA/MC IN FL: 1-305-474-7548

UNLOCK[™] Removes **Copy Protection**

RUNS YOUR SOFTWARE ON ANY HARD DISK

UNlock "copying" disk allows you to make "unprotected" DOS copies of popular original program disks. Unprotected backup copies perform perfectly, as do copies of these copies. UNlock copies run on any hard disk, including Bernoulli Boxes. No original

required in drive "A." Run on a RAM disk simply and conveniently. Also, copy DOS 51/4" programs to 31/2" diskettes. For IBM® PC, XT, AT, compatibles, 256K or more, DOS 2.1 or higher. Choice of the critics!

Guaranteed to work only with programs below: \$49.95 **UNLOCK**" ALBUM "A" PLUS (Plus \$4 ship/handling. Foreign orders \$10) ● dBASE III & dBASE III PLUS™ LOTUS 1-2-3[™] (1.A-2.0) • FRAMEWORK I & IITM ● IBM WRITING ASSISTANTTM (1.01) ● CHARTMASTER[™] (6.1) ■ IBM FILING ASSISTANTTM (1.0) · SIGNMASTERTM (5.1) ■ IBM REPORTING ASSISTANTTM (1.0) ● FASTBACKTM (5.3) GRAPHWRITERTM (4.3, 4.31) ● REALIA COBOL™ (1.2, 2.0) ● HARVARD TOTAL PROJECT MGR.™ (1.10) MULTILINK ADVANCEDTM (3.02, 3.03) THINKTANKTM (2.0, 2.1) ● DOLLARS & SENSETM (2.0) \$49.95 **UNLOCK**^{*} ALBUM "B" PLUS (Plus \$4 ship/handling. Foreign orders \$10) MICROSOFT WORDTM (1.15, 2.0, 2.01) · SYMPHONYTM (1.1) • PFS: ACCESSTM (1984Ed.) ● CLIPPER™ . PFS: PLANTM (B) LOTUS 1-2-3 REPORT WRITER[™] (1.0) . PFS: GRAPHTM (B) ● DOUBLEDOS™ • PFS: WRITETM (1.01, C) • SMARTWORK TM (1.0 Rev. 8 thru 10 & 1.1) ● PFS: REPORT™ (B, C) DISK OPTIMIZERTM • PFS: FILETM (B, C) MANAGING YOUR MONEYTM (1.5, 1.51, 2.0) ● DATABASE MANAGER II - THE INTEGRATORTM (2.0, 2.02) SPECIAL OFFER "Best of UNLOCK" \$74.95 ALBUM "D" PLUS (Plus \$4 ship/handling. Foreign orders \$10) • LOTUS 1-2-3TM (1.A-2.0) ● dBASE III & dBASE III PLUS™ · SYMPHONYTM (1.1) ● FRAMEWORK I & IITM CLIPPER™ ■ LOTUS 1-2-3 REPORT WRITERTM (1.0) ● FASTBACKTM (5.3) DOUBLEDOS[™] CHARTMASTERTM (6.1) ● HARVARD TOTAL PROJECT MGR.TM (1.10) ● SIGNMASTERTM (5. 1) MANAGING YOUR MONEYTM (1.5, 1.51, 2.0) ● DOLLARS & SENSETM (2.0) • THINKTANKTM (2.0, 2.1) MICROSOFT WORDTM (1.15, 2.0, 2.01) UNLOCK FLIGHT/JET #201 \$14.95 ■ FLIGHT SIMULATORTM • JETTM

(Plus \$4 ship/handling, Foreign orders \$10)

CHOICE OF THE CRITICS!

PERSONAL "UNlock has two particularly en-dearing characteristics: it works, and works simply. I was able to quickly produce unprotected copies of Lotus 1-2-3 release 2, Symphony 1.1, Microsoft Word 2.0, dBase III 1.1, and Framework II. These copies performed flawlessly, as did copies of these copies." Christopher O'Malley, DEDSONAL COMPUTING April '86 PERSONAL COMPUTING, April '86

PC "Because copy protection can interfere with the ability to back up a hard disk, business-oriented users may prefer programs like TranSec's UNlock series." Winn L. Rosch, PC MAGAZINE, May 27, 1986



BYTE "UNlock 4.7 defeats the latest Pro-lok and SuperLock type of copy protection scheme. It's menu-driven and works fine on the programs it's supposed to work on: Lotus 1-2-3, d Base III, Framework, Symphony, Paradox, and several others."

Jerry Pournelle, BYTE, Feb. '86



TranSec Systems, Inc., 1802 North University Drive, Plantation, FL 33322 Trademarks are the sole property of the operated software. Nock is for use only to improve the useability of legally acquir

The basic BIOS calls generally do low-level I/O to various devices. The Z80 calling sequences here have no direct PC-DOS equivalents. What's worse, many of them deal with the disk drive in a way that is incompatible with PC-DOS disks. In Z80MU's Z80 engine, the disk BIOS calls are unsupported and cause an abort of the Z80 program that invokes them. Any CP/M program that uses the disk BIOS calls just won't make sense on the PC. Rather than be sneaky about this, the Emulator displays an obvious error message explaining that the Z80 program invoked an unsupported BIOS call and has been aborted.

The low-level nondisk BIOS calls, on the other hand, are turned into IBM PC ROM BIOS calls that correspond in meaning. The CP/M "return LIST status" BIOS call, for example, gets



8445 Freeport Parkway • Suite 445 • Irving, TX 75063 1-800-227-8383 • For Technical Calls Only: 1-214-929-1382 TELEX 5106000176 DTC UD translated into an IBM PC ROM BIOS INT 17H to check the status of LPT1:. The status returned by the INT 17H is translated into the format of a real CP/M BIOS routine and given to the Z80 program. The "write character to PUNCH" BIOS call is translated into an IBM PC ROM BIOS INT 14H call to output the character to COM1:. The other nondisk BIOS calls are handled similarly.

Then there are the **vanilla** BDOS calls. These are used when a function number is placed into the Z80 C register and then a CALL 5 executed to get CP/M to perform that function. Such BDOS functions fall into three general groups: (1) character *VO* to the terminal, the printer, etc., (2) disk file *I/O*, and (3) overhead (get/set IOBYTE, get allocation information, etc.).

The functions of group 1 are easily converted to their PC-DOS equivalents just by exchanging a few Z80 and 8088 registers. The functions in group 3 are generally irrelevant in the PC-DOS world. The functions in group 2, however, are the guts of a real CP/M emulator. They must be done absolutely accurately. This is where we spent most of our development time, at least as far as the Z80 engine is concerned.

RESULTS RETURNED BY CP/M

The first problem faced by a CP/M emulator is one of conventions. How is information provided to CP/M and returned by it to the Z80 program?

The first part, fortunately, has been clearly defined by years of software development for CP/M. A function number goes into the Z80 C register, an FCB (if used) is pointed to by the Z80 DE register, and so on. But results coming back from CP/M (like "Hey, I opened your file, OK?") come back in at least two places: in the Z80 A register and in the Z80 HL register.

When we tried to run LU version 3.00 (a popular CP/M utility) under early versions of the Emulator, we got garbage. A quick debug session determined that when LU checked the results of a BDOS function it ignored the A register, looking instead at the Z80 HL register. A check of every CP/M system we could get our hands (continued)

"ATTENTION!"

Now there's a true value-added IBM[®] compatible!

General Technologies, an affiliate of one of America's leading electronic parts manufacturers and distributors, has designed three outstanding personal computers with full IBM[®] compatibility:

GENERAL AT:

A fast, powerful, dual-speed (8/6 MHZ) computer with an 80286 CPU. Perfect as a file server.

- GENERAL TURBO: A highspeed PC. Zero wait state. 70% faster than a standard PC/XT[®]. Rated by Norton Utility.
- GENERAL PC: The perfect inexpensive personal computer for your home and office.

RUNS ALL MAJOR SOFTWARE WRITTEN FOR IBM®PC, PC/XT® AND AT®.

ALL PACKAGED WITH FREE INTEGRATED BUSINESS SOFTWARE!

180-DAY FULL WARRANTY, INCLUDING PARTS AND LABOR.

FREE 60-DAY ON-SITE SERVICE IN OVER 100 CITIES NATIONWIDE.

Get more computer for a lot less money by calling toll-free 1-800-426-1242 for our professional dealer nearest you. Snap to it and snap up a real value with GENERAL!

IBM, AT and PC/XT are registered trademarks of International Business Machines Corporation.

GENERAL Technologies, Inc.

Bloomfield, New Jersey 07003 Twx: 710-994-4780 • Fax: 201-429-8683 FOR WARRANTY SERVICE DIRECTORY CALL 1-800-262-6772 FOR SOFTWARE/HARDWARE SUPPORT CALL 1-201-429-0053

Inquiry 117

DEALER INQUIRIES INVITED

The way PC-DOS uses and updates an FCB varies from the way CP/M does it.

on revealed that they all did the same thing. They returned results in two places (the Z80 A register and the HL pair), and the Z80 program could check whichever it pleased. So we changed Z80MU's Z80 engine to return results in both places, and now LU works just fine under the Emulator.

DIFFERING USE OF THE FCB

The biggest trap lies in emulating CP/M's use of the FCB. The way PC-DOS uses and updates an FCB varies considerably from the way that CP/M does it. This is further confused by the fact that various versions of PC-DOS handle the FCB differently.

Never minding that CP/M keeps allocation groups in "reserved" fields of the FCB and that there's no reason in the world to emulate that behavior, there are still important differences in the use of those FCB fields that the Z80 program is "allowed" to access.

When CP/M opens a file, for example, it uses byte 12 of the FCB-the extent field. In the early releases of CP/M (before random I/O was officially added to it), programs like WordStar's install program used this byte to do random I/O, by opening various extents within a given file. PC-DOS ignores byte 12 (and in some versions zeroes it) when opening the file but uses it thereafter. So the Z80 engine's emulated CP/M "open file" function saves byte 12 across the PC-DOS call to open a file and restores it after PC-DOS is done modifying the various fields that it modifies when a file is opened.

FCB byte 13 is a reserved field in CP/M, but it is the low-order byte of the current block number in PC-DOS. The Z80 engine zeroes this field before giving the FCB to PC-DOS.

FCB byte 14 is also a reserved field, and while byte 15 (the "record count within this extent" field) is not clearly

marked reserved, it ought not to be looked at by well-behaved CP/M programs. But both of these bytes are looked at (against all CP/M rules of proper software development) by some CP/M code written by Microsoft. We received calls from users of the Emulator who were having trouble running some CP/M software that had been written in a certain Microsoft compiled language. We debugged the code and found that the Microsoft subroutine library was looking at FCB bytes 14 and 15 instead of checking the CP/M return value in the Z80 A register. Rather than patch Microsoft's code to work properly, we changed the Z80 engine to keep FCB bytes 14 and 15 current according to the way CP/M would update them. This can be tricky, as PC-DOS uses FCB bytes 14 and 15 as the logical record size.

PC-DOS version 2.0 introduced extended FCBs. If the byte at FCB-7 is 00FF hexadecimal, PC-DOS assumes that this is an extended FCB and uses FCB-1 as an attribute byte. CP/M FCBs, of course, don't use this questionable convention. So when a Z80 program calls CP/M to do some operation on a file, the Z80 engine makes sure that the CP/M FCB doesn't sit 7 bytes after a byte that just happens to be 00FF hexadecimal.

CP/M FCBs are 36 bytes long; PC-DOS's basic FCB is 37 bytes long. Unless something is done by the Z80 engine to address this situation, PC-DOS will blindly use whatever byte happens to follow the 36-byte CP/M FCB as part of the random record number.

For these and other reasons, the Z80 engine copies each CP/M FCB up to a safe spot in high memory and touches it up before calling PC-DOS to do something with it. When PC-DOS is done, the modified FCB is edited to look once again like a CP/M FCB and is copied back where it originally came from so the Z80 program can examine it as if it were a plain old CP/M FCB.

DIFFERENT FILE I/O ERROR RETURN VALUES

Some CP/M programs don't really examine status returns from CP/M file operations except to check for zero or nonzero. Others actually do check for specific CP/M error returns as follows:

- 01 = reading unwritten data
- 03 = cannot close current extent
- 04 = seek to unwritten extent
- 05 = cannot create new extent
- 06 = seek past physical end of disk

PC-DOS file operations return completely different error values. So the Z80 engine translates an error returned by PC-DOS into the corresponding CP/M error value before passing it back to the Z80 program.

HANDLING EOF

Many CP/M programs check for Control-Z (end of file) on sequential input files. PC-DOS, of course, doesn't need a Control-Z at the end of a sequential file. It knows the exact size of the file, regardless of file contents.

So if a CP/M program (which expects Control-Z for end of file) reads a PC-DOS sequential file that doesn't have a Control-Z, the results can be rather odd. Some CP/M programs will report an I/O error. Others blindly assume that end of file was reached when any read error occurs.

For this reason, the Z80 engine keeps a sharp eye out for the PC-DOS "end of file" or "partial record" error returns. If either is found, the Z80 engine returns to the Z80 program a buffer that is filled out with Control-Z characters. So things work out just fine, regardless of the presence or absence of Control-Z characters in the input file.

CP/M BDOS FUNCTIONS THAT DIFFER IN PC-DOS

The CP/M "search for next" BDOS function does not require an input argument. The search continues per data saved from the last search that was done (usually a "search for first" that provided an FCB). The PC-DOS "search for next" function, however, does require an FCB as input. So when the Z80 engine emulates a CP/M "search for next" BDOS function, it passes to PC-DOS the updated FCB that was used for the previous search. The FCB is kept in a special area reserved just for this **purpose**.

NOW! TRANSFER DATA – PROGRAM TO PROGRAM WITH SOFTSTRIP.®

Now you can move data between different programs quickly and easily using SOFTSTRIP data strips.

MOVE LOTUS 1-2-3-

To and From Excel

To ReadySetGo

To and From Apple Writer To PageMaker

COMPUTER READABLE PRINT

And, using Softstrip data strips you can move data between programs such asWordStar, dBASE, Framework, MacWrite, ReadySetGo and many others.

We've created a series of several dozen Application Notes on Softstrip data strips. These lead you through simple steps to make the file transfer as easy as possible.

OCTOBER CASE HISTORY



A physical renabilitation and pain management clinic in Hot Springs, Ark., has begun a trial program using the SOFTSTRIP System to reduce the huge volumes of medical paperwork in physician's offices, clinics and hospitals. Dr. Henrik Madsen, medical director and administrator of the Hot Springs clinic, is deeply involved in the management aspects of health care as well as medicine itself. One of the biggest problems facing the proper administration of medical offices, clinics and hospitals is paper. Voluminous patient records accumulate

rapidly, soon cramming all available shelf space. All of those records are hand or typewritten papers.

Using the Softstrip System, Dr. Madsen's clinic is recording patient records on data strips. Those strips are filed in place of the written medical records, significantly reducing the amount of shelf space needed, as well as handling times. In addition, recall of medical records to the clinic's IBM PC computer can be done quickly using data strips. As Dr. Madsen observed: "Cost reduction is a vital national concern. If it can be accomplished in the administrative area, that many more dollars will flow to direct patient care. Everyone is looking for effective means to reduced administrative costs. This is one with promise."

For a complete list of Application Notes see your local dealer or call 1-800-533-7323 for the name of the nearest dealer. In Connecticut call (203) 573-0150.

Users' Groups: Call for Special User Group deals.

All you need is STRIPPER software at \$19.95 and the Softstrip System Reader at \$199.95.

CAUZIN 835 South Main Street Waterbury, CT 06706 (203) 573-0150

For Europe & Asia Contact: Softstrip International, Ltd. 53 Bedford Square London, WC1 B3DP England 01-631-3775 Telex: 263874SOFTST G

ReadySetGo is a trademark of Manhattan Graphics Corporation. IBM is a registered trademark of International Business Machines Corporation. Framework is a trademark and dBASE is a registered trademark of Ashton-Tate. PageMaker is a registered trademark of Adbus Corporation. Cauzin and Softstrip are registered trademarks and STRIPPER is a trademark of Cauzin Systems Inc. WordStar is a registered trademark of More/Provident Start St

This data strip contains IBM2MAC, all the software you need to move your Lotus spreadsheets to Macintosh applications such as PageMaker. This program runs on an IBM PC and converts a Lotus text file to Macintosh format. Then, just print data strips of the converted file and read the strips into your Macintosh.



Let Lab Boss" turn your IBM PC into a powerful instrument controller.

Lab Boss

2 ou can spend thousands of dollars for a dedicated instrument controller. Or a few hundred for a controller that's dedicated to you and your IBM PC.

Lab BossTM from National Instruments puts you and your IBM PC (or compatible) firmly in charge of GPIB instruments. From sophisticated laboratory equipment, like digitizing oscilloscopes and spectrometers, to standard printers, plotters, tape drives and more. At data transfer speeds that are the highest in the industry. And Lab Boss products offer a direct data link from your measuring equipment to a full range of analysis software, including RS/1, Lotus 1-2-3, and Symphony. So you can easily report your findings on the same system you used for

instrument control, data acquisition and analysis. Try that on a dedicated controller! So — you want to be the boss? Call National Instruments. 800/531-4742. The CP/M "buffered keyboard input" BDOS function returns when the buffer is full. The corresponding PC-DOS function does not: It waits for Return to be pressed. So the Z80 engine simply can't call PC-DOS function 10. It must itself emulate the entire operation of this function. using low-level console I/O routines.

SUMMARY

In this overview of Z80MU, the Z80 and CP/M 2.2 Emulator, my intent has been to give a feel for the capabilities of the program. More details, including explanations of all built-in commands, reside in the user's guide that is distributed with the Emulator.

Response to the Emulator has been favorable. This reinforces our conviction that releasing the package to the public domain was the right thing to do. A few clear-cut bugs have been found by users in the field. These have been fixed. In addition. some excellent suggestions have been made as to features to be added.

Many other details need to be addressed by anyone who wishes to make such an Emulator. I have merely presented some of the most significant ones. Discovering the rest, quite frankly. is half the fun.

THE FUTURE

The Emulator is still in active development. At the moment, we are implementing the following changes:

I. The C part of the Emulator is being rewritten in Microsoft C version 3.00. 2. The user interface is being redirected to fast screen I/O routines, bypassing PC-DOS entirely.

3. The NEC V20 chip is being supported. This provides faster performance than with software-only emulation but is limited to 8080 op codes only.

4. The much-rumored NEC V25 chip (which executes Z80 op codes) will be supported if and when NEC announces it.

5. From all of the Z80 add-on boards for the PC, we will select one to be supported by the Emulator. This hardware/software combination will be the most powerful Z80 environment available. ■

INSTRUMENTS 12109 Technology Blvd. Austin, TX 78727 512/250-9119

GoldStar



Keeping pace with perfection —Goldstar floppy disks

Goldstar Magnetech has a relentless drive to keep pace with the last thing in computer peripherals. This requires systematic research which is paying off with innovative products which measure up to the quality standard of excellence demanded by Goldstar. This you will find in Goldstar's line of floppy disks produced in 5¹/₄'' and 3¹/₈'' types. It's a race to keep pace with perfection. What more could you want than this from a floppy disk producer?

Now, Goldstar is keeping pace with the second generation of floppy disks in the 3¹*b*" cassette style floppy disk. Its features are:

•blue, hard plastic shell protects surface during handling

- compact, pocket size
- •1.0 MB maximum capacity
- auto shutter opens when inserted
- information preservation tab

•metal hub ring for 100% error-free, tracking performance •special cleaning liner for eliminating drop-outs

All Goldstar disks meet ANSI, DIN, ECMA, ISO and JIS standards, and carry a lifetime warranty.

So, if you want a floppy disk that is really keeping up with the latest in peripheral technology, look for the Goldstar name.

and the state of the	Item	Туре	Tracks/inch	Bits/inch	Capacity
ioldstar		M-1D	48	5536	250 KB
JDDCer	chu	M-2D	48	5876	500 KB
	5 ¹ /4"	M-2DD	96	5922	1 MB
Mous		M-2HD	96	9650	1.6 MB
A MANAGER AND		MF-1D	67.5	8128	250 KB
Contraction of the local division of the loc		MF-2D	67.5	8650	500 KB
- ALANDAR	31/2"	MF-1DD	135	8190	500 KB
		MF-2DD	135	8720	1 MB

Unformatted)


GoldStar Magnetech Co., Ltd.

GoldStar

C.P.O. Box 305, Seoul, Korea Tel.: 756-9090, TIx.: GSMTL K29579, Fax.: 756-0526

Inquiry 177

•Tokyo Tel.: (03) 582-9121/7 Tix:: 2422711 (LGIJPN J) Fax: (03) 584-6852 •Los Angeles Tel.: (213) 404-2626/9 Tix:: 910-583-5719 (LGI LA) Fax.. (213) 926-0849 •London Tel.: 840-7111 Tix.: 21765 (LGIUK G) •Paris Tel.: 4734-52-06, 4734-52-83 Tix:: 201877 (LGIPAR F) •Frankfurt Tel.: (069)6664083/5 Tix.: 4185337 (LGIF D) Fax.. (069) 6666865



USE THE BRAINS YOUR IBM WASN'T BORN WITH.

Right at your fingertips in CompuServe's IBM[®] Forums.

In the **IBM New Users Forum** you'll swap ideas with other new PC users, learn to use Forum features, and pose even basic questions to PC experts.

Our **IBM Junior Forum** gives PCir[®] users a reliable source for tips on software, hardware, telecommunications, games and other interests.

In the **IBM Software Forum** you'll trade tips with other IBM PC and AT users on utility software, word processing, DOS and other operating systems.

Visit the **IBM Communications Forum** for advice on the features and compatibility of communications software and hardware, PC Bulletin Boards, micromainframe interfaces and more.

The **IBM Hardware Forum** addresses hardware topics of all types, plus product updates and announcements.

Easy access to free software.

Download first-rate, non-commercial, usersupported software and utility programs.
Take advantage of CompuServe's inexpensive weeknight and weekend rates (when Forums are most active, and standard

online charges are just 10¢ a minute). • Go online in most major metropolitan areas with a local phone call.

 And receive a \$25.00 Introductory Usage Credit with purchase of your CompuServe Subscription Kit.

Information you simply can't find anywhere else.

Use the Forum *Message Board* to send and receive electronic messages, and pose specific questions to other IBM and compatible owners.

Join ongoing, real-time discussions in a Forum *Conference*.

Search our unparalleled Forum Data Libraries for free software, user tips, transcripts of online conferences and more.

Enjoy other useful services like: • Popular Computer Magazines—electronic editions, for your reading pleasure. Including Dr. Dobb's Journal and Computer Language.

• Other CompuServe Forums—supporting LOTUS® products like Symphony™ and 1-2-3.™ Borland International? Ashton-Tate? Digital Research? MicroPro? Microsoft® and other software. Also Pascal, Basic, C, Forth, Assembly and other programming languages.

All you need is your IBM or IBMcompatible computer and a modem ... or almost any other computer.

To buy your Subscription Kit, see your nearest computer dealer. Suggested retail price is \$39.95. To receive our free brochure, or to order direct, call 800-848-8199 (in Ohio, call 614-457-0802). If you're already a CompuServe subscriber, type GO IBMNET (the IBM Users Network) at any ! prompt to see what you've been missing.



Information Services, P.O. Box 20212 5000 Arlington Centre Blvd., Columbus, Ohio 43220

800-848-8199

In Ohio, Call 614-457-0802 An H&R Block Company

P·U·B·L·I·C D·O·M·A·I·N P·O·W·E·R·H·O·U·S·E·S

CP/M HALL OF FAME

BY BROCK N. MEEKS

A roundup of some of the best public domain CP/M software

THERE IS A CORE of time-tested, quality CP/M public domain programs, programs that are candidates, if you will, for the CP/M Hall of Fame. (If sled dogs can have a Hall of Fame, why not PD software?) The programs outlined below are some of the best in the field and appear on practically any CP/M user's "must have" list.

ZCPR3.COM

ZCPR3 is a powerful program for turbocharging CP/M's console command processor (CCP). Created by Richard Conn, ZCPR3 (Z80 Command Processor Replacement) is an entire operating system. Besides being a replacement for your CCP, ZCPR3 also offers a set of software tools, utility programs that use ZCPR3's special features.

ZCPR3 enhances some of the builtin commands of your present CCP. For example, under ZCPR3 TYPE will pause at every screen full of text (22 lines). Additional built-in commands such as LIST come with ZCPR3. LIST enables you to dump a file to the printer. Here are some of the more important functions of ZCPR3:

Named directories-AO: and B13: don't tell you anything about what pro-

grams are in those user areas. With this system you can give AO: the name dBASE: or B13: the name TEXT:.

Search paths—If you specify a path, ZCPR3 will search for a particular program along that path until it finds it. For example, if you enter dBASE at the B> prompt, ZCPR3 will automatically search for it on drive A if it is not found on drive B. The pathways you specify can be quite complicated, a feature any hard disk owner will quickly appreciate.

System security—This utility allows you to effectively lock out certain drives or user areas. You can also eliminate the ability to run dangerous commands such as ERA *.*. This feature is known and loved by many bulletin board sysops.

ZCPR3's utility programs total 76, too many to list here. These are mainly for manipulating and maintaining how you use ZCPR3. For instance, PATH alters any previously defined search path, DIFF compares any two files, and FINDF ferrets out a file from all possible directories.

SDD.COM

This file directory program is often renamed D.COM and takes up 80K to

100K bytes of source code. It is loaded with bells and whistles. Figure I shows a list of available parameters called with the command SDD \$?.


To get a listing of all files, in all user areas, dumped to your printer, you would issue the command D \$AP. If you wanted to have all files archived in libraries printed out as well, the command would be D \$APL.

NSWP207.COM

New Sweep, as this file-maintenance program is called, is for people who can never remember the syntax for the PIP command. It was written by Dave Rand and does so much that its menu (see figure 2) speaks for itself.

The Tag option lets you mark multiple files for any particular operation. You simply tag each file by pressing "T" after each filename. (When the program is executed, all files on disk are listed vertically.) When you've tagged all the files you want to work with, you can erase them, mass-copy (continued)

Brock N. Meeks (8383 Center Dr., Suite C, La Mesa, CA 92041) is a contributing editor for Profiles and Microtimes magazines. He is the winner of a Computer Press Association award for outstanding writing.



working. Compu-Pro puts all the pieces together - our high per-

formance multi-user systems simultaneously double as network servers for IBM® PCs. Move up to a true multiuser system and save your invest-ment in existing PCs. To find out how CompuPro can solve your networking puzzle, call today for the name of your nearest dealer.



Viasyn Corporation 26538 Danti Court, Hayward, CA 94545-3999 (415) 786-0909

Successed list prices, subject to change without notice.

Trademarks: CompuPro, 286/80, 286/40, 10 Plus, 816/C2, NET 100, NET 10, NET PC, HYBRIO HUB: Viasyn Corporation 18M International Business Machines Corporation, ARCNET: Datapoint Corporation CPLINK: ComputerNet A/S,

tion allows you to assign any file a particular status (1-4,R,O).

NULU151.COM

This library utility helps you get around CP/M's limit of 64 filenames per floppy disk by allowing you to group a set of related files under a single filename. All your old tax spreadsheet files can be grouped in a library called 1985TAX.LBR. Since a library, regardless of how many files are tucked inside, takes only one slot of the allotted 64 filenames, you can store many more programs on a disk. Also, when using a hard disk, a library file can save you space. Although a

1K-byte file might be allotted the minimum 4K bytes on a hard disk, four 1K-byte files in a .LBR file would take up only 4K bytes, a saving of 12K


NULU, written by Martin Murray, is an enhancement of the original LU (Library Utility) program by Gary P. Novosielski. This program lets you set up individual libraries on disk. The accompanying documentation file is 36K bytes long and explains in detail how the program functions.

NULU is a handyman for file manipulation. You can unsqueeze, rename, delete, add, and view file entries. It is also indispensable for transferring several related files via modem. You can pack your library file with squeezed files and send the single LBR file to a remote computer in much less time than it would take to transfer each individual file.

MEX114.COM

MEX (Modem Executive), a communications program, is a direct descen-(continued)

We've resolved the high cost of high resolution.



AutoCAD drawing courtesy of CONSAFE and Autodesk

The Wyse WY-700. ^s1595. Monitor and board.

1280 x 800 pixel clarity at a clearly sensible price. The WY-700 graphics subsystem is the one monitor that lets you run both standard IBM software and high resolution applications for the IBM PC, PC/XT, PC-AT, the WYSEpc and other PC-compatibles.

\$1595. Complete. Monitor and board.

Now you can realize the full potential of Computer-Aided Drafting and Design packages like AutoCAD and Cadvance. The new graphics-based personal computing environments — MS Windows and G.E.M. — finally have the high resolution display they were made for. Desktop publishing packages get the screen treatment they deserve. And off-the-shelf IBM packages — Lotus 1-2-3, Flight Simulator — take on brilliant new dimensions.

Write Wyse Technology, Attn: Marcom Dept. 700, 3571 N. First Street, San Jose, CA 95134. Or call toll-free, today, for more information.

Call 1-800-GET-WYSE

YOU NEVER REGRET A WYSE DECISION.

Wyse is a registered trademark of Wyse Technology. WV-700 and the "V" shaped design are trademarks of Wyse Technology. IBM PC, IBM PC/XT and IBM PC-AT are trademarks of International Business Machines Corporation. AutoCAD is a trademark of Autodesk. Inc. Cadvance is a trademark of CalComp. Lotus 12-3 is a trademark of Latus Development Corporation. Flight Simulator and MS-Windows are trademarks of Microsoft Corporation. C.E.M. is a trademark of Digital Research Corporation. © 1986 Wyse Technology. dant of the MODEM7 communications package and has a widespread user base. A commercial counterpart of MEX is sold through Night Owl Software, but the public domain version doesn't lack many features of the commercial product.

MEX supports all the latest filetransfer protocols and even includes the ability to create script files (a series of commands that let the program automatically log on and interact with the remote computer once the carrier is detected). MEX calls these READ files. Overlays exist for virtually every CP/M system and modem.

A command called CLONE allows you to configure MEX for many different systems. The program can also store custom phone lists. If you type in a stored name, the modem will dial

WHAT'S THE SECRET DEBUGGING WEAPON **USED BY EVERYBODY FROM BORLAND TO ORACLE?** FREE 44-PAGE ANSWER FROM ATRON.

atton

"WE COULDN'T HAVE DONE IT WITH ATRON'S HARDWARE-ASSISTED SOFTWARE BUGBUSTERS." Philippe Kahn Borland Pres. Larry Ellison Oracle Pres,

This is the city **saved** by the Atron bugbusters. Your city, Full of **wzzards**, with hundreds of millions of dollars invested in wringing every ounce of intelligence and performance out of your PC. It used to be plagued with the toughest software bugs known to mankind.

PLAGUES OF BIBLICAL PROPORTIONS

The first and most difficult plague was impossible to trap with software debuggers. which randomly overwrote programs, data, even the debugger. Nastiest were the ones that slipped in once every few hours, or changed their behavior after each new com-pile. Forty days and forty nights of recompiling, trying something else, caused many a would-be resident of the city to run screaming into the wil-derness, never to be heard from again. Second came the plague of

Second came the plague of not knowing where the pro-gram was, or where it had recently been. This com-pounded the first plague: How could anyone know what caused the random memory overwrites? Add to this ran-dom interrunts and timing dom interrupts and timing dependencies, and you begin to understand *The Fear* that

gripped the city. Then came the last plague, which brought the wizards to their knees before they even started debugging. Their towstarted debugging. Their tow-ering programs consumed so

ering programs consumed so much memory, there wasn't enough room for their symbol table, let alone debugging software. Even if they could get past the first two plagues, this one killed their firstborn software:

ENTER THE HARDWARE-ASSISTED SOFTWARE BUGBUSTERS

ENTERT THE HARIUWARE-ASSISTED SUFTWARE BUGBUSTERS The Atron solution came as a revelation: Monitor every memory reference and every instruction executed, by adding a hardware board to the AT or PC with an umblical probe to the processor. The result? Wham! The PC PROBET* and the AT PROBET's saved civilization as we know it. The first plague was cured with PROBET's hardware-assisted breakpoint traps on reading, writing, executing, input-ting and outputting. These could be done on single or ranges of addresses, and could include particular data values. All in real time. For a mere software debugger to attempt this, a 1-minute program would take 5 hours to execute. to execute.

The second plague, not knowing from whence you came, was cured with PROBE'S real-time trace memory. The history of program execution is saved on-board, in real time. Once a hardware trap has occurred,

Conversite @ 1986 by Atron Com PC PROBE" and AT PROBE" Atron The other line comman-

PROBE displays the program execution in detail, including sym-bols and source code for C, Pascal, or assembly language pro-grams. Which shows how out-of-range pointers got that way. The third plague, not enough room for the debugging symbol table to be co-resident in memory with a large program, wascured with 1-megabyte of on-board, hidden, write-pro-tected memory. System memory was then free for the program, keeping the symbol table and debugger safe from destruction. When the job of bugbusting was done, the wizards used their PROBEs as performance

was done, the wizards uset their PROBEs as performance analyzers. So they could have both reliability and perfor mance. So they could sene only the best software into the field.

IF YOU AREN'T AN ATRON CUSTOMER, OODS ARE YOU WON'T BE MAKING THE TOP-TEN LIST.

On any given week, at leas nine of the top ten best-selling software packages on the Soft Sel Hotlist come from Atror customers

Ever heard of Borland' "Without Atron," says its president Philippe Kahn "there wouldn't be a Side Kick", Turbo Lightning" would be light-years away, and Turbo Prolog¹⁰ wouldn't be

Ever use a spreadsheet. From Enable^{1*} to Paradox^{1*} their bugs were busted by Atron products. Into DBMSs? Everyone

from Ashton-Tate to Oracle wns at least one Atron bugbuster.

If you use a product from one of the companies in *Tha City*, you owe life as you know, it to Atron. Our guess is that 99% of all PCs, XTs and AT have at least one product debugged with Atron bug-bustors. busters

FREE 44-PAGE BUGBUSTING BIBLE COULD MAKE YOU A PROPHET, AND YOUR COMPANY A PROFIT.

We've written a complete tutorial on state-of-the-art bugbusting. And it's yours, free for the asking. Full of examples and illustra-tions, it will show you how the wizards work their magic. If you're tired of suffering the wrath of program bugs, call Atron today. You could be busting bugs, and sales records, tomorrow.



20665 Fourth Street • Saratoga, CA 95070 • 408/741-5900 oned throughout this advertisement own numerous trademarks. Adv. by TRBA. the corresponding set of numbers (including any alternate carrier access codes, like for MCI or Sprint).

OTHER CANDIDATES

In voting members into any Hall of Fame, there is always debate, controversy, and gnashing of teeth. My nominations will no doubt draw fire from those who think that other programs should be included. Here are some that could make it on the next ballot.

VDE-a superb 7K-byte screen editor, though word processor comes to mind immediately. This little program is great for editing downloaded text files, and it can do several of the same functions as WordStar, including word wrap. It is also great for writing programs.

SODU (Screen Oriented Disk Utilitv)-has saved its share of crashed disks. A disk editor like this lets you examine or change the information on disk byte by byte. With it you can recover damaged files that other programs (like your word processor) refuse to boot up.

MCAT-can manage that zoo you call a floppy disk file. The program automatically catalogs and records each filename on each disk. The associated file XCAT allows you to print out the listing.


EX-a small wonder that is the utility that CP/M's built-in SUBMIT program should have been. EX is quicker and more versatile than SUBMIT.

RESQ-recovers a text file from memory after you enter a word or phrase to search for. The file is restored from the first occurrence of the word or phrase to the end of the file.

UNERA-the ultimate recovery tool that will undelete files you just deleted from disk. It restores a file in full if you haven't written to the disk since erasing the file.

I could mention many more programs, but you will find those listed above to be reliable and upgraded regularly.

Editor's note: Owing to the size of these programs, the executable code for all the CP/M programs is available only on BYTEnet ((617) 861-9764) and on BIX. Readers may also want to contact the CP/M Users Group, 345 East 86th St., New York, NY 10028.



FOR PEOPLE WHO WANT MORE, BUT AREN'T WILLING TO PAY THE PRICE.

Citizen™ just took all the features of a high-end printer and made a small change.

We put them into a low-end printer. The Citizen 120D.

We created a dot matrix printer with more features and a lower price than any other printer in its class. One that produces clean, precise letters at a draft speed of 120 cps, with superior correspondence quality at 25 cps.

We added little extras, like a 4K-byte buffer, proportionally spaced printing, full graphics capabilities, and a unique paper loading system that's a small wonder. And we gave it the ability to survive the long run with most leading computer systems.


Because after 50 years of placing a world of precision on your wrist, we've come to realize something. Good things do come in small packages.

For more information, call 1-800-556-1234 Ext. 34. Or in California, call 1-800-441-2345 Ext. 34.

The Citizen 120D, Never has so much been offend to so many for so little.

Ben Ginen Watch Companyator Printers that run like clockwork

Inquiry 343



l2 pushbuttons to control printing functions. Lets you feed paper line-by-line, by 1/216-inch increments, or continuously.

This could be the most intelligent group of buttons ever assembled.

You'll find them on the front of

every Alps Dot Matrix Printer. And you'll use them to do

printers can't. Everything. Just push a

button on our front panel. You can change type styles and print modes, load paper automatically, reprint data stored in the print buffer, even override your software to do things it can't.

All while using your PC for other work at hand.

But of course, Alps printers are more than a bunch of buttons.

They're fast. The new P2100™ prints drafts at an amazing 400 cps, the

OGUR PARTIENT DESCRIPTION *Clears print buffer of data without printing it.*

HOST

DRAFT

HD

NLO

MODE

HOST

CI

C2

TYPE

STYLE

Choose three almost amazing P2000 speeds: 250 cps draft, 125 cps memo, or 50 cps letter quality. Price: \$995.

Automatically reprints data stored in print buffer (4K expandable to 256K).

RESET

Select font cartridges, printing modes, print pitches and spacing quickly and easily.

HOST

10

12

17

PITCH

HOST

NORM

PROP.

SPACING

Choose three amazing P2100 speeds: 400 cps draft, 200 cps memo, or 80 cps letter quality. Price: \$1595.

P2000[™]at an almost amazing 250 cps. They're versatile. They print everything from letters and graphs to six-part forms and 16-inch-wide

spreadsheets. And they run with all the most popular PCs and software.

Best of all, they're reliable. Because Alps printers are among the most solidly built at any price. In fact, with normal care, they'll run five years or more without a breakdown. And their precision-engineered printhead will deliver over 200 million characters of superb output.


So don't just get a printer that does a lot of work. Get one that doesn't interfere with yours.

An Alps.

For our brochure and name of our nearest dealer, call (800) 828-ALPS. In CA, (800) 257-7872.

We'll show you how to push all the right buttons.





Reviews

Reviewer's Notebook
by Jon Edwards
THE COMMODORE AMIGA
by Tom Thompson
THE COMPAQ PORTABLE II
by Stan Miastkowski 239
FOUR 4-INCH TAPE BACKUP UNITS
by Malcolm C. Rubel
MULISP-86
by Robert]. Schalkoff 249
ITC'S MODULA-2
SOFTWARE DEVELOPMENT SYSTEM
by Mark Bridger 255
MICROSOFT WORD VERSION 3.0
by Malcolm C. Rubel
THE NORTON UTILITIES, PC TOOLS,
AND SUPER UTILITY
by Rubin Rabinovitz
REVIEW FEEDBACK

THE COMMODORE AMIGA is a special machine. Tom Thompson provides a detailed look at its capabilities and performance. In his view, the Amiga's spectacular graphics is the major strength of the machine, but the peripherals and software also contribute to the system's viability. Still, he reports on the quirks and problems that you will face with AmigaDOS and the multitasking operating system.

The Compaq Portable II is a compact version of the Compaq Portable 286. Stan Miastkowski examines the Model 3, which has a single floppy disk drive, a 10-megabyte hard disk drive, and 640K bytes of RAM in a 26-pound case. He has found that the machine is well built, highly compatible, and easy to expand, but highly priced.

It doesn't take long after you've purchased a hard disk to realize how vulnerable you are unless you back up your files. Malcolm Rubel reviews four tape backup units and the Alpha Microsystems' Videotrax, a VCR alternative. He concludes that the Tecmar QIC-60 is a winner as far as speed is concerned, although the other units perhaps provide a better value or an easier environment for beginners.


Robert Schalkoff looks at the muLISP-86 LISP development system, which is identical to Microsoft LISP. He has found that the major strength of the language is its suitability for use within the constraints of a microcomputer environment.

Mark Bridger examines ITC's Modula-2, and he compares it to Turbo Pascal. He recommends that you examine your needs before making the transition from 'Turbo Pascal.

Malcolm Rubel also reviews Microsoft Word version 3.0. The application is full-featured, but he concludes that the word processor lacks some of the comforts and the speed that he has come to expect.

Finally, Rubin Rabinovitz compares the latest version of The Norton Utilities to PC Tools and to Super Utility. He has found that The Norton Utilities offers the greatest number of features for file recovery and that PC Tools is somewhat easier to use and is more reasonably priced.

OUTSTANDING



If slow and cumbersome program operation has kept you Jaughing (and frustrated) about using a personal computer for home accounting Finally, an Outstanding Home Accounting System! Cash Track " Cash Track redefines home accounting with an easy flowing yet versatile accounting structure, a beautiful concept for presenting unaccounted for outflow, and an execution speed that makes other "home-

Super line pitch

Take CashInack for a Fast Drive at your dealer-You will be convinced; CashInack has no competition.

Now Hard Disk Compatible

See Your Dealer, Most dealers have been set up with special hands on instructions to suide you through all aspects of program use in thirty minutes. or less. If your dealer doesn't bave these instructions, write or call SubLOCIC for more information. For direct orders, please enclose \$149.00 plus \$4.50 for shipping and specify whether you want UPS or first class mail delivery. Visa, MasterCard, American Express, and Direct Orb accepted.

CashTrac

SUD LOGIC TA Edgebrook Orive Champaign IL 61820 (217) 354 442 Tree: Zolfer ORDER LINE: (800) 637-4983 Jesced in finds: Askid and Frank Depen 7. AM to 9. PM Central Times I often wonder whether the time I spend shaping my working environment really pays off. I suppose that my work habits are now more efficient, and I certainly enjoy watching macros give me more command over the system. But my investment in time, if not in money, is considerable.

On my IBM PC, I have an AUTO-EXEC.BAT file that takes 3 minutes to boot and, despite having 640K bytes of RAM, I have less than 80K bytes for my work space. The reason may be familiar to you. I have a passion for RAM-resident software.

I use SideKick. SuperKey, and Turbo Lightning from Borland International, PopDOS from Bellsoft Incorporated, Kwic Query, an excellent new RAMresident index of BYTE's back issues from Innovative Ideas Incorporated (1226 Holloway St., Dept. BPA, Lafayette, IN 47905. (317) 743-6416). two public domain applications (a digital clock and a print spooler), and a RAM disk to hold the Turbo Lightning dictionary. But passions for RAMresident software can get you into trouble, especially when you load in several. For example, when I tried The Norton Commander last month, DOS commands no longer entered Super-Key's command stack. The Commander captured them all. Many utilities like PRD+ and SuperKey do not work together; in this case, I assume because they use the same interrupts. Consequently, there are times when I have to change the AUTOEXEC file and reboot.

I was therefore excited to get Referee from Persoft (2740 Ski Lane, Madison, WI 53713, (608) 273-6000). This product sets up environments in which you can specify which of your RAM-resident packages are active with each of your applications. You might set up Turbo Lightning to be active when you are on-line (very useful for avoiding cumbersome line editors) but inactive at the DOS level. Alternatively, with memory to burn, you might load PRD+ for use with your main editor and SuperKey for use at the DOS level and in other applications.

I can therefore recommend Referee, but it too introduced some incompatibilities. I found that once I had loaded Referee, SuperKey macros could no longer call SideKick functions. The reason, according to Persoft, is that Referee employs two interrupts that SuperKey needs to recognize that SideKick is there. Of interest is Persoft's claim that a similar but as yet unavailable utility has the same problem.

Amiga owners are probably scoffing at this discussion, since the reason for having RAM-resident utilities in a sense is to simulate a multitasking environment. Why struggle with incompatibilities among utilities when a multitasking operating system can solve all these problems by providing access to every application you desire?

Order, for example, is a desktop organizer software package for the Amiga from the Northeast Software Group (165 Dyerville Ave., Johnston, RI 02919, (401) 273-1001). It provides a telephone directory, a 21-function calculator, a clock and message facility, a 7-function scratchpad, a calendar, and a screen dump utility. With a hard disk, you can call up these functions nearly as fast as on the IBM PC.


Like me, you may well be more interested in the Amiga's graphics and sound environment than its multitasking abilities. We just received Future-Sound from Applied Visions Incorporated (15 Oak Ridge Rd., Medford, MA 02155, (617) 488-3602). This sound digitizer includes everything you need to digitize voices, sound effects, and music, using up to four tracks at a time and at up to 28,000 samples per second. In a few minutes we were able to splice our own voices with a recording from "Star Trek." The software allows you to speed up, slow down, or reverse the playback, change the volume, and edit sounds. You can also incorporate recordings into your own BASIC or C programs by saving the digitized sounds in IFF format.

We also have Digi-View from New-Tek (701 Jackson St., Suite B3, Topeka, KS 66603, (913) 354-9332), a video digitizer that lets you capture, display, and store images in the Amiga's 4096color hold and modify mode, in the standard 32-color IFF format, and in 640- by 400-pixel monochrome. Digi-View plugs into the parallel port and uses a coaxial cable to connect to an RS-170 monochrome slow-scan video camera with two-to-one interlace. NewTek supplies the Panasonic WV-1410 camera as an option. To capture images, you use a color filter wheel that mounts in front of the camera. The process is fairly quick (about 30 seconds for full color), and the final quality is excellent.

Lest I forget my roots, I should mention a neat item for the Atari 800. Electronical Software (P.O. Box 8035, Rochester, MI 48063, (313) 258-5455) offers YEMACYB, a color graphics printer driver that lets you make color printouts with your black-and-white dot-matrix printer. With this software and four-color printer ribbons, you can generate color printouts of any graphics-7 or 7-plus displays saved in Micropainter-file format.

Macintosh users, take heart. Next month I will report on the MacWorld Expo in Boston.

> —Jon Edwards Senior Technical Editor, Reviews



THE CARD FOR ALL REASONS

Reason 1: More Memory

When you need more memory, the Abovefunction Card[®] from American Computer & Peripheral, Inc. delivers a full 2 Megabytes of RAM to your American, IBM[®] personal computers and compatibles.

The American Abovefunction Card can fill conventional memory to 640K with the remaining as expanded memory or install up to four Abovefunction Cards to provide the maximum 8 Megabytes of expanded memory for your PC system.

Reason 2: More Functions

In addition to expanded memory, the American Abovefunction Card includes commonly used features, such as a serial, parallel and game port and real-time clock/calendar, all on one board.

The American Abovefunction Card has Cache Memory, an enhanced disk buffer software that is transparent to the user and gives up to four times faster hard disk access. RAM disk and print buffer capabilities are also contained on the EMM (Expanded Memory Manager)/Utility Diskette.

Reason 3: Maximized Slot Usage

Plan for the future with the American Abovefunction Card. One card provides your memory and multi-function needs in one I/O expansion slot. This frees valuable slot space for other enhancements.

Reason 4: Compatibility

The American Abovefunction Card is based on Lotus[®]/Intel[®]/Microsoft[®] specifications and is compatible with Intel's Above[®] Board.

Reason 5: Price

And, one of the best reasons of all, the American value: \$725.00 (includes 2 Megabytes RAM) and \$345.00 (ØK)

	DISTRIBUTOR	

California Micro, Inc.	SK Computers
Los Angeles, CA (800) 792-6500	Orlando, FL (800) 624-3250
Imagine Computers Goleta, CA (800) 344-2964	The Super Source Norcross, GA (800) 241-8579
PC Land, Inc.	Mid America
Tustin, CA (714) 730-6723	Carmel, IN (317) 846-3101
Computer Professionals Lakewood, CO (303) 232-4009	CPU Distribution, Inc. Burnsville, MN (612) 894-9310
Computer Peripheral Warehouse, Inc. Deerfield Beach, FL (305) 481-2170	Asibem, Inc. Bluespring, MO (816) 229-2442

Computer Wholesalers Lincoln, NE (402) 466-1962 Micro Configuration East, inc. B ooklyn, NY (718) 941-2512 Microsel Oklahoma City, OK (405) 787-4354 Omega Data Hillsboro, OR (503) 640-3995 Power House Sales Sioux Falls, SD (605) 335-7181 American Computer Distributing Chattanooga, TN (615) 870-1073 Columbia Data Systems, Inc. Columbia, TN (615) 381-4650 Omega Data Kirkland, WA (206) 823-9769 Inter-Micro Distributor, Inc. Alberta, Canada (403) 438-3997 Paris Sud Electronique Composant Paris, France (1) 69.20.66.99 MAJOR DEALERS: Computerland of Whittier Whittier, CA (213) 945-8321 Elek-tek, Inc. Chicago, IL (312) 677-7660 Inacomp Computer Center Columbus, OH (614) 431-2230 Inacomp Computer Center Saginaw, MI (517) 790-1360



See us at COMDEX/Fall '86 November 10-14, 1986

Corporate Office: 2720 Croddy Way, Santa Ana, CA 92704 USA • Tel: (714) 545-2004 • Fax: (714) 545-2146 Northeastern Office: 830 Busch Court, Columbus, OH 43229 USA • Tel: (614) 846-5433 • Fax: (614) 846-7656 *Abovefunction, IBM, Lotus, Intel Above and Microsoft are trademarks of American Computer & Peripheral, International Business Machines, Lotus Development, Intel and Microsoft Corporations, respectively.



The Commodore Amiga

BY TOM THOMPSON

The Amiga from Commodore International is a business machine, a graphics workstation, a multitasking system, and a home computer. A bold statement, but the Amiga has a unique hardware design that gives it sufficient power, especially when combined with some pricey peripherals and improved software, to meet most of these expectations.

HARDWARE

The basic Amiga comes with 256K bytes of RAM, and you can upgrade to 512K bytes easily with a 256K-byte RAM expansion cartridge that plugs into a slot behind a front panel. A built-in 3½-inch double-sided disk drive holds 880K bytes, and the machine has a connector for an external drive. The Amiga can support three additional drives—either double-sided

3½-inch or double-sided 5¼-inch. The system has programmable serial and parallel ports. Two RCA jacks provide stereo audio output. The two joystick ports can be used to connect a twobutton optomechanical mouse.

The Amiga provides analog and digital RGB output for color monitors and a composite video output that can input directly into a VCR or color monitor. The Amiga also has an RF modulator port for TV outputs, but you need an external RF adapter unit for this type of use. On the right side of the machine, a panel covers the expansion bus interface, a card edge into which you can attach additional memory or special peripherals. An important feature of the hardware is that you can synchronize the display to an external television signal, allow-

The strong point of this well-designed machine is spectacular graphics



ing the possibility of receiving, viewing, and processing VCR or video camera input.

The Amiga uses a Motorola 68000 microprocessor chip running at 7.16 megahertz. Three custom chips handle the bulk of the display control. sound generation, and DMA (direct memory access) data transfers (see "The Amiga's Custom Graphics Chips" by Phillip Robinson, November 1985 BYTE). You can manipulate eight reusable sprites on two playfields with priority control and collision detection. Area-fill and bit-plane copying are also supported, and four programmable audio channels are available. For additional information on the Amiga's hardware, see "The Amiga Personal Computer" by Gregg Williams, Ion Edwards, and Phillip

Robinson, August 1985 BYTE.

I was disappointed to find out that the Amiga doesn't have a battery-operated clock. Such clock circuits are not difficult to build, and with 880K bytes of data per floppy disk drive, a time stamp on a file is a requirement. The clock should be standard, but you can buy peripherals that contain a clock.

DISPLAY

The Amiga display has two resolutions. Low resolution is 320 pixels per line and 200 lines per screen, with a choice of 32 colors from a palette of 4096. High resolution is 640 pixels per line for 200 lines, displaying 16 colors out of 4096. An interlace mode allows you to double the vertical resolution; 320 pixels for 400 lines in low resolution and 640

pixels for 400 lines in high resolution. A special mode called hold and modify (HAM) allows you to use six bit planes in a controlled manner to display the entire 4096 colors simultaneously. This last mode is perhaps the most spectacular: Digitized pictures utilizing HAM have a televisionlike quality to them due to the range and subtle shading of the colors displayed (see photo 1).

The Amiga can present text in a variety of sizes, colors, fonts, and styles. You can also present text in 60 or 80 characters per line. The system ROMs contain two default system fonts; other fonts are stored as .font (continued)

Tom Thompson is a technical editor for BYTE. He can be reached at BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. files on disk. The operating system will recognize additional .font files if you copy them to the disk and then install them.

The Amiga has no problem with low-resolution displays, but an annoying jitter appears in the interlace mode and in high-resolution displays. A monitor with high-persistence phosphors could alleviate the problem but at extra expense. I also found that after using the 80-column text mode for several hours, my eyes began to burn. I found it much easier to endure the 60-column mode.

Commodore offers an optional monitor, the 1080, which has a composite video input, allowing it to serve as an output device for a VCR or another computer.

KEYBOARD

The Amiga has a detached keyboard with 89 keys. In addition to the usual alphanumeric keys you'll find Esc, Ctrl, Del, two Alt keys, two Amiga logo keys, ten function keys, and four cursor keys laid out in an intuitive cross pattern.

The keyboard can be read as processed input or as unprocessed (raw) input, depending on how the application has opened the console device. The raw mode interprets the keyboard as keycodes, allowing you to have fine control over the input. For example, you can differentiate between the left Alt key and the right Alt key if your application requires it.

DISK DRIVES

I appreciated having an external 3½-inch drive, which increased the machine's storage capacity to 1.8 megabytes. The Amiga cannot boot off the external drive, but having an external drive eliminates some of the disk swapping that occurs with some applications and compilers.

A push button ejects the disk. This physical control appeals to some users, but you can destroy a disk's contents if you eject it prematurely. This shouldn't normally be a problem, but the Amiga seems to take a long time, sometimes several seconds, to flush the last of the data to a disk. The possibility of an accident seems great enough to justify your getting a disksalvage utility.

OPERATING SYSTEM

The operating system is composed of 192K bytes of multitasking executive saved in 256K bytes of writecontrolled storage (WCS) RAM. When



Photo 1: A demonstration of the Amiga's hold and modify mode. (Data file courtesy of NewTek.)

the Amiga was first released, the operating system software design was not complete. The workaround provides the operating system on a floppy disk called the Kickstart that loads into the WCS at boot-up. The WCS uses its own memory; it does not use the 256K bytes of RAM that comes with the basic machine. You complete the boot process by inserting a Workbench disk (Commodore's term for the Macintosh-like window/icon user interface) or the system-installed Command Line Interface (CLI) disk.

Improvements to the executive are issued through dealers at no charge. The current Workbench version is 1.1, with version 1.2 now in beta test. Each revision has introduced major improvements in the overall operation of the machine.

You have a choice of how to work with the Amiga. There is Workbench, a mouse-driven, icon-based windowing interface, or AmigaDOS, which is a sophisticated CLI. Workbench is actually "bolted" to the top of Amiga-DOS: Actions performed on the Workbench call AmigaDOS functions. Either interface can start the other. From the Workbench you can doubleclick on a CLI icon to open a window with a simple CLI prompt. or from AmigaDOS you can issue the LOADWB command, which starts Workbench. I performed all system benchmarks under both Workbench and AmigaDOS.

WORKBENCH

Like the Macintosh desktop, Workbench has multiple windows, a menu bar, icons representing disks, and a Trashcan. You can move, resize, open, and close windows using the mouse. You use the left mouse button for operating on a window or its contents and the right mouse button to activate and make selections on the pulldown menus. It takes a little practice, but it is easy to get used to.

Various icons represent runnable applications. To execute them you double-click on the icon. You can also drag them to another location or to another disk, triggering a copy operation. Drawers correspond to Macintosh folders and, like the Macintosh (continued)

WHEN YOU NEED ACCESS TO FULL MEMORY, STRUCTURE, COMPATIBILITY WITH GW- & PC-BASICA, OR WHEN YOU NEED THE POWER AND FLEXIBILITY OF C OR PASCAL...

...You need BetterBASIC. The BetterBASIC compiler has become the standard by which other BASICs are evaluated. BetterBASIC is completely compatible with GW-BASIC and PC-BASICA when running on IBM PC's and true clones. You can load and run your existing BASIC programs in BetterBASIC. It uses standard MicroSoft syntax and gives you more than 150 additional statements such as XREF, DEFINE WINDOW, MAKE MOD-ULE, and PROCEDURE. In benchmark comparisons, BetterBASIC is five times faster than interpreted BA-SIC. There is optional 8087/80287 math chip support, and an optional Runtime System to create stand-alone

Ask your dealer or call to order: 1-800-225-5800

In Canada, call 416-469-5244 Summit Software Technology, Inc.™ 106 Access Rd. Norwood, MA 02062

BetterBASIC is a registered trademark of Summit Software Technology, Inc. IBM PC, XT, AT are registered trademarks of International Business Machines Corp. Microsoft is a registered trademark of Microsoft Corp. Tandy is a registered trademark of Tandy Corp. EXE. files. BetterBASIC is not copy protected. Technical support is provided for all registered users. See for yourself why Dick Aarons of *PC Magazine* said *"BetterBASIC may be the best of all BASIC programming worlds"* and selected BetterBASIC as "Editor's Choice" (Oct. 29, 1985).



REVIEW: COMMODORE AMIGA

Amiga 1000

Company

Commodore International 1200 Wilson Dr. West Chester, PA 19380 (215) 436-4200

Size

173/4 by 13 by 41/4 inches 13 pounds

Components

Processor: 68000 running at 7.16 MHz Memory: 256K bytes of RAM (standard); optional 256K-byte RAM expansion card for a total of 512K bytes Mass storage: One 880K-byte doublesided double-density 31/2-inch floppy disk drive

Keyboard: Detached QWERTY with 89 keys including 10 function keys; separate keypad for cursor keys; numeric keypad

Expansion: Expansion bus card edge I/O interfaces: One RS-232C serial port; one DB-25 parallel port; two DB-9 joystick ports; two audio outputs (RCA type); DB-23 RGB analog or digital output; composite video output (RCA); NTSC video output

Software

Amiga BASIC Tutorial (Mindscape) Kaleidoscope (Electronic Arts)

Options

1080 analog color monitor: \$495 31/2-inch external drive: \$295 RAM expansion card: \$195 51/4-inch 360K-byte

116-page Introduction to Amiga 291-page Amiga BASIC


Price \$1295

drive with IBM emulation software: \$395 Documentation




LOAD


SYSTEM FEATURES MEMORY SIZE (K BYTES) 800 1000 256/512 256/640




DISK ACCESS IN BASIC (IN SECONDS)



64/128



BASIC PERFORMANCE (IN SECONDS)



40K FORMAT/DISK COPY

15 1


20

23 1


22

AMIGA


10



SYSTEM UTILITIES (IN SECONDS)







+ AmigaDOS tt Workbench

The Memory Size graph shows the standard and optional memory available for the computers under comparison. The Disk Storage graph shows the highest capacity for a single floppy disk drive and the maximum standard capacity for each system. The graphs for Disk Access in BASIC show how long it takes to write and then read a 64K-byte sequential text file to a blank floppy disk. (For the program listings, see BYTE's Inside the IBM PCs, Fall 1985, page 195.) The Sieve graph shows how long it takes to run one iteration of the Sieve of Eratosthenes prime-number benchmark. The Calculations graph shows how long it takes to do 10,000 multiplication and 10,000 division operations using single-precision numbers. The System Utilities graphs show how long it takes to format and copy a 40K-byte

file using the system utilities. The Spreadsheet graphs show how long it takes to load and recalculate a 25- by 25-cell spreadsheet in which each cell equals 1.001 times the cell to its left. BASIC benchmarks were performed for both ABasiC and Amiga BASIC with only the benchmark program running. The ABasiC programs use a different syntax to open files, and Amiga BASIC requires a CLEAR ,30000,30000 command for the Sieve program to run. All System Utilities benchmarks were run under Workbench and AmigaDOS. The spreadsheet used was Lattice's Unicalc Spreadsheet version 1.0. All tests were done on an Amiga 1000 using Workbench 1.1 and AmigaDOS 1.1. The Amiga had two 880K-byte drives and 512K bytes of memory.

Hierarchical Filing System, each drawer represents a subdirectory.

Although Workbench works well, it has a few quirks. To save a preferred arrangement of icons, you must select an icon and then choose Snapshot from the Special menu. You repeat this process until you've preserved the location of every icon, a very clumsy method. The Macintosh Finder saves the location automatically. Also, new files generated by applications don't appear in a window until you first close and then reopen the window. This isn't a serious problem, but it can be confusing.

When you have multiple processes running in separate windows, you make a window active by pointing to it and clicking with the left mouse button. However, the active window doesn't come to the front of the screen. If it is hidden by other windows, it will stay that way. In fact, in some cluttered screens it can be difficult to use the front and back window controls, called gadgets, to bring the desired window to the front. Worse, clicking on a window's front or back gadget makes that window active. Once you've positioned the desired window at the front of the screen, it may not be the active window. You might therefore enter keyboard I/O into the wrong process.

AMIGADOS

AmigaDOS is the CLI interface to the Amiga. It's based on Tripos, a multitasking system written by Metacomco in England (see "Tripos—The Roots of AmigaDOS" by Dick Pountain, February BYTE). Experienced computer users will probably rely on AmigaDOS, since all the development software, programming languages, and assemblers operate exclusively in this environment.

AmigaDOS allows you to assign logical paths, and an EXECUTE command lets you submit batch files with parameter passing. At boot-up the Amiga searches the *s* subdirectory of the boot disk for a batch file called Startup-Sequence and, if it is present, executes it. This gives you a way to make logical device assignments to certain volumes or subdirectories, set the stack size, or prompt for the current time and date each time you start. You also select the operating system you'll start under (Workbench or AmigaDOS) in this file.

Commands are programs stored in the c subdirectory on the boot disk. AmigaDOS scans this directory when you enter a command and loads the appropriate program into memory to complete the request. This slows operations because every command, including DIR, requires a disk access. You can rename these programs to suit your own preference.

AmigaDOS ha^S a built-in RAM disk, RAM:, whose size is limited only by the amount of available memory. You can customize the Startup-Sequence file to load frequently used commands such as TYPE, DIR, and EX-ECUTE into the RAM disk and logically assign it as the command directory, eliminating the penalty of accessing the floppy disk.

You can obtain help for some commands by executing them with no arguments. FORMAT, for example, provides you with a complete set of arguments and keywords to format a disk. Not all commands provide this feature: COPY instead tersely states "Bad arguments." I'd like to see all commands that require keywords or switches to provide some sort of selfhelp because AmigaDOS doesn't resemble MS-DOS in some areas.

AmigaDOS has quirks, most of which are due to its dissimilarity to MS-DOS. First, AmigaDOS handles wild cards differently, mainly by not using the asterisk (*) as a wild-card delimiter. The COPY command requires an ALL switch to copy all the files on a disk or in a subdirectory. COPY does not perform concatenation: You must use a JOIN command, which doesn't offer self-help either. Second, AmigaDOS doesn't recognize the conventional Ctrl-S/Ctrl-Q data throttle. To stop output, you hit a key; to restart, you hit Return, backspace, or Ctrl-X.

I've crashed the machine under AmigaDOS by using COPY with the ALL switch to transfer files to the RAM disk. Everything proceeds smoothly until the Amiga runs out of memory, at which point you get a fatal crash. This might happen to you by The Amiga handles multitasking quite well, but only if all the programs are well behaved.

accident if you put a number of source files in RAM: during the development of a program. I don't know if this is the fault of the Amiga operating system or of the COPY command. It does show that the version 1.1 system software still has some rough edges.

MULTITASKING

The Amiga provides multitasking, allowing you to run several programs simultaneously. The programs share system resources such as memory or disk drives without conflict. However, the Amiga multitasking executive does not support virtual memory: Either you have enough memory to load your applications or you don't.

With this fact in mind, how well does the Amiga handle multitasking? The display, normally one of the most CPU- and I/O-intensive processes, is managed effectively by the custom chips. Other types of I/O like disk and serial port accesses tend to slow applications down, but primarily because of the speed of these devices rather than the overhead required. I've tried a mix of different programs in a variety of ways with no problems (see photo 2). At the same time, attempting to run a buggy C program I had written hung the entire system, taking with it all the programs that were running. The moral here is that the Amiga handles multitasking quite well, but only if all the programs are well behaved.

How much overhead do additional tasks add to the system? I experimented with running the C language version of the Sieve program with another graphics-intensive program running in the background. I chose this program to experiment with how (continued) much the custom hardware degraded performance when it had to cyclesteal heavily from the 68000 microprocessor. I used the bouncing ball demo, Boing!, plus the Robocity and amiga3d demos as background programs. The results are shown in table 1. The Sieve runs in roughly twice the time that it had previously, but with two programs, one with an extremely complex graphics display, running simultaneously. Impressively, the Amiga is also scanning both the CLI window and the Workbench for mouse clicks or keyboard I/O at the same time.

To make the most of multitasking, you need lots of memory and fast peripherals. The memory is required to hold every program you'll have running plus what the operating system needs to manage I/O queuing and context switching. Since the display is already handled by the custom chips, the next I/O bottleneck is disk accesses. Of course, a hard disk will speed performance. The Amiga's performance with 1.5 megabytes of memory and a hard disk is superb: I've uploaded files to BIX at 1200 bits per second while doodling in Aegis Images. On another occasion I compiled four programs simultaneously with the Manx Aztec C compiler.

SOFTWARE

It has not yet been a year since the Amiga's release, and already there is an impressive array of programming languages available for it: two BASICs,

Table 1: Increase in program execution time with a graphics-intensive program running concurrently. Programs were run with Workbench version 1.1 with one CLI window open. Running times are in seconds.

Programs	Running time	Percent increase
Sieve	6.18	_
Sieve with Boing!	9.23	49
Sieve with Robocity	12.39	110
Sieve with amiga3d	13.38	117



Photo 2: Multitasking on the Amiga.

two C compilers, and two assemblers, along with LISP, Pascal, Modula-2, and FORTH implementations.

The Amiga originally came with Metacomco's ABasiC. However, The machine is now bundled with Microsoft Corporation's Amiga BASIC. Owners who had ABasiC got a free copy of Amiga BASIC with their version I.1 operating system upgrade. Both interpretive BASICs allow you to access many of the Amiga's graphics libraries. ABasiC opens a single window and behaves like a typical CLIoriented BASIC with no mouse control and no windows, Amiga BASIC presents you with a command window and a list window. Several menus are available for the mouse user, or you can type commands in the command window. Cut and paste functions are available in the list window. Both BASICs fit neatly into the Amiga's multitasking environment, although you have to adjust the stack size within a CLI window to get ABasiC to operate this way.

There are several MacPaint-style drawing programs that allow you to use the graphics capability of the Amiga to produce color drawings. Graphicraft by Commodore was available at the machine's release date. Electronic Arts released its Deluxe Paint in time for the Christmas season, and Aegis introduced its Images program in the spring. All three programs use an Interchange File Format (IFF) data structure that allows a picture produced by Graphicraft to be read and displayed by Aegis Images or Deluxe Paint. This lets you download pictures from various bulletin boards without regard for which paint program you own.

Aegis provides two programs that give the Amiga serious graphics potential. The first is Aegis Animator, which can read IFF files to generate animated images. It provides a filmsplicing capability called storyboarding that can be of use to illustrators or small advertising studios. The second is Aegis Draw, a draftingstyle program that **allows you** to design scale drawings or blueprints, and it comes with a number of plotter drivers.

For business needs, Lattice offers its

Inquiry 191

Unicalc Spreadsheet program. I used it for the spreadsheet benchmark timings.

DOCUMENTATION

The Amiga comes with two manuals: Introduction to Amiga and Amiga BASIC. The introduction manual extensively covers the Workbench side of the operating system. Its strongest point is the information it provides for the slightly nonstandard pin-outs on the serial and parallel ports. The manual's only information on AmigaDOS is a note in the Reference section on how to enter the CLI.

Unless you copy notes out of the developer's manuals at your dealer, you'll probably need to buy The AmigaDOS Manual from Bantam Books (1986) for information on the CLI. This book actually contains three developer's manuals: the AmigaDOS User's Manual, which covers AmigaDOS commands: the AmigaDOS Technical Reference Manual, which describes the disk layout; and the AmigaDOS Developer's Manual, which provides useful information for program development.

PERIPHERALS

The peripherals are effective but currently expensive. I used Tecmar's Tcard and the 20-megabyte T-disk with the Amiga. The T-card attaches to the expansion slot on the right side of the Amiga and provides an additional I megabyte of memory plus a batterypowered clock. The joystick ports are passed to two DB-9 connectors on the front of the unit, and a serial port and hard disk port are located to the rear. The T-disk is small and compact, and it runs quietly. An external power supply feeds both the disk unit and the expansion board.

I installed the T-disk driver easily. Getting the Amiga to recognize the extra memory in the T-card was not so easy: The instruction manual had detailed instructions on configuring the hard disk port and the serial port but nothing at all on the memory setup. It took several tries to determine that it is necessary to select the memory option under the Devices menu, and then explicitly select "install this device" **under** the Edit menu.

Once properly installed, a script file

The peripherals are effective but currently expensive.

configures the operating system to recognize the additional memory and the hard disk at boot-up. By accident I trashed the hard disk the day after the installation; I've since rebuilt the disk files and have experienced no further problems, and it's been running forty hours a week for over a month.


CONCLUSION

For someone who plans serious use of this machine, I'd recommend getting the 256K-byte RAM expansion card and an external drive. Some compilers and programs need 512K bytes of memory to operate; you need at least that much memory to hold two or three large applications concurrently. The external drive will prevent disk swapping, and it adds a manageable amount of storage.

As far as software goes, the Amiga has a number of useful applications developed for it, with more being released each month. However, if you plan on running a program concurrently with others, try using it on a machine that matches your system to check for possible compatibility problems.

The Amiga is a well-designed piece of hardware. Its expansion bus allows you to add memory or useful peripherals. The Amiga's strong point is its spectacular graphics. I feel confident that the machine will hold its own as a graphics engine for artists and professional illustrators. The only real hardware shortcoming is the highresolution flicker.

In terms of software, the Amiga has a long way to go. Its multitasking capability is good, but prone to break easily if memory is tight or if a program runs wild. The two operating system interfaces, Workbench and AmigaDOS, have problems. However, if the machine's only real limitation is its software, you can bet that it will get fixed.■



We Dared To Go Beyond RAM.

CACHE MEMORY

SCSI INTERFACE

CHIPS

SOM

FEATURES

THE KACHE BOARD Intelligent host adapter interface for hard disk drive.

COMPATIBILITY Apple II+, IIe and IIe enhanced systems. Most SCSI hard disk drives.

KEY FEATURES Cache Memory-replaces mechanical disk access with electronic data transfer

Z-80 processor-Maintains 256K of "most frequently accessed data" in real cache memory. Automatic save function minimizes data loss.

DMA-Transfers data faster than RAM. Cuts booting time in half.

SUPER CHARGE YOUR SIDER

Specific testing with Sider hard drive resulted in not only substantially faster data accessing but also improved performance of the drive itself.

ATTENTION APPLE II USERS:

The Kache Board is an intelligent host adapter interface for hard disk drives.

KACHE BOARD DEVELOPMENT

It took over two years of research and development, and long hours of testing to make this product a reality. Ohio Kache Systems dared to go beyond RAM to bring hard disk users a new standard in performance - The Kache Board.

SUPERIOR TO RAM

It's superior to RAM disk, thanks to the use of Cache Memory, Direct Memory Access (DMA), and an on-board microprocessor. When you combine these features with the performance of hard disk drives, you're looking at an overall 25%-30% decrease in access time and the virtual memory environment of a minicomputer such as the VAX.

OKS, Kache Board and the OKS logo are trademarks of Ohio Kache Systems, Inc.

Apple is a registered trademark of Apple Computers, Inc. IBM is a registered trademark of International Business Machines, Inc.

Sider is a trademark of First Class Peripherals, Inc. VAX is a trademark of Digital Equipment Corp.



- Kache Board Performance
- **RAM** Performance
- Apple Performance with Hard **Disk Drive**
- Apple Performance

CONTINUOUSLY **INCREASING PERFORMANCE**

As more data files reside in Cache, the performance of the Kache Board continues to improve beyond that of RAM disk. An increasing number of disk access requests are replaced by electronic data transfer from "real" cache memory (see graph above).

AVAILABLE SOON

Available soon: Kache Boards for IBM and IBM compatible systems.

UNIT

DIRECT FROM DEVELOPER

The Kache Board is available exclusively from Ohio Kache Systems on a direct mail basis only. For more information on the Kache Board write for our free brochure. Or call us toll free at:

1-800-338-0050

We think you'll be as excited about this new product as we are!



Ohio Kache Systems Corp. 4166 Little York Road Dayton, Ohio 45414-2566 513-890-3913 © Ohio Kache Systems is a developer of

computer enhancement products.



The Compaq Portable II

BY STAN MIASTKOWSKI

The Compag Portable II is a slimmed-down version of the Portable 286 with several extras that will particularly attract business users. There are four configurations of the Portable II. The Model 1 includes a single one-thirdheight 360K-byte floppy disk drive and 256K bytes of RAM: the Model 2 includes two floppy disk drives and 256K bytes of RAM; the Model 3 has a single floppy disk drive, a 10-megabyte hard disk drive and 640K bytes of RAM; and the Model 4 has a single floppy disk drive, a 20-megabyte hard disk drive, and 640K bytes of RAM. Prices range from \$3499 to \$4999. The unit I used for this review was a Model 3

FEATURES

Except for the disk drives and RAM, all four Portable II

models are full-featured. In addition to the 80286 processor (running at either 6 MHz or 8 MHz), the system has a real-time clock, an RS-232C asynchronous communications interface, a parallel printer interface, and a built-in 9-inch green phosphor dualmode monitor that displays both text and graphics. The monitor board provides output for RGB and standard composite NTSC video monitors. It also provides RF modulator output for hooking up the Portable II to a standard television set.

The major selling point of the Portable II is its size and weight. At 7½ inches high by 17½ inches wide by 14 inches deep, the Portable II is almost a third smaller than the original Compaq Portable and the Portable 286. This is a substantial size reduction

An 8-MHz IBM PC compatible in a compact, full-featured unit



considering all the computer's electronics.

In addition to size, Compaq designers have also trimmed the unit's weight. Depending on the model, the Portable II weighs between 23½ and 26½ pounds. By comparison, the Compaq Portable 286 weighs 30½ pounds, and the Compaq Portable weighs 28½ pounds.

INSIDE THE CASE

With the cover removed, it's obvious that the Portable II is primarily a mechanical and engineering exercise in the reduction of space and weight. The system is modular, and taking it apart is time-consuming, though not difficult. Still, the modular design lends itself to easy upgrading (see below).

Removing a panel at the top rear of the system reveals the expansion slots and part of the motherboard. The Portable II has four expansion slots. Depending on which model you have, the first three-quarter-length 16-bit slot is used by Compaq's floppy-only or floppy/hard disk controller card. The second slot (which is 8-bit) contains a full-length Compag video board. This leaves two full-length slots for expansion: one is 8-bit, and the other is 16-bit for IBM PC AT-compatible circuit boards.

The video display tube, its associated electronics, and the system power supply are located under another solid panel that should only be removed by computer service personnel. The components there are placed to take advantage of the airflow

from the power supply's fan. The fan does a more than adequate job. I left the Portable II on for more than a week and the system never even became warm to the touch. The fan is also very quiet.

Compaq says the power supply is designed for a steady 120-watt load and can handle a peak drain of up to 165 watts. Next to the power supply is a small empty space into which your dealer can install an optional \$89 power-switching board that automatically senses whether the Portable II is plugged into 120-volt or 220-volt (continued)

Stan Miastkowski (PO. Box 548, Peterborough, NH 03458) is a freelance writer, northeast bureau chief for Newsbytes, and editor in chief of the McGraw-Hill Microcomputer Handbook.

REVIEW: COMPAQ PORTABLE II

Compaq Portable II

Company

Compaq Computer Corporation 20555 FM 149 Houston, TX 77070 (800) 231-0900

Size

7 % by 17 % by 14 inches; Model 1: 23 \% pounds; Model 2: 25 \% pounds; Models 3 and 4: 26 \% pounds

Components

Processor: 80286, 6 MHz or 8 MHz (switchable)

Memory: Models 1 and 2: 256K bytes on the main system board; Models 3 and 4: 640K bytes on the main system board; up to 2.1 megabytes without using an expansion slot; up to 4.1 megabytes using the 16-bit expansion slot

Mass storage: Model 1: One one-thirdheight 360K-byte 514-inch floppy disk drive; Model 2: Two one-third-height 360K-byte 514-inch floppy disk drives; Model 3: One one-third-height 360Kbyte 514-inch floppy disk drive and one 10-megabyte hard disk drive; Model 4: One one-third-height 360K-byte 514-inch floppy disk drive and one 20-megabyte hard disk drive

Display: Built-in 9-inch green phosphor dual-mode; switchable text/graphics modes

Keyboard: Modified IBM PC AT layout Expansion: All models: One IBM PCcompatible slot and one IBM PC ATcompatible slot

I/O interfaces: Parallel printer; 9-pin RS-232C interface; RGB monitor; composite NTSC video; RF modulator; light pen

Optional Software


MS-DOS version 3.1: \$85

Documentation

Operations Guide Technical Reference Guide

Price

Model 1: \$3499; Model 2: \$3599; Model 3: \$4799; Model 4: \$4999



The Memory Size graph shows the standard and optional memory available for the computers under comparison. The Disk Storage graph shows the highest capacity for a single floppy disk drive and the maximum standard capacity for each system. The graphs for Disk Access in BASIC show how long it takes to write and then read a 64K-byte sequential text file to a blank floppy disk. (For the program listings, see BYTE's *Inside the IBM PCs*, Fall 1985, page 195.) The Sieve graph shows how long it takes to run one iteration of the Sieve of Eratosthenes prime-number benchmark. The Calculations graph shows how long it takes to 0,000 multiplication and 10,000

division operations using single-precision numbers. The System Utilities graphs show how long it takes to format and copy a disk (adjusted for 40K bytes of disk space) using the system utilities. The Disk Copy test measures the time it takes to copy a 40K-byte file from one floppy disk to another. On hard disk systems, the test measures the time to copy from the hard disk to the floppy disk. The Spreadsheet graphs show how long it takes to load and recalculate a 25- by 25-cell spreadsheet in which each cell equals .001 times the cell to its left. The spreadsheet used was Microsoft's Multiplan. Tests were run using the default 8-MHz clock speed. power. This option would be handy for international users.

MEMORY

The 80286 processor is barely visible under the video board; the socket for an optional 80287 arithmetic coprocessor is easily accessible. The rest of the **motherboard** is hidden under the circuit boards, disk drives, and monitor/power supply case. A total of 128K bytes of RAM is soldered into the board, and there are 18 sockets for RAM chips. In Models 1 and 2, these sockets are filled with 64K-bit chips for a total of 256K bytes of memory; Models 3 and 4 have 256Kbit chips for a total of 640K bytes.

Adding RAM isn't a problem: you **simply** turn the unit over and remove another panel. There you can insert a special Compaq memory-expansion board that uses a pin connector instead of an edge connector. The board comes with 512K bytes of RAM, and you can configure it for up to 1536K in 512K increments without tying up an expansion slot. You can also upgrade the unit to 4.1 megabytes of RAM by installing a 2048K-byte Compaq memory-expansion board into the 16-bit expansion slot.

KEYBOARD

Compaq describes the Portable II's 84-key keyboard as having a modified IBM PC AT layout. The full-size keyboard is compact because the function keys are at the top rather than on the left. You can adjust the audible key clicks from full volume to off.

DISKS

The Model 3 that I reviewed had a single 360K-byte floppy disk drive and a 10-megabyte 3½-inch MiniScribe hard disk drive. The hard disk "floats" on four small rubber shock mounts that are designed to cushion the hard disk. I accidentally dropped the machine 2½ feet onto a carpeted floor. The case wasn't marred, and the g forces of the impact were well absorbed by the shock mounts. The Portable II worked perfectly after the drop.

EXPANDABILITY

The Portable II is easy to upgrade. With the exception of the automatic

Ł

power-switching board, which must be installed by an authorized service center because of Federal Communications Commission and Underwriters Laboratories regulations, you can easily upgrade the Portable II yourself. Because of all the screws, panels, and parts that you must remove, the process may be time-consuming, but the Portable II's Operations Guide has excellent instructions complete with copious photographs for both disassembly and reassembly.

If you have a single-drive Model 1 you can easily add a second 360Kbyte floppy disk drive or a hard disk. The most time-consuming task is upgrading the motherboard RAM from 256K to 640K on a Model I or Model 2. The change requires you to remove expansion boards and the standalone enclosure that holds the disk drives and replace eighteen 64K-bit RAM chips with 256K-bit chips. Compaq charges \$150 for the 512K-byte chips.

PERFORMANCE

As you might expect, the Portable II runs software very quickly, especially when you use the default 8-MHz clock speed. Compaq includes a list of several hundred software packages that run on the Portable II. I tested a dozen different programs, some of which were not on the list. I had no problems whatsoever. All ran at 8 MHz.

You might expect that the 105-millisecond access speed of the 3½-inch hard disk drive would provide slow performance compared to the 30-millisecond access speed of the fullheight hard disk in the Compaq Portable 286. However, the BYTE Disk Access benchmarks showed very little difference (see page 240).

I found it hard to adjust to the 9-inch green phosphor screen. perhaps because I am used to a full-size monitor. I had to sit closer to the screen than I normally do. I also found that the adjustable feet that tilt the Portable II upward were not sufficient on a standard-height desk. I finally placed the machine's documentation underneath the monitor to provide a better viewing angle. In addition, the two adjustable feet are so sharp that, with the weight of the entire system resting on them, they gouged my teak computer table. I recommend placing the system on a harder work surface.

SOFTWARE

The only software that comes with the Portable II is a demonstration disk that gives an animated, graphics-filled introduction to the system's features and options. Compag sells MS-DOS version 3.1 for \$85. In addition to the usual utilities and BASICA, MS-DOS version 3.1 includes several custom utilities. One utility controls the volume of the keyboard clicks; another regulates the speed of the processor. You can control these functions by pressing a series of keys, but the utilities allow you to control the functions by using batch files. The MS-DOS disks also include an extensive diagnostics program. The tests fully check out the system, but they use cryptic test numbers with no inprogress messages.

DOCUMENTATION

The Portable II comes with an Operations Guide. It is a bit short on detailed information, although it is expensively produced and full of photos. The sections on upgrading the system are particularly well done. The Technical Reference Guide may be available by the time you read this review.

The MS-DOS manuals are complete rewrites of the IBM PC versions. They're much improved and do an excellent job of explaining the intricacies of the more esoteric MS-DOS commands.

SUMMARY

The Compaq Portable II is solidly constructed and compatible with the vast majority of software that runs on IBM PC systems. Though far from forging any new technological ground, it's a fine example of how modular design can provide a compact, full-featured system that is easy to expand and service.

Unfortunately, the price of the Portable II is very high. But if you can afford the price and want the portability, you won't go wrong with the Portable II. ■

HERE'S TH



PORTABLE/DESKTOP COMPUTER SERIES MPC-160V

- · FULLY IBM-PC COMPATIBLE
- MS-DOS 3 1

\$895

- TWO SERIAL AND ONE PARALLEL I/O PORT
- RGB AND COMPOSITE MONO-
- CHROME OUTPUTS
- 512K RAM, RTC ON BOARD
- · WEIGHS 11 POUNDS
- · ONE 5 1/4" FLOPPY DISK DRIVE OPTIONS:
- · SECOND FLOPPY DRIVE
- * 3-SLOT EXPANSION BOX
- ' MONOCHROME OR RGB MONITORS
- 640K RAM
- * HANDSOME CARRYING BAG





1695

COMPL

SERIES MPC-2100

- ' IBM PC/AT COMPATIBLE
- 80286 CPU, SOCKET FOR 80287-8 · SOFTWARE-SELECTABLE 8- OR
- 6-MHz CPU SPEEDS * MS-DOS 3.2 AND GW BASIC
- . 640K RAM ON BOARD, EXPAND-ABLE TO 1MB
- ONE 1.2 MB FLOPPY DRIVE
- · SIX AT SLOTS AND TWO XT SLOTS
- · 84-KEY AT-STYLE KEYBOARD
- · 192-WATT POWER SUPPLY
- * REAL-TIME CLOCK

\$599

"TURBO"

SERIES MPC-160T

- IBM PC/XT COMPATIBLE
- SOFTWARE SELECTABLE
- 8/4.77 MHz CPU
- MS-DOS 3.2
- 640K RAM
- ON-BOARD FLOPPY DISK CON-TROLLER
- ONE 5 1/4" FLOPPY 84-KEY AT-STYLE KEYBOARD
- 135 WATT POWER SUPPLY
- * REAL-TIME CLOCK

FAMOUS-NAME QUALITY, A GREAT PRICE, AND NATIONWIDE SERVICE. THAT'S THE DEAL.

THERE ARE CHEAPER COMPUTERS THAN MITAC, BUT THEN ...

...we don't make cheap computers. Mitac takes pride in maintaining some of the highest quality control and quality assurance standards in the industry.*

THERE ARE MORE FAMOUS COM-PUTERS THAN MITAC, BUT THEN ...

... if you buy a famous name, there's a good chance you're buying Mitac anyway. Mitac has been supplying major computer and telecommunications manufacturers with high-quality equiptment since 1974, producing over forty thousand systems annually.

DEALER INQUIRIES WELCOME

LOOK AROUND. YOU WON'T FIND A FINER COMPUTER AT A FAIRER PRICE THAN MITAC.

What Mitac is offering is this: Major brand quality, a fair price, plus the support of Mitac's nationwide service network—we stand behind everything we make. That's the deal. If this makes good sense to you, do the sensible thing and call the toll-free number below for the name of the Mitac dealer in your area.

* Each Mitac computer undergoes a total of seventy-two hours' burn-in and forty-eight guality auditing processes before release.




When reliability is a decisive factor

NATIONWIDE SERVICE!

American Mitac Corp. 3385 Viso Ct., Santa Clara, CA. 95054. TEL: (408) 988-0258, 988-7508; TOLL FREE: 1-(800) 321-8344 TLX: 910-338-2201 MECTEL; FAX: 408-980-9742. Mitac Inc. No. 585 Ming Sheng E. Rd., Taipei, Taiwan, ROC. TEL: (02) 501-8231; TLX: 20261 MECTAC, 11942 TAIAUTO; FAX: 886-2-501-4265.

IBM, PC, PC/XT, AND PC/AT are registered trademarks of International Business Machines, Inc. MS-DOS and GW BASIC are registered trademarks of Microsoft Corp



Four ¼-inch Tape Backup Units

BY MALCOLM C. RUBEL

Hard disk technology has progressed to such an extent that you can purchase a 20-megabyte disk drive on an expansion card or a 140megabyte disk drive for under \$3300. To enter this world without data backup is

to invite disaster. A ¼-inch cartridge backup system provides one of the best alternatives for averting catastrophe. I will compare two QIC (Quarter-Inch Committee) 60 drives, the Tecmar QIC-60 and the Sysgen Smart QIC-File, to the Tallgrass TG-4060, which uses the PC/T (Personal Computer Tape) standard, and the Alloy FT-60, which uses its own storage protocol. Testing was done on an IBM PC AT with 512K bytes of memory and a Priam 60-megabyte hard disk with a 30-millisecond average seek time.

For a look at an alternative to traditional tape backup systems, see the text box "Alpha Microsystems' Videotrax—A VCR Alternative?" on page 246.

STARTING UP

Setting up the tape backup units was not difficult. The biggest problem installing the units was removing the five screws from the back of my IBM PC AT. All four units require a controller board, and all but the Alloy board will fit in a short slot. (Note that the Alloy system doesn't require the optional \$195 controller card if you use it with a standard IBM PC or XT, as it will run on the external connector of the floppy disk controller.)

The power arrangement for the Sysgen unit was less than satisfactory. As part of its automatic backup philosophy, the unit takes power from the system power outlet so that it is turned

Four backup systems that have a variety of features and capabilities

on with the computer. The stiff piggyback connector does not make good contact, so Sysgen supplies an extra cable to be used between the system unit and the faulty plug. I wish Sysgen had simply redesigned the plug instead of adding yet another cable to the back of my machine.

The Tallgrass unit is the only one that is too large to sit on top of the computer next to the monitor. The Alloy and Tallgrass units use round cables instead of the thick and nearly unbendable ribbon cables used by the other two units.

I had no problems with any of the user's manuals. I found that I could start using each system with only a minimal time investment.

OPTIONS

With the exception of the Sysgen unit, you can get a hard disk drive as an extra-cost option with your unit. Tecmar has a 20-megabyte option, Alloy offers 20- and 40-megabyte drives, and Tallgrass has 25-, 35-, 50-, and 80megabyte options. The Tallgrass drives run from the same controller board as the tape unit, but the Alloy and Tecmar systems require a separate card for their hard disks. Tecmar also offers its tape drive as an internal unit for the IBM PC AT.

FEATURES

All four systems provide for image backup/restore, file-by-file backup with

the backup of modified files, and backup using wild cards, hidden files, and files in subdirectories as options. All the units except the Tallgrass TG-4060 allow you to specify a date and back up only the files created or modified

after that date. All the units allow you to get a directory listing of what is on the tape.

With file-by-file backup, all the units allow you to restore either whole directories or specific files and recreate subdirectories if necessary. The Tecmar unit will restore an image backup to a different disk drive with bad sectors as long as the new drive has the same or a greater number of good sectors.

All four units come with software that has a command language used to control the operation, and all but the Tallgrass unit also offer a menudriven program. The menu programs are not suitable for anything but the simplest procedures, and I quickly went to the command language with each of the units. You can build batch files with each of the drives to make repetitive backup procedures easier. The Sysgen and Alloy drives even allow you to back up automatically at specified times, should you so desire. I would prefer writing a batch program to invoke a backup session before leaving my computer rather than having the session start just as I was about to do some time-critical work on a spreadsheet model.

(continued)

Malcolm C. Rubel is president of Performance Dynamics Associates (305 Madison Ave., New York, NY 10165). He is also coauthor of The Performance Guide to Word Processing Software.

QIC-60	Smart QIC-File	FT-60
60-megabyte ¼-inch tape backup drive (QIC 60 standard)	60-megabyte 1/4-inch tape backup drive (QIC 60 standard)	60-megabyte 14-inch tape backup drive, driven from floppy controller
Tecmar Inc. 6225 Cochran Rd. Solon, OH 44139 (216) 349-1009	Sysgen Inc. 47853 Warm Springs Blvd. Fremont, CA 94539 (415) 490-6770	Alloy Computer Products Inc. 100 Pennsylvania Ave. Framingham, MA 01701 (617) 875-6100
7 by 4 by 16 inches	2 by 6 by 10 inches	6 by 5¼ by 16½ inches
IBM PC or compatible; 256K bytes of RAM (to be menu- driven); 192K bytes of RAM (command-driven); one open expansion slot	IBM PC or compatible; 192K bytes of RAM; one open expansion slot	IBM PC or compatible; 256k bytes of RAM
20-megabyte hard disk drive; internal mount (for the IBM PC AT)	None	20- or 40-megabyte hard dis drive; controller card (for iBN PC AT)
130-page spiral-bound installation and operations manual	170-page installation and operations manual, sized to fit IBM-type binder –	55-page spiral-bound installation and operations manual
\$2144	\$1495	\$995
	60-megabyte ¼-inch tape backup drive (QIC 60 standard) Tecmar Inc. 6225 Cochran Rd. Solon, OH 44139 (216) 349-1009 7 by 4 by 16 inches IBM PC or compatible; 256K bytes of RAM (to be menu- driven); 192K bytes of RAM (command-driven); one open expansion slot 20-megabyte hard disk drive; internal mount (for the IBM PC AT) 130-page spiral-bound installation and operations manual	60-megabyte ¼-inch tape backup drive (QIC 60 standard)60-megabyte ¼-inch tape backup drive (QIC 60 standard)Tecmar Inc. 6225 Cochran Rd. Solon, OH 44139 (216) 349-1009Sysgen Inc. 47853 Warm Springs Blvd. Fremont, CA 94539 (415) 490-67707 by 4 by 16 inches2 by 6 by 10 inchesIBM PC or compatible; 256K bytes of RAM (to be menu- driven); 192K bytes of RAM (command-driven); one open expansion slotIBM PC or compatible; 192K bytes of RAM; one open expansion slot20-megabyte hard disk drive; internal mount (for the IBM PC AT)None130-page spiral-bound installation and operations manual170-page installation and operations manual, sized to fit IBM-type binder -

All four units use the standard DC 600A tape (600 feet long, ¼ inch wide), and all hold roughly 60 megabytes of information. Except for the Sysgen unit, each unit's tape has to be formatted before use, and the Tecmar tapes have to be reformatted every time you reuse them. In contrast, once you've formatted the Tall-grass and Alloy tapes, they can be reused indefinitely.

REAL-WORLD USE

Everyone's working environment is different, so I did not attempt to emulate any specific environments in my benchmark tests. You can more easily approximate the capabilities of the different units for your specific needs by interpolation of the results of the several benchmark tests.

Unlike floppy disks, magnetic tape

is a serial storage medium. It takes more time to get to a specific point on a tape than it does on a disk simply because a greater distance must be covered. Just to get from one end of a DC 600A tape to the other at 90 inches per second (a fast speed for tape) takes 80 seconds, a long time for those who are used to access times measured in milliseconds. How each manufacturer deals with this makes a big difference in how its unit works in the real world.

In storing data, two different approaches are used. The Tecmar and Sysgen units conform to the QIC 60 standard and write each backup session in a volume, which is headed by a directory for that volume. Each volume starts where the last one left off, so the time required to read or write data increases as a tape reaches its capacity. Because of this arrangement, I had to wait for three or more minutes to get directory listings from a tape that was 25 percent full.

The Tallgrass and Alloy units, on the other hand, each use their own type of disk directory that contains all the necessary information at the beginning of the tape. Files can be directly accessed from there, saving a considerable amount of time.

If you are only going to use tape as a protection against disk failure, the two QIC 60 units provide the best backup speed. The Tecmar drive is superior to the Sysgen model for two reasons: It is much faster at backing up selected files (either modified or time-specified), and it will accommodate 256 backup sessions on a single tape compared to the Sysgen unit's 64 sessions.

TG-	40	60	
10		00	

60-megabyte ¼-inch tape backup drive (PC/T standard)

Tailgrass Technologies Corporation 11100 West 82nd St Overland Park, KS 66214 (913) 492-6002

51/4 by 9 by 131/4 inches

IBM PC or compatible; 256K bytes of RAM; one open expansion slot

25-, 35-, 50-, and 80-megabyte drives

154-page installation and operations manual in three-ring binder

\$1995

Videotrax

Approximately 20-megabyte VCR tape backup unit (proprietary format)

Alpha Microsystems 3501 Sunflower Ave. Santa Ana, CA 92704 (714) 957-8500

41/2 by 17 by 14 inches

IBM PC or compatible; 256K bytes of RAM; one open expansion slot

Customized VCR unit

150-page installation and operations manual, loose pages to fit IBM-type binder

\$595 for controller board and software \$1395 for complete system

If you lack the discipline to type BU to initiate a backup batch file, the Sysgen unit with its automatic backup feature is probably better for you. If, however, you do not want to use the automatic backup procedures, you have to get rid of the AUTOEXEC.BAT file that the installation creates and figure out how to invoke the backup program for your needs. Sysgen assumes that everyone will want to back up their data automatically, and the accompanying information on manual operation is sparse.

The Tallgrass unit uses the PC/T protocol. The system operates more like a disk drive than a tape unit. The directory is at the beginning of each tape volume and, unlike the other units, when you update an existing file, the older version of the file is overwritten. This makes restoring a file from tape much easier, since only the most recent update is on the tape.

The Tallgrass software allows you to get directory listings of your hard disk drive and the tape volumes; make, change, and remove directories; rename and delete files in existing tape volumes and drives; print a file; and show directory trees. These operations, not unlike their DOS counterparts, make PC/T a more flexible tape standard than the others I tested. Editor's note: Tallgrass has recently announced version 2.1 of its tape backup software, which lets you run applications from the tape in the event of a hard disk crash. The software evaluated in this review is version 1.3.1

DRAWBACKS

The Tecmar QIC-60 does not allow you to stop a backup in progress. If

you do stop the backup procedure, you have to erase the entire tape before you can back up additional data. Also, you cannot delete data selectively; instead, you must erase the entire tape. This means that you must use two tapes to ensure data security. The software looks for COM-MAND.COM in drive A, which is a strange place to look when you have a hard disk system. In addition, the fan on the Tecmar unit is the noisiest of the systems I tested.

The Sysgen Smart QIC-File, with its 64-session limitation, may cause problems in some circumstances. I did not like the way the automatic backup software worked. The software is designed to be foolproof, but it has too many places where a person can cause damage to the system. For instance, if you have the wrong tape in the drive when you turn on the machine, the backup program asks you if you want to delete all the information on the tape so that the tape can be used. If you mistakenly say yes, you could delete the only copy of information just removed from disk to tape. Like the Tecmar unit, Smart OIC-File is slow at showing directories.

The Alloy FT-60 is not speedy, as the benchmark tests show. This is because the unit performs a separate verification pass over the data during the backup procedure. Restoring data using wild cards is even slower because the search continues to the end of the recorded tape for more files. When you restore a single file, the search stops at the first occurrence of the file. If you have a later version of that file, it will not be restored unless you specify the proper backup session number.

As with the QIC 60 units, the Alloy FT-60 does not let you delete files selectively; you must erase all data on the tape. Also, the unit will not let you restore files to a different drive. For example, a file backed up on drive C cannot be restored directly to drive D.

The biggest problem with the Tallgrass TG-4060 is that you are limited by directory size to 509 files in a tape volume. This is not as bad as it seems because a tape can be used either as a single volume of 60 megabytes or (continued) as four separate volumes of 11 megabytes each. with a fifth volume of 16 megabytes. The directory size limitation (if it exists for your situation) can be dealt with by carefully selecting directories and subdirectories to be backed up in each of five tape volumes. A 2 500-plus file limit is far less restricting.

DATA INTEGRITY

The only data problem I encountered was with the Alloy FT-60. The unit

blocked off bad sectors when it formatted the tape (just as DOS formats a floppy disk), but during my first practice session the tape verification pass indicated there were bad blocks within some files and that the system was rewriting the suspect files at the end of the tape. When I checked the rewritten files, I found that although the filenames were right, the actual files had not been copied; two duplicates of the last file in the directory had been written instead. Since the newly found bad blocks were now reserved, I did not get this error again. Five phone calls to **Alloy** finally put me in contact with the technical people, who had no explanation.

The other three units performed without a hitch through all the testing. The Tecmar and Sysgen units immediately rewrote the data block if there were any problems. The Tallgrass unit provides data security through automatic error correction, a three-part data block structure that includes a

Alpha Microsystems' Videotrax— A VCR Alternative?

A lpha Microsystems' Videotrax is an alternative to traditional tape backup systems. Videotrax comes in two parts: a controller card and a VCR unit. You can buy the controller card separately for \$595 and use your own VCR unit, which you must operate manually, or you can purchase the system complete with a VCR for \$1395.

The idea of being able to store up to 80 megabytes of information on a \$5 video cartridge is very appealing Unfortunately, the appeal and the reality are two different things.

To begin with, Alpha Microsystems acknowledges that you should record at the fastest possible tape speed to ensure better data integrity. The company also gives a specific warning about using the ultra-long-playing mode. A two-hour tape playing at normal speed and making a file-by-file backup with the data security default of 10 rewrites (see below) will hold between 10 and 30 megabytes of data depending on the number of files you are backing up. The greater the number of files, the lower the total storage capability of the unit will be.

Videotrax's menu-driven backup software allows you to back up several drives or directory sets in a single session, but you can record only one backup session on a tape. When you use the tape again, the unit writes over existing information.

The unit compensates for the inherent unreliability of VCR recordings by writing each data block from 4 to 40 times with a default value of 10 rewrites. The more rewrites there are, the less information a tape will hold but the less chance you will have of any hard (unrecoverable) errors.

Compared to traditional tape backup units, Videotrax is slow. I ran the benchmark tests on the Videotrax unit using the same evaluation files used for the four ¼-inch units. The results are shown in table A. Compare these times to those for the tape backup units in table 1.

Although the Videotrax unit will back up modified files, it will not do this on the same tape as the master set. You have to use a separate tape for this.

Table A: Benchmark test results for the Videotrax backup unit. Times are in minutes: seconds.

	Backup time	Restore time
200 1K-byte files	9:23	9:06
200 10K-byte files	14:42	14:18
20 100K-byte files	7:13	7:01
2 1000K-byte files	6:30	6:17
422 files (6.2 megabytes)	39:30	37:01

With this approach you can quickly run up a big tape bill.

The Videotrax software offers you the option of verifying that the information you have written to tape can be read, but this option does not actually compare the tape to the disk files. In additon, using it increases the backup time by a factor of two.

To back up 80 megabytes of data with Videotrax, you would need just a few large files and record on long play. The backup session would last four hours. An alternative would be to reduce the number of data rewrites, but that would increase the probability of hard errors.

When you start using a new tape, the Videotrax manual strongly advises to certify the tape. Tape statistics at the end of the certification include hard errors and soft (recoverable) errors. Data will be lost if there are hard errors. It takes four hours to certify a 120-minute tape.

Alpha Microsystems also suggests that you calibrate the VCR unit before using it. to optimize performance. The calibration process takes two and a half hours but is worthwhile. If you do not take the time to do this, or if you are using your own VCR, you will have to manually work the controls to find files to restore.

In conclusion, I cannot recommend the Videotrax unit as an alternative to traditional tape backup units because, at \$1395, the system is not much less expensive than many of the better (and faster) alternatives.

ł

parity block to allow for automatic reconstruction of unreadable data. The program also allows for a verification pass on all backups. If you specify this option, the times are doubled.

Of the units tested, the Tallgrass unit seemed to have the best data security system. Other than the Alloy problem, I experienced no data errors in any of my testing.

STANDARDS AND COMPATIBILITY

Probably the only thing that can be said about standards and compatibility is that they do not exist. The QIC standard deals only with how data is written onto a tape, not with how that data is read once there. The marketing people at each company differentiate their product from the others through software features that make the data recorded on their unit functionally useless on a different machine. The Sysgen tape, for example, was unreadable in the Tecmar unit and vice versa.

The Alloy FT-60 uses its own type of directory and formatting to store and retrieve data. The PC/T standard on the Tallgrass TG-4060 stores roughly the same 60 megabytes per tape as the Alloy unit, but it uses 11 tracks and a completely different data format. As the PC/T protocol is more like an operating system, a tape formatted on one machine should be able to run on any other that uses this system, but it probably won't.

Beyond these standards lie many others. Recently the QIC approved a standard for 120 megabytes on a DC 600A cartridge. There are new standards for DC 1000 tapes and for backing up using floppy disk controllers. Some companies have "proprietary standards" (whatever that means).

If you are interested in moving data from one tape unit to another (i.e., using the same tapes in two different units), you would probably be wise to buy two or more units of the same make and model. It would also be wise to make sure that the tape is readable between the units, since things like head alignment might still give you data-reading problems.

BENCHMARK PROCEDURES

A series of five different sets of files were used to perform the benchmark

1

Table I: Results of benchmark tests performed on the four tape backup units. Times are in minutes: seconds.

L	Tecmar QIC-60	Sysgen Smart QIC-File	Alloy FT-60	Tallgrass TG-4060
Tape speed (inches per second)	90	90	39	75
Number of tracks	9	9	12	11
Tape format time	2:52	N/A	84:30	116:00
200 files, 1K byte each				
Back up	1:21	3:15	2:15	1:27
Restore	2:10	9:20	10:30	2:05
Back up changes	3:25	2:27	3:36	1:00
200 files, 10K bytes each				
Back up	2:33	2:53	5:21	5:11
Restore	3:40	5:03	9:40	11:10
Back up changes	1:03	3:29	3:55	3:47
20 files, 100K bytes each				
Back up	2:31	2:45	7:50	3:36
Restore	2:23	2:44	9:25	3:45
Back up changes	0:57	3:22	4:00	3:02
2 files, 1000K bytes each				
Back up	3:19	3:30	6:41	3:18
Restore	2:58	3:31	8:17	3:19
Back up changes	1:16	3:38	6:13	1:50
422 files, 6.2 megabytes total				
Back up	7:05	10:09	15:15	14:09
Restore	14:56	19:06	19:42	24:08
File access times				
Minimum time to restore 1 file	0:16	0:27	0:46	0:11
Maximum time to restore 1 file	3:04	4:22	3:40	3:35

tests. The five file sets do not attempt to model any specific use, but were constructed to give meaningful data points that each individual can interpret for a specific situation.

Each of the first four file sets contained identical files of 1K. 10K, 100K, or 1000K bytes. The last set consisted of the first four sets combined. The first and second sets contained 200 files each, the third contained 20, the fourth had 2, and the last set had 422 files, for a grand total of 6.2 megabytes.

I performed three tests on each of the file sets. Each set of files was backed up in order on a single tape in separate operations. The hard disk files were then erased and the file sets were individually restored from tape. Every tenth file was then modified by I byte, and the backup tests for each of the modified data sets were then performed on the same tape. The last set of files (6.2 megabytes) was not tested for modified files. The minimum time to restore a file was the time that it took to restore the first file on the tape. The maximum time was determined through trial and error. See table 1 for complete benchmark results.

CONCLUSIONS

The environment in which you use a tape backup unit really determines which of the four units reviewed here would be most suitable for your needs. For raw speed, the Tecmar QIC-60 unit is the winner. If a system is to be operated by inexperienced users, the Sysgen Smart QIC-File's automatic backup feature might make it a better choice. If money is a serious concern, the Alloy FT-60, while short on speed, is the least expensive unit. My preference, however, for allaround flexibility and data integrity, is the Tallgrass TG-4060. While it is not the fastest unit, it offers more capabilities for more varied operating environments than the other units.

Princeton is the best choice in PC monitors.

When you're looking for a personal computer monitor, look at Princeton Graphic Systems. Our growing family of high quality personal computer cated business graphics or number-crunching a financial spreadsheet. That's why Princeton is number one in the minds of more and more personal computer owners every year.

For the very best in PC monitors, the choice is clear: Pick the company that's at the

top. Princeton

Graphic Systems.

personal computer monitors delivers compatibility, brilliant colors, high resolution, and dependability. Whether you're designing sophisti-

<image>



HX-12E. Our EGAcompatible monitor gives you 64 vivid colors. Extra sharp text and graphic displays. The finest dot pitch (.28mm) of any IBMcompatible enhanced monitor. Nonglare screen. Fully compatible with IBM's TM Enhanced Graphics Adapter (or equivalents).



SR-12P. Top-of-the-line analog color monitor features ultra high resolution (640 x 480). 4,096 colors for superb graphics. The finest dot pitch (.26mm) of any PGC-compatible monitor. Laminated nonglare panel.



HX-12. High resolution RGB color monitor with .31mm dot pitch gives you better graphics, better text than IBM's Color Monitor (5153). Nonglare screen. Voted "Best in the World' two years running in *PC World's* "World Class PC Contest".

All monitors come with free data and power cables.



SR-12. Super high resolution RGB monitor with a .3 Imm dot pitch. Compatible with Sigma Designs Color 400 board and others. Gives you 400 lines of resolution. Nonglare screen.



MAX-12. High resolution amber monitor. When used with an IBM-compatible monochrome adapter delivers 720 x 350 resolution. With an IBMcompatible color adapter, 640 x 200 resolution with 15 shades of amber. The monitor automatically adjusts to either card.



HX-9/HX-9E. Compact nineinch high resolution RGB monitor. Perfect for workstations where space is at a premium. Both featurea .28 dot pitch and an etched dark glass screen. Ergonomic features like a builtin titl/swivel base, nonglare screen, and a builtin green/amber switch. HX-9E is compatible with IBM's EGA (or equivalents).

Visit your local computer store today and ask about our full line of high resolution color and monochrome monitors. Monitors that live up to the Princeton Graphic Systems tradition of quality, performance, and value. Princeton Graphic Systems, 601 Ewing Street, Bldg. A, Princeton, NJ 08540; (609) 683-1660; TLX 821402PGSPRIN; (800) 221-1490, ext. 1104.

IBM is a trademark of International Business Machines. Inc. Color 400 is a trademark of Sigma Designs, Inc. QuadEGA+ is a trademark of Quadram Corp. Compag is a trademark of Compag Computer Corp.





MULISP-86

BY ROBERT J. SCHALKOFF

The muLISP-86 LISP development system is the successor to muLISP-83 (see "LISP for the IBM Personal Computer" by Jordan Bortz and John Diamant, July 1984 BYTE) and the short-lived muLISP-85. In fact, muLISP-

86 is very similar to muLISP-85, the principal differences being that muLISP-86 has a revised and updated manual and an optional compiler. It is worth noting that muLISP-86 is produced by Soft Warehouse, but it is identical to Microsoft LISP. This review looks at muLISP-86 as compared to muLISP-83 and as a subset of Common LISP.

SYSTEM OPERATION

You invoke the muLISP-86 development system from DOS via the command A>mulisp <sys-config>, where sys-config is the name of a system file containing your customized development environment (i.e., the editor, Common LISP library functions, the help facility, and perhaps the debugger). The muLISP-86 system contains over 300 primitively defined functions and control variables that comprise the so-called pure LISP. Function and macro libraries, which consist of additional Common LISP and InterLISP subsets, respectively, are included as files of pure LISP source code. The Common LISP library contains over 60 additional functions. Thus, you can achieve either Common LISP or InterLISP programming functionality by loading the appropriate library files. For example, the LISP-assignment functions set and setq are primitive functions in muLISP-86 and are loaded into user memory when you execute the MU-LISP.COM file. The extremely general and useful setf function, on the other hand, is contained in the Common

A customizable LISP with recent enhancements and an optional compiler

LISP library (COMMON.LSP), which you have to load separately. In addition, to implement Common LISP arrays you have to load both the Common LISP library and a separate library of array-manipulation utilities (STRUCTUR.LSP).

You can easily customize the muLISP-86 development system to suit your needs. For example, you could read the editor and an appropriate subset of one or more library files (your own or those supplied with the program) into the muLISP environment and then save them as one .SYS file that you can load more quickly thereafter. By not loading and saving the entire set of library files, you can save memory for program development.

The updated muLISP-86 development system contains a useful windows feature. Following the opening menu, you can split the screen into two windows and observe LISP source code in one window, the editor. window, and the muLISP-86 interpreter (the so-called read-eval-print function) in the other window. A single keystroke lets you invoke the interpreter. To get from the eval loop to the editor, you simply hit Return at the interpreter prompt. The windows are particularly useful for tracing functions and developing programs incrementally.

A consequence of this new editorbased development system (in contrast to the menu-driven muSTAR development system that accompanied muLISP-83) is that to achieve incremental program development you have to edit functions as separate files, or create a continuously expanding file, and you must explicitly invoke the trace and debug facilities (as described below). For learning prefer mul ISP-83's menu-

LISP, I prefer muLISP-83's menudriven environment.

THE MULISP-86 EDITOR

You can configure the muLISP-86 editor to look like either WordStar or (for those who have used one of the MacLISP variants) EMACS. While both muLISP-86 configurations represent subsets of the full editors, they nevertheless support the functions you are most likely to use. You can also customize either editor to map familiar keystrokes into editing functions.

Furthermore, both muLISP-86 editors have several handy extensions that aid in editing LISP symbolic expressions. One extension is for the sexpression, which is the basic entity manipulated by LISP and essentially consists of atoms and lists. The editors' list-structure commands are keystroke combinations that move the cursor around s-expressions and lists in the same way that WordStar and EMACS move the cursor around characters, words, and lines. For example, in the WordStar-like editor mode, Esc-D and Esc-S move the cursor forward one s-expression and backward one s-expression, respectively. Other keystroke combinations let you delete and evaluate s-expressions. Since the majority of LISP program editing and (continued)

Robert J. Schalkoff (Department of Electrical and Computer Engineering, Clemson University, Clemson, SC 29634-0915) is associate professor at Clemson University, where he conducts research in image processing and artificial intelligence.

muLISP-86

Company

Soft Warehouse Inc. 3615 Harding Ave., Suite 505 Honolulu, HI 96816 (808) 734-5801

Туре

Programming language

Computer

IBM PC, XT, AT, PCjr, or compatible; MS-DOS-based systems; 128K bytes of RAM minimum (256K bytes recommended); one floppy disk drive (two floppy disk drives recommended)

Documentation

400-page muLISP-86 reference manual; Soft Warehouse Newsletter, 3 issues

Price

Interpreter	\$250
Optional compiler	\$150
Interpreter with optional compiler	\$350

debugging involves modification of sexpressions, this editing utility is quite convenient.

The muLISP-86 editor also provides two other handy features for creating and modifying LISP code. One is the superparens (]), which automatically inserts closing parentheses and relieves you of keeping track of the number of opening parentheses. This feature is often found in larger LISP implementations and, while convenient, can be dangerous since it eliminates the need for you to check the s-expression structure in determining the number of closing parentheses.

Another handy feature is blinking matching parentheses. In the edit mode, moving the cursor to a left parenthesis causes the corresponding right parenthesis, if it exists, to blink (and vice versa), thus providing an immediate visual display of the contents of the s-expression. You can use this feature to quickly identify an incorrect program-control structure such as a missing parenthesis or one that is incorrectly placed.

The revised editor in muLISP-86 comes up in the WordStar-like insert mode as opposed to the muLISP-83 editor, which assumed overwrite mode. If you forgot to change the muLISP-83 editor mode prior to editing (as I often did), you could overwrite large amounts of code before realizing the effect. Other changes are not as welcome. For example, the muLISP-86 editor does not retain the pretty-print feature of its predecessor. This feature displays the source code with the control structure delineated by indentation and provides a quick visual display of the program structure.

ERROR HANDLING AND PROGRAM TERMINATION

The muLISP read-eval-print error handler is called the Break Package. When the interpreter discovers an error, it displays a short message such



as "File not found" and then prompts you to type continue, break (temporarily suspend program execution and call the read-eval-print loop on the next level down), abort (abort and return to the most recent read-evalprint loop), top-level (abort and return to the top-level executive driver loop), restart (initiate a new muLISP system—the approach to use when all else fails), or system, which returns you to DOS.

DEBUGGING FACILITIES

In addition to the Break Package, muLISP-86 provides a comprehensive set of functions to allow efficient debugging. Foremost among these is the trace function. This function indicates the level of the function call and the names and bindings of the function arguments at this level. The trace function also lets you redirect the output to a file. This is often necessary due to the voluminous amount of output of some programs where several functions may recursively call each other.

The muLISP system follows the Common LISP convention of delineating single-line comments with one or more semicolons. If you wish to have multiple-line comments, you can use the primitive function comment, which holds the comment by inhibiting the evaluation of its arguments.

DISTRIBUTION MEDIA

The distribution disk for MS-DOS systems includes the executable muLISP interpreter file (MULISP.COM); the editor (EDIT.LSP); a help file (HELP.LSP); library files containing InterLISP and Common LISP functions, macros, and special forms (IN-TERLIS.LSP. COMMON.LSP. and STRUCTUR.LSP); a six-lesson interactive tutorial (MULISPI.LES to MU-LISP6.LES); a .COM to .EXE file converter (COMTOEXE.COM); the source code for the debug and trace facilities (DEBUG.LSP); some sample programs such as the Tower of Hanoi: and a file for function redefinitions to achieve compatibility with muLISP-83 (MU-LISP83.LSP). This file is handy since muLISP-83 contains a large number of . function names that are incompatible with MacLISP and Common LISP. The

optional compiler is written in muLISP and distributed on a separate disk consisting of four files.

The compact size of the muLISP-86 system (MULISP.COM, the editor, and the Common LISP library files take a little more than 100K bytes) makes it suitable for use on floppy-disk-drivebased systems. This is in contrast to other LISPs such as Golden Common LISP, which comes with five distribution disks and practically necessitates a hard disk drive.

The muLISP-86 disk is not copyprotected, in contrast to Golden Common LISP, which contains a sophisticated copy-protection scheme and a corresponding installation and deinstallation procedure. In fact, the muLISP-86 license agreement seems to foster the distribution of the product on a trial basis by stipulating that "the software shall be run on at most five computers residing in a single building or facility" and that the "end user is authorized to allow temporary use of the software by the end user's family, employees, consultants, or students."

COMMON LISP COMPATIBILITY

Although muLISP-86 does not attempt to implement the entire LISP standard, this is not a serious limitation since it is neither practical nor necessary for a useful LISP development system that is used on a personal computer to adhere strictly to this standard. In fact, this is currently impossible with an interpreter. The muLISP-86 system implements a subset of the advanced control constructs that are popular in Common LISP. For example, you can replace the historically standard cond function with if functions that more closely resemble other high-level languages. In muLISP-86, if is a primitively defined special form. The COMMON.LSP library file supports other popular constructs such as the when macro and the more advanced let and let* (the sequential version of LET). In addition, muLISP-86 supports user-written macros and some advanced Common LISP constructs such as defstruct (in the STRUCTUR.LSP library file). Unfortunately, other constructs such as packages and block are not implemented in muLISP-86.

Like most LISP implementations (including Golden Common LISP), muLISP-86 is dynamically scoped (i.e., the value bound to a variable is the one most recently assigned to it). Furthermore, in muLISP-86, variables bound to functions (i.e., appearing in the function definition as formal parameters) become local variables within the scope of that function. Otherwise, variables are considered global in scope; therefore, any assignments made during the execution of a function remain in effect after the function is exited. This is known as a side effect and is not necessarily bad.

DISK SPACE, MEMORY USAGE, AND GARBAGE COLLECTION

Garbage collection (elimination of data entities that are no longer useful, thus conserving memory space) is automatic and quick, taking about one second. The muLISP-86 system provides a primitively defined function (reclaim) and a corresponding control variable to let you monitor the frequency of garbage collection, memory allocation, and the amount of free memory. Checking this is sometimes useful when a program's execution seems to be slow, since the system may be consuming the majority of its time in garbage collection, an undesirable process known as thrashing.

The muLISP-86 system, like muLISP-83, is fast due to its use of distilled code (d-code). The use of efficient storage techniques and d-code makes it possible for you to load the muLISP interpreter, a choice of editor, the Common LISP library, and the debug routines into RAM and still have ample space for program development. On my 256K-byte system, even with space allocated for the resident portions of DOS 2.10, the reclaim function indicated that I had over 100K bytes free, a substantial amount of space for program development. If this amount of memory was insufficient, I could have extracted the functions I normally use from the Common LISP and debug libraries and saved them in a new smaller library that would take up less of the system RAM. This is in sharp contrast (continued)

to the documented operation of Golden Common LISP, wherein the system and editor leave only 20K bytes remaining for program development in a 512K-byte system.

1/0

The muLISP-86 system accepts input from either the keyboard or a disk file via the rds (read select) function. The system also provides several typical printing functions (print, princ, and prin1) and the ability to handle string variables. The system supports both list and dot notation.

THE COMPILER

Program development in a language such as LISP normally proceeds in interpreted mode with the incremental development and debugging of functions. Once these functions are fully debugged, however, you can use the optional muLISP-86 compiler to significantly improve the execution speed of application programs by transforming functions into native machine code.

You can also use the muLISP-86 compiler to individually compile userdefined functions (the so-called "incremental compiler" mode). Alternately, you can use the compiler in a file compiler mode where all the functions in a file or set of files are compiled. Either mode requires that you load the compiler source code, which takes additional memory. On my system, the loading of the incremental compiler required approximately an additional 45K bytes of RAM.

DOCUMENTATION

The muLISP-86 documentation is a slightly revised version of the muLISP-85 documentation. It consists of a single binder with approximately 400 pages. It covers the major system features, muLISP tutorials, data structures and memory management, a comprehensive summary of the muLISP-86 functions, the debugger and editor, the optional compiler, and the machine-level access functions.

The documentation is a welcome revision of earlier counterparts. The operation of primitively defined muLISP functions is well documented. The manual also contains (as does tutorial lesson number 3) a good discussion of the concept of a cons construct for internal computer representation of lists and the relationship of lists to binary trees. For quick reference, the manual has separate indexes for concepts and muLISP functions. A particularly good feature of the documentation is an appendix that details source file conversion from muLISP-83 to muLISP-86.

The muLISP-86 tutorial is also similar to that furnished with muLISP-83. Topics covered include the relationship between b-trees and lists, defining functions, list manipulation and associated functions, control structures, the use of recursion, and graphics. Purchasers of muLISP-86 also get a three-issue subscription to the *Soft Warehouse Newsletter*.

FEATURES

In contrast to earlier versions, muLISP-86 provides a useful on-line help facility for a large number of muLISP's primitively defined functions. After loading the help file, you simply invoke the help function with a particular function name as the argument, whereupon the system returns the particular function's arguments, type, and the number of the page in the manual that contains a more detailed reference.

The muLISP-86 system provides access to IBM PC hardware via primitive functions that let you read and write directly to absolute memory addresses (memory), execute an interrupt (interrupt), read or write from an 8086/8088 port (portio), and suspend the muLISP system to load and execute another program (execute). The execute function even lets you pass a string of arguments to the other program, expressed as an optional argument to the LISP function. This is extremely useful in artificial intelligence applications, such as speech recognition or image processing, where the muLISP system relies on other programs (possibly written in other languages) to provide some degree of preprocessing.

The muLISP-86 system supports integer and real-number data types. It currently does not support an 8087 coprocessor. The editor (and the entire muLISP-86 development system) appears to work fine with keyboard intercept and memory-resident programs such as SideKick.

SYSTEM REQUIREMENTS

The muLISP-86 system is designed to run on an IBM PC, XT, AT, or PCjr with either a monochrome or graphics display. Soft Warehouse claims that the system also runs on other MS-DOS computers. I was able to run muLISP-86 successfully on an NCR PC4 with a monochrome display and also on an AT&T PC 6300.

The documentation states that you need a **minimum** of 128K bytes of memory, with at least 256K bytes recommended. Note that muLISP-86 can take advantage of up to 512K bytes of installed memory, which may be a useful feature in large program development.

Finally, you can run muLISP-86 with one disk drive, but the company recommends that you use two drives to avoid swapping disks after loading the system. The compact size of a minimal system, however, makes muLISP-86 suitable for use on the IBM PCjr.

CONCLUSIONS

The muLISP-86 system represents some improvement over muLISP-85 and a significant improvement over muLISP-83. Its major strength is its suitability for use within the constraints of the microcomputer environment (i.e., with limited memory and floppy disk space). The system is reasonably user-friendly and might be considered a viable alternative to other LISP development systems for the IBM PC such as Golden Common LISP and the public domain XLISP.

A particularly good use for muLISP-86 would be for educational purposes and situations where absolute Common LISP compatibility is not essential and cost-effective LISP programming capability is desired. While muLISP-86 does not provide all the user-friendliness and functionality of the more comprehensive mainframe and dedicated LISP machine environments, it represents a significant enhancement over muLISP-83. It is well worth a serious look. ■



Your first color monitor should be good enough to be your last.

NEC introduces the only color monitor you need. Superb resolution plus MultiSync for across-theboard compatibility with all three PC graphics boards made by IBM,[®] for business graphics, CAD/CAM, computer art, and text.

> Now there's one high resolution color monitor that does things your way. The MultiSync™ monitor from NEC.

> > It gives you the best color resolution available at the price.

• Compatibility with the IBM Professional Graphics Adapter, the IBM Enhanced Graphics Adapter, and the IBM Color Graphics Adapter.

Compatibility with the IBM® Enhanced Graphics Adapter Board




• MultiSync, the NEC feature that automatically adjusts to color adapter board scanning frequencies from 15.75 KHz to 35 KHzsuggesting the possibility that the MultiSync monitor might be compatible with *all* color graphics boards that are fully compatible with th IBM PC, PC/XT, and PC/AT, now and in the future.

• Full implementation of high resolution graphics software for business and other applications, now and in the future.

• And color capability limited only by the board being used.

See Things Our Way Until now, you had to choose different color monitors for



compatibility with all three PC color graphics boards made by IBM. With so many board and monitor configurations, folks didn't know which way to look.

The new MultiSync color monitor gives you unique compatibility. As well as TTL and analog color. With 7 switchable text colors. And resolution up to maximum 800 horizontal dots and maximum 560 vertical lines, on a large, 13" diagonal viewing area.

> All from NEC, a name respected around e world for advanced, eliable products backed by nationwide service.

Compatibility with the IBM® Professional Graphics Adapter Board



It's the one color monitor that does everything your way.

Compatibility with the IBM® Color Graphics Adapter Board



But why talk more about it? Visit your nearest dealer and see a graphic demonstration of the new NEC MultiSync monitor's capabilities. Then draw your own conclusions.

For information dial **I-800-447-4700**

NEC HOME ELECTRONICS (U.S.A.) Inc. Computer Products Division 1255 Michael Drive Wood Dale, IL 60191-1094



Book your trip from start to finish.

All on your own PC.

Now you can get quick information and *immediate reservations* for flights, hotels and rental cars with EAASY SABRE, the American Airlines personal reservations system.

EAASY SABRE lets you look directly at schedules and fares, 24 hours a day. On any type of PC that has a modern or on any kind of communicating terminal. And, all the help you need is available on line.

This special service will show you flights for over 650 airlines worldwide. And the quickest routes to almost any place you want to go.

It will also show you more than 13,000,000 fares. Our exclusive Bargain FindersM feature assures that you'll get the lowest possible fares available for the seats you book.

In addition, you can reserve a room at more than 12,000 hotels — by name, by price or by location. You can also confirm a car from over 20 rental car companies. Look at your personal AAdvantage® account. And even check the weather in the city you'll be visiting.

Once your reservations are booked, EAASY SABRE lets you decide where to pick up the ticket — from your SABRE Automated Travel Agency or Corporate Travel Office, at the airport, at an American Airlines City Ticket Office, by mail or from any other American Airlines authorized distribution channel.

Access the world's most sophisticated travel automation system. It's that simple. And economical. Because there's currently no surcharge for using EAASY SABRE. You just need to subscribe to one of the data networks listed.

For more information on subscribing to a network, call:

Dialcom, Inc. **1-800-258-3311** General Electric Information Services Company **1-800-433-3683** QuantumLink (for Commodore computers only) **1-800-392-8200**



AAdvantage® is a registered service mark of American Airlines, Inc.

S·O·F·T·W·A·RE R·E·V·I·E·W

ITC'S MODULA-2 SOFTWARE DEVELOPMENT SYSTEM

BY MARK BRIDGER

The Modula-2 language was developed by Professor Niklaus Wirth, who also created Pascal. As a longtime Pascal and Turbo Pascal user, I wanted to compare the two languages and to examine the version of Modula-2 from Interface Technologies Corporation (ITC).

USING THE ITC EDITOR

ITC's Modula-2 has a built-in syntax editor. This sort of editor is probably familiar to you if you've programmed in LISP. In the ITC implementation, each Modula-2 construct has a template that is invoked using an <Alt>/keystroke combination. For example, pressing <Alt> F produces the template

FOR <id>: = <expr> TO <expr> DO END:

You use the Tab key to skip to the two fields delineated by <> and fill in the missing variables and expressions. Statements between DO and END can be entered by using the <Alt> P command; semicolons are inserted automatically for each statement. If an inserted statement is a template, then the editor automatically indents it appropriately. The editor also adds righthand parentheses to match the lefthand ones that you type in.

It is impossible to type in a program using the ITC editor without employing these templates. At first this seemed annoyingly cumbersome, but there is a method to it. First, Modula-2 is a case-sensitive language, and all reserved words such as FOR, TO, and END must be capitalized. This can be very annoying, even to a good typist.

An inexpensive Modula-2 compiler and editor package for IBM PCs and compatibles

> The use of templates obviates this difficulty. Second, the use of templates virtually eliminates syntax errors and makes it extremely easy to learn Modula-2, especially if you already know Pascal. While it takes some time to get used to the various <Alt> commands to invoke the templates. ITC has made them as mnemonically reasonable as possible (e.g., <Alt> $F = "FOR \dots, " <Alt > A = "AR-RAY[\dots]," etc.). The <Alt > com$ mands have different meanings depending on whether you are in the declaration, type, or code section of the program. In the declaration section, for example, <Alt> F gives the template for a function (i.e., a procedure with RETURNed value).

> You can also import files of code prepared by other editors. Unfortunately, the ITC editor is finicky about syntax; it will not import any code that has any syntax errors, including errors resulting from incompatibility with various ITC Modula-2 library declarations. If an error is discovered during importation it is pointed out, but it must be corrected using another editor.

> The ITC editor provides some of the features found in more standard editors, such as searching for, copying, and replacing strings. The editor also lets you embed blocks of code within other blocks or, inversely, extract marked blocks from within others. The blocks, however, must be

full syntactical (indentation level) blocks (e.g., a complete BEGIN...END or REPEAT ...UNTIL block). In general I found the editor a bit unwieldy, since many of its commands are accessed through function and Alt keys

that call pull-down menus. These menus in turn require selection of a field (using the Tab key) and then perhaps further keyboard input. For an unskilled typist this is probably all right, but most serious programmers have enough typing skills to make this procedure rather frustrating.

You can use the editor to move around within the program in two ways: line by line with the left and right arrow keys (the working line becomes highlighted), or block by block with the up and down arrow keys. The term "block" here means a syntax block (i.e., a group of lines of code at the same indentation level). You continue to move in blocks of the same level until you reach a larger block size; thereafter, moves are in these larger blocks. Moving down a level is accomplished through the left and right arrow keys. This can permit fairly quick movement through a modest-size program, but not really fast enough through a larger one. The addition of page- or screen-size movement would be useful.

Whether the syntax editor for ITC's Modula-2 is better than a standard text editor depends on your familiarity with the package and personal preference. I didn't like the ITC editor (continued)

Mark Bridger (31 Champa St., Newton, MA 02164) is president of Bridge Software and an associate professor of mathematics at Northeastern University.

Modula-2 Software Development System

Туре

Modula-2 compiler and development environment for MS-DOS and PC-DOS

Company

Interface Technologies Corporation 3336 Richmond Suite 200 Houston, TX 77098 (713) 523-8422

Requirements

IBM PC or compatible; 256K bytes of RAM; two floppy disk drives

Features

A built-in syntax-directed editor checks the code as it is written

Price

Modula-2 Software Development System (standard package): \$80.88 Modula-2 SDS-XP (with additional utilities): \$99

at first, but after using it I began to appreciate its templates.

COMPILING AND LINKING

The entire ITC Modula-2 package of editor, compiler, and linker is all in one unit. Choices are made by means of pull-down menus, and execution is done by overlaid code. Running ITC's Modula-2 from a floppy disk drive is a slow process. I ran it from a RAM disk, but this requires over 600K bytes of RAM. Early versions of the program had serious bugs when run on RAM disks, although I have not had any system freeze-ups while compiling with the latest version (version 2).

ITC's Modula-2 seems to conform to the standards set forth by. Wirth for Modula-2. All standard libraries are available as well as some additional ones; for example, there is RealInOut, a library for reading and writing real numbers. RealInOut, however, has two annoying features: It only outputs real numbers in scientific notation, and if a real number is entered from the keyboard without a digit in front of the decimal point, the real number is recorded internally as 0 without any warning. In addition, the field width parameter still has a bug that was present in earlier versions.

ITC implements the Modula-2 open array parameter, which allows a procedure declaration to accept an array of a specified type but a nonspecified length. The bounds are determined when the procedure has accepted a particular array at run time. This is a very useful improvement over Pascal, especially for writing library procedures for, say, matrix manipulation.

There is also a graphics interface that supports point, line, and box drawing (all of which are quite slow), a sound interface enabling the production of a tone of prescribed frequency, a DOS interface, and a procedure to perform certain DOS and BIOS interrupts. For about \$20 more, ITC offers a Foreign Object Module Import package, which is essentially a tool for linking ITC Modula-2 with 8086 assembly language object modules. This package has some restrictions, the most serious being its apparent inability to deal with a separate data segment in the assembly code. This restriction is shared with Turbo Pascal, but Borland International doesn't charge anything extra for the ability to graft on machine code. There are ways around this limitation, for example, putting data in the code segment and jumping over it. Nevertheless, it's an annoying restriction for a large program development system.

ITC's Modula-2 has a built-in library creation facility, enabling programmers to build up collections of separately compiled modules for linking with other programs. Source and object code stored in such a library can be accessed only by opening the library from the editor or the compiler. A bug occasionally prevented the compiler from finding one of my libraries when it was in drive C. The compiler could only find the library when it was on the floppy disk in drive A.

The ITC editor and compiler appear to interact, with the compiler doing some preliminary work as code is entered into the editor. I could not determine exactly what this work entailed; a menu choice offers the option of turning this background compilation off, but it didn't help when I tried to import a **syntactically** incorrect file.

It is important to remember that Turbo Pascal is limited to compiled code of fewer than 64K bytes. There is no such limitation for ITC Modula-2: Programs can be as long as the disk or the memory can handle.

BENCHMARK RESULTS

For this review, I rewrote the benchmarks from my review of Turbo Pascal 3.0 (see February BYTE) in Modula-2. As shown in table I, Turbo Pascal has the edge in all categories except arithmetic floating-point operations (multiplication and division) done with the 8087, where ITC has a three-to-one speed advantage. On the other hand, Turbo Pascal has an equally dramatic advantage in non-8087 number crunching and in heap management.

In analyzing compilation speed, however, one must be fair. Modula-2's task here is somewhat harder since it is producing code that will later be linked to other code. This is a more complicated procedure that takes longer to complete. ITC's Modula-2 produces .EXE files, while Turbo Pascal produces .COM files. In general, the executable files produced for the benchmark programs by ITC's Modula-2 were from 2 to 2½ times larger than those produced by Turbo Pascal.

DOCUMENTATION

1

ITC's Modula-2 documentation comes in a loose-leaf binder. It provides a better introduction to the basics of the language than does Borland's Turbo Pascal documentation. If you already know Pascal, you probably can get by with ITC's documentation; if you haven't programmed in Pascal, you should get a good book on Modula-2 as an introduction.

Since all procedures, constants, and variables in Modula-2 that are imported from libraries must be declared in an importation section, it is essential to know which identifiers go with which standard libraries. This is difficult to determine from the documentation: the index is not always helpful since there are some page (continued)

A MEGABYTE FOR DOS!


MicroWay is the world's leading retailer of 8087s and high performance PC upgrades. We stock a complete selection of 8087s that run from 5 to 12 MHz. All of our coprocessors are shipped with a diagnostic disk and the best warranty in the business – one year! We also offer daughterboards for socketless computers (NEC PC) and 287Turbo which increases the clock speed of the 80287 from 4 to 10 MHz. Our NUMBER SMASHER/ECM[™] runs at 12 MHz with a megabyte of RAM and achieves a throughput of .1 megaflops with 87BASIC/INLINE, Intel For-

tran, or Microsoft Fortran. Software reviewers consistently cite MicroWay software and 8087 expertise as the best in the industry! Our customers frequently write to thank us for recommending the correct software and hardware to meet their specific needs. They also thank us for our same-day shipping! In addition to our own products which support the 8087 and 80287, we stock the largest supply of specialized software available. For more information call us at

617-746-7341

NUMBER SMASHER/ECM[™] THE FASTEST ACCELERATOR CARD AVAILABLE

gives you 12 MHz speed in two modes: 704K or one megabyte of "Extended Conventional Memory." MEGASWITCH MMU and MegaDOS software make it possible to run DOS applications with up to 1015K using PC compilers, Auto CAD and Lotus 1-2-3. Does not re quire EMS software. Totally compatible. Priced from **\$599** with 512K to **\$1199** for complete package. Optional 8087-12...**\$295**



Micro Way® 8087 Support

For the IBM PC, PC XT, PC AT and Compatibles.

A2D-160[™] MicroWay's Data Acquisition Board performs 160,000 12 bit Analog to Digital conversions per second! Includes software drivers. The fastest 12 bit A to D board available. For the IBM PC XT and compatibles......\$1295

87SFL[™] MicroWay's Scientific Function Library contains 170 scientific and engineering functions. Callable from most 8087 compatible compilers ... First Language \$250; Additional \$100.

87FFT[™] Written in assembly language, performs Forward and Inverse FFTs on real and complex arrays which occupy up to 512 Kbytes of RAM. Also does convolutions, auto correlations, hamming, complex vector multiplication, and complex to radial conversions. Callable from most 8087 compatible compilers......\$200

87FFT-2" performs two-dimensional FFTs. Ideal for image processing. Requires 87FFT \$100

87 Verify[™] For users who have to be absolutely sure of their results! This background task periodically performs an 8087 accuracy and stress tool.

Microsoft Fortran V 3.31	\$209
IBM Professional Fortran	\$565
Ryan-McFarland Fortran V 2.0	\$399
NAG Fortran Library	\$300
Grafmatic for Fortran or Pascal	\$125
MultiHalo Graphics (1 language)	\$189
LABTECH NOTEBOOK	\$745
UnkelScope	\$549
INTEL ABOVE BOARD	CALL
JRAM, AST, MAYNARD	CALL

P.O. Box 79 Kingston, Mass. 02364 USA (617) 746-7341 MegaPage[™] The only Intel-Lotus EMS board which comes with two megabytes of cool-running, low power drain CMOS RAM installed Includes RAM disk, print spooler, disk cache, and EMS drivers. For the IBM PC, XT & compatibles.... \$549

MegaPageAT/ECC[™] EMS card for the PC AT and compatibles includes Error Correction Circuitry. With ECC, 11 RAM chips cover 256K so the user never encounters RAM errors With 1 megabyte CMOS \$699; with 3 megabytes CMOS \$1295. Optional serial/parallel daughterboard.....\$95.

DFixer[™] Our disk utility which thoroughly checks PC or AT hard disks for bad sectors and updates the MS DOS file allocation table accordingly. Solves the AT hard disk problem! ... \$149

DOptimizer[™] Optimizes the way your hard disk or floppy stores its files. Speeds up accesses by recombining fragmented files.....\$49

DCache[™] Our disk caching software speeds up your I/O by storing repetitively used tracks in memory. The amount of memory used can be selected in 64 Kbyte banks\$49

87MACRO/DEBUG[™] Contains all the pieces needed forwriting 8087/80287 assembly code & MicroWay's 87DEBUG debugger. \$199

OBJ→ASM[™] A multipass object module translator and disassembler. Produces assembly language listings which include public symbols, external symbols and labels commented with cross references. Ideal for patching object modules for which source is not available......\$200

87 BASIC[™] includes patchesto the IBM BASIC or MS Quick BASIC Compiler for USER TRANS-PARENT 8087 support. Provides super fast performance for all numeric operations including trigonometrics, transcendentals, addition, subtraction, multiplication, and division...... each \$150

87BASIC/INLINE[™] converts the output of the IBM BASIC Compiler into optimized 8087 inline code which executes up to seven times faster than 87BASIC. Supports separately compiled inline subroutines which are located in their own segments and can contain up to 64 Kbytes of code. This allows programs greater than 128K! Requires the IBM BASIC Compiler Version 1 and a Macro Assembler. Includes 87BASIC....\$200

MICROWAY UDI runs RTOS or RMX compilers under DOS\$300

8087 UPGRADES

All MicroWay 8087s include a one year warranty, complete MicroWay Test Program and accurate installation instructions.

installation instructions.	
8087 5 MHz For the IBM PC, XT and compatibles.	\$114
For the IBM PC, XT and compatibles.	
8087-2 8 MHz	\$1/0
8087-2 8 MHz For Wang, AT&T, DeskPro, NEC, Lead	
80287-3 5 MHz For the IBM PC AT and 286 compatib	\$179
For the IBM PC AT and 286 compatib	les.
80287-6 6 MHz	\$229
For 8 MHz AT compatibles.	
80287-8 8 MHz	\$295
For the 8 MHz 80286 accelerator car	ds.
NEC V20, V30\$	
64K RAM Set 150ns	\$10
256K RAM Set 150ns	\$20
250K DAM Oct 100ns	
256K RAM Set 120ns	
128K RAM Set PC AT	\$49
287Turbo [™] 10 MHz If you of Deskpro 286 or AT compatible, this is the	wn an AT,
Deskpro 286 or AT compatible, this is the	ne card you
need to get reasonable numeric perfe plugs into your 80287 socket and inclu	ides a spe-
cially driven 10 MHz 80287. The card	d comes in
cially driven 10 MHz 80287. The card threeconfigurations. The IBM AT version	onincludes
a hardware RESEI button	\$450
287Turbo 8 MHz	
87/88Turbo" is a stubby card white	ch includes
a clock calendar and a speed contr	oller which
changes the speed of your motherboar to 7.4 MHz Its use requires your PC	
socketed 8284. Typical speed increased	se is 1.6 to
2.0. The card overcomes slow hardwa	re by slow-
ing up only when such devices are acc	cessed and
running at full speed otherwise	
Optional 8087-2	
286TurboCache [™] This new Mic celerator uses 8K of cache memory a	croway ac-
80287 processors to provide an aver	age speed
increase of 3:1 for most program	s. Call for
specifications and benchmarks	\$469
Call for our complete cata	loa of
software which supports the	
in London, please phone 223-	
in controlly pieces phone 220	

number discrepancies. Even more serious is the fact that different libraries can have the same identifier with the same spelling in two different contexts. For example, Done is Boolean in the InOut library but part of an enumerated type in the Files library. A complete cross-referencing table of the libraries and their contents would have been very helpful.

It would also have been useful to have the description of function-key use in a more prominent position near the front of the manual.

Overall, ITC's Modula-2 documentation suffers from a lack of all but the simplest examples. While the beginning tutorial covers elementary Modula-2 constructs, program writing, and compilation, more complicated areas such as the building of independently compiled libraries and the use of in-line machine code and BIOS interrupts could use some further explanation and illustration.

BUGS

The first version of ITC Modula-2 that I examined seemed to have more bugs than any other piece of serious software I've used. Most of these bugs seem to have been corrected in the most recent release.

The compiler occasionally gives misleading error messages. In one case when I had invoked the NEW procedure to create a pointer, I was told that the variable had not been declared; however, it had been. What I hadn't done was to import the AL-LOCATE and DEALLOCATE procedures from the system library. Even though no explicit calls to these procedures were made, they are necessary for the functioning of NEW and DISPOSE. This took quite a few minutes for me to figure out

ITC operates a bulletin board on which fixes for various bugs are posted. This is fine if you live within a local call of Houston, Texas, but swatting all bugs by long-distance phone lines can get to be quite expensive.

TURBO PASCAL VS. MODULA-2

There are some real philosophical, psychological, and practical issues here. The philosophy and psychology

Table I: Benchmark comparisons. The CALC program shows how long it takes to do 10.000 multiplication and 10.000 division operations using singleprecision numbers. The FLOAT program tests ITC Modula-2's library of transcendental functions. The SIEVE program shows how long it takes to run one iteration of the Sieve of Eratosthenes prime-number benchmark. The TRANS program shows how long it takes to copy a 10.000-character file one character at a time, while BTRANS shows how long it takes to copy this file 128 bytes at a time. The LINETEST routine was run with Turbo Pascal's standard draw routine and with Modula-2's draw routine. HEAPTEST performs a rough check to see if the creation and disposal of dynamic variables is working properly. All times are in seconds.

Program	ITC Modula-2	Turbo Pascal	
CALC CALC87	52 2	32 65	
FLOAT			
FLOAT87	212 5	65 3	
SIEVE	19	13	
TRANS (disk to disk) TRANS (RAM to RAM)	129 98	124 93	
BTRANS (disk to disk) BTRANS (RAM to RAM)	23 2	22 1.5	
LINETEST	31	17	
HEAPTEST	12	< 0.5	

have more to do with Pascal versus Modula-2 than with any particular brands of compilers.

If you believe that Pascal is an overly formal language that stifles creativity but that it is useful for building "pyramids" - large, complicated programs built up from many modulesthen you will find Modula-2 much the same. In Pascal there is only one really dynamic, flexible, and standard procedure: the lowly WriteLn. The WriteLn command, which allows a variable number of parameters of different types, has been eliminated in Modula-2 and replaced by WriteChar, WriteString, WriteInt, WriteCard, and WriteReal. These must actually be declared with correct capitalization. and their library genealogy must be traced out. If you're going to be subjected to these indignities, you might as well program in C and at least be able to produce tighter code. If you hate Pascal, you'll find Modula-2 worse.

On the other hand, you can make the argument that this sort of care and attention to detail is necessary when dozens, or hundreds, of programmers are working on a project involving tens of thousands of lines of code—code that must be modular and portable.

Therefore, you must determine your own needs and how much you enjoy programming. If you are writing programs that are no longer than 3000 to 4000 lines, then there doesn't seem to be any reason for not using Turbo Pascal. It's faster, tighter, more flexible, smaller, simpler, and less expensive than anything else currently on the market.

On the other hand, if you must work with many other programmers on a huge program or if you need training for such work, then you probably should try Modula-2. Whether or not Modula-2 will ever gain much popularity as a commercial language, the ITC syntax editor can make learning it easier. Furthermore, ITC has provided a lot of value for the money, with a basic package that includes the assembly language interface, extra libraries, and a Make utility. It's worth a try, but don't throw away your Turbo Pascal. ■

CLASSIC BYTE T-SHIRTS!



Five classic Byte covers - and boy, do they look great on this 3/4 sleeve "baseball shirt"! The vivid royal blue sleeves and neckline really complement the full-color design. And don't mistake this for a rubbery patch that cracks and peels off after a few washings. This is true four-color process: the permanent inks are silk-screened into the fabric, resulting in a beautiful, full-color image that lasts!

heavyweight made of 50% cotton, 50% polyester. You'll enjoy cotton comfort in a tough, sporty shirt that keeps its crisp, fresh look through many washings - with almost no shrinking! The price for each Classic Byte T-Shirt is only \$12.50 (\$11.50 each for 3 or more). Be sure to include shirt size: C-(child 10-12), S-(34-36), M-(38-40), L(42-44), XL-(46-48). Most orders shipped within a week.

You'll also appreciate the shirt itself: a real

r \$11.	50 ea	me the following shirt(s ch for 3 or more. I have I handling (\$5 overseas	e inclu		I have enclosed check or money order. VISA MasterCard Am. Express Card #:	Mail this coupon to: Robert Tinney Graphics 1864 North Pamela Dr.
OTY.		TITLE	SIZE	AMOUNT	Exp. Date:	Baton Rouge, Louisiana
			\$	5		70815
			4	6	Ship my shirt(s) to:	
			1	•	Name:	For VISA M
			1	6	(Business):	For VISA, MasterCard or American Express orders, or for more informet.
			1	6	Address:	Call 1-504-272-7266
S	hippir	ng & Handling (see abo	ve) \$	6	City:	004-272-7260
] Se	nd fre	e brochure.	AL 3	6	State: Zio:	-00

The BCC52 packs an entire development and acquisition system into a single dose.





Indications for use:

When a single controller board or a complete development and acquisition system is needed.

Active Ingredients:

Intel 8052 8-bit processor, 8K floating point ROM resident control BASIC, 3 onboard parallel I/O ports,

Serial terminal port (auto baud rate select), Serial printer port, Socketed for 48K bytes RAM and EPROM, 2 interrupts, Expandable to 64K bytes each of data and program memory, On-board intelligent 2764/27128 EPROM programmer. **Dosage:** Take either a single board or an entire system to provide control relief.

CAUTION: This product has proven to be habit forming.

Now available without prescription from Micromint for only



Micromint, Inc.

25 Terrace Drive, Vernon, Connecticut 06066 TELEX: 643331

MICROSOFT WORD VERSION 3.0

BY MALCOLM C. RUBEL

Microsoft Word version 3.0 for MS-DOS systems, with its several new and versatile features, is one of the most powerful word-processing programs on the market today, but I wish I could be more excited about it. Word

is full-featured, but it lacks the comfort and speed I have come to expect from top-of-the-line programs. It also has several annoying defects.

INSTALLING WORD

Microsoft has dropped copy protection from its product line. Therefore, you can now make any backup copies that you need.

The installation process is virtually foolproof. Both floppy disk and hard disk installations with or without the mouse driver are no problem, but when you install Word on a floppy disk you do not have enough space left for DOS. To get a bootable disk, you must first delete the Help files.

LEARNING WORD 3.0

Microsoft's Learning Microsoft Word program is the best interactive tutorial that I have seen. It is well thought out and provides an excellent course of instruction, good feedback, and a good simulation of the actual program operation.

You can now access tutorial lessons while editing a document using Word's Help function. This requires that 256K bytes of available RAM must be installed, but you get quick access to detailed information about basic operations. Context-sensitive Quick Help is also available within the program. If all else fails, you can go to the improved index, which is now 43 pages long.

A word processor with many powerful features and some flaws

Microsoft took one step in the wrong direction with this latest release. The plastic command template of version 2.0 has been replaced by a small function-key overlay that flies off when you hit a key slightly offcenter and a Quick Reference Card that always seems to be somewhere else and, when found, occupies significant desk space.

The operator interface is excellent for beginners. With only a few minutes of familiarization, the commands become self-evident. A novice can quickly gain access to the whole range of the program's powers. The problem is that this ease of use for beginners compromises fluid operation. Although there are speed keys available for some commands, I was continually going through menus making many unnecessary moves to implement simple commands.

OPERATION

Although Word 3.0 works on a floppy disk system, it would operate more smoothly on a hard disk system. To use Word you need the program disk, the spelling disk, the Learning Microsoft Word disk (for reference), and, if you want to run any external commands, a DOS disk to run the program. I was switching disks too often for my liking. Using Word on a floppy disk system is also slow (see table I for complete benchmark results). While Word runs mostly from RAM, the active document files are run on a very tight paging scheme. Information is constantly being written to and from disk. Increasing memory size does not seem to do anything to alleviate this problem.

While editing with Word is easy. Microsoft should do some work to make the editor faster. Using the mouse to move the cursor is almost a necessity because Microsoft has not included any Control-key commands to move the cursor. While you can get by with using the text-definition function keys to move the cursor, it would not be too much trouble to implement some of the now generally accepted Control-key cursor commands.

Word 3.0's PgUp and PgDn screen rewrites are some of the slowest I have seen. Depending on whether or not you have to go to the disk for information. it can take from 1.5 to 5 seconds (a 3.5- to 4-second average) to get a new screen of text. I also had a serious problem with the Delete key. All deletes are written to a scrap buffer, which takes quite a bit of time. When you strike the Delete key twice without consciously hesitating between the two hits, one keystroke is lost.

Search and replace operations have the necessary options and work well, but they are slower than those of many comparable programs. I also ran into memory problems when performing the Replacement benchmark. (continued)

Malcolm C. Rubel is president of Performance Dynamics Associates (305 Madison Ave., New York, NY 10165). He is also coauthor of The Performance Guide to Word Processing Software.

Microsoft Word version 3.0

Type Word processor

Company

Microsoft Corporation 10700 Northup Way PO. Box 97200 Bellevue, WA 98009 (800) 426-9400

Format 5¼-inch floppy disks

Computer IBM PC compatibles

Necessary Hardware Mouse (optional)

Necessary Software MS-DOS

Features

Includes an integrated outliner, math functions, and index and table of contents generation

Documentation

Using Microsoft Word Reference to Microsoft Word Printer booklet

Price \$450

The program stopped and required that my current work was first saved to free up the memory before continuing. The manual states that this might also happen when several windows are open. Going to 512K bytes of memory did not help this situation.

When you work with justified text, Word becomes annoying. In an attempt to make the on-screen text look just as it will look when printed, Microsoft right-justifies text on the screen. This means extra work for the processor, and it slows down screen reformat time. It also means that text continuously bounces to the left and to the right of the cursor position. I decided to work with unjustified text and, as a final step, to justify it.

Because the cursor is a solid unblinking box, I found that I kept "losing" it. Microsoft should give the user the option to make it blink and should at least provide line and cursor position numbers somewhere on the screen.

Block operations with Word 3.0 are well designed and easy to execute. Text is defined by using either the mouse or the cursor and the function keys. It is then deleted to scrap using the Delete key and then "undeleted" from scrap using the Insert key at the appropriate place either within the file, between windows, or to disk. Column-block operations are now supported, and those who work with tabular data will be thankful for this addition.

Microsoft makes better use of windows than any other word-processing program on the market. Not only can you have up to eight different windows on the screen at the same time showing you different files, but you can also have multiple windows open within a single document. Other programs allow different copies of the same file to appear in different windows, but changes made in one window are not automatically made in the others as they are with Word. You may pay a speed penalty as you open up more windows, but it is worth every second.

Table 1: Benchmark test results in seconds. All benchmarks were performed using MS-DOS 3.1.

Word 3.0		WordStar 3.3	WordPerfect 4.1	
Load program	24.3	9.5	12,8	
Load 4000-word file	5.7	4.2	4.2	
Save 4000-word file	30.0	26.7	15.6	
Cursor through file	90,1	48.6	75.7	
4000-word search	18.2	12.5	8.7	
400 replacements	85.7	25.3	12.8	

Boilerplate materials can be easily prepared and called to an active file using Word's Gallery function. However, I found that it was so easy to open up a second window and copy text into it that I chose not to use this function.

FORMATTING

Word 3.0's greatest strength is its ability to perform complicated formatting tasks. It is not a page composition or desktop publishing program, but it handles complicated formats such as tabular materials, snaking multicolumn and screenplay layouts, and different type styles and point sizes with ease. Detailed formats can be described for character size and attributes, paragraph style, division (page) layout, tabs, footnotes, headers, and footers. Any defined style can be saved and recalled for later use with different documents.

Word allows you to specify all page measurements in inches, centimeters, or points. The program handles most of the complicated formatting tasks for you. For example, if you wish to have multiple columns, you simply specify the number of columns desired and the space between each of them, and the program does the rest. Setting up and working with tables is equally simple.

As with other top-end products, Word 3.0 supports multiple left- and right-facing headers and footers, several tab types, and also centered and flush-right text.

Character specification is limited only by your output device. If you are using a laser printer with downloadable fonts, you will be able to produce impressive output. Word is the only word-processing program for the IBM PC that supports Apple's LaserWriter printer and PostScript program.

Page formatting does not always show up properly on the screen. Word cannot handle proper on-screen line breaks when you use proportional spacing. In addition, neither snaking nor side-by-side columns are shown on-screen.

Word does not do a good job with right justification. It inserts microspaces only between words. If it placed microspaces between characters within words as well as between words, the output would look better.

PRINTING

Printer support, always a strong point with Word, has been improved. There are 113 different printer choices, or you can go to the printer booklet to find out how to make your own driver. Word 3.0 also supports sheet feeders and printer queuing.

Although pagination is performed automatically when you print and includes widow and orphan control, you still have to repaginate a document if you want to see where the page breaks are going to be before you print. You can now select confirmation of page breaks and make modifications if you desire, but Microsoft could make a substantial improvement in Word by adding dynamic pagination.

One of the best improvements in version 3.0 is that text no longer needs to be enhanced by only the

user's knowledge of the output device's capabilities. The program will make a guess at the formatting equivalent for the output device selected. For instance, italics specified for the final work will probably come out as underlined text on a printer that cannot print italics.

Word prints with a gutter margin that selectively offsets left- and rightfacing pages. If you are going to do two-sided printing and binding, this feature is important. One flaw that I discovered in the program is that when I set equal margins of 1¼ inches for the left and right side of the page and printed on an HP LaserJet. Word gave me a 1½-inch left margin and a I-inch right margin. While this can be easily compensated for, it presents an unnecessary complication.

THE POWER OF WORD 3.0

Word 3.0 does footnotes and has an option for endnotes. It also has its own Spell program. Word does math


functions and multilevel indexing and table of contents generation. It has an excellent mail-merge routine that includes conditional printing for form letters. It does alphabetic and numeric sorts and it hyphenates. It contains an excellent outliner and, hidden in the appendix, instructions for some of the most complete data conversion programs I have seen.

The features I would like to see added include a faster editor, line and box drawing, and the ability to capture command macros.

SUMMARY

I am not a fan of Microsoft Word partly because I do not like menu-driven programs. They get in the way during the writing process. Part of the attractiveness of Word 3.0 is that it is powerful yet easy to learn. However, after you become familiar with the program, its menus, which are so easy to understand and use while learning, become a hindrance. ■





QNX: Other operating systems may never lift the PC to such heights.

ONX was the first operating system common purpose and complete with multi-tasking, multi-user capabilities for the IBM PC and compatibles (1982). Then, once again, for the IBM AT and compatibles (1984). In 1984, ONX achieved integrated networking capability, something no other multi-user, multi-tasking operating system has achieved, or is likely to achieve, on IBM personal computers.

QNX consistently beats competitive operating systems to each new height in PC performance. Unlike other multi-user, multi-tasking opeating systems, ONX is not UNIX-based. Being rigid and monolithic, UNIX architecture is difficult to adapt. By contrast, ONX is modular, based on message-passing, and easy to adapt. UNIX developers have had to preoccupy themselves with merely getting UNIX to work on the personal computer, while QNX, designed specifically for this environment, has enjoyed rapid and continuous growth.

QNX's superb performance and compact size is the result of one dedicated design team with a

understanding of both the software and the environment in which it must run. Ouick and efficient on a PC. ONX soars on an AT.

Of all multi-user, multi-tasking operating systems, only QNX provides unrestricted communications among all tasks anywhere on the network. Therefore, only QNX can implement true distributed processing, distributed file systems, and distributed devices, with no need for central file servers.

No one wants to abandon the tremendous amount of DOS software available. QNX does not force that choice. DOS 2.1 and 3.1 run as single-user tasks under ONX. even on the AT in protected mode.

With over 22,000 systems installed worldwide, QNX remains unsurpassed in PC performance.

We invite End Users, VAR's, OEM's and Software Developers to discover a whole new world of computing capabilities.

Multi-User	10 serial terminals per PC, AT.	C Complier	Standard Kernighan and Ritchie.
Multi-Tasking	40 (64) tasksper PC (AT).	Flexibility	Single PC, networked PC's,
Networking	2.5 Megabittoken ring. 255 PC's and/or ATs per network. 10,000 tasks per network, Thousands of users per network.		single PC with terminals, networked PC's with terminals. No central servers. Full sharing of disks, devices and CPU's.
Real Time	2800 task switches/sec (AT).	PC-DOS	PC-DOS runs as a QNX task.
Message Passing	Fast intertask communication between tasks on any machine.	Cost	From US \$450. Runtime pricing available.

For further information or a free demonstration diskette. please telephone (613) 726-1893.

The only multi-user, multi-tasking, networking, real-time operating system for the IBM PC, AT and compatibles. By Quantum. Unix is a registered trademark of AT&T Bell Labs. IBM PC, AT, and PC DOS are trademarks of IBM Corp.

Quantum Software Systems Ltd., Moodie Drive High Tech Park, 215 Stafford Road, Ottawa, Ontario, Canada K2H 9C1

S·O·F·T·W·A·RE R·E·V·I·E·W

The Norton Utilities, PC Tools, and Super Utility

BY RUBIN RABINOVITZ

Sooner or later most computer users lose data because of equipment malfunctions or human error. The DOS programs for personal computers typically contain few ways of coping with such problems; hence, specialized programs with recovery routines have become popular.

The best-known program of this type is The Norton Utilities, designed for the IBM PC and most compatibles. Created by Peter Norton, the program is now in its 3.1 release, a version coauthored by Norton and Brad Kingsbury. In my review of The Norton Utilities version 3.0 (December 1985 BYTE), I described it as a valuable program, one that I had used many times for recovering lost data. Here I will discuss what is new in version 3.1 and compare it to two of its rivals: PC Tools (version 1.10) by Central Point Software and Super Utility (version 1.10) by PowerSoft Products (see tables 1, 2, and 3 for feature comparisons).

RESTORING ERASED AND DAMAGED FILES

The ability of programs like The Norton Utilities, PC Tools, and Super Utility to restore lost data depends in part on the kind of error that is involved. A common error (and one that is relatively easy to correct) is the one that occurs when you mistakenly enter a DOS ERASE or DEL command and inadvertently lose a valuable file. If no new information is subsequently written to the disk, the deleted file can in most cases be restored in its entirety by any of these utility programs.

Recovery from such errors is possible because the DOS program does

Three useful programs for file and data restoration and file management

not remove any data at the time you give the ERASE command. Instead, messages indicating that the sectors occupied by the original file can be used for new data are registered in the disk's directory and file allocation table.

Unfortunately, most data-loss errors are not this simple. Once new information has been written into the sectors formerly occupied by a deleted file, the old information can no longer be recovered. It also becomes harder to recover portions of the deleted file that haven't been overwritten. (Reclaiming part of a lost file may be worthwhile in the case of textual information, but program, spreadsheet, and other structured files often have to be recovered virtually intact if anything of value is to be extracted from them.)

When a computer hardware problem, such as a misaligned disk drive, causes incorrect control information to be written into a file, successful data recovery is more problematic. Errors in a directory or file allocation table may render all of your files inaccessible. Your only hope then may be to work directly with the physical sectors on the disk using a utility program's sector read/write routine. This method will usually require you to piece together your original file from sectors that are scattered all over the disk.

If you decide to patch a disk in this

manner, you should know that a little exploratory tinkering can transform a small local problem into a major disaster area. Unless you have no alternative, do not work with original files and disks. If possible, make

a copy of the disk with a damaged file.

FILE RECOVERY FEATURES

The Norton Utilities, PC Tools, and Super Utility all let you display directory listings of recently deleted files, as well as listings of those that are active. If a directory entry for a deleted file has been erased, the programs will let you search through the entire disk (including deleted files) for a string of text, provided you can remember some of the lost file's contents. If not, you can go from sector to sector on the disk to see if you can find any data from the lost file.

Once you have located a sector with lost data, you can read it in hexadecimal or ASCII formats or put the information in another file (preferably on another disk). Working with the sector display, you can even edit the data in a given sector. Experienced users can take advantage of this function to make certain types of repairs, such as locating and revising any incorrect control information in a file.

REPAIRING FILES WITH THE NORTON UTILITIES

The Norton Utilities' file restoration program has a branching menu struc-

Rubin Rabinovitz (Department of English, Campus Box 226, University of Colorado, Boulder, CO 80309) is a professor of English and is the author of a book about the SAMNA word-processing program.

REVIEW: NORTON UTILITIES, PC TOOLS, SUPER UTILITY

	The Norton Utilities (version 3.1)	PC Tools (version 1.10)	Super Utility (version 1.10)
Type	File recovery, disk management, and data- security utilities	File recovery, disk management, and resident DOS, utilities	File recovery and disk management utilities
Company	Peter Norton Computing 2210 Wilshire Blvd. Santa Monica, CA 90403 (213) 453-2361	Central Point Software 9700 Southwest Capitol Hwy. Portland, OR 97219 (503) 244-2782	PowerSoft Products 17060 Dallas Parkway, Suite 114 Dallas, TX 75248 (214) 733-4475
Format	One 51/4-inch floppy disk	One 51/4-inch floppy disk	One 514-inch floppy disk
Computer	IBM PC, XT, AT, and most compatibles	IBM PC, XT, AT, and most compatibles	IBM PC, XT, AT, and most compatibles
Necessary Software	PC-DOS or MS-DOS 2.0 or later	PC-DOS or MS-DOS 2.0 or later; can repair disks for- matted under DOS 1.0 or later	PC-DOS or MS-DOS
Documentation	64-page manual; quick- reference card; some on- screen help	68-page manual; some on- screen help	31-page manual; some on- screen help
Price	\$99.95; upgrade from an older version, \$25	\$39.95; upgrade from an older version, \$15	\$89.95

Table I: File restoration utilities.

Function and Explanation	The Norton Utilities	PC Tools	Super Utility	
Undelete: reverses the DOS DEL command	x	x	x	
File repair: restores damaged files, sector by sector	×	x	×	
Lost cluster saving: copies stray clusters into usable	files x	×	×	
Quick file repair: automatically "undeletes" files	×	_	_	
Disk mapping: displays a graph showing used and sectors	free x	×	x	
Bad sector mapping: displays a graph with locations bad sectors	s of X	×	_	
Disk test: checks disks for errors	×	x	x	
FAT contents: gives decimal listings for items in the f allocation table	ile -	_	x	
Disk viewing: displays contents of a disk's sectors in hexadecimal and ASCII	×	x	x	
Data modification: permits entering data directly onto disk in ASCII or hexadecimal format	o the x	x	x	
Sector printing: prints contents of sectors, including sectors from damaged files	×	x	x	
Data search: performs a global search for a predefin string of characters; search string can be defined hexadecimal or ASCII		x	x	

ture that may be somewhat confusing until you have used it for a while. This is partly because the program contains so many routines that it can be hard to find your way through the menus and submenus to the one you need.

A feature called quick unerase,

which has been added to the latest version of The Norton Utilities, compensates for this problem to some degree. Quick unerase will be a boon to novices; it makes the process of restoring deleted files almost automatic. Even so, this routine works only for the simplest types of file recovery; for others you will still need to use the conventional file restoration program. But here you will be aided by another recent Norton addition: The program now has some on-screen help information about the procedures you need to follow. Thus, if you are working with a file allocation table, you can easily summon up a help screen with information about it.

In addition, The Norton Utilities lists information that experienced users will appreciate. It gives a number representing the absolute disk location of a displayed sector. In PC Tools and Super Utility, a similar listing gives only the relative locations for sectors (i.e., their positions within a file). I prefer the first approach; the absolute location is useful when you want to return to a particular sector or if you are working with stray clusters (blocks of data that have become detached (continued)

Family Affair



Choose from a family of 4 modems -- the 1200 baud modems at \$139 & \$149, and the 2400 baud modems at \$299 -- that offer unbelievably great performances and make you wonder why everyone else charges so much!

7466 Rand Modems

2400 Eand Modem: Internal Modem: Modular Phone Cable, Mounting Bracket, COM1 or COM2, Asynchronous Communications External Modem: AC Power Adapter, Stand Alone Enclosure, Status Indicator LEDs, Asynchronous Or Synchronous Communications Bott Units: Hayes Compatible Command Set, CCITT V.22/V.22 bis and Bell 212A Compatible, 110/300/600/1200/2400 bps Operation, Automatic Adaptive Funalization, IBM PC Hardware Compatible, Two RJ-11C Jacks (Alternate Voice/Data Communication)

Pedigree

You can be sure that the Qubie' family of modems are of good stock. Our latest editions, the 2400I Internal Modem Card and 2400E External Modem are proof positive what good breeding can accomplish. These state-of-the-art modems are CCITT V.22/V.22 bis, Bell 212A Compatible, and 2400/1200/600/300/110 bps.

Our modems are fully compatible with all Hayes software commands. Software packages such as Crosstalk, Smartcom II, and Sidekick will work flawlessly. Both the 2400I and 2400E are equipped with Automatic Adaptive Equalization which automatically adjusts to the telephone line and increases performance and decreases the error rate.

The 2400I Internal Modem Card fits into any expansion slot, as it is a compact half-card modem. It's designed specifically to operate in the IBM Personal Computer PC/XT/AT family and compatible computers. The rear panel has two RJ-11C modular telephone jacks for the telephone line and the telephone set. The modem can be set for COM1 or COM2. The 2400I modem allows asynchronous communications with remote computers and other data terminal equipment over standard voice grade telephone lines. The 2400E External Modem offers the user asynchronous or synchronous communications. The 2400E is en-

No Risk Guarantee

If you are not completely satisfied with your purchase, you may return it within 30 days of purchase for a complete refund, including the cost to send it back. If you can get any dealer or competitor to give you the same Ns Fuk farrates, buy both and return the one you don't like.



For lastest delivery, send cashier's check, money order, or order by MasterCard/Visa. Personal Checks allow 18 days to clear. Company purchase orders accepted, call for prior authorization. California residents add 6% sales tax.

1200 Band Modems

Itere and Modem: Yoo Jacks, Line Input and Phone Jack, RS-232 Port COM1 or COM2, Speaker with Volume Control External Modem: 8 Status Indicator Lamps, Snap Off Front Switch Panel, Speaker with Volume Control Both Units: Bell 103/212A 300/1200 Baud, Fully Hayes "AT"Command Set Compatible, Modular Phone Cord, PC-TALK III Software

closed in a slimline plastic enclosure. The front panel displays the eight modem status indicator lights. It works on any computer or terminal with an RS-232C serial port.

Siblings

Not to be forgotten are our 300/1200 baud modems. The Internal Modem Card is designed for the PC, PC/XT and most compatibles; it occupies one full length slot and the internal speaker lets you know the call progress. An RS-232 serial port is standard, COM1 or COM2; you can use the port for other peripherals when the modem is not being used. Our External stand alone modem can be used with any computer or terminal which utilizes an RS-232C serial port. It also comes with 8 status indicator lamps and a snap off front panel that allows for quick setting of the switches for all types of communication packages. At \$139 and \$149, these are the best price/performance modems for most communications.

What's In A (Sur)Name?

Everything, if it's a Qubie' supported product. We at Qubie' stand behind what we sell. Our 30-Day "No Risk Guarantee", our one year warranty and 48 hour turnaround on warranty repairs are proof that our products are of the highest quality.



Hours: M - F 8 am - 5 pm PTZ Sat 8 am - 12 am PTZ

from a file). Of course, a listing with both absolute and relative sector locations, which none of these programs provides, would be even better.

Another useful feature of The Norton Utilities is a screen display with information about an erased file that notes its size, attributes, time of creation, and whether the beginning of the space formerly used by this file has been overwritten. This information is made available before you begin the restoration process to let you know how good the chances are for recovering a lost file.

Of the three programs, The Norton Utilities gives the most comprehensive information about bad sectors (unusable areas of a disk). Not only do you learn whether they are present on a particular disk, but the program also lets you know if they have been marked as bad sectors. Once the bad sectors have been marked, they no longer pose a threat because the DOS program will avoid them when it looks for empty sectors in which to store data. Thus, knowing about unmarked bad sectors can be important.

FILE RESTORATION WITH PC TOOLS

PC Tools is the easiest of the three programs to use. The menu organization is very straightforward, and the commands are well defined. Like The Norton Utilities, it provides good disk maps, which are graphic representations of the disk showing the locations of files and unused areas of the disk. The on-screen help information in PC Tools, while not as extensive as that provided by The Norton Utilities, makes the steps in the file restoration

Table	2:	Disk	and	file-handling	utilities.
-------	----	------	-----	---------------	------------

Function and Explanation	The Norton Utilities	PC To	Super Utilitv
File-handling utilities			
File attributes: changes archive, read-only, hidden, and system attributes	x	x	x
File size: gives file size as a number of clusters, as well as in bytes	×	x	_
File overwrite: writes zeros into deleted files for security purposes	×		-
Directory-handling utilities			
Directory sort: permits directory to be sorted by name, size, extension, and date	×	×	_
Directory restore: recovers deleted directories and subdirectories	x	x	_
Create subdirectory: creates new subdirectories without exiting to DOS	_	x	-
Disk-handling utilities			
Title change: permits changing the volume label of a formatted disk	x	×	_
Disk overwrite: overwrites zeros onto an entire disk for security purposes	x	_	
Hard disk utilities			
File search: searches through directories and sub- directories for a specified file	x	x	_
Path-name list: lists path names for files in directories ar subdirectories	nd x	_	_
Tree display: provides a chart of directories and sub- directories, showing the tree structure	_	×	÷
Hard disk configuration: permits partitioning of hard disks, according to user's specifications	_	-	x

procedures clear.

PC Tools also makes it simple to end one routine and to move on to a new one. At one point I wanted to perform the same test on a series of disks. PC Tools made it easy to exchange the disks without backing up too far into the program.

One way that PC Tools differs from the other programs is in its sector display, which shows 256 bytes at a time rather than the 512 bytes shown in the other programs. This makes it easier to read the display's hexadecimal information, but it can also slow down some operations because you have to examine twice as many screens when you look through the contents of a given file.

DATA RESTORATION WITH SUPER UTILITY

While Super Utility works well for restoring lost data, it lacks certain features found in The Norton Utilities and PC Tools. Super Utility has no provision for identifying the position of a particular byte in the sector display. Its disk map is not very good; the graphics are crude, the locations of files and unused sectors are not shown, and the map does not display information about a disk's bad sectors. However, like the other programs, Super Utility does contain a separate routine that tests a disk for bad sectors, so it is possible to use this program to get that information.

On the positive side, Super Utility contains two file repair features that the other programs lack. One is a very useful window display that lets you look at the contents of a sector before deciding whether to add it to a file that is in the process of being restored. The second feature is a routine that provides listings in decimal format of the entries in a file allocation table—a tool that advanced users will probably find valuable.

SUPPLEMENTARY FEATURES IN THE NORTON UTILITIES

One unique operation in The Norton Utilities is a program for systematically overwriting any resident data in an unneeded file to make sure it is entirely erased. This feature—the computer equivalent of a paper shred-

der- will be valuable if you work with confidential data. The Norton program also includes a routine for setting screen colors, a test for comparing the processing speed of your computer with that of an IBM PC, and a timer that lets you know how long a program has been running. The timer performs the same functions as a stopwatch.

The Norton Utilities version 3.1 has a number of interesting new features. One is an easier way of working with the program's menus. You can choose a command by moving a pointer to an item on the menu, by pressing a number (such as 3 for the third menu item), or by pressing the equivalent function key (in this case, the F3 key). This duplication reduces the possibility of key selection errors and simplifies the entering of commands. Another nice feature is a demonstration file that lets you see how the main features work. It provides a good introduction to the program and its diverse routines.

The Norton Utilities version 3.1 also lets you restore directories that have been removed by the DOS RMDIR or RD commands. Also added is an option for working with European characters. Still another change is in the routine for sounding a tone: You can now specify the duration, pitch, and number of times it should be repeated.

SUPPLEMENTARY FEATURES IN PC TOOLS

The most valuable extra feature of PC Tools is its ability to be loaded in a resident mode. Like SideKick and other resident programs, PC Tools remains in the computer's memory while you run an applications program such as a spreadsheet or word processor. Whenever you wish, you can interrupt the applications program, work with PC Tools, and then pick up where you left off in the applications program.

PC Tools contains a series of routines for performing familiar DOS tasks such as copying, comparing, and formatting disks. These features are part of the resident program, which leads to some interesting possibilities; (continued)

The Great Expanse



Turn Your Basic PC Or XT Into A Powerhouse With A Qubie' XTKit. Our 1-2 Punch Lets You Create The Ultimate (And Affordable) Enhanced AT.

AT Disconnet Lin ATK-1 BT42 & AT4X4Plus (512K) \$1099 ATK-2 BT42 & AT4X4Plus (1Mb) \$1199 ATK-3 BT42 & AT4X4Plus (2Mb) \$1299 42 Megabyte Drive, Runs All The Popular AT Software, 30 Msec. Access Time, Voice Coil Driven Heads With Closed Loop Servo Positioning, Full-Height Unit, Heads Automatically Retract

TT Enhancement Eitz

XTK-1 PC20 & BT6Plus (384K) \$599 XTK-2 PC42 & BT6Plus (384K) \$1199 BT6Plus With 384K Memory, Serial And Parallel Ports, Clock/Calendar, BTDRIVE And BTSPOOL Software, 5.25" Controller, 20 Or 42 Megabyte Hard Disk, Cables, Idir Software And User's Manual

IMMENSE

Your AT is no toy -- it's a serious piece of computing equipment which requires the finest in peripherals to unleash its power and potential. Qubie' ATKits are the solutions to turning an unenhanced IBM AT or compatible into a supercharged system which will run circles around the IBM "Enhanced" Models.

A powerful AT needs a hard disk with the capacity and the speed to supply data fast. Our BT42 hard drive has a formatted capacity of 42 megabytes and 30 msec. access time. Also included is the "Dreamboard" -- the AT4X4Plus. It has up to 4 megabytes available, a parallel and serial port standard, with 3 more serial ports optional.

SCOPE

Savvy buyers have long been aware that they can save money by buying a single-drive PC or XT and add their own

No Risk Guarantee

If you are not completely satisfied with your purchase, you may return it within 30 days of purchase for a complete refund, including the cost to send it back. If you can get any dealer or competitor to give you the same **No Nick Eurante**, buy both and return the one you don't like.



For fastest delivery, send cashier's check, money order, or order by MasterCard/Visa. Personal Checks allow 1B days to clear. Company purchase orders accepted, call for prior authorization. California residents add 6% sales tax.

multifunction card and hard disk. Now you can get the power you need at a price you can afford. The BT6Plus has all the features you expect of a multifunction card; 384K of memory, serial and parallel ports, battery-powered clock/calendar and optional game port (\$20). You also get print spooling and RAM disk software. The Qubie' PC20 hard disks offer the best available combination of performance, ease of installation, and reliability. 1dir software completes the kit.

DISTANCE

We really go the distance for you at Qubie'. But don't just take our word for it. Our exclusive 30-Day No Birk Guarantes speaks for itself. Our top notch technical support staff is here to answer any questions you might have during installation or operation. With our one year warranty, your satisfaction is assured; but if anything should breakdown, our 48-Hour turnaround on warranty repairs will have you back up in no time.

Department B 507 Calle San Pablo Camarillo, California 93010

Inside California 805-987-9741 Outside California 800-821-4479

London (01) 223-4569 Sydney (02) 579-3322 Paris (01) 321-5316 Canada (403) 434-9444 Hours: M-F 8am - 5pm PTZ Sat 8am - 12pm PTZ

for example. you can format a disk without formally exiting from the word-processing program. (A list of the DOS utilities included in PC Tools is given in table 3.)

If you are unfamiliar with memoryresident programs, you should know about two potential problems. One is that your seemingly docile applications program may object to the idea of coexisting with a memory-resident program. Whether or not your applications program can run concurrently with PC Tools is something to check with the dealer or the manufacturer.

The other factor is that PC Tools takes up 128K bytes of RAM, and unless you are willing to buy a memory-expansion board, it may be too large for you to use with another program. The authors of the program are planning to deal with this problem in a future release; PC Tools will be compressed to between 40K and 64K bytes so it will take up less space in RAM. A unique feature of the program is a tree display that diagrams the root directory and the other directories on a disk. Another helpful feature of PC Tools is that supplementary information about a routine is automatically displayed when you tab to the menu entry offering that option.

HARD DISK CONFIGURING IN SUPER UTILITY

Like The Norton Utilities and PC Tools, Super Utility has a feature for changing a file's attributes, such as making it a hidden or read-only file. Super Utility's main supplementary feature is a routine for the custom configuration of hard disks. With most hard disks, you are offered limited options for partitioning. Super Utility offers a wider choice of partitioning options, which can make for more efficient data storage. However, this routine must be used with caution because (like the DOS FORMAT command) it

Table 3: Other utilities and	features.
------------------------------	-----------

Function and Explanation	The Norton Utilities	PC Tools	Super Utility
	Otinties	10015	Othinty
Miscellaneous features			
Screen attributes: sets colors, reverse video, underlining, bold, blinking, etc.	x	-	_
System attributes: identifies computer, lists disk drives, gives RAM memory size, etc.	×	x	_
Speed test: measures operating speed of system relative to the IBM PC	x	_	_
Tone: sounds a tone as a signal during some phase of computer routine	a x	_	_
Print: prints files	x	x	
Line number print: prints text with line numbers added	×	_	_
Timer: emulates a stopwatch; times various operations	×	_	
Resident DOS utilities			
Copy: copies files; similar to the DOS COPY command	_	x	
Copy disk: copies from disk to disk; similar to the DOS DISKCOPY command	_	x	_
Compare: compares files or disks; similar to the DOS DISKCOMP command	_	x	-
Rename: renames files; similar to the DOS REN command	_	x	_
Delete: deletes files; similar to the DOS DEL and ERASE commands	- I	x	_
Format: formats disks; similar to the DOS FORMAT			
command	-	x	_

involves a process that will destroy the existing data on a disk.

DOCUMENTATION

The documentation for all three programs is adequate but not outstanding. The Super Utility manual contains so many undefined technical terms that first-time users will be intimidated, and its skimpy glossary does not make up for this flaw. The manuals for the other two programs use **somewhat** simpler language, but they also seem to be directed toward users who already have a good understanding of how the DOS program stores files on a disk.

All three manuals provide only cursory explanations of how the datarecovery process works. Given that novices can lose files, a little more background material would help. A chapter for beginners with some illustrations (such as a diagram showing how a disk is divided into tracks and sectors) would have been useful.

All three manuals would be improved if charts were included showing in which branches of the menus the program's different routines are located. This would make it easier to go from one routine to another. The Norton Utilities version 3.1 takes a step toward meeting this need by including a reference card that lists all the program's command names and functions.

CONCLUSION

The most valuable of these three programs is The Norton Utilities. It offers the greatest number of features for file recovery, as well as the widest variety of supplementary routines. PC Tools is somewhat easier to use than the other two programs, and, at less than half their price, is clearly the best value. Super Utility is a reasonably good program, but its relatively high price and lack of extra features will probably deter potential buyers.

As tables 1, 2, and 3 indicate, The Norton Utilities, PC Tools, and Super Utility differ mainly in terms of the extra features they provide. If you are uncertain about which of the three to get, your sense of whether you will be able to use these extra features should help you make up your mind.

Six great reasons to join **BIX** today

• Over 140 microcomputer-related conferences:

Join only those subjects that interest you and change selections at any time. Take part when it's convenient for you. Share information, opinions and ideas in focused discussions with other BIX users who share your interests. Easy commands and conference digests help you quickly locate important information.

• Monthly conference specials:

BIX specials connect you with invited experts in leading-edge topics—CD-ROM, MIDI, OS-9 and more. They're all part of your BIX membership.

• Microbytes daily:

Get up-to-the-minute industry news and new product information by joining Microbytes Daily and What's New Hardware and Software.

• Public domain software:

Yours for the downloading, including programs from BYTE articles and a growing library of PD listings.

• Electronic mail:

Exchange private messages with BYTE editors and authors and other BIX users.

• Vendor support:

A growing number of microcomputer manufacturers use BIX to answer your questions about their products and how to use them for peak performance.

What BIX Costs. . How You Pay

ONE-TIME REGISTRATION FEE: \$25

Hourly Charges: (Your Time of Access)	Off-Peak 6PM–7AM Weekdays Plus Weekends & Holidays	Peak 7AM–6PM Weekdays
BIX Iymnet*	\$9 \$2	\$12 \$6
TOTAL	\$11/hr.	\$18/hr.**

* Continental U.S. BIX is accessible via Tymnet from throughout the U.S. at charges much less than regular long distance. Call the BIX helpline number listed below for the Tymnet number near you or Tymnet at 1-800-336-0149

** User is billed for time on system (i.e., ¼ Hr. Off-Peak w/Tymnet = \$5.50 charge.)

BIX and Tymnet charges billed by Visa or Mastercard only.

BIX HELPLINE

(8:30 AM-11:30 PM Eastern Weekdays)

U.S. (except NH)—1-800-227-BYTE Elsewhere (603) 924-7681



We'll Send

You a

BIX User's Manual and Subscriber Agreement as Soon as We've Processed Your Registration. JOIN THE EXCITING WORLD OF BIX TODAY!

JOIN BIX RIGHT NOW:

Set your computer's telecommunications program for full duplex, 8-bit characters, even parity, 1 stop bit OR 7-bit characters, even parity, 1 stop using 300 or 1200 baud.

Call your local Tymnet number and respond as follows:

Tymnet Prompt	You Enter
Garble or "terminal identifier" login: password: mhis login: BIX Logo—Name:	a byteneti <cr> mgh <cr> bix <cr> new <cr></cr></cr></cr></cr>

After you register on-line, you're immediately taken to the BIX learn conference and can start using the system right away.

FOREIGN ACCESS:

To access BIX from foreign countries, you must have an account with your local Postal Telephone & Telegraph (PTT) company. From your PTT enter 310600157878. Then enter bix <CR> and new <CR> at the prompts. Call or write us for PTT contact information.



ONE PHOENIX MILL LANE PETERBOROUGH, NH 03458 (603) 924-9281

Announcing BYTE's New Subscriber Benefits Program

Your BYTE subscription brings you a complete diet of the latest in microcomputer technology every 30 days. The kind of broad-based objective coverage you've read in this issue. In addition, your subscription carries a wealth of other benefits. Check the check list:

DISCOUNTS

- ✓ 13 issues instead of 12 if you send payment with subscription order.
- One-year subscription at \$21 (50% off cover price).
- Two-year subscription at \$38.
- Three-year subscription at \$55.
- One-year GROUP subscription for ten or more at \$17.50 each. (Call or write for details.)

SERVICES

- **BIX:** BYTE's Information Exchange puts you on-line 24 hours a day with your peers via computer conferencing and electronic mail. All you need to sign up is a microcomputer, a modem and telecomm software.
- Reader Service: For information on products advertised in BYTE, circle the numbers on the Reader Service Card enclosed in each issue that correspond to the numbers for the advertisers you select. Drop it in the mail and we'll get your inquiries to the advertisers.
- ✓ TIPS: BYTE's Telephone Inquiry System is available to subscribers who need fast response. After obtaining your



Subscriber I.D. Card (see TIPS information adjacent to Reader Service cards), dial TIPS and enter your inquiries. You'll save as much as ten days over the response to Reader Service Cards.

- ✓ Disks and Downloads: Listings of programs that accompany BYTE articles are now available free on the BYTEnet bulletin board; and on disk or in quarterly printed supplements (see reply cards in this issue).
- ☑ Microform: BYTE is available in microform from University Microfilm International in the U.S. and Europe.
- ✓ BYTE's BOMB: BYTE's Ongoing Monitor Box is your direct line to the editor's desk. Each month, you can rate the articles via the Reader Service

Card. Your feedback helps us keep up to date on your information needs.

✓ Customer Service: If you have a problem with, or a question about, your subscription, you may phone us during regular business hours (Eastern time) at our toll-free number: 800-258-5485. You can also use Customer Service to obtain back issues and editorial indicies.

BONUSES

- Annual Separate Issues: In addition to BYTE's 12 monthly issues, subscribers also receive our annual IBM PC issue free of charge, as well as any other annual issues BYTE may produce.
- ✓ BYTE Deck: Subscribers receive five BYTE postcard deck mailings each year—a direct response system for you to obtain information on advertised products through return mail.

To be on the leading edge of microcomputer technology and receive all the aforementioned benefits, make a career decision today—complete and mail in a subscription card or, call toll-free weekdays, 8:30am to 4:30pm E.S.T.: 800-258-5485.

And... welcome to BYTE country!





Make a career move today... Subscribe to BUTE and stay on the leading edge of microcomputing technology.



For direct ordering call toll free weekdays 8:30am-4:30pm E.S.T. :

800-258-5485

(603-924-9281 for New Hampshire residents)

OR

Complete adjacent postcard and mail.

Note our special offer: Send cash with your order and receive 13 issues at the price of 12 for each year you subscribe (North America only).


YES! I want to subscribe to BUTE
YES! I want to subscribe to BUTE and save 50% off* the cover price.
U.S. \$21.00 (1 yr.) * Basic subscription rate \$38.00 (2 yrs.) \$\$55.00 (3 yrs.)
Canada/MexicoEurope-Air Delivery \$23.00 U.S. (1 yr.)Worldwide-Surface Delivery \$37.00 U.S. (1 yr.)\$23.00 U.S. (1 yr.)\$69.00 U.S. (1 yr.)
Enclose payment (check or credit card information) and get one extra issue for each year you subscribe (North America only).
 Bill me (North America only) Payment enclosed (U.S. funds drawn on a U.S. bank only) Charge to my VISA MasterCard 4AA6XX
Card # Expires Signature
Address
City/State Country Code
Please allow 6-8 weeks for processing your subscription
YES! I want to subscribe to BUTE
YES! I want to subscribe to BYTE and save 50% off* the cover price.
U.S \$21.00 (1 yr.) * Basic subscription rate \$38.00 (2 yrs.) \$55.00 (3 yrs.) Canada/Mexico Europe-Air Delivery Worldwide-Surface Delivery \$23.00 U.S. (1 yr.) \$69.00 U.S. (1 yr.) \$37.00 U.S. (1 yr.)
Enclose payment (check or credit card information) and get one extra issue for each year you subscribe (North America only).
 Bill me (North America only) Payment enclosed (U.S. funds drawn on a U.S. bank only) Charge to my UISA MasterCard
Card # Expires Signature
Name
Address Country Code
Please allow 6-8 weeks for processing your subscription
YES! I want to subscribe to BUTE
YES! I want to subscribe to BUTE and save 50% off* the cover price.
U.S. \$21.00 (1 yr.) * Basic subscription rate \$38.00 (2 yrs.) \$55.00 (3 yrs.)
Canada/MexicoEurope-Air DeliveryWorldwide-Surface Delivery\$23.00 U.S. (1 yr.)\$69.00 U.S. (1 yr.)\$37.00 U.S. (1 yr.)
Enclose payment (check or credit card information) and get one extra issue for each year you subscribe (North America only).
 □ Bill me (North America only) □ Payment enclosed (U.S. funds drawn on a U.S. bank only) □ Charge to my □ VISA □ MasterCard 4AA6XX
Card # Expires Signature
Name
Address

Country.

Code .

Please allow 6-8 weeks for processing your subscription

City/State



Make a career move today... Subscribe to BUTE and stay on the leading edge of microcomputing technology.

5

For direct ordering call toll free weekdays 8:30am-4:30pm E.S.T. :

800-258-5485

(603-924-9281 for New Hampshire residents)

OR

Complete adjacent postcard and mail.

Note our special offer: Send cash with your order and receive 13 issues at the price of 12 for each year you subscribe (North America only).

COMMODORE 128

I read with interest the review of the Commodore 128 by William Wiese Jr. (July). This review was interesting but failed to point out a fatal flaw in the CP/M Plus operating system. The very first CP/M Plus program I ran on my Commodore 128, SD-88, did not print properly. Upon further investigation, I discovered that 10 of the 96 characters in the CP/M Plus printing character set were incorrect. I suspect that some of the nonprinting characters are also incorrect, but I have not investigated them in detail. This flaw is probably in all the Commodore 128s on the market.

Specifically, when running under CP/M version 3.0 (the December 1985 update), 10 characters are not sent to the printer correctly as standard ASCII characters, although they are being sent to the video screen and to the disk properly. For instance, the Commodore 128 CP/M Plus cannot print this simple statement:

"Is that a quotation mark ("), backslash (\backslash), caret (^), underscore (__), grave accent (`), left brace ({), vertical bar (|), right brace (}), or a tilde (~)?" John asked.

The reason is that these characters are either missing from or in the wrong locations in the Commodore 128 CP/M Plus printing character set.

I verified this problem at a local store using a Commodore 128 printing to a small single-sheet Okidata thermal printer and again at another store using a Commodore 128 printing to a Commodore MPS-1000 printer.

I recorded the ASCII character set using the Commodore 128 in CP/M Plus mode running Microsoft MBASIC to a disk that had been formatted on an Osborne Executive computer. I then ran the disk on an Osborne Executive and printed the character set to an Okidata printer. In this case, the standard ASCII characters were printed out correctly, proving that recording to disk on the Commodore 128 in CP/M Plus mode works properly.

It appears that the Commodore 128 CP/M Plus writes the correct ASCII character set to the video screen and to the disk system. However, the inability to write the standard ASCII character set to a printer is a fatal blow to the CP/M Plus mode, which is an advertised feature of the Commodore 128. Programs that run and print on other CP/M machines will not run properly on the Commodore 128.

> CORTES L. PERRY Huntsville, AL

Editor's note: Gregg Berlin at Commodore says that you need to tell CP/M in a CONF file to send ASCII to the printer as ASCII, not PETSCII, and to put the printer into IBM mode so that it will expect ASCII.

TOPSI 2.0

In regard to Leonard Moskowitz's review of TOPSI 2.0 (August), a number of facts need correction and update. The price of version 2.1 is \$250, and there are two other versions currently available that implement the same OPS5 inference system. Version 1.2, which sells for \$125, handles smaller rules but not file VO. However, this version is excellent for teaching or introductory expert-system development. The latest release, version 3.0, sells for \$375 and includes a built-in smart editor, menus, and windows.

Since all TOPSI versions are now in C, we at Dynamic Master Systems Inc. no longer offer the source code for the development of external procedures. However, we will negotiate the licensing of our source code for porting to other computer environments.

> DAVID SMITH Atlanta, GA

DESMET C

In the "DeSmet C Development Package for the Macintosh" (August), Jonathan Robie makes a statement concerning its procedures for memory management that may mislead potential purchasers of this compiler.

Mr. Robie confuses the issue of memory allocation for Macintosh programs. He says that "DeSmet C uses a small memory model that limits you to 32K bytes of static data. Up to 32K bytes of additional data may be allocated by each called procedure. If you need larger blocks of data, you must allocate them on the heap." This is true. It is also true of every other Macintosh native code development system. The limitation is not tied to the way DeSmet C allocates memory, but rather to the 68000's use of 16-bit offsets in instructions using address-register indirect addressing. The Macintosh's segment loader, which is standard for all Macintosh programs, allocates a global (static) data area that is pointed to by register A5 at the start of the program. Most Macintosh development systems use register A5 plus an offset to refer to global variables. Based on Mr. Robie's description, I assume DeSmet C is doing the same thing.

The limitation of 32K bytes of data for each additional procedure is due to the way the 68000 LINK instruction is used. Most Macintosh routines that have local variables begin with a LINK instruction, which allocates space on the stack and sets a register (usually A4) to point to that automatic data area. Once again, the 16-bit offset limits the addressable size of this area to 32K bytes.

Currently, the only factors that stand in a potential purchaser's way are that DeSmet C is not one of the most popular C compilers for the Macintosh (and therefore will not receive the attention from third-party development tool developers that other compilers are beginning to receive); it does not compile very quickly compared to Lightspeed C, which is in the same price range; it does not have a symbolic debugger, which is rumored to be in the works for Consulair C; and it does not use the standard Macintosh user interface during development (something that Aztec C programmers appear to be dealing with quite successfully). The bugs mentioned in the review are, based on my experience, fairly common in C development systems for the Macintosh. Otherwise, the speed and small size of DeSmet C's generated code and its low price might make it attractive to some programmers.

MICHAEL SACKETT New Hyde Park, NY ■

REVIEW FEEDBACK is a column of readers' letters. We welcome responses that support or challenge BYTE reviews. Send letters to Review Feedback. BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Name and address must be on all letters.

People who deal with "baud" use every bit of McGraw-Hill

Nobody understands the value of good information better than the people who work in computers and communications.


And for those people, no information carries more weight than McGraw-Hill's. We provide the databases, analyses and news that computer and communications professionals rely on to illuminate the workings of their industries.

Everyone in the business keeps up with the latest developments by reading McGraw-Hill maga-

zines. BYTE, Electronics and Data Communications are all required reading in the field. So are books from Osborne/McGraw-Hill.

For people who buy computers (and run EDP operations) the most widely respected source of information is Datapro.

Datapro's print and on-line directories and reports cover every aspect of computer hardware and software, from mainframes to micros, as well as communications and office automation. There's even



and "byte" information.

a report on how to protect electronically stored information from piracy.


For people who manufacture or sell microcomputers and micro software, Future Computing is the number one information source for product tests, analyses and comparisons.


People who specialize in communications are wired into CCMI/McGraw-Hill, to receive not only the hard facts on communications tariffs, but also indepth analyses and bottom-line recommendations, via print, software and on-line products.

When it comes to turning megabytes into megabucks, nothing computes like McGraw-Hill information.

McGraw-Hill, Inc., 1221 Avenue of the Americas, New York, N.Y. 10020.

McGraw-Hill. Information that leads to action.





Kernel

COMPUTING AT CHAOS MANOR: THE SHOW GOES ON? by Jerry Pournelle	279
According to Webster: Bit by Bit Putting It Together	
by Bruce Webster.	293
APPLICATIONS ONLY:	
SHAREWARE by Ezra Shapiro	297
BYTE JAPAN:	
TAIWAN'S COMPUTEX 1986 by William M. Raike	307
BYTE U.K.: BASIC to C by Dick Pountain	311

IS THE NATIONAL COMPUTER CONFERENCE a dying show? Jerry Pournelle believes this is a distinct possibility because of the way NCC treats the microcomputer community. That it was held in Las Vegas in late June was an added reason for Jerry to feel little enthusiasm about attending, but he did go. Unfortunately, his worst fears were confirmed—microcomputer companies were conspicuous by their absence. This did mean that he could comprehensively cover the show without sinking into a state of exhaustion. Jerry's top pick of NCC is a statistical analysis tool called MacSpin.

You may notice that According to Webster is shorter than normal this month. Bruce seems to think that he has a legitimate excuse for this, something about getting married. It appears to us to be a pretty weak excuse. What will he be asking for next—time for a honeymoon, time off because of illness? The nerve of some people! Seriously, all of us here at BYTE wish Bruce and his wife many years of happiness. And he still was able to do a column! Bruce's product of the month is Advanced Trace86, and he also considers a number of technical manuals.

Reflecting the public domain theme of this issue of BYTE. Ezra Shapiro looks at a number of shareware programs, all of them MS-DOS products. A great deal of shareware is being written for MS-DOS machines, mainly because of its large installed base. The program Ezra is most impressed with is Instant Recall, which calls itself "an information base not unlike the human brain." Instant Recall is helping Ezra overcome his disorganization. He also looks at a memory aid, some telecommunications programs, and a program to make your MS-DOS system look like a UNIX C shell.

BYTE Japan could be called "BYTE Taiwan" this month. Bill Raike traveled to the new Taipei World Trade Center to attend the annual Computex show. While few IBM-compatible computers are found in Japan, Taiwan is different. Because of a small domestic market for personal computers, Taiwanese manufacturers must be active in U.S. and European markets. Computex therefore included a large number of IBM-compatible machines. One product that Bill was particularly impressed with is the Keystyle 80, a combination keyboard and laptop computer.

Dick Pountain begins BYTE U.K. with a brief discussion of BASIC. Even though BASIC receives a great deal of criticism, it remains the language that much business software is written in. However, business software houses are now faced with a growing base of multiuser UNIX systems. They are thus becoming interested in translating existing products into C, to make them easily portable from one UNIX system to another. The product Dick discusses this month, CGEN, provides an efficient way to translate Microsoft BASIC programs into C.

CONNECT



IBM DISPLAYWRITER to IBM 5520 to IBM OS/6 to IBM S/36 to IBM 8100 to IBM PROFS to WANG OIS to WANG VS to CPT to LANIER to NBI to MICOM to DEC WPS to XEROX to LINOLEX to COMPUGRAPHIC to QUADEX to NCR to DEC VAX to CP/M to DATA GENERAL to UNIVAC to BURROUGHS to HONEYWELL to IBM PC/36

FLAGSTAFF ENGINEERING can connect your incompatible computer systems using diskette, tape, communications, or printed media. We have developed many low cost systems to help you transfer files and documents between different computer systems. Our "FILE", "WORD", and "TYPESETTING CONNECTION" products can read and write most of your 8", 5¼", and 3½" diskette formats. The "PROTOCOL CONNECTION" can provide RS232 communications between your different computers. The "TAPE CONNECTION" system is a 9-track tape drive that can read and write your files on 800, 1600, or 6250 BPI magnetic tape. Since 1982, we have installed thousands of conversion systems at customer locations around the world. Call us today for help in connecting your systems.



1120 W. Kaibab Flagstaff, AZ 86001 Telephone 602-779-3341 Telex 705609 FLAGEN C·O·M·P·U·T·I·N·G

C·H·A·O·S M·A·N·O·R

THE SHOW GOES ON?

BY JERRY POURNELLE

I went to the National Computer Conference this month. It has never been my favorite show, and this year it was in late June in Las Vegas.

It's unlikely to be there again. Las Vegas is for big shows; NCC was tiny, a mere

shadow of its former self. There's a good chance it will continue that way, as the computer industry cuts back on the shows the companies can afford to attend. NCC has historically treated the microcomputer companies pretty shabbily—one year in Anaheim all the micros were segregated into the Disneyland Hotel a mile from the main show in the Convention Center—and this year the micro people simply didn't show up. The result was a disaster.

An immediate reaction would be "So what?" We have more than enough big shows: let NCC go back to what it used to be, an academic conference with emphasis on papers. Actually, of course, it never stopped being that; even this year there were plenty of papers, such as an excellent talk by Gopal Kapur on software design. Maybe that's the way to go. Why should NCC be so large that it can be held only in Las Vegas? Most of the academic speakers don't want to be there anyway.

Alas, the problem is revenue, which is important because NCC is a nonprofit affair operated by AFIPS, the American Federation of Information Processing Societies, and the revenue from NCC has subsidized AFIPS members like the Association for Computing Machinery and the Institute of Radio Engineers. Given NCC's checkered history, it's an open question whether the convention will continue to bring in money. It depends, I think, on what they've learned about the micro community.

Jerry sees some problems and some prizes at a moribund NCC

Next year NCC meets in Chicago. Maybe we'll know then.

PICKS OF THE SHOW

AFIPS teamed up with Fortune to give the first annual Products of the Year awards. They'd originally planned a big sit-down presentation and had one of the exhibition halls of the Hilton set up for it, but then they got the grim truth: they couldn't even fill a wine and cheese reception held in a curtained-off area no larger than the Great Hall in Chaos Manor. I counted six press badges including my own.

AFIPS gave their hardware award to Plus Development Corporation's Hardcard, which I admit was quite an item when I first saw it more than a year ago. Their software award went to Telos Software's Business Filevision for the Macintosh. NCC's press release speaks of the "'Hardcard' product" and the "'Business Filevision' product," which gives you some idea of why not many people read AFIPS press releases. Neither of these "products" were shown at NCC.

Usually at a Las Vegas computer show I run as fast as I can and still don't see everything. I didn't have that problem this time. Here are my picks as best of the show.

First, MacSpin. A story goes with this.

NCC is put on by AFIPS and is thus supposed to have ties to the world of academia. Maybe so, but they treated the universities even more shabbily than they treated micros. NCC gave the academics ten or so free micro booths, smaller than those the West Coast Computer Faire gives to users groups; and although NCC couldn't fill the main hall, so that there were islands of empty space scattered all through the exhibit hall, they put the

freebies out in a corridor underneath a stairway, where they were visited if at all by the Little Sisters of the Poor.

MacSpin was demonstrated at one of those booths. I'm not sure why: it's a commercial product. However, one of the coauthors is David Donoho of the University of California (Berkeley) department of statistics, which I suppose is connection enough, especially since it was by far the most interesting thing over there.

MacSpin is another of those programs like MacInTax and Excel that would tempt me to go buy a Macintosh if I didn't have one. The program is described as a "statistical analysis tool," which is accurate enough if not very appealing; it is really a way to make statistics fun for people who don't know anything about the subject. With MacSpin you can put up your data and look at it in odd ways. Do transformations. Look for hidden correlations. Find anomalies. The user interface makes it all as easy as Mac-Write and is one of the best arguments for the Macintosh way of doing things I've seen.

The manual is quite good, with plenty of examples. You really don't have to know anything about statistics to use MacSpin to examine data sets and make interesting discoveries. The program is an example of what they call "dynamic graphics," meaning that (continued)

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future.

MacSpin would be spectacular in color on an Atari ST or an Amiga.

you graph the data and then watch the graphs change as you do things. You can rotate (spin) data sets. You can also set up dynamic movements based on time. You can examine anomalous data points and hide or reveal them. I realize this all sounds a bit obscure, but that's my fault, not the program's. Five minutes of playing with it will make everything clear, and you won't have trouble learning how.

MacSpin comes with several interesting databases you can play with. These include some stuff about cars, a plot of all the galaxies we know of, and another data set on volcanoes. By just playing about, I learned things about all three that I never knew before. A new version, out about the time you read this, will have even more data sets; and of course Mac-Spin allows you to enter your own.

Alas, the program is copy-protected with the "insert master disk" variety of idiocy. There are other annoyances. For all that, the program is unique and a very great deal of fun. I recommend it about as much as I can recommend anything that's copy-protected. Maybe you should think of it as a game. I know I'm getting my high schoolers to play with it; it's fun, and they'll learn something. Incidentally, this thing would be spectacular in color on an Atari ST or an Amiga.

XEPIX

I like to get to shows the day before they open. I've learned a lot wandering about while the crews are setting things up, and it's also a good time to locate everything. I probably wouldn't have bothered if I'd known NCC was going to be so small, but habit prevailed, so there I was on Sunday afternoon.

The first thing I saw was an alligator. Not just an ordinary alligator, either: this one was green foam rubber with white teeth and had been turned into a hat. In fact, there were a number of them. "Where?" I asked the next person I saw with one. Once I had directions it wasn't hard to find. The alligators came from xePIX, a company I confess I'd never heard of before. I like to think I'd have paid attention to them without the alligators, but the gators made it certain. Once I had mine this name is Wilbur, and he's in love with a vamp gator named Phyllis, but that's another story), I could look at what xePIX sells, which, as probably comes as no surprise, turns out to be a computer they call the Gator S/20.

The Gator S/20 is a 12.5-megahertz 68020 machine that sells with a 20megabyte Winchester drive for slightly less than \$5000. It comes with UNIX System V plus Berkeley enhancements, and from what I could see of it, the machine has as much bang for the buck as anything I know of. It competes nicely with Stride Micro's lower-end machines. Anyone interested in UNIX should look this one over. I'm not at the moment planning on getting a xePIX Gator since I don't hack UNIX, but my son Alex, who does, may talk me into trying one after all.

ZENITH'S NEW PORTABLE

I first saw this in the Zenith hospitality suite at Spring COMDEX, but we weren't supposed to talk about it then. Zenith has a nifty little two-disk portable. I don't have one yet, but I expect I will sometime. It weighs about 12 pounds, and as full-featured portables go, this is a good one.

The real question is, Who needs a full-featured portable? What you gain in capability by having those disk drives and full screen you lose in battery time, but especially in weight to carry. I can't remember the last time I had a burning desire to do a spreadsheet or compile a program while flying on a plane, or even sitting in a hotel room far from home. My NEC PC-8201 supplemented with a disk drive that I can send as checked luggage has been more than enough so far, and it's sure handier on an airplane. However, I haven't tried carrying a truly portable full-featured computer, so I've no real basis for judgment. Maybe I'll find 1 can't live without it once 1 have one. Odder things have happened.

AEGIS ANIMATOR

My colleague Bruce Webster is designing a computer game for the Amiga. I don't quite recall how it happened, but I've signed on as a consultant. A couple of weeks before NCC, Bruce and Jim Sachs, the project artist, came over to Chaos Manor to talk about it. I'd previously seen some of Sachs's work on an Amiga, and I was impressed; he brought more, including a spectacular self-portrait. One thing we had agreed on was that the game would take place in and use spaceships from my Aeneas MacKenzie story line. Those ships are fairly complex. They never experience atmosphere, nor do they "land" on anything larger than a big rock, so there's no fairing or streamlining. Mostly they look like a complicated mess of tankage, except that there are rocket motors, access tunnels, and suchlike. While Bruce and Iim were here I did some very crude pen and paper sketches of one of the ships.

At NCC, William Volk of Aegis found me at the BYTE booth. He was carrying a disk with my spaceship as rendered by Sachs. There was only one problem: Commodore wasn't at NCC, and we hadn't seen anyone with an Amiga. Eventually we found one at the Juki printer exhibit. I think it was the only Amiga at NCC.

My ship had been drawn using Aegis Images and animated with Aegis Animator: they're packaged together. Bill got it running. There was some lead-in stuff, and then, wow, there's the ship, just as I conceived it, in living color, with shadows and everything. And it moves.

I know for a certain fact that this was done in no more than a week—they didn't have the ship design longer than that.

I'm told by some Amiga **experts** that Aegis Draw is solid, but with Aegis Animator you'd better save your work pretty often; there are (continued)

helps save time, money and cut frustrations. Compare, evaluate, and find products.

Sentinel - Hardware debugger & Sentinel is: Microsoft Codeview & Symdeb compatible. Extreme fast. 1 slot, breakout & reset	1	
switches, many features.	PC	\$269
Arity System - incorporate w/C.	PC	\$295
Experteach - Improved, samples EXSYS - Improved. Debug, file	PC	\$399
external program access.	PC	\$339
Insight 2 + - dB2, language	MS	\$879
LPA MicroProlog Intro w/ APES	MS	\$149
LPA MicroProlog Prof. w/APES	MS	\$595

Others: Advisor (\$949), ES Construction (\$100), ESP (\$845), Expert Choice (\$449)

BYSO - Common, MacLISP compatible PC \$150 250+ functions, fast. GC LISP Interpreter - "Common", rich. Interactive tutorial Call MS \$199 Microsoft MuLisp 85 PC Scheme LISP - by TI. SCHEME has simple, "orthogonal" syntax. PC \$ 95 TLC LISP - classes, compiler. MS \$225 TransLISP - Good for learning MS \$ 75 Others: IQ LISP (\$155), UNX LISP (\$59), IQCLISP (\$269), WALTZ LISP (\$149)

AI-Prolog

APT - Active Prolog Tutor - bui	ld
applications interactively	PC \$ 65
ARITY Standard - fuil, 4 Meg	
Interpreter - debug, C, ASM	PC \$ 350
COMPILER/Interpreter-EXE	PC \$ 795
With Exp Sys, Screen - KIT	PC \$1250
LPA MacProlog	MAC \$ 295
LPA MicroProlog - intro	MS \$ 99
LPA MicroProlog Prof full me	mory
	MS \$ 249
Prolog-86 - Learn Fast	MS \$ 95
Prolog-86 Plus - Develop	MS \$ 250
TURBO PROLOG by Borland	1 PC \$ 79
Others: Prolog-I (\$365), Prolog	g-2 (\$1795)

Editors for Programming

	Call
EMACS by UniPress - powerful,	
multifile, MLISP. Source: \$949	\$299
Epsilon - like EMACS PC	\$169
Kedit - like XEDIT PC	\$109
Lattice Screen Editor-multiwindow	
multi-tasking Amiga \$100 MS	\$109
PC/VI - Custom Software PC	\$129
PMATE - power, multitask 80/86	\$149
SPF/PC PC	\$139

FEATURE

Lattice RPG II Compiler - Run RPG II programs developed for the System III or system 32/34/36 with little or no change in source code. Screen gen, ISAM, & direct files. No royalties PC \$639

o keep up with Software Trends, Technologies, and Derelopment.

Helps you grapple with an industry that burdens you with information overload. written from the developer's rantage point, you will get insightful information on new products, applications, and developments, and the condifferent contributio 11-

			şize	
• Progr	1 I.ist	DeatersIn	quire	
• Comp		Newsletter	•	
• Help i		Rush Orde	r	
• Evalu	REE	Over 70	jucts	
• BBS-	'-826-408	Nationa	JuntsCen	

Basic-C Library by C Source		\$139
C Sharp - well supported, Source,		
realtime, tasks	PC	\$600
C ToolSet - DIFF, xref, source	MS	\$ 95
Lattice Text Utilities		\$ 99
The HAMMER by OES Systems	PC	\$179
PC LINT - checker. Amiga \$89,	MS	\$119
SECURITY LIB - add encrypt to	MSC	
C86 programs. Source \$250	PC	\$125
Fortran & Supporting		

Forlib + by Alpha - graph, comm.	\$ 59
MACFortran by Microsoft - full '77	\$229
MS Fortran - well liked, solid	\$219
No Limit - Fortran Scientific	\$119
PolyFortran - xref, pp, screen	\$149
RM Fortran - enhanced "IBM Ftn"	\$395
Scientific Subroutines - Matrix	\$149
A. 1.11	

MultiLanguage Support

5 5 11		
BTRIEVE ISAM	MS	\$199
BTRIEVE/N - multiuser	MS	\$469
CODESIFTER - Execution PRO		
FILER. Spot bottlenecks.		\$109
Dan Bricklin's Demo Program	PC	\$ 65
HALO Graphics - 115 + device		
interfaces, rich, printer. Specify	Y	
language interface	PC	\$229
Microsoft Windows Software		
Development Kit	PC	\$399
PANEL - data validation, no		
royalties Xenix \$539		
Pfinish Performance Analyzer		\$249
PLINK-86 - a program-independ	lent	0040
overlay linker to 32 levels.		\$249
PLINK-86 PLUS - incremental		
PolyLibrarian	MS	
PVCS Version Control	MS	
Screen Sculptor - slick, thorough		\$ 99
ZAP Communications - VT 100		¢ 05
TEK 4010 emulation, file xfer.	rC	\$ 95



AZTEC C86 - Commercial	PC	\$499
C86 by CI - 8087, reliable		\$299
Datalight C - fast compile, good	IVIO	92))
code, 4 models, Lattice compati	hle	
		\$ 85
Lib source. Dev'rs Kit		
HOT C - new, intriguing		\$ 85
Lattice C - from Lattice		\$299
Mark Williams - w/debugger	MS	\$349
Microsoft C 4.0 - CodeView	MS	\$319
Wizard C - full, fast.	MS	\$389
C-terpby Gimpel - full K & R,		
OBJ and ASM, large progs.	MS	\$239
INSTANTC - Source debug,		
Edit to Run-3 seconds, .OBJs	MS	\$389
Interactive C - interpreter, editor		\$255
Introducing C - learn C quickly		\$109
Run/C Professional -	MC	\$189
		\$109
Run/C Lite - improved	IM2	3109
C Libraries-General		
Blackstar C Function Library	PC	\$ 79
	DO	¢ 05

386 Assembler/Linker - Native

MASM compatible plus

extensions.

or Cross Development. Full Microsoft

/387

PC \$495

	Blackstar C Function Library	PC	\$ 79				
	C Essentials by Essential		\$ 85				
	C Food by Lattice-ask for source	MS	\$109				
	C Scientific Subroutines - Peerless	MS	\$139				
	C Tools Plus (1&2)	PC	\$149				
	C Utilities by Essential - Comprehensive						
,	screen graphics, strings. Source	. PC	\$139				
	C Worthy Library	MS	\$295				
	Entelekon C Function Library	PC	\$119				

Entelekon C Function Library Greenleaf Functions - portable, ASM \$139 PC \$299 PforCe by Phoenix - objects

C Libraries-Files

FILES: C Index by Trio - full B +		
Tree, vary length field, multi con	piler	
/File is object only	MS	\$ 89
/Plus is full source	MS	\$349
CBTREE - multiuser record lock	ing,	
sequential, source, no royalties		\$ 99
CTree by Faircom - no royalties	MS	\$33.9
dbVISTA - full indexing, plus op	tional	
record types, pointers, Network	;	
Object only - MS C, LAT,	C86	\$159
Source - Single user	MS	\$429
Source - Multiuser	MS	\$849
dBASE Tools for C	PC	\$ 79
dbc Isam by Lattice	MS	\$199

FEATURE

TurboHALO Graphics for Turbo PASCAL - respected, mature, full. 150 HALO routines, up to 16 colors, medium or high resolution, multiple fonts. IBM CGA and EGA, Hercules, PC \$ 99 AT&T DEB, more.

Note: All prices subject to change without notice. Mention this ad. Some prices are specials. Ask about COD and POs. All formats available. UPS surface shipping add \$3/item.

Everything that goes into a 3M diskette is manufactured and/or controlled by diskettes specifications set by 3M. From unique substrates and oxides, to hole punching and jacket fabrication, 3M does it all and does it well. With confi-E. dence in your complete satisfaction. 3M diskettes are certified to be error free and have an unlimited warranty against defects in workmanship or materials. Day in and day out 3M gives you one less thing to worry about.

What separates us from our competition? Simply a combination of the best service in the industry, highly competitive pricing, and an ever widening range of products. Above all we care about our reputation and we are willing to work on a lower margin while delivering what others only claim—and we do it all on a day-in day-out basis.

Lyben

Computer

Systems

Every subscriber to **Byte** will receive our New 96-Page Winter Spring 1986/87 Catalog over the next few months. We hope to be your source for computer supplies & accessories. **Now with 15 pages of consumer/ industrial products.**

> 1050 E. MAPLE RD. • TROY, MI 48083 (313) 589-3440



"My home "office wherever I travel."

WATCH

NEW 1986/87

CATALOG

FOR

OUR



"World's largest chain of independently owned and operated hotels, motor inns and resorts" some bugs that interact with the Amiga's operating system (or lack thereof) to crash things unpredictably. The Aegis designers confirm this. The bugs aren't fatal, **and** as bugs are reported they kill them. so that by the time you read this it ought to be fairly solid. I'd still be careful, but I always tell people to be careful with creative work; even if your program is bulletproof, power failures do occur. And wow! can you draw animated stuff with that program.

OS-9 AND ATARI

The only Amiga at NCC was used to show off Juki's new color printer, which, incidentally, does a pretty nice job: they used it to run off a picture of my spaceship. The printed picture wasn't much compared to what was on screen, but it wasn't all that bad either.

The only Atari ST at NCC was in the Microware booth, where, they tell me, it was running on OS-9.

All I know about OS-9 comes from BIX, which has a conference moderated by someone determined to tell you more than he knows about the operating system. Alas, I haven't had time to read all the excellent material he has posted, so I know almost nothing. I do know that OS-9 is multitasking, has some similarities to UNIX. and can generate fanatic enthusiasm in some of its users. It has been around long enough to be quite stable and well understood. At the moment you'll find it mostly on Tandy's Color Computer. (Incidentally, Tandy wasn't at NCC either.)

What makes OS-9 potentially important is that it is part of the CD-1 (compact disk interactive) standard. That standard was reiterated by Philips and the Sierra Group at NCC and seems to have gone from straw man to tin man status. CD-I is a way of making a compact audiodisk player do double duty as a massive read-only data storage device. It is hoped that in a few years there will be as many CD-I players as there are now phonographs.

The CD-I standard also mandates a 68000 chip in the disk player, meaning that the player will really be a computer even if it only looks like a

(313) 589-3440

Best

Wester

The right place at the right price.

Make reservations at any Best Western,

see your travel agent, or call toll-free

1 - 800 - 528 - 1234

CHAOS MANOR

component of a hi-fi set. Add OS-9, and 100 megabytes of stored data that can include picture, text, and programs for the CD-I's 68000 to execute, and the potential is pretty high.

The Atari ST runs under GEM, which is a reasonable operating system—it's in many ways preferable to the Amiga's incomplete operating system whose features are mostly distributed through folklore—but from everything I hear, OS-9 will be much better. We'll see; I'm supposed to get a copy to review Real Soon Now.

At the moment, though. Microware wants about as much for OS-9 as Atari wants for an Atari ST, so I can't think OS-9 will have much impact until that situation changes. Microware sells OS-9 largely to developers, who want a stable operating system environment. Clearly they're skimming cream. I don't think that's a wise marketing strategy. Done right, OS-9 could take off: marketed this way, who knows?

LASER PRINTERS

This is clearly the year of the laser printer. There were plenty of them at NCC. In fact, I predict that in another year or so, you won't see any daisywheel printers: everything will be either dot-matrix or lasers, with the lasers gaining predominance. Of course, there aren't any color laser printers. Yet.

A year ago just about all laser printers were based on the Canon engine. That's no longer true. I think Canon still dominates, but Ricoh is breathing hard down their neck. Ricoh engines are said to be more economical—you replace toner rather than a full cartridge—and potentially faster than Canon. They also stack the output upside down so that the sheets are in the right order.

I have two laser printers, both based on the Canon, and I've been very happy with them. One, the BDS Model 630/8, thinks it's a Diablo 630. It has been more or less permanently taken over by Mrs. Pournelle and does yeoman service.

My other laser printer was one of the first LaserJets made by Hewlett-Packard. Just before I went off to NCC. HP made me an offer I couldn't (continued)

"BRIEF is simple to learn and use and extremely sophisticated"

PC Magazine, July 1986 Tailor Program Editing to Your Style

- A high-level, readable Macro Programming Language - allows customization for programming languages...Complete, unlimited variables, etc.
- Edit multiple files of unlimited size (2 Meg is OK)
- Multiple Windows on screen with different or same file, fragments, etc.
- A bona-fide UNDO stack (up to 300) of all operations; deletions, reading files, search, translate, more.
- Reconfigurable keyboard



- Full "regular expression search" wild cards, complex patterns
- Adjustable line length up to 512.
- Keystroke macros for common typing sequences
- Suspend BRIEF to execute, exit to DOS - run another program (like a compiler, dir, XREF, DIFF, or DEBUG) then resume BRIEF session
- Compiler-specific support like auto indent, syntax check, compile within BRIEF

	Recent Survey Data
88%	of survey respondents were more
	productive with BRIEF than other
	editors.
50%	were more productive with BPIFF

- 50% were more productive with BRIEF than their previous editor in 5 hours or less.
- 72% were performing all operations in 2 hours.

For PC, AT, compatibles or Tandy 2000.




inquiry 275

refuse: if I'd ship my LaserJet off to their factory in Idaho, they'd not only overhaul it but upgrade it into a Laser-Jet Plus. I jumped at that chance. I have a lot of software that needs the Plus to show its full potential, including Brøderbund's desktop publishing package and Fontasy.

The LaserJet returned two days ago. There's nothing to hooking it up. The new Plus has both serial and parallel ports like the BDS. In fact, I don't use the parallel port since I talk to my printer through Applied Creative Technology's wonderful little Printer Optimizer—it can simultaneously accept serial input from Zeke and parallel input from Big Kat, the Kaypro 286i AT clone—but when I bring in a PClone to test, that port makes it very easy to hook it to a printer.

The Plus has some new features.



95.00

- Uncommon Word List

 lists misspelled, slang, and uncommon words.
- Recommends never decides. RightWriter is a writing aid. The final decision is always left to you.

2033 Wood St. • Suite 218 Sarasota, FL 33577 Phone Orders Call: 1 (800) 992-0244 Add \$4 for shipping and handling. VISA & MASTERCARD accepted

30 Day Money Back Guarantee RightWriter is a trademark of DecisionWare, Inc., WordStar is a trademark of MicroPro International Corporation, MultiMate is a trademark of MultiMate International. PFSwrite is a trademark of Software Publishing Corporation, Wolkswriter is a trademark of Lifetree Software, Inc. There's more memory. It can handle more complex graphics. It seems to run faster, although that may be an illusion. It comes with instructions for hooking it up to a number of different computers, including the Apple IIe and Apple III. Alas, it doesn't say how to connect it to a Macintosh. I have, in fact, got it running with the Mac, but that's through Microsoft's (alas) discontinued MacEnhancer connect box.

You can use the HP LaserJet and LaserJet Plus with the Macintosh, using ScenicSoft's ScenicWriter software. ScenicWriter makes use of all the LaserJet's font cartridges and uses the LaserJet's graphics capabilities to do Macintosh graphics files, calendars, and the like. They're perpetually improving ScenicWriter; if you have a Macintosh and a LaserJet, you probably ought to know about Scenic-Writer.

IBM PC users who like Microsoft Word will want to know about Fancy-Word from SoftCraft. This program looks like a fancy printer to the text editor-but a printer with a lot of type fonts, including Old English, Times Roman, math, and foreign languages. If you're into fancy printing, this program's hot. It can even do kerning, which is the process of changing the spacing between certain letter pairs to improve the appearance of the final product. FancyWord marries Microsoft Word to present you with the various font options, and of course "what you see is what you get." It's not copyprotected.

Laserlet owners and those curious about them may be interested in Laser-Jet Unlimited by Ted Nace and Michael Gardner (Peachpit Press, 2110 Marin Ave., Berkeley, CA 94707, (415) 524-0184). The book was printed on a Laserjet and shows some of what the printer can do. I doubt that I'd have paid the \$24.95 they want for a 212page book, but it does conveniently summarize a bunch of information, such as which Macintosh programs let you print on a Laserlet and what some font programs will do. It isn't anywhere near as complete as I'd like; for example, the entry for ScenicWriter is confined to a line saying a program of that name exists. They also think

that Applied Creative Technology is "APT," they don't give the company's address, and they don't tell you that the Printer Optimizer can reformat text on the fly. This is a book for those who collect everything or those who can find a used copy at half price.

Meanwhile, back to the Laserlet itself: what can you say about a printer? The LaserJet Plus is guiet, reliable, and fast. An increasing amount of software recognizes the LaserJet as a standard printer; and with the Printer Optimizer you can painlessly transform nearly any program's output protocols into something the LaserJet will eat. You can get much better print quality-the Apple laser printer, for example, is only a little inferior to a phototypesetter-but you'll pay for it, and you may not need it. Certainly the Laserlet Plus is more than good enough for general office work.

I suppose the wrap-up line is that when Larry Niven wanted a new printer, I got the name of the nearest HP dealer and sent him off to buy a Plus.

I do wish, though, that some company would print checks on sheets I can feed through the LaserJet; I'm getting really weary of hauling out the NEC Spinwriter once a month just because it has a tractor feed.

READY! AGAIN

One way I've been keeping organized is with Living Videotext's memoryresident Ready! program. Ready! has its frustrations. The user interface takes getting used to, but in fairness once you've learned some of its quirks it isn't so bad. The worst glitch turned out not to be Ready!'s fault at all.

I have a bunch of Ready! files. One of them is called "Columns," and whenever I find out something that ought to be in a column, or find a program I particularly like, I can make a memo. (Incidentally, I am growing more and more weary of short filenames.) The program added .RDY to the filename. So far so good, and I was able to pop in and out of "Columns" whenever I came across something I wanted to make note of. I even began to feel organized.

Then one day I entered Ready!, and

when it gave me a list of filenames, "Columns" wasn't in there. In panic I exited and looked in the directory. No problem. Back into Ready!. File didn't exist. I typed in "Columns" as the file to be loaded. "Can't Open Textfile!" the program told me rather breathlessly. I typed in "COLUMNS.RDY". Same result. "Can't Open Textfile!"

"Unbearable," I muttered and pushed Ctrl-Alt-Del. After the machine reset, the program had no trouble at all finding "Columns." I put it down to memory drift. Then it happened again. In fact, about one day out of two it happened. I was ready to give up Ready! for good.

Then it happened that I reset to get out of some dumb program that locked up my machine, and since it had happened maybe five times, I tipped the program into the round file and decided to answer my BIX mail. When I reset Big Kat, the autoexec program brings in SideKick, SuperKey, and Ready! When I do BIXing I have a bunch of SuperKey macros that make life easier, such as Alt-downarrow to stand for "Skip to Last," Alt-9 to stand for the complex series of keystrokes that mark a message in the SideKick notepad and get it set to upload to BIX, and Alt-A for a large "Aaarrrrgggghhhh!!!" comment, and suchlike. I loaded my macro, answered my mail, and while in BIX had a thought to record in the Ready! "Columns" file.

"Can't Open Textfile!" Ready! shouted smugly.

"That did it." thought I, and after logging off BIX I proceeded to reset with the intent of removing Ready! forever. Once I had reset, it worked fine, of course. It couldn't be drift. I'd reset a minute before-

You've probably figured it out already. It took me another IO minutes.

If I invoke Ready! immediately after resetting, the program works fine, and I can read in "COLUMNS.RDY" and any number of other Ready! files. On the other hand, if I first read in my BIX SuperKey macro, Ready! is braindamaged. It's as simple as that. Apparently Ready! marks off the memory area it wants, and SuperKey doesn't, since my BIX SuperKey macro works fine if read in after the

Word Finder is a

synonym program that

blows away its

opposition. It's fast.

Ready! file. It's annoying to have to remember to invoke Ready! instantly after resetting, but that's better than getting along without either Ready! or SuperKey.

l suppose there's a moral to this story.

WORD FINDER

I met Mike Weiner at last fall's COM-DEX. Cary Lu (whose The Apple Macintosh Book is still the best one out) and I were in the pressroom when Mike came up and introduced himself. "I'd like you guys to see something," he said. What he wanted us to see was in the Desert Inn, a good long walk at an hour when cabs weren't to be had, but he persuaded us.

What we saw was an on-line search system that makes Turbo Lightning look slow. Mike Weiner used to work at the Xerox Palo Alto Research Center and watched them develop technological marvels, none of which the company seemed interested in marketing. Finally Mike couldn't stand it any longer and went out to start his own company, Writing Consultants, which is a division of Microlytics, and what all that means I don't know. What they do is market neat hacks.

Their first one is Word Finder, a synonym program that blows away its opposition. It's fast. I mean really fast; and it has an enormous vocabulary. You can measure how large by the fact that William F. Buckley Jr., who certainly has the largest working vocabulary of anyone I ever met, calls the program a "bloody miracle" and says in print he wouldn't be without it.

Word Finder has something like 200,000 synonyms, far more than Lightning. The dictionary includes some really odd words. The program works painlessly with most text editors, including Microsoft Word, (continued) WordStar, and WordStar 2000. It will also work with the SideKick text editor, although for reasons I don't quite understand, the text has to be white. It works with XyWrite version 3.041 or later, but only if you use one of the (slower) keyboard modifications XyWrite supplies.

Using Word Finder is simple enough, and if you find a word you like, the program will insert it into your text. In general you don't want a thesaurus program when you're writing; it's when you've got a draft and want to improve it that Word Finder comes in handy. Bruce Tonkin has recently done a program that finds words repeated within a couple of paragraphs of each other (there's a way to tell it not to bother with a long list of simple words like "the," "to," and the like); I'd think Word Finder might be ideal to go with that, and I'm going to recommend it to my editors. (But alas I haven't tried it yet.)

I have only one reservation about

Word Finder. When Turbo Lightning first came out, I leaped on it with considerable enthusiasm; but over the next few months I found I used it less and less, until eventually I removed it entirely. It's not that I don't like the program, it's just that I find I don't use it. I now find I have great enthusiasm for Word Finder, but I can't tell how long that will last.

Of course, one problem is that I don't normally write on an IBM PC; for all my wriggling around, I haven't found anything I like better than old Zeke the CompuPro Z80 for just whanging the words out. That means that to use Lightning I'd have to copy my text files onto a PC-DOS disk—no big trouble for a CompuPro—and read them into a text editor on the PC. The problem with that is that I still haven't selected an editor to use with the PC. I can see I'll have to do that, preferably one that can read in ASCII files.

Anyway, if you are looking for a

thesaurus program, this is the one to get.

WILDERNESS

If you read Footfall by Larry Niven and Jerry Pournelle—surely you have read it?—you'll recall Charley Kohlhase, the JPL mission planner for the Voyager spacecraft. Unlike most of the characters in that book, Charley is quite real, and the scene at JPL when Voyager encountered Saturn is very accurate. (Larry and I were there.)

Charley has partnered in the design of a remarkable computer game. I've mentioned Wilderness before: the game can run on an Apple II. When it does, it's very slow. Now there's a new version, and on a PC, and particularly on an AT, it zings.

Wilderness simulates travel through primitive terrain at different times of the year. The default game is the High Sierra in May. Your airplane has crashed. You have limited supplies and a topographical map showing the

The Canon Bubble-Jet Printer is very compatible with all these units.



location of the ranger station. What you don't know is where you are. Wilderness lets you scan the world, looking up, down, and ahead, and turning to any compass point, or just panning around. Out there you see hills, forests, lakes, and suchlike.

You can then switch to the topographical map. The game map is missing some of the symbols and margin information of a real one, but that's all right: what's important is that it's a pretty accurate map of the terrain you're looking at.

I have found that most Boy Scout troops that come to the High Sierra from, say, one of the flatter states *have learn*ed a lot from books. They can read maps. What they can't do is turn those map squiggles into a knowledge of the terrain. Our mountains can be pretty confusing. If Wilderness did no more than give exercises in reading topographical maps and orienting yourself against real terrain, it would be worth the money. In fact, though, it does more than that. The game does a good job of simulating thermal balance and hypothermia: if you're caught out in the wind without much food or clothing, you're in trouble, and the game shows just how frighteningly fast those conditions can kill you.

Moreover, if you're pretty experienced in the mountains, you can use the game to build yourself a jungle scenario or an arctic puzzle. As a fun game for an adult this is sort of soso, but as an instructive tool for those about to head into the wilderness this has real possibilities. Every year I take Scouts into the Sierra, and there are always some I wish had spent a couple of weeks fooling with this game. For that matter, every year I see adult leaders I wish had played Wilderness for a few hours.

A WHOLE BUNCH OF STUFF


It's time again to clear out about ten dozen entries in my notebooks.

This is always a dilemma: do I wait until I have time and room for full discussions, or do I throw in a quick paragraph about "this is good stuff, have a look at it"? If I decide to wait, it might be a long wait. Anyway, it's time for short shrift at Chaos Manor...

ORCHIDS

I have got a whole mess of Orchid Technology boards. Some of these merely speed up your PC. Others turn it into an AT. provided that you've got a hefty enough power supply. Others do nice things for color displays.

Every darned one of them works. When Orchid first started shipping stuff, I used to complain bitterly to them about their install programs and directions for using them, but even that's pretty well fixed. If you have a PC that is slowly turning into an anvil, look into Orchid Technology. I've (continued)



Because high-speed, high-quality printing should be seen, not heard.

The Canon Bubble-Jet Printer uses an exclusive system that combines thermal and ink-jet technology to print an ultra-fast 220 cps. While keeping the decibels down to a whisper.

For professional word processing, the Near Letter Quality mode (NLQ) churns out crisp, clear copy at a brisk 110 cps. And the BJ-80 has three graphic image modes for high-resolution printouts of charts, graphs and diagrams.

Of course, the Bubble-Jet is fully compatible with Canon's fine line of Personal Computers and plug-compatible with the IBM PC. It's compact, lightweight and surprisingly affordable.

Ask your dealer about the full line of fast, efficient, economical Canon Printers. Find out what all the quiet excitement is about. PRINTERS Printouts that stand out.

© 1986 Canon U.S.A., Inc. For more information: call 1-800-441-1313. (Or in Utah, call 800-922-3131.) Or write Canon U.S.A., Inc., Printer Division, PO. Box 619865, Dallas/Fort Worth Airport, TX 75261. Generally everything you can do in DOS can be handled by the Commander, either by commands, arrow keys, or

using a mouse.

yet to find anything they sell that I don't like.

DAN BRICKLIN'S DEMO

This is the damnedest program you have ever seen. What this thing does is let you simulate programs you haven't written yet. Want to show the local vulture capitalists what your program will look like once it's developed? Use Bricklin's Demo Program.

The Demo Program lets you build screens and bring them up through a series of commands. Screens can be linked to each other. Thus, you can set it up so that it really looks like your complicated program is running. The result can be impressive. If you need something like this, you need it bad. Every PC software developer probably ought to have one, since one way to see if your user interface makes sense is to simulate it and let a naive user try it out.

THE NORTON COMMANDER

Like all of Peter Norton's stuff, this works as advertised and has good instructions on using it. The Commander is a disk management utility, combining the features of PC-Sweep and other such public domain stuff with a mouse-drivable command menu system. For example, you can tell the program that all data files with a .TXT extension are to be run by, say, Microsoft Word, after which you can "point and shoot" at the data file and the Commander will do the rest. Copying, deleting, path management, directory changes, and generally everything you can do in DOS can be handled by the Commander, either by commands, arrow keys, or using a mouse.

I was quite impressed with this and with the tutorial that came with it. I went through the tutorial, decided I liked the program—and promptly went on a trip. I haven't used it since I got back, which may or may not be meaningful. If I used Big Kat or some other PC machine most of the time, I'd probably be more tempted.

The Commander advertises itself as for "power users": I'd say it's more for people who aren't power users but would like to be. Real power users either don't need this or know how to find it all in the public domain.

MIND MINE

If you have an Atari ST. you need to know about Mind Mine Computer Center (13256 Northeast 20th St., Suite 4, Bellevue, WA 98005). They make all kinds of accessories, including real-time clock board kits and the like. Last month I mentioned their memory expansion for the Atari 520ST, it's easy to install and makes a 520 zing. They've got a whole bunch of other stuff, all simple to install, with some of the clearest and most explicit directions I've ever encountered. Write, get on their mailing list, and keep up with the latest.

GURU

This one's far too complex to deal with in short shrift, and I won't; but I do want to get on the record that I am impressed with this program.. If I had to build a complex specialized database for naive users, the chances are very good that I'd use Guru. Its only rival I know of is Q&A, and while Q&A's Intelligent Assistant is pretty good, it's not got a patch on Guru.

I've had a long and complicated relationship with Micro Data Base Systems; I've always said their database system was about the best thing around, provided that you really understood what databases were all about, but that their documents were designed for experienced professionals. That's still true. I'd never hand Guru to a beginner. In proper hands, though, this program can do some incredible things. A lot more on this one later.

DRAGONQUEST

Bob Albrecht (P.O. Box 7627, Menlo Park, CA 94026) is one of the original pioneers of the micro revolution. He has spent the past 10 years trying to make these little machines accessible to others. One way he does that is to publish Dragonguest, which he calls a "family newsletter." It says it's free, although I can't think he could afford to send thousands of them. Anyway, Dragonguest has a whole bunch of school lessons (6th grade or so). homilies, exercises you can do with computers, and just generally fun stuff to help in teaching computers to kids and also using computers to teach kids.

They're changing the name of the newsletter to Adventures in Learning. That's apt. If you're into sharing knowledge, you need this newsletter.

CAD

One of the silliest things I've done recently (it was in another magazine so it doesn't count) was to imply that the best way to use the Amiga for CAD was to get the Amiga Sidecar that turns the machine into a PClone. Now there's a sense in which that's true: the original AutoCAD program from Autodesk is still the standard professional CAD tool: but I also mentioned Generic CADD for the PC, which, while a very good PC program and one I recommend, isn't necessary for Amiga users. After all, there's Aegis Draw, from the people who made the Animator Sachs used to draw my ship.

Aegis Draw needs 512K bytes of memory and two disk drives, and it helps to have a hard disk. If you expect to do much with the drawings you produce, you'll need a plotter. Given those, you can make multilayer drawings, dimension them, build files of parts, and generally do most of what you expect CAD systems to do.

WINDING DOWN

One thing I regret about the frantic pace I've been living at is that I haven't had time to play around with (continued)

Gould: One-stop UNIX[®] shopping.

Everything you need, from the company that ties it all together. Gould offers the most complete range of UNIX-based systems in the world:

- Secure (C2) UNIX systems
- AT&T System V and BSD 4.x
- Integrated information systems

Secure (C2)UNIX's sterns

Diskless Workstation support

Network File System (NFS)

ATET System V and BSD 4.X

Integrated information systems

Desktop-to-mainframe hardware

Languages, Mas, Percal, Actropolit

Communications

Database Management Systems

Ethernet and and area area Energine () (1000 100 ADD) GUA

Robis One Networks (X.15) Offense Data Network (DDN)

Desktop-to-mainframe hardware

For more information on Gould's one-stop shopping, contact Gould Inc., Information Systems Computer Systems Division, 6901 West Sunrise Boulevard, Fort Lauderdale, Florida 33313 1-800-327-9716.

High Performance Solutions in Factory Automation, Computers, Instrumentation, Defense, and Semiconductors.



Trademarks: ACECOBOL.- Austed, Irlo; INGRES- Relational Technology, Inc.; EMRRESS /32 - Rhodnius, Inc.; Ethernes and XNS - Xerox Corporation.

Registered Trademarks: UNIX — AT&T Bell Labs; NFS — Sun Microsystems, Inc.; MNIEV.— Unity Corporation; INFORMIX — Releadonal Database Systems, Inc.

Subscription

Turbo Prolog. Even discounting Philippe Kahn's enthusiasm by a factor of five—he gets enthusiastic about whatever he's working on—Prolog has to be worth knowing something about. Philippe thinks it's the language of the future and one that every computer user should learn. I'm not sure he's wrong. Prolog is not just another computer language, it's another *kind* of language, so that exposure to it can't do anything but good; and the Borland manual is concise, clear, and has examples. I've been reading it in the bathroom. Next month, with luck, I'll have created a couple of Prolog programs.

The book of the month is Michael

ITEMS DISCUSSED

CHAOS MANOR

DAN BRICKLIN'S DEMO PROCRAM \$74.95 Software Garden Inc. P.O. Box 238 West Newton, MA 02165-9990 (617) 332-2240

GEOMETRY......\$99.95 Brøderbund Software 17 Paul Dr. San Rafael, CA 94903-2101 (415) 479-1185

NORTON COMMANDER\$75 Peter Norton Computing Inč. 2210 Wilshire Blvd., #186 Santa Monica, CA 90403 (213) 453-2361

WORD FINDER\$79.95 Microlytics Techniplex 300 Main St. East Rochester, NY 14445 (716) 377-0130

Z-181 PORTABLE COMPUTER...\$2399 Zenith Data Systems 1000 Milwaukee Ave. Glenview, IL 60025 (312) 391-8949

We want to help!

Problems?

ISMAIL

If you have a problem with your BYTE subscription, write us with the details. We'll do our best to set it right. But we must have the name, address, and **zip** of the subscription (new and old address, if it's a change of address). If the problem involves a payment, be sure to include copies of the credit card statement, or front and back of cancelled checks. Include a "business hours" phone number if possible. We'll respond A.S.A.P.

BYTE

Subscriber Service P.O. Box 328 Hancock, NH 03449 Wood's In Search of the Trojan War (Facts on File Publications, Oxford, U.K., 1985). It is a selection of the History Book of the Month Club. I've always been interested in the High Bronze Age, and this book gives a good account of the myths, archaeological records, and other known data of the period of the Trojan War.

The computer book of the month is by Elliot B. Koffman: Turbo Pascal, A Problem Solving Approach (Addison-Wesley, 1986). It's written as a textbook and here and there the author remembers that, to the book's detriment, but in general the book is clear and contains lots of example programs. Take this book, Turbo Pascal, a PC, and a few weeks' time, and you'll be a better programmer than many of us were back in the early days.

On strict time spent by me, the game of the month still has to be Sir 'Tech's Wizardry for the Macintosh, but I refuse to admit that; so the game of the month is Geometry from Brøderbund Software. Geometry isn't strictly a game, of course: this Macintosh program is really a one-year high school geometry course packed onto a couple of disks. The kids don't have to know that. Remember all those screwy constructions we used to do? The "14 point" circle thing, and inscribing triangles, and all that? It's all here, only now you don't need colored pencils and a compass to poke holes in the paper. I actually found it fun, and I'm going to spring it on the boys as a game.

And that's enough. Tomorrow Mrs. Pournelle and the boys collect me for three days on the San Diego beaches, followed by the Westercon Science Fiction Convention; so before I go to bed J have to check the final report of the Citizens Advisory Council on Space Policy, answer a dozen letters, and get this column onto BIX. It's a great life, and I haven't weakened yet.

Jerry Pournelle welcomes readers' comments and opinions. Send a self-addressed, stamped envelope to Jerry Pournelle, c/o BYTE. One Phoenix Mill Lane, Peterborough, NH 03458. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. ■

Need Research That Utilizes Computer-Assisted Telephone Data Gathering?


Want to gather information rapidly using state-of-the-art computer-assisted telephone interviewing? Need fast access to tabulated results? Require integrated graphics with sophisticated analysis? Are you seeking real-time information?


Call *R=s=भरतम्भ=न* at McGraw-Hill Research

ResearchNet is the leading edge approach to research that integrates study design, computer-assisted telephone interviewing, on-line tabulation, and report analysis capabilities as well as real-time data gathering. ResearchNet links together McGraw-Hill Research project teams, interviewers' terminals, respondent input, and you—to produce timely, accurate and meaningful study results. For a quote or proposal call Sheryl R. Fox (609) 426-5946 (Information Data Gathering) or Joseph T. Collins (212) 512-3264 (Full-Service Research) or write David P. Forsyth at McGraw-Hill Research, 1221 Avenue of the Americas, NY, NY 10020



If it's a marketing research problem, we probably pioneered the solution.





A·C·C·O·R·D·I·N·G



Bit by Bit, Putting It Together

BY BRUCE WEBSTER

It's now late June as I write this. I'm about 32 hours **away** from getting married and thus am working under some real deadlines (the nominal ones having passed about a week ago). This column was originally going to be Round

Computers take second place this month as Bruce says ``I do''

3 of the 68000 wars, but fate stepped in, killing some of the hardware on hand and delaying other hardware shipments. It looks like I'll be able to get to that next month, but in the meantime, this is going to have to be short: I've got a wedding to go to.

ASSEMBLY LANGUAGE

My first programming language was IBM 360 assembly language, taught to me by Dr. Alan Ashton, who went on to fame and fortune as coauthor of WordPerfect and cofounder of Satellite Software International. The experience-two semesters' worth-made me eager to move on to higher-level languages, due to my own laziness and sloppiness; assembly language programming tolerates neither. (It also left me with an aversion to IBM from which I have never completely recovered, but that's another story.) As fate would have it, though, I have repeatedly had to delve into assembly language programming over the years, on machines ranging from mainframes to microcomputers. Each time I had to go through the learning curve of becoming familiar with registers, instruction sets, condition codes, and other machine-specific data. As my familiarity with the particular machine increased, I found myself enjoying the assembly language coding more and more. But, of course, that project would end, and some time would pass before I found myself having to learn yet another assembly language for some new task, groaning and grumbling as I did.

Well, it's been two years since I've had to do any assembly language programming, and for the most part I haven't done any. Oh, there's been a little tinkering here and there, but that's about it. It's been easy for me to stick with Pascal, with some ventures into C, Modula-2, FORTH, and other languages not specific to a given processor. But recent events have forced me to get off my fat attitude and start twiddling bits again. First, I begin teaching an assembly language class this week, using Apple IIs (and, hence, 6502 assembly language). Now, I've done a moderate amount of 6502 coding there's a product on the market that has 3000 to 4000 lines of 6502 code written by me—but it's been a long time since I wrote it, and I've managed to forget more than I care to think about.

Second. Morgan Computing finally sent me a copy of Advanced Trace86—an 8088/8086/80286 assembler/debugger—to review, which of course requires that I bite the bullet and start learning 8088 assembly language. Third, I've collected more than half a dozen books on 68000 programming, including three specific to the Macintosh. I've also received review copies of assemblers for the Mac and the Atari ST, and I need to look at reviewing them. I think I see the handwriting on the wall, and it says MOVE.W (A3), -(SP), or something like that. So starting this month, look for greater coverage of assemblers and books on assembly language in the column. I need the practice. And speaking of which...

PRODUCT OF THE MONTH: ADVANCED TRACE86

And here you thought I had an unreasoning prejudice against the IBM PC and 8088 processors. Yes, Advanced Trace86 (\$175 from Morgan Computing, P.O. Box 112730, Carrollton, TX 75011, (214) 245-4763) has made it to the Webster Hall of Fame simply because it finally got me to do what I have been avoiding for a few years now: learning 8088 assembly language. Now, lest you think I'm biased against all Intel (or Intel-derived) products, I should point out that I had done a fair amount of 8080 and Z80 coding, and a software package on the market contains a program I wrote entirely in 8080 assembly language. I sat down to learn 8088 assembly language, was put off by the segmented architecture, and never bothered to learn it. Until now.

Advanced Trace86 is, in simplest terms, an advanced version of Debug, the debugger that comes on your MS-DOS/ PC-DOS utilities disk. Most of the Debug commands are there and work in pretty much the same fashion. The differences are what make the product such an excellent tool for learning assembly language. First, AT86 uses a screen-(continued)

Bruce Webster, a consulting editor for BYTE, can be reached do BYTE, P.O. Box 1910, Orem, UT 84057, or on BIX as bwebster.


ACCORDING TO WEBSTER

AT LAST: Professional **Typesetting Capability** For PC Users

With $\operatorname{PC}\operatorname{TF} X^{^{ au M}}$ — the best-selling full implementation of Professor Don Knuth's revolutionary typesetting program TFX.

FINEST Typeset Quality Printing From:

dot matrix laser phototypesetter



WIDEST Range Of Output Device Drivers:

- Epson FX, LQ
- HP LaserJet*
- Toshiba
- Apple LaserWriter
- Corona LP-300* • APS-5 phototypesetter
- Screen preview, with EGA or Hercules card

MOST COMPLETE Product Offering:

PC TFX (not copy protected) includes the following:

- Our specially written PC TFX Manual, which enables you to start using TFX right away.
- Custom "macro packages" that provide formats for letters, manuals, technical documents, etc.
- The LATEX document preparation system, a fullfeatured macro package for preparing articles, books, reports, etc., and IATEX User's Manual.
- AMS-TEX, developed by the Amer. Math. Society for professional mathematical typesetting.

Site licenses, volume discounts, and interfaces to PC Paintbrush, PC Palette, FancyFont and Fontrix are also available.

PRICED FROM ONLY \$249.00!

(Printer drivers and interfaces additional.)



Laser printer, fonts & software from \$2995.00

For IBM PC/XT, AT or compatible, DOS 2.0 or higher, and 512K RAM. Hard disk required for printer drivers and fonts. *HP LaserJet and Corona require additional interface boards.

For more information call or write:

Personal TEX, Inc. 20 Sunnyside, Suite H, Mill Valley, CA 94941 (415) 388-8853

This ad, with space for the photograph, produced by PC TEX. Typeset on the Epson FX80, the Corona LP-300 laser printer, and the Autologic APS-5 phototypesetter.

TEX is a trademark of the American Mathematical Society. Manufac-turers' product names are trademarks of individual manufacturers.

oriented approach. The top of the screen maintains a display showing register contents, flag status, command options, and the like. You then get a command prompt on the screen, and vou've got a large command set to choose from (a quick-reference card and the built-in help function aid in keeping track of your options). From the command mode, you can go into a number of other modes: display (for memory examination and change), trace (for tracing execution of code), assemble (allows you to key in your own assembly language routines), and calculator (which uses the 8087 if present).

The display mode is a screen-oriented dump-and-modify mode that lets you view memory in ASCII and/or hexadecimal, move the cursor to the locations you want to change, and type in the new values. You can organize by byte, word, or double word. You can page up or down quickly. It works nicely.

The trace mode gives you extensive single-step and breakpoint-based execution of code in memory. During execution, the stack is displayed to the far right of the screen, and the disassembled code is always kept visible, with an inverse bar indicating the command currently being executed. Additionally, you can request a memory window at the bottom to examine data being read or written. It also works nicely.

The assemble mode puts you into a BASIC-like interpreter that gives you the power to easily insert and delete lines, declare data storage and initialize it, use labels and variable names, and save it all in a special .COM file format that preserves all symbols (names) for future AT86 work. Very, very nice.

The calculator mode calls up an RPN (reverse Polish notation) calculator that lets you perform numerical and logical operations on hexadecimal and decimal values. If you have an 8087/80287 in your computer, another version of the calculator gives you high precision and access to many trigonometric, logarithmic, and other math functions.

Other features? Well, there's an Undo command that lets you single-step backward. You can specify how many steps back it should remember at the time you execute AT86; the default is, I believe, 20 steps. You can make AT86 memory-resident and call it (or its 8087 calculator) while in the middle of another task. You can call up a DOS shell from within AT86, execute DOS commands, and then return to AT86. You can use a "super trace" mode that allows you to enter a condition on which tracing should pause.

There are even more options and commands that I haven't explored yet, but I intend to get around to them. And I might even become halfway decent at programming in 8088 assembly language. If you're interested in learning 8088 assembly language, or even if you're just looking for a good debugger, your best bet is probably Advanced Trace86. Check it out.

8088 Assembly Language Primer

Of course, Advanced Trace86 didn't teach me 8088 assembly language all by itself. In fact, the AT86 manual gives very little information about 8088 assembly language. And so, even being the good product it is, it still would have left me in the dark if I didn't have a copy of *Assembly Language Primer for the IBM PC and XT* by Robert Lafore (New American Library, 1986, \$24.95).

This book provides an excellent introduction to 8088 assembly language and to the IBM PC itself. In each chapter, Lafore introduces a number of concepts, 8088 instructions, DOS calls, and Debug or assembler commands. Lafore assumes that you have both Debug and an assembler (ASM or MASM); I was able to get through most of the book (and most of the examples) just using AT86.

Be warned that the book is just a primer and doesn't have all the information you need to become proficient in 8088 assembly language programming. I'm now in the market for a good advanced text so that I can fill in the gaps that remain. But I'm grateful to Robert Lafore for making things painless enough to get me started.

TECHNICAL MANUALS

I've been building up a growing library of computerspecific technical documents published by a number of firms, and this is probably as good a time as any to list them. First, Addison-Wesley has published the definitive version of Inside Macintosh. You can buy it as three softbound volumes or as one large, heavy, hardbound volume (for \$79.95). Or, rather, a hardbound version of all three volumes together. I have the hardbound book and find it a significant improvement over previous Apple-published editions (loose-leaf and "phone book"), if just in that it's easier to find a given section. It is still not an easy manual for a Mac novice to get through: Sample code is scarce, and each section tends to require knowledge in other sections. But once you've learned the basics of Macintosh programming (probably from some other source), it's the book to have to look up those routines vou need.

Addison-Wesley is also publishing the Amiga technical manuals. I've received all four: Amiga Hardware Reference Manual, Amiga Intuition Reference Manual, and both volumes of the Amiga ROM Kernel Reference Manual. These manuals cost from \$23.99 to \$33.95, are much easier to get into, have more of a developmental approach (i.e., succeeding chapters in the manuals build upon information that has been been discussed before), and sample code is easier to locate, although it is still more scarce than Amiga source code should be.

Abacus Software (P.O. Box 7211, Grand Rapids, MI 49510, (616) 241-5510) is publishing a series of books on the Atari ST. all of which showed up in a box on my doorstep a week or two ago. I haven't had time to do more than quickly flip through them, but they look as though they should be a great deal of help, especially given the poor quality (to date) of ST technical documentation from Atari. The titles I received include Presenting the Atari ST. Atari ST Internals, Atari ST GEM Programmer's Reference, Atari ST Machine Language, Atari ST Tricks and Tips, Atari ST Graphics and Sound, and Atari ST BASIC Training Guide. Prices aren't printed on

the books, but they appear to range from \$17 to \$20 each. I'll give a more detailed review as I use them, but right now the *GEM* Programmer's Reference looks to be the most valuable of the series, simply because the "official" GEM manuals come only with the \$300 developer's kit (and yet you need to know the GEM calls to do most serious development on the ST).

For the IBM PC? Well, I spent a lot of time browsing at the book rack and decided I was best off with The Peter Norton Programmer's Guide to the IBM PC, published by Microsoft Press at \$19.95. Lots of tables, charts, diagrams, and examples. It also brings home how much less complex the IBM PC is than the three machines above. One volume pretty much does it all.

IN THE QUEUE

Well, if all goes well, I will have the following to cover for the next column: the Macintosh Plus (Apple has already sent me one), the Atari 1040ST (one is supposedly on the way), the Prodigy 4 from Levco (16-megahertz 68020, 6888I math coprocessor, 4 megabytes of RAM, 20-megabyte hard disk drive, all inside a Mac), the HyperDrive 2000 from General Computer, and maybe a few more surprises. I've also got three books on programming in assembly language on the Mac to look at. Until then, see you on the bit stream. ■

2357 CONEY	ISLAN	ONY COM	T&I	J) BKLYN, NY 11223	
2.15	Commodore \$269.9 STAR NX- \$219.0		\$211.95		
	-	"PRINTER SPECIAL	S"		-
Brother HB 15XL	289	NEC P7	619	Star SD 10	264
Brother HR35	669	Okidala 192	279	Star SD 15	386
Citizen MSP 10	259	Okidata 193	454	Star SR 10	418
Epson LX80	189	Okidata 292 W/INTFC	468	Star SR 15	539
Epson LO800	459	Okidata 293 w/INTFC	599	SR 10 SR 15 Sheetleed	49
Epson LO 1000	669	Panasonic KXP 1091	212	Star SB 10	489
Epson FX 85	309	Panasonic KXP 1092	289	Star NB 15	1099
Epson 286	459	Panasonic KXP 3131	234	Silver Reed Exp 550	279
IBM Proprinter	369	Panasonic KXP 3151	369	Silver Reed Exp 800	619
IBM Proprinter XL	539	Panasonic KXP 1080	179	Toshiba 1340	349
Juki 6100	359	Panasonic KXP 1592	399	Toshiba 341	639
NEC 3550	699	Pana 1595	559	Toshiba 351	949
NEC 8850	1029	Star NX-10	219	Toshiba 321	434
NEC P6	449	Star SG-15	331	USINDA 321	404
IBM AT Unenhanced AT Enhanced IBM	2549 3499	130 XE 65 XE	119 89	MONITORS Amdek 300 Green Amdek 300 Amber	113
AT Enhanced IBM 30 Meg	3999	1027 Printer	99	310 Amber	139
IBM Monitor	219	1050 Dave	116	Cotor 690 Cotor 722	369
IBM PC	849	Alari Writer Alari Modern	37 59	Princeton HK12	454
PC XT 268 PC XT Clone	1399 359	Comrex Printer	99	Pancelon HK12E	479
IBM Pro Printer	369	520 ST Color System	759	Pencelon Max 120	148
AST Six Pack 384K	194	520 ST Color System 520 ST B & W System	629	SR12	529
AST Advantage 128K	329	ST 520 Keyboard	359	Scan Double: Taxan 220	159 149
Hercules Color	139	ST 520 Drive ST 520 B & W Monitor	99 174	NEC Multisyne	559
Hercules Monochrome	179	ST 520 Color Monitor	329		202
Ouad EGA- STB EGA-	339 259	MODEMS		COMPAQ Portable 256K 2-360K	
Multifunction Card	109	Hayes 1200	349	Compag Drives	1499
IBM Drive	104	Hayes 1200B w/Smartcom Hayes 1200B No Smartcom	323 293	Portable 258K 1-380K	
8087 Chip	112	Hayes 300	123	1-20MB Hard	1899
80287 Chip	174 219	Hayes 2400	549	Deskpro 640K 1-360K 1-20MB Hard	1999
Everex EGA + Everex Graphics Edge	219	Hayes 2400B w/Smartcom	489		1999
Everex Edge	219	Hayes 2400B No Smartcom Micromodern 2E	-459 125	COMMODORE	
Everex Graphics Pacer	189	Prometrias 1200	249	Commodore 128 1571 Drive	269 229
Joystick for IBM	29	Promethias 1200B	139	1670 Modem	159
SEAGATE		APPLE		Commodore 64	149
Hard Drives		2E Enhanced w/128K	0.00	1541 Disk Drive	172
20 Meg. No Controller 10 Meg. w/controller	329	& Apple Drive Drive	899	1702 Monitor 1802 Monitor	159 169
20 Meg. w/controller	429	Apple Drive	229	1902A Monitor	274
30 Meg. w/controller	489	ATLY		MSP 1000 Printer	228
30 Meg. AT	575	256K 2-360K Drives	1499	Comrex Printer	109
40 Meg. AT	760	640K 1-360K 1-20MB	1899		_
Leading Edge Model D 2 2 Dr. Monitor \$1199		Leading Edge Model D 20 amontor \$1495 800-441-114		Commodore Amiga 2504 Mouse, Amiga color mi \$999	

litems reliect 4*s cash or check discount. For your protection we check for stolen credit cards. M/C & VISA welcome. Personal checks cause 4 week delay. Shipping 3 Handling charge extra. Price and availability subject to changewithout notee

HOW GENERAL MOTORS IMPROVES ITS TOP END PERFORMANCE.



One of General Motors' most important suppliers doesn't make parts. It makes leaders. Over the past 19 years all three General Motors Presidents have come from the ranks of a college program called Co-operative Education.

It's a nationwide program that allows students to alternate studies at the college of their choice with paid, practical work experience in the field of their choice.

For students, Co-op Education is a chance to pick up the most valuable kind of knowledge. For employers, it's a chance to pick up the most valuable kind of student. If you'd like some information on how your company can participate in Co-op Education, write to us at the address below. Who knows, you may end up hiring a future company president. It wouldn't be the first time.

Co-op Education

You earn a future when you earn a degree.



For a free booklet write: Co-op Education • P.O. Box 999 • Boston, MA 02115 A Public Service of This Publication © 1985 National Commission for Cooperative Education

Shareware

BY EZRA SHAPIRO

Writing about shareware is always troublesome. I know very well that all the programs below will have changed, sometimes in major ways, between the time I write this and BYTE's publication date.

This volatility represents both shareware's greatest weakness and its greatest strength. Since this type of program is rarely developed by more than one or two people, there is a constant risk of bugs-leading to a cascade of revisions. Big commercial companies can afford to conduct extended testing, and they can hire hordes of programmers to catch mistakes that slip by the independents. On the other hand, because there are no huge manuals to reprint and no retail inventories to be replaced. shareware firms can respond to problems and add new features with amazing speed.

All the programs I've selected for this column are MS-DOS products. More shareware is still being written for MS-DOS machines than for any other type of computer, largely because of the size of the installed base. That's not to say that good stuff isn't being developed for the Macintosh, the Atari ST, the Amiga, and machines running other operating systems. Good stuff is available, and I'll try to get to it in future issues.

You can find all the software mentioned in this column on local electronic bulletin board systems, and you can often obtain copies from users groups and computer clubs. I've uploaded the most recent versions I have to both BYTEnet Listings at (617) 861-9764 and to BIX, BYTE's computer conferencing system. Speaking of BIX, while you're on-line you ought to check out Barry Nance's program called BIX.COM, a shareware MS-DOS

Instant Recall, TSRCOM, Pibterm, ProComm, Qmodem, and PC-Shell

communications package designed specifically for use with BIX.

A NEW MASTERPIECE

I am not a fanatically organized individual. I scrawl notes on odd scraps of paper. I pretend that my basic record-keeping system is a collection of manila folders, but mostly things accumulate in piles on the floor. I haven't computerized my address book because I haven't figured out a reasonable way to set up the fields in a traditional database. But it's time to set off the fireworks—my scattered data has finally met its master.

According to the message on the box, Instant Recall (Precept) is "an information base not unlike the human brain." That's it exactly; the program is a memory-resident-or standalone-database manager that gives you the chance to store free-form text in haphazard pieces and call it back later in an organized fashion. I'm using the phrase "database manager" loosely; an Instant Recall "record" is simply a block of text up to 60 lines in length. You create a record by cutting data from an application program and pasting it into Instant Recall, by pulling in an external file, or by using the program's built-in rudimentary editor to write it on the spot.

Don't bother with highlighting keywords or assigning field names: Instant Recall indexes every word in the database. When you want to find a record again, just feed Instant Recall *any* words you've entered and the program retrieves all the records that contain those words. Searching is lightning fast; Michael Fremont, the program's author, claims Instant Recall can find any record in a 2megabyte database in less than 20 seconds.

The program has only 16 basic commands, triggered by control keys, that let you build and manipulate records. Though Instant Recall is not intended to be a replacement for a word processor, it has enough editing commands to let you hop around and modify text with good flexibility. Cut-and-paste works for transferring data between records, as well as to and from underlying applications. You can also import and export text, with either fixed- or variable-length records, as ASCII files. If you mistakenly delete a record, or if you want to salvage the original version of a record you've modified, Instant Recall lets you resave records from an "Undo" stack of the last ten deleted or changed records.

The search engine accepts words and three sorts of dates as criteria date of creation, date of last modification, or a reminder date (more on this later)—that can be strung together with logical operators. Thus, it's possible to ask for any record containing references to BYTE and October that was either created or modified during June or July. In fact, you can have as many as seven ANDs and seven ORs in your search parameters.

To test Instant Recall's capabilities as a data-retrieval system, I created a monster text file. I downloaded the entire MS-DOS conference from BIX, which turned out to be a bit less than a megabyte of messages ranging (continued)

Ezra Shapiro is a consulting editor for BYTE. He can be reached at P.O. Box 170040, San Francisco, CA 94117-0040.

C & PASCAL PROGRAMMERS

Blaise Computing provides a broad range of programming tools for Pascal and C programmers, with libraries designed for serious software development. You get carefully crafted code that can be easily modified to grow with your changing needs. Our packages are shipped complete with comprehensive manuals, sample programs and source code.

C TOQLS PLUS

\$175.00

NEW! Full spectrum of general-purpose utility functions; windows that can be stacked, removed, and accept user input; interrupt service routines for resident applications; screen handling including EGA 43-line text mode support and direct screen access; string functions; and DOS file handling.

PASCAL TOOLS/TOOLS 2 \$175.00

Expanded string and screen handling; graphics routines; easy creation of program interfaces; memory management; general program control; and DOS file support.

VIEW MANAGER

\$275.00

Complete screen management; paint data entry screens; screens can be managed by your application program; block mode data entry or fieldby-field control. Specify C or IBM/MS-Pascal.

\$175.00

Full featured asynchronous communications library providing interrupt driven support for the COM ports; I/O buffers up to 64K; XON/ XOFF protocol; baud rates up to 9600; modem control and XMODEM file transfer. Specify C or IBM/MS-Pascal.

Turbo POWER TOOLS PLUS \$99.95

NEW! Expanded string support; extended screen and window management including EGA support; pop-up menus; memory management; execute any program from within Turbo Pascal; interrupt service routine support allowing you to write memory resident programs; schedulable intervention code.

Turbo ASYNCH PLUS \$99.95

Complete asynchronous communications library providing interrupt driven support for the COM ports; I/O buffers up to 64K; XON/ XOFF protocol; and baud rates up to 9600.

RUNOFE \$49.95

NEW! Text formatter written especially for programmers; flexible printer control; user-defined variables; index generation; and general macro facility. Crafted in Turbo Pascal.

EXEC \$95.00

Program chaining executive. Chain one program from another even if the programs are in different languages. Shared data areas can be specified.



The author of Instant Recall has wisely resisted suggestions to clot up the program with too many features.

widely in length. Using good old WordStar 3.3's search-and-replace, I added a record-terminator character (a tilde) to the end of each message. Then I told Instant Recall about the terminator and commanded it to suck in the file as individual records. This was not a quick process; even with my Fast88 (a wonderful little add-on from MicroSpeed that lets me switch my Compaq between 4.77 and 7.4 megahertz on the fly and that speeds up video scroll and disk access), it took about 45 minutes to complete the job. Still, that's not bad for a megabyte of text fragments. I can now use Instant Recall's Find mechanism to sift through the mess looking for strategic words or phrases.

There were only a couple of niggling annoyances in this exercise. Any text block bigger than Instant Recall's limit gets split into multiple records. Since I did not go through my file adding headers every 60 lines, the few longer messages were broken up, and the only way I'll ever get to see the parts is if each of them contains the words I specify in my search. I also found that with a I-megabyte database (only half Instant Recall's limit), deleting unwanted records is rather slow; the program has to churn the disk as it reclaims space.

Finally, I pulled in quite a few garbage messages: I figure that only about IO percent of what I got was worth saving. Instant Recall currently lacks the facility to browse the database in chunks larger than 64 records at a time, so pruning would be quite a chore. To be fair, I'd never do anything like this in real life; I'd either collect records one by one (remember, Instant Recall can grab text from a telecommunications program) or edit the raw file with a word processor. On the whole, I was terrifically impressed with the smoothness of this operation.

Fremont has wisely resisted suggestions to clot up the program with too many features. As a result, Instant Recall is compact and quick, and you can invent new ways to use it rather than be forced into a structured environment. I find it a great tool when I'm writing; not only can I keep tidbits of reference materials close at hand. I can use the cut-and-paste as a replacement for SideKick's notepad. I also store phone messages, expense records, useful trivia, and so on. Kind of like the piles of paper on the floor, but now I can always find things when I need them.

One of my favorite parts of the program is its reminder feature. You can attach a reminder date to any record. When the day rolls around, the record pops up the first time you use the program. As an example, you could add a reminder date to an address entry so that you'll remember to make an important telephone call or attend a meeting.

Now I'm not saying the program is perfect; it's relatively young and has a few rough edges. The version I tested lacked critical error trapping; when I tried to output a record without turning on the printer, Instant Recall departed for The Great Beyond. I didn't have any problems running the program in its stand-alone configuration, but in memory-resident mode there were a few conflicts with some of the weirder or older pop-ups (which isn't surprising). I'd like to see one or two additional editing commands, especially for deleting words and lines. And I'd appreciate the ability either to manage more than 2 megabytes or to switch between multiple databases.

But I'm writing this column approximately three months before you'll read it; I'm fully confident that Fremont will have run Instant Recall through a number of revisions in the interim. The program will be better, faster, and cleaner. It's already slick enough for me to be using it constantly; the incarnation you'll be able to get will be dynamite.

APPLICATIONS ONLY

Instant Recall is distributed as "teaseware"; that is, you can get a free version with a database limit of only 80K bytes, which is actually quite workable if you treat the program as a notebook for brief reminders and short blocks. However, I'll bet that once you begin to explore the product, you'll discover so many uses for it that you'll want to purchase the 2megabyte version.


Five gold stars for this one.

MEMORY AID

If you find yourself shuttling gangs of resident programs in and out of memory, you shouldn't be without Kim Kokkonen's **TSRCOM** (TurboPower Software), a handy group of teeny utilities that simplify life with TSRs (an acronym for "terminate and stay resident" products).

One program lets you place a 1584byte mark in memory before you load each TSR; a second program erases everything in RAM beyond and including the mark. So rather than having to remember the specific command sequence to unload any given pop-up (which is often obscure or, with some software, nonexistent), you merely run the release utility and free up your RAM. This is particularly useful when the TSR you load last doesn't have an escape hatch; without these utilities, you're forced to reboot vour system to reclaim work space. It's also good insurance. When Instant Recall aborted when I tried to send a file to a dead printer, it didn't crash the system: Instant Recall just refused to work. Because I had placed a mark before loading Instant Recall, I was able to clear it from memory and reload it without disturbing the TSRs I had loaded earlier.

The collection also provides an excellent memory-mapping program that shows exactly what you've got in RAM, space used by each TSR, addresses, and hooked vectors; another program merely shows remaining free memory space (without grinding away to check disk usage as CHKDSK.COM does); and a third—probably useful only if you're developing your own programs or testing software—simply gobbles up RAM, so you can simulate (continued)



Introducing The Most Important Programming Development Since The Introduction Of C...

ADVANTAGE C++ For MS/PC-DOS, Exclusively From LIFEBOAT.

They say you can't be all things to all people. But Lifeboat's Advantage C++ proves that you can be! This exciting new product, developed by AT&T, represents a major programming break-through. By introducing the concept of classes, it enables programmers to use object-oriented programming methods. Plus it gives you a host of other major improvements over C.

Advantage C++ gives you the ability to create new functionality to solve your applications problems. It allows programmers to more productively build large and sophisticated applications. All the benefits of C, without its limitations.

Advantage C++ is available for the most popular C compilers, Lattice C and Microsoft C.

Why be limited to just C...When you can have all these pluses!

For a complete technical specification sheet call **1-800-847-7078**

In NY: 914-332-1875.



a 256K-byte system on a 640K-byte machine.

I've tried the mark-and-release system with a number of TSRs, and it seems to work fine. The only conflicts have been with TSR products that have a history of bad problems anyhow.

Good stuff.

COMM WARS

Flat statement: Unless you absolutely need the ability to perform file transfers as a background task, there is no reason to purchase a high-priced commercial telecommunications program. At the moment, three shareware packages are vying for top honors: Pibterm (Philip R. Burns), Qmodem (The Forbin Project), and ProComm (PIL Software). All of them are as good as or better than anything on the market. My problem is choosing one to recommend over the others; each has a couple of specific advantages, but overall they're so close in function you'd be better off picking up all three and choosing for yourself.

They all owe a major debt to PC-Talk. the original MS-DOS shareware communications package. They look a lot like PC-Talk, and in most cases they use the same basic command structure. All three trigger off Alt keys, and they all use dialing directories, as opposed to the individual parameter files used by older commercial programs like Crosstalk and MITE. Other common features are some form of script language, a split-screen mode for use with interactive "chat" systems, screen dumps to a text file, session logging, and, of course, uploading and downloading. They do all the normal telecommunications stuff, and in my informal testing, each one has performed file transfers flawlessly with a variety of protocols. Every one of the bunch has thorough documentation, though Pibterm's is the most extensive.



My favorite of the lot is ProComm. It has several features lacking in the others, including 11 types of terminal emulation (VT-100, VT52, IBM 3101, ANSI, ADM 3A, and so on), 19.2-kilobaud transfers, the ability to set a path and call your favorite editor while online, and a feature-rich host mode that essentially allows you to turn your system into a simple transfer-oriented bulletin board. On the down side, Pro-Comm's script language is extremely cryptic and lacks branching conditionals, and you can set only 10 function keys.

Qmodem is a tiny bit easier to use, particularly for the novice, and its script language is much more like English (though to call any of these things "English-like" is a real stretch). However, Omodem is missing the host mode, terminal emulation, and the Kermit protocol for transfers to/from bigger machines. You do get to set all 40 function keys for your macros, though.

Phil Burns wrote Pibterm in Turbo Pascal because he couldn't find a commercial package suited to the university environment in which he works. He confesses that if the other two had been around when he started the project, he wouldn't have bothered. Kermit, four terminals' worth of emulation, and a nice script language. And talk about macros-he not only gives you all four levels of function keys but three levels of keypad keys, for a total of 70. The program is simple and businesslike, and it lacks the exploding graphics and alarming sounds issued by ProComm and Omodem, And because Burns has no desire to be a professional software developer, he gives you one big plus: source code. If you want to hack together your own routines, Pibterm is the ticket.


On the issue of support, Tom Smith and Bruce Barkelew are committed to turning ProComm into a serious business. They run a wide-open bulletin board, talk to you on the phone, take credit card orders, and in general have a nice attitude. Phil Burns threatens (pleasantly) that after one more revision—just one—he's going to stop work on Pibterm once and for all. So (continued)

DISCOVER LISP MACHINE PERFORMANCE WITH YOUR PC/AT AND GOLD HILL.

It's hard to believe that you can do serious AI development on a PC. But one look at the Gabriel Benchmarks (see chart) will convince you.

You'll see that Gold Hill's compiled **GCLISP 286 Developer** runs *faster* than the Xerox 1108, and approaches the speed of the VAX 750.

Put that performance together with the power of 3 5-Mbyte (that's



"The results are found by taking the mean of the benchmark results from the performance and evaluation of LISP Systems by Richard P. Gabriel, normalized by the times of the GCLISP 286 Developer running on a COMPAQ Portable 286. right, 15 MB!) AT-Optimizer memory boards and you turn your PC/AT into a *very* serious LISP development and delivery environment indeed.

This powerful programming environment includes:

- enhanced EMACS editor with over 150 commands including keyboard macros, LISP and text mode, and the ability to compile from the edit buffer
- debugging tools including step, Strace, backtrace, pprint, break, and complete on-line help
- interface to C and Assembly language
- lexical scoping.

In addition, GCLISP 286 Developer supports Ethernet (GCL NET), graphics (Halo Graphics), and runtime delivery (GCL RUN).

If you want to get serious about AI development on *your* PC/AT, talk to Gold Hill today. We're the expert in AI on PCs.

For details about Gold Hill's GCLISP 286 Developer and a special offer, call toll-free:

1-800-242-LISP In Mass.: (617) 492-2071

Gold Hill Computers, Inc. 163 Harvard Street Cambridge, MA 02139 Inquiry 121

GOLD HILL

Gold Hill. The expert in AI on PCs.

© 1986 Gold Hill Computers, Inc. GCLISP 286 Developer and GCLRUN are registered trademarks of Gold Hill Computers, Inc. PC AT is a trademark of International Business Machines Corp. Xerox is a registered trademark of Xerox Corporation, VAX is a trademark of Digital Equipment Corporation. Microsoft is a trademark of Microsoft Corporation. COMPAQ Portable 286 is a trademark of Compaq Computer Corporation. AT-Optimizer is a trademark of MA Systems.



STOP Software Piracy

... with one of our new sophisticated copy prevention products.



For Hard Disk Protection
 Fixed Disk Locker

For Disk Security

- High Level Security
- PADLOCK II DISK
- SAFEGUARD DISKS
- COUPON DISKS

Low Level Security User Installable Protection • PC-PADLOCK

Why should your valuable data or useful software program become available in the Public Domain?

Call or write for more information.

GLENCO ENGINEERING INC. 3920 Ridge / Arlington Hts., IL 60004 (312) 392-2492

APPLICATIONS ONLY

ITEMS DISCUSSED

Palo Alto, CA 94306 (415) 327-6886

Free version with 80K-byte database limit is available on bulletin boards and from users groups. A 2-megabyte version is available from Precept. Phone and mail orders are accepted.

PC-SHELLFree Kent Williams 722 Rundell St. Iowa City, IA 52240 Compiled program available on bulletin boards and from users groups.

The author requests a \$25 donation to help him buy his own computer system; in return, he'll send a copy of the compiled program and full C source code.

Ривтекм Free Philip R. Burns

Source code and compiled program are available on bulletin boards and from users groups.

PROCOMMSee below PIL Software Systems P.O. Box 1471 Columbia, MO 65205 ProComm support BBS: (314) 449-9401 Voice phone: (314) 449-7012

The prices are \$25 for registration, \$10 for an evaluation or update disk, and \$50 for registration, a disk, and a printed manual. Phone and mail orders are accepted. Missouri residents add 4.3 percent sales tax. Send a blank formatted disk and a stamped selfaddressed mailer for a free copy of the program.

Омодем\$20The Forbin Project Inc.c/o John Friel III715 Walnut St.Cedar Falls. IA 50613BBS: (319) 277-0044Program available on bulletin boardsand from users groups.

TSRCOM.Free TurboPower Software 478 West Hamilton Ave., #196 Campbell, CA 95008 (408) 378-3672 Send \$5 (for materials and postage) to receive a disk with the software.

don't expect much hand-holding from him. John Friel III of Omodem is somewhere in the middle. He runs a BBS, but it is only for registered users of his program. And his phone number is unlisted.

So, points go to Pibterm for source code. Points to Qmodem for ease of use. Points to ProComm for terminal emulation and attitude.

YOU WANT UNIX?

A few brief complimentary words about Kent Williams's PC-Shell. If you're aching to make your MS-DOS system look as much like a UNIX C shell as is reasonably possible, this one's for you. It's a memory-resident shell over DOS that gives you a wide range of UNIX-like commands, including fgrep, ls, touch, tee, y, pwd, cat, move, and so on. It keeps a command history that can be manipulated with all those wonderful UNIX commands that look like what passes for cursing in comic strips. It also will execute shell scripts from text files. DOS programs run under PC-Shell with few conflicts, and when you want to return to the DOS environment, typing exit drops you back to the old A> prompt.

Over the past few years, I've collected quite a few stand-alone utilities that perform UNIX-like functions, and I've written batch files with which I'm quite comfortable, so I have most of PC-Shell's operations already in place. As a result, I don't feel much need for PC-Shell.

However, if you want to get all those functions together in one package rather than filling a large subdirectory, or if you want a purer UNIX flavor, or if you want to train yourself or your coworkers to be familiar with the UNIX environment, you should check this one out. ■



S Announcing 2 New BYTE **Coffector Prints by Robert Tinney.**

Limited Edition Classics

We are proud to announce the annual release of two new 16" × 20" BYTE Magazine Cover Art reproductions by renowned BYTE artist Robert Tinney. Only 1,000 of these flawless Collector Edition Classics will be produced, on acid-free 100% cotton fiber stock to ensure that they will keep their brilliance and quality over the years without cracking or yellowing. The color separations for these sumptuous prints are made directly from the original paintings, guaranteeing absolutely faithful reproduction of every subtle nuance present in the originals. Each is individually inspected, signed and numbered by the artist, and accompanied by a handsome Certificate of Authenticity (also signed and numbered). The plates are then destroyed, and no future editions of any size or number will ever be published.

The price of these magnificent limited editions is just \$55, or \$45 each if you order two or more. Your prints will be shipped flat by UPS Blue Label (2-day delivery) and carry an unconditional 30-day guarantee. Order today!

Order Form

Please send me the following Limited Edition BYTE Collector Prints at \$55 (\$45 each for 2 or more):

Qty.	Title	Amount
		\$
		\$
\$4 Pos	stage & handling (\$15 overseas)	\$
	TOT	TAL: \$
	ose my 🗆 check 🗆 money order pay	yable to Robert Tinney

MasterCard VISA American Express card

Expires:

7IP

NAME ADDRESS

#

CITY.

STATE Please send me your FREE color catalog.

VISA, MasterCard or American Express orders, call 1-504-272-7266

ROBERT TINNEY GRAPHICS


1864 N. Pamela Drive Baton Rouge, Louisiana 70815



	AL			
AT COMPA Runs Xer	SAME DAY DELI	VERV	and the second second	
COMP	\$112			
The second second	MADE IN U.S.			
Runs Xer	NOT A FOREIGN		V	
Auto NOVELL NETW	Cad SERVICED IN U.S.A. ORK Extended Warranty avail	lable		
MULTI TASI	FREE			
 Prev Set Up Utility 18 Hours Burnin 8 6 MHZ, BMHZ OPH Objp 7 1.2MB Happy Drive 19 5W Paver Supply 	Fully configured and test for your system required	1	ale qly. * Basic System as abor * Plus Color Display ca * High Quality	
* Tench type Keyboard * Fully Compatible BIOS, written in U.S.A.				Compatible system
* W.D. Hard Disk/Floppy Disk controller 512K RAM. expands to 1 MB	G.W. Basic	\$95	* Basic system as descr	the Lake
* Clock Calendar with Battery Backup * 33% faster than IBM AT	□ DOS 3.1 □ 80287-8 8MIIZ	\$85 \$225	plus Monochrome D quality Monochrom	isplay card and IBM \$149
* Full Documentation and Manual	□ 80287-5 5MHZ	\$195	CLUB EGA Color A	T system \$199
IBM QUALITY MONO-MONITOR	EGA MONITOR	NEC MULTISYNC	CLUB EGA	GRAPHIC CARD
BM color \$345 12" screen Nanglare 800 x 350 resolution PCC class 'B' approval \$138	• 640 x 350 • 640 x 200 • EGA and CGA • FGC class 'B' appreval \$480	• AMMH.x 5607 • No Installation required • EGA. PGA CGA compatible • Test Made Suitch	Quantity disconnts arailable [•] Fully IBM compatible [•] 16 colors 640 x 350 resolution [•] 256KB rideo memory: [•] Runs colorymono display [•] Parallel Part	Made in II.S.A. Complies with FCC \$24
UNIVERSAL DISPLAY ADAPTER	132 COLUMNS HERCULES	6-PAC COMPATIBLE	CLUB TURBO	HIGH CAPACITY DR
Made in U.S.A. \$248	Machine \$99			
		CLUB 384 (for PC)	¢200 11	
	* Printer Port	* 0.384K Memory	\$399	80MB \$13
 Mono Display Hercules Compatible 132 columns text, color or mono 	* Monochrome Graphics * Software Switchable * Bown Letra 123 Constraint	* Clock/Calendar * Parallel Port	* w/ 128K RAM * Runs 7 times faster than PC or 33:	
* Parallel port * One Year Lumited Warranty	* Runs Lotus 123 Graphics * Run 132 x 44 column display	* Serial Port * Game Port and software \$88	faster than the IBM AT. * Runs 80287 math-processor in 5MI	17. With software CAL
* FCC class 'W approval MEMORY SHORT CARD	MINI I/O for PC/XT	FCC class B' approved AT MEMORY CARD	Manager's Choice	1
manan	AT Version available		AT-Multifunction	
TTTE	0-3 × 909	CLUB 3000	Sec. 1 Mar Stor	47 \$17
CLUB 576 (for PC. Portuble) • 0 576K Memory	* Software * 2 Serial Port (2nd optional)	* 0.3 MB capacity * No Piggy back		* 0-2MB Memory * 128K Increment rang
* 0576K Memory * Sbort Card * Supports 64K (256K DR44I	* Parallel Part * Real lime clock/calendar	* split Memory addressing * 64K/256K RAM chips	1 DAALT IT MALLA	* 2 serial port (1 oplic
* Sofheare Made in U.S.A.	* Half size card Made in U.SA.	* One Year Limited Warranty * FCC class B' approved Made in USA	1 2MHZ AT-Multifu Made in U.S.	
FLOPPY DISK DRIVE	XT POWER SUPPLY	MICROSOFT	PRO KEYBOARD	DATA SWITCH MAST
	F A	COMPATIBLE MOUSE		
· 360K	A A	- 67E		
* Double density * Double desnity	Complies with RCC * Reliable	• 200 Dols/inch • 3 Buttons/built in Microprocessor	* AT Style Keyboard w/EED	* Share one printer by 4 computers o
* Half beight	* 135W	* Work with Auto Cad	* separate Numeric	1 computer to 4 printers
* TEAC/FIJITSU * IBM anal color estra \$89	* Direct replacement * One Year Limited Warranty \$88	* Mouse with DR. HALO \$109	& Curser keypad \$8	8 * Printer Spooler for IBM \$8

FAST HARD DISK FOR PC/XT AND COMPATIBLE 39 ms access time		1 3.	FAST AT HARD DISK DRIV	e G	
 Auto Head Park Bost from Hard Disk P39 Als average access time Quality Sengate drive Special Western Digital Controller Software and Manual included 20MB Hard Disk Subsystem Seagate 4026 30MB Hard Disk Subsystem Seagate 4038 	КЛТНАХИ. 5659 \$759	ENTERNAL. \$759 \$859	39 ms Access time * 39 MS acces time * Linear Voice Coil Activator * Boots from Hard Disk * toos Beach Parking * Cables: AT shiding with and Software included	20 MB 4026 30MB 4038 40MB 4051	\$549 \$648 \$699
40MB Hard Disk Subsystem Seagate (available now EVEREX Modem-Hayo Made in U.S.A. FC class # appe	es compatible	\$959	* One Year Limited Warranty 20/30MB HARD For PC Upgrade		\$1395 Ем
 Free Bitcom Communication Software 300/1200Haud Haif size/Half power Excellent for Long Distance calls Done Year Limited Warranty *2400 Ba CLUB XT Fully IBM XT Control of the second seco	npatible		30MB \$499 · 20-30MB Seagette Hard Disk · Western Digital Controller · Bends from Hard Disk · 65MS access time · Manual, Cables, Hardurare	EXTERNAL \$567	ontroller add \$50
* 8087 Coprocessor (option) * Calor: PC/XT Co EXPANSION CHASSIS * 4 ted / beight drive space * No wait state design * Round shielded cabte * Round shielded cabte * Most compatible chassis on the market	weekly speck Seagate 4051 Fujitsu Floppy 360K Teac Floppy 360K		and Seffuare included 64K DRAM 150ns	^{19pcs.)} 256K R 9	AM 150 ns (9pes.) 120 ns (add \$20 \$27
OTHERS IMRD DISK CONTROLLERS * IC: NT Controller, Space * IC: NT Controller, Flappy Controller * IC: NT Controller, Space * IC: NT Controller, Space * Commender, Jappy Controller * Commender, Jappy Controller * Commender, Jappy Controller * Commender, Jappy Controller * State * Flappy controller * Spin Serial Cable * IBM Type Printer Cable * IBM Type Printer Cable * IBM Type Printer Cable * IBM Type State * State <td>CHIPS CHIPS CHIPS CHIPS COM 27128 CHIPS COMPARE Communications BIT-COM Communications BIT-COM Communications BIT-COM Communications BIT-COM Communications Company Communications Company Company Communications Company Communications Company Communications Company Communications Company Company Communications Company Company Communications Company Communications Company Communications Company Company Communications Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company</td> <td>\$6 \$8 EXTER.MI. \$6K0 \$827 \$-19 \$-19 \$-19 \$-19 \$-19 \$-19 \$-19 \$-19</td> <td>46707 Fremo <i>Quality a</i> All S</td> <td>BATI ont Boulevard, Fremor and Volume is Our Bi ales Cali (415) 490-22 Fax No. 414-490-2687</td> <td>nt CA 94539 usiness</td>	CHIPS CHIPS CHIPS CHIPS COM 27128 CHIPS COMPARE Communications BIT-COM Communications BIT-COM Communications BIT-COM Communications BIT-COM Communications Company Communications Company Company Communications Company Communications Company Communications Company Communications Company Company Communications Company Company Communications Company Communications Company Communications Company Company Communications Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company Company	\$6 \$8 EXTER.MI. \$6K0 \$827 \$-19 \$-19 \$-19 \$-19 \$-19 \$-19 \$-19 \$-19	46707 Fremo <i>Quality a</i> All S	BATI ont Boulevard, Fremor and Volume is Our Bi ales Cali (415) 490-22 Fax No. 414-490-2687	nt CA 94539 usiness
OBSALER SPECIALS * 6/8 MHZ AT competible computer GAL. * AT HD/Fleppy Controller (AT size) \$160 * AT HD/Fleppy Controller (AT size) GAL. * AT HD/Fleppy Controller (AT size) GAL. * AT HD/Fleppy Controller (AT size) GAL. * AT keyboard \$50	CHASSIS [•] W ⁷ / Power supply [•] Bur bur draw AT Hard disk/ Floppy co	\$99 ontroller	University P.O.'s are telecome Corporate Buyer call for Neil ONOFIN BY MAIL: Check or Money Order. Califo	mia add 6.5%. Sales Tax	antity Discounts are availa Dealers are Welcon
* AT power supply 192 walt \$95 * Mini 1/0 \$45 Memory short card \$40 * Two Drive Chassis \$85 * Math Coprocessor \$241.	AT compatible Western Digital Chipset NT Size Format	\$170	ORDER BY PHONE C.O.D., Cushier Check, MSA TERMS Due to our Low Price, all sales are final. Substitute Equivalent Items. To authorized Retur Prices are subject to change without notice. IBML Hercules, Bitcom, <i>Xenix</i> are Trade Marks	All prices are subject to changes and quant ns are subject to 10% Restocking Fee. Call fo	icy may be limited and we reserve the Righ in RMA Numbers for Returns and Repairs. *

A COMPUTER PROGRAM **THAT SPEAKS YOUR LANGUAGE**



The Computer Chronicles, a halfhour weekly television series brings you news and information from Silicon Vallev andaround the world. Correspondent Stewart Cheifet and Garv Kildall, creator of CP/M cover today's headlines and the stories behind them. Find out what is, what was and what will be, with the only computer program vou're ever aoina to need. The Computer Chronicles. every week on a public television station near you. (Check local listings for

time and channel.)

Produced by KCSM, San Mateo, CA and WITF, Harrisburg, PA with funding from AFIPS and McGraw-Hill's BYTE magazine.



TAIWAN'S COMPUTEX 1986

BY WILLIAM M. RAIKE

Companies participating in the expanding Taiwanese computer industry had a chance to show off their latest developments at Computex, an annual show held in June at the newly completed Taipei World Trade

Center. While the high-tech gathering convened inside the mammoth pyramidal air-conditioned complex of exhibition halls, glass-enclosed showrooms, and display booths, outdoors heavy rains were cooling down a sweltering city.

TAIWAN IS DIFFERENT

In previous columns I've pointed out two differences between personal computers in Japan and in the U.S. First, few machines sold in Japan are IBM-compatible; second, naturally enough, nearly all the computers you can buy have extensive Japanese-language processing features, which are not available outside Japan. Many visitors to Japanese computer shows are struck by the almost total absence of IBM-compatible computers. And except for peripheral equipment (disk drives, printers, etc.), Japanese personal computer manufacturers have not had any significant impact on the U.S. market for several years.

But Taiwan is different. With the domestic Taiwanese market for personal computers still small, manufacturers there have realized that they must compete in the U.S. and Europe. (In fact, most of the buyers at Computex this year were European; many U.S. buyers apparently prefer to wait for the Electronics Show held later in the year.) As a result, while you see a few systems that can handle the Chinese language, you will see a large number of IBM-compatible machines. Anyone traveling from the U.S. to visit a Taiwanese computer show would be

Taiwan can offer IBM work-alikes at prices that are quite low

well advised to bring along their favorite IBM PC and PC AT software for evaluating the computers on display. (Be sure that you leave backup copies at home though, and check with U.S. Customs on the way here to make sure that you can legally bring it out with you and take it back to the U.S unhindered.)

THE COMPETITIVE EDGE

The products and prices at this year's Computex gave me a reasonable indication of what U.S. computer buyers (and manufacturers) can expect within a few months. If you think prices on IBM PC and PC AT work-alikes have already dropped a lot, just wait. You can now order dozens of different makes of PC AT-compatible machines from Taiwan at prices ranging from \$1150 to \$1400. (Those prices are FOB Taiwan, excluding freight and insurance, and are for single units; all manufacturers offer substantial discounts for multiple-unit sales, and all are aggressive in their desire to do business, particularly in the OEM market.) Typically, these computers include 512K or 640K bytes of RAM and a single 1.2-megabyte floppy disk drive as standard equipment; you can get a 20-megabyte (or larger) internal hard disk drive for an extra \$500 to \$600.

Because space and time don't permit a detailed description of the many PC AT-compatible machines I saw at Computex, including some luggable semiportable computers, I refer you to the accompanying text box ('Some Manufacturers at Computex"). This representative list contains some of the manufacturers and their working IBM-compatible computers that were on display.

Comparable prices for Taiwanese IBM-compatible machines have dropped into the \$500 to \$600 range, and many manufacturers are offering an extensive selection of addon and expansion boards. Despite the drawbacks of doing business with imported computers made by vendors with (in some cases but not all) a skeletal or nonexistent distribution and service network in the U.S., these prices will have a devastating effect on U.S. computer manufacturers. Remember the growing power and the plummeting prices of hand-held calculators during the mid-seventies? At this rate, we might see personal computers being given away as party favors before much longer. One way to appreciate the magnitude of the situation is to notice that, with some of the low-cost air fares that are available, it may well be less expensive to fly to Taiwan, buy a PC AT work-alike, and bring it back than it would be to write a check for the original.

Before you either buy a ticket to Taiwan or order a computer, though, be sure to check with the manufacturer to see that its computer meets all U.S. Federal Communications Commission standards for spurious electromagnetic emissions. At the time of the show, most of the manufacturers (continued)

William M. Raike, who has a Ph.D. in applied mathematics from Northwestern University, went to Japan in 1980 looking for 64Kbit RAMs. He has been there ever since as a technical translator and a software developer. He can be contacted clo BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

Some Manufacturers at Computex

AQUARIUS SYSTEMS INC.

6F, No. 394 Keelung Rd., Sec. 1 P.O. Box 43-29

Taipei, Taiwan, ROC

PC AT- and PC XT-compatible computers: both systems and main boards are available. The Model ASI-2003B is AT-compatible, with a 1.2-megabyte floppy disk drive, a 20-megabyte hard disk drive, and 512K bytes of RAM: it sells for \$1841.

The Model ASI-703T is XT-compatible (4.77-/8-MHz switchable 8088-2 microprocessor), with 640K bytes of RAM and two 360K-byte floppy disk drives; sells for \$689. It includes the ERSO BIOS.

AUTOCOMPUTER COMPANY LTD.

4F. No. 5, Alley 2. Lane Syh Wei, Chung Cheng Rd.

Hsin Tien, Taipei, Taiwan, ROC

A PC AT-compatible machine with 512K bytes of RAM, a 1.2-megabyte floppy disk drive, and a 20-megabyte hard disk drive sells for \$1550.

A PC XT-compatible machine with 256K bytes of RAM and two 360K-byte floppy disk drives sells for \$440. Both computers incorporate the Phoenix BIOS.

INTER-ORIENT AND WORLD CORPORATION P.O. Box 48-243

Taipei, Taiwan, ROC

IMC brand PC AT– and PC XT–compatible computers: The Model GAT-403 is AT-compatible, with 512K bytes of RAM, a 1.2-megabyte floppy disk drive, and a 20-megabyte hard disk drive; it sells for \$1640.

The Model IMC-1700E is PC XT-com-

said they were currently undergoing FCC approval; without this certification, you'll have trouble bringing a computer into the U.S.

ERSO UPDATE

Taiwanese personal computer makers found a way to handle the challenge of creating BIOS software that both gives their machines adequate compatible, with 640K bytes of RAM and two 360K-byte floppy disk drives; it sells for \$510.

The IMC Prince (Model JR-640) is a PC-compatible laptop, without a builtin display, running a 4.77-MHz 8088 microprocessor and with 640K bytes of RAM and a built-in 360K-byte floppy disk drive; it sells for \$425.

K. S. BROTHERBOX COMPANY LTD. No. 12 Chien Kuo S. Rd., Sec. I Taipei, Taiwan, ROC

Taipei, Taiwall, ROC

Kingtech brand luggables. The Model KS-500A is a PC AT-compatible machine with 640K bytes of RAM, a 1.2megabyte floppy disk drive, a 20-megabyte hard disk drive, and a monochrome/color graphics card; it sells for \$1700.

The Model KS-200 is a PC XT-compatible machine with 640K bytes of RAM, two 360K-byte floppy disk drives, and a color graphics card; it sells for \$750.

The Model KS-100B is a PC XT-compatible machine with 256K bytes of RAM, two floppy disk drives, and a monochrome graphics card; it sells for \$480.

MICROWEB COMPANY LTD.

No. 9, Lane 146, Tà-Tung Rd., Sec. 1 Hsichih, Taipei Hsien, Taiwan, ROC

Touch-I brand luggable PC AT and PC XT compatibles with built-in monochrome monitor and optional 10- or 20-megabyte hard disk drive. Prices not available.

MITAC INC.

9F, 585 Ming Sheng E. Rd. Taipei, Taiwan, ROC PC AT- and PC XT-compatible machines running the Phoenix BIOS. Mitac also introduced its Viso Portable, another laptop machine with no builtin display and one built-in 360K-byte floppy disk drive, with 512K bytes of RAM as standard. An external expansion box and an LCD are supposed to be available as optional items, but they couldn't be seen at the show. Mitac claims the Viso is FCC-approved. Price information was not available.

MULTITECH INDUSTRIAL CORPORATION 15F, 135 Chien Kuo N. Rd., Sec. 2 Taipei, Taiwan 10479, ROC

The Multitech MPF900 is an AT-compatible machine with a 1.2-megabyte floppy disk drive, an optional 20-megabyte hard disk drive, and 512K bytes of RAM. The company offers a variety of IBM PC- and PC XT-compatible computers and is one of the oldest and largest computer companies in Taiwan. Prices not available.

PLUS & PLUS COMPANY LTD.

2F. 126 Roosevelt Rd., Sec. 3 Taipei 10762. Taiwan. ROC

ARC brand PC AT- and PC XT-compatible computers: The ARC 286 Turbo System is AT-compatible and 6-/8-MHz switchable. It comes with 640K bytes of RAM, a 1.2-megabyte floppy disk drive, and a color graphics card and sells for \$1190. The 20-megabyte hard disk option costs \$390. MS-DOS 3.1 is a \$35 option: a serial/parallel card costs \$45 extra; an additional 384K bytes of RAM costs \$45. A variety of other IBM PC- and PC XT-compatible systems are available.

patibility with the IBM PC (or PC AT) yet manages to avoid copyright infringement problems (see my column in last December's BYTE). Some companies sign cooperative agreements with U.S. software houses to develop a proprietary BIOS; most companies, however, choose to use the ERSO BIOS. This was developed by the Taiwanese government-sponsored Electronics Research and Service Organization (ERSO, International Training Research Institution; No. 2, Alley 9, Lane 244; Roosevelt Rd., Sec. 3; Taipei, Taiwan, ROC) and is licensed by ERSO to Taiwanese manufacturers. I've heard a few complaints about the ERSO BIOS, notably that it is too slow. Nevertheless, it represents an innovative way for the Taiwanese gov-

The eight-line display, which has good readability, works as the main screen when you decide to use the Keystyle 80 as a laptop computer.

ernment to encourage and support its computer industry.

TAKE YOUR KEYBOARD ALONG

Like lots of people, I sometimes see a new product and wonder why I didn't come up with the idea myself. The latest one was the Keystyle 80, introduced at Computex by Chang Lei Electronic Industrial Company Ltd. (6th floor, No. 99, Fu Hsing N. Rd.; Taipei, Taiwan, ROCI.

When connected by its cable to your computer, the Keystyle 80 works as a simple unintelligent keyboard. The Keystyle 80 has a built-in infrared coupler, so you can also use it as a replacement keyboard for the PCir or for other PC-compatible computers that come equipped with such a coupler (the Sotec PHC-16 and the DataVue 25 are two examples). The keyboard layout, besides offering all IBM PC keyboard functions, is sensible and convenient enough that, in my opinion, it's suitable for serious word processing.

But you'll probably get a few strange looks when people wonder why your "keyboard" has an eightline. 80-column LCD. The display, which has good readability, works as the main screen when you decide to use the Keystyle 80 as a laptop computer. Viewed as a portable computer powered by replaceable batteries, it uses a CMOS Z80A microprocessor running at 4 megahertz and comes with only 16K bytes of RAM as stan-(continued)

Attention all FX80, FX100, JX, RX, & MX owners:

a great printer

Dealer inquiries welcome



Now for \$79.95 you can own the rest. You see, today's new dot matrix printers offer a lot more.

Like an NLQ mode that makes their letters print almost as sharp as a daisy wheel. And font switching at the touch of a button in over 160 styles. But now, a Dots-Perfect

upgrade kit will make your printer work like the new models in minutes- at a fraction of their cost. And FX, JX and MX models will

Inquiry 99

print the IBM character set, too. So, call now and use your Visa, MasterCard, or AmerEx. Don't replace your printer, upgrade it!



An upgrade kit for EPSON FX, JX, RX, & MX printers

Run Your Software 2 to 10 Times Faster!

No Additional Hardware (Cards or Chips) Required.

Introducing PolyBoost[™] The Software Accelerator[™] PolyBoost, a set of 3 memory-resident

programs, speeds information flow to & from your computer's processor. 1, 2 or all 3 programs can be in loaded in memory. Operation is totally automatic & transparent. Only PolyBoost speeds up all three

Boost Disk Speed

A memory-buffer (disk cache) automatically speeds up hard or floppy disks by storing in RAM the data your software uses most often. You can set the cache size from 5K to 500K. Caches of up to 4 Megabytes each can reside in Expanded or Extended Memory. Unlike a RAM Disk, PolyBoost immediately writes all changed data to your physical disk to prevent data loss.

Boost Display Speed

Text scrolling & screen updates are FAST! You select the speed. Eliminates flicker in CGA cards. Also works with monochrome, EGA, & Hercules cards. (Uses only 4K RAM.)

Faster & Enhanced Keyboard

EPSON is a trademark of

EPSON America Inc




Inquiry 237 for End-Users. Inquiry 238 for DEALERS ONLY.

dard, although you can expand the on-board RAM to 96K bytes. The weight of the unit, complete with batteries, is only 3 pounds.

The Keystyle 80 comes with a reasonable amount of utility software present in ROM, including a word processor (with commands that resemble those found in WordStar), calculator, world clock, and calendar. You also get a communication program in

ROM. Since it manages the RS-232C serial port, you can use an RS-232C cable to connect the Keystyle 80 directly to a personal computer to upload files, to an external modem for communicating over the telephone, or to a serial printer to print files directly from the Keystyle 80 without going through another computer.

The Keystyle 80 should be available by this time: the people at the show



VTERM/220 Quality makes all other DEC terminal emulators obsolete

Over 35,000 demanding professionals, like Teradyne's Gregg Prescott, have recognized VTERM's superior quality.

Now this same VTERM quality is available in Coefficient's powerful new emulator, VTERM/220. Features include:


 Plug compatible VT220 emulation with 132-column support and optional Tektronix[™] 4010/4014 graphics.

 Extensive file transfer system offering KERMIT, XMODEM and our VTRANS protocol with VMS;™ RSX11 M/M+;™ RSTS/E™ and UNIX™ software.

 Host data capture on PC with conversion to Lotus[®] 1-2-3[®] Symphony® and dBase®

· "Hot Key" toggle between host session and PC DOS.

Call us today at 212-777-6707 ext. 190.



narks DEC, VMS, RSTS/E, RSX 11 M/M + , Digital Equipment Corp.: Tektronix. Tektronix, Inc.; Lotus, 1-2-3, Symphony. Lotus Development Corp.; dBase, Ashton-Tal UNIX. AT&T. Bell Laboratories

Coefficient Systems Corporation 611 Broadway, New York, N.Y. 10012

were vague about pricing, but I would guess you could buy one for not much more than \$300.

COMPUTERS AND COIFFURE

One of the most popular booths at Computex belonged to the Kingsbeam Electronics Corporation (No. 19, Lane 143, Jen Ai Rd., Sec. 3; Taipei, 'laiwan, ROC). There was a steady line of women waiting to try out the Christine Hair Beauty Computer.

The prospective beauty shop customer can use the Christine to simulate what they would actually look like in a wide variety of hairstyles. As you sit in front of it for about 3 seconds, the video camera in the upper part focuses on your face. A computer in the bottom of the machine digitizes and freezes the image and displays it on a monochrome monitor facing you, housed just to the left of the camera. The operator can then step through a library of assorted hairstyles stored on a floppy disk by superimposing the image of each one over the customer's face on the display screen. The operator uses simple keyboard commands to move, expand, or shrink the size of the trial hairstyle to fit the actual size of the image of the customer's face. An optional video printer can produce a hard copy of any desired composite image (i.e., any customer and hairstyle combination) for the customer to keep.

The people at the show weren't able to demonstrate how the hairstyle templates are created and stored on the disk; presumably, an image of a model is stored and then edited graphically, but I couldn't ascertain the exact mechanism for doing this. The machine is supplied with a limited number of styles, and, as an extra-cost option, you can have new hairstyles delivered every three months. Sorry, the price was not available.

NEXT MONTH

Bill visits the Akihabara district of Tokyo, where vending machines sell information. There's good news for people seeking bilingual capabilities, and you can almost see the communications industry achieving a momentum of its own.



BASIC TO C

BY DICK POUNTAIN

Following the example of Andy Warhol, everyone should have a law named after themselves for 15 minutes. Here's mine: Pountain's law states that "the commercial importance of a programming language is in-

versely proportional to the amount of praise it receives." As evidence I offer you COBOL, a language for which no one can be found to say a good word, yet most of the world's commercial software is still written in it. And I'm told that the value of all the world's COBOL programs is greater than that of all the world's computer hardware put together.

Or take BASIC. It would be a rash journalist who spoke out too strongly in favor of the old war-horse nowadays, and academics have poured bile and scorn upon it for decades. Yet a huge amount of business software is still written in BASIC, both on minicomputers and micros. Why should this be so?

I think the reasons are several. First, BASIC is very easy to learn. I'm glad I learned to program in BASIC, hacking away on my own with a book; had I been taught Pascal at a university, I'm sure it would have robbed me of any pleasure in programming. All the things that conspire to make BASIC so unsuitable for large programs-lack of named subprograms with parameters, crude control and data structures, and even line numbers and GOTO-seem to accord with the way a beginner sees things inside a computer. I am less and less convinced by the arguments of innovators who insist, for example, that recursion comes more naturally to a beginner than iteration does. I'm also unconvinced by "reformed" dialects of BASIC; perhaps BASIC got it right the first time, but once you outgrow the language, you

An efficient way to translate Microsoft BASIC programs into C

must discard it completely.

A second cause of BASIC's continued viability is a lack of alternatives. Most minicomputers and virtually all micros come with a free BASIC interpreter, often of venerable pedigree and relatively bug-free. In contrast, until the revolution wrought by Borland International (and previsioned by the prophet Leor Zolman, who wrote a high-quality C compiler that sold for \$50 in 1980), compilers for more advanced languages like Pascal and C tended to be too expensive, poorly distributed and known only to hackers, or full of bugs. Some were all three. Small wonder then that so many programmers who needed to earn a crust rather than follow fashion just sat down and worked with what they were given.

A third reason is that BASIC actually does some things very well. For example, its string-handling features are immeasurably superior to those in C or Pascal (extended Pascal, that is) and indeed better than anything else except SNOBOL. Most business BASICs handle arithmetic on large cash sums gracefully, not always the case in other languages. By and large, BASIC makes no attempt to be portable but tends to support the hardware for which it was written as fully as possible, providing easy facilities for formatted hard copy, screen handling, and (maybe) graphics. BASIC's file I/O tends to be more powerful and easier to understand than that in a more rigorously portable language. Error handling in Microsoft BASIC is easy to use (and abuse!) and is highly suitable for commercial applications; on the other hand, I frequently encounter applications written in Pascal or C that crash with utterly obscure messages from the run-time system.

To salvage some shred of credibility, I should hastily add that I personally wouldn't write anything in BASIC nowadays, unless it were a three-liner to spot palindromes. My "road to Damascus" happened years ago when I spent three months writing a poker program in BASIC (the first program I wrote whose listing was taller than me) and found at the end that I couldn't understand how it worked. I came to appreciate the advantages of structured languages by trial and error rather than through moral imperatives, and as the years go by, I find that my admiration for Pascal more and more outweighs my irritation at its deficiencies. (Admittedly, I prefer 'Iurbo Pascal, which a purist friend insists is not Pascal at all.)

This lengthy preamble is a way of introducing this month's subject, a translator for converting Microsoft BASIC programs into C. The rationale for the existence of the product, called CGEN, is that most of the United Kingdom's best-selling business programs (I'm talking here about accounting programs rather than spreadsheets) are written in BASIC, more precisely, Microsoft BASIC. However, the times are changing-the 68000 is upon us, and business software houses are faced with a growing base of multiuser UNIX systems. The idea of translating their existing (continued)

Dick Pountain is a technical author and software consultant living in London, England. He can be contacted clo BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. products into C, the language of UNIX, becomes attractive indeed. Such programs then become easily portable from one UNIX system to another and possibly even to newer personal computers like the Atari 1040ST.

Unfortunately, the vices of BASIC make such translation by hand an unpleasant prospect. In large BASIC programs, the overall program structure is unclear, thanks to the use of GOSUBs with line numbers instead of named procedures with parameters. The modularity of such BASIC programs can be poor, and it's not always possible to turn a BASIC subroutine into a corresponding C function. Conscientious design discipline and copious commenting help only marginally because the language itself does not enforce modularity. For instance, the use of global variables to pass values into subroutines means that such a subroutine can have effects, desired or otherwise, throughout the program, and only inspection of the whole program can reveal them. When you add the effects of the liberal use of GOTO to compensate for inadequate control structures (e.g., jumping out of FOR . . . NEXT loops), you have a recipe for a nervous breakdown.

Such translation is exactly the sort of nasty and boring job best left to a computer, and that is what CGEN does. It was written by MS Associates Ltd., a software house specializing in UNIX. As a result, the company has a deep knowledge of the foibles and limitations of C compilers, which was a prerequisite for making the product work.

THE CGEN APPROACH

Writing a translator that converts one language to another is not in itself newsworthy. To make such a translator effective and acceptable in commercial programming is another matter.

Program generators and so-called fourth-generation languages attempt a similar trick, although they usually translate a very high level specification language into BASIC or COBOL. One problem that often bedevils such products is the maintainability of the output code. Computers may be patient, but as yet they are not very

COMPANY MENTIONED

MS Associates Ltd. St. Marks House 1 Station Rd. Bourne End Buckinghamshire SL8 5QF. U.K.

smart, and the quality of the code they write can be pretty rough, even by modest human standards. I once inspected the BASIC output from a much-touted program generator and found that the code was not only unreadable but barely recognizable as BASIC.

MS Associates chose to tackle this problem by reducing the "distance" between the source language and the target language. CGEN produces as its output an intermediate language called High-C that looks more like BASIC than C, although it is in fact C and can be compiled with a standard C compiler. High-C is a collection of macros for the C preprocessor that are designed to be similar to BASIC keywords.

This technique is not new. Indeed, many experimental languages in computer science departments started out as a set of C macros on a UNIX system. The C preprocessor is a powerful piece of software, whose potential is barely tapped by most programs. For example, a C programmer typically sets up named constants for use in a program with #define, as in

#define ESC 27

Before compilation, the preprocessor goes through the program and replaces every occurrence of the string ESC by the number 27. However, #define can do more than this. Because macros can take parameters and include conditional expressions, they can be used to change the syntax of the language. For example, to add a "function" to compute the maximum of two numbers, you could say

#define max(num1,num2) ((num1) >
 (num2) ? (num1) : (num2))

Whenever max is used in a program, the preprocessor will replace it with the conditional expression on the right. The result is more efficient than a proper function definition since it compiles to in-line code with none of the overhead of a function call. It does, however, increase the compiled code size.

The advantages of the High-C approach are twofold. First, it simplifies the task of translation by taking work away from the translator and putting more of it onto the C compiler. Second, the output is readable and maintainable by programmers who are accustomed only to BASIC. After some experience with CGEN, BASIC programmers should be able to write directly in High-C and to modify High-C programs without retranslation. This is by no means a trivial advantage because the cost of retraining programmers to become expert in C is considerable. You do need to know the fundamentals of C to use CGEN. but you don't need to be a guru.

The downside is that the final code is somewhat larger and less efficient than the code a more "C-oriented" approach might produce (although most business programs are far from time-critical anyway). C compilation also takes longer, but, on the other hand, translation is correspondingly quicker.

THE FINE POINTS

Before we take a look at an example of High-C, it would be wise to establish just what CGEN can and cannot translate. It is designed to translate software written in various versions of Microsoft BASIC and can handle programs that use CHAIN to exceed the 64K-byte limit. It will not translate hardware-specific commands, like those used for graphics, sound, and color. A program written in BASICA for the IBM PC, for example, must have any references to commands like COLOR or PSET removed before translation. Fortunately, much business software is written using only simple cursor-addressable terminal output, and CGEN does support LOCATE.

Since High-C gets compiled to native code, none of the facilities specific to interpreted BASIC can be used. For example, it is not **possible** to use ERASE to remove arrays from

Listing I: This sample code shows the Sieve of Eratosthenes	translated into High-C by CGEN.
#define NOERROR #define DEFS #include <msmain.h> #undef DEFS int iCOUNT ;</msmain.h>	L90:; FOR1i(iI , 0 , 8190) L100:; IF (jFLAGS[iI] == 0)
<pre>int iI ; int iK ; int iM ; int iPRIME ; int jFLAGS [8191+1] ;</pre>	GOTO L180 ; } L110:; iPRIME = iI + iI + 3 ; L120:; iK = iI + iPRIME ;
char *_data[] = { NULL, "99999999", NULL, NULL } ; main(argc , argv)	L130:; WHILE(iK <= 8190) { L140:; jFLAGS[iK] = 0 ; L150:;
int argc; char *argv[]; { #include <msinits.h></msinits.h>	iK = iK + iPRIME ; L160:; L170:; iCOUNT = iCOUNT + 1 ;
L10:; L20:; L30:; STR("10 iterations"); PRINT ; L40:;	L180:; NEXT; L190:; NEXT;
FOR1i(iM , 1 , 10) { L50:; iCOUNT = 0 ; L60:; FOR1i(iI , ', 8190)	L200:; LSTART ; PINT(iCOUNT) ; PSEP(',') ; PSTR("primes") ; PRINT ; L210:;
L70:; jFLAGS[iI] = 1; L80:; NEXT;	END ; FINISH ; }

a program at run time. This limitation is usually not a problem because few—if any—business programs are interpreted; they are normally compiled with a BASIC compiler like BASCOM or QuickBASIC that imposes exactly the same restrictions. In general, CGEN will translate anything that compiled (not interpreted) BASIC would accept.

Porting from PC-DOS or MS-DOS to UNIX can raise problems due to the different way that UNIX does some things (although such problems would have to be faced however you do the translation). UNIX uses only a linefeed to end lines, for example, whereas PC-DOS needs a carriage return plus a linefeed; CGEN, though, can handle this difference automatically. In another case, UNIX has a different convention for filenames, which is sensitive to uppercase or lowercase, and these details will have to be altered manually, either in the BASIC source code or in the High-C code.

One or two actual syntactic restrictions apply with CGEN. It will not tolerate the use of NEXT in a conditional, as in

10 FOR i = 0 to 100

20 IF array1(i) = array2(i) THEN NEXT

30 PRINT i

For CGEN to work, this needs to be changed to

10 FOR i = 0 to 100

20 IF array1(i) <> array2(i) THEN

value = i : i = 100 30 NEXT 40 PRINT value

Similarly, there are restrictions on the use of GOTO to exit early from FOR...NEXT loops. GOTOs must either be removed or be patched in the translated High-C version by adding a special LEAVE macro before each GOTO to keep the stack under control. PEEK and POKE are supported, although, of course, you cannot expect hardware-specific PEEKs and POKEs to work if moved to a new machine. They can be put, however, into an IF...THEN to allow conditional compilation of machine-specific versions of a program.

(continued)

CGEN also adds some extra facilities to Microsoft BASIC. In particular, for file and record locking for multiuser applications, the LOCK command can be inserted into the original BASIC program. Another extra command is \$DEFSUB, which tells CGEN that the following subroutine is independent enough to be turned into a single C function; for example,

10 ' \$DEFSUB 'getname 30-50' 20 GOTO 60 30 PRINT "Enter your name: "; 40 LINE INPUT NAME\$ 50 RETURN 60 GOSUB 30 70 PRINT "Hello "; NAME\$

The \$DEFSUB command says that the code on lines 30 to 50 will be translated to a single C function called getname. This is an optimization technique and is not compulsory.

USING CGEN

I tried a new version of CGEN for the IBM PC running under PC-DOS (all previous versions have been for different flavors of UNIX). It's not a large system; the whole thing fits onto a single IBM floppy disk with all its include files and the run-time library. It's not copy-protected and can be installed on a hard disk. It supports some IBM special features like the function keys but, as previously mentioned, does not support graphics, color, or sound.

CGEN itself is a single program that takes just the name of a BASIC program file as its command-line input. The BASIC source code must be in ASCII rather than in tokenized form (i.e., it must have been saved with the A option). When CGEN has been run over a file, it produces two output files with the extensions .LST and .C, the latter containing the High-C version of the source code.

The .LST file contains the original BASIC source program with messages from CGEN inserted, prefixed by *** for errors and +++ for warnings. These messages are in plain English, and the warnings cover most potentially troublesome constructions (e.g., jumping out of a subroutine with GOTO or subroutines with multiple entry points). CGEN can thus be used as an analyzer prior to translation. There are a number of command-line options, most of which have to do with the limitations of various C compilers, like limits on the size of functions, the number of symbols, or the length of jumps.

I tried CGEN on the sample program (MORIGAGE.BAS) that IBM supplies on the PC-DOS master disks, and CGEN correctly picked up all the COLOR statements as untranslatable. I then used the search-and-replace command of my word processor to edit the source program, searching for *** or +++. MORTGAGE.BAS translated cleanly after I removed all the COLOR and WIDTH statements, and MORTGAGE.C compiled and ran correctly with the Microsoft C compiler.

There isn't room here to show the complete translation of MORTGAGE. BAS, but listing 1 shows our old favorite, the Sieve of Eratosthenes, translated into High-C by CGEN. The translation is a bit more verbose than the original due to the declarations needed by C, but the main part of the program corresponds quite closely. The C labels L10 to L210 replace the BASIC line numbers. The High-C macro LSTART stands for list start and

 Table 1: Times required (in seconds) for compiling, linking, and running the Sieve of Eratosthenes in High-C versus Microsoft C on an IBM PC AT.

	Compile	Link	Run	
High-C	14	15	4	
Microsoft C (version 3.0)	5.5	4	2.5	

gets inserted wherever BASIC permits an arbitrary-length list of parameters, as in PRINT statements.

The way FOR . . . NEXT gets translated provides an interesting example of the problems that BASIC can pose. FOR....NEXT in Microsoft BASIC permits several unsavory practices, like assigning to the index and even to the loop limit at run time. Routine testing for the use of such rarely employed tricks is too expensive, so MS Associates set up 18 different FOR macros: six base types for each of three different degrees of "dirtiness." The six BASIC variants include FORi (integer index, step <> 1), FORn (float index, step < > 1), and FORd (double-precision index, step < > 1); rounding out the six are the equivalents FOR1i, FOR1n, and FOR1d with a step of 1. CGEN automatically produces the right type-FOR1i in the case of the Sieve-but for BASIC programs that use the dirty tricks, you must manually select a "dirtier" set of FOR macros. The macro expansion for the "cleanest" version of FOR1i is

#define FOR1i(A,B,C) for(A=I(B) ; A<=(C) ; A++)

CGEN took 6 seconds to translate the BASICA Sieve into High-C; table I shows the times for compiling, linking, and running the Sieve in High-C. Unfortunately, I didn't have BASCOM available, but I accept the assurance of MS Associates that programs run marginally faster with CGEN than if compiled with BASCOM. CGEN is thus a portability aid rather than a performance booster.

You can, of course, add raw C code at will into the High-C version of a program as an alternative to calling routines written in C (or other languages, including assembly language) from the BASIC version.

MS Associates started out by selling CGEN at a high price to other software houses that needed to translate established BASIC products. However, the company has now reduced the MS-DOS version to a more PC-like price of £345. For an extra fee, the run-time library is available in source as well as binary form so that you can tailor High-C to particular target machines. ■

North American F	97	American Home Prod.	3	Consolidated Foods	49	Standard Oil (Ohio)	25	Exxon	1
A	98	Litton Industries	4	Lockheed	50	AT&T Technologies	26	General Motors	2
	99	Hewlett-Packard	5	Georgia-Pacific	51	Boeing	27	Mobil	3
H.J.	100	Control Data	6	Monsanto	52	Dow Chemical	28	Ford Motor	4
	101	Texas Instruments	7	W.R. Grace	53	Allied	29	IBM	5
Pill	102	LTV	8	Signal Companies	54	Eastman Kodak	30	Техасо	6
PPG Indu	103	American Brands	9	Anheuser-Busch	55	Unocal	31	E.I. du Pont	7
Int. Harv	104	International Paper	0	Nabisco Brands	56	Goodyear	32	Standard Oil (Ind.)	8
American M	105	Motorola	1	Johnson & Johnson	57	Dart & Kraft	33	Standard Oil of Cal.	9
Borg-W	106	Burroughs	2	Coastal	58	Westinghouse Elec.	34	General Electric	10
American Cyar	107	Archer-Daniels-Midland	3	Raytheon	59	Philip Morris	35	Gulf Oil	11
Kerr M	108	Digital Equipment	4	Honeywell	60	Beatrice Foods	36	Atlantic Richfield	12
United B	109	Borden	5	Charter	61	Union Carbide	37	Shell Oil	13
	110	Champion International	6	General Mills	62	Xerox	38	Occidental Petroleum	14
Emerson El	111	Armco	7	TRW	63	Amerada Hess	39	U.S. Steel	15
Dresser Indu	112	Esmark	8	Caterpillar Tractor	64	Union Pacific	40	Phillips Petroleum	16
Boise Ca:	113	Diamond Shamrock	9	Aluminum Co. of Amer.	65	General Foods	41	Sun	17
Warner Co	114	CPC International	0	Sperry	66	McDonnell Douglas	42	United Technologies	18
Owens-II	115	Time Inc.	1	Gulf & Western Ind.	67	Rockwell Int.	43	Tenneco	19
Carn	116	Deere	2	Continental Group	68	PepsiCo	44	ITT	20
Americar	117	Bristol-Myers	3	Bethlehem Steel	69	Ashland Oil	45	Chrysler	21
Reynolds N	118	Martin Marietta	4	Weyerhaeuser	70	General Dynamics	46	Procter & Gamble	22
Campbell	119	Firestone Tire & Rubber	5	Ralston Purina	71	3M	47	R.J. Reynolds Ind.	23
Kimberly-	120	IC Industries	6	Colgate-Palmolive	72	Coca-Cola	48	Getty Oil	24

27 million Americans can't read.


While American business is trying to stay competitive with foreign companies, it's paying an added penalty. The penalty of double-digit illiteracy.

Believe it or not, 27 million American adults can't read and write. Another 47 million are literate on only the most minimal level. That adds up to almost one third of our entire population...and probably a disturbing number of your employees.

What does illiteracy cost you? Get out your calculator. Illiterate adults make up 50%-75% of our unemployed. Every year they cost us an estimated \$237 billion in lost earnings. They swell our welfare costs by \$6 billion annually and diminish our tax revenues by \$8 billion.

Illiteracy costs you through your community, too. It robs the place where you work and live of its resources. It undermines the potential of the people who make your products and the people who buy them. No dollar figure can be assigned to this. But over the years, this may be the costliest loss of all.

What can your company do about this? It can join in local efforts to fight illiteracy. It can volunteer company dollars and facilities for better school and tutorial programs. It can invest in a more literate community.




We want to discuss funding the Coalition for Literacy. Please have a representative contact me. Name	We want to discuss funding the Coalition for Literacy. Please have a representative contact me. Name	I want my	company to join the fight against illiteracy. d brochure with additional information.
Please have a representative contact me. Name	Please have a representative contact me. Name		
TitleCompanyAddressStateZip CityStateZip Phone Please return to: Coalition for Literacy Business Division P.O. Box 81826	Company Address State Zip City State Zip Phone Please return to: Coalition for Literacy Business Division P.O. Box 81826 Lincoln, NE 68501-1826		
Company Address City State Zip Phone Please return to: Coalition for Literacy Business Division PO. Box 81826	Company Address State Zip City State Zip Phone Please return to: Coalition for Literacy Business Division P.O. Box 81826 Lincoln, NE 68501-1826	Name	
Address State Zip City State Zip Phone Please return to: Coalition for Literacy Business Division P.O. Box 81826	Address State Zip Phone Please return to: Coalition for Literacy Business Division P.O. Box 81826 Lincoln, NE 68501-1826	Title	
City State Zip Phone Please return to: Coalition for Literacy Business Division P.O. Box 81826	City State Zip Phone Please return to: Coalition for Literacy Business Division P.O. Box 81826 Lincoln, NE 68501-1826	Company	
Phone Please return to: Coalition for Literacy Business Division P.O. Box 81826	Phone Please return to: Coalition for Literacy Business Division P.O. Box 81826 Lincoln, NE 68501-1826	Address	
Please return to: Coalition for Literacy Business Division P.O. Box 81826	Please return to: Coalition for Literacy Business Division P.O. Box 81826 Lincoln, NE 68501-1826	City	State Zip
Business Division P.O. Box 81826	Business Division P.O. Box 81826 Lincoln, NE 68501-1826	Phone	
P.O. Box 81826	P.O. Box 81826 Lincoln, NE 68501-1826	Please return t	
Lincoln, NE 68501-1826			P.O. Box 81826
	A litorata Amorica		Lincoln, NE 68501-1826
		ic a	good invostment
	is a good invostment	15 a	Soon machineme
is a good investment.	is a good investment.		



Programming Ease for Scientific & Engineering Applications

No matter what your level of programming expertise, if you write your own programs for engineering, science, or statistics applications, Wiley Professional Software's technical programming tools enable you to save programming time and development costs. These tools allow you to generate dependable, accurate and error free code, quickly and easily.



STATLIB series, developed by PSI/Systems, is a one stop source for **Time Series and Graphics** data analysis. These two new subroutine libraries are ready to address your statistics programming problems. STATLIB.TSF covers routines in forecasting and analysis of

time based data. Generalized linear regression models, ARIMA models, survival analysis, econometric forecasting, exponential forecasting, and spectral analysis are just a few of the routines which will prove invaluable to statisticians and to programmers, engineers, and scientists who use statistics.

STATLIB.GL is a statistical graphics library with subroutines for Box-Jenkins identification, scatter graphs, curve-fit graphs, contour maps, axonometric plots and much more, including a library of GKS device drivers.

Economists and marketing and financial forecasting professionals will find these routines invaluable in their day to day work. And they are a must for every scientist and engineer who programs in FORTRAN.

These subroutine libraries give you all the benefits of a complete package and the added advantages of allowing you to quickly and easily customize your program for your needs.

SOURCE CODE INCLUDED.

Statlib.TSF: Time Series Analysis & Forecasting Subroutine Library \$295 Statlib.GL: Statistical Graphics Subroutine Library \$295

Microsoft and IBM Professional FORTRAN versions available



The 50 MORE FORTRAN Library, developed by Peerless Engineering Service, offers a collection of subroutines and utilities previously unavailable in our FORTRAN Library. Included are pre-tested and precompiled subroutines covering such areas as Matrices, Polynomials,

Differential Equations, and Numerical Analysis (including FFTs), plus utilities for more effective screen handling. SOURCE CODE INCLUDED.

MICROSOFT FORTRAN or IBM Professional FORTRAN version \$125

The Classic Subroutine Library for BASIC, FORTRAN, and C Programmers

MICROSOFT FORTRAN Library	\$175
C Language Library	\$175
BASICA Library	\$125
IBM Professional FORTRAN Library	\$175

To order any of Wiley's scientific and engineering programming tools, call: 212-850-6788

VISA Or write: Wiley Professional Software John Wiley & Sons, Inc. (ψ) Attn: D. West 605 Third Avenue New York, NY 10158 Dealer Inquiries Invited THE TECHNICAL SOFTWARE SOURCE.



Conducted by Jerry Pournelle

SCIENTIFIC GRAPHING SOFTWARE Dear Jerry.

By now you should have received a copy of my program Graph-PAD (Graph Plotter and Digitizer) from Academic Press. I am writing this letter in hopes of convincing you to take a look at this unique program. which enables scientists to create publishable graphs using an IBM PC and an HP plotter.

You have suggested on a number of occasions that software should be sold by publishers. Academic Press is a scientific book publisher that is new to software. As you might expect, there are advantages and disadvantages publishing software through a company whose main business is not software, but it is a trend you ought to write about.

You should be pleased by the lack of a licensing agreement. Graph-PAD is sold like a book and protected by copyright. No silly agreements. You should also be pleased by the manual, which is typeset and includes an index and several examples (probably not enough).

You will be less pleased by the copy protection, so let me explain. Over the years I have agreed with your arguments against copy protection and I originally asked that AP not protect Graph-PAD. But then I realized that, although businesses are quite **responsible** about respecting copyrights, scientists are not. The potential market for Graph-PAD is not huge and illegal copies would dilute the market too far.

Graph-PAD is protected by the key-disk scheme but with a unique twist. You cannot use the plotter to make a graph until you insert the key disk into the A: drive. However, you can enter. average, transform, and preview data on the screen and save it to disk without the use of the key disk. Thus, you can use a copy for entering and manipulating data but must use an original Graph-PAD disk to actually make graphs. A backup disk is provided. HARVEY MOTULSKY San Diego, CA

I fear your program has become separated from your letter. That happens more often than not. Alas, there's no generic solution to the problem other than to increase the staff here, and I don't want to do that. The result is that a lot of good stuff vanishes. With any luck it will emerge again, but since I don't have an HP plotter, there's not much I can do with it anyway.

I do think that the era of single-product publishers is coming to an end. I've been saying that for a couple of years, which is a long time in this industry but not very long in any other.

You may be right about copy protection on a program but I think that if I were betting my academic publications on a program, I wouldn't use one I couldn't back up. You may be protecting yourself from market dilution but any good hacker could defeat your copy protection. The other question is what effect copy protection will have on sales. Good luck.—lerry

uoou luck.-jei

DRI SERVICE

Dear Jerry.

Regarding Digital Research Inc. By golly, I think they might be listening! I recently bought a copy of GEM Desktop and GEM Draw and found the documentation to be quite readable and complete (not a single d:ufn.ext in the thing). It turned out not to work as advertised, however, due to missing device drivers on the master disk.

As is typical of most of the local software dealers when confronted with anything less ordinary than WordStar, mine shrugged and grunted when I asked after the missing drivers but was able to offer no assistance.

Well. in for a dime. in for a dollar. thinks I. So I called DRI's customer service number. expecting the worst. The fellow I spoke with was polite, but when I told him which version I had bought, he said, "Oh, well, that explains it. I don't know anything about that version and I don't intend to learn now." I figured I was about to hear how DRI didn't support *that* version any longer. and I would have to buy the new version. etc.

Wrong! This kind soul, representative of what I hope is the new Digital Research, said I would have to wait while he mailed me a copy of the new version of GEM, which he would do within a week or so. No mention of money was made at this or any time since. As it turned out, I got the new copy as fast as UPS was able to carry it here from the West Coast, meaning he must have sent it out that afternoon. Now all is well.

You'll have to admit that this is assuredly *not* the kind of thing one has come to expect from DRI, but it is a trend much to be admired and encouraged.

I've long enjoyed. and generally agreed with, your (to put it mildly) taking DRI to task for their failings. Now it appears that they read BYTE. Good show!

STEVE RINDSBERG Cincinnati, OH

Thanks for telling me. DRI still has some great potential. There was a time when I was certain that Concurrent CP/M, which can already run most MS-DOS programs as one of its tasks, would be expanded to be more MS-DOS-compatible, then, combined with GEM, have something like UNIX brought in to make an operating system that would be simple for users and have, invisibly, a rich programmer's environment, The result would be the reunification of much of the micro community.

That's still possible and I'm still hoping, even if I'm no longer so confident.—Jerry

LICENSE AGREEMENTS

Dear Jerry,

In your book Adventures in Microland, you claim in Chapter Five that "Software publishers sure are arrogant. Fortunately, that's going to change." I would have to add, "Unfortunately, not anytime soon."

The other day I picked up Webster's New World Spelling Checker for my Apple IIe. It's published by Simon & Schuster. the same folks who distribute your book. It's a really super program; the documentation is first rate (it includes a Writer's Guide to Punctuation and Manuscript Preparation), the price tag is low (only \$59.95), and the disks are noncopy-protected. It works on a wide variety of word processors and features a 114.000-word dictionary. I couldn't ask for more.

Except for a less restrictive license agreement. It claims that. as the authorized user of this product, I can "...use (continued)

the Licensed Product on any single computer system. A separate license, . . . is required for any other computer system on which [I] intend to use the Licensed Product." Furthermore, 1 ". . . shall take all reasonable steps to safeguard the Licensed Product and to ensure that no unauthorized person shall have access to it...," And then, in big black letters. I ". . . may not use, transfer, modify, copy or otherwise reproduce the Licensed Product, or any part of it, except as expressly permitted in this End User License Agreement."

Now, say I want to demonstrate this program at my local Apple users group. Does S & S seriously believe I'm going to drag my desk-bound system, with all its attendant cables and peripherals. to the meeting place, and, once I've shown off Webster's features, to disallow other members a hands-on demonstration of their own? What if I bring only the main computer unit and I plug in somebody

Do You Ever Get the Feeling That No One Speaks Your Language?

Arity/Prolog. The Language That Spans the Generation Gap.

> Arity listens to what you ask for. You want a serious, versatile anguage that will go the distance for you. There are two very good reasons for you to use Prolog—to do your work smarter and faster. That's exactly what the Arity/Prolog development environment will help you do. Our powerful tools, based on the general purpose programming language Prolog, will significantly reduce your development time and allow you to solve a wide range of application problems.

No translation required. Our development environment for the IBM PC family and all MS-DOS compatibles includes the Arity/Protog Compiler and Interpreter, the Arity/Expert System, and Arity/SQL. And you can tie them all together. You can interface with several other programming languages and build extensions to your existing applications. You'll be truly multilingual — what better way to span the generation gap?

It can take you to new places You'll discover amazing speed, power, and flexibility using the Arity/Prolog programming environment, with its one gigabyte of virtual memory and fast, compact compiled code, for conventional applications. And if you're working in new territories, like expert systems or sophisticated database management systems, you'll be speaking the native tongue.

Speak it freely Our products are not copy protected and we charge no royalties, so you can use them in as many end-user applications as you'd like. Why keep the language of solutions all to yourself?

Join the thousands of assembly and C programmers who already use Arity/Prolog—the language of solutions. Call 1-800-PC-ARITY Today. Masschusetts residents call 617-371-1243.

Software that roars.

ARITY CORPORATION 30 Domino Drive, Concord, MA 01742 U.S.A. 1-800-722-7489 or in Massachusetts call 617-371-1243 else's printer and monitor? And what about making more than one backup of the program?

Because of all the accesses required, a spelling checker's floppy is an especially fragile beast; I'm no pirate, but if my first backup wears out and I make another, will I be subject to criminal prosecution? Since I signed their Warranty Registration Card, I suppose so.

Experienced publishers like S & S have been able to live with simple copyright notices and the usual "All rights reserved including the right of reproduction in whole or in part in any form" statement for their books; why should their software be any different? If S & S isn't going to change, why should anybody else?

DON DREWS Milwaukee, WI

I have nothing to do with S & S Software but apparently they let their lawyers talk them into this nonsense. As you say, they've understood about books for a long time. Why this? Beats me.

I particularly enjoy the part in which you must promise that "no unauthorized person shall have access to" their program. Are my wife and children "authorized"? For that matter, am I? And, of course, they don't promise that the program will indeed work.

Yours isn't the only letter complaining about them: I expect they'll be candidates for my Folly of the Year award next year.—Jerry

MODULA-2 HELP

Dear Jerry.

I am very interested in learning more about Modula-2 as a programming language. From your articles, you seem to be very favorable to the potential of this language for the future. The problem is that there seem to be very few books on the subject (at least in Toronto).

Could you please suggest a couple of books to me, taking into account the fact that I do not know Pascal. Also, do you know if there are any public domain programs in the language that will operate on PC- or MS-DOS? (I have a PCjr with 256K bytes of memory.)

> RON GOLAN Willowdale, Ontario, Canada

The best book is one I haven't written yet; I have about a million example programs and modules done, but it's taking time to do the text. Until my own book comes out, the best introduction to Modula for non-Pascal people is Edward J. Joyce's Modula-2: Seafarer Manual (continued)

The United Way volunteer gives a gift that's hard to measure.

Because without his or her contribution of time, energy and dedication, the community services and local programs of United Way simply cannot exist.

United Way has much to do in our community. From day care for the young to services for the elderly. So this year, be generous. Give yourself.



United Way 1984



"When I was growing up, I was the quickest kid on the block. But the streets were catching up with me. I'm sure glad there was a Boys Club around to help keep me a step ahead.

"You know, a Boys Club shows kids there are lots of ways to reach goals, besides scoring touchdowns. It gives them every chance to be leaders. And encourages something every bit as important as good leadershipgood citizenship.

"They sure pointed me in the right direction, and I've been running my life ever since—running through lines, running through airports. Now I'm even running my own business!

"It's no wonder so many Boys Club kids grow into productive, civic-minded adults, like teachers, politicians, business executives and professional athletes. Which gives more than 1,200,000 young people, at 1,100 Boys Club facilities across the country, something to look forward to.

"Hey, I'm not saying a Boys Club can turn every kid into a star. But a Boys Club sure can teach 'em how to reach for one."

The Club that beats the streets.

BOYS CLUB

(Addison-Wesley, 1985). It doesn't cover everything, but it starts at a low level and there are good examples. Pournelle's law: You can't have too many examples. This book hasn't as many as I'd like, but it has more than most.

After you finish with that book, get Software Development with Modula-2, by Gary Ford and Richard Wiener (Wiley, 1985); it's about the best "full feature" book on Modula that I know of-better than anything I could write—but it's not for beginners.

Unless you really know what you're doing and/or your time is worth literally nothing, public domain compilers aren't worth your effort. You'll do better to get a good commercial one. Logitech sells an excellent MS-DOS Modula-2 compiler for under \$100. Workman and Associates has FTL Modula-2 for CP/M, also under \$100. Both programs come with their own editors and are excellent.-Jerry

ON THE ONE HAND...

Dear Jerry,

As a result of your enthusiastic recommendation, I recently purchased WRITE. I am impressed by its printing capabilities. For variety of page format, ease of use, and right margin justification, it gets high marks.

I would have been more impressed by WRITE as a text editor if I had not already used Express 2.0. In my judgment, Express is a truly transparent medium. Like WRITE, it can be reconfigured so you don't have to learn a set of new and arbitrary commands. Entering text is easy; moving around in the text is easy; correcting errors is easy.

Like WRITE, Express works in memory, but it can edit files that are much larger than its buffer. Its search and replace goes like greased lightning because, unlike WRITE, it does not rewrite the screen until the whole process is over. It has a onecommand block move and both blockread and block-write capability. Best of all, its capacity for creating macros is practically unlimited, And all this for \$35!

What you don't get is the kind of printer driver that WRITE supplies. Express 2.0 uses Roff4, a public domain program that does a good job of running the printer but lacks the ease and versatility of WRITE's print program.

WRITE will print Express 2.0 files, but

if you want right margin justification you have to strip the carriage returns that Express puts at the end of every line. Express could strip them in no time, but it can't see them; WRITE can see them but it takes forever to strip them off. If, among all those programs you have tried, there is one that edits as well as Express 2.0 and prints as well as WRITE, it must be the jewel of CP/M word processors.


> THOMAS WHEELER Knoxville, TN

I've written for a copy of Express. Of course, I'm also trying to change over from CP/M. So far I haven't been weaned away. Incidentally, with WRITE you get a filter program that ought to strip off those hard carriage returns; and for that matter it's fairly easy to write such a program for yourself in BASIC.

I'll let you know about Express when I get it.-Jerry

COMPUTER CONFERENCING Dear Jerry,

1 am a 36-year-old research student currently studying for a masters of philoso-(continued)



FREE Demo Disk Available, 10-Day Money-Back Acceptance Period.

PAL, Lotus 1-2-3, and IBM PC/XT/AT are registered trademarks of Monolithic Memories, Inc., Lotus Development Corp., and IBM Corp.

phy degree in Information Systems. My thesis is on the design of methodology. I also have a personal research interest in computer conferencing and industrial democracy. My original degree was in English and Social Policy.

I am perhaps not as technically focused as many of the current BIX users appear to be, based on the Best of BIX pages. Further, I am an Acorn/BBC user and find little of interest in discussion of the machines that are more prevalent on your side of the "pond." In the April BYTE in "Winding Down" (page 299), you mention setting up a conference/organization dealing with the synergistic effects of the new cognitive sciences. This sounds more interesting to me than the other reproduced content of BIX and it could be a deciding factor in choosing to subscribe. I wonder if you would be so kind as to forward fuller details?

S, A. ALLEN Portsmouth, Hampshire, U.K.

Well, we have a conference on BIX on cognition and social science theory. It supports the CONTACT conferences, which are interdisciplinary meetings that get science fiction, social science, and hard science professionals together.

For more information on that, write Mrs. B.J.O. Trimble, 696 South Bronson, Los Angeles, CA 90005.—Jerry

CBASIC: ANOTHER VOICE FROM THE WILDERNESS

Dear Jerry.

I thought it a curious coincidence that the May BYTE contained two perspectives on BASIC as a programming language.

In the Letters section, Chuck Musciano ("Choose Your Language," page 14) wrote that he personally found BASIC "distasteful" and that BASIC "only suffices when a quick hack is required." Mr. Musciano obviously writes from the Olympian heights of the "professional programmer." where CBASIC is an unknown dialect. I think that Mr. Musciano understands neither what BASIC is supposed to do nor for whom it is intended.

When I got to the opposite end of BYTE. I was pleased—even gratified—to see in Chaos Manor Mail the letter from Paul Palmer ("CBASIC." page 392).

I sympathize with Mr, Palmer. I feel his isolation but suspect it is self-imposed, I

am sure there are a number of CB80/86 users out there, all busy writing their own unique applications. Do we not talk to each other because we believe our problems are unique?

In that regard, I am not particularly sympathetic to Mr. Palmer when he complains about being constrained to 128K bytes of code and data. He should try writing code when 48K is all that is available! With 48K, you chain like crazy and become a master at disk I/O. My advice to Mr. Palmer is to write more efficient code and don't be reluctant to use disk storage for data.

HAROLD HORN Argo, IL

Well, Computing at Chaos Manor began as "The User's Column" and that's the way I still think of it. I like Modula-2 a lot, but I confess that for most computer applications I still use BASIC.

Let me hasten to add, though, that I don't do much programming any more. If I did, I'd concentrate on Modula-2, building myself a battery of applications tools I could incorporate into nearly any program. Of course, you can do that with CBASIC, too (indeed, one reason I stay

Our Xenix tape backup system has one feature the others don't.

with CBASIC is that I have such a lot of known-to-work code).

I remember 48K systems. I remember I6K systems. I also have nightmares sometimes.—Jerry

THE NEED FOR SPEED

Dear Jerry,

I can no longer stand to feed single sheets into my printer. I have to buy large boxes of paper. So what? you ask. The point is, since I have been using a computer, my general sense of time is completely different (no small matter).

There was a time when I **could** do things like wait for a bus. Now I am furious over a program that takes 8 seconds to load. There was a time when I could do things like wait for a big one to bite the hook. Forget it. I used to hate benchmark talk. Who in the real world of men cares about nanoseconds? Now I am very curious about how fast the computer does things.

When you get right down to it, the only thing a computer can do is shuffle numbers back and forth. But (and this is a big but) it can do it incredibly fast. That's what makes computing so fascinating. One word: speed. So I no longer have any patience with anything. I want it done now. Jerry, I may never be able to kill another sunlit afternoon in the middle of a lake wetting my line.

> MICHAEL SONTUM Sandy, UT

You're so right. I find myself reading faster (I 200 baud now) and very impatient with things that don't go as fast as my computer. However, I also find that as soon as I get on a backpack and get away from the trailhead I leave all that behind.

After all, they're only machines, although I don't want mine to know that I know that.—Jerry

MAC SCREEN SIZE

Dear Jerry,

I read with interest your negative comments on the Macintosh screen and letter size in the May issue of BYTE. There are several desk accessories that allow you to change the default font from 9-point Geneva to, say, 12-point Chicago. This usually gives letters that are large enough for most people to see even if they are very visually handicapped. I am lucky enough to have the use of both a Mac Plus and an IBM PC XT and I can assure you that the Macintosh is leaps and bounds ahead of the IBM in anything I have yet needed to do, including reports and strategic planning documents. (Not to mention the superiority of Excel over Lotus 1-2-3.)

> D. SCHAFFELBURG, M.D. Montreal, Quebec, Canada

Of course you can make the letters larger, but then you don't get so many on the screen. Clearly, I can live with a few lines of not too much text—on airplanes, I do all my writing on the NEC PC-820I, which, even with Traveling Software's Ultimate ROM II, has only 8 lines of 60 characters each. But when I'm home with a desktop machine I prefer something a little better. I've also yet to find a Macintosh text-editing program that comes close to what I'm used to.

Having said all that, I agree: Now that Apple is market-driven rather than gurudriven, the Macintosh is a pretty good entry-level machine, and I'm already on record as saying it's almost worth buying a Mac just to have Excel.—]erry

If we had a dollar for every time a DOS tape company pretended their product worked with Xenix, we'd be rich and retired. It seems like everyone has a Xenix horror story to tell that starts with a fast talking DOS salesman.

When you want Xenix tape backup for your PC AT that works right the first time, and every time, call the company that invented Xenix tape backup: Bell Technologies. We're still the only com-



pany shipping Xenix tape product that works under all circumstances. (That's why the Xenix Tape Interchange standard endorsed by leading hardware and software companies is based on our products.)

Multi-billion dollar companies come to Bell Technologies for their Xenix tape product lines. Now you can too. We manufacture over a dozen different Xenix tape systems serving every price and performance need. We support all Xenix and UNIX releases for the PC AT, including IBM 1.0 and 2.0, SCO Xenix, Sperry Xenix, Compaq Xenix, and System V from Microport. Get the complete Xenix tape solution, pre-integrated with an immense variety of disk drives, multiport cards. RamDisk, and a host of other Xenix peripheral products.

The next time you need Xenix backup, dial 800-FOR-UNIX. That's your direct line to the Xenix experts at Bell Technologies. In California, dial 415-659-9097. Telex 3723620.

Xenix tapebackup from the company that invented Xenix tapebackup.

'UNIX, and UNIX SystemV are trademarks of AT&T Xenix is a trademark of Microsoft Corporation IBM PC AT is a trademark of International Business Machines Corp Bell Technologies Incorporated is not alliliated with AT&T BEST OF BIX • BEST OF BIX • BEST OF BIX • 🕂 🗙 • BEST OF BIX • BEST OF BIX • BEST OF BIX •

BIX is the BYTE Information Exchange, BYTE's computer conferencing system. Each month, Best of BIX brings you excerpts from a few of the 170-plus conferences active on BIX. This month, conferences covered include Amiga, Atari ST, IBM, Macintosh, and S-100.

For information on joining BIX, see the instructions on page 271.

AMIGA

The Amiga section examines three problems: First, a discussion of the concerns inherent in writing software for a multitasking environment evolves into a search for the optimum "Animator" priority setting. Next, a father forwards his son's query on using the Amiga to time millisecond events in a laboratory setting. Finally, there is a look into the deeper meaning of REVPATH as an Amiga is pressed into service as a speaker's prompting device.

MULTITASKING ON THE AMIGA

amiga/main #3406, from Incland (Les Nolond) a comment to message 3363

[Ed. Note: Message 3363 discussed, among other topics, the difficulties of porting to a multitasking system.]

It seems to me that there are a number of things that can make porting single-tasking programs to a multitasking environment difficult.

To begin with, a number of practices that are perfectly acceptable in a single-tosking system are unacceptoble or ill-odvised in a multitosking system. For example: polling input devices; assuming oll resources are dedicated (e.g., printing a line of output at the beginning of a program and then not doing any more printing until much later in the program); or creating large static arrays that are infrequently used.

Then there are all the system calls that are inherent in multitasking but unknown (or generally unnecessory) in a single-tasking system, such as process (and tosk) priority scheduling and memory allocotion routines.

To be sure, one can make ports easier by creating some standard routines that hondle most of these situations in a default manner (such os olwoys spooling printer output for loter printing). Hondling the situation like this, however, will frequently result in routines that are far from optimal and could have a hard time competing with other tasks. For example, some routines could benefit from continuing to process data while waiting on disk accesses. Others have no choice but to perform a hard wait. If the designer doesn't consider these choices, the best decision can't be mode so the safe choice (in this case, the hard wait) becomes the only choice. Another example is the "deodly embrace" situation. If one relies on prewritten I/O routines to perform the resource allocation, the process won't even likely be able to recognize a "deadly embrace," let alone choose the optimal course of action.

While you're quite correct in saying that o lot of programs represent a straightforward port and that going in the other direction is no bed of roses either, I believe that, in general, for a program to do well in a multitasking system, it needs to be designed for one, and that can mean substantial changes for some singletosking programs. Obviously, some people aren't up to the challenge because there seem to be far too mony programs that just grab all the resources first thing and act like they are the only programs in the system (which they probably will be, given the foct that they won't run with most other programs anyway).

amiga/main #3410, from jim_kent (Jim Kent) a comment to message 3406

Well, I hadn't thought of most of those. I guess I've been trained now for multitosking. I even do sleep calls on the ST, though my sleep routine just polls the clock, of course. Did you know GEM on the ST MAKES you poll input if you want the right button on the mouse? Yelch!

Still, I have to admit single tasking is nicer for animation. Things run much less jerkily. The Amiga keeps waking up a process to check the disks even when nothing but the Animator is running. Well, I think it does. Something makes me jerk every couple of seconds.

amiga/main #3416, from w.volkaegls (William Volk) a comment to message 3410

Jim, how about a priority slider in Animator? (I know it's a warped ideo.)

amiga/main #3418, from jlm_kent a comment to message 3416

Can you change a task's priority on the fly?

aniga/main #3419, from skrenek (Steve Krenek) a comment to message 3418

Sure, SetToskPri (tosk, priority) and owoy you go! If your tosk is really a process, I'm not sure what you do to chonge the priority, though.

omiga/moin #3420, from w.voikaegis a comment to message 3418

Don't know ... we could make it o CLI orgument.

omlga/main #3422, from jgoodnow (Jim Goodnow) a comment to message 3419

As far as priorities go, the actual scheduling doesn't know onything about processes, only tasks. So changing the tosk's priority chonges the process priority.

amlga/main #3426, from Incland a comment to message 3410

Sleep calls on the ST, eh? Boy, when the ST goes multitosking, ore you ever going to be ohead of the competition! Of course, if GEM pulls many tricks like the mouse polling bit, it may be o while before they get ony reosonable multitasking implemented (unless they just obandon their installed base of software ... not likely).

Though tim itive programs like Animotion could pick up some t from other tosks, it seems to me (Les - be coruld liter in the Basic Librory pick up some fiasco. You don't even have the RKM's yet - you don't know whot's going on with the Amiga internols.... I know that, but how radical could it be? All multitasking systems are pretty much olike, oren't they? Shhh! Wait a minute - it's too quiet in here. Hey, what are all you people doing listening in on my internal dialogue?) that on an open mochine with all DMA I/O, the only overhead you should have is the short trip to the scheduler when your time quantum runs out and that should just dump you right bock in. Do you have Workbench running? Hove you set a nice, high, antisocial priority so as to discourage all other tasks? Hmmm...

amiga/main #3428, from Incland a comment to message 3416

Somewhere in this conference, many messages ogo, someone (tking?) asked for suggestions on things we'd like to see in V1.2. I wish I'd hod the presence of mind then to suggest o utility that displays oll tosks (including Workbench tasks) and their priorities ond allows one to modify the priority of ony task. A

pretty standard item on mainframes and such, I wos o little surprised that the Amiga didn't have it. Perhaps it'll be one of the first things I'll work on after I get and read the RKM's (and get a little more spare time to spend on home projects).

amiga/main #3431, from jlm_kent a comment to message 3426

No, I'm very social. I've got a priority of 0. Maybe I'll chonge that during the actual replay to 1 or 2. Intuition hos 10, and I can't go as high as thot or I'll lose my input.

But I'm not sure if I should even do this. For instance, if SoundScape adopted the some attitude, then we couldn't run together effectively. (We can't anyway unless you've got expansion RAM, but still...)

amiga/main #3503, from Incland a comment to messoge 3431

Re the priority of your animations. Only the onimotion itself need have a higher priority. Your input and setup tasks con run at the lower priority.

Since your animation task has to wait on things like vertical retrace and such, there are likely enough waiting times to allow other tosks to run, though in degraded mode. As for running in harmony with other tasks, the point is that with certain types of tasks, such as animation and music, it is desirable to have the task run in "real time," as if it is the only thing running on the machine. To do less socrifices the "realism" you are attempting to create. If the user attempts to run other tasks at the same time, he should expect them to run in degraded mode for the sake of retaining the realism of the animation.

If he is attempting to run something else thot olso requires real-time response, he may be asking too much of the system - two tasks cannot run on a single CPU without some degradation in performance unless both use less than 50% of the CPU's time and their operation is flexible with regard to when their time slices fall. There is the second to when their time slices fall. This may be true of your routine but it wouldn't seem likely if you were able to notice the delays in the animation. You're the one who has to decide if a higher priority is necessary and whot that priority should be, but from what you've said, it sounds like it may be necessary. Ideally, the user would be able to change the priorities of different tasks on the fly, setting them to meet his own requirements. Most setting them to meet his own requirements. Most mainframe systems have a utility for this purpose, but this system does not, which leaves them stuck with what the developers deemed necessary.

đr	nlga/mair	n #3	3517,	fror	n jir	n_kent
a	comment	to	messe	age 3	503	

Well, I've been looking into the priority/smoothness thing a little. What set me off thinking was watching animations side by side on the ST and the Amiga. (Since the script files are text, it is easy to get them between machines ...)

It appears that, with no other tasks in the Amiga, I really wouldn't need to bump the priority. I'm pretty sure the not-quite-as-regular steps I see on the Amiga ore indirectly my own doing. Once a tween I go through the calculation phase twice. Generally the drawing stage is so much greater in terms of time that this isn't noticed. However, with the Amiga in 5 bit-planes and the blitter well massaged. I have the situation where the Amiga draws faster but calculates shows then where the Amiga draws faster but calculates slower than the ST. Thus, I'm pretty sure it's my double calculation.

amiga/main ∰3519, from cheath (Charlie Heath) a comment to message 3517

Have you tried running Animation in FAST mem to see if that makes a difference?

amiga/main #3522, from jim_kent a comment to message 3519

BEST OF BIX • BEST OF BIX • BEST OF BIX • RIX • BEST OF BIX • BEST OF BIX • BEST OF BIX

It makes a wonderful difference! It runs noticeably (20-30% perhaps) faster.

amiga/main #3526, from tholloway (Tim Holloway) a comment to message 3503

There IS a SetPriority function in the Amiga EXEC, although some people have been known to cheat and reset the TCB priority themselves.

A MILLISECOND TIMER

amlga/softw.devlpmt #1979, from melphase4 (Mel Fishman)

I have a request from my son to place the following request for help re a Timer he is working on in the Graphics Lab at Waterloo. If you can't answer him directly, please leave a message for me and I will pass it on.

Here we go...again Well, in quest of a 1-millisecond stopwotch before going to hardware, we have decided to give the 8250(-B) chip a chonce. I am getting nowhere with it. I cannot seem to get the timer to do anything. What I am doing is:

I am setting up variables like so:

SHORT *timer_low_A (= 0xbfd400) *control_register_A (= 0xbfde000)
*control_register_A = 0x71 SHORT print *timer_low_A

(note that the numbers in brackets are assigned at another point in the program) The problem arises in that timer_low_A does not chonge at all. I have also tried playing around with PRA, and DDRA (is that a typo in the hardware manual? I am assuming that DDRA = 0xbfd200 and DDRB = 0xbfd300) but separate of what I does not have a does not but regardless of what I do, timer_low_A does not change.

I would like to be able to eventually have timer B count down and cause A to decrement on B's underflow, but if I cannot even get A (or B for that matter) moving, I am stuck.

If anyone can help me with this problem or present a better way to get a 1-millisecond groin timer, I would really appreciate it. I do not want to use hardware, because it would be harder to run the experiment simultaneously and publish our algorithms.

(A recap of the problem for those who forgot or are new:)

I need to be able to colculate the time from when a stimulus is displayed on the screen to the point in time when the user presses a mouse button. (I am using Manx C on a 512K Dual Drive System.) Thank you very much.

amlga/softw.devlpmt #1985, from cheath a comment to message 1979

Mel - here are a few ideos about the millisecond timer. First off, I'm pretty sure the two timers in the 8250s are "reserved" by the EXEC and device drivers, so programs are not "supposed" to make direct access to Timer requests are supposed to be made by using them. the timer.device, which has two modes of operation — one of which is based on vertical blanks (in increments of 16 milliseconds), and one of which uses the 8250 timer for microHz resolution.

It would seem that the microHz timer device would be the "ay the Amiga is "supposed" to let you do precise high-speed timing. However, from my not-too-deep experience with the timers, their precision for timing short durations is not very good.

Another possible solution to your son's problem would be to use the vertical position register as a

(continued)

timer. The vertical position register (VHPOSR and VPOSR) indicates precisely which scan line on the display screen the video beam is positioned at, and is a very precise timer. Each video frame takes something like 16.67 milliseconds and each frame is composed of about 250 (blast it, I forget exactly how many) vertical lines - thus, by reading the vertical position you can get a timing resolution of something like 70microsecond precision. You'd have to figure out the exact numbers, but that should be doable.

Another thing to take into consideratian is all the sources of delay in the Amiga due to Interrupts and multitasking. Precise timing is more difficult becouse lots of things can happen to snatch the CPU away from the program that's trying to do the timing.

In the case of these lab experiments, prabably the best thing to do is to call "Disable" after the display has been done and not re-enable until after the mouse button input has occurred. That is assuming the mouse button is being read directly, not as an "input event" under the input.device – because the input.device needs interrupts enabled in order to wark.

Also - I question the precision of the whole experiment at the millisecond level, because the display itself is only updated every 1/60th of a second. You could improve the accuracy by timing the display update to occur based on the position on the display screen, taking into account where the thing being displayed on the screen is, timewise, according to its vertical position onscreen.

Well, anyhow, good luck to Flynn and let us know how he eventually solves this prablem.

amiga/softw.devlpmt #1998, from melphase4

I would like to pass on Flynn's answer to cheath. Any assistance would be appreciated. Here we go:

To: M.FISHMAN (PFD001) Fram: F.FISHMAN (PFD006) Subject: More on the millisecond timer. Reply to the reply to 1979

After sending my letter out to my father, I realized that this was a first time pasting to BIX, and that I

did not properly tell of all my failed attempts. So I will explain some of what I did while I reply to cheath's posting. (Thanks cheath; you approached all of the prablems exactly as I did. I guess that means I om not so stupid after all.)

>First off, I'm pretty sure the two timers in the >8250s are "reserved" by the EXEC and device drivers, >so programs are not "supposed" to make direct access >ta them.

There are twa 8250 chips; 8250 - A and B, each with two timers, a and b. 8250A is used for serial communications and Vblitter sync, 8250B is used for keyboard and as a virtual timer device. Luckily, I am not doing any serial communicating or Vblitting, leaving A available to me.

>Timer requests are suppased to be made by using >the timer.device, which has two modes of operation — >one of which is based on vertical blanks (in >increments of 16 milliseconds), and one of which >uses the 8250 timer for microHz resolution.

Agreed, the two timers are microHz and VB1ank; unfortunately, they both seem to wark on a 16mlllisecond grain, and in fact seem to be identical from my program's point of view (i.e., poll the timer 1000 times, stuff it into an array, and then print the array). However, the microHz timer is supposed to be programmable. Does anyone know how to pragram it?


>(VHPOSR and VPOSR) indicates precisely which scan >line on the display screen the video beam is >positioned at, which is a very precise timer.

This was my second idea (and still a usable one). What we hoped to do is read the y-raster location (C is not fast enough to get an accurate x lacation) and then put this together with the timer to give us an accurate time. However, the y-raster location is not correlating with the timer. You'd think it would, since they both are 60 Hz (i.e., every time the timer mokes its 16millisecand jump, the y-raster should have the same value every time. WRONG; it doesn't. The y value decrements every 16-millisecond jump.). To use just the y-raster and nothing else is feasible, except that would require a counter incrementing every time the screen refreshes, and since we discovered the y-raster sometimes skips or inserts funny numbers we do not know haw reliable this will be on several-second values.





BEST OF BIX • BEST OF BIX



Inquiry 159

BEST OF BIX • BEST OF BIX

>Another thing to take into consideration is all >the sources of delay in the Amiga due to interrupts >and multitasking. Precise timing is...

>It can be assumed that there will be no

>multitasking and the Amiga will only be doing this >one timing at this one time.

>Also - I question the precision of the whole >experiment at the millisecond..

A millisecond is needed in this experiment (so I have been told over and over). You should have seen the original posting on UNIX though, that asked for a microsecond timer. I hate decimols. :-)

Well, I really appreciate your time, cheath. One of these days I will get this timer licked (either that or the summer will end, I will go back to school, and I won't care no more :-)).

amiga/softw.devlpmt #1999, from jdow (Joanne Dow) a comment to message 1998

Um, there is a problem using the vertical times as a timer reference if you need extremely long-term accuracy. The time interval of the vertical interval is not a constant on the Amiga or any other mochine that can switch between pure NTSC and non-interlaced NTSCish video. Each scan line is an exact time period related to the NTSC color subcarrier frequency. (Fhoriz = F_color_subcarrier*2/455 = 15734.265734 Hz. This implies a horizontal period (averages over oscillator noise and to the accuracy spec of the oscillator) of 63.55555555555 microseconds).

Given the 63.555-microsecond horiz interval we can calculate vertical intervals. In pure NTSC there are 262.5 lines (the .5 gives the interlace) per vertical interval. This means each pure NTSC field takes 16.68333333 milliseconds for a vertical period of 59.94005994...Hz. If we take the non-interlace mode with 262 scan lines exactly per vertical interval, the numbers become 16.6515555 milliseconds and 60.05444937 Hz. If you are into making long-time interval measurements, this can throw your computations of time out the window by a substantial error percentage. (Sustantial, she says - I guess I worked with precision timekeeping apparatus too long in earlier days... Methinques I nit-pick too much. Both coses are off by approximately .1% or about 1 minute per day.) <_^>

amiga/softw.devlpmt #2000, from jim_kent a comment to message 1998

It is NOT safe to assume you won't be blitting or involved with multiple processes if you are using Intuition at all, or displaying text, or using the graphics libraries, or reading anything from a disk.

amlga/softw.devlpmt #2001, from cheath a comment to message 1998

Mel - Flynn could set up a vertical blank interrupt to count the number of VSYNC intervals and not use the timer.device at all.

amiga/softw.devipmt #2002, from jdow a comment to message 2000

Indeed, while you might not be, some other process or program or whatever you wish to call it will very *likely be* doing so. Hence the calls through the OS are the only proper way to do these things. <^_^>

amiga/softw.devipmt #2004, from cheath a comment to message 2002

Well, it sounds like Flynn's application is quite controlled (i.e., it is a lab experiment rather than a commercial product). Even so, there is a lot going on in the Amiga timing-wise that can make precise timing difficult.

Flynn - if you're using the mouse for input, the two buttons are not identical in timing. One is a direct input, but the other is a capacitive/resistive discharge reading - which takes about 1/60th of a second to read from the time the button is depressed.

APPLICATIONS FOR REVPATH

amiga/softw.devlpmt #2047, from bjackson (Brian Jackson)

Charlie (or ?): Did anyone ever decide if REVPATH (reverse text rendering - right to left) is working? I need to write a teleprompter program and, as the text is displayed in a mirror before the camera lens, it needs to be rendered in reverse (thank the Powers That Be for FontEd!). Sure would make the task simpler (I think).

PS - We're building a TV station and yours truly 'gets" to do all the computer reality for the stotion. (And where's EtherNet ??)

amiga/softw.devipmt #2048, from cheath a comment to message 2047

Ah, so not only do you need the text displayed backward but also it has to be mirrored. I don't think REVPATH is intended to do that ... you'll have to do a custom routine to pull that one off.

amlga/softw.devlpmt #2050, from althoff (Thomas Althoff) a comment to message 2048

How about REVPATH with a custom font of reversed characters?

amiga/softw.devlpmt #2053, from jdow a comment to message 2047

It may be easier to reverse the wires on the yoke of the reverse monitor. Then all goodies will still render normal on a normal monitor for easy debug and type check. Hook to the reverse monitor for actual use and run with it. <^_^> (That should be a 5-minute hardware hack, given a schematic of the thing.)

amiga/softw.devlpmt ∦2054, from bjackson a comment to message 2048

Yep. The text has to be mirrored. While REVPATH won't handle THAT, it should be able to do its standard (?) act on a custom font(s), eh?


amiga/softw.devlpmt #2055, from bjackson a comment to message 2050

Yeah, that's what I had in mind. The scroll routines shouldn't be too difficult to implement. I already have need to do is create the text on a line-by-line basis, padding the end (beginning?) to a standard length and have Amy print the thing normally (left to right). Amy can sure handle this faster than the "on-air personalities" can read it. The mirroring is the trick. Thonks.

amiga/softw.devlpmt #2057, from bjackson a comment to message 2053

I had a message on my local BBS from another hardware 'reak that said you could do that. Question: does this 'mirror' EVERYthing? I mean if THAT'S all I need to

do.... What we're doing is networking several Amigas (at my insistence) through Ameristar's thingie (if/when...) That way the staff can all have access to the central files. And so can the control room and newsroom. Th This is valuable for quick editing almost "on air." If we can use the same system and just reverse one monitor while everyone else can see things normally it would be (continued)



- Recursion allocates local variables on the stack
- IEEE Standard Floating **Point Arithmetic**
- IMPLICIT NONE
- Long variable names -31 characters

• NEW FEATURE - NAMELIST

F77L - THE PROGRAMMER'S FORTRAN \$477.00 U.S.

System Requirements: MS-DOS or PC-DOS, 256K, math coprocessor (8087/80287)

FOR MORE INFORMATION: (702) 831-2500



Diagnostics Compatibility with Popular **3rd Party Software**

- (i.e. Lattice C)
- · Easy to use manual
- Technical Support from LCS

ATARI ST

The Atari ST window for this month is devoted to software problems. To begin, one BIXen is writing a (fast) print spooler and sounds an open call for advice. Next, there is some concern when multiple copies of files begin appearing on various disks, and finally there is a discussion on structure name space standards for C, with an authoritative answer from a member of the ANSI standards committee.

Mirror

WRITING A PRINT SPOOLER

atar1.st/tech #421, from sgr1mm (Steve Gr1mm)

I'm writing a print spooler for the ST (got sick of timer and a hook into the TRAP #1 vector. Anyway, I need to output a character to the parallel port during BIX • BEST OF BIX •

the interrupt; obviously I con't use a Cprnout() call. Do I need to do anything more thon store a 0x0F to the PSG Register Select (0xff8800) then put my dota to the PSG Write Data at 0xff8802? Thanks in odvance for ony help.

otari.st/tech #422, from json (Jez Son) a comment to message 421

You ore putting your own vector at TRAP #1, so you intercept all printed charocters before the OS gets them. You ore then buffering them and using the 200-Hz timer to (supposedly) output your buffered text on the interrupts to the printer.

When you put your vector into the TRAP #1 slot, you must hove revectored it back to the right place so thot all other traps will work, right!?

So, whenever you wanna print something, all you do is emulate what the TRAP would do, by jumping to the *old* TRAP #1 vector address, with the stack appropriate setup so that when the routine does an RTE, it will return properly.

If you want any help with this, lemme know.

atari.st/tech #423, from sgrimm a comment to message 422

I had thought of that. I wos just trying to speed things up a little by not bothering with an OS routine to do all my work for me.

atari.st/tech #424, from davjon (David Jones) a comment to message 423

I thought you weren't supposed to do OS-driven printer I/O from interrupt handlers. I remember seeing o message in this topic from jtittsler on colling BIOS from interrupts. I would have thought that GEMDOS calls would be entirely out of the question, as it's not supposed to be re-entrant. I think directly outputting the chars (not forgetting the handshaking) would be best.

otari.st/tech #425, from jsar a comment to message 423

You are only running every 200 Hz. The Printer Output OS call can't be that slow, can it?

Poking the Sound-Chip's registers to get printer output sounds like going a bit far, when all you want is a simple way of printing characters. Also, what if the User has selected Serial Printer in their options table. What then? You going to da your own Serial Driver too?

I still maintain that using the legit OS way of printing characters by going through the vector that TRAP **#**1 would have gone through (assuming you altered it) is the best way.

There may be a problem of nesting GEM calls too far, but at the 200-Hz interrupt rate. I suspect this will never happen.

Beware of interrupt routines that do OS calls, though.

atari.st/tech #426, from jsan a comment to message 424

What about Serial Printers? Who says anything about re-entrant code? That doesn't have much relevance, does it?

atari.st/tech #427, from davjon a comment to message 426


(continued)

NEW TIME IS MONEY... 10 MHz IS FAST!!!

FULL IBM PC-AT* COMPATIBILITY

IF YOU ARE TIRED OF WAITING FOR A 'SOMEDAY' PRODUCT OR YOU DON'T WANT TO BUY YESTERDAY'S TECHNOLOGY, THEN TREAT YOURSELF TO THE PERFORMANCE & FEATURES OF THE "WESTECH 286 TURBO'M" 10 MHz







HIGH SPEED INDUSTRIAL GRADE COMPUTER FOR:

- Industrial
- Engineering
- Medical
- University/Education
- Scientific
- Artificial Intelligence

QUANTITY DISCOUNTS AVAILABLE FOR QUALIFIED DEALER, OEM, UNIVERSITY AND CORPORATE ACCOUNTS.

Westech, Inc. (714) 474-6022 17781 Mitchell, Irvine, CA 92714

FAX (714) 553-0236 • TELEX 756731 Answer Back: Western Comp

Allower Duon, webstern Oor

Prices and availability subject to change. IBM AT is a trademark of international Business Machines Corporation. Westech 286 Turbo is a trademark of Westech, Inc.

• BEST OF BIX • BEST OF BIX • BEST OF BIX BEST OF BIX • BEST OF BIX • BEST OF BIX •

Well, suppose the interrupt occurred in the middle of a chunk of GEMDOS code, I would have thought that would cause a headache or two. I can't say I have tried using the printer from on interrupt, but I have tried using sound-chip BIOS routines - and they bombed out until I read the msg from jtittsler (#279 I think). Another problem you might have is if the buffering interrupt happened in the middle of a previous I can buffering call (say the printer's a bit slow). see that serial printers would be excluded, although you could directly poke the MFP chip. Isn't there meant to be a table of I/O driver vectors for LST and PRN devices? That would be easier to intercept than TRAP 1s.

atari.st/tech #428, from jsan a comment to message 427

Atari's HHG documentation does say that GEMDOS calls can be nested quite a few levels deep (6, I think). So I assume this to mean that if you're inside one GEMDOS So call call, and an interrupt occurs, you can at leost use Printer Output.

If you can't, then I'm even LESS impressed with GEMDOS. How else do they want us to do it?

atari.st/tech #429, from jim_kent (Jim Kent) a comment to message 428

It's hard to write 6-deep re-entrant code. Usually it's 1 or 2, make a big effort to get it to 3, or when it's infinitely re-entrant it gets simple again - just shove everything on the stack.

atari.st/tech #430, from davjon a comment to message 428

P'raps you're right, Jez, but I thought that only BIOS calls could be rested — printer buffering is not something I have done (or intend to do). Every buffering source code I have seen has used desktop accessory code to do the job, which is crude, but I suppose it works.

atari.st/tech #431, from jtittsier (Jim Tittsier) a comment to message 421

You need to be VERY careful if you intend to mess about with the PSG since the operating system is using it periodically to check on disk changes. Changing the register select and the output must be done atomically, lest your data go somewhere you had not intended.

Unfortunately, the state of the register select latch cannot be preserved. Also, in the scheme as you have defined it, you must also toggle the strobe bit (and hopefully check the printer status bit).

GEMDOS FUNCTION \$07

atari.st/tech #433, from dbetz (David Betz)

I wanted to upload my adventure writing system tonight, so I was trying to get rid of the last known bug. The adventure system displays a <<MORE>> prompt at the bottom of the screen when a single message contains more text than will fit on the screen with scrolling off. I implement this by printing the <<MORE>> prompt and then colling GEMDOS (or TOS) function #07 to wait for a character from the keyboard. I then return to



Richard S. Wiener

Covering Logitech, Modula-2, and Turbo Modula-2, Wiener offers high-level guidance to modular programming techniques, problems, and data structures. The complete reference for programmers, software developers, and engineers. \$19.95

C FOR PROGRAMMERS

L. Ammeraal

Focusing on those features of C that are not available in most other languages, this guide provides the experienced programmer with the specific information needed to quickly make the best use of C in advanced programming applications. \$19.95

PROGRAMMING EXPERT SYSTEMS IN PASCAL PROGRAMMING EXPERT SYSTEMS IN MODULA-2

Brian Sawyer and Dennis L. Foster For serious PC users, these are the first doit-yourself guides to planning, designing, writing, and implementing a knowledgebased expert system using either Pascal (UCSD or Turbo Pascal) or Modula-2 (standard or Turbo Modula-2), each with an authoring system developed by Sawyer and Foster. Complete with diagrams, tables, and easy-to-follow listings. Pascal/\$19.95 Modula-2/\$24.95

MODULA-2 A Software Development Approach

Gary A. Ford and Richard S. Wiener

"An excellent discussion of why you want to write programs in Modula-2 and a good intermediate text on the language."-Jerry Pournelle, Byte. Includes a special appendix on Turbo Modula-2. \$16.95

For a complete list of Wiley's computer titles, write to M. Schustack, Dept. 7-0225.

JOHN WILEY & SONS

COMPUTER B(0)(0) K(

Business/Law/General Books Division 605 Third Avenue, New York 10158-0012 Prices subject to change and higher in Canada.

WILEY PRESS

BEST OF BIX • BEST OF BIX

the program that does the printing to dump out another screen full. The problem is that after the first call to function #07, all subsequent calls seem to return the same character without waiting for the user to hit a key. The result is that you get automatic paging for one page and then everything else scrolls off the screen. Has anyone else noticed this behavior? Is there a bug in function \$07 or am I doing something wrong?

atarl.st/tech #443, from sak (Sai Magnone) a comment to message 433

I haven't tried it but that's the first I've heard of it. Have you tried calling GEMDOS(8) yet? It should be the same.

atari.st/tech #452, from neilharris (Nell Harris, Atarl Corp.) a comment to message 433

Make sure you read all the characters from the buffer BEFORE attempting each GEMDOS #07 call.

CONSOLE INPUT PROBLEMS

atarl.st/c.language #107, from padams (Potrick Adams)

Using DRI C68, we have discovered that a carriage return does not serve as a new line for console reads. It is necessary to enter a ^J (linefeed) to terminate the input. The problem is with fgetc reading stdin. Is there another function we can call?

atarl.st/c.language **∦108**, from jruley (John Ruley) a comment to message 107

Try rawcin (I cannot remember the function number - check your BIOS refs).

atarl.st/c.language ≇110, from chriskuku (Christaph Kukuiles)

a comment to message 107

The problem is known. It lies in fgetc or below. I'm working on the bug and hope to get it solved soon. I don't want to switch to another compiler just because of this bug.

atarl.st/c.language ∯111, from alex1. (Alex Leavens) a comment to message 107

Cconrs works, although you'll have to be careful. It's documented WRONG in the BIOS manual.

THE CASE OF THE MULTIPLE FILES

atarl.st/tech #461, from dbetz

Help!!

I just discovered one reason I was having so much trouble getting single-character input to work on the ST. I had SIX COPIES of int.prg on my floppy! What causes the ST to allow multiple files with the same name on the same disk and in the same directory (root in this case)? This is a *serious* problem. Does anyone know what causes it?

atar .st/tech ∰464, from wes.peters (Wes Peters) a comment to message 461

It seems that sometimes, if you Fcreate a file that already exists, GEMDOS doesn't delete the old file; it just creates a new one with the same name. I use my own 'open' function, which checks to see if the file exists, and if so, Fopens it; if not, Fcreates it. A bit slower, but no more duplicate files. The routine is quite simple and is left as an exercise for the reader. (I've ALWAYS wanted to say/write that!)

atari.st/tech #466, from mmallett (Mark Mailett) a comment to message 464 It's OK to write a new open() routine, but I have gotten duplicate files produced by various purchased programs, as well as from desktop operations. I don't have any control over that.

atarl.st/tech #486, from sprung (Ron Sprunger) a comment to message 473

Likewise here. I've gotten up to four copies of a file with the same name before naticing. It has happened from the desktop as well as from the C-Shell. It happens just seldom enough that my trust is built up, then it clobbers me - about every two weeks or so.

atarl.st/tech #494, from dbetz a comment to message 464

That sounds like a "workaround" for a bug in the operating system. In my case, it is the linker that is creating the duplicate file, so I have no control over how it does so. I suppose I could get my shell script to delete the target file before running the linker. but what about people who use the GEM environment? They don't have a shell to program that way.

atari.st/tech #495, from dbetz a comment to message 473

Is anyone building a list of bugs in GEMDOS? I'd like to see it. It seems there are quite a few for a system that has been committed to ROM! Is the ST ROM structured like the one in the Macintosh so that it can be patched? The Mac vectors most routines through RAM so you can do patching. Does the ST?

atarl.st/tech ∦498. from batterlesinc (Mark Skapinker. Batteries Included) a comment to message 495

I put up a list of bugs that I knew about, and yes, the ROM can be patched (as in the ROM patch from Atari for PLAYandRECORD). Weil, Neil, how about compiling a list?

atarl.st/tech #499, from sgrimm a comment to message 494

I've never gotten a duplicate file on any of my disks. Whenever one of my programs calls Fcreate, the old file Is overwritten. Perhaps everyone has an older version of TOS?

atar1.st/tech #501, from dbetz a comment to message 499

I am using a relatively recent 1040ST with TOS in ROM. I assume there is only one version of the ROMs, so I think I have the latest stuff.

atarl.st/tech #509, from sprung a comment to message 501

Neil asked about version also, but I'm using TOS in ROM and assume, as you, that there is only one version — if not true, would appreciate the info.

NAME SPACE CONFLICTS IN C

atarl.st/main #173, from davep [David Pollak]

[Editor's note: Message #173 was a long one dealing with the relative merits of various compilers. We pick up the thread with a response to a specific part of that message.]

atari.st/main **∦273,** from wes.peters a comment to message 173

I'm waiting for the Manx compiler or a good un*x clone with decent performance AND the capability of running (one) GEM application on the 'console.' By the way, the 'name space' conflict you're noticing with structure offsets is a part of the definition of the C language. K&R mentions somewhere (in Ch. 7, I believe) a standard of making every structure-member name begin with a two-letter mnemonic for the structure name so name space conflicts will not occur. A holdover from their PDP-11 assembler, I guess. Remember, it's been documented, so it's not a bug, it's a feature!

BEST OF BIX • BEST OF BIX • BEST OF BIX •

atar1.st/main #274, from wes.peters

BLT: Was originally implemented on the PDP-7, I think. It was an instruction for transferring blocks of memory words from one locotion to the other. Also, o sandwich containing bacon, lettuce, and tomato. From the 'Jargon' file.

atarl.st/main ∯275, from cheath (Charlie Heath) a comment to message 274

Re: 64K data areas. If you use offset addressing (like Aztec) you can address +/- 32K bytes.

atari.st/main #293, from mmallett a comment to message 273

You are quite right in saying that the "name space conflict" between different structures is upheld by K&R (page 197, to be exact). You have to keep in mind that while the K&R book is THE reference for the C language of its time, C has undergone a number of changes since 1978. At this point, ony compiler that does not maintain seporate name spaces for structure members has to be considered deficient.

Anybody know what the ANSI proposal has to say on this topic?

atarl.st/main **∦302**, from jim_kent a comment to message 293

ANSI soys you get seporate name spaces for separate structures. ANSI says void is cool. ANSI also says that:

extern putc(char c, FILE *f);

is not only compilable but will check your parometer possing for you.

Unfortunately, this last ANSI feature has yet to be implemented in any compiler I've found. The first two are quite common. Megamax C, Lattice C, (and hopefully soon on the ST) Aztec C all give you separate name spoces for structures.

• BEST OF BIX • BEST OF BIX • BEST OF BIX

atarl.st/main #303, from al (Alastoir Mayer, outhor of BIX's CoSy Softwore) a comment to message 302

The only C compller I've seen that *doesn't* give you separate name space for structures was on an old Berkeley UNIX release for PDP-11s. Caused o few headoches when porting some software to it.

atarl.st/main #305, from jim_kent a comment to message 303

You haven't seen the Alcyon one?

atarl.st/maln ∦310, from shersee (Steve Hersee, Lattice) a comment to message 293

ANSI requires separate name spaces for almost everything. BTW, the ANSI committee voted the standard out for internal letter ballot. This is a major milestone since, ance the letter ballot is possed, changes to the standard will take 2/3 vote, not majority. I will be commenting more about this meeting in c.language and lattice. Steve Hersee International Rep X3J11 IOS WG14 C standards convener

atarl.st/main #311, from shersee a comment to message 303


The OS-9 C compiler also does not support unique structure member names.

atarl.st/main #312, from jimomura (Jim Omura) a comment to message 311

The current 68K version does. The 6809 version doesn't.

atarl.st/main #313, from shersee a comment to message 312

At the micro show in Japan two weeks ago, the documentotion still listed this limitation.



atarl.st/maln #314, from jimomuro a comment to message 313

Peter Dibble, who has it, says the limitotion isn't there anymore. :-)

atari.st/main #315, from bmoore (James W. Moore Jr.) a comment to message 314

The Microware V2.0 68K C compiler *does* support unique struct names. The 2.0 release also allows up to 256 character identifier names, has PCC-like type checking warnings and a bunch of other goodies. I'd not consider the Japanese market representative of the state of the art at Microware. It takes a month just to send the update to Japan. After that, the stuff has to be translated and configured for the different machines. OS-9 updates in Japan usually lag the US market by 4-6 months. The V2.0 C compiler was released in March 1986. [K. Kempf]

IBM PC AND COMPATIBLES

The IBM conversations chosen for inclusion this month have a common theme: the display. The first thread begins with BYTE Consulting Editor Jerry Pournelle attempting to de-blink his cursor. The second concerns a snow-plagued screen and the effects of writing directly to the display adapter. The last thread answers the question: How do I change the default color on my CGA display? Finally, an omission from an earlier Best of BIX is rectified.

TURN OFF THE BLINKING CURSOR

lbm.pc/pc.software ≇1177, from jerryp (Jerry Pournelle, Consulting Editor, BYTE)

I don't get a chance to get here often, so I would oppreciate a positive answer copied into tojerry/queries.

Does anyone know a clean and elegant assembly language way to turn off the blinking cursor on on IBM PC and make it a transparent blob for using in wordprocessing programs?

lbm.pc/pc.software #1178, from skluger (Sigi Kluger) a comment to message 1177

The only way to unblink the cursor is by hardware modification. I have unblinked all the systems I use and it usually takes only 5 minutes. Somewhere on BIX I have written up exactly what to do - will have to find it. Also, it'll appear in MicroC some day. Oh, unfortunately, the only useful non-blinking cursor is an underline since there is no hardware to reverse the character beneath the cursor. That'll be another challenge, and one of these days I'll do it.

ibm.pc/pc.software #1179, from rschnapp (Russell L. Schaapp) a comment to message 1177

To kill the cursor entirely, you have to position it on the nonexistent 26th line, using the BIOS video interrupt. The code should look something like

MOV DX,1901H MOV AH,2 XOR BH,BH ;Set the page number INT 10H

If you want to leave the cursor on but kill the blinking, I'm pretty sure you'll have to cut a trace or two on the video board. (continued) COMPATIBILITY CAFFORDABILITY RELIABILITY CEXPANDABILITY IBM XT/AT COMPATIBLE COMPUTERS BY CAFTON COMPUTER INC. QUANTUM 286 TURBO

> Made In The USA



- IBM AT COMPATIBLE
- PHOENIX BIOS
- 8-10 MHZ SWITCHABLE CLOCK SPEED
- 512K UP TO 1 MB RAM ON BOARD
- 2 SERIAL PORTS 1 PARALLEL PORT ON BOARD
- 20 MB HARD DISK
- 1.2 MB FLOPPY
- **8 EXPANSION SLOTS**
- AT KEYBOARD
- 200 WATT POWER SUPPLY
- ONE YEAR WARRANTY

All For Only \$199500

QUANTUM XT TURBO

(Made in the USA)

- PHOENIX BIOS
- 4.77-8MHZ SWITCHABLE CLOCK SPEED
- 640K ON BOARD
 - SERIAL, PARALLEL AND CLOCK
 - AT STYLE KEYBOARD
- 360K FLOPPY
- 135 WATT POWER SUPPLY
- ONE YEAR WARRANTY

All For Only \$74500

Quantum XT 4.77 MHz. ... Call For Pricing

AFTON COMPUTER INC. (714) 863-6951

24825 Calle El Toro Grande El Toro, California 92630 Customer Service (714) 553-1701 Telex 756731

Prices and Configurations Subject To Change.

EST OF BIX • BEST OF BIX • BEST OF BIX •

BEST OF BIX
 BEST OF BIX
 BEST OF BIX

SNOW IN JUNE

lbm.pc/pc.software #1192, from aburnett (Andrew Burnett) I am having a problem with snow on my XT. I am trying to write directly to the video RAM so that the display will be updated fast enough. However, this causes a lot of snow to be produced. I am told that this can be overcome by writing only during horizontal and vertical blanks. Does anyone know how to do this in C or assembler? ibm.pc/pc.software #1193, from ucivms725 (John Leonard) o comment to message 1192 You need to set a loop that checks, waits for a video retrace, and then outputs your string to the video RAM. You must monitor bit 3 of I/O port \$3DA. When the bit is set to 1, then the video is retracing and you may update the screen. When bit 1 is set to 1, you may update the buffer (only on color monitors with more than 4K of screen RAM). A simple "while not - do" loop or o "repeat until" loop will work fine. Refer to the IBM technical reference manual or page 95 of Norton's Programmer's Guide to the IBM PC. A Turbo Poscol Example: while not ((port[\$3DA] and 8) = 8) do; This performs an empty loop while the proper bit is not set. I hope this helps. Ibm.pc/pc.software #1194, from jimkeo (Jim Keohane) o comment to message 1193 Very nice, John. Andrew might also want to check out assembler/cpu8088 #126 where I posted C-callable ossembler routines for block moves to/from CGA video. assembler/cpu8088 #126, from jimkeo o comment to message 125 >Wait for a video retrace. 1. For vertical retrace (30 times a sec) but you can move 40-100 words ot o clip: While (port[\$3da] and \$08 = 0) do; 2. For horizontal retroce (6000 times a sec) but you can only move a byte or a word at most on normal PCs: Here's assembler code for a C-calloble routine: m(@fromi,@screen,wards) ". Moves ottr/char's from offscreen to CGA regen oreo... : mem2scr(@memloc.@scrloc.words); segment byte public code ossume cs:code dsea proc near public dseg ax.ds mov ret endp dsea PROC NEAR PUBLIC m PUSH BP push ds push MOV es BP,SP bP,5P cx,[bp+16] di,[bp+14] es,[bp+12] si,[bp+10] ds,[bp+08] dx,03dah MOV mov mov mov MOV MOV cld slow: lodsw sti PC? push dX. cld al,dx slo: in test 01,1 inz slo cli

		in	al,dx	
-		test	al,1	
		jz	shi	
		рор	ax	
		stosw sti		
		loop	slow	
t		рор	es	
•		рор	ds	
		POP	BP	;get frame ptr
		RET	2.	return pop 0
	m	ENDP		
_	mm	PROC	NEAR	
)		PUBLIC	mm	
		PUSH	BP	
		push	ds	
		push	es	
•		MOV	BP,SP	
		MOV	cx,[bp+16]	
		mov	di, [bp+14]	
		mov	es, bp+12	
p		MOV	si,[bp+10]	
P		MOV	ds,[bp+08] dx,03dah	
		mov	ax,oodan	
	islow:	CIU		
	1310w.	in	al,dx	
		test	ai,1	
		jnz	islow	
	ishigh:			
		cli		
_		in	al,dx	
		test	al,1	
		jz	ishigh	
		lodsw		
		sti	1.00	
		push	ax	
	1	cld	al du	
	islo:	in test	al,dx al,1	
		jnz	islo	
		cli	1310	
	ishi:	UT1		
		in	al,dx	
		test	al,1	
		jz	ishl	
		рор	ax	
		stosb		
		sti	Sec. 1	
		Гоор	Islow	
		рор	es	
		pop	ds BP	reat from - +-
		POP RET	OF.	;get frome ptr
	mm	ENDP		;return pop 0
	code	ends		
	0000	END		

The "slo" loop waits til yer not in vretrace. "shi" then woits for start of vretrace. This is to give you the biggest window so you can store a word. "mm" routine moves from screen to screen.

CGA DEFAULT SCREEN COLORS

ibm.pc/pc.softwore ∦1202, from gilwilliamson (Gil Williamson)

OK, I give in. I've had this PC with CGA for 1.5 wks now, and I can't find the DOS command to put the default text color into something other than white on black, which I hate. How's it done?

Anyone care to recommend a nice assembler for the PC? This is an AT, if the extra copacity helps.

I'll be getting the Norton programmer's book. Anything else vital?

ibm.pc/pc.software #1203, from dondumitru (Donald Dumitru) a comment to message 1201

shi:

The INT 27 method only works for .COM files. The INT 21, function 31 method will work for .EXE files. Also, the function 31 method allows you to return an error code when "terminating."

• BEST OF BIX • BEST OF BIX • BEST OF BIX •

Microsoft wants you to use the newer method. When they make a recommendation like "is the preferred method," that's a hint that the unpreferred method may not work in the future.

lbm.pc/pc.software #1204, from skluger a comment to message 1202

As for as assemblers go, to be compatible with everyone else, MASM is probably the one to go with (ugh!). If you wont to make it easy on yourself by not having to declare 2 pages of stuff to write a 2-line program, you might wont to choose Digital Research's RASMPC/LINKPC/SIDPC combination. This has the neat advantage that any .EXE file created by them is totally incomprehensible to any debugger except SIDPC!

ibm.pc/pc.software #1205, from dondumitru a comment to message 1202

DOS does not have a built-in command to change the screen color. Take a look at the ANSI.SYS device driver for an easy method. Install ANSI.SYS with a DEVICE=d:\path\ANSI.SYS statement in your CONFIG.SYS file. Change your prompt to \$e[37;44m\$e[K\$p far whiteon-blue letters. (This is just an example - you should find your own preference.) Also, there are a couple of programs around that will change the default display color to...whatever. Look on your local BBSs, or ask some local friends.

I would recommend Microsoft's Macro Assembler 4.0. It, and the tools it comes with, are great. 'Course, this is just on opinion.

You should buy IBM's DOS Technical Reference Manual if you haven't already. It has bunches of impartant stuff in it, especially if you are going to be programming in assembly.

Ibm.pc/pc.software #1206, from gperfect (George Perfect, Byline Software Ltd.) a comment to message 1202

Gil,

If you have the ANSI.SYS driver loaded, the eosiest way to set screen colors is to include the ESCape sequences in your AUTOEXEC.BAT file. There was o message in the ms.dos conference with detoils. All info needed is in the DOS 2.0 reference monual.

We use the Microsoft assembler (MASM) V4.0 and find it quite adequate. It has a switch to generate 286 code if you wont. You can order it from Grey Matter or direct from Microsoft in Reading, MA.

CORRECTION

In the June Best of BIX, there was a discussion concerning memory modifications to the IBM PC XT. Unfortunately, some critical details of the modification were not mentioned. Here is one of the messages from that discussion, and mail from the author that "fills in the blanks."

ibm.pc/xt.hardware #112, from dondumitru a comment to 102

I have 640K on the motherboard - exactly as described in that modification. The modification involves (1) soldering a jumper between two solder pads (there just for the purpose of soldering a jumper to); (2) inserting a "decoder/multiplexer" chip into an empty socket (sorry, I don't remember the chip number); and (3) putting 256K chips into banks 0 and 1. Tada! 640K for minibucks. For an XT, this has to be *the* best way to upgrade your memory. For me, memory and the decoder/multiplexer cost around \$80. I had it installed in 45 minutes. [Ed. note: The multiplexer/decoder chip is a 74LS158.]

From: dondumitru To: curtf Subject: Question from Best of BIX

1) The jumper is soldered between pads 1 and 2 in the pad set labeled E2 - this pad set is on the power supply edge of the motherboard, next to the motherboard's power connectors.

BEST OF BIX
 BEST OF BIX
 BEST OF BIX

 The chip socket is U84 - which *should* be empty before the modification is installed.

Hope this helps! Donald

MACINTOSH

The Macintosh conference presents several interesting questions this month: There is a query regarding the existence of a DTR port on the Mac Plus. Then comes another on the performance of the Mac's stack pointers. The last two threads concern interaction with two types of formats, the PostScript page description language and the MacPaint graphics file. The Macintosh conference window closes with a letter in response to a previous Best of BIX.

A DTR PROBLEM

macintosh/softw.devlpmt #326, from cforrester (Christopher Forrester)

I am working on a project that involves the Mac receiving data on the serial port. As far as I can see the Mac did not support DTR. Does anybody know if this situation has changed with the Mac Plus?

macintosh/saftw.devlpmt #327, from rgelen (Richard G. Elen)

a comment to message 326

According to my notebook, the Mac Plus modem port has an 8-pin mini-DIN pin-outed thusly (lobeling pins from the top left, left to right, viewed FROM the machine):

1. DTR <---!! 2. DSR 3. TXD-4. GND 5. RXD-6. TXD+ 7. (nc) 8. RXD+

It's RS422, really. Hope this helps.

macintosh/softw.devipmt #328, from rgelen a comment to message 327

(Let's be more precise: labeled 1-8 from the top left, left to right, looking FROM the machine, where 'TOP' means the edge AWAY from the notch in the plug. i.e., the row of only two pins at the top.)

MAC STACK POINTER

macintosh/softw.devlpmt #336, from cforrester

Am I crazy! The following instruction in my program seems to produce some very strange results:

MOVEA.L 10(A1).A7

(continued)

at this paint 10(A1) contains CB5C. After the instruction has executed, A7 does contain CB5C but the twa bytes at CB5A and CB5B which contained D6 B4 now contain ED 4A. All this with one instruction!!

I am using TMON to diagnose the problem on a Mac Plus. HELP!!!

macintosh/softw.devlpmt #337, from hedges (Tom Hedges)

a comment to message 336

An interrupt occurred (without your knowledge) and pushed stuff onto the stack (decrementing the stack pointer first). You just set the stack to CB5C so the memory below that address is now the stack -- which was exactly what I supposed you wanted to do by setting the stack pointer to that location. Remember that the stock is used by the interrupt world ond one cannot hope for the data below the stack pointer to be preserved just because the bose level application code doesn't use that part of the stack.

macintosh/softw.devlpmt #338, from mcgoth (Gary McGath) a comment to message 336

Sounds as if a trap is being taken after that instruction; but then I'd expect more than two bytes to be clobbered. In any cose, CB5A is foir game for the stack once you've executed that instruction, and maybe TMON is using it one way or another.

POSTSCRIPT

mocintosh/qondo #362, from fronkb (Fronk Boosmon)

On Saturday, my boss and I decided to go through with on experiment in using PostScript; if it works out, it will turn into o long-term project. I spent all of today reading Adobe's PostScript Tutoriol and Cookbook, and I'm pretty excited about PostScript. It's an amazing vehicle for graphics production; I con see why it's become so popular.

Anyway, I hove o couple af questions about PostScript, and I'm hoping that some BIXen or friend of a BIXen will hove the onswers.

1) PostScript's default unit of measurement is 1/72nd of on inch, also known as a point, and as logical a measuring system for graphics as any. Since 1/72nd of on inch is the smallest unit addressable in this scheme, the thinnest line that can be drawn is 1/72" thick. Yet the LaserWriter is capable of producing 300 dots per inch, and can therefore produce a line only 1/300" thick (PageMoker does it, incidentally). It's not immediately apparent that PostScript's SCALE operator accomplishes what I'm after. How can I draw at the full resolution of the LaserWriter?

2) In the Cookbook, Adobe provides some interesting algorithms in PostScript for handling mundane tasks (like breaking lines af text) and interesting tasks (like using outlined text in a manner similar to QuickDrow's setting o clipping region). But there are only so many algorithms that con be placed in one book; I'm after as many as I can find. Where can I find interesting PostScript algorithms? Is there o user's group, o newsletter, or some other forum where people trade tips and techniques in PostScript?

To whomever answers these questions, thanks o lat!

mocIntosh/qando #365, from sroth (Steve Roth) o comment to message 362

You con always print o PostScript file to disk to see how Apple and Aldus drivers do it! macIntosh/qondo ∦366, from rschnopp (Russell L. Schnopp) o comment to message 365

Hmmmm. How do you get o Mac program to print PostScript files to disk? I know you con get MS Word to do it on the PC, but on the Moc?

mocIntosh/qonda #367, from frankb a comment to message 366

ST OF BIX • BEST OF BIX •

To sroth: nice ideo, but a spooled PostScript file produced from on application is olmost unreadable, consisting moinly of undecipherable abbreviations and the like. It's possible, using FEdit, to open up the LaserPrep and AldusPrep files, but I'm told they ore extremely difficult to decipher, being compacted, undocumented, and the like.

To rschnopp: to print a PostScript file to disk from any program, press Commond-F immediately after clicking "OK" in the Print dialog box.

It looks like I found the onswer to one of my questions, anyway: When specifying a point size for any drawing operation, real values con be used. A 1/300"thick line would be about .25 point. Silly me. I just assumed it was on integer value. Too much QuickDraw.

mocintosh∕qondo ∦368, from lioeb (Lorry Loeb) o comment to message 367

Isn't there o new "PostScript escape" font that ollows printing execution of PostScript files? Download 2.5 is an application from Apple that tokes PS files and stuffs them into o LaserWriter.

mocintosh/qonda ∦369, from jroble (Jonathon Roble) a comment to message 367

Does the Commond-F trick work for other programs?

mocIntosh/qanda #370, from frankb a comment to message 369

To lloeb: the PostScript Escape font isn't really being distributed; it was just mentioned in MocTutor. The ldea is to create a font of 1-pixel height and 0-pixel width. Type your PostScript program within a wordprocessing file, then convert the program to the Escape font. Voila! The Printing Manager sends it straight through to the LaserWriter.

To jrobie: yes, the trick should work with oll software.

MACPAINT FILE FORMAT

mocintosh/qondo #384, from bgifford (Bruce Gifford)

I om trying to create graphics and store them in a MacPaint file so they con be edited with MocPaint. I have two programs for displaying MocPoint files on the screen but both soy the files have a 512-byte header at the frant without giving any specific details. I have been looking for a week now for specifics of the MacPoint header format with no success. Any help or info as to where to find this info would be greatly appreciated.

mocIntosh/qanda ∦385, from ccrawfor (Chris Crawford) a comment to message 384

Do you really need to know what is in that header? I have written code that takes MacPaint files and plays with them extensively, and my code just ignores the header. It still seems to be able to do everything I want to do, so why bother?

mocIntosh/qanda #386, from mIcroprase (Russell Finn, MIcroProse Software) o comment to message 385

Inquiry 96

This is from memory, as I do not hove the appropriate document in front of me. With that said... the 512-byte header contains a pattern list, i.e., 38*8=304 bytes which represent the potterns defined for this document. (You con edit the potterns in MocPaint, remember.) Remainder is "reserved for future use," i.e., Bill A. couldn't think of anything to put there.

BIX • BEST OF BIX • R X • BEST OF BIX •

By special dispensotion, if those bytes are all zero, the "standard system pattern list" is used; this is what you get when MocPoint starts up. (In foct, it is PAT #0 in the system resource file. See IM I-473.) Therefore you con skip the bytes when reoding ond write a bunch of zeros without sweat. The document in question got sent out in one of the software supplements (Moy '85?), but the info is correct (borring neurol pority error). So is Chris -- just ignore the heoder.

macintosh/qondo **∦**387, from jrobie a comment to message 385

In fact, Apple's documentation on the MocPaint file format says thot you can go ahead and ignore the header. I have been doing just that in my programs, and they work fine.

mocintosh/qondo #388, from bgifford a comment to message 384

Sure appreciate your help. I wos under the mistaken impression there wos important data there such as drawing dimensions that I could generate. Just wishful thinking I guess. Thanks again and I will ignore the header in the future.

The Best of BIX is usually reserved for conversations taken from the BIX conferencing system. Helpful technical information can, however, transcend the limitations of a prescribed medium. As proof, a letter in reply to items in the July issue...

Dear Sir,

The July issue Macintosh section contains an exchange between Mr. Hoffman (macintosh/softw.devlpmt #223) and Mr. Crawford (macintosh/softw.devlpmt #224). The information presented in #224 is misleading.


TML and Lisa Pascal define the byte data type as a subrange 0.255. As such, it requires a word of storage except in packed structures (array or record). The 68000 requires word and longword items to be allocated on even addresses. Since the variable "testptr" is defined as a pointer to Byte, addressing exception processing is entered when a word-length memory access is attempted with "testptr" off.

The solution to the problem in #223 is simple, however. Use a data type requiring a byte of storage. The type SignedByte is defined as a subrange -128.127, and the compiler allocates such data in byte storage. Type Ptr is defined as a pointer to a SignedByte. The compiler generates byte addressing code when such data is accessed. It will thus allow addresses without addressing exceptions.

By simply changing Byte to SignedByte as the type of "testbyte" (and "Byte or Ptr), the code in #223 will work as desired. The complex alternatives offered in #224 are unnecessary.

J. P. Holden Beaconsfield, Quebec, Canada IBM PC AT performance! PCjr price!

★ AMPRO Little Board/186 8Mhz 16 Bit 80186 CPU 512K RAM—No Wait-States 2 Serial Ports 50-38.4K Baud Parallel Printer Port 4 Drive Mini/Micro-Floppy Controller • SCSI Bus Hard Disk Interface DOS Compatible ROM-BIOS Boots PC DOS 2.x, 3.x Computer Board Assembled and Tested with Tech Manual and DOS utilities...\$489 ★ DRI Concurrent DOS 4.1 Multi-User O/S...\$395 ★ Expansion Board for 512K (1Mb total) 8087-1 Socket, Real-Time Clock, 8530 SCC 2 Channel RS232/422, Buffered Expansion Bus and more ... from \$149 AMPRO Little Board (Z80) Same as 80186 board but Z80A CPU, 64K RAM, 16K EPROM, CP/M 2.2 & ZCPR3 and manuals...\$239 (\$279 w/SCSI) Enclosures w/Power Supply...from \$99 Mini/Micro Floppy Drives...call for current price . XEBEC or SEAGATE SCSI Drives-Low power 1/2 Ht Drive . w/built-in Controller 10/20Mb...\$449/\$599 Terminals: WYSE, QUME, KIMTRON ... from \$395 Power supplies, cables, connectors in stock Complete technical support. Complete systems available. Write or call for more information. Most orders shipped same day. VISA, MasterCard, Money Order, C.O.D. Checks allow two weeks. Purchase orders and bids welcome. Prices FO.B. Buffalo Grove, IL. IBM PC AT, PCir, PC DOS are trademarks of International Business Machines Corporation. Concurrent DOS is a trademark of Digital Research, Inc. Xebec Owl is a trademark of Xebec, Inc 356 Lexington Drive Buffalo Grove, IL 60089-2312 tlx: 650 249 2139 MCI UW (312) 537-7888 INC



(continued)

• BEST OF BIX • BEST



a message to our subscribers

From time to time we make the **BYTE** subscriber list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

> **BYTE** Magazine Attn: Circulation Department One Phoenix Mill Lane Peterborough NH 03458

≓Åγ

S-100

While most of the news in recent years has been made by the IBM PC (and compatibles) or one of the 68000 flavors, the S-100 bus and CP/M operating system have remained cornerstones of a "workhorse" system for many applications. The s.100 conference on BIX gives aid, advice and comfort to those who choose to use and work on the "boat anchors." The conversations in this excerpt all focus on a variety of disk problems.

514-INCH DRIVES UNDER CP/M

s.100/general #61, from w_smith (William P.N. Smith)

One of the major problems that several people of my acquaintance seem to have with running CompuPro Disk1-A ond 5 1/4-inch drives under CP/M is that no code exists to do such a thing. Viasyn advertises "simultaneous" 5 1/4-inch and 8-inch but doesn't provide a BIOS to drive them, and I know of no one else who does. I am about to stort writing code to talk to my 5 1/4-inch drives (probably using one 4K sector per trock, in multi-track mode, so that my DS 96TPI 5 1/4-inch ond my SS 8-inch drives will have the same capacity), but it looks like a long-term project, and I'd reolly rother not (at this time). Hos anyone written such code, or does anyone know where I might purchase such a BIOS already set up for this? The strange thing is that the Viasyn boot ROM for the Z-80 attempts to boot from a 5 1/4-inch drive on the third drive....

s.100/generol #62, from w_smlth

Has anyone played with the CompuPro Disk1-A floppy controller? Or the 765-type floppy controllers? I om trying to get it to talk to my 5 1/4-inch drives, and while it seems to format the trocks OK, when I try to read the tracks back, I get a status of: ST0 40H (Abnormal Termination) ST1 01H (Missing Address Mork) and no dato. Any ideas?

s.100/general #65, from jandrews (Jerry Andrews) a comment to message 61

Are you sure about that third drive boot? I've not got my BIOS written for my new 1-A, but that's the kind of glitch I'd like to know about in advance! I go through a 2-step boot anywoy, so it moy not be a problem. I set up the RAM disk as disk A; warm storts and such go REALLY fast! I keep WordStar and SuperCalc and dBASE on the RAM disk, ond every other application is o PUBIc file (AKA Dr. Dobb's). Sure does make switching back and forth from source code to editor fast!

s.100/general #67, from w_smith a comment to message 65

Dunno if you have tried it yet, but the Disk1-A boot ROM goes out and tries to boot from drive 0 as an 8inch, then drive 2 os a 5 1/4-inch, and loops on thot till you feed it a disk. I seem to be having some trouble with the basic I/O operations; the statuses I read from the format program I wrote seem to be 0K, but for some reason I can't read the formatted tracks. Do I have to actually write something first, or should I just be able to read the E5s off the disk? READ ID mode says things are 0K on both sides of the floppy, but READ DATA doesn't seem to transfer a single byte and gives me Missing Address Mark status. When you formot a track, is it formotted as deleted data? Maybe I'll try reading deleted data. The Compupro BIOS is kind of hairy to wade through, and there aren't any sources for their format program, so I _could_ be doing something wrong with the format process.

s.100/generol ∦68, from jondrews a comment to message 67

Uh... I've hod really lousy luck reading prefarmotted disks. Yau're woy ahead of me on the 1-A, though; I'm working an a set af database routines for the local YWCA, and hoven't STARTED on the BIOS. When I wrote my first, I got the disk read/write routines working by writing 01 through FF to the disk, then reading them bock out. That means you've gotto debug two routines ot once, but what the heck? Anather possibility (which I haven't tried) is to write a SSSD disk with your old BIOS then use it to debug the READ rautine first. I'd suggest on immediately recognizable pottern other thon E5. THAT could be read from onywhere on the disk. Don't you wont to know where you're reading from?

s.100/generol #70, from w_smith a comment to message 68

Wow, aren't you just a little warried about not having started on the BIOS? See, I don't hove ony copobilities on my current BIOS to write (or format) o 5 1/4-inch disk, so I had to write the format program first. Actually, I hod to write the SPECIFY, RECAL, and SEEK routines first, but who's counting? I con do a READ ID to ensure that I am where I wont to be, and thot works, it soys the first sector encountered is sector 1, track whotever, side 0 or 1, but when I try to read it... Should sector numbers start with 0 or 1? I've tried both woys. I hove chosen on easy format of one single 4K sector per track, so thot a double-sided 5 1/4-inch drive has the same capacity os a single-sided 8-inch drive. I intend to have a full track (cylinder) buffer of 8K in memory and move it off to another bonk in the future. My main problem now is thot I'm not reading anything at all, from anywhere on the disk. Just to have the thing dump E5s into memory would be a victory! Then I con worry about writing and verifying and such. Maybe I should toke up writing next and worry about reading later. At least I con tell if the FDC thinks it hos campleted the write.

s.100/generol #72, from jondrews a comment to message 70

Couple things...

1) Sectors go 1 to n. Tracks go 0 to 65535.

2) No, you're right to stick with o reod first. I haven't got any words of wisdom, but I'm sure interested in what you end up with (slaver, slaver).

3) Yeah, I'm worried about not starting on the BIOS. But this is a PAYING CUSTOMER! They get first dibs on my free time. I'm operating with (yer not gonno believe this) 1 each 8" DSDD floppy, ond 1 eoch 256K RAM disk 'till I get that BIOS wrote. Sigh. It's tough to be poor.

Sounds like you're writing a pretty sophisticated BIOS. I'm leaving buffers in RAM to rev 3. Are you running CP/M 3 or a 16-bit machine? I've not seen on 8K buffered system under CP/M-80!

s.100/generol #74, from w_smith a comment to message 72

Well, I'll let you know what I come up with, I think I read somewhere that with the Disk1-A, you ore expected to get on abnormal termination at the end of the track, cuz the FDC does not get a Terminal Count input at the end of the lost sector, but I'm not getting any data, and I think you ore supposed to get on end-af-cylinder overrun error or something. OOPS, I thought the BIOS

DeSmet C

now with 32-Bit Pointer Option

C88.....still \$109

The editors' choice for fast compilation and execution. The **price/performance winner** in all major C benchmarks since 1983. Includes Compiler, Assembler, Binder, Librarian, Execution Profiler and Full Screen Editor. Supports both disk and memory resident Overlays. Contains both 8087 and Software floating point support. Full STDIO library.

Large Case Option.....\$50

Makes a great C Compiler even better. Adds 32-Bit Pointers to C88 so you can utilize all of your PC. Groups scalar and static data for fast access. Supports the D88 debugger.

D88.....\$50

Gain most of the benefits of an interpreter while losing none of the run-time speed of the C88 compiler. Display C source and variable contents during execution. Set breakpoints by function name or line number. Examine and set variables by name using C expressions.

order direct from:

C Ware Corporation

505 W. Olive, Suite 767, Sunnyvale, CA 94086 U.S.A. (408) 720-9696 — Telex: 358185 We accept VISA, MasterCard & American Express



(continued)

Inquiry 80

BEST OF BIX • BEST OF BIX • BEST OF BIX • HIX • BEST OF BIX • BEST OF BIX • BEST OF BIX


was for your customer.... I've got 2 SSDD floppies and 64K of RAM, so I know what it means to be poor. The 5 1/4-inch drives are borrowed from my secondary machine for these tests. These things I'm trying may seem somewhat sophisticated, but I'm really taking the easy way out. By buffering the entire track, I don't have to worry about which sector to deblock. I don't expect to be able to use a few of my larger programs with another 8K chunk taken for my track buffer, but eventually I'm going to have to bank-switch some of these things to get my networking and track buffers (one for each drive in the final version, I hope). I just have a CPU-Z (Z-80) machine, but if I had some more memory and a couple of jdow's famous hardware hacks, I could do the bank-switching ond free up a lot of room in bank 0.

s.100/general **#7**5, from jandrews a comment to message 74

My current OS runs configured as a "standard" 48K machine. I don't think you'll have any problem missing that 8K chunk. And I gatta agree: buffering to RAM is lots easier than figurin' out what to deblock!

s.100/general #77, from jdaw (Joanne Dow) a comment to message 71

Have you tried read track commands? This should tell you what your format routine actually places on the disks. <^_^>



Specification

Model No.	No. of Slot	Space for 1/2 Height Drive	Power Supply (Watts)	Dimension D×W×H(cm)	Price
M-1*	0	1	50	30 × 15 × 6.5	\$139
M-2	3	3	100	42 x 25 x 16	\$299
M-3	5	3	100	39×30×15	\$239
M-4	12	2	100	40 x 39 x 14	\$289
M-5	0	2	45	39 x 18 x 15	\$149
M-6	0	1	50	26.5 x 18 x 13.5	\$169
M-7	5	2	100	38.5×30×13.5	\$299
M-8	0	2	45	39.5 × 18 × 13.5	\$149
M-9	0	2	60	38.5 × 49 × 9	\$249
M-10	8	4	135	43 × 49 × 14	\$239

*Extra space for a stand alone controller

EXT and RCV Adapters (interface Computers & Chassis)... \$149

ORDER TOLL FREE: (800) 826-0267 In California Cali (415) 651-3355 DEALER INQUIRIES INVITED SOURCE ELECTRONICS CORP. 45277 Fremont Blvd., Unit 6 Fremont, CA 94538 Telex: 279366 Fax: (415) 791-0

Fax: (415) 791-0935

s.100/general #78, from w_smith a comment to message 77

Well, Read Track on the 765 doesn't quite work the same as on the 179x, it reads all of the data from the track, and doesn't give you the format info and such. Worth a try, though, to see if I con get anything. Moybe Sunday if I get a free moment.

s.100/generol #79, from jdow a comment to message 78

Isn't there a 765 gaalog to the format operation? I thought there was a way to get it to simply read o whole track and forget about formats, etc. Hm, where's my data?

The words ore not clear, but I think all the read track command will do is read the data from sectors. It might work; but if it only reads ofter valid IDs the results will still be nil.

It apparently continues to read, however, so it is worth a try. I om suspicious when it says it stops when the number of sectors on a track have all been read or that the command terminates if no valid ID mark between two index holes. The more I look at that chip the more I like my 17xx/27xx family of controllers. They're dumber, but I can do all kinds of magic with them. <^_^>

A CRY FOR HELP

s.100/general #100, from uncleroger (Rager Louis Sinesohn)

O.K. Here's the situation: I've got a box/P.S./matherboard, which just come out of a working system. I've got a CPU 88/85, a RAM-16, on Interfacer 1(+?), and a Morrow DJDMA. So for, so good. Well, I put in all the boards, connect the DJDMA (a disk controller card, BTW) to a working Shugart 801 (ar 800?) 8" SSDD disk drive, and turn it all on. Nathing happens. I mean, the fans come on, and the power light goes on, and the drive starts spinning, etc., but the drive doesn't start ka-chunking or anything, and nothing happens on the terminal, etc.

So I change to different RAM cords.

Still no go. Different CPU. Still no go. The Interfacer I is new, as is the DJDMA.

Any suggestions? My only thought is that the DJDMA is bad. Could be. The jumpers on everything are set right. I can't figger out why it don't work. Arrggghhh!

Thanks in advance,

s.100/general #101, from w_smith a comment to message 100

Well, if you ore _absolutely_sure_ that all switches and jumpers are set right (On which board is the boot ROM active? Does the memory respond to Phantom properly? Is the CPU set up to jump to the proper address on reset? Is the disk drive set up and cabled properly? etc.), I would suggest taking your scope and looking at some of the basic S-100 lines to see what activity you have. Make sure you have all power lines within spec, the CPU is generating a clock signal, at least a few of the address and data lines are jumping around, and stuff like that.

One of the "problems" that I have with my 21-slot backplane is that if I spread the cards out (the logical way to load a cardcage), the timing or something gets off and the system will not work. Also,

Inquiry 285 for End-Users. Inquiry 286 for DEALERS ONLY. F BIX • BEST OF BIX • • BEST OF BIX •

Single New Quark / PC Board Computer

Inquiry 188

Base model 5.75" x 8"

Only \$

be careful that only one card in the system is generating MWRT. The most important part of my S-100 system is ANSI/IEEE Std 696-1983, I think it cost maybe \$10

s.100/general #102, from uncleroger a comment to message 101

Whoa! OK. As far as I knaw, all the jumpers & switches are set right. I will double-check them tonight. According to the DJDMA manual, it is supposed to load a bootstrap(?) program into the first bit of memory. (I don't have the manuals, or I'd check.) How do you tell if the memory responds to Phantom correctly? (I search I don't have the manuals have the correctly? (I meant, I dan't have the manuals here (at wark).)

Scope? The closest thing I have is a multimeter. I checked all the important pins, like it says in the CompuPro enclosure manual, and they all checked out OK. Some af the ones that are supposed to have around 2-3 volts had zero, though. Which brings to mind active termination. I dunno if I got it or not.

I will try moving the cards around and closer together.

What is MWRT, and how can I check it without a (I assume you mean an oscilloscope?) And what scope? is an ANSI/IEEE Std 696-1983, and where can I get it?

PS. I'm not all that knowledgeable about the technical aspects. (That's why I'm still in school.)

s.100/general #104, from w_smith a comment to message 102

Hmm, if you had the boards all out and checked the lines and none of the address and dota lines had around 2-3 volts, that means you have no termination, active or passive. This might be bad, as I doubt any of the boards you mentioned would have terminators, and without termination, you might get some interesting ringing. See if there are rows of resistors (and possibly a couple transistors and such) at either end of the bus. MWRT is a memory write strobe that can be generated in any number of places, but must be limited to one and only ane. Hmm, without a scope, you are just a bit hog-tied. I was going to suggest that you might get away with a logic probe, though that might be a pain. Also, as Joanne mentioned, the disk you are trying to boot from must be for your disk controller. Try turning off the power and moving the read/write head towards the center of the disk, then power it up and see if it seeks back to track 00.

As for the ANSI/IEEE Std 696-1983, that's the S-100 spec written up by the group that standardized it. I think it cost me about \$10 or so. Get an order form from an issue of the IEEE Spectrum magazine (they list available publications every 6 months or so) or write:

The Institute of Electrical and Electronics Engineers 345 East 47th Street New York, NY 10017

The spec will tell you everything you ever wanted to know about the S-100 bus. Note that this is also known as the IEEE-696 spec. Any board that meets this spec will work with any other board that meets the spec, but will work with any other board that meets the spec, but generic S-100 boards may nat (most prabably will, but there's no guarantee). Thus the larger S-100 companies are now all IEEE-696 compatible, whereas some of the little guys just sell S-100 boards. There may be some confusion abaut conformance vs. compatibility, but that's out of my league. I guess Joanne had the best idea, find yourself a guru with a scope. Then again, borrow a scope and make yourself into a guru!



ONLY Old Reliable

skette

1754

THE BUYER'S MART is a monthly advertising section which enables readers to easily locate suppliers by product category. As a unique feature, each BUYER'S MART ad includes a Reader Service number to assist interested readers in requesting information from participating advertisers.

RATES: 1x-\$475 3x-\$450 6x-\$425 12x-\$375 Prepayment must accompany each insertion. VISA/MC Accepted.

AD FORMAT: Each ad will be designed and typeset by BYTE. Advertisers must

furnish typewritten copy. Ads can include headline (23 characters maximum). descriptive text (250 characters maximum), plus company name, address and telephone number. Do not send logos or camera-ready artwork.

DEADLINE: Ad copy is due 2 months prior to issue date. For example: October issue closes on August 1. Send your copy and payment to THE BUYER'S MART, BYTE magazine, 70 Main Street, Peterborough, NH 03458. For more information call Karen Burgess at BYTE 603-924-3754

ACCESSORIES

Self-inking Printer Ribbon

For users of Okidets and other open spool ribbon pfinters. Controlled Printout Devices are a new kind of printing ribbon that re-ink themselves, and will last 15 times longer than the ribbon you are now using. For further information please call or write.

CONTROLLED PRINTOUT DEVICES, INC. POB 869, Baldwin Rd., Arden, NC 28704 (704) 684-9044

Inquiry 674.

PRINTER RIBBONS			
Guaranteed First Quality -	- Color	s Avail	able
Brice each in querry of	3	6	12
C. Itoh Prowriter Nylon	\$5.25	\$3.65	\$3.35
Epson MX/FX/RX 70/80		3.65	
IBM Proprinter Nylon	7.75	6.70	5.70
Okidata 182/192/193 Nylon	8.80	7.60	6.45
Brices Include delivery in Continental U.S.			J.S.
Printer Ribbon Supply			
POB 920145 • Norcross, GA 30092			
800-438-7745	in GA.	404-44	6-1547

SOFTWARE PACKAGING, DISKS Cloth binders & slips like IBM's. Vinyl binders, boxes, and

folders-many sizes. Disk pages, envelopes, & labels. Low qty. imprinting. Bulk & branded disks. Much More! Low prices. Fast service. Call or write for FREE CATALOG

Anthropomorphic Systems Limited 376-B East St. Charles Road Lombard, IL 60148

1-800-DEAL-NOW (312) 629-5160

Inquiry 656

COMPUTER SUPPLIES

Printer Paper, Diskettes, Printer Labels, Anti-Glare Screens, Printer Ribbons, Storage & Accessories, Surge Protectors, Cleaning & Maintenance Products. Send for our Free Price List and Check our prices before you Buy. Call or Write

> CALIFORNIA SUPPLY CENTER POB 143. Elk Grove, CA 95624

(916) 689-3037

Inqui y 669

FABRIC DUST COVERS

Our 5th year protecting computers and peripherals with heavy poly/cotton covers. BEST OUALITY — American made, custom work BEST SELECTION — 6 colors, 1300 styles BEST SERVICE — Fast, Toll Free, MCVisa BEST PRICES — \$8.95-\$36.95, Shipped Free BEST VALUE — Monogram or Screening available COVERS UNLIMITED POB 381076 • Germantown, TN 38183-1076 800-821-7709 or 901-754-4465

ACCESSORIES

- SOFTWARE PUBLISHING. GDS offers a wide variety of services that will help get your software to the market. Address your needs with GDS. • IBM style cloth/vinyl 3-ring binders/slips. • Labels, sleeves, disk pages, bulk diskettes. • Disk duplication with 100% varification.

- Shrink wrapping and product assembly
- Original wrapping and product assembly.
 Ouldk turn-around.
 A well packaged product can make the difference in making
 a sale. Call us now! VISA/MC.
- GLENCO DEVELOPMENT SYSTEMS(312) 392-2492 3920 Ridge Ave , Arlington Hts , IL 60004

Inquiry 699

DATA SWITCHES

Stop recabling forever, with our Serial or Parallel AB or X Data Switches. Two printers can share one comouter or two computers can share one printer or plotter, or modem, or monitor, or etc. Prices start as low as \$42.00. Send for our catalog or see our ads in May/July/Sept. issues. To increase your systems productivity today, call: 602-623-5716

Via West, Inc.

534 N. Stone Ave., Tucson, AZ 85705

Inquiry 758

FREE CATALOG

Outstanding prices on computer accessories for your computer and workstation. Our catalog features a wide selection of quality products to meet all your accessory needs. Call or write today to receive your free catalog.

LINTEK COMPUTER ACCESSORIES POB 8056, Grand Bapids, MI 49508 (616) 241-4040

Inquiry 718.

COMPUTER PROTECTION . UPS . LINE CONDITIONERS . ISOLATORS · MODEM PROTECTORS AC POWER INTERBUPTERS - HUNDREDS OF HINTS & PRODUCTS -FREE CATALOG 1-800-225-4876 ELECTRONIC SPECIALISTS, INC. 171 So. Main St., POB 389, Natick, Mass 01760 1-800-225-4876 Inquiry 690.

Quality PC Accessories!

Our NEW Catalog includes every Accessory ANY PC USER might wanti We have it All, from PC Stands to Monitor Pedastals, Travel Cases to Data Bank Watches, Switches/Cables to Chocolate Floppys, and even a PC Toolkit Simply call or write for a complimen-tary copy of our latest catalog. Our products, service, and guarantees are simply the finest.

Tipz Direct, Inc. Simply Call 1-800-TO-ASK-US P.O. Box 690, San Francisco, CA 94101-0590 1-800-862-7587 or 415-587-4067

ACCESSORIES

FREE CATALOG

Thousands of parts and new surplus electronic parts at super low prices. FAST ORDER PROCESSING AND SHIPPING (95% of all orders shipped within 48 hours)

CALL OR WRITE FOR A FREE CATALOG. ALL ELECTRONICS CORPORATION

POB 20406, Los Angeles, CA 90006-0406 1-800-826-5432

Inquiry 654.



Inquiry 678.



SPECIAL CARD ENVELOPES

At last Hard to find continuous tractor fed greeting card envelopes. If you are addressing Xmas/social card envelopes by hand, order our 500 pac of the most common size card envelope (5.25 x 7.25) and computerize. Fits 80 col. 1-2 pacs @ \$45, 3+ @. \$42, Send check/M.O. to:

WHEATON COMPUTER TOOLS Suite 555, 2444B Ennals Avenue

Wheaton, MD 20902

Inquiry 761.

BAR CODE

PRINT BAR CODES ON PC

Print Bar Codes and Large Text Labels on PC with Epson/Okidata/IBM Printers - Code 39, 1 2015, UPC, MSI, DOD-LOGMARS, AIAG. Text up to 1" tall. File input. Menu driven \$49-299. NEW! 8K Ram-Resident program prints bar codes from any user program or even word processor — \$179, (\$239 with large text).

Worthington Data Solutions 130 Crespi Court, Santa Cruz, CA 95060 (408) 458-9938

THE BUYER'S MART A Directory of Products and Services

BAR CODE

BAR CODE READERS

Program-transparent, Keyboard interface Bar Code Readers for IBM PC, AT and compatibles 4485. Other wedge readers for IBM 3180, 3178, 3278, 5251, 5291, and RS-232 terminals. Portable Bar Code Readers from \$325. Programmable Hand-Heid Portables \$1200. Free PC print program with reader purchase. 30 day money-back guarantee on all products.

Worthington Data Solutions 130 Crespi Court, Santa Cruz, CA 95060 (408) 458-9938

Inquiry 763

BUSINESS OPPORTUNITIES

VIDEO STORES

We need ambitious dealers in all U.S. states and Canada to market a powerful system to computerize video tape rental stores.

> WINCHESTER DATA PRODUCTS INC.

3301-Executive Drive., #204, Raleigh, N.C. 27609 (919) 872-0995

Inquiry 762.

COMMUNICATIONS

VT102/52 TEK4014 VT220

Our terminal emulators turn your PC/AT/jr into a full featured terminal. Features include: local printing, ASCII & KERMIT file transfer, softkeys, DOS key, AN-SI COLOR, 4014 graphics support. Guaranteed compatibility. Call today for free info packet.

General Micro Systems P.O. Box 5330, Hopkins, MN 55343-1553 (612) 944-0593

Inquiry 698.

DataTerm 8220

Now you can connect your PC with any Datapoint com-puter. Full 8220 emulation. File transfer, with DOS or RMS, under user or host control. Supports 501 o 19.2K baud, directly to MPCA or modern. Requires only an IBM compatible with an async comm adaptor. \$179.95 Visa/MC, Datapoint 8242 or 3600 terminal emulator and source is also available

LAN Comp Systems 14524 I.H.R., Issaguah, WA 98027 (206) 391-3725

Inquiry 716.

FAST ASYNC COMM SUPPORT Written in assembler * Interrupt-driven transmit & receive * Buffered I/O * Up to 6 channels * Inter-

face for HLL's * Extensive exception handling * RTS/CTS or XON/XOFF * Channels configured individually * Demo & manual included. \$149.

TEKSONIK, INC. 31 Granite St., Milford, MA 01757 (617) 478-0350

Inquiry 753

DATA/DISK CONVERSION

INCOMPATIBLE WORD PROCESSORS? We convert to and from: XEROX, DEC, IBM, LANIER, WANG, CPT, NBI, MICOM, CT, CP/M'S, MULTIMATE, WORDSTAR, WORDPERFECT, DW3, SAMNA. GUARANTEED LOWEST PRICES DATA CONVERSION INC. 6310 Cebellero Blvd. • Buena Park, CA 90620 (714) 522-7762 (800) 824-4851 in CA. (714) 522-7762

Inquiry 680

DATA/DISK CONVERSION

1,000 AMERICA'S MOST formats. ADVANCED DATA Tape, disk. mailing CONVERSION lists, wp, opt. scanning & custom FACILITY: reformatting.

Data Conversion Laboratory (718) 939-4921

Inquiry 679

DISK AND TAPE CONVERSIONS High quality conversion services for Dedicated Word Processors, Minl and Microcomputers. Over 600 31/2",

51/4", and 8" formats. Also 800-1600BPI tape, includ-5/4", and 8" formats. Also 800-1600BPI tape. Includ-ed: Wang, NBI, CPT, DEC, Vydec, Lanier, OS/8, Xerox, IBM Sys/34/36/38/5520, Mac, Victor, TRS, Apple, NSTAR, IBM PC/AT, HP, and most of the other microcomputers. We can convert directly into word pro-cessing software such as: DW3, WP, MS/WRD, WS, Samna, MM, PFS, and many others.

DATA FORMATS, INC. (408) 972-1830

Inquiry 681

Disk/Disk * Tape/Disk

Over 600 formats! 31/2, 51/4, or 8 inch disks; 9 track mag tape; 10 MB Bernoulli cartridge. Data base and word processor translation specialists.

> Computer Conversions, Inc. 9580 Black Mountain Rd., Ste J San Diego, CA 92126 (619) 693-1697

Inquiry 672

Read, write and format CP/M diskettes on an IBM PC or com-patible. Over 115 CP/M formats on the menu and you can add your own. Use Convert to copytext and data files (such as WordStar and Dbase II) between CP/M and MS-DOS. Or use it to manufacture CP/M diskettes. Only \$69 from Selfware, Inc.

Inquiry 671

CONVERSION SERVICES

Convert any 9 track magnetic tape to or from over 700 formats including 31/2", 51/4", 8" disk formats & word processors. Disk to disk conversions also available. Call for more info. Introducing OCR Scanning Services.

Pivar Computing Services, Inc. 165 Arlington Hgts. Rd., Dept. #B Buffalo Grove, IL 60089 (312) 459-6010

Inquiry 731

DUPLICATING SERVICES

BLANKET SERVICES

Diskette duplication • Packaging • Stocking/Drop shipping • 48 hour delivery • SUPERLOK copy pro-tection • No mastering fee • No charge for stan-dard labels • Place a blanket order with releases as you need them for any quantity at a fixed price.

Star-Byte, Inc. 2564 Industry Lane, Norristown, PA 19403 215-539-4300 800-243-1515

Inquiry 749

DUPLICATING SERVICES

WESTERN TRANSDATA, INC.

Why risk duplicating your important programs on your com-puter, when our equipment is designed solely to duplicate disks 8 verify their perfection 100%? Over 600 formats. 3½", 54" Plus serialization, copy protection, labeling, packaging, shrink-wrapping and fast, personalized service

WESTERN TRANSDATA, INC. 1701 E. Edinger Ave. A-4 Santa Ana, CA 92705 714/547-3383 (collect)

Inquiry 760.

DUPLICATION SOLUTIONS

DUP-LICATION SOLUTIONS MEGASOFT has the answer to your Diskette Duplication needs no matter what the volume. We provide "DUP-LICATION "COPY PROTECTION "TECHNICAL SUPPORT "PACKAGE ASSEMBLY & DISTRIBUTIVE SHIPPING. We supply "AUTOLCADERS "BULK DISKET-TES. We guarantee "QUALITY "100% SATISFACTION "EAST TI JUA APDI VIDIO TES. We guarantee *QL *FAST TURN AROUND.

MegaSoft

P.O. Box 710, Freehold, NJ 07728 1-800-222-0490 201-462-7628 (in NJ)

FLOW CHARTS

FLOW CHARTING II HELPS YOU! Preciseflowcharting is fast and simple with Flow Charting II. Draw, edit and print perfect charts: bold and normal fonts, 24 shapes — 95 sizes; fast entry of arrows, bypasses & connectors; Fast Insert Line; shrink screen displays 200-column chart; 40 column edit screen for detail work, much morel

PATTON & PATTON 340 Lassenpark Circle, San Jose, CA 95136

1-800/672-3470, ext. 897 (CA residents) 1-800/538-8157, ext. 897 (Outside CA) 408/629-5044 (Outside the U.S.A.)

Inquiry 729

GRAPHICS HARDWARE

HOUSTON INSTRUMENTS PLOTTERS HOUSTON INST HUMEN DMP 40/41842 (1 Pen, ABIC-Disze DMP-5//52/MP (C, Disze 1/14-Pen) DiG112ERS Summagraphics MM1201 complete GTCO M07-1212 complete Hitachn HDG-1111B Tgpr II wifstylus Houston 10-1011 wijpwerk Stylus Orchidi TurbeEGA & NEC Multisync \$968/\$2577 \$3881/\$5031 \$434 \$602 \$735 \$670 \$1220 Arist 1 & Misubishi 19¹⁷ monitor \$3113 Large corp. & Institutional POs accepted O.A.C. ARDEN SYSTEMS, INC. (213) 479-6707 ext.29 12335 Santa Monica BL #240, Los Angeles, CA 90025

HARDWARE

EPROM/EEPROM PROG. \$250 Programs 2716-27512, 25xx and 68764/66 eproms via RS-232. Also 874x micros and 28xxA & 52Bxx EEPROMs. Automatic baud rate select, built in help menus, no personality modules! 16 BIT I/O MODULE \$75 Low cost control via RS-232. Expands to 5121

INTELLITRONICS P.O. Box 3263, Tustin, CA 92680

(714) 669-0814

Inquiry 710.

68020 COMPUTERS

Upto 145 Mbyte RAM. 258K ROM. 30 users. DMA flop-py and SASI (SCSI), calendar/clock w/bat. backup, timer, real time multi-tasking, multi-user op. sys., basic. assembler, screen editors, spreadsheet. Fits PC type cabinet. Mem. Prot. option, more. From \$2195.00.

Other 68XXX computer systems from \$995.00. AAA Chicago Computer Center 120 Chestnut Lane - Wheeling, IL 60090 (312) 459-0450

CONVERT CP/M <--> MS-DOS 3545 Chain Bridge Rd., Suite 3 Fairfax, VA 22030 703-352-2977

HARDWARE

SANVO 550/555 USERS	
TURBO BOARD 7.2 MHZ	.\$ 95.00
20 MEG EXTERNAL HARD DISK SYSTEM	.\$749.95
VIDEO BOARD	.\$135.00
HARD DISK CONTROLLER (ST-506 COMPATIBL	
IBM BOARD ADAPTOR	
768 MEM. CLK. & EXPANSION BD	
(FREE RAMDISK, SPOOLER, & SOFTVIDEO	RUNS
IBM PROGRAMS)	
TAMPA BAY DIGITAL	
1807 Gulf-to-Bay Blvd., Clearwater, FL 33	575
813-443-7049	

Inquiry 751.



Z80" / CP/M" CO-PROCESSORS Plug-in co-processors for PC, PC/AT. Blue Thunder (5 mhz) \$19 \$199.50 Blue Lightnin' (9 mhz) \$595.00 Run CP/M software on PC as if MS-DOS software \$595.00 Diskette conversion included. Can run Intel ISIS software. We have cards for PDP-11 and VAX too. DECMATION 2065 Martin Ave. #110, Santa Clara, CA 95050 (408) 980-1678

Inquiry 684



Inquiry 689.

XT/AT COMPATIBLE HARDWARE	
ATI-1000 AT 8MHz M/B w/640KB*	\$829.
ATI-1000-10 AT 10MHz M/B w 1MB*	849.
ACS-1000 XT Turbo M/B* w/512KB/8MHz	395.
clock calendar 2 serial, 1 parallel port	
MITSUBISHI CGA MONITOR	279.
MITSUBISHI EGA MONITOR	399.
MAXI SWITCH XT/AT Keyboard	89.
TEAC 360K Floppy Drive	92.
ZUCKER Mono/Graphic Card	86.
"American Mede Mill PC HOUSE	
3706 Realty Rd. Suite 200, Dallas, TX 75244 (214) 2	41-5814

Inquiry 651

POWERLINE GREMLINS?? POWER FAILURES?? The MEIRICK STANDBY POWER SYSTEM is the TOTAL SOLUTION to your

400 watt system - \$449; 800 watt system - \$795

MEIRICK Inc., POWER SYSTEMS DIV. Box 298, Frisco, CO 80443 303-668-3251

HARDWARE

MEGABYTES OF MEMORY		
Lowest Prices Guaranteed in US. Dealer Ing, Invited		
Fully Populated 2MB M	emory Boards	
TALLTREE SYSTEMS -		
JRAM 2 \$299	OPEN 7	
JRAM 3 Aboveboard 369	DAYS A WEEK	
JRAM AT 369	M-F 9-8	
JRAM AT Aboveboard 419	S-S 9-6	
JDISKETTE 135 VISA	, MC, AE, CHOICE	
JLASER I 275	03-847-4740	
IMODULES CALL		
	00-642-2395	
Information and Technolo	gy Services, Inc.	

Inquiry 707.

PC WHOLESALE CENTE		
* 640K Mother Board (OK)	\$94.00	
* 5150 Keyboard Board	\$46.00	
* 150W Power Supply	\$56.00	
* Case	\$34.00	
ALL FOR \$230.00, CALL FOR OTHER ADD	ON CARD.	
SANFORD INC.		
10413 Rockley Rd., Houston, TX	77099	
(713) 879-0068		

inquiry 739.

HARDWARE ADD-ONS

RS-232 RS-422		
 Four Port RS-232 w/software 	\$34900	
RS-422/485 Serial		
• RS-232/422 with 24 Parallel I/O	\$19900	
RS-422 Synchronous	\$29900	
• EPROM/RAM .	819900	
A/D & Digital I/O		
Call About Custom Designed Board	s	
Sealevel Systems Inc.		
P.O. Box 1808, Easley, SC 29641		
(803) 855-1581		

Inquiry 740.

640K MotherBoard UPGRADE 640K memory without using an expansion slot! Allows easy insertion of 256k chips on the system board. 100% compatible. 30 day \$\$ back guarantee. Compag Portable & plus: \$29;\$99 with memory. IBM-XT, 3270 & Portable: \$39; \$109 with memory. IBM-PC: \$59; \$129 with memory. \$4 s/h. Site dis count. Dealers welcome

ARISTO

16811 El Camino #213-0, Houston, TX 77058 713/480-6288 800/3ARISTO

Inquiry 658.

APPLE COMPATIBLE PRODUCTS ile RAM/80 Column Boards, 64K \$39. 256K \$109. 512K \$139. 1.OMEG \$238. 256K-1.OMEG includes XMe PLUSWORKS Stwr. II+ 80 Col Bd \$49, Iie Keypad w/16 Keys \$39, II+/e Cooling Fan w/surge protect \$29,95, Add \$3 Shipping. Write for complete list.

NEXO DISTRIBUTION 914 East 8th St., Ste. 109, National City, CA 92050 (619) 474-3328

Inquiry 724.

HARDWARE/BLDG. CONTROL

POWERI INE MODEM CASH REGISTERS, ELECTRONIC SIGNS, PC'S COMMUNICATE over POWERLINE RS232C, GE/EIA Consumer Electronic Bus Protocol, Hayes Compatible, 64,000 unitson network, Data Com-pression, 1000 baud (HOMENET spec), 40 HOMENET commands, User Programmable Client Layer \$395. AISI RESEARCH CORPORATION Discovery Park, University of Victoria 3771A Haro Rd. Victoria BC CANADA VBW 2Y2 (604) 477-1415

Inquiry 653.

MAILING LISTS

Professional List Management ArcList — mainframe mailing list management for the PC/XT/AT. Capacity 20 million names, automatic zip and state verification, print any label, custom charts and reports, merge-purge with excellent near-dupe recognition, match codes, postal presorting. Nth sampling, much more. **\$595.** Demo disk available. Take control of your list. Call for free brochure.

Arc Tangent, Inc. 232 Anacapa St., POB 2009, Santa Barbara, CA 93120 800-843-5928 (in CA. 805-965 7277)

Inquiry 657.



COMPLETE BUSINESS SYSTEMS UP TO 50% ... OFF WE OFFER MORE THAN BOXES Specializing in AT&T Single & Multiuser Systems ATAT COMPAQ IBM PAINTERS MONITORS SOFTWARE PRICE AND AVAILABILITY SUBJECT TO CHANGE FCG Information Systems Inc. 11033 E. ROSECRANS, UNIT E, NORWALK, CA 90650 800-523-1789 213-929-8891

Inquiry 693

PROGRAM GENERATORS

WINDOW.LIB \$99. An easy to use complete windowing system for programmers
and writing in
BASIC IBM, M-S, CB86 C LATTICE, M-S . COBOL M-S, RMF PASCAL M-S, TURBO .
FORTRAN M-S, RMF dBase Clipper
Window editor included. Create callable pop-up menus, help
screens. The line selector features auto reverse highlighting and
cursor control. No royalties. Ask about our BIOS/DOS.
LIB.VISA/MC.
GLENCO ENGINEERING (312) 392-2492 3920 Ridge Ave., Arlington Hts., IL 60004
nguiry 700

PUBLIC DOMAIN

IBM, CP/M, MAC SOFTWARE

Over 2500 disks covering IBM/ PCDOS/ MSDOS, CP/M and MacIntosh. All major public domain user groups represented. Priced from \$5 (US) disk (even lower in quantity). Fast service, shipped around the world. Call or write for our FREE 32 page minicatalog of highlights.

CANADA REMOTE SYSTEMS LIMITED (1-800-268-2705) (1-416-231-2383)

Inquiry 670

→ PUBLIC DOMAIN SOFTWARE ← 50 AMICA DISKETTES - \$4.50 each. 25 ADAPI-ST DISKET TES - \$4.50 each. 430 IBM DISKETTES - \$4.25 each. 80 SANYO SSUESS DISKETTES - \$4.25 each. SAMPLE DISKETTE & CARLOG: AMIGA or ATARI-ST \$8 ppd IBM or SANYO \$5 ppd All prices Include FREE SHIPPINGI Visa/MC - No Extra Chargel 48 hr. Turnaroundi Phone Orders Welcomel Qual-ty Media Used

Computer Solutions PO. Box 354 - Dept. B, Mason, Michigan 48854 1-800-874-9375 (M-F 10-5 EST) 1-517-628-2943

PUBLIC DOMAIN

► SOFTWARE FOR PENNIES ◄

GET BEST AND LATEST PC-DOS. CP/M-80 AND CP/M-86 PUBLIC DOMAIN PROGRAMS FOR BUSINESS, PERSONAL, EDUCATION, SOFTWARE DEVELOPMENT, MODEMING, SCIENCE, AND MORE, AT LOW COST OF COPYING, 3-V9, 5-V4 AND 8" DISK FORMATS ARE SUPPORTED. SEND 8"5.00 FOR CATALOG. MULTIPATH INC

Box 395, Montville, NJ 07045 (201) 575-5880

Inquiry 722.

SOFTWARE A.I.

EXPERT SYSTEM LANGUAGE

If you can use a spreadsheet, you can use KNOWOL, the Knowledge Oriented Language, to guide people in solving problems. KNOWOL+ (Complete).....\$99.95 KNOWOL (Introductory)......\$39.95 Intelligent Machine Company 1907 Red Oak Circle, New Port Richey, FL 33553

(813) 844-3262

Inquiry 709.

OPS5 + for PC's & Mac's

OPS5 + by Computer*Thought Is a quality implemen-tation of OPS5 for IBM PC, XT, AT's & compatibles and the Apple Macintosh Mouse controlled, menu driven development environment \$1,750 single qty. (Substan-tial educational, VAR & corporate discounts). Mention BYTE & get a free mouse or \$100 off until 12/31/86

Distributed by JCL Systems ** 2508 Teakwood Ln. # 100, Plano, TX 75075 (214) 867-0962 VISA, MC, MO & Checks accepted

Inquiry 713

SOFTWARE ACCOUNTING

FINANCE MANAGER II - General Ledger A small business/personal finance package for IBM PC. Menu driven, easy setup, complete reports, budget, graphs, double entry, simple inputs, demo files. Tracks income, expenses, assats, liabilities, net worth. Evaluation copy with manual on disk for only \$10. Registered copy with printed manual \$85. Visa/MC/Amex.

Hooper International

Dept. B, P.O. Box 6009, Vancouver, WA 98668-6009 (206) 256-6361

Inquiry 704.

dBASE BUSINESS TOOLS Purch Ord/Invntory General Ledger Accounts Recvbl. * Accounts Payable Order Entry * Job Costing · Job Estimating Sales Analysis \$99 EA. + s&h w/dBASE 2, 3 or 3+ SOURCE CODE

dATAMAR SYSTEMS Cred. Card Check-COD 6809-B Convoy Court, San Diego, CA 92111 800-223-9963/CA 800-221-9964/(619) 278-8222

Inquiry 682

CPA's CLIENT WRITE-UP \$250

Now a low cost, proven system featuring complete general ledger with flexible report formats, statement of change, job cost and optional Lotus/dBase interface. After-the-fact payroll provides earnings records, state u/c, 941's, W-2's and 1099's. Runs on all IBM PC/XT/AT and compatibles with 256K. \$250 complete-including printed manual. MC/VISA. 14 Day Free Trial.

HOWELL ASSOCIATES 713-661-6652 4545 Bissonnet Suite 280, Bellaire, TX 77401

Inquiry 705

SOFTWARE/BUSINESS

OFFICE AUTOMATION SOFTWARE

Order Entry, Inventory \$49.95 each. Independent or in-teractive. Fast, accurate. Database sizes: 150 to 1000. Monitor up to 15 whee, Other configs avail. Order acknowledgment forms, inventory listings, & reorder level listings printed. Min. req: IBM PC or compatible, 1 DSDD 360K drive, 128K RAM memory, DOS 2.10 or later. MC/VISA, free shipping.

FutureSoft (216) 753-1336 P.O. Box 23005, Cuyahoga Falls, OH 44223-1100

Inquiry 697

PC-File III™ Version 4 Search, sort, browse, global changes, macros, making

labels, format reports with selection & calculations, subtotals, totals, averages, encryption. Exchange data with 1-2-3, WORD, WordStar, Over 190,000 users \$59.95 + \$5 s/h, For IBM PC.

ButtonWare, Inc. P.O. Box 5786, Bellevue, WA 98006 1-800-J-BUTTON

Inquiry 665.

PC-File/R"

All the power of PC-File III plus: Relational link to other databases, integrated letter writing & mailmerge, context sensitive pop-up help windows. New binary search retrieves data hundreds of times faster \$149.95 + \$5 s/h

ButtonWare, Inc. P.O. Box 5786, Bellevue, WA 98006 1-800-J-BUTTON

Inquiry 666.

The Andsor Collection™

Unique concept: creates complete, self-contained, window-based data management environment, in one DOS file. Simplifies everything. Combine functions to create your own solutions in any application: ca culations, database management, modeling, text processing, charts, data analysis, statistics, reports, labels, forms, presentations, mail-merge, etc. Simple enough for a PCjr, sophisticated enough for a PC AT.

SEE ALSO THE AD BELOW

The Andsor Collection"

From simple adculations, files, inquiries, to complex models, data structures, reports. SJ, erb 400 page hard-cover manual, with many examples, US 396 + 55 sA, 60 day money-back guarantee, VisalMC/AmEV/Chk/MO/CDD. Cal or write now to order. IBM PCX/I1AT/PC/I.28K +, one drive or hard disk, monochrome and/or color, DOS 2.0 +. Not copy-protected. ANDSOR RESEARCH INC.

181 University Avenue., Suite 1202, Toronto, Ontario, Canada M5H 3M7 (416) 364-8423

Inquiry 655.

DBASE III SOURCE CODE FOR HUMAN RESOURCES MGR. \$250 VIDEO MOVIE MGR. \$395 Runs on IBM PC or compatible. All modifiable. Demo diskette plus manual \$25. ORDER NOW! PC MASTERS, INC. POB 521, Lapuente, CA 91746

(818) 913-6100

SOFTWARE/BUSINESS

LP88-LINEAR PROGRAMMING

A powerful menu-driven system for solving linear programs will up to 510 constraints & 2510 variables. Features include inup to un consumo a convergence results include in convergence tractive & back operation, spreadsheets/yel inguit & colling, storage of problems & bases, Simplex Algorithm restart, report generator, sensitivity analysis, Req. (BM PC, 192K \$99 w6067 support, user's guide, VISA/MC. EASTERN SOFTWARE PRODUCTS INC. P.O. Box 15328, Alexandria, VA 22309

(703) 549-5469

Inquiry 687



Inquiry 694

PC-Write" Shareware

Fast, powerful word processor/text editor for IBM PC. Mailmerge, split screen, ASCII files, macros. Supports proportional printing, laserJet, 300 + printers. \$10 for all software, tutorial/guide on diskette. OK to copy. Register for manual/support, \$75. Full 90-day guarantee. Version 2.7 with spell check soon: diskette pair, \$18; register, \$89. Quicksoft (206) 282-0452 Visa/MC 219 First N. #224J, Seattle, WA 98109

Inquiry 737.

SAVE LEGAL FEES

157 time tested legal forms on disk, complete with menu driven system and editing and printing capability. Free copy of PC-Write word processor included. Forms writ-ten by a noted attorney and applicable nation-wide. \$129.95 plus \$7.50 shipping and handling. LegalEase™ HDG Software, Inc. 54 Whitney St., Sherborn, MA 01770 617-651-1881 800-628-2828 x 706 for credit card orders

Inquiry 703.

SOFTWARE/CHURCH

ROMAR CHURCH SYSTEMS™

Membership-61 fields plus alternate address; labels, letters, reports any field(s). Offering-256 funds; optional revers, reports any rend(s). Unering-256 funds; optional pledge; statements; post to 255 x/year. Finance-G/L with budget; up to 500 sub-totals & 99 depts: month & YTD reports anytime for any month. Size 2000 people/flop-py; 25000/10 meg. Ad too short! Write!


Romar Church Systems, Attn: BMB P.O. Box 4211, Elkhart, IN 46514 (219) 262-2188

Inquiry 738

Inquiry 695

Church Package

Parishioner Time, Talent and Treasure System pro-gram is written in modifiable dBASE source code. • Contributions • Disbursements • Ledger Names with mailing labels
 Personal information database.
Requires dBASE II or III. PC-DOS/CPM-80 \$200. **Feller** Associates 550 CR PPA, Route 3, Ishpeming, MI 49849 (906) 486-6024



SOFTWARE/GENERAL

GREAT SOFTWARE, CHEAP! Absolutely Smashing User Supported Software \$4.95 per disk. PC-Outline, PC-Write, DOSamatic, Commercial Unprotect, File Express, Cheap Assembler, Chess, utilities galore, many more. Money-back guarantee, IBM PC, PC Jr, or compatibles, FREE CATALOG.

PLUS SOFTWARE 33495 Del Obispo, Suite 160 M,

Dana Point, CA 92629

Inquiry 733.

AI FOR THE TOPSI IS A FULL VERSION C	
TOPSI IS A FULL VERSION C	
	OF OPS5 WHICH RUNS
UNDER MS-DOS, UNIX OR CP	M. A FAST, EFFICIENT
EXPERT SYSTEM DEVELOPM	MENT TOOL.
PROTOTYPING: \$125	
PROFESSIONAL: \$375	SHIPPING, ADD \$5
DYNAMIC MASTE POB 566456, Atlan	
(404) 565-0771	Telex #282923

MICroGANTT®

Control your project! You describe the work, MicroGANTT calculates the schedule and budget. Optimize the schedule interactively. Customize the reports Sub-tasking, fixed and variable co ts, multi-project resource allocation, unlimited size and cope. GANTT, PERT, CPM, DOD-7000. Call or write for free catalog. Earth Data Corporation

P.O. Box 13168, Richmond, VA 23225 (804) 231-0300

Inquiry 686

US\$6 ... INCLUDING DISK Over 2,900 + software titles for IBM-PC, Apple II, Macintosh, Latest titles, Lots of hi-quality manuals, VOLUME DISCOUNTS. IBM-PC Light Pen c/w software: \$65 640K motherboard c/w full RAM: \$200 PC mouse compatible: 365 Lot of bargains, ram chips, etc. ... Specify your computer type with \$1 note for our air-mailed catalog to: **MICRO-WORLD, Dept BYTE** Towner POB 310, Singapore 9132 REPUBLIC OF SINGAPORE

Inquiry 721

SongWright III

Music Processor for IBM Compatibles Prints quality lead sheets, songs, scores with text and symbols, multiple staves; transposes to any key; plays tunes, Screen graphics editor; IBM/Epson/Star printers, Send \$49.95 or write for free sample output.

> SongWright Software Box 61107, Cherry Creek, CO 80206

(303) 691-4573

Inquiry 745

FOOTBALL DATABASE

POINTSPREAD ANALYZER includes all NFL games since 1979, with won-loss stats and pointspreads. In seconds, see stats and patterns, 1996 schedule on disk new scores. De for new scores. Developed by Ph.D. statisticians. \$50 complete. IBM PC and competibles. MC/VISA.

POINTSPREAD ANALYZER 3104 Shattuck Ave., Berkeley, CA 94705 (415) 540-5072

SOFTWARE/GENERAL

CYBER_CAT catalog \$24.95 Somewhere among your 200 disks is a file you used 2 yeers ago. Cyber_Cat will find it in seconds. Cyber_Cat wil label, Index & catalog your disks. Including your hard disk and all subdirectories. DOS 2.0 or later, 2 DRV, PC/XT compatible or generic. VISAMC/CK FI. Res. add 6% tax. Postpaid in U.S.

CYBER_WARE Corp. 4411 Beerldge Rd. Suite 251, Sarasota, FL 33583 1-800-237-8400 x86 (813) 371-2157 In FL 1-800-282-1469 x66

Inquiry 677.

SOFTWARE/GRAPHICS

THE DGI ORGANIZATION -PRINTERS SUPPORTED

lets you easily manage your organization chaits. It is menu-driven for easy use. You can create, save, update and print or plot your organization charts. You can input up to 58 in-di iduals with four lines ofte t each, two title lines and a foct-note. For use with Appe III and BM computers and most printers or HP plotters. **\$95**.

DECISION GRAPHICS, INC. P.O. Box 2776-B, Littleton, Colorado 80161 Phone (303) 796-0341

Inquity 683.

TI PRO + TURBO + GRAPHICS UNLEASH YOUR TI PROWITH: TURBO 2.0 r 30 + TIGRátx. GRAPHICS, TURTLEGRAPHICS, MUSIC, SCREEN & CUR-SOR CONTROLS & more routines than IBM TURBO. Use BASIC PICS w/oreprog. Convert IBM code to TIPRO. Source & doc included. TiGrafix \$99.95, + TURBO \$149.95, + TURBO 8087 \$179.95. SWITCH TO TURBO NOW!!!! PROWARE, INC. 1023 SE 36th Ave., Portland, OR 97214 VISA/MC/CHECK 7AM-7PM MON-FRI (503) 233-4465

Inquiry 734.

3D TURBO GRAPHICS

ViewPoint quickly and easily generates perspective or paraflel plots from an arbitrary wew point on a variety of devices: IBM Mone & Color, Epson, Tektronix, Calcomp and HP. Helsed effect indicates hidden lines. Simple application integration. CAD, architecture, chemistry and engineering. Turbo Pascal source included. Only \$49 US. Call or write for more info. Berkeley Computer Software Ltd. 247 Parkglen Cres. S.E. Calgary, Alberta, Canada T2J 4M4 (403) 265-4111

Inquiry 660.

EGA CGA PGA HGC GRAPHICS GYDNGRAF HP like graphics ftns for Lattice C. Multiple plots/screen. Background EGA plots. Supports plot-ters. Limited PGA ftns. \$225 EGADUMP Resident graphic dump for EGA hi-res. \$49 GYDNFIT Graphic curve fit and statistics. \$99 + \$4 s&h Texas add 5.125%. Add \$50 for HERCULES. **GUYDON SOFTWARE SERVICES** 221 Ginger Lane, Euless, TX 76039 817-496-6639 or 817-540-1668

Inquiry 702

PLOT DATA OR FUNCTIONS

APPLOT is a sophisticated plotting program for Apple II computers. Data entry by disk, keyboard, or by typing in any function. Scaling and labelling are controlled by menus. Similar programs cost \$30, \$40, or even \$60, but APPLOT is only \$18.95.

Wesha Technologies 4911 S. Canyon Rd., Rapid City, SD 57702 (605) 348-0132

SOFTWARE/GRAPHICS

FORTRAN PROGRAMMER? Now you can call 2-D and 3-D graphics routines within your FORTRAN program. GRAFMATIC: 75 callable routines for screen output, \$135. PLOTMATIC: Pen plotter driver. \$135. For the IBM FC, XT, AT and compatibles. We sup-port a variety of completes, graphics boards and plotters. MICROCOMPATIBLES 301 Prelude Drive, Dept. I Silver Spring, MD 20901 (301) 593-0683

inguiry 719.

GRAPHICS PRINTER SUPPORT

AT LAST! Use the PrtSc key to make quality scaled B&W or color reproductions of your display on any dot matrix, inkjet, or laser printer. GRAFPLUS supports all versions of PC or MS-DOS with IBM, Tecmar, and Hercules graphics boards. \$59.95.

Jewell Technologies, Inc. 4302 SW Alaska St., Suite 207, Seattle, WA 98116 (206) 937-1081

Inquiry 714.

3D INTERACTIVE GRAPHICS

Imagine 2D and 3D graphics in real time at \$24.95. Keyboard support, construct images, create sound, Re-quired IBM PC/XT/XT/Compatibles, DOS 2.X, 3.X, CGA. Support 8087/80287. MS or IBM Fortran, Basic, Pascal. Demo \$5 apply toward purchase. Please add \$3 S/H. In TX add 6.125%. VISA/MC/CHECK/MO

Filtrex Research, Inc. P.O. Box 820425, Houston, Texas 77282-0425 (713) 556-5747

Inquiry 696.

SOFTWARE/LANGUAGES

Minnesota SNOBOL4 Language

Inquiry 661.

HYPER C COMPILERS	TOOLS
Apple II ProDos Professional	\$99.95
Macintosh	199.95
Macintosh programming tools with com	plate source coda:
Assembler & Linker	65.00
Triton Preprocessor	50.00
Multi-Window Text Editor	50.00
Macro Preprocessor	50.00
For further information/literatur	e contact:
WSM GROUP, INC. (80	2) 298-7910
P.O. Box 32005, TUCSON, A	Z 85751

Inquiry 764

MACINTOSH DEVELOPERS

Dramatically decrease development time. Elegantly crafted compiled library routines for easy implementation of Mac interface. Graphics scrolling and printing, text editing, zooming window and much morel PASCAL EXTENDER" \$89.95 C EXTENDER" \$129.95 INVENTION SOFTWARE CORPORATION P.O. Box 3168, Ann Arbor, MI 46106 313-996-8108

SOFTWARE/LANGUAGES

FORTRAN UTILITIES CROSS-REFERENCE UTILITY: Mainframe grade symbol x-ref listing for variables, subprogram calls and labels. Variable map shows type, length, alloc, scope, usage tag, etc. All FORTRAN 77 compliers. \$49.95 + \$2.50 SAH. UTILITY LIBRARY: Assembly language routines for screen, cursor, keyboard, time, sound, etc. MS/IBM and IBM Pro/RM FORTRAN compliers. \$39.54 + \$2.50 SAH. IBM PC with DOS 2.0 +. VISA/MC/MO/check (2 wks) PJN INTERNATIONAL

P.O. Box 201363, Austin, TX 78720 (512) 258-1235

Inquiry 732



Symbolic Profiler for Turbo Pascal Find out where your Turbo Pascal program is spending all its time. Only \$49 plus S&H: \$3 US/Canada, \$7 Europe.

KYDOR COMPUTER SYSTEMS 1701 Greenville Avenue, Suite 505 Richardson, Texas 75081

(214) 669-1888

Inquiry 715

SAVE OVER 50% ON SOFTWARE GUIDE

Lifeboat offers a comprehensive reference catalog of software development tools detailing over 200 of the top-rated programs designed for your needs. Call 800-847-7078 or send your check or M.O. for \$4.95 to:

Lifeboat Associates

55 S. Broadway, Tarrytown, NY 10591

Inquiry 717

SOFTWARE/SCIENTIFIC

► MATRIX 100 ◄

Perform multiple regression, solve simultaneous equations, in-vert matrices, etc. in BASIC or Fortran. "... very sounds rumerically... very powerki and very easy to use" -- ORMS Today 2/85 "Standord Business Software desenses congratula-tions" -- PC Mag. 51/14/55. Price \$80, 8087 support \$125, compiler support \$250, Fortran Ibrary \$175. (£4 s.6/). STANFORD BUSINESS SOFTWARE, INC. 2672 Bayshore Parkway, Ste. 304 Mountain View, CA 94043 To Order Call (415) 424-9499

Inquiry 748

Digital Filter Tutor \$375 Kalman Filter Tutor \$850

Practical hands on training courses that run on the IBM PC. Learn how to specify, design, tune, imple-ment, analyze, and test filters. FREE demo disk

Engineering Tutorial Software 22338 Luli Street, Canoga Park, CA 91304 (818) 716-0816

Inquiry 692.

SOFTWARE/SCIENTIFIC

Affordable Engineering Software CALL OR WRITE FOR FREE CATALOG Circuit Analysis • Root Locus • Thermal Analysis • Plotter Drivers • Graphics • Signal Processing • Filter Design • Report Proofreader • Transfer Function Analysis. **BV Engineering** 2200 Business Way Suite 207, Riverside, CA 92501 (714) 781-0252 VISA/MC

inquiry 668



CROSS ASSEMBLERS for VAX VMS and PC/MS DOS **New Low Prices** Relocatable Macro Cross Assemblers, Linkers, Librarians Targeted to almost all Microprocessors ENERTEC, INC. BOX 1312, Lansdale, PA 19446 215-382-0966 MC/VISA

Inquiry 691.

SOFTWARE/SCIENTIFIC

forMath@ text-formatter

- Equations, matrices, ratios, integrals, diagrams Macros, fonts, Greek/math symbols
- Hyphenation, secn/eqn/ref numbering
- dexes, table of contents, footnotes
- · Dot-matrix, daisywheel, laser printers, all monitors \$400. \$50 for demo

SHANTHA SOFTWARE INC. 50 West 97th St. Room 11N, New York City 10025 (212) 222-SNIP Touchtone toll free: 950-1088-weit-FORMATH

Inquiry 741

POP-UP HP-41 EMULATOR

Graphically presents HP-41 keypad and unique view of stack and registers. Binary, Octal Decimal, Hexadecimal display and input. 12 digit precision, 500 accessible registers. For IBM PC/XT1A rand cose compatibles. Stan-dard version & 8087 version \$74,95 (\$4 shipping and handling, plus sales tax in Calif.).

ECLIPSE LOGIC INC.

P.O. Box 2003, Huntington Park, CA 90255-1303 (213) 569-6020

Inquiry 688.

SOFTWARE/SORT

OPT-TECH SORT/MERGE

Extremely fast Sort/Merge/Select utility. Run as an MS-DOS command or CALL as a subroutine. Supports most languages and filetypes including Btrieve and dBASE. Unlimited filesizes, multiple keys and much more! \$149.

(702) 588-3737

Opt-Tech Data Processing P.O. Box 678 - Zephyr Cove, NV 89448

Inquiry 726

SOFTWARE/SYSTEMS

CPM-80 LIVES on your PC

- CPIM-dou LIVES ON YOUR PC CPI/Mulator puts a 4mbz 8 bit CPIM emulator in your IBM-PC for \$99. (\$3 s + h). A great 8 bit development system Saves expensive CPM-80 applications Increases PC speed 10% for 8088 programs Priced less than most software only products Uses no valuable board slots
 - P.O. Box 2974, Warminster, PA 18974

Phone (215) 441-8178 M/C

Inquiry 746.

VISA

SOFTWARE/TOOLS

Introducing CorrectForth 1.1b Programmeral Are you tired of waiting for your programs to compile? Tight, ROMable code without royaties. Want a procompart / tignt, Humable code without royalities, Wani a pro-gram development environment that produces fast code at the same time? Its unique features are: • Multitasking winn-terrupt service routine support. • 8068/169/288 assembler wisupport for the 8087/287 coprocessors. • Floating point package. • Megabyte address space. 90-day warranty, MS DOS compatible. All for only \$60.75. For more information and to order call:

Correct Software, Inc.

605-787-5904

Inquiry 675

STOP BURNING PROMS

Burn n' Learn is out The ROM* Simulator is In.
Plugs into your PC development system and simulates the
27xxx series ROMs. Features allow you to A(ssembly),
U(nassembly) and E(nter) changes to code under dev. direct-
ly in your system, trap and locate execution addresses. No need
to burn ROMs, code executes in RAM. The best low-cost dev.
tool you will ever buy. Use with any microprocessor or
microcontroller. Increase debug productivity 10 times or more.
DEBUG utili es avail, for all microprocessors. Pays for itself the
first time you use it. Order now at only \$895.00.
Protostar instruments (714) 662-7910
749 Grayling Bay, Costa Mesa, CA 92626
143 Graying Day, Costa Mesa, CA 32020

SOFTWARE/TOOLS

METRICS FOR MANAGEMENT ANALYZE reads your code & produces metrics on VOLUME, COMPLEXITY, PRODUCTIVITY & morel Management, QA/QC & Engineers gain valuable insight to scheduling, problem areas, testing, maintenance & compliance to standards. For IBM PC, Process FORTRAN & "C" \$495.00 + S/H. Add Ada for only \$200.00 morel MC/VISA AUTOMETRIC INC. 891 Elkridge Landing Rd., Suite 350, Linthicum, MD 21090 (301) 859-4111

Inquiry 659

PC-Type™

Fast, compact, capable & easy! Help panels, hands-on tutorial, macros, multiple-line headings & footings, DOS path support, print spooling, block operations, etc. ASCII files. Install program allows customization. \$59.95 + \$5 s/h. For 128K IBM PC.

> ButtonWare, Inc. P.O. Box 5786, Bellevue, WA 98006 1-800-J-BUTTON

Inquiry 557

TURBO TOOLS/UTILITIES

MODULIX Separately compiled libraries you cag in-clude in Turbo Pascal Break 64k code barrier. \$69.95. TRACIX An interactive equation compiler Draw curves on Linear and log scales. \$39.95. CLIX Key redefinition program with source code, \$39.95

Turbo Modulix Inc. 46 Fontenay, Lorraine, Quebec Canada J6Z-1R7 Tel. (514) 621-2722

Inquiry 756

PC TALLY

Monitor computer hardware, applications, printer use. Assign costs for allocation or billing. Measure keystroke, printer traffic, CPU usage. Track program and sub-program usage. \$59.95 (U.S.) + \$5.00 shipping & handling.

SRC Software Research Corporation 3939 Quadra St., Victoria, BC V8X 1J5

(604) 727-3744

Inquiry 744

STATISTICS

RATS! Version 2.0 RATS, the best selling Econometric software package nov includes daily and weekly data, a new easier to use 500 page manual, and many advanced features. Use RATS for time-series and cross-section regression, in-cluding OLS, ARIMA, VAR, logit, and probit. IBM PC or compatible. \$200. MC/VISA. Call for brochure.

VAR Econometrics, Inc. P.O. Box 19334, Minneapolis, MN 55419-0334 (612) 822-9690

Inquiry 757

STATISTIX"

\$75 - Satisfaction guaranteed A comprehensive, powerful, yet easy-to-use statistical analysis system for IBM PC/XT/AT's, Apple Il's, and MS DOS machines. Clear 200p manual. Write for Information.

NH ANALYTICAL SOFTWARE 801 West Iowa Ave., St. Paul, MN 55117 (612) 488-4436

Inquiry 725

STATISTICS

NUMBER CRUNCHER STAT SYS enu-driven. Multiple & stepwise regression ANOVA, time series, discriminant cluster and factor analysis, principal components, scatter plots, histograms, t-tests, contingency tables, non-parametrics. Import export data. Spreadsheet, sort, join, merge. \$79. IBM PC/MacIntosh. Quantity discount. NCSS-B 865 East 400 North, Kaysville, UT 84037 801-546-0445

Inquiry 723



Inquiry 706.

The Statistician includes: Multiple Regression (Stepwise, ridge, all subsets, backward elimination)

• Time series analysis • descriptive statistics • transformations • survey research • nonparametrics X-Y plots • ANOVA • random samples • data base
 data adilor • paarch & sort • hypothesis tests ata editor • search & sort • hypothesis teste For IBM, MS-DOS, XENIX, CPM, TRS-DOS. Please call

QUANT SYSTEMS TOLL FREE Box 628, Charleston, SC 29402 1-800-334-0854 803-571-2825 (Ext. 814)

Inquiry 736

UTILITIES

IBM - TOSHIBA PRINTER INTERFACE all extended capabilities of the TOSHIBAS available bit mapped graphics supported Prints all IBM extended ASCII characters screen dumps in tex and graphics escape sequences supported Popular software supported directly "Sideways" and "Pyxel Visuals" support dealers welcome \$79.85 (\$2.50 S&H) Integrated Data Technologies, Inc. 4775 Bunchberry Lane, Colorado Springs, CO 80917 03-597-5547 MC/VISA 303-597-5547 Inquiry 708

ZERODISK

ZeroDisk runs dozens of copyprotected business packages from your hard disk without floppies. Call for the latest ist of software it handles. Needs IBM AT, XT, PC, or compatible, DOS 2.0 or higher. ZeroDisk is revis-ed monthly and is not copy protected. \$75 US. Check or Credit Cards accepted.

QUAID SOFTWARE LIMITED 45 Charles St. E. 3rd Fl. Toronto, Ontario, Canada M4Y 1S2 (416) 961-8243

PAL FOR SIDEKICKI

Personal Appointment Locator automatically shows coming appointments, searches your file, maintains to do list, examines multiple files. Resident alarm tool Only \$49.95. Cheap at twice the price

PAL SOFTWARE Ste. 12B 110 Green St., New York, NY 10012 212-925-1843

UTILITIES

MEDIA MASTER PLUS

READ, WRITE, and FORMAT over 150 CP/M disks and run most CP/M-80 programs on your IBM PCI Two program package includes ZP/EM, a CP/M-80 emulator program that transforms your IBM PC into a 1-2 MHZ CP/M 2 2 computer. \$59.95 + \$3.00 S/H (CA 696) INTERSECTING CONCEPTS, INC. 4573 Heatherglen Ct., Ste. 10 Moorpark, CA 93021 (805) 529-5073

Inquiry 711

QUICKCACHE

Intelligent disk I/O mgmt. subsystem for PC/MS-DOS-2.xx & 3.xx. Capable of making programs run ug to 14 times faster. All parameters dynamically alfarable. LIM memory supported. 49 KB min. re-quired. \$49.95 + \$5 s/h. VISA/MC. 30-day quarantee P. R. GLASSEL and ASSOCIATES, INC.

30255 Fir Trail, Stacy, MN 55079 612-462-1337

Inquiry 727

SOURCE CODE LIBRARIAN & **REVISION CONTROL SYSTEM**

TLIB" keeps ALL versions of your program in ONE compact library file, even with hundreds of revisions.
 5 times faster than SCCS & LAN compatible
 Free public domain MAKE (with source) by L. Dyer
 MS/PC-DOS 2.x & 3.x. \$99.95 + \$3 S&H. VISA/MC BURTON SYSTEMS SOFTWARE POB 4156, Cary, NC 27511

(919) 469-3068 Inquiry 664.

PADLOCK/PADLOCK II DISKS

PADLOCK turnishes the user with a method for providing protection against unauthorized duplication from DOS commands \$99. PADLOCK II disks come preformatted with finger-print and serialization. PADLOCK II disks of fer superior protection. Ask about our HARD DISK pro-tection with uninstall capability. MC/VISA.

GLENCO ENGINEERING 3920 Ridge Ave., Arlington Hts., IL 60004 (312) 392-2492

Inquiry 701.

CONCURRENT DOS BACKUP

BackPack" runs like BACKUP/RESTORE and supports DOS and CP/M media as well as users. Backs up and restores up to 1000K/min. on an AT and 360K/min. on an XT. Supports release 4.1, Also available on CP/M-80 and CP/M plus. \$150.

Bright Light, Inc. 520 Fellowship Rd. #C301, Mt. Laurel, NJ 08054 (609) 778-0772

Inquiry 663.

STILL RIVER SHELL

Visual shell for PC/MS-DOS. Turns your directory into a menu. V1.33. Only \$9 for shareware diskette. \$35 manual & diskette.

Bob Howard PO Box 57, Still River, MA 01467 617-456-3699

Inquiry 662.

Inquiry 293



THE

2 SPEEDS TURBO SYSTEM FULLY IBM PC/XT COMPATIBLE 4.77/8MHZ




- 640K on Board RAM 2 Floppy Disk Drives
- Disk Controller Card
- 150W Power Supply
- FCC Type Slide Case
- 'AT' Style Keyboard
- 8 IBM I/O Slots
- 8088-2 Micro Processor
- 8087 Co-Processor Socket
- 4.77 MHZ/8MHZ Clock Selectable · Monitor and Display Card Not Included

Fully Assembled and Tested (Other Options and Configurations Available, Please Call.) \$59500

PINECOM AT SYSTEM FULLY IBM AT COMPATIBLE



- 8/6 MHZ Clock Selectable
- 80286 CPU 1.2 MGB Floppy Drive
- 200 Watts Power Supply
- Hard Disk/Floppy Disk Controller
- 512K RAM Expandable to 1 MGB
- Clock Calender w/Battery Backup
- 'AT' Style Keyboard





Inquiry 236

necom SPECIAL SALE ITEMS

20 MGB Hard Disk w/Controller (ST-225) \$39000
300/1200 Modem Card Hayes Compatible \$13500
EGA Card With Printer Port and 256K \$26000
Tape Back Up Irwin 10 MGB \$36000
3M 10 MGB Tape For Irwin\$2500
Logitech Mouse System With Software \$8500
Samsung T.T.L. Monochrome Monitor (Amber) \$8500
Mitsubishi RGB Color Monitor (12") \$26500
TVM 3 Way RGB Color Monitor (13") \$34000
V-20 Ny NEC Turbo Speed Processor\$1600
8087 Co-Processor Chip \$12000
Surge Protected Outlet Strips, Master On/Off Switch,
Power on Light, Circuit Breaker, 6 Outlets\$1800
Monochrome Graphic Card w/Printer Port\$7500
Color Graphic Adapter w/2 Composite Ports\$6500
Eprom Writer Card With Software Read, Write,
Copy Vertify Any Eprom 2716-27512
Joystick For IBM With 2 Firebuttons\$1600
Game I/O Card For 2 Joysticks \$2600

Send One Dollar For Our New Catalog

PINECOM COMPUTER INC. 9690 Telstar Ave., Suite 204 El Monte, CA 91731

Phone: (818) 575-1882 Telex: 5106017376 PINECOM Fax: (818) 575-1897

350

Compu\$ave Call Toll Free: 1-800-624-8949

A DIVISION OF ADLANKO CORPORATION

MONITORS		
Amdek310A 143 Amdek 725 .	. 529	
NEC Multisynch 589 PGS SR12	. 499	
Roland RGB 289 PGS MAX12 .	. 155	
Samsung TTL 85 Taxan 630	. 419	
Samsung 1251 72 Taxan 640	. 485	
Thom 31311SI 388 Taxan 760	CALL	
Thom 36382SI 369 Wyse 620	. 385	
Zenith 1230 92 Wyse 640	. 539	
Zenith 1330 419 Wyse 700		
Mitsubishi 6920: 19"/1024x1024	1795	
Sakata SC100: 13"/Color Composite	. 149	
Hitachi/Nanao/Tatung/Sperry		
MODEMS		
Anchor Volksmodem 12	. 132	
Anchor Lightning 2400/Software	. 299	
Anchor Volks 1200/Software	. 139	
Hayes Smartmodem 1200	. 368	
Hayes 1200B Half-Card/Software	. 345	
Incomm 2400/Upgradeable 4800 + .	. 295	
Prometheus Promodem 1200	. 275	
Prometheus Promodem 1200A (Apple)	. 185	
Racal-Vadic2400V& PC	. 399	
UDS 208A/B 4800 Baud	. 935	
US Robotics Courier 2400	. 378	
Zoom 1200PC-XL/RAM/Software	. 229	
AST/Codex/Novation/Rixon/Ven-Tel	CALL	

COMPUTERS

0011				
AT&T6300:128K/1	Drive			1329
Cordata 400: Portal	ble/2	Drives .		1099
Cordata 400: 2 Drive	es/Mc	nitor		1099
Cordata 400XT: Por				
Cordata 400XT: 20M	M Driv	e/Monito	JF .	1495
Laser 128: Apple IIE				
Sharp PC7000: Port	table/	2 Drives		1125
Sperry IT: 1M/44M	Hard	Drive		2899
TeleCat 286: 512K/2	OM D	r/Monito	Г., "	2349
TeleCat 286: 512K/3	OM D	r/Monito	r	2795
Toshiba 1100 + : Po	ortable	e/2 Drive:	S	CALL
Toshiba 3100-AT: P	ortabl	le/10M Dr		CALL
Wyse 1100: 640K/2	Drive	s,		995
Wyse286: 10MHz/6	640K/	1.2M Driv	ve .	1795
Wyse 286: 10MHz/640K/20M Drive 2149				
Zenith 181: Portable/512K/2 Drives 1675				
Altos/Olivetti/Clone	s		OW PF	RICES
TER	MI	NALS		
IBM 3164 Color	899	Altos III		565
Kimtron KT7				
Liberty Freedom 1.	379	Ampex 2	30	445
Link PC	445	Wyse 30		. 289
Qume QVT-101G .	293	Wyse 50		415
		-		

Televideo 905 . . . 289 Wyse 60

Televideo 955 . . 439 Wyse 85

Adds/DEC/Hazeltine/Visual/Zenith

469

438

CALL

PRINTERS/PLOTTERS				
Citizen 1200	. 182	Canon A60	. 469	
Citizen MSP10 .	. 265	Canon Laser	. 1935	
Citizen MSP15		NEC P6		
Citizen Premier .	. 475	NEC P7	. 609	
Cordata Laser	. 2175	NEC CP6		
Panasonic 1091	. 228	· ·		
Panasonic 1092	. 299	Okidata 292	511	
Panasonic 1592	. 415	Okidata 293	. 655	
Panasonic 1595	. 565	Star LV1210 .	. 179	
Toshiba 351 Col .				
Toshiba 321	CALL	Tally MT86 .	. 425	
Alps/Data Produc	ts/Diab	lo/Epson	CALL	
Fujitsu/Genicom/	Juki/Te	levideo/TI	CALL	
Houston/Ioline/F	loland	Plotters	SAVE	
Houston/Kurta/S	umma	Digitizers	SAVE	
Buffers/Cables/Sheet Feeders CALL				
Stands/Switch Boxes/Tractors, CALL				
DISK DRIVES				
Archive Scorpion 60M Tape Backup 795				
Gamma Drives/A	pple C	ompatible 🚛	. 119	
IOMEGA Dual 10	M Bern	oulli W/IF	1945	
IOMEGA Dual 20	M Bern	oulli Plus	4195	
Seagate 20M Hard Drive W/Controller . 386				
Seagate 30M Hard Drive W/Controller . 489				
Tandon 20M Hard Card (#1 Rated) 515				
OTHER FLOPPY AND HARD DRIVES Alloy • CDC • Corvus • Irwin • Maynard Maxtor • Mitsubishi • Mountain • Sanyo Panasonic • Priam • Shugart • Tallgrass Tulin • Teac • Tecmar • Western Digital				

AST Six Pack Premium/512K	349
ATI Graphics Solution	. 199
Orange Grappler + / Apple	69
Taxan 555 Video Card	. 169
Orchid Tiny Turbo EGA	. 589
Artist High Res Card	1449
PC Color Graphics Card	. 79
PC Monochrome Graphics Card	89
PC Multifunction Card/OK	85
Hercules Monochrome Graphics	188
STB EGACard	259
ParadiseEGA/Auto-Switch	. 375
Sigma 400 High Res Card	439
Tecmar EGA Master	. 265
Intel/Microtek/Persyst/Quadram	CALL
Practical/Thesys/Video 7/Vutek	CALL

BOARDS


239

AST Rampage/PC-XT . .

WE ALSO CARRY

Floppy Diskettes 51/4" DS-DD 9
Microsoft BUS Mouse W/Paint 109
PTI-85 Surge Protector (#1 Rated) 52
Cables / Chips / Disks / Graphics Tablets
Joysticks / Keyboards / Power Supplies
Labels / Mice / Stands / Surge Protectors
LOW PRICES CALL
The state of the second state of the

HOURS: MON - FRI 7AM - 6PM/SAT 9AM - 2PM IN ARIZONA CALL (602) 437 - 4855 CompuSave: 4207 S. 37th SL., Phoenix, AZ 85040/For Customer Service Call (602) 437 - 4856/Prices Reflect Cash Discounts And Are Subject To Change Without Notice/Minimum Shipping Charge \$4 Purchase Orders & Major Credit Cards Welcome



Brace Bambaum

BYTE • OCTOBER 1986

To Explore, Enjoy, and Protect

You and I share a great love of this earth.

The ocean's pounding surf, Spring covering the earth with that season's newness, a bird's song reaching out...and we are moved.

We enjoy the earth's beauty, its grandeur. The endless sweep of colors, and sounds, and everywhere, the excitement of life.

And we of the Sierra Club join together to protect the earth.

We invite you to join with us. To explore, to enjoy. To protect this wondrous earth. For all of us...forever.

For membership information, write Sierra Club, 530 Bush Street, San Francisco, CA 94108, (415) 981-8634.





Inquiry 94

B

DS-00

0\$-00

((100))

Boxec

\$610

\$680

Inquiry 305

DON'T MAKE A \$300 **MISTAKE!**

Recently a Customer Wrote ...

. I'm SICK! Friday afternoon I bought a \$300.00 data base manager from my local computer dealer. When I got home I found out my neighbor bought the same kind of program from you last week for six dollars. What's worse, I like your program better! Please send me your disk directory and the following disks ...

What can we say? Isn't it really about time you discovered that spending big bucks for all of those "glamorous-name" software products doesn't necessarily guarantee you anything but a thin pocketbook and a fancy copy protection scheme?

No Computerland won't tell you about us or our great software. But why make a \$300.00 mistake? Many of our \$6.00 packages will actually do everything better and faster than the great "Starword-dplus-4.5.6", and you can keep the difference.

Here is just a sample of our library by category.

WORD PROCESSORS

PC-Write 2.6 (#78) A full featured word processor that is faster than Wordstar. DICTIONARY (#378) Dictionary type spell-

ing checker ED (#415) Word processor - editor. LETTERWRITER (#415) controls letter pro-

cessing. PC TYPE (#455) Jim Button's contribution to a full fledged word processor.

SCREEN EDITORS

FOIL EDIT (#347) Full screen editor. Top to bottom and left to right.

TEXT PROCESSING TOOLS

FOGFIND (#378) reverses writing complex-

ity using the "Fog Index". WORDSTAR AIDS (#379) collection of the most useful utilities for the Wordstar user. PC OUTLINE (#414) Create and collapse and outline. Great for plans, essays, etc.

DATABASE PROGRAMS

PCFILE III (#5) most popular database pro-

gram from Jim Button. U-MIND (#133) Fast hashing makes this a dandy database. (Intelligent database) NEWBASE (#233) Menu driven database for

the beginner

PC-DBMS (#383) A relational database management system that provides on-line

help and screen editing functions. ELSIE EXPERT SYSTEM (#398) Artificial intelligence shell to build a custom knowledge-base.

PDS*BASE (#396) Complete hierarchical data base system master/detail or mother/ daughter type

WHEN YOU CAN BUY IBM COMPATIBLE

> SOFTWARE FOR ONLY \$6 A DISK

OVER 500 DISKS FULL OF PUBLIC DOMAIN AND USER SUPPORTED PROGRAMS

price, bar none

munications programs you can buy at any

PC-TALK (#16) The classic "Freeware" communication program. PC-VT(#286) VT-100 Emulation.

SYSCOMM (#338) Menu driven system allow-

RBBS 12.2 (#212) Become a SYSOP and

FIDO NET (#333) Bulletin Board System.

MATH AND STATISTICS

EPISTAT 3.1 (#88) Statistical analysis of

LANGUAGES

CHASM 2.13 (#10) Cheap assembler with

XLISP 1.4 (#148) Lisp language interpreter. MVP-FORTH (#31, 32) Two disk set of Moun-

3 FORTHS (#352) To modify or expand your

own forth language. MVPFORTH, FORTH-H and SEATTLE Computer's Forth.

PROLOG & UNIFORTH (#417) Complete with editor and documentation.

SNOCREST BASIC (#409, 410) two disk set.

Real basic interpreter with manual. Can be used with a multi-user system.

ESIE (#398) Build and generate an expert

PASCAL COMPILER (#424) Written in

P-BASIC (#381) BASICA work-a-like for

UTILITIES

DISKCAT 4.0 (#106) Catalog all your disk

GINACO (#66) 54 polished routines written

in basic for any beginner or experts. We love

ULTRA-UTILITIES 4.0 (#133, 245) Recover

lost files, modify sectors, etc. Like Nortons. SYSMENU (#250) Build a menu driven menu

system Excellent for hard disks. LOAD-US (#284) Allows Lotus and Sym-

phony to be used on a hard disk. PC-DESKMATES (#405) Better than Side-

kick and all of the rest of the memory resi-

TOP UTILITIES (#273) All of the most re-quested utilities on one disk.

NUMZAP (#284) Removes line numbers from

BASIC programs. HARD DISK UTILITIES (#478) A collection

of the best in the library. UNPROTECT (#414) Various routines to

dent desktop utilities. ALIGN 1.6 (#217) Disk alignment tool.

small to medium-signed data samples.

ing unattended file transfer.

Perhaps the easiest to run.

tain Valley Press Forth.

system in a flash.

Turbo Pascal

files in a hurr

CIRCLE DISK NUMBER DESIRED:

21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40

41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60

61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80

81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120

121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160

161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180

181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200

201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220

221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240

241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260

261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280

281 282 283 284 285 286 287 286 289 290 291 292 293 294 295 286 297 298 299 300

301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320

321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 335 337 338 338 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360

361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380

381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400

401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440

441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 450

461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480

5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

clones, etc.

start a bulletin board.

tutorial

CREATOR (#339) create, report, and sort makes this a super database management system

DATABASES

BOBCAT (#247) Small business database. Excellent

MFIND (#311) Database of over 2000 movies that can be searched in any category, or you can add your own.

SPREADSHEETS

PC-CALC (#199) Fabulous 123 work-a-like from the author of PC-File PC-PAD (#406) Spreadsheet and address

book program written in basic.

SPREADSHEET TEMPLATES LOTUS 1-2-3 TEMPLATES AND MACROS (#140, 141, 165, 257, 289, 301-304, 406, 414) Why spend hours of writing your macros when these are ready made? Modify them ourself

SYMPHONY WORKSHEETS (#305, 306)

FINANCIAL PROGRAMS

PC-CHECK MANAGER (#275) Keeps multiple checkbooks in balance. TAX FILE DBS (#295) Tax record keeping

System that saves you money on April 15. SAGE TRADER (#242) Analyzes commod-ity trades. Don't "short" this one! PORTSWORTH PACKAGE (#101) Evaluates

your ever changing stock portfolios. FINANCE (#164, 227) Determine present

and compound values, interest rates, etc. HOME FINANCE (#406) Lotus 1-2-3 Macros for real life applications

PC-GENERAL LEDGER 1.2 (#237) An exceptional accounting system. Used by some CPA's

TIME AND MONEY (#251) Financial record keeping and analist system. LOAN AMORTIZATION (#399) For output

to screen or printer. Lots-of on-line help. BASIK CHECKBOOK (#271) Keep track of

checkbook and personal finances. ACCU-TAX 1985 (#479) You can't buy a bet-

ter "commercial" program. MR. BILL (#469,470) Prepare invoices, client

report, audit trail, etc. ANALYTIC CALC (#430-432) 3 disk set.

Complete spreadsheet, database, graphics, word processor - fassst

COMMUNICATIONS

2 3 4

QMODEM (#310) The best and fastest comdisconnect protection schemes. ______

ORDER FORM LONE STAR SOFTWARE, INC. 2100 Hwy. 360, Suite 1204 Grand Prairie, Texas 75050 214/647-1010

TOTAL #		xs	6 = _
DISK DIRECTORY (Ex			6 = _
OTHER			*
	SUBTO	DTAL	-
TEXAS RESIDENTS A	DD 6%% TAX		Ξ.
SHIPPING & HANDLI			* _
(1 @ \$1.00 and .50 for each a	dditional disk)		
	т	DTAL	-
MASTERCARD			
CARD NO			
EXPIRATION DATE			
SIGNATURE			
DICACE	NCLOSE CHECK W		

481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500

1986. Lone Star Software, Inc. ------

PATCHES (#376) make back up copies of some of the most nonular commercial programs with this collection.

PRINTER UTILITIES

SP 3.4 (#186, 275) Printer buffer that partitions your data so you can use your compu-ter and print at the same time.

SIDEWAYS (#265, 411) Prints text sideways on an Epson printer.

SETPRTR (#79) Sets up Epson printer from a menu.

SLIDE (#244) produce medium resolution slides and overhead transparencies. PRINTER UTILITIES (#411) Sorgasboard of

utilities and tools. EPSON PRINTER UTILITIES (#326) Spool,

set up routines all designed for Epson codes. BANNER (#386) make long banners with large letters. Includes MS-FORTRAN source codes

EDUCATION

EQUATOR (#249) A teaching tool for math, science and finance.

PC-TUTORIAL (#403) A firstcoursein com puter usage covering various aspects of MS-DOS. Good!

PC-PROFESSOR (#105) Learn Basic the easy way. One of the best tutorials on BASIC

PC-DOS HELP (#254) type "help" for the

DOS command you forgot. FLASH CARDS (#367-370) 4-disk set. Vocabulary builder, spelling teacher. TOUCH-TYPE (#320) Advanced type tutor.

GAMES

TOP GAMES (#274) The most requested arcade type games. ARCADE GAMES (#293) Another goodie

bag of top Arcade games. TRIVIA GAMES (#327-329) Lots of files and

documentation for hours of fun. Will not work on PC JR.

PC JR GAMES (#354) Games that will work only on PC JR. Combat, dungeons and dragons, Global Thermonuclear War.

MISC. GAMES (#390) Good selection of educational, adventure, and arcade games. BIG FOUR GAMES (#272) Texas most pop-ular, STARGATE, ZAXXON, AIRTRAX, and DND

MUSIC

PC-MUSICIAN (#127) Compose music on your PC, save and play again. PIANO MAN (#279) Play your PC keyboard like a piano.

APPLICATIONS

GENEALOGY ON DISPLAY 3.0 (#90) GENEALOGY - FT 1.25 (#240) from Pine Cone software.

LABELMAKER (#146) Our favorite label file

and maker. Menu driven. PC-FLY "Fliteplan" 2.1 (#261) Pilots prepare

and file your flight plans. RECIPE 83 (#281) Recipe index for use with File III (#5)

FAMILY HISTORY (#361) Family history. ancestor and decendant charts. Sample programs

ORMLETTERS (#388) LOTS of samples of the most commonly used business letters.

Modify! HAM RADIO (#436, 437) Electronic good-

ies, design antennas, great circle, etc

GRAPHICS

PC-KEY DRAW (#344-345) A small CAD system. Lots of demonstration files. PC-PICTURE GRAPHICS (#136) Drawing package allows you to zoom, color. and store pictures.


PC-GRAPH (#418) Allows user to create graphics from PC-File report files

ORIGAMI (#408) Japanese art of paper fold-

ing. Graphics required. DRAFTSMAN (#400) Easy to use presentation quality. Mouse or keys









	Inquiry 36
ORDER T 24 HOURS 800-66	EVERY DAY 2-2686
	WARE
IBM COMPATIBLES 640K	WTERS Ram, Keyboard, 1 yr. war. us 20MB Hard Disk
PANASONIC Business & F	1
ATARI ST COMPUTERS	CALL
MODEMS, BO Anchor Lighting	ARDS, DRIVES FlashpakTurba Board 319 SikPakPus 384.X. 209 SikPakPus 384.X. 359 Above Board PC. 225 Above Board PS. 289 Above Board PS. 289 J.Rom 3/3AT 179/239 J-Loser 1 199 Protectical 1200 Multiboard.269 20MB Hord Disk Kirl. 30MB Hord Disk Kirl. 509 Filecord 20MB. 609 Hordcard 20MB. 679 Onboard 30MB. 869 Iorega 210H 1949
PRINTERS, PLOTTE EPSON-AI Models	RS & MONITORS Arndek600/722 429/519 NEC 1280 TL Mono
Houston Inst DMP-29 1799	Thompson 36432 RGB 309
-ACCOUNTING- BPI Accntng/Mod, from 309 BPI Enterprise/Mod, 429	DATABASE
Peachtree/Module	Porodox
WORD PROCESSING Valkswiter 3	— SPREADSHEETS — Lokes/Symphony
GRAPHICS Chartmaster	Macro Assembler. 90 Quick Basic. 60 Turbo Puscal Ver 3. 59 Turbo Puscal Ver 3. 59 Desqview. 59 Windows. 60 Carbon Copy. 117 Postback. 99 Inset
800-662-268 for Ca. Orders, Tech Su. 415-668-9350 9-5 Call or Write for Payment: (No Fee For Cree Cashler's Check, Personal Qualified P.O.'s California r SHIPPING: UPS ground-2% p orders.over \$1000. UPS Blue-	esidents add sales tax er order, \$5 min. FREE for SW 3% per order, \$7 min. FREE for nifers, Monitors, Disk. Drives, ges.
Price & availability subject 1	
THE BEST PRICES	BAY THE BEST SERVICE
COM 84 CASTRO ST., SUITE 487 S	PANY SAN FRANCISCO, CA 94114


584 CASTRO ST., SUITE 487 SAN FRANCISCO, CA 94114 a division of MCSS. Inc. Computer & Software specialists since 1981

Cleveland, Ohio 44146

Telex via WUI 6502820864



	1985	1986	Circle and send requests with payments to:
January	\$4.25		BYTE Back Issues
February	\$4.25		P.O. Box 328
March	\$4.25	\$4.25	Hancock, NH 03449
April	\$4.25	\$4.25	Prices include postage in the US. Please add \$.50 per copy fo Canada and Mexico; and \$2.00 per copy to foreign countrie
May	\$4.25		(surface delivery).
June	\$4.25	\$4.25	Payments from foreign countries must be made in US fund
July		\$4.25	payable at a US bank.
August	\$4.25	\$4.25	Check enclosed VISA MasterCard
September	\$4.25	\$4.25	Card #
October	\$4.25		Exp
November	\$4.25		
December	\$4.25		Signature
SPECIAL	ISSUES a	nd INDEX	Please allow 4 weeks for domestic delivery and 12 weeks for foreign delivery.
BYTE '83-'84	INDEX	\$1.75	
1984 Special		1 PC's	ADDRESS













\$395.00

\$465.00

\$ 65.00

\$ 75.00

\$85.00 \$120.00

\$215.00

356 BYTE · OCTOBER 1986

Inquiry 187

* FREE * Media-Mate Diskette Holder

(\$15.00 value) with purchase of Each 100 Diskettes from this ad (Brand Names Included)



Satisfaction guaranteed on all products.

(408) 435-3866

quiry 3	_
NEW DEALER	
SPECIAL	
XT-COMPUTER	QTV 2
640K MOTHER BOARO W/OK	69
256K RAM 135 WATT POWER SUPPLY	27 53
FLOPPY DISK CONTROLLER	27
FLIP TOP BOX XT/AT KEYBOARD	38 59
MONO/GRAPHICS/PRN (HERC)	54
TTL MONITOR W/SWIVEL (1) 360K FLOPPY	96 92
PARTS	\$535
ASSEMBLY & TEST	64_
	\$599
20 MEG HARD DISK W/CONTROLLER	425
AT COMPUTER	ФТУ 2
80286 MOTHER BOARD W 512K RAM	595
200 W POWER SUPPLY AT BOX W/KEY LOCK	98 79
SERIAL & PARALLEL CARD	65
AD KEYBOARD 1.2 M FLOPPY	59 129
FDD & HOD CONTROLLER CARO	225
PARTS	\$1,250
ASSEMBLY & TEST	150 \$1,400
30 MEG 40 MSEC HARD DRIVE	615
EGA CARD Ega monitor	295 449
XT PORTABLE	\$995
640K MOTHER BOARD	
640K RAM Multi I/O CARD	
CLOCK, CALENDAR,	4
SERIAL PARALLEL	
TWO 360K	
FLOPPY DRIVES MONO/GRAPHICS/PRN (HERC)	
DETACHED KEYBOARD	
135 W POWER SUPPLY PORTABLE CASE	
9" MONITOR, GREEN or AMBER	
ADD ON BOARDS - PARTIAL	LIST
XT-640K TURBO 4.77/8 MHZ W/OK	99
LOCAL AREA NET CARD W/SOFTWARE 384K MULTI-FUNCTION (AST 6 COMP) OK	249 69
MODEM CARD 300/1200 (HAYES COMP) DISK I/O 2FD CTRL, PRN, SER, CLOCK, CAL, GAME	149 70
AB SWITCH BOX W/64K BUFFER (1:2 or 2:1)	94
AB SWITCH BOX (1:2 or 2:1) Color/graphics/printer card RGB	29 58
ACS IMPORTERS	
ACS IMPORTERS 5311 DERRY AVE., UNIT A	





*IBM and IBM PC-AT are trademarks of International Business Machines



We pledge allegiance to low prices and superior technical service.

DISK ORIVES FLOPPY

Teac

FD55 8-V (hall height 514 360K DS/DD floppy) FD55 F/G-V (hall height 514 " 1.2 MB \$99 \$145 black or grey faceplate)

Toshiba ND G40 (hall height 51.4 " 360K

black lace plate, ND 04DEG (half height 514" 360K \$109 grey lace plate) NO 08DEG (hall height 53m" 1 2MB \$111 grey lace plate \$149

Fulitsu

\$85

\$395

\$345

\$499 \$545 1645

\$745

\$125

\$499

\$599

\$573

\$724

\$741

\$26

\$19

IRAM 2 WIOK

Half height 5% " 360K black lace plate lloppy

HARD DISH	DRIVES
Seag	ate
T225 20MB half height	65MLS
with controller card	
T225 20MB half height	65MLS
no controller card	
NEW ST238 30MB hall	height
65 MLS with controller	card
ST4026 20MB full heigh	1 30MLS
no controller	
ST4038 30MB Juli heigh	t 30MLS
an controllor	

ST4051 40MB Jull height 30MLS no controlle Western Digital controller card

Control Data

9415-86 86MB Jull height 30MLS \$1495 no controller

Disk Manager Software for formatting past DDS (33MB) \$100 TAPE BACKUPS

software cables and controller Tape Cartidges/Scotch 3M

DC-600A cartridge tape (up to 60MB capacity) DC-1000 cartridge tape for from tape drive

MEMORY MULTIFUNCTION ROARDS AST

SIXPACK PREMIUM 512 to 2MB \$356 Advantage w/128K (expandable to 3MB, S2.G for AT) RAMPAGE PC 256 to 2MB (EMS board \$356 RAMPAGE AT 512 to 2MB (EMS board BMHz) \$234 \$445

PCA (XT COMPATIBLE)	
640K, 4.77MHz, 2 floppies, mono-	
chrome graphics, P, TTL	
monitor, FCC app\$775	
PCA TURBO (XT COMPATIBLE)	
640K, one floppy, 20MB, P,	
S,S,G,C, 4.77 or 8MHz COOF	

MULTITECH 900 AT COMPATIBLE,

w/512K, keyboard, up to 5 half-height internal drives, 10 or 6 MHz Switchable, slots, 192 W supply, MS-DOS 3.1 FCC Approved. 1.2MB floppy, one year warranty. Monitor and Card—add \$129 Alloy network compatible

\$142

\$184

\$190

\$239

\$99

\$95

\$384

\$479 \$630

\$150

\$491

\$895

Talltree

Clone

MULTIFUNCTION I/D BOARDS

MODEMS

Hayes

Everex

US Robotics COURIER 2400 Baud Interna

NETWORKS

MULTI-USER

Alloy

PC-SLAVE/16 15 BIT SLAVE BOARD BOB8-2 (BMHz Processor, 2 seria ports, 1 Mb Ram)

(Parallel 2MB capacity) JRAM 3 w/OK (for PC, EMS board

up to 2M9 capacity)

JRAM AT w/OK (Parallel 2MB capacity)

up to 2MB capacity)

JRAM 3 AT w/OK (EMS board

6 PACK compatible w/S, P, C G w OK (up to 384K) w/software

DISK 1/O operates 2 Nopples and G. S. P. C.

SMARTMODEM 12008 INTERNAL

SMARTMODEM 1200 External

(1200/300 haud w/Smartcomli)

(1200/300 baud) SMARTMODEM 2400 External (2400)

EVERCOM Modem (1200/300 baud

AT I/O. Parallel Sena

(1200/300 ba

w/software)

or External

PAO, SEAGATE IS A REGISTERED TRADEMARK OF THEIR RESPECTIVE COMPANIES.

51550	512K mer floppy, Lic display, P,	
12 Slot Expansion Chassis 225 Wall power supply 20 RS-32 Slave Cable ATTX ALLOY TERMINA, WE EXECUTIVE SOFTWARE LINK RS-323 ASCII Termina 18M Keyboard	\$295	
DOINTERS JOIT		

Citizen (Epson & IBM Compatible) MSP-10 160/40 cps dol matrix narrow carriage MSP-15 160/40 cps dot matrix wide carriade MSP-20 200/50 cps dot matrix-narrow carriage MPS-25 200/50 cps dot matrix-wide carriad

\$307

\$414

\$347

\$520

5434

\$579

583

\$63

\$445 \$661

\$228

\$327

\$529

\$614

\$803

\$1850

Eoson

FX-85 160 cos, narrow carriage NLO FX-288 200 cps, wide carriage NLO LQ 1000 24 Pin, 180 cps NLO 60 wide carriage LQ 800 24 Pin. 180 cos. NLO 60 narrow carriage IBM

Proprinter Proprinter XL Wide Carriage Okidata

ML182 120 cps narrow carriage ML 192 160 cps NLQ narrow carriage ML 193 160 cps NLO wide carriage ML 292 200 cps 100 NLO narrow carriage color ML 293 Qual 9 pin. 200 NLO wide carriage color 2410/P/IBM 350 cps 175/85/wide

IBM PC w/256K, one floppy,	
4.77MHz	\$1150
IBM AT	
w/512K, 1.2MB floppy 6MKZ, 20MB	\$3295
w/640K, 1.2MB floppy 8MHZ, 30 MB	

AN

T

H

S

ſ

\$1025

\$727

\$442

\$1178

\$270 \$348

\$480

\$1071

\$408

\$799

\$286

\$448

8087-2

80287-8

80287

Inquiry 228

TOSHIBA T1100 LAP TOP 9 POUND PORTABLE COMPUTER

mory, 720K 3.5 inch quid crystal кво......\$1469.00

> Toshiba P-351 24 pm 288 cps wide carriage P-341 24 pin 216 cps wide carriage 180 NLO P-321 24 pin 216 cps narrow carriage P-351 C Color printer

Panasonic KXP1091 120 cps. NLO 29 cps KXP1092 180 cps. NLO 33 cps KX1592 wide carriage 180 CPS. NLO 38 cps

NEC P-5XL24 pm. 290 cps 100 NLO color P-6, P-7, 24 pm \$477/667

LASER PRINTERS **Hewlett-Packard** LASER JET PROFESSIONAL

\$2357 8 pages per minute LASER JET PLUS DPT \$3053 graphics/S/P interface

PRINTERS/LETTER UUALIT	T
Brother	
HR-15 17 cps	\$368
HR-25 23 cps TWINWRITER DOT MATRIX 140 cps.	\$615
	\$1063
M1509 180 cps/45 cps NLO	\$420

NEC ELF (18 cps) NEC 3550 (33 cps) Panasonic

KXP-3131 (17 cos) KX-P3151 Wide (22 cps)

MONOCHICOLLE LAGARD	nn -
MONOCHROME MONITO	
IMSUNG <i>TTL AMBER & GREEN</i> Adek 310A <i>TTL Amber</i> Rinceton Max 12	\$85 \$155
RINCETON MAX 12 TTL/000 PIXES	\$155
COLOR MONITORS	-
VM COLOR MONITOR.	-
Amb/Gr/640X200	\$299
Princeton Graphics	
14 EGA 14" Mullisync clone	\$516
X-12 31mm dot pitch, 640/240	\$442
X-12 E 640/350 EGA R-12 31mm dat pitch, 640/400	\$535
IGMA 400 H	\$460
Taxan	
40 720/400 31 dot pitch	\$506
55 16 color card	\$149
text/graphics N E C	2149
N E G Ultisync 15 75Khz to 35KHz	
horizontal scan	\$569
VIDEO DISPLAY BOARD	S
Hercules	
RAPHICS CARD monochrome	
w/parallel OLOR CARD color w/parallel	\$194 \$151
RAPHIC CARD plus text	2131
graphics	\$199
Clones	
VEREX colorimono 132 column	\$239
RAPHICS CARD monochrome w/parallel	599
COLDR CARD color w/parallel	389
TB EGA	\$305
BACK-UP POWER AN	D
SURGE PROTECTION	
Data Shield	_
00 W Backup Power Supply	\$615
300 W Backup Power Supply	\$693
1500 W Backup Power Supply	\$1427
Clone	
150 W POWER SUPPLY 135 W POWER SUPPLY	\$99 589
Curtis	
DIAMOND (SURGE PROTECTOR 6 OUTLET wall)	\$35
EMERALD (SURGE PROTECTOR 6 OUTLET cord)	
6 OUTLET cord) RUBY (SURGE/FILTER/6/cord)	\$45 \$58
Kinsington	
MASTERPIECE	\$97
MASTERPIECE - PLUS	\$131
CHIPS	
256K SET 128K SET	\$29 \$48
64K SET	\$10
8097	\$135

5135 \$150

\$185









is all you have to pay for the best 5.25" Double Sided, Double Density diskettes to be found! Each

SuperStarTM and DISK WORLD!TM do it again: super-premium diskettes at the lowest prices to be found anywhere ...without lies, fraud, hokum or crazy deals.

The "Life Is Simple" price list for first-line, top-quality diskettes:

5.25"SSDD (P/N38002) 5.25"DSDD (P/N38012) 5.25"SSDD - 96TPI(P/N38022) 5.25"DSDD - 96TPI(P/N38032) 5.25"DSDD - HD(P/N38042)\$	38 ea.
5.25" DSDD(P/N38012)	38 ea.
5.25"SSDD - 96TPI(P/N38022)	68 ea.
5.25" DSDD - 96TPI(P/N38032)	71 ea.
5.25" DSDD -HD(P/N38042)\$	51.36 ea.
0.501.0000/08/00050	
3.50" SSDD(P/N38052)\$ 3.50" DSDD(P/N38062)\$	1.39 ea.
3.50" DSDD(P/N38062)	1.45 ea.

All prices quoted are for multiples of 100 each. Add 10% for orders of 50 each. All 5,25" diskettes are supplied with TyvecTM sleeves, user ID labels and write-protect tabs. 3.50" diskettes are supplied with user ID labels.

Don't buy junk.

DISK WORLDI™ has always been the price and quality leader in diskettes. Our SuperStar™ diskettes are fully certified to at least 65% clipping levels, far in excess of the ANSI and IBM™ standard of 40%. Furthermore, SuperStar™ diskettes have jackets of at least 8-mils, as opposed to the 6-mil jackets offered by other low-priced brands. (And, believe us, jacket thickness makes a big difference in whether or not you will get read/write errors on your machine.)

whether or not you will get read/write errors on your machine.) SuperStar™ 3.50" diskettes are all licensed by Sony™ Corporation, the inventor of the 3.50" diskette standard, and meet their exacting standards. All SuperStar™ diskettes carry a FULL LIFETIME WARRANTY against manufacturing and material defects. Finally, all SuperStar™ diskettes are manufactured in the United States...not in Hong Kong, Taiwan, Pago Pago or other strange and exotic places where the standards of quality might not be quite as high. In short. SuperStar™ diskettes

In short, SuperStar™ diskettes are equal or superior to such famous brand names as 3m™. TDK™. Fuji™. Maxell™ and just about any other brand you can name! SuperStar™ diskettes simply cost half as much or less.

The truth about diskette prices, brand names and some other unpleasant facts of life.

There are exactly two kinds of diskettes: good and bad. The brand name...or absence of a brand name...on a diskette doesn't mean a thing in terms of quality. Neither does the price. For example, let's take a hard look at 3M[™] diskettes, a brand which we have carried for more than three years. During that time, we sold more than \$ 6,500,000 worth of these diskettes...and that's one hell of a lot of diskettes.

diskettes.

Until very recently, we were proud to market 3M™ brand diskettes. Now we don't advertise them and actively

discourage people from buying them. Why?

Well, here's a quote from the July 21, 1986 Business Week magazine (page 107): "The disks have been plagued by quality problems recently..."according to one industry

expert. And a radical change in 3M's pricing policies has resulted in exactly the same diskette being sold at prices ranging from 29 to 89 cents, depending on who you were. Not exactly a fair deal for anyone... except 3M's which, according to <u>Business Week</u> earned a mere \$73,000,000 in profits on magnetic media in 1985...mostly at your expense and ours while "(1)he diskettes have been plagued by quality problems recently..."

Counterfeiting and The Hong Kong Connection.

The Hong Kong Connection. If the life of a diskette purchaser weren't bad enough already, there are now two more problems to contend with. Counterfeiting is the newest game in town for the 'let's get rich quick' crowd. At least two mail order companies are currently operating very comfortable businesses offering 'famous brand name'' diskettes at unbeatable prices. The prices ought to be unbeatable, since these two companies simply take an inferior diskette and slip into a Tyvec™ sleeve which they have printed to be an exact duplicate of the 'Tamous brand name'', slap on a forged manufacturer's label to the diskette and make a very tidy profit...without regard to the harm they are causing the end user. Finally, there is now a wave of cheap, poorly made diskettes pouring in from the Orient, mostly Hong Kong. We are not talking about reputable brands such as Sony™ or Fuji™: we are talking about diskettes which are being turned out in sweatshops on outmoded equipment with little or no regard for quality control. They show up in this country under a

control.

control. They show up in this country under a variety of names at extremely attractive prices. Prices so attractive, in fact, that your savings on buying these diskettes may just about pay for the cost of replacing your drives after you use them for a while. **90,000 DISK WORLD!™ customers really tell the story.** DISK WORLD!™ serves more than 90,000 customers throughout the United States and now the world. More and more major corporations, universities and governmental

States and now the world. More and more maj corporations, universities and governmental bodies have switched over to our SuperStar™ brands because they recognize that SuperStar™...with DISK WORLD!'s integrity standing behind it...offer absolutely the best combination of HiGH-QUALITY and LOW PRICE.

in short, DISK WORLD!™ and SuperStar™ are unbeatable.

Over the past three years, we've sold more than 30,000,000 diskettes. Our return rate has been less than 1/10,000th of 1%. Those two facts speak for

themselves.

When every bit counts, it's SuperStar™!

We don't have to boast of imaginary factories employing "floppy phreaks", advertise diskettes for 396...if you buy 10,000 of them, offer "2 for 1" replacement guaranties or engage in any of the other hokum schemes designed to part you from your money. Nor do we have to offer you "famous brand name" diskettes at inflated prices that don't offer you any more in guality, but do manage to support fleets of corporate jet aircraft and executive retreats in Minnesota and Canada.

We simply deliver the best for less.

More than a million diskettes a month flow out of our warehouse under the SuperStar™ "non-name". As noted, fewer than 1/10,000th of 1% of these are returned for any reason. And that should say it all: SuperStar™ means far more for far less.

HOW TO ORDER: **ORDERS ONLY:** 1-800-621-6827

(In Illinois: 1-312-256-7140) **INQUIRIES:**

1-312-256-7140

FOR FASTEST SERVICE, USE NO -COST MCI MAIL. Our address is DISKORDER. It's a FREE,MCI MAIL letter. No charge to you. (Situation permitting, we'll ship these orders in 24 hours or last it.

Ship these orders in 24 hours or less.) SHIPPING: 5.25" & 3.50" DISKETTES-Add \$ 3.00 per each 100 or fewer diskettes. OTHER ITEMS: Add shipping charges as shown in addition to other shipping charges. PAYMENT: VISA, MASTERCARD and Prepaid orders accepted. COD ORDERS: Add \$ 5.00 special handling charge. APO, FPO, AK, HI & PR ORDERS: Include shipping charges as shown and additional 5% of total order amount to cover PAL and insurance. We ship only to United States addresses, except as shown above. TAXES: Illinois residents add 7% sales tax. tax

629 Green Bay Road Wilmette, Illinois 60091

WORLD!. I

FORTRON CORPORATION

IN CALIF: (415) 490-8171 TLX: 559291 FORTRON FAX: (415) 490-9156

3225 SELDON CT., FREMONT, CA 94538

ORDER TOLL FREE: (800) 821-9771

U.L. Rated • High Reliability • Full Technical Support



- U.L. recognized, yellow card available File # E-101115(S)
- Meet FCC class B, European safety spec.
 115/230V AC convertible
- Low noise DC fan
- OVP, OCP, short circuit protection
- IBM[®] standard pin out or Faraday type pin out selectable
- 100% 24 hrs. burn-in 100% pre-shipment test. One full year warranty

Your PC represents a substantial investment. It does not make sense to risk costly down time due to bargain power supply, when for a few dollars more you can have the confidence of FORTRON QUALITY.

tille is a requirered trademerk of intersectanti Businese Mach



PC/AT \$189.00

PROFITABLE DISCOUNT PRICES FOR SYSTEM INTEGRATORS & DEALERS – PLEASE CALL

		101 1 10 10 10 10 10 10 10 10 10 10 10 1		den direct		
FC 520 Color Grephic / Mano / Printer	FC 550 (CT-6040) Monochrome / Graphic / Printer	FC 730 (CT-6050C) 384K Multifunctions	FC 740 Multi-I/O w/Floppy Conte	\$109.00 oller	FC 1730 Multifunction Card for PC AT	FC 1930 RS232/Printer Port for PC AT
			- 1 EM-REZEC port (2-	週		
• 171. / composes lawel outputs • 320 = 200 (color) 840 = 200 (BAW) • Ceasonics Printer Port \$99.00	• 80x25 lext mode • 720x348 graphic mode • Run Lotus 1-2-3- auto cad, etc. • IBM® compatible \$99.00	• Memory expansion to 384K • Clock / calendar • Serial, parallel ports • Game port (OK) \$119	Control 2 Mappy drive Control 2 Mappy drive Control 2 Mappy drive	\$99.00	1 EIA-RS232 port (2nd optional) 128k to 1.5 MB memory Expandable to 3 MB (optional) by piggy back board Game port \$169.	• 1 EIA RS232 port (2nd optional) • Centranics parallel port 00 \$99.00
FC 940 RS232/Real Time Clock	Hard Disk Controller	FC 230 Floppy Disk Controlle	XT CPU Bo	ard	Modems \$149.0	OI LOUILE
+ B223C peri + To escol back + To escol back (cock only) \$48.00	Have Deta Coversiter for XT • PDC 5160 X • WORK2 (Watern Digute) • WORK2 (Watern Digute) • POC 6160 X • Offic State • Offic State	Drives up to four 5%* floopy drive BM compatible With cades \$59:	PC 150 (4,77 MHC) PC 150 (4 00 MHC) PC 150 (4 00 MHC) - Eupandative to 640K of - Eupandative to 640K of	WARD!	INTERNAL Hayes Compatible 1200 Baud\$148, 2400 Baud\$425.	FC 830 512K memory exp. card
	Graphic Adapto	r FC	RTRON 200		FC 447	FC 427 (5150 Type) \$79.00
w/o printer port			P.S. for PC	PC/	AT Keyboard	FC 437 (5151 Type)
For PC/XT/AT and compatibles Start on board menory Full 16 calcus in S40 z 300 and BAP and Bagger 140 z 350 Librit compatible on Parallel port = Light pen interface	EGA Monitor \$	459.00 459.00 - 119V / 220V AC - 200W consensor - 200W consens	ingus convertible 5 ang 6 10 anside some m 20 minutes (2001/1) up 15 1.46* \$259,00	• IBM AT comp • Enlarge ratur • Light primum	n bay n bay n bay \$109.00	• For PC XT • Large return key • Light on num. Rich keys • S99.00
	C	ABINETS & E	PANSION	CHASS	SIS	
FC 630 A-2 XT CHASSIS	FC 620 AT CHASSIS	FC 610 Drives Chesals	FC 640/5 PC Expansion \$380.0	Chasels	FC 650/8 Slots PC Expension Chase \$398.00	FC 660 / 12 Slots PC Expension Chassis \$438.00
			1			
For PC IT compatible side watch To use PC 135-80 power supply Complete mounting hardware \$79.00	For PC AT competities EED langs, key, key too, upsature and mounting functioner \$139.00	10" + 0" + 0" Constitut of noising 2 halt neight Come in / power tappity, tan LED power indicator \$14	W/S elect bue board 100W power supply Cogetile of helding drives Otel. 15%" a 12" a System interface ac		PC X7 identical size W/B size has based T40W power subjey A had-harpt detrois System interface adapter inclu-	Org. 15%" # 15%" # 5%" WF /12 diab box board, power bupply, MF /12 diab box board, power bupply, Capable of hotoling 2 hull-height, draft e Bystem interface adaptor includes
	4					
MONITORS \$89	.00 DISK DRI		e Back-Up	Printe	ers \$89.00	RAM CHIPS
Monochrome Tatung MM 1222 A / G Samsung Color Hi-Res (640 x 200	1.2 MB 55GEV .	\$109.00		, <u>, , , , , , , , , , , , , , , , , , ,</u>		- 64K RAM 811,00 / 0 pc. - 256K 820,00 / 0 pc. - 128K 64,00 / 0 pc. (for PC AT)
Tatung CM-1360 . • Enhanced Graphic (640 Tatung CM-1360 . Princeton HX-126 . Mitsubish EGA .	* Hard (w / controller & cable) 10 MB 0 x 350) 20 MB ST-225 .	a only \$579.00 Sysgen 60 only \$669.00 EXTERNA re only \$499.00 Sysgen 20	MB \$575.00 MB \$745.00 MB \$749.00 MB \$749.00 MB \$955.00	Admate DP-13 • 130 CP.S. • 80 columns • 9 x 9 dot mu • Parallel stan TTX-80. • 50 CP.S. • 80 columns • Parallel stan • Thermo prin	atrix field Idard interface	Terms: • Min shipping & handling \$6.00 • CA res add 6.5% rax • Resucching charge 15% • No trn goods w/a a RMA no • Proces subject to change w/a notice
				 Thermo prin 	ter	sector of cutured and optice

and the second		a second and a	
QUME DISK DRIVE DS, DD, 360K for PC	HARD DISK DRIVE \$349	HI-RES 640 x 262, .38 dot pitch, 16 color, RGB, non-glare COLOR MONITOR	SURGE/NOISE POWER STRIP UL Listed, U.S. Made
\$69 Teac FD55 BV 5109 Tandon TM100-2 109 1.2 MB for AT 5149	10 MB Kit	\$269 By Hitachi; includes cable!	\$12 (686666) (7)
Printers On Sale!	PC or AT Video Boards	RGB Color Monitors	lso-Bar
Citizen 120D 120 cps^198 Okidata 192 160 cps^339 Epson LX-86 120 cps^100 off Epson FX-85 160 cps^150 off Epson FX-286 160 cps300 off Epson LQ-1000 24 pin300 off Epson LQ-1000 24 pin300 off Epson EX-800 300 cps200 off Epson EX-800 300 cps200 off Epson LQ-2500 324 cps400 off 14 cps dalsywheel^179 22 cps dalsywheel^199 40 cps dalsywheel3429	Hercules Color Graphics^\$159 Jade Color Graphics\$89 Hercules Mono Graphics Plus \$199 JADE Monochrome Graphics _\$99 Quad EGA+\$359 Tecmar Graphics Master\$439 JADE EGA+\$239 PC Power Supply 135 watt power supply\$69 150 watt power supply\$79	Hitachi 640 x 262 *269 Magnavox 640 x 240 *319 Quimax EGA 640 x 350 *489 NEC Multisync 800 x 560 CALL PGS HX-12 640 x 240 *439 PGS HX-12 E 640 x 350 *529 Monochrome Monitors Jade green *99 Amdek 310A amber *149 Quimax 14" green T/S *139	These industrial quality ISO-BAR's contain surge suppression circuit- ry & built-in noise filters plus a 15 amp circuit breaker. 6 socket, 1 filter ISO-BAR44 4 socket, 2 filter ISO-BAR59 8 socket, 4 filter ISO-BAR59 200W standby power supply _*269 425W standby power supply _*299 675W standby power supply _*599 1000W standby power supply _*899
EPSON	DO Mouse	Quimax 14" amber T/S\$139 Thompson green\$99	1200 Baud \$129
HOMEWRITER 100 CPS \$189 PRINTER \$189	PC MOUSE 3 Button Mouse with pop-up software, serial99 PC Mouse w/Dr. Hato II919 Microsoft Mouse with PC Paintbrush software9129	Thompson amber \$99 PGS MAX 12E amber \$159 Microfazer Buffers Expands to 64K (Parallel to 512K) 8K Parallel in/parallel out\$139	Modem Internal 1200 baud card with software 129 External 1200 baud 139 Hayes 1200B internal card w/o software 3329 Hayes 1200B internal card w/Smartcom II 3359
384K Jade Seven Pak w/0K, p, s, c, c, g, software _*89 384K Jade Seven Pak with 384K installed*139 AST Six Pak Plus 64K*159 AST Six Pak Plus 384K*229 AST Six Pak Premium 512K_*389 AST Rampage 256K*239	High Speed APU Chips 8087-35 MHz *119 8087-28 MHz *159 80287-3 5 MHz *159 80287-3 6 MHz *179 80287-8 8 MHz *269 NEC V-20 5 MHz *11 NEC V-20 8 MHz *11	64K Parallel in/parallel out _\$164 128K Parallel in/parallel out _\$269 512K Parallel in/parallel out _\$499 Your choice: serial in/serial out; parallel in/serial out; parallel in/serial out; serial in/serial out; sallel in/serial out; serial in/parallel out. 8K\$169 64K\$199	Hayes Smartmodem 12005389 Hayes 2400B internal card w/Smartcom II549 Hayes Smartmodem 24005589 Kaypro Sale
AST Rampage 2 MB \$699 Tall Tree JRAM-3 0K \$189	NEC V-30 8 MHz16	Apple Accessories	Limited quantity. 10-day money- back guarantee—Call for details.
Tail Tree JRAM-3 2 MB \$599 Intel Above Board 64K \$279 Intel Above Board 2 MB \$599 AT Multifunction Cards 1.5 MB Jade-AT Pak w/0K, p. s, optional g, s \$199 1.5 MB Jade-AT Pak w/1.5 MB RAM installed \$399 AST Advantage-AT 128K \$349 AST Advantage-AT 3 MB \$399	20 MB HI-SPEED HARD DISK FOR YOUR AT Limited quantity \$399 30 MB Hi-speed	IIc ½ high disk drive ^{\$} 119 IIe ½ high disk drive ^{\$} 99 IIe, II+ disk drive ^{\$} 129 IIe 64K, 80 column card ^{\$} 179 II+ 80 column card ^{\$} 119 Grappler printer card ^{\$} 89 II+ 16K RAM card ^{\$} 39 II+, Ile printer card & cable ^{\$} 49 II+, Ile cooling fan ^{\$} 59	Kaypro 2000 \$995 Kaypro 10 \$795 Kaypro 16 \$1195 Kaypro 2000 \$0% off accessories 30% off Plotters \$399 HP 7470 2 pen \$899 HP 7475 6 pen \$1699
AST Rampage-AT 5 12K5469 AST Rampage-AT 5 12K5469 AST Rampage-AT 2 MB5749 Tail Tree JRAM-AT 0K5169 Tail Tree JRAM 3-AT 0K529 Tail Tree JRAM 3-AT 2 MB599 Intel Above Board 128K5399 Intel Above Board 4 MB51299	70 MB Hi-speed *1695 120 MB Hi-speed *3395 NO-SLOT CLOCK Real time clock/ calendar for your PC-XT or clone \$49	64K BUFFER FOR YOUR EPSON Serial or parallel input. Fits MX, RX, FX printers Limited Quantity	HP 745 6 pen *1699 HP 7550A 8 pen *3399 HP Color Pro 8 pen *1699 Houston Inst. PC 695 *599 Houston Inst. DMP 40P *849 Houston Inst. DMP 29 *1699 Houston Inst. DMP 41/42 *2495 Houston Inst. DMP 51/52 *3795 Houston Inst. DMP 56 *4495
JADE PLACE ORDERS TO		4901 W. Rosecrans Ave. Box 5 Hawthorne, CA 90251-5046	AUARANTEED:

Prices at our six store locations will be higher.

We accept cash, checks, credit cards or purchase orders from qualified firms and institutions. Minimum prepaid order \$15.00. California residents add 6½% tax. Prices & availability subject to change without notice. Shipping & handling charges via UPS Ground 50¢/lb, UPS Air \$1.00/lb. Minimum charge \$3.00.

PLACE ORDERS TOLL FREE! Continental U.S.A. | Inside California

(800)421-5500 (800)262-1710

366 BYTE . OCTOBER 1986

COMPUTERBANC

IBM COMPATIBLE HARDWARE

Multifunction card 384K, S, P, CLK \$139
AT Multifunction card OK-3MB\$175
MONOCROME graphics card \$79
Color Graphics card\$69
ComBo CARD ser, par, clock \$69
EXPANSION CHASIS 7 slots \$569
MULTI SERIAL F/D 4PORT

CALL

IBM SOFTWARE

LOTUS 123

DRIVES

20 MB Seagate drive	\$399
30 MB Seagate for XT	\$499
30 MB drive for AT	\$649
360 K Floppy for AT	
Teac 558	
20MB Hard Card	
	-

80286 IBM COMPATIBLE

8MHZ, 512K, 20meg Monitor, graphics, ser, par

\$2189

IBM XT COMPATIBLE 256K, 20 meg, Monitor

graphics, ser, par

\$1099

TAPE DRIVES

10 MB irwin	\$379
20 MB Irwin	\$429
Everex Stream 20 Everex Stream 60	\$569
Everex Stream 60	\$899
Peachtree	ĊALL
Franklin 20MB	\$399

IBM AT 30MB \$3445

6MHZ, 512K, Seagate 40MS IBM XT 20MB\$2300

Seagate, 256K, DOS, Monitor COMPAQ COMPUTERS CALL

LEADING EDGECALL SPERRY IT 44MBCALL

LASER 128 (IIC Compatible) CALL

LOCAL AREA NETWORKCALL

BROTHER-1509

Digifizers

CANNON Laser Printer 1,999.00 HEWLETT PACKARD LAZER 2,199.00 HO USTON INSTRUMENTS Plotters ... CALL

APPLE

BROTHER-1509 M-1409 dot matrix M-1109 dot matrix

369.00

... CALL

CALL

BUSINESS SYSTEMS

LUTUS 123	GALL
Symphony	CALL
SPREADSHEET Auditor	89.00
ENABLE	359.00
V P Pfanner. ASHTON TATE Framework	. 55.00
ASHTON TATE Framework	CALL
dBASE II	CALL
dDACE III Dive	CALL
	LOG OD
dBASE III Plus . REVELATION MOBS Knowledgeman 2	.499.00
MUBS Knowledgeman 2	. 299.00
POWERBASE	. 179.00
CLIPPER dBASE III Compiler	.355.00
LATTICE C COMPILER	.265.00
LET'S C Compiler	49.00
SUPERCALC IV	275 00
MILLTIMATE	249 00
MULTIMATE MULTIMATE ADVANTAGE	250 00
SORCIM SUPERCALC III	205.00
SURGIM SUPERCALC III	.133.00
MICROSOFT Multiplan	.119.00
EXCEL	.245.00
Word	249.00
Windows	65.00
Project DOS 3.2 W/GW basic	239.00
DOS 3 2 W/GW hair	6 900
MACRO ASSEMBLER	05 00
MAUNU ASSEMBLER	
Quick Basic . FOX & GELLER Quickcode	
FUA & GELLER UUICKCODE	. 149.00
Quickindex .	76.00
du IIL 3	. 76.00
dUTIL 3 Borelano turbo pascal	
Turbo Pascal W/BCD	60.00
REFLEX	59.00
	59.00
SUPERKEY	41.00
SIDEKICK (upprotected)	50.00
SIDEKICK (unprotected)	55.00
FACTDACK	65.00
FASTBACK ASCII PRO Comm Software	
ASCII PRO COMM Software	
CROSSTALK XVI	
MIRROR Comm Software	
MIRROR Comm Software PEACHTREE Back to Basics	.199.00
BPI GENERAL ACCOUNTING.	.299.00
OPEN SYSTEMS	CALL
REALWORLD	CALL
ONE-WRITE PLUS	149 00
ACCOUNTING PARTNER MONDGRAM DOLLARS & SENSE TOBIAS MANAGING YOUR MONEY	100 00
MONDODAM DOLLADE & CENCE	. 133.00
TORIAG MANA ONO YOUR MONEY	
TUBIAS MANAGING YOUR MONEY .	
DAC EASY ACCOUNTING	. 45.00
PFS Professional Write	.115.00
PFS Professional File .	.145.00
Websters New World Writer SATELLITE WORD PERFECT MICROPRO WordStar PRO	
SATELLITE WORD PERFECT	209.00
MICROPRO WordStar PRO	249.00
WordStar 2000 PLUS	299.00
SAMNA WORD III	279 00
RBASE 5000.	350 00
RBASE System V	. 335.00

PRINTMASTER	35.00
BREAKTHROUGH TIMELINE	35.00
DECISION RESOURCES CHRTMSTER2	9.00
ENERGRAPHICS w/plotter opt	89.00
FUNK SIDEWAYS	16.00
LIFETREE VOLKSWRITER 3	
HARVARD TTL PROJECT MNGR 21	35.00
THINKTANK	0.00

IBM HARDWARE

		Promoc
	AST 6 Pack Plus w/384k	
	6 Pack Premium	
)	STB Companion PC 0-2 MB LIMS 189.00	AMDE
	Chauffeur monographics ,	310A H
	EGA - Plus Color Board 279.00	Color 6
ftware	JRAM 3	Color 7
	JRAM AT3 CALL	PRINC
are	HERCULES Mono Graphics Plus 199.00	HX-12E
asics 199.00	Color Card 149.00	SR-12
TING	INTEL Above Board 64K 229.00	MAX-1
CALL	ABOVE BOARD for AT	TAXAN
CALL	ORCH:10 Tiny Turbo	PANAS
	Turbo 286E W/1 Meg	DT-H10
ER 199.00	Turbo EGA CALL	IBM C
& SENSE 99.00	QUADRAM EGA +	Color B
OUR MONEY	PARADISE Modular Graphics Card 199.00	
NG	Autoswitch EGA	
	Plus Hard Card	
145.00	130 WAT Power Supply	PANA
Writer	Thesys Fastcard III LIMS 0-2MB 169.00	KX-P1
RFECT 209.00	TALLGRASS W/Tape	KX-P1
PRO	MOUNTAIN	KX-P1
	ALLOY	KX-P1
	Graphics Edge Card	KX-P1
	MOUSE SYSTEMS Mouse	KX-P3
370.00	MICROSOFT Mouse w/sftwr. 117.00	KX-P3
S	KOALA KAT 137.00	
Call for cate	alog. Thousands of pro	ducts
	ane ge trite at artan er pre-	

MODEMS

ANCHOR Lightening 2400 299.00
Express 300/1200 199.00
Volksmodem 1200 (5 yr wrnty) 139.00
EXPRESS 300/1200(INTERNAL) 149.00
HAYES 1200
1200B
2400
PROMETHEUS 2400
Promodem 1200
Promodem 1200B
Promodem 1200A 189.00
Promoden 300 llc

MONITORS AMDEK 300A 210 A Hi. Pac Amber

139.00

148.00

89.00
CALL
99.00
89.00
CALL
49.00
CALL
59.00
99.00
69.00

-12E RGB 720X350	APPLE
-12 CALL	LASER 128 Computer
	APPLE Compatible Drive Ile
X-12	lic compatible drive
NASONIC	MAC Compatible 31/2 drive CALL
H103 10" High Res RGB	MICROSOFT Softcard II
A COMPATIBLE Monocrome	ASCII XPRESS (Communications) 65.00
or RGB Monitor (640X200)	APPLEWORKS
	SPELLWORKS
PRINTERS	PRINT SHOP
1 marieno	Mach III Joystick
NASONIC (2 yr warranty)	SYSTEM SAVER Fan
-P1080199.00	VIDEO 7 lic EnhancerCALL
-P1091	VIDEX Ultraterm
-P1092	APRICORN (Lifetime Warranty)
-P1592	Super Serial Imager
-P1595 240 CPS CALL	Graphics Interface
-P3131 17cps Daisey	80 Column/64K
-P3151 22 cps Daisey 385.00	EXTENO IT 64K
izen MSP-10	KOALA SpeedKey
ts available. Volume	discounts.
a aranamior a alattic	

Orders Only

800/332-BANC

OUTSIDE CALIFORNIA

WSA

For Customer Service Call 714-847-BANC

16783 Beach Blvd., Huntington Beach, CR 92647

COMPUTERBANC



714/841-6160

Cash prices indicated. We guarantee all items for 30 days. Within this period, delective merchandise returns must be accompanied by RMA number. All other returns will be aubject to a 15% restocking fee. For prepaid orders, there will be a 3% shipping charge; 5% for UPS Blue, Label; \$5.00 minimum; all orders outside U.S.A. at 15% shipping. California residents add 6% sales tax.

Prices subject to change without notice. ©Copyright 1985 COMPUTERBANC, All Rights Reserved.

A SOFTWARE DEVELOPER'S DREAM



We've Finally Tamed the Beast!

Full 4.2BSD UNIXTM

1

ail

c*on

C

cp

Each 375 comes standard with a complete 4.2BSD UNIX system. We don't skimp on software. And we can even give you EMACS, INGRES, TEX and SPICE for those special applications.

Loaded with Languages

Turn on your 375 and start developing your own applications. It's that easy. C, FORTRAN, PASCAL, BASIC, APL, Assembler, LISP and PROLOG: they all come standard on every 375.

BSD

A Portable Computer for the Serious User

At last, a powerful, portable (22lbs) scientific computer for all your serious work. The 375 combines the advantages of a VAX[™] with the size, versatility, and price of a micro. All the software tools are there. It's even small enough to leave on your desktop or take wherever you need it. And it's available direct to you right now !

Standard 375 Features:

Specifications:"

Processor:	Series 32000™, 10 MHz, virtual memory. FPU
Main Memory:	2 MB RAM, no wait states.
Disk Memory:	50 MB Winchester. 1 MB 514-inch floppy.
Serial Ports:	Four RS-232, integral FIFO, up to 38.4 KBAUD
Printer Port:	Configurable Centronics parallel.
Size:	14 x 12 x 6 inches, 22 lbs.

Options:

 Ethernet:
 10 Mbit, TCP/IP.

 Main Memory:
 8 MB RAM, no wait states.

 Disk Memory:
 up to 280 MB.

 Expansion Interface:
 SCSI, with optional cartridge streaming tape.

 Spreadsheet:
 Q-CALCT^M.

 LEASE FOR \$147/ month.
 Content for the stream of the strea

CALL US TODAY

Whe

uni

u

SYMMETRIC

COMPUTER SYSTEMS

1620 Oakland Road, Suite D200 San Jose, CA 95131-408/279-0700

* Prepaid. Sales tax and Shipping Costs not included. UNX is a registered trademark of AT&T Bell Labs. CrCALC is a trademark of Qualify Software Products. VAX is a trademark of Digital Equipment Series 32000 is a trademark of National Semiconductor Corp.







8155 00

\$148.25

\$201.75

\$261.75

\$150.00

\$105.00 \$60.00

\$150.00

\$380.00

\$385.00

\$880.00


- No shipp



NEW LOW	PRICES!	NEW LOW	PRICES !
	74LS00 74LS100 14 74LS125 .36 74LS260 .46	Build An	8500
DoKay	74LS01 14 74LS126 .36 74LS266 .36 74LS02 14 74LS132 .36 74LS273 .76	IBM PC XT	6500 6500 A 6502 1.99 6502A 2.49 6504 6.79 6520A 2.49
	74LS03 .14 74LS133 .46 74LS275 1.96 74LS04 .14 74LS136 .36 74LS279 .36 74LS05 .16 74LS137 .98 74LS280 1.18		6505
COMPUTER	74LS08 16 74LS138 .36 74LS283 .56 74LS09 16 74LS139 .36 74LS290 .86	\$332	6520 1.59 6545A 6.89 6522 3.99 6551A 6.89 6532 5.99
PRODUCTS. Inc.	74LS10 .14 74LS145 .86 74LS293 .76 74LS11 .18 74LS147 .86 74LS295 .66 74LS12 .18 74LS148 .86 74LS298 .66 74LS13 .36 74LS151 .36 74LS299 .1.46	Compatible Computer	6545 4.89 6500 B 6551 5.89 65028 5.89
ORDER TOLL FREE	74LS13 36 74LS151 36 74LS299 1.46 74LS14 24 74LS153 36 74LS323 2.46 74LS15 24 74LS154 1.46 74LS324 1.68	Motherboard XT \$119 with Bios	8800 1 MHz 68800 Z
(000)	74LS20 16 74LS155 46 74LS352 124 74LS21 20 74LS156 46 74LS353 1,18 74LS22 20 74LS157 34 74LS363 1,28	150w Power Supply \$69	6800 1.89 2 MHz M
(800)	74LS26 20 74LS158 28 74LS364 1.88 74LS27 20 74LS160 28 74LS365 36	1/2 Height Disk Drive \$79 Floppy Controller Card \$29	6808 4.89 68802 5.89 C 689
538-8800	74LS28 .24 74LS161 .36 74LS366 .36 74LS30 .16 74LS162 .46 74LS367 .36 74LS32 .16 74LS163 .36 74LS368 .36	Case Flip-Top \$29	6809 5.89 68809E 6.99 6810 1.89 68810 2.99
	74LS33 26 74LS164 46 74LS373 .76 74LS37 24 74LS165 64 74LS374 .76 74LS38 24 74LS165 .66 74LS377 .76	5150 Keyboard \$59 Monochrome Card \$49	6821 1.89 68840 14.89 68245 13.89 68245 14.89
(CALIFORNIA RESIDENTS)	74LS40 .16 74LS168 .94 74LS378 1.12 74LS42 .36 74LS169 .94 74LS385 1.84	Monochrome Card	6843 18.89 68850 2.89 6844
(800)	74LS47 .56 74LS170 .84 74LS386 .42 74LS48 .66 74LS173 .46 74LS390 1.06 74LS49 .66 74LS174 .36 74LS393 .76	IBM PC XT Compatible \$532	6845 4.89 68000 0 6847 10.89 68000-8 9.89 0 6850 189 68047 12.89 0
848-8008	74LS51 .16 74LS175 .36 74LS395 1.06 74LS54 .18 74LS181 1.46 74LS399 1.06 74LS55 .20 74LS189 3.86 74LS424 2.86	IBM Accesories	6852 4.59 68488 14.89 56652 14.89
	74LS63 86 74LS190 46 74LS447 92 74LS73 28 74LS191 46 74LS490 1.46 74LS74 22 74LS192 .66 74LS624 1.92	EGA Card \$229	6875 6.89 68661 8.89 6880 149 68764 15.89
MasterCard	74LS75 26 74LS193 .66 74LS640 .96 74LS76 26 74LS194 .56 74LS645 .96	Turbo Mother Board \$169	6883 21.89 68766 16.89
	74LS78 .36 74LS195 .56 74LS668 1.46 74LS83 .46 74LS196 .56 74LS669 1.25 74LS85 .46 74LS197 .56 74LS670 .86	Mono Graphics Card \$79	Z-80 Z-80A (continued) ** Z80-CPU99 Z80A-DMA 4.89
RAMS STATIC DYNAMIC	74LS86 20 74LS221 .56 74LS674 9.58 74LS90 36 74LS240 .66 74LS682 3.14 74LS91 .86 74LS241 .66 74LS683 2.86	Memory Card \$59 Multifuncion Card \$79	Z80-CTC 1.49 Z80A-PI0 1.79 Z80-DART 3.89 Z80A-SIO/0 4.89 Z80-DMA 3.89 Z80A-SIO/1 4.89
2114L 200ns .99 4116 200ns .35 2016 200ns .99 4116 150ns .45	74LS92 46 74LS242 .66 74LS684 2.86 74LS93 .36 74LS243 .66 74LS685 2.86	Floppy Multi i/o Card\$79	Z80-PI0
2016 150ns 1.35 4164 200ns .85 HM6116 P 150ns 1.35 4164 150ns .95	74LS95 46 74LS244 .58 74LS668 1.86 74LS96 46 74LS245 .68 74LS689 2.86 74LS107 .32 74LS247 .68 74LS783 21.96	Color Graphics Card\$69 1200b Modem Card\$139	Z60-S10/2 3.89 Z-80 B Z80-S10/9 3.89 Z808-CPU 3.59
HM6116LP 150ns 1.45 41128 150ns 4.95 Z-6132 300ns 19.89 41256 150ns 2.89 HM6164 P 150ns 3.35 41256 120ns 3.89	74LS109 .34 74LS248 .66 81LS95 1.36 74LS112 .26 74LS249 .96 81LS96 1.36 74LS113 .32 74LS251 .46 81LS97 1.36	Teac 55 B (For IBM)	Z-BO A Z808-CTC 3.59 Z80A-CPU 1.49 Z80B-PI0 3.59 Z80A-CPU 1.49 Z80B-DART 10.89
HM6164LP 150ns 3.45 4416 150ns 3.95 HM6164LP 100ns 12.45 4464 150ns 6.95	74LS114 .32 74LS253 .46 81LS98 1.36 74LS122 .44 74LS257 .36	Fujitsu DS/DD (for IBM)\$89	Z80A-CTC 1.69 Z80B S10/0 10.89 Z80A-DART 4.89 Z80 S10/2 10.89
	74LS123 .46 74LS258 .46 25LS2521 2.48 74LS124 2.60 74LS259 1.18 25LS2569 2.48	Joystick\$29	POWER SUPPLY
2516 450ns 2.95 2732 A 250ns 2.49	EXPANSION KIT	Mac Upgrade	(Switching)
2532 350ns 3.75 2764 450ns 1.89 2708 450ns 2.95 2764 250ns 2.39		Kit	+12¥ 0.4 Amp -12¥ 0.3 Amp 10.0 F
2716-5 490ns 1.29 27128 250ns 2.69 2716 450ns 1.89 27256 250ns 6.99 2716-1 350ns 2.35 27512 250ns 29.99	A1250	\$50	+ 5¥ 5.5 Amp 19.95
2732 450ns 1.89 MC68764 450ns 15.99 2732 A-2 200ns 3.89 MC68766 350ns 16.99			
0000/0006	41256 150ns	<u> </u>	
8088/8086 Up Grade	\$2.89 each!	128K To 512K	
V-20 5 Mhz 9.95	8000 8200 (continued)	Consists of:	Z
V-20 8 Mhz 12.95 V-30 8 Mhz 18.95	8031 4.95 8253-5 1.79 8035 1.45 8255 1.59 8039 1.89 8255-5 1.79	(16) 41256, 150ns (1) 74F253	m
High Speed -	8080A 2.89 8257 1.99 8085 2.35 8257-5 2.29 8085A-2 4.89 8259 1.89	(17) 16-Pin Sockets	1986
DP-25 Solder Cup	8086 7.89 8259-5 1.09 8087-3 124.95 8271 48.95 8087-2 139.95 8272 4.79	Capacitors And Resistors	- THE IC MASTER -
	8088 5.95 8274 4.79 8089 39.95 8275 24.99		Your ticket to fast and easy C S Selections
0	8100 8279 229 8279-5 279 8282 379	APPLE	
Male, Female, Hoods 99¢ ea.	8131	Accessories	
UV ERASERS	8156 2.89 8287 3.79 8185 26.89 8288 4.79 8185-2 26.89 8289 19.89	Parallel Card \$49	"MACINTOSH, APPLE II, APPLE IIe" and "APPLE II+" are Trademarks of APPLE COMPUTER, INC. "AT" is a Trademark of ISM CORPORATION.
QUV-T8/1 \$49.95	8292, 12.90 8200	Super Serial Card 99 80-col Card II+ 149	HOURS: Mon-Fri. 7:30 to 5:00
ECONOMY Model	8202	80-col Card IIe 64K 69	VISIT OUR RETAIL STORE 0 2100 De La Cruz Bivd.
	8212 1.35 6307 1.79 8214 3.59 8308 1.79	Z80 Card	Santa Clara, CA 95050
	8218 1.35 8310 2.29 8224 2.09 8311 2.29 8226 1.59 8700	16K Card	(408) 988-0697 All Merchandise IS
	8228 3.29 8700 8237 3.29 8741 8.89 8237-5 5.29 8748 6.99	Disk Drive (full) 139	100% GUARANTEED
	8238	Disk Drive (half) 129 Controller Card	
• Erases 15 EPROMS in 20 minutes	8250 5.95 80000 8251 1.49 80186-6 48.89	Joystick	LoKay
Plastic Enclosure	8253 1.69 80188 48.89		
NEW LOW	/ PRICES!	NEW LOV	V PRICES!



Inquiry 8



Inquiry 106





72 Digital I/O



Serial	Parallel
W B	
B	1
Convert W	hat You Have
To What	You Want!
AS232 Serial Baud Rates Latched Outputs	• Centronics Parallel • Handshake Signals • Compact 3% x 4% x 1%
of port you have available Series Converters provide latest in CMOS technolog rate selection to 19.2K, will transfer efficiency. Do	ral choices be limited by the type if Our new High Performance 700 the missing link, Based on the gy, these units testure light back this sector and the sector for a statistic documentation sitious relative the Model 770 (SerPar) or the
Coming Scont Tige	Antonics Competence Openen blad Competence Openen bl
Ventura.	Gallonia 13000 8-7466 or 658-7467
East Ed	AST Delivery



800-528-3138 Orders Only 602-991-7870 Customer Service

S-100 DIV./696 CORP. 14455 NORTH 79TH ST. SCOTTSDALE AZ 85260 TELEX 9103806778 SONE HUND

COMPUTER SYSTEMS

IBM-PC COMPATIBLES "BIG BLUE CLONE"

NOT JUST AN ECONOMICALLY PRICED PC -WERE DOWN IN THE DIRT ON PRICEILET'S MUD WRESTLE A DEAL FOR YOU ON A B.B.C. THAT'S "FCC" APPROVED WATH 1 YR LIMITED WARR. BASIC B.B.C.

256K TURBO W/ & SLOTS, 150W P/S, SLIDE CASE, SPKR & AT-STYLE K.B. \$424

CALL OUR SALES PROFESSIONALS

FOR ADDITIONAL OPTIONS

ZENITH 148, 158, 171, 200AT UP TO 50% OFF 45 5

ACS ET-286 1MB, 3 SERIAL & 2 PARALLEL, CLOCK, 8

E= condata

PC-400 512K, 2 FLPYS, 14" 640x400, 512K	\$1029
20MB HARD DISK SYSTEM WITH 2 FLPYS	\$1499
ATD-8-O 8MHZ 80286, 640K, S, P, 1.2 FLPY	\$2039
ATP.S.O PORTARI E	\$2180

EPSON

EQUITY II BMHZ V30, 640K, S, P, CLK, FLPY, MS-DOS & GWBASIC - RUNS 2.9 NORTON UTILITIESI \$1199 -SPERRY

(ALTON)

1086-50	1MB	RAM,	50MB	HARD	DISK,	50MB	TAPE
DRIVE, X	ENIX.						\$11399
1086-80	AS AE	BOVE V	VITH B	OMB HD	& TAP	E	\$12999
685-25 6	USEP	25M	S HD)	(ENIX			\$4099

NETWORKING

CALL FOR DEALER PRICING, INTEGRATION, AND/OR CONSULTATION

mer

PC-SLAVE / 1. \$595 RTNX MSDOS 2.1 ...\$109 ATNX MSDOS 3.1 ... \$189 her Contract

LAN-PC ARCNET FOR PC'S \$349

NOVELL

ADVANCED NETWARE STARTER KITS SOFTWARE, KEYCARD, 2 NICS, CABLES INCLUDED From \$1795

MACROTECH PIMSR-AT 0-3MB RAM FOR IBM-AT @ 6, 100

6 PACK PLUS	\$155
6 PACK PREMUM	
RAMPAGE AT	\$429
ADVANTAGE	\$325
3G-EGA HGC, CGA, EGA	\$275
HERCULES GRAPHICS CARD PLUS	CALL
intal	

llle

ABOVE BOARD PCMB 1010 64 TO 512K. ALLOWS LOTUS, SYMPHONY, AND OTHERS TO RUN ABOVE 640K LIST \$345 SELL \$199 ABOVE BOARD-AT 128 TO 4MB ... \$399

CAD

CORDATA FASTDRAFT 480X640, 256K, 16 CLR \$949 HANZON LP-3000+ LASER HPGL PLOT. COM. CALL AUTOCAD FROM \$259

പ്രവട്ടത്ത	
instrument	

DMP 41 / 42 \$2449 DMP 51 / 52 \$3699 DMP 56.\$4399 DMP 29..\$1699 DMP 40..\$889 \$3699 TRUE GRID DIGITIZERS

TG1005 \$289 TG1017..\$619 TG1011.\$509

POWER SYSTEMS & ACCES

SAFE (SAFT) SPS1000 WATT SINE WAVE \$999 SOLA 750 WATT W/ 4500 WATT HI-INRUSH \$1495

COMPUTER ACCESSORES

ALL CABLES SOLD AT DEEP DISCOUNT CALL S4 4 CIRCUIT SURGE SUPPRESSOR \$19 S10 U1000 POWER SAVER 1000W U.P.S. (TOPAZ) \$729

MONITORS & TERMINALS

NEC MULTISYNC

TECMAR RGB HI-RES ZVM-1360 \$498

\$515

C TATUNG

CM-1360 640x200 RGB, 13", G / A SWITCH \$349 CM-1380 EGA 640x350 RES & TEGA CARD \$775 1422A DUAL FREQ., TILT/SWIVEL, 14", G / A \$139

& LINK

125 EMULATES WY-50 ETC., HI-RES 14" GREEN/AMBER 6 SCROLL RATES, IBM SELEC. KB, 1 YR WARR ... \$385

WYSE 30		\$295
WYSE 50		\$425
WYSE 60		\$475
LIBERTY	FREEDOM ONE	\$395

PRINTERS & BUFFERS

CORDATA LP-300 LASER W/ WORDSTAR 2000 \$2175
EPSONCALL
HANZON BUFFER 64K-256K S-S,S-P,P-S,P-P \$265
HANZON LP-3000+ LASER CAN EXECUTE HEWLETT-
PACKARD, GL PLOTTER COMMANDS CALL
STAR MICRONICS SR-15 \$595
TOSHIBA P321 PARA. & SERIAL \$449
TOSHIBA P341
TOSHIBA P351 PARA. & SERIAL \$969
OKIDATA 292COLOR PRINTER
OKIDATA 293 COLOR W/ TRAC., 132 COL \$599
bootboor

brother

M-1509 180-45 CPS, P & S, TRAC.(EPSON)	\$359
M-1109 100-25 CPS, P & S, TRACTOR	
HR-35 36 CPS DAISEY, WIDE CARR.	
HR-20 20 CPS	\$349
TWINFITER 5 DAISY & DOT MATRIX	CALL
XEROX / Diablo	

\$949 DIABLO D25 \$484 DIABLO D80-IF \$2009 DIABLO 635 DIABLO 34LO \$939 XEROX 4045 LASER \$4595

SCIENTIFIC / INDUST. BDS.

ndustrial Computer Designs

A/D 64-100 \$315 A/D 64-PC \$106

D/A 64-PC \$468 D/A 64-100 \$236 1018-PC 96 TTL INPUT LINES \$446

IEEE-488 \$239

ONE STOP SHOPPING FOR ALL OF YOUR INTEGRATION

S-100 BOARDS

AND POST SALE SUPPORT NEEDS. WE HANDLE CCS, COMPUPRO, DUAL, I.C.M., ILLUMIN. TECH., LOMAS, TELETEK, MULLEN, P&T, INDUST. COMP. DESIGNS, TARBELL, ETC. THIS MONTH'S SPECIALS ARE:

DUAL AIM-12 DIA CONVERTER \$545 DUAL AOM-12 A/D CONVERTER \$509 General

	JUPTO"			
CONCURRENT DOS 4.1D	\$495	CDOS	4.1E	\$635
SPUZ 8MHz Z80, 256K, 4 U	ISERS			\$269
INTERFACER-3 8 SERIAL	PORTS			\$439
SYSTEM SUPPORT 1 W/	CLK. BATT	SERIA	L	\$289
DISK 1A 5" & 8" FLOPPY C	ONTROLLE	R		\$439
DISK 3 5" HARD DISK CON	TROLLER .			\$509
RAM 22 256K STATIC RAM				
C2 SYSTEM				\$7279

INTERNATIONAL

MI-286 10MHz 80286 & 8MHz Z80H	\$695
ST-II 1MB STATIC RAM	\$649
MSR-II 1MB DYNAMIC RAM	\$799

H.D. & TAPE SYSTEMS

PC-INSIDER, PC-OUTSIDER & AT-INSIDER HARD DISKS FOR IBM AND COMPATIBLES SET-UP TO BOOT FROM HARD DISK WITH ALL NECESSARY HARDWARE AND PC-STYLE CABINET FOR EXTERNAL DRIVES.

 STYLE CABINET FOR EXTERNAL DRIVES.

 20MB PC-INSIDER
 \$379

 30MB PC-INSIDER (SEAGATE ST-238)
 \$535

 72MB PC-INVOUTSIDER 30mSEC
 \$1798

 COMPUPRO 40MB INT. SUBSYS. W/ DISK 3
 \$1565

 COMPUPRO 60MB INT. SUBSYS. W/ DISK 3
 \$2049

 ALLOY FT-60 60Mb@1.8Mb/MIN.FOR PC COMPAT.\$795
 IRVIN 10MB TAPE/PC or CPRO - Requires CDOS
 \$369

 FEOLIDE OF OPERATION
 COMP OPERATION
 S040
 \$369
 TECMAR OIC 60-AT INTERNAL 60MB TAPE\$1079 TECMAR MACDRIVE 10MB\$1099 TECMAR MACDRIVE 10MB & 5MB REMOVABLE \$1850 WANGTEC PC-36 60MB INT.TAPE, FAST & EASY \$785

BARE WINCHESTER DRIVES

SEAGATE ST-225 26MB HH, 5 1/4"\$299 QUANTUM Q540 43MB, 45mSEC, FH, 5 1/4"\$825 MICROPOLIS MC-1325 85MB,30mSEC,FH, 5 1/4"\$1299 MAXTOR XT-1140 140MB, 30mSEC, FH, 5 1/4" ... \$3289 AMCODYNE ARAPAHOE 7110 25MB FIXED & 25MB REMOVABLE CDC LARK PLUG COMPATIBLE CALL

FLOPPY DISK DRIVES

2896 1/2 HT,8"...\$435 MTSUBISHI 2894 8"...\$475 MTSUBISHI MF501 48TPI..\$95 MF504 96TPI..\$129 TEAC FD55BV 48TPI \$89

SOFTWARE

WE SELL ALL WELL KNOWN BRANDS. ORDER CORRECTLY! OPENED SW IS NOT RETURNABLE!

NEWSTAR NEWWORD 2 16BIT\$139 NEWSTAR NEWWORD 3 FOR PC'S. SPELL CHECKER, INDEXING, CONTENT TABLES, MACRO'S\$269 BD SOFTWARE C COMPILER 8" SSDD, 8 BIT \$95


MODEMS



Muth Tech MT224EH MNP ERROR CORRECTION \$529 MT224ER RACK MOUNT W/ EDC \$495

All merchandise new. Advertised prices are cash prepaid only IPO's from qualified firms & AM, Express; 4:95.MC & Visa; 4:968, COD's (0.99, \$5 min fee) with Cashiers Check/MO, Bank Wires & APO's accepted. Shipping; minimum \$4 first 5lbs, Tax, AZ RES, ONLY add 6 5% sales tax. All returns subject to 20% restocking fee or credit towards future purchases, All prices & availability subject to change without notice





PUBLIC DO		
isn't copyrighted. Thou programs available for mos		useful rs from
user group libraries.		
User Group Libraries	Rent	Buy
IBM PC Blue 220 Disks	\$230	\$450
Capitol-IBM 45 Disks	50	100
Sanyo UG MSDOS	0.5	407
80 Disks	85	165
Authors Showcase (IBM) 35 Disks	40	100
Amiga 75 Disks	40	250
Atari ST 35 Disks	40	125
Macintosh 85 Disks	90	275
CP M UG 92 Disks	45	200
SIG M UG 290 Disks	185	350
CBM 64 Gold 100 Disks	50	100
Apple DDS 120 Disks	65	200
P.D. SIG, IN Master 2400 Santa Card Las Vegas. Nevac (702) 732-0	Rita 1a 89109	VISA
nquiry 209		
Flow Chartin	ng II	
FAST. SIMPLE. S Now build, update and print and organizational charts easily, confidently.		
 Readjust chart immedi- ately after addition or dele Travel quickly across a 12 		

or 200-column screen

half a chart - instantiv.

Move a single character or

Present the true, current picture. Use

Flow Charting II on your IBM®-PC

compatible system. General Motors,

Bechtel, Touche Ross, Fairchild and

-800/672-3470, ext. 897 Calif.

1-800/538-8157 ext. 897 National

ATTON & PATTON

IBM is a registered trademark of International Business Machine Corp.

408/629-5044 International

340 Lassenpark Circl San Jose, CA 95136

500 other major US corporations use it.



Inquiry 199








Inquiry 64

-

لتتر

THEEK



DISK/RIBBON UAR FREE TYVEC SLEEVES, HUB RINGS, WRITE PROTECTS AND ID LABELS

2.39

2.39 4.49 3.99 2.99 2.99 2.99 3.19 2.39 3.99

5.25" DISKS	BULK BOXED.
ss/dd	.44 .59
ds/dd	.49 .64
ds/dd notchless	.59 .74
ds/dd flippy	.59 .74
ds/dd 10 hard sector	.69 .84
ds/dd 16 hard sector	.69 .84
ds/qd 96 tpi	.79 .94
ds/qd 96 tpi 10 hard sector	.99 1.14
ds/qd 96 tpi 16 hard sector	.99 1.14
ds/hd 1.2mb for AT	1.49 1.64

5.25" COLOR DISKS	BULK BOXED.	
ds/dd color pack assortment A, B, or C †	.59 .74	
ds/dd color pack assortment A flippy †	.69 .84	
† Color pack assortment A: red, orange, yellow, blue, green		

blue, green. † Color pack assortment B: maroon, brown, dark

blue, silver, gold. † Color pack assortment C: pink, med. blue, beige, white, light grey.

white, light grey. † All colors are available separately.

All items in stock all the time Same Day Shipping Disks made in the U.S.A.

8" DISKS	BULK BOXED.	
ss/dd soft sector unformatted	1.49 1.74	
ss/dd soft sector unformatted write protect	1.49 1.74	
ds/dd soft sector unformatted	1.69 1.94	
ds/dd soft sector unformatted write protect	1.69 1.94	
ss/sd 32 hard sector unformatted	1.49 1.74	
reversible sd 32 hard sector unformatted	1.49 1.74	
ss/dd 32 hard sector unformatted (WANG)	1.49 1.74	
ds/dd 32 hard sector uniormatted (WANG)	1.69 1.94	

Apple Imagewriter I, II
C. Itoh Prowriter
Centronics 101/102/103
Commodore MPS 801
Diablo Hytype II
Epson LOP 1500
Epson LX 80
Epson MX/FX/RX 100/185
Epson MX/FX/RX 70/80/85
IBM Proprinter

RIBBONS

FR	EE	BO	NU	IS C)FI	E	R
with	Ord	er of	100	Disk	s or	mo	re

5 Disks Full of Public Domain Programs for IBM, Apple, Macintosh or Commodore (A Value of \$4.95) or A Free Head Cleaning Disk (A Value of \$12.99)

ASK FOR OUR PUBLIC DOMAIN CATALOG

LATEST IBM PUBLIC DOMAIN SOFTWARE \$2.99 (MIN. 5 DISKS)

8" COLOR DISKS	BULK BOXED
ss/dd color pack assortment A †	1.69 1.94
ds/dd color pack assortment A †	1.89 2.14

OVER 200 SPECIAL FORMATS FOR 5¼" AND 8" FROM \$1.99 (CALL)

Okidata 82/83/92/93/801 Okidata 84/94 Okidata 182/192 Panasonic KXP 1090, 91, 92 Radio Shack LP, VI, VIII Radio Shack LPVII Star Gemini 10X/15X Toshiba P 1350	2.19 3.99 6.29 2.99 3.99 .99 2.99
NEC Pinwriter P1/P2 Okidata 82/83/92/93/801	4.99
NEC 8023A	2.39

3.5" DISKETTES	BULK BOXED
ss/dd-Blue	1.39 1.54
ss/dd-Beige	1.39 1.54
ds/dd-Blue	1.59 1.74
ds/dd-Beige	1.59 1.74
MAGNETIC TAPE 600' in tape seal 1200' in tape seal 2400' in tape seal 2400' easy load II	6.99 8.99 11.99 12.99

Quality & Service Our #1 Priority Buy direct — no middle man No mumbo jumbo

THE "CARETAKERS""	
10 disk library case 3.5" or 5.25"	.99
40 disk storage case 3.50" w/lock	7.99
50 disk storage case 5.25" w/lock	7.99
100 disk storage case 5.25" w/lock	9.99
ACCESSORIES	
Drive head cleaning disk	
3.5/5.25/8"	12.99
Tyvec sleeves white - pkg. of 100	5.99
Tyvec sleeves color pack	
pkg. of 100	8.99
ID labels/90 write protect tabs	
pkg. of 100	1.99
Disk mailer box (holds 3/5.25")	
pkg. of 10	8.99
Disk mailer box (holds 3/8")	
pkg. of 10	9.99

BOXED - SHIPPED 10 TO A PLASTIC

STORAGE CASE

BULK - SHIPPED 10 TO A POLYPAK

MINIMUM ORDER - 30 DISKS

CALIFO

Lifetime warranty on disks. Satisfaction guaranteed or money refunded within 30 days. Checks (allow 10 days to clear), money orders, MasterCard, Visa, American Express, C.O.D. (add \$1.90). Purchase orders accepted from qualified public institutions, government agencies and well-rated companies, net 30 days. California residents add 6%. For information, call (619) 942-9998.









Mail-Order Electronics 415-592-8097

7400	COMMODORE CHIPS	SATELLITE TV
Part No. Price SN7400N. 19 SN7402N. 19 SN7485N. 35	For VIC-20, C-64 and C-128 Personal Computers Part No. Price Part No. Price Part No. Price	DESCRAMBLER CHIP The MM5321 is a TV camera sync generator designed to supply the basic sync functions for either color or mono-
SN7404N	6502 MPU w/Lock 2.75 65295PL	chrome 525 line/60Hz interfaced and camera video recorder applications. COLOR BURST GATE & SYNC ALLOW STABLE COLOR OPERATION
SN7408N	6508 w/RAM & I/O 14.95 6560VIC-I14.95 8701 Clock Chip 9.95 6510 CPU9.95 6567VIC-II19.95 8721PLA14.95 6525TPI9.95 6569VIV19.95 NOTE:825100 = U17 (C-64) 6526CI14.95 657219.95 No Spec Available	MM5321\$9.95
SN7414N	NEC V20 & V30 CHIPS	DT1050 - Applications: Teaching aids, appliances
SN7420N 19 SN74154N 125 SN7430N 19 SN74158N 139 SN7432N 29 SN74173N 75 SN7438N 29 SN74174N 59	Replace the 8086 or 8088 in Your IBM-PC and Part No. Increase Its Speed by up to 40%! Price	clocks, automotive, telecommunications, language transla- tions, etc. The DT1050 is a standard OIGITALKER kit encoded with 137 separate and useful words, 2 tones, and 5 different
SN7442N	UPD70108D-5 (5MHz) V20 Chip (Replaces the 8088)\$ 8.95 UPD70108D-8 (8MHz) V20 Chip (Replaces the 8088-2)\$10.95	silence durations. The words and tones have been assigned discrete addresses, making it possible to output single words or words concatenated into phrases or even sentences. The "voice" output of the DT1 050 is a highly intelligible male voice.
SN7446N 79 SN74181N 1.95 SN7447N 79 SN74189N 1.95 SN7448N .95 SN74189N 1.95 SN7447N .9 SN74189N .69 SN7412N .39 SN74198N	UPD70116D-8 (8MHz) V30 Chip (Replaces the 8086 or 8086-2) \$11.95	The DT1050 consists of a Speech Processor Chip, MM54104 (40-pin) and two (2) Speech ROMe MM52164SSR1 and MM52164SSR2 (24-pin) along with a Master Word list and a
SN7472N	MICROPROCESSOR CHIPS 8500/6600/68000 Cont. 8000 SERIES Cont. Part No. Price Part No. Price Part No. Price	recommended schematic diagram on the application sheet. Part No. Description Price
SN7476N	D765AC 4.95 6843 995 8237-5 6.95 CDP1802CE 6.95 6845 4.95 8243 2.49 2661-3 6.95 6850 1.95 8250A 6.95 ZBD ZBD ZBRD ZBRD ZBRD ZBRD ZBRD ZBRD ZB	DT1050 Digitalitier"\$24.95
74LS00	Z80, Z808, Z808, SERIES 6852. 4.75 8250B (For IBM)725 Z80 1.75 68000L8	DT1057 - Expands the 0T1050 vocabulary from 137 words to over 250 words. Includes two (2) ROMs and specs. DT1057\$11.95
74LS04	Z80-Pl0	INTERSIL
74LS08	ZB0A 185 80C316H 195 6259A-5 225 ZB0A-CTC 1.89 6035 195 6257-6 249 ZB0A-CTC 1.89 6035 195 6257-6 249 ZB0A-DART 5.25 6073N 2995 6257-5 249 ZB0A-FIO 5.25 8074N 295 6272 495 ZB0A-S0/0 1.95 8065A 275 6279-5 295 ZB0A-S10/0 5.25 8065A 275 6279-5 295	Part No. Price Part No. Price FE0202D. 12.95 7211IPL (TTL). 7.95 FE0203D. 12.95 7211MIPL (Micro)
74LS14	Z808.	7106CPL
74LS32 25 74LS244 69 74LS42	6502	7107EV/Kit
74LS74	65CO2 (CMOS)	74HCHI-SPEEDCMOS
74LS76		74HC00
74LS93	6402	74HC08
74LS138	Part No. Function Price 4116N-15 16,384 × 1 (150ns)	/4HC/4 444 45 74HC373
74LS157	4164N-150 65,536 x 1 (150ns)	74HC76
74LS164	MM5280 4096 x 1 (200ns) 2107	74HC125 99174HC4049 79
74500 .29 745188* 1.75 74504 .35 745189 1.95 74509 .35 745196 1.49	41256-150 262,144 x 1 (150ns). 2.95 50464-15 65,536 x 4 (150ns) (4464) (41464). 4.95 TMM2016-12 2048 x 8 (120ns). 1.69	74HC132
74\$10	2102 1024 x 1 (350ns)	74HC163
74585	2114N-L 1024 x 4 (450ns) LP	74C00
745174	2102-2L 1024 x1 (250ns) LP (91L02),	74C02. 29 74C175. 89 74C04. 25 74C221. 1.19 74C08. 35 74C240. 159 74C10. 29 74C244. 159
74ALS 00	HM6116P-3 2048 × 8 (150ns) CMOS	74C10
74ALS02	HM6264P-15 8192 x 8 (150ns) CMOS	74C85
74ALS37	1702A 256 x 8 (1µs)	74C90.
74ALS74	TMS2516 2048 × 8 (450ns) 25V	LINEAR
74F00	2708 1024 x 6 (450ns)	DS0026CN
74F08	2716-1 2048 × 6 (300/6) 250	DS0026CN 159 LP41TCN 79 TL074CN 79 TL437ACN 2.19 TL084CN 109 NE540H (C540H) 2.29 LM309K 125 XPL555V 29 LM309K 125 XPL555 59 LM311CN 45 LM556N 59 LM311CN 45 LM558N 119
74F74	2732A-25 4096 x 8 (250ns) 21V	LM318CN
CD-CMOS CD4001	2758 1024 x 8 (450ns) Single +5V	LM319N. 119 LM6677, 88 LM320K-5. 135 NE592N. 89 LM320T-5. 59 LV747N. 29 LM323K. 39 MC1396P. 81 LM324N. 39 MC1396P. 83 LM328N. 49 LM747N. 49 LM328N. 49 LM1456N. 49
CD4013	2764A-25 8192 x 8 (250ns) 12.5V	LM338K
CD4017	27128-25 16,384 × 8 (250ns) 128K 21V	LM340K-12
CD4027		LM340T-12
CD4049,	68766 6192 x 8 (350ns) 25V	LM348N
CD4052	LOW PROFILE (TIN) SOCKETS WIRE WRAP SOCKETS (GOLD) LEVEL #3 Part No. 1-9 10-99 100-up Part No. 1-9 10-99 100-up	LF356N
CD4066	8 pin LP 13 12 11 8 pin WW 55 49 45 14 pin LP 15 13 11 14 pin WW 69 65 59	LM360N
CD4070	24 pin LP	LM386N-3
CD4076	- SOLDERTAIL STANDARD (GOLD & TIN) AND MEADER PLUE SOCKETS ALSO AVAILABLE -	LM399H

PARTIAL LISTING • OVER 4000 COMPONENTS AND ACCESSORIES IN STOCK! • CALL FOR QUANTITY DISCOUNTS

Worldwide • Since 1974 • QUALITY COMPONENTS • COMPETITIVE PRICING • PROMPT DELIVERY



Mail Order Electronics - World

ELECTRONIC





nently stored in non-volatile RAM. Features include video output to television or monitor, auto diat. auto-log, tull suzed keyboard, 300 baudmodem and 1200 baud auxillary printer port. All this




Options available include shootleeder, tractor feed, buffered memory and an assortment of printer cables for a variety of computers.



ZI	мсо	
INTERN/	ATIONAL. II	NC.
. MULTITECH PC CLC		\$799 •
	r/DOS/ports/clo	
. LOTUS SIGNAL	and the state of the second state	1350 0
. IBM/APPLE/HARD		RE/ASK USI @
· EVEREX Graphics	BOARDS	\$235 *
A IRMA PC 3278 79	oge	1229
AST 6 PackPlus		\$150.0
AST Rampage 25	65	197440
HERCULES Graphic		\$179 •
10	DRIVES	
. SEAGATE 20m W/P	OCT controller	\$419 .
SEAGATE 30meg		5449 .
eTOSHIBA Floppy 3	60k for AT	595 Ø
. GENUINE IBM 36	Ok full ht.	195 .
•	PRINTERS	•
CANON LaserJet	A-1	11899 .
EPSON FX85		\$359 •
OKIDATA 192/19		5339/459 •
· IBM PROPRINTER/		\$385/609 a
	MODEMS	
 HAYES 1200/12008 SUPERMODEM 12 		359/348/559 •
	talog & latest P	
		RICES .
		6647
For Technic	al Support	& NYS
	18-479-788	
	# 130151913	

Inquiry 333












Inquiry 146

NO SHIPPING (ORDER TOLL-FREE In California Call (818	800-824-3432
DRIVES ¹ / ₂ Ht. IBM ¹ * Compatible Tandon 100-2 Tandon 100-4 (96 tpi)	S 89.99 99.99 129.99
SYSTEM	IS
PC/XT Compatib	ole 499.99
• 1-1/2 HT. Floppy •	Slide-In Case 135 Watt Power Supply 5150 Type Keyboard
→ FCC APPR	OVED ←
We carry a complet tronic components. for our free catalog!	
-	CTRONICS Chatsworth CABIDI
Musmum order 510.00 No shipping chakes S3.00 UPS Blue add 52.00 Call resider cliccksheldfor clearance VISA MC	uta add p.). « saiešijas 196-50-91

Inquiry 315

✓IBM PC-AT CM	PTBLE. \$9	99
IBM PC-XT CM		
HIBM PC CMI		
✓IBM PC XT/AT MOTHERBOA	RD <u>\$159/4</u>	99
SEAGATE, TANDON, OKI, A	AMDEK, TEXAN AND MO	RE
20MB HARD DRIVE HH. S269 w/Controller \$365		\$ 99
30MB HARD DRIVE HH. \$375 W/CONTROLLER \$479	MONITOR COLOR 640x200 Monitor Color 640x400	\$279 \$336
SOMB HARD ORIVE HH. S649	CONTROLLERS CALL(too	
PC XT/AT F.O. H.H. \$ 69/99	PRINTER DAISY WHEEL 20 CPS	\$269
-4MB MEMORY EXP. CARD. S199 DISK HEAD CLEANING DISK S 2	PRINTER DOT MATRIX W/NLQ 200 CPS	\$345
-4164 DRAM	MEMORY CHIPS (256K)	\$2 31

Inquiry 88





keyboard FDC, 360 KB disk drive fully burned & tested.


\$399.00

IBM® AT CLONE 64K expandable to 1MB, 200 watts P/S, AT style keyboard, unit tested & burned U.S. Made.

\$799.00

AT Motherboard OK Expandable
to 1MB
AT Floppy & Hard Disk Controller (U.S.) \$149.00
AT Keyboard (U.S.)
AT Power Supply 200 watts \$ 87.00
AT Disk Drive 1.2MB \$ 99.00
XT Motherboard OK
Expandable to 640K \$ 89.00
XT Power Supply 135 watts \$ 46.00
1200 Baud Modem \$ 85.00
2400 Baud Modern \$210.00
360KB Floppy Drive \$ 67.00
Mono Graphic Card \$ 68.00
Color Graphic Card \$ 49.00
6 Outlet Surge Protector \$ 10.00
20MB Hard Disk Sub System \$359.00
Portable FAX Machine
WAccoustic Coupler
Power Center \$ 55.00
Color/Mono Dual Card
Basic EGA Card
Disk I/O Card
TL Monitor\$ 75.00
XT Hard Disk Cable Set \$ 2.95
Printer Cable \$ 2.95
All of above prices are C.O.D. cash only. Prices and availability subject to change without notice.
and availability subject to change without holice.
and the first state of the state
CLONE FACTORY
LUNE FALIURI





Inquiry 352

Inquiry 350

THE LATEST IN PC ENHANCEMENT PRODUCTS ENHANCED GRAPHICS ADAPTOR 20 M 100% IBM COMPATIBLE-PASSES IBM EGA DIAGNOSTICS *** COMPATIBLE WITH IBM EGA, COLOR GRAPHICS ADAPTOR AND** MONOCHROME ADAPTOR RD DISK **DISPLAYS 16 COLORS OUT OF 64 COLORS** NOW ONLY * COMES WITH 256K OF VIDEO RAM **DUAL SCANNING FREQUENCIES** WORKS WITH STANDARD OR \$259.95 EGATYPE RGB MONITORS *** LIGHT PEN INTERFACE** EGA MONIT INCLUDES HARD DISK CONTROLLER, CABLES AND INSTRUCTIONS. ALL DRIVES ARE PRE-TESTED AND COME WITH A 1 YEAR WARRANTY. FULL ONE YEAR WARRANTY *** EGA AND CGA COMPATIBLE** SCANNING FREQUENCIES: 15.75 KHz / 21.85 KHz 14" BLACK MATRIX, **389 NON-GLARE SCREEN RESOLUTION:** 640 x 200 / 640 x 350 31 DOT, 25MHz * 16 COLORS OUT OF 64 *** TEXT SWITCH-GREEN/AMBER** \$499.95 AT MULTIFUNCTION CARD \$199.95 ADDS UP TO 3 MEGABYTES OF USER EXPANDABLE MEMORY *** SHIPPED WITH ZERO K RAM. USER EXPANDABLE TO 1.5 MEGABYTES RAM ON BOARD, UP TO 3 MEGABYTES WITH OPTIONAL PIGGYBACK CARD * USES 64K OR 256K DYNAMIC RAMS * PARALLEL PORT & GAME PORT**


- *** SERIAL PORT**
- *** OPTIONAL SECOND SERIAL PORT**

SPECIFICATIONS (EMS)

MEGABYTES

Inquiry 150

PIGGYBACK MEMORY CARD (NO MEMORY INSTALLED) \$49.95



USES 64K OR 256K DYNAMIC RAMS * USE AS EXPANDED (EMS) OR CONVENTIONAL MEMORY, **RAMDISK OR SPOOLER**

CONFORMS TO LOTUS/INTEL EXPANDED MEMORY

SOFTWARE INCLUDES EMS DEVICE DRIVERS, PRINT SPOOLER AND RAMDISK

EPROM PROGRAMMER \$129.95

FOR IBM PC/XT/AT AND COMPATIBLES

- * PROGRAMS 27xxx SERIES EPROMS UP TO 27512
- *** MENU DRIVEN SOFTWARE PROVIDED ON DISKETTE**
- *** AUTOMATICALLY SETS PROGRAMMING VOLTAGE**
- *** LOADS AND SAVES EPROM BUFFER TO DISK**
- *** READ, WRITE, COPY, VERIFY OR CHECK BLANK**
- *** DEBUG STYLE EDITOR FOR EASY MODIFICATION OF PROGRAM**
- *** SPLITS OR COMBINES EPROMS OF DIFFERING SIZES** INTERNAL CARD WITH EXTERNAL CABLE FOR A ZIF SOCKET

110 Knowles Drive, Los Gatos, CA 95030 110 Knowles Drive, Los Gatos, CA 95030 • (408) 866-6200 • FAX (408) 378-8927 • Telex 171-110

© COPYRIGHT 1986 JDR MICRODEVICES

61731

iu u

THE JDR MICRODEVICES LOGO IS A REGISTERED TRADEMARK OF JDR MICRODEVICES, JOR INSTRUMENTS AND JDR MICRODEVICES ARE TRADEMARKS OF JDR MICRODEVICES. IBM IS A TRADEMARK OF INTERNATIONAL BUSINESS MACHINES.

STATIC RAMS 2101 25644 (450na) 5101 25644 (450na) 21021-4 102441 (450na) 2112 25644 (450na) 2114 102441 (450na) 2114 102444 (450na) 2114 102444 (450na) 21141-15 102444 (450na) 21141-2 102444 (450na) 21141-3 102444 (450na) 21141-15 102444 (200ns) TMM2016-150 204848 (150na) TMM2016-150 204848 (150na) TMM2016-150 204848 (150na) HM61161-3 204848 (150na) HM61161-2 204848 (150na) HM62641P-15 192x8 (150na) HM62641P-15 192x8 (150na) HM62661P-15 192x8 (150na) HM62661P-15 192x8 (150na) HM62661P-15 192x8 (150na) HM62661P-1	1.95 1.95 (P) 2.99 (P) 2.99 (P) 1.09 (P) 1.09 (P) 1.09 (P) 1.95 (P) 1.95 </th <th>DER TOLL 0-538-5</th> <th>* * * \$1195 PC 10-40% LATION ION SET \$13.95 \$19.95 * * * * EREEE</th> <th>EPROMS 1024x8 (450na)(5V) 3.49 2048x8 (450na)(5V) 3.49 2048x8 (450na)(5V) 3.95 4096x8 (450na)(5V) 3.95 4096x8 (450na)(5V) 3.95 4096x8 (250na)(5V)(21V PGM) 3.95 4096x8 (250na)(5V)(21V PGM) 3.95 4096x8 (250na)(5V)(21V PGM) 3.95 4096x8 (250na)(5V) 3.95 4096x8 (250na)(5V) 3.95 66 8192x8 (250na)(5V) 4.25 66 8192x8 (250na)(5V) 4.25 32766x8 (250na)(5V) 4.25 32766x8</th>	DER TOLL 0-538-5	* * * \$1195 PC 10-40% LATION ION SET \$13.95 \$19.95 * * * * EREEE	EPROMS 1024x8 (450na)(5V) 3.49 2048x8 (450na)(5V) 3.49 2048x8 (450na)(5V) 3.95 4096x8 (450na)(5V) 3.95 4096x8 (450na)(5V) 3.95 4096x8 (250na)(5V)(21V PGM) 3.95 4096x8 (250na)(5V)(21V PGM) 3.95 4096x8 (250na)(5V)(21V PGM) 3.95 4096x8 (250na)(5V) 3.95 4096x8 (250na)(5V) 3.95 66 8192x8 (250na)(5V) 4.25 66 8192x8 (250na)(5V) 4.25 32766x8
BOOD BO35 1.49 BO35 1.49 BO35 1.49 BO35 1.49 BO35 2.95 BO86 2.95 BO87-2 169.95 BO88 6.95 BO35 1.495 BO88 6.95 BO35 2.495 BO286 129.95 BO286 129.95 BO286 129.95 BO286 129.95 BO287 199.95 BO287 199.95 BO287 199.95 BO287 199.95 BO287 3.99 BO212 1.49 BO212 1.49 BO212 1.49 BO253 1.95 BO254<	Hz CONTROLLERS 2.69 6845 4.95 6845 4.95 9.95 6885 4.95 9.95 6885 4.95 9.95 6885 4.95 9.95 6885 4.95 9.95 6885 4.95 1.95 HD465055P 6.95 7.95 7220 19.95 78.95 CRT5027 2.95 7.95 CRT5027 2.95 7.95 T771 4.96 7.95 1771 9.95 7795 1771 9.95 783 9.95 1793 6.95 2793 19.95 7797 12.95 2793 793 19.95 2793 9.95 1.95 2793 1.95 1.95 2143 1.95 1.95 2143 1.95 2.95 2.95 1.95 2.95 2.95 1.95 <th>CRYSTALS 32.768 MHz .95 1.0 MHz .255 2.0 1.95 .741.500 2.0 7152 1.95 3.2768 1.95 3.27768 1.95 3.27768 1.95 3.27768 1.95 3.27768 1.95 3.27768 1.95 3.27768 1.95 3.27768 1.95 3.27768 1.95 4.032 1.95 4.032 1.95 5.0668 1.95 6.144 1.95 6.0 1.95 10.0 1.95 10.36635 1.95 10.36635 1.95 10.36635 1.95 114.31818 1.95 12.0 1.95 14.31818 1.95 14.32 1.95 14.332 1.95 22.0 1.95 1.8432 1.95 2.0 1.95 1.8432</th> <th>18 74LS166 .95 17 74LS169 .95 3 18 74LS173 .49 4 16 74LS173 .49 5 18 74LS173 .49 5 18 74LS174 .39 5 18 74LS174 .39 6 18 74LS191 .49 74LS191 .69 .16 .74LS195 .69 1.22 74LS196 .69 .22 .74LS240 .69 7.23 .74LS240 .69 .22 .74LS241 .69 2.22 .74LS241 .69 .23 .74LS243 .69 2.23 .74LS243 .69 .21 .74LS243 .69 2.24 .74LS243 .69 .21 .74LS243 .69 2.24 .74LS244 .69 .21 .77 .77 .74LS256 .179 2.39 .74LS256 .179 .39 .424 .44<</th> <th>High speed CMOS logic featuring to grapation delay, combined with the advantages of CMOS region delay, combined with the advantages of CMOS region delay, combined with the advantages of CMOS region delay. High speed CMOS logic featuring to reverse on sumption. Participation delay. Participation delay. Participation delay. Participation delay. Participation. Participation. Participation.</th>	CRYSTALS 32.768 MHz .95 1.0 MHz .255 2.0 1.95 .741.500 2.0 7152 1.95 3.2768 1.95 3.27768 1.95 3.27768 1.95 3.27768 1.95 3.27768 1.95 3.27768 1.95 3.27768 1.95 3.27768 1.95 3.27768 1.95 4.032 1.95 4.032 1.95 5.0668 1.95 6.144 1.95 6.0 1.95 10.0 1.95 10.36635 1.95 10.36635 1.95 10.36635 1.95 114.31818 1.95 12.0 1.95 14.31818 1.95 14.32 1.95 14.332 1.95 22.0 1.95 1.8432 1.95 2.0 1.95 1.8432	18 74LS166 .95 17 74LS169 .95 3 18 74LS173 .49 4 16 74LS173 .49 5 18 74LS173 .49 5 18 74LS174 .39 5 18 74LS174 .39 6 18 74LS191 .49 74LS191 .69 .16 .74LS195 .69 1.22 74LS196 .69 .22 .74LS240 .69 7.23 .74LS240 .69 .22 .74LS241 .69 2.22 .74LS241 .69 .23 .74LS243 .69 2.23 .74LS243 .69 .21 .74LS243 .69 2.24 .74LS243 .69 .21 .74LS243 .69 2.24 .74LS244 .69 .21 .77 .77 .74LS256 .179 2.39 .74LS256 .179 .39 .424 .44<	High speed CMOS logic featuring to grapation delay, combined with the advantages of CMOS region delay, combined with the advantages of CMOS region delay, combined with the advantages of CMOS region delay. High speed CMOS logic featuring to reverse on sumption. Participation delay. Participation delay. Participation delay. Participation delay. Participation. Participation. Participation.

 FIGURE Nicroclevices

 110 Knowles Drive, Los Gatos, CA 95030

 Toll Free 800-538-5000 • (408) 866-6200

 FAX (408) 378-8927 • Telex 171-110

 © COPYRIGHT 1986 JDR MICRODEVICES

 Internet and subject to the second subject to change without notice. We are responsible to typographical and subject to prior sale.

 The JDR MICRODEVICES LOGO IS A REGISTERED TRADEMARK OF JDR MICRODEVICES. JDR INSTRUMENTS AND JDR MICRODEVICES ARE TRADEMARK OF JDR MICRODEVICES. APPLE IS A TRADEMARK OF APPLE COMPUTER.

 ORDERING UPS

-ĿЬ ł CMOS 7400/9000 74800 LINEAR VOLTAGE LM733 LM741 LM747 LM747 LM748 MC1350 MC1350 MC1350 LM1414 LM1488 LM1488 LM1488 LM1489 LM1489 LM1812 LM1889 ULN2003 4001 4011 4012 4013 4015 4016 4016 4017 4018 4020 4021 4024 4025 4027 4028 4035 4040 .19 .25 .29 .49 .59 .69 .49 .25 .69 .49 .59 .69 .69 14419 14433 4503 4511 4516 4526 4522 4526 4527 4528 4529 4528 4529 4532 4541 4553 74147 74148 74150 74151 74153 74154 74155 74157 74159 74161 74163 74164 74165 74166 74175 74175 4.95 14.95 .69 .79 .79 1.95 .79 2.95 1.95 1.95 1.29 5.79 5.75 7400 7402 7404 7406 7407 7408 7410 7410 7411 7414 7416 7417 7420 7423 7430 7432 7438 745163 745168 745174 745175 745188 745189 745195 745197 745226 745240 745240 745241 745244 745257 745253 REGULATORS 2.49 1.20 1.35 .55 1.49 .75 .55 1.65 .69 .85 .85 1.00 .85 74500 1.29 3.95 .79 1.95 1.95 1.49 2.49 2.95 3.99 1.49 1.49 1.49 1.49 .79 .79 .99 TL066 TL071 TL072 TL074 TL081 TL082 TL084 LM309K LM311 LM317K LM317K LM317T LM318 LM319 .98 .29 .59 1.69 1.19 4.95 .49 .49 .49 .49 .45 8.25 8.25 1.95 .79 74502 74503 74503 74504 74505 74508 74515 74530 74532 74532 74538 74538 74538 74538 TO-220 CASE 7805T .49 7905T 7808T .49 7908T 7812T .49 7912T 7815T .49 7915T .69 1.09 1.95 .59 .99 1.49 .34 1.25 .89 3.49 3.49 1.49 1.25 .59 .59 .59 78051 7808T 7812T 7815T TO-3 CASE 7805K 1.59 7905K 7812K 1.39 7912K 1.69 1.49 TO-93 CASE .49 79L05 .49 79L12 78L05 78L12 .69 1.49

OTHER VOLTAGE REGS

4040	.69	4585 .75	7432 .29	74175 .89	74S86	.35 74S253	.79	OTHER VOLTAGE REGS	LM319	1.25	ULN2003	.79
4041	.05		7438 .29	74177 .75	745112	.50 74\$258	.95	LM323K 5V 3A TO-3 4.79	LM320 se	e7900	XR2206	3.95
4041	.75		7442 .49	74178 1.15	745124	2.75 745280	1.95	LM328K Adi, 5A TO-3 3.95	LM322	1.95	XR2211	2.95
4042	.85	74C00 .29	7445 .69	74181 2.25	74S138	.79 74\$287	1.69	78H05K 5V 5A TO-3 7.95	LM323K	4.79	XR2240	1.95
4043	.69	74C14 .59	7447 .89	74182 .75	745140	.55 74\$288	1.69	78H12K 12V 5A TO-3 8.95	LM324	.49	MPQ2907	1.95
4044		74C74 .59	7470 .35	74184 2.00	74S151	.79 74\$299	2.95	78P05K 5V 10A TO-3 14.95	LM331	3.95	LM2917	1.95
4045	1.98	74C83 1.95	7473 .34	74191 1.15	74S153	.79 74\$373	1.69	767 051C 51 10A 10-5 14:55	LM334	1.19	CA3046	.89
4046	.69	74C85 1.49	7474 .33	74192 .79	74S157	.79 74\$374	1.69		LM335	1.79	CA3081	.99
4047	.69	74C95 .99	7475 .45	74194 .85	74S158	.95 74\$471	4.95		LM336	1.75	CA3082	.99
4049	-29	74C150 5.75	7476 .35	74196 .79	745161	1.29 74\$571	2.95	IC SOCKETS	LM337K	3.95	CA3086	.80
	-29	74C151 2.25	7483 .50	74197 .75		-		1-99 100+	LM338K	6.95	CA3089	1.95
4051	.69	74C161 .99	7485 .59	74199 1.35				8 PIN ST .11 .10	LM339	.59	CA3130E	.99
4052	.69	74C163 .99	7486 .35	74221 1.35				14 PIN ST .11 .09		a7800	CA3146	1.29
4053	.69	74C164 1.39	7489 2.15	74246 1.35	DATA A	CO INTER	FACE 1	16 PIN ST .12 .10	LM350T	4.60	CA3160	1.19
4056	2.19	74C192 1.49	7490 .39	74247 1.25	DAIAA	OU INILN	AUL	18 PIN ST .15 .13	LF353	.59	MC3470	1.95
4060	.69	74C193 1.49	7492 .50	74248 1.85	ADC0800 1	15.55 8T26	1.29	20 PIN ST .18 .15	LF356	.99	MC3480	8.95
4066	.29	74C221 2.49	7493 .35	74249 1.95	ADC0804	3.49 8T28	1.29	22 PIN ST .15 .12	LF357	.99	MC3487	2.95
4069	.19	74C240 1.89	7495 .55	74251 .75	ADC0809	4.49 8T95	.89	24 PIN ST .20 .15	LM358	.59	LM3900	.49
4076	.59	74C244 1.89	7497 2.75	74265 1.35	ADC08161	4.95 8T96	.89	28 PIN ST .22 .16	LM380	.89	LM3909	.98
4077	.29	74C374 1.99	74100 2.29	74273 1.95	ADC0817		.59	40 PIN ST .30 .22	LM383	1.95	LM3911	2.25
4081	.22	74C905 10.95	74121 .29	74278 3.11	ADC0831	8.95 8T98	.89	64 PIN ST 1.95 1.49	LM386	.89	LM3914	2.39
4085	.79	74C911 8.95	74123 .49	74367 .65	DAC0800	4.49 DM8131	2.95	ST=SOLDERTAIL	LM393	.45	MC4024	3.49
4086	.89	74C917 12.95	74125 .45	74368 .65	DAC0806	1.95 DP8304	2.29	8 PIN WW .59 .69	LM394H	5.95	MC4044	3.99
4093	.49	74C922 4.49	74141 .65	9368 3.95	DAC0808	2.95 DS8833	2.25	14 PIN WW .69 .52	TL494	4.20	BC4136	1.25
4094	2.49	74C923 4.95	74143 5.95	9602 1.50	DAC1020	8.25 DS8835	1.99	16 PIN WW .69 .58	TL497	3.25	BC4558	.69
14411	9.95	74C926 7.95	74144 2.95	9637 2.95	DAC1022	5.95 DS8836	.99	18 PIN WW .99 .90	NE555	.29	LM13600	1.49
14412	6.95	80C97 .95	74145 .60	96S02 1.95	MC1408L8	2.95 DS8837	1.65	20 PIN WW 1.09 .98	NE556	.49	75107	1.49
								22 PIN WW 1.39 1.28	NE558	1.29	75110	1.95
								24 PIN WW 1.49 1.35	NE564	1.95	75150	1.95
						1		28 PIN WW 1.69 1.49	LM565	.95	75154	1.95
FNA	FCART) CONNECTORS	36	PIN CENTRONI	CS T	I INTERS		40 PIN WW 1.99 1.80	LM566	1.49	75188	1.25
						INTERU		WW-WIREWRAP	LM567	.79	75189	1.25
100 PI		\$-100 .125 3.95		MALE		ICL7106	9.95	16 PIN ZIF 4.95 CALL	NE570	2.95	75451	.39
	N WW	S-100 .125 4.95		RIBBON CABLE	6.95	ICL7107	12.95	24 PIN ZIF 5.95 CALL	NE590	2.50	75452	.39
62 PI	N ST	18M PC .100 1.95	CEN36	SOLDER CUP	4.95	ICL7660	2.95	28 PIN ZIF 6.95 CALL	NE592	.98	75453	.39
50 PI	N ST	APPLE .100 2.95		FEMALE		ICL8038	4.95	40 PIN ZIF 9.95 CALL	LM710	.75	75477	1.29
44 PI		STD .156 1.95	IDCEN36/F	RIBBON CABLE	7.95	ICM7207A	5.95	ZIF=TEXTOOL	LM723	.49	75492	.79
44 PI	N WW	STD .158 4.95	CEN36PC	RT ANGLE PC MOL	JNT 4.95	ICM7208	15.95	(ZERO INSERTION FORCE)		CAN. K	TO-3. T=TO-	

	DIP CO	DNN	ECT	DRS								DIODE	S/OPTO	TRANSIS	TORS
DESCRIPTION	ORDER BY	8	14	16	CO	NTAC 20	TS 22	24	28	40		1N751 1N759 1N4148	.25 .25 25/1.00	4N26 4N27 4N28	
HIGH RELIABILITY TOOLED ST IC SOCKETS	AUGATxxST	.62	.79	.89	1.09	1.29	1.39	1.49	1.69	2.49	(DP14	1N4004 1N5402	10/1.00	4N33 4N37	1
HIGH RELIABILITY TOOLED	AUGATxxWW	1.30	1.80	2.10	2.40	2.50	2.90	3.15	3.70	5.40	0000000000000	KBP04 KBU8A	.55	MCT-2 MCT-6	1
COMPONENT CARRIES (DIP HEADERS)	ICCxx	.49	.59	.69	.99	.99	.99	.99	1.09	1.49		MDA990-2 N2222	.35	TIL-111 2N3906	
RIBBON CABLE DIP PLUG\$ (IDC)	IDPxx		.95	.95		***		1.75		2.95	000000000000000	PN2222 2N2905 2N2907	.10 .50 .25	2N4401 2N4402 2N4403	
FORORDE	RING INSTRUCTI	ONS S	SEE D-S	SUBMI	NIATU	RE BE	LOW				AUGAT 24ST	2N3055 2N3904	.79	2N6045 TIP31	۱

/= 08:175

109376

D-SUBMINIATURE

DESCRIPTION		ORDER BY	CONTACTS								
		UNDER BY	9	15	19	25	37	50			
SOLDER CUP	MALE	DBxxP	.82	.90	1.25	1.25	1.80	3.48			
SULDER CUP	FEMALE	DBxxS	.95	1.15	1.50	1.50	2.35	4.32			
RIGHT ANGLE	MALE	DBxxPR	1.20	1.49		1.95	2.65	480			
PC SOLDER	FEMALE	DBxxSR	1.25	1.55	1	2.00	2.79	***			
	MALE	DBxxPWW	1.69	2.56		3.89	5.60				
WIRE WRAP	FEMALE	DBxx\$WW	2.76	4.27		6.84	9.95	+++			
IDC .	MALE	IDBxxP	2.70	2.95		3.98	5.70	***			
RIBBON CABLE	FEMALE	IDBxx\$	2.92	3.20		4.33	6.76	***			
	METAL	MHOODxx	1.25	1.25	1.30	1.30		***			
HOODS	GREY	HOODxx	.65	.65		.65	.75	.95			

ORDERING INSTRUCTIONS: INSERT THE NUMBER OF CONTACTS IN THE POSITION MARKED "xx" OF THE "ORDER BY" PART NUMBER LISTED. EXAMPLE: A 15 PIN RIGHT ANGLE MALE PC SOLDER WOULD BE DB15PR.

MOUNTING HARDWARE \$1.00

IDC CONNECTORS

DESCRIPTION OR								Augustinentertert Barearaeterterterterter
DESCRIPTION				CONT	ACTS		_	
	DER BY	10	20	26	34	40	50	AV 11 11
SOLDER HEADER IDH	4xxS	.82	1.29	1.68	2.20	2.58	3.24	
RIGHT ANGLE SOLDER HEADER IDE	4xxSR	.85	1.35	1.76	2.31	2.72	3.39	80000000000000000000000000000000000000
WW HEADER IDE	WaxH	1.86	2.98	3.84	4.50	5.28	6.63	10534
RIGHT ANGLE WW HEADER ID	HxxWR	2.05	3.28	4.22	4.45	4.80	7.30	
RIBBON HEADER SOCKET IDS	Sxx	.79	.99	1.39	1.59	1.99	2.25	
RIBBON HEADER ID!	Mixx		5.50	6.25	7.00	7.50	8.50	L.A.
RIBBON EDGE CARD IDE	ERE	1.75	2.25	2.65	2.75	3.80	3.95	- Shabababaa ahaa ahaa ahaa ahaa ahaa aha
FOR ORDERING INSTRUCTION	IS SEE D-S	SUBMIN	IATU	AE ABO	ΟVΕ			IDESO

CALL FOR VOLUME QUOTES

	PABLE" HEAD	ERS	BLOCKS	1
MA	BE SNAPPED APART KE ANY SIZE HEADE LL WITH .1" CENTERS	R,	GOLD CONTACTS SPACED	
1x40 1x40 2x40 2x40	STRAIGHT LEAD RIGHT ANGLE STRAIGHT LEAD RIGHT ANGLE	.99 1.49 2.49 2.95	AT.1" CENTERS	Z

1x40 2x40 2x40

or people help and for the pleasant, polite, willingness to help and professional attitude you have displayed. In these times it is indeed refreshing to deal with a company whose staff consists of people of this caliber. My friends and associates will most certainly be doing business with you again.

Sincerely, Nicholas Chabra

8 .69 .69 .69 .69 .59 .59 .10 .25 .25 .25 .25 .49

ICO		DI	AYS		
LCU	I DIS	DEI	GTA.		
			THODE	.362"	1.25
			THODE	.5"	1.49
FND-507(510)	COM	AN	ODE	.5"	1.49
	COM			.3"	.99
MAN-74	COM	CA	THODE	.3"	.99
MAN-8940	COM	CA.	THODE	.8"	1.99
TIL-313	COM	CA'	THODE	.3"	.45
HP5082-7760	COM	CA	THODE	.43"	1.29
TIL-311 4x7	' HEX	W/	LOGIC	.270'	9.95
HP5082-7340 4x7	HEX	W/	LOGIC	.290'	7.95
DIFFUSED		2			_
		-	1-99	91	00-UP
JUMBO RED	Т	13⁄4	.10		.09
JUMBO GREEN	т	13/4	.14		.12
JUMBO YELLOW	Т	13/4	.14		.12
MOUNTING HDW	т	11/4	.10		.09
MINI RED	Т	1	.10		.09

SWITCHES	
MINI-TOGGLE ON-ON	

SPDT	MINI-TOGGE	E ON-ON	1.25
DPDT	MINI-TOGGI	E ON-ON	1.50
DPDT	MINI-TOGGL	E ON-OFF-ON	1.75
SPST	MINI-PUSHE	UTTON N.O.	.39
SPST	MINI-PUSHE	SUTTON N.C.	.39
SPST	TOGGLE ON	OFF	.49
BCD OUTP	UT 10 POSIT	ION 6 PIN DIP	1.95
	DIP SW	ITCHES	
		III OILO	
4 POSITION		7 POSITION	.95
5 POSITION		8 POSITION	.95
6 POSITION	02. 1	10 POSITION	1.29

	RIBBO	IN CAE	ILE	
CONTACTS	SINGLE	COLOR	COLOR	CODED
CUNTACIS	1'	10'	1'	10'
10	.18	1.60	.30	2.75
16	.28	2.50	.48	4.40
20	.36	3.20	.60	5.50
25	.45	4.00	.75	6.85
26	.46	4.10	.78	7.15
34	.61	5.40	1.07	9.35
40	.72	6.40	1.20	11.00
50	.89	7.50	1.50	13.25

© COPYRIGHT 1986 JDR MICRODEVICES

E 0

Inquiry 151







B·O·M·B

BYTE'S ONGOING MONITOR BOX

ARTICLE#	PAGE	ARTICLE	AUTHOR(S)	ARTICLE#	PAGE	ARTICLE AUTHOR(S)
۱	9	Microbytes	.staff	13	193	Abundance
2	31	What's New	.staff	14	203	Z80MU Baumann
3	52	Ask BYTE/Circuit Cellar Feedback .	. Ciarcia	15	219	CP/M Hall of Fame
4	65	Book Reviews	. Hoffman,	16	231	The Commodore Amiga Thompson
			O'Neill,	17	239	The Compag Portable II Miastkowski
			Edginton	18	243	Four 4-inch Tape Backup Units Rubel
5	84	Product Preview:	Ū	19	249	muLISP-86
		The Apple II GS	, Williams,	20	255	ITC's Modula-2 Softwar
			Grehan			Development System Bridger
6	103	Ciarcia's Circuit Cellar: Build an		21	261	Microsoft Word Version 3.0Rubel
		Intelligent Serial EPROM		22	265	The Norton Utilities, PC Tools.
		Programmer	. Ciarcia			and Super Utility
7	122	Programming Project:		23	279	Computing at Chaos I
		Safe Storage Allocation	. Amsterdam			The Show Goes On?
8	139	Sound and the Amiga	. Thiel	24	293	According to Webster:
9	145	Programming Insight:				Bit by Bit, Putting It Together Webster
		A Useful Property of 2"	. Arp	25	297	Applications Only: Shareware Shapiro
10	155	PD PROLOG	. Morein	26	307	BYTE Japan:
11	167	An Icon Tutorial	.Griswold,			Taiwan's Computex 1986 Raike
			Griswold	27	311	BYTE U.K.; BASIC to C Pountain
12	183	Enhanced Console Driver	, Zackin	28	324	Best of BIXBiXen

BOMB Results

A DEFINITE WINNER

The winning article from the July issue was "The Definicon 68020 Coprocessor. Part 1: The Hardware and Operating System." Trevor Marshall. Christopher Jones, and Sigi Kluger will split the \$100 prize. The second-place nonstaff-written article is "The Commodore 128 Personal Computer System" reviewed by William Wiese Jr. And winner of the \$50 award for quality goes to the same three gentlemen listed above who coauthored "The Definicon 68020." making their total booty more easily divisible by three. Congratulations to all.

N·E·X·T M·O·N·T·H I·N B·Y·T·E

PRODUCT PREVIEW:

We anticipate that at least one newly announced product will receive its first public exposure in the November BYTE.

THEME:

Next month's theme, Representing Knowledge, includes articles about a Turbo Pascal program used to predict international events; a Pascal program for creating a knowledge base from a set of rules; Prolog as a tool for deductive reasoning; a way to use Prolog for resource management; and more.

HARDWARE REVIEWS:

You've heard the Mac Plus praised and blamed from a variety of sources; we'll tell you what it's really all about. On the other end of the spectrum, we'll present a look at the UNIX-based, multiuser Tandy 6000HD.

SOFTWARE REVIEWS:

Among the software reviews we have on hand and ready for publication are SPSS PC+; FilePro 16; and the much ballyhooed Aegis Animator for the Commodore Amiga.

CIRCUIT CELLAR:

Steve Ciarcia starts a three-part series on building a graphics board.

SPECIAL MC68000 SERIES:

68000 Memory Management Units

PLUS a programming insight or two; a programming project; and columns by Pournelle, Webster, Shapiro, Pountain, Kurosaka, and Raike; more from the Best of BIX; book reviews, What's New, Microbytes, and more.

Subscription Problems?

We want to help!

If you have a problem with your BYTE subscription, write us with the details. We'll do our best to set it right. But we must have the name, address, and zip of the subscription (new and old address, if it's a change of address). If the problem involves a payment, be sure to include copies of the credit card statement, or front and back of cancelled checks. Include a "business hours" phone number if possible.



RUTF

Subscriber Service P.O. Box 328 Hancock, NH 03449

BYTE ADVERTISING SALES STAFF:

NEW ENGLAND ME. NH, VT, MA. RI. ONTARIO, CANADA & EASTERN CANADA Paul McPherson Jr. (617) 262-1160 McGraw-Hill Publications 575 Boylston Street Boston. MA 02116

ATLANTIC NY. NYC. CT. NJ (NORTH) Leah G. Rabinowitz (212) 512-2096 McGraw-Hill Publications 1221 Avenue of the Americas---39th Floor New York, NY 10020

Dick McGurk (203) 968-7111 McGraw-Hill Publications Building A—3rd Floor 777 Long Ridge Road Stamford, CT 06902

EAST PA, KY, OH. NJ (SOUTH), MD, VA, W.VA, DE, D.C. Daniel Ferro (215) 496-3833 McGraw-Hill Publications Three Parkway Philadelphia, PA 19102

SOUTHEAST NC. SC. GA. FL. AL, TN Maggie M. Dorvee (404) 252-0626 McGraw-Hill Publications 4170-Ashford-Dunwoody Read-Suite 420 Atlanta, GA 30319

MIDWEST

MIDWEST IL, MO, KS, IA, ND, SD, MN, WI, NB, IN, MI Bob Denmead (312) 751-3740 McGraw-Hill Publications Blair Building 645 North Michigan Ave. Chicago, IL 60611

SOUTHWEST, ROCKY MOUNTAIN UT, CO, WY, OK, TX, AR, MS, LA Kevin Harold (214) 458-2400 McGraw-Hill Publications Prestonwood Tower-Suite 907 5151 Beltline Dallas. TX 75240

SOUTH PACIFIC SOUTH PACIFIC SOUTHERN CA. AZ. NM. LAS VEGAS Jack Anderson (714) 557-6292 McGraw-Hill Publications 3001 Red Hill Ave. Building #J.-Suite 222 Costa Mesa, CA 92626

Karen Niles (213) 480-5243, 487-1 160 McGraw-Hill Publications 3333 Wilshire Boulevard #407 Los Angeles, CA 90010

NORTH PACIFIC NORTH PACIFIC HI. WA, OR. ID. MT. NORTHERN CA, NV (except LAS VEGAS), W. CANADA Mike Kisseberth (415) 362-4600 McGraw-Hill Publications 425 Battery Street

San Francisco, CA 94111 Bill McAfee (415) 349-4100 McGraw-Hill Publications 951 Mariner's Island Blvd,—3rd Floor San Mateo, CA 94404

Dennis J. Riley, Advertising Sales Manager, One Phoenix Mill Lane, Peterborough, NH 03458, tel. (603) 924-9281

WEST COAST SURPLUS AND RETAIL ACCOUNTS Tom Harvey (805) 964-8577 3463 State Street-Suite 256 Santa Barbara, CA 93105

The Buyer's Mart Karen Burgess (603) 924-3754 BYTE Publications One Phoenix Mill Lane Peterborough. NH 034 58

BYTE BITS (2x3) Dan Harper (603) 924-6830 BYTE Publications One Phoenix Mill Land Peterborough, NH 03458

Post Card Mallings National Ed Ware (603) 924-9281 Bradley Browne (603) 924-6166 BYTE Publications One Phoenix Mill Lane Peterborough, NH 03458

International Advertising Sales Staff:

Mr. Hans Csokor Publimedia Reisnerstrasse 61 A-1037 Vienna, Austria 222 75 76 84

Mrs. Gurit Gepner McGraw-Hill Publishing Co. PO Box 2156 Bat Yam, 59121 Israel 3 866 561 321 39

Mr. Fritz Krusebecker McGraw-Hill Publishing Co. Liebigstrasse 19 D-6000 Frankfurt/Main 1 West Germany 69 72 01 81

Mrs, Maria Sarmiento

Pedro Teixeira 8, Off. 320 Iberia Mart I Madrid 4, Spain I 45 52 891

Mr. Andrew Karnig Andrew Karnig & Associates Finnbodavagen S-131 31 Nacka, Sweden 8-44 0005 Mr. Alain Faure

McGraw-Hill Publishing Co. 128 Faubourg Saint Honore 75008 Paris (1) 42-89-03-81

Mr. Arthur Scheffer MicGraw-Hill Publishing Co. 34 Dover St. London WIX 3RA England 01 493 1451

Manuela Capuano McGraw-Hill Publishing Co. Via Flavio Baracchini I 20123 Milan, Italy 02 86 90 617

Seavex Ltd. #00 Orchard Road. #10-01 Singapore 0923 Republic of Singapore Tel: 734-9790 Telex: RS35539 SEAVEX

Seavex Ltd. Seavex Ltd. 503 Wilson House 19-27 Wyndham St. Central, Hong Kong Tel: 5-260149 Telex: 60904 SEVEX HX

Hiro Morita McGraw-Hill Publishing Co. Overseas Corp. Room 1528 Kasumigaseki Bldg. 3-2-5 Kasumigaseki, Chiyoda-Ku Tokyo 100, Japan 3 581 9811

Mr. Ernest McCrary Empresa Internacional de Comunicacoes Ltda. Rua da Consolacao. 222 Conjunto 103 01302 Sao Paulo, S.P., Brasil Tel: (11) 259-3811 Telex: (100) 32122 EMBN

$R \cdot E \cdot A \cdot D \cdot E \cdot R$ $S \cdot E \cdot R \cdot V \cdot I \cdot C \cdot E$

inquiry No.	Page No.	inquiry No.	Page No.	Inquiry No.	Page No.	inquiry No.	Page No.
2 ABSOFT		• COMPUPRO 69 COMPUSAVE		136 HERSEY MICRO CC 137 HEWLETTPACKARD		199 MICROPROCESSC MICRORIM INC.	
4 ACS INT'L. INC. 5 ACTION SOFTWARE 6 ADDISON-WESLEY	E	 70 COMPUSERVE COMPUTER CHRON COMPUTER MAIL C 		138 IBEX COMP. CORP. 139 IBS CORP. 140 IBS CORP.		 MICROSOFT COR MICROSOFT COR MICROSOFT COR 	P
7 ADDMASTER CORF 8 ADJUSTABLE COMF 9 ADV. INTELLIGENC	P. PROD 372	74 COMPUTER SURPLL 75 COMPUTER WAREH 76 COMPUTER WAREH	IOUSE 157	I41 I.C. EXPRESS INTECTRA INC		200 MICROTECH	
10 ADVANCED COMP. II ADVANCED TECHN	PROD	77 COMPUTER WAREN 78 COMPUTERBANC	C	142 INTEGRAND RESEA 350 INTERNATIONAL MI 143 IO TECH	ICROSYS. INC. 382	• MICROWAY	
12 AFTON COMPUTER 13 AFTON COMPUTER 15 ALPS AMERICA		79 COMPUTERS INTER 80 COMPUTRADE COM 83 CUESTA SYSTEMS.	110	146 IACO ENTERPRISES 147 IADE COMP. PROD. 148 JAMECO ELECTROI		 MIX SOFTWARE . MOTOROLA SEM 205 MYSTIC CANYON 	ICON. DV 175
16 ALPS AMERICA		84 CUSTOM SOFTWARE DAK INDUSTRIES	E SYSTEMS78	149 JDR INSTRUMENTS 150 JDR MICRODEVICE		207 NANTUCKET. 208 NANTUCKET.	
18 ALPS AMERICA163 AMAZING THINGSAMERICAN AIRLIN	INC ??	86 DATA SPEC		151 JDR MICRODEVICES 152 JDR MICRODEVICES 153 JDR MICRODEVICES	S 386, 387	210 NATIONAL INSTR 211 NEC HOME ELEC 212 NEC INFORMATIC	TR.USA 253
21 AMERICAN COMPE 22 AMERICAN COMPE 23 AMERICAN SEMICO	S PERIPH. 230	90 DECISIONWARE IN 91 DECISIONWARE IN 92 DIGITALK INC.	.,	154 KADAK PRODUCTS 334 KEA SYSTEMS LTD 157 KIMTRON CORP.	358	213 NEC INFORMATIC 214 OHIO KACHE SYS 215 ONE/D.	S. CORP 238
24 AMERICAN SMALL 25 AMPRO COMPUTE	BUSN. COMP. 59	93 DISK WORLD! INC 94 DISKCOTECH		158 KIMTRON CORP 159 KJ COMPUTERS		ORCAD SYSTEMS 219 ORION INSTRUM	S CORP
26 APPARAT. INC 27 APROTEK		95 DISKETTE CONNEC 71 DISKMASTER 96 DISKS PLUS INC		160 LAHEY COMPUTER 161 LATTICE. INC 162 LAWSON LABS. INC	44	220 P.C. COMPUTER E 221 P.C. HORIZONS IN 88 P.C. MEMORY	NC
AST RESEARCH IN 30 ATRON CORP. 31 AUSTROKOP.		97 DISPLAY TELECOMI 98 DOKAY COMP. PROD 99 DRESSELHAUS COM	D. INC	164 LIFEBOAT ASSOCIA 165 LIGHTSPEED TECH 166 LINTEK COMP. ACC	. INC	209 P.D. SIG INC 222 PACKARD BELL. 223 PACKARD BELL.	12, 13
32 AVOCET SYST 33 B&B ELECTRONICS		342 ECOSOFT		169 LOGICAL DEVICES 170 LOGICAL DEVICES		224 PANASONIC CON 226 PARSONS TECHN	MPUTER DIV. 56, 57 IOLOGY
 B&C MICROSYSTEM B&C MICROSYSTEM 34 BARRINGTON SYST 	MS	102 ELLIS COMPUTING 104 EVEREX SYSTEMS. 105 EVEREX SYSTEMS		171 LOGICAL SYSTEMS 400 LOGICSOFT 173 LOGITECH INC	192 A-F	227 PATTON & PATTO 228 PC AMERICAN M 68 PC INNOVATIONS	ARKETING INC. 361
36 BAY EXPRESS CON 37 BAY TECHNICAL A 38 BELL TECHNOLOG	SSOC	106 EVSAN 107 FACIT AE 108 FLAGSTAFF ENGINE		174 LOGITECH INC. 175 LONE STAR SOFTW LOTUS DEVELOPM	ARE INC 352	229 PC NETWORK . 230 PC SIG 231 PC'S LIMILED	
39 BELL TECHNOLOG 344 BEST COMPUTER S	IES 322, 323 SUPPLIES 357	109 FLAGSTAFF ENGINE	ERING 278	 LOTUS DEVELOPM 176 LUCKY COMPUTER 	ENT 200, 201 S 356	232 PECAN SOFTW/ 233 PERSOFT INC	'S. INC 16
345 BEST COMPUTER S BEST WESTERN IN 41 BIT SOFTWARE	T'L, 282	111 FORMAT SOFTWAR 112 FORTRON CORPOR, 113 FORTRON CORPOR,	ATION 70	177 LUCKY-GOLDSTAR 178 LYBEN COMP. SYS. 179 LYCO COMPUTER.		234 PERSONAL TEX. 236 PINECOM COMP 348 POLARIS SOFTW	UTER INC
42 BITTNER ELECTRO 450 BIX 44 BLAISE COMPUTIN		114 FORTRON CORPOR 115 FORTRON CORPOR 116 FOX SOFTWARE IN	ATION .	 MACMILLAN BOOH 180 MANDRILL CORP. 181 MANX SOFTWARE 		 349 POLARIS SOFTW. POLYTEL COMP. 237 POLYTRON 	PROD. CORP 165
45 BLAISE COMPUTIN 48 BORLAND INTL	IG INC	• FRANK HOGG LAB	ORATORY 372 LOGIES INC 213	182 MANX SOFTWARE 183 MARK WILLIAMS (SYS	238 POLYTRON	APHIC SYS. 50, 51
49 BORLAND INT'L 50 BP MICROSYSTEMS * BUYER'S MART SEC	S 949	118 GENICOM 119 GFK. 120 GLENCO ENGINEER	+++)+(()	184 MARK WILLIAMS (185 MATHSOFT INC • MAXELL DATA PRO		240 PRINCETON GRA 241 PRINCETON GRA 346 PRIORITY ONE	PHIC SYS 248
 BYTE BACK ISSUES BYTE BITS. BYTE SUB MESSAGE 		121 GOLD HILL COMPL 122 GOLDEN BOW SYS 123 GOLDEN BOW SYS	TEMS	 85 MAXTECH	SERV. 274, 275	242 PROGRAMMER'S 243 PROSPERO SOFT 352 PROTEC MICRO	WARE 169
 BYTE SUB SERVICE BYTE SUB SERVICE 	E	124 GOULD COMPUTER 125 GRAFPOINT	SYSTEMS . 289	188 MEGATEL COMPUT 189 MERRITT COMP. PI	TER TECH 341 RODUCTS 372	246 PUBLIC DOMAIN 247 PURPLE COMPU 248 OIC RESEARCH.	SFTW. COPYING374 TING
52 BYTEK CORPORATI C WARE/DESMET C CALIFORNIA DIGIT		126 GRAND UNION MIC 128 GTEK INC HARMONY COMPU		190 METACOMCO 191 MICRO COM SYSTI 192 MICRO DATA BASE	EMS 237	249 OUA TECH, INC. 250 OUA TECH. INC.	
54 CANON U.S.A 56 CAPITAL EOUIP 57 CASIO INC)	HERCULES COMPU 129 HERCULES COMPUT 130 HERCULES COMPUT	ER TECH. 134, 135	193 MICRO DESIGN IN 194 MICRO PRODUCTS 195 MICRO SUPPLY OR	INT'L 381	251 OUA TECH. INC. 252 OUA TECH. INC. 253 OUA TECH. INC.	
58 CAUZIN SY: 59 CENTROID	215	131 HERCULES COMPUT 132 HERCULES COMPUT	ER TECH. 136, 137 ER TECH. 136, 137	196 MICROBRIDGE CO 197 MICROGRAFX .	MP. INT'L		RE LTD
60 CHALCEDONY SOF 61 CHALCEDONY SOF 343 CITIZEN AMERICA	TWARE	133 HERCULES COMPU 134 HERCULES.COMPU 135 HERITAGE SYSTEM:	TER TECH. 138	 347 MICROLYTICS MICROMINT INC. 198 MICROPORT SYS⁻ 		256 OUANTUM SOFT 257 OUBIE	WARE
62 CLEO SOFTWARE 63 CLUB AT 354 CLONE FACTORY	304, 305						
64 CNT MARKETING. • COALITION FOR LI		pick up your touch-	tone telephone a	e products advertised nd use TIPS (if you ar	e a subscriber).	261 RADIO SHACK . 262 RADIO SHACK . 353 RAINBOW TECH	
65 COEFFICIENT SYS. 66 COCITATE 67 COCITATE		vided following this	s reader service i	Either way full instru ndex which is provic o assumes no liabilit	led as an addi-	263 RAINBOW TECH 340 RAYGAR MFG	NOLOGIES 360
 53 COMB DIRECT MR COMPUDATA TRAN 		omissions. *Corres			, 101 01013 01	265 ROSE ELECTRON 266 S-100 DIV. 696 C	

k

READER SERVICE

Inquiry No. Page N	o. inquiry No.	Page No.	inquiry No.	Page No.	inquiry No.	Page No.
267 S-100 DIV. 696 CORP.					328 WINTEK CORP.	
268 SAFEWARE			308 TOPAZ, INC 310 TOSHIBA AMERIC	A INC	329 WISETEK	
270 SCIENTIFIC ENGR. LABS 35	8 289 SUBLOGIC CORP.		• TOSHIBA AMERIC		331 WYSE TECHNOLO	
271 SILICON SPECIALTIES			 TRANSEC SYSTEM U.S. DISK. 		332 ZI-TECH INSTRUM 333 ZIMCO INTERNAT	
273 SINGLE BOARD SOLU	293 SUNTRONICS CO.	INC	313 U.S. ROBOTICS .			
274 SOFT CIRCUITS INC			314 U.S. ROBOTICS . 315 UNICORN ELEC		• Correspond directly with	company.
276 SOFTLINE CORP.			· UNITED AIRLIN	. 195		
277 SOFTLOGIC SOLI			316 VENTEL INC. 317 VICTORY ENT. TE	CHNOLOGY 60	1	
279 SOFTRONICS			· VLM COMPUTER		8 m	
336 SOFTWARE DEVELOPMENT SYS.			318 WAREHOUSE DAT		INTERNATIONAL ADVI	ERTISING SECTION
337 SOFTWARE DEVELOPMENT SYS : 280 SOFTWARE PRODUCTS INT'L .	300 TELEVIDEO SYST 301 THOMSON CONS		319 WELLS AMERICA 320 WESTECH.,		500 AMERICAN BUYI	NG & EXPORT
281 SOFTWARE PRODUCTS INT'L .	302 THOMSON CONS		321 WESTECH			48L
282 SOLETEK INC			322 WESTERN COMPL 323 WESTERN COMPL		501 ASHFORD INTER 502 GREY MATTER.	48G
284 SONY CORP. OF AMERIC	7 304 TIMELINE		324 WHITEWATER GR		503 MULTITECH IND.	48A
285 SOURCE ELECTRONICS		259, 303	325 WILEY PRESS 339 WILEY PROFESSIV		504 PHILIPS	
287 SPECTRUM SOFTWARE		351	327 WINTEK CORP.		No domestic inquiries, please	

TIPS		SUBSCRIBERS ONLY!* Use BYTE's Telephone Inquiry Processing System Us ng TIPS ca br g product information as much as 10 days earlier.					
SEND FOR YOUR SUBSCRIBER I.D. CAI	1) R D	If you are a new subscriber or have lost your I.D. card, circle #1 on the Reader Service Card; attach mailer label. We will immediately send your personal TIPS subscriber card.					
GET PREPARED	2)	Write your Subscriber Number, as printed on your Subscriber I.D. Card, in boxes in Step 5 below. (Do not add 0's to fill in blank boxes)					
	3)	Write numbers for information desired in boxes in Step 7b below. (Do not add 0's to fill in blank boxes.)					
CALL TIPS	4)	4) Now, on a Touch-Tone telephone dial: (413) 442-2668 and wait for voice commands.					
ENTER YOUR SUBSCRIBER AND ISSUE NUMBERS	5)	When TIPS says: "Enter Subscriber Number" (Enter by pushing the numbers and symbols [# or * enclosed in the boxes] on telephone pad ignoring blank boxes) Enter □ □ □ □ □ □ □ Ⅲ ①					
	6)	When TIPS says "Enter magazine code & issue code" Enter ① 译 ① ⑥ 億 册					
ENTER YOUR INQUIRIES	7a)	When TIPS says "Enter (next) Inquiry Number" Enter one inquiry selection from below (ignore blank boxes)					
	b)	Repeat 7a as needed (maximum 17 inquiry numbers)					
		1.					
END SESSION	8)	End session by entering * * 9 1 # #					
	9)	Hang up after hearing final message If you are a subscriber and need assistance, call (603) 924-9281.					

If you are not a subscriber fill out the subscription card found in this issue or, call BYTE Circulation 800-258-5485. *Domestic and Canadian Subscribers Only!

BUTE READER SERVICE

Fill out this coupon carefully. PLEASE PRINT. Requests cannot be honored unless the zip code is included. This card is valid for 6 months from cover date.

I am requesting information for:
Business
Personal
Both City.
I purchased this copy by
Subscription

I purchased this copy by Subsc	ription		StateZip	
	stand, computer store, bookstore Count	ry		
1 23 45 67 89 111 133 155 177 195 2 24 46 68 90 112 134 156 178 200 3 25 47 69 91 113 135 157 179 200 4 26 48 70 92 114 136 158 180 200 5 27 49 71 93 115 137 159 181 200 6 28 50 72 94 116 138 160 182 204	221 243 265 287 309 331 353 375 397 419 222 244 266 288 310 332 354 376 398 420 223 245 267 289 311 333 355 377 399 421 224 246 268 290 312 334 356 378 400 422 225 247 269 291 313 355 377 399 421 225 247 269 291 313 355 377 399 421 226 248 270 292 314 336 358 380 002 424	441 463 485 507 529 551 573 595.617 639 442 464 486 508 530 552 574 596 618 640 443 465 487 509 531 553 575 597 619 641 444 466 488 510 532 554 576 598 620 642	662 684 706 728 750 663 685 707 729 751 664 686 708 730 752 665 687 709 731 753	772 794 773 795 774 796 775 797
7 29 51 73 95 117 139 161 183 2 66 8 30 52 74 96 118 140 162 184 206 9 31 53 75 97 119 141 163 185 207 10 32 54 76 98 120 142 164 186 206 11 33 55 77 99 121 143 165 187 205 12 34 56 78 90 121 143 165 187 205 12 34 56 78 90 122 144 166 188 210 13 35 57 79 101 123 145 167 189 211 14 36 58 80 102 124 146 168 190 212	227 249 271 293 315 337 359 381 403 425 228 250 272 294 316 338 360 382 404 426 229 251 273 295 317 339 361 383 405 427 230 252 274 296 318 340 362 384 406 428 231 253 275 297 319 341 363 385 407 429 232 254 276 298 30 342 364 386 430 233 255 277 299 321 343 365 387 409 431	447 469 491 513 535 557 579 601 623 645 448 470 492 514 536 558 580 602 624 646 449 471 493 515 537 559 581 603 625 647 450 472 494 516 538 505 582 604 626 648 451 473 495 517 539 561 583 605 627 649 451 473 495 517 539 561 583 605 627 649 452 474 496 518 540 562 584 606 628 650 453 475 497 519 541 563 585 607 629 651	667 689 711 733 755 668 690 712 734 756 669 691 713 735 757 670 692 714 736 758 671 693 715 737 759 672 694 716 738 760 673 695 717 739 761	778 800 779 801 780 802 781 803 782 804 783 805
15 37 59 81 103 125 147 169 191 213 16 38 60 82 104 126 148 170 192 214 17 39 61 83 105 127 149 171 193 215 18 40 62 84 106 128 150 172 194 216 19 41 63 85 107 129 151 173 195 217 20 42 64 108 130 152 174 196 218 21 43 65 87 109 131 153 175 197 219	235 257 279 301 323 345 367 389 411 433 236 258 280 302 324 346 368 390 412 434 237 259 281 303 325 347 369 91 413 435 238 260 282 304 326 348 370 392 414 436 238 260 282 304 326 348 370 392 414 436 239 261 283 305 372 394 311 433 240 262 284 306 328 350 372 394 416 438	455 477 499 521 543 565 587 609 631 653 456 478 500 522 544 566 588 610 632 654 457 479 501 523 545 567 589 611 633 655 458 480 502 524 566 588 600 612 634 656 459 481 503 525 547 506 591 613 635 657 460 482 504 526 548 570 592 614 636 658 461 483 505 527 549 571 593 615 637 659	675 697 719 741 763 676 698 720 742 764 677 699 721 743 765 678 700 722 744 766 679 701 723 745 767 680 702 724 746 768 681 703 725 747 769	784 806 785 807 786 808 787 809 788 810 789 811 790 812 791 813 792 814

BYTE'S BOMB is your direct line to the editor's desk. Each month, the two top-rated authors receive bonuses based on your evaluation. First look at the list of this month's articles and corresponding article numbers (located on the page preceding the Reader Service list), then rate each article you've read as Excellent. Good, Fair, or Poor, based on your overall impression of the article. by circling the appropriate number in each column below. Your feedback helps us produce the best possible magazine each month.

Article No,	1	2	3	4	5	6	7	8	9	Ю	П	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Excellent	1	5	9	13	17	21	25	29	33	37	41	45	49	53	57	61	65	69	73	77	81	85	89	93	97
Good	2	6	10	14	18	22	26	30	34	38	42	46	50	54	58	62	66	70	74	78	82	86	90	94	98
Fair	3	7	11	15	19	23	27	31	35	39	43	47	51	55	59	63	67	71	75	79	83	87	91	95	99
Poor	4	8	12	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80	84	88	92	96	100
Article No.	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
Excellent	101	105	109	113	117	121	125	129	133	137	141	145	149	[53	157	161	165	169	173	177	181	185	189	193	197
Good	102	106	110	114	118	122	126	130	134	138	142	146	150	154	158	162	166	170	174	178	182	186	190	194	198
Fair	103	107	Ш	115	119	123	127	131	135	139	143	147	151	155	159	163	167	171	175	179	183	187	191	195	199
Poor	104	108	112	116	120	124	128	132	136	140	144	148	15.2	156	160	164	168	172	176	180	184	188	192	196	200

(Title) _____ (Company) ____

Address ______ Telephone ____

_____State____Zip____

BUTE READER SERVICE

Fill out this coupon carefully. PLEASE PRINT. Requests cannot be honored unless the zip code is included. This card is valid for 6 months from cover date.

I am requesting information for: □ Business □ Personal □ Both I purchased this copy by □ Subscription

Newsstand, computer store, bookstore

1 23 45 67 89 111 133 155 177 199	221 243 265 287 309 331 353 375 397 419	441 463 485 507 529 551 573 595 617 639 661	683 705 727 749 771 793
2 24 46 68 90 112 134 156 178 200	222 244 266 288 310 332 354 376 398 420	442 464 486 508 530 552 574 596 618 640 662	684 706 728 750 772 794
3 25 47 69 91 113 135 157 179 201	223 245 267 289 311 333 355 377 399 421	443 465 487 509 531 553 575 597 619 641 663	685 707 729 751 773 795
4 26 48 70 92 114 136 158 180 202	2 224 246 268 290 312 334 356 378 400 422	444 466 488 510 532 554 576 598 620 642 664	686 708 730 752 774 796
5 27 49 71 93 115 137 159 181 203	3 225 247 269 291 313 335 357 379 401 423	445 467 489 511 533 555 577 599 621 643 665	687 709 731 753 775 797
6 28 50 72 94 116 138 160 182 204	226 248 270 292 314 336 358 380 402 424	446 468 490 512 534 556 578 600 622 644 666	688 710 732 754 776 798
7 29 51 73 95 117 139 161 183 205	227 249 271 293 315 337 359 381 403 425	447 469 491 513 535 557 579 601 623 645 667	689 711 733 755 777 799
# 30 52 74 96 118 140 162 184 206	5 228 250 272 294 316 338 360 382 404 426	448 470 492 514 536 558 580 602 624 646 668	690 712 734 756 778 800
9 31 53 75 97 119 141 163 185 207	229 251 273 295 317 339 361 383 405 427	449 471 493 515 537 559 581 603 625 647 669	691 713 735 757 779 801
10 32 54 76 98 120 142 164 186 208	3 230 252 274 296 318 340 362 384 406 428	450 472 494 516 538 560 582 604 626 648 670	692 714 736 758 780 802
11 33 55 77 99 121 143 165 187 209	231 253 275 297 319 341 363 385 407 429	451 473 495 517 539 561 583 605 627 649 671	693 715 737 759 781 803
12 34 56 78 100 122 144 166 188 210	232 254 276 298 330 342 364 386 408 430	452 474 496 518 540 562 584 606 628 650 672	694 716 738 760 782 804
13 35 57 79 101 123 145 167 189 211	233 255 277 299 321 343 365 387 409 431	453 475 497 519 541 563 585 607 629 651 673	695 717 739 761 783 805
14 36 58 80 102 124 146 168 190 212	2 234 256 278 300 322 344 366 388 410 432	454 476 498 520 542 564 586 608 630 652 674	696 718 740 762 784 806
15 37 59 81 103 125 147 169 191 213	3 235 257 279 301 323 345 367 389 411 433	455 477 499 521 543 565 587 609 631 653 675	697 719 741 763 785 807
16 38 60 82 104 126 148 170 192 214	236 258 280 302 324 346 368 390 412 434	456 478 500 522 544 566 588 610 632 654 676	698 720 742 764 786 808
17 39 61 83 105 127 149 171 193 215	237 259 281 303 325 347 369 391 413 435	457 479 501 523 545 567 589 611 633 655 677	699 721 743 765 787 809
18 40 62 84 106 128 150 172 194 216	238 260 282 304 326 348 370 392 414 436	458 480 502 524 546 568 590 612 634 656 678	700 722 744 766 788 810
19 41 63 85 107 129 151 173 195 217	239 261 283 305 327 349 371 393 415 437	459 481 503 525 547 569 591 613 635 657 679	701 723 745 767 789 811
20 42 64 86 108 130 152 174 196 218	3 240 262 284 306 328 350 372 394 416 438	460 482 504 526 548 570 592 614 636 658 680	702 724 746 768 790 812
21 43 65 87 109 131 153 175 197 219	241 263 285 307 329 351 373 395 417 439	461 483 505 527 549 571 593 615 637 659 681	703 725 747 769 791 813
22 44 66 88 110 132 154 176 198 220	242 264 286 308 330 352 374 396 418 440	462 484 506 528 550 572 594 616 638 660 682	704 726 748 770 792 814

Name ____

City____

Country____

To get further information on the products advertised in BYTE, fill out the reader service card with your name and address. Then circle the appropriate numbers for the advertisers you select from the list. Add a first-class stamp to the card, then drop it in the mail. Not only do you gain information, but our advertisers are encouraged to use the marketplace provided by BYTE. This helps us bring you a bigger BYTE. The index is provided as an additional service by the publisher, who assumes no liability for errors or omissions.

Name _

OCTOBER 1986 4EA6XX

OCTOBER 1986

4FA6XX

Address

(Company)

_____ Telephone ____

PLACE POSTAGE HERE



PLACE POSTAGE HERE



Make a career move!

Get your own copy of BYTE!

Sharing is nice but not practical when you have to stay on the leading edge of microcomputer technology. From each BYTE issue theme to "MICROBYTES" and "Best of BIX". no other magazine-or group of magazines-can deliver you the vital technical information packaged in one issue of BYTE.

Don't rely on others for BYTE information-waiting on-line can be hazardous to your job. Make a career move! Have BYTE delivered to vour door in your name. Use one of the adjacent cards to ensure your position in microcomputer technology.



For direct ordering call toll free weekdays 8:30am-4:30pm E.S.T.: 800-258-5485 (603-924-9281 for New Hampshire residents).

Welcome to BYTE Country!

For your own subscription to **EVIE**, complete this card and mail.

Name_____

□ Bill me (U.S.A., Canada, Mexico only)

Charge to my
MasterCard
VISA

Signature _____

drawn on a U.S. bank.)

Address

City_____

□ Check enclosed (All checks must be payable in U.S. funds

Card # _____ Expiration Date _____

State _____ Zip ____ Country _____


4EA6XX



G4¶≁



Please allow 6-8 weeks for processing. Thank you.





BUTE Subscriptions

POSTAGE WILL BE PAID BY ADDRESSEE

BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 39 MARTINSVILLE, NJ

PO Box 597 Martinsville, NJ 08836-9956 USA

For your own subscription to **BUTE**, complete this c

E .(.)* E
Grow
THAT

complete this card and mail.			
Name	Subscrip	tion	
Address	Rates	USA	Canada /Mexico
	ONE YEAR:	□\$21	□\$23
City	TWO YEARS:	□\$38	□\$42
State Zip Country	THREE YEARS:	□\$55	□\$61
State 2.ip Country	□\$69 Europe (1	year-air	delivery)
□ Bill me (U.S.A., Canada, Mexico only)	□\$37 Europe ar (1 year-su		

Check enclosed (All checks must be payable in U.S. funds drawn on a U.S. bank.)

Charge to my
MasterCard
VISA

Card # _____ Expiration Date _____

Signature _____

Please allow 6-8 weeks for processing. Thank you.

Air mail rates outside Europe

available upon request.

BUSINESS REPLY MAIL FIRST CLASS MAIL PERMIT NO. 39 MARTINSVILLE, NJ POSTAGE WILL BE PAID BY ADDRESSEE	NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES	Make a career move! Get your own copy of BYTE!
PO Box 597 Martinsville, NJ 08836-9956 USA IIII.I.I.I.II.II.II.II.II.II.II.II.I		Sharing is nice but not practical when you have to stay on the leading edge of microcom- puter technology. From each BYTE issue theme to "MICROBYTES"
For your own subscription to complete this card and mail. Address Address City State Zip Country Bill me (U.S.A., Canada, Mexico only) Check enclosed (All checks must be payable in U.S. funds drawn on a U.S. bank.) Charge to my MasterCard VISA Card # Expiration Date Signature Signature	Subscription Rates Canada USA /Mexico ONE YEAR: \$21 TWO YEARS: \$38 \$42 THREE YEARS: \$55 \$69 Europe (1 year-air delivery) \$37 Europe and worldwide (1 year-surface mail) Air mail rates outside Europe available upon request. Please allow 6–8 weeks for processing. Thank you.	and "Best of BIX", no other maga- zine—or group of magazines—can deliver you the vital technical in- formation pack- aged in one issue of BYTE. Don't rely on others for BYTE information—wait- ing on-line can be hazardous to your job. Make a career move! Have BYTE delivered to your
BUSINESS REPLY MAIL FIRST CLASS MAIL PERMIT NO. 39 MARTINSVILLE, NJ POSTAGE WILL BE PAID BY ADDRESSEE POSTAGE WILL BE PAID BY ADDRESSEE PO Box 597 Martinsville, NJ 08836-9956 USA		door in your name. Use one of the adjacent cards to ensure your position in micro- computer technology. For direct ordering call toll free weekdays 8:30am-4:30pm E.S.T.: 800-258-5485 (603-924-9281 for New Hampshire residents). Welcome to BYTE Country!

NEC'S PINWRITER P5XL HAS MADE BLACK A PRIMARY COLOR.

Our Pinwriter[®] P5XL printer has changed forever the way people look at dot matrix printing. It's the first 24-pin dot matrix printer to use a letter-quality multistrike film ribbon—the same ribbon used in typewriters and letter-quality printers, such as our Spinwriter.[®] So for the first time in computer history there is a printer that honestly does everything. A printer that produces important letters and documents with crisp, black, true letter-quality

Dear Mr. Black: Actual line printed with a Pinwriter P5XL printer.

STATE PRIVATES FOR

printing. But with all the speed and graphics capability dot matrix printers are known for.

Fast, black letter-quality printing will be the primary reason many people will buy a P5XL printer. But there are plenty of other good reasons. In fact, it's the most versatile printer ever created for personal computers.

It can use an optional ribbon to print seven other colors plus black. And it has the best graphics resolution of any impact printer you can buy, due in part to our advanced 24-pin printhead. Plus it can print more type faces automatically than any other dot matrix printer. And it's quiet and fast.

You can also expect a P5XL printer to turn out millions of characters before it will need service because it has the highest reliability rating in the industry. And there's a nationwide network of NEC Customer Service Centers to take care of maintenance.

Now, while the Pinwriter P5XL performs a little black magic, you won't have to go in the red to buy it.

The Pinwriter P5XL is the latest addition to the most advanced and extensive family of 24-pin printers available. See it at your dealer or for an information package that includes

actual print samples, call 1-800-343-4418 (in MA 617-264-8635). Or write: NEC Information Systems, Dept. 1610, 1414 Massachusetts Ave., Boxborough, MA 01719.

NEC PRINTERS. THEY ONLY STOP WHEN YOU WANT THEM TO.



CeC Computers and Communications

Tione

The chevrons and serpentine designs are registered ademarks of Binney and Smith Inc., used with permission

TANDY... Better Again



Welcome to the next generation of personal computing.

Introducing four Tandy PC compatibles that redefine the IBM[®] "industry standard"

Meet our new line of MS-DOS[®] based personal computers. Each one was carefully designed for a particular type of use. Each with a different customer in mind. And yet each of these computers has one thing in common: the Tandy commitment to excellence.

We could have simply introduced computers that copy our competition at a lower price. No better, no worse—just a better deal. But that's just not the way we think. When you buy a Tandy computer, we want you to know you're getting more. More power, more speed, more options, more support. All at a lower price than the so-called "industry standard" computers.

The Tandy 1000 EX

Only \$799 for a true MS-DOS based computer? It's true. The Tandy 1000 EX has 256K of memory, a built-in disk drive and runs the same powerful software as an IBM PC—but at up to 50% faster! And every Tandy 1000 EX comes with our new graphics-oriented Personal DeskMate[™] six-in-one software. With its built-in headphone jack, the 1000 EX is also the perfect classroom computer.

The Tandy 1000 SX

Here's a high-performance version of America's #1 PC compatible—the Tandy 1000. The new Tandy 1000 SX is still compatible with industry-standard MS-DOS software. But it can now run many of these programs up to 50% faster. The 1000 SX comes with 384K and two built-in disk drives—standard. You even get our enhanced six-inone DeskMate® II applications software. All for just \$1199.

The Tandy 3000 HL

If you've already invested in IBM PC/XT software and hardware, and would like to expand, the Tandy 3000 HL gives you *four times the power of the XT*... *for less.* The 3000 HL can process twice the data, thanks to its advanced, 16-bit 80286 microprocessor. Plus, the 3000 HL operates at twice the speed of the XT. With a Tandy 3000 HL, you're

getting much more than just another XT compatible—and for only \$1699.

The Tandy 3000 HD

Unmatched in performance, the 640K Tandy 3000 HD is a powerful workstation with both networking and multiuser capabilities. It's compatible with the IBM PC/AT®, offers greater disk storage (40 megabytes), yet is priced at only \$4299. The new Tandy 3000 HD is our most powerful computer ever.

American-made quality

These four new computers are built in our own manufacturing plants by Tandy in the U.S.A. They're designed to meet our rigid quality standards and backed with the best support in the industry. We're proud of our new line and we want you to see why. Come in for a demonstration.

Available at over 1200 Radio Shack Computer Centers and at participating Radio Shack stores and dealers.



Prices apply at Radio Shack Computer Centers and participating stores and dealers. Monitors not included. Tandy 1000 EX shown with optional platform and second disk drive. IBM and IBM PC/AT/Registered TM International Business Machines Corp. MS-DOS/Registered TM Microsoft Corp.