

OCTOBER 1989

MAC PORTABLE •

OCTOBER 1989

A McGRAW-HILL PUBLICATION

Special Reports:



Apple's new portable

to go

Quattro 2

Bill Gates on BASIC Parallel Processing with Macs Understanding Disk Caching Inside AppleTalk and NetBIOS **6 Short Takes**

REVIEWS

New IBM and Mitac SX Systems ColorQuick Mac Printer Two Portable Printers Logitech's MultiScope Debugger A new X Window System



Macintosh Portable

SO HOW COME YOU NEVER CALL?

12

0

1909/111

11

DELL

DELL

1

THE PARTY 1



"The new top-of-the-line Dell System 325 is a flagship worth putting out in front of the fleet." February 14, 1989

> 1 r.



THE DELL SYSTEM® 310 20 MHz 386.

- The best combination of performance and value available in its class STANDARD FEATURES:
- Intel 80386 microprocessor running at 20 MHz.
- Choice of 1 MB, 2 MB, or 4 MB of RAM* expandable to 16 MB (using a dedicated high-speed 32-bit memory slot).
- Advanced Intel 82385 Cache Memory Controller with 32 KB of high speed static RAM cache.
- · Page mode interleaved memory architecture.VGA systems include a high perform-
- ance 16-bit video adapter. Socket for 20 MHz Intel 80387 or 20 MHz WEITEK 3167 math
- coprocessor. 5.25" 1.2 MB or 3.5" 1.44 MB diskette drive
- Dual diskette and hard drive controller.
- · Enhanced 101-key keyboard
- 1 parallel and 2 serial ports.
 200-watt power supply.
- 8 industry standard expansion slots (6 available).

**Lease for as low as \$131/month. △ Extended Service Plan pricing starts at \$251.

1 0	,
40 MB TTL Monochrome System	m \$3,599
40 MB VGA Color Plus System	\$4,099
100 MB VGA Color Plus System	\$4,699
100 MB Super VGA Color Syster (800×600)	n \$4,799

Prices listed reflect 1 MB of RAM. 150 and 322 MB hard drive configurations also available

*Performance Enhancements (Systems 325, 310, 316 and 220): within the first megabyte of memory, 384 KB of memory is reserved for use by the system to enhance performance. 4 MB configurations available on all systems. Call for pricing.





THE DELL SYSTEM® 316 16 MHz 386SX.

Expandable, affordable access to 386 architecture

STANDARD FEATURES:

- Intel 80386SX microprocessor running at 16 MHz.
 Choice of 1 MB, 2 MB, or 4 MB of RAM* expandable to 16 MB (8 MB
- on the system board).
- Page mode interleaved memory architecture.
- VGA systems include a high performance 16-bit video adapter.
- LIM 4.0 support for memory over 1 MB. Socket for 16 MHz Intel 80387SX
- math coprocessor. 5.25" 1.2 MB or 3.5" 1.44 MB diskette drive.
- Integrated high performance hard disk drive interface and diskette controller on system board. (ESDI based systems include a hard disk controller.)
- · Enhanced 101-key keyboard. • 1 parallel and 2 serial ports.
- 200-watt power supply.
 8 industry standard expansion slots (7 available).

**Lease for as low as \$98/month. △ Extended Service Plan pricing starts at \$234.

40 MB TTL Monochrome System	\$2,699
40 MB VGA Color Plus System	\$3,199
100 MB VGA Color Plus System	\$3,799
100 MB Super VGA Color System (800x600)	\$3,899

Prices listed reflect 1 MB of RAM. 150 and 322 MB hard drive configurations also available.



THE DELL SYSTEM* 220 20 MHz 286.

It's faster than many 386 computers, and has a smaller footprint.

STANDARD FEATURES:

- 80286 microprocessor running at
- 20 MHz. Choice of 1 MB, 2 MB, or 4 MB of RAM* expandable to 16 MB (8 MB on system board).
- Page mode interleaved memory architecture.
- LIM 4.0 support for memory over 1 MB.
 Integrated diskette and VGA video controller on system board.
- Socket for Intel 80287 math coprocessor.
 One 3.5" 1.44 MB diskette drive. Integrated high performance hard disk
- interface on system board.
- Enhanced 101-key keyboard. 1 parallel and 2 serial ports (integrated on system board).
- 3 full-sized 16-bit AT expansion slots available

**Lease for as low as \$109/month. △ Extended Service Plan pricing starts at \$264.

40 MB VGA Monochrome System \$2,999 40 MB VGA Color Plus System \$3,299 100 MB VGA Monochrome System \$3,599 100 MB VGA Color Plus System \$3,899

Prices listed reflect 1 MB of RAM. External 5.25" 1.2 MB diskette drive available.



THE NEW DELL SYSTEM® 210 12.5 MHz 286.

- The price says this is an entry-level system. The performance says it's a lot more. STANDARD FEATURES:
- Intel 80286 microprocessor running at 12.5 MHz. • Choice of 512 KB, 640 KB††, 1 MB,
- or 2 MB of RAM expandable to 16 MB (6 MB on system board).
- · Page mode interleaved memory architecture.
- LIM4.0 support for memory over 1 MB. Integrated diskette and high performance 16-bit VGA video controller on system board.
- Socket for Intel 80287 math
- coprocessor. 5.25" 1.2 MB or 3.5" 1.44 MB diskette
- drive. Integrated high performance hard disk
- interface on system board. Enhanced 101-key keyboard.
- · 1 parallel and 2 serial ports.
- · 3 full-sized 16-bit AT expansion slots available

**Lease for as low as \$64/month. riangle Extended Service Plan pricing starts at \$190.

\$1,699
\$1,999
\$1,899
\$2,199

Prices listed reflect 512 KB of RAM. ††640 KB versions of the above systems are available for an additional \$80. 100 MB hard drive configurations also available.

All prices and specifications are subject to change without notice. Dell cannot be responsible for errors in typography or photography. **Payments based on a 36-month open-end lease. *Leasing arranged by Leasing Group, Inc. In Canada, configurations and prices will vary. DELL SYSTEM is a registered trademark of Dell Computer Corporation. Microsoft, MS, MS-DOS and XENIX are registered trademarks owned by Microsoft Corp. Intel is a registered trademark. 386 and 386SX are trademarks of Intel Corporation. UNIX is a registered trademark of AT&T. Dell UNIX System V is based on INTERACTIVE Systems Corporation's 386/ix." 'Signifies trademarks of entities other than Dell Computer Corporation. A Service provided by Xerox Corporation. Service in remote locations will incur additional travel charges. ©1989 Dell Computer Corporation. All rights reserved. △Service provided

THE DELL SYSTEM® 325 25 MHz 386.

When you need a truly high-performance 386 computer, this is it.

STANDARD FEATURES:

- Intel 80386 microprocessor running at 25 MHz.
- Choice of 1 MB, 2 MB, or 4 MB of RAM* expandable to 16 MB (using a dedicated highspeed 32-bit memory slot).
- Advanced Intel 82385 Cache Memory Controller with 32 KB of high speed static RAM cache.
- Page mode interleaved memory architecture.
- VGA systems include a high performance 16-bit video adapter.
- Socket for 25 MHz Intel 80387 or 25 MHz WEITEK 3167 math coprocessor.
- 5.25" 1.2 MB or 3.5" 1.44 MB diskette drive.
- Dual diskette and hard drive controller.

- Enhanced 101-key keyboard.
- 1 parallel and 2 serial ports.
- 200-watt power supply.
- 8 industry standard expansion slots (6 available).
- **Lease for as low as \$196/month.

 \triangle Extended Service Plan pricing starts at \$370.

40 MB VGA Monochrome System	\$5,399
-----------------------------	---------

100 MB VGA	Color	Plus System	\$6,2	299
------------	-------	-------------	-------	-----

100 MB Super VGA	Color System	(800×600)	\$6,399
------------------	--------------	--------------------	---------

150 MB Super VGA Color System (800 x 600) \$6,899

Prices listed reflect 1 MB of RAM. 322 MB hard drive configurations also available.

All systems are photographed with optional extras.

Technically speaking, the Dell System[®] 325 is one of the most advanced 386[™] computers available. And, according to PC Magazine, it's one of the most advanced 386 computers they've ever tested.

In benchmark after benchmark, the 25 MHz Dell System 325 ran circles around

THE FIRST PERSONAL COMPUTER THAT'S REALLY PERSONAL.

Of the more than 150,000 personal computers we've sold to date, each one has been individually configured to fit the needs of its owner.

The System 325 takes that idea

to its logical extreme.

For example, it runs either MS-DOS,^{*}MS^{*}OS/2, or our own Dell UNIX^{*} System V. Which is compatible with-AT&T's System V Interface Definition. And the world of XENIX^{*} applications.

If speed is of the essence, we can include an optional Intel®

THE DELL 386 SYSTEM 325 HAS A 25 MHz CLOCK RATE, CACHE MEMORY CONTROLLER, IDE OR ESDI HARD DISK DRIVE, PAGE MODE INTERLEAVED MEMORY, AND 100% COMPATIBILITY WITH MS-DOS, OS/2 AND UNIX SYSTEM V.

a field of 386-based systems. A field that included the Compaq[^] 386/25.

A show of prowess that earned the System 325 PC Magazine's Editor's Choice award.

It was a goal we set for ourselves from the very beginning. And an objective anyone with a penchant for power and performance can appreciate.



80387 or WEITEK 3167 math coprocessor. And since nothing about this system is lightweight, the standard mass storage is a 100 MB hard disk drive. Or we can configure it with a 40, 150 or 322 MB hard drive.

As you might expect, the output is just as intense. You can choose between VGA Monochrome with paper-white screen, VGA Color Plus, or Super VGA for high resolution colors displayed on a larger screen.

Even though the 325 gives you all this performance, it still leaves you six open slots for whatever else you might want to add.

And once you've told us what you want, we'll make sure what you want works—by burning-in the entire system unit.

COMPUTER RETAILERS ARE NO KNOWS.

There are some good reasons computer retailers won't know much about the System 325.

First, with all the new and increasingly sophisticated systems they have to keep up with on a daily basis, you can hardly expect them to know everything.

Second, because Dell sells direct.

Which means you now have the unique opportunity to talk directly with the people who make them. And ask things like, "What is page mode interleaved memory?" or, "How much SIMM RAM should I add?"

In other words, the kinds of details that are important to people who make computers and people who use them.

So dealing direct not only can save you up to the 35% mark-up, but 100% of the frustration.



One of the things that very clearly sets Dell systems apart from other computers is not just how they're sold but how they're supported.

Overkill was one description used in a recent PC Week article. Perhaps.

But then, we think you'll agree, when something goes wrong, you want as much help as possible, right?

MAYBE YOU SHOULDN'T BUY ONE AFTER ALL.

No matter how many reasons we give you to buy a Dell system, sometimes it makes more sense to lease one instead.

Whether you need a single computer, or an entire office

BEST OF ALL, YOU WON'T HAVE TO EXPLAIN TO A COMPUTER RETAILER WHAT ALL THAT MEANS.

Which is why every Dell system comes with a toll-free technical support line and selfdiagnostic software. We're able to solve 90% of all problems right over the phone. The other 10% receive next-day, deskside service. Thanks to our new alliance with Xerox Corporation.

And you get all this help for a full year—whenever you need it—at no extra charge.^{\triangle}

As you've probably guessed, one of the things that drives us most is customer satisfaction.

So we'd like to give you the ultimate guarantee:

Try a System 325 in your office for a month. Run your toughest applications. Put it through its paces, at your pace. If you're not completely satisfied, send it back anytime within 30 days. And we'll refund your money.

No questions asked.

full, there is a leasing plan for your business that is just like 100% financing.

And just as we can custom configure your computers, we can see to it you get a custom designed lease plan to fit your exact business needs.[†] A fact that has not gone unnoticed. Especially by the Fortune 500. Over half of whom now own or lease Dell systems.

And just as we welcome their business, we welcome your business, too.

Just call us, toll-free. And don't be afraid to ask us the tough questions.

That's the part we like best.



DOWER ... The most advanced What else would you expect



PC MAGAZINE, January 1989, "In a field of powerhouse machines there can only be one winner, and ALR's FlexCache is it."

INFO WORLD, July 1989,

"ALR Systems Unleash 486 Power. The PowerCache 4 shines in the CPUspecific portion of the InfoWorld Automated Benchmark Test, gaining a score of 16.3."

PC WEEK, July 1989,

"Based on a series of benchmarks run last week on Advanced Logic Research, Inc.'s prototype 486 desktop system, ALR will enter the 486 market with a bang." At ALR, we will never rest on our laurels. We strive to be the best, as proven by our past achievements. Now with the introduction of the new ALR PowerCache 4^{TM} , we've designed a system that is far beyond comparison. Again, we have taken PC-microprocessing power a step further by designing a unique proprietary PowerCache 4 cache controller using ALR's custom ASIC chips which deliver the fastest processing speed ever.

More important, PowerCache 4 is the first PC to fully utilize 128-bit burst mode and a "read and write-back" 128KB cache design, providing a better than zero wait state performance as compared to the i386. Furthermore, the ALR PowerCache 4 is 100% IBM[®] PS/2TM Micro ChannelTM-compatible supporting bus mastering devices and giving

	ALR M130 Desktop	ALR M150, M350 M650 Floor-Standing	IBM M70-A21 Power Platform™
CPU	25 MHz i486	25 MHz i486	25 MHz i486
Bus	MCA	MCA	MCA
External Cache	128 KB cache Read and Write-Back	128 KB cache Read and Write-Back	None
Video Opt. on board	640x480 1024x768	640x480 1024x768	640x480 None
I/O Slots	6 expansion slots	6 expansion slots	3 expansion slots
Storage Expansion	4-3 1/2*	1-full height 2-1/2"-height 2-3 1/2" drives	3-3 1/2" drives
Disk Capacity	130 MB-260 MB	150 MB-650 MB	110 MB
Price	\$9,990	Starting at \$11,490	\$12,990

Take any 1 of 3 sets for only \$4.95

Small Computer Book Club

Please accept my application for trial membership and send me the set that I have indicated below, billing me only \$4.95, plus shipping and handling, and send my free disk, Alfred Glossbrenner's Selected Shareware. I agree to purchase at least three additional Selections or Alternates over the next 12 months. Savings range up to 30% and occasionally even more. My membership is cancelable any time after I buy these three additional books. A shipping and handling charge is added to all shipments.

Check which one you want:

C Programmer's Library (00010)

Turbo Pascal Programmer's Library (00011)

dBase Programmer's Library (00012)

No-Risk Guarantee: If I am not satisfied-for any reason-I may return my introductory set and Alfred Glossbrenner's Selected Shareware within 10 days. My membership will be canceled, and I will owe nothing.

Name Address _____ Apt. ____

City

State_____Zip_____ (Books purchased for professional purposes may be a tax-deductible expense. Offer good in Continental U.S. and Canada only. Prices slightly higher in Canada.) Byte 10/89 Y-CF3

Take any 1 of 3 sets for only ^{\$}4.95

Small Computer Book Club

Please accept my application for trial membership and send me the set that I have indicated below, billing me only \$4,95, plus shipping and handling, and send my free disk, Alfred Glossbrenner's Selected Shareware. I agree to purchase at least three additional Selections or Alternates over the next 12 months. Savings range up to 30% and occasionally even more. My membership is cancelable any time after I buy these three additional books. A shipping and handling charge is added to all shipments.

Check which one you want:

C Programmer's Library (00010)

Turbo Pascal Programmer's Library (00011)

dBase Programmer's Library (00012)

No-Risk Guarantee: If I am not satisfied-for any reason-I may return my introductory set and Alfred Glossbrenner's Selected Shareware within 10 days. My membership will be canceled, and I will owe nothing.

Name Address ______Apt. ____ City Zip State____ State _____Zip _____ (Books purchased for professional purposes may be a tax-deductible expense. Offer good in Continental U.S. and Canada only. Prices slightly higher in Canada.) Byte 10/89

Y-CF3



Միսինիվիուինիկիկներինինինինին

California Anza-Borrego Desert State Park (Cannonball-shaped sandstone, These concretions are formed of onion-skin layers of minerals resistant to erosion.)

i486[™]system in the world. from the leader in 386[™]technology.

you a more efficient system for a variety of multi-user and fileserver applications. Like most ALR computers, the PowerCache 4 is a truly balanced system. The fastest power is achieved by enhancing our PowerCache 4 design with the industry's fastest disk drives and interface. The PowerCache 4 systems come standard with a high-speed 15MHz ESDI and 32 KB hard disk cache on the disk controller. What more could you possibly need.

It's no wonder ALR remains ahead of the pack with our innovative design expertise. As far back as 1986, we've been recognized in the industry as a leader in performance. Recently, the highly acclaimed 386/220 won us "Best of 1987" from *PC Magazine*. 1988 brought us the honor of receiving the *PC Magazine* Award for Technical Excellence for designing the industry's most advanced cache architecture. As for 1989 we've already begun to excite the industry with the PowerCache 4.

Now, what else would you expect from a company who is so committed to innovation and high-performance technology that we take you a step beyond. At ALR, we are concerned with your processing needs. Our technical support staff is available to assist you by one simple phone call. All our systems are backed by a one year warranty. Call today for more information on the new PowerCache 4 and the name of an authorized reseller nearest you.

1-800-444-4ALR



PowerCache 4 is the first PC to fully utilize 128-bit burst mode and a "read and writeback" 128KB cache design, providing better than zero wait state performance as compared to the i386.



Advanced Logic Research, Inc. 9401 Jeronimo Irvine, CA 92718 (714) 581-6770 FAX: (714) 581-9240 For our Canadian office: 1-800-443-4CAN For our UK office: 0 635-521 844 FAX: 0 635-521 844 For our Singapore: (65) 258-1286 FAX: (65) 258-1285

ALR and Advanced Logic Research, Inc. are registered trademarks. PowerCache 4 is a registered trademark of Advanced Logic Research, Inc. IBM and PC, PS/2, Micro Channel are registered trademarks of International Business Machines Corporation. Intel, 386 and i486 are registered trademarks of Intel Corporation.



PRODUCTS IN PERSPECTIVE

- 49 What's New
- 81 Short Takes

PageMaker for OS/2 Presentation Manager, Aldus puts desktop publishing in the fast lane Think C 4.0, a major upgrade from Symantec DeskWriter, Hewlett-Packard's ink-jet printer for the Mac HyperAccess/5, Hilgraeve adds many new features DOS Mounter, a utility from Dayna to use with Apple's FDHD hyperStore-816 and SmartCache PM3011, caching disk controllers from Perceptive Solutions and Distributed Processing Technology

FIRST IMPRESSIONS

111 VROOMM Goes

the Spreadsheet by Rich Malloy Borland's new Quattro combines the advantages of Excel with Lotus 1-2-3 compatibility.



COVER STORY

The Portable and the Powerful

by Tom Thompson and Frank Hayes page 98

Apple's Portable Mac finally arrives, accompanied by the impressive Mac IIci.

REVIEWS

- 160 Product Focus: The Optical Option by Steve Apiki and Howard Eglowstein WORM and erasable optical disk systems offer practical, large-scale storage.
- 181 MCA Meets SX by Mark L. Van Name and Bill Catchings IBM's PS/2 Model 55 SX and American Mitac's MPS2386 combine MCA with the 80386SX.
- 187 Color Printer Quells Price-Tag Blues by Tom Thompson ColorQuick offers Mac users a slow but effective alternative to pricey thermal printers.
- 191 Speed Separates Two Portable Printers by Wayne Rash Jr. Kodak and Toshiba take different routes to design printers for the road.

- 115 Computing at Chaos Manor: Disasters and Diversions by Jerry Pournelle Jerry tries to revive a damaged floppy disk and glories in using new CD-ROM products.
- 131 The Unix /bin: The Root to Happiness by David Fiedler Working with Unix has its privileges—literally.
- 143 OS/2 Notebook: A Compendium of OS/2 Applications by Mark J. Minasi A new OS/2 application guide lists hundreds of programs.



- 144E Macinations: Crimes of the Heart? by Don Crabb Don delineates his Macintosh wish list.
- 151 Down to Business: IBM's Vision for Your Office by Wayne Rash Jr. OfficeVision brings IBM's grand plan into view.

155 NetWorks: Breaking Down the Barriers by Mark L. Van Name and Bill Catchings A look at the issues you'll face if you try to integrate PCs and Macs on a LAN.

REGIONAL SECTION begins after page 80

- 195 Four Debuggers in One by Martin Heller The MultiScope OS/2 debugger from Logitech challenges Microsoft's CodeView.
- 201 X Window System on the March by Tom Yager A look at 386/ix X11, a new 80386 X Window system from Interactive Systems.
- 211 Visually Map Your Data by Stan Miastkowski Mapping Information Systems' MapInfo puts your dBASE III data on the map—literally.
- 217 How Super Is SuperCard? by Richard D. Lasky Silicon Beach's improvement on HyperCard's features may have been costly in performance.

IN DEPTH

- 228 Introduction: Optical Technologies
- 231 Computing With Light by H. John Caulfield Optical computers combine the best of the electronic and optical worlds.
- 239 The Nitty Gritty Optical Band Optical developments occur in the "nitty gritty" aspects of packaging, interconnections, ICs, and signaling:
- 240 Levels of Light by Joseph W. Goodman Optical interconnections are one route to high-speed computing.
- 244 Joining Forces by Donald J. Channin Optoelectronics combines optics and electronics on a single chip.

249 Reflected Light

by Gary T. Forrest Laser technology has an impact on everything from laser printers to optical disks.

- 259 Gigabytes On-Line by James J. Burke and Bob Ryan Erasable optical disk drives will change your notions of mass storage.
- 266 Read/Write Optical Subsystems A guide to optical drive systems that let you store your own data.

FEATURES



- 268 The 25th Birthday of BASIC by Bill Gates Microsoft's chairman and coauthor of Microsoft BASIC tells where BASIC has been and where it's going.
- 279 Occam II by Dick Pountain The Occam II language is designed for parallel processing.
- 287 Hands-On Parallel Processing by Geoffrey C. Fox, Alex W. Ho, Paul Messina, and Terry Cole How to assemble a functional hypercube using Macs and AppleTalk.

HANDS ON

- 297 Under the Hood: Disk Caching by L. Brett Glass How to evaluate different disk-caching schemes.
- 303 Some Assembly Required: Two Tin Cans and Some String, Part 1 by Rick Grehan The first of a two-part series comparing AppleTalk and NetBIOS.

DEPARTMENTS

- 8 Editorial: Hip-Deep and Rising
- 17 Microbytes
- 32 Letters and Ask BYTE
- 48C Chaos Manor Mail
- 351 Coming Up in BYTE
- 360 Print Queue
- 364 Stop Bit

READER SERVICE

- 350 Editorial Index by Company
- 352 Alphabetical Index to Advertisers
- 354 Index to Advertisers by Product Category Inquiry Reply Cards: after 356

PROGRAM LISTINGS

From BIX: See **358** From BYTEnet: call (617) 861-9764 On disk: See card after **248**

COVER LASER ANIMATION AND PHOTOGRAPHY: IMAGE ENGINEERING © 1989

BYTE (ISSN 0360-5280) is published monthly with an additional issue in October by McGraw-Hill, Inc. Postmaster: Send address changes. USPS Form 3579, and fulfillment questions to BVTE Subscriptions. P.O. Box 551. Highstown, NJ 08520. Second-class postage paid at Peterborough. NH 03458, and additional mailing offices. Postage paid at Winnipeg. Manitoba. Registration number 9321. Printed in the United States of America.

registration minor both the source of the source of the second s



Subscription questions or problems should be addressed to: BYTE Subscriber Service, P.O. Box 551, Hightstown, NJ 08520



By no small coincidence, Microsoft Windows works the way you do: On more than one thing at a time.



WYSIWYG. What you see on screen...



... is exactly what you get on paper.



An entire environment that let:



More good news: Hundreds of great Windows applications are available right now, as you read.



Cookie Standards, rolling in the dough





suits, the fortune is lower third of the and alightly to the bottom is folded, the fortune should be placement is all-imows the consumer to cookle without tear-

ep in Patture Fortune Cookle making is when our trade dimple is inced on the cookle. As the arrows adjuste, it is important to pull down a both sides of the cookle as the imple is pushed in from the color.

unes for the month of August

Ill on your car phone. birits as well as wrinkles. hurn from maternity leave. of the past. Invest in a car soon. tate will only lead to frustration. I your accountant.	
birits as well as wrinkles. hurn from maternity leave. of the past. Invest in a car soon. tain will only lead to frustration.	d a reliable au pair.
turn from maternity leave. of the past. Invest in a car soon. taie will only lead to frustration. I your accountant.	mportant call on your car phone.
of lbe past. Invest in a car soon. tate will only lead to frustration. I your accountant.	rgery lifts spirits as well as wrinkles.
taie will only lead to frustration.	ill never return from maternity leave.
l your accountant.	t is a thing of the past. Invest in a car soon.
	st in real estate will only lead to frustration.
I nobody remembers.	sper as will your accountant.
	sbes second nobody remembers.
	and the state of the state of the
	and the second
and the second second second second second	eller a second second

u do amazing things—like this—simply.



We'd like everyone who's using Windows applications on a part-time basis to please stop.

The trouble with using Windows[™] applications every once in a while, is that you're only amazingly productive every once in a while.

This has got to stop. Which is why there's the Microsoft[®] Windows environment—the first and only *graphical* environment to let you work with multiple Windows or DOS applications without ever closing a single file, or quitting a single program. You may never see your



C prompt again. Just give Microsoft Windows a 40-hour work week and you'll be pointing, clicking, cutting, pasting and flying through your work with the greatest of ease. Cut from a spreadsheet and paste onto a word processing document—without scissors and a copy machine. Exchange information, link files and programs, then watch your data get updated automatically, or if you prefer, at your command.

Call us at (800) 541-1261, Dept. J89 for more facts about how Windows can open up doors, and for our free Windows Shopping Catalog.

And see how the only way to get the most out of your Windows, is to look into ours.



Customers inside the 50 United States, call (800) 541-1261, Dept. J89. In Canada, call (416) 673-9811. Outside the U.S. and Canada, call (206) 882-8661. © 1989 Microsoft Corporation. All rights reserved. Microsoft and the Microsoft logo are registered trademarks and *Making it all make sense* and Windows are trademarks of Microsoft Corporation.



Smoke, mirrors, and misinformation can make your computing decisions needlessly complex

ome decisions are easy. Some are inherently difficult. And far too many are made unnecessarily difficult by smoke, bluster, and misinformation.

It's a problem that knows no boundaries of brand, operating system, or architecture, but for simplicity's sake, consider just the decisions involved when upgrading 80286- and 80386-based machines. I'll look at the 80386-based machines first.

If you bought a 16-MHz 80386-based machine a few years ago, you're probably now wondering about upgrading to 20, 25, or 33 MHz. If your current machine is working fine, it's merely a matter of checking out the specifications, benchmark results, and prices of the newer machines to see how many bucks the extra bang is going to cost you. Either the increase in speed (and, one assumes, productivity) is worth the expense, or it isn't. It's a relatively simple equation, with all factors known or knowable. Piece of cake.

Yes, certain complications can muddy the waters. For example, some early 80386 boxes accommodate only a relatively small amount of RAM on the motherboard and lack 32-bit memorycard slots. If you want to run memoryhungry software on such a machine, you'll have to use a regular AT-class memory card and suffer the delays imposed by the 16-bit bottleneck. This factor alone may justify an upgrade, even if there's nothing else "wrong" with your current setup.

EDITORIAL Fred Langa

HIP-DEEP AND RISING

A few unlucky souls face some really oddball complications. For example, some early 80386 chips were buggy. Once Intel knew there was a problem, it (laudably) instituted a liberal exchange policy to get the bad chips out of circulation. But despite Intel's efforts, there's little doubt that some manufacturers—especially the low-end cloners—shipped some systems with bad chips.

The total number of bad chips now in daily use is probably small, but for those who have those early chips, it could be bad news. One of the bugs, for instance, causes incorrect 32-bit multiplies, which may be no big deal under vanilla DOS but can be a real headache with 32-bit software.

Factoring this kind of problem into an upgrade decision involves a little spelunking: You'd need to physically examine or test a suspect chip. (Intel stamped two Greek sigmas on chips that were known to be good.) Also, there's public domain software that performs a quickand-dirty 32-bit multiply and then checks the answer for accuracy. Such software is available on BIX in the IBM Exchange: Search for "bug" or "multiply" to find it.

So far, so good. Even with some oddball complications thrown in, you can find good answers to most upgrade questions. But artificial, unnecessary complications, like the spread of bad information, can make upgrade decisions very hard indeed.

Take the 80286 versus 80386SX question, for example. It shouldn't be at all difficult to sort out. BYTE readers got the full story last March, when our 80286 versus 80386SX cover story "Battle of the Chips" detailed the similarities and differences between the chips. Readers could fairly easily determine when it made sense to stay with fast 80286-based machines, when it made sense to opt for an 80386SX, and when it made the most sense to go with a "real" 80386 (without the SX's 32-bit-to-16-bit bottleneck).

But there's still a ton of confusion among users at large. Some people still think you need an 80386 to run OS/2. (You don't. An 80386-specific version of OS/2 won't be available until next year.) Some think that an 80386SX is inherently faster than an 80286. (It's not. At any given clock speed, an 80286 will generally keep up with an 80386SX; and in a number of important areas, like task switching, the 80286 is substantially faster than the SX.) Some think an 80386SX will save them money. (Not really. Most SX machines cost hundreds of dollars more than just-as-fast 80286 boxes. And some low-end 80386 clones, with full 32-bit memory buses, actually cost less than some name-brand SX machines, with their 16-bit buses.)

The problem here isn't the SX—there are cases where the SX is indeed the best choice. And as prices for the SX continue to drop, it will become more attractive and more competitive.

The problem is that this is just one of a growing number of instances where misinformation makes a computer decision needlessly complex. The sources of misinformation abound-some innocent, and some deliberate. Compare BYTE's SX story to a recent cover story in another major computer magazine, whose purpose seems not to be helping readers match the right tool for the job, but pushing them toward buying powerful and expensive gear, regardless of whether it's overkill. Misleading ads are bad enough, but when supposedly objective publications start acting as shills, it's downright scary.

As consumers, we need to be exceptionally alert to the hidden agendas of our information sources. Caveat emptor was never sounder advice. Upgrade decisions are hard enough without getting distracted by bad recommendations, bad information, or plain old hype.

—Fred Langa Editor in Chief (BIX name "flanga")

At last, an assistant that follows your directions

Wouldn't it be great to delegate your routing?

You can! We know your time is valuable. That's why Wintek pioneered comprehensive and affordable CAD packages for IBM personal computers. HiWIRE-Plus continued that tradition, integrating schematic-capture features and printed-circuit-artwork capabilities into one versatile package.

New autorouter.

The Autorouter for HiWIRE-Plus is powerful enough to handle the most demanding design problems, yet simple enough for a casual user. Just turn it loose on your design. It's hassle free because it works long hours, without supervision or errors.

100% autorouting.

The autorouter for HiWIRE-Plus rips-up, reroutes, and with appropriate design rules, racks up 100% completion.

- Forget gridded routers. This autorouter places vias and traces anywhere your design rules allow. With 1-mil resolution.
- Vary trace width and spacing for individual networks. Route 1, 2, 3, or more tracks between IC and connector pins.
- Set up boards from 1 to 250 layers, up to 60" × 60".
- Specify shape, size, and type of vias, layer-by-layer: throughhole, blind, buried, micro. Specify via types for individual networks.
- Use fewer vias and layers than comparably priced autorouters.
- For use on your IBM PC, XT, AT, PS/2, or compatible with 640K RAM.

Why pay more for a 100% autorouter?

Compare the features and performance to packages costing five times more. HiWIRE-Plus and the Autorouter for HiWIRE-Plus sell for \$895 each. Both have a no-nonsense, 30-day moneyback guarantee. With unlimited, toll-free, no-charge technical support.

Let HiWIRE convince you that it makes a great assistant. Call us toll-free at (800) 742-6809 today and put HiWIRE-Plus and the Autorouter for HiWIRE-Plus to work for you tomorrow.



Wintek Corporation 1801 South Street Lafayette, IN 47904-2993 Fax: (317) 448-4823 Phone: (317) 742-8428 or (800) 742-6809

Europe: RIVA Ltd, England, Phone 0420 22666, FAX 0420 237000 / Brazil: Comicro, Phone (11) 289-7193 / Japan: BEST, Phone: (03) 374-1161, FAX (03) 374-9450

OUT STANDING IN THEIR FIELD

We've been recognized for being outstanding in our field because we're committed to our customers. We founded Gateway 2000 to provide quality computers at agressive prices with uncompromising service after the sale. We've done what we set out to do.

hand in our factory located just service in most locations nationoutside Sioux City, Iowa. The midwest work ethic is evident in every computer we produce. You'll also find the latest technology in all of our systems.

One look at our prices and you'll see we're aggressive. Most importantly, look at our commitment to service. We give you a full one-year warranty which includes *free on-site*

wide. Of course you also receive a 30-day money back guarantee and *lifetime* toll-free phone support.

If you're shopping for real value in a computer system, call Gateway 2000. You have our personal pledge that you will be completely satisfied!

	4 / pan
ed Waitt	Norm W. Waitt
resident	Vice President

LAPTOP

- Gas Plasma Display Screen
- 2.6 Megs RAM

- 1.44 Meg 3.5" Floppy Drive
 External Port for 54" Drive
 40 Meg 28ms Hard Drive
 1 Parallel & 1 Serial Port
- Expansion Slot (16 Bit)External EGA Monitor Port
- 84 Key Keyboard
 MS DOS 3.3 Installed

\$2995.00



Gateway computer systems are assembled by

- 12



UI

EDITOR IN CHIEF Frederic S. Langa

OPERATIONS

Glenn Hartwig Associate Managing Editor

REVIEWS (Hardware, Software, Product Focus) Michael Nadeau Associate Managing Editor, Dennis Allen Senior Technical Editor, Software, Richard Grehan Director, BYTE Lab, Stephen Apiki Testing Editor, BYTE Lab, Stanford Diehl Testing Editor, BYTE Lab, Howard Eglowstein Testing Editor, BYTE Lab, Stanley Wszola Testing Editor, BYTE Lab

NEWS AND TECHNOLOGY (Microbytes, What's New, Short Takes) Rich Malloy Associate Managing Editor, D. Barker Senior Editor, News and Technology, Anne Fischer Lent Senior Editor, New Products, Andrew Reinhardt Associate News Editor

Peterborough: Roger Adams Associate News Editor, David Andrews Associate News Editor, Martha Hicks Associate News Editor

West Coast: Gene Smarte Bureau Chief, Costa Mesa, Nicholas Baran Senior Technical Editor, Frank Hayes News Editor, Jeffrey Bertolucci Associate News Editor, San Francisco

SENIOR TECHNICAL EDITORS Ken Sheldon Features, Jane Morrill Tazelaar In Depth, Tom Thompson At Large, Jon Udell At Large

TECHNICAL EDITORS Janet J. Barron, Alan Joch, Robert Mitchell, Robert M. Ryan, Ben Smith

SENIDR CONTRIBUTING EDITOR Jerry Pournelle

CONTRIBUTING EDITORS Don Crabb, David Fiedler, L. Brett Glass, Hugh Kenner, Mark Minasi, Wayne Rash Jr.

CONSULTING EDITORS

Jonathan Amsterdam, Laurence H. Loeb, Trevor Marshall, Stan Miastkowski, Dick Pountain, Phillip Robinson, George A. Stewart, Mark L. Van Name, Peter Wayner

CORV EDITORS

Lauren Stickler Chief, Cathy Kingery Copy Administrator, Susan Colwell, Jeff Edmonds, Judy Grehan, Nancy Hayes, Margaret A. Richard, Warren Williamson

EDITORIAL ASSISTANTS

Peggy Dunham Office Manager, Linda C. Ryan, June N. Sheldon, Lynn Susan Valley

Nancy Rice Director, Joseph A. Gallagher Assistant Director, Lisa Nardecchia Assistant, Jan Muller Assistant, Alan Easton Technical Artist

PRODUCTION

David R. Anderson Director, Virginia Reardon Senior Editorial Production Coordinator, Barbara Busenbark Editorial Production Coordinator, Denise Chartrand Editorial Production Coordinator, Michael J. Lonsky Editorial Production Coordinator

Sherry Fiske Systems Manager, Donna Sweeney Applications Manager, Christa Patterson

ADVERTISING/PRODUCTION (603) 924-6448

Lisa Wozmak Director of Advertising Services, Linda Fluhr Customer Service Supervisor, Lyda Clark Senior Account Coordinator, Dale Christensen, Karen Cilley, Roxanne Hollenbeck, Rod Holden, Wai Chiu Li Quality Control Manage

ADMINISTRATION Donna Nordlund Publisher's Assistant

MARKETING AND PLANNING

L. Bradley Browne Director Pamela Petrakos-Wilson Markeling Communications Manager, Dawn Matthews Public Relations Manager, Lisa Jo Steiner Assistant Promotion Manager, Stephanie Warnesky Marketing Art Director, Sharon Price Associate Art Director, Julie Perron Senior Market Research Analyst Faith Kluntz Copyrights Coordinator, Cynthia Damato Sands Reader Service Coordinator, Carol Pitman Marketing Assistant

FINANCIAL SERVICES

Philip L. Penny Director of Finance and Services, Kenneth A. King Business Manager, Marilyn Parker, Diane Henry, JoAnn Walter, Jaime Huber, Agnes Perry

CIRCULATION Dan McLaughlin Director Vicki Weston Assistant Manager, Karen Desroches Distribution Coordinator, Louise Meneous Back Issues

PERSONNEL

Patricia Burke Human Resources Administrator, Beverly Goss Receptionist

BUILDING SERVICES Tony Bennett Manager, Cliff Monkton, Mark Monkton, Gary Graham

BYTE INFORMATION EXCHANGE

DIRECTOR Stephen M. Laliberte

EXECUTIVE EDITOR George Bond

MANAGING EDITOR Tony Lockwood

MICROBYTES DAILY

D. Barker Coordinator, Peterborough, Rich Malloy New York, Gene Smarte Costa Mesa, Nicholas Baran San Francisco, Rick Cook Phoenix, Frank Hayes San Francisco, Martin Heller Boston, Jason Levitt Austin, TX, Laurence H. Martin Heller Dision, Sason Levit Austri, 7A, Laurende H. Loeb Wallingford, CT, Brock N. Meeks San Francisco, Stan Miastkowski Peterborough, Wayne Rash Jr. Washington, DC, Andrew Reinhardt New York, Sue Rosenberg Washington, DC, David Reed Levington, KY

Nance New Technology, Donald Osgood Computers, Sue Rosenberg Other, Jon Swanson Chips

EXCHANGE EDITOR Laurence H. Loeb Macintosh Exchange Editor

BUSINESS AND MARKETING

Patricia Bausum Secretary, Denise A. Greene Customer Service, Brian Warnock Customer Service, Tammy Burgess Customer Credit and Billing

TECHNOLOGY

Clayton Lisle Director, Business Systems Technology, ISCo., John Spadatora Programmer/Analyst, Wayne Power Senior Business Systems Analyst

PUBLISHER/GROUP VICE PRESIDENT J. Burt Totaro

ADVERTISING SALES

Steven M. Vito Associate Publisher, Vice President of Marketing

Sara Lyon Administrative Assistant

Arthur H. Kossack Eastern Regional Sales Manager, (312) 751-3700

Jennifer L. Bartel Western Regional Sales Manager, (214) 644-1111

Susan Vernon Sales Assistant

NEW ENGLAND ME, NH, VT, MA, RI, ONTARIO, CANADA & EASTERN CANADA John C. Moon (617) 262-1160

ATLANTIC NY, NYC, CT, NJ (NORTH) Kim Norris (212) 512-2645

PA, KY, NJ (SOUTH), MD, W.VA, DE. DC Thomas J. Brun (215) 496-3833

SOUTHEAST NC, SC, GA, FL, AL, TN, VA, MS Thomas H. Tolbert (404) 252-0626

MINWEST MIDWEST IL, MO, KS, IA, ND, SD, MN, WI, NE, IN, MI, OH Kurt Kelley (312) 751-3740

SOUTHWEST, ROCKY MOUNTAIN CO, WY, OK, TX, AR, LA Karl Heinrich (713) 482-0757

SOUTH PACIFIC SOUTHERN CA, AZ, NM, LAS VEGAS, UT Ron Cordek (714) 557-6292 Tom Harvey (213) 480-5243

NORTH PACIFIC HI, WA, OR, ID, MT, NORTHERN CA, NV (except LAS VEGAS), WESTERN CANADA Bill McAfee (408) 879-0371 Christine Kopec (415) 362-4600

TELEMARKETING Liz Coyman Director Susan Boyd Administrative Assistant

NATIONAL SALES NATIONAL SALES Dan Harper (603) 924-2598 Elisa Lister (603) 924-2598

BYTE BITS (2x3) Mark Stone (603) 924-6830

THE BUYER'S MART (1x2) Brian Higgins (603) 924-3754

REGIONAL ADVERTISING SECTIONS Scott Gagnon (603) 924-4380 Larry Levine (603) 924-4379 Barry Echavarria (603) 924-2574

BYTE POSTCARD DECK MAILINGS

BYTE DECK Ed Ware (603) 924-6166

COMPUTING FOR DESIGN & CONSTRUCTION COMPUTING FOR ENGINEERS Mary Ann Goulding (603) 924-9281

INTERNATIONAL ADVERTISING SALES STAFF See listing on page 353.

EDITORIAL AND BUSINESS OFFICE: One Phoemix Mill Lane, Peterborough, NH 03458, (603) 924-9281. West Coast Branch Offices: 425 Battery St., San Francisco, CA 94111, (415) 954-9718; 3001 Red Hill Ave., Building #1, Suite 222, Costa Mesa, CA 92626, (714) 557-6292.

New York Branch Editorial Office: 1221 Avenue of the Americas, New York, NY 10020, (212) 512-3175. BYTEnet: (617) 861-9764 (set modern at 8-1-N or 7-1-E; 300 or 1200 baud).

Editorial Fax: (603) 924-2550. Advertiging Fax: (603) 924-7507. SUBSCRIPTION CUSTOMER SERVICE: Outside U.S. (609) 426-7070; inside U.S. (800) 232-BYTE. For a new subscription-(600) 257-9402 U.S. only, or write to BYTE Subscription Dept., P.O. Box 555, Hightstown, NJ 08520.

Officers of McGraw-Hill Information Services Company: President: Walter D. Serwalka. Executive Vice Presidents: Kenneth E. Gazzola, Aerospace and Defense; Ira Herenstein, Computers and Communications; Russell C. White, Construction; Robert P. McGraw, Healthcare; Brian H. Hall, Legal. Senior Vice Presidents: Laurence Altman, Data Communications; David J. McGrath, Engineering News-Record. Senior Vice Presidents: John W. Fink, Finance; Michael J. Koeller, Human Resources. Group Vice Presidents: J. Burt Totaro, BYTE; Norbert Schumacher, Energy/Process Industries. Vice Presidents: George Elsinger, Circulation; Julia Lenard, Systems Planning and Technology; Elisabeth K. Allison, Planning and Development. Officers of McGraw-Hill, Inc.: Joseph L. Dionne, Chairman, President, and Chief Executive Officer; Robert V. Landes. Executive Vice President General Counsel, and Secretary: Robert J. Bahash, Executive Vice

N. Landes, Executive Vince President, General Counsel, and Secretary; Robert J. Bahash, Executive President and Chief Financial Officer; Frank D. Penglase, Senior Vice President, Treasury Operations.

Founder: James H. McGraw (1860–1948). Executive, editorial, circulation, and advertising offices: One Phoenix Mill Lane, Peterborough, NH 0458, phone (603) 924-9281. Office hours: Monday through Thursday 8:30 AM-4:30 PM, Friday 8:30 AM-1:00 PM, Eastern Time. Address subscriptions to BYTE Subscriptions. P.O. Box 551, Hightstown, NJ 08520. Subscriptions are \$29.95 for one year, \$54.95 for two years, and \$74.95 for three years in the U.S. and its possessions. In Canada and Mexico, \$31.95 for one year, \$55.95 for two years, \$79.95 for three years. \$50 for one-year air delivery to Europe. Y28,800 for one-year air delivery to years, \$79.95 for three years under delivery to Japan, \$31 with a delivery to selected areas at additional rates upon request. Single copy price is \$3.50 in the U.S. and its possessions, \$3.95 in Canada, \$4.50 in Europe, and \$5 elsewhere. Foreign subscriptions and sales should be remitted in correspondence to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Unaccepitable manuscripts will be returned if accompanied by sufficient postage. Where necessary, permission is granted by the copyright owner for libraries and others registered with the Copyright Clearance Center (CCC) to photocopy any article herein for the flat fee of \$1.50 per copy of the article or any part thereol. Correspondence and payment should be sent directly to the CCC, 29 Congress St., Salem, MA 01970. Specify ISSN 0360-5280/83, \$1.50. Copying done for other than personal or internal reference use without the permission of MCGraw-Hill, Inc., is prohibited. Requests for special permission or bulk orders stould be addressed to the publisher. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London WC1R 4EJ, England.

BYTE and EVIE are registered trademarks of McGraw-Hill, Inc.

GROUP MODERATORS

Group Modernations: David Allen Applications, Leroy Casterline Other, Marc Greenfield Programming Languages, Jim Howard Graphics, Gary Kendall Operating Systems, Steve Krenek Computers, Brock N. Meeks Telecommunications, Barry



BORLAND'S TURBO C PROFESSIONAL



PC WEEK POLL: C COMPILERS

	Overali Weighted Score	Overali Reliability	Complete of Command Descript.	Overall Perform.	Complete & Organiz. Document.	Document Clarity	Compiling Process Efficiency	Product Support Quality	Value Relative To Cost	Product Support Access.
Turbo C 2.0 (Borland International)	81	87	79	84	77	78	86	72	70	93
C Optimizing Compiler 5.1 (Microsoft Corp.)	76	83	80	81	78	74	76	68	67	70
C+++ 1.07 (Zortech nc.)	66	68	64	71	63	63	69	60	58	76

"Microsoft was No. 1, but they have been unseated by Borland." PC Week, May 8, 1989

	Overall	Overall	PC WE	1-		T																		
Purcha Data	Score	Reliability	Programmer Interface	1	Complete. Command Descript.		Perform	Integration Within Programming	C Compiler Compatibility	Product	Product	Value												
urbo Debugger 1.0 Borland	84	89	89	89	89	89	80	80	80	80	80	80						Environment		Support Quailty	Support Access	Relative To Cost		
nternational)							90	81	81	81	89	88	81											
Codeview 2.2 Microsoft Corp.)	73								01	73	72	93												
	13	80	71	71	71	71	71	71	71	71	71	71	71	71	71	72	74	74	74	74				

"Borland's Debugger outshines Microsoft's Codeview." PC Week, May 15, 1989 It's two winners in one.

Turbo C,^{*} the core of Turbo C Professional, was the outright winner in PC Week's Poll of Corporate Satisfaction on C compilers. Overall, Borland won with 81. Microsoft* placed second.

Turbo Debugger," also included in Turbo C Professional, was the outright winner in EVERY category in PC Week's Poll Of Corporate Satisfaction on Debuggers. And, once again, we topped the score with 84, overall. Microsoft came in second-best, 11 points behind.

Get Borland's Turbo C Professional and get the best of both worlds: our top-rated C compiler and our top-rated Debugger.

Call (800) 345-2888* and we'll send you both PC Week polls and technical specifications on Turbo C and Turbo Debugger.



Code:MC35

*From Canada, Call (408) B48-4391. Reprinted from PC Week, May 8, 1989; PC Week, May 15, 1989. Copyright © 1989 Ziff Communications Company. Turbo C, Turbo Debugger, and Turbo Assembler are registered trademarks of Bo 'land International. Copyright © 1989 Borland International. Inc. All rights reserved. BJ 1328

tlas

all of red trademark of Aldus Corp. © 1989 Hewlett-Packard Cor ared trademark of Microsoft Corp. PageMaker is a U.S. using Aldus PageMaker[®] and Microsoft[®] Windows. Microsoft is a U.S. registe Document created

PE12922

At only \$1495; it's got your name on it.

The HP LaserJet printer family has expanded in a small way.

The new HP LaserJet IIP (as in Personal) fits right on your desk. And, with a price almost half of the multi-user LaserJet Series II,* into most budgets. Its simple front panel gives you easy, push-button control over the menu, the 14 internal fonts, form feed and other functions. It handles four different paper sizes: letter, legal, executive and A4, as well as envelopes. In portrait

*Suggested U.S. list prices: LaserJet IIP \$1495; LaserJet Series II \$2695. Dealer prices vary.

or landscape configurations. At four pages a minute. From one or two paper bins (the second is optional).

ET HEWATT LEGENER

The 512K standard memory is upgradable to 4.5 Mbytes for more complex graphics and publishing programs.

The new HP LaserJet IIP printer.

HP Lasserdet printer family

And, of course, our new printer is compatible with the HP LaserJet Series II and virtually all popular PC software.

So call **1-800-752-0900**, **Ext. 277J** for your nearest authorized HP dealer. Then

Circle 116 on Reader Service Card

introduce people at your company to their very own HP LaserJets.

There is a better way.





Creative License.

If you've ever tried to combine windows, menus, forms, and text entry to create an effective user interface, you know how challenging it can be.

Perhaps you've turned to a thirdparty library for help. Only to run into restrictions, limitations, and dead ends. So you had to compromise your design. Or modify the library source code. Or start over.

Which is precisely why we designed Vermont Views[™], the new generation of Windows for Data[®], the best-selling C library for user interfaces.

Vermont Views offers unbridled, unrestricted creative license.

The Human Interface Of Your Dreams

Vermont Views offers an unparalleled set of interface building blocks that you can combine in unlimited ways:

■ Menus can be created in any style you choose, made scrollable vertically and horizontally, and nested to any level. Features include n-th character selection, checkmarks, and unavailable items.

■ Data entry forms can be bigger than their display windows, have scrollable regions for the entry of variable lines of items, lists of choices for data entry, context sensitive help, and special decimal, date, time, and toggle fields.

A mini word processor can be attached to a field window in a form or used as a pop-up note taker.

You're In Charge

Because you can write and attach functions to the beginning and end of menus, forms, fields, and to keys, you're always in control.

Use these control functions to call up subsidiary forms and menus, change field values and the active field, exit or abort a form, do almost any task you can imagine.

All interactive capabilities of Vermont Views use a unique system of accessible keytables, so you can easily change or disable key assignments – even add to the functions provided for menus, forms, text entry, and windows.

One For All

Vermont Views is available for DOS, OS/2, UNIX, XENIX, and VMS. Maintain the same user interface on all of these operating systems with the same source code.

Vermont Views provides international portability as well, with full support for IBM international characters, flexible date and time formats, and changeable decimal and thousands separators.

Novice Or Expert

Despite its depth and flexibility, Vermont Views is easy to learn and use. Each major facility is covered in a single, selfcontained section of the manual, so you only need to learn capabilities as you use them.

To help you become an expert in no time, we include a free copy of the Norton Guides[™] Engine and our own comprehensive Pop-Up Reference[™]. You'll have immediate, on-line access to function names, reference pages, structures and tables.

No-Time-Limit Guarantee

We've only touched on a fraction of what makes Vermont Views special. The only way to know it is to use it.

Try Vermont Views on your hardest problems.

For as long as you want. At no risk.

If not fully satisfied, return for a full refund. Anytime.

To Order Today Call 1-800-848-1248

Call to order Vermont Views today. And we'll send your "creative license" right away.

Prices: DOS \$395; with Source \$790. UNIX, XENIX, VMS, OS/2 please call.



Pinnacle Meadows, Richford, VT 05476

Staff-written highlights of developments in technology and the microcomputer industry, compiled from Microbytes Daily and BYTEweek reports

Is Classroom Computing Making the Grade?

re computers in schools helping children learn? As school districts across the nation become more pressed for money, educators are having to ask themselves if computers are worth the expense. Many of the 2000 computer coordinators, administrators, and teachers at the National Educational Computing Conference in Boston recently said that they came looking for justification for using high-cost technology. But judging by papers delivered and comments made at the NECC, final grades aren't in yet on the benefits of computers and computer courses in the classroom.

After The National Assessment of Educational Progress was published by the Educational Commission of States, painting a grim picture of U.S. schools, some educators proposed programming courses as a means to improve weak thinking skills. But while the number of schools teaching programming courses continues to increase, so does the number of studies failing to document significant improvements in students' thinking skills as a result of these courses.

Mark L. Walker and Sharon Carver of the University of Rochester say that schools justify every subject in the curriculum on the grounds of two educational goals: "transmission of substantive subject-matter knowledge and the enhancement of general problem-solving skills."

Walker and Carver studied and tested the effectiveness of a curricu-

lum to foster planning skills. The students started their 18 months of Logo programming in the fifth grade, doing tasks that involved list processing and essay writing. The team studied the think-aloud protocols used by the students. Their study concluded that programming effectively enhanced general problem-solving skills when students already had "the relevant prerequisite knowledge in each of the domains" in which they expected students to apply the general skills. The students who lacked the prerequisite knowledge did not benefit from learning to program a computer, the study said.

Another study, by Yuen-Kuang Liao and George W. Bright of the University of Houston, presented in a paper entitled "Computer Programming and Problem-Solving Abilities," suggested that "the outcomes of learning a computer language go beyond the content of that specific computer language." Students are able to obtain some cognitive skills, such as reasoning, planning, and general problem solving "through computer programming activities," they wrote. However, Liao and Bright said they need to clarify the "exact nature of the problem-solving abilities most likely to be developed through programming." They question whether computer programming is as efficient at developing these problem-solving abilities as other possible instructional approaches.

Pocket Memory Cards: Companies Seek Standards for Tiny Storage Devices

M emory cards are an essential component in the new wave of notebook-size computers. Without such tiny storage devices—they're about the same dimensions as a credit card—manufacturers such as NEC, Agilis, and Poqet wouldn't have been able to fit their full-fledged computers into packages more portable than a six-pack of beer. These cards, made by NEC, Fujitsu, Toshiba, Hitachi/ Maxell, Epson, Mitsubishi, and others, range in storage capacity from as little as 16K bytes to as much as 16 megabytes. Because of their size and simplicity, they will become prevalent in featherweight computers.

But first the industry has to solve one critical issue: No standard physical, electrical, or logical formats exist for these cards. The dimensions *continued*

NANOBYTES

The best power source for portable computers would be rechargeable lithium batteries, which would offer twice the voltage at half the weight of current batteries, says computer designer George Morrow. However, Morrow says, lithium is an extremely reactive metal, and the U.S. Environmental Protection Agency has refused to allow lithium batteries larger than AA size. The EPA is concerned with the possibility of larger lithium batteries, which explode more violently than conventional batteries, breaking open and releasing the metal into the environment.

Computer Professionals for Social Responsibility has issued a call for papers for its next symposium on Directions and Implications of Advanced Computing. The DIAC-90 conference will address "ethical, social, and moral issues in which computing plays a part." Papers should cover topics in general categories, such as direction and sources of research funding, defense applications, computers in a democratic society, and computers used for the public welfare. "Papers on ethics and values are especially desirable," a spokesperson said. Papers are due by March 1, 1990. The symposium is scheduled for July 1990 in Boston. Contact program chair Doug Schuler at (206) 865-3226.

IBM has brought its 4-megabit memory chips to market on a board for upper-end PS/2 computers, making it the first PC product that uses the new, denser memory chips. The PS/2 Enhanced 80386 Memory Option, which works in Model 70s and 80s, comes in 2and 4-megabyte versions, priced at \$1795 and \$3495, respectively. IBM says the 4-megabit chips, made at plants in Vermont, West Germany, and Japan, can access a bit of data in 80 ns.

NANOBYTES

Oki Electric (Tokyo) has joined the group of vendors working to develop a multiprocessor version of Unix for Intel's 80386, 80486, and 80860 processors. Other members of the project are Intel, AT&T's Unix Software Operation, Olivetti, Unisys, and Prime. The software will conform to AT&T's System V Interface Definition. Intel said that the multiprocessor version will be ready for beta test sometime during the last quarter of this year and will be ready for commercial release next year.

Unix, Italian style: The Italian market for Unix-based systems will hit 1100 billion lira, or \$750 million, this year, says the Italian research firm Mate. Last year, 30,000 Unix-based computers, worth 800 billion lira (\$548 million), were shipped in Italy, a Mate report says. In 1987, 80286and 80386-based systems running Xenix accounted for 71 percent of the units at Unix installations in Italy, but those machines have been gradually losing ground to engineering workstations, Mate's study shows.

OS/2 is such a good environment for developing code that Jensen & Partners International is now using it to develop all its products, said company president Neils Jensen during a demo of JPI's new C compiler. JPI is also using OS/2 to create MS-DOS versions of its compilers, said Jensen, who developed software at Borland International before starting his own company. OS/2 "could be very successful if IBM would push it as a developer's platform," Jensen said. JPI's latest developer's product is TopSpeed C.

Paul Mace, known for his eponymous company's line of software utilities, such as Mace Gold and Vaccine, will now be developing programs exclusively for Fifth Generation Systems (Baton Rouge, LA), which has taken over the ownership and marketing of Mace's commercial products. Fifth Generation is known for Fastback, Suitcase II, Pyro!, and other utility programs. aren't standard, the electrical specifications (e.g., the voltage thresholds) aren't standard, and the logical format for storing and executing data and applications aren't standard.

In an effort to establish these standards, most of the memory-card manufacturers, some of the hand-held system vendors (e.g., Toshiba, NEC, and Poqet), and some major software companies (e.g., Lotus, Microsoft, WordPerfect, and WordStar USA) have set up a technical committee that will attempt to iron out a consensus. The committee is establishing technical and marketing groups to begin work on the standards as well as to promote memory cards as a competitive storage medium.

Competing technologies already in place will make it difficult to arrive at a single standard. NEC's UltraLite uses a 60-pin memory card that appears as an additional floppy disk drive on the computer; applications are loaded into system RAM and executed just as they would be from a floppy or hard disk drive.

The Poqet Computer memory card uses a 68-pin connector and executes the application directly from the ROM on the memory card. This configuration is supported by the Japanese Electronics Industry and Development Association (JEIDA), whose members include Fujitsu, Toshiba, Hitachi/ Maxell, and Epson.

Agilis's hand-held workstation uses a proprietary format developed by Mitsubishi; it also formats the card like a floppy disk drive, but it is not compatible with the NEC approach. The memory cards in these various systems are not interchangeable.

These various formats and codeexecution schemes mean that software developers have to write different versions of their software for each system. The easiest format, from a software developer's standpoint, is NEC's, which requires very minor modification of programs designed to run off floppy disk drives. The Poqet approach requires the software application to use a different memory scheme, which means that a developer has to make some code modifications to existing applications. However, the execution scheme supports LIM/EMS and will not require "a major rewrite if the code is written well," said Neal Chandra, vice president of business development at Poqet.

Software companies are eager to see a single standard. It would reduce R&D expenses and allow vendors to supply a single version of their software for all the different memory cards, said Jim Prelack, Lotus's manager of technical marketing for spreadsheets. And, of course, it would be nice if users could swap memory cards between different computers.

Despite the obstacles, there's optimism that a standard will emerge. Agilis marketing director Bert Keely said he thinks that the standard will be determined by which type of memory card has the most software installed on it. NEC marketing representative Jim Bartlett said he thinks there might be two standards: a standard for microcomputers based on NEC's design, and a "low-end" standard for calculators and other electronic devices, based on the JEIDA ROM-executable approach. Bartlett said that the JEIDA approach "is not applicable to this [the U.S.] market" because there is no installed base of machines supporting that standard in this country.

The standards can't come soon enough for product designers. As Fujitsu's John Reimer pointed out, "A whole generation of laptops and notebook computers are in the planning stages, and decisions are being made right now." Without standardization, memory cards will remain expensive, and software developers will be reluctant to tailor their software to them.

BIT Speeds Up SPARC with New Process

B ipolar Integrated Technology (Beaverton, OR) says it has produced the first emitter-coupledlogic (ECL) RISC microprocessor and claims that it's the fastest chip yet based on Sun Microsystems' Scalable Processor Architecture. The new 32bit SPARC microprocessor runs at 80 MHz and executes 50 to 65 million

instructions per second, the company says. The accompanying floatingpoint chip set can execute up to 40 million floating-point operations per second and offers a sustained processing rate of 14 MFLOPS, BIT says. That would make it comparable to Intel's new 80860 chip. Sun has said continued

Now QuickPascal makes this software go even faster.



Even the quickest minds tend to brake suddenly when confronting new languages.



Enter new Microsoft® QuickPascal Compiler. The first Pascal that is not only powerful but easy, intui-tive and 100% headache-free. For example, our new hypertext QuickPascal Advisor

offers on-the-job training: by cutting and pasting sample code you can learn to program in Pascal from scratch. And if you do hit a snag, the Quick Advisor can straighten everything out right on the spot.

To accelerate your thought processes even more, all of our processes are seamlessly integrated; no other Pascal offers you easier

access to your editor, debugger and compiler.

What's more, QuickPascal is the first PC Pascal to offer Object Oriented Program-ming, or OOP. With objects, you can easily assemble whole programs from modular build-ing blocks of code and data. And once you know Pascal, OOP is a snap. Which means, you get maximum productivity with minimum effort.

Naturally, our Pascal is also fully source compatible with Turbo Pascal?

So stop by your Microsoft dealer soon. You'll find our software is on the same wavelength as yours.



Customers in the U.S. call (800) 426-9400. In Canada, call (416) 673-7638. Outside North America, call (206) 882-8661. © Copyright 1989 Microsoft Corporation. All rights reserved. Microsoft and the Microsoft logo are registered trademarks and Making it all make sense is a trademark of Microsoft Corporation. Turbo Pascal is a registered trademark of Borland International.

Epson EPL-6000. HP emulation. 300 x 300 DPI. 6 PPM. 512KB RAM, expandable to 4.5MB. 6 resident fonts. Two option font slots. Enhanced SelecType control panel. One year limited warranty.



UNTIL NOW, LASER PRINTING HAS BEEN OUT OF REACH FOR MANY PEOPLE IN BUSINESS.

HP LaserJet II is a registered trademark of Hewlett-Packard. Epson is a registered trademark of Seiko Epson Corporation. Epson America, Inc., 2780 Lomita Blvd., Torrance, CA 90505. (800) 922-8911.





With the new, affordable EPL-6000 from Epson, more businesses will be looking better on paper.

Opting for the quality of a laser printer has just become decidedly easier. Introducing the EPL-6000 laser printer from Epson[®]

Coming from the company with the longest running success in the printer business, reliability is a given. What's more, the new EPL-6000 is compatible with application software written for HP LaserJet II.^{*}

As for value, this new Epson combines solid, businesslike performance with a price that is as attractive as the printing. In fact, for quality, reliability and value in a laser printer, you could say Epson has the solution well in hand.



WHEN YOU'VE GOT AN EPSON, You've got a lot of company."

NANOBYTES

If you've ever had the **battery in** your PC AT die, you know how painful *that* can be. The lithium batteries in most ATs are good for a year or two, but once they croak, new ones are hard to find. **Rupp** Corp. (New York, NY) now has a nice means of insurance: a rechargeable backup battery for ATtype computers. Rupp's bATPac (\$39.95) continually charges itself while your computer is on and will last for at least 10 years, the company says.

Data General's Aviion computers, based on Motorola's 88000 RISC processor, will be able to run DOS applications, thanks to a deal DG (Westborough, MA) signed with Phoenix Technologies (Norwood, MA). Phoenix will develop a version of its OpenPC software that will enable the DG systems to run DOS programs simultaneously with Unix programs.

NCR Corp. (Dayton, OH) and IMC Networks Corp. (Tustin, CA) are teaming up to develop a 32-bit Ethernet card that will take advantage of the Micro Channel architecture's bus-mastering capabilities. The communications card will be built around NCR's 32-bit Ethernet controller chip, the 92C28. The forthcoming PCnic MCA bus card will comply with IEEE 802.3 Ethernet standards and will work with both thick and thin coaxial cable. The companies say the card will be out this quarter and will sell for \$995.

Data Translation (Marlborough, MA) has dropped prices of its image processing and data acquisition products by as much as 25 percent. The DT2853-SQ PC AT Frame Grabber, for example, has gone down from \$1895 to \$1595, and the DT2817 PC Digital I/O Board has gone from \$239 to \$215.

AST Research (Irvine, CA) lowered prices on its computer systems with hard disk drives. The Premium 386/25 Model 95, for example, dwindled in price to \$7195, a drop of \$1100. AST also lowered the price of its hard disk drive upgrades. that it has the BIT chips running now in its labs and plans to use them in future systems.

ECL designs have long offered higher speed than traditional TTL or CMOS chips, but they have suffered from higher power dissipation and lower gate densities. BIT claims to have solved these problems through a proprietary process called BIT111, which permits the company to make chips with the density of MOS chips and the speed of ECL chips.

The BITIII process uses three metal layers and 1.2-micron lithography but employs conventional semiconductor manufacturing equipment, the company says. By reducing power consumption and reducing the size of transistors, BIT says it can squeeze as many as 250,000 transistors on a single chip.

The heart of the BIT chip set is the B5000, a 32-bit monolithic integer unit consisting of 125,000 transistors; it has been tested in the lab at up to 100 MHz, company officials say. The B5000 averages 1.2 cycles per instruction versus up to 1.6 cycles of instruction for previous SPARC implementations, according to information provided by BIT.

Portable with Color LCD First of More to Come

N EC has just started selling in Japan a portable computer with a supertwist color LCD. The 80286based color computer has a list price of 748,000 yen, or about \$5250. The 19-pound PC-9801LX5C, measuring 4.5 by 13.3 by14.9 inches, comes with two 3.5-inch floppy disk drives and a 40-megabyte hard disk drive. The display, which measures 9 inches diagonally, supports resolution of up to 640 by 400 pixels and up to eight colors. Although the company does not have plans at this time to offer the new system in the U.S., the computer will soon show up on these shores in one form or another, and it won't be the only color-LCD portable on the market.

Other companies are readying color laptops for the U.S. market, including Sharp, which showed its PC-8000 earlier this year at CeBIT and Spring Comdex. The 80386-based Sharp machine has a 14-inch color screen capable of showing 16 colors from a pallette of 512 at a resolution of up to 640 by 480 pixels. This portable is expected to be available early next year and to cost closer to \$10,000, though the price has not been set yet. The backlit Sharp screen uses a series of tiny glass filters that "reflect" the basic red, green, and blue color components.

Hitachi has shown a prototype 6inch active-matrix color screen installed in a computer but has not disclosed any product plans. The company is selling the display to other manufacturers, though, for about \$2200 each. Hitachi's prototype screen manifested one of the problems that's still bugging active-matrix technology: It's hard to produce a perfect model. A careful observer could see that a few pixels were not working properly; active-matrix displays look great, but even one faulty transistor among several hundred thousand can result in a bad pixel.

Toshiba has made no product announcements but has shown prototypes of active-matrix color displays, one 11 inches wide and the other 14 inches. At last viewing, the display was crisp but fragile; company representatives at Spring Comdex would show the display for only 2 hours each day.

George Morrow Readying New Computer

• our years ago, George Morrow was busy designing a portable computer called the Morrow Pivot, probably the first of the so-called lunchbox computers. Now the industry pioneer is working on another laptop, one that he promises will be ready for next month's Fall Comdex.

Morrow's new machine will be a

conventional laptop, rather than a "pocketable" computer like those announced by Poqet and Atari, or a hand-held system like the NEC UltraLite, the Zenith MinisPort, and similar machines coming soon from the likes of Toshiba. The CPU will be an Intel 80386SX, a chip that Morrow



FINALLY, CAD FOR WINDOWS. DRAFIX WINDOWS CAD.

At last the pawer of true, high performance CAD is ovoilable for Windaws. Drafix Windaws CAD. With features that take you for beyond any Windaws drawing package you currently use.

Powerful CAD. Windows CAD is the first and only Windows software to pravide oll of the designing and editing functions demanded by engineers, drafters, architects and other serious CAD users. It offers multiple interactive viewports, allowing you to work in four views simultaneously. Associative dimensioning, associative crasshatching and a powerful macro pragramming language are just a few of its features and that's just the beginning.

Quick to learn, easy to use. Windows CAD lets you take full advantage of your Windows experience. If you already use Excel, Pagemaker, Micrografx Designer, or any Windows package, Windows CAD will have you doing precise, accurate CAD design in no time. And of course you can use all of the plotters, printers and video devices that work with Windows.

From a proven line of CAD products. Windows CAD is the latest in a full line of highly rated CAD software that includes Drafix CAD Ultra, Drafix CAD QwkStart and Drafix 3-D Modeler.

Order your copy of Drafix Windows CAD today! Now if you have Windows, you can have the full power of true CAD. Drafix Windows CAD. Only \$695. For more information call us today ot 1-800-231-8574. Drafix Windows CAD has features you usually find in packages costing 5 times as much!

Item Attributes 256 layers 8 colors 9 linetypes 10 to 60 database attributes to any emity Multiple line widths

Orawing Features Lines: single, double, tongent, parallel, perpendicular, multiple width Arcs/Circles Curves/Splines Polygons and Polylines Ellipses Polymonarkers Freehand sketching

Input Methods ... Windows menu system ... Keyboard equivalents ... Ortho lock ... 10 item and grid snaps, including endpt, midpt, tangent ond more ... Keyboard entry of coordinates ... 00PS (Undo) feature ... Dynamic Drog ... Quick zoom/pan ... Multiple viewports, all active

Powerful Editing Features () fine entities to each other Stretch () fillet (round) () Chamfer (bevel) () Ense () Copy () Move () Marror () Rotate () Arrays () Select items by region, entity, attribute or combinations

Associative Dimensioning ... Linear, Radius, Diameter ... Single, Continuous, Baseline

Ordinote, Elevation or Bearing format
23 terminator types Any alignment

I Tolerancing English and metric

Froction or Decimal

Associative Crosshatching and Solid Fill [] 15 crosshatch patterns, ANSI specs 64 solid fills

Text Editing 🖸 Word processing window

On-Line "Help" system

Macro Programming Language System Requirements 226 or '386 processor Microsoft Windows 21 or later

processor (_______ Microsoft Windows 2.1 or later ______ 1 Mb internal memory or greater ______ Windows-supported mouse

File Compatibility Autocad DXF
Drafix CAD HPGL CDF, SDF for
database information



Foresight Resources Corp. 1-800-231-8574

Excel, Pagemaker and Micrografix Designer are trademarks of their respective companies.



S malltalk/V® PM. Think of it as a bold, "seat-of-the-pants" solution that cuts to the heart of the OS/2 Presentation Manager complexity challenge. Thus unlocking the potential of this powerful operating system.

With the introduction of Smalltalk/V PM,objectoriented programming



Introducing Smalltalk/V PM. The to fulfill the promise of OS/2.

moves out of the realm of mystery and into a new era of breakthrough applications that promises to be of legendary proportions. "user friendly" to a whole new level of sophistication. If you compare it to an orchestra, OS/2 has capabilities no ordinary assemblage of instruments has ever dreamed of

OS/2 PM is designed to push

Is The Most Important Part Of Your Developer's Kit Missing?

OS/2 PM offers you a powerful, rich environment loaded with advantages like a Graphics Programming Interface (GPI), a LAN manager, multitasking, SQL, just for starters. And all of these components are accessible in a standard way using Smalltalk/V PM through Dynamic Link Libraries (DLLs). Combined with DDE (Dynamic Data Exchange), you can call and exchange data with other PM services or applications. Seamlessly. Now developers can write truly reusable components, which greatly increases their value. And you'll find Smalltalk/V PM the perfect "glue" between applications written in other languages. possessing. Yet to tap its potential, OS/2 PM demands a conductor capable of true genius. That conductor is Smalltalk/V PM.

You'll find Smalltalk/V PM a perfect language for representing and manipulating high-level information. Because you go from designing to prototyping to delivering a completed application in one seamless step, you cleanly avoid the old costly "crash and burn" delays so common with languages born in the age of mainframes.

UNLEASHING THE AWESOME POWER OF OS/2 PM

Smalltalk/V PM. It helps stop the natural drift toward vaporware so common in software development today. It lets you dive right in and get to the creative parts without the usual grunt work. For example, if you want to ignore the complexities of understanding OS/2 PM details you can immedi-





he Gordian Knot. A legendary case of complexity. It had baffled and stymied the best minds of the ancient world until Alexander the Great cut through the convoluted challenge with one bold, swift stroke of his sword. This "seat-of-the-pants" solution set in motion the prophecy that whoever unraveled the knot would one day rule Asia.

"THIS IS THE RIGHT WAY TO DEVELOP APPLICA-TIONS FOR OS/2 PM. OS/2 PM is a tremendously rich environment, which makes it inherently complex. Smalltalk/V PM removes that complexity, and lets you concentrate on writing great programs. Smalltalk/V PM is the kind of powerful tool that will make OS/2 the successor to MS/DOS."

Bill Gates, Chairman Microsoft Corp. grammer struggling with the complexities of Presentation Manager should take a close look at this product."

Charles Petzold, Contributing Editor, PC Magazine

"Digitalk's Smalltalk/V PM is dazzling! This product makes Presentation Manager pay off."

Jeff Duntemann, Contributing Editor, Dr. Dobbs Journal

> "Smalltalk/V PM is an excellent tool for rapid delivery of prototypes which have all the functionality and user interface of a complete PM application."

Richard A. Landsman, System Architect, Lotus Development

"Smalltalk/V PM from Digitalk is the greatest! This is an incredible product." J.D. Hildebrand Editor-in-Chief, Computer Language

THE BEST PM INVESTMENT YOU'LL EVER MAKE Smalltalk/V PM \$499.95

Prices and information on these and other Digitalk products are available on request: Smalltalk/V, Smalltalk/V 286, Smalltalk/V Mac

Smalltalk/V. A product of Digitalk Inc., 9841 Airport Blvd., Los Angeles, CA 90045. For information or to find a dealer near you call:

1-800-922-8255 1-213-645-1082

CompuServe 71361,1636 FAX 1-213-645-1306 Smalltalk/V is a registered trademark of Digitalk Inc.

Prices subject to change without notice. Other product names are trademarks or registered trademarks of their respective holders.



fast, seat-of-the-pants way



ately start creating without any limitations on your efficiency.

However, if you're the curious type, we have tools called browsers to help you fathom the masterpiece called OS/2 PM. You'll also find our incremental program development capability and push-button

THE FIRST FULLY-COMPILED SMALLTALK. Because Smalltalk/V PM is fully compiled it provides you with a more responsive environment than ever before. Now you'll be able to generate stand-alone applications (.EXE). debugger simplifies application development and gives you instant response when you implement an idea. Our extensive user manuals and tutorials have earned us high praise.

E). SMALLTALK/V PM. THE TALKING HAS ALREADY STARTED.

"Digitalk's Smalltalk/V PM is a masterful implementation of a classical object-oriented programming language and a state of the art graphical user interface. Any pro-



NANOBYTES

Texas Instruments (Houston) has officially released its TI Graphics Architecture interface specification, which is designed to optimize communications between TI's TMS340x0 graphics processor and the host processor that it's working with. TI is now offering several kits for software developers who want to make their applications compatible with TIGA. Meanwhile, TIGA continues to collect fans, with the latest major backer being Hewlett-Packard; HP said that TIGA will result in more applications supporting high-resolution graphics on personal computers.

After investing \$100 million in Steve Jobs's NeXT Computer (thus buying one-sixth of the company), Canon has introduced the black cube to Japan. At the machine's official debut in Tokyo in July, about 3000 people showed up to see Jobs and his company's new system, a BIX user in Japan said. The event took place in a hall next to the site of Tokyo Disneyland, which somehow seems appropriate. In Japan, Canon will sell the basic NeXT computer for 1,980,000 yen, or about \$14,000; with a 660megabyte hard disk drive, for 3,980,000 yen, or about \$28,000. A Japanese-language version is slated for next year. "Many people believe Asia will be the growth market for computers in the 1990s, and we believe that too," Jobs said.

Symbolics (Los Angeles) has moved its professional-grade **Animation and Paint System** from the high-end Symbolics 3600 workstations to the Mac II-based Maclvory system. The software is geared toward industrial design, scientific visualization, and engineering applications. The basic setup includes a Mac II with a MacIvory board, 5 megabytes of main memory, 16 megabytes of NuBus memory, a 320-megabyte SCSI hard disk drive, a 32-bit NuVista frame grabber/buffer, and a 16-inch monochrome monitor. Prices start at \$49,500 and ascend to \$75,900 for a system capable of three-dimensional painting, but these prices are about half of what the 3600-based models sell for.

said will become the standard in laptops in the next year.

VGA resolution (640 by 480 pixels) with at least eight shades of gray is the standard for laptop displays now, Morrow says; his machine will have at least 16 gray shades and perhaps as many as 32, using a new graphics controller from Cirrus Logic.

Although several color LCD screen prototypes have been seen at trade shows and NEC is now selling a portable with a color LCD, Morrow says he doesn't think they're practical yet for laptops. Aside from their high cost, the current color screens use tremendous amounts of battery power and tend to heat up. However, Morrow said that fiber-optic technology could make color screens practical sometime next year.

Like current laptops from Zenith and Compaq, the new Morrow machine will use power-management controller chips to push power requirements down; Morrow said he hopes that his system will offer 8 hours of use on a single battery charge. The key, he says, is replacing the typical nickel-cadmium batteries with nickel-hydride batteries, which weigh half as much for the juice they produce.

Will the new machine have a floppy disk drive? Maybe not. One possibility that Morrow is considering is to offer one of the new tiny 20- or 40-megabyte hard disk drives that weigh far less and use less power than a floppy disk drive. That, of course, would require some unconventional ways of getting programs and data into the laptop; Morrow says he's looking seriously at some exotic technologies, including infrared and radio-frequency modems.

Morrow says prices for the new system will start at \$3995.

Government Agencies at Odds over Computer Sales to Soviets and Warsaw Pact Countries

The U.S. Commerce Department has lifted restrictions on the sale of most 80286-based desktop computers to Soviet-bloc countries, a move that pleased people in the computer industry but drew flak from other segments of the federal government.

U.S. companies can now sell to Soviet-bloc nations standard desktop personal computers with a Processing Data Rate of up to 68. The PDR is the Commerce Department's formula for computer power. A PDR of 68 would represent the equivalent of a system with an Intel 80286, up to 4 megabytes of RAM, and hard disk drive storage of up to 140 megabytes. The change represents a tenfold PDR increase; the previous level was 6.5.

The Commerce Department also lifted export restrictions for systems such as the Apple Macintosh Plus and SE and the IBM PS/2 Model 30. Restrictions are still in place for systems based on the 80386, the 68020, and the 68030, and for certain laptop computers.

"We are creating new opportunities for U.S. manufacturers to sell more widely abroad," said Commerce Secretary Robert Mosbacher. The Commerce Department says that some 6 million AT-compatible desktop computers were sold worldwide by U.S. companies in 1988; 2.7 million of them, worth more than a billion dollars, were sold outside of the U.S. Computer makers, including IBM, Apple, and Compaq, welcomed the change but expressed reservations about the size and profitability of the Soviet market.

The decision is not without detractors. Secretary of Defense Richard Cheney told reporters that he opposed the move, saying it will give the Soviet Union "significant capabilities" that it does not currently possess and will give the Soviets computers with "military applications." But Mosbacher said the Commerce Department had found that AT-type systems were already readily available in Eastern European and Soviet-bloc countries.

The U.S. Department of State agrees with the Department of Defense. The U.S. will continue to withhold high-technology exports from the Soviet Union and other Warsaw Pact countries, a State Department official said shortly after the Commerce Department announced its revised restriction list. The State Department will continue to "deny Moscow any such technology that could enhance its military capacity," the official told Microbytes Daily.

Exporting sophisticated computer continued



BRAINS & BEAUTY

STATGRAPHICS: Sophisticated Data Analysis and Gorgeous Graphics — In An Easy-to-Use PC Statistics Package.

Get the best of both worlds with STATGRAPHICS sophisticated data analysis *and* a dazzling array of graphics in an easy-to-use PC statistics package.

Powerful Statistics. Realize the full potential of your analytical skills. STATGRAPHICS gives you over 250 statistical procedures including ANOVA, regression analysis, quality control procedures, experimental design, multivariate techniques, nonparametric methods, exploratory data analysis, forecasting, time series analysis, and more.

Incredible Graphics. Turn the "Ho-Hum" into the "Ah-Ha!" STATGRAPHICS includes over 50 types of graphs that allow you to analyze your data visually and communicate your results brilliantly!

Easy To Learn and Use. Enter your data using our full-screen editor, or import data directly from your ASCII, dBASE[®], Lotus[®], or DIF files. STATGRAPHICS is completely menudriven and includes online HELP, a self-paced tutorial,

handy reference cards, and a user's guide complete with examples and sample data sets. No wonder *InfoWorld* said STATGRAPHICS "makes interactive data analysis and knock-your-socks-off graphics easy."

Why compromise? Get the power of sophisticated data analysis *and* gorgeous graphics with STATGRAPHICS all for only \$895.* For more details or to order today, call:

(800) 592-0050 ext. 400 In Maryland, (301) 984-5123;

In Maryland, (301) 984-5123; Outside the U.S., (301) 984-5412 for the name of the dealer nearest you.

Ask about our money-back guarantee!



STSC, Inc. 2115 East Jefferson Street Rockville, MD 20852 Circle 263 on Reader Service Card



Suggested retail price in US and Canada. International prices vary, STATGRAPHICS, dBASE, and Lotus are registered trademarks of Statistical Graphics Corp., Ashton-Tate, and Lotus Development Corp., respectively.

oreadsheet Rivalry Heats Up products a dre hat puter stores, not displayed in cont

Autor with the With the Autor With t

The Spreadsheet Market

OTHER 6.1%

There is, at last, a viable alternative to war: revolution.

Things are

Setting down and dirty; a computer

analyst observes.

One that delivers even more performance than you have (ahem) been waiting for, but without demanding expensive new hardware or extensive retraining. And without abruptly cutting you off from any user in your company, even those on mainframes.

The name of the spreadsheet is SuperCalc[®]5.

And what it can do for you is, frankly, quite revolutionary.

Let's begin at the end. Stand-alone quality is the way SuperCalc5 can graphic capabilities have been built in.

Andy's Bunnies Breakdown of Expenses FY Ending January 31, 1991 Present a state-of-the-art picture of your work Link just about everything in sight.

And with SuperCalc5, you select fonts, lines, boxes, grids and shading. All of which can be used to produce the highest quality customized reports.

Plus, SuperCalc5 actually makes productivity easier. An integrated Undo feature simply reverses unwanted commands. And a truly comprehensive system of debugging highlights costly errors and analyzes

macro logic. Perhaps even more impressive link spreadsheets. Up to 255



come back to bite you 1989 Computer Associates International, Inc. 1240 McKay Dr., San Jose, CA 95131. Louis and 1-2-3 are registered trademarks of Louis Development Corporation. Excel is a registered trademark of

Micro- creating a spreadsheet 'ar with sweep. ts reseller pro restructuri plan, The ning com he Spreadsheet oortant Update.

sheet or inde-

pendent, either

SuperCalc5's files

or Lotus® 1-2-3°'s.

us to the "L"

Which brings

word. SuperCalc5

and writes Lotus®

not only reads

1-2-3° files. it

totally coexists with Lotus.

eadsheet

New program

es to fend

to be precise. Linking either in memory or on disk, either pages of the same spread-

Mass. red to fight the



POWER

the field had been ranked and the of

Lune neue nau been rauneu aneu sonal computer spreadsheet soft

Produce annual-report quality output everyday.

Letting you easily move 1-2-3 macros into SuperCalc5 and back again. Even toggling between menus is a snap for SuperCalc5. But not for Excel[®]

Which now brings us to the "E" word. Unlike Excel, SuperCalc5 runs on all IBM®

Microsoft. IBM is a registered trademark of International Business Machines.

and . compatible computers but also takes full advantage of 286 and 386 machines when you decide to make that transition.

Spreadsneet

unuary 28, 1989

Ready to Pounce

tGain

onRiv

And if all that isn't enough to make you run out today and join the revolution, there's even more incentive.

Like our free demo disk offer through July

31, 1989. And our \$100 upgrade offer for just about any spreadsheet you're using. Call 1-800-531-5236. In Canada call 1-800-663-6904.

Which finally brings us to our admittedly biased



outlook for the much touted spreadsheet war. With SuperCalc5, peace is at hand.



NANOBYTES

NCUBE (Beaverton, OR) has started shipping what it claims is the fastest supercomputer in the world. The massively parallel NCUBE 2 can be outfitted with as many as 8192 processors; with that many of the 64-bit processors working together, the system can execute 60 billion instructions per second and 27 billion scalar-point operations per second, the designers say. NCUBE plans to have a version of Unix running on the supercomputer. Oracle has already said that it will port its database management software to the parallel system. The NCUBE 2 starts at \$495,000.

Remember **CEBus** and the **Smart Home**? CEBus is a set of specifications for encoding and transmitting information over AC power lines. Home-electronics makers hope to design 'smart' appliances that talk to each other. But there's been 'embarrassingly little change' since CEBus made its debut in January, said Bob Garry of Diablo Research, one company working on the CEBus technology. Problems involving the networking of appliances over AC lines have yet to be ironed out, he said.

Vapor chasers: An Ashton-Tate attorney recently sent a letter to WordTech demanding that WordTech cease and desist marketing a product called dBASE/SQL. "Please be advised that your use of the 'dBASE' mark consitutes a violation of Ashton-Tate's federally registered trademark," wrote the ever-vigilant A-T attorney on the case. The letter demanded that WordTech, which makes products that integrate its dBASE-compatible DBXL with SQL, change the name of dBASE/SQL and destroy any materials that refer to dBASE/ SQL. Fulfilling the A-T mandate will be tough: WordTech says it doesn't make a product called dBASE/SQL. Company president David Miller referred to "dBASE/ SQL" as "the ultimate vaporware, since it's unannounced, undesigned, undeveloped, unknown, has no marketing plan, sales plan, packaging plan, nor any release date or pricing.'

technology could "provide the Soviets with sufficient advancements in military design, which in turn would make it even more expensive for the U.S. to maintain a military advantage," said one member of the State Department.

The State Department's clarification of its stance coincided with meetings being held by the Coordinating Committee for Multilateral Export Controls in Paris. COCOM is the organization of NATO countries that oversees technology trade with the Eastern Bloc. Most COCOM representatives have favored loosening export restrictions to the USSR, if for no other reason than because they don't think the restrictions are working. Prohibiting export of AT-style machines had "become almost impossible to enforce because they are available through so many sources," said Frank Deliberti of the Department of Commerce's Office of Export Enforcement.

Intel Delivers EISA Chips to System Makers But Says Bus Won't Drive Users' Choices

T en months after nine computer makers said they didn't need IBM's Micro Channel architecture (MCA) and announced their own 32bit bus standard, Intel officially introduced the chips that will make the Extended Industry Standard Architecture a hardware reality. Computer makers adopting the EISA bus said that they'd have EISA-compatible systems ready by Comdex next month.

The new Intel EISA 82350 package consists of four chips. The 82357 incorporates enhanced directmemory-access control, a timer/ counter, interrupt control, bus arbitration, and DRAM refresh functions on a single chip. Intel says the chip offers a maximum DMA transfer rate of 33 megabytes per second, which is more than eight times faster than the transfer rate of the AT bus. By comparison, the MCA bus has a maximum data transfer rate of 20 megabytes per second, according to Intel. The 82357 also handles bus arbitration.

The 82358 EISA bus controller interfaces with the 8-/16-bit AT bus, the 32-bit EISA bus, and the host CPU bus. It will allow existing AT boards and the future EISA boards to coexist in an EISA system.

The 82352 EISA bus buffer is used to integrate the data swap logic, the address buffers, and the data parity buffer. It's designed to integrate approximately 17 components, thus lowering the system board chip count and cost. According to Intel, the 82352 chip is intended for those system manufacturers seeking higher integration on the system board.

The 82355 bus-master interface controller acts as an interface between the local functions of the bus-master card and the EISA bus-master protocol. The 82355 "arbitrates" for bus ownership and can take control of the bus from the host CPU for busintensive tasks, such as database management and high-performance file serving.

The new chip set won't add much to the cost of an EISA system, Intel said. At current prices, the EISA chips would increase the cost of a machine by \$50 to \$100 over an AT system, according to Intel. Company officials predict that by next year, EISA and MCA chip sets will cost the same as 16-bit AT chip sets, hence increasing the allure of 32-bit systems.

But Intel officials say the decision to buy an MCA or EISA system will ultimately be based on factors other than bus technology. These factors include loyalty to a particular manufacturer; prices of competing systems; proprietary features that manufacturers say increase performance of their systems; and 'geopolitical considerations,' purchasing decisions based on nontechnical or emotional issues.

NEWS STAFF SEEKS NEWS. DIAL (603) 924-9281.

The BYTE news staff is always interested in hearing about new developments that might affect microcomputers, the way they work, or the way people work with them. If you know of a project that could shape the state of the art, please give us a call at (603) 924-9281 or write to us at One Phoenix Mill Lane, Peterborough, NH 03458. An electronic version of Microbytes, offering a wider variety of computer-related news on a daily basis, is available on BIX.
Without Teamwork® on your PS/2,



your development teams will never shift into high gear.

Now you can speed up the performance of your entire work group with a true multi-processing development environment for OS/2. Teamwork is the first CASE toolset to support OS/2 software developers. So if you've been driving DOS-based CASE tools and you're ready for workstation power, get ready to fasten your seatbelt.

The intuitive graphic user interface and the advanced multi-window, multi-tasking capabilities of Teamwork immediately improve individual and team productivity. Each developer creates, edits, and inspects multiple design views simultaneously with simple point and click operations. Teamwork fully integrates graphics and data for structured analysis, data modeling, real-time analysis, and structured design models. Rigorous support of standard methods, complete syntactical checking and balancing assure system quality.

Teamwork's own configuration management and project status help manage and control even your largest projects. Projects can be partitioned to allow parallel development by multiple analysts and designers. The project manager controls the process by the baseline, merge, and reconcile features of Teamwork. If you're just getting started with CASE tools, Teamwork/PCSA is a DOS-based structured analysis tool that can also run on your PS/2. As your projects grow, Teamwork/PCSA gives you an easy migration path since it is fully compatible with Teamwork for OS/2.

Thousands of developers with applications ranging from financial to avionics already rely on the power of Teamwork. In fact, Teamwork is the world's leading workstation-based CASE toolset.

Cadre's hotline support, maintenance services, excellent documentation, and effective educational offerings make sure you get started right on the right track. That's all a part of Teamwork.

Call (401) 351-CASE

If you're ready to shift into high gear, then you're ready for Teamwork. Anything less, just won't meet your standards.

CADRE

Cadre Technologies Inc. 222 Richmond St. Providence, RI 02903 Circle 163 on Reader Service Card

See Your Data



MapInfo software can find, display and analyze your data geographically. See your prospects, customers, facilities —anything in your database. Find addresses by street, ZIP code, city, etc. (We can even supply the maps.)



Any point or region on the map can have a complete record of data behind it. See your *actual* dBASE data in a window to view, edit, and print. Draw your own boundaries. Add titles and legends for high quality presentations.



Perform analyses on your data to sum, average, or count your database records by location. Color sales territories by volume of orders, ZIP codes by numbers of leads, countries by your demographic data.

From street-level to worldwide, MapInfo can merge your databases with maps. Play visual "what if" with your data. See patterns, trends, and opportunities you never knew existed. If you need to map your data, MapInfo can do it for as little as \$750.

MapInfo now includes a map of the world and the U.S. with all ZIP code locations. Runs on IBM PCs or compatibles with 640K memory, a hard disk drive, and graphics, and comes network-ready.



Changing The Way The World Looks At Information™

200 Broadway, Troy NY 12180 To order, call 1-518-274-8673 or 1-800-FASTMAP Toll free. MapInfo is a trademark of MapInfo Corp. dBASE is a trademark of Ashton-Tate.

LETTERS

and Ask BYTE

Who Invented the Computer?

How can John William Mauchly Jr. (Letters, July) write an 800-word letter on the Atanasoff/Mauchly controversy (Book Reviews, September 1988) without acknowledging the court decision in *Honeywell*, *Inc.* v. *Sperry Rand Corp.*, *et al.*, of October 1973?

Here is the record, developed in a trial lasting more than two years. Section 3 of Judge Larson's opinion states, among other things, that "Eckert and Mauchly did not themselves first invent the automatic electronic digital computer, but instead derived that subject matter from one Dr. John Vincent Atanasoff."

Mauchly the younger claims "ample evidence to the contrary." He mentions a letter, an experimental counter, and several unnamed students. Sperry Rand, in a case involving million-dollar patent rights, would not or could not produce any such evidence for the record. Instead, the court record shows a letter from Mauchly requesting permission to incorporate Atanasoff's ideas. If Mauchly's evidence is so clear-cut, why didn't Sperry use it to preserve its patent? Why didn't Sperry appeal the decision?

Anyone wishing to form an independent judgment should read Clark R. Mollenhoff's 1988 book, *Atanasoff: Forgot*ten Father of the Computer.

> George Wright ("georgew" on BIX) Lutherville, MD

Warning Optional

We would like to commend Martin Heller for "Breaking the Memory Barrier

WE WANT TO HEAR FROM YOU. Please double-space your letter on one side of the page and include your name and address. We can print listings and tables along with a letter if they are short and legible. Address correspondence to Letters Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

Because of space limitations, we reserve the right to edit letters. Generally, it takes four months from the time we receive a letter until we publish it. with 386 VMM" (July). MicroEMACS consists of more than 570K bytes of C source code, and Heller only had to change 34 lines of code to compile it in MetaWare High C for both protected mode and virtual memory mode, either of which will access 4 gigabytes!

Our only complaint is that he didn't mention the compiler switch to turn off warning announcements. We think that warnings are a good thing, but if a user doesn't like them, they switch right off.

Heller will be happy to know that most of the minor changes he required are already in beta test here at MetaWare. We don't agree that old 8086 methods are best, particularly in this new 80386 arena, but programs are daily being migrated to the 80386 via High C. We will supply the functions to make conversion easy, and then lobby for better methods.

Steve Blackwell Product Group Manager MetaWare, Inc. Santa Cruz, CA

Mac OS Wish List

My wish list for the Mac OS would include two items Don Crabb didn't mention ("The Mac Interface: Showing Its Age," Macintosh Special Edition, June): a simple but powerful text editor, and a print spooler for dot-matrix printing.

The TeachText editor that comes with the Mac operating system is too rudimentary to be much more than a toy. Its most serious problem is that it cannot reformat paragraphs that contain carriage returns at the end of each line. Simple text-file transfer among arbitrary computer systems requires the use of such files (i.e., those that end in hard returns). A capable text editor, preferably one that can edit multiple files at the same time, is an essential aspect of any operating system. Of course, the DOS EDLIN hardly qualifies; the Unix editor, vi, is only a slight improvement over EDLIN; and the Windows notepad has even more limitations than TeachText, so my opinion on this seems to be out of favor with operating system vendors.



and get a FREE $5^{1}/4^{"}$ disk as your introduction to the SMALL COMPUTER BOOK CLUB

You simply agree to buy three more books—at handsome discounts—within the next 12 months.

C Programmer's Library

- Create full-color graphics and develop programs that interact with users via character displays and keyboards.
- Develop pop-up and pull-down menus, windows, on-line help screens, dialog boxes, and more.
- Write C codes that run under varying C implementations as well as different operating systems and hardware.

Turbo Pascal **Programmer's** Library

- Make your Turbo Pascal programs faster, more powerful, and easier to use.
- Master routines for elaborate printer control, formatting and error recovery.
- Maximize use of windows, scroll bars, text graphics, and data compression.





TURBO PASCAL

EXPRESS



AN \$87.85 VALUE

dBASE Programmer's Library

- Convert and upgrade program files without a hitch while making the most out of userdefined functions.
- Develop databases for many different environments, using a range of dBASE products.
- Master the various features of SQL, dBASE IV, dBASE III Plus, Clipper, FoxBASE, and more.





MEMBERSHIP BENEFITS • In addition to getting 1 of 3 sets for only \$4.95 and Alfred Glossbrenner's Selected Shareware Library for free when you join, you keep saving substantially on the books you buy. • Also, you will immediately become eligible to participate in our Bonus Book Plan, with savings of 65% off the publishers' prices. • At 3-4 week intervals (16 times per year), you will receive the Small Computer Book Club News, describing the coming Main Selection and Alternate Selections, together with a dated reply card. • If you want the Main Selection, do nothing, and it will be sent to you automatically. • If you prefer another selection, or no book at all, simply indicate your choice on the card and return it by the date specified. • You will have at least 10 days to decide. If, because of late mail delivery of the News, you should receive a book you do not want, we guarantee return postage should receive a book you do not want, we guarantee return postage.

SMALL COMPUTER BOOK CLUB is a division of the Library of Computer and Information Sciences, the oldest, largest and most respected computer book club in the world. Unlike other microcomputer clubs, Small Computer Book Club offers books from a wide variety of leading publishers.

If reply card is missing, please write to Small Computer Book Club, Dept. Y-CF3, 900 Chester Avenue, Delran, NJ 08075, for membership information and an application. BYTE 10/89



Much of my work is done on DEC VAX systems, where I'm spoiled by edt and tpu, both highly capable editors intrinsic to the VMS operating system.

Dot-matrix printing is generally more time-consuming at the printer end than laser printing is. Therefore, it seems even more essential to provide a print spooler for dot-matrix printing than for laser printing. Yet Apple provides a spooler only for laser printers. It can't be any more difficult to spool Imagewriter files than to spool the wide variety of printer files that Windows can handle.

I think Apple should indeed be on notice that its operating system is showing signs of age. It's the best available, but right now its chief advantage over other competitors, such as DOS/Windows and Unix/X Window, lies in the wealth of excellent Mac software that has been written and in the transparent access to large amounts of RAM that it and the Macintosh provide. In view of the disarray

apparent in the world of Windows/OS2/ Presentation Manager, this may be enough of an advantage for the time being. But I hope that Apple will be objective enough to incorporate the best of the ideas that are being implemented by its competitors as elaborations of the graphical user interface, while demonstrating that the use of a graphical interface needn't involve the loss of any of the best features of text-based command-line interfaces.

> Thomas E. Moore Huntsville, AL

Clarifying Chaos

I have a minor point of clarification to Hugh Kenner's fine review of Ian Stewart's Does God Play Dice ?: The Mathematics of Chaos (Print Queue, July). Referring to the iterative system given by the logistic equation y = kx(1-x), Kenner says, "And for values of k above 3, what we see is chaos." This wording may be miscontrued. While chaos certainly occurs at infinitely many values of kabove 3, there is a dense set of values above 3 at which the system is periodic (i.e., nonchaotic).

Stan Franklin **Professor of Mathematical Sciences** Memphis State University Memphis, TN

Windows and Multitasking

"A Guide to GUIs" (July) states that "You can also minimize a window under Microsoft Windows, but since Windows is not a multitasking operating system, the program in the window suspends operation until you 'maximize' it again.'

This is not true and never has been. Has the author ever run the clock program? Or the rotating hypercube? Notice that the hands on the clock icon continue to move even when minimized. That's because the clock program is still running and because the icon is not a static bit map but is actually a small window, and the clock program is continually painting it.

Microsoft Windows is multitasking and always has been. (It's just not preemptive, which means that if one application wants to hog the system. Windows will not interfere with that application.) Nonpreemptive multitasking is genuine multitasking. It differs from preemptive multitasking (as in OS/2 with Presentation Manager) only in these few ways:

- 1. It is easier to write the system code.
- 2. It is faster at task switching than preemptive multitasking is (because it continued

Finally, A Trackball for your PC Two High Performance Mouse Alternatives

PC-TRAC Serial version \$119 Bus version \$139 The standard in PC Trackballs for direct mouse replacement

Attention PC users. Introducing two products that have been quietly appearing on desks of thousands of PC users for over a year: MicroSpeed's PC-TRAC[™] and Fast-TRAP[™] trackballs.

• Uses 1/3 the desk space of a mouse Free up your desk space to do what it was designed to do - hold your coffee cup and stacks of incoming work.

Plug and play compatibility

MicroSpeed's advanced pointing device driver is fully compatible with application software supporting Microsoft[™], Logitech[™], and other popular mice. Also included is a Windowsth driver and a utility for use with non-mouse driven software.

PC-TRAC and FastTRAP work where you put them

No more "row, row, row the mouse" when you run out of desk space before you run out of screen. Scroll across spreadsheets with finger tip

FastTRAP Serial version \$149 Bus version \$169 Trackball with Trackwheel" for third axis pointing capability in advanced applications

control. Page up and down documents without so much as moving your wrist. Control CAD programs to a single pixel. All in a space less than 4 1/4 " wide,

• Pinpoint accuracy automatically

MicroSpeed's pointing device driver has "self adjusting" resolution from 50 to 1,000 dpi. Speeding across the screen or working with precision graphics, the MicroSpeed driver automatically adjusts to the resolution you need

PC-TRAC and FastTRAP require no cleaning

Our quiet, durable opto-mechanical design requires no cleaning or maintenance.

Looking for a proven mouse alternative for your PC? Give us a call. We're rolling!



34 BYTE • OCTOBER 1989

FAX (415) 490-1665 ed, PC-TRAC, FastTRAP and Trackwheel gastered trademarks of MicroSpeed, Inc and Windows are registered trademarks

WHEN YOU NEED YOUR DESK FOR MORE THAN JUST A COMPUTER...

Introducing Emerald's LANstation I.

The LANstation I, a 286 diskless workstation, delivers lightning fast performance, an ultrasmall footprint, dazzling EGA video display, and compatibility with any network card or operating system at an affordable price.

Emerald has incorporated the latest technologies in every feature to eliminate the typical space, noise, heat and security problems that plague standard PCs on a network.

Design experts agree . . .

... that the LANstation I is the finest example in functional ergonomic design. International Design Magazine said "products like yours express the leading edge of contemporary design."

Emerald provides the best warranty program in the industry. 48-hour repair or replace, guaranteed—at no charge!

For more information on the latest in diskless workstation technology contact your Emerald Computers marketing representative at (800) 321-5711.

> \$2,195. Suggested List for 12 MHz 286



EMERALD COMPUTERS, INC. COMMMERCIAL PRODUCTS GROUP 7324 SW Durham Road Portland, Oregon 97224 (800) 321-5711 (503) 620-6094 FAX: (503) 639-7932



Circle 97 on Reader Service Card

happens only at known safe times).

3. It puts the power (to choose when you will execute) in the hands of the application rather than the system (i.e., the Windows system is the slave; the Presentation Manager system is the master).

I am tired of seeing Windows dinged in the press as "not real multitasking" because it suffers from these advantages. Marlin Eller Seattle, WA

Graphical User Interfaces

Thanks for "A Guide to GUIs" by Frank Hayes and Nick Baran. The figure comparing features of the 12 top GUIs was especially lucid.

Your readers might want to know about two recent enhancements of the Commodore Amiga that Hayes and Baran did not mention. First, Amiga-DOS 1.3 supports a second user through its AUX: device driver and a charactercell terminal connected to the serial port. Second, GfxBase (Milpitas, CA) now offers the X Window System for the Amiga. I agree with Hayes and Baran's statement that "Intuition is arguably the father of MultiFinder." MultiFinder is more like an illegitimate son, given that it puts one task on hold when the user activates another task. In contrast, Intuition provides true multitasking, letting each task contend for CPU and directmemory-access coprocessor time according to priority and demand.

> Kirk Mahoney Los Angeles, CA

Let's Hear It for Fixed-Point

"Floating-Point Revisited" by Rick Grehan (April) really points up why more applications should be using fixed-point operations. For most applications, especially in business, fixed-point will run circles around Grehan's decimal floating-point procedures, with no loss in capability.

We still suffer from certain hangovers from the days when 64K bytes was a lot of memory. There's not much excuse for using binary-coded decimal floatingpoint computing anymore. BCD is convenient for I/O formatting, but you don't need speed in I/O operations. Where you need speed is in invisible internal calculations. Division by 10 (used repeatedly in formatting binary numbers for output) is time-consuming to the extent that a few milliseconds might be needed for a very large number; given how slowly screens and printers operate, this is entirely negligible.

Correct use of fixed-point programming requires choosing units properly. For business purposes, you use cents, not dollars. The input \$3.21 has to be parsed as 321¢. Actually, this may lead to some situations in which the last penny isn't right. You can adjust for this by using internally smaller units and still fit the national debt into 64 bits. Having units appropriate to the decimal system avoids the inconvenience of trying to work in base 10 on a binary computer.

Binary floating-point and fixed-point arithmetical operations do not differ at the core. For addition and subtraction, fixed-point is faster, while floatingpoint is faster for division and multiplication. The big distinction is that fixedpoint can be kept precise, while floatingpoint has inherent round-off errors. This continued





This pocket-sized box instantly turns a portable computer into a laptop office. Introducing the WorldPort 2496[™] portable fax and data modem.

If your business is like most, fax is a way of life. The WorldPort 2496 is the fax of life on the road.

Weighing less than 8 ounces, with battery, it also runs on AC power and connects to RJ11s or optional acoustic couplers for public phone use anywhere. Via Bell or CCITT standards. It even sends and receives fax and data messages unattended or while you run other applications.

Suddenly, a laptop in the field is a full communications center. With up-to-the-minute incoming from your host. Overnight outgoing to the branches. And on-the-run faxes to any client. Over pay phones, hotel phones and PBXs worldwide.

WorldPort 2496 is a trademark of Touchbase Systems, Inc. © 1989 Touchbase Systems, Inc.

Get the WorldPort 2496. It adds the power of your office to the portability of your laptop. And the advantages of a fax to the convenience of your desktop.

Call us today at 800-541-0345 (in New York, 516-261-0423) for more on the WorldPort line and the dealer nearest you.



Touchbase Systems, Inc. 160 Laurel Avenue Northport, NY 11768 (516) 261-0423 Fax (516) 754-3491

Faster computers sooner. . . from FORTRON.



As fast as products are designed, that's about how fast you can get them from Fortron. In early 1987 we were one of the first to ship an Intel 386[™] based personal computer.

Now we're ready to dazzle you with speed again: the NetSet[™] 325 and NetSet[™] 333 personal computers, based on Intel 386[™] 25 MHz and 33 MHz microprocessors. Designed for optimum performance of CAD/CAM, UNIX, XENIX, and network server applications.

Like all our other personal computers, these come with **one full** year of service, free, at your site (USA). We're that sure of the reliability. And because we manufacture the computers ourselves, right here in California, you know exactly who to call with any technical questions; and if they do need service, we can fix them fast. Speed, service, and savings. That's Fortron.



representative call me.
Please send me more information.
 I am most interested in A. 286-based systems B.
 I am a A. End User B.
Name
Title
Company
Address
City

10/89

Circle 102 on Reader Service Card (DEALERS: 103)

Better is

The new 16" MultiSync[®] 4D and 20" 5D both offer compatibility with

a wide range of graphics boards and computer systems.

NEC's award-winning multiple frequency technology, now available in larger, digitally controlled, high-resolution color monitors.

Both are optimized for the IBM PS/2, PC/AT/XT (and 100% compat-

ibles) and the Macintosh II. Both offer a microprocessor-based digital

control system for preset and custom graphics modes, automatic screen



bigger.

configuration and optimal image. And both give you great resolution-

the 4D, from VGA up to 1024 x 768; the 5D, from VGA to 1280 x 1024.



The main difference: one is for large ideas. The other, for extra-

large. For literature, call 1-800-826-2255. For details, call NEC Home

Electronics (USA) Inc. 1-800-FONE-NEC.



is not significant unless you are dealing with numbers larger than any that would occur in business applications. To be sure, floating-point is superior for transcendental functions. However, if you don't need high accuracy (e.g., in graphical display), fixed-point with lookup tables (e.g., for sines and cosines) will outperform floating-point. True algebraic operations, such as square root, are performed about the same in both.

The main distinction between fixedpoint and floating-point programming arises in the storage of variables. Programming general-purpose modules requires you to anticipate exceptional cases. A floating-point variable occupies a fixed amount of memory. When there is insufficient space to carry out operations correctly, floating-point simply gives a wrong number. Try $x \times x - (x + x)$ 1) \times 8 (x - 1) where x fits accurately but x^2 does not. In fixed-point, however, intermediate operations may overflow any prescribed size. Thus, fixed-point requires dynamic memory allocation; the amount of memory set aside for the storage of a variable varies with the size of the variable and changes as the variable changes. The DOS file allocation table is a standard example of dynamic memory allocation. A little extra programming is required, but there is little loss of speed in most applications.

Numerical coprocessors change the picture. For intensive number-crunching, a floating-point coprocessor like the 80287 is much faster at fixed-point operations than is the 80286. There are several reasons for this. First, the 64-bit registers of the 80287 are effectively twice as fast for all arithmetical operations than the 16-bit registers of the 80286 if you're dealing with integers with more than 16 bits. Second, the hard-wired code on the coprocessor operates much more quickly than code fetched from memory. Third, with optimized coding, you can store variables in the 80287 stack rather than having to move them around in memory. The last two differences would matter less if you had a high-speed cache memory. Fourth, you can, with good coding, do coprocessing; the 80286 can compute the address of the next variable needed from memory while the 80287 is doing arithmetic. Finally, the overhead required for handling the variable size of fixed-point numbers adds up over thousands of iterations.

My original motivation for getting an 8087 was for use in a program where I had to deal with fairly large integers and didn't want to take the time to construct code for fixed-point operations. Alas, the numbers got too big—beyond the 64bit limit—and I needed exact answers.

Carl Herz Department of Mathematics and Statistics McGill University Montreal, Quebec, Canada

There now, see? With a little effort, you can extend my floating-point package to as many significant digits as you need. Yes, it would be slow—but it would work. —Rick Grehan

Uncrackable Code?

The writers of the articles on security (In Depth section, June) consider it unsatisfactory to use a password that initiates a word-substitution program. The procedure, of course, is quite pedestrian. I have worked on these matters as a hobby and have come to use an algorithm that encrypts a text in such a way that I defy anybody to crack the code.

The secret is to take an obscure text of 200 words or so and "add" this text letter for letter to the text to be encrypted, producing a new ASCII code for each character of text. The "password text" is never stored on the hard disk but resides on a floppy disk that you insert when you want to do encoding and decoding.

No common analyses of letter frequencies would help you decode this encrypted text, because the translations change all the time: In one case, "a" may be represented by ASCII 202; in another, ASCII 72; and so forth.

> Paul A. Elias Fountain Hills, AZ

Your method is in effect a one-time pad, which is, indeed, a foolproof system when used properly. However, there's a flaw in your application. For the one-time pad method to work, the encryption text must be used just once. Therefore, it must be at least as long as the original text, and it cannot be reused for multiple encryption processes. If it is, sophisticated methods of pattern recognition and frequency analysis will leave the encrypted text open to decipering.—G. A. S.



I Love This Machine, But...

I purchased my IBM PS/2 Model 50 Z in August 1988, and up until about two months ago I had no problems with it. But since then, whenever I start up the computer, it gives me a 1782 error message and directs me to the DOS manual for further information. The book told me to do a system test, so I did. The test reported a parallel port error. So I took the system to an authorized IBM center. A technician spent a week checking the CPU and the ports and found nothing. She then said that since a 1782 error is a hard disk error, she would like to format the hard disk to locate the problem. I reluctantly agreed. The check found nothing wrong. I took the system home and got it running again. Guess what? About a week later, the error came up again.

This was very frustrating, especially since the IBM center did not find anything wrong with the system. I should also mention that if I turn the computer off and back on again (sometimes several times), the error does not occur and the machine operates correctly. Rebooting doesn't work, so I am worried about constantly turning the system on and off.

> Son C. Nguyen Boston, MA

The 1782 error message actually refers to the hard disk drive controller card. The IBM PS/2 series of computers is unique partly because the IBM engineers tried to minimize the use of connecting cables. The hard disk drive in your Model 50 Z plugs directly into the hard disk drive controller card. You mention that the problem goes away after turning the computer on and off several times; the problem may be due to an intermittent connection in the connector between the hard disk drive and the controller card. between the controller card and the system bus, or within one of the chips on the controller card. The problem goes away after you turn the computer on and off because the internal components in the computer are "warmed" to their usual operating temperature and the thermal expansion of the components finally makes the electronic connection.

I suggest that you remove your hard disk drive and controller card from the computer and clean the card edge connectors. Use a commercial electronic contact cleaner or denatured alcohol. Also, if there are any DIP chips on the card, make sure that they are firmly seated in their sockets. Then plug the card and drive back into your computer.

If the problem persists, have your IBM dealer test your hard disk drive controller card in another Model 50 Z.-S. W.

Database Security

I am a graduate student in computer science, and I'm currently working on a *continued*

The fastest way to see what you think.



Introducing the MultiSync^{*} Graphics Engine^{**} Board. Now when an idea pops into your head it won't take long to pop up on screen. Because NEC's MultiSync Graphics Engine is the first graphics board specifically designed to increase productivity in Windows, CAD/CAM and desktop publishing applications. For instance, it can run Windows 386 as much as four times faster. When used in conjunction with our accelerator software (purchased sep-

arately), Presentation Manager applications run up to five times faster. What's more, the MultiSync Graphics Engine Board is compatible with VGA, Super VGA (800 x 600) and 1024 x 768 interlaced and non-interlaced resolutions. So, whether you're a power user, professional designer or publisher, you can see your ideas on screen in world-class time. For technical details and information, call NEC Home Electronics (USA) Inc. at 1-800-FONE-NEC. For product literature call 1-800-826-2255. The MultiSync Graphics Engine Board. When you've got tons of thoughts racing through your mind, it's the fastest route from head to screen.



MultiSync is a registered trademark of NEC Home Electronics (USA) Inc. Graphics Engine is a trademark of NEC Home Electronics (USA) Inc. NEC is a registered trademark of NEC Cor-poration. Windows and Windows 886 are registered trademarks of Microsoft Corp. Presentation Manager is a trademark of the International Business Machines Corporation. © 1989 NEC Home Electronics (USA) Inc.



CaC Computers and Communications

A Message To Our Subscribers

F ROM TIME TO TIME WE MAKE THE BYTE SUBSCRIBER list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

BYTE MAGAZINE Attn: Subscriber Service P.O. Box 555 Hightstown, NJ 08520



Anthro, AnthroCart and Technology Furniture are registered trademarks of Anthro.

research paper on database security. I'd appreciate it if you could provide me with any information on the subject.

Earnest D. Harris Memphis; TN

Your first stop should be BYTE's June issue, in which the In Depth section is devoted to security. Next, see if you can locate a copy of DataBase Management Systems, edited by R. A. Frost (McGraw-Hill, 1984), which contains at least one case study focusing on database security. Finally, be on the lookout for Computer and Communications Security by James Arlin Cooper (McGraw-Hill, 1989), which includes discussions of networksystems security.—R. G.

The Leap from Apple

зłф

I have a number of disks in Apple CP/M, formatted on an Apple II with 16 sector drives and a Microsoft Z80 SoftCard. The SoftCard Apple CP/M is a 60K-byte version 2.23. I would like to transfer the disks to an IBM PC XT running PC DOS 3.3. They contain programs in dBASE II, as well as files that I created with WordStar. I have tried using Xenocopy, but the Apple II is not among the systems that it supports.

M. S. C. Ong Seremban, Malaysia

Whenever I receive a letter about file transfer between dissimilar machines, my first suggestion is always: Locate a public domain communications program for each machine, put a serial port together, and shoot the files across that way. That's usually the cheapest way to go; it involves some investment in time and a minimal investment in hardware. (I am, of course, presuming that both machines already have RS-232C interfaces installed.)

Depending on how much you're willing to spend, you might also want to look into PC Transporter from Applied Engineering (P.O. Box 5100, Carrollton, TX 75011, (214) 241-6060). Not only will you be able to copy files between Apple and PC format disks, you'll be able to run the programs on your Apple II.

—**R**. G.

PC Music

I want to build a music synthesizer on an IBM PC expansion board, using a number of dedicated chips such as the 6581 sound interface device (SID) found in Commodore machines. Are there other similar devices more appropriate for use on the PC bus? Alternatively, what sort *continued*

GET THE PC NETWORK ADVANTAGE Join Today -- Receive A FREE Surprise Package of Gifts, and More...

9 Reasons Why You Should Join The Club...

Over 100,000 Satisfied Club Memberships. PC Network Members come to us for everything from basic software/hardware to complex computer system needs. We answer tough questions, offer great merchandise selection, and provide excellent service. When you join you receive...

1. Red Carpet Service

Club members receive exclusive privileges, plus special merchandise offers, streamlined 24-hour order processing, shipping, and service.

2. Warehouse Pricing

Club members get low warehouseto-you prices every day. (Just take a ''peek'' at our specials.)

3. Exclusive PC Network Credit Card.

Now you can apply for a credit card devoted to your computing needs. Great when you need fast warehouse-to-you shipments.

4. Used Computer Hardware Exchange

Sell your used computer hardware to other Club members. Upgrade your system. Available to Club members at a nominal cost.

5. Members ONLINE Bulletin Board

Download "Freeware" and "Shareware" from our massive collection of Public Domain software. Place orders. Get information. Not just a bulletin board, but a complete member information network.



6. Club Leasing — Business Option

With other computer companies, if you wanted to lease computer hardware, you had to be a big business. Now small businesses and professional Club members have this option available.

7. Dow Jones Information Retrieval

Have access to this information service at members only discount rates plus receive special discount certificates, worth over \$50.00 in FREE services.

8. No Minimum Purchase-EVER!

That's right. Club members have no pre-set purchase requirements. No complicated forms. No unwanted or un-ordered merchandise-ever. You pick and choose what you want-when you want it.

9. Exceptional Service-Unequalled Privileges.

You have toll-free direct lines to PC Network whenever you need to talk to a Technical Consultant or Computer Consultant. Plus, your very own Club Representative to answer your computer questions.

Members Take Advantage Of Specials Like These







Accept Our Invitation

Join today and receive our latest Buyer's Guide and your New Member's kit, with personalized I.D., PLUS--if your're one of the first 1,000 new members, you will automatically receive a special FREE surprise package of gifts. Open a world of exceptional service and unequalled privileges--all for only \$19.95 a year. Join now, find out for yourself why "Personal Computing" magazine ranked PC Network, "Best for Overall Pricing-Overall Value!"

Join Now, 1-800-621-7283



P.O. BOX 386, MONTOURSVILLE, PA 17754 HOURS: MONDAY-FRIDAY 8:00 AM - 9:00 PM SATURDAY 9:00 AM - 5:00 PM



An audio amplifier circuit for the 6581 sound interface device (SID).

of adaptations must I provide to interface the 1-MHz 6581 with the PC bus? Ivo Busko Baltimore, MD

I might be telling you something you already know, but before you go putting together your own music synthesis card for the PC, you should look into the possibility of purchasing (or building) a MIDI interface for your PC. You'd probably get a lot more mileage out of MIDI than a do-ityourself synthesizer card. Manufacturers of MIDI interfaces for the PC include Music Quest, Inc. (2504 Ave. K, Suite 500-492, Plano, TX 75074, (214) 881-7408), Roland Corp. (7200 Dominion Circle, Los Angeles, CA 90040, (213) 685-5141), and so many more that I wouldn't have space for them all. Locate a recent issue of Electronic Musician magazine and do some browsing. You'll find plenty of possibilities.

If you want to build your own MIDI adapter, "A MIDI Project" in BYTE's June 1986 issue should fill the bill. I've even heard of people modifying ordinary IBM PC serial interfaces to work with MIDI. Key Electronic Enterprises (9112 Hwy. 80 W, Suite 221-E, Fort Worth, TX 76116, (817) 560-1912) makes a device that operates off PC serial ports.

Finally, if you're simply desperate to put the 6581 SID into your PC, you could probably do it by building a parallel I/O board with an 8255 on it and controlling the inputs to the SID through the 8255's ports. As you've already noted, you'll have to include a 1.0-MHz source for the SID chip (easily done with a crystal from Jameco or JDR Microdevices).

For details on how to put together the 8255 interface, locate a copy of Handbook of Software and Hardware Interfacing for IBM PCs by Jeffrey P. Royer (Prentice-Hall, Englewood Cliffs, NJ, continued



IBM PC Data Acquisition Highlights.

No. 3 in a series.



If you hunger for faster data acquisition and processing, here's the recipe...in real time.

The DT2841 and DT7020. 750kHz throughput. 32-bit floating point processing. Data acquisition has never been faster.

If PC AT[®] throughput bottlenecks are frustrating you, Data Translation has the answer. Our external interface, DT-Connect, surmounts the historically slow AT bus to deliver much faster data acquisition and array processing.

This is the answer for high-speed DSP

operations such as filters and FFTs. It features A/D, D/A, DIO, and a Timer/Counter . . . plus, MACH[™] Subroutine Libraries that support most programming languages.

At last. High-speed data acquisition and high-speed computation power. Together. In one tasty package.

> Call (508) 481-3700 In Canada, call (800) 268-0427

FREE 1989 Data Acquisition Handbook.





World Headquarters: Data Translation Inc., 100 Locke Drive, Mariboro MA 01752:1192 USA, (508) 481:3700 Tix \$51646 United Kingdom Headquarters: Data Translation ILd., The Mulberry Business Park, Wokingham, Berkshire (Roll 2Q, U.K. (0734) 793838 Tix 940)1914 West Germany Headquarters: Data Translation GmbH, Stuttgarter Strasse 66, 7120 Deitgheim-Bissingen, West Germany 01742:54025 International Sales Offices: Australia (2) 662:4255; Belgium (2) 466:8199; Canada (416) 525:1907, Chana (1) B6B-721 x4017, (408) 727-8222; Denmark (2) 274511; Finland (0) 372144; France (1) 69077802; Greece (1) 951-4944, (31) 527.039 (1) 361-4300; Hong Kong (5) (22) 231040; Israel (3) 5401524; Iday (2) 82470; Japan (3) 502:5550, (3) 348:8301, (3) 355:111; Kroace (2) 75954; Netherlands (70) 99 6360; New Zealand (64) 9-545313; Norway (2) 53 12 50; Portugal (1) 545313; Singapore (65) 7797621; South Africa (12) 8037680/93; Spain (1) 455-8112; Sweden (8) 761-7820; Switzerland (1) 723:1410; Tawan (2) 7020405

DT-Connect and MACH are trademarks and Data Translation is a registered trademark of Data Translation, Inc. All other trademarks are the property of their respective holders.

1987). A simple audio amplifier circuit for the SID (as suggested by Commodore) appears in the figure. To keep digital noise out of the audio stage, be sure your ground connections for the SID and the amplifier stage are separate from the grounds used by the 8255 and its attendant support circuitry.—R. G.

More Megabytes

In January, I purchased—through mail order—Digital Electronics Company's DE386 20-/25-MHz Desktop VII computer with 1 megabyte of RAM. Since April, I have been unable to contact Digital Electronics (the company was located in Rockville, MD). Certified mail that I have sent to the company remains unclaimed and is returned to me.

Basically, my system performs without problems, although the turbo mode which is supposed to speed up the system to 25 MHz—causes all my programs to freeze.

I am in desperate need of more RAM. The manual that came with the machine reads, "The system memory board will support up to 16-Mb of 32-bit expansion memory through the use of special Digital Electronics expansion memory boards which attach to the main memory board in piggy-back fashion." The memory board, now fully loaded with 2 megabytes' worth of 256K-byte chips, is manufactured in Taiwan and is imprinted with the following information: ET-3 Pulsar MDS USA87, serial number P8706306.

Do you have any information regarding Digital Electronics Company? If not, what is the best way for me to upgrade my existing 32-bit memory board to its full potential? Obviously, I'd be happiest if I could find a compatible piggyback board.

> Daniel Kalmann New York, NY

You're about to embark on one of the more interesting aspects of owning a personal computer—the care and feeding of orphans. The memory expansion on most of these AT clones is proprietary to the manufacturer. I've called around and have been unable to reach Digital Electronics or locate anyone with information on your motherboard. What to do?

First off, I'm guessing that you added 1

megabyte to your machine, bringing it up to 2 megabytes. Is the memory you added fast enough? Is it from the same manufacturer as the original RAM? Yes, it matters. Japanese RAM has different timing than American RAM. When you push a processor at 25 MHz, the subtle timing differences can become significant. You might try substituting different RAM chips for the ones that you added. Another sad fact is that many of these boards simply won't work at their "turbo" speed no matter what you do.

If it were my machine, I'd forget about expanding the system board and buy a memory card for the bus. The Intel Above-Board, the Everex RAM 3000, or any good memory card may work. The memory will run a bit slower (being out on the bus), but you have the added advantage of being able to move the memory from this machine to another if this one ever dies. Depending on the BIOS, you may not even be able to add RAM on the bus.

The safest way would be to take the machine into a good computer store and try the memory card right in the store. If you buy a card mail order and it doesn't work, well...-H. E.



Finally. OS/2 debugging help has arrived.

Introducing MultiScope,™ an OS/2, multilanguage, CodeView™-compatible debugger, like nothing you've seen before.

For a start, it provides 13 views of your program: Source—Data—Graphic Data—Assembly— Thread—Breakpoint—Watch—Register— Module—Call—Memory—Log—and Output.

Other unique features include: run-time and post-mortem debugging options; OS/2 text mode and Presentation Manager user interfaces; and even a graphical representation of your data structures! All for **\$299**.

Call toll free **800-231-7717.** In CA 800-552-8885. Fax 415-792-8901.



From LOGITECH Software Circle 310 on Reader Service Card (DEALERS: 311)

THE NEW STANDARD FOR HIGH PERFORMANCE STATISTICAL SOFTWARE

COMPLETE STATISTICAL SYSTEM WITH DATA BASE MANAGEMENT AND GRAPHICS

A powerful, comprehensive, elegant, and super-fast statistical package for IBM (PC, AT, PS/2) and compatible computers.
The CSS optimized user interface with fast hierarchical menus incorporates elements of artificial intelligence; even complex analyses require only a few keystrokes (batch processing is also supported). hensive, state of the art implementations of: Basic statistics, Multi-way frequency tables, Nonparametric statistics, Exploratory data analysis with analytic graphs, Multiple regression methods, Time series analysis with modeling and forecasting (incl. full ARIMA). General ANOVA/ANCOVA/ MANOVA, Contrast analysis, Discriminant function analysis, Factor analysis, Principal components, Multidimensional scaling, Item analysis/Reliability, Log-linear analysis, Cluster analysis, Non-linear estimation, Logit/ Probit analysis, Canonical analysis, Survival and Failure Time analysis (Censored data), Quality Control analysis, and much more. All statistical procedures are integrated with fast data base management and instant, presentation quality graphics (over 100 types); full support for all mono and color graphics boards (incl. VGA) and over 100 plotters and printers (incl. the HP and Postscript standards). CSS screen output is displayed via customized Scrollsheets™ (i.e., dynamic, user controlled, multi-layered tables with cells expandable into pop-up windows); all numbers in a Scrollsheet[™] can be instantly converted into a variety of presentation quality graphs; contents of different Scrollsheets[™] can be instantly aggregated, combined, compared, plotted, printed, or saved. The flexibility of the CSS input/ output is practically unlimited: CSS offers an intelligent interface (read/write) to all common file formats (Lotus, Symphony, dBII, dBIII +, DIF, SYLK, ...) and special utilities to easily access data from incompatible programs; graphics can be saved in files compatible with desktop publishing programs (Aldus, Ventura). CSS data files can be as large as your operating system (DOS) allows; OS/2 version coming soon. CSS precision exceeds the standards of all common precision benchmarks. E Technical note: The CSS user interface and all I/O were written in Assembler and bypass DOS; graphics and data management were written in Assembler and C; the computational algorithms were written in Assembler and optimized Fortran. \$5 sh/h); 14-day money back guarantee.

Circle 259 on Reader Service Card



2325 East 13th Street = Tuisa, OK 74104 = (918) 583-4149 Fax: (918) 583-4376



Overseas Offices: StatSoft of Europe (Hamburg, FRG), ph: 040/4200347, fax: 040/4208724, StatSoft UK (London, UK), ph: 0438/310056 or 316561, fax: 0438/310001, StatSoft Pacific (Melbourne, Australia), ph: 613-663-6580, fax: 613-663-6117, StatSoft Canada-CCO (Ontario), ph: 416-849-0737, fax: 416-849-0918 Available From: CORPORATE SOFTWARE and other Authorized Representatives Worldwide: Holland: Lemax BV 02968-94210; France: Conceptel (1) 45669700; Sweden: AkademiData 018-696201; Korea: Geul Bang (02) 272-1973 "When Fosberry said a PS/2 with Micro Channel would let him juggle ten things at once and still have time to break for lunch, he meant it."

How're you going to do it?

These days, no matter what size your company, you've got to be able to keep a lot of balls in the air to stay competitive.

The Genius Of Micro Channel. Which is why IBM developed the Personal System/2[®] with Micro Channel." Micro Channel can support multiple operating microprocessors. So you can, for example, separately manage peripherals, while freeing up the main processor to crunch numbers. A bus master can even be sending a fax while another manages traffic on a network, all with greater reliability.

Naturally, every PS/2° with Micro Channel runs DOS and OS/2^{*}. So with OS/2 Presentation Manager^{*}, you can do multiple tasks concur-



rently, all with an easy-to-use graphical interface. What's more, with Micro Channel, there are no DIP switches to set, for simpler, more reliable installation. You can find and reset cards anywhere in the network—right from your desk!

The Solution Is IBM. So, to manage lots of information, jobs, hardware and software, invest in the PS/2 with Micro Channel. Contact your IBM Authorized Dealer or IBM marketing representative. For a dealer near you, call 1 800 IBM-2468, ext. 142. You'll learn there's almost nothing you can't do if you PS/2 it!

2 it!



Circle 295 on Reader Service Card

CHAOS MANOR MAIL

Jerry Pournelle answers questions about his column and related computer topics

ST Lacks Fax Dear Jerry.

As an Atari ST owner, I'm aware that there doesn't seem to be any possibility of inserting a fax card into my machine, since there are no slots. However, there is a modem port. Could you please explain if there is some way of composing a document in memory and some describable protocol to send it to a fax receiver via a modem?

Also, are there any 9600-bps or higher fax machine protocols? Would the same protocols work for digitized documents, and are there different resolution standards? What else would be required to receive and store fax messages in memory, so they could be displayed on a monitor instead of having to be printed? We're all bracing for the coming fax revolution, and we're planning to get a digitizer for desktop publishing. It seems that with the proper elements we should be able to do both faxing and DTP, but it would help to know exactly how to make them work together properly.

> Frederick Bernard Vancouver, BC, Canada

Sorry, but I don't know of any way to do that. Perhaps one of BYTE's readers will know. They seem to know everything. —Jerry

Face-Up vs. Face-Down Output Dear Jerry,

Recently you complained about the face-up output of your LaserJet Plus printer. We have a similar machine at work, and it has a feature that enables you to switch the output between face-up and face-down. There is a two-position lever to the right of the output slot with some indecipherable symbols indicating this function. In one position the printer outputs face-down. I hope this reduces future problems.

Dave Swanson Elgin, IL

Hmm. My LaserJet Plus is an original LaserJet (I got it way back in CP/M

days!) that was upgraded to a Plus, and it certainly has no such switch. The Laser-Jet II has that option, of course. So does our big Kyocera printer and Mrs. Pournelle's Mannesman-Talley printer.

I have long thought that I ought to put the LaserJet Plus downstairs for the staff and bring the Kyocera up here; it's much the superior printer, so why should they have it? The only reason I can give for not having done it is sloth (and I don't do that much printing up here; most of it is done downstairs on the Tandon computer and the Kyocera printer).—Jerry

Windows in Monochrome Dear Jerry,

The March issue of BYTE was full of good news for those of us who use and like Microsoft Windows. Mark Minasi reported on Micrografx's Mirrors, Ray Valdés reviewed XVT, and you had the wisdom to name Windows the Software Trendsetter of 1988.

Windows has its problems (how is it possible to design a graphical interface that doesn't manage the most graphical data structure, the directory tree?), but it does many things DOS can't, and at a far lower cost than OS/2. It even runs well on systems that can't run OS/2.

I would like to make some observations on your comment that you can get Excel and MacInTax for your AT, "provided you have a good EGA video system." Neither Windows nor Windows applications require high-resolution color. In fact, using an EGA or VGA color video system will slow down Windows considerably.

I have an AT&T PC 6310 AT compatible. It runs at 8 MHz with one wait state and has a 16-bit video card that provides a 640- by 400-pixel monochrome *continued*

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. He can be reached c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458, or on BIX as "jerryp."



OCTOBER 1989 • B Y T E 48C

2560 Ninth Street, Suite 316 Berkeley, CA 94710 (415

Turbo Pascal is a registered trademark of Borland International. QuickPascal is a registered trademark of Microsoft Corporation. display. This is hardly state-of-the-art technology, but it runs Windows very well. I've been trying out Windows software on systems that run far faster, have far more memory, and are equipped with fast 16-bit VGA cards. Windows' performance on these machines is miserable.

When you think about it, it's apparent why a high-resolution color video system slows Windows down. The CPU must deal with a much larger video RAM space and an equally large screen buffer in main memory. A monochrome display represents a far smaller load on the CPU. Unless your work absolutely requires color output, you should run Windows in a monochrome mode (I believe Microsoft supplies graphics drivers for the EGA 640- by 350-pixel and VGA 640- by 480pixel monochrome modes).

A solution to this problem will probably come in the form of video coprocessors (I have this fantasy of an Amiga 500 motherboard as an AT video card). Until then, we should remind ourselves that black-and-white is different, not worse. Noah Jacobs

San Francisco, CA

Well, but I sure do like color. -Jerry

Low-Cost Compiling

Dear Jerry,

I enjoy your Computing at Chaos Manor column. It was the column that originally sold me on BYTE, and it remains BYTE's major attraction. I appreciate your hands-on reviews and your willingness to express your opinions.

I'd like your advice and/or a reference to an appropriate review regarding the various C compilers on the market. I have experience with FORTRAN (college, circa 1970) and interpreted BASIC. I've been working with a Unix-based system in my office, and I've started learning some C with the AT&T System V compiler. I'd like to buy a C compiler for my AT clone at home. However, the advertised prices in BYTE range from \$50 to \$400, with only advertising copy for comparison. Can I get a potent compiler without breaking the bank?

> Nic Steussy Springfield, TN

Thanks for the kind words. BIX is getting less expensive because of new marketing techniques, and it's the ideal place to ask questions like this.

I am no C authority. I understand that Borland's Turbo C is very good and reasonably priced. After that, you'd better get more expert advice. BYTE did a Product Focus on C compilers in the February issue. There are a lot of C compilers, and they are not all equal.-Jerry

Amiga Notes

Dear Jerry,

I'm one of the great unwashed who scrimped and saved and finally splurged on an Amiga 1000 after your first very positive BYTE review. I've been reading your comments since then with some concern, and I have to agree that they've been fair and factual. Nonetheless, I was glad to see your report on more positive developments such as Unix, because despite everything I've grown rather fond of my idiot child.

It's fun to read your column and dream of being surrounded by great snarling 80386 beasts, as at Chaos Manor. I hope someday you'll install a 68030 board in your Amiga 2000, because, chip for chip, it is said to have four times the computing power of the 80386.

I often think your asides about the concrete problems of setting up an "ergonomic" work environment are your most useful and lasting contributions. I constantly use the copy holder I kludged onto a drafting light fixture after seeing you using something similar in a photograph taken eons ago. In addition to the wide, flat desk for global input of paperwork, I recommend cheap cork tiling on all walls not occupied by bookshelves. It holds reams of stuff you don't want to rummage for and provides a resilient surface for your skull during debugging.

Charles Heckel Van Nuys, CA

Thanks.-Jerry

All Thumbs

Dear Jerry,

You responded to James T. Oitzinger's suggestion (April) that dividing a keyboard's space bar into two parts might result in a better keyboard by saying, "That sounds like an interesting idea. I've been watching, and I hardly ever use my left thumb for anything. Fascinating. Thanks for the suggestion.'

I, too, thought it was an interesting idea, so I read Oitzinger's letter to my wife. Her response was that the left thumbs of keyboard users must be kind of lazy, because her (old) bassoon has eight different keys controlled by her left thumb, and sometimes she must depress four or five of them at the same time. (She also said that newer bassoons have nine keys for the left thumb.)

That really makes me appreciate my one-bar-for-both-thumbs keyboard!

> Dr. Myron A. Calhoun Manhattan, KS

Right! I'm using a Northgate keyboard, with the Backspace key where it belongs (up there where the [] keys are on other keyboards). Alas, they only made about five of them, and I think I have them all. -Jerry



Subscribe to BYTE now		Enjoy
and	MORE	SPEED!
SAVE up to 52%		p to \$66.05
PLUS, get the annual IBM PC		LUS IBM PC Special Issue
Special Issue as an	Send me BYTE for:	Name
EXTRA	1 year (12 issues) for \$24.95	
BONUS!	(Save 40% off the newsstand cost) 2 years (24 issues) for \$44.95 (Save 46% off the newsstand cost)	CompanyAddress
Received the tables and a second received to the second s	3 years (36 issues) – \$59.95 SAVE 52% off the newsstand cost (20% off the basic subscription price)	City/State/Zip Bill me
In the Mar Li, PSCI 20, and NAA Comparison		ofit from POWER!
PAR The Part of the American The Part of the Part of		up to 52%
		LUS IBM PC Special Issue
<image/>	Send me BYTE for: 1 year (12 issues) for \$24.95 (Save 40% off the newsstand cost) 2 years (24 issues) for \$44.95 (Save 46% off the newsstand cost) 3 years (36 issues) - \$59.95 SAVE 52% off the newsstand cost (20% off the basic subscription price) No-Risk Guarantee: If dissatisfied, cancel anytime for a for Single copy \$3.50. The basic annual subscription rate is \$29.95.	Name Company Address City/State/Zip Payment enclosed Bill me ull 100% refund. Your subscription will start in 6-8 weeks. Watch for it! IBK5228
 Stay in the know on all major microcomputer products and innova- tions Save time and money— invest in the best equip- 		Gain PLICATIONS: up to 52%
 ment for your needs Harness the maximum power of your micro. Subscribe today 		PLUS
and save!		a IBM PC Special Issue
In a hurry? Call Toll-Free 1-800-257-9402	Send me BYTE for: 1 year (12 issues) for \$24.95 (Save 40% off the newsstand cost) 2 years (24 issues) for \$44.95 (Save 46% off the newsstand cost)	Name Company Address
weekdays 9-5 EST. In NJ, call 1-609-426-5535.	3 years (36 issues) – \$59.95 SAVE 52% off the newsstand cost (20% off the basic subscription price)	City/State/Zip Bill me

IBK5228



WHAT'S NEW

HARDWARE • SYSTEMS

MCA Clones from France

he NS70-25 is a small Micro Channel architecture-compatible 25-MHz 80386 desktop system from France. Other NS systems include a 16-MHz 80286, a 16-MHz 80386SX, and a 20-MHz 80386.

All these machines use a proprietary Normerel BIOS; the company calls it "multilingual," because it is user selectable at setup to English. French, Spanish, or German. The NS70-25 includes 1 megabyte of RAM (upgradable to 4 megabytes), a 64K-byte disk cache, and one 1.44megabyte floppy disk drive (with support for another 31/2inch internal drive and a 5¹/₄inch external drive). The standard hard disk drive is **Ouantum's 84-megabyte SCSI**based drive with a 19-ms average access time.

Included in the NS70-25 package is a 102-key PS/2style keyboard and DOS 3.3. A 140-megabyte hard disk drive is optional.

The 16-MHz NS machines include your choice of 40- or 80-megabyte SCSI drives, but they don't include disk caching.

Price: NS70-25, \$7229. Contact: Normerel USA, Inc., 7665 Currency Dr., Orlando, FL 32809, (800) 940-8500 or (407) 240-8828. Inquiry 1135.



he DECstation 2100 is a low-priced small-footprint RISC system. It's based on the 12.5-MHz R2000 processor from MIPS Computer



Normerel's 25-MHz NS70-25 has an MCA bus.

Systems, and it includes 8 megabytes of RAM (expandable to 24 megabytes), a 15inch monitor with 1024- by 864-pixel resolution, a thick and thin Ethernet interface, a mouse, a keyboard, and Ultrix Workstation Software, which includes an Ultrix (DEC's Unix) license for up to two users. Software includes TCP/IP, NFS, a C compiler, and DECwindows/X Window System programming tools and applications.

The systems can hold two internal 104-megabyte SCSI hard disk drives. DEC provides SoftPC DOS-emulation software for running DOS applications. Price: With monochrome monitor, \$7950; with color monitor, \$11,450. **Contact:** Digital Equipment Corp., 146 Main St., Maynard, MA 01754, (508) 493-5111. Inquiry 1134.

Back to the Basics with the HeadStart Explorer

he Explorer is for people who want to learn about computers but are reluctant to take the first step.

It's based on a 4.77-/9.54-MHz 8088 microprocessor and comes with 512K bytes of RAM (expandable to 768K bytes), one 720K-byte 3¹/₂inch floppy disk drive, and a 40-megabyte hard disk drive. There's an attached 84-key keyboard. Built-in software includes DOS 3.4, a word processor, a calculator, a datebook, and an address book. The monitor is optional. Price: \$599. Contact: HeadStart Technologies Co., 40 Cutter Mill Rd., Suite 438, Great Neck,

NY 11021, (516) 482-4255. Inquiry 1133.

SEND US YOUR NEW PRODUCT RELEASE

We'd like to consider your product for publication. Send us full information, including price, ship date, and an address and telephone number where readers can get further information. Send to New Products Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Information contained in these items is based on manufacturers' written statements and/or telephone interviews with BYTE reporters. BYTE has not formally reviewed each product mentioned. These items, along with additional new product announcements, are posted regularly on BIX in the microbytes.sw and microbytes. hw conferences.

Switchable CPUs and a Small Footprint, Too

he small-footprint desktop CompuStar II comes with your choice of interchangeable CPU modules in the Wells American tradition of the original tower-based CompuStar.

You can transform your CompuStar II from a 20-MHz 80286 Model 220 to a 33-MHz 80386 Model 333 simply by changing the CPU module. You can also make it a 16-MHz 80386SX, a 20-MHz 80386, or a 25-MHz 80386.

The basic chassis measures 16 by 16 by 4 inches and comes with ports for a keyboard, a modem, a serial connection, and a parallel connection. The basic system also includes a 101-key firm- or soft-touch keyboard. Inside, you'll find a 200-W power supply, a motherboard (minus the CPU), six 16-bit slots (one for the CPU module), snap-mount connectors for up to 8 megabytes of RAM, a disk controller with cabling, and a hard disk drive interface.

There's room for a 3¹/2inch hard disk drive, mounted vertically to the right of where you'll find three 5¹/₄inch slots. CompuStar II options include a 40-, 100-, or 200-megabyte hard disk drive.

Price: Chassis, \$750; Model 220/40 with 42-megabyte hard disk drive and monochrome monitor, \$2765; Model 333/100 with 104-megabyte hard disk drive and VGA color monitor, \$6655. Contact: Wells American, 3243 Sunset Blvd., West Columbia, SC 29169, (803) 796-7800.

continued

Inquiry 1132.

WHAT'S NEW

HARDWARE • PERIPHERALS

NEC Grasps More Graphics

The new graphics monitors from NEC include two analog color monitors, the MultiSync 4D and 5D, and a monitor for text-based applications such as desktop publishing.

The 4D has a 15-inch (diagonal) screen and supports VGA, SuperVGA, 8514/A (1024 by 768 pixels interlaced), 1024 by 768 pixels noninterlaced, and Apple Macintosh II graphics standards. The dot pitch is 0.28 mm. Variable horizontal scan rates range from 30 to 57 kHz, and vertical rates range from 50 to 90 Hz. The number of possible colors is determined by the graphics board you use.

The MultiSync 5D is a 19inch display that adds support for 1280- by 1024-pixel (noninterlaced) graphics to those listed above for the 4D. The dot pitch is 0.31 mm. The monitor offers horizontal scan rates of up to 66 kHz. Like the 4D, it incorporates a microprocessor-based digital control system that NEC says "automatically scans the incoming video signal and adjusts the screen parameters to show the optimum image."

The third monitor is a 13inch gray-scale unit called the MultiSync GS2A. The analog GS2A has a paper-white phosphor screen, offers virtually unlimited shades of gray (the maximum is determined by the graphics board), and supports VGA, SuperVGA, and Apple Mac II graphics standards (up to 800- by 600pixel resolution). Price: 4D, \$1799; 5D, \$3699; GS2A, \$349. Contact: NEC Home Electronics (U.S.A.), Inc., 1255 Michael Dr., Wood Dale, IL 60191, (312) 860-9500. Inquiry 1137.



NEC's MultiSync 5D supports a variety of graphics modes, including VGA, SuperVGA, 8514/A, and Apple Mac II standards.

Seiko Enters Mac Market with New Color Printer

S eiko Instruments has announced a version of its CH-5500 color thermal printer for the Macintosh.

The QD5500 series includes a QuickDraw device driver that supports a set of 35 scalable outline fonts, similar in concept (but not identical) to the fonts that Apple will supply with System 7.0.

The printer offers 300-dpi resolution and comes in two sizes— $8\frac{1}{2}$ by 11 inches and 11 by 17 inches. It features a roll feed with an automatic cutter, which allows for a larger print area, Seiko says.

The 8½- by 11-inch printer includes 1 or 3 megabytes of RAM. The 3-megabyte version improves performance because you can access the entire color image in one pass through memory. **Price:** 8½- by 11-inch printer with 1 megabyte of RAM, \$7000. **Contact:** Seiko Instruments USA, 1130 Ringwood Court, San Jose, CA 95131, (408) 943-9100. Inquiry 1138.

A Half Gigabyte in a Half-Height Drive

mprimis Technology's Wren VI is a SCSI-, ESDI-, or ST-506-based 502-megabyte hard disk drive that fits in a half-height 5¹/₄-inch slot.

Data transfer is rated at 15 to 21 MHz, and the average seek time is 16 ms. The company claims that it can pack so much information in so little space because of its patented Zone Bit Recording method (also known as Constant Density Recording), which varies the frequency ranges of disk writing from the inside of the disk to the outside for optimum performance.

Imprimis also uses a "look-ahead buffer" with 32K bytes of RAM. **Price:** \$3200. **Contact:** Imprimis Technology, Inc., 12501 Whitewater Dr., Minnetonka, MN 55343, (800) 828-8001, ext. 82. **Inquiry 1136.**

A Large-Screen Monitor with a Budget Price

The MegaScreen Rival is a two-page, 19-inch monochrome display system for your Macintosh.

Features include 75-dpi, 1024- by 826-pixel resolution, a 75-Hz refresh rate, a paperwhite phosphor display with darkened glass for glare reduction, and a built-in tilt-andswivel stand. Each Rival system includes the monitor, addin card, stand, and cables.

The MegaScreen monitor is 18 by 15 by 19 inches and weighs 46 pounds. **Price:** For Mac SE, II, IIx, and IIcx, \$1698; for Mac Plus, \$1748. **Contact:** MegaGraphics, Inc., 439 Calle San Pablo, Camarillo, CA 93010, (805) 484-3799. **Inquiry 1140.**

Mac Drive Includes Five Types of Data Backup

The Silhouette Mac RD-44 is a removable SCSIbased Macintosh hard disk drive with a 25-ms access time and 44-megabyte disk cartridges.

The included software has five backup modes: shadow, periodic incremental, fileby-file, time-of-day, and mirror image. The drive comes with one cartridge. **Price:** \$1595; extra cartridges, \$149. **Contact:** Cumulus Corp., 23500 Mercantile Rd., Cleveland, OH 44122, (216) 464-2211. **Inquiry 1139.**

continued

After centuries of practice, mankind perfects engineering calculations: MathCAD.

Announcing MathCAD 2.5: The Dawn of a New Age.

What the historians will call it, only time will tell.

Perhaps the Century of Speed, or the Era of Ease. But whatever the name, this is the age of MathCAD 2.5, the only math package that looks and works the way you think.



MathCAD 2.5 includes 3-D plotting, HPGL sketch import, and PostScript output.

MathCAD is far and away the best-selling math package in the world. Because it lets you perform engineering and scientific calculations in a way that's faster, more natural and less error-prone than the way you're doing them now– whether you're using a scratchpad, calculator, spreadsheet or program that you wrote yourself.

And now we³ve made the best even better. MathCAD 2.5 is a dramatically improved version that includes three-dimensional plotting, enhanced numerical analysis, and the ability to import HPGL files from most popular CAD programs, including AutoCAD.^{*} And now you can print on PostScript^{*} compatible printers.

And like before. MathCAD's live document interface[™] lets you enter



equations anywhere on the screen, add text to support your work, and graph the results. Then print your analysis in presentation-quality documents.

It has over 120 commonly used functions built right in, for handling equations and formulas, as well as exponentials, differentials, cubic splines, FFTs and matrices.

No matter what kind of math you do, MathCAD 2.5 has a solution for you. In fact, it's used by over 60,000 engineers and scientists, including electrical, industrial, and mechanical engineers, physicists, biologists, and economists.

But don't take our word for it; just ask the experts. PC Magazine recently described MathCAD as "everything you have ever dreamed of in a mathematical toolbox."



And for Macintosh[®] users, we present MathCAD 2.0, rewritten to take full advantage of the Macintosh interface. Entering operators and Greek letters into

equations is pure simplicity! Look for MathCAD 2.5 at your local software dealer, or give us a call. For more information, a free demo disk, or upgrade information, dial I-800-MATHCAD (in MA, 617-577-1017).

Available for IBM[®] compatibles and Macintosh computers. TM and (B) signify manufacturer's trademark or manufacturer's registered trademark respectively.



HARDWARE • ADD-INS

Inexpensive Real-Time TV for Your Macintosh

The MicroTV II is a lowpriced NuBus card that displays real-time TV (or any other video source) in 128 levels of gray on a Mac II equipped with an 8-bit color card and color monitor.

The video appears in your window, complete with a refresh rate of one-thirtieth of a second. It makes your window look like a black-and-white TV, complete with "knobs" for channel, volume, contrast selection, and an on/off switch. Software also lets you copy and paste.

The board is cable-ready, so you can plug the coaxial cabling from your local cable TV franchise directly into the back of the card. Then the 108-channel tuner takes over, manipulating composite and direct audio/video inputs.

To extend the software that makes use of the card, a developer's toolkit contains HyperCard and SuperCard external commands, interfaces for popular development systems, technical information, sample applications with source code, and MacApp object libraries. Price: \$395. Contact: Aapps Corp., 110 Pioneer Way, Mountain View, CA 94041, (415) 961-4033. Inquiry 1141.

Triple the Speed of the Mac II and IIx

D ayStar Digital plans to speed up your Mac's CPU, bus, RAM access, video performance, and SCSI-peripheral-based performance with a line of add-in boards.

To do this, the company is starting with a line of accelerator cards (for CPU speeds up to five times faster) and is introducing a proprietary bus alternative that speeds up bus transfers by a factor of three. To run on the proprietary bus or to default to the slower NuBus, DayStar Digital's new RAM card doubles accessible RAM. The company is also developing video and SCSI cards with NuBus and proprietary bus interfaces. Now in beta testing, they are scheduled to be delivered before the year's end.

The Accelerator II and the Accelerator IIx (for the Mac II and IIx) are based on Motorola's 68030 microprocessor. They feature speeds of 25, 33, 40, and 50 MHz and attain zero-wait-state performance by incorporating a 32K-byte cache with 15-ns static RAM. A Motorola 40-MHz 68882 math coprocessor is an option with each accelerator.

To eliminate the NuBus bottleneck, DayStar Digital's Extended CPU Interface (XCI) backplane card features 33-MHz performance and three proprietary slots. (An XCI is included with every accelerator board you purchase.) The RAM card, with a proprietary port and a default port for NuBus, features 100-ns RAM, expandable to 16 megabytes.

Inside your Mac, the CPU accelerator board fits horizontally above the motherboard and doesn't use any of your six NuBus slots. The XCI backplane is a half-width card that fits across the front of your system and plugs into both the accelerator card and the front ends of the proprietary RAM card (and the video and SCSI cards, when they're available). Price: 25/030 Accelerator II/IIx, \$2995; 33/030, \$4995; 40/030, \$5995; 50/030, \$6995.

Contact: DayStar Digital, 5556 Atlanta Hwy., Flowery Branch, GA 30542, (404) 967-2077. Inquiry 1144.

Put a Padlock on Unpaid Computers

O ne of the continuing problems for computer dealers who rent or lease systems is what to do if clients don't make their payments. Collecting money or repossessing systems can be risky business.

Genesys has come up with a singular solution to the problem. Its uniquely named and uniquely featured Click/Clock is an add-in card for IBM PCs and compatibles.

It automatically locks up a system if a payment hasn't been received by a specific date that is programmed into the card.

Click/Clock operates independently of both DOS and the existing hardware, and it even has a tamper-resistant lock so that it can't be removed from the system. Since the computer is completely unusable once Click/Clock locks it up, you can use the customer's own data as collateral. **Price:** \$249.

Contact: Genesys, 2301 Lucien Way, Suite 105, Maitland, FL 32751, (407) 875-0101. Inquiry 1143.

HARDWARE • OTHER

A Long and Happy Life for Your AT Battery

f you've ever had your IBM AT's battery suddenly die, you know that once the CMOS that stores your system parameters loses data, your computer is virtually useless. A dead battery causes loss of time/date, loss of drive setup data, and mysterious software and hardware errors. The lithium batteries that most ATs use are normally good for a year or two, but they are often difficult to purchase and a challenge to replace.

With its bATPac, Rupp Corp. offers the first rechargeable backup battery for ATs and compatibles.

The bATPac is a sealed

rechargeable battery with an expected lifetime of at least 10 years, which will make it last long after your computer has become completely obsolete. It continually charges while the system is on and can keep the CMOS happy for at least a year of power-down.

The unit measures 2% by 2% by 1 inch. You install it by plugging it into your AT's internal battery connector. The battery is charged using power from a disk drive power connector. It includes a Yconnector, along with a Velcro attachment for securing the bATPac to the side of your system's power supply. **Price:** \$39.95. **Contact:** Rupp Corp., 835 Madison Ave., New York, NY 10021, (212) 517-7775. **Inquiry 1145.**

continued

If You Want To Talk Fast DBMS Call 1-800-db_RAIMA And Start Screaming

You'll be screaming, all right. db_VISTA III from Raima Corporation combines the flexibility of a relational DBMS and the lightning speed of the network database model.



db_VISTA III is written for C Programmers.

Source code available. The interactive database utilities and outstanding documentation make db_VISTA III easy to learn. All applications are portable to VMS, UNIX, OS/2, MS-DOS, even Macintosh. No royalties.

db_VISTA III is *Fast*. Using benchmarks originated at PC Tech Journal Laboratories, db_VISTA III measured 3 to 12 times faster than the average relational database! Call us and we'll send you the results.

Relational and Network Model Technology for Programming Flexibility. Retrieve a record fast using the relational keyed access method

db_VISTA III Database Development	Syst	em
Features	Yes	No
db_VISTA 3.1 High Performance DBMS:		
Single and Multi-User available	1	
Relational B-tree Indexing	1	
Network Database Model	1	
Multiple database access	1	
Referential integrity	1	
Automatic recovery	1	
Record & File locking	1	
RAM resident		1
db_QUERY 2.1 SQL-based Query:		
Relational Query & Report Writer	1	
db_REVISE 1.0 Database Restructure Program:		
Total database redesign/restructuring	1	
Operating Systems [®] : VMS, ULTRIX, UNIX	1	
BSD 4.2, SunOS, XENIX, MS-DOS,	1	
Macintosh and MS Windows. OS/2 compatible	1	
C Compilers*: Most compilers supported	1	
C++ compatible	1	
LANs*: 3COM, Novell, Banyan, AppleShare	1	
WKS Library:		
Read & Write WKS, WK1 & DBF files	1	
SOURCE CODE AVAILABLE:	1	
ROYALTIES: (Absolutely not!)		11

*Other environments are supported: 'call for complete list

db_VISTAIII TM Database Development System and all related records can be immediately available using the network model. You decide how to combine these for best application performance.



tional query and report writer.

db_VISTA Puts You in Some Fast Company. Thousands of C programmers in over 50 countries worldwide use db_VISTA III, including

APPLE, ARCO, AT&T, EDS, Federal Express, Hewlett-Packard, IBM, NASA...

Don't wait. Call Raima for more information about how you can build applications that are *screaming-fast!*

Call 1-800-db RAIMA (That's 1-800-327-2462)



 Denmark:
 (2)887249
 Singapore:
 463
 Singapore:
 571
 218
 237
 Chill:
 562
 696-4308
 Uraguay:
 92
 93
 Brazil:
 (019)
 25970
 ©
 696-4308
 Uraguay:
 92
 93
 Brazil:
 (019)
 529770
 ©
 188





What can a ScanMan[™] scan, man?

Save that tiger

Scan the globe.

There goes the neighborhood

Save the day.

ASLOW

can scan.

take this job

and shove it.

Scan the horizon.

8.0

Catch a wave.

Virtually anything. Logos or photos. Digits or dingbats. Art or articles. A soda can. How can you get them into your PC? You could play cut and paste with the copier down the hall. Or use your own, do-it-in-a-flash, hand-held scanner. ScanMan.

Images. Select 1, 2, 3, or 400 d.p.i., then pop any image up to 4" x 14" into a file for your publishing program. Or into your Windows[™] clipboard. Or use PaintShow Plus[™]—included with your ScanMan—for editing and coloring.

Text.Our Catchword[™] software converts virtually any typeface into ASCII files for your word processor, desktop publisher, or spreadsheet. It reads horizontally or vertically, scans words or numbers from 6 to 20 point, and matches adjacently scanned columns perfectly.

Should you buy it? Once you've got it you'll wonder what you did without it. And it's only \$339.* Backed by our Customer Satisfaction Guarantee, and 7 Days-a-Week Support.

For information, call: 800-231-7717

In California: 800-552-8885 In Europe: ++41 -21-869-96-56

LOGITECH



*For IBM PC and compatibles; includes Paintshow Plus. List price for the IBM Micro-Channel version is \$399. Catchword is an optional extra for \$199.

Circle 161 on Reader Service Card (DEALERS: 162)

WHAT'S NEW

HARDWARE • OTHER

Voice I Translates from English to Spanish

The Voice I system is a small microprocessorbased system that translates spoken English into Spanish, Advanced Products claims. It's built on a proprietary platform with one 8-bit and two 16-bit microprocessors, and it uses a proprietary operating system.

Although it will operate as a stand-alone unit, it also includes an RS-232C port for personal computer connection.

The Voice I is primarily designed to translate from English to other languages with specially designed cassettesize modules. The English to Spanish module can translate more than 35,000 phrases, the company claims.

A second module, scheduled to ship this month, will translate spoken English into French. There's also the Voice Assistant module, a personal information manager (with calendar, daily scheduler, phone list, and search capabilities) based on voice recognition and natural-language processing.

With a translation module, the 3-pound, 8- by 7- by 3-inch hand-held unit translates phrases almost instantly. But you have to speak slowly, word by word. Your words are also displayed on the 160- by 128-pixel LCD. The Voice I will work if the input rate is below 60 words per minute.

The basic system includes 4 megabytes of addressable memory. There's also an internal microphone and a speaker, a microphone jack



When you say, "I don't speak Spanish," the Voice I says, "No hablo Español."

for an external microphone and headset, an external speaker connector, a rechargeable battery, and an AC power adapter.

Price: \$2000; Voice Assistant module, \$300; English to Spanish module, \$300. Contact: Advanced Products & Technologies, Inc., 15444 Northeast 95th St., Redmond, WA 98052, (206) 883-8297. Inquiry 1147.

And the Word Became Code

ranklin Computer's Electronic Holy Bible includes a microprocessor, 1 megabyte of ROM, a tactilefeedback QWERTY keyboard, a supertwist LCD, and word processing-style software. It is available in both King James and Revised Standard versions.

The NEC V20 microprocessor allows the Bible-size, notebook-computer-styled device to almost instantaneously find specific text. If you don't know the exact spelling of the word on which you're doing a search, you can approximate the word phonetically.

The screen always displays the names of books of the Bible, which you can select with the cursor and access by pressing Return. Above the icons is room for four lines of type, with nearly 40 characters in each line. Each character cell has a resolution of 5 by 8 pixels. Price: \$299. Contact: Franklin Computer, 122 Burrs Rd., Mt. Holly, NJ 08060, (609) 261-4800. Inquiry 1148.

HP's Spectrum Analyzers Designed Around PCs

ewlett-Packard's two new spectrum analyzers are PC-based instruments designed to help engineers solve mechanical-test, productiontest, and signal characterization problems. Specifically, they measure frequency response functions, auto/cross correlation, transient-time capture, one-third octave with A-weighting, stimulusresponse testing, and order tracking.

The two models, the HP 3567A and the 3566A, feature two and six channels, respectively.

You need at least a DOSbased 80286 machine running Microsoft Windows with EGA graphics. Each analyzer comes with a software driver, and you connect the fast Fourier transform module on the spectrum analyzer through cabling to your computer's serial port.

The software lets you manipulate up to 16 channels of incoming data, eight onscreen at a time. For measurement automation, you can access every automation feature by programs written in a variety of Microsoft-supported programming languages. Price: HP 3567A, \$18,000; HP 3566A, \$22,000. Contact: Hewlett-Packard Co. Inquiries, 19310 Pruneridge Ave., Cupertino, CA 95014, (800) 752-0900. Inquiry 1146.

continued



Okay.

You're using dBASE. You're trying to develop a payroll application for the entire company, and you've just hit the wall. So the first thing you do is try a few workarounds, then some more. And ignore the fact that you don't have any decent back-up and recovery, data integrity, database security or multi-user concurrency.

No big deal. It's only the fate of the company, your closest friends, and their children.

dBASE® was the computing environment of the 80°s. Back before businesses became dependent on LANs and multi-user applications.

ORACLE is the computing environment for the 90's. From the very beginning, Professional ORACLE[®] was designed for multi-user workgroup applications. Its SQL architecture is built in (not tacked on like dBASE) and includes all the fourth-generation development tools you need to develop applications that run on over 80 different platforms. And every major operating system, even OS/2.[™]

It's so reliable, in fact, that over 47 of the Fortune 50 rely on Professional ORACLE.

You can have Professional ORACLE for \$1,299. Or the Trial Version for \$199.

And if, after 30 days, you're not happy with it, return it for a full refund.

Call 1-800-ORACLE 1, Ext. 4956 to order. And enter the computing environment of the 90's.



If it's that important, develop with ORACLE on the PC. Call 1-800-ORACLE 1, Ext. 4956.

Offer valid in US only. Professional ORACE Requirements: NS DOS-6078676036 fC with MS-DOS V3 1+, hard dus, 54483 of memory and 6564 catenaded memory required 2 SHB of extended memory recumented is (proported to SQL*ReportWriter") OS/2-B0786760386 fC with MS-DOS V3 1+, hard dus, 54483 of memory and 6564 catenaded memory required 2 SHB of extended memory recumented statenants of Oracle Corporation (SQL*ReportWriter") OS/2-B0786760366 fC with MS-DOS V3 1+, hard dus, 54483 of memory and 6564 catenaded memory required catenations (SQL*ReportWriter") of the catenation of the catenation of Oracle Corporation (SQL*ReportWriter") of the catenation of the catenation of the catenation of Oracle Corporation (SQL*ReportWriter) as trademark of Oracle Corporation (SQL*ReportWriter) of the catenation of Oracle Corporation (SQL*ReportWriter) as trademark of Oracle Corporation (SQL*ReportWriter) as trademark of Oracle Corporation (SQL*ReportWriter) (SQL*ReportWriter)

WHAT'S NEW

CONNECTIVITY

Replace Cabling Headaches with Radio or Light

While there are few new choices in LAN cabling, there are now two cable-less networking solutions. Telesystems SLW has a cellular radio solution for NetWare-based LANs, and Photonics has an infrared-based LocalTalkcompatible transceiver.

The ARLAN 450 card plugs into any IBM PC or compatible and runs under Novell NetWare. The wireless two-thirds-length card uses cellular radio frequencies for 230-kbps data transmission rates. It's an 8-bit bus-based version of Telesystems' serial product.

Telesystems recommends that you use an ARLAN 450 (which has a built-in transceiver) at each of the nodes, and an ARLAN 440 and its separate transceiver, Model 010, at your file server. The 450 is the equivalent of the 440 with the 010, but by separating the transceiver, you don't have to locate your file server in the physical middle of the nodes. Both boards include NetWare drivers.

You use unshielded or shielded twisted-pair cable between the 440 in the file server and the brick-size 010 transceiver. Distance is limited to less than 2000 feet.

In an office environment with physical barriers, Telesystems recommends that you link no more than 10 450based PCs in a radius of no more than 250 feet from the file server. In an open factory, the radius recommendation is 1500 feet. Or you can use the transceivers as bridges, as long as there's a clear line of sight, for transmission distances of up to 6 miles.

Using "spread spectrum" radio technology with radio output power of 1 W, there's



Each Photolink transceiver replaces a strand of LocalTalk cabling.

no need for an FCC license to use the ARLAN card, Telesystems reports. **Price:** ARLAN 450, \$1500; ARLAN 440, \$500; ARLAN 010, \$2000. **Contact:** Telesystems SLW, Inc., 85 Scarsdale Rd., Suite 201, Don Mills, Ontario, Canada M3B 2R2, (416) 441-9966. **Inquiry 1149.**

M eanwhile, Photolink uses beams of invisible infrared light, reflected off the ceiling, to communicate between Macintosh computers. Photonics says that replacing cables with infrared light increases flexibility, lowers costs, and even improves security. The company is also working on a version that provides serial communications between terminals and hosts. A Photolink installation consists of individual transceiver units mounted on top of office partitions and pointing toward a common spot on the ceiling. Each wedgeshaped unit, about the size of a telephone, can support up to four Macs, which plug in via phone cables connected to the LocalTalk network port.

Photolink is effective in an unobstructed area of roughly 70 feet in diameter, the company says. The ceiling does not have to be specially prepared; Photonics says the system will work on everything from acoustical tile to dark oak beams.

AppleTalk networks run at about 230 kbps, as does Photolink, although Photonics claims that the current units are capable of running at 1 Mbps. The company plans a 4-Mbps Token Ring model for 1990 and a 10-Mbps Ethernet version for 1991. **Price:** Transceiver, \$995. **Contact:** Photonics Corp., 200 East Hacienda Ave., Campbell, CA 95008, (408) 370-3033. **Inquiry 1150.**

Ready, Set, Network

R eadyNet might be for you if you want a simple, low-cost LAN for your home or small business. It's an unshielded twisted-pair-based (telephone wiring), bus-based network with XT- and ATcompatible adapter boards and CSMA collision avoidance. The data rate is 1 Mbps.

The start-up kit includes two boards, 50 feet of cabling with RJ-11 connectors on each end, and software drivers that configure the two-node basic network. You purchase each add-on node in a kit that includes a separate card, cabling, and a software driver. The primary server requires 184K bytes of RAM; each node requires 60K bytes.

ReadyNet has an automatic preconfigured connection feature and provides basic functions, such as messaging, file transfer, and printer spooling. There's also a remote-control "virtual console" function that lets one person at one ReadyNet PC control another person's application.

ReadyNet supports up to 24 PCs at distances of up to 1000 feet from the primary server. The network operating system was designed for this network and is therefore proprietary. **Price:** Start-up kit, \$499; each add-on, \$249. **Contact:** Corvus Systems, Inc., 160 Great Oaks Blvd., San Jose, CA 95119, (408) 281-4100. **Inquiry 1152.**

continued

Here's How We Protect Your Software And Profits Better.

We'll Never Tell.

Because our key-interrogation routines are *encrypted*, and our hardware is custom-wired to distinguish each of our clients' keys, our clients have the highest degree of security available.

Unlike other manufacturers, our routines assume responsibility

for all hardware, software and timing issues. And what this means is that your engineering time and money won't be wasted reinventing protection schemes.

We offer two high security products for copy control: the KEY and the MEMORY KEY."

Our protection devices can also be used for serialization techniques, software leasing,



In Europe: Microphar, 42, Ave. Sainte Foy 92200, Neully Sur-Seine France Tel: 33-1-47-38-21-21 Fax: 33-1-46-24-76-91, Call to obtain distributor addresses in: Belgium, Ireland, Italy, Netherlands, Portugal, Spain, Switzerland, U.K. & W. Germany.

Encrypted routines Custom hardware provide the highest and software for degree of security each developer No pro-No gramming adapters batteries to fail or necessarv replace Can be dynamically Over 55 languages supported in DOS, XENIX and OS/2 reprogrammed at the user site via diskette or modem.

modular software management, creative revenue collection, demo control and a path for future upgrades.

The information stored in the MEMORY KEY can be conveniently reprogrammed by your application software or at the end

user's site via software disk or modem. All our products attach conveniently to the printer port, are transparent and allow for

printer port, are transparent and allow for unlimited back up copies. For serious software protection, call now.

And start protecting your profits. Hands down, we're better.



In the Americas and the Pacific: ProTech, 9600-J Southern Pines Blvd. Charlotte, NC 28217 Tel: 704-523-9500 Fax: 704-523-7651 Hours: Mon-Thurs: 8:30-7:00 ET, Fri: 8:30-5:30 ET FOR A DEMONSTRATION PACKAGE OR ADDITIONAL INFORMATION, PLEASE WRITE OR CALL.

For Europe circle 211 on Reader Service Card

For Americas & Pacific circle 212 on Reader Service Card

Programmer's Paradise -when you

CALL



WE'LL MATCH NATIONALLY ADVERTISED PRICES. LIST OURS LIST OURS

	LIST	OURS		LIST	C
386 PRODUCTS			C-COMMUNICATIONS		
386 ASM/LINK	495	435	Breakout II	125	
386/VMM	295	239	C Asynch Manager 3.0	189	
386MAX	75	66	Essential Communications	249	
386MAX PROFESSIONAL	129	115	Greenleaf Comm. Library	299	
C Network Compiler/386	995	799	Greenleaf ViewComm	559	
DESOview 386	190	169	Lattice Communication Library	250	
Lahey F77L-EM/32	895	795	C-FILE MANAGEMENT		
NDP FORTRAN-386	595	549	Btrieve	245	
Paradox/386	895	625	Btrieve for DOS 3.1 Networks	595	
VM/386	245	209	CBTREE	159	
VM/386 Multi-User	895	759	C Index + (Microsoft C)	195	
VM/386 NetPak	150	129	C Index + (Turbo C)	99	
VMOS/3	99	89	C-ISAM	225	
ADA LANUGUAGE			Codebase IV	295	
IntegrAda	795	749	c-tree	395	
Janus/Ada Compiler	300	269	d-tree	495	
Janus/Ada Options Kit	500	449	r-tree	295	
Meridian:	000		CQL	225	
AdaGraduate	495	445	w/ PASS	395	
AdaStudent	50	45	dBC III	250	
AdaTutor	150	135	dBC III Plus	500	
AdaVantage Developer's Kit	1095	985	db_FILE Bundle	295	
AdaVantage PC Prof. Dev. Kit	1780	1599	Essential B-Tree	99	
ASSEMBLY LANGUAG	c		pBase	149	
Advantage Disassembler	295	279	XQL Xtrieve PLUS	795	
MS Macro Assembler	150	105		595	
OPTASM	125	105	C-GENERAL LIBRARIES		
Sourcer w/ BIOS source	140	125	C TOOLS PLUS/6.0	149	
Turbo Assembler/Debugger	150	105	C Utility Library	199	
Visible Computer: 80286	100	89	Greenleaf Functions	229	
	100	05	Greenleaf SuperFunctions	299	
BASIC LANGUAGE			Turbo C TOOLS/2.0	149	
db/LIB	139	121	C SCREENS		
GraphPak Professional	149	129			
MS BASIC/6.0	295	209	C-Worthy w/ forms and source	495	1
P.D.Q.	99	89	Facelt	99	
ProBas	135	125	Greenleaf DataWindows	395	
ProScreen	99	94	JAM Panel Plus	595	
QuickBASIC Quick-Comm	99 139	69	Vermont Views	495 395	
QuickPak Professional	149	125	w/ source code	790	l
QuickWindows Advanced	139	125	Vitamin C	225	1
True BASIC	100	69	VC Screen	149	
Turbo Basic	100	69	Vlib	149	
	100	0,5	C COLIDCE ANIALVOIC		
C COMPILERS			C-SOURCE ANALYSIS		
C Network Compiler	695	559	AutoFlow-C	299	
Lattice C 6.0	250	199	C/Analyst	150	
Microsoft C	450	299	Clear +	200	
MS QuickC	99 199	69 99	C:Lines/C:Tree	08	
MS QuickC w/ Mouse MS QuickC w/ QuickAssemble	199	135	Codan	395	
Turbo C	150	105	C-UTILITIES/OTHER		
Turbo C Professional	250	175	Code Master v. 2	289	
WATCOM C 7.0	395	319	Code Master V. 2 Csource	395	
Zortech C	90	79	C-Terp	300	
	.0		Heap Expander	80	
C++			IAKE	495	
Guidelines C++	295	269	Norton Guides for C	100	
M++	495	CALL	PC-lint	139	
Zortech C++	150	129	PRO-C	675	
w/ source	250	209 89	TimeSlicer	295	
Zortech C++ Tools Zortech C++ Video	100		w/source	1000	
2011C11 C++ V1080	CALL	CALL	Vmem/C	189	

	LIST	OURS	
COBOL LANGUAGE Micro Focus:			F
COBOL/2 w/ Toolset	1800	1499	E
COBOL/2 Toolset Personal COBOL	900 149	749	N
MS COBOL Realia COBOL	900 995	629 849	F F
w/ RealMENU SCREENIO	1145	979 375	Т
DATABASE DEVELOPM	400	3/5	ד ד
Clarion 2.0 Clipper 5.0	695	499	Т
Clipper 5.0 dBA5E IV	695 795	439 489	ד ד
dGE FoxBASE+	195 395	179 249	I
Magic PC	299	249	C I
Paradox 3.0 R&R Report Writer	725 150	509 129	S
w/ Clipper/ FoxBASE module R&R Code Generator	200 150	159 129	5
SilverComm Library 2.0	189	165	S
Tom Rettig's Library DEBUGGERS	100	80	s
386 DEBUG	195	159	S
Multiscope Periscope II-X	299 145	CALL 105	1
Periscope IV/16 MHz	1995	1849	0
Periscope IV/20 MHz Periscope IV/25 MHz	2295 2595	1995 2295	- 0
Sherlock Soft Probe II/TX	195 395	179 345	
VM Debug	99	89	F
EDITORS BRIEF	195	CALL	F
Epsilon	195	159	L
KEDIT 4.0 MKS Vi	150 149	125 129	N
Norton Editor	75 195	59 175	
SLICK Editor SPF/PC VEDIT	245	199	F
VEDIT PLUS	69 185	59 115	F
FORTRAN LANGUAGE			\
Grafmatic Lahey F77L	135 595	119 529)
Lahey Personal FORTRAN 77 MS FORTRAN	95	89	1
Plotmatic	450 135 135	299 119	N
Printmatic RM/FORTRAN	135 595	119 499	N P
GRAPHICS LIBRARIES			P
Baby Driver	250 299	225 239	P
Essential Graphics Font-Tools Graf-Text	150	135	T
Graf-Text GraphiC 5.0	89 395	79 322	١
GraphiC 5.0 Graphics-MENU GSS Graphics Devel. Toolkit	195 595	175 509	A
HALO	395	279	
HALO Window Toolkit Icon-Tools/Plus	595 150	419 135	d
MetaWindow FontWindow	195 95	159 85	N
Menuet	250 99	225 89	V
PCX Effects PCX Programmer's Toolkit	195	175	
PCX Text XVT	99 595	89 509	
LANGUAGE DEVELOPE	RS		
LALR MKS LEX & YACC	99 249	90 209	
PCYACC Professional	249 395	359	
LINKERS/LIBRARIANS Plink86plus	495	419	
PolyLibrarian II	149	135	
RTLink	195	185	
MODULA-2 LOGITECH Modula-2:			
Compiler Pack Development System	99 249	75 199	
Repertoire Solid B+ Toolkit TopSpeed Modula-2: B-Tree Toolkit	149 100		
TopSpeed Modula-2:			
Communications Toolkit	80 80	72 72	
Compiler Kit DOS 3-Pack	100 200	89 179	
TechKit	60	55	
VID OS/2 TOOLS	60	55	
Brief	195	CALL	
Btrieve Greenleaf DataWindows	595 395	459 309	
HALO	695	489	
MKS RCS MKS Toolkit V3.1	395 495	335 419	
MS OS/2 Present. Mgr. Toolkit	500	349	
MS OS/2 Present. Mgr. 5oftset Paradox OS/2	150 725		
Topspeed Modula-2 Vitamin C	195 345	179	
	515	A1 3	

	LIST	OURS
ASCAL LANGUAGE		
synch PLUS	149	115
-tree Filer	125	99
4S QuickPASCAL	99	69
Object Professional	150	119
ower Screen 1.1 ower Tools PLUS/5.0	149 149	115
urbo Analyst	99	115 79
urboMAGIC	199	179
urbo Pascal 5.5	150	99
urbo Pascal 5.5 Professional	250	169
urbo-Plus 5.5	150	129
urbo Professional 5.0	125	99
ROTOTYPING		
Dan Bricklin's Demo II	195	179
nstant Replay III	150	135
how Partner F/X	350	319
MALLTALK LANGUAC	GE	
malltalk-80 (386)	595	535
malltalk/V	100	85
Goodies Libraries malltalk/V 286	50 200	45
malltalk/V PM	CALL	CALL
JTILITIES	CALL	CALL
	0.5	
DIR Plus opy II PC	95 40	75 35
ony ILPC Ontion Board	159	139
isk Technician Advanced	190	159
Disk Technician Advanced Disk Technician Plus	130	109
Dr. Switch	60	55
ast!	99	89
ASTBACK Plus	189	159
Test:hFormat	90	80
otus Magellan	195	CALL
ACE GOLD	149	129
4KS Toolkit	249	209
lorton Utilities	100	65
Iorton Utilities Advanced	150	105
C Fullback	70	59
C/Tools Deluxe pinrite	129	89 49
feature Deluxe	59 120	109
OPT	60	55
ENOCOPY-PC	80	70
TreePro	129	109
ERSION CONTROL SY	YS.	
1KS Make	149	129
AKS RCS	189	159
ersonal PVCS	149	125
olyMake	149	125
rofessional PVCS	395	335
eidl Version Manager	300	269
LIB	100	90
5 Station LAN	300	259
VINDOWS (MS) TOOL		
clor	495	429
ase:W	795	759
-Talk/Views	450	375
BFast/Windows	249	229
AS Windows Development Kit	500	349
Vhitewater Resource Toolkit VinTrieve	195	169
AULTHEAG	395	339

NEW RELEASES WinTrieve" Microsoft* Windows-based file management system for application programmers using C or Actor. WinTrieve efficiently manages large amounts of information by storing data records on disk in indexed sequential access method (ISAM) files. List: \$395 Ours: \$339 MKS TOOLKIT V3.1 Excellent for learning UNIXI New 260 page users guide includes an overview to introduce novices to general commands. Contains full MKS AWK, Korn5hell and Vi tutorials. New install and config programs make it easy to set up the configuration that best suits your needs. 15 new utilities added. List: \$249 Ours: \$209
Microsoft [®] Windows-based file management system for application programmers using C or Actor. WinTrieve efficiently manages large amounts of information by storing data records on disk in indexed sequential access method (ISAM) files. List: \$395 Ours: \$339 MKS TOOLKIT V3.1 Excellent for learning UNIX! New 260 page users guide includes an overview to introduce novices to general commands. Contains full MKS AWK, Korn5hell and Vi tutorials. New install and config programs make it easy to set up the configuration that best suits your needs. IS new utilities added. List: \$249 Ours: \$209 SMALLTALK/V PM
Microsoft [®] Windows-based file management system for application programmers using C or Actor. WinTrieve efficiently manages large amounts of information by storing data records on disk in indexed sequential access method (ISAM) files. List: \$395 Ours: \$339 MKS TOOLKIT V3.1 Excellent for learning UNIX! New 260 page users guide includes an overview to introduce novices to general commands. Contains full MKS AWK, Korn5hell and Vi tutorials. New install and config programs make it easy to set up the configuration that best suits your needs. IS new utilities added. List: \$249 Ours: \$209 SMALLTALK/V PM
management system for application programmers using C or Actor. WinTrieve efficiently manages large amounts of information by storing data records on disk in indexed sequential access method (ISAM) files. List: \$395 Ours: \$339 MKS TOOLKIT V3.1 Excellent for learning UNIX! New 260 page users guide includes an overview to introduce novices to general commands. Contains full MKS AWK, Korn5hell and Vi tutorials. New install and config programs make it easy to set up the configuration that best suits your needs. 15 new utilities added. List: \$249 Ours: \$209 SMALLTALK/V PM
programmers using C or Actor. WinTrieve efficiently manages large amounts of information by storing data records on disk in indexed sequential access method (ISAM) files. List: \$395 Ours: \$339 MKS TOOLKIT V3.1 Excellent for learning UNIX! New 260 page users guide includes an overview to introduce novices to general commands. Contains full MKS AWK, Korn5hell and Vi tutorials. New install and config programs make it easy to set up the configuration that best suits your needs. I5 new utilities added. List: \$249 Ours: \$209 SMALLTALK/V PM
WinTrieve efficiently manages large amounts of information by storing data records on disk in indexed sequential access method (ISAM) files. List: \$395 Ours: \$339 MKS TOOLKIT V3.1 Excellent for learning UNIX! New 260 page users guide includes an overview to introduce novices to general commands. Contains full MKS AWK, KornShell and Vi tutorials. New install and config programs make it easy to set up the configuration that best suits your needs. IS new utilities added. List: \$249 Ours: \$209 SMALLTALK/V PM
records on disk in indexed sequential access method (ISAM) files. List: \$395 Ours: \$339 MKS TOOLKIT V3.1 Excellent for learning UNIX! New 260 page users guide includes an overview to introduce novices to general commands. Contains full MKS AWK, Korn5hell and Vi tutorials. New install and config programs make it easy to set up the configuration that best suits your needs. I5 new utilities added. List: \$249 Ours: \$209 SMALLTALK/V PM
access method (ISAM) files. List: \$395 Ours: \$339 MKS TOOLKIT V3.1 Excellent for learning UNIX! New 260 page users guide includes an overview to introduce novices to general commands. Contains full MKS AWK, Korn5hell and Vi tutorials. New install and config programs make it easy to set up the configuration that best suits your needs. 15 new utilities added. List: \$249 Ours: \$209 SMALLTALK/V PM
List: \$395 Ours: \$339 MKS TOOLKIT V3.1 Excellent for learning UNIX! New 260 page users guide includes an overview to introduce novices to general commands. Contains full MKS AWK, Korn5hell and Vi tutorials. New install and config programs make it easy to set up the configuration that best suits your needs. 15 new utilities added. List: \$249 Ours: \$209 SMALLTALK/V PM
MKS TOOLKIT V3.1 Excellent for learning UNIX! New 260 page users guide includes an overview to introduce novices to general commands. Contains full MKS AWK, Korn5hell and Vi tutorials. New install and config programs make it easy to set up the configuration that best suits your needs. 15 new utilities added. List: \$249 Ours: \$209 SMALLTALK/V PM
Excellent for learning UNIX! New 260 page users guide includes an overview to introduce novices to general commands. Contains full MKS AWK, Korn5hell and Vi tutorials. New install and config programs make it easy to set up the configuration that best suits your needs. 15 new utilities added. List: \$249 Ours: \$209 SMALLTALK/V PM
Combines the power of the industry's leading object-oriented environment with the richness of Preseritation Manager. Fully compiled, giving a PM application developer an extremely responsive environment with which to work. Source code compatibility with Digitalk's other Smalltalk products. List: CALL Ours: CALL
needed it yesterday! (800) 445-7899

LIST OURS

69 136 99

469 255 495

239 79 129

169

249 165

qq 69 139 195

500 450 349 285

> 99 85

249 209 129

299 249 495 209 419 149 129

199 169

595 459 459

595 459

695 559

195 159

Sheeigt of the M				LIST	OUR
Special of the M	onth	1:	MS QuickPASCAL	99	6
NOVELL			MS Sort MS Windows	195 99	13
The Novell C Network Comp	viler aiv	05	MS Windows/386	195	13
you a direct link into NetWar	e, the		MS Windows Development Kit MS Word 5.0	500 450	34 28
leading network operating sys the world's largest installed b	stem wi	th	MORTICE KERN SYSTE		20
network application users.		3	MKS Awk	99	8
Order the C Network Compi	ler fron		MKS Lex and Yacc MKS Make	249 149	20 12
Programmer's Paradise befor 29 and save \$95 on the purch	e Octo hase of	ber	MKS Make for OS/2	249	20
other software that we carry.	!		MKS Programming Platform	665	56
CALL FOR DETAILS			MKS RCS MKS RCS for OS/2	189 395	15
Criter On DETAILS		-	MKS SoftQuad Publishing Sys.	495	46
		OURS	MKS Software Mgmt. Team MKS Toolkit V3.1	299 249	25.
ADDITIONAL PRODU			MKS Toolkit V3.1 for OS/2	495	41
Baler Spreadsheet Compiler EasyFlow, Interactive	495 150	459	MKS Vi MKS Vi for OS/2	149 199	129
Inside!	125	109	NOVELL		
Logic Gem Matrix Layout	198 150	179 129	Btrieve Single-User	245	18
muLISP-87 Interpreter	300	219	Btrieve for DOS 3.1 Networks Btrieve for OS/2	595	459
Opt-Tech Sort Paginate	149 100	129 89	Btrieve for XENIX	595 595	459
PC/Forth +	250	225	C Network Compiler	695	55
PC Metric PC Scheme	199 95	185 79	C Network 386 Compiler NetWare C Interface for DOS	995 295	799
Personal Rexx	150	129	NetWare MHS	100	79
Source Print Tree Diagrammer	99 99	89 89	NetWare MHS Interface Guide NetWare RPC	145 950	129
UNIX SOFTWARE	99	69	NetWare RPC for OS/2	1750	1399
Aspen Korn Shell	145	109	NetWare SQL NetWare System Calls for DOS	595 195	459
Basmark QuickBASIC	695	629	XQL	7 9 5	599
Epsilon Interactive 386/IX	195 1095	159 989	Xtrieve PLUS Xtrieve PLUS for OS/2	595 595	459
PRO-C	1835	1559	POLYTRON	375	40.
SCO XENIX 386 Complete Sys. for PS/2	1595 1695	1355 1439	Personal PVCS	149	125
SCO XENIX 386 Oper. Sys,	695	589	Plink86plus PolyAWK	495 99	419
Terminal Control VPIX 386 Unlimited	995 995	879 845	PolyDoc	199	169
BLAISE	,,,,	045	PolyLibrarian PolyMake	99 149	85
Asynch Plus	149	115	PolyXRef	99	85
C Asynch Manager 3.0 C Tools Plus/ 6.0	189 149	139 109	Professional PVCS	395	335
Exec	95	75	RAIMA db_FILE Bundle (Single User)	595	509
KeyPilot Power Screen 1.1	50 149	39 115	db_FILE Bundle (Multi-User)	295	249
Power Search	149	115		195	165
Power Tools Plus/ S.0 Turbo C Tools/ 2.0	149 149	115 115	SOUTH MOUNTAIN Breakout-II	125	99
BORLAND	1.5	110	C Utility Library	199	159
Paradox 3.0	725	509	Essential B-Tree (w/ source) Essential Communications 3.0	99 249	79
SideKick Plus Sprint	200 200	139 139	Essential Graphics	299	239
Turbo Assembler/Debugger	150	105	Hold Everything (w/ source) Resident_C (w/ source)	129 198	109
Turbo Basic Turbo C 2.0	100 150	69 105	ScreenStar (w/ source)	198	159
Turbo C 2.0 Professional	250	175	WHITEWATER GROUP	405	
Turbo Pascal 5.0 Turbo Pascal 5.0 Professional	150 250	99 169	Actor Language Extensions I	495 99	429
Turbo Prolog	150	105	Whitewater Resource Toolkit	195	169
Turbo Prolog Toolbox	100	69	WinTrieve	395	339
GREENLEAF Greenleaf Bus. MathLib	395	279			
Greenleaf Comm. Library	299	209			
Greenleaf DataWindows Greenleaf Functions	395 229	279 165	PROCESSION CONTRACTOR	100	-
Greenleaf MakeForm	125	95	PROGRAMMER'S POI	LICI	23
Greenleaf SuperFunctions Greenleaf ViewComm	299 559	209 475	Phone Orders		
MEDIA CYBERNETICS	335	475	Hours 9 AM-7 PM EST. We MasterCard, Visa, America	n Exp	ress.
Dr. HALO III	140	101	Include \$4.00 per item for and handling. All shipment	shipp	ing
HALO HALO for MS Developers	395 595	279 419	ground. Rush service availa		UPS
HALO for OS/2	695	489	Mail Orders		
HALO for two languages HALO Programmer's Workbook	545 80	389 59	POs by mail or fax are welc		
HALO Window Toolkit	595	419	Please include phone num	oer.	
MICROSOFT			International Service	ith or	dor
MS BASIC/6.0 MS C	295 450	209	Phone number required wi Call or fax for additional		uc1.
MS COBOL	900	629	information.		
MS Excel MS FORTRAN	495 450	299 299	Dealers and Corporate A	ccou	nts
MS Macro Assembler	150	105	Call for information.		
MS Mouse Bus or Serial w/ EasyCAD	175	125	Unbeatable Prices We'll match nationally adve	rtisec	ł
w/ Paintbrush & Mouse Menus w/ Paintbrush & Windows	150 200	105 139	prices. (Subject to same ter	ms ar	nd
MS OS/2 Present. Mgr. Toolkit	500	349	conditions.)		
MS OS/2 Softset MS Pascal	150 300	105 209	Return Policy 30-day no-hassle return pol	icv. Se	ome
MS QuickBASIC 4.5	99	69	manufacturer's products ca		

99

MS OuickC 2.0

policy. Some manufacturer's products cannot be returned once disk seals are broken. 69

Turbo Pascal 5.5

Borland's Turbo Pascal, the world-standard Pascal compiler with more than one million copies in use, has added object-oriented programming to its newest release, version 5.5. Borland



Combined the simplicity of Apples's Object Pascal language with the power and efficiency of C++ to create Turbo Pascal 5.5. With Turbo Pascal objects, your code will be compact, flexible and reusable. And it will be easier to extend and maintain.

Turbo Pascal 5.5: \$99 Turbo Pascal Professional 5.5 (with Turbo Debugger): \$169

Whitewater Resource ToolkitTM

The Whitewater **Resource Toolkit** is a new on-screen editor for creating and managing Windows resources such as menus and dialog boxes. Application developers and system integrators use the Whitewater Resource Toolkit for designing or customizing an application's look and feel.

Microsoft® Windows **Resource Editor-NEW!** Special Price: \$169



The toolkit is an integrated set of seven interactive editors to create dialog boxes, menus, color bitmaps, cursors, icons, strings and accelerators.

With it, you can manage resources for any new or existing Windows program written in C or Actor. The Windows SDK and

The Whitewater Group * resource compiler are not required.

C TOOLS PLUS/6.0 New from Blaise Computing Filled with many advanced routines for

developing high-powered Microsoft C applications, including: virtual, stackable menus and windows with full mouse support; multiple virtual pop-up help screens; functions for writing interrupt service routines, creating pop-up memory resident applications, and much more.

C TOOLS PLUS includes all source code,

CTOOLSPILLS

.

complete sample programs, and an online database compatible with the QuickC Advisor. BLAISE COMPUTING INC. Special Price: \$109

db_FILETM Bundle

db_FILE combines relational B-tree indexing and network model database technology assuring flexibility and optimum performance. Both access methods may be used independently or in combination for real power. db_FILE is written in C. Your db_FILE applications will be portable to most C language environments.

Special offer: Buy db_FILE now at our low special price and you will also receive complete C source code and db_RETRIEVE, the SQL-based

Query and Report Writer. Single User: \$249 (Valued at \$1,780) Multi-User: \$509 (Valued at \$2,890)

International: 201-389-8950 Customer Service: 201-389-8950 Fax: 201-389-9227

Call or Write for Latest Free Catalog!



A Division of Voyager Software Corp 1163 Shrewsbury Ave., Shrewsbury, NJ 07702





CONNECTIVITY

Outfit Your PC for ISDN

f you're an IBM PC user who wants ISDN capabilities, the PC² is an economical board/software package that provides full 144-kbps connectivity through all three ISDN channels.

Like most other ISDN products for personal computers, it's compatible only with AT&T's 5ESS central office computer switch. For simultaneous voice and data, it uses a coprocessor, an 80C188, and TSR software on top of DOS. Memory requirements are 242K bytes with standard RAM.

PC² features seven applications, including an optional Screen Share package that lets two people simultaneously work on the same PC application from two different locations.

The Vadis system software provides ISDN connectivity through the built-in transparent DOS- or NetBIOS-based remote file access/file sharing system or through the onboard serial port emulation, with or without an AT modem command-set interpreter.

The Voice Call Manager initially helps you place a voice-based call to anyone on your phone list database. It also gives you a help screen for all 64 ISDN telephone voice features.

The Data Call Manager helps you place a data-only call to another ISDN device, with up to 16 "terminal profiles" selectable by name, and it lets you perform a file transfer in the background. It also lets you talk to others through an interactive conferencing system.

An E-mail function lets you send and receive messages between PC² devices and through established public or host-based E-mail systems. The Desktop Calendar is simi-



PC² links up to seven ISDN applications to your phone and your DOS computer, including screen sharing.

lar to most calendars in personal information management software, including an audible signal for reminders.

The Script Processing function gives you information on the people calling you before you pick up the phone, but only if they're on another PC² device. **Price:** \$1180; Screen Share,

\$125.

Contact: Vadis, Inc., 2201 Waterview Pkwy., Suite 1200, Richardson, TX 75080, (214) 690-2481. Inquiry 1153.

LAN RAM Saver for NetWare

ANSpace, from Lan Systems, is a RAM saver for NetWare 286. It takes the NetWare drivers (Net3 or Net4) out of conventional memory and puts them into extended memory, saving 35K bytes of RAM.

LANSpace also allows you to load and unload NetBIOS without rebooting, for an additional savings of 21K bytes of RAM, the company claims. **Price:** \$495 per server. **Contact:** LAN Systems, Inc., 599 Broadway, 11th Floor, New York, NY 10012, (800) 827-5267. **Inquiry 1151.**

Crosstalk Now Appearing in Windows

C rosstalk, one of the most popular communications packages for the IBM PC, has moved over to Microsoft's Windows environment.

One of the main features of the program is its support of the Dynamic Data Exchange facility of Windows. This allows Crosstalk to import and export data easily to and from other Windows applications, such as Microsoft's Excel spreadsheet program. Digital Communications Associates reports that an Excel macro can automatically call a remote database, download a small list of stock prices, and graph the results.

Like other Windows packages, Crosstalk makes full use of pull-down menus and other user-friendly features. If you select a certain item from a menu with a mouse, Crosstalk will echo that item back to the host system.

The new Crosstalk is compatible with the script language of Crosstalk Mark IV. **Price:** \$195.

Contact: Digital Communications Associates, 1000 Holcomb Woods Pkwy., Suite 440, Roswell, GA 30076, (404) 998-3998. Inquiry 1154.

Proteon Offers Unshielded Support for Token Rings

The company that introduced the first token-passing ring LAN in 1981 is now the first to ship unshielded twisted-pair wiring support for 4-, 10-, and 16-Mbps token-ring networks.

Support for 16-Mbps token ring over unshielded and shielded twisted-pair cabling lets Proteon take advantage of inexpensive, readily available wiring. Unshielded twistedpair wiring is used by AT&T for Private Branch Exchange installations.

The key to Proteon's support for unshielded twistedpair wiring is a new multiaccess unit called the Series 70 Intelligent Wire Center. The p7202 modular hub supports the 4- and 16-Mbps data transmission rates afforded by IBM's 802.5-compliant Token Ring solution, as well as the 10-Mbps data rates supported by Proteon's eightyear-old proprietary networking hardware.

Electromagnetic interference problems, Proteon says, have been solved with passive filtering at both ends of the cable. Each multi-access unit supports a cabling distance of 279 feet.

If you prefer IBM's wiring scheme and shielded twistedpair media, Proteon offers the Series 70 p7201 modular hub. For the same price as the p7202, it supports 4- and 16-Mbps token rings, but not Proteon's proprietary 10-Mbps token ring. Price: \$1295, not including token ring PC boards. Contact: Proteon, Inc., Two Technology Dr., Westborough, MA 01581, (508) 898-2800. Inquiry 1155.

continued

"SCO Sets UNIX Standard -COMPUTER DEALER NEWS (U.K.) First, they built the world's standard.

Then they added standards no one else had.

And that was just the beginning.

THE SANTA CRUZ OPERATION, INC. PRESENTS

THE SCO LEGEND CONTINUES

AN SCO "PRODUCTION IN EXCLUSIVE ASSOCIANION WITH MICROSOFT CORPORATION AND AT&T • SCO'S BLOCKBUSTER 3.2 RELEASE OF UNIX®SYSTEM V/386 FOR ISA, EISA, AND MCA SYSTEMS "UNIX NOW!"

CO STARRING AT&T FILE SYSTEM SWITCH, STREAMS, SHARED LIBRARIES, PCC, AND SOB • BERKELEY SELECT • DOS, OS/2,^{co} and Xenix **CROSS-DEVELOPMENT • COMPUTER GRAPHICS INTERFACE ONLINE MANUALS • EXTENSIBLE CONSOLE, MOUSE, AND SCSI DRIVERS • ALL SCO XENIX FEATURES INCLUDING MULTISCREEN,^{**} SERIAL CONSOLE, AND AUTOMATIC POWER FAIL RECOVERY and introducing Automatic Installation • Acer** fast file system • transparent dos file system • device driver writer's guide (with annotated sample source code) sysADM Shell as the fasy-to-use system manager • Multiple groups, job control, and reliable signals as the fips posix extensions • MMOF II as the mail delivery agent supporting cast sco eroff ^{**} • Sco Multiview ^{**} • Sco XSIGHT^{**} x window system ^{**} • Sco NFS ^{**} • Sco TCP/IP • Sco VP/ix ^{**} • Sco UniPATH ^{**} SNA-3270 pus hundreds of supported peripherals including terminals, printers, serial cards, tape drives, and st506, rll, esdi, and sci controllers prus thousands of proven applications supported exclusively of sco system V including the sco Portfolio ^{**} family, sco foxBase + ^{***}, Microsoft word, and <u>AutoCAD</u>^{***}

PRODUCCO, DEVELOPPO, AND DIRECTOR BY THE SANTA CRUZ OPERATION, INC. "UNIX" TRADEMARK COMORMANCE SPECIFICATION BY AT&T

NOMINATED FOR MOST OPEN-SYSTEM STANDARDS! * EASIEST-TO-USE UNIX SYSTEM! * FASTEST 386/486 UNIX SYSTEM! * BEST XENIX COMPATIBILITY! MOST APPLICATIONS SUPPORTED! * MOST PERIPHERALS SUPPORTED! * MOST COMPLETE DEVELOPMENT SYSTEM! * BEST INTERNATIONALIZATION! BEST UNIX SYSTEM DOCUMENTATION! * BEST SUPPORT! * BEST TRAINING! * BEST WORLDWIDE DISTRIBUTION! * MOST WORLDWIDE OEM SUPPORT!

OS OPEN SYSTEM RECOMMENDED FOR AUDIENCES WITH STANDARDS





SC0, the SC0 logo, MultiScreen. SC0 MultiView, SC0 Portlolio, Open Desktop, and the Open Desktop logo are trademarks of The Santa Cruz Operation, Inc. • UNIX is a registered trademark of AT&T in the USA and other countries. • POSIX is a trademark of The Institute of Electrical and Electronics Engineers (IEEE) • X/Open is a registered trademark of X/Open Company Ltd. • Microsoft, CodeView, and XENX are registered trademarks of Microsoft Corporation. • OS/2 is a registered trademark of International Business Machines of Corporation. • Activity of trademarks of Microsoft Corporation. • Window Systems is a trademark of International Business Machines a trademark of Lance International - Ford is a trademark of Logo. • NFS is a trademark of Sun Microsoft Corporation. • VP/ix is a trademark of Phoenix Technologies Ltd. and Interactive Systems Corporation. • unity Open Single, Inc. • VP/ix is a trademark of Phoenix Technologies Ltd. and Interactive Systems Corporation. • unity Open Single, Inc. • NRASE+ is a trademark of Microsoft Corporation. • AcutoCAD is a registered trademark of AcutoRes (Park and Phoenix Technologies Ltd. and Interactive Systems Corporation. • unity Open Single, Inc. • VP/ix is a trademark of Park and Interactive Systems Corporation. • unity Open Single, Inc. • NRASE+ is a trademark of Microsoft Corporation. • unity Open Single Corporation. • Unity O

WCMLIXXIX The Santa Cruz Operation, Inc. All Rights Reserved. The Santa Cruz Dperation, Inc., 400 Encinal Street, P.O. Box 1900, Santa Cruz, California 95061 USA The Santa Cruz Operation, Ltd., Croxley Centre, Hatters Lane, Watford WD1 8YN, Great Britain, +44(0)923 816744, FAX +44(0)923 816781, TELEX: 917372 SCOLON G

NOW SHOWING AT AUTHORIZED SCO RESELLERS!

 OPEN
 WORLDWIDE TECHNICAL SEMINARS FOR DEVELOPERS
 (408)425-722

 DESKTOP..
 CALL SCO'S OPEN DESKTOP™ SEMINAR HOTLINE TODAY!
 FAX: (408)45

 E-MAIL:...10
 Circle 248 cm
 Circle 248 cm

(800) SCO-UNIX (726-8649) (408)425-7222 FAX: (408)458-4227 E-MAIL:...!uunet!sco!info info@sco.COM Circle 248 on Reader Service Card



SOFTWARE • PROGRAMMING

Find the Bugs in OS/2 Code

ogitech's MultiScope Debugger is designed specifically for those of you attempting to cope with the slings and arrows of OS/2 development. It offers run-time and postmortem debugging options. The run-time debugger controls execution with a set of control features and stepping commands. The postmortem debugger captures the program execution state of an application running outside the debugger at the time of the crash. You can then examine the resulting dump file to find the program crash condition.

The debugger uses multiple overlapping windows to display up to 13 different program views simultaneously. You can create custom configurations of source, assembly, data, register, memory, module, breakpoint, watchpoint, graphical data, threads, call chain, log, and output views. MultiScope also includes complete support for debugging threads, dynamic link libraries, and child processes.

One of the program's unique features is a specialized data display that shows complex data structures in a graphical form. MultiScope is compatible with any language that generates standard CodeView OS/2 debugging information, including Logitech Modula OS/2, Microsoft C, and IBM C/2. It works in OS/2 text mode and under Presentation Manager. **Price:** \$299.

Contact: Logitech, Inc., 6505 Kaiser Dr., Fremont, CA 94555, (415) 795-8500. Inquiry 1102.

Source line# 45 MODULE2	HORITLES STATES
END; END Poy;	A +ASM2 C +ort9 C +printf
PROCEDURE Initialize; BEGIN SP := 8; Procount in 0;	C final oc C fortØat C fortØas C fortØnsg C fortØnsg C fortØnsg C fortØnsg
Ereakhe; END Initialize;	Call breakpoint t
VAR count : CARDINAL; PROCEDURE breakMe; BEGIN	PROCESS DEMO
INC(count); (# set breakpoint here #)	
	(United issisp
Sp g CARDIN count g CARDIN	
Assembly	Register (HEX) NC PE N
TREAT BLCS CT BE CC BB BB BB HOU F	abrithter SP-107C SS-00C7 DS-000
8047:81C8 E8 02 00 CALL L	reakije (81D Bpt)
47 END Initialize; 9847:81CE C9 LEAVE 9847:91CF C8 RET breakMe:	Hoduse management

Developed with OS/2 for OS/2, MultiScope works under Presentation Manager and in text mode.

Express C Compiler for OS/2, DOS

The TopSpeed C Professional Edition compilers automatically create dynamic link libraries and support Microsoft Windows and the OS/2 Presentation Manager. The Jensen & Partners International (JPI) compiler is based on an optimized code generator that lets you integrate routines from multiple languages into a single application.

The code generator automatically detects the type of source code in each window, calls the appropriate compiler, and links the routines. It provides a common run-time library and consistent memory allocation routines for all the JPI language implementations (currently, Modula II, C, and Assembler).

The Professional Editions include start-up assembler code, full source code to libraries, and a watch utility for viewing any selection of DOS calls.

The TopSpeed C compiler includes a Make facility that automatically updates and maintains file dependencies. It is fully ANSI-compatible. The company hopes to ship a C++ compiler early next year, and an Ada compiler is under development. Price: Standard Edition (includes debugger and compiler), \$199; DOS Professional Edition, \$395; OS/2 Professional Edition, \$495. Contact: Jensen & Partners International, 1101 San Antonio Rd., Suite 301, Mountain View, CA 94043, (800) 543-5202 or (415) 967-3200. Inquiry 1103.

Search Engine Zeros in on String Patterns

B laise Computing says that Power Search, a library of C functions, uses a new technology to execute fast searches for strings or expressions in DOS- and OS/2based applications. It generates and executes custom machine code that's optimized for a specific pattern.

Power Search matches both ordinary strings and regular characters. Strings can include metacharacters that represent common character classes, such as digits or lowercase letters.

The package includes precompiled libraries for Microsoft C, QuickC, and Borland Turbo C. For Microsoft C, it includes libraries for generating bound applications that run under both DOS and OS/2. **Price:** \$149. **Contact:** Blaise Computing, 2560 Ninth St., Suite 316, Berkeley, CA 94710, (415) 540-5441. **Inquiry 1104.**

Zap Your Apps into PROMS

f you need to turn an IBM PC into a diskless standalone workstation or protect your custom code from prying eyes and piracy, Annabook's PromKit can help by putting any DOS program (or even DOS itself) into EPROM or static RAM (SRAM).

With a one-line command, you can turn an application or DOS into a binary image that you can load into a PROM and place into a PC motherboard or add-in card. PromKit lets you choose which drives you want to emulate. And if you use SRAM, the PC can even write to the drive.

The company says that even though the PC's EPROM address space is limited, you can use paged EPROMs to emulate a full 360K-byte drive by using three 27011 chips for data and a single 27128 for the driver module.

PromKit comes with complete source code (written in Microsoft C 5.1), including listings for utilities that convert files from binary to Intel hex format, and split files into even and odd bytes. To use Prom-Kit, you'll need an IBM PC or compatible, 640K bytes of RAM, a hard disk drive, and an EPROM programmer. **Price:** \$179.

Contact: Annabooks, 12145 Alta Carmel Court, Suite 250–262, San Diego, CA 92128, (619) 271-9526. **Inquiry 1105.**

IF YOU LIKED OUR AD, YOU'LL LOVE THE BOOK.

For your free Dell product catalog, write us. Or call 800-426-5150. In Canada, call 800-387-5752.

Name:			
Title:			
Company:	-		
Address:			
City:	State:	Zip:	
Phone (Daytime):			
Type of Business:			
Please have a Dell represent			

CORPORATION.

- 1. Which products are you most interested in?
 4. Are you a (select one):

 A □ 286-based systems
 B □ Consultant
 - B 386SX "based systems
 - C
 386[°]-based systems
- □ Other____
- How many PCs do you (your company) plan to purchase in the next year?
- 3. Is your requirement: A □ Immediate B □ 1-3 Months C □ 3-6 Months D □ 6-12 Months E □ Over 12 Months
 - F 🔲 Info only

- A re you a (select one): A
 End user B
 Consultant C
 Reseller D
 Corporate Purchaser F
 Government Purchaser T
 Other
- 5. How many PCs do you have installed now?



BUSINESS REPLY MAIL

FIRST CLASS MAIL

PERMIT NO. 6745 AUSTIN, TEXAS

POSTAGE WILL BE PAID BY ADDRESSEE

DELL COMPUTER CORPORATION Dept. ME 9505 Arboretum Boulevard Austin, Texas 78759-9969

Ուսվեսինուներիներիներիներինուներիներին

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

SEND AWAY FOR YOUR VERY OWN COMPUTER STORE.

When you buy a computer, about 35% of your money goes to the store.

But we'd much rather see your money go to somebody who deserves it a lot more.

You.

So we give you a completely different kind of computer store.

The Dell Computer Store.

Instead of a crowded, high-overhead showroom, you get our brand new 44-page catalog. Which gives you a full line of 386^{'''} and 286 systems, printers, peripherals, software, and accessories.

And since you buy direct from the manufacturer, you save about 35%.

We'RE THERE WHEN YOU CALL



DTLL DTLL COMPUTIN SYSTEMS FOR PRODUCTIVITY & PERFORMANCE

DELL

But there's a lot more to it than saving money. We offer you the most complete service and support in the industry. Including a 30-day moneyback guarantee. A toll-free technical support hotline. Self-diagnostic software. And next-day deskside service from Xerox Corporation. If you read our ad in the front of this magazine, it will tell you a lot more about the systems we offer. And the service we put behind them. So if you'd like a much more intelligent way to buy a personal computer, have a look at our ad. Or call us at 800-426-5150. Or send us the card on this page.

And we'll send the best computer store you've ever seen. One you don't have to set foot in.





What better way to run Novell's 386 NetWare.

1

Novell's new 386 NetWare[®] will do for networking what gunpowder did for negotiating leverage. Provided you've got a 386 machine that's designed to be 100 percent compatible with it.

Not to worry.

Samsung's LAN hardware was co-designed by Novell." Which should put any compatibility concerns to rest. That's why the Samsung/ Novell co-label is on our 386AE Fileserver and our PCterminal/286 LAN workstation.

NETWORKING vs. NOTWORKING.

Both the Samsung 386AE and PCterminal/286 have been tested exhaustively by Novell for compatibility with popular networking hardware and NetWare products. In fact, no other LAN hardware

has ever undergone such extensive testing. But then Samsung and Novell didn't set out to design

just another make-do desktop computer. Samsung's 386AE Fileserver, for example, was designed from the bus up to be a highperformance fileserver, starting with its Novelldeveloped BIOS. It also sports eight expansion slots for the inevitable inventory of interface and controller cards. Plus an oversize power supply capable of driving the requisite 100 megabyte-plus hard disk, tape backup system, etc. And it includes 4 megabytes of high-speed RAM for disk caching.

A TOTAL LAN SOLUTION.

To maintain NetWare compatibility throughout



your network, choose Samsung's PCterminal/286, a Novell-tested LAN workstation. Inside you'll find a built-in Ethernet interface adapter, and functional features like Novell's NetWare Autoboot EPROM.

THE NO BOTTLENECK ETHERNET CARD.

Our new SE2100 Ethernet interface eliminates the network bottleneck. Designed by Samsung, this highperformance 16-bit card provides twice the throughput of other Ethernet interfaces. And you can retrofit your existing workstations and fileservers with the SE2100 for dramatic improvements in your network's productivity.

LOOK FOR THE CO-LABEL.

The partnership between Samsung and Novell has

created a hardware/software compatibility standard unparalleled in the industry. That means your network can experience all the speed of Novell's new 386 NetWare without being subjected to a lot of hardware hiccups.

Just look for the Samsung/Novell co-label. You'll find it at your nearest reseller. For the location, call **1-800-366-7472**.



Circle 301 on Reader Service Card (DEALERS: 302)

SOFTWARE • CAD AND GRAPHICS

Generic Moves in Three Dimensions

A fairly intuitive drawing process and two navigational aids to help threedimensional drawing are what make Generic 3D Drafting an easy-to-use 3-D CAD program, reports Generic Software.

The program's interface is the same as in Generic's 2D CADD program, making it easy for 2-D users to move up to 3-D, according to Generic. You can also draw 2-D objects and then extrude and further manipulate them to create a 3-D object.

One of the navigational aids is a color-coded cursor, which you can label with x, y, and z directions. The other aid is called *tracking*, which allows you to move along any axis to any given point in space by moving the cursor instead of typing in coordinates.

3D Drafting is compatible with Generic CADD drawing files. It also gives you 256 layers, 256 colors, and 256 line types. An in-depth tutorial



You can draw three-dimensional objects such as this gravity saw support using Generic's familiar 2D interface.

not only instructs you on how to use the program but also gives you basic lessons in 3-D drafting.

The program requires an IBM PC with at least 640K bytes of RAM and a graphics display with a resolution of at least 640 by 200 pixels. The company recommends EMS memory and a math coprocessor.

Price: \$249.95.

Contact: Generic Software, Inc., 11911 North Creek Parkway S, Bothell, WA 98011, (800) 228-3601 or (206) 487-2233. Inquiry 1123.

Bring Non-CAD Drawings into the AutoCAD Fold

A program called Luna-Series lets you scan non-CAD drawings into a CAD program and view, archive, edit, and store the image on your CAD system or network. Once a raster image is loaded into the CAD system, you can make on-screen changes. The program displays the original image and your changes. After editing the image, you can merge the original draw-

AutoCAD Add-on Helps Draw Industrial Facilities

actoryCAD is an industrial facilities design and drafting program you can use within AutoCAD. The program's functions and routines automatically generate walls, doors, grids, docks, conveyor belts, and other functions that help you design facilities.

The program has more than 70 predefined layers; you can extract a layer from one drawing and insert it into another. FactoryCAD's utilities can draw power lines, water, compressed air, gas, and steam, each on its own layer with its own color. The program works on the IBM AT or higher with 640K bytes of RAM, a math coprocessor, 1.5 megabytes of extended memory, and Auto-CAD release 9 or 10. Price: \$695. Contact: Cimtechnologies Corp., 525 East Second, Suite 500, Ames, IA 50010, (515) 232-9914. Inguiry 1118.



ing with your changes and save them in CAD format.

Version 2.31 of the program now supports all highresolution graphics cards. At press time, American Imaging Systems was developing a version that supports all Hewlett-Packard Graphics Language plotters.

LunaSeries runs on the IBM AT or higher with 640K bytes of RAM, 512K bytes of expanded memory, AutoCAD 2.6 or higher, VersaCAD 5.3 or higher, or CADKEY 3.5 or higher. Later this year, according to the company, the program will support IBM CAD and Sun workstations. **Price:** \$2185 per workstation.

Contact: American Imaging Systems, Inc., 2315 Luna Rd., Carrollton, TX 75006, (800) 234-7226 or (214) 484-3339. **Inquiry 1121.**

AutoCAD Site-Planning Modules for the Mac

A set of applications from LandCADD lets you capture AutoCAD designs and customize them for land planning. The Site Planning and Landscape Design module includes a symbols library and routines for parking, coordinate geometry, topography, and cut and fill.

LandCADD runs on the Mac II or IIx with AutoCAD, 4 megabytes of memory, and 8 megabytes of free space on your hard disk drive. Price: Site Planning and Landscape Design, \$695; Irrigation Design, Quadrangle DTM, and EZ-Estimate Plus, \$595 each; CADD Construction Details, \$895; Plant Specifier, \$295. Contact: LandCADD, Inc., 7519 East Highway 86, Franktown, CO 80116, (303) 688-8160. Inquiry 1120.

68 BYTE • OCTOBER 1989



QNX. The OS for over-achievers[®]

QNX programmers have a decided advantage.

You see, people who use QNX enjoy the freedom that comes only with a flexible, modular OS. They appreciate the elegance of a **message-passing architecture**. And they marvel at the fact that QNX runs so lean—under 150K—yet out-performs any other PC operating system.

QNX users never worry about whether their applications will make it at runtime, because they know QNX has proven itself again and again in the real world.

It's no wonder that QNX users have achieved so much since the product was first released for the PC in 1982: over 80,000 systems installed in 47 countries world-wide, in all kinds of applications—from making cars to selling books to handling online credit card transactions.

One reviewer dubbed QNX "The multieverything OS." Now, you might expect multiuser and multitasking, but realtime? And integrated networking? And true distributed processing? Best of all, these terms take on a new meaning with QNX.

Multiuser, for instance, means up to 32 terminals per micro. Multitasking cashes out as 150 tasks per machine. Realtime means not only priority-driven, preemptive task scheduling, but also speed: at 6,896 task switches/sec on a 16MHz 286, QNX is at least a full order of magnitude faster than a typical UNIX system. Integrated networking means you won't need yet another layer of software to set up a LAN, and you can use *any mix* of Intel-based micros—from vintage '81 PCs to PS/2s.

Distributed processing with QNX sounds too good to be true. But it is: *Any task can access any resource*—programs, files, devices, even CPUS—without going through the bottleneck of a central file server. Besides the satisfaction that QNX developers get from using a fast, powerful, and flexible OS, did we mention that they also enjoy *free technical support?*

If you're wondering why you don't already know all about this great OS, you could try asking the over-achievers who are smugly guarding the secret of their success.

Better yet, give us a call. We'll tell you everything you need to know to become an over-achiever yourself.



Circle 229 on Reader Service Card For more information or a free demo disk, please phone (613) 591-0931.

Quantum Software Systems Ltd., 175 Terrence Matthews Crescent, Kanata, Ontario, Canada K2M 1W8 QNX is a registered trademark of Quantum Software Systems Ltd., UNIX is a registered trademark of AT&I PS/2 is a registered trademark of International Business Machines Corporation. © 1989 Quantum Software Systems Ltd. Microstat-II Now With Graphics Interface and New Multivariate Module



Now you can use YOUR favorite graphics package with Microstat-II.

Just some of the packages covered include 3-D Perspective Jr., Harvard Graphics, Microsoft's Chart, Grapher, and others.

Microstat-II also includes new procedures for:

- Canonical Correlation
- Factor Analysis
- MANOVA
- Discriminant Analysis
- Principal Components
 Analysis
- Cluster Analysis
- Covariance Analysis

While Release 1.0 was good:

"... one of the fastest IBM PC statistical packages we have tested... using Microstat-II is a breeze." Infoworld

"Installation of Microstat-II is simple... The user interface is clean... a pleasant package to use..."

PC Magazine

Microstat-II Release 2.0 is even better!

For a limited time, you can purchase Microstat-II Release 2.0 for \$395.00. Microstat-II requires an IBM PC, XT, AT,



3-D Perspective Jr.



Harvard Graphics



Grapher

PS2 or compatible with 512K memory or more with either a hard disk or two floppy drives. For more information, contact your local computer dealer or call:

Ecosoft, Inc. 6413 N. College Ave. Indianapolis, IN 46220 Orders: 1-800-952-0472 Info: 1-317-255-6476 FAX: 1-317-251-4604



3-D Perspective Jr., Harvard Graphics, Grapher, Microsoft's Chart and IBM are all registered or unregistered trademarks of the following companies respectively: 3-D Graphics, Inc., Software Publishing Corp., Golden Software Inc., Microsoft Inc., IBM Inc.

SOFTWARE • BUSINESS



Milestones, Etc. lets you place lines, symbols, and legend entries anywhere on your chart.

Create Gantt, Milestone Charts Under Windows

S oftPro developed Milestones, Etc. for businesses that need to create presentation-quality Gantt and Milestone charts. The program runs under Windows and features 28 symbol types, 15 connections, and the ability to lock a symbol onto a specified date.

With the program's current date-sensitive option, the program automatically blackens symbols prior to the current date and makes them hollow after the date. With this option, you can produce an updated chart that reflects the project's progress. Charts can be several pages long, and multiple-page charts can be numbered.

You can merge charts created with Milestones, Etc. with PageMaker, Ventura Publisher, WordPerfect, and any other program that accepts Windows metafiles or the Hewlett-Packard Graphics Language format.

Milestones, Etc. works on the IBM AT or higher with Windows 2.0 or higher and a Microsoft-compatible mouse. Price: \$89. Contact: SoftPro, P.O. Box 1167, Manchaca, TX 78652, (800) 666-3886 or (512) 282-1544. Inquiry 1125.

Five Forecasting Programs

S ales and marketing managers can use TSM Associates' Forecaster program to generate sales forecasts for products, companies, and individual sales personnel. The program comes in two versions: the distributor's version for the multiline distributor and manufacturer's representative, and the manufacturer's version.

Each version generates a variety of reports and has databases for forecast records, products, and individual per-sonnel; the distributor's version also has a principal's database and breaks down sales by sales representative, products, customer, and time to purchase.

The Forecaster runs on the IBM PC with 512K bytes of RAM and a hard disk drive. **Price:** \$495.

Contact: TSM Associates, 4 La Cerra Dr., Rancho Mirage, CA 92270, (619) 321-5730. Inquiry 1128.

Intelligent Database Tools are Here!

Is your Database an Asset or just a File?

As your database grows, its potential value increases. Your challenge is to keep it errorfree, understand it, and use it to make effective decisions. These are the tools you need:

SUPERVISO

Maintain data quality and data integrity. Keep your database error-free. Database/Supervisor analyzes your databases and identifies *suspicious data items*, and

patterns which are out of the ordinary. It automatically detects errors which violate statistical or logical integrity constraints. If your database is being corrupted, Database/Supervisor will show you where.



Discover hidden patterns and unexpected relationships in your large database. IXL analyzes your database and generates easy-to-read rules using artificial intelligence

and statistical techniques. While Database/Supervisor detects errors, IXL produces rules and decision-making insight. The solutions you are looking for may already be in your database, waiting to be discovered.

NEURAL/OUERY

Don't deny yourself inexact, but potentially valuable, answers to your database queries. Close matches are more valuable than *no response*. IXL and Neural/

Query are perfect partners. IXL generates rules which can be exported. However, Neural/Query analyzes your large database, builds a network of partial matches, and provides the closest matching answer to your database queries. Use the full informational content of your database.

Intelligence

The highest-level, easiest-to-use intelligent database environment today. Build dialogs automatically, link them with rules, frames and hypertext *in minutes*.

Develop your intelligent application quickly and efficiently, then run it on multiple operating systems. The built-in relational database combines expert system logic with SQL-based object oriented queries. Accomplish in hours what would otherwise take weeks.



Our leadership in this field of technology is unsurpassed. Ask for our books *Intelligent Databases* and *Expert Systems for Experts* by K. Parsaye, et al., published by John Wiley.

Experts love our software:

The Intelligence/Compiler is a powerful state of the art system for real-world applications. Its intelligent editing and debugging facilities are a bonus. *AI/Expert Magazine*, February 1988.

Considering the variety of features that the Intelligence/Compiler provides, it is hard to believe that you can get better value for your money. *PC/AI Magazine*, June 1989.

Having used IXL on a large database of geological test data, we were surprised by the many relationships it found. This has greatly helped us to interpret our Oil Company database. *Mr. James Brown*, Oil Industry Consultant, July 1989.



Will your database errors live forever?



Alone in a universe of data? Let IXL be your guide.



Are you sure you have no listing for the Vite House.







Thalarctos maritimus

#3 in a series on consumer habits

The polar bear is the great white hunter of the Arctic Circle. Migrating long distances over the vast frozen desert, it tracks large prey such as seals and sea lions. In a sprint, it can reach speeds of up to 25 mph. When it raids the ice box, it doesn't waste energy on small fish. The readers of BYTE magazine are just as selective. For they, too, are relentless hunters with big appetites. They are advanced personal computing experts whose hunger for new product information is insatiable. They seek technical analyses. Extensive reviews. A complete rundown of product comparisons. Which is what they get in every BYTE. Some publications may promise you more paid readers than BYTE's 450,000. But none so voracious.



Easy and Effective Data Security For Your Computer

Data Guard is a transparent data encryption program. With Data Guard, you don't have to encrypt or decrypt your files each time you use them. Data Guard does it for you automatically.

Because Data Guard's operation is transparent, it's far superior than other encryption programs. (see Martin Kochanski's article [BYTE: 6/89 p260] about transparent encryption)

Data Guard takes the burden away from the user to insure maximum safety for your system.

If you are serious about protecting sensitive information on your IBM PC or compatible system. Data Guard is the ideal choice.

For more information, Please call (617) 695-0549

To order: send \$195 + \$4 S/H MA resident add 5% tax (Check or MO) To:

LogicVision P.O. Box 32 Boston, MA 02112



Read Mac Disks in a PC MatchMaker

 the best way to share data between a PC and a Mac. The MatchMaker card lets you plug a Macintosh floppy drive into a PC.



- Easy-to-install half-size card.
- Use any external Macintosh drive.
- DOS-like command software included.
- 1 year warranty, Made in USA.
- Also available; MatchPoint-PC to read/write Apple II disks.

"...by far the most cost effective solution ... " PC WEEK



WHAT'S NEW

SOFTWARE • BUSINESS

The NAI Forecasting System handles personnel forecasting for companies, including those that are in growth or downsizing cycles, acquiring other companies, or shifting personnel among divisions.

The program identifies human resource shortages and personnel for each of five-future time periods, which you designate. The program's front end, a human resource data-gathering system, can import planning data from a Human Resource Information System database.

The NAI Forecasting System runs on the IBM AT or higher with a hard disk drive, DOS 3.0 or higher, 640K bytes of RAM, and a math coprocessor. **Price:** \$15,000. **Contact:** Nardoni Associates, Inc., 157 Route 31, Lebanon, NJ 08833, (201) 730-9444.

Inquiry 1129.

W ith Tomorrow, you highlight a range of historical information on your Lotus 1-2-3 spreadsheet, including subtotals, summaries, and other formulas, and the program does the rest. Tomorrow doesn't require that you understand the complicated statistics of forecasting.

Tomorrow runs on the IBM PC with Lotus 1-2-3 release 2, 2.01, or 2.2 and requires 55K bytes of free RAM. **Price:** \$129.95.

Contact: Isogon Corp., 330 Seventh Ave., New York, NY 10001, (800) 662-6036 or (212) 967-2424. **Inquiry 1130.**

F oreCalc is a statistical forecasting program that's designed as an add-on for Lotus 1-2-3 and Symphony.

As with Tomorrow, you specify from within your spreadsheet the history of the data, and ForeCalc automatically generates the forecasts. ForeCalc is designed for people with no prior knowledge of statistics.

ForeCalc incorporates several exponential smoothing models to create the forecasts and to choose the best technique automatically.

Unlike ForeCalc, Forecast Master Plus is for people familiar with statistics. Business Forecast Systems developed it for the professional business forecaster familiar with complicated forecasting models. You can choose from eight forecasting models, ranging from exponential smoothing and Box-Jenkins to variable parameter regression.

Forecast Master Plus works on the IBM PC with 640K bytes of RAM, a hard disk drive, and a math coprocessor. **Price:** ForeCalc, \$149; Forecast Master Plus, \$695. **Contact:** Business Forecast Systems, 68 Leonard St., Belmont, MA 02178, (617) 484-5050.

Inquiry 1131.

TopDown Steps up into Windows

T opDown, the project management program that lets you break down projects into a series of hierarchically arranged tasks, now supports Microsoft Windows, taking advantage of the Clipboard to export data to other Windows applications.

You can edit your PERT and Gantt charts in any window, and the program will flag critical and late activities.

TopDown Project Planner for Windows runs on an IBM AT or higher with Windows 286 or Windows/386. **Price:** \$249.

Contact: Ajida Technologies, Inc., 613 Fourth St., Santa Rosa, CA 95404, (707) 545-7777. Inquiry 1124.

continued

It Looks Could Kill...

The ViVa24 Modem knocks 'em dead with style and convenience.



Finally! An affordable, state-of-the art modem designed to maximize any work station or desktop and take up minimal space. The new 2400 baud modem from Computer Peripherals, Inc. is a 100% Hayes compatable external modem which boasts more high-tech features than its competition

at an unbelievable price tag. 🐋

The compact, distinctively sleek tower design simplifies placement, and it's easily accessible, front panel power switch eliminates fumbling around the back of the unit. The handsome weighted base holds the ViVa24 firmly in place, and sharp LED indicator lights are aligned for comfortable viewing, utilizing international graphic icons that make the ViVa24 simple to understand.

The small tower design creates a natural flow of air over the surface of the board, allowing the ViVa24 to run cooler and affording you 24-hour, worry-free operation. The Viva24 modem provides the user compatability with IBM PC, XT, AT, IBM PS/2, Apple Macintosh computers and any computer that supports RS-232C.

The ViVa24 modem represents innovation from its footprint up with features such as: use of the Hayes "AT" command set, asynchronous data format, auto-dialing, auto answer, adaptive equalization, non-volatile memory, automatic tone and pulse dialing, remote access while your computer is unattended, self-test and built-in diagnostics. Best, of all, the ViVa24 is fully backed with a five-year limited warranty.

Before investing in an ordinary modem, be sure to investigate the ViVa24. For more details, call your Ingran MicroD representative now at:

> 1-800-456-8000 (East) 1-800-642-7631 (West)



By Computer Peripherals, Inc. 667 Rancho Conejo Blvd. Newbury Park, CA 91320 TEL: (805) 499-5751

Trademarks: IBM. International Business Machines, Corp.; Hayes Microcomputer Products; Apple Macintosh; High Fidelity, Computer Peripherals, Inc.

Automation For The 90's From The Heartland

CORPORATE COMPUTERS OF IOWA provides the nation's most aggressive prices on our entire line of state of the art 286 and 386 desktop computers as well as all TOSHIBA", EPSON", NEC^{*} and PANASONIC^{*} printers, FAX machines and laptops.

Call one of our account executives today and experience the performance and quality you'd expect for the "Heartland."



CCI AT 286/12 MHZ

80286 Processor Running at 6 to 12 MHZ

Phoenix Bios/Digital Speed Display 80287 Math Co-Processor Socket

8 Expansion Slots 6-16 Bit, 2-8 Bit

2 Meg of 0-Wait State Memory (Expandable to 4)

1.2 Meg Floppy 1.44 Meg Floppy

40 Meg Seagate ST 251-1 (28 MSEC.) WD Controller (1-1 Interleave)

Norton SI 15.3

FCC Class B Approved

14" Multisynch Monitor 800 × 600 Tilt Swivel

Orchid Prodesign and 512K VGA Card

1-Parallel, 2-Serial, Game Port

101 Key at Keyboard with Dust Cover

DOS 4.01 with GW Basic or DOS 3.3 with GW Basic

Surge Supressor

1 Year Parts and Labor Warranty (FREE)

1 Year On-Site Service

30 Day Money Back Guarantee (No Restocking Fee)

2nd Year Warranty (\$49.95)

Complete System Price \$2195.00



Free with the purchase of any CCI System . . . one year, onsite warranty through Data Access Systems Inc. Provides response time of 8 business hours and covers all parts, labor, travel and technical support. Extended warranty available.



CCI AT 286/20 MHZ

80286 Processor Running at 20, Switchable to 10

Phoenix Bios/Digital Speed Display

80287 Math Co-Processor Socket

8 Expansion Slots, 6-16 Bit, 2-8 Bit

2 Meg RAM 0-Wait State (Expandable to 8)

80 Meg Seagate ST 4096 (28 MSEC.) WD Controller (1-1 Interleave)

Norton SI 22.5

FCC Class B Approved

14" Multisynch Monitor 800 × 600 Tilt Swivel

Orchid Prodesign and 512K VGA Card

- 1-Parallel, 2-Serial, Game Port
- 101 Key at Keyboard with Dust Cover
- DOS 4.01 with GW Basic or DOS 3.3 with GW Basic

Surge Supressor

1 Year Parts and Labor Warranty (FREE)

1 Year On-Site Service

30 Day Money Back Guarantee (No Restocking Fee)

2nd Year Warranty (\$49.95)

Complete System Price \$2799.00

1-800-533-0948

FAX 712-277-8626

Prices subject to change with D-RAM Flexuation

1-800-533-0948



CCI 386/25 MHZ CACHE

80386-25 MHZ Intel Processor 0-Wait State (32K Cache Memory)

AMI 386 Bios with an in ROM Set-up Routine

Socket Support for 80287, 80387 and Weitek Co-Processors

One 32 Bit Slot, Five 16 Bit Slots, and Two 8 Bit Slots

4 Meg Memory on Board, Expandable to 8MB, 1MB/2MB when using 256K D-RAM, 4MB/8MB when using 1M Bit D-RAM, Expandable to 16MB

1.2 Meg Floppy 1.44 Meg Floppy

80 Meg Seagate-4096 (28 MSEC.) WD Controller (1-1 Interleave)

Norton SI 30.5

FCC Class B Approved

Mitsubishi Diamond Scan 14" 800 × 600 Tilt Swivel

Orchid Prodesign and 512K VGA Card

1-Parallel, 2-Serial, Game Port

101 Key at Keyboard with Dust Cover

DOS4.01 with GW Basic or 3.3 DOS with GW Basic

Surge Supressor

1 Year Parts and Labor Warranty (FREE)

1 Year On-Site Service

30 Day Money Back Guarantee (No Restocking Fee)

2nd Year Warranty (\$49.95)

"FREE" HI-REZ MOUSE

	EPSON PRINTERS	
	RETAIL	CCI PRICE
LX-810	\$ 299.00	\$174.00
LQ-510	\$ 529.00	\$315.00
LQ-850	\$ 859.00	\$505.00
LQ-950	\$ 949.00	\$560.00
LQ-1050	\$1,199.00	\$695.00
LQ-2550	\$1,499.00	\$899.00
	"FREE" Printer Cable	

NIC PRINTERS & FAX M	IACHINES
RETAIL	CCI PRICE
\$ 299.95	\$ 179.00
\$ 399.95	\$ 230.00
\$ 649.95	\$ 389.00
\$ 729.95	\$ 429.00
\$ 529.95	\$ 315.00
\$ 899.95	\$ 539.00
\$1,795.00	\$ 955.00
\$2,795.00	\$1,479.00
"FREE" Printer Cable	
	RETAIL \$ 299.95 \$ 399.95 \$ 649.95 \$ 729.95 \$ 529.95 \$ 899.95 \$1,795.00 \$2,795.00

NEC LAPTOPS					
		RETAIL	CCI PRICE		
PRO-SPEED	286-20 MB	\$5,099.00	\$3,025.00		
PRO-SPEED	286-40 MB	\$5,599.00	\$3,189.00		
PRO-SPEED	386-40 MB	\$7,699.00	\$4,299.00		
PRO-SPEED	386-100 MB	\$8,999.00	\$5,275.00		
		• - •			



Corporate Computers of Iowa Policies

Toll Free Number 1-800-533-0948 For Ordering And Post Sale Support

Complete System Price \$3999.00

Master Card, VISA, No Surcharge. American Express - Add 3%
 C.O.D. Cashier Checks

VISA

· 30 Day, Money Back Guarantee

- Prices Subject To Change In Manufacturers Pricing
 Allow 10 Days For Personal Checks To Clear
- Call For Corporate Purchase Orders



P.O. Box 714 Sioux City, Iowa 51102 277-2100 712 Ioll Free: 1-800-533-094 Corporate Showroom 609 5th Street Sioux City, Iowa 51101

Circle 71 on Reader Service Card (DEALERS: 72)



The Leader in High Performance Since 1982 NOVAS NEAT 286-20MHz 40MB VGA SYSTEM

1 MB SIMM Module RAM 1.2 MB or 1.44MB Diskette Drive High Speed 1:1 Dual Controller Enhanced 101 Tactile Keyboard 200W Power Supply Mini-Tower Case 40MB 28ms Hard Drive 16 Bit High Speed VGA Controller High Resolution VGA Monitor DOS 3.3 w/GW Basic 80286 Harris CMOS

- 16MHz CPU Running at 20MHz · Chips & Technologies 286 Neat Chipset
- Interleave/Page Mode 0 Wait
- · Shadow RAM, Clock, Battery, AMI BIOS
- 8 I/O Expansion slots, EMS 4.0 support
- · Expandable to 8MB on Motherboard
- · 287 Socket, 2 Serial, & 1 Parallel Port
- **POWER METER MIPS = 3.38**



*Option: 80MB VGA System \$2375

NOVAS 386-25MHz W/CACHE 80MB VGA SYSTEM



MB SIMM Module RAM 1.2 MB or 1.44MB Diskette Drive Chips & Technology 82C307 Cache High Speed 1:1 Dual Controller Enhanced 101 Tactile Keyboard 200W Power Supply Tower Case 80MB 28ms Hard Drive 16 Bit High Speed VGA Controller High Resolution VGA Monitor DOS 3.3 w/GW Basic 80386 Intel 25MHz CPU Chips & Technologies 386 Chipset Interleave/Page Mode 0 Wait Shadow RAM, Clock, Battery, AMI BIOS 8 I/O Expansion slots, EMS 4.0 support Expandable to 16MB on Motherboard Socket for 287/387/Weitek 2 Serial, & 1 Parallel Port **POWER METER MIPS = 5.87** 49

*Option: 150MB ESDI VGA System \$4295

1. Baby Neat 286-14MHz (12MHz CPU) Motherboard W/OK \$315
2. Baby Neat 286-20MHz (16MHz CPU) Motherboard W/OK \$425
3. Baby 386-20MHz (20MHz CPU) W/OK \$645
4. AT 386-25MHz (25MHz CPU)
W/OK W/Chips 82C307 Cache Controller \$1395
5. NOVAS 4000 Super 16 Bit VGA
1MB INSTALLED 1024 × 768, 16 COLORS 800 × 600, 256 COLORS
"FULLY LICENSED TO UTILIZE
Quality Products From
COMPUTRADE CO.

780 MONTAGUE EXPRESSWAY. SUITE 501, SAN JOSE, CA 95131

SPECIAL PRICING FOR OEM, VAR, & DEALERS **Corporate & University Discounts**

VGA, XT, AT & IBM are trademarks of International Business Machines Prices & specs subject to change

U.S. SALES:(408) 435-2662 U.S. FAX: (408) 435-5458

SCIENCE AND ENGINEERING



Transform your Mac into a digital signal processing workstation with AcqKnowledge.

Generate Waveforms Two Ways

C nap-Generator is a The menu-driven program that generates waveforms using a D/A converter. You can generate standard functions, such as sine, cosine, square, triangular, and ramp, or you can define your own. For sources of output, you can use previously acquired data or HEM's Snap-Calc.

To run Snap-Generator, you specify the shape of the waveform and select AC or DC amplitudes within the range of the D/A. The waveform can be bipolar or unipolar. Swept-frequency waves let you quickly assess frequency response characteristics of the device under test, according to HEM. Sweep rates can be linear or logarithmic. The maximum D/A rate is 30,000 kHz. Up to 32,768 points are generated for a channel before the waveform is repeated. Snap-Generator can output eight channels, with each independently defined. It will also drive an x, yrecorder.

Hardware requirements include an IBM PC running HEM's Snapshot Storage Scope and Snap-Calc, and an analog I/O board from BurrBrown, Intelligent Instrumentation, or Heath/Zenith. Price: Snap-Generator, \$395; \$1185 for all three software programs. Contact: HEM Data Corp., 17336 Twelve Mile Rd., Suite 200, Southfield, MI 48076, (313) 559-5607. Inquiry 1115.

cqKnowledge lets you A and your Mac work with waveform data. Included in the package are measurement, transformation, filtering, and spectral analysis functions, and both printing and file handling capabilities. For presentations, you can cut and paste AcqKnowledge graphics into any word processing or desktop publishing package.

Among AcqKnowledge's waveform processing capabilities are digital filtering (lowpass, bandpass, high-pass, and notch); spectral analysis using fast Fourier transfers; waveform integration, differentiation, and smoothing; scalar and delta amplitude and time measurements; and waveform arithmetic.

Biopac says that Acq-Knowledge is directly compatible with all of the company's data acquisition hardware, but it also works with any data acquisition system that can store data in a text format. If you want to customize the continued

↓ | | / # |

More Powerful Than Ever ... Up To 5 KVA

STANDBY UPS MODELS

- 250 To 1600 Watt Output
- Synchronized Sinewave with 1 msec Switching Time
- Full One Year Warranty

ON-LINE UPS MODELS

- 1000 To 5000 VA Sinewave Output
- True On-Line Total Isolation
- Static Bypass Switch Standard

SHUTDOWN SOFTWARE

- Auto Shutdown of Local Area Networks for Unattended Operation
- Compatible with SCO XENIX 2.2.3 and above
- Novell ELS 2.12 and above Advanced Netware 2.11 & above SFT Netware 2.11 and above

-



UNINTERRUPTIBLE POWER SUPPLIES

UTEMAN

STAND	DBY UPS N	NODELS					
Power Output	120 Volt Models	208-240 Volt Models					
250 WATT	\$ 379.00	\$ 429.00					
300 WATT	\$ 549.00	N/A					
500 WATT	\$ 699.00	\$ 799.00					
600 WATT	\$ 899.00	\$1049.00					
900 WATT	\$1249.00	N/A					
1200 WATT	\$1499.00	\$1749.00					
1600 WATT	\$1999.00	\$2299.00					
TRUE ON	TRUE ON-LINE UPS MODELS						
Power Output	120 Volt Models	208-240 Volt Models					
1000 WATT	\$2249.00	Available					
3000 WATT	\$5495.00	Available					

\$8950.00

5000 WATT



Circle 202 on Reader Service Card

Available

WHAT'S NEW SCIENCE AND ENGINEERING

Want to save Time, Money, & Headaches?

GET SUPERSOFT's SERVICE DIAGNOSTICS

All the software, alignment diskettes, parallel/serial wrap-around plugs, ROM POSTs and extensive, professional documentation to provide the most comprehensive testing available for IBM PCs, XTs,ATs and *all compatibles* under DOS or Stand Alone. No other diagnostics offers such in-depth testing on as many different types of equipment by isolating problems to the board and chip level.

NEW: SuperSoft's ROM POST performs the most advanced Power-on-Self-Test available for system boards that are compatible with the IBM ROM BIOS. It works even in circumstances when the Service Diagnostics diskette cannot be loaded.

NEW: 386 diagnostics for hybrids and PS/2s!

For over nine years, major manufacturers have been relying on SuperSoft's diagnostics software to help them and their customers repair microcomputers. End users have been relying on SuperSoft's Diagnostics II for the most thorough hardware error isolation available. Now versions of Service Diagnostics are available to save everyone (including every serious repair technician) time, money, and headaches in fixing their computers, even non-IBM equipment.

All CPUs & Numeric Co-processors System Expansion & Extended Memory Floppy, Fixed & Non-standard Disk Drives Standard & Non-standard Printers System Board: DMA, Timers, Interrupt, Real-time Clock & CMOS config. RAM

All Color Graphics & Monochrome Monitors Parallel & Serial Ports

Mono, CGA, Hercules & EGA Adapters

RAM All Keyboards & the 8042 Controller

Join the ranks of XEROX, NCR, CDC, SONY, PRIME, ... who have bundled SuperSoft's diagnostics with their microcomputers at no risk because of our 30 day money back guarantee.

	1
Service Diagnostics for PC, PC/XT, and compatibles only \$169	
Alignment Diskette for PC, PC/XT and compatibles (48 tpi drives) \$ 50	
Wrap-around Plug for PC, PC/XT and compatibles (parallel and serial) \$ 30	
Service Diagnostics for AT and compatibles only\$169	
Alignment Diskette for AT and compatibles (96 tpi drives) \$ 50	
Wrap-around Plug for AT (serial)\$ 15	
ROM POST for PC, PC/XT and compatibles only \$245	
ROM POST for AT and compatibles only \$245	
Service Diagnostics: The KIT (includes all of the above-save \$502).\$495	
Service Diagnostics for 386 or V2, V30, or Harris, etc. (please specify)\$195	
Diagnostics II is the solution to the service problems of users of all	
CP/M-80, CP/M-86 and MS-DOS computers\$125	
ROM POST for PS/2 and compatibles only \$245	
Alignment Diskette for PS/2 and compatibles (3.5 inch)\$ 50	

To order, call 800-678-3600 or 408-745-0234 FAX 408-745-0231, or write SuperSoft.



FIRST IN SOFTWARE TECHNOLOGY P.O. Box 611328, San Jose, CA 95161-1328 (408) 745-0234 Telex 270365

SUPERSOFT is a registered trademark of SuperSoft, Inc.; CDC of Control Data Corp.; IBM PC, AT & XT of International Business Machines Corp.; MS-DOS of MicroSoft Corp.; NEC of NEC Information Systems, Inc., PRIME of PRIME INC.; Sony of Sony Corp. package, it comes with both textual and mathematical descriptions of the signal-processing algorithms that it uses. AcqKnowledge works with all models of the Macintosh from the 512KE up. **Price:** \$495. **Contact:** Biopac Systems, 5960 Mandarin Dr., Suite D5, Goleta, CA 93117, (805) 967-6615.

Inquiry 1116.

Interactive Neural Network Simulation

D esire/Neunet is an integrated environment that simulates neural networks. It includes a screen editor, compiler, and debugger and lets you combine up to 16,380 neurons and 16,380 interconnections.

The run-time compiler generates processor-specific 80287 or 80387 machine code for matrix computations and differential equations. You can simulate network paradigms, such as back propagation, counterpropagation, bidirectional associative memories, competitive learning, and adaptive resonance. The program also offers six integration rules and handles multirun experiments, complex frequency-response plots, fast Fourier transforms, and matrices.

Desire/Neunet runs on the IBM AT with 500K bytes of RAM, an 80287 or 80387 math coprocessor, and an EGA or VGA card. **Price:** \$695. **Contact:** Korn Industrial Consultants, 6801 Opatas St., Tucson, AZ 85715, (602) 298-7054. **Inquiry 1112.**

Math and a Whole Lot More

F ormula/One, a math program that features presentation graphics, now supports dBASE II, III, and III Plus databases, and Lotus 1-2-3 and Excel spreadsheets. It is also compatible with CGA, EGA, VGA, MCGA, and Hercules graphics cards.

According to Ocean Isle Software, Formula/One 2.0 solves up to 250 simultaneous equations and processes arrays of up to 8000 entries. It fits linear and nonlinear curves to your data and performs advanced multivariable linear-regression analysis for up to 10 independent variables.

You can input your equations with values for all known variables, and the program will solve for all unknown variables no matter where they appear in the equation. It also has 73 built-in functions, including common trigonometry, logarithms, and general math functions, and a set of business math functions.

You can also create an application display in which you can create a fill-in-theblanks-type screen for an inexperienced user to fill in with any known values. The program will then fill in the rest.

The program also supports a mouse and features pulldown menus.

Formula/One 2.0 runs on the IBM PC, XT, AT, and PS/2s with DOS 2.1 or higher and 385K bytes of RAM. It also supports math coprocessors. **Price:** \$295. **Contact:** Ocean Isle Software, Ocean Isle Square, Building 3, Ocean Isle Beach, NC 28459, (800) 882-8664. **Inquiry 1113.**



REGIONAL

What's New

METRO NEW YORK • NEW ENGLAND

Optical Storage Field Study on the Eastern Seaboard

othchild Consultants is n sponsoring a study mission that will give participants an opportunity to visit organizations that use optical disk systems and applications. The tour, which will include demonstrations and interactive discussions, begins in New York on October 20 and ends in Washington, D.C., on October 27.

The field study will follow a tutorial workshop and conference on optical storage for large systems, which is being held in New York City's Grand Hyatt Hotel on October 17-19. Price: Study mission only,

\$5495; conference only, \$995; conference, tutorial, and mission, \$6125. Contact: Rothchild Consultants, 256 Laguna Honda Blvd., San Francisco, CA 94116, (415) 681-3700.

Technology Conference and Seminar Nanobytes

he Baltimore Computer Conference and Exposition, organized by the Maryland Association of Certified Public Accountants and National Trade Productions, is expected to become an annual event. It will be held at the **Baltimore Convention Center** on December 13-14. One of the five session tracks will focus on digital image/optical disk technologies and applications. Price: Conference: one day, \$35; both days, \$50; exposition is free. Contact: National Trade Productions, Inc., 313 South Patrick St., Alexandria, VA 22314, (800) 638-8510 or (703) 683-8500; Maryland Association of CPAs, 1300 York Rd., Suite 10, P.O. Box 484, Lutherville, MD 21093, (301) 296-6250.

he Northeast Computer Conference and Expo, formerly the Northeast Computer Faire, will take place at the Bayside Exposition Center in Boston on October 12-14. Price: Three days, \$15; one day, \$9. Contact: The Interface Group, Inc., 300 First Ave.,

Needham, MA 02194, (617) 449-6600.

learpoint Research will 🥒 hold a two-day symposium called Policy and Parity: U.S.-Japan High Technology Trade Policy. The symposium will take place on October 12-14 at the World Trade Center in Boston. Clearpoint says the symposium will be an open forum for both countries to discuss trade policy issues. Price: \$400; students, \$150. Contact: Clearpoint Research Corp., 99 South St., Hopkinton, MA 01748, (508) 435-2000.

essaging '89, the con-IVI ference for integrated messaging applications, systems, and services, will be

............

□ Write n' Tell~ Analyzes handwriting to reveal person-ailty traits. For business testing or fun with family, friends. Devel-oped by certified graphologist. Easy to answer questions yield multi-page report on personality, drives, intellect, emotions. Ana-lyze signatures or text. Detailed manual & handwriting samples provide guidance for accurate use. IBM/Apple II \$49.95

continued

.................. Exclusive Software

High Quality Software! Great Prices! Zephyr Originals, NOT Public Domain Pick the Ones You Want:

□ Financer Plus ~ 16 most needed financial calculations. Menu selectable for: amortization schedule, present values, future values, simple & compound interest, installment loan, & much more. Output to screen or printer. G.W.,Montana IBM & compat. \$24.95

□ Astroinfo"High accuracy data for the Sun, Moon and all planets. Most results accurate to seconds of arc. Select any date from 999BC to 4000AD and any latitude and longitude. Provides position in sky, brightness, rise/set times, & much more. Do searches for conjunctions of objects, distances, and locations in the sky. Generates location tables to screen, printer or ASCII files on disk for later use. IBM & compat. \$49.95

□ Form Machine- Easily create, print and save forms for later use. Ideal for message forms, expense reports, invoices, personal data records, etc. Just design what you need on screen and then you are ready to print and use. Include text with regular or condensed print, add boxes, lines, drawings. Create the forms you need as you want them! IBM & compat. \$29.95

MortgageMaster Analyze mortgage terms for a variety of situations. Specify and printout mortgage tables. Use irregular payments or additional payments. Make yearly, monthly, quarterly, weekly, biweekly, etc. payments, Generate tables of rate or term variations. Do 4 factor analysis of interest, length, amount and rate for missing value. IBM & Compat. \$39.95

Spanishmeiter, Barner Leam the Spanish language with your computer. Developed by language experts to contain the 2000 most essential words and phrases to know basic Spanish. Includes introduction to grammar and syntax. With graphics you get to play a game as reward for your progress (graphics not required to run program). FrenchHelper also available. Each \$29.95

□ AlgeTutor. Teaches you algebra and how to apply it. Starts from the easiest level to more advanced topics. Includes example problems with solutions. Learn as you review concepts and then apply them. Ideal for student or as refresher course. Use at your own pace to master this valuable part of math. IBM \$29.95

□ **TimeChecker** Now you can always have high accuracy time on your PC or for other needs. TimeChecker automatically calls, logs on and sets your PC system time using the US government standard time service. Also displays correct time and date for all 25 world time zones. You can also access other data related to time and astronomy. IBM, 1200b modem \$39.95

□ **TideMaster** Calculates and prints tide tables and graphs for any U.S. coastal state for any day in 1989 or 1990. Includes all US government tide locations. "If you sail, fish, go to beach, TideMaster is a must Excellent." PC Magazine. Specify for which state. IBM & compat. \$39,95 per US state

.................

□ ArtPacks Generate 10 types of computer art to provide hours of entertainment for you or your kids. Supports CGA, EGA or VGA color monitors for complex & brightly colored creations. Fractals, Moire patterns, Roses from polar equations, Serendipitous circles, Spirographs, I and 2 dimensional "life" patterns, Wallpa-per art, Sterpinski curves. Picture generation from names or text. Give your computer a real graphics workout! IBM. \$29.95

□ StatCalC Key statistical functions for student or experi-enced user. Includes Correlation & Regression, Normal, T, Pois-son, Binomial, Chi-square, distributions, data handling for sorts, mean, standard deviation, range, median. Save data to disk. Manual on statistics and program use with examples. IBM,Apple II \$39.95

□ SuperCat- Professional level cataloging for up to 5,000 books per directory with hard disk or 1000 per floppy (300 for Apple). Multiple subjects & authors, call # (uic, publisher etc. for 13 lield types.Print 3x5 index cards & reports in various formats. Sort & retrieve data by any field. Fast and easy to use. IBM & Compat., Apple II \$\$\$49.95\$

□ MyDraftsman[∞] Create detailed drawings on screen and print in variable scale on dot-matrix or laser printers. Use circles, lines, boxes, arcs in a variety of widths and styles. Add text in different fonts and sizes. Use multiple layers for complex drawings. Create objects to save/ use later. Works with or without a mouse. Ideal for design work, illustrations, architecture or crea-tive fun! Supports printers and plotters. IBM CGA/EGA \$39.95

□ GraphMaster~ Create bar, line, pie, scatter and text charts or graphs, box, circle & line drawing; correlation & regres-sion analysis & curve fitting; scatter plots, Translate data into meaningful graphic pictures, on screen or printed out, in minutes. Use at pixel level and produce drawings and illustrations or just enter a set of data and have GraphMaster create the chart you need. Plot any math function. Save graphs & revise later. IBM \$39.95

□ Label Works Create and maintain mailing lists. Print labels 1, 2, 3, or 4 across. Get reference listings printed in 9 different formats. Easy to use fill-in form on screen to add, revise, or delete names. Also print general labels as tags, labels, etc. IBM & Compat., Apple II \$\$29.95\$

□ SunTimes~ Generates monthly or yearly sunrise and sunset tables for any year and for any location on Earth. Get output to screen or printer. Also calculates the times of twilight(civil, nautical and astronomical) the maximum altitude of the sun and the hours of sunshine for each day. Accurate, easy to use. IBM. \$29.95

Do you have a professional quality original program? We may want to publish it. Write for our programmer's guidelines. Please do NOT send any software.

........



9-9 MON - SAT Orders Only For Info or in PA Call 412-422-6600

By phone or mail. Check, M.O., credit card(#&expir.). Add \$3 shipping(\$5 overseas). PA add 6%. Give computer type. Add \$1/ prog. for 3.5"IBM. Join tens of thousands of satisfied customers in 50 states & 86 countries. Fast shipment!



........

...............

There are two ways to build PCs Theirs OR Ours

On the left are your typical PC/AT motherboards. On the right is Advanced Digital's SBC-386SX, a versatile, modular PC-on-a-board.

Conventional computer systems, (on the left), placed some of their electronics on the motherboard and required additional plug-in cards such as; memory boards, video graphic boards, serial/parallel boards, etc.

Now we have designed all of those functions onto a single board. This design provides the ability to upgrade your system, enhances serviceability by reducing costly repairs, and when the next generation of CPU chips are announced, you can offer your customers an upgrade with a

new plug-in CPU board.

So, if you want to build the most powerful, versatile and modular system possible, give us a call.



ADVANCED DIGITAL CORPORATION

In the U.S.: Advanced Digital Corporation 5432 Production Drive, Huntington Beach, CA 92649 (714) 891-4004 In Europe: Advanced Digital (U.K.) Ltd.

21 Newman Street London W1P3HB United Kingdom • (01) 323-1120

IBM and PC/AT are registered trademarks of International Business Machine



The Choice is Yours.

Circle 521 on Reader Service Card (DEALERS: 522)

REGIONAL

WHAT'S NEW

METRO NEW YORK • NEW ENGLAND

held on November 6–8 at the New York Hilton and Towers in New York City. **Price:** Full conference, \$795; exhibits only, no charge. **Contact:** Messaging '89, Information Publishing Corp., P.O. Box 42375, Houston, TX 77242, (800) 777-4442 or (713) 974-6637.

nfo '89, the conference for MIS and DP professionals, will be held at the Jacob K. Javits Convention Center in New York City on October 10-13.

Price: \$20.

Contact: Cahners Exposition Group, 999 Summer St., Stamford, CT 06902, (203) 964-0000.

B inghamton, New York, will be the site of the 1989 IEEE Frontiers in Education conference, to be held on October 14–17. This year's theme is "New Directions in Engineering Education." **Price:** \$140. **Contact:** Dr. Richard S. Culver, General Chairman, Watson School, State University of New York, Binghamton, NY 13901, (607) 777-2872.

The 1989 Workshop on Applications of Signal Processing to Audio and Acoustics will be held in New Paltz, New York. According to its organizers, topics will include signal processing relating to music, VLSI, wide-band audio, and speech signal processing. The conference, which will be held on October 15–18, was timed to coincide with the fall foliage. **Price: \$75**. Contact: Stephen G. Rayment, Bell Northern Research, Box 3511, Station C, Ottawa, Ontario, Canada K1Y 4H7, (613) 763-4537.

The magazine that covers the Tandy Color Computer, *Rainbow*, is sponsoring Rainbowfest at the Hilton in Somerset, New Jersey, on October 20–22. Tutorials and exhibitions are for the Color Computer only.

Price: Three days, \$9; one day, \$7.

Contact: *Rainbow*, The Falsoft Building, 9509 U.S. Hwy. 42, P.O. Box 385, Prospect, KY 40059, (502) 228-4492.

The Philadelphia Civic Center will be the site for the fifth annual Scientific Computing and Automation Conference and Exposition on October 11–13. The show is dedicated to computing and automated technology. **Price:** Three days, \$95. **Contact:** SCACE '89, Don Weise, 301 Gibraltar Dr., P.O. Box 650, Morris Plains, NJ 07950, (201) 292-5100.

conference on computer security for the government and the private sector will be held at the Baltimore Convention Center on October 10-13. The Twelfth Computer Security Conference will focus on systems application guidance, security education and training, and more. Price: \$175. Contact: Irene Gilbert, A254 Technology Building, National Institute of Standards and Technology, Gaithersburg, MD 20899, (301)

975-3360.

DON'T BYTE AT THE WRONG PRICE

If you're in the market for a solution, give us a call today and we'll show you why, byte for byte, our prices can't be beat.



Above systems include: 2S/1P, 1.2 MB floppy disk drive, 40 MB/28 MS HDD, W D 1006 combined controller, 14" mono, mono card, DOS 3.3

Quick Delivery

Guarantee

- Quality Products
- Service and Support
- On-site Service Available30-Day Satisfaction



3 Dundee Park, Andover, MA 01810

386-20 • "LAN Server" • 4 MB (exp. to 16 MB) \$2799.95

Order line: **800-448-1461** In Mass.: **508-470-0086**

CompFax Puts Efficiency at Your Fingertips

ال ال المراد ا مراد المراد المرا لمراد المراد المرم المر المراد المراد المراد المراد المراد المراد المراد المرا re you planning to add a FAX machine to your office?

Then you already know the advantages . . . increased efficiency, better productivity, lightning-fast communications with cross-town or cross-country customers and suppliers.

Now, consider the benefits of buying your unit from CompFax:

- the most competitive prices
- a full line of FAX machines to fit individual needs
 expert technical service and support
 - fast delivery
 - flexible credit terms
 - service contracts
 - price protection warranty

CompFax puts it all at your fingertips!

Sharp FO-220

Incorporates many networking feature of higher-priced models, such as confidential transmission and relay broadcast request. \$799.99/List: \$1595.00 Blow out price!

Sharp FO-300

Incorporates high end features like rapid transmission, confidential reception. Increased half-tone transmission abilities. **\$1049.00**/ List \$1995.00

Sharp FO-330

Features an automatic cutter, 10-page automatic feeder, timer transmission and polling, halftone and auto-contrast controls. **\$1149.00**/ List \$1795.00



Customer Support Line and Orders Dealer inquiries welcome

1-800-243-7775 Call Today!

Illinois 312-394-3334 FAX 312-394-5235

Circle 528 on Reader Service Card (DEALERS: 529)



5253 Chicago Ave. S. Minneapolis, MN 55417

Eniov true, lush colors for only \$479.00 plus shipping! Call us!

Terms: Mastercard, Visa, COD. 15 day moneyback guarantee. 1 Year Warranty. 512k upgrade: add \$99. Trademarks appearing in this ad are trademarks of their respective companies.

delivery.





MAGAZINE September 13, 1988 "Ahead of the Pack: The

Hottest 386s" "Built solidly, performs well... don't pass

it over when you shop for your next power PC..."

May 30, 1989

"PC Labs tested 104 computers from 58 companies"

"Hertz Computer... reliability and quality are its sales tools... the machines exemplify the company's commitment to engineering dependable systems... they are the ones to look at if your priorities are dependability and reliability..."

November 14, 1988

eight fastest 386 machines"

"The Hertz 386/25 is a rugged desktop computer... extra thought went into the design... it passed our software and hardware test suites with flying colors... good value... excellent performance... well-trained support staff."

May 1, 1989

"The InfoWorld test center benchmarks 18 of the fastest DOS systems in the market." "One of the best overall values."

Go Ahead, Compare!

Word for word, number for number, feature for feature... and you'll find out that a HERTZ 386/25 computer is the best buy. If you are not convinced yet, read what others say about us and notice who certifies our performance and compatability.

You will find NO MATCH!

THE HERTZ 386/25 SYSTEM: STANDARD FEATURES:

1 MB of 32-bit RAM Upgradable to 24 MB Page Mode Interleaved Memory

Intel 80386 8 Laver System Board

8 Industry Standard Expansion Slots Intel 80387 & WEITEK 3167 Sockets

220 - watt Power Supply 110/220 V.

1 Floppy Drive - User choice

2 Serial and 1 Parallel Port

2 Cooling Fans
 101 or 84-key Keyboard

Intel Fast 64 KB Cache Memory

Hertz Computer has been consistently delivering the best overall values in Micro-Computers for the past eight years!

Build a foundation for your company's future with a Hertz Computer.

It's a proven investment!

HERTZ M 386/25				NOGRAPHIC BOARD & MONO MONITOR			VGA 16-bit BOARD & 14" VGA MONITOR			
HARD	DISK		1MB RAM	2MB RAM	4MB RAM	1MB RAM	2MB RAM	4MB RAN		
40MB	MFM	28ms	\$ 4699	\$ 4969	\$ 5399	\$ 5299	\$ 5569	\$ 599		
72MB	MFM	28ms	\$ 4879	\$ 5149	\$ 5579	\$ 5479	\$ 5749	\$ 617		
160MB	ESDI	16ms	\$ 5599	\$ 5869	\$ 6299	\$ 6199	\$ 6469	\$ 689		
330MB	ESDI	17ms	\$ 6169	\$ 6439	\$ 6869	\$ 6769	\$ 7039	\$ 746		
660MB	ESDI	16ms	\$ 7399	\$ 7669	\$ 8099	\$ 7999	\$ 8269	\$ 869		

In NY, NJ & CT Call: 212-684-4141

Other areas Call: 1-800-BE-A-USER





All names and products are trademarks of their respective companies • All prices, terms, and technical specs are subject to change without notice.

Circle 545 on Reader Service Card

©1989 Hertz Computer Corporation OCTOBER 1989 • B Y T E 80NE-7

THE SOLUTION TO YOUR BUSINESS! Halskar Offers High Performance Personal Computers and Industrial Control Systems

386 COMPUTERS

80386/386SX/286/88 Desk-Top System	IS
High-performance 0-wait system board;	
Floppy disk drive & hard disk drive;	
Dual FDD/dual HDD controller card;	
101-key Keyboard, 200W power supply;	
Serial, Parallel & Game ports;	
Monitor & controller card are optional.	
Cache memory size = 64K (386 cache system only.)	



CONFIGURATION	16MHz	20MH	[z 2	5MHz	33MHz
80386 Cache System (M:1MB, F:1.2M, H:40M)	N/A	\$264	5 \$	3145	\$3490
80386 Basic System (M:1MB, F:1.2M, H:40M)	\$2095	\$229	5 \$	\$2670	\$2950
80386SX Basic System (M:1MB, F:1.2M, H:20M)	\$1565	N/A		N/A	N/A
CONFIGURATION	8MHz	10MHz	12MHz	16MHz	20MH
80286 NEAT System (M:1MB, F:1.2M, H:20M)	N/A	N/A	\$1345	\$1545	\$1695
80286 Basic System (M:1MB, F:1.2M, H:20M)	\$945	\$1095	\$1195	\$1395	N/A
80286 Basic System (M:640KB, F:1.2M, H:20M)	\$895	\$1045	\$1145	N/A	N/A
CONFIGURATION	4.77MH	Ηz	8MHz	1	0MHz
8088 Basic System (M:640KB, F:360K, H:20M)	\$695		\$725		\$765
8088 Starter System (M:256KB, F:360K, H:None)	\$345		\$365		\$385
Monitor Options					
CONFIGURATION		12" Mor	itor	14" +	Monitor
Mono Monitor w/MGP Card (Amber/White/Green)		\$129		\$1	150
Color Monitor w/CGP Card (RGB,640×240)		N/A		\$2	275

Mono Monitor w/MGP Card (Amber/White/Green)	\$129	\$150	
Color Monitor w/CGP Card (RGB,640 × 240)	N/A	\$275	
EGA Color Monitor (640×350) w/EGA Card	N/A	\$450	
Multisync EGA Monitor (640×480/800×600) w/EGA Card	N/A	\$635	
VGA Monitor (640 × 800/800 × 600) w/VGA Card	N/A	\$615	

8088 Based Multi-User Terminal (with Mono Monitor, 84 Kybrd & Srl/Prl ports)

CONFIGURATION	4.77MHz	8MHz	10MHz
8088 Basic Terminal (M:256KB, F:360K, H:None)	\$399	\$429	\$459
8088 Minimum Terminal (M:64KB, F:None, H:None)	\$249	\$269	\$289

We Supply a Complete Line of Components and Accessories for Personal Computers and Industrial Control Systems. We also Design, Repair & Service Personal Computers & Related **Products.**

Plasma And LCD Laptop Computers with FREE Modem

High-performance 0-wait system board; 3.5" floppy disk drive; Hard disk drive (28ms); Built-in keyboard & Numeric keypad; 110/220VAC power supply; Serial, Parallel, monitor & FDD ports; External or Internal Modem module; Expansion slots;



CONFIGURATION	MEM	MM SPC	FDD	HDD	BATTRY	DSP CMPL	PRICE
80286 12MHz VGA Plasma Laptop	1M	5M	1.44M	40M	None	MG/CG/VG	\$3795
80286 12MHz CCFT EGA LCD Laptop	1 M	4M	1.44M	40M	1.5 hr	MG/CG/EG	\$3195
80286 12MHz Plasma Laptop	640K	4.6M	1.44M	20M	None	MG/CG	\$2495
8088 10MHz LCD Laptop	1 M	1M	$2 \times 720 \text{K}$	None	8 hr	MG/CG	\$1045

HK-4080/5080 Portable Computer

High-perfomance 0-wait system board; Floppy disk drive & 20MB hard disk drive; Built-in display and keyboard; 110/220VAC power supply; Serial and parallel ports; Expansion slots;



CONFIGURATION	9" EGA	9" AMBR	PLASMA	HR-LCD	EG-LCD	VG-PLSM
80386 16MHz Prtbl (F:1.2M, M:1MB)	\$3275	\$2350	\$3125	\$2685	\$3025	\$3785
386SX 16MHz Prtbl (F:1.2M, M:1MB)	\$2975	\$2050	\$2825	\$2385	\$2725	\$3485
80286 12MHz Prtbl (F:1.2M, M:1MB)	\$2595	\$1675	\$2495	\$1920	\$2395	\$3090
8088 10MHZ Prtbl (F:360K, M:640KB)	\$2165	\$1275	\$2165	\$1495	\$2065	\$2795
Note: Gross Weight (lb)	. 42	38	26	23	23	26
Expansion slot		3	2	2	2	2
System Board Speed: 8, 10, 12, 16,	20, 25, 3	3MHz avail	able, pleas	e call.		

HK-7000 Industrial Control Terminal

(with System Board, Serial Port, Opt.	I/O, 12-bit	AD/DA brds)				
CONFIGURATION	DIG-IN	DIG-OUT	A-TO-D	D-TO-A	OPTION	PRICE
8088 Remote Control Termmi	32	8	8	3	None	\$1295
80286 Remote Control Termmi	32	8	8	3	None	\$1695

Reseller, Corporate, Government & School POs welcomed!! Quantity Discount available, please call for quotation. All prices and terms subject to change without notice.



Multi-User Controller Cards Н

HK-774P Eight-port intelligent SrL Adap for PCMOS\$545	
HK-774U Eight-port intelligent SrL Adap (UNIX/XENIX) \$695	
HK-775 Enhanced Ethernet Controller Card (8-bit)\$229	
HK-776 Enhanced Ethernet Controller Card (16-bit)\$324	
HK-778 3278/3279 Emulation Card\$279	

Monitors

Montors	
HK-338 Magicsync Hi-Res VGA Monitor (820×600)\$445	
HK-321 Relisys VGA Monitor (720×480)\$395	
HK-337 Magicsync Multisync EGA Monitor (820×600)\$485	
HK-322 Relisys Multisync EGA Monitor (800×560)\$485	
HK-324 NEC MultisyncIIA EGA Monitor, 800×560 (Analog)\$590	
HK-328 Voltron EGA Monitor, 640×350 (TTL)\$349	
HK-312 Casper RGB Monitor, 640×350 (TTL)\$239	
HK-336 Magicsync Portrait Mono Monitor (768×1024)\$345	
HK-314 BTC/Voltron 14" Mono Monitor (720×350)\$98	
HK-311 Caspar/Voltron 12" Amber Monitor (720 x 350)\$76	
HK-320 Center 12" Green Monitor (720×350)\$62	

Display Controller Adaptors

Display controller Adaptors
HK-120A VGA Controller Card (800×600, 16-bit)\$219
HK-120 VGA Controller Card (800×600, 8-bit)\$185
HK-119 Super EGA Controller Card (800×600)\$138
HK-118 Autoswitch EGA Controller Card (640×480)\$109
HK-116 Color Graph & Mono Graph Card w/PP \$59
HK-115 Color Graph Controller Card (640×200)\$42
HK-114 Color Graph Controller Card w/PP (640×200)\$46
HK-113 Full Page HR Mono Graphic Card (768×1024)\$325
HK-112 Monochrome Graphic Card w/PP (720×348)\$48

Printers

Panasonic 1191 Dot Mtrx Printr (9-pin, 110cps, 80clm)\$2	34
Panasonic 1124 Dot Mtrx Printr (24-pin, 120cps, 80clm)\$3	55
Panasonic 1524 Dot Mtrx Printr (24-pin, 120cps, 132clm)\$5	15
Panasonic 1592 Dot Mtrx Printr (9-pin, 180cps, 132clm)\$4	15
Panasonic KX-P4450 Laser Printer \$14	05
HP Laseriet Series-II Laser Printer\$16	95

Floppy Disk Drives

BRAND	1.44MB	1.2MB	720KB	360KB	
Fujitsu	\$93	\$83	\$85	\$69	
Teac	\$97	\$87	\$87	\$77	
Toshiba	\$92	\$85	\$83	\$73	
Chinon	\$89	\$79	\$80	\$68	

Hard Disk Drives & Tape Backup

BRAND-MODEL	SIZE	CAPACITY	ACS-TIME	PRICE	
Seagate-125	3.5"HH	20MB (MFM)	40/28	\$239/\$275	
Seagate-138	3.5"HH	30MB (MFM)	40/28	\$285/\$319	
Seagate-138R	3.5″HH	30MB (RLL)	40/28	\$255/\$289	
Seagate-225	5.3″HH	20MB (MFM)	65	\$219	
Seagate-238R	5.3″HH	30MB (RLL)	65	\$244	
Seagate-251-1	5.3″HH	40MB (MFM)	28	\$369	
Seagate-277R	5.3″HH	65MB (RLL)	40/28	\$429/\$519	
Seagate-4096	5.3″FH	80MB (MFM)	28	\$579	
Seagate-4144R	5.3″FH	121MB (RLL)	28	\$889	
Toshiba-MK134 FA	3.5″HH	42/64/81(M/R/C)	25	\$439	
Toshiba-MK72PC	5.3"HH	73MB (MFM)	28	\$599	
Toshiba-MK156 FA	5.3"FH	147MB(ESDI)	23	\$1279	
Mnscrb-3180E	5.3″FH	157MB(ESDI)	17	\$1345	
Mnscrb-9380E	5.3″FH	338MB(ESDI)	17	\$1950	
CMS-DJ10 Jumbo	5.3″HH	40/60MB Int	Tape Bkup	\$295	

FLP DSK & HRD DSK DRV Control Cards

MODEL	FUNCTION	BIT	PRICE
-			
HK-121	360KB FDDC	8	\$34
HK-122A	360K/720K/1.2M/1.44MB FDDC	8	\$54
HK-127	MFM HDDC (WD-GEN/DTC-5150X)	8	\$69
HK-128	RLL HDDC (WD-27X/DTC-5160X)	8	\$79
HK-129	Compreed HDDC (Perstor XT)	8	\$210
HK-227	MFM 3:1 H/FDDC (WA5/MM2)	16	\$86
HK-227A	MFM 3:1 H/FDDC (WA3-16MHz)	16	\$99
HK-227F	MFM 1:1 H/FDDC (DTC-7280/MM5)	16	\$142
HK-228	RLL 3:1 H/FDDC (DTC-5287)	16	\$139
HK-228F	RLL 1:1 H/FDDC (DTC-7287)	16	\$159
HK-229	Cmprs 1:1 H/FDDC (Perstor)	16	\$319
HK-229E	ESDI 1:1 H/FDDC (WDC)	16	\$209
HK-229\$	SCSI 1:1 H/FDDC (Seagate)	16	\$69

Accessories

MODEL	MODEL FUNCTION HK-484 External Drive Case w/Cable (1HH)	
HK-484		
HK-485	IK-485 Extrnl Drv Case w/60W Pwr Supl (2HH)	
HK-631	HK-631 300W Uninterruptable Power system	
HK-620	6 Outlets Power Pad (6 switches)	\$23
HK-850	Parallel Printer Cable (6ft/10ft)	\$8/\$10
HK-680	680 Keyboard Storage Drawer (metal)	
HK-7811/E	IK-7811/E 1200 BAUD Internal/External Modern	
HK-7821/E	2400 BAUD Internal/External Modem	\$98/\$108



45260 Industrial Drive, Fremont, CA 94538 Phone (415)490-4009 FAX (415)490-4069 80NE-8 BYTE • OCTOBER 1989

COSTS

Introducing Minta Computers. Maximum Systems. Minimum Cost.

Listen to the language of Minta - a complete line of powerful, reliable PCs for less. Minta means the maximum PC for the money.

Minta's unique, slim all-in-one design, its high speed performance, its excellent, professional service - Minta is the **only PC with a 2-year warranty** - all have made Minta a best seller in Europe and the Far East for years.

And then there's the price. If all PCs were equal, Minta would still cost less.

Ask your PC supplier about the computer people are talking about all over the world.

Because in any language, Minta means more - and costs less.

To find the Minta Distributor nearest you Call: 1-800-82-MINTA





*Powerful. Compatible. Reliable. 競爭性强

Edison, New Jersey • Taipei, Taiwan • Hamburg, West Germany

Circle 551 on Reader Service Card

REGIONAL

WHAT'S NEW

METRO NEW YORK • NEW ENGLAND

DOS Tree Program for \$50

T reeview is a hard disk file manager that displays your files in a tree-like structure. Advanced features of the program include the ability to display up to six directories or drives simultaneously, EGA 43-line/VGA 50-line mode support, and support for up to 30 definable function keys. The program works on the IBM PC with DOS 2.0 or higher and 256K bytes of RAM.

Price: \$50.

Contact: Magee Enterprises, Inc., P.O. Box 1587, Norcross, GA 30091, (404) 446-6611. Inquiry 1009.

Fast 3-D Gets Silicon

V ideo control and drawing (VCAD) chips, Vermont Microsystems claims, permit Unix-based PCs with X/Series graphics boards to produce three-dimensional wire-frame and solids renderings at workstation speeds.

With the Texas Instruments TMS34010 graphics engine, the X/Series graphics boards can produce 3-D images at 1280- by 1024pixel resolutions.

The base configuration board produces 400,000 2-D 10-pixel vectors per second, 70,000 characters per second, and 11 million pixels per second scrolling. It contains up to 1 megabyte of RAM and is available in 16 or 256 colors. It's also field-upgradable with modules, or you can buy boards with the modules in-



A Treeview display, showing the contents of two directories and drive A in 43-line mode.

cluded in either 2-D or 3-D configurations.

The Math module, which includes an AT&T DSP32C math coprocessor for 32-bit floating-point calculations, gives the Cobra Station a performance of up to 25 MFLOPS. It can produce 195,000 3-D vectors per second.

The Z-buffer module replaces the painter's algorithm with hardware for hidden surface removal. With the Cobra Station, it is capable of producing 10,000 hidden, Gouraud-shaded triangles per second.

Boards that bundle the base configuration board with these modules are called the X/Series Math, X/Series Z, and X/Series Math Z. The top-of-the-line X/Series Math Z is capable of producing 384,000 vectors per second and 22,000 hidden, Gouraud-shaded triangles. Price: 16-color Cobra Station 2-D, \$2995; 256-color Cobra Station 2-D, \$3995; X/Series Math, \$5795; X/Series Z, \$7295, X/Series Math Z, \$8295. Contact: Vermont Microsys-

tems, Inc., 11 Tigan St., P.O. Box 236, Winooski, VT 05404, (802) 655-2860. Inquiry 1014.

Design Detention Ponds with the Mac

ydro Mac is a hydrographics program for civil and municipal engineers who need to design detention ponds using the rational method. With the program, you can design ponds of up to a square mile to accommodate water runoff.

Because the rational method is not suitable for the design of ponds larger than 640 acres, Hydro Mac is also available in a version that accommodates the Soil Conservation Service method, for larger projects.

Both programs work on the Mac Plus or higher with 1 megabyte of RAM, and they are compatible with MacWrite, MultiFinder, and the Imagewriter printer. **Price:** \$395; SCS version, \$800. **Contact:** Applications De-

sign Group, 60 East Hanover Ave., No. 6, P.O. Box 512, Morris Plains, NJ 07950, (201) 285-5160. Inquiry 1025.

Mac Program Helps Pediatricians with Telephone Triage

Triage, the process that doctors use to make decisions regarding the seriousness of an illness, is often performed by a pediatrician or staff member over the telephone. A program for the Macintosh called Pediatric Telephone Protocols (PTP) runs under HyperCard and lets a pediatric office do telephone triage efficiently while providing a way to document each incoming call and flag phone calls for follow-up.

When a parent calls in with a child's medical problem, the first screen lets you enter the patient's name, phone number, and other information. Then, if the parent suspects chicken pox or knows only the symptoms, you click on the Find card. An appropriate complaint card appears with a horizontal triage line. If the patient has any symptom above the line, it recommends immediate medical attention. If the symptoms are below the line, a list of recommended home treatments appears with symptoms that, should they occur, would require a callback.

You can flag each phone encounter for later follow-up, print it for inclusion in a chart record, or store it to disk. You can also use the program to calculate a recommended dosage strength by the child's weight.

PTP works on the Mac Plus or higher with Hyper-Card. The program was written by a pediatrician and is based on *Pediatric Telephone Advice* by Barton D. Schmitt. **Price:** \$199. **Contact:** Health Tek Medical Software, Inc., 9950 West 80th Ave., Suite 24, Arvada, CO 80005, (303) 420-7438. **Inquiry 1020.**

X-BANDIT

Break the 640K DOS barrier and utilize the Advanced Features of the LIM 4.0 standard while using only one motherboard slot!

"should be very useful for DOS users who are straining the limits of the 640K barrier" BYTEweek June 12, 1989

DESIGN PHILOSOPHY

• The Teletek X-Bandit was specifically designed to utilize the advanced features of the Lotus/Intel/Microsoft EMS 4.0 Specification. Further, the X-Bandit's Segmented Memory Mapping capability allows the user to extend DOS size beyond the 640K barrier. It is available in both 8 and 16 bit versions for use in the IBM XT, AT, and compatibles.

MEMORY

• Segmented Memory Mapping allows the user to fill out unused memory segments between 640K and 1024K. By "claiming" unused portions of memory in 16K increments, the user effectively increases TPA size. LAN or custom software modules, for example, can be loaded into these high memory areas thus relieving the lower 640K of TPA for other application programs.

• Split Memory Addressing allows the user to fill out conventional memory to 640K.

• Extended Memory Addressing is available for the PC/AT version.

- 2 MB capacity in a single slot. Up to 8 MB per system.
- · Parity checking.

SOFTWARE

- · Easy menu-driven auto configuration software.
- Device driver includes print spooler and RAM drive.
- Supports multitasking with the appropriate shell-resident software package.

SPEED

• 6/8/10 MHz speed with 0 wait states. 12 MHz speed with 1 wait state.

WARRANTY

- One year parts and labor.
- Now includes SYSTEM SLEUTH™ from DTG, Inc. A \$149.00 value.



4600 Pell Drive Sacramento, CA 95838 (916) 920-4600 Fax (916) 927-7684

Circle 565 on Reader Service Card (DEALERS: 566)

HY-TEC	S	omputer Hardware, Inc. oftware Systems, Inc. West Blvd.,#14 Boardman, OH 44512		
Printers				
PANASONIC KXP-4450 11PPM 300 DPI 11 FONTS QUME	\$1398.00	IDEAL SCANNER CAD/DESKTOP\$10375.00 CADIMAGE FOR SCANNER\$ 980.00		
CRYSTAL PRINT II 6PPM 512RAM 6 FONTS CRYSTAL PRINT PUB 6PPM 3MB RAM 35 FONTS	\$1690.00 \$3580.00	EXTRA SOFTWARE CALL PANASONIC		
SCRIPTEN 10PPM 3MB RAM 35 FONTS NEC		FXRS505 SCANNER\$1080.00 FXRS506 SCANNER\$1355.00		
LC-860 8PPM 1.3MB 4 FONTS LC-890 8PPM 3MB 35 FONTS FUJITSU POSTSCRIPT LASER 2MB	\$3830.00	HP SCANJET 9190A\$1275.00 SCANJET INTERFACE KIT\$434.00		
POSTSCRIPT LASER 4MB		PACKARD BELL		
C O	PB1000 28	12/8 Mhz 1MB RAM 1.2 FDD \$1175.00 6 12/8 Mhz 2MB RAM 1.2 FDD \$1640.00 1MB RAM 20/8 Mhz 1.2 FDDER \$2950.00 ACER \$2950.00		
M P	1100-16 38	5 12/8 Mhz 1.2 FDD 512KB RAM		
U T	MODEL 3	0 286 10Mhz 1MB RAM 1.2 FDD		
E		MITSUBISHI \$1499.00		
S	BASIC 386	\$1999.00 \$\$2597.OO \$3399.00		
MONITERM VIKING 2 19" WHITE 1280x960 W/CONTROLLER VIKING GS 19" GRAY SCALE MACII W/CONTROLLER	\$2650.00			
VIKING 2 21" COLOR 1024x768 W/CONTROLLER VIKING 2400 24" MONOCHROME W/CONTROLLEJ NEC	\$3575.00			
DM2000P 20" DATASMART MONITOR DM2600P 26" DATASMART MONITOR DM3000P 30" DATASMART MONITOR	\$3090.00			
DM5200A 52" MULTI SYNC REAR DATA PROJECTION	\$9200.00	0		
PANASONIC PANASYNC C1391 14" MULTI FREQ COLOR MONITOR	\$568.00	R S		
RELISYS RE5154 EGA/CGA RE9513 VGA PS/2				
RE9513 VGA PS/2 RE5155 MULTI SCAN ANALOG RE1475 MAC COLOR 640x480	\$529.00	TO CHANGE WITHOUT NOTICE 15%		
RM9503 PS/2 WHITE ANALOG RE1520 SUPER MULTISCAN RM1541 GRAYSCALE	\$182.85 \$833.75	MAKE CHECKS PAYABLE TO HY-TEC COMPUTER HARDWARE., INC 7087 WEST		
To Order Call 1 (800) UR• HY• TEC				
1(800) 874-9832 Local (216) 726-5967				

.

Circle 567 on Reader Service Card (DEALERS: 568)

Save Time & Money Network Your PCs Using Standard Telephone Connectors and Cables!

That's right the NET-127 PC Network board, telephone cable and standard RJ11 jacks are all you need to be up and running. NET-127 gives you all the power you'd expect from a high-quality low-end network, without the hassle and expense of traditional network cabling.

- Allows Sharing of Hard Disks, Printers, Plotters, Tape Back-ups, etc.
- Supports Spreadsheets, Word Processing, CAD/CAM & More
- Connect Up to 127 Stations Without Additional Accessories
- Easy-to-use Multitasking O/S on Each Machine
- Throughput Speed of 10,000 Bytes/Second
- Low Memory Requirement 4 to 32K
- 30 Day Money-Back Guarantee
- No File Server Required

We take pride in our customer service.

TRANS-M CORP. 28 Blacksmith Drive Medfield, MA 02052 508-359-5144

Improve Data Acquisition, Communication and Control by 1000 Times or More!

HPB RS-485 SDLC communication interface, for PC/XT/AT/80386

- · Save time and money using twisted pair wiring scheme
- Cut development costs and time by at least 50%
- Cut programming development effort by 50%
- · Easily connects up to 255 controllers/stations/file servers
- · No complex data switches
- · Real time multiuser access
- 99% CPU time available for processing controls *



Buffered messages (512 byte / message) • 250K bps data transfer rate • RS-485 interface with SDLC protocol
Handles up to 255 station IDs • 255 drivers, 255 receivers on the network • 8K memory buffer
Ethernet-like network OS with CSMA/CD/CA • Programming interface supports Assembly, C, Pascal, Basic
4000 ft. bus length with 2 wire twisted pair • Communication software source code available

* Host CPU interrupts 1000 times less on a three station network; more efficient on larger network.

For Free Information CALL NOW 508-359-5144



We take pride in our customer service.

TRANS-M CORP.

28 Blacksmith Drive Medfield, MA 02052

REGIONAL

WHAT'S NEW

METRO NEW YORK • NEW ENGLAND

A Scaled-Down Office System for Your Travels

icroDirect's data management system features the Bondwell B300, an 80286-based 10-MHz laptop with 1 megabyte of RAM, a 10¹/₂-inch backlit LCD, a 20megabyte hard disk drive, a 1.44-megabyte 3¹/₂-inch floppy disk drive, and a Hayes-compatible 300- or 1200-bps modem. Plug in the RJ-11 connector, and you're ready to travel. A carrying case encloses the 4- by 14- by 12-inch, 15-pound unit (including battery).

The Bondwell BFAX100 quadruples as a fax, a scanner. a copier, and a printer. It's a standard Group 3 (9600-bps) fax machine coupled with a 203-lpi by 98-lpi, 16-step halftone gray-scale scanner. Like most fax machines, it will also copy the 81/2-inch-wide page on thermal paper, and its parallel port links it to the laptop for printing on the same thermal paper. The BFAX100 weighs 11 pounds. Dr. Halo III graphics software is included. Price: \$4500. Contact: MicroDirect, Inc., 2010 Revere Beach Pkwy.,

P.O. Box 835, Everett, MA 02149, (800) 872-4286 or (617) 387-2200. **Inquiry 1011.**

Animate to the Beat with PageSync

M indware International's PageSync for the Amiga allows external MIDI events and computer animation to control each other. With the program, you can use a MIDI instrument to advance, stop, or reverse a computer animation. If you own a MIDI drum machine, you can use it to advance the animation by



MicroDirect's laptop system includes a fax, a scanner, a copier, and a printer.

one frame per drumbeat, keeping the animation in time with the music.

PageSync can also do the opposite function, letting an animation running on an Amiga play the MIDI instrument.

PageSync runs on the Amiga 500, 1000, and 2500 with at least 1 megabyte of RAM.

Price: \$100. Contact: Mindware International, 110 Dunlop St. W, P.O. Box 22158, Barrie, Ontario, Canada L4M 5R3, (705) 737-5998. Inquiry 1016.

Run a Bulk Mailing Operation with a Mac

M acEnvelope Plus is a program that lets you manage your mailing lists and print postal bar codes on an envelope or label, entitling you to postage rate reductions in a bulk mailing.

The program can handle up to 100,000 names in a list. You can sort the names alphabetically, by last name first, and by ZIP code. You can also eliminate duplicate names and create merge files. You can flag names and add comments to them. The program has a routine for importing lists from programs like FileMaker, Word, 4th Dimension, Overview, Works, and Excel.

MacEnvelope Plus works on the Mac Plus or higher. **Price:** \$295. **Contact:** Synex, 692 10th St., Brooklyn, NY 11215, (800) 447-9639 or (718) 499-6293. **Inguiry 1024.**

80386 System Includes Its Own UPS

hen you're introducing an 80386 system into an already-crowded market, one way to distance yourself from the pack is to include an uninterruptible power supply (UPS) and other devices normally considered optional: a 90-megabyte SCSI hard disk drive with a SCSI adapter, an 80-megabyte streaming tape drive, a 16-bit VGA controller, a 1024- by 768-pixel monochrome monitor, a mouse, and a surge protector with four outlets for external peripherals. The Echo386 base system includes MS-DOS 3.3, DESQview, and PC Tools.

By incorporating a battery into the system's power supply, Pan Overseas says that it was able to provide uninterruptibility at low cost. The system also comes with a small (4K-byte) TSR software package that will automatically back up the system onto a hard disk. If the power fails or if you turn the system off, the software saves an "image" of the system—including all running applications and TSR software—onto the hard disk. The next time you turn the system on, you have a choice of resetting the system or returning it to the same state it was in when the power was turned off.

Price: \$4395.

Contact: Pan Overseas Computer, 44 Route 46, Pine Brook, NJ 07058, (201) 808-1900. Inquiry 1012.

SkiSoft Word Processor Features Large Text

ye Relief is a full-function word processor that lets you enlarge your text by as much as 300 percent.

The display text can range from the normal 80 columns by 25 rows up to 33 columns by 7 rows. Magnification is user-selectable in four modes. You can change the space between lines and the space between letters without creating jagged-edge letters. And you can make the cursor blink at any desired rate—or not at all, a feature important for epileptics because blinking lights often cause seizures.

The editor features flexible formatting for indentation and layouts, and it stores files in ASCII. You can define up to 46 macros, each tied to the Alt key. Eye Relief requires 512K bytes of RAM and MS-DOS, and it is compatible with Hercules, CGA, EGA, and VGA graphics. **Price:** \$295.

Contact: SkiSoft Publishing Corp., 1644 Massachusetts Ave., Suite 79, Lexington, MA 02173, (800) 456-8465 or (617) 863-1876. Inquiry 1017.
How does FOUNTAIN 386SX compare with a true 386?

	128K NOP Loop	DO- Nothing Loop	Integer Add Loop	Integer Multiply Loop	String Sort and Move	Prime Number Sieve	802086 Instruction Set
FOUNTAIN-386SX	2.09	1.97	0.88	0.61	1.20	1.76	4.07
COMPAQ-386/16	2.09	1.86	0.99	0.60	1.37	1.87	4.23

PC Magazine Benchmark Tests (Time in Seconds)





FOUNTAIN TECHNOLOGIES INC. 12K World's Fair Drive Somerset NJ 08873 (201) 563-4800

	INDEPENDENT STORE IN	NYC DEDICATED
	D IBM® PC SOFTWARE ANI STORE HOURS: 9:00 A.M{	
	SATURDA Terms, Col	YS: 10:00 A.M4:00 P.M. nditions and Prices May Differ In Our Store.
	C LINK CORP. 29 WEST 38TH STREET. 2	
CALL TOLL FREE 1-800-221-0	IBM is a Registered Trademark of IBM Corp. FOR OI	W YORK CALL 1-212-730-8036
MICROSOFT. Bus or Serial MOUSE	onth's SpecialsOctober 1st through 31 RFECT CORP. 239.00 Free Lance Plus	st WALLSOFT. UI Programmer 2
BUSINESS SOFTWARE	SPIN FONTS	VIDEO 7. VEGA DELUXE
dBASE IV (In Store Only) CALL MULTIMATE ADVANTAGE II CALL BLOCK PUBLISHING FORMTOOL	XEROX. VENTURA VERSION 2.0 CALL XEROX. VENTURA Professional Extension CALL	NETWORKING INVISIBLE. NETWORK 200 209.00 SERVER TECHNOLOGY
FORMFILLER	UTILITIES	EASYLAN STARTER KIT FOR 2 PC'S 179.00 EASYLAN EXPANSION KIT FOR 1 PC'S 79.00
PARADOX V 2.0	D FUNK SOFT SIDEWAYS 3.2 59.00	COMPUTERS PC LINK 386 Model 1, 16MHz, 1Mb 32 Bit RAM,
TURBO C 2.0 119.00 TURBO PASCAL 5.0 119.00	NORTON. UTILITIES V 4.5 59.00 NORTON. UTILITIES ADVANCED 4.5 99.00	One 1.2MB Drive, One serial/parallel port 101 keyboard 1895.00
CLARION SOFT. CLARION Personal CALL CLARION SOFT. CLARION Personal 129.00 CLARION SOFT. CLARION Professional 595.00	D MICE D LOGITECH. HIREZ MOUSE (Bus Version) 75.00	386 Model 11. 16MHz, 1Mb 32 Bit RAM, One 1.2MB Drive, 40MB 28Ms Hard Disk, One serial/parallel port 101 Keyboard 2395.00
CLEAR SOFT. CLEAR+	D LOGITECH, C7 PUBLISHERS MOUSE 89.00 MICROSOFT, SERIAL OR BUS MOUSE 105.00	**386 Model 111. 16MHz, 1MB 32 Bit RAM, One 1.2MB Drive, 40MB 28Ms Hard Disk,
CROSSTALK COMMUNICATIONS CROSSTALK MK.4 CROSSTALK XVI 3.6 FORMWORX FORMWORX With Fill & File 119.00	I NEWLETT-PACKARD LASERJET 11D CALL	One serial/parallel ports Vega VGA adapter, NEC Multisynch 2A monitor, 101 Keyboard
I FOX SOFTWARE	I TOSHIBA P351SX	386-20 Model 1. 20MHz, 1Mb 32 Bit RAM, One 1.2MB Drive,One serial/parallel port
FOX BASE PLUS V 2.1		101 keyboard 2295.00 386-20 Model 11. 20MHz, 1Mb 32 Bit RAM,
KORTEK. FREEWAY ADVANCED 99.00	0 (A,C,D,E,G,H,) ea 109.00 (B,F,J,K,L,M,N,P,Q,T,U,V,W,X,Y) ea 199.00	One 1.2MB Drive, 40MB 28Ms Hard Disk, One serial/parallel port 101 Keyboard 2895.00
LOTUS 1-2-3 (SOLD IN OUR STORE) 379.00 AGENDA (SOLD IN OUR STORE) 295.00 MERIDIAN. CARBON COPY PLUS 139.00	1MB/2MB/4MB MEMORY BOARDS CALL	*386-20 Model 111. 20MHz, 1MB 32 Bit RAM, One 1.2MB Drive, 40MB 28Ms Hard Disk,
MICRO PRO WORDSTAR PROFESSIONAL REL.5.5 209.00 MICROSOFT	HP Laserjet series 11, 3Mb Ram, 35 Outline	One serial/parallel ports Vega VGA adapter, NEC Multisynch 2A monitor, 101 Keyboard. FCC CLASS B APPROVED. 3895.00
C COMPILER	Bitstrearm Fonts, with its RISC architecture, prints 30 times faster than conventional 0 Postscript printer,,,,,	* "you've got the equivalent of a sixtles
EXCEL	0 MONITORS 0 AMDEK. 1280 MONITOR	- Winn Rosch, PC Magazine November 29, 1988
QUICK C	D Elite Business. Design VIEW/19 (1280X1024) 1495.00 PGS. MAX-12 (MONO MONITOR)	** "The components are good enough to make you forget about the 1-year parts-and-labor warranty."
WORKS	SONY, CPD-1304	- Edward Mendelson, PC Magazine May 30th, 1989 Reprinted from PC Magazine copyright ©1988, ©1989
OWL INT. GUIDE 2.0	MODEMS	Ziff Davis Communications Company Powerfull PC LINK 386 33MHz at affordable Price.
APL*PLUS V 7.0		386-33 Model 115. 33MHz computer, 4Mb Ram, One 1.2Mb Drive, 159Mb 16Ms ESDI Hard Disk 64Kb Ram Cache, One serial/parallel ports
I SOFTWARE PUBLISHING		16 bit VGA adapter, 101 Keyboard, DOS.* 5995.00 FCC CLASS A APPROVED All PC LINK computers carry
Harvard Total Project Manager 111	MUSIC QUEST MUSIC QUEST 99.00 MIDI Co-Processor Card 99.00	ONE YEAR Parts & Labor WARRANTY, MICROSOFT MS-DOS 3.3*
WALLSOFT THE UI PROGRAMMER V.2 399.00 WORDPERFECT CORP	TWELVE TONE SYSTEMS	"When purchased with any PC LINK Computer. STORE SPECIAL
WORDPERFECT V 5.0	CakeWalk 2.0 Sequencer 89.00	**At the time you purchase any PC LINK 386 Model 111, you can buy Hewlet-Packard Laserjet Series II
QUICK SILVER DIAMOND	MICROPOLIS. 1558-15 338MD 18M8 ESUI drive CALL	with toner for only
DESK TOP PUBLISHING & FONTS ALDUS, PAGE MAKER (Sold in Store only). CALL BITSTREAM FONTWARE	A I SEAGATE, ST 251-1 40MB FUB AT	no exeptions. TOSHIBA
BRIGHTBILL-ROBERTS SHOW PARTNER	SYSGEN. BRIDGE FILE	T1000 512KB ONE 3 1/2" DRIVE 4.77MHz CALL T1200HB 1MB 20MB HD, ONE 3 1/2" DRIVE CALL
DIGITAL. GEM DRAW PLUS	64K 150NS RAM CHIPS CALL	T1600 12MHz 1mb RAM One 3.5", 20mb HD CALL T5100 2MB RAM ONE 3 1/2", 40MB HD CALL HAUPPAUGE COMPUTER WORKS.
LOTUS DEV. FREE LANCE+(Sold in Store) 359.00 MICROGRAFX. DRAW PLUS	HERCULES, MONO GRAPHICS PLUS 199.00 INTEL, ABOVE BOARD PS/286 512K 459.00	Upgrade your IBM/PC or IBM/XT with HCW Replacement Motherboard, 16MHz, 1Mb RAM, Zero Wait State

TERMS AND CONDITIONS We reserve the right to repair, replace or return to manufacturer for repair, all goods acknowledged faulty or damaged on receipt by customer. Customer Must Call For Return Authorization Number Before Returning Any Goods. Prompt attention will be given to all damaged and faulty returned goods. Any goods returned for credit are subject to 20% restocking charge, plus shipping charge. No Returns For Credit On Any Software. Customer must deal directly with the manufacturer if the customer finds any false claims made by the manufacturer. All goods are shipped VIA U.P.S. ONLY. Shipping charges are 2% of the total purchase price or \$3.00, whichever is greater. Please call for shipping charges on Printers & Accessories. C.O.D. goods are shipped for Cash or Cashier's Check Only. Max \$1500.00. Please allow 7 to 10 working days for personal or corporate checks to clear. To expedite shipping send money order or cashier's check, or charge to your VISA OR MASTERCARD. WE DO NOT Add a Service Charge For Credit Card Usage. PRICES SUBJECT TO CHANGE WITHOUT NOTICE. NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.



Integrated CD-ROM Packages,

Available from Online Products Corporation

A subsidiary of Online Computer Systems, Inc.

Online Products Corporation offers several unique hardware and software packages with some of the most popular CD-ROMs.

Grolier's New Electronic Encyclopedia[®], Microsoft's[®] Bookshelf, Programmer's Library, StatPac, and Small Business Consultant are all available in one fully integrated hardware and software package for the IBM[®] PC, PC/AT[®], PC/XTTM, PC compatible, or IBM PS/2[®]. Macintosh versions of some products will be available soon.

In addition, Online has developed OPTI-NET[®], a software product which allows CD-ROM applications to run on NETBIOSTM compatible LANS including: IBM Token Ring[®], IBM PC Net, 3Com[®], Novell[®], and Ungermann-Bass[®].

	STAND ALONE	PACKAGES*
Grolier's New Electronic Encyclopedia	\$ 395	\$1195
Microsoft's Bookshelf	\$ 295	\$ 995
Microsoft's Programmer's Library	\$ 395	\$1095
Microsoft's StatPac	\$ 125	\$ 895
Microsoft's Small Business Consultant	\$ 149	\$ 895
OPTI-NET Networking 1-8 users	\$ 795	**
OPTI-NET Networking 9-100 users	\$1495	**

Educational Price Listing

*IBM PS/2 Micro Channel[™] Controller Card Add \$100. **Call for networked package pricing options.

Other Databases are available. Please call for further information.



Online Products Corporation

20251 Century Boulevard Germantown, MD 20874

- Networked systems are available.
- Educational prices available to authorized educational institution affiliates. Verification of affiliation may be required.
- All package prices include shipping and handling.
- Overnight delivery is extra.
- Prices subject to change without notice.

Ordering Information

To order, call our toll-free number from 9:00 to 5:00 Eastern Time Monday through Friday.

- Visa, MasterCard, and American Express accepted.
- Maryland state residents please add 5% sales tax.

For Immediate Delivery Call Online Products Corporation 1-800-922-9204

In Maryland call (301) 428-3700 FAX (301) 428-2903 TELEX 374-6439



Online Products Corporation is a wholly-owned subsidiary of Online Computer Systems, Inc.

© Copyright 1989. Online Computer Systems, Inc. All rights reserved.

OPTI-NET is a registered trademark of Online Computer Systems, Inc. Microsoft is a registered trademark of Microsoft Corporation. IBM Personal System/PS/2 and Token Ring are registered trademarks of the International Business Machines Corporation. 3Com is a registered trademark of 3Com Corporation. Novell is a registered trademark of Novell, Inc. Electronic Encyclopedia is a registered trademark of Grolier Electronic Publishing. Macintosh is a registered trademark of Apple Computer, Inc.

REGIONAL

WHAT'S NEW

METRO NEW YORK • NEW ENGLAND

Image Processing to Go

R icoh's Portable Digital Information System gives you image-capture, processing, printing, and faxing capabilities in a briefcase-size package.

The MC50 copier/digitizer is the heart of the system. Within this 12- by 6- by 2inch self-contained unit is a nickel-cadmium battery, the printing mechanism, and the paper supply. When you digitize an image with the flatbedtype scanner, you make a copy that's 3% by 6½ inches.

You're not limited to thermal paper with the MC50, as with many portable peripherals. In fact, you can also use transparent sheets and plain paper. The MC50's scanning head incorporates a 798-pixel image sensor and produces images with a 200-dpi density and 200-lpi horizontal and vertical resolution.

For scanning into your system, you can buy the 5- by 5by 1-inch IM-A image controller/scanner module with an RS-232C interface. (It's compatible with XTs, ATs, and Macs.) Its buffer memory is large enough to store a 3⁷/₈- by 6¹/₂-inch page, and you can enlarge and reduce the size.

A second peripheral is the IM-F50 fax interface, with Group 3 compatibility and a V.27-compatibile (4800-bps, half-duplex) modem. Horizontal and vertical resolution is 200 dpi. It measures 6 by 6 by 2 inches. **Price:** MC50, \$540; IM-A, \$510; IM-F50, \$540. **Contact:** Ricoh Consumer Products Group, 155 Passaic Ave., Fairfield, NJ 07006, (800) 255-5550, ext. 176.

Inquiry 1010.

The MC50 copier/digitizer can scan images at 26 inches per minute.

Music Notation on the Mac Gets Slimmed Down

C oda Music Software developed MusicProse for musicians who need a musicnotation program but don't need all the functions of Finale, the company's high-end program for professional musicians. Like Finale, Music-Prose is based on ENIGMA, Coda's proprietary operating system. MusicProse lets you transcribe music into notation via MIDI in real-time mode.

Two other input modes include simple entry, a step-time mode that uses a keyboard and a mouse, and speedy entry, which uses the computer keyboard and a MIDI instrument.

You can use the program to write MIDI files for use in a sequencing program, analyze block chords for accurate chord symbol labeling, automatically align lyrics to note heads, and quickly change key, meter, and clef.

MusicProse works on a Mac Plus with 1 megabyte of RAM and a hard disk drive. The program supports all Imagewriter printers, Coda reports. Price: \$249. Contact: Coda Music Software, 1401 East 79th St., Bloomington, MN 55425, (612) 854-1288. Inquiry 1015.

XyWrite III Plus for the NEC UltraLite

X yWrite III Plus is now available on a ROM card that works on the UltraLite, NEC's diminutive laptop computer. The XyWrite ROM card will include all the essential program files, spelling dictionaries, printer files, A La Carte menus, and a keyboard configuration file for the UltraLite.

Other printer files and supplemental files for customizing XyWrite come on two 3½-inch disks. You can load those files into RAM from floppy disks or the UltraLite's hard disk drive. The ROM card, which is about the size of a credit card, also has a file that helps you prepare documents for transmission through the UltraLite's 2400-bps modem. **Price:** \$445. Contact: XyQuest, Inc., 44 Manning Rd., Billerica, MA 01821, (508) 671-0888; NEC Home Electronics (U.S.A.), Inc., 1255 Michael Dr., Wood Dale, IL 60191, (312) 860-9500. Inquiry 1019.

Client-Tracking Software Works with WordPerfect

C ontact Plus 2.1, a clienttracking program, has an interface to WordPerfect 4.2 and 5.0 that lets you generate form letters with one keystroke. You can enter as many contacts as your system's memory will allow, and if you don't have WordPerfect, you can use the program's own word processor.

Contact Plus 2.1 can dial a client's phone number automatically. Once you're connected, you can record the elapsed time spent on the call, whether you reached the person you were calling, what you discussed, and when to call back. If you need to pop out of the program and access another application, Contact Plus will continue to monitor the call's length.

The program can store the last 30 phone calls and 15 letters for a client; if you need to store more, an audit log records every phone call and letter. You can enter 15 reminders for each contact to remind you of important dates.

Contact Plus 2.1 runs on the IBM PC with 512K bytes of RAM and DOS 2.1 or higher. The company reports that it is working on a Novellcompatible version and an expense module. **Price:** \$195. **Contact:** E. Trujillo Soft-

Contact: E. Trujilo Software, P.O. Box 3992, Albuquerque, NM 87190, (800) 628-2828, ext. 581, or (505) 881-3223. Inquiry 1022.

IF YOU ARE LOOKING FOR QUALITY, **RELIABILITY, AND SERVICE**



LOOK NO FURTHER!!! WE ARE **PC-PLUS TECHNOLOGIES, INC.**

All Brands of Software available . . . call for PRICES! PC-PLUS AT 286-12

PC-PLUS XT Base System

4.77/12 MHZ Motherboard
"Phoenix Blos
*8 Expansion Slots
*150 Watt Power Supply
*640K of Memory
*360K Floppy Drive
*12" Monochrome Monitor
*Monographics Card
*Parallel-Serial-Game Ports
*Clock Calendar
*84 Key Keyboard
*MS DOS 4.01 & GWBasic
*O Veer Mermanh

\$699

XT Mono 20MB Hard Drive ... 30MB Hard Drive ... 40MB Hard Drive ... 60MB Hard Drive ... \$989 \$1019 \$1129 \$1219

XT CGA Color System \$859 with:

XT EGA Color System

\$1099 with

							\$1399 \$1419
							\$1549
							\$1629

TOLL-FREE TECHNICAL SUPPORT MONEY-BACK SATISFACTION **GUARANTEE**

6/12 MHZ Motherboard

\$999

286/12 Mono

\$1599 with 20MB Hard Drive

60MB Hard Drive 80MB Hard Drive

200/B Hard Drive
 200/B Hard Drive
 30/B Hard Drive
 40/MB Hard Drive
 60/MB Hard Drive
 30/MB Hard Drive
 30/MB Hard Drive

286-12 EGA Color System

\$1419 with:

*20MB Hard Drive\$1729 *30MB Hard Drive\$1749 *40MB Hard Drive\$1899 *60MB Hard Drive\$1949 *80MB Hard Drive\$2169

286-12 VGA Color System

*6/12 MHZ Motherboard *Phoenix Bios *B Expansion Slots *Landmark 15.9 MHZ *220W Power Supply *640K of Memory *12MB 5.26° or A 1.44MB 3.5° Floppy Drive *12" Monochrome Monitor *12MB 5.26° or A 1.44MB 3.5° Floppy Drive *12" Monochrome Monitor *12MB 1.26 School & GWB 3.5° *14 Monographics Card *Parallel-2 Serial-Game Ports *101 Key Keyboard *MS DOS 4.01 & GWBasic *2 Year Warranty

PC-PLUS 386-20

6/20 MHZ Motherboard *6/20 MHZ Motherboard *Phoenix Bios *B Expansion Slots *Landmark 26.7 MHZ *220W Power Supply *1024 of Memory (Exp. to 8MB) *1226 Monochrome Monitor *127 Monochrome Monitor *Monographics Card *Parallet-2 Serial-Game Ports *101 Key Keyboard *MS DOS 4.01 & GWBasic *2 Year Warranty

\$1769

\$1319

.\$1339 .\$1499

.\$1919 .\$1939 .\$2069 .\$2139 .\$2340

386/	20	Mo	n	9						
"20MB										
*30MB										
*40MB I										
*60MB										
*60MB	Hard	Drive			• •	-			 	\$2519

386-20 EGA Color System

\$2109 with:

*20MB +	lard	Drive												\$2419
*30MB +	lard	Drive						 						\$2439
'40MB H	lard	Drive		÷				 . ,			,	÷		\$2599
*60MB H	lard	Drive			÷	•	•	÷	4	4			•	 \$2649
*80MB	lard	Drive						 	.,					\$2849

386-20 VGA Color System

\$2299 with

"20MB	Hard	Drive												\$2609
"30MB	Hard	Drive		ļ									į	\$2629
*40MB	Hard	Drive .												\$2789
*60MB	Hard	Drive		1				Ļ		Ç,	Ļ			\$2829
*80MB	Hard	Drive			ŝ,	1	į,			Ì.				\$3049

200/	20	1110	ļ	10	,								
*20MB	Hard	Drive	i						L				\$2989
*30MB	Hard	Drive				÷							\$3009
*40MB	Hard	Drive			.,							÷	\$3169
*60MB	Hard	Drive	,				j.			•			\$3219
*80MB	Hard	Drive										J.	\$3429

386-25 EGA Color System

\$3139 with:

*20MB *30MB	Hard	Drive	 	 	\$35	19
*40MB *60MB *80MB	Hard	Drive	 	 	\$37	19

386-25 VGA Color System

\$3399 with

*20MB	Hard	Drive									.\$3749
*30MB	Hard	Drive			 	4				 	\$3789 \$3929
*80MB	Hard	Drive			 			÷		 	\$3979
*80MB	Hard	Drive		• •			•	•	• •	 	.\$4189

2 YEAR LIMITED WARRANTY QUALITY AND *RELIABILITY*

TWO-YEAR WARRANTY

PC-PLUS TECHNOLOGIES CALL TOLL FREE 1-800-422-4947 Loft Plaza E 65 Southbridge Street E Auburn, MA 01501 PHONE: (508) 831-9826 FAX: (508) 799-9941

PAYMENT TERMS:

We accept MasterCard, VISA, Am Ex., Discover, Certified Checks, Money Orders, Per-sonal Checks (allow 7-10 days for processing). We also accept Corporate, Equivalent, Governmental P.O.s. "Massachusetts residents add 5% sales tax. "Prices subject to change without notice."

Circle 561 on Reader Service Card (DEALERS: 562)

EXPAND YOUR NET WORTH ... AFFORDABLY **BEST PRICES – GREAT VALUESI**

NETWORKS



\$895 Advanced 2.15 \$1695 SET2 15 Call LATTISNET[®]

\$495

UTP Transceiver 505 UTP Thin Net Adapter 2600-01 \$499 UTP Concentrator 2500-01 \$2099 Dept Concentrator 1010-01 \$1539 Other Lattisnet products Cal **ARCNET SMC®** Arcnet 1/2 card PC-120 16 bit Arcnet w/NP PC-500NFS \$155 \$499 8 port active Hub AH-01 \$429 Other Arcnet products Call SCOM[®] Etherlink II 3C503 \$299 Etherlink MCA 3C523 \$499 3S400 Server 3C1200G \$8,999 Other 3COM products Call TOKEN RING. PROTEON® Pronet 10 Adapter P1300 \$399 Pronet 4 Adapter P1340 \$559 Active Hub P2400 14/18/12 \$210/\$560/\$834 Other Token Ring products Call BANYAN[®] \$4180

Vines 386 software DTS 253 Server 3MB/144MB \$9450 CNS 54B Server NS 54B Server 8MB/320MB \$26,995 CALL FOR COMPLETE NETWORK SOLUTIONS

HARD DRIVES

\$995



182MB 5 1/4"	16.5ms 40,000 M	TBF \$1245
228MB 51/4"	18ms 40,000 MT	BF \$1595
383MB 51/4 "	14.5ms 40,000 M	TBF \$1985
385MB 51/4 "	10.7ms 40,000 J	TBF \$2295
627MB 51/4 "	16ms 40,000 MT	BF \$2989
766MB 51/4 *	14ms 40,000 MT	BF \$3195
1.2GB 8" drives		Call
F	RIAM®	
ID330 330MB	20ms	\$2399
ID130 132MB	Internal AT	\$1599
1D60 60MB1	nternal AT	\$649
	nternal AT	\$549
MIN	ISCRIB	E®
MS 3650/3053		
MS 6085/3085		\$525/\$575
MS3180	150MB	\$1125
MS 9380E	330MB	\$1995
TC	SHIBA	Ð
MK 134 FA		
SEAC	ATE SO	SI®
ST 157N	31/2" 43MB S	
ST 277N		
ST 296N	51/4" SCSI HI	1 \$559
PS/2 [®] I	IARD D	RIVES
EDI 106/182 M	CA	\$1395/\$1695
EDI 383/637 M	CA	\$3595/\$3795

VISA

AMERICAN EXPRESS



EDI 386/33/25* Time is money. Don't let your computer slow you down. These systems are designed to work as stand alone or as Novell/3 Com LAN servers.

Parts and labor warranty is in-cluded! Assembeled in the USA Landmark: 54Mhz

64K cache mernory ō

- 80386 33Mhz CPU Socket for 80387-20
- ā 1MB exp to 10MB
- n Tower case w/ turbo light switch
- a HD/FD 1:1 cont
- Mono monitor MGA card
- 85MB Hi performance HD ã 1.2MB floppy
- 0 101 kybd (BTC or Maxiswitch) OS/2, Unix, Xenix, Novell comp

Same configuration available with desk top case

\$3249*

APPLE MAC[®]/SCSI HIGH PERFORMANCE DRIVES

EDI 62MB \$799 EDI 1280MB Int/ext 1280 nl/eti \$6899/\$6999 EDI 680MB Int/ext 680 iti/eti \$4789/\$4789 EDI 627MB In/vext 627 iti/eti \$3489/\$3989 EDI 383MB Intrext 383 mileti \$2349/\$2899 EDI 182MB Int/ext 182 ti/eti \$1699/\$1949 EDI 106MB Int/ext 106 it/eti \$999/\$1199

SALES (714) 530-8677

TECH SUPPORT (714) 530-8697

EDI 386/20°/16 The fastest Intel 80286 based

computer available. It rivals an 80386 in speed in certain applications. Ready for Novci[®], 3 Com[®] and all other LANs or stand alone use. As-sembled in USA. Landmark: 31 Mhz

- 20 Mhz 80386 0 wait state m ā

 - 64K cache 80387 support
- 40MB 25ms HD
- ā Enhanced keyboard
- ā D HiRes Mone monitor/card
- ā
- Π Serial/parallel ports ō 1.2MB FD (supports 1.44MB,
- 720K, 360K) OS/2, Unix, Xenix & Novell com-
- m patible

\$2699*

1EDI 286/20/16*/12

Designed to replace your old PC systems. Works well as a work station or as a server in small LAN's Landmark: 20.8Mhz

- 20 Mhz 80286 0 wait DRAM 1MB RAM exp to 16MB
- ā 80287 support
- 40MB 40ms HD
- Enhanced keyboard Turbo tower case w light & reset
- HiRes Mono monitor/card
- 1:1 interleave HD/FD controller Serial/parallel ports
- 1.2MB FD (supports 1.44MB,
- 720K, 360K) a OS/2, Unix, Xenix & Novell com patible

\$1989*

EGA, VGA, color, High Capacity Hard Drives and other configurations available Pre-installed Networks are our specialty All systems have a parts & labor warranty Call us today.

DRIVES FOR LAPTOP COMPUTERS EDI 40MB for lantops \$629

EDi 100MB for laptops Call EDI 200MB for laptops Call Call us for difficult drive solutions 286 AT MOTHER BOARDS 286/12 Mhz \$189

286/8Mhz \$139

ARC 5240 40MB Internal \$389 40MB Int/ext for PS/2 \$249/\$389 135MB Int for Compag \$1199 **EMERALD[®]** VAST 2.2GB Backup AT or MCA \$5995 150MB Int/ext cart \$2059/\$2399 MAYNARD[®] 60MB Int/ext XT/AT cass \$789/\$999 150MB Int/ext XT/AT carl \$1299/\$1499 60MB Int/ext PS/2 cass \$959/\$1099 2.2GByte \$5499 CAD/GRAPHICS DIGITIZERS/TABLETS Genius tablet GT1212A \$315 Genius tablet w/stylus \$379 Calcomp 23120 12x12 \$589 Kurta 15-1 12x17 \$621 IS-3 24x24 \$2389 IS-3 30x36 \$3289 IS-3 36x48 \$3689 IS-3 12x60 \$4489 PLOTTERS **HEWLETT PACKARD®** HP 7440A \$989 HP 7457A \$1405 HP 7550A \$3099 HP 75704 \$3175 HP 7575DXL \$4029 HP 7576EXL \$5239 HP 7576A Draftmaster \$8349 HP 7596A Draftmaste \$9915 **ROLAND DG[®]** DXY-865 Desitop plotter. 8 pen AB size \$601 DXY-1100 \$909 DXY-1300 \$1749 GRX-300 A-D Drafting plotter \$3539 GRX-400 A-E Drafting plotter \$4991 DPX-2000 A-C Flatbed plotter, 8 pens \$2191 DPX-3300 A-D Flatbed, 8 pen, ???? \$3441 HOUSTON **INSTRUMENTS®** DMP 29/40 \$1691/\$891 DMP 52/52MP \$2471/\$2791 Others Call **CALCOMP®** 1023 Artisan pen plotter \$3781 1025 Artisan pen plotter \$5347 1042GT w/plot mgr \$7491 1044GT w/plot mg \$10,241 MICE Genius Dyna Moiuse GM 6000 \$59 Logitech Hi res serial \$99 Others Call SCANNERS Genius hand annei

TAPE DRIVES **ARCHIVE®**



SHIPPING INFORMATION (714) 530-8697 FAX (714) 530-0815

An international Data Systems Company IDS Inc.

12800 Garden Grove Blvd., Bldg. E., Garden Grove, CA 92643 TERMS: Prices subject to change without notice. All prices reflect 3% cash discount. We accept Visa, Master Card & American Express. Most products carry manufacturers warranties through EDI. Computers warrantied for 1 year parts & labor.

n 1MB RAM exp to 16MB n a Turbo tower case w light & reset





WE BEAT ANY PRICE . 1 YEAR PARTS AND LABOR WARRANTY

ATC 386-25 \$2050

- Intel 80386 Microprocessor
- 25 MHZ M/Board 20 MHZ CPU
- 4Mb Installed
- · 80387 socket on board
- 1.2 High Density Drive
- W.D. Hard/Floppy Controller
- 230 Watt Power Supply
- · Vertical case w/reset button and LED light
- Digital CPU Speed Reading
- Hi-Res TTL Monitor
- · Monochrome (Herc.) Graphic Card
- 101 Enhanced Keyboard

W/64K CACHE 25MHZ CPU \$2,560.00

\$799 IBM AT-286 Compatible

ATC 286-12

- 6/12 MHZ CPU 0 Wait State
- Phoenix Bios
- 512k memory on Board
- 1.2 High Density Drive
- W.D. Hard/Floppy Controller
- 200 Watt Power Supply
- AT 3 Opening Case w/reset
- buttons Clock and calendar on board
- 101 Enhance Keyboard
- Mono Card
- Parallel Printer Port
- Hi Res TTL Monitor
- FCC Class B Approved

ATC TURBO-10 \$459

- IBM XT Compatible
- 4.77 / 10 MHZ CPU
- Intel 8088
- Phoenix Bios
- 640K on board (1024K expandable)
- 360k Floppy Drive
- 165 Watt Power Supply
- AT Style Case w/Led Power &Turbo Light, Reset & Turbo button
- Monochrome Card
- Parallel Printer Port
- Hi Res TTL Monitor
- AT Style 84k Key Board
- FCC Class B Approved

HYUNDAI SUPER-16E \$699

- Turbo-10Mhz (8088-1)
- · 640K on board
- 360K Floppy Drive
- Serial/Parallel
- · Clock Calendar w/batt. b/up.
- Multi video (MDA/MGA/CGA)
- Hi-Res TTL Monitor
- 101 Enhance keyboard
- MSDOS 3.3 w/GW Basic
- · Key Works and Electric Desk Software
- 18 Months nation-wide warranty

Comdex Fall '89 See us in Hotel Riviera Booth #8019





PLATINUM VGA-16

- 1024 × 768
- 256K on board
- 512K espandable
- 100% Software/Hardware compatible

A-TRONIC COMPUTER

Industrial Office: 15703 East Valley Blvd. City Of Industry, Ca. 91744

Order Hot Line: (818) 333-0193

Fax No. (818) 961-4337

L.A. Branch: 7150 Beverly Blvd. Los Angeles, Ca 90036

Tele: (213) 930-2823

Fax: (213) 930-2826 Circle 525 on Reader Service Card

\$189

• UPGRADE •

- · Color Monitor w/Graphic Card
- · EGA Monitor w/EGA Card
- VGA Monitor w/VGA Card
- Multisync Monitor w/Hi-res. Card

8:00 - 6:00 (West Coast)

11:00 - 9:00 (East Coast)

HARD DISK Seagate St-225 w/Cont. \$160

8

 Seagate St-238 w/Cont. 	2/9
 Seagate St-251 	339
 Seagate St-251-1 	389
 Seagate St-277R 	389
 Seagate St-4096 	579
 Seagate St-125 	235
 Seagate St-138 	279
 Seagate St-4144R 	650
Miniscribe 3085	\$559
Miniscribe 3650	305

Products

\$259

1350

ORDER BY MAIL: Check and Money Order, California add 6.5% Sales Tax ORDER BY PHONE: COD & Cashier Check's

TERMS: All prices are subject to changes and quantities may be limited and we reserve the Right to Substitute Equivalent Items. Unauthorized Returns are subject to 15% Restocking Fee. Call for RMA Numbers for Returns and Repairs. Returning items must be sent shipping prepaid by customer. 1 year parts and labor.

\$350

\$410

\$530

Micropolis w/Controller

(150 MB)



Mon-Fri

Mon-Fri

Ú HR



TIMIE

in.

ŧŊ

1

CHT=CHT-1

CHTER

610 S. Sherman suite 104, Richardson, Tx 75081 (214)669-2137

sand CHE (checksus)

ignore.

------ Daytron Electronics, Inc.

NACE .

ACX

It isn't just another Fable TurboFlow is serious flowcharting

TurboFlow is serious flowcharting software at a price that won't cost you your kingdom. It's easy to use and more powerful than Merlin's magic.

TurboFlow runs on an IBM PC, features a complete set of ANSI symbols, is menu driven, interfaces with desktop publishing software, and supports a variety of printers and plotters.

So stop living in the dark ages. Call 1-800-882-5822 and order your copy, or ask for our free brochure.

TurboFlow & Logitech Mouse \$89

TurboFlow **\$69**

Legendary Software from:



1 ELECTRONICS **Radio Shack** Products WHOLESALE PRICES TO EVERYONE VM-5 MONO MONITOR 109.00 DMP 300 PRINTER 640K MOD 1000 TX . . 439.00 CM-5 COLOR MONITOR. 209.00 DMP 2102 PRINTER719.00 CM-11 COLOR MONITOR. 299.00 LP 1000 PRINTER 1759.00 1MG MOD 4000 SX. 1799.00 DWP 520 PRINTER VGM 300 429.00 429.00 EGM-1 COLOR MONITOR 489.00 20MG 1400 HD..... 1875.00

*** PRICES SUBJECT TO CHANGE WITHOUT NOTICE**

20% TO 60% OFF CATALOG PRICES..STANDARD WARRANTY 100% RADIO SHACK COMPONENTS UPS DELIVERY VISA..MASTERCARD..AMERICAN EXPRESS..FRIENDLY SERVICE IMMEDIATE SHIPMENTS REQUIRE CASHIER'S CHECK OR MONEY ORDER

(817) 825-4027

NOCONA ELECTRONICS • BOX 593 NOCONA, • TX 76255

Local Area Network Cookbook

* 30 Day Money Back Guarantee on hardware, no questions asked (sorry, but no refunds on software)

- * All systems support PC-DOS/MS-DOS, OS/2, UNIX, XENIX, AutoCAD, Novell, Windows 286/386 (as appropriate), LIM/EMS 4.0, and other IBM PC/AT /Compaq 386 applications. Fully IBM PC/AT compatible.
- * MC/Visa accepted (no surcharge), as are personal checks (take approx. 2 weeks), COD cashier's check
- * Assistance from experienced technicians who use the hardware and software (e.g., this ad was composed in-house)
- * 72 hour burn-in on all systems * 1 year parts and service warranty
- * Authorized Novell Dealer
- * 45 page user manual included * Ergonomic cases with front panel power, reset, turbo switches * High performance Ethernet hardware, Novell/Lantastic software



286 Model 112

Beginner's computer system or entry level small business workstation.

- * 286 CPU, 6/12.5 MHz, 80287 coprocessor socket
- * Award BIOS
- * 640KB memory (expandable to 4 MB on the motherboard)
- * small footprint case 14" W x 7''H x 16''D with power, reset, and burbo switches up front, 3 half-height and 1 3-1/2" externally accessible devices
- * 5-1/4" 1.2MB floppy drive * Western Digital chip controller card supports up to 2 floppy and 2 hard drives
- * 20 MB, 65 ms or fast 38 ms access time, MFM ST506/ 412 hard drive
- * 12" amber monochrome, 14" EGA (16/64 color) monitor, or 14" VGA (256/256,000 color) monitor
- * IBM monochrome display/ monochrome Hercules graphics (720x348 pixels), EGA color (640x350 pixels) card, or VGA color (640x480 pixels) card
- * 2 serial, 1 game, 1 parallel ports
- * Six 16-Bit, Two 8-Bit slots, bus speed 8 MHz
- * Real time clock with 10year life battery
- * 200 watt power supply
- * 101 key keyboard

VGA \$1,599

*Ratings: Landmark, 12.5, Norton SI, 12.3

		*Rating
		Norto
20MB 65 m	ns 38 ms	66MB 2
Mono \$1,099	\$1,149	Mono
EGA \$1,549	\$1,599	EGA



386 Model 420

Corporate engineering workstation, or medium business/ corporate departmental file server

- * 386 CPU, 20 MHz, 80387 or Weitek 1167 or 3167 socket
- * Phoenix BIOS
- *4 MB memory, 32-Bit wide memory bus up to 16 Mbytes
- * tower case 8"W x 25"H x 18"D with power, reset, and turbo switches up front, 3 half-height externally accessible, 1 full-height and 1 3-1/2" internal devices
- * 5-1/4" 1.2 MB floppy drive * Western Digital chip con-
- troller card supports up to 2 floppy and 2 hard drives
- * 66 MB 22 ms RLL 1:1 interleave ST506/412, or 142 MB 22 ms MFM ESDL hard drive
- * 12" amber monochrome, 14" EGA (16/64 color), or 14" VGA (256/256,000 color) monitor
- *IBM monochrome display/ Hercules monochrome graphics (720x348 pixels), EGA color (640x350 pixels), or VGA color (640x480 pixels) card
- * 2 serial, 1 parallel, 1 game ports
- * Five 16-Bit, Two 8-Bit slots
- * Real time clock
- 200 watt power supply
- 101 key keyboard
- **MS-DOS 4.01**
- * Logitech HiRez Bus Mouse gs: Landmark, 25.5, n SI, 23.0

\$3,199

\$3,999

22ms 142MB 22 ms \$3,449 \$2,649 \$3,899 \$3.099

LANsystem 8142 8 simultaneous logged in user

maximum. Novell ELS II based network system. Base system includes 1 central file server (can be used as a workstation in an emergency), 1 manager workstation, and 1 user workstation

FILE SERVER

- * 386 Model 420 Mono with 142 MB 22 ms hard drive but without mouse or MS-DOS 4.01
- * 16 bit Ethernet network interface card
- Terminator/T connector
- * Preinstalled Novell ELS II network operating system with user access rights, online system manager tutorial, login menus
- * Network Boot floppy
- * MS-DOS 3.3

MANAGER WORKSTA-TION

- * 286 Model 112 EGA with 20MB 38 ms hard drive
- * 8 bit Ethernet Network interface card
- * 40 ft. cable
- * Terminator/T connector
- * 40MB tape backup unit
- Network Boot floppy

USER WORKSTATION

- * 286 Model 112 Mono except without hard drive and hard drive controller
- * 8 bit network interface card
- * T connector
- * 40 ft. cable
 - * Network Boot floppy

LAN8142 as above \$8.514 Addl User Workstation \$1,130 Addl Mgr Workstation (without tape unit) \$1,835

LANsystem 220

120 simultaneous logged in user maximum Lantastic based network system. Base system includes 2 workstationsdistributed file servers. Upgradable

- MANAGER WORKSTA-TION
- 20MB, 38 ms hard drive
- face card
- * Terminator/T connector
- * Network Boot floppy
- * MS DOS 3.3
- * Preinstalled Lantastic network operating system with user access rights, login menus

USER WORKSTATION

- * 286 Model 112 Mono with 20 MB 38 ms hard drive
- * 8 bit Ethernet network interface card
- * Terminator/T connector
- * 40 ft. cable
- * Network Boot floppy

LAN220 as above \$4.357 Addl User Workstation \$1.464 Addl Mgr Workstation (with 40 ft. cable) \$1,983

All brand and product names are trademarks or registered trademarks of their respective companies. Specifications subject to change without notice.

L&W

MicroComputing Corp. 278 D W Hwy South Nashua, NH 03060

We welcome add-ons but no substitutions please on the items in this ad.

(603) 888-8288 10am-7pm ET MonSat FAX (603) 888-8289 24 hr

Circle 549 on Reader Service Card (DEALERS: 550)

\$1,649 VGA

OCTOBER 1989 · BYTE 80NE-23

to LANsystem 8142.

- * 286 Model 112 EGA with
- * 8 bit Ethernet network inter-

FREE 1-YEAR SUBSCRIPTION TO DATA COMMUNICATIONS If You Qualify

If you are responsible for the use, planning, design or implementation of data and information systems...we want to offer you a one-year subscription to Data Communications FREE-OF-CHARGE!

The leading networking magazine since 1972, DATA COMMUNICATIONS is the *only monthly publication devoted solely to networking*. It will keep you fully informed on the latest technology, equipment, services, opportunities and challenges that affect your network. No other publication delivers the timely, technical analysis that is crucial to you.

You'll see how you can *cash in on profitable new strategies and applications* for factory and office automation, distributed processing, and electronic mail. Plus, DATA COMMUNICATIONS *warns you of the dramatic changes ahead in tariffs, regulations and standards* – and what they'll mean to you and your company.

Here is a preview of what you'll be seeing:



October issue - Our editors will lay out the technical and market trends for TI in this issue.

November issue – OSI products, prospects, and services. Which vendors are offering real solutions and which are only offering lip service – Find out.

November LAN Strategies Special Issue – Includes LAN operating systems and applications, gateways, bridges, routers and cabling schemes.

December issue - A report from the field outlines how integrated network management works and doesn't work.

1990 Buyers' Guide issue – The powerful, year-round reference that provides vital product and vendor information networking decision-makers need when they are ready to buy.

Don't get left behind! Stay on top of the rapid changes in technology and discover how you can take full advantage of the latest advances with DATA COMMUNICATIONS.

Fill in and mail your FREE subscription application today!

BUSINESS REPLY MAIL FIRST CLASS PERMIT NO. 42 HIGHTSTOWN, NJ

POSTAGE WILL BE PAID BY ADDRESSEE



P.O. Box 477 Hightstown, NJ 08520-9362 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

Մեսվահվունքնունեսութեմնուների

□ YES, Please enter my FREE one-year subscription to DATA COMMUNICATIONS

□ No, I'm not interested in this FREE offer.

IBD0292

Signature	Date
Name	Title
Company	Div. or Dept
Address	City
State Zip	
□ Check here if you want publication sent to l	home address: and address must be given.
	City
State Zip	
ALL QUESTIONS MUST BE ANSWERE	D TO QUALIFY FOR FREE SUBSCRIPTION
1. Which of the following best describes your company? (Check one only)	2. What is your job function? (Check one only)
 Manufacturer (other than communications/ computer equipment) 2. Transportation 3. Healthcare/Medical 4. Education 5. Retail/Wholesale Trade 6. Other End Users of Communications Systems, Equipment and Services 7. Manufacturer of Communications Products and Service: 8. Government — Federal/State/Local 9. Regulatory Agency 10. Finance: Banking, Insurance, Investment Firm, Brokerage 11. Bell Operating Company 12. Telephone Company (non-Bell) 13. Inter-Exchange Company 14. Other Carrier (Including Public Data Network Provider) 15. Broadcast 16. PTT 17. Interconnect Company 18. Reseller of Communications/Computer Equipment 19. Systems Integrator 20. Value Added Reseller 21. Systems House 22. Software Vendor 23. Distributor 24. Consulting 25. Other 	 7. Engineering Management 8. Consultant

THE PUBLISHER RESERVES THE RIGHT TO ACCEPT OR REJECT ANY SUBSCRIPTION.



REGIONAL

WHAT'S NEW

METRO NEW YORK • NEW ENGLAND

PageLaser 6 Features LaserJet Slots

T oshiba's PageLaser 6 weighs 35 pounds, prints 6 pages per minute at 300 dpi, and is priced just under \$2000.

The printer features two LaserJet-compatible font slots. The printer's four resident fonts are available in portrait and landscape orientations. It comes standard with 512K bytes of RAM, but you can upgrade to 1, 2, or 4 megabytes.

The toner cartridge and drum are user-accessible, and each cartridge is rated for at least 3000 prints. When you change the toner, you also change a counter in its socket that tells you through a colorcoded light whether it's fresh toner, whether you need to order new toner, or whether you're approaching the 3000sheet limit. Each toner kit includes two 1500-print toner cartridges and one drum-counter key.

Standard emulations include Hewlett-Packard Laser-Jet Series II and IBM Proprinter XL24. The company says it's working on a Post-Script-compatible version. **Price:** Less than \$2000; toner kit, \$49. **Contact:** Toshiba America Information Systems, Inc., Computer Systems Division, 9740 Irvine Blvd., Irvine, CA 92718, (800) 457-7777 or (714) 583-3000. **Inquiry 1013.**

C Libraries for Multiple Platforms

V ermont Views is a set of C libraries for DOS, Unix, Xenix, VMS, and, soon, OS/2 that were developed to allow portability



The PageLaser 6's input and output trays have a capacity of 150 letter-size sheets.

among operating systems. According to Vermont Creative Software (VCS), you can recompile and relink source code with different versions of Vermont Views with little or no source code modification.

Vermont Views lets you create and manage windows, menus, data-entry forms, text entry, and context-sensitive help. Other features include forms and menus that are bigger than their display windows, automatic scroll bars, horizontally scrollable text fields, scrollable regions for entering variable lines of items, and a mini word processor that you can attach to a field.

VCS reports that it developed the libraries for international portability as well. The programs support any Roman-based language, and the DOS version supports all non-English characters of the IBM Extended Character Set, including utilities to handle uppercase-to-lowercase and lowercase-to-uppercase conversions. You can enter, validate, and manipulate dates and times to accommodate international or military formats, and you can change characters used as decimal and thousands separators.

Price: DOS version, \$395 (\$795 with full source code); Unix and VMS, \$2395 and up; Xenix, \$1595; OS/2, \$495. Contact: Vermont Creative Software, Pinnacle Meadows, Richford, VT 05476, (800) 848-1248 or (802) 848-7731. Inquiry 1021.

Interactive Fiction Videodisk for the Mac

F rame Up places you in the shoes of Eddy, who falls asleep in a department store and wakes to discover he's suspected of burglary. It's your job to get Eddy out of the store before the police arrive or to somehow prove his innocence.

The story's plot isn't unusual for an interactive simulation. What makes Frame Up different is that you prove his innocence by creating a video montage, by editing 10 videotapes that are part of the store's security system. You can view any of the 10 cameras once you get into the control room, or you can play back tapes from 10 VCRs. The tapes are actual film sequences that Imedia International shot to add realism to the program. If you're caught, you're given about 4 minutes to edit the tapes and prove that Eddy is innocent.

The game runs on a Macintosh that's hooked up to a Sony, Pioneer, or Philips industrial videodisk player. The video portion of the program appears in a window, and you make decisions and edit in another window.

Frame Up works on the Mac Plus or higher with HyperCard. Other versions are available for the Amiga and the IBM PC.

Price: \$100. Contact: Imedia International, Inc., 6061 Paseo Canyon Dr., Malibu, CA 90265, (213) 457-8045. Inquiry 1023.

Statistical Analysis and Probability

M onte Carlo Simulations 2.1 consists of three modules to help actuaries, engineers, and educators compare raw statistical data and produce probabilistic models. The program's simulation module now supports 100 variables per model. New built-in functions include INT, LOG, EXP, and others.

A statistical analysis module lets you compare raw data to 13 probability distributions and use the Chi-Square and Kolmogorov-Smirnov Goodness of Fit tests. Another module lets you create longterm random models, with inflation and other adjustment factors.

The program requires an IBM PC with 384K bytes of RAM, or a Mac Plus or higher with 1 megabyte of RAM. **Price:** \$395.

Contact: Actuarial Micro Software, The ACS Group, 8025 North Point Blvd., Suite 215E, Winston-Salem, NC 27106, (919) 773-1313 or (919) 759-2013. Inquiry 1026.



DIAL (617)

L·A·P·T·O·P·S 5 2 7 8 6 7 7

Authorized Service for: Zenith • Toshiba • NEC





Windows 386 \$50 with 386 purchase Attn: MIS Departments and 386 Users!!!

- NEC ProSpeed Models 286 and 386
- Toshiba 5200 and 5100 40 or 100 MB Hard Disk
- Zenith TurboSport 386 w/modems
- T1000, T1200, T3100, T1600, T3200
- Zenith 286 and 8088
- All Toshiba models
- All Sharp models Most other laptops supported

Best Prices in New England

Corporate PO^s Welcome • Massachusetts SOMBA Certified

Our Laptops come with more than just the Box!!

- Factory trained technicians
- Professional Solution Consultants
- Rent/Lease/Financing
- System formatted and tested

SF	WE \$351
Includes 512KE 720KB 3.5″ flop display and MS Runs on NiCad AC power for c	l, yet weighs just 6.4 pounds. 3 memory, expandable to 1.2MB opy drive, reflective supertwist S-DOS®2.11 in ROM standard. d rechargeable battery pack or continuous operation.
110	00 Reg. \$1,000
сри	only \$649

New Zenith Minisport Available

Boston/Cambridge, MA

• Washington, D.C.

Baltimore, MD • Falls Church, VA

LAPTOPS, etc. 164 HAMPSHIRE STREET, CAMBRIDGE, MA 02139 (617) 527-8677



Buy direct from the manufacturer and save!!

NYLON RIBBONS

10.	DESCRIPTION	PRICE EACH	NO.	DESCRIPTION	PRICE EACH	NO.	DESCRIPTION	PRICE EACH
100	ANADEX 9500	4.25	580	IDS 34" BLACK	4.58	1040	IBM 6240	1.95
110	APPLE IMAGEWRITER 4 COLO		590	IDS 1/4 " PROCESS	10.50	1050	MANNESMAN TALLY SP. 80	4.50
20	APPLE IMAGEWRITER LQ	17.00	600	MANNESMAN TALLY MT 85	5.00	1060	NAKAJIMA	3.40
30	BROTHER 1409	5.00	610	MANNESMAN TALLY MT 86	5.84	1070	NEC SPINWRITER 5500	3.16
40	BROTHER 1509	5.70	620	MANNESMAN TALLY 160	5.00	1080	NEC 3500 FLIP	6.00
50	BROTHER HR 15	4.50	630	MANNESMAN TALLY 180	5.42	1090	OLIVETTI ET 121	4.0
60	CANON A 1200	3.70	640	NCR 2140	4.55	1100	QUME 1 3/5	1.9
70	CENTRONICS 101	4.15	650	NCR 499	6.00	1110	QUME II	2.6
80	CENTRONICS 350	9.30	660	NEC 3500	4.60	1120	QUME IV	3.1
90	CENTRONICS 6000	9.10	670	NEC P 2200	5.90	1130	RICOH 1300/1600	3.10
200	CENTRONICS 704	4.95	680	NEC P 5	4.20	1140	WANG 5	2.6
210	CENTRONICS M 150	2.91	690	NEC PINWRITER P2	4.30	1150		3.1
220	CITIZEN 120 D	4.95	700	NEC PINWRITER P3	5.00		RECTABLE RIBBONS AND	
230	COMMODORE MPS 801	3.50	710	NEC SPINWRITER 5500	3.75			
240	COMMODORE MPS 803	3.82	720	OKIDATA 182	4.20		OFF TAPES	
250	C. ITOH 8500	3.10	730	OKIDATA 292	6.00	1300	ADLER 1010/5010	3.45
260	COMREX 420	7.55	740	OKIDATA 293	5.45	1310	BROTHER EM 200	2.5
270	DATA GENERAL LP 2	5.50	750	OKIDATA 393	19.00	1320	BROTHER AX 10-12	2.7
280	DATA PRODUCTS 8010	4.50	760	OKIDATA MICROLINE 80/82	1.35	1330	BROTHER 701	3.8
290	DATA PRODUCTS 8020	5.50	770	OKIDATA MICROLINE 84/94	3.34	1340	CANON AP 100	3.00
300	DATA PRODUCTS B 300	5.50	780	PANASONIC 1090	4.50	1350	DAISY WHEEL LOT SUPER DRY	
310	DATA PRODUCTS B 1000	7,15	790	PANASONIC 1524	6.00	1360	IBM WHEELWRITER	3.3
120	DATA PRODUCTS M 200	4.20	800	PRINTRONIX P 300	6.00	1370	IBM WHEELWRITER LOT	2.9
330	DIABLO HT II	3.25	810	QUME I 3/5	3.00	1380	IBM SELECTRIC II	1.5
340	DIGITAL LA 30	3.00	820	QUME IV	4.40	1390	IBM SELECTRIC II LOT DRY	.60
350	DIGITAL LA 34	3.20	830	RADIO SHACK 3/5	4.10	1400	IBM SELECTRIC II LOT TACKY	.6
360	DIGITAL LA 120	3.85	840	RADIO SHACK 6/8	3.25	1410	IBM SELECTRIC II TECH III	2.1
370	EPSON ERC 03	3.00	850	SEIKOSHA SP 1000	4.30	1420	IBM SELECTRIC II CUT	.8
380	EPSON LQ 800	3.80	860	STAR NX 10000	5.00	1420	IBM ACTIONWRITER	2.5
390	EPSON LQ 1000	4.90	870	STAR MICRONICS NB 15	6.50	1430		
	EPSON LQ 1500	3.60	880	STAR MICRONICS NB 13	3.95		NAKAJIMA	2.6
400		4.95	890		5.75	1450	OLIVETTI LEXICON LOT	1.0
110	EPSON LQ 2500	4.95	900	STAR MICRONICX NX 15		1460	OLIVETTI ET 121	2.5
120	EPSON LQ 2550	2.75		STAR MICRONICS SD 10	6.00	1470	OLIVETTI 111/115	4.0
130	EPSON LX 80		910	STAR MICRONICS SD 15	7.00	1480	OLIVETTI PRAXIS	2.5
140	EPSON MX 80	3.80	920	TALLY MANNESMAN 1000	3.50	1490	OLIVETTI PRAXIS LOT	.9
450	EPSON MX 100	4.90	930	TELETYPE 43	5.85	1500	OLYMPIA ESW 3000	3.1
160	FUJITSU DMPG 9	4.30	940	TEXAS INSTRUMENTS 850	3.95	1510	PANASONIC RKT 40	3.0
170	HEWLETT PACKARD 2631	12.00	950	TEXAS INSTRUMENTS 860	5.00	1520	ROYAL ALPHA 600	2.6
180	IBM 1/2* HARMONICA	4.25	965	TOSHIBA 1350	3.20	1530	SHARP ZX 400/500	3.5
490	IBM % " HARMONICA	4.58	960	TOSHIBA P 321 SL	5.00	1540	SILVER REED EX 42/44	2.25
500	IBM 3262	6.25	970	TRITEL/DATA ROYAL	3.67	1550	SILVER REED EX 42/44 LOT	.90
510	IBM 5211	4.80	980	WANG BEARCLAW	7.00	1560	XEROX 610	2.3
520	IBM 5242 LG. HANDBAG	3.50	MUL	TI STRIKE RIBBONS		1570	XEROX 610 LOT	.9
530	IBM 5256 SM. HANDBAG	2.75				1580	XEROX 610 LOT DOUBLE PASS	
540	IBM BASEBALL BAT	14.50	1000	BROTHER HR 15	3.55	1590	XEROX 6010	4.8
550	IBM PROPRINTER	4.15	1010	COMMODORE 1526	4.50	1600	SHARP PA 3100	3.2
560	IBM PROPRINTER XL	4.95	1020	DIABLO HT II	2.25	*\$5.00	shipping and handling charge on all orde	ers under \$50.0
570	IBM SILVER \$ CUP	1.95	1030	IBM DISPLAYWRITER	7.00	For or	ders over \$50.00 actual freight is charge	d.

516-767-0178 800-645-6113 FAX 516-767-0585

103 HARBOR ROAD PORT WASHINGTON, NY 11050



Buy with

Confidence



In an effort to make your telephone purchasing a more successful and pleasurable activity, The Microcomputer Marketing Council of the Direct Marketing Association, Inc. offers this advice. "A knowledgeable buyer will be a successful buyer." These are specific facts you should know about the prospective seller before placing an order:

Ask These Important **Ouestions**

- How long has the company been in business?
- Does the company offer technical assistance?
- Is there a service facility?
- Are manufacturer's warranties handled through the company?
- Does the seller have formal return and refund policies?
- Is there an additional charge for use of credit cards?
- Are credit card charges held until time of shipment?
- What are shipping costs for items ordered?

© Direct Marketing Association, Inc. 1988

Reputable computer dealers will answer all these questions to your satisfaction. Don't settle for less when buying your computer hardware, software, peripherals and supplies.

Purchasing Guidelines

- State as completely and accurately as you can what merchandise you want including brand name, model number, catalog number.
- Establish that the item is in stock and confirm shipping date.
- Confirm that the price is as advertised.
- Obtain an order number and identification of the sales representative.
- Make a record of your order, noting exact price including shipping, date of order, promised shipping date and order number.

If you ever have a problem, remember to deal first with the seller. If you cannot resolve the problem, write to MAIL ORDER ACTION LINE, c/o DMA, 6 E. 43rd St., New York, NY 10017.

ME COMPATER

This message is brought to you by:

the MICROCOMPUTER MARKETING COUNCIL of the Direct Marketing Association, Inc. 6 E. 43rd St., New York, NY 10017



Adtech's 33 MHz* 286... 386 Performance at a 286 Price!

16 MHz* 286

- ^{\$}799
- 8 / 16 MHz selectable
- 1 MB Exp. to 4 MB on board
- 80287 socket
- Space saving AT style minicase
- 200 watt P/S
- 1.2 MB Teac floppy



■ 80286-20 C.P.U.

27 MHz* 286

- 1 MB Exp. to 4 MB on board
- 80287 Socket
- Shadow RAM Enable
- Space saving AT style minicase
- 200 watt P/S
- 1.2 MB Teac floppy

33 MHz* 386

- 80386 ΣΣ C.P.U. running at 25 MHz
- 1 32 bit, 5 16 bit, 2 8 bit slots
- 80287 and 80387 sockets
- 1 MB Exp. to 8 MB on board
- Shadow RAM Enable
- Space saving AT style minicase
- 200 watt P/S
- 1.2 MB Teac floppy



(408) 954-8038 1 (800) 326-6548

(408) 954-1647 FAX 2003 O'Toole Ave., San Jose, CA 95131

33 MHz* 286

- 80286 CPU running at 25 MHz
- 1 MB Exp. to 8 MB on board
- 80287 socket
- Shadow RAM Enable
- Space saving AT style minicase
- 200 watt P/S
- 1.2 MB Teac floppy

Standard System Features

- 1:1 Dual floppy / HD cont.
- Parallel, 2 serial, game, clock
- Keytronics 101 keyboard
- 24 hour burn-in

System Options

Includes Monitor & Adapter Card
Monographics (Hi-Res) 129
Color Graphics (RGB)249
EGA (640 × 350)
VGA (16 bit)
Multisync (16 bit)

Mother Boards

16 MHz* 28621	9
33 MHz* 286	9
33 MHz* 38679	9

System Upgrades

1:1 RLL
Full Size Case
Full Size Vertical Case 100
Mini Vertical Case50

VISA

NO SURCHARGE

MasterCarc

Miscellaneous

Hard Drives

1. Albeen and the o ab	
5.25" 360k (Fujitsu)	59
5.25″ 1.2 MB	35
3.5″ 1.44 MB	
Logitech Hi-res Mouse (New)	39
2400 Baud Modem	
16 bit VGA (1024 × 768)	9
C LODAL DBG COM	

Circle 523 on Reader Service Card (DEALERS: 524)

Terms and conditions. Returns subject to 20% restocking fee. Prices and availability subject to change without notice. RMA # required for all returns. CA residents add 7% sales tax. No surcharge MasterCharge and Visa. * Landmark speed test

ONE YEAR PARTS AND LABOR WARRANTY ON ALL SYSTEMS!

- SYSTEMS AA44 CEI Baby 286/12MHz (0 wait) \$900 A44 CEI Baby 286/12MHz (0 wait) \$899 Baby size tociprin, 1MB marroy + Hard and floppy drive controller 2 serial and 1 parallel ports 1.2MB floppy drive, 101 key enhanced keyboard + FCC class B, Ul listed, base system made by DTK - Also ravilable in mini (sim) aize w/4 exp. siots (\$999) - MB SCRAM, takes 4MB on motherboard - 1.2MB flopping. Different and an USA by CSS - HCC class B, base system made in USA by CSS - MC Class B, base system made in USA by CSS - MC Class B, base system made in USA by CSS - MC CLass B, base system made in USA by CSS - MC AA16 CEI 386/33C (0 wait) \$4299 4MB static column memory ESDI hard and floppy drive controller SVC ache, expendable to 64K 1.2MB floppy drive, 101 key enhanced keyboard Also available at 25MHz (An15 \$399) FCC Class A, base system made in USA by CSS 40MB Hard Drive, H/FDC FCC Class B All systems have 6 months limited warranty on parts and labor.
 After 20 days from shipping date, all monitors & printers warranties are carried out by the manufacturer. MOTHER BOARDS
 MOTHER BOARDS

 A07 88 8MHz Phoenix BIOS, IMB (0K) (MP)
 \$84

 A07 88 8MHz Phoenix BIOS (IMB (0K) (MP)
 \$52

 A13 286-10MHz XT Size, Award BIOS (DTK)
 \$229

 A13 286-10MHz XT Size, Award BIOS (DTK)
 \$229

 A13 286-10MHz XT Size, Award BIOS (DTK)
 \$239

 A17 286-12MHz XT Size, WP, S Port, (DTK)
 \$239

 A18 286-10MHz XT Size, Phoenix BIOS (MP)
 \$239

 A18 286-12MHz XT Size, WP, S Port, (DTK)
 \$259

 A18 286-12MHz XT Size, Phr. Bios, AMB(DK) (VP)
 \$229

 A18 286-12MHz XT Size, Phr. Bios, AMB(DK) (VP)
 \$259

 A18 286-12MHz XT Size, PMR BIOS, MABIOK (VP)
 \$259

 A18 286-12MHz XT Size, PMR BIOS, MABIOK (VP)
 \$259

 A18 286-12MHz XT Size, PMR BIOS, MABIOK (VP)
 \$259

 A19 286 12MHz XT* Size, PMR BIOS, NEAT - chipset fib originat IBM* XT* Chaste (CSS)
 \$559

 A12 346 20MHz XT* Size, RAWEJ BIOS (DTK)
 \$579

 A43 3465 XI: IGMHz a BiOS, Size, BIOS (DTK)
 \$799

 A43 3465 XI: IGMHz a BiOS (CSS)
 \$129

 A43 3465 XI: IGMHz a Size, Avard BIOS, Size, Size, Size, AMB
 \$129

 A53 463 XI: IGMHz a AT* Size, Avard BIOS, Size, Size, AMB
 \$129

- A35 386 33M Hz AT* Size, Award BIOS.32K cac
- \$3599 AB SCRAM on 8MB 32-bit ramcard (CSS) ADD ON CARDS for YTS

ADD-ON CANDS IOF XT	
B05/24/65 Clock/Game/Printer Card \$19/15/1	5
B15 EMS Card 2MB (OK) (Everex) \$6	9
B30 I/O Card w/P,S,G,C (DTK) \$4	5
B40 MultiFunction 384K (0K) (DFI) \$7	9
B50 Multi I/O w/P.S.C.G.FDDC (DTK) \$5	5
B70 RAM Card 640K(0K) (DTK) \$2	8
B75/76 RS232 (1's, DTK)/(4's, DFI)	
B85 2nd Serial Port Kit for B30 and B50 DTK \$1	
B81 Turbo Speed Board 285-12MHz (Everax)	

ADD-ON CARDS for AT*

C02	EMS/RAM-3MB (OK) (Everex)
C03	EMS/RAM-8MB (OK) UM 4.0 (Everex) \$319
C05/0	C06 I/O P. S/P. S. G Ports (DTK) \$35/43
	I/O + MGA P.S.G.Mono w/ CGA Emulation (DFI)\$99
C08	1/O+ P,S,G Port,COM1.4 configurable (DFI) . \$49
	I/O + 2 Serial/1 Parallet/1 Game Ports \$55
	Multifunction 3MB (OK) (DFI)
	25 RS232 2's/4's(DFI)
C31 .	2nd Serial Port Kit for CO8 & C24 (DFI) \$20

HARD/FLOPPY CONTROLLERS

E01 FDC 2's Run 1.44M, 1.2M, 720K, 360K ... \$49 E06 FDC 2's Run 1.44M, 1.2M, 720K, 360K 4 Int or 2 Int & 2 Ext, W Int Cable for 2 drives ... \$79 E07 FDC 2's Ext or Int. Run 1.44M. 1.2M. 720K. 360K

Can Co-exist with FDDC or F/HDC \$69
E11/09 XT* HD controller (WD) WX1/XT-Gen \$69/59
E10 XT* HDC Run ST225, 251, DTC5150 \$65
E22 XT* RLL HDC WD1002A-27X \$69
E12 AT* H/FDC 21 MFM, WD1003V-MM2 (WD) .\$119
E41 AT* H/FDC Western Digital chipset (Everex) \$89
E35 AT* HDC MFM, WD-1003V-MM1 (WD) \$99
E16 AT* H/FDC, XT* Height DTC5280 \$129
E18 AT* HDC MFM,1:1 Interleave, WD1006V-MM1 \$119
E19 AT* H/FDC MFM.1:1, WD1006V-MM2 \$139
E30 AT* HDC ESDI,1:1 Interleave,WD1007-WAH .\$179
E31 AT* H/FDC ESDI,1:1 Interleave,WD1007-WA2 \$229
E23 AT* RLL H/FDC WD1003V-SR2\$149
E40 AT* HD SCSI Host Adapter 6 bit for D61 . \$75
E42 AT* HD SCSI Host Adapter 16 bit (WD) .\$439

MONITORS

 L02
 Samsung Mono 175.27
 Sk9

 L10/2021
 Samsung 14° RGB/EGA/RGA 5239/349/399
 L35/34
 Qulmax Mono 14* Amber/Fatscreen 5129/149

 L35/34
 Qulmax Mono 14* Amber/Fatscreen 5129/149
 L39/38
 Qulmax 14* EGA/Multiscan ... 5369/149

 L30/33
 RCC Multiscree Xard
 S599/159
 L39/56
 Multiscan 14* Color/Fasterien 5399/159

 L55/56
 Multiscn 14* Color Seiko/Mitsubishi
 S649/599
 S649/599
 L57 Cable connects L56 to PS/2 \$45

VIDEO DISPLAY ADAPTERS V01/05 Color Gruphic CGA/(CGA w/ printer pont\$47/49 V20/21 Mono Graphic w/P (0TK)/(DF) ... \$52/55 V30 EGA Autoswitch.640x480,132col.(Evrex) ... \$139 V32 EGA Autoswitch.640x480,Paradise Chip (MP) .\$129 August 18, 1989

*COMPANY • IBM, PC, XT, AT, & PS/2 are trademarks of int • MS DOS & Microsoft are trademarks of Micro • All others are trademarks of their respective of as Corporatio POLICIES: rosoft Corp re ere tradec ctive comp

Tort responsible for typographical errors, Prices are subject to charge without prior notes. These prices apply to mell orders only. Minimum or Nie \$50.00, \$3.00 handling fee on each package. Shipping fee is extra & paid by customer. COD orders plasse and \$3.00 extra for each package All returns masking of an IRMA #. All IRMA #'s can only be used on the within 14 days of Issue date & can not be used for any other items hese authorized return Barns. Shipping back fee must be prepaid by customer. All return kerns must come back with manuals & packaging initial regalator replacement on defective or incompatible Rems after 20 days from the date of shippment. All returna based on the cost of item(s) only (regalator replacement on defective or incompatible Rems after 20 days from the date of shippment. All returna based on the cost of item(s) only (days warranty on all Rems except if specified otherwise. 3% surcharge on Mastercard and Visa.

K72/74 Plus & Plus Arcnet 8 bit/16 bit ... \$109/219 K35/37 Cnet Arcnet 8 bit/16 bit \$109/219

 K92
 Plus & Plus Intelligent Arcnet
 \$Call

 K11
 25' Arcnet Cable93 Ohm RG62, Coaxial
 \$25

 K08/03
 Hub Active 6's/Possive 4's
 \$289/30

 BUS ARCENT K71/76 Plus & Plus Arcnet 8 bit/16 bit . . \$129/239 K36/39 Cnet Arcnet 8 bit/16 bit \$129/239 K09 Bus Terminator 93 ohms \$8 TWISTED PAIR ARCENT K34/38 Cnet Arcnet Adapter 8 bit/16 bit . \$129/239 ETHERNET K10/05 Ethernet (25' Cable)/(Terminator) ... \$30/6 COAX ACCESSORIES K04/14 BNC T Adapter/Crimping Tool \$6/25 K13/15 BNC Crimp Connector for Arcnet/Etherne\$6/6 MULTIUSER K06/16 4 RS232 for Xenix(DF0/(AST) ... \$169/429 .\$469 TOPS K40 Tops Network Software for Macintosh to connect to PC, Unix. & Mcintosh . . \$189 OTHER NETWORK K20/21 Balun(50 ohms BNC)/Twinax \$8/16 K80/50 Token Curd Compatible by WD/Othe&Cull/399 K51/53 Token Ring (IBM) Adapter/Adapter II \$699/799 FLOPPY DISK DRIVES
 FLOOPPY DISK DRIVES

 D01/02 Fujitsu 360K For XT*/AT* (Ralis:\$5)
 .567/70

 D02/05 Fujitsu (1.2M8 Gray Plate)/(1.44M8 Ru) 580/70
 D12/05 Fujitsu (1.2M8 Gray Plate)/(1.44M8 Ru) 580/70

 D12 Teuci L2M Gray Plate)
 .575/80

 D12 Teuci L2M Gray Plate)
 .585/95

 D13/15 Teac w/ Mounting Kit 720K1.44MB
 .585/95

 D17/18 Toshibu 360K (Bach/(GR4v)
 .575/78

 D19 Toshibu 1.2M B (Gray)
 .589

 D21/23 Toshibu 1.2M With Mounting Kitylo Krit 585/90
 D3/032 Ext 1.44M/720K (w/ contr)/(no contr) 5249/199

 D36 External L2M/SGUK br Toshibu laptop
 .5249

 HARD D16K DSI/EK DSI/EK
 .5249
 HARD DISK DRIVES
 D42
 Micropolis
 1375
 150MB. SCSI. 23MS. w/C
 \$1499

 D43
 Micropolis
 1578
 330MB. SCSI. 18ms. w/C
 \$2199

 D44
 Micropolis
 1558
 320MB
 ESDI w/C
 \$2099
 D44 Micropolis 1558 320MB ESDI w/C ..., \$2099 D45 Maxtor 2190 150MS, 28ms, w/C ..., \$1699 D47 Maxtor 4380E ESDI 320MB, 28MS w/C ... \$2399 D47/48 Muxtor (ESDI 155MB)/(SCSI) ..., \$1699/1699 D80/81 CDC 26DI, 16ms, w/C c S048(1550MS1099/1799 D82 CDC-383H 320MB ESDI, 14.5ma, w/C ... \$2599 D50/51 Sengate ST223 20MB KeV/brie orb/ \$259/219 D52 Sengate ST238 w/ Contr.30MB.65ms, for XT * \$289 D57 Sengate ST138 w/ Mounting Mit.30MB.40ms, \$329 D58 Sengate ST125 20MB.40ms, Hi-Dirber orb, \$259/219 D58 Sengate ST125 20MB.40ms, Hi-Dirber orb, \$259/219 D58 Sengate ST215 20MB.20ms, for XT * ... \$379 D50 Sengate ST277N SC3(60MB.22ms, for XT * ... \$379 D40 Sengate ST277N SC3(60MB.22ms, for XT * ... \$379
 D56
 Sengate ST251-1 40MB.28ms, for A1 ..., \$379

 D60
 Sengate ST271N SCS160MB.28ms, for A1 ..., \$359

 D61
 Sengate ST29N SCS160MB.28ms, for A1 ..., \$639

 D71
 J0MB Int 38ms, for Compaq Pontable II:288

 D73
 D60 Int as 3ms, for Compaq Pontable II:288

 D74
 40MB Int 28ms, for Compaq Pontable II:288

 D75
 J0MI Bint 28ms, for Compaq Pontable II:288

 D74
 40MB Int 28ms, for Compaq Pontable II:288

 D75
 100MB Int 28ms, for Compaq Pontable II:288

 D75
 100MB Int 28ms, for Compaq 360/S & 20E

 D75
 100MB Int 28ms, for Compaq 360/S & 20E

 D75
 100MB II Bint 28ms, for Compaq 360/S & 20E

 D76
 Functual III Box II 40MB Hr. w/ Cont...

 D97
 Plus Hard Card 40MB

 D96
 Plus Saport 4PC Adapter & Base Kit

 D110/111
 CD-ROMI ScoMB w/ Adapter [Panasond2599

 D112
 WOLM SCS1 Z00MB w/ Adapter [Panasond2599

 D113
 D14K CAltridge 400MB w/ Adapter [Panasond2599

 D142
 VIAF ACAI ACM AVA MADOFEDC

STAR ARCNET

SURINERS SURINERS Portable Size w/PC Painbuck, 4000Pi ..., 5199 Y12 DFI 4* Hundy Image Scanner for PSi ..., 5199 Y30 OCR for DFI Handy Scanner for Y13 ..., 589 Y31 OCR for DFI Handy Scanner for Y13 ..., 5699 Y27 Genius 8* Hundy Image Scanner ..., 5699 Y15 Video Catcher Grabs Floture from Y, VCR, or Camera into Computer Mono Mode (DFI) ..., 5239 BAR CODE READERS 45 BTC Wand & Decoder Emulates Keyboard \$339 Y51 Techway 8W420 RS232/422 Bar Code Reader \$299 TAPE BACKUP F10/11 Colorado Mem Sys 40MB In/Ext . \$299/399 F08/09 Irwin Int (120MB 2120)/(150MB 6151)\$799/1199 F23B/29B Irwin Ext (745 40MB)/(765 60MB) \$699/799 F30/31 Inwin AT* Kt (2020 20MB)/(2040 40MB) \$439/579 53/35 1rwin Kit Ext (420X 20MB)(445A 40MB)49/753 F24/25 Archive 60MB (FT60 Ext)/(ST600 int) \$699/699 F26 Archive ST600SS 125MB int, 5MB/M \$899 F60/61 Archive 60MB (VP601 Int)/(VP60E Ext) \$899/1099 F62/63 Archive (5540E 40MB)/(55801 80MB) \$549/579 ACCESSORIES **R01** Joystick

 R01
 Joystick
 \$17

 R03/R04
 MS DOS 3.3/4.01
 \$79/89

 R50
 IO Picce PC Tool Kits With Zipper Case
 \$18

 R54/51
 Adj. Mon. Arm/Vertical CPU Stand
 \$89/14

Fortune 1000, government,

university PO's welcome.

PLEASE CALL FOR OUR 3 NEW REGIONAL OFFICES AT: LOS ANGLE, CA CHICAGO, IL CANADA

SWITCH BOX

FOR PS/2

P5/46 Ext 1.44MB for (P5/2)/(P5/2M30-286) \$157/237 P50/51 Erwin 40/MB Tape Drv w/ Adapt In/Ext \$599/759 P56/57 Archive 60/MB Tape Drv VP60 In//Ext \$999/1199

P21/27 HD Int, for Model 30 (CMS) 20M8/30M85399/479 P22B/26 HD Int, for Model 50 (CMS) 40/65M8 \$599/999 P35 60MB Int 27ms HD for Model 50z, 70 (CMS) \$599

P24/28 HD ESDI, for Mod 60,60 70/115MB .\$899/1359
 F24/28 TID E3D1, for mode 00,05 run 1580
 -4597 1339

 F316 (MIM RHD 23ms for Model 50 (Pitiam)
 -5799

 F316 (MIM RHD 23ms for Model 50 (Pitiam)
 -5799

 F3132 HD E5D1, 20ms, for Model 60, 60 (Pitiam)
 -5799

 F303 OMB
 -5799

 F30 CD ROM 540MB (NEC)
 -51199

COPROCESSER & CHIP

M32/34 4464-12/10\$5.99/6.49 M39/M40/41/42 256-15/-12/-10/-8 \$3.99/4.50/5/6.50

M39/M40/41/42 256-15/-12/-10/-8 3.3.99/4.50/5/6.50 M45/46 2564 DRAM -0.10/-8 for A15 & A16 .515/17 M78/79 IMBx1 DRAM -10/-8 for A15 & A16 .515/17 M82 IMB 0/256K SIPP (4 banks) .5229 M83/M4 IMB SCRAM Set for CSS A22/A3 .529/259 M85/M6 SCRAM 256/4 514259-10/256/151258-10540/9 M85/M6 SCRAM 256/4 for PS/2 Mod 30-12/10 .569/79 M30/91 .511MM 256/9 for PS/2 Mod 30-12/10 .569/79

M98/72 SIMM 2MB for PS/2 80 -111/-311 . \$499/499

 G01
 Smartone
 1200 Int w/ Bitcom
 \$59

 G20/21
 Smartone
 2400 Int/Ext
 \$99/115

 G25/26
 Smartone for PS/2 1200 Int/2400 Int
 \$159/219

C27/28 Similar too for the commercial and a second se

Y01 Genius Mouse GMST Serial w/Driver ... \$47 Y20 Genius Mouse GM6000 Dr. Halo W, H Res. 350DPI, 200-800 Dynamic DPI \$59

. . \$379

Y26 Summasketch 12*x12* (Summagraphic)

SCANNERS

MOUSE & DIGITIZERS

MODEMS

TU1/02 2 Way (2CN36E 10B25E)/(1CN36E 2DB25E 16/18 T03/04/11 2 Way (3 CN36F)/(3 DB25F)/(3 DB9#)20/20/20 T05/06 2 Way Cross (4 DB25F)/(4 CN36F)\$35/35
 T18/19
 WType 2 in-3 out (DB2sF)/(CN36F)
 555/55

 T31/33
 Printer Buffer 256K Parallel/Sorial
 \$199/260

 T40/41
 4 Way Auto-Scan Switch, Parallel/Sorial
 \$129/149

 T30/32
 8 Way Auto-Scan Switch, Parallel/Sorial
 \$179/199
 1'50/51 Converter (Par to Ser)/(Ser to Par) \$69/69

PRINTER CABLES/ADAPTERS

N0/1/2/73/74 Printer 6/10/15/25' \$7/12/20/30 N53/54 6' to HP Laser Printer from AT*/XT* . \$15/15 N04 6' Centronic 36P M/M Parallel switchbox . \$10 N39/37 DH25F-CN36H/DB25M-CN36H \$8/8 N36/38 DB25F-CN36H/DB25M-CN36F \$8/8

SERIAL CABLES/ADAPTERS

 NU5/06
 6¹ Modern Ctable D825 F-MXT+AT
 57/7

 N44/45
 Serial Adapter0825M-D857/D825-D89M 55/5
 59/7

 N90/91
 Adapter0825M-D857/D825-D89M 55/5
 59/7

 N80/91
 Adapter0825M-D89F/D825-D89M 55/5
 59/7

 N80/91
 Adapter0825M-D89F/D825-D89M 55/5
 59/7

 N80/91
 Adapter0825M-D89F/D825-D89M 55/5
 59/7

 N80/81
 Adapter10-10-025(R-11-089
 59/7

 N12/70
 D825 M/M Serial Switchbox 6/15
 \$7/23

 N12/70
 D825 M/M Serial Switchbox 6/15
 \$7/23

 N87/9
 DB9 M/M Serial & monitor switchbox 6/1557/23

 N83/70
 DB25 M/F Serial Extension 5/15'

 N17/72
 DB25 M/F Serial Extension 25/50'

 N17/74
 DB9 M/F Art Serial Extension 6/10'

 N17/14
 DB9 M/F Art Serial Extension 6/10'
 N16/19 2nd SP Connector (for DTK) XT*/AT* \$7/7

DRIVE CABLES ADAPTERS

N09/13 XT HD Cable/AT H&FD Cables . \$7/10

MONITOR & KBD CABLES

N17/14 DB9 M/F Monitor Extension 6710 \$7/10 P14 6 PS/2 Monitor Ext Cable High density DB9 \$14

P14 6 F N/2 Monitor Exit Lattle high constry UES 314 P05/06/0713 6 V GA Adpter Cable for Mitsubiah/Sony/Samsung/NEC 520/20/20/20/ N11/50 Monitor (Power cont/(kdapter) ... 57/7 NS1 6 Monitor/PC Power Adapter Cable ... 57 NS2 6 Monitor Power Extension Cable ... 57 NS4/0 Keybuard Exit Cable67/10 ... 57/10 N69/P12 PS/2 Kbd Cable Adapter/Extension ... 512/15 OCUMPOR Cable Adapter/Extension ... 512/15

GENDER CHARGES

N40/41	DB9 M-M/F-F										\$5/5
N42/43	DB25 M-M/F-F										\$5/5
N48/49	Centronics 36P	М	-ħ	1	F	-ŀ	•				\$8/8

NULL MODEMS N46/47/57 DB25 NM Adapter M-WF-F/M-F \$10/10/10 N95/96/97 DB9 NM Adapter M-WF-F/M-F ... \$8/8/8 N60/61 6' Null Modem Cable DB25 M-WF-F ... \$12/12

OTHER WIRINGS

N30 RS232 Mini Tester with LEDs DB25 M/F N29/25 RS232 (Breakout Box)/(Surge Protector) \$10

POWER SUPPLIES & UPS

J01/10 UL Recognized 150W XT*/200W AT* . . \$49/69

/H01 88 (turbo 2 button)/(slide in)\$38/31 H10/11 286 Baby/A* Size \$55/69 H14 386 Upright Case w/ PS 6 HH Openning ...\$269 H20 External Drive Case 2 HH, w/ 60W Power ... \$85

KEYBOARDS

 101/04
 BTC (84 keys)/(101 keys)
 \$47/59

 102
 101 Keys Enhanced, Cilck
 \$59

 111
 Chicony 101 keys
 \$69

 120/16
 101 Keys KeyTonic/Maxi Switch
 \$69

 120/16
 101 Keys KeyTonic/Maxi Switch
 \$69

 131/32
 Keyboard Drawer tabletop/undertable
 \$49/35

FAX & VOICE MAIL & SYNTHESIS

Q21/24 Complete Faxcard 4800B/9600B . \$259/429 Q23/27 Bigmouth Voice Mail single/multi-lin\$259/799

COMPUTER EXPERT, INC.

1501 Broadway. Suite 2605. New York. N.Y. 10036 (212) 840-2010 (212) 840-7871 (212) (212) (21-417 2010 [212) 840-7871 **Figu** (212) **2**21-4172 Dealer Hot Line (212) 840-2625 These are mail order prices! Walk-In & M/CO

Walk-In & NYC On-Site Service Retail Hotline: Westside(212)391-4397 Eastside(212)725-6188

V35 EGA Autoswitch,800x600,Gemini Chip (P&P) .\$149 V44 VGA 16 Bit,Paradiae Chipset (Plus & Plus) .\$199

Byte Magazinc

DRAGONSlayer!! Turn your LAN into a COMPLETE BUSINESS and TIME MANAGEMENT system!

SALES NAGEMEN

POIN1 OF SALE

EDULIN

SECURITY

Most Accounting software does basic bookkeeping, **BUT WHAT ABOUT:**

- ★ SALES LEAD GENERATION?
- ★ QUOTE PREPARATION?
- ★ SALES MANAGEMENT?
- ★ QUOTE TRACKING?
- ★ HANDLING TELEPHONE INQUIRIES?
- ★ STAFF SCHEDULING?
- ★ MAILING LIST CREATION?
- ★ COLLECTION ACTIVITIES?
- ★ WARRANTY TRACKING?
- ★ SPECIAL CUSTOMER PRICING?
- ★ COMMISSION CALCULATIONS?
- ★ TRAINING NEW EMPLOYEES?
- ★ CASH FLOW MANAGEMENT?

EASY-TO-USE

USER CUSTOMIZABLE on-line HELP reduces installation, training.

Easy-to-use, INTUITIVE menus and data entry screens.

USER specific ON-LINE TICKLER file provides electronic desk.

Inter-user MESSAGING eases scheduling pains.

CONCISE manuals provide installation and reference sections.

RECALL vendors, customers, items, employees, prospects, or other data by FULL or PARTIAL NAME.

FAST DATA ENTRY for high transaction environments.

DISTRIBUTION

Process sales orders for SERIAL, one-of-a-kind, or CATALOGUE items with full integration.

AUTOMATICALLY prepares QUOTES, CONVERTS quotes to orders.

EASILY process COMPLEX PRICING and COMMISSION CALCULATIONS.

ON-LINE PURCHASE and QUOTE HISTORY by customer by item. UNLIMITED SUBSTITUTE and ALTERNATE item codes.

Analyze SALES or PROFIT by salesperson, customer, or line.

MANUFACTURING

ELECTRONIC

SALES

AL AND

ORDERS

SPLIT sales orders among up to three sales reps. AUTOMATICALLY create COMMON CARRIER freight invoices.

EXPLODE or CREATE Billof-Materials at Order Entry. STORED PHRASE RECALL and DIRECTABLE COMMENTS allow complex crate marking or shipping instructions.

Comprehensive JOB COST and STANDARD COSTING. WARRANTY TRACKING by customer and item.

Comprehensive CASH MANAGEMENT facility calculates AVERAGE DAYS TO PAY based on customer payment history and forecast cash flow.



GENERAL

ACCOUNTS

CCOUNTS

PAYROL

POINT-OF-SALE allows for serialized and catalogue items. POP-UP window provides secure TIME

CLOCK function. POS transaction SUSPEND and RECALL function speeds customer

checkout.

Recall customer account data by NAME or PHONE NO.

Supports MULTIPLE ELECTRONIC CASH DRAWERS, BAR CODES.

POP-UP window for shelf location, pricing, quantity, for any item by full or partial name search.

AND MORE!

For more detailed information, or diskette based demonstrations, call

800-447-2522

(in PA 412-279-8882)

DragonSlayer is actively seeking authorized resellers.

AragonSlayer Systems

Circle 533 on Reader Service Card **"Comprehensive – Not Complex"** 2275 Swallowhill Road, Building 900 • Pittsburgh, PA 15220

(412)279-8882

JUMMA WARE The PC-Based LAN



Ideally suited for manufacturing and distribution operations.

total accounting solution.

AND YOUR XT's, AT's, 386's, PS/2's AND HP's.

SUMMAWARE contains the most powerful networking and operating system on the market today.

It is designed to bring more power to your computer network, no matter what type of IBM or IBM compatible you use. So you're not limited to the hardware you can use with SUMMA-WARE. SUMMAWARE runs on any mix of machines, either standalone or in a network. With SUMMAWARE you get the power, expandibility and flexibility not found in other operating systems.

MULTI-TASKING

SUMMAWARE's speed in switchtime, changing from one program to another, is unsurpassed. And it does not require a dedicated file server.

MULTI-USER

With SUMMAWARE you have the power to spare and the power to share. All programs, data and resources such as printers, terminals, modems and CPUs can be shared across the entire network. And it can support up to 255 nodes.

MULTI-WINDOWING

SUMMAWARE uses standard windows so it is easy to learn, easy to use. On-screen help is always just one keystroke away. View up to four processes operating concurrently.

TRULY DISTRIBUTED PROCESSING

SUMMANET features 100% distributed processing, 100% back-up and resource sharing across the entire network. Any computer on your network can make its disks, printers, serial ports and CPUs available for all tasks.

Start with SUMMANET, the most powerful operating system available.

Based on the QNX® operating system, SUMMANET is the heart and brains of the SUMMAWARE package. And it's lean and quick, taking up a mere 148K. SUMMANET is capable of supporting 512 disk drives with virtually unlimited storage.

Built-in features for increased office efficiency.

SUMMADATE allows you to keep track of all your appointments and the appointments of your associates.

SUMMAMAIL is the solution to your electronic mail problems. It allows you to send normal, confidential, encrypted or registered messages to any and all on your network. High security and fast-efficient communications, across the hall or around the world.

Add SUMMACOUNT, a powerful distribution and manufacturing accounting system.

Suited to diverse businesses with varying levels of accounting complexity, SUMMACOUNT is based on MCBA® Accounting Software, the recognized leader in accounting software.

Optional additional packages include: word processing, spread sheet programs and a 4 GL/Data Base Management System. Call SUMMA for in-depth information on the SUMMAWARE family.



215 East Water Street, Syracuse, NY 13202 Call Toll-free: 1-800-255-1133 Ext. 320

IBM XT, AT & PS/2 are registered trademarks of International Business Machines. ONX is a registered trademark of Quantum Software Systems Ltd. The UNIX Operating System is a registered trademark of AT&T. HP is a registered trademark of Hewlett-Packard Co. MCBA is a registered trademark of MCBA*, Inc. LummaDate and SummaMail are licensed software products from Quantum Software Systems Ltd.

Circle 564 on Reader Service Card

80NE-34 BYTE • OCTOBER 1989



Installed in minutes, the Renegade 386 motherboard transforms any IBM or compatible PC, XT or AT into an astoundingly powerful new computer with both old software AND new OS/2 releases. Available with 16/20/25/33 MHz Intel 80386 chips.

s this you? Would you like to have extraordinary computing speed and power? You want number crunching ability. You need complex CAD capabilities. Or networking. Or multitasking.

And you haven't got it. And you don't want to spend a fortune to replace good equipment with the latest industry standard.

You can turn your present system into the latest, high-performance system that will equal or exceed the best of the new computers.

Renegade 386. A new heart and brain for your computer.

Renegade offers designers, engineers, architects and computer dependent businesses a simple and reliable alternative to obsolescence. Or the unreasonable expense of a new



system. Simply replace the "motherboard" of your present system with a Renegade 386 motherboard. It takes a

Multi-task with Lotus 1-2-3 and other applications running Microsoft Windows/386.

you more than just the latest industry standard. You can run your old software on it. Virtually anything you use now.

Thanks to the compatibility of the Renegade 386, you can run the new generation of DOS, OS/2, Windows/386, UNIX V, DESQview 386, and XENIX/386 Plus. The Renegade 386 can be configured with either a 16/20/25 or 33 MHz Intel 80386 chip. The Renegade 386 is available with an Intel 82385 Cache controller and supports h

Intel 82385 Cache controller and supports both the Intel 387 and Weitek coprocessors to maximize overall



Renegade 386 gives you a full-featured new computer.

Faster, easier presentation graphics with newest breakthrough software releases.

through software releases. The Renegade 386 includes a 32 bit RAM expansion slot allowing you to populate your system with up to 16 megabytes of RAM.

In practical terms, that simply means programs like Lotus 1-2-3, AutoCAD, Aldus PageMaker and Microsoft Windows will run faster than anything you have ever seen.

So plug in your new Renegade 386 Motherboard and run your programs at the speed God intended.





30 DAY TRIAL OFFER AND OUR NO-RISK GUARANTEE

We understand perfectly that you have no reason to believe anything you read. Including this ad. We read too.

So we invite you to evaluate the Renegade 386 yourself. Call and order one today. We'll send it with clear detailed instructions. Use it in your own system, on your own work for 30 days. Try it for brilliant presentation graphics, make massive and instant spreadsheet recalculations, run huge memory-hungry CAD programs. Wring it out on anything your software is up to.

After 30 days, if it isn't for you, for any reason, we'll take it back and refund your full purchase price.

Call toll-free today. You have nothing to lose but yesterday's computer system.



We do it all.

IBM PC, XT, AT, Microsoft Windows, AutoCAD, Lotus 1-2-3, Aldus PageMaker, Intel and other brands and products are trademarks or registered trademarks of their respective holders.



PRODL ORE MO 1.

ONE STOP SOURCE FOR ALL PC MEMORY UPGRADES

MEMORY ADDED

512 KIT

2MB KIT

512 KIT

2MB KIT

512 KIT

2MB KIT

2MB MODULE

2808 Lafayette • Newport Beach, CA 92663 (714) 723-4510 • (800) 222-8861 • FAX: (714) 723-0732

PRICE

\$ 99 360

99

360

495

99

360

275 495

275 595 595

1.

Apple

Memory Upgrades

Compaq Memory Upgra	ades	
MODEL	MEMORY ADDED	PRICE
DESKPRO 386/33	2MB MODULE	\$ 695
DESKPRO 386/25	1MB MODULE 4MB MODULE	265 795
DESKPRO 386/20	1MB MODULE 4MB MODULE	265 795
DESKPRO 386 \$	1MB BOARD	350 995
	4MB BOARD 1MB MODULE	265
	4MB MODULE	795
DESKPRO 386/20E		350
	4MB BOARD 1MB MODULE	995 265
	4MB MODULE	795
DESKPRO 386/16		210
	1-2MB BOARD 4-8MB BOARD	CALL 1250
PORTABLE 386		395
TOTTABLE 000	4MB BOARD	1195
PORTABLE III	512K KIT	114
	2MB KIT	295
COMPAQ SLT/286		395
DESKPRO 286/E	1MB BOARD	460

		AT & T Memory Up	ogrades	
_	460	PS/2 80-311	2MB MODULE	59
	395	PS/2 80-111	2MB MODULE	59
	114 295	PS/2 80-041	1MB MODULE	27
	395 1195		2MB MODULE	49
	CALL 1250	(THE ABOVE MO	DULE GOES ON THE MOTHER 1MB MODULE	27
	210	PS/2 70-A21	2MB MODULE	49
	995 265 795	PS/2 70-121	1MB MODULE 2MB MODULE	27: 49:
	795 350	PS/2 70-F61	1MB MODULE 2MB MODULE	27 49
	265	PS/2 55-SX	2MB MODULE	49

IBM

MODEL

PS/2 30-286

PS/2 50Z

PS/2 50 AND 60

Memory Upgrades

MODEL	MEMORY ADDED	PRICE
Mac 11	256K X 8 SIM 1MEG KIT (4 SIMS)	\$ 54 180
	1MEG X 8 SIM 4MEG KIT (4 SIMS)	126 504
MAC PLUS	256K X 8 SIM 1MEG KIT (4 SIMS)	45 180
	1MEG X 8 SIMS 2MEG KIT (2 SIMS) 4MEG KIT (4 SIMS)	126 252 504
MAC SE	256K X 8 SIM 1MEG KIT (4 SIMS)	45 180
	1MEG X 8 SIMS 2MEG KIT (2 SIMS) 4MEG KIT (4 SIMS)	126 252 504
MAC 11CX	256K X 8 SIM 1MEG KIT (4 SIMS)	45 180
	1MEG X 8 SIMS 4MEG KIT (4 SIMS)	126 504
MAC SE/30	256K X 8 SIM 1MEG KIT (4 SIMS)	45 180
	1MEG X 8 SIM 2MEG KIT (2 SIMS) 4MEG KIT (4 SIMS)	126 252 504

Sun Micro Systems Memory Upgrades						
MODEL	MEMORY ADDED	PRICE				
SUN 360/60	4MB KIT	\$ 590				
SUN 360/1	4MB KIT	590				
SUN 410	4MB KIT	620				
SUN 4/10	4MB KIT	620				
SPARC STATION	4MB KIT	590				

0011000/1	HILD INT	000	
SUN 410 4MB KIT		620	6386 E
SUN 4/10 4MB KIT		620	
SPARC STAT	ION 4MB KIT	590	6286
Zenith Memory L			Hewle
MODEL	MEMORY ADDED	PRICE	MODEL
386/25	1MB KIT 2MB KIT	\$ 295 595	VECTRA RS
386/33	1MB KIT 2MB KIT	325 625	VECTRA RS
Epson			VECTRA RS
Memory l	Jpgrades		VECTRA RS
MODEL	MEMORY ADDED	PRICE	
EQUITY 386	1MB KIT 2MB KIT	\$ 210 350	VECTRA QS
			VECTEA OS

HP Laser Jet Series II & IID Memory Upgrades

MEMORY	PRICE
1MB	\$ 299
2MB	399
4MB	699

AT & T Memory Upgrades								
MODEL	MEMORY ADDED	PRICE						
6386 WGS	1MB KIT 4MB KIT	\$ 196 590						
6386 EWGS	1MB KIT 4MB KIT	196 590						
6286	2MB KIT	295						

ett Packard Upgrades MEMORY ADDED PRICE

MODEL	MEMORY ADDED	PRICE	- I
VECTRA RS/25C	1MB KIT 4MB KIT	\$ 228 620	
VECTRA RS/25	1MB KIT 4MB KIT	228 620	
VECTRA RS/20	1MB KIT 4MB KIT	228 620	
VECTRA RS/20C	1MB KIT 4MB KIT	196 590	
VECTRA QS/20	1MB KIT 4MB KIT	196 590	
VECTRA QS/16	1MB KIT 4MB KIT	196 590	
HP LASER JET 11	1MB KIT 2MB KIT 4MB KIT	299 399 699	
HP LASER JET 11D	1MB KIT 2MB KIT 4MB KIT	299 399 699	

	Everex Memory Upg	grades	
ſ	MODEL	MEMORY ADDED	PRICE
	386 STEP 16	1MB KIT 4MB KIT	\$ 196 590
	386 STEP 20	1MB KIT 4MB KIT	196 590
	386 STEP 25	1MB KIT 2MB KIT	196 590

AST Memory Upgrade	95	
MODEL BRAVO/286	MEMORY ADDED 128 KIT 512K KIT 2MB KIT 4MB KIT	PRICE \$ 52 94 295 590
AST PREMIUM 386	1MB KIT 4MB KIT	228 620
AST PREMIUM 386C	1MB KIT 4MB KIT	196 590
AST PREMIUM 386/16	1MB KIT 4MB KIT	196 590
AST WORKSTATION 286	512K KIT 2MB KIT	94 295
AST WORKSTATION 386	512K KIT 1MB KIT 2MB KIT 4MB KIT	94 196 295 590
AST PREMIUM 386/25 AST PREMIUM 386/33	1MB KIT 1MB KIT	225 245

COMPAQ • IBM • APPLE • HEWLETT PACKARD • AST • AT & T and More... • 5 Year Guarantee • Same-Day Shipping • Full Technical Support

SHORT TAKES

BYTE editors' hands-on views of new and developing products

PageMaker for OS/2 Presentation Manager

Think C 4.0

DeskWriter

HyperAccess/5

DOS Mounter

hyperStore-816 and SmartCache PM3011



THE FACTS

PageMaker for OS/2 Presentation Manager \$795

Requirements: IBM PS/2 Model 70, Model 80, or other 80386 system with a 40megabyte hard disk drive; 4 to 6 megabytes of extended memory; an EGA, VGA, or highresolution color monitor and adapter card; an OS/2-compatible pointing device; and a PostScriptor OS/2-compatible printer.

Aldus Corp. 411 First Ave. S, Suite 200 Seattle, WA 98104 (206) 622-5500 Inquiry 1002.

So, again we must wait. But when the programs are available, PageMaker for OS/2may be a good enough reason to consider buying OS/2. If you're already running OS/2and don't have a DTP program, you'll want to give this package a serious look. \Box

-Howard Eglowstein

OS/2 Puts Desktop Publishing in the Fast Lane

magine a desktop publishing (DTP) package with the power of PageMaker 3.0 and the added ability to handle multiple documents simultaneously. If that sounds like a dream come true, how about a product that runs faster than PageMaker 3.0 yet can share files with it? **PageMaker for OS/2 Presentation Manager** can do all that and more.

It may be that for DTP software users OS/2 has found a raison d'être. PageMaker has always been an excellent package, holding a position as one of the two most popular DTP packages for the IBM PC. But I've always thought that it would benefit from a bit more speed, a little less disk swapping, and better font control.

OS/2 provides facilities for managing much more memory than the maximum of 640K bytes handled by DOS. Thus, this version of Page-Maker has more memory to use, so it runs much faster than its DOS cousin. Multiple document windows let Page-Maker for OS/2 easily transfer graphics elements from document to document. The DOS version has been unable to do this since the conversion from PageMaker 1.0 to 3.0.

OS/2 also fixes something about Windows 2.10 that has always bugged me-the screen fonts. Under Windows, the imprecise font display made it difficult to tell how the printed document would look. You had to trust that PageMaker knew more than it could show you on-screen. I was pleasantly surprised to see how terrific the Presentation Manager fonts looked by comparison. Perhaps I've just never installed Windows fonts correctly, but if that's true, I'm not alone.

Multitasking isn't wasted on PageMaker, either. If you've used PageMaker 3.0, you know what a godsend autoflow was. The ability to automatically run text from one column to another and from one page to another got rid of one of PageMaker 1.0's biggest limitations. But it wasn't the fastest function, and it tied up the computer for a fair amount of time on long text.

Multitasking OS/2 lets the new PageMaker autoflow one document while you work on another. I tested it with a lengthy piece of text and found that I could work smoothly on a second document while the first was still processing.

To make full use of Page-Maker for OS/2 right now, you'll have to run under both DOS and OS/2, at least until paint, scanning, and text-editing packages are available for OS/2. This may sound like déjà vu to those of you who remember how frustrating Page-Maker was in the early days of version 1.0, when few programs were compatible with Windows.

Think C Goes OOP

L ike fine wine, some Macintosh software gets better with age. So it is with Symantec's C compiler, **Think C**, now upgraded to version 4.0. It uses an integrated development environment that contains an editor, a compiler, and a linker combined in a single application for fast code development. Under Multi-Finder, a source debugger lets you step through source code, set breakpoints, and examine the contents of variables, arrays, and structures. So what's new this time around?

First, the compiler and C libraries now conform to the ANSI standard. Second, the compiler can generate multisegmented code resources (a capability that had been previously limited to applications, drivers, and desk accessories). Third, the compiler's in-line assembler has been continued rewritten: The assembly language syntax has been relaxed to support 68020/68030 addressing modes and instructions. The compiler supports the 68881/68882 FPU, but the 68851 paged-memory-management-unit and 68030 MMU instructions are not supported. Last but not least, Think C now supports objectoriented programming (OOP) in language extensions called Object C.

Object C's syntax is loosely based on C++. As with C++, you implement objects by first declaring a *class*. In Object C, these declarations are extensions of struct declarations. You allocate or remove objects from memory by using the new() and delete() functions, respectively. Object C's message dispatcher supports polymorphism; that is, during execution, the dispatcher determines the class of the method that the message is going to (also called run-time binding). This allows you the flexibility to write methods within your program that will override existing methods within a class.

Run-time binding exacts a performance penalty, but the Think C linker looks for ways to overcome this. It evaluates your code, and if a particular method is monomorphic (i.e., it doesn't override another class and is itself not overrid-





den), it generates a direct call to the method, rather than routing it through the dispatcher. A set of class libraries that let you easily use Mac windows, handle the menu bar, and process events is also provided.

The big advantage of Object C is that you can trace through it using the Think C source debugger. You can actually watch the thread of execution pass through objects and see instance variables modified. Two new sample programs (besides the usual application and desk accessory files) are provided: a paint application written in Object C and an object-oriented cdev. Normally, you can use only the source debugger to debug applications, but Symantec also supplies a special application shell that lets you debug a cdev. The preliminary documentation covers only the Unix libraries and Object C extensions. A list of Mac Toolbox calls with the appropriate Think C arguments would be helpful.

I used a prerelease version of the compiler to complete two works in progress. The first was an application that makes extensive use of Apple-Talk. The second was an FKEY that output two characters to the Mac's printer port to disengage a smart serial switch I was using to share an Apple ImageWriter with a Mac and a PC.

I had no trouble making the switch to the new compiler and experienced no problems completing the programs. Compiling and linking were snappy, as in version 3.0. I also traced program flow with the source debugger, with both the sample cdev and the object-oriented paint application.

If you already own Think C, it's time to upgrade. If you want a low-cost, fast C development package for the Mac with object-oriented extensions, look no further. Think C continues its reputation as a high-quality product, and its class libraries and source debugger can shed light on how objects *really* work. □

-Tom Thompson

An Ink-Jet Printer for the Mac

M acintosh users now have an ink-jet printer to call their own. The **DeskWriter** from Hewlett-Packard is the new Mac printer that's based on DeskJet technology.

Using a relatively simple paper path, ink is deposited at a rate of 300 dots per inch from a disposable ink cartridge. The cartridges are priced at a reasonable \$18.95. However, if they last only as long as those in the DeskJet Plus, you'd better buy a handful.

You can increase the print speed up to 50 percent with the

draft-quality mode, which prints at 150 dpi.

This 15-pound printer is powered by an external power supply from an AC outlet. To hook it up, you'll need an M0197 Apple male-mini-8to-male-mini-8 cord, which you connect to the serial port of your Mac.

The printer uses Quick-Draw to do its imaging and has a driver from Palomar Software. You can scale the fonts from 4 to 250 points without having to install fonts for each point size. While this is simi-

THE FACTS

DeskWriter \$1195

Requirements:

Mac Plus, SE, or II with a hard disk drive for font storage and a standard peripheral/8 cable.

lar to the printing mechanism envisioned in Apple's forthcoming System 7.0, it remains to be seen what effect the release of System 7.0 will have Hewlett-Packard Co. 19310 Pruneridge Ave. Cupertino, CA 95014 (800) 752-0900 Inquiry 1004.

on the printer driver. It will probably be minimal, since the overall design appears to conform to Apple guidelines. *continued*



Embedded systems designers have already used CrossCode C in over 413 different applications.

CrossCode C has twelve important features to help you program your 68000-based ROMable applications

It's the one 68000 C compiler that's tailor-made for embedded systems development

CrossCode C is designed specifically to help you write ROMable code for all members of the Motorola 68000 family. It comes with these twelve special features to help you get your code into ROM:

1. A 100% ROMable Compiler: CrossCode C splits its output into five memory sections for easy placement into ROM or RAM at link time.

2. Integrated C and Assembler: You can write your code in any combination of C and assembly language.

3. Readable Assembly Language Output: The compiler generates assembly language code with your C language source code embedded as comments, so you can see each statement's compiled output.

4. Optimized Code: CrossCode C uses minimum required precision when evaluating expressions. It also "folds" constants at compilation time, converts multiplications to shifts when possible, and eliminates superfluous branches.

5. Custom Optimization: You can optimize compiler output for your application because *you* control the sizes of C types, including pointers, *floats*, and all integral types. 6. Register Optimization: Ten registers are reserved for your register variables, and there's an option to automatically declare all stack variables as *register*, so you can instantly optimize programs that were written without registers in mind.

7. C Library Source: An extensive C library containing over 47 C functions is provided in source form.

8. No Limitations: No matter how large your program is, CrossCode C will compile it. There are no limits on the number of symbols in your program, the size of your input file, or the size of a C function.

9. 68030 Support: If you're using the 68030, **CrossCode** C will use its extra instructions and addressing modes.

10. Floating Point Support: If you're using the 68881, the compiler performs floating point operations through the coprocessor, and floating point register variables are stored in 68881 registers.

11. Position Independence: Both position independent code and data can be generated if needed.

12. ANSI Standards: CrossCode C tracks the ANSI C standard, so your code

will always be standard, too.

There's More

CrossCode C comes with an assembler, a linker, and a tool to help you prepare your object code for transmission to PROM programmers and emulators. And there's another special tool that gives you symbolic debugging support by helping you to prepare symbol tables for virtually all types of emulators.

CrossCode C is available under MS-DOS for just \$1595, and it runs on all IBM PCs and compatibles (640K memory and hard disk are required). Also available under UNIX, XENIX, and VMS.

CALL TODAY for more information:

1-800-448-7733 (ask for extension 2003)

Outside the United States, please dial

PHONE: 1-312-971-8170 FAX: 1-312-971-8513

SOFTWARE DEVELOPMENT SYSTEMS, INC. DEPARTMENT 23 4248 BELLE AIRE LANE DOWNERS GROVE, ILLINOIS 60515 USA

CrossCode[™] is a trademark of SOFTWARE DEVELOPMENT SYSTEMS, INC. MS-DOS® is a registered trademark of Microsoft. UNIX® is a registered trademark of AT&T. XENIX® is a registered trademark of Microsoft.

We had no trouble using the DeskWriter with most Mac programs. Programs that provide PostScript output, however, aren't compatible. These exceptions are well documented in the manual.

The DeskWriter comes with four fonts: Courier, Times, Helvetica, and Symbol. We thought the quality of the printing was remarkable and found that we could create documents that look identical to LaserWriter output. We uploaded some bit-map fonts, which also produced an extremely crisp page.

For \$200 less than a dot-matrix ImageWriter LQ, you get ink-jet quality. While the

THE FACTS

HyperAccess/5

DeskWriter is not networkable, it appears to be ideal for low-quantity (fewer than 50 documents a day), high-quality personal printing. \Box

-Anne Fischer Lent and Laurence H. Loeb

Hilgraeve

Communications Get Hyper

ilgraeve's HyperAccess/5, the newest version of its venerable communications program for the IBM PC, is overflowing with every communications feature you can imagine.

Although adding feature after feature to a package isn't unusual these days, I'm a purist. I like my communications software to do a few simple things well, like logging onto a system and doing file transfers. So I found HyperAccess/5 to be a bit overdone, with a confusing user interface that stubbornly told me it was connected to BIX before it even dialed the number. I finally found out what I was doing wrong, but the beta software I was using continued to blow up at unexpected times.

However, some of its features did grow on me. Hyper-Access/5 let me set up a simple command-line method to access the systems I use most often, but I first had to wade through a myriad of screens and help files and also read the manual to figure it out. And although they're common in communications software these days, the package's "smart" method of automatically learning log-ons and its ability to scroll back through a session are handy indeed.

But HyperAccess/5's most noteworthy features are its ability to be highly customized to a wide variety of terminal emulations and modems. And somehow, the package's designers have managed to make it perhaps the most well-

III per mecessi 5	Inglacve
\$199	Genesis Center
	111 Conant Ave., Suite A
Requirements:	Monroe, MI 48161
IBM PC, AT, PS/2, or	(800) 826-2760
compatible running OS/2	Inquiry 1005.
1.0 or higher (or DOS 2.0	
or higher) with 384K bytes	
of RAM.	

behaved software around. It runs fine under Microsoft Windows. Also, HyperAccess/5 adds OS/2 support, becoming the first communications program to run under Presentation Manager.

Then there are the built-in editor, extensive BBS capabilities (even call-back), and time-triggered calling. About the only thing that I found to be missing was background operation (except under OS/2). If you want simple and inexpensive communications, make another choice. But if you are willing to ascend its steep learning curve, HyperAccess/5 can open new horizons.

-Stan Miastkowski

Swapping DOS to Mac the Convenient Way



ne of the greatest things Apple has ever done is to come up with the FDHD (for floppy disk high-density) unit. This terrific device with the terrible moniker hooks to a Macintosh and lets it read and write 3¹/₂-inch floppy disks from a DOS machine. For those of us who use both a Mac and a DOS computer and who work at a place where disks from either type of system might come our way, this product is an essential piece of hardware.

Now Dayna Communications has come up with an essential piece of software for anyone who has an FDHD unit. DOS Mounter is a utility program that lets the FDHD unit access DOS disks without having to use the Apple File

Exchange (i.e., a file converter that lets the Mac work with alien formats). DOS Mounter causes a foreign disk to appear on the Desktop as a Mac disk; you can work with the files on the disk as if they came from a Mac.

After I installed DOS Mounter in the System folder of a Mac IIcx, I tried opening some PageMaker files created on a Compaq computer. No problem. Not only did the files open intact, but all the formats and styles translated properly. I also checked out some files from PC versions of Excel and Microsoft Word. No problem. Dayna, though, warns that not all files will be so thoroughly maintained. I'd recommend knowing your applications' continued

We think programmers need more drive.

Get the tools you need to enter the CD-ROM age. Microsoft Programmer's Library Software plus a Denon CD-ROM Drive—for under \$1,000.

Call Microsoft direct at (800) 227-4679 now for complete details on the bundled bargain of the year: Microsoft *Programmer's Library*

"If you do much programming and your time is worth anything at all, get a CD-ROM reader and Microsoft's Programmer's Library. You won't regret it. Highly recommended." —Jerry Pournelle, Byte Magazine, Sept. 1989 with 72 reference manuals and guides --over 278 MB of data on a single compact disc. Plus 3-user OPTI-NETTM software, including 2 additional user licenses (a \$130 savings). And Denon's SCSI CD-ROM drive system, complete with interface card and cables... all for just \$949.

With accelerating hardware and software development by leading companies like IBM, Intel, Lotus and Microsoft, CD-ROM is fast becoming a standard peripheral of the 90's. Utilizing CD-ROM technology, Microsoft Programmer's Library helps you work faster. . . and smarter. Over 100,000 hypertext links streamline your search time, giving you instant access to all documentation on networks, hardware, OS/2, Windows[™] and MS-DOS[®] environments, C, Macro Assembler, Pascal, FORTRAN and BASIC. And the latest versions of 72 essential reference texts, with regular updates available from Microsoft. You'll also have 26 MB of indexed code you can actually cut-and-paste right into your text editor.

The Denon CD-ROM drive—with its advanced servo-circuitry, high reliability, multimode flexibility and access time of 400 ms. dramatically cuts manual search time and downtime. And when you really want to switch modes, the built-in speaker and jacks let you play your favorite audio CDs. So you can *listen* to a keyboard for a change. But if you just can't stop programming, Microsoft audio software turns your CD drive into a programmable audio CD player. Order now and this special music program (a \$99 value) is *yours free*... while supplies last.

15-Day Money-Back Guarantee. Order direct from Microsoft today and get Microsoft Programmer's Library complete with the Denon CD-ROM Drive (IBM[®] AT[®] version) and Microsoft's audio program for just \$949.

> Call now and save \$799! (800) 227-4679



©1989 Microsoft Corporation. All rights reserved. MS-DOS, Windows and the Microsoft logo are registered trademarks and Making it all make sense is a trademark of the Microsoft Corporation. IBM and AT are registered trademarks of International Business Machines Corporation. OPTI-NET is a trademark of On Line Computer Systems Inc. Offer expires December 31, 1989.

C for the 8051 Compare:

Benchmark Results - Sample program: Eratosthenese sieve Program from BYTE (1/83) expanded with I/O and interrupt handling.

	Archimedes ICC51 v2.20A	MCC51 v1.2	FRANKLIN C51 v2.1
Compilation time	12 sec 🖌	18 sec	17 sec
Linkage time	29 sec	9 sec	6 sec 🖌
Execution time	11.45 sec	9.00 sec	0.88 sec 🖌
Total code size	5318 bytes	3798	1726 🖌
Sieve module size	736	1021	541 🖌

Call now for your free DEMO disk.



888 Saratoga Ave. #2 · San Jose, CA 95129 (408) 296-8051 · FAX (408) 296-8061

Europe A: (0222) 25 36 26 B: (010) 22 34 55 CH: (032) 41 01 11 D: KEIL (089) 46 50 57 DK: (02) 65 82 00 F: (1) 64 07 85 64 GB: (0962) 73 31 40 NL: (01858) 16133 S: (040) 92 24 25 Far East: Aust: (61) 04 65 41 873 R.O.C.: (02) 76 40 2156 N.Z. (64) 04 694 129 (fax).

NEW FOR TURBO C PROGRAMMERS Three Serious Tools to maximize your time.

Your time is valuable! Now you can reduce your programming time like you never imagined, using The Working Toolbox Soft-ware program by Be Aware Inc. Our program comes with an extensive 310 page, easy-to-use manual that is loaded with examples. Also included is a 30-day money back guarantee. Here are some of the features of these three great timesaving tools.

THE WORKING TOOLBOX THE WORKING

- THE WORKING ISAM
- Stores data in B+ Trees.
 Maximum of 256 indexes.
- · RAM buffers for high speed.
- 6 types of indexes available.
- Multi-field indexing.
 All indexes stored in one file.
- Automatic Recovery
- FREE SOURCE CODE
 - THE HANDY LIBRARY · Pop Up, Pull down and bar

SCREEN PAINTER Friendly interactive environment. · Data entry and display.

- · Great functions for easier pro-
- gramming and professional results. Intelligent data entry and display.
- · Overlapping windows
- menus with one function call! All memory models supported.

· Box & line drawing supported.

Multi color screens at a glance!
 SUPER FAST SCREENS

· Writes C source code ready to be

compiled under any memory model.

- Date conversion functions.
- Don't waste any more time, order now! Special introductory price of \$179.99 plus S & H. Call (our toll-free number) or fax your order.

5197 N.W. 15th St., Suite 120, Margate, FL 33063 No Royalties! ORDER NOW ONLY \$179.99 1 800-423-1611 or 305-970-0372 or FAX 305-735-3459 Turbo C is a registered trademark of Borland International.

capabilities for saving files to certain formats before investing in an FDHD unit or DOS Mounter.

The package comes with an "extension mapping" feature that lets you open a DOS file by just double-clicking on the file's icon instead of having to first call up the application. This feature basically links DOS file extensions with Mac applications, like DBF with dBASE Mac.

The program's extension table is set up for common programs like dBASE, Excel, and PageMaker. You can customize this table in a window that's similar to the Font/DA Mover. Extension mapping doesn't eliminate the need for file translation when working with incompatible files or programs. Mapping a DOS file to an incompatible Mac program will result in either the program not starting up or the file containing weird characters.

DOS Mounter cannot initialize or erase DOS disks. For that you need the Apple File Exchange 1.1.1, which comes with DOS Mounter. You're supposed to be able to initialize disks in either 720K-byte or 1.44-megabyte formats, but the version that I worked with didn't have a button for the higher density.

I took some disks formatted in the FDHD unit and tried using them with several different DOS computers. I thought that my skepticism was justified when a certain PC clone wouldn't have anything to do with one of the Macintoshborn disks, but it turned out that the clone had some bad parts and wouldn't even accept true-blue disks.

If you're a Mac user who's frequently working with data files from a DOS computer and you like convenience, you need an Apple FDHD unit. And if you need an FDHD unit for your Mac, you probably also need the DOS Mounter software.

-D. Barker

THE FACTS

DOS Mounter \$89.95

Requirements: Mac with an FDHD unit and System 6.0.2 or higher. **Dayna Communications** 50 South Main, Suite 530 Salt Lake City, UT 84144 (801) 531-0600 Inquiry 1006.

Cold Cache for Your Hard Disk

aching disk controllers, which use dedicated RAM to store most-oftenused data for virtually immediate access, have been available for several years. But the last few months have seen the arrival of a new generation of "smart" caching controllers that put a big dent in the hard disk drive data transfer bottleneck

Two such controllers are hyperStore-816 from Perceptive Solutions and Smart-Cache PM3011 from Distributed Processing Technology (DPT). Starting with a 10MHz IBM PC AT clone, I used both controllers with a Seagate ST577R 64-megabyte runlength-limited (RLL) hard disk drive. The results were impressive.

Of the two, the hyperStore-816 has the more radical design. It's a full-length singleslot caching controller that includes a custom hard disk drive BIOS and its own operating system controlling a dedicated Zilog Z80280 microprocessor. Cache RAM is neatly packaged in single in-line memory modules. Although continued

THE \$49 DISK SPACE SOLUTION — PACK MAGIC!



GUARANTEED.

Whether you're a hard disk user who is quickly running out of space, or a software developer whose program no longer fits on a single disk, PACK MAGIC is for you. PACK MAGIC works hard to solve these common disk space problems:

PROBLEM: You never dreamed it would happen, but your hard disk is now fast running out of room. **SOLUTION**: Use PACK MAGIC to quickly compress directories when you're not using them. (They'll usually shrink by more than 50%!) When you're ready to use them, PACK MAGIC's rocket-fast algorithm expands any directory in record time.

 Size
 Space Before
 Space After

 PACK MAGIC
 PACK MAGIC
 PACK MAGIC

 20 Megabytes
 4 Megabytes
 12 Megabytes

 40 Megabytes
 5 Megabytes
 23 Megabytes

It's like getting a bigger hard disk!

PROBLEM: Backing up your hard disk takes forever, so you do it far less often than you should. **SOLUTION:** Use PACK MAGIC to compress your directories before backing up. You'll cut the time and number of disks needed to back up by half or more.

PROBLEM: You'd like to reduce the amount of space occupied by the programs you use frequently, or you're a software developer and your program is too large to operate on a 360K floppy disk. **SOLUTION:** Also use PACK MAGIC to compress your active program files (.com and .exe files). The average reduction for program files is 22%! Your programs will continue to function normally, but will occupy less disk space.

PACK MAGIC is easy-to-use, comes with a menu-driven interface, on-line help, free technical support and a printed manual.

Try PACK MAGIC for 30 days--If you're not completely satisfied, return it for a full refund (excluding shipping).

For Same Day Shipping VISA, MASTERCARD & C.O.D. ORDERS CALL

In Canada call: 319-395-7300 Mon.-Fri. 8:30 a.m. to 5:00 p.m. CST FAX: 319-395-0217 Or send check or money order payable to Parsons Technology.

-		
-		
-		
1	704	and Technol
-		

NAME

AD CIT

ST

375 Collins Road NE Cedar Rapids, Iowa 52402

		4.15	-
PA	CK	MA	GI
	-		

\$49 + \$5 shipping NOT COPY PROTECTED INCLUDES PRINTED MANUAL

HONE

DRESS _	 1	
Y		
	1	

CHECKD	MONEY ORDER	VISAD	MASTERCARD
CARD #		E	XP. DATE

PACK MAGIC requires an IBM*/Tandy*/Compaq* or compatible computer, 384K or more RAM and DOS 2.0 or higher. Add \$5 shipping/handling—\$10 outside North America. Iowa residents, please add 4% sales tax.

*IBM, Tandy and Compaq are registered trademarks of International Business Machines Corp, Tandy Corp., and Compaq Computer Corp. respectively.



Up to 4 Mbytes Memory and much more.

To order or enquire call us today. Megatel Computer Corporation (416) 245-2953 FAX (416) 245-6505 125 Wendell Ave., Weston, Ontario M9N 3K9

REPS: Italy 39 331 256 524 W. Germany 49 6074 98031 U.K. 44 959 71011 Netherlands 31 838 529 505 Australia 61 03 568 0988

Austria 43 222 587 6475 Finland 358 0757 1711 Sweden 46 40 78 078 Norway 47 986 9970 Denmark 45 244 0488

Irademarks: Quark - F. + K. Mfa. Co. DRDOS - Digital Research Ltd. EGA - IBM Corp.



512K bytes is standard, the unit I tested was packed with the maximum of four 1-megabyte SIMMs.

Perceptive Solutions puts its standard floppy disk drive controller and the hard disk drive interface modules on small daughterboards that are mounted to the main hyper-Store-816 board. This perceptive design lets you easily change the hard disk drive interface (RLL, modified frequency modulation, ESDI, or SCSI) should you upgrade your hard disk drive.

DPT's SmartCache has a Motorola 68000 microprocessor and uses a more conventional design, with the (optional) floppy disk drive controller and hard disk drive interface integrated onto a single board. This can be a real pain if you change to a drive with a different interface, requiring you to buy an entire new controller. If you want to use a larger cache than the standard 512K bytes, you also need to add a second full-size board. DPT uses standard 1megabit chips; the board can hold up to 12 megabytes.

After making a full backup of my drive, I found both boards easy to install.

After DOS partitioning and formatting the drives, I immediately booted and used the

system in the normal manner. The increase in performance was dramatic. Objective benchmarking of these boards is almost impossible, because the jealously guarded proprietary algorithms "watched" how I worked and became progressively faster as I used them. Both companies claim an effective disk-access time of about 0.5 ms, and I have to agree. What this means in real-world terms is that most applications run eight to 12 times faster.

Although both boards gave me similar results, each had idiosyncrasies. I liked the compact design and easy expandability of the hyperStore-816, but the unit I tested worked only with vanilla DOS. (The company says that drivers for Unix, OS/2, and Novell NetWare are on the way.) SmartCache works with all operating systems, but the necessity of using a second slot for additional cache memory is inconvenient. In addition, my SmartCache ran very hot, although the company assured me that it was normal. Although fully configured caching controllers are not inexpensive, I found that the real speed they added to my system is a better investment than a faster microprocessor.

-Stan Miastkowski

THE FACTS

hyperStore-816 \$1195 (with 512K bytes)

Requirements: IBM AT or compatible.

Perceptive Solutions, Inc. 1509 Falcon St., Suite 104 DeSoto, TX 75115 (800) 343-0903 Inquiry 1007.

SmartCache PM3011 \$1150 (with 512K bytes)

Requirements: IBM AT or compatible.

Options: Floppy disk support, \$80; mirroring option, \$800; BIOS expander chip set, \$50.

Distributed Processing Technology 132 Candace Dr. P.O. Box 1864 Maitland, FL 32751 (407) 830-5522 Inquiry 1008.

Teach your HP LaserJet Series II° the powerful PostScript language. In one easy lesson.



It's never been this easy. Now, you can turn your HP LaserJet Series II into a PostScript language compatible printer simply by plugging in Pacific Data Products' *PacificPage* cartridge. That's all. No other add-ins, software or cables are required.

5. PACIFICP

Immediately start printing PostScript language output from Ventura Publisher®, Aldus PageMaker®, WordPerfect 5.0®, Microsoft Word® as well as many other graphics and business application software packages. And *PacificPage* is compatible

PACIFICPAGE™ the PostScript®Language Compatible Plug-in Cartridge

POSTSCRIPT EMULATIO

PACIFIC PAGE

PACIEIC

with IBM® and IBM-compatibles.

PacificPage is the result of the proven cartridge-based technology—*Plotter in a Cartridge™*, 25 *Cartridges in One!*[™]—from Pacific Data Products and the innovative PostScript emulation skills of Phoenix Technologies, Ltd.

Authorized Dealer:



14430 18th Ave. SW Seattle, WA 98166 (206) 244-2355 **1-800-544-1720**



6404 Nancy Ridge Dr., San Diego, CA 92121+(619)552-0880 FAX (619)552-0889+ Pacific Page, 25 Cartridges in Onel, and Plotter in a Cartridge are trademarks of Pacific Data Products, Inc. PostScript is a registered trademark of Adobe Systems Inc. PhoenixPage is a registered trademark of Phoenix Technologies, Ltd. Copyright 1987, 1988 Phoenix Technologies Ltd. All other company and product names are trademarks of the company or manufacturer respectively. Copyright 1989 Pacific Data Products, Inc.



ZEOS Smashes the '386

Your best reason yet to move up to a '386. Now you can own a complete **ZEOS '386SX 16MHz hard drive** system for less than comparable '286 systems. The ZEOS '386SX. ZEOS performance, quality and support. ZEOS value. The Choice is Clear.

If you plan to buy a 16- or 20MHz 286 machine, think again.

A fundamental change in computing is about to take place. Systems based on the 80286 processor will be replaced by systems based on the 80386SX.

As America's premier manufacturer of 80386 based systems, we've designed the new ZEOS 386SX to provide everyone with a window to the future. A future of '386 speed and performance at a fraction of what you would expect to pay.

And ZÉOS knows '386 systems better than anyone. After all, PC Magazine chose ZEOS above 57 other companies for *"For Overall Excellence"* in their recent '386 Blockbuster issue.

The new ZEOS 386SX simply runs circles around '286 based machines. PC magazine noted that the ZEOS 16MHz 386SX compares "favorably with the 20MHz '286 machines reviewed in 'The 80286: Unsafe at Higher Speeds?'" (PC Magazine, December 27, 1988).

So forget those 16- and 20MHz '286 machines forever. The ZEOS '386SX-16 "blows 'em right out of the water." As PC Magazine says, "386SX-based machines are the right choice..." and the new ZEOS 386SX is the right choice for you.

30 Day Absolute Satisfaction Guarantee. One Full Year Limited Warranty.

If a company believes in their product, they should stand Rock Solid behind it. That's why your new ZEOS 386SX hard drive system includes our famous 30 Day Absolute Satisfaction *Money Back* Guarantee, One Full Year Limited Warranty and Express Parts Replacement Policy.

24 Hour a Day Sales and Toll Free Technical Support!

And talk about service! ZEOS is the only computer company in America standing by ready to help you *Toll Free, 24 hours a day, 365 days a year.* Nobody supports their customers like ZEOS!

Order your new ZEOS 386SX now with confidence. Your choice of ZEOS quality and performance is *Guaranteed*. Order now by calling 800-423-5891.

Only\$1695. Price Barrier!



ZEOS is a publicity traded company; MPLS/St. Paul Local OTC. ©1989 ZEOS International, Ltd., 530 5th Avenue, N.W., St. Paul, MN 55112. Circle 296 on Reader Service Card

The New ZEOS 386SX Hard Drive System. Below '286 Prices! Only \$1,695

The future is now! Why be left behind with yesterday's '286 technology? This fast new ZEOS 386SX system is your high performance ticket to '386 computing power. It's actually faster and yet less expensive than comparable '286 systems.

- 80386SX-16 CPU, 8/16MHz Dual Speed Keyboard Selectable. Reset/Turbo Buttons.
- 512K DRAM, expandable to a System Total of 16MB.
- Shadow RAM and EMS capability.
- Fast 32MB Seagate 138R Hard Drive with autopark, 1.2MB Teac floppy drive.
- Ultra high speed Hard/ Floppy controller. 1:1 interleave, High Speed transfer.
- Genuine Hercules[®] brand graphics controller. High-Res Amber Display with Tilt/ Swivel.
- ZEOS/RS Enhanced Tactile/Click keyboard.
- 2 High Speed Serial Ports plus one Parallel and one Game Port.
- 6-16, 2-8 bit expansion slots. 80387SX support.
- Rugged ZEOS space saver case. Security lock and LED indicators.
- Includes ZEOS 24 Hour a Day Toll Free Technical Support and Customer Satisfaction package.





ZEOS'386 Systems "For Overall Excellence..."

Complete ZEOS 20MHz '386 System. 80MB SCSI Drive!

Only \$2995 16MHz systems from \$2295!

The standard by which others are measured! Featuring 64K CACHE (twice that of most competitors) providing Zero-Wait State performance vastly superior to page/interleave memory schemes. Incredible Value.

- High speed Zero-Wait 64K read and write-back SRAM CACHE. The fastest method known.
- Genuine 32-bit Intel 80386-20MHz CPU.
- 1MB of Zero-Wait DRAM Expandable to 16MB.
- Fast 80MB, 28ms SCSI Seagate Hard Drive, Teac[®] 1.2MB Floppy Drive.
- High speed HDD/FDD SCSI Host Adaptor with Software.
- Genuine Hercules[®] brand graphics controller. High-Res Amber Display with Tilt/ Swivel.



Performance Comparisons using PC Labs Benchmark Series Release 4:

80386 Instruction Mix	Floating Point Calculation	Conventional Memory
3.58	13.62	0.58
2.87	10:82	0.38
4.08	16.04	0.75
4.12	15,47	0.75
	Instruction Mix 3.58 2.87 4.08	Instruction Mix Point Calculation 3.58 13.62 2.87 10.82 4.08 16.04

- 101 Key ZEOS Tactile/Click keyboard.
- 2 High Speed Serial Ports plus one Parallel and one Game port.
- 1-32, 6-16 and 1-8 bit slots.
- 80387 math coprocessor support.
- Rugged ZEOS 5-bay case. Including Security Lock and LED indicators.
- Includes ZEOS 24 Hour a Day Toll Free Technical Support and Customer Satisfaction package.

Options Galore: Including 14'' VGA, add only \$595. And an incredible selection of hard drives: SCSI, RLL, ESDI or MFM and virtually any other add-on you could want!



FAX Orders Dial: 612-633-1325 In Minnesota Call: 612-633-4591 MasterCard, VISA, ZCARD, COD Open 24 Hours a day, 365 Days a year.

All prices and specifications are subject to change without notice. Please call for current pricing and warranty details. ZEOS is a publicly traded company; MPLS/St. Paul Local OTC.
"Out of 104 machines from 58 companies...For overall excellence we selected ZEOS International's 386-16 and 386-20." *PC Magazine, May 30, 1989*

The Editors of *PC Magazine* came to this conclusion after investing "25,000 hours of work by 60 people testing and reviewing 104 '386 PCs." The review was thorough and their conclusion specific. Simply, that out of all the manufacturers in the world, ZEOS offers you the very best '386 Value.

In all areas, ZEOS machines are top performers. With uncompromising attention to quality and detail throughout. Not only do ZEOS systems themselves afford you the very best *Values* in computing today, they're backed up by the strongest after sales support in the industry.

At ZEOS we feel that if a company believes in its products it should stand Rock Solid behind them.

That's why ZEOS offers Toll

6 MACAZINE EDITORS CHOICE 5-30-89

OS 386-20



Free Technical Support 24 Hours a day, seven days a week, 365 days a year! At ZEOS, we believe in standing by our customers whenever they need us.

Then add our 30 Day Absolute Satisfaction *Money Back* Guarantee, One Full Year Limited Warranty and Express Parts Replacement Policy. You've got the best.

And when you order your ZEOS '386 you can have your pick from the industry's broadest selection of options. As *PC Magazine* said, ZEOS offers "more options than even the most configuration hungry hound could possibly need."

Quality, Performance, Reliability and Support. Overall Excellence. That's why ZEOS is PC Magazine's #1 choice. And that's why ZEOS is your best choice as well. So pick out that dream machine today and order it now with confidence. Your choice of ZEOS excellence is Guaranteed. Order now by calling 800-423-5891.

- Complete 25MHz '386 Vertical System. 80MB SCSI Drive!
- Only \$3995

Complete 33MHz systems only \$4995!

ZEOS 25MHz and 33MHz 80386 systems are the fastest, most advanced available anywhere. Government Computer News calls the ZEOS '386-33 "arguably the fastest MS-DOS and OS/2 micro in the world." Review after review, these ZEOS systems are selected as the best price/performance buys. A power user's dream!

- Ultra High speed Zero-Wait 64K SRAM CACHE.
- Genuine 32-bit Intel '386-25 or 33MHz CPU.
- 1MB of Zero-Wait DRAM Expandable to 16MB.
- Fast 80MB, 28ms SCSI Seagate Hard Drive, Teac[®] 1.2MB Floppy Drive.
- High speed HDD/FDD SCSI Host Adaptor with Software.



Performance Comparisons using PC Labs Benchmark Series Release 4:

	80386 Instruction Mix	Point Calculation	Conventional Memory
ZEOS 386/25 Desktop	2.29	8.37	0.33
ZEOS 386/33 Desktop	1.67	6.43	0.27
IBM PS/2 Model A	2.27	8.33	0.60
Compaq Deskpro 386/25	2.36	8.59	0.37

- Genuine Hercules[®] brand graphics controller. High-Res Amber Display with Tilt/Swivel.
- BIOS and Video Shadow RAM plus EMS support.
- ZEOS Tactile/Click keyboard.
- 2 High Speed Serial Ports plus one Parallel and one Game port.
- 1-32, 6-16 and 1-8 bit slots.
- 80387 math coprocessor support.
- Rugged ZEOS 5-bay case. Security Lock, LED indicators.
- Includes ZEOS 24 Hour a Day Toll Free Technical Support.

Many options available: Including 14'' VGA, add only \$595. Plus a large selection of SCSI, RLL, ESDI or MFM hard drives and more.





Circle 297 on Reader Service Card



Right Now. Guaranteed!*

Yes, we can ship your new ZEOS[®] '286 or '386 today! We've built up an extra supply of the hottest selling computers in America. The celebrated ZEOS 286-12 and PC Magazine's Editor's Choice—the ultra fast ZEOS 386-16.

Take your pick now for immediate delivery. These are both *complete*, genuine ZEOS Zero-Wait state systems. Both include an ultra-fast Seagate hard drive and all the other goodies. And they're ready to ship. *Right Now*.

Here's how it works. We have these extra systems pre-built and ready to ship. They include both High Resolution Monochrome and VGA systems. While supplies last, we will ship either of these systems to you *the day you order* subject to these conditions:

- 1. Your order must be received by 1PM Central Time.
- 2. Credit Cards are subject to credit card authorization.
- 3. Orders must be for our standard 286-12MHz system or 386-16MHz system, either monochrome or VGA. Any other systems or upgrades are custom built and will take slightly longer.

*Our Guarantee to You:

If we fail to ship your system under the conditions outlined, we will ship it *at our expense* as soon as it is ready. All systems are fully burned in and tested. Each system includes our 30 day Money Back Guarantee and One Full Year Limited Warranty. *Toll Free* technical support and Express Parts Replacement are included too!

This offer is good only as long as these pre-built

Complete ZEOS 12MHz '286 with 32MB Hard Drive!

Only \$1,395 For VGA color add \$595

FREE Shareware Disks Too! 25 Software Programs Included Every system will include 5 ready to run Shareware programs on free disks. Included are programs for Word Processing, Spread Sheets, Educational, Financial, Business, Games and more. With Shareware you can try the programs first before you register them with the author. What a great idea!

Standard Features Include:

- 80286-12 CPU, 6/12MHz Dual Speed keyboard/hardware selectable. Reset and Turbo buttons right up front.
- Zero-Wait State DRAM, 512K expandable to 4MB on the mother board (16MB System Total). EMS Capability on board.



Performance Comparisons using PC Labs Benchmark Series Release 4:

	80286 Instruction Mix	Floating Point Calculation	Conventional Memory	
ZEOS 286/12 Desktop	4.78	18.84	0.72	
IBM PC AT (8MHz)	8.96	35.60	1.32	
IBM PS/2 Model 50	7.20	28.34	1.05	

- Fast 32MB Seagate 138R Hard Drive with auto-park, 1.2MB Floppy Drive.
- Ultra high speed Hard/Floppy controller. 1:1 interleave, 800 KB/sec transfer rate.
- Genuine Hercules[®] (Yes, Hercules!) Brand graphics card. High-Res Amber Display with Tilt/Swivel Base.
- ZEOS Enhanced 101 Key Keyboard with our Pleasant Tactile/Click Feel.
- Serial and Parallel Printer Ports.
- Clock/Calendar with Battery Backup.
- 6-16 and 2-8 bit expansion slots.
- 80287 support, up to 12 MHz.
- Heavy Duty Case Complete with Security Lock and LED indicators.

Order Now Toll Free 800-423-5891

All prices and specifications are subject to change without notice. Please call for current pricing and warranty details. COD orders may require an advance deposit. PS/2 and AT are trademarks of IBM Corporation. 94 BYTE • OCTOBER 1989

ers Now!

systems remain in stock; please give us a call to verify availability. This offer does not apply to other ZEOS systems or custom configurations.

Immediate shipment is only part of the story.

ZEOS builds Rock Solid computers. That's why we offer you our 30 Day Money Back Guarantee, Toll Free technical support and Full One Year Limited Warranty. Compare that to the others. Then compare performance.

Performance is what ZEOS is all about. If you're buying a computer you may as well buy the fastest. The ZEOS 286-12 is *the fastest* n its class. It features true Zero-Wait state operation with speeds close to many 386 systems!

Or select the ZEOS 386-16. The Editors of PC Magazine did. In fact they selected the ZEOS '386 as Editor's Choice. And is it ever a screamer. As *PC Magazine* said, "This ZEOS 386-16 blows away every other computer..." Another *PC Magazine* editor said "Don't pass up the ZEOS...solid construction, flexible design and escape-velocity performance make it a top flight choice."

PC Resource Magazine put it this way "ZEOS ... provides quality comparable with the IBM or Compaq and does so for about 70% of the cost." *Personal Computing* simply says "The best value we've come across so far."

We couldn't have said it better ourselves. And these are the machines that we have ready to ship to you *right now*. Rock solid block buster ZEOS machines with quality and performance that is, in a word, *Guaranteed*. Order now by calling 800-423-5891.

Complete ZEOS 16MHz '386 with 80MB 28ms SCSI Drive!

Only \$2,495

For VGA color add \$595



Standard Features Include: Genuine 52-bit Intel 80386-

16MHz CPU. High speed Zero-Wait 64K SRAM CACHE.

■ 1MB of Zero-Wait DRAM Expandable to 16MB system total.

- Fast 80MB, 28ms SCSI Seagate Hard Drive, 1.2MB Floppy Drive.
- Ultra high speed Hard/Floppy SCSI controller.
- Genuine Hercules[®] Brand graphics card. High-Res Amber Display with Tilt/Swivel Base.



Performance Comparisons using PC Labs Benchmark Series Release 4:

Acieuse 4.	80386 Instruction Mix	Floating Point Calculation	Conventional Memory	
ZEOS 386/16 Desktop	3.58	13.62	0.58	
IBM PS/2 Model 70-E61	4.11	16.14	0.77	
Compaq Deskpro 386/16	4.12	15.47	0.75	

- 101 Key ZEOS Tactile/Click keyboard.
- High speed Serial and Parallel Ports.
- 1-32, 5-16 and 2-8 bit slots.
- 80387 math co-processor support.
- ZEOS 5-bay case with security lock and LED indicators.

Order Now Toll Free 800-423-5891

FAX Orders Dial: 612-633-1325 In Minnesota Call: 612-633-4591 MasterCard, VISA and COD Open days, evenings and weekends Se habla Español. ZEOS International, Ltd. 530 Sth Avenue, N.W. St. Paul, MN 55112 USA



10 Good Reasons To Buy From ZEOS®

Effective July 15, 1989, ZEOS International makes industry minunces 24 Hour history by launching 24 Toll Free echnical Support! Hour a day, **Toll Free** Technical and Sales Support. That's right, ZEOS is now open to serve our customers 24 Hours a day, 365 days a year! There is no other computer company in the world so dedicated to its customers. Now, no matter what time you need help, ZEOS will be there. Day or night. Toll Free.

During the day there are perhaps thousands of computer companies ready to sell you a computer. Many offer technical support if you are willing to pay for the call. And when they get tired, they turn off the lights and go home. Unfortunately, that may be just when you need their help.

At ZEOS, we never sleep. Because somewhere out there, there might just be a customer who needs us. Even at 3:30 A.M. It's comforting to know. As night encompasses your home or your office, your research lab or your classroom, away in St. Paul sits a small group of very qualified and dedicated people. They're camped there, around the telephone. Just waiting for that small chance. The chance that you might be the one tonight who needs their help.

Across the vast expanse of North America, whether you're in Newfoundland or Hawaii, Florida or Alaska, or anywhere in between—ZEOS is there for you. Any time of the day or night. Any hour or day of the year. We're waiting to help. And you don't even have to pay for the call.

Reason #1 "Overall Excellence."

As *PC Magazine* said "Price is always a consideration. So are bench mark test results. But both factors can be deceiving, which is why we consider them in the context of other aspects that will make the difference months and years down the road."

These are the attributes which *PC Magazine* used in awarding ZEOS the coveted Editor's Choice, not once but three times thus far in 1989. And "Overall Excellence" are the very words *PC Magazine* used in comparing ZEOS systems to all others.

All prices and specifications are subject to change without notice. Please call for current pricing and warranty details. ZEOS is a publicly traded company; MPLS/St. Paul Local OTC.

Reason #2

Dazzling Performance.

In their February 28th '386 review, *PC Magazine* awarded ZEOS Editor's Choice. "The ZEOS '386 blows away every other computer... a smart choice" is what they said. And in a recent review, *Government Computer News* said the ZEOS 33MHz '386 is "arguably the fastest MS-DOS and 'OS/2 micro in the world."

Dazzling Performance is built into every ZEOS system. It's a key component of ZEOS Overall Excellence.

Reason #3

Exceptional Quality.

PC Resource Magazine put it this way, "ZEOS... provides quality comparable with IBM or Compaq and does so for about 70% of the price." ZEOS uses only the very best components. And every system is fully tested and burned-in right in our own labs.

Reason #4

Value.

InfoWorld says, "We find the ZEOS '386 an excellent value. Speed: Excellent. Compatibility: Excellent. Value: Excellent." *Personal Computing* said, "ZEOS ... is the best value we've come across ... its performance is right up there with the slickest, most expensive PCs you can buy."

Reason #5

Warranties and Guarantees.

ZEOS believes in its products. That's why we offer each and every customer our 30 Day Absolute Satisfaction Money Back Guarantee, no questions asked. Plus, our One Full Year Limited Warranty and Express Parts Replacement Policy. Optional On Site Service is available too. Call for details.

Reason #6

24 Hour Toll Free Technical and Sales Support.

At ZEOS, the customer is #1. That's why we're open around the clock. For *your* convenience. If you buy a product from us we feel we should be there to help, 24 Hours a day. Our Help Lines are Toll Free too. Because you shouldn't have to pay for the call.

Reason #7

Experience.

Almost unique in the mail order computer industry, ZEOS maintains its own chip level Research and Development staff. In addition to Systems Manufacturing facility. ZEOS has been involved in Research and Development since our incorporation back in 1981. Our strong and experienced Research, Manufacturing and Technical Staff translates into superior factory direct computer systems for you.

Reason #8

A Sterling Reputation.

In magazine after magazine and review after review ZEOS systems are sighted for *Overall Excellence*, for *Excellent Value*, as the *Right Choice* and so on. All of this is flattering but the most important thing is this: What do our customers think? Frankly, they love us. The system and the support. That means more to us than anything.

Reason #9

Easy to Buy.

ZEOS systems are easy to buy. You can pick up the phone any time of the day or night and order your new ZEOS computer. And we accept MasterCard, Visa, and Corporate Purchase Orders from Fortune 1000 Companies, Colleges, Universities and Governments. Complete Leasing Programs are available as well.

And now the ZCARD! It's your very own ZEOS Credit Card and you can apply today. With the ZCARD you can charge your ZEOS purchases and pay in easy monthly installments. It's just like a Bank Card. *Fill out and mail your ZCARD application now!*

Reason #10 You're Going to be Very Satisfied.

When it comes right down to it, you're going to be very satisfied with your new ZEOS system. Our goal is your complete satisfaction. And that's our commitment to you. To quality. To performance. To reliability and support. To *Value*. We don't just say it, we *Guarantee it*!

Order Now Toll Free 800-423-589

FAX Orders Dial: 612-633-1325 In Minnesota Call: 612-633-4591 MasterCard, VISA, ZCARD and COD Open 24 Hours a day, 365 Days a year.

© 1989 ZEOS International, Ltd., 530 5th Avenue, N.W., St. Paul, MN 55112. All product and company names are trademarks or registered trademarks of their respective holders.

The Portable and

Apple introduces a portable Macintosh line and its newest highperformance modular Macintosh pple has finally entered the portable computer sweepstakes with its introduction of the Macintosh Portable, a hefty wedge of computing power that's all Macintosh. At the same time, Apple announced the most powerful Macintosh ever: a high-speed muscle machine called the Mac IIci that rewrites the rules on limits to the Macintosh computer.

The long-awaited Macintosh Portable isn't a laptop—measuring nearly a foot and a half on each side and weighing in at roughly 16 pounds, it won't fit comfortably on your lap. But the Portable still lives up to its name: It can operate for up to a full working day away from a power outlet, its razor-sharp reflective LCD screen sports more pixels than the Mac SE's screen, and it includes a built-in trackball that replaces the mouse. It's a fully functional Macintosh, using a 16-MHz 68000 processor and enhanced Mac SE ROMs.

The high-powered Mac IIci looks like the twin of its six-month-old cousin, the Mac IIcx. But a closer look reveals a video connector on the back, hinting at the changes inside. Internally, the Mac IIci has been completely redesigned, using a 25-MHz 68030 processor, a much improved memory subsystem with faster memory, and a slot for a memory cache board.



the Powerful

Mac Portable: An Outside Tour

With its tilt-up display stowed, the Portable resembles a wedge $15\frac{1}{4}$ inches wide by $14\frac{3}{16}$ inches deep that's taller at the back (about 4 inches high) than at the front (about 2 inches high). Its outer shell is made of high-impact platinum-gray plastic.

The Portable comes out of the box packed in its carrying case. If the unit has a hard disk drive, the system software is preinstalled. A built-in handle running the width of the wedge's shorter end pops out to make carrying the computer easier. To open the unit, you push the handle back into the wedge's body until the top of the case unlatches. The hinged casetop contains the display, and it uncovers a full-size keyboard with 63 keys. The hinge has a friction clutch so that you can adjust the display to any angle.

To the right of the keyboard is a miniature (1¹/₂-inch-diameter) trackball that replaces the mouse as the pointing device. Beneath it is a large button that serves as a mouse button. For the purists, a single Apple Desktop Bus (ADB) port at the rear allows use of a low-power mouse.

All other Macs have two ADB ports (except the Mac Plus, which doesn't use the ADB for its mouse/keyboard connections), but since the Portable's keyboard and trackball use internal ADB connec-



tions, the missing second ADB port isn't a problem. You can use a conventional ADB mouse, but it consumes more power and will shorten the Portable's operating time. If you're using an external mouse, you can replace the trackball with a numeric keypad.

Apple has a knack for handling fine details, and one place where this shows is in the trackball/keyboard design. Both the keyboard and the trackball can be popped out of the chassis and swapped so that the trackball is to the left of the keyboard, making it more convenient for left-handed users. (See photo 1.)

A 1.4-megabyte 3¹/₂-inch FDHD "SuperDrive" reads Mac, Apple II, or DOScompatible 3¹/₂-inch floppy disks. The FDHD is located toward the back of the Portable, on the right side. At the rear are the usual I/O ports and several new connectors: a video port, an RJ-11 connector for an optional internal modem, and a battery charger connector. The external battery charger can operate in the 70- to 270-volt range and can handle frequencies of 40 to 70 Hz. This makes the battery charger usable anywhere in the world, provided you have a connector for the wall outlet conductors.

The Portable's display is a 9%-inchdiagonal flat-panel screen that uses a reflective, active-matrix, LCD technology to provide a 640- by 400-pixel black-andwhite display in which every pixel is controlled by a separate transistor. By comparison, compact Macs have a 9-inchdiagonal screen with a 512- by 342-pixel display, and modular Macs using a Macintosh II video board have a 12- or 13inch-diagonal screen (depending on the monitor type) with a 640- by 480-pixel display.

The Portable is the first computer to use the active-matrix LCD. This technology provides the high contrast and high response speed required to display the mouse pointer in real time. Two other significant advantages of this continued display are its low power consumption and wide viewing angle. The video port supplies only LCD signals; an optional adapter converts these signals into analog signals for a Mac monochrome monitor or into National Television System Committee, PAL, or Séquentiel à Mémoire (SECAM) video signals.

You switch on the Portable by hitting any key on the keyboard. It has no cooling fan since it consumes so little power (1 watt without a hard disk drive and 3 W on average when the hard disk drive is running).

Mac Portable: The Inside Tour

The Macintosh Portable's ancestry can be traced to the Mac SE. However, the two computers differ as markedly on the inside as they do on the outside. Interestingly, the Portable's designers have packed more functions and slots into the smaller system.

Photo 2 shows the Portable motherboard. Its heart is a low-power CMOS 68000 processor beating at 15.67 MHz twice the speed of the Mac SE. The 256K bytes of ROM contain enhanced Mac SE firmware that incorporates bug fixes to existing Mac SE ROMs, the LCD driver, and new functions that manage the Portable's power use. Sound generation is much improved because the Portable uses the same Apple Sound Chip (ASC) found in the Mac II to generate stereo sound.

The system comes equipped with 1 megabyte of 100-nanosecond static RAM (SRAM). A 50-pin RAM expansion slot lets you expand system RAM via a 1-megabyte RAM board, for a total of 2 megabytes. When higher-density RAM becomes available, future RAM boards will expand the Portable's maximum memory to 9 megabytes. A 50-pin ROM expansion slot either provides for a possible ROM upgrade (by moving the appropriate jumper-the Portable addresses the ROM slot rather than on-board firmware at boot-up) or allows a vendor to install up to 4 megabytes of embedded software. This latter capability would be useful, for example, to salespeople who need custom software to access on-line databases or to process forms.

Like the Mac SE, the Portable also contains a Processor Direct Slot that provides unbuffered CPU signals for use by hardware expansion boards. Although this slot uses the same 96-pin Euro-DIN connector as the Mac SE, it's incompatible electrically because of differences in the processor speed, power consumption, and additional control signals. The Portable, unlike the Mac SE, has no external access port for the PDS.

As if enough hardware wasn't packed in there already, the Portable also has a slot for an optional 2400-bps modem board and room for an optional onethird-height 40-megabyte 3¹/₂-inch SCSI hard disk drive. (See photo 3.)



Photo 1: The keyboard and the trackball can be removed and swapped to accommodate left-handed users. Mouse users can replace the trackball with a keypad.

Conserving Energy

To get the most out of the system, you need a reliable power source. A 2-pound, 6-V, lead-acid gel battery supplies the Portable's 5-V power. Apple chose leadacid batteries over other battery technologies for several reasons. First, the technology is a proven one. Second, the battery voltage varies slightly as it is discharged. This gives a rough indication of the battery's remaining power-unlike a nickel-cadmium battery, whose voltage drops only when its power is nearly exhausted. Third, a lead-acid battery can be completely recharged from any level of discharge, while a nickel-cadmium battery must be discharged completely before it can be fully recharged.

Wherever possible, Apple used lowpower CMOS components in the Portable. Since a CMOS version of the 68030 processor was not available, that processor was not used; it would have consumed far too much power. The main memory's SRAM eliminates the need for memory refresh circuitry. The reflective LCD uses little power, and none is spent backlighting the screen. The Portable's SCSI hard disk drive was selected for low power consumption and its ability to be switched on and off frequently.

However, even these measures aren't enough. The Portable uses a dedicated processor termed a "power manager" (not to be confused with the software Managers present in the Mac ROMs) that actively regulates power in the computer. The power manager is a Mitsubishi 50753 processor, and it primarily provides "hooks" that the System software can use to switch various subsystems on or off as needed. The power manager accomplishes this by either disabling the clock signals to various components (e.g., the Standard Wozniak Integrated Machine [SWIM] chip and the serial communications controller [SCC] chip) or switching off the power to the hard disk drive.

If a certain subsystem is inactive for a predetermined amount of time, the power manager shuts it off. Likewise, if application software is going to write to an inactive device (say, the hard disk drive or the serial port), the device driver turns the subsystem on. The power manager also takes over the duties of parameter RAM, manages the real-time clock, and serves as an ADB transceiver. It also monitors the battery voltage.

The Portable operates in several modes, each using a different amount of power. In the *active mode*, the Portable operates at 16 MHz and uses the most power. If the system sits idle (i.e., no user activity and no I/O in progress) for more than 15 seconds, the Portable enters a power-saving *rest mode*. In this mode, additional wait states (64 per bus cycle) are added to each RAM or ROM access. This slows the Portable's effective speed to 1 MHz and reduces the power consumption of the processor and memory subsystem by 20 percent.

If the Portable continues to remain idle for over several minutes (the exact interval is user-selectable from a Control Panel cdev), it enters a low-power sleep mode. To enter this mode, the power manager first saves the state of the 68000 processor and certain system variables. Then the CPU, display, and many of the peripheral subsystems are turned off. Finally, the power manager switches itself off by disabling its own 3.9-MHz clock. The SRAM and video memory remain powered, preserving their contents. Also, portions of the modem board and several chips (i.e., the Versatile Interface Adapter, the SCC, and the keyboard processor) remain powered.

A clock signal reactivates the power manager every sixtieth of a second, and it evaluates the situation to see if the Portable should "awake" into active mode. Several conditions can terminate the sleep mode. One is hitting a key; this closes a gate that a keyboard processor detects, and it in turn notifies the power manager. Since the ADB circuits are inactive in the sleep mode, moving the trackball or clicking the mouse button will not awaken the system.

By saving the system's state and preserving main memory, these actions "freeze" the state of a running application when the Portable enters sleep mode. When the power manager restores the Portable to active mode, the application resumes from the point at which it stopped.

In another example of Apple's attention to detail, you can also set a predetermined wake-up time for the power manager. This way you can set the Portable to wake up at night and have a suspended telecommunications application start executing a script to log onto an on-line information service. Better still, the modem board's ring-detect circuitry remains powered, so that an incoming call to the Portable's modem can wake up the system, and it can resume running, say, an application to receive E-mail or a report.

The Portable presents you with several alert boxes as the battery's power diminishes. The first alert box appears when *continued*



Photo 2: The Mac Portable motherboard. It uses CMOS components to reduce power consumption. The 68000 CPU runs at 15.67 MHz, twice the rate of a Mac SE.



Photo 3: Inside the Portable. At left is an optional 40-megabyte SCSI hard disk drive; in the center are RAM/ROM expansion slots; to the right is the battery housing.

there is roughly an hour of battery life left (the exact interval depends on the Portable's configuration and usage). It tells you that you are running on reserve power and warns you to recharge the battery. The second and third alert boxes appear when the battery is at 50 percent and 25 percent of this reserve capacity. When the power level becomes critical, the Portable automatically puts itself into sleep mode. The battery preserves the state of the machine and memory for about four days thereafter. You can run the Portable while recharging the battery, or, if you need to swap batteries, a conventional 9-V battery energizes the system long enough for you to make the exchange.

Software Considerations

The Portable runs System 6.0.4, which is required to deal with the new hardware in the computer. A Portable cdev lets you adjust the LCD's contrast, time-out intervals for entering the sleep mode and switching off the hard disk drive, wakeup time, and whether to use the internal modem or an external modem via the serial port. You can also set the size of a RAM disk so you can operate out of RAM rather than use a power-hungry hard disk drive. As a safeguard, the rest mode can also be disabled.

The Finder's Special menu has a new item: Sleep. On the Portable, only minor differences exist between Shut Down and Sleep. Both power down the computer, but Shut Down closes all active applications while Sleep only suspends them.

Naturally, there are the usual concerns about software compatibility with this new Macintosh. Anything that addresses the serial ports directly (some MIDI applications) or the ADB hardware will break, since that particular I/O subsystem might be switched off. Applications should use either the appropriate traps or the serial drivers, so that the Mac OS can switch the subsystem's power back on before performing the operation. Sound generation is a problem because in many cases the old sound drivers were accessed directly. The Mac OS monitors the ASC for accesses and powers on the chip as required. Newer applications should use the Sound Manager whenever possible.

Applications that perform lengthy calculations must take precautions to prevent the Portable from entering the rest mode and lengthening the process—a distinct possibility if the operation takes more than 15 seconds. This problem has an easy fix: The Portable won't enter rest mode if the mouse pointer is a stopwatch icon, normally indicating a time-consuming process. Most applications already use either the watch or the MPW "beach ball" to indicate that the application is busy, so this shouldn't be a problem.

Finally, software designers should beef up their error checking, since the user can put the Portable into sleep mode at any time and the rest mode can produce significant delays. Both actions can produce new and unanticipated errors.

The Mac IIci

The Mac IIci is Apple's newest high-performance member of the modular Macintosh line. The Mac IIci's outside looks almost identical to that of the Mac IIcx, down to the same compact case, but it has

he Mac IIci goes a long way toward using all the features of the 68030 processor.

a faster CPU and a completely redesigned motherboard.

Like the Mac IIcx, the Mac IIci uses a Motorola 68030 processor and a 68882 FPU, three NuBus slots, and a 3¹/₂-inch FDHD drive. It also has the IIcx's collection of I/O ports: two ADB connectors, a DB-25 SCSI connector, an external floppy disk drive connector, two mini-DIN-8 serial ports, and a stereo sound connector.

But here the resemblance ends. The Mac IIci's CPU and FPU are clocked at 25 MHz rather than 16 MHz—a 56 percent jump in clock speed. The Mac IIci's memory subsystem is beefed up in several ways. First, the memory itself is faster, using 80-ns fast-paged DRAM instead of the IIcx's 120-ns DRAM. A special slot for memory-cache boards provides direct memory caching. For the first time, memory parity-checking is also an option. Using 4-megabit-density RAM mounted in single in-line memory modules (SIMMs), you can expand the Mac IIci's memory to 32 megabytes.

The Mac IIci also has an on-board video subsystem that generates monochrome or color signals through a standard DB-15 video port on the computer's back, and user-selectable screen depths of 1 (black-and-white), 2, 4, or 8 bits (gray scales or 256 colors). The maximum screen depth is 4 or 8 bits, as determined by the monitor type.

Last, but certainly not least, the Mac IIci now has new 512K-byte ROMs for system firmware, as opposed to the Mac IIcx's 256K-byte ROMs.

Engineered for High Performance

The real star of the show is the Mac IIci's new, faster processing core (see photo 4). The 25-MHz 68030 and 68882 and the 80-ns memory mean that software runs faster. But the supporting cast is critical, too: You can't just drop a faster processor and memory into any computer, least of all a Macintosh. Unless you're planning to redesign every peripheral in the system, the other timing functions—such as those for the serial ports, the FDHD controller chip, and the ADB controller—must remain the same.

The Mac IIci's design team elegantly solved the problem by decoupling the processor and memory clock speeds from the clock speed of the I/O subsystems. Earlier members of the Mac II family used a single oscillator to generate a clock signal that was then divided into signals for the CPU and other subsystems. (A separate oscillator generates the 10-MHz NuBus clock.) Attempting to boost the clock speed of this type of design triggers a cascade of modifications. Therefore, the Mac IIci uses a separate oscillator for the CPU and memory, another for the various I/O subsystems, and still another set of oscillators for running the on-board video. As a result, future Macs will be able to run still faster processors without major revisions to the overall design.

The Mac IIx and IIcx failed to use all the features of the 68030 processor. The IIci goes a long way toward filling that gap. First, it uses the 68030's burst access mode, which allows the CPU to read 16 bytes of data at a time in about half the clock cycles. The result is another 10 percent improvement in performance.

Along with faster DRAM, the Mac IIci also includes a 120-pin connector for a user-installed direct memory cache board. In a direct memory cache, cache memory is a simple mirror image of a section of memory (unlike the more complex set-associative caching systems commonly used on PC-compatible machines). As a result, the Mac IIci's cache may have a somewhat lower "hit rate" (i.e., how often the required data is actually in the cache; on a "cache miss," the continued



MICRO-CAP III,[™] the third generation of the top selling IBM[®] PC-based interactive CAE tool, adds even more accuracy, speed, and simplicity to circuit design and simulation.

The program's window-based operation and schematic editor make circuit creation a breeze. And super-fast SPICElike routines mean quick AC, DC, Fourier and transient analysis — right from schematics. You can combine simulations of digital and analog circuits via integrated switch models and macros. And, using stepped component values, rapidly generate multiple plots to fine-tune your circuits.

We've added routines for noise, impedance and conductance — even Monte Carlo routines for statistical analysis of production yield. Plus algebraic formula parsers for plotting almost any desired function.





Schematic editor



Monte Carlo analysis

Modeling power leaps upward as well, to Gummel-Poon BJT and Level 3 MOS — supported, of course, by a built-in Parameter Estimation Program and extended standard parts library.

There's support for Hercules,[®] CGA, MCGA, EGA and VGA displays. Output for laser plotters and printers. And a lot more.

The cost? Just \$1495. Evaluation versions are only \$150.

Naturally, you'll want to call or write for a free brochure and demo disk.

Spactrum

1021 S. Wolfe Road, Sunnyvale, CA 94086 (408) 738-4387

MICRO-CAP III is a registered trademark of Spectrum Software. Hercules is a registered trademark of Hercules Computer Technology. IBM is a registered trademark of International Business Machines, Inc. CPU must wait a little longer while the data is fetched from main memory).

Apple is working on its own directmemory cache board, but it won't be available until next year. Apple claims that the Mac IIci normally operates 45 percent faster than a Mac IIcx, and with a cache board, up to 55 percent faster.

Built-in Video

Perhaps the most unique feature of the Mac IIci is the video subsystem built onto

the motherboard. It supports a 640- by 480-pixel display that can be 1, 2, 4, or 8 bits deep and is functionally equivalent to a Macintosh II video board. It also supports Apple's Portrait Display monitor with a 640- by 870-pixel display at screen depths of 1, 2, or 4 bits, which ordinarily would require yet another Nu-Bus video board to use.

No special installation is required to use the video: You simply plug an Apple monitor into the Mac IIci's video socket



Photo 4: The Mac IIci motherboard. The various application-specific ICs reduce the board's component count and thus improve its reliability.

and start the computer. The Mac IIci automatically configures the system to drive the monitor. The Start Manager (software used to run hardware diagnostics, initialize the system, boot from a start-up drive, and then launch the Finder) examines three lines on the video connector. If a monitor is attached, certain combinations of these lines will be grounded, and the Start Manager knows to use the on-board video subsystem. The grounding pattern identifies the type of monitor connected to the system.

This built-in video accomplishes two purposes. First, it means a price reduction, since—unlike the rest of the Mac II family—it's no longer necessary to buy a video board to use the Mac IIci. Second, this frees up one of the three NuBus slots that the video board normally occupied. The Mac IIci still supports NuBus video boards if your application requires it (e.g., for 24-bit color) or if you add a second monitor.

The Mac IIci's built-in video provides a significant jump in video performance. This is because a section of ordinary system RAM, rather than video RAM on a NuBus board, is used for the video frame buffer. The 68030 can put video information directly into memory at full speed, rather than sending it through the somewhat slower NuBus. Two new custom application-specific ICs make this all possible: a Memory Decode Unit and a RAM-Based Video chip. The RBV maintains the display by supplying raster data from a first-in/first-out queue to the digital-to-analog converter that drives the monitor. When the FIFO is half empty, it requests more data from the MDU. The MDU uses a bus buffer to lock access to bank A of main memory and then performs a direct-memory-access (DMA) burst read of 32 bytes from the frame buffer into the RBV's FIFO.

There is a catch, though. While the MDU chip is grabbing video data, the CPU is locked out of memory bank A for 800 ns at a time. How often this occurs depends on the screen depth; since a deeper screen means that there is more data to read, bank A will be locked longer. This memory contention can reduce performance by 8 percent. With a cache card installed, of course, the performance penalty would be much less.

Fortunately, the Mac IIci's design holds a partial solution. In previous Mac II designs, memory had to be contiguous. This meant that higher-density SIMMs had to be installed in bank A first, and then in bank B. In the Mac IIci, the same MDU that assists the on-board continued

"Kerox this memo." "FedEx this proposal." "LapLink these files."

When something becomes a standard, using it becomes second nature. That's true about LapLink. It's so effective that it has

LAPLINK

become the most popular laptop-to-desktop and desktop-to-desktop file transfer program ever.

And now Release III improves on the original with added power while preserving the simple design that has made LapLink the choice of more major corporations.

LapLink III offers both serial and parallel file transfer, and you can take advantage of parallel transfer speeds of 500,000 baud or higher. It comes with a "six headed" universal cable that provides you with everything you need to use both serial and parallel modes. And LapLink III will even install itself automatically on a remote computer.

That's in addition to ease-of-use and productivity features like our popular split screen design, flexible transfer options, and disk and printer sharing.

For the same fast, errorfree file transfers between PCs and Macintoshes, get

LapLink Mac. And for more information about any Traveling Software product, call us at (800)662-2652.

LapLink III. The standard in file transfer software.

Suggested Retail Price \$139.95





Traveling Software Europe Lords Court, St Leonards Road, Windsor Berks, SL4 3DB, England (44) 0753 831855 video also performs the physical address mapping for all the RAM, ROM, and I/O peripherals. The 68030's memory management unit then maps the physical addresses supplied by the MDU into a contiguous set of logical addresses. Simply put, the MDU/MMU address translations effectively "knit" noncontiguous physical memory into what appears to be contiguous memory to the Mac OS. Since the Mac IIci's memory is no longer required to be contiguous, it's possible to place the higher-density SIMMs in memory bank B without filling up bank A first. As a result, you can install a large complement of memory (up to 16 megabytes) that will never be hit by video subsystem lockouts.

How you use the Mac IIci can also sidestep the problem. When you use the Finder, important system globals used by applications are loaded into bank A, so there's a decrease in performance. If you use MultiFinder, it loads an application and these globals into bank B first.

When all the factors are considered, Apple claims that the on-board video still outruns NuBus video at screen depths of 1, 2, and 4 bits; with a cache board installed, it can even outrun NuBus at the 8-bit screen depth.

Another problem with on-board video is that the frame buffer's memory consumes system RAM. A 640- by 480pixel display that's 1 bit deep requires a reasonable 64K bytes of RAM (actually only 38K bytes, but for performance reasons, RAM is allocated in 32K-byte blocks). When the same display is 8 bits deep, however, it requires 320K bytes of RAM. For a basic Mac IIci system with 1 megabyte of RAM, that's a huge percentage of available memory.

Exactly how much system memory the on-board video system uses depends on the amount of RAM available. With a 1megabyte system, the Mac IIci defaults to the 1-bit-deep black-and-white display. You can override this by using the Monitors cdev, which is enhanced in System 6.0.4 so that you can adjust the size of the Mac IIci's frame buffer. With 2 megabytes or more, the Mac IIci defaults to the 8-bit-deep display. With a NuBus video card installed, of course, you eliminate the problems of memory lockout and frame buffer size entirely, but at the expense of using a NuBus slot.

New and Improved ROMs

The Mac IIci ROMs include significant changes from the Mac IIcx ROMs. To begin with, 32-Bit QuickDraw and patches to existing Mac II routines are now incorporated into the firmware (32Bit QuickDraw lives as a RAM patch on the other Mac II-family computers). New additions to the ROM code include the driver for the on-board video, an enhanced Script Manager, a revised Slot Manager that better deals with NuBus master boards, and virtual memory support.

These ROMs were optimized for the 68030's architecture by arranging the code so that all the Mac Toolbox routines start at 16-byte boundaries. This arrangement matches the organization of the 68030's instruction cache and thus takes full advantage of the code cache's operation by ensuring that its 16-byte buffers remain filled. Since much of what a Macintosh does is accomplished by Toolbox routines, this provides an overall improvement in performance.

U sing the Mac IIci is like being strapped into a rocket sled.

But perhaps the most important change to these ROMs is that the code is "32-bit clean" (i.e., it can fully use the 68030's 32-bit address space). Until now, the Mac OS has been hampered by the 24-bit addressing limitations built into QuickDraw and the Memory Manager-a legacy of the 68000's 24-bit address space. 32-Bit QuickDraw fixes the addressing problems with QuickDraw, and a new 32-bit Memory Manager, using a new master pointer structure, is embedded in the Mac IIci ROMs. However, until System 7.0 arrives, the older 24-bit Memory Manager, which is also embedded in ROM, will be used to provide compatibility with the existing software base.

What applications software might break on the Mac IIci? Those applications that rely on physical addresses (e.g., expecting Toolbox routines at specific addresses) will break. Also, any application that happened to work because of "memory wrapping" will now break. For example, an application might accidentally dereference an NIL window pointer. On other Macintoshes, this outof-range memory reference truncates to a 24-bit address within physical memory, and unless an existing data structure gets corrupted, the window happens to work. However, the Mac IIci's MDU won't truncate the address but instead maps it to a physical 32-bit address. The 68030's MMU then attempts to access this nonsense address and signals a bus error.

Complex color applications should use the logical graphics device, gDevice, so that the Mac IIci can route the display to its on-board video subsystem. As usual, applications that follow the Apple software guidelines should work fine.

Observations

We had a chance to examine preliminary versions of both machines in late July and obtain some benchmark timings. Since we only had a few hours to examine a Mac Portable running a beta version of System 6.0.4, we can't comment on its expected battery life. But we determined that the Mac Portable is, without a doubt, a fully functional Mac. It ran popular software easily under Multi-Finder, and the trackball was easy to use.

The bad news is that the Mac Portable's dimensions and weight place it in the "luggable" category, and you're certainly not going to rest it on your lap. Although you can carry it onto a plane, you won't be able to use it comfortably inflight. Furthermore, it won't fit under some plane seats. On a Boeing 727, for example, the Portable in its carrying case would fit easily under the first-class and middle coach seats, tightly under coach window seats, and not at all under coach aisle seats. Clearly, though the Mac Portable is portable, its size and weight are its biggest disappointments.

The good news is that even without backlighting, the Mac Portable's activematrix LCD is crisp and sharp, with excellent contrast. Although the tilt of the display is adjustable, we didn't bother with it because of the display's huge viewing angle.

The display is also exceptionally fast. The mouse pointer is always clearly visible on the screen: There's no blurring, no disappearing act. It's far and away the finest LCD screen we've ever seen, with or without backlighting, and it's better than most portable displays, period. Even if you don't plan to buy the computer, stop in to check out the display.

If you're used to a 68000-based Mac and have had the opportunity to try a 68030-based Mac, you may have compared the feeling to driving a sports car for the first time. Using the Mac IIci is like being strapped into a rocket sled: It's fast. For the first time, it is practical to continued



he BigBin 1000. Because 200 sheets is not enough.



BigBin[™] 1000-sheet capacity for Apple[®] LaserWriter[®] IISC, LaserWriter IINT, and Laser-Writer IINTX

The BigBin is a motorized paper tray that replaces your LaserWriter II's old 200sheet paper tray to give you 1,000 sheets of paper. That means you can print bigger jobs unattended. Satisfy the paperhungry needs of a Macintosh[®] network. And spend less time refilling paper.

Sizable advantages BigBin lets you load 1,000 sheets of letter-size paper. All at once. You can even add a kit that handles legal-size.

Simple addition BigBin is a simple addition to your computer system. Just replace your printer's paper tray with BigBin and plug it into the wall. It's fully approved by Apple Computer for use with Apple LaserWriter IISC, Laser-Writer IINT, and LaserWriter IINTX. And BigBin is covered by a limited 90-day warranty.

Despite the big name, BigBin needs only about a foot of space in front of your printer, and it weighs in at only 14 pounds.

To make the connection BigBin is available exclusively through authorized Laser Connection[™] dealers. For more information on how BigBin can maximize your paper handling, call Laser Connection at **1-800-523-2696** for the dealer nearest you.

And be sure to ask for a free copy of *The Sourcebook*[™]—our exclusive catalog filled with the latest laser printer products and enhancements.



The following are trademarks of their respective companies: BigBin, The Sourcebook, Laser Connection of QMS, Inc.; Apple, LaserWriter, Macintosh of Apple Computer, Inc.

©1989 QMS, Inc.

Table 1: On the BYTE Small-C benchmarks, the Mac Portable was roughly twice as fast as a Mac SE, and the Mac IIci was roughly 60 percent faster than a Mac IIcx. Disk I/O and floating-point performance were not measured. See text for details.

PRELIMINARY BYTE BENCHMARK RESULTS

Mac SE	Mac Portable	Mac licx	Mac IIci
67.1	34.2	16.2	10.5
374.5	174.9	82.7	51.8
186.7	87.4	42.1	26.6
92.4	59.9	22.9	14.5
170.2	84.1	31.4	19.8
154.2	76.3	29.7	19.4
84.4	57.2	52.5	19.0
1.1	0.7	0.3	0.2
15,1	9.9	4.6	2.8
3.8	3.2	1.6	0.8
		mark tests.	
	374.5 186.7 92.4 170.2 154.2 84.4 1.1 15.1 3.8	67.1 34.2 374.5 174.9 186.7 87.4 92.4 59.9 170.2 84.1 154.2 76.3 84.4 57.2 1.1 0.7 15.1 9.9 3.8 3.2	67.1 34.2 16.2 374.5 174.9 82.7 186.7 87.4 42.1 92.4 59.9 22.9 170.2 84.1 31.4 154.2 76.3 29.7 84.4 57.2 52.5 1.1 0.7 0.3 15.1 9.9 4.6 3.8 3.2 1.6

scroll through a document in 1-bit mode rather than having to page through it.

Performance and Pricing

We ran our BYTE Small-C benchmarks on the two computers to measure their performance. These results are preliminary, of course, but they do give a rough indication of the machines' capabilities. The benchmarks ran fine on both Macs, and the results are given in table 1.

As you might expect, the Portable easily outpaces the Mac SE, largely due to its higher processor clock rate. What you might not expect is that, under certain conditions, it's more than twice as fast as the Mac SE, as some of the memory tests (i.e., string and sort) and processing tests (i.e., Sieve and matrix) show. This is because the Portable, like the Mac SE/30, uses separate video RAM for the display's frame buffer. This eliminates the bus contention for memory between the processor and video circuits that occurs in the Mac Plus and Mac SE's design and so degrades their performance.

The Mac IIci is faster than the Mac IIcx. It's not an incremental step in performance, but a broad jump. As the tests on a stock Mac IIci (no cache board installed) show, the memory subsystem runs quite a bit faster: roughly 60 percent, the same as the increase in clock speed. We'll have to run application benchmarks to get the hard disk drive and heavy video usage into the act to see how well the Mac IIci performs overall, but the low-level results indicate that Apple's performance figures are probably accurate. The Mac IIci is a real processing powerhouse, and we haven't even considered the effects of the cache board.

Performance of the on-board video in 1-bit mode is very good: The Graphics Slow and Text DrawString tests ran at least twice as fast as on the IIcx. Even when the on-board video was set to the 8bit mode, the times for the Slow test (21.9 seconds) and the QuickDraw test (0.23 seconds) were still better than those of a IIcx in 1-bit mode.

As we went to press, no firm prices had been set. However, you can expect the Macintosh Portable to cost in the range of \$6500 to \$7000-steep, but similar in price to 80386 portables such as the GRiDCase 1530, Toshiba T5100, and NEC PowerMate Portable SX, and only the GRiDCase 1530 uses a battery. If you're thinking about a Mac IIci, be prepared to pay a premium price: Estimates are \$1500 to \$2000 more than a similarly equipped Mac IIcx. Thus, a Mac IIci with 1 megabyte of RAM, a 40megabyte hard disk drive, an Apple monochrome monitor, and a standard keyboard could cost about \$7397. Mac IIcx owners will be able to upgrade to a Mac IIci with a logic board swap and a memory swap (remember that the IIci uses faster RAM). The prices and timetable for the upgrades had not been set.

Future Directions

The Mac Portable is an impressive first try by Apple to enter the portable computer market. Now working professionals don't have to give up the Mac's unique processing capabilities while on the road. The Portable won't make more problems than it solves because its battery life promises to be good and its LCD is as easy to read as a piece of paper. If the designers compromised on anything, it was size and weight. But considering what's crammed into the Portable's case and the quality of its display, we commend their judgment.

A few months ago, an official for a major laptop maker commented that his company would never design another model with a nonbacklit screen and neither would his competitors. "Even they aren't that stupid," he told a press conference. A few months ago, that sounded like a reasonable prediction. But Apple has done nothing less than change the rules of the game. Five years ago, the graphical user interface of the Macintosh screen was the face of the future. Today, the Macintosh Portable's active-matrix LCD is the face of the future all over again.

The Mac IIci represents the first major jump in performance for a Macintosh computer since the Mac II was introduced over two years ago. Its computing power, on-board video, and small desktop footprint make it equal or superior to a PS/2 Model 70 system. The Mac IIci is clearly ready to tackle the large computing jobs coming in the 1990s because, on top of its processing power, it is prepared to work in a 32-bit address space, all the way down to its firmware.

The Mac IIci's design also tells us much about Apple's future plans. The design optimizations indicate that the Motorola 68030 processor will be the heart of the Macintosh for some time to come. However, with the computer's I/O decoupled from the rest of the system, it's going to be easier than ever before to design Macs using faster 68030s. But what's really a welcome trend is that cache slot; it indicates that Apple is finally going to try to reduce the CPU's burden by off-loading certain functions onto dedicated hardware. We hope that they're considering DMA channels and a graphics coprocessor in future Macs.

Tom Thompson is a BYTE senior technical editor at large. He can be reached on BIX as "tom_thompson." Frank Hayes is a BYTE news editor based in San Francisco. He can be reached on BIX as "frankhayes."

THE EASY WAY OUT.



DISK TRACER AUTOMATES DISKETTE COPYING.

Put time-consuming formatting and copying tasks behind you with the new Disk Tracer. Now you can format and copy diskettes easily and automatically. Just as the paper copier eliminated messy carbon paper, now Disk Tracer eliminates the slow, tedious task of copying diskettes manually.

Simply place your original diskette and blank diskettes in the top tray, select the quantity desired, press COPY and walk away. Don't walk too far, Disk Tracer produces a perfect copy every 24 seconds... without your effort or attention! Disk Tracer does it all automatically, *fast*, freeing you and your computer. And by reducing your labor cost, it quickly pays for itself. Disk Tracer is one of many state-of-the-art diskette copiers brought to you by Trace, with a product family that answers every need from high volume industrial diskette copying to our inexpensive desktop copiers. Trace is the number one choice of professionals worldwide. Call us today for more information or the name of a distributor near you.

Information Hotline: 1-800-366-5560



WORLD LEADER IN DISKETTE AND TAPE DUPLICATION SYSTEMS TRACE PRODUCTS 2190 Bering Drive, San Jose, CA 95131



Now you can eliminate 90% of your batch file problems for \$99.95.

The Builder[™] is the first compiler that transforms sluggish batch files into blazingly fast .COM and .EXE files. Not only does it give you turbo language speed, it extends the DOS batch language with over 50 new commands and keywords.

For example, menu commands like DropDown, PopUp, and LookAndFeel

are built into the language, so you can quickly produce an unlimited number of programs, and distribute as many copies as you wish.

The Builder also includes a powerful editor to provide an integrated development environment.

And it's the perfect tool for creating installation scripts. The Builder has DOS dexterity that BASIC and C can't match. And its small compiled code size won't hog memory or disk space.

What's more, by compiling a program with The Builder before you distribute it, you'll have bulletproof security.

Don't keep bitching about batch. Order The Builder today.

Call **1-800-873-9993** for complete details. Visa and Mastercard are welcome. Shipping and handling are free.



Experkinetix, inc. 666 Baker Street, Suite 405, Costa Mesa, California 92626 (800) 873-9993 (714) 668-9234 FAX: (714) 979-2813 *Circle 123 on Reader Service Card (DEALERS: 124)*

VROOMM Goes the Spreadsheet

Borland's VROOMM technology gives the new Quattro spreadsheet plenty of capabilities in a relatively small amount of memory

ROOMM, which stands for Virtual Real-Time Object-Oriented Memory Manager, is Borland's alternative to OS/2 and Extended DOS. The new memoryexpanding technique is similar to the overlays used in many large programs, but it is much more flexible. With it, Borland has been able to endow the justannounced Quattro version 2 with a large grab bag of features, making it a very strong competitor for Lotus 1-2-3.

We were impressed with the way VROOMM allowed the new program to fit into tight memory spaces. We also liked a number of Quattro's new features. But on some low-end systems, the overhead processing that VROOMM memory management requires carries a price in general performance.

What VROOMM Does

The whole point of VROOMM is to avoid the "out of memory" error messages that are increasingly common in these days of large TSR programs and memory-gobbling network drivers.

VROOMM is a virtual memory system based on small, variable-size program segments. Borland calls these segments "objects" since, like the objects in object-oriented programming systems, they can call each other. However, the VROOMM objects are modules of binary code rather than source code and do not appear to share some of the benefits of traditional objects, such as accessibility by outside programmers and inheritance.

Whatever name they're called, the VROOMM objects have a fine granularity—most are only 2K bytes to 4K bytes in size. This lets the program load into memory only those parts of the program that will most likely be used. It also means that, unlike with traditional overlays, objects will load from disk quickly.

All this is fine for Borland's programmers, since it gives them a lot of room to work with. Other programmers may benefit as well, since the company has stated that it will someday make VROOMM technology available as a programming tool. But the question now is, what can the new Quattro do?

Linking with 3-D

Probably the hottest issue in spreadsheets this year has been three-dimensionality, and Quattro does not ignore this trend. While it does not have true 3-D capability, in the style of the new Lotus 1-2-3 release 3.0 or the older BoeingCalc, it does have enhanced linking capabilities that allow you to simulate 3-D spreadsheets. Both approaches allow you to break up large, complex worksheets into several small, interrelated ones.

In 1-2-3 release 3.0, each cell in a spreadsheet has three variables: column (A to IV), row (1 to 8192), and page (A to IV). Quattro takes a different approach, choosing instead to stay with the 2-D spreadsheet, but enhancing the ways these spreadsheets interact with each other. In Quattro, you can display four spreadsheets (e.g., DEPT-A, DEPT-B, DEPT-C, and DIV-1), consolidating the results from three departmental spreadsheet, DIV-1, can easily access data from any of the departmental spreadsheets. You can also perform summations over sev-

eral similarly named spreadsheets. For example, the @SUM([DEPT-*]C7) formula uses the DOS filename wild card * and calculates the sum of the contents of the C7 cells in every spreadsheet file whose name fits the DEPT-* specification (i.e., DEPT-A, DEPT-B, and so on).

Quattro can also access information from non-Quattro spreadsheet files on a network, or from database files that are being updated by other network users.

Annotating Graphs

Unfortunately, Quattro does not yet support true 3-D graphics; however, the graphics capabilities it does offer are truly striking. The program includes the usual assortment of pie charts, bar graphs, line graphs, and so on, plus new text-only charts. These graphs are greatly enhanced by high-quality text fonts.

In addition to a set of fairly standard fonts (e.g., roman, sans serif, and Old English), Quattro includes a small set of Bitstream fonts. These fonts produce very high-quality text on a laser printer, as you might expect, but they can also do a surprisingly good job on a low-end dotmatrix printer.

Whenever Quattro needs a Bitstream font in a particular size or style (such as bold or italic), it generates the appropriate font file. This can happen whenever you view, annotate, or print a graph, or when you view or print a spreadsheet. Generating each file can take a lot of time, especially on slower machines, but once that particular font file is generated, you do not need to generate it again. You can save some time by generating most font files at once when you install the program. However, all these font files take up a lot of disk space and dominate your Quattro directory.

Another interesting part of Quattro is its annotation facility, which allows you to modify graphs in a WYSIWYG fashion. With this feature, it is easy to select text and move it around the screen, or to *continued*



C Programmers choose db_FILE because it's fast and flexible.

The combination of relational B-tree indexing and network model database technology delivers better performance than file managers using relational technology alone. Build simple B-tree/ISAM applications or complex database applications. You decide how to optimize runtime performance.

SQL Support included.

db_RETRIEVE – the SQL-based relational Query and Report Writer is now included in this special offer.

Applications completely portable.

Free lifetime phone support.

C source code is now included!

No royalties.

SPECIAL LIMITED OFFER

db_FILE, db_RETRIEVE and source code for each – at one low price!

Single-User Package \$295.00 A \$1780 value.

Multi-User Package \$595.00 A \$2890 value.



File Manager 2.2

File Structure: Relational B-tree indexing and network database model. Use independently or in combination for real power. Transaction processing supported Not RAM resident Operating Systems: MS-DOS, UNIX, XENIX C Compilers: UNIX, XENIX, Microsoft, Lattice, TurboC Major LANs Supported

For your nearest distributor call: 1-800-db_RAIMA (1-800-327-2462).



*Raina reserves the right to discontinue this promotion at any time without notice, so please check pricing when you call.
Raima Corporation 3245 146th Place S.E., Bellevue, WA 98007 USA (206)747-5570 Telex: 6503018237 MC1 UW FAX: (206)747-1991
Texas: (214) 231-3131 International Distributors: U.K.: (0992) 500919
Germany: 07127/5244 Switzerland: (01)725 0410 France: (1)46092828
Benelux: 31(02159)46 814 Sweden: (013)1247 80 Laty: 045/584711
Norway: 47 244 88 55 Denmark: (2)887249 Singapore: 468 3888
Australia: (02) 959 5122 Japan: (03)473 7432 Taiwan: (02)511 3277
Mexico: (83) 57 35 94 Breazil: (0192) 52 9770 Colombia: 57 1 218 9245
Argentina: 34 1 31 3371 Chile: 56 2 696-4308 Uruguay: 92 19 37
Caribbaan: (809) 834 4069 Central America: (506) 28 07 64
© Copyright Raima Corporation 1989

COMPANY INFORMATION

Borland International, Inc. 1800 Green Hills Rd. P.O. Box 660001 Scotts Valley, CA 95066 (408) 438-5300 Inquiry 860.

add a small text box and an arrow pointing to a particular feature of a graph.

Quattro's graphics capabilities also include two other features not often found in spreadsheet programs: the ability to include graphs inside spreadsheets, and the ability to arrange graphs into a slide show-style presentation.

"Publishing" Spreadsheets

One of the strong points of the Windowsand Macintosh-oriented spreadsheets, such as Excel, is their ability to use multiple fonts, both on the screen and in printed documents. The problem with this approach is that drawing the various fonts on the screen can take a lot of time.

Borland has implemented a compromise approach for Quattro. You can have up to eight different fonts in the printed version of your spreadsheet, but, to save time, the on-screen version of your spreadsheet will show only one standard font. As you can imagine, it can get a little confusing trying to remember which cells in a spreadsheet are in which font. You can preview the spreadsheet to see what it will look like when printed, but this takes some time.

Quattro also includes other desktop publishing-like features, such as boxes, grids, and shading. And, unlike the case with the text fonts, Quattro does give you some indication on the screen as to what the lines will look like. Unfortunately, the lines on the screen take up a whole row or column, thus reducing the amount of the spreadsheet that you can display on your screen.

Recalculations Faster than 1-2-3

In tests of brute-strength recalculation, our early version of the program invariably beat out all the current versions of 1-2-3 (releases 2.01, 2.2, and 3.0). This speed advantage may be due in part to what Borland calls Intelligent Minimal Recalculation, where the program somehow decides whether it is faster to do a minimal recalculation or a full recalculation (when almost all the cells are involved, as in most benchmark tests). Quattro also features background recalculation, which can make the program seem even faster. The early version of Quattro was also fast at scrolling and inserting rows. One area, however, where Quattro seems to be slower than 1-2-3 is with operations regarding disk access, such as loading the program or loading spreadsheets.

I should also add that benchmarking, while never easy, is particularly hard with Quattro. The problem has to do with VROOMM and the way Quattro—or the part of it that resides in memory—keeps changing from operation to operation. For example, we found that in some cases a recalculation got faster on successive iterations or slowed down, depending on which part of the spreadsheet was displayed.

Another weakness of VROOMM is apparent even to a casual user. Sometimes, every keystroke that you enter results in a disk swap. This is related to the small size of the VROOMM objects: Although they will load quickly, they must also be loaded more often. This is especially noticeable on low-end systems or when you are using very large spreadsheets. After loading a 335K-byte spreadsheet, the program told us we still had 40K bytes of memory left, but it became extremely slow. Whenever we hit a cursor key, a considerable amount of disk swapping took place. Borland claims, however, that this will be speeded up by the time the product ships.

A 1-2-3/Windows Hybrid

In general, the new Quattro, like the original version, is pretty much a cross between 1-2-3 and Excel. It provides both good 1-2-3 compatibility and superior printing and graph-making capabilities. And it provides a rash of other features, such as Undo, a transcript of user actions (useful for macros or returning a spreadsheet to a previous condition), the ability to edit menus, good mouse support, and the ability to read and write a large number of file formats without translation. The product's list price is \$495, twice that of the previous version.

Our only serious complaint with Quattro is that there should be some way for users to signify different fonts on the screen. Also, VROOMM's object-swapping mechanism is a little slow, but that will probably be fixed by the time the product ships. Otherwise, Quattro looks like a very useful product, especially for users who want the advantages of Excel (and then some) but do not want to sacrifice compatibility with 1-2-3. ■

Rich Malloy is an associate managing editor for BYTE. He can be reached on BIX as "rmalloy."

3 books for only \$2.95



and get FREE! dBASE IV[™] Essentials

YES! Please accept my membership in the *Computer Professionals' Book Society* and send me the volumes I have listed below, *plus* my free copy of dBASE IV Essentials (3116P), billing me only \$2.95 plus shipping and handling charges. I understand that the books are sent on a 10-Day Free Exami-

nation basis. If dissatisfied in any way, I may return the books within 10 days and incur no further obligation. Otherwise, I agree to pay the provided invoice promptly and to receive regular Society bulletins as described in "How the Society Works." To complete my membership obligation I need only purchase 3 additional books at regular members' prices during the next 2 years, and may resign at any time thereafter.

1			

Name	
Name of Firm	
	(If you want Society Bulletins sent to your office)
Address	
City	State Zip
Signature	

Valid for new members only. Foreign applicants will receive special ordering instructions. Canada must remit in U.S. currency. This order subject to acceptance by the Computer Professionals' Book Society. BYP1089

Call 1-800-233-1128 Now!

3 books for only \$2.95



and get FREE! dBASE IV[™] Essentials

YES! Please accept my membership in the *Computer Professionals' Book Society* and send me the volumes I have listed below, *plus* my free copy of dBASE IV Essentials (3116P), billing me only \$2.95 plus shipping and handling charges. I understand that the books are sent on a 10-Day Free Exami-

nation basis. If dissatisfied in any way, I may return the books within 10 days and incur no further obligation. Otherwise, I agree to pay the provided invoice promptly and to receive regular Society bulletins as described in "How the Society Works." To complete my membership obligation I need only purchase 3 additional books at regular members' prices during the next 2 years, and may resign at any time thereafter.



Name of Firm					
	(if you	want Socie	ety Bulletina a	ent to yo	ur office)
Address					
City		State		Zip	

Valid for new members only. Foreign applicants will receive special ordering instructions. Canada must remit in U.S. currency. This order subject to acceptance by the Computer Professionals' BOR Society.

Call 1-800-233-1128 Now!



DUSINESS NEI LI WAIL

FIRST CLASS PERMIT NO. 9 BLUE RIDGE SUMMIT, PA 17214

POSTAGE WILL BE PAID BY ADDRESSEE Computer Professionals' Book Society Blue Ridge Summit, PA 17214-9988



NO POSTAGE NECESSARY

հովհահմահհահհահհահմահհ



BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 9 BLUE RIDGE SUMMIT, PA 17214

POSTAGE WILL BE PAID BY ADDRESSEE Computer Professionals' Book Society Blue Ridge Summit, PA 17214-9988 NECESSARY IF MAILED IN THE UNITED STATES

NO POSTAGE

հովկահփակիսիկովիսիսիսիսիսիսի



3237P \$24.95 3127P \$16.95 2888 \$32 All books are hardcover unless numbers are followed by a "P" for paperback. ©1989 Computer Professionals' Book Society, Blue Ridge Summit, PA 17294-0870

by our Editorial Board.

BYP1089

Aw...What the Heck!

EXTREMELY POWERFUL

DesignCAD 3-D version 2.0 is as powerful as most CAD systems costing \$5000 -\$10,000! Features like: Complex Extrusionslinear, scaler, and circular, Blending of Surfaces, Shading, Cross Sectioning, Complex Sweeps and Translations, and Boolean operations make DesignCAD 3-D one of the most powerful 3-D CAD systems available... at any pricel Engineers, Architects and Consultants constantly tell us that they use CAD systems costing thousands of dollars which are not as powerful as DesignCAD 3-D.







VERY EASY TO USE

Just because DesignCAD 3-D is powerful doesn't mean it is difficult to use. Single keystroke commands and side bar menus which give short directions on how to proceed make DesignCAD 3-D a snap to use! While not required, DesignCAD 3-D supports all popular digitizers and mice.

Many of the older, more cumbersome CAD systems require weeks of training before a user can be productive. DesignCAD 3-D users find they can be producing useful drawings in a matter of minutes! In a recent CAD contest only one contestant was able to match our drawing time. The package sold for \$3000.00. The other CAD packages took up to twice as long to perform the same drawing and cost up to \$5000.00!

Still don't believe us? The goblet pictured below required only 16 keystrokes and 3 commands to create! The top, front, side, and isometric views were created simultaneously... in less than one minute!

DesignCAD 3-D only \$399!

WHY BUY THIS ONE? There is a very important reason to buy DesignCAD 3-D. PERFORMANCE. No other CAD system can match our price/performance ratio. Many people make the serious mistake of thinking that it is necessary to spend thousands of dollars to obtain "a good 3-D CAD system." This is not true! We talk to people

VERY LOW PRICED

The first question asked by many people is, "Why is DesignCAD 3-D priced so low?" The answer? After developing DesignCAD 3-D version 2.0, we were unable to decide how the product should be priced. We consulted experts. We used the finest spreadsheets on the market. We took employee polls. Finally, in the great American Tradition, we said, "Aw... What the Heck! Let's see the other guys beat this price!" DesignCAD 3-D version 2.0 sells for \$399.







Small Business Computers, Inc.

327 South Mill Street Pryor, OK 74361 918/825-4844 FAX: 01-918-825-6359 TELEX: 9102400302

S-D CAD system. This is not true we taik to people everyday that are sadly disappointed with their "expensive" CAD systems. Don't be one of them! Call us and we will send you a complete set of literature and a free slide show demo disk. Once you compare DesignCAD 3-D version 2.0 with other CAD systems we know you will choose DesignCAD

DON'T TAKE OUR WORD FOR IT

Here is what other people have to say about Design-CAD 3-D:

"After you've worked with DesignCAD, the single keystroke commands are simple to remember and it becomes easy to "flick one key" to execute a command. An extremely ergonomically designed program."

HENRY LEVET, Levet & Daigle Architects - New Orleans, LA Designed a 65,000 sq. ft. nursing home using DesignCAD

"Recently I worked with a firm that builds decks. They purchased your product on my recommendation. I sat down with them and in two hours they were very proficient in DesignCAD. Now they are more effective; and we can communicate... it's wonderful to be able to do a block repeat 42 times and there are 42 2x4's to make the deck!" J. TURNER Architect. TAO Ltd - The Woodlands, Texas

"Allows scientists and engineers to expend minimum time learning and using CAD software so that their time can be expended on the project at hand. It also allows scientists and engineers to quickly present to management all views of a subject. (3-D)." DR STEVENS, NASA Space Scientist/Engineer

HOW DO I GET ONE?

DesignCAD 3-D version 2.0 is available from most retail computer stores, or you may order directly from us. DesignCAD 3-D is available in a number of foreign languages from distributors throughout the world. All you need to run DesignCAD 3-D is an IBM PC Compatible and 640K RAM. DesignCAD 3-D supports most graphics cards, printers, plotters and digitizers. Free information and a demo diskette are available by contacting us at:

3-D.



The agony of a drenched disk and the thrill of new CD-ROMs

have just spent half an hour using Krazy Glue and epoxy to mend an Austrian ceramic *ButterKasse* we bought during our trip to Graz three years ago; it arrived broken in shipment. Given just how far behind I am—*Wrath* of God is going to be good, but writing it has been blooming slow work—you'd think something that has waited three years for repairs might be allowed to wait a little longer, but read on. A story goes with it.

It all started when I got an Amiga game called Populous, written by Bullfrog Games and published by Electronic Arts (EA). Populous is one of a recent flock of new programs for the Amiga. Most are games, but I'm told by people I trust that there's a flood of new generalpurpose and business products for the Amiga just around the corner. By contrast, Atari seems to have fallen into the doldrums and is pinning its hopes on becoming another PClone maker.

I've always had a soft spot for Commodore, a company that's trying to do new and innovative things rather than follow the crowd, and the Amiga remains one of the most interesting machines around.

Anyway, shortly after I got to looking at the box blurbs for Populous, it became clear that this is no ordinary game: it appears to be an electronic implementation of the Manichaean heresy. The blurbs include: "Cruel ice, lush grassland, parched desert. With 500 worlds, a deity's work is never done" and "The allpowerful can perform miracles in their sleep. But omnipotence isn't what it used to be. These days, it takes an awesome natural disaster to dominate a world."

DISASTERS AND DIVERSIONS

This is clearly not your run-of-the-mill computer game.

However, it takes determination to play this game if you have an Amiga 2500. My first attempt was a failure. That is: I treated the thing much as I would a game for the Macintosh. I booted up the system, inserted the Populous disk, clicked on its icon to open it, clicked on the Populous icon—and found myself stuck in the demonstration mode. It wouldn't actually play the game.

This is because EA has an arcane copy-protection scheme. It requires you to boot up your machine, catch it before it loads the rest of the operating system, and insert the EA game disk. Amiga-DOS comes in two parts: the DOS itself, and a disk of programs called the Workbench that you must have to do anything other than play games.

Many EA games require you to substitute the game for the Workbench, which is easy enough if you boot up with floppy disks but requires tricky timing if you have a hard disk. Doing it the EA way deprives you of the Amiga's main advantage, true multitasking; the Workbench runs at least as well as Macintosh's MultiFinder.

Booting up with the Populous disk already inserted in the floppy disk drive didn't work either. It got me to the introductory part of the game, including instructions and the tutorial, but when I attempted to actually play, the machine went galley-west. Now what?

A quick call for help on BIX got me the following advice: the Amiga 2500 has both 68000 and 68020 chips on-board. Left to itself, the machine uses the 68020, but if you hold down both mouse buttons when you power up, you're given a choice of booting with either chip (or with Unix, although that's not implemented yet). To play Populous, you must tell the machine to boot with the 68000. It seems there exist in the 68000 instruction set a couple of commands that have inconsistent undocumented features. When Motorola brought out the 68020, there were fixes. Alas, some Amiga programmers like the 68000's incompatible instructions.

Anyway, booting with the 68000 chip did the trick: Populous worked fine.

Fascinations

It turns out that the silly game is fascinating; at least it was for me. It's fairly easy to learn. It's strategy-oriented but works in real time. You can pause the game, but if you don't, you sure can't just sit there and watch, lest Satan kill off all your followers. Not every second counts, but certainly every minute does.

The graphics are neat. The user interface is odd but learnable. Despite appearances, this isn't a game review, so I won't go into details; suffice it to say that I started playing this strange game at midnight and found myself still sitting there at 7:00 a.m. listening to the birds. Worse: that happened *twice*. Which still doesn't explain why I was mending a ceramic *ButterKasse*, but read on.

Meanwhile, it's summer-vacation time here at Chaos Manor, and our youngest son, Richard, is taking the summer off from college. One way he's been amusing himself is with Accolade's Fast Break 3-on-3 basketball game on the Amiga. He plays in the mornings before I get up—on this particular morning, after I came to my senses and turned off the Amiga.

An hour ago I came upstairs to finish this column. I'd had it about half done before I started Populous last night—I'm not a *complete* idiot—so it looked to be a short job. First, though, a quick look at Populous, "to get a couple of details to write about," said I to myself. When I booted up, the Amiga pronounced my disk—the uncopyable, irreplaceable Populous disk—unreadable.

Close examination showed just why. While I was asleep, Richard had managed to upset a glass of orange soda on *continued* the Populous disk, and it was now all wet and sticky.

Futility

Years ago I read about a library whose 8inch CP/M floppy disks were all soaked in dousing a fire. Since there was nothing else to try, the librarians dried out the disks—and lo, they worked. Maybe, thought I, the same could be done with the 3½-inch Populous disks. What the heck, it was worth a try.

There were four disks soaked in orange soda. I washed them all out and set them in front of a fan to dry. Then, being impatient, I experimented with one of them: wash it out, shake it to get as much water out as possible, and try to dry it with a hair dryer.

That didn't work.

Neither did letting the disks dry naturally at low temperature in front of a fan. I put one disk on top of the vent from the Zenith FTM monitor, where the temperature is about 109°F. That didn't work either.

In fact, nothing I tried worked. Unlike 8-inch and 5⁴-inch floppy disks, if a 3¹²-inch disk gets wet, it's probably just plain dead.

Certainly my Populous disks were dead. Nothing for it but to get another set. To do that, I'd have to telephone the company.

No phone number on the Populous box. Maybe on the game manual? But my desk was all set up for doing the column, meaning that it was covered to a depth of 9 inches in paper and boxes and manuals, so it took 10 minutes of increasingly frustrating activity until I found the Populous manual. Of course, it had no phone number in it, and while I was looking for that manual, I managed to kick over the large glass of water Richard had left on the floor by the Amiga....

While I cleaned that up, Mrs. Pournelle got the phone number from Pacific Bell information. I called. Two rings, and it was answered by a computer that began an interminable spiel, offering me the opportunity to get various people I didn't want to talk to if only I'd punch in various numbers; eventually I punched "0" and got a human. By now I was speaking in a preternaturally calm voice: "Please let me speak to the product manager for the game called Populous."

There were several mysterious clicks and clanks and sounds from the telephone. Several rings. More clicks. Finally a recording told me that someone, I forget just who, wasn't available, and would I care to leave a message? Very slowly and calmly I hung up and dialed the number again. I got the machine, but punching "0" got a human—so far as I knew, the only human EA employed. "The product manager for Populous isn't answering," I said carefully. "May I have the director of public relations or press relations?"

This time I got a very pleasant young lady who much sympathized with my problem and promised to mail me a new disk. Now it's time to have a few words with my son. I figured that before I did that I really ought to calm myself: I should do something requiring a maximum of care and patience and a minimum of brain—and that, preferably, has nothing to do with either computers or people; at which point I spotted the broken *ButterKasse...*

I'm sure there's a moral to this story, but I'm not certain what it is.

First, who's the villain? The proximate cause is Richard for spilling the drink, but my leaving it on that table is at least contributory negligence. In any case, the incident wouldn't have been worth mentioning if it hadn't involved an irreplaceable disk.

Next, there's EA with their arcane copy-protection scheme, which not only makes the disk irreplaceable, but also makes the game frustratingly hard to boot up and play. Behind them are the petty thieves—they like to call themselves "pirates," but they don't deserve such a glamorous term—who copy and distribute copyrighted software and make EA believe that copy protection is necessary.

For reasons I have never quite understood, in the Amiga and Atari worlds it's very common for stolen copies of new games to be available on BBSes and at swap meets as soon as they appear on the market—indeed, sometimes before they're officially released.

The rest of the computer world is abandoning copy protection. In the IBM PC world, I think there are no copy-protected games at all; instead, the companies rely on "security checks," in which you're required to type in a word from the manual. This doesn't prevent illegal copying of the games—manuals can be photocopied—but it does slow things down, and it's pretty hard to distribute a printed manual on a BBS.

There's still some copy protection in the Mac world. Less every year, though, and what's left is the "key disk" variety that lets you play a game off a hard disk and checks only to see that you've got the original distribution floppy disk.

In the Amiga and Atari worlds, copy

protection is the rule rather than the exception.

I don't know why this is. I do note that there are fewer Macs than PCs, and fewer Ataris and Amigas than Macs. The elaborate manuals customary for PC games may be too expensive an investment for the smaller markets. Finally, copy protection is much harder in the PC and Mac systems than in Atari and Amiga systems. Really wicked schemes like the unlamented ProLock are harder to implement. Besides, anyone can buy disk copying programs like Copy II PC and Copy II for the Macintosh if they get unhappy enough. If there's something similar available for the Amiga, I don't know about it.

Whatever the reason, I sure wish companies like EA would rethink their position. The house rule at Chaos Manor is that I won't review copy-protected business software. I will look at copy-protected games. That doesn't mean I like having to do it.

Words!

The latest item at Chaos Manor is the Oxford English Dictionary (OED) on CD-ROM. I've had it for about a week now, and it's just wonderful. Every word in the English language—well, every word used up to 1928, anyway—with every meaning, its history, who used it first in print, and who's typically been using it since. Just this year, they brought out a new and revised edition of the OED that brings it up to the 1980s.

I first got the OED in the two-volume set (complete with magnifying glass in a small drawer of the slipcase) as a bonus for joining the Book of the Month Club. (Karen Anderson dubbed that the "transistorized version," which tells how long ago *that* was.) I use it at least weekly, although it isn't very convenient: the books are enormous and hard to set down, and the magnifying glass is a must. Thus, I was quite excited at the prospect of getting the OED on a CD-ROM.

The OED CD-ROM is the original edition—alas, without a four-volume *Supplement*. A new CD-ROM of the second edition is in preparation.

The manual states that "The OED on CD cannot be a substitute for the book itself, since reading its very long entries on screen (some are as long as 60,000 words) would be tiring and impractical...." I've got news for them: compared to reading those lengthy entries in the tiny print of the transistorized version I've got, reading them on the screen is flipping bliss.



GET THE PICTURE?

Meet our new Elite/1600[™] a complete ultra high resolution 19-inch monochrome display system with a 1600 x 1280 pixel resolution. It offers the highest quality two-page display system available for the IBM PS/2 Series, and IBM PC and compatible.

It has the same resolution as the Sun-4 workstation monitor. The extraordinary display, combined with a clean, stable, flickerfree picture means your images are razor sharp, alignment perfect, drawings pin-point precise.

Each display system comes complete with a high resolution monitor, video interface card, and software drivers.

The Elite/1600™ is part of our extensive family of display products for the IBM compatible and Macintosh computers. We carry a complete line of high resolution color, monochrome and gray-scale display systems.

The monitor you've got in mind is probably in our warehouse right now!

Call our toll free number today, for our free information package.

1-800-343-5532

Discover for yourself how beautiful a big monitor can be.

Got the picture?



4201 Remo Crescent, Bensalem, PA 19020 USA Phone: (215) 639-1636 FAX: (215) 639-3420 The OED CD-ROM is extremely well indexed and has good retrieval software. The user interface is really odd. To look up a word, you set a variable called "the lemma" to equal the word. Naturally, on learning that, the first thing I did was "set lemma=lemma." For my pains, I got four screens of definitions and origins. The first definition is the expected one from mathematics. The second definition is: "The argument or subject of a literary composition, prefixed as a heading or a title," which, when you think of it, sort of fits, since once you've set the lemma, the OED CD-ROM lets you look things up in a variety of ways.

You can see every instance of its use; you can see which writers used it in ways the OED editors thought worth recording. You can look up its etymology. Doing that with the word *lemma* took me to the word *dilemma*, which is a term originating in rhetoric and formal debate; also to *argument*, which originally



PATTON & PATTON Software Corporation Excellence in charting the flow of ideas

For more information, see your local retailer or call 1-800-525-0082, ext. 47 (outside Calif.) 408-629-5376 (Calif./Int'l.) 81 Great Oaks Blvd., San Jose, CA 95119 didn't mean "dispute" but referred to the points you made in a debate; and so forth, for 10 minutes before I got back to work. The OED CD-ROM is a wonderful time trap.

Some of the other features aren't easily learned, either. I just looked up the word *phoenix* and was told it couldn't be found, but to try the spelling index. Eventually I figured that one out: tell it the lemma is ph*, and it wants at least three letters. Tell it it's pho*, and it finds nothing. Tell it phe*, and by gollies it finds *phenix*, which is listed as "obsolete spelling of ph < oe > nix," and finally ph < oe > nix itself. It won't search on ph < oe > *. This isn't an optimum way of handling diphthongs. I can live with it, but I sure wish they'd fix that in the next edition.

You can get the OED CD-ROM direct from Oxford University Press. Mine was arranged courtesy of the (private dealer despite the name) Bureau of Electronic Publishing (P.O. Box 779, Upper Montclair, NJ 07043, (201) 857-4300), which puts out a catalog of interesting CD-ROM products, including both disks and drives.

I had no trouble at all getting the OED CD-ROM to run inside its own DESOview window (but see last month's column; I run DESQview with an 80386 and QEMM-386 to get big windows). Alas, unlike Microsoft Bookshelf, the OED software isn't memory-resident; you can't run anything else like a word processor with it, and for that matter, it eats up so much memory that I wasn't even able to get SideKick up-I'd hoped to use SideKick to cut and paste. However, the DESQview Notebook utility does work properly, letting you cut stuff out of the OED CD-ROM screen and paste it into other windows.

I can think of tons of improvements they could make to the user interface, but so what? What's here now is wonderful. I could rave on for the rest of the column. For anyone in love with words, the *OED* on CD-ROM isn't just recommended, it's a necessity, and more than enough reason to go buy a CD-ROM drive. (Indeed, enough CD-ROMs are out there now that I wish I could have several drives on-line at once: OED, Microsoft Bookshelf, World Factbook....)

Romanji

I was never any use at foreign languages. Somehow I got through high school Latin, which greatly improved my English. The University of Washington Ph.D. program required knowledge of *continued*

Our MAJOR ADVANTAGE-Supplying you with the Broadest Range of Software Ammunition.

LIST OURS APPLICATION SOFTWARE

COMMUNICATIONS		
Carbon Copy plus	195	115
Close-Up		
Customer	195	135
Support	245	165
Co/Session	249	182
Crosstalk XVI	195	99
Mirror III	100	67
PC Anywhere III	145	79
Procomm Plus	75	49

DATABASE

Clarion	695	409
Clipper	695	439
dBASE IV	795	489
dBXL	249	145
FoxBASE+	395	199
FoxBASE+/MAC	395	199
Paradox 3.0	725	479
PFS:Professional File	299	189
Q&A	349	229
R&R	149	109
R:Base for DOS	725	489

DESKTOP PUBLISHING

Distant a contraction	
Adobe Illustrator '88	695
Adobe Illustrator '88 (MAC)	495
Corel Draw!	495
Draw Applause	495
First Publisher	99
First Publisher Art Gallery	129
GEM Artline	495
GEM Desktop Publisher	299
PageMaker	795
PageMaker (MAC)	595
Ready, Set, Go (MAC)	495
Springboard Publisher	139
Ventura Publisher	895

GRAPHICS		
Chart-Master	375	239
Freelance Plus	495	CALL
GEM Graph Present. Team	495	305
Graph Plus	495	329
GraphWriter II	495	CALL
Graph-in-the-Box	140	75
Harvard Graphics	495	289
Micrografx Designer	695	459
Microsoft Chart	395	270
Perspective Junior	149	109
Pinstripe Presenter	200	CALL
PIXIE	295	177
Powerpoint (MAC)	395	265
Xerox Presents	495	319

INFORMATION ORGANIZERS

Agenda 395 C	ALL
askSam 295	179
GOfer 80	45
GrandVlew 295	189
Memory Mate 70	43
SideKick Plus 200	135
Tomado 100	55
Who-What-When 190	119
ZyIndex Professional 295	159

PROJECT MANAGEMENT

Harvard Project Manager	695
InstaPlan 2.0	99
Microsoft Project	495
SuperProject Plus	395
Time Line v. 3.0	595
Time Line Graphics	195

SPREADSHEETS

Legend Twin Level III	249	195
Lotus 1-2-3	CALL	CALL
Lucid 3-D	149	CALL
Microsoft Excel	495	239
Microsoft Excel (MAC)	395	270
Microsoft Multiplan 4.0	195	125
Microsoft Multiplan (MAC)	195	125
PFS:Professional Plan	99	CALL
PlanPerfect	395	199
Quattro	248	165
SuperCalc5	495	319
Symphony	695	CALL
Wingz (MÁC)	495	299

Terms & Policies

All prices subject to change without notice. We accept Visa, MC, AMEX (2% surcharge on AMEX). Shipping \$4 per item sent UPS Ground. Allow 14 days for personal/company check clearance. Returns subject to 15% restocking fee. RA # reguired. PO's welcome from Fortune 1000 and other qualified organizations.



51

LIST OURS

129

342

52

535

169

145

150 119

100 61 119

195

199 129

495

89 450

395

495 199 302 129

199 135

595

200 495

395 249

129 69 302

495

495 445 239 256

595 CALL

450

450

150

200

150 99 169 250

150 99

sional 250

SPREADSHEET UTILITIES

3-D Graphics

Graph-in-the-Box

4Views

4Word

@ BASE

@ Liberty

Allways

Impress

Inword

Look & Link

Note-It Plus

Noteworthy

SmartNotes

DisplayWrite 4

Grommatik III Manuscript

MaxThink 89 Microsoft Word

Office Writer 6.0

Samna Word IV

Sprint WordPerfect 5.0

XyWrite III Plus

Lahey F77L

MS FORTRAN

Micro Focus COBOL Microsoft C

MS Macro Assembler MS QuickPASCAL

Turbo Pascal 5.0 Turbo Pascal 5.0 Prof

Smalltalk/V 286 Turbo C 2.0 Turbo C 2.0 Professional

WORD PROCESSING

Microsoft Word (MAC) MultiMate Advantage II

PFS:Professional Write Q & A Write RightWriter

WordPerfect (MAC) WordPerfect Executive

WordPerfect Library WordStar 2000+ Personal

WordStar Professional Rel 5

LANGUAGES

Spellin! SQZ Plus

Ami

PanaView See More Sideways

Baler

Hal

LIST OURS OPERATING SYSTEMS, CONTROL PROGRAMS Concurrent DOS 386 2.0 395 DESQview 386 (w/QEMM) Interactive 386/IX 190 989 39 1095 60 195 **QEMM 386** MS Windows/386 MS Windows/386 PC-MOS 386 (single user) PC-MOS 386 (five users) SCO 386 UNIX Sys V (comp) SCO UNIX Sys V (comp) 125 123 179 539 1195 999 199 759 195 595 1495 1295 VM/386 245 VM/386 Multi-User 895 VM/386 NetPak 150

WordPerfect

WordPerfect 5.0 integrates text and graphics to let you create professional looking newsletters, reports, and documents-without neglecting the features that made it number one in the first place! Graphic images can be placed anywhere on the page, scaled, moved, and can include a caption and border. 5.0 also has enhanced print capabilities, and a WYSIWYG preview mode. Master Document combines files to generate tables of contents, indexes, etc. WordPerfect 5.0 succeeds 4.2 as the

world's best word processor. Once you've tried it, you'll never go back! List: \$495 Ours: \$249

UTILITIES			SCIENTIFIC TEXT PROCESSING		
Brooklyn Bridge	140	85	ChiWriter	150	12
Copy II PC	40	25	EXP	150	12
Disk Technician Advanced	190	119	PC TEX	249	22
FASTBACK Plus	189	109	4	595	47
Laplink 3	140	85			
MACE GOLD	150	88	STATISTICS		
Magellan		CALL	CSS	495	46
MKS Toolkit	199	155	Microstat II	395	33
Norton Commander	89	52	NWA StatPak	495	36
Norton Utilities	100	59	P-Stat	695	63
Norton Utilities Advanced	150	89	SPSS/PC+	795	72
PC Tools Deluxe	129	80	StatGraphics	895	59
Software Carousel	80	49	StatPac Gold	595	54
Spinrite	59	49	Statview II (MAC)	495	34
V feature Deluxe	120	95	SYSTAT	595	44
XTree	70	39	SYSTAT (MAC)	595	44
XTreePro	129	70	SYSTAT (w/ SYGRAPH)	795	59



SCIENCE/ENGINEERING CAD 3000 CALL 500 389 150 95 CALL CALL 399 209 395 259 300 179 AutoCAD Release 10 AutoShade AutoSketch CALL 399 395 DesignCAD DesignCAD 3-D Drafix CAD Ultra Generic CADD Level 3 Generic 3-D Solids Modeling 195 349 PCB ARTWORK/SCHEMATICS HIWIRE Plus Micro-CAP III 895 1495 805 450 805 495 Schema II **smARTWORK** 895 Tango-CAD Pack Tango-PCB Series II 995 949 595 559 DATA ACQUISITION/ANALYSIS Asystant Plus DADISP 995 795 849 719 LABTECH Notebook 005 700 MATHEMATICAL TOOLBOXES 166 115 200 Eureka: The Solver 167 Eureka: The Solver (MAC) 195 134 Gauss Math & Stat System Mathematica 386 395 350 CALL 695 995 795 AT 386/7 CALL

LIST OURS

Mathematica (MAC) PC MathCAD 2.5 Appl. Packs (for MathCAD) PC-Matlab 235 115 Control System Toolbox System ID Box

TKI Solver Plus

PLOTTING AND GRAP	HING	
Grapher	199	149
Grapher/Surfer Bundle	600	499
Surfer	499	379
TECH*GRAPH*PAD	395	319
Temple Graph	299	259

495

695

495

495

305 319

315



WordPerfect

150 150 129

249 226

129



In the U.S. call:

Circle 16 on Reader Service Card

1163 Shrewsbury Ave., Shrewsbury, NJ 07702

Circle 285 on Reader Service Card



Experts Agree on WATCOM C:

"We searched the industry for the best 286 and 386 C-compiler technology to incorporate with our developer toolkits. Our choice was WATCOM."

Nancy Woodward, VP & GM Development Products

Novell, Inc.

"WATCOM's latest release of its rising star is a clear winner....It is a clearly superior value when compared to all compilers..." Richard Relph INFOWORLD, May 22, 1989



"WATCOM is definitely the leader in object-level optimizations...For flat-out executable speed,

WATCOM's compiler was the clear winner."

Steve Apiki and Jon Udell BYTE, February 1989

"WATCOM C broke with tradition to make a fast, efficient C programming environment that has other C compiler designers rethinking their strategy." *Bill Machrone*



PC Magazine, January 17, 1989

"Microsoft library- and source-compatibility makes WATCOM C7.0 /386 ideal for porting DOS applications to 32-bit native mode. This compiler enables full 386 performance without 640K limitations."

Richard M. Smith, President Phar Lap Software, Inc.

WATCOM C7.0

100% ANSI C optimizing compiler and run-time library, graphics library, windowed source-level debugger, development tools, and Express C integrated environment for DOS and embedded systems. Price: \$395.00

Now WATCOM C7.0 /386

100% ANSI C optimizing compiler and run-time library plus development tools supporting 386 32-bit protect mode for embedded systems and DOS extenders including 80386 software tools from Phar Lap Software and OS/386 from A. I. Architects. Price: \$895.00



two foreign languages, but fortunately you could demonstrate competence by taking an examination. I've always been good at boning up for exams, and that plus psyching the test got me through.

One of my languages was Spanish, and between formal study and living in Southern California, I learned enough to get by in Cal-Mex (which we consider more elegant than Tex-Mex). On the whole, though, I am absolutely the wrong person to evaluate a computerized language instruction program. You've been warned.

Traveler's Guild: Japanese consists of a couple of thin manuals, two 3½-inch floppy disks, and a tape. The program starts you off with a map of Japan, goes through some generalities, and then gets down to drilling you on vocabulary through a phrase-book approach. Phrase categories are standard: greetings, personal condition, going places, weather/ seasons, food/eating, and so on. Words and phrases are given on-screen, questions are asked, and you type in the answers. In addition, there's a booklet that accompanies the pronunciation tape.

It all seems to work as advertised; that is, the program works, and the tape gives you pronunciations. Whether or not it will teach you Japanese is something I'm not competent to say. It can't hurt.

One thing it won't teach you is to read Japanese.

There are four different types of characters in use in modern Japan. First, there's kanji, an ideographic system borrowed from Chinese, in which each character-some quite elaborate-stands for a different word. Second, there's hiragana, which looks a bit like ancient Mycenaean Greek: each character stands for a syllable (e.g., ma, pa, ta, and ga). Third is katakana, which is similar to hiragana but has more elaborate characters and is used for syllabic representation of words of foreign origin; and finally there's romanji, which is a roman alphabetic representation of katakana and hiragana characters.

Traveler's Guild: Japanese uses romanji characters because, according to its book, they are "easiest for English speakers to learn and remember," which is probably true. But it's also true that romanji is a lot easier to get onto your screen; anything else would have to be in graphics mode.

Since no program whatever is likely to teach *me* Japanese—I have enough trouble remembering the names of my favorite sushi items—all I can do is make you aware of this program. I surely can't evaluate it.

More Words

The gadget of the month is WordFinder WF-224 marketed by SelecTronics. This is a box about half again the size of a package of cigarettes. You could carry it in a pocket, but you probably wouldn't; for that you'd want the WF-225, which is smaller than a box of coffin nails. Both hinge open, with a small screen on one half and a QWERTY keyboard on the other. The WF-225's keyboard is harder to use, and the screen is smaller; but you *can* use it. Otherwise, the two units are identical.

The software and dictionary are the ones you find in the WordFinder thesaurus program: some 100,000 words, including major countries and cities, and some proper names, like Pournelle and Dvorak. There are also some 220,000 synonyms (which, unlike the primary dictionary words, don't have in-box definitions). You type in a word, spelled correctly or not; it attempts to correct the spelling if it's wrong. Once you have a valid word, you can get a definition (some of them are fairly complex) or a synonym.

So far it's an interesting gadget, but nothing I'd be likely to write about. Indeed, I'd probably have ignored the WF-224 if it hadn't come from Mike Wiener of Microlytics, the developer of the WordFinder software and the chap who saw to it that my personal electronic dictionary was incorporated into the original WordFinder thesaurus. When Mike sent the WF-224, he enclosed a note calling my attention to a unique feature: the Flashcard. When the WF-224 asks you for a word, enter the * (wild card) character and press the Def key; instantly there appears a random word. Mike's note said, "I bet you'll see a word you don't know within 10 tries."

Foo, thought I. I grant you a tiny box like that will have some words I don't know, but it's not going to have so many that it will find one in 10 tries. After all, I make my living with words. But what the heck, it's worth a try.

The fifth word up was *rollick*. OK, I thought I knew what it meant, but let's be honest: I wasn't sure. I pressed the Def key again. "To behave in a carefree, jovial way" came up on the WF-224 screen. Interesting. A quick trip to the OED—I have it ready in a DESQview window—told me *rollick* is also a noun meaning "exuberant gaiety," but the verb is "To frolic, sport, or romp in a joyous, careless fashion; to go off, move along, enter, etc., in this manner." Certainly the WF-224 was close enough.

120 BYTE • OCTOBER 1989

CINALLY. A debugging tool tough enough to handle the DOS Nasties.

96

тм

New Version 2.0



Nasty over-write? No sweat!

Soft-ICE memory range break points help you track down memory over-write problems whether you are doing the over-writing or another program is over-writing you.

Hung program? No problem!

When the system hangs, you now have hope. With Soft-ICE you can break out of hung programs no matter how bad the system has been trashed. And with Soft-ICE's back trace ranges you can re-play the instructions that led up to the crash.

Program too large? Not with Soft-ICE!

Soft-ICE runs entirely in extended memory. This means you can debug even the largest DOS programs. And since your program runs at the same address whether Soft-ICE is loaded or not you can find those subtle bugs that change when the starting address of your code changes.

System debugging? Soft-ICE is a natural!

Soft-ICE is ideal for full source level debugging of TSRs, interrupt service routines, self booting programs, DOS loadable device drivers, real-time kernels, non-DOS O/Ss and ROMs. Soft-ICE can even debug within DOS & BIOS.

YTI

How Soft-ICE Works

Soft-ICE uses the power of the 80386 to surround your program in a virtual machine. This gives you complete control of the DOS environment, while Soft-ICE runs safely in protected mode. Soft-ICE uses the 80386 to provide real-time break points on memory locations, memory ranges, execution, I/O ports, hardware & software interrupts. With Soft-ICE you get all the speed and power of a hardware-assisted debugger at a software price.

Don't want to switch debuggers?

You don't have to!

Soft-ICE can run stand-alone or it can add its powerful break points to the debugger you already use. Use your favorite debugger until you require

Soft-ICE. Simply pop up the Soft-ICE window to set powerful real-time break points. When a break point is reached, your debugger will be activated automatically.

MagicCV with Soft-ICE

Using Soft-ICE with CodeView gives you the features necessary for professional level systems debugging. MagicCV and Soft-ICE can work in concert with Code-View to provide the most powerful debugging platform you will find anywhere.

"These may be the only two products I've seen in the last two or three years that exceeded my wildest expectations for power, compatibility and ease-of-use."

> —Paul Mace Paul Mace Software

Soft-ICE \$386 MagicCV \$199 MagicCV for Windows \$199 Buy Soft-ICE & MagicCV(W) -Save \$86. Buy MagicCV and MagicCVW -Save \$100. Buy All 3 -Save \$186.

30 day money-back guarantee Visa, MasterCard and AmEx accepted



Back Trace Ranges

New Soft-ICE 2.0 features



CALL TODAY (603) 888-2386 or FAX (603) 888-2465

P.O. BOX 7607 ■ NASHUA, NH ■ 03060-7607

RUN CODEVIEW IN 8K

MagicC



CodeView is a great integrated debugger, but it uses over 200K of conventional memory. MagicCV uses advanced features of the 80386 to load CodeView and symbols in extended memory. This allows MagicCV to run CodeView in less than 8K of conventional memory on your 80386 PC.

NEW--Version 2.0 includes EMS 4.0 driver. Attention Windows Developers! Version available for CVW.

ITEMS DISCUSSED

Ami\$199 Samna Corp. 5600 Glenridge Dr. Atlanta, GA 30342 (404) 851-0007 Inquiry 987.	
Expert 87\$495 Magic 7 Software 101 First St., Suite 237 Los Altos, CA 94022 (415) 941-2616 Inquiry 988.	
Fast Break 3-on-3 IBM PC \$39.95 Mac \$44.95 Accolade, Inc. \$50 South Winchester Blvd., Suite 200 \$an Jose, CA 95128 (800) 245-7744 Inquiry 989.	
Grolier's Academic American Encyclopedia on CD-ROM\$395 Grolier Electronic Publishing Sherman Tpk. Danbury, CT 06816 (800) 356-5590 Inquiry 990.	

1

Logitech Mouse\$139. Logitech, Inc. 6505 Kaiser Dr. Fremont, CA 94555 (415) 795-8500 Inquiry 991.

Mrs. Pournelle's Reading

#100

Program \$100 Roberta J. Pournelle 3960 Laurel Canyon Blvd., Suite 372 North Hollywood, CA 91604 Inquiry 992.

Oxford University Press, Inc. 200 Madison Ave. New York, NY 10016 (212) 679-7300 Inquiry 993.

Populous \$49.95 Electronic Arts 1820 Gateway Dr. San Mateo, CA 94404 (415) 571-7171 Inguiry 994.

ProIcon\$175 The ProIcon Group P.O. Box 1123 Salida, CO 81201 (719) 539-3884

Inquiry 996.

QuickPak Professional\$149 Crescent Software 11 Grandview Ave. Stamford, CT 06905 (203) 846-2500 Inquiry 997.

The MicroHelp Toolbox \$79 MicroHelp, Inc. 4636 Huntridge Dr. Roswell, GA 30075 (404) 552-0565 Inquiry 998.

Traveler's Guild: Japanese\$139 Traveler's Guild 315 West Washington Marquette, MI 49855 (906) 228-5030 Inquiry 999.

WordFinder WF-224...... \$99.95 SelecTronics 701 Decatur Ave. N, Building 204 Minneapolis, MN 55427 (612) 545-6823 Inquiry 1000.

WordStar 5.5\$495 WordStar International, Inc. 33 San Pablo Ave. San Rafael, CA 94903 (415) 499-1200 Inquiry 1001.

Incidentally, I used the DESQview mark-and-transfer routine to move the definitions from the OED window to this one. Works like a charm.

Try the WF-224 again. The sixth word this time was *abscission*. Well, all right, I know what that means, but I can't say I was *sure*. Try again. It took 18 tries to come up with *perfecto*, which turns out to be a thick tapered cigar, and no, I didn't know that. I thought they'd included a word of foreign origin.

The WF-224 also checks spelling. If you punch in *Pournelle*, it says that's spelled right. But if you give it *Pournell*, it corrects it to *perennial*; however, if you hit the right-arrow button, it finds something else and will keep trying until, by gollies, it gets *Pournelle* on about the fourth try! It accepts *perenial* and gives the right answer, but if you give it *mispeled*, it finds *misapplied* as the first choice; keep hitting the right arrow, though, and it gets it right.

It's a fun gadget. I'll lend it to one of my college sons and see what happens.

Of Mice and Bugs

Logitech has new mouse software. They no longer bundle the Point editor with their mice, although I gather you can get it if you buy their desktop publishing package. Now they include a thing called Pop-Up DOS, which is a DOS shell. Pop-Up DOS enthusiasts swear it's easier to use and just plain better than Norton Commander. Maybe. I'm quite certain that had I learned Pop-Up DOS before I learned the Commander, I'd never have been tempted to switch; now the burden's the other way, and so far I'm still using the Commander, but we'll see as time goes on. One thing: Pop-Up DOS comes with a good tutorial and reference

book, although I do wish the index and table of contents were a little more thorough.

Obviously, Pop-Up DOS works well with a Logitech mouse. You get the help file by pressing the center mouse button, for example. They've kept the pattern from Niklaus Wirth's Lilith operating system, in which the center button produces a menu, the left button executes commands, and the right button makes the menu go away and generally acts as the Escape key; but since that can drop you right out of the program, Pop-Up DOS requires that you double-click on the right button or physically press the Escape key.

Pop-Up DOS does a number of things similar to the Norton Commander. It shows a full tree of your hard disk directory structure. There's a neat little card *continued* When we started selling MKS products in 1986, the Tax Collectors were among the first to notice. They assessed our promise to bring the power and flexibility of a UNIX environment to the DOS desktop.

And then they came to call.

We're happy to report that the Tax People* quickly decided that MKS products were the perfect way to train users on UNIX operating systems using the PCs everyone was already familiar with. And the perfect way to speed development of new programs and procedures.

Get the new - but don't give up the old

The MKS Programming Platform gives programmers the best of both worlds - virtually unrestricted access to the power and flexibility of UNIX operating systems, and full DOS or OS/2 capabilities. With MKS your PC becomes a powerful and productive UNIX workstation, whenever you need it.

The Platform includes four proven members of the MKS family of software: *MKS Toolkit, LEX & YACC, RCS*, and *Make*.

The heart of the Platform is the *MKS Toolkit*. It provides a complete set of utility programs and over 150 commands compatible with UNIX System V.3. It also includes the MKS Korn Shell, a command interpretor, MKS Vi editor, and the MKS AWK programming language.

Next is *MKS LEX* & *YACC*, which work together as a

highly efficient program generator, simplifing the creation of languages and compilers for DOS and OS/2. The set is completed with *MKS RCS* (Revision Control System), which gives total control of text file revisions, and *MKS Make*, which provides an efficient way to automate the production and maintenance of any size project.

All together they are the most efficient, most productive, and friendliest way to cross the bridge between DOS or OS/2, and UNIX.

Beyond multiple platform support

The Programming Platform performs on standard PC networks like Novell NetWare and PC NFS with the illusion of a complete UNIX timesharing system. This means you can hook your PC to PC NFS, allowing it to be used as a UNIX workstation.

MKS is an active participant on the POSIX standards committee, and we track the shell and utilities standard to the fullest extent. We take care to build the underlying POSIX kernel functionality on DOS and OS/2 into MKS software before moving utilities. That's why the Platform gives you 100% UNIX and POSIX ' compatibility, with no surprises.

Ideal training tools

Fast, painless training is another benefit of the Programming Platform. Developers can use their familiar PC keyboards while moving effortlessly to UNIX on the desktop, and exposure to new commands and functionality becomes part of the novice's working day.

The Taxman adds it up

When you stack up all the advantages of the Programming Platform - access to powerful development tools, time-saving management functions, full portability, easy training, and our unswerving dedication to the POSIX standard - it's no wonder that the people with the toughest jobs to do, like the Taxman, turn to MKS. To learn more about The Programming Platform and other MKS productivity and development tools, call us today. Maybe we can make your job a little less taxing.

After Long Investigation, The Taxman Came To Talk To Us

30 day money-back guarantee MKS Programming Platform prices are: DOS \$665 S/2 \$1225

In Continental USA call: 1-800-265-2797 Outside Continental USA call: 1-519-884-2251 Fax: 1-519-884-8861

"We're not allowed to use their official name. But you know who we mean. MKS is a trademark of Mortice Kern Systems Inc. Other trademarks have been cited and MKS acknowledges

Authorized MKS Dealers:

 Belgium
 2-736-6064

 England
 364-53499 or 1833-1022 or 0763-73455

 Netherlands
 20-14-24-63

 West Germany
 551-772488 or 061-214908 or 721-886-664
 Head Office: 35 King Street North

35 King Street North Waterloo, Ontorio Canada, N2J 2W9



file built in; alas, there's no provision for sorting those silly cards. I'm seriously thinking of writing a small Turbo Pascal program that will do it. You can launch programs from within Pop-Up DOS, but in addition you can link programs. You can define all .GV files as GrandView applications, so if you double-click on a .GV file, it launches GrandView with that file in it.

Other Pop-Up DOS features include a calendar, a hexadecimal/decimal calculator, and a small editor that is more than good enough to edit stuff like AUTO-EXEC.BAT, CONFIG.SYS, and generally whatever else you want. Unlike the SideKick editor, it doesn't do word wrap. On the other hand, it works nicely with mice (as you'd expect). On the gripping hand, Pop-Up DOS has no view or examine function that lets you read files; to get the equivalent of the DOS TYPE command, you have to either exit Pop-Up DOS or click on the file bringing it into



Sunnyvale, CA 94089. Telex: 4940302 FAX: (408) 734-2939

Reps: USA – contact AMPRO for the name of your nearest rep. A ustralia – 61 3 720-3298; Austria – 43-1/45 4510-0; Canada – (604) 438-0028; Denmark – 45 3 66 20 30; Finland – 358 0 585-322; France – 331 4502-1800; Germany, West – 49 89 611-6151; Hong Kong/PRC – 5 8613118; Israel – 972 3 49-16-95; Haly – 39 811-9406; Japan – 81 3 257-2630; Netherlands – 31-10-411 8521; Sweden – 46 8 55-00-65; Switzerland – 41 1 740-41-05; United Kingdom – 0296-435511

the Pop-Up DOS editor-either of which is inconvenient compared to Norton Commander's F3-view command.

In other words, Pop-Up DOS is a reasonable competitor to Norton Commander and other DOS shells, and since you get it free with the Logitech Mouse, it's certainly worth trying, especially if you haven't got used to something else.

That's the one hand. On the other hand, the new Logitech Mouse has an odd shape: instead of the modified wedge that Logitech has made famous, the new version looks like a slice of a cylinder. Some people like it. I don't; I have trouble distinguishing the buttons.

On the gripping hand, by the time you read this, Logitech will have brought out a new trackball. I've had almost no time to play with it, but from what little experience I've had, I think it may well replace the mouse as the proper pointing device. I know there have been trackballs before, but most have been clumsily designed. The Logitech trackball is small; it's set so that you manipulate the ball with your thumb, leaving the fingers to rest on the buttons in a natural manner. This is definitely the right way to go. More next month.

Finally, while I'm discussing Logitech, I want to again praise MultiScope, their new OS/2 Presentation Manager debugger. While MultiScope naturally works with Logitech Modula-OS/2, it's also the best debugger I know of for IBM C/2, Pascal Compiler/2, and Macro Assembler/2; and for Microsoft C, Pascal, and Macro Assembler. It works in both run-time and postmortem modes and with both OS/2 Text and PM.

If you're programming for OS/2 in any language, you need MultiScope. Highly recommended.

Failure

I keep hearing wonders about Windows, and Windows/386 in particular. More, I have Ami, a Windows text editor and desktop composition program that looks awfully good in demonstrations. This looked like a good program to try on the new Northgate 386 with the Video Seven VGA card and Princeton monitor.

There's only one problem. It takes 40 minutes to install Windows/386. When I finished this tedious process, the program reported that everything was all right, and I only needed to reboot and type WIN386. I did that, the screen flickered, and I was back at DOS again. No error message. Nothing. Just click, clack, and no effect.

Clearly, there are some odd bugs in continued

Boards or Slot Board/286.

How an upside down idea made the mouse obsolete.



Frankly, we thought any input device that operated by dragging it across an already cluttered desk was great technology misapplied. We took a different approach.

Now RollerMouse makes the conventional mouse obsolete.

Control Without **Bending Your Elbow**

All the pointing accuracy and speed you only hoped for from your old mouse is right at your fingertips. Moving from point to point with our oversized trackball is fluid, effortless and fast at 200 CPI resolution.

Using our exclusive four-button control, you have maximum click and click lock versatility. With programmable pop-up menus, RollerMouse works with software written with or without a mouse in mind. And RollerMouse technology means you never need to disassemble it for cleaning.

RollerNouse TM pointing devices. CH Products perfected computer control technology more than 25 years are And the latest The other kind of mouse.



More Application Productivity

If you work with the latest graphics-based applications, such as desktop publishing, CAD/CAM/CAE or any objectoriented PS/2, PC or Mac operating system, don't be held back by old mouse technology.

Buy from the leader in precision technology is at a dealer near you.

> For more information, call: (619) 744-8546 8:00 a.m. - 4:30 p.m. PST For credit card orders, call: USA (800) 624-5804 CA (800) 262-2004 8:00 a.m. - 4:30 p.m. PST



A Division of Joystick Technologies, Inc. 1225 Stone Drive, San Marcos, CA 92069 All product names are registered trademarks of their respective owners. All rights reserved.

> Circle 50 on Reader Service Card (DEALERS: 51)

Windows/386; perhaps I'll learn, but for the moment I think I'll stick to DOS and DESQview. It's sure less frustrating. I have installed Windows/286, but just now I'm sufficiently disgusted with Windows that it wouldn't be fair to Amí to try it. I'll report on it another time. Meanwhile, I sure wish Microsoft would get its installation act together. It could at least give an error message.

Grolier

I keep my radio on the local university's good music station, and tonight they're doing a docudrama about the French Revolution, with Captain James Tiberius Kirk (aka William Shatner) as Robespierre yet. One event portrayed was the assassination of Marat by Charlotte Corday. I got to wondering what happened to her after she stabbed Marat (who certainly had it coming).

I've got plenty of books, including Carlyle's *The French Revolution*, and Corday's story is in one of them, but this seemed like a good opportunity to try the new version of Grolier's Academic American Encyclopedia on CD-ROM. You may recall that this was just about the first CD-ROM of any size to be published, and Gary Kildall's Knowledge Corp. developed the early indexing and data-retrieval software. The user interface was, to be kind, not optimum. Since then, there have been several revisions.

Installation of the new version 2 is straightforward: the program comes with a floppy disk as well as the CD-ROM. Put the floppy disk in drive A, log on, and type Install. It takes care of the situation from there.

I'm pleased to say that the new Grolier software is considerably improved over the first version. It's now quite intuitive. There are also multiple (up to 10) windows and hypertext links from one article to another, which is neat.

Looking up Corday yielded six references in four articles. The primary one told me that she'd been guillotined, which I suppose is no surprise, since almost everyone you ever heard of who lived in France around 1789 seems to have been shortened. I then got myself trapped playing around with linkages and ended up reading a lot more about European history than I'd intended; the hypertext-link feature really does work, making it simple to trace down ideas.

Grolier's Academic American Encyclopedia isn't the world's best encyclopedia, but it's certainly not the worst. It does get rather cursory in places, and details of history aren't its strongest point; but then encyclopedias are supposed to be a starting point for learning, not the entire accumulated knowledge of the human race. You can learn a lot browsing through it with hypertext links.

I do wish they'd use the new Grolier retrieval software on an even more complete encyclopedia, but until they do I'm glad to have this one. Recommended.

Languages Yet Again

I've been considering just what you can do with Turbo Pascal. Modern programmers would have you believe that Pascal and Modula-2 are dead, and that C is the only viable language. For my money, that just isn't so.

Indeed, I'd go the other way: every time I hear of a big software project in trouble, I find it was written in C. More to the point, it was written by one programmer but needs to be maintained by another. Under those circumstances, C becomes something close to a write-only language, particularly if combined with Unix. The code is perfectly comprehensible to the person who wrote it—provided said person is a full-time programmer—but it becomes unfathomable for someone coming in from outside.

Pascal, on the other hand, and in particular Turbo Pascal, may not completely live up to Niklaus Wirth's goal of a self-documenting language, but it's sure closer than C. True, Pascal doesn't always produce code that's as compact as C code; but it's generally good enough, and me, I'd rather have fat, understandable code than a program that's compact, efficient, and incomprehensible.

For that matter, BASIC most certainly isn't dead. If you take Microsoft Quick-BASIC and add toolkits like those published by Crescent Software, Hammerly Computer Services, and MicroHelp, you can do anything you like, including TSR programs. True, compiled BASIC makes for fat code, but most of the tools I mentioned are in assembly language and will thus be smaller and run faster than the same stuff in C. If you make a program that's largely links between assembly language routines, the result can be quite impressive-and still be readable. I'm in the process of going through Mrs. Pournelle's Reading Program and replacing my own code with routines from these toolkits, and the result is gratifying.

I've been saying this for years, and I still believe it: the real computer revolution comes about when people stop having to worry about *how* to make the computer do something and concentrate on *what* they want it to do. Moves—such as Windows and OS/2—that take us toward the use of C and other arcane languages are steps in the wrong direction.

OS/2 got more accessible when Logitech put out Modula-OS/2; it will get even more so when we have QuickBASIC and Turbo Pascal for OS/2.

Winding Down

There's still an enormous pile on my desk. There's Expert 87 from Magic 7 Software, which looks fair to be the PC-DOS "expert system generator" for the rest of us. I liked the original version, and it has been revised to be even better. A bit complex, but that kind of program always is. Recommended.

There's WordStar 5.5, which is so much improved I may change over; if they'd had this four years ago, WordStar International would own the world.

Finally, there's ProIcon, a Mac implementation of the Icon programming language (the book *The Icon Programming Language* by Ralph and Madge Griswold is available from Prentice-Hall). This is a high-level, SNOBOL-like, string and list processing language (see "SNOBOL and Icon" by Ezra Shapiro in the July 1985 BYTE) available on Unix systems, including the VAX, the Amiga, and the Atari ST. Programs in Icon look a bit like a cross between Pascal and C. It is not as strongly typed as Pascal, but more so than C. More another time.

The pseudobook of the month is *The Man-Kzin Wars II* series created by Larry Niven; the story of interest is "The Children's Hour," a novella by Pournelle and S. M. Stirling (Baen Books, 1989). The real book of the month is *The Bloody Crossroads: Where Literature and Politics Meet* by Norman Podhoretz (Simon and Schuster, 1986, \$16.95). I particularly liked his essays on George Orwell and Albert Camus.

The game of the month is Accolade's Fast Break 3-on-3. Richard says it's very hard to learn, but once you've got the hang of it, it's both fun and instructive. It must be fascinating; he's still coming up here to play it on the Amiga. We're both a lot more careful about orange soda. ■

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. Jerry welcomes readers' comments and opinions. Send a self-addressed, stamped envelope to Jerry Pournelle, c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on BIX as "jerryp."
TOPSPEED C The next generation



TopSpeed C. Compiler and library conform 100% with proposed ANSI standard. Source compatible with MS C and Turbo C (where ANSI compatible). Library is a superset of both MS and Turbo C's libraries. Extensions include: Time-sliced scheduler for concurrent functions. Powerful text window management. Borland text windows supported. MS's graphics, plus: Bar chart & polygon plotting, standard formatted text IO to graphics windows. Interface to Borland's Graphics Interface (BGI). Mouse support. All BIOS and DOS calls supported. Common UNIX calls. 6 memory models plus userdefinable memory models. Smart linker includes only functions and data used in the final program. Optional run-time checks include overflow, stack, array bounds, and pointer checks. Run-time and compilation errors automatically pinpointed in source code.

Common optimizing code generator. All compilers produce highly optimized code using the same code generator. 8086/286/386 specific code. Automatic optimal register allocation. Common Sub-expression Elimination. Expand any function as inline code. Pass parameters in registers (optional). Inline 80x87 code or emulation.

Automatic make. Fully automatic make with version control recompiles and rebuilds EXE, LIB and DLL files as necessary without the need of a make script. Make dependencies are described by project files, which simply list the objects to be included, as well as the names of other dependent projects. One single make can result in multiple compilations using different compilers and/or assemblers, linking and building of libraries, DLLs and an EXE file.

Seamlessly integrated environment. Up to 10 active editor windows, each with a capacity of 1/2 MB source code. Compiler errors and warnings pinpointed in source code; automatic file-switch when stepping between errors or warnings. All menus and hot-keys redefinable. By default, editor commands compatible with Turbo and SideKick. Keyboard macros a la SuperKey. Cut and paste between editors, help system, and directly from screen memory. Multi-file search commands, programmer's calculator, built-in ASCII, key scancode, and color tables. HyperText help system with library reference.

DOS and OS/2 Professional Editions. Professional Editions include: Support for Microsoft Windows. DOS Dynamic Link Libraries. Full source code to libraries. Start-up assembler code. High-speed Assembler is fully integrated in the environment. Disassembler. Program execution profiler. Code locator for embedded systems programming. Watch utility for viewing any selection of DOS calls as they are executed. Programmer's interface to debugger. Post Mortem Debugger. And more. OS/2 Professional Edition has full support for Presentation Manager.

TopSpeed and TechKit are trademarks of Jensen & Partners International. Other brand and product names are trademarks or registered trademarks of their respective holders.

TOPSPEED C: Standard Edition \$199

(DOS Compiler & VID)

10°53150 POR HONOR

DOS Prof Edition \$395 OS/2 Prof Edition \$495

Call on TopSpeed Modula-2 (with objects) compiler & toolkit prices.

TO ORDER:

TOPSPEED. C+ + (EX11990)

In the U.S., call: **1-800-543-5202** In Canada, call: **1-800-543-8452**

Call on shipping & handling charges & volume discounts. VISA/MC accepted.

30-day unconditional money-back guarantee.



Jensen & Partners International

1101 San Antonio Road, Suite 301 Mountain View, CA 94043 Phone: (415)967-3200 FAX: (415)967-3288

In England & Europe contact: Jensen & Partners UK Ltd., 63 Clerkenwell Road, London ECIM 5NP. Phone: (01)253-4333. FAX: (01)251-1442. C Standard Edition \$149; C DOS Prof Edition \$295; C OS/2 Prof Edition \$370. Call on handling & VAT charges, and TopSpeed Modula-2 product prices.



DESQview 2.2 and DESQview 386. The multitasking, windowing environments that work with your favorite software.

DESQview[™] is the operating environment that brings OS/2[™] power to DOS. And it lets you, with your trusty 8088, 8086, 80286, or 80386 PC, leap into the next generation in PC productivity. For not much money. And without throwing away your favorite software.

Introducing DESQview 2.2

And now, DESQview 2.2 adds capabilities, performance, and compatibility enhancements you've been asking for:

Like being able to fine tune DESQview performance "on the fly." Run Lotus Express and Metro. And the Intel Connection Co Processor. Even use the DOS 4.0 shell with DESQview. Have DESQview automatically install Quattro, Sprint, Aldus PageMaker, Microsoft Excel, Word Perfect, Dataease and as many as 80 other programs. And using the DESQview API, be able to dynamically link them.

More bang; less bytes

While other programs get bigger, we've worked to make DESQview smaller. And we've succeeded in a big way on PCs and PS/2[™]s with extended, EMS 3.2 (AboveBoard), EEMS and EMS 4.0 memory—as well as on 386 PCs and





DESQview lets you run your favorite programs in windows side-by-side.

PS/2s. For example, DESQview overhead on EMS 4.0 and 386 PCs can be as low as 10K on EGA/VGA PCs. And DESQview actually *increases* memory 30K on CGA PCs; 20K on monochrome and Hercules PCs. That's good news for users of big desktop publishing, CAD and database programs.

Introducing DESQview 386

For users of 80386 PCs and PS/2s (or PCs with 80386 add-in boards, such as the Intel Inboard 386), there's DESQview 386 (a combination of DESQview 2.2 and the new QEMM-386

Quarterdeck Expanded Memory Manager, version 4.2).

DESQview 386 gives you extraordinary power. Run text, CGA, EGA, VGA, and Hercules programs in windows and in the background. Run 32-bit 386 programs, like Paradox 386, and IBM Interleaf simultaneously with your favorite DOS programs. All with the speed and performance you expect out of your 386. And with protection against 'misbehaved' programs.

Promise and performance

And, of course, both DESQviews have all the features that made prior versions the popular choice in operating environments. The ability to multitask in 640K and beyond. View programs in windows or full screen. Transfer data. Access DOS via menus. Dial your phone. And create key-

stroke macros within and between programs.

Our story gets better and better

If there's any doubt about our commitment to your PC and PS/2 productivity, just look at our accomplishments over the years. We think you will understand why GE, Ford, Aetna, Monsanto, and so many other major corporations use DESQview.

And why PC Magazine twice gave DESQview its Editor's Choice Award for "The Best Alternative to OS/2," why readers of InfoWorld voted DESQview "Product of the Year" three times. Why, by popular vote at Comdex Fall for two years in a row, DESQview was chosen "Best PC Environment" in PC Tech Journal's Systems Builder Contest, and just won their "Professional Solutions" Award.

DESQview lets you have it all now.

e ivers.

QEMM. Break the 640K barrier for \$59.95

Your 80386 PC, IBM Personal System/2 Model 80, PC or AT with 80386 add-in board, as well as your IBM Personal System/2 Models 50 or 60 can all break through the DOS 640K barrier. Now you can have maximum use of your memory-whether you have one megabyte or 32-with the Quarterdeck Expanded Memory Manager. All without having to purchase special expanded memory boards.

OEMM uses hidden features within your existing memory to make it compatible with the Lotus-Intel-Microsoft Expanded Memory



Specification (EMS) version 4.0.

Now you can run colossal spreadsheets, databases, and CAD models designed for expanded memory, using Lotus 1-2-3, Symphony, Framework, Paradox, AutoCAD, Excel and more.

And if you'd like to use these programs all together ---multitasking beyond 640K--- QEMM works with our popular DESQview multitasking environment.

If you are one of the 12 million or so 8088, 8086 or 80286 PC users who feel left out, don't despair. We have options that let you keep your computer and favorite programs and give you today what the newest PCs and operating systems are promising for the future.

Visit your dealer for more information on barrier-breaking Quarterdeck products.

DESQview API Toolkit. New C and Pascal Libraries, Debugger. Panel Designer. And more.

API Reference Manual

The key to the power of the DESQview API, our Reference Manual contains all you need to know to write Assembly Language programs that take full advantage of DESQview's capabilities. And there's an 'include' file with symbols and macros to aid you in development.

API C Library

Here are C language interfaces for the entire set of API functions. It supports the Lattice[™] C, Metaware" C, Microsoft® C, and Turbo C compilers for all memory models. Included with the C Library package is the API Reference Manual and source code for the library.

API Pascal Library

The Pascal library provides interfaces for the entire set of API functions. It supports Turbo Pascal V4.0 and V5.0 compilers. Included are the API Reference Manual, source code for the library, and example programs.

API Debugger

The DESQview API Debugger is an interactive tool enabling the API programmer to trace and single step through API calls from several concurrently running DESQview-specific programs. Trace information is reported symbolically along with the program counter, registers, and stack at the time of the call. Trace conditions can be specified so that only calls of interest are reported.

API Panel Designer

This interactive tool helps you design windows, menus, help screens, error messages, and forms. It includes an editor that lets you construct an image of your panel using simple commands to enter, edit, copy, and move text, as well as draw lines and boxes. You can then define the characteristics of the window that will contain the panel, such as its position, size, and title. Finally, you can specify the locations and types of fields in the panel.

The Panel Designer automatically generates all the DESQview API data streams necessary to display and take input from your panel. These data streams may be grouped into panel libraries and stored on disk or as part of your program.

More Tools are Coming

Quarterdeck is committed to adding tools as needed by our users. To that end we have been working with Ashton Tate and Buzzwords International on dBASE III and dBASEIV translators. And in the works, we have BASIC and DOS Extender libraries.



Quarterdeck Office Systems, 150 Pico Blvd., Santa Monica, CA 90405 (213) 392-9851 FAX: (213) 399-3802

For additional information, please use the following Reader Service numbers: DESQview: #230 QEMM: #231 API Tools: #232 API Conference: #233



EXPERT ADVICE THE UNIX /bin David Fiedler



Having installed Unix, you can assign privileges and get down to working with the printer

n the last issue, I discussed some of the pros and cons of running Unix on a personal computer. I also outlined a brief scenario of installing Unix co-resident with DOS, using SCO Xenix as a practical example. In this and the next few columns, I'll go over some specific commands and procedures that you might find useful when setting up your system. Since I assume you have access to Unix manuals, I won't go into specific details of all standard Unix commands.

Getting Started

Once you have installed the Unix or Xenix system, you will find that you are running your system as the system administrator, with full *superuser* (also known as *root*) privileges. At this level, you can do essentially anything you want on the system, from running backups to reading other people's mail.

The system administrator has great power. As with any power, a certain amount of responsibility is needed, if for no other reason than because careless use of root privileges can wipe out an entire system in seconds. So you should get into the habit of logging in as root only when necessary to perform superuser functions, and then logging off. (Most of the procedures in these early columns will require you to use root privileges.)

Needless to say, you should carefully protect the root password, because anybody who discovers it can have free access to your system. But you should not protect it so well that you yourself forget

THE ROOT TO HAPPINESS



it. Write it down in a safe place.

Much of the worry about needing root privileges can be negated by using one of the system-administration utility packages provided on many systems. On SCO Xenix, for instance, there is a good package called sysadmsh, which is a fullscreen menu-based utility. (The sysadm log-in uses this shell exclusively.) In the long run, it pays to learn the details of the administration commands without the menu. Such knowledge allows you not only to get the most out of your system, but also to be able to use it on other versions of Unix, should you need to. While most versions of Unix are administered in the same general way, the menu systems are guaranteed to be entirely different. The selections in administration menus on different systems may have very different results than those you expect.

Adding Users

If the entire system is used only by you, there's no law that says you can't log in as root all the time, since that's essentially what you're always doing on a singleuser system like DOS or the Mac. This method does make administration easier. Otherwise, the first thing you will probably want to do is give yourself login permission. But adding new users is a superuser function; you must be root.

The process of manually adding a user to the system is not really hard, but even experienced Unix system administrators prefer to use an automated process since there are many options and, therefore, many things to forget. Done by hand, you would have to add an entry to the /etc/ passwd file containing the new user's log-in name, user ID number, group ID number, home directory, and log-in shell. If the user ID or log-in name matches anyone else's on the system, there will be problems, so these must be checked. The /etc/group file should be updated with the new user's real name. An initial password must be selected, and a home continued

TPU for UNIX and DOS.

Introducing nu/TPU from a/Soft.

nu/TPU gives you one hundred powerful TPU subroutines for faster and easier UNIX and DOS applications development. EVE, EDT, and VI interfaces are all included plus multiple windows, its own programming language, and unlimited extensions. You can import your customized VAX TPU programs to your UNIX or DOS system without change. nu/TPU comes with one year of free hotline support, 30 day money-back guarantee, free TPU library exchange, our technical bulletin board for news, interface code samples, and our TPU open forum. Call us for more technical details.

(508) 683-4369



a/Soft Development, Inc. 1353 Salem Street North Andover, MA 01845

> nu/TPU is a trademark of a/Soft Development. VAX is a trademark of Digital Equipment Corporation. UNIX is a trademark of AT&T. MS-OOS is a trademark of Microsoft.

directory and mail file created and set to appropriate access permissions. Finally, a copy of your system's standard user .profile or .cshrc file should be placed in the new user's home directory and suitably modified, if necessary, for that user's terminal type. It's better to use the program to be sure all this is done. Many systems have a program called mkuser, newuser, or adduser, or a selection in the administration menu for this task.

The Joys of Printing

A Unix system with a dedicated printer is a joy to work with. You simply plug in the cable and copy a file to /dev/lp, and you're on your way. (On some systems the printer port may be called /dev/lp0, on others, /dev/lp1.) Want to do background printing? Just make your copy in background with a command like this:

cpfilename/dev/lp&

(The & specifies that this is a background task.) Nothing could be easier. And although Unix has a wonderful line-printer spooling system, it can be annoying to set up and run, so I recommend that you leave well enough alone for starters (on small, single-user systems, at least). Once you start adding other users and processes that have to access your single printer, you can learn to run the spooler. Meanwhile, at least you'll have hardcopy output. Systems like SCO Xenix, with its mkdev 1p script, greatly simplify spooler setup.

Serial printers are trickier, since the serial ports on a Unix system are usually set up for terminal log-ins, not printers. The trick here is knowing the default baud rate of a serial line, which in many cases is 9600 bps. Therefore, the first steps to take are: Set the printer to 9600 bps and disable the log-in on its port.

With SCO Xenix, to disable the log-in, you can simply type disable tty2a. Regular Unix is a bit more complicated; you have to edit the /etc/inittab file. A typical entry might contain the line

2a:2:respawn:/etc/getty tty2a 9600

and you want to change the word respawn (which means that a log-in process will be continally generated for that line) to off. The final step is to run the command init q, which forces the inittab to be reread, activating your new entry (and deactivating the port for log-ins).

Try directing a copy of a text file to the serial port (using cat /etc/passwd > /dev/tty2a), and see what happens. A

printout of the password file means you got it on the first try. Garbled nonsense output, even a single character, is a good sign because it means that some data is getting to the printer but the baud rate on the printer doesn't match the port.

No output could mean that you are ad-

A Unix system with a dedicated printer is a joy to work with.

dressing the wrong port or that the transmit and receive pins (pins 2 and 3 on a regular 25-pin RS-232C connector) are switched. The best method of diagnosing this is with a through connector with LEDs that show data flow. If your computer is an AT compatible, you might try the port under DOS to make sure that the hardware, at least, is physically working.

Baud Rate Blues

If your printer won't work when set to 9600 bps, you may have to force the printer port to 9600 bps or whatever your printer will accept. You have to create a small shell driver program that accepts a filename or standard input. While the program is active, it changes the port's baud setting; that is just what you want:

```
stty 4800 ixon -ixany ixoff \
    -parity -echo clocal \
    opost -tabs </dev/tty2a \
    2>/dev/null
cat -
```

Everything after the baud rate is part of the set of options to the stty command. The three ix options ensure that the standard XON/XOFF protocol will be followed (your printer should be set up to match), -parity turns off parity encoding, and the other options tend to work well on printers. You must redirect the stty command *from* the device; this forces the settings to be in effect for that device, rather than for your current terminal port. Use this driver program by piping standard input to it, and then redirecting the output to your printer port:

cat /etc/group | drive_prog > \
 /dev/tty2a

Creeping Featurism

You can make the whole thing a bit neater by wrapping all this in a one-line shell program. If your printer is an Epson, call the program epson:

cat \$* | drive_prog > /dev/tty2a

Now simply typing epson filename will print that file on your Epson printer. You can make things fancier by adding the pr command to the epson program to format the output into pages, create another command with the pr command built in, or use getopt to add capabilities to epson. This is how you begin customizing your system. (It's also the beginning of creeping featurism.)

Final Note

For regular users—not just root—to execute the programs drive_prog and epson, both must be marked as readable and executable, and placed in the default search path of the standard shell. As a regular user, if you type the one-line command echo \$PATH, you will see a list of directories that the shell searches for executable files (minimally, the list generally contains /bin and /usr/bin). If you find the programs useful, type the following lines as superuser and then log out and back in as yourself to make them part of your system's repertoire:

```
chmod u=rwx,g=rx,o=rx \
drive_prog epson
cp drive_prog epson /usr/bin
```

The first line lets regular users use (but not modify) the two files. The chmod command must operate on three sets of permission bits, so its syntax can get complex. You could also write the same command as chmod 755 filenames; this does the same thing but operates directly in octal notation. The second line simply copies your programs to the system /usr/bin directory. To be safe, do an ls /usr/bin before typing the cp command, to make sure there are no programs of the same name already there.

In the next issue, I'll discuss modifying the search path so it will be in effect automatically for all system users.

David Fiedler is editor and publisher of the Unix newsletters Unique and Root and coauthor of the book Unix System Administration. He can be reached on BIX as "fiedler."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

Formatted Cap. 10-19 mb 20-29 mb 30-39 mb 40-49 mb 50-85 mb 86-120 mb 121-150 mb 151-275 mb 276-380 mb	Flat Rate \$99 \$125 \$150 \$175 \$210 \$275 \$325 \$425 \$495	112.50 135.00 157.50 189.00 247.50	Pack your protected in Include yo daytime te \$9 for ship WE DO I CALI FLOPPY	FOR RE drive ca n a sture our nam lephone pping pe DATA I L FOR 5 1/4"	refully a dy shipp e, addre numbe r drive. RECO QUOT REPAI	ind fully ing box ess and er. Allow /ERY E R \$45
DISC	and the second second second	Constant of the			IGH 11/3	
XT/AT FLC 3 1/2"720k 3 1/2"1.44m 5 1/4"360k 5 1/4"720k 5 1/4"720k 5 1/4"1.2ml KITS FOR IBM / 84 MB 147 MB 230 MB 320 MB	NEW NEW REF. REF. NEF. ST506 ESDI ESDI ESDI	/\$105 /115 49 59 89 ATIBLES 	5 MB 10 MB 20 MB 30 MB 42 MB 72 MB 120 MB.	REF UNI REF UNI REF UNI REF 	J - - J - - - - - - - - - - - -	\$75 105 159 239 295 595 1295 S \$995
We Fea We Spe	ture Techn cialize in D	ical Supp Disc Drive	ort for Even	r Our B TEL 81	We Sell	• 6400





For IBM® PC's, XT's, AT's and other DOS machines. Needs only 1 disk drive and 128K memory. This is the one you've heard so much about - with fast compile times, small object code modules, not copy protected, no royalties, and clear error messages. Version 5.0 is based upon ANSI-74 standards with new dynamite features including: • Nested IF's and nested conditions.

 Indexed files (ISAM) with up to 24 keys (includes START verb). This advanced feature requires the software package Btrieve® which is optionally available.

• ACCEPT (line, column) numerics with decimal point alignment, numeric checking, AUTO-SKIP, SECURITY, LENGTH-CHECK, EMPTY-CHECK, ATTRIBUTE (color), FROM ES-CAPE KEY, DAY, DATE, TIME, DAY-OF-WEEK.

 Fast memory mapped DISPLAY's (line, column) ERASE, BEEP, ATTRIBUTE (color). Can display entire screen with one DISPLAY statement.

• Windowing, pop-ups, color and overlays. This advanced feature requires the software package Saywhat?^{[1]M} which is optionally available.

 An easy to use, COBOL source code EDITOR with auto line numbering, A-margin, B-margin tabing with full screen cursor control.

Also available: Utah **SuperSort**®, a fast sort program callable from Utah COBOL; Utah **FORTRAN**; Utah **BASIC**; Utah **PASCAL**; Utah **PILOT**. Used by 50,000 professionals, students and teachers in 40 countries. 30-day money back guarantee. Discover the ease and simplicity of COBOL, today!

Phone order rushed by UPS 2nd Day Air: (702) 827-3030



Since 1977 Ellis Computing, Inc. 5655 Riggins Court, Suite 10 Reno, Nevada 89502

IBM is a registered trademark of International Business Machines, Inc. Btrieve is a registered trademark of Novell, Inc. Saywhat?! is a trademark of The Research Group. SuperSort is a registered trademark of Micropro International Corporation. Utah COBOL is a trademark of Ellis Computing, Inc. © 1987 Ellis Computing, Inc.



You could buy a new DELL To 210 with 512K of RAM 20 Mbyte Hard Drive 12.5 MHz Processor Speed \$1699900 **How can Northgate** afford to offer a 286/12 with 32MB hard drive and one full megabyte of RAM when Dell's newest Series 210 system, for the same money doesn't match up?

Maybe it's the high cost of color advertising. We use two colors and pass the savings on to our customers. Would you rather get more computer for the money...or be entertained with color pictures?

Here's a fresh idea... Make Northgate and Dell's money-back guarantee program meaningful: Order from both companies.

30 days later send back the loser.

Or keep life simple and place your order with Northgate. Odds are it's the one you'll keep anyway.



Ule hear you

Northgate Computer Systems, Inc. 13705 First Avenue North Plymouth. Minnesota 55441

Phone Northgate for full details and pricing

800-548-1993

Canada Toll Free Order Hotline: 800-338-8383



V/SA* MasterCard TeleCher

FINANCING: Use the Northgate "Blg N" revolving credit card instead of tying up Visa or MC credit. Millions in financing available, easy to qualify. OR...Lease Northgate with up to five-year terms. Ideal when cash flow is important. Phone for details.

Northgate. 212 Microstation, and OMNIKEY/102 are registered trademarks of Northgate Computer Systems. Inc. 1989.

© 1989. Northgate. OMNIKEY/102. OmniKey PLUS, and the Northgate 'N' logo are trademarks of Northgate Computer Systems, Inc. All other product and brand names are trademarks and registered trademarks of their respective companies.

Prices and specifications are subject to change without notice. Northgate reserves the right to substitute components of equal or greater quality or performance. All items subject to availability.

Northgate offers flexible purchase plans including a lease program to fit your individual financing needs.

P.S. Ask about OmniKey PLUS, the new Northgate Keyboard designed the way you want!

rostation WITA... 1 Full Megabyte RAM

> 32 Mbyte Hard Drive 50% LARGER!

12 MHz Processor Speed

\$**1699**00

BUYER'S SCORE SHEET.

Read the Specs. Check the Leader. Total the winning checks and make your decision.

Standard Features	DELL	-	NORTHGATE	-
Processor	12.5 MHz 80286	1.1	12 MHz 80286	
Memory	512K		One Megabyte	
Video Interface	16 Bit Built-In (Factory Fixable) Only		16 Bit Add-on (On-Site Fixable)	
Display	12" VGA Mono .31 DP		12" VGA Mono .31 DP	
Floppy Drive	One - 1.2 or 1.44		None - 1.2 or 1.44	
Std. Hard Drive Capacity	20 Mbyte		32 Mbyte RLL	
Hard Drive Type	IDE Built-In		Can use - RLL, MFM, IDE, ESDI	Ĩ
I/O Capabilities	2 Ser., 1 PP		2 Ser., I PP	
Keyboard	"Mushy Touch" 101		Famous OmniKey/102	
Software	Diagnostic		On-Line Help. MS-DOS	
Space Saver Case	15"W. 15"L. 4"H		14.5" W. 16.5" L. 5.5"11	
Moneyback Period	30 Days		30 Days	
Warranty	l Yr. Parts & Labor		1 Yr. Parts & Labor	
Phone Tech Support	Unlimited, Toll Free		Unlimited. Toll Free	
Hours Open - Sales	Standard Daytime, Eve		24 Hrs. All Day Every Day - Effective 9/1/89	
Hours Open - Tech	Standard Daytime, Eve		24 Hrs. All Day Every Day - Effective 9/1/89	
Total	\$1,699		\$1,699	
SCORE	DELL		NORTHGATE	

And the winner is ...



Hot 386/20 MHz System

Scorching 386/20 MHz Price



COMPLETE SYSTEM: 20MHz Processor; 65MB Hard Drive; 800,000 KBS Data Transfer; 1MB RAM (Expandable to 16MB); 1.2 and 1.44 high density floppy drives; 14" Monitor; Herc. Compat. Card; MS-DOS 4.01; Full Size Desktop Case with 5 drive bays; OmniKey Keyboard; 1-Year parts/labor warranty; Replacement parts express overnight at our expense or At-Your-Office next day onsite service, one year at no extra cost. THE BEST PHONE TECH SUPPORT IN THE COMPUTER BUSINESS. Toll free, unlimited.

NOTE: Pipeline Page Mode system architecture is preferred in many applications to cache design. It is faster than all but the largest cache systems in certain applications requiring substantial memory calls.

Buyers Beware! Northgate charges credit card sales only when system is in the shipping process. Others use your money by charging cards at time of sale. We recommend you be aware of this when considering your vendor. When you want to know all about a computer system ... Ask Dr. Jerry Pournelle.

Put a machine in Pournelle's workshop. He'll soon tell you everything you want to know about it with no punches pulled.

Recently, Dr. Pournelle looked at Northgate's 80386 Pipeline Page Mode system and reported in BYTE July, 1989 (excerpted):

*Jerry Pournelle holds a doctorate in psychology and is a writer who also earns a comfortable living writing about computers present and future.



"... the case is sturdy, and the motherboard construction is clean and neat. The boards are thick; I've seen some clones with boards so thin they wave in the breeze."

"... I like this machine a lot."

"... The workmanship is superior."

"... there sure wasn't any installation required for this system. I just turned it on, and it came up in MS-DOS 4.01."

[a software program] ... "which is all graphics is almost twice as fast on the Northgate 80386 as on my other machines. So is Windows ..."

"... I rate the Northgate 80386 as better than good enough on CPU and disk speed and wow! on video speed."

S 1989. Northgate, OMNIKEY/102. OmniKey PLUS, and the Northgate 'N' logo are trademarks of Northgate Computer Systems. Inc. All other product and brand names are trademarks and registered trademarks of their respective companies.

"... I have reports from other people who have Northgate computers, and they're happy."

"... All in all, the Northgate 80386 looks like one of the best deals in town."

Sudden Service: We Ship All Orders for 386/20 Systems within 4 days!**



NORTHGATE COMPUTER SYSTEMS, INC. 13705 First Avenue North, Plymouth, Minnesota 55441

Canada Toll Free Order Hotline: 800-338-8383



HOURS: Monday - Friday 7 a.m. - 8 p.m. Central NEW EXTENDED SAT. HOURS: 8 a.m. - 4 p.m. Central

FINANCING: Use the Northgate "Big N" revolving credit card instead of tying up Visa or MC credit. Millions in financing available, easy to qualify. OR...Lease Northgate with up to five-year terms. Ideal when cash flow is important. Phone for details.

Announcing ...

NEW... Northgate OmniKey/PLUSTM

Chaniker:

The keyboard you asked us to design!

Thousands of you asked us to make a keyboard designed the way you want, not what IBM and all their keyboard clones force on you.

Now ... discover OmniKey/PLUS!

As are all our keyboards, Northgate's engineers designed this gem from the ground up. It's not a PacRim economy job anyone can buy. IT'S EXCLUSIVELY NORTHGATE.

One look, one touch tells you this is the best in keyboard design, in quality, in all its many features so you can type faster, confident all the keys are where you want them.

Now! Two separate keypads. Cursor arrows in logical, comfortable array—gone is the ill-conceived "inverted T." And the backslash key is placed "just right." See detail panels.

Will you prefer OmniKey/PLUS enough to discard your current keyboard? Take ten days to make up your mind. If not, return for full product cost refund.

Quantities may be limited so call or send your order today.



F KEYS ON THE LEFT... 12 easy to reach, programmable F Keys where they belong and where your fingers expect to find them instinctively. CONVENIENCE CLUSTER ... Large Backspace Key, hard to miss; L shaped Enter Key; Backslash next to Shift; Unshifted Asterisk Key—a wonderful additi

LOOK! Just a few new

Alps Click/Tactile Key Switches

Dip Switch compatible with nearly any IBM PC type system—PS/2, Zenith, Compaq, Dell, Tandy, AT&T OmniKey/PLUS weighs 5.5 lbs., made to stay put on your desk

Cable plugs into back of keyboard

Low Profile Elegant Styling!

Introductory Limited Time Price



For Dealer and Distributor Program Pricing, Phone Keyboard Dept. at 612-553-0734.

Compatible with virtually every IBM type computer in the world!

Ten-day trial return for unquestioned full refund

Three-year unconditional warranty, any cause, we will repair or replace.



Northgate Computer Systems, Inc. 13705 First Avenue North, Plymouth, Minnesota 55441

Name				
Company	/			
Ship to (a	address)			
City		_State	_Zip	
Phone				
Compute	r Brand & Type			
Oty.	Item		Shipping	Tetal
	OmniKey/PLUS*	\$119.00		
	OmniKey 102	\$ 99.00		
	C/T 101	\$ 99.00		

*You must specify which cable you require—for additional cables add \$25 00 ea Compatibility Notes: Please read before placing your order.

OmniKey/PLUS is made compatible through a combination of dip switch settings and the proper connecting cable. We must know the computer make and model you will be using with OmniKey/PLUS. Otherwise we cannot guarantee compatibility.

Brand	Model (AT/XT)
Prepaid amount enclosed \$	
Please charge to my: 🗆 Visa	MasterCard
Card No	Expires

Signature of Cardholder _____

(My signature authorizes a charge to my account for the above merchandise prior to shipping to initiate processing of my order.)



-

Paul

-

URSOR/SCREEN KEYPAD ... /ith arrows in familiar diamond attern. No need to hit Num ock or hold down Shift Key. .nd we "nuked" the inverted T. NUMERIC KEYPAD ... With all the math operands in place around the numbers. Large INS, DEL and ENTER Keys. Has lighted indicators above pad.

eatures of OmniKey/PLUS.

Phone Toll Free 800-526-2446

HOURS: Mon.-Fri 7am-8pm, Sat. 8am-4pm Central Canada Toll Free Order Hotline: 800-338-8383



"We have you ! "

Northgate Computer Systems, Inc. 13705 First Avenue North Plymouth, Minnesota 55441

© 1989. Northgate, OMNIKEY/102, OmniKey PLUS, and the Northgate 'N' logo are tradomarks of Northgate Computer Systems, Inc. All other product and brand names are trademarku and registered trademarks of their respective companies. New OmniKey/102 Model Also Available . . . \$99.00

For those who prefer Northgate's OmniKey/102, an up-dated version now joins our line. Same trial offer, same 3-year warranty.



Yes. Ship my OmniKey order(s). I understand I may use it for 10 days and if I wish, may return it for full product cost refund. I agree to pay for freight both ways.

Northgate will accept COD and purchase orders from credit-worthy buyers for quantities totalling \$500.00 or greater. Dealer and distributors: for quantity prices phone our corporate headquarters 612-553-0734.

FAX orders to 612-553-1695.

SHIPPING: Allow 5 days for order processing before shipment. Thereafter, shipments can be:

- UPS Ground add \$7.00 ea.; allow 2-3 weeks for delivery.
- Overnight Air add \$25.00 ea.
- Second Day Air add \$12.00 ea.

Here's How Buyers Who Demand the World's Highest Performance and Quality... **Order from Northgate...**

DIAL 800-548-1993

Canada 800-338-8383

You'll be connected to a Northgate Account Manager. In an instant, you'll know you're dealing with a professional. A highly trained individual who understands computers and more importantly, understands people like you.

You'll immediately feel confident. Your questions will receive intelligent, careful consideration. And you'll get the truth, not the baloney.

If you're strictly shopping for the lowest price without considering quality and performance, don't call. But if you want the most computer for your investment...a system that runs rings around the others...with the most meaningful warranty* in the computer industry...

CALL NORTHGATE TODAY!

Join the ranks of Fortune 500 corporations... and universities... individuals...government agencies around the world.

HOURS: Monday through Friday 7 a.m. - 8 p.m. Central NEW EXTENDED SATURDAY HOURS: 8 a.m. - 4 p.m. Central



NORTHGATE COMPUTER SYSTEMS, INC. 13705 First Avenue North, Plymouth, Minnesota 55441

* If anything in your Northgate system goes down and disables your If anything in your Northgate system goes down and disables your computer. Northgate guarantees to ship the proper replacement part OVERNIGHT AT OUR FREIGHT EXPENSE. You get a brand new part—be it the largest and most expensive hard drive to the smallest part—and it's shipped to you BEFORE YOU RETURN THE OFFEND-ING PART. Check our competition. In most cases, they must get the part back before you get a replacement. Often that's weeks. And you sit there, out of business until they get the old part repaired or replaced. Northgate's phone tech crew is here to back you up. Unlimited phone help is available for as long as you own your Northgate. And for one year. you're protected with Northgate's Overnight Parts Replacement War-ranty. If a system needs to come back for service, all parts and labor are FREE unless damage is caused by the end user.



"We hear you!"

Now Northgate Gives You Credit and No Payments Until 1990*

(Payments begin 90 days from the date your Northgate Computer System is delivered to you.)



WHY TIE UP YOUR OTHER CREDIT CARDS?

Use the Northgate, "Big N" credit card, and avoid the "payment crunch."

Simply fill out the "Big N" application, and send it in. Prompt approval assured!

Once you're approved, simply call our TOLL FREE number and one of our expert system consultants can help you design the Northgate System which will best suit your needs, and it will be shipped to you right away.

Best of all, there will be no payments due on your Northgate System for a full 90 days starting from the day you take delivery!

Northgate also offers flexible long term leasing plans too. You can choose the plan that will best fit your needs, with terms up to 5 years.

Phone Northgate Now!...



HOURS: Monday - Friday 7 a.m. - 8 p.m. Central NEW EXTENDED SAT. HOURS: 8 a.m. - 4 p.m. Central Canada Toll Free Order Hotline: 800-338-8383



cccssed as quickly as possible. If you are self-employed, please be sure to complete section "D" on back. Applicants must be 18 years of age or older. a. Your Personal Information Requested Line of Credit S	unmarried legally separated ease complete all appropriate		VIDUAL CRE	DIT. Compl		"a" and "b" o d employment		ill enable yo	ur applica	ation 1
A Your Personal Information Requested Line of Credit S Survey Requested Line of Credit S Survey Requested Line of Credit S Request Line of C			f-employed,	please be	sure to com	plete section "				
hear Mane: Frost Note: Street Apt # City State Constraints Street Between the street Street City State Constraints Street City State City State Constraints Street City State Constraints Street City State City State Constraints Street City State City State Constraints Street City State City			Аррисан	s must be	to years of a	ge of older.				
Mo. Day Y. Neared Address Street Apl. # City State Zip Neare Phone Nate of Restdence: Month Near Membry Payment: S Dir Dir Nate of Restdence: Month Near Membry Payment: S Dir Dir Twerfwas Address: Batte of Employer: Restdence: From To Twerfwas Address: Stete City State Membry Payment: Membry Payment: Twerfwas Address: Stete City State City State State City State Batte of Employer: From To State City State Monthly boone: Batte of Employer: From State State Address City State City State State State State Expires: City <th>The second line and the second line and</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>-</th>	The second line and									-
Name Apr. # City State Zip Name Prese Aste of Residence: Monthy Payment: \$ Buy Feed Oth Duy Feed Oth Aste of Residence: Monthy Payment: \$ Bates of Duy Feed Oth Duy Feed Oth Name Toppyon:	our Name: First	inital	Last	Mo.		Yr.	Social Secur	ity Number:		
Meeting Payment: S Differ of Built employed: (If self-employed, see rear panel) Date of Employeen: From To Built employed: Address: Streat City State Baintees Payment: Meeting Payment: From To Built employed: Address: Streat City State Baintees Payment: Meeting Payment: From To Previous Address: Streat Employment: From To Baint Restrict Other Income: Employment: From To Baint Restrict Date of Employment: From To To To Baint Restrict Date of Employment: <td>resent Address Street</td> <td>Ap</td> <td>d. #</td> <td></td> <td></td> <td></td> <td>Hame Pho</td> <td>190</td> <td></td> <td></td>	resent Address Street	Ap	d. #				Hame Pho	190		
Date of Residence: Date of Engloyer: From To New Engloyer: (It all employed, see train paint) Date of Employerset: Peation: Meathy Enceme: Name City State Basilence: From To Name (It all employed, see train paint) Date of Employerset: Peation: Meathy Enceme: Indeptort: City State Basilence: From To Indeptort: City State Basilence: From To Indeptort: City State Basilence: From To Indeptort: City State Employer: From To Indeptort: City State Mase Employer: Employer: Employ: Employ: Employ:	ate of Residence: Month.	Year					()		Othe
Date of Employeer: Mealting Mealting Mealting Max Yr. Gross S Net S imployeer: Address: Detes af	revious Address:				Monthly					.0
Ma Yr. Grass 5 Net 5 Entypyorf Address: State City State Builders Pleas: mphypyir: Dates af (aus Employment (It call amoleurod con	rear annal \		Data of f	malatement:		From	Manthly Income		
Address: Dates of mphysic: Dates of Employment: From To mphysic: Other Incame: From To is databased in you many parties many philos dollar to the top parties many philos dollar		-	Ŋ	la.	ít.	rosmon.		5		
mphogen: From To	mplayer's Address: Street			City	State		Business Pl	1998: 		
score is namery, child support Differ linecese: Monthly Income: is the decised if you be not wold Filter increaded since: Monthly Income: dist be decised if you be not wold Filter increaded since: Monthly Income: dist be decised if you be not wold Filter increaded since: Monthly Income: dist be decised if you be not wold Filter increaded since: Monthly Income: dist be decised if you be not wold Bank Asme Address Checking Bank Account: Bank Name Address Checking Strings Bank Account: With Account: Strings Strings Strings Sark Lass Reference: With Account No: Expires: Payment Balanc Wher Credit Reference: Wat Forein Mate Credit Reference: Include point applicant's more more forein Strings Atter Credit Reference: Wat Forein Account No: Expires: Include point account No: Expires: Include point account No: Expires: Include point account No: Include poi		At	dress:						T-	
depart in material and adverses depart in material material abuse for (Date)	come from alimony, child support or	ther income:				Employment:	From		10	
	eparate maintenance payments need at he disclosed if you do not wish ~	have meaned at				Maarte	Incomo			
iame and Address of Nearest Relative Not Living With You Relationship b. Credit Information include joint applicant's information, if joint account requested. Bank Name Address Bank Account: Bank Name Address Swings Include joint applicant's information, if joint account requested. Boxings Include joint applicant's information, if joint account requested. Boxings Include joint applicant's methods Swings Include joint applicant's methods Swings Inter Gredit faithered Include joint applicant's methods Inter Gredit faithered Intervent Inter Gredit faithered Intervent Intervent Account No: Expires: State State: Expires: State Intal Last Bate of Birth: State Apt. # City State State Marks Street Apt. # City State Business Mean: Address Corporation Yr. Gross \$ Not \$ Implyinger: Date of Employeed Date of Birth: Scati Security Hember: Address State Chy Birth Besterse: <td>have it considered as a basis for 1 paying this obligation ([</td> <td>Date)</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Net \$</td> <td></td> <td></td>	have it considered as a basis for 1 paying this obligation ([Date)						Net \$		
Bank Name Address □ Onecking ank Account: □ Onecking ank Account: □ Onecking ank Laan Reference: □ YISA ank Card Reference: □ YISA ant Card Reference: □ YISA ant Card Reference: □ YISA ant Card Reference: □ YISA cheer's License Ne. State: Expires: □ YISA bittal □ Last cheer's License Ne. □ YISA cheer's License Ne. □ YISA and Applicant's Name □ YISA angleper's Address □ YISA	ame and Address of Nearest Relative	e Not Living With Yo	U							
Bank Name Address Bank Account: □ Onecking ank Account: □ Onecking ank Laan Reference: □ YSA ank Card Reference: □ YSA antor Information "If you are a maried Wisconsin Applicant, you must provide your spouse's information below, end antial Lasi Date of Residence: No antial Applicant's Rame: First Initial Lasi and Apple City State Secial Security Wember: Mo Yr. <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>										
ank Account: ank Account: Sorings ank Account: Checking ank Account: Payment ank Caus Reference: Maintexant ank Caus Reference: Maintexant ank Caus Reference: Maintexant and Reference: Maintexant and Reference: Account No.: ther Credit Expires: and References: Account No.: ther Credit References: Account No.: there: State: there: Expires: Joint Applicant's References: Account No.: there: Mo. Appl. d' City State: The Residence: Mo. Yr.	. Credit Information		licant's inform	ation, if joint					11.44	eckine
ank Account: □ Savings ank Laan Reference: Payment Balanc ank Card Reference: I Mastercerd ther Credit and Reference: Account No.: Expires: I ther Credit Reference: First Initial Last Date of Barth: Secial Security Number: Mo. defress Street Apt. # City State Zip Date of Residence: Heme Phone Mo. Yr. () makegee: Date of Employment: Postilee: Meethy Incenee: Mo. Mo. Yr. () Account Information Complete this section only if you are set! employed usiness Name ProprietorshipCorporation Partnership turanizal Business Since Business (gross) (ret) for anizal income: (gross) (ret) Complete this section only if you are set! employed Issness Name () Business Name	ank Account:	Dank Mame			Addres				D \$a	vings
ank Laan Reterence: → VISA ank Card Reterence: → VISA and Reterence: → VISA and Reterence: → Account No.: Expires: → Expires: → Complete Reterence: → VISA Account No.: Expires: → Expires: → VISA Account No.: Expires: → VISA → VISA	tok Account:								0.00	ecking vices
ank Laan Reference: ank Card Reference: Account No: Lever's Licease Ha. Joint Applicant's Personal Information three 's Licease Ha. Joint Applicant's Reme: First Initial Last Date of Residence: Mo. Yr. Genes Street Apt. # Date of Employeed Mo. Yr. Bate of Employeed Licease Phase: Street Complete this section only if you are self employeed Usiness Name Street Address Expires: Mo. Yr. Corporation Pathership Business Mane Your Position In Business' amual income: (gross) Name Elephone Banker's Name Telephone Banker's Name								Pavmer		
Joint Applicant's Personal Information "If you are a married Wisconsin applicant, you must provide your spouse's information below, en though your spouse may not be signing this contract. olnt Applicant's Name: First Initial Last Date of Birth: Secial Security Number: olnt Applicant's Name: First Initial Last Date of Birth: Secial Security Number: deferse Street Apt. of City State Zip Date of Birth: Secial Security Number: deferse Street Apt. of City State Zip Date of Residence: Henne Phase mployer: Date of Employment: Mo. Yr. Gross \$ Not \$ mployer's Address: Street City State Business Phane: Initial A. Self-Employed Information Complete this section only if you are self employed Insumess Name - Corporation Partnership Address Your Position In Business' Business' Since Since Ausiness Your Position In Business' In Business' Since Since Address Name Telephone Personal B	ard Reference		Account 1	io.:		Expires:				
2. Joint Applicant's Personal Information "If you are a married Wisconsin applicant, you must provide your spouse's information below, en though your spouse may not be signing this contract. olint Applicant's Name: First Initial Last Date of Birth: Secial Security Number: defense Street Apt. # Dity State Zip Date of Birth: Secial Security Number: defense Street Apt. # Dity State Zip Date of Birth: Secial Security Number: defense Street Apt. # Dity State Zip Date of Residence: Heme Phase Mo. Yr. Date of Employment: Mo. Yr. Gross \$ Not \$ mployer: Date of Employment: Mo. Yr. Gross \$ Not \$ mployer's Address: Street Dity State Business head Immorphysics d. Self-Employed Information Complete this section only if you are self employed Business Since Immorphysics ausiness Name ? Proprietorship . Corporation Partnership durancoal in come Your Position	ohuno'o i loganoa Ma		State				Evolution			
eint Applicant's Name: First Initial Last Date of Birth: Secial Security Number: Mo. Date of Birth: Secial Security Number: Mo. Date of Birth: Secial Security Number: Mo. Date of Residence: Hene Phone Mo. Yr. () Mo. Yr. () M	Intel & Calendo He.		51810.				•	4		atau a
Mo. Day Yr. widness Street Apr. # City State Zip Date of Residence: Heme Phane impleyer: Date of Employment: Position: Mo. Yr. ()						med Wisconsin appli use may not be signi				elow, ev
videras Street Apt. # City State Zip Date of end residence: Heme Phase Mo. Yr. () implayer: Date of Employment: Mo. Yr. ()	oint Applicant's Name: Firs	it	Initial		Last			cial Security Na	mber:	
Impleyer: Date of Employment: Mo. Prostlen: Monthly Income: Gross \$ Not \$ Impleyer's Address: Street City State Burliness Phene: ()	ddress Street	Apt. #	City	State	Žip	Date of Residence	e: He	me Phone		
mpkyer's Address: Street Dity State Business Phene: 1. Self-Employed Information Complete this section only if you are self employed Image: Section Partnership Jusiness Name ? Proprietorship . Corporation Partnership Jusiness Address Business Telephone ()	mplayer:		Da	te of Employs	nent:	11101 1110	M	withly income:		
A. Self-Employed Information Complete this section only if you are self employed Jusiness Name Proprietorship Corporation Partnership Jusiness Name Proprietorship Corporation Partnership Jusiness Address Business Telephone () - Action of Business Your Position In Business - business Your Position In Business Since burger from business Business* (gross) (net) Gusiness Name Telephone - Business Name () -	mninum's Address Street					State			Net \$	
Susmess Name Proprietorship Corporation Partnership Business Address Business Telephone () – bescription of Business Your Position In Business In Business four annual come from business Business' annual income: (gross) (net) Four must provide at least one of the following: Telephone Personal Banker's Name Business Name () –	ingenigen a materialen. andas									
Summers Proprietorship Corporation Partnership Business Business Business In Address Your Position In Business Address Your Position In Business Address Business' annual income: (gross) (net) Address Name Telephone (net)										
Business Your Position In Business Telephone () bur annual coome from business Mour Position In Business bur annual bur annual bur annual scome from business Business' annual income: Business (gross) Business Name Telephone ()		ormation	Complete	this section o	inty if you are s	elf employed				
bescription of Business	susiness Name					Propriet	orship 🧠 Corp	ioration F	artnership	
Business Gree Rusiness Resonance (gross) (net) You must provide at least one of the following: Resonance Personal Banker's Name Bank () - Personal Banker's Name	Business Address						Busines	ss Telephone		
tour annual ncome from business annual income: (gross) (net) from business Name Business Name Business Name ()	Description of Business			Your Position	1			ness		
Susiness Name Personal Banker's Name 1. Bank ()	bur annual			Business'	ne:					
Business Name Telephone Personal Banker's Name		the following:		a.mour muu		19		1101		
Dain I I I I I I I I I I I I I I I I I I I				Telephor			Personal Banker	s Name		
2. Name ()	Business Name									
	Business Name Bank			() —		Tata	phone		

BIG 'N' REQUEST FOR CREDIT

Complete this application and mail to Northgate today!

 Interest will accrue during deferred period. 1.5% per month. 18% APR.
 Based on purchase price of \$1,299.00 on the "Big N" revolving charge. Proces subject to change without notice. Offer not valid for APO or FPO customers.

NORTHGATE COMPUTER SYSTEMS, INC.

13705 First Avenue North, Plymouth, Minnesota 55441

© 1989. Northgate. OMNIKEY/102, OmniKey PLUS, and the Northgate 'N' logo are trademarks of Northgate Computer Systems, Inc. All other product and brand names are trademarks and registered trademarks of their respective companies.



ABOVE SOFTWARE Above Disk	52.00
ACCOLADE Test Drive II	26.00
ADOBE Illustrator/Windows	409.00
ALDUS Pagemaker	479.00
ALPHA Alpha/Four	319.00
AMERICAN SMALL BUSINESS	
Design Cad Design Cad 3D	159.00 209.00
APPLAUSE Perfect Addition	39.00
APPLICATION TECHNIQUES Pizazz Plus	69.00
ASHTON-TATE DBase IV	485.00
Framework III	455.00
DBase III Plus DBase IV LAN	455.00 649.00
Multimate Advantage II ASK SAM	295.00
Ask Sam 4.2	179.00
AUTODESK Autosketch 2.0	95.00
BANNER BLUE Org Plus	52.00
BITSTREAM Bitstream Fonts	Call
BLOC PUBLISHING FormFiller 2.0	85.00
BLAISE Turbo C Tools	
Turbo Power Tools Plus	92.00 92.00
BORLAND Turbo C	99.00
Turbo Pascal Turbo C Pro	99.00 169.00
Turbo Pascal Pro	169.00
Quattro Sidekick Plus	165.00 135.00 135.00
Sprint Paradox	135.00 479.00
BOURBAKI 1 Dir Plus	49.00
BRIDGEWAY Fast Trax	35.00
BRIGHTBILL-ROBERTS	
Hyperpad BRODERBUND Print Shop	65.00
Memory Mate	39.00 45.00
BUMBLEBEE DB Fast/DOS Plus	145.00
BUTTONWARE PC File DB	69.00
CALIFORNIASCIENTIFIC	
Brainmaker CENTRAL POINT PC Tools Deluxe	79.00
PC Tools Deluxe Copy II PC	79.00 24.00
CHRONOS Who-What-When	115.00
CLARION Professional Developer	409.00
COREL SYSTEMS Corel Draw 1.1	
COMPUTER ASSOCIATES	345.00
Supercalc V Superproject Expert	305.00 449.00
CONCENTRIC DATA R & R Report Writer	109.00
CORE Corefast	69.00
CROSSTALK	
Crosstalk Mark 4 Remote 2	145.00 115.00
DAC Lucid 3D	60.00
DAC Easy Bonus Pack DAC Easy Accounting	115.00 59.00
DATAEASE Dataease 4.0	499.00
DATASTORM Procomm Plus	
DELRINA	55.00
Perform DELTA TECHNOLOGY	172.00
Direct Access	55.00
DIGITAL RESEARCH Gem Artline Gem Presentation Team	285.00 285.00
DIGITALK Smalltalk V286	
DYNAMIC MICROPROCESSOR PC Anywhere III	139.00
PC Anywhere III ELECTRONIC ARTS Backup Pro	72.00
Backup Pro Twist and Shout	62.00 65.00
FIFTH GENERATION Fastback Plus	109.00
FORMWORX Formworx w/Fill & File	
FOX	89.00
Foxbase Plus/LAN	295.00

ABOVE SOFTWARE Spanness ACOVADE 5000 ACOVADE 5000 ACOVADE 5000 ACOVADE 5000 ACOVADE 5000 ACOVADE 6000 Mustraci/Mindows 4000 ADUIS 6000 Pagemaar 473.00 ADUIS 6000 APPLICATION TECHNIQUES 6000 APPLICATION TECHNIQUES 6000 ANTODERS 6000 ANTODERS 6000 ANTODERS 6000 ALTODERS 6000 ALTODERS 6000 ALTODERS 6000 ALTODERS 6000 ALTODERS 6000 ALTODERS 6000 B	JOMP	n	1	
ABOVE Disk GAZELLE 93.00 ABOVE Disk 20.00 GENER CAD Lawei 3 169.00 ADOBE 20.00 GENER CAD Lawei 3 169.00 ADOBE 20.00 GENER CAD Lawei 3 169.00 ADOBE 20.00 GENER CAD Lawei 3 169.00 ALPLA 473.00 Youther Tester 100.00 ALPLA 31.00 Headoon 79.00 APPLAUSE 53.00 Headoon 79.00 APPLAUSE 65.00 INSCIPT CEVELOPMENT 25.00 APPLAUSE 65.00 INSCIPT CEVELOPMENT 15.00 APPLAUSE 65.00 INSCIPT CEVELOPMENT 16.00 DBase IV LAW 45.00 INSCIPT CEVELOPMENT 18.00 ARS San 42 17.00 LASER COO 40.00 30.00			Sideways	42.00
ACCOLLADE INDUST CENERIC Generation Sprints GENERIC Sprints (19.00 (19.00) Multitation Pagemaker 473.00 Generation Sprints (40.00 (19.00) ALDUS Pagemaker 473.00 Yours (40.00) Sprints (40.00) Sprints AMERICAN SMALL BUSINESS Design Catl Structure (50.00 (19.00) Harder Sprints (19.00) Harder Spri	ABOVE SOFTWARE	50.00	Allways (1-2-3 or symphony) GAZELLE	
ADOBE GIBSON GIBSON GIBSON ALDUS 473.00 GOLDE NGOW 45.00 ALDUS 473.00 GOLDE NGOW 45.00 AphaFour 193.00 Hinterache Easy Flow 193.00 AphaFour 193.00 Hinterache Easy Flow 193.00 AphaFour 193.00 Hinterache Easy Flow 193.00 AphaFour 30.00 Dipalsymite IV 289.00 AphaFour 193.00 Hinterache Easy Flow 193.00 Perfed Addition 30.00 Dipalsymite IV 289.00 Autzobe 455.00 Inset Floar 100 Macros For WordPerfect 45.00 Base IV JAN 94.00 Print-APbat 105.00 100 Macros For WordPerfect 45.00 Base IV JAN 94.00 Print-APbat 105.00 100 Macros For WordPerfect 45.00 Base IV JAN 94.00 Print-APbat 105.00 100 Macros For WordPerfect 45.00 Base IV JAN 94.00 Print-APbat 100.00 100.00 100.00 100.00			GENERIC	
ALDUS GOLDEN BOW Counce ALPHA 473.00 HAVENTFILE 100.00 ALPHA 319.00 HAVENTFILE 100.00 Design Catl 30 228.00 HAVENTFILE 100.00 APPL CATON TECHNIQUES 30.00 Displayment AL 125.00 PARAE Plus 450.00 HAVENTFILE 125.00 PARAE Plus 450.00 HAVENTFILE 125.00 PARAE Plus 450.00 HAVENTFILE 125.00 PARAE Plus 450.00 HINSERT 125.00 Basin IP Plus 450.00 HINSERT 125.00 Basin IP Plus 450.00 HINSERT 125.00 Basin IP Plus 250.00 Go Ship Plus 260.00 BLOC PUBLISHING 60.00 HINSERT 130.00 BLISTEREAM 20.00 HINSERT 130.00 BLISTERAM 20.00 HINSERT 130.00 BLISTERAM 20.00 HINSERT 130.00 BLISTERAM 20.00 HINSERT 130.00	ADOBE		GIBSON	
ALPHA AppaPour AVERTREE Document AMERICAN SMALL BUSINESS 319.00 HAVENTREE 109.00 AMERICAN SMALL BUSINESS 50.00 PREIX 109.00 APPL AUSE 50.00 28.00 PREIX 109.00 APPL AUSE 50.00 28.00 PREIX 109.00 APPL AUSE 69.00 100 Acros For WortPeriedt 45.00 APPL AUSE 69.00 100 Acros For WortPeriedt 45.00 APPL AUSE 69.00 100 Acros For WortPeriedt 45.00 Base IV LAN 45.00 100 Acros For WortPeriedt 45.00 Marimat Advantage II 25.00 100 Context 66.00 Aurobe Stand 52.00 65.570 Plus 26.00 Bastrom Ports 62.00 100 Context 25.00 Bastrom Ports 62.00 Marchad 35.00 Bastrom Ports 62.00 Marchad 35.00 Bastrom Ports 52.00 Marchad 35.00 Bastrom Ports 160.00 Marchad 35.00	ALDUS		GOLDEN BOW	
AMERICAN SMALL BUSINESS F50.00 Design Carl 30 208.00 Design Carl 30 208.00 Precent Addign 39.00 Applic CATION TECHNIQUES 69.00 Applic CATION TECHNIQUES 60.00 Applic CATION TECHNIQUES 60.00 Applic CATION TECHNIQUES 60.00 Applic CATION TECHNIQUES 60.00 Applic CATION TECHNIQUES	ALPHA		HAVENTREE	
Design Cat 30 225.00 IBM Parter Audition 125.00 Parter Audition 33.00 Displaymine IV 288.00 Parter Audition 640.00 The Parter Main 45.00 Displaymine IV 289.00 The Parter Main 45.00 Age TON TATE 45.00 The Parter Main 45.00 Displaymine IV 289.00 The Parter Main 45.00 Displaymine IV 289.00 The Parter Main Main Main Main Main Main Main Main			HELIX	
Perfect Addition Perfect Addition Perfect Addition Perfect Addition Prazer Puis Perfect Addition 450.00 Prazer Puis Perfect Addition 450.00 Prazer Puis 450.00 INSET 100 Macros For WordPerfect 450.00 Prazer Puis 455.00 INSET 100 Macros For WordPerfect 450.00 DBase IN Puis 455.00 INTUIT 460.00 100 Macros For WordPerfect 460.00 Advantage II 255.00 INTUIT 460.00 100 Macros For WordPerfect 460.00 Advantage II 125.00 ISSET 100 Macros For WordPerfect 460.00 Advantage II 125.00 ISSET 100 Macros For WordPerfect 460.00 Advantage II 100 Macros For WordPerfect 100.00 460.00 100 Macros For WordPerfect 450.00 Macros For WordPerfect 100 Macros For Participation 450.00 Macros For Participation 450.00 Balance Or Participation 150.00 Macros For Participation 450.00 Macros For Participation 450.00 Mi	Design Cad 3D			
Prazz Plus 69.00 107 Marcing Frör WordPerfect 45.00 DBase IIP UIS 1195 FT 1195 FT 1195 FT DBase IIP UIS 45.00 1195 FT 1195 FT DBase IIP UIS 45.00 1195 FT 1195 FT DBase IIP UIS 45.00 1197 FT 1105 FT DBase IIP UIS 45.00 1197 FT 119.00 Ack Sam A.2 179.00 LASERGO 139.00 AdvanceDESK 95.00 65 Sorpt Pt US 289.00 DIC C PUBLISHING 52.00 LASERGO 40.00 DIC C PUBLISHING 52.00 Marchaol 305.00 Turbo Power Tools Plus 99.00 Carbon Copp Plus 109.00 Turbo Pacal 99.00 Carbon Copp Plus 109.00 Turbo Pacal 99.00 MICROGRAFX 329.00 Sorphit 135.00 MICROGRAFX 329.00 Sorphit 135.00 MICROGRAFX 329.00 Sorphit 135.00 MICROGRAFX 329.00 Paradox	Perfect Addition	39.00	Displaywrite IV	
Framework III 455.00 INSUGFT DE VELOPMENT Base DBase II Plus 455.00 INTUIT 105.00 DBase II Plus 455.00 Print-APoint 105.00 DBase II Plus 250.00 Print-APoint 100.00 ASK SAM 179.00 LASERGO 139.00 AUtorised Plus 52.00 Print-APoint 250.00 DECC PUBLISHING Call Agerda 275.00 Bitstam Fortis Gall Agerda 275.00 Bitstam Fortis 99.00 Cathon Copp Plus 109.00 Turbo Cools 99.00 Cathon Copp Plus 109.00 Turbo Pascal 99.00 Cathon Copp Plus 109.00 Paradox 477.00 MICROGRAFX 32.00	Pizazz Plus	69.00	101 Macros For WordPerfect	45.00
DBase III Plus 455.00 Lear Cohinal Co			INSET Inset Plus	125.00
Multimate Advantage II 255.00 INTUIT Construction ASK SAM ASK SAM 40.00 LASERGO 40.00 ASK SAM Go Script 139.000 259.00 139.000 Altosketh 2.0 BSD Comp Plus 259.00 139.000 25.00 Balancer Bulle 52.00 IEANING COMPANY 25.00 15.33 43.0 CALL BLOC PUBLISHING 6 60.00 Mathad 305.00 Mathad 305.00 BLASE 90.00 Mathad 305.00 Mathad 305.00 Turbo Cynothol Plus 92.00 Mathad 305.00 Mathad 305.00 Turbo Cyno 166.00 Mathad 305.00 Mathad 306.00 309.00 100.00 300.00	DBase III Plus	455.00	Laser Control Print A Plot	
AUTODESK 139.00 AUTODESK 95.00 BANNER BLUE 52.00 Go Script Pus 280.00 BITSTREAM Call BUDOP PUS 275.00 Marbading 275.00	Multimate Advantage II		INTUIT	
Automicit 20 93.00 Go Sorp Plus 289.00 Balance IB LUE 52.00 LeARING COMPANY 25.00 Data Section Call Lot IUS 275.00 Bitsham Fonds Gall Lot IUS 275.00 Bitsham Fonds 64.00 45.00 20.00 Bitsham Fonds 92.00 MATHSOFT CALL Mathead 305.00 MATHSOFT CALL Turbo Pascal 99.00 Carbon Copy Pus 109.00 Turbo Pascal 99.00 Carbon Copy Pus 109.00 Turbo Pascal 195.00 MICROCORAFAX 289.00 Outation 155.00 MICROCORAFAX 289.00 Sortint 135.00 MICROPOSE 45.00 Paradox 479.00 Gold RAX 72.00 Paradox 479.00 Gold RAX 72.00 Paradox 45.00 MICROPOSE 45.00 Physepad 93.00 Compose 45.00 Paradox 45.00 MICROPOSE 45	Ask Sam 4.2	179.00	LASERGO	
Org Plus 52.00 Frader Rabbit 25.00 BITSTREAM Call LOTUS 275.00 Bitsteam Fonts Call Agenda 275.00 Bitsteam Fonts Call Hadder Rabbit Call FormEller 2.0 Bitsteam Fonts Call Mathcad 305.00 FormEller 2.0 Mathcad 305.00 Mathcad 305.00 Turbo Creet Tools Plus 99.00 Cathon Copy Pus 109.00 Turbo Creet Tools Plus 99.00 Cathon Copy Pus 109.00 Turbo Creet Tools Plus 155.00 MicRoDrapt Arx 109.00 Call Tobe Pascal 99.00 MicRoDrapt Arx 49.00 Sprint 135.00 MicRoDrapt Arx 49.00 Paradox 477.00 Balarce or Down 199.00 29.00 Paradox 479.00 MicRoPrice Pascal 49.00 Paradox 479.00 MicRoPrice Pascal 49.00 Paradox 479.00 MicroPrice Pascal 49.00 Paradox 470.00 MicroPasca		95.00	Go Script Plus	
Bistram Fonts Call Agenda 275.00 FormFiler 2.0 85.00 MATHSOFT Mathcad 305.00 FormFiler 2.0 85.00 Mathcad 305.00 Mathcad 305.00 Turb C Tools 92.00 MECA Mathcad 305.00 Mathcad 305.00 Turb C Tools 92.00 Mathcad 305.00 Mathcad 305.00 Turb C Poscal 99.00 Carbon Copy Puis 109.00 0.00 0.00 Turb C Poscal 99.00 MCROCHARS 229.00 MCROCHARS 229.00 Turb C Poscal 155.00 MICROCHARS 239.00 MCROCHARS 239.00 Sprint 135.00 MICROCHARS 49.00 FIS Steath Fighter 45.00 BOLDERBAKI 49.00 FIS Steath Fighter 45.00 MICROCHIM 849.00 Brit Drax 35.00 MCROSOFT 7.00 MICROSOFT 7.00 Brit Drax 35.00 MICROSOFT 7.00 MICROSOFT 7.00 Brada	Org Plus	52.00		25.00
BLAISE maintain 305.00 Turbo Cools 92.00 MECCA 119.00 OPRLAND 92.00 MECRDIAN 119.00 Turbo Pascal 99.00 Carbon Copy Plus 109.00 Turbo Pascal 99.00 Carbon Copy Plus 129.00 Turbo Pascal Pro 169.00 MICROLOGRAFX 229.00 Data Pascal Pro 169.00 MICROLOGRAFX 229.00 Data Pascal Pro 169.00 MICROLOGIC 52.00 Paradox 479.00 MICROLOFTICS 45.00 Paradox 479.00 MICROLOFTICS 45.00 Paradox 479.00 MICROLOFTICS 489.00 MICROPIM 45.00 MICROPIM 45.00 BINDGEWAY MICROPIM 45.00 Super PCKwik power pasck 72.00 MicroStop Plus 145.00 MICROSCFT 29.00 MICROSCFT 29.00 BINDEWIDE 145.00 MICROSCFT 29.00 MICROSCFT 29.00 29.00 MICROSCFT 29.00 29.00 </td <td>Bitstream Fonts</td> <td>Call</td> <td>Agenda</td> <td></td>	Bitstream Fonts	Call	Agenda	
Turbe Prever Tools Plus 92.00 Managing Your Money 119.00 PORL_AND Mernillohn Carbon Copy Plus 109.00 Turbo Co 99.00 MICROCRAFX 229.00 Turbo Pascal 99.00 MICROCRAFX 229.00 Durbo Pascal Pro 159.00 MICROCRAFX 229.00 Outatro 155.00 MICROLOGIC 249.00 Designer 449.00 Designer 449.00 Sprint 135.00 MICROLYTICS 45.00 Balance of Power 1990 29.00 MICROPOSE 469.00 Balance of Power 1990 29.00 MICROSOFT 7.00 Balance of Power 1990 29.00 MICROSOFT 7.00 Promote Power 1990 29.00 MICROSOFT 7.00 Print Sho 145.00 MICROSOFT 7.00 Print Sho 145.00 MICROSOFT 7.00 Print Sho 79.00 Compiler 299.00 Print Sho 79.00 Compiler 299.00 Print Sho	FormFiller 2.0	85.00	MATHSOFT	
EORLAND MERIDIAN MERIDIAN MERIDIAN MERIDIAN MERIDIAN 109.00 Turbo C Pascal 99.00 Grahon Copy Plus 109.00 Turbo C Pascal Pro 169.00 Windows Graph Plus 329.00 Stdekke Plus 135.00 MiCROCGALFX 449.00 Stdekke Plus 135.00 MiCROCOL YTICS 52.00 Paradox 479.00 Golder 45.00 BUIDGEWAY Golder MICROPROSE 45.00 BRIGHTBILL-ROBERTS MICROPRIM 45.00 Super Pack 72.00 Muenory Mate 45.00 Super PC Kwik power pack 72.00 MULTSOFT Prin Shop 39.00 PC Kwik power pack 72.00 QuickSosi6 67.00 BUMDELEBEE MICROSOFT QuickSosi6 67.00 QuickSosi6 67.00 Burnory Mate 45.00 Super PC Kwik 49.00 FlightSimulator 73.00 CALLPORINA SCIENTIFIC PO.00 Windows 286 135.00 Graphine 99.00 CALPOR	Turbo C Tools Turbo Power Tools Plus		MECA	
Turbo Pascal 99.00 MICPOCFAFX 50.00 Turbo CPno 169.00 Windows Graph Plus 329.00 Outatro 165.00 MiCROLOGIC 54.00 Sidekick Plus 135.00 MiCROLOGIC 52.00 Sidekick Plus 135.00 MiCROLOTICS 52.00 Paradox 479.00 Goler 45.00 BUIDGEWAY MICROPING 45.00 BRIGHTBILL-ROBERTS MICROSCAPE 89.00 Prin Stop 99.00 MICROSCAPE 29.00 BUMDGEWAY 65.00 Balance of Power 1990 29.00 MULTSOFT 72.00 MULTSOFT 72.00 Prin Stop 39.00 FK wik power pack 72.00 BUMDELEBEE MICROSOFT 0 00.00 67.00 Brainneaker 79.00 OuridCos 266 67.00 0 CALIPORNASCELUTIFIC 99.00 Compilar 299.00 Compilar 299.00 CALARION Xacro Assembler 99.00 Compilar 299.00	BORLAND		MERIDIAN	
Turbo Pascal Pro 169.00 Designer 143.00 Outatrio 155.00 MICROL CIGIC 52.00 Sidekick Plus 135.00 MICROL TICS 45.00 Paradox 479.00 MICROL TICS 45.00 DURBAKI MICROPADSE 45.00 Turb Plus 49.00 F19 Staath Fighter 45.00 BRIDGETBULL ROBERTS MIDDSCAPE 489.00 489.00 PRODERBUND MICROST 489.00 489.00 Prin Stop 39.00 MICROST 70.00 Prin Stop 39.00 MICROSOT 70.00 Build Place 45.00 Super PC kwik 49.00 Prin Stop 99.00 MICROSOT 70.00 Built PORTAL 70.00 Outck Cc 67.00 Prin Stop 70.00 Outck Cc 67.00 Prin Stop 70.00 Outck Cc 70.00 CALLPORINA SCIENTIFIC 79.00 Outck Cc 70.00 Professional Developer 490.00 NICROTEK <td< td=""><td>Turbo Pascal</td><td>99.00</td><td>MICROGRAFX</td><td></td></td<>	Turbo Pascal	99.00	MICROGRAFX	
Sidekick Plus 13.00 Thick Doll 52.00 Paradox 479.00 Golder 45.00 Paradox 479.00 Golder 45.00 POURBAKI 479.00 Golder 45.00 PINDGEWAY MICROPRIMS 489.00 PRIDERMAY MILLPOPTICS 489.00 PRIDERMUND MILLPOPTIMS 489.00 PRODERBUND MILLPOPTIMS 489.00 PRODERBUND Build Paradocid Power 1990 29.00 Printshop 39.00 MULTISOFT 72.00 Memory Mate 45.00 Super PC Kwik 49.00 BUIMBLEBEE 00.00 Catoper PC Kwik 49.00 Printshop 99.00 Windows 286 13.00 Printshop 79.00 Catopara 50.00 CALLPORNIA SCIENTIFIC 79.00 Catopara 50.00 Professional Developer 79.00 Catopara 50.00 Cond Diraw 11 345.00 NULCO 75.00 Supernoicet xpent 49.00	Turbo Pascal Pro	169.00	Designer	
Paradox 479.00 Gole of the construction of the constructin of the construction of the construction of the con	Sidekick Plus	135.00	Tomado	52.00
BRIDGEWAY NUCROPHINE NUCROPHINE Fast Trax 35.00 Rises For OS 489.00 PRIGHTBILL-ROBERTS 65.00 Rises For OS 489.00 Print Shop 39.00 PC Kwik power 1990 29.00 BURDDERBUND 39.00 PC Kwik power pack 72.00 Memory Mate 45.00 Super PC Kwik power pack 67.00 BURDSOS Plus 145.00 Ouick DS 67.00 BUTTONWARE 69.00 Windows 386 135.00 PC File DB Compiler 299.00 Windows 386 135.00 CLARION Compiler 299.00 Windows 386 135.00 CHEDNS Typer PC Kwik power pack 75.00 Macro Assembler 99.00 CORDUCK 24.00 Word 209.00 Filight Simulator 35.00 COREL SYSTEMS 75.00 Spectrum 49.00 Spectrum 49.00 COMPUTER ASSOCIATES 305.00 NORTH EOBE 75.00 Spectrum 49.00 Superpolet Expert 499.00 </td <td>Paradox</td> <td>479.00</td> <td>Gofer</td> <td>45.00</td>	Paradox	479.00	Gofer	45.00
BHIGHTBILL-ROBERTS MINDSCAPE MINDSCAPE Hyperpad 65.00 Balance of Power 1990 29.00 PRODERBUND 39.00 PC Kwik power pack 72.00 Memory Mate 45.00 Super PC Kwik 49.00 DB Fast/DOS Plus 145.00 Ouick Dasition 67.00 BUTTONWARE 69.00 Windows 286 67.00 PC File DB Fast/DOS Plus 15.00 Ouick Dasition 75.00 CALLFORNIA SCIENTIFIC 69.00 Windows 386 135.00 PC Tools Deluxe 79.00 Cuick pascal 57.00 Core Deluxe 79.00 Cuick pascal 57.00 Core Deluxe 79.00 Cuick pascal 75.00 Core LISYSTEMS 305.00 NANTUCKET 49.00 Cond Draw 1.1 345.00 NEW ENGLAND 75.00 Superproject Expert 449.00 Willimaker 35.00 CONCENTRIC DATA NOP VELL Advanced Net 2.15 1850.00 Concel ast 69.00 OWL Advanced Net 2.15<		49.00	F19 Stealth Fighter	45.00
Hyperpad 65.00 Balance of Power 1990 29.00 Print Stop 39.00 MULTISOFT 72.00 Memory Mate 45.00 Super C Kwik 49.00 BUMBLEBEE 45.00 Super C Kwik 67.00 BUTTONWARE 69.00 Ouickasic 67.00 PC Field DB 69.00 Windows 286 67.00 CALLFORNIA SCIENTIFIC Windows 386 135.00 Brainmaker 79.00 Compiler 299.00 Cools Deluxa 79.00 Karco Assembler 99.00 Cools Deluxa 79.00 Micro Assambler 299.00 Cool Draw 1.1 345.00 NEW ENGLAND 75.00 Superpoiet Expert 499.00 NANTUCKET 49.00 Cool Draw 1.1 345.00 NOEL 169.00 Coorelat Gonol NOUCL </td <td></td> <td>35.00</td> <td></td> <td>489.00</td>		35.00		489.00
Memory Mate 45.00 Super PC Kwik 49.00 BUMBLEBEE MICROSOFT 67.00 DI FASIDOS Plus 145.00 OuickDasic 67.00 DY FARAL POINT 69.00 Windows 286 67.00 PC File DB 0000kC C 0000kC C 67.00 CALIFORNIA SCIENTIFIC 90.00 Ouickoascal 57.00 Professional Developer 79.00 Ouickoascal 57.00 Const Deluxe 79.00 Compiler 299.00 Const Deluxe 79.00 Compiler 299.00 Const Deluxe 79.00 Compiler 299.00 CHRONOS Fight Simulator 35.00 Memory Mate 49.00 NANT UCKET 49.00 COREL SYSTEMS 365.00 NOLCO Stoperclark Superclark 49.00 Wilimaker 35.00 Superclark Marco del Nel 2.15 1850.00 CONCENTRIC DATA R & Report Writer 109.00 Timeslips III 169.00 Corestalk Mark 4 145.00	Hyperpad	65.00	Balance of Power 1990	29.00
BLUMBLEEE 145.00 MICROSOFT 67.00 BUTTONWARE 000000000000000000000000000000000000	Print Shop Memory Mate		PC Kwik power pack	72.00
BUTTONWARE 69.00 Ouick C 67.00 CALIFORNIA SCIENTIFIC Windows 286 67.00 Brainmaker 79.00 Ouick C 67.00 CALIFORNIA SCIENTIFIC 90.00 Character 99.00 Cools Deluxe 79.00 Ouickpascal 57.00 Cools Deluxe 79.00 C compiler 299.00 Cools Deluxe 79.00 C compiler 299.00 Character 49.00 Cools Deluxe 35.00 Who-Whai-When 115.00 MICROTEK 35.00 Vho-Whai-When 145.00 NEW ENGLAND 75.00 Supercisic X 305.00 NOLO So.00 COMPUTER ASSOCIATES 305.00 NOLO So.00 CORE STALK 109.00 Timeslips III 169.00 Corelast 69.00 Advanced Net2.15 185.00 Carelast 69.00 Advanced Net2.15 185.00 Corelast 69.00 Advanced Net2.15 185.00 Corelast 69.00 Advance	BUMBLEBEE DB East/DOS Plus		MICROSOFT	
CALIFORNIA SCIENTIFIC Windows 366 153.00 Brainmaker 79.00 Ouickpascal 57.00 Ouickpascal 79.00 Compiler 299.00 PC Tools Deluxe 79.00 C Compiler 299.00 C Tools Deluxe 79.00 C Compiler 299.00 C HONDS Fight Simulator 35.00 Who-Whai-When 115.00 Micro Assembler 49.00 CARLON Spectrum 49.00 NANTUCKET 39.00 Corel Draw 1.1 345.00 NEW ENGLAND 75.00 Superciset Expent 449.00 Wilmaker 35.00 CONCENTRIC DATA 109.00 Timeslips III 169.00 Corelast 69.00 Advanced Net2.15 185.00 Createst 69.00 Advanced Net2.15 185.00 Createst 69.00 Advanced Net2.15 185.00 Corelast 69.00 Advanced Net2.15 185.00 DAC Corelast 69.00 PATESSOL 185.00 DAC	BUTTONWARE		Quick C	67.00
CENTRAL POINT Macro Assembler 93.00 PC Tools Deluxe 79.00 C Compiler 293.00 C Macro Assembler 93.00 293.00 293.00 C Macro Assembler 293.00 293.00 293.00 C Macro Assembler 293.00 293.00 293.00 C Macro Assembler 293.00 293.00 293.00 C Macro Assembler 493.00 Flight Simulator 35.00 Micro Assembler 499.00 NANT UCKE T 439.00 CORPEL SYSTEMS 345.00 NEW ENGLAND 75.00 Superciset Expent 449.00 Wilmaker 35.00 CONCENTRIC DATA 109.00 Timeslips III 169.00 CAROSSTALK 69.00 Advanced Net 2.15 1850.00 CAROSSTALK 69.00 Advanced Net 2.15 1850.00 DAC Esay Roous Pack 115.00 OWL 169.00 DAC Esay Accounting 59.00 PAPERBACK 129.00 DAC Esay Accounting 59.00 PAUL MACE 259.00	CALIFORNIA SCIENTIFIC		Windows 386	135.00
Copy IIPC 24.00 Word 209.00 CHRONOS Micro What-When 115.00 MiCROTEK 35.00 Who-What-When 115.00 MiCROTEK 49.00 MiCROTEK 49.00 COREL SYSTEMS Cipper 439.00 NANTUCKET 439.00 Spectrum 439.00 COREL SYSTEMS Cipper 345.00 NEW ENGLAND 75.00 SupercalcV 305.00 NOCO Spectrum 35.00 CONCENTRIC DATA Haport Writer 109.00 Timeslipa III 169.00 Constalk Mark 4 145.00 NOVELL 169.00 Constalk Mark 4 145.00 OWL Guide 169.00 DAC Easy Accounting 59.00 PAPERBACK 129.00 PAPERBACK 129.00 DAT EASTORM 59.00 PAUL MACE 85.00 States 4.0 85.00 DAT Easy Accounting 59.00 PAUL MACE 85.00 States 4.0 205.00 DAT Easy Accounting 172.00 Ize States 4.0 205.00 <	CENTRAL POINT		Macro Assembler	99.00
CLARION Spectrum 49.00 Professional Developer 499.00 NANTUCKET 49.00 CORFL SYSTEMS 345.00 NEW ENGLAND 75.00 Corel Draw 1.1 345.00 NEW ENGLAND 75.00 Supercial: V 305.00 NOLO 35.00 Supercial: V 305.00 NOLO NOLO CONCENTRIC DATA 199.00 NORTH EDGE 169.00 CORE creats 69.00 Advanced Net 2.15 1850.00 CORSTALK ELS 4 user 419.00 Crostalk Mark 4 145.00 OWL 169.00 DAC Locid 30 60.00 VP Planer Plus 129.00 DAC Easy Bonus Pack 115.00 OWL 139.00 DAT AEASE 499.00 PATERBACK 259.00 DATAEASCORM 75.00 Smattem 240 205.00 DELT AT TECHNOLOGY Smattem 240 205.00 205.00 DIGITAL RESEARCH 285.00 See More 1-2-3 49.00 DIGITAL RESEARCH 139.00 Nortor Utili	Copy II PC		Word	209.00
COREL SYSTEMS Cipper 439.00 Corel Draw 11 345.00 NEW ENGLAND 75.00 Supercick V 305.00 NOLO NOLO Supercick X 305.00 NOLO NOLO CONCENTRIC DATA Timesigs III 169.00 NORTH EDGE R R Report Writer 109.00 Timesigs III 169.00 Corefast 69.00 Advanced Net 2.15 1850.00 Coredstak Mark 4 145.00 OVL Advanced Net 2.15 1850.00 Corestak Mark 4 145.00 OVL Guide 169.00 DAC Easy Sonus Pack 115.00 PAPERBACK 129.00 DAC Easy Accounting 59.00 PAUL MACE 85.00 DAT ASTORM 59.00 PAUL MACE 85.00 DELTA TECHNOLOGY Smartem 240 205.00 205.00 Direct Access 55.00 PERSONICS 79.00 Det AT ATCHNOLOGY Smartem 240 205.00 205.00 Direct Access 55.00 PERSONICS 79.00 <	Who-What-When	115.00	MICROTEK	
Core Unaw 1.1 343.00 NEW ENGLAND COMPUTER ASSOCIATES 305.00 NOLC 35.00 Supercial V 305.00 NOLA 35.00 Supercial V 305.00 NOLA 35.00 Supercial V 305.00 NORTH EDGE 169.00 CONCENTRIC DATA NORTH EDGE 169.00 CORESTALK Good Statk 449.00 NOVELL Crosstalk Mark 4 145.00 OWL 1850.00 Crosstalk Mark 4 145.00 OWL 1850.00 Crosstalk Mark 4 15.00 Guide 169.00 DAC Styberneite 2 115.00 Guide 169.00 DAC Easy Borus Pack 115.00 PAPERBACK 129.00 DAC Easy Borus Pack 115.00 PAUTON & PATTON & PEACHTREE 139.00 DATAEASE Deveload Stoting WData Query & 235.00 PEACATTREE 259.00 DELTA TECHNOLOGY 172.00 PEACATTREE 259.00 Direct Access 55.00	Professional Developer	409.00	NANTUCKET	
Superproject Expert 449.00 NOLO CONCENTRIC DATA 449.00 NORTH EDGE 169.00 R R Report Writer 109.00 Timeslips III 169.00 CORE Corefast 69.00 Advanced Net 2.15 1850.00 CARDESTALK ELS 4-user 419.00 449.00 NOVELL 1850.00 Crostalk Mark 4 145.00 OWL 1850.00 20.00 180.00 20.00 180.00 20.00 180.00 20.00 180.00 20.00	Corel Draw 1.1	345.00	NEW ENGLAND	
CONCENTRIC DATA MORTH EDGE 53.00 R & Report Writer 109.00 NORTH EDGE 169.00 CORE GOVELL Advanced Net 2.15 169.00 Crostalk Mark 4 145.00 OVELL 419.00 Crostalk Mark 4 145.00 OWL 169.00 Crostalk Mark 4 145.00 OWL 169.00 Crostalk Mark 4 145.00 OWL 169.00 DAC Easy Borus Pack 115.00 PAPERBACK 129.00 DAC Easy Borus Pack 115.00 PATTON & PATTON & PATTON NACE 139.00 DATAEASE PAUL MACE Mace Utilities Gold 85.00 DATASTORM Froomm Plus 55.00 Cmptle Accting WData Query 235.00 DELTA TECHNOLOGY 172.00 PERSOFT 259.00 259.00 DIGITAL RESEARCH 101ratilities dvanced 85.00 PETER NORTON 90.00 Smailtak V286 139.00 PCLARIS 52.00 52.00 Cem Presentation Team 285.00 PETER NORTON 90.00 <t< td=""><td>Supercalc V</td><td>305.00</td><td>NOLO</td><td></td></t<>	Supercalc V	305.00	NOLO	
CORE NOVELL NOVELL Corefast 69.00 Advanced Net 2.15 1850.00 Crosstalk Mark 4 145.00 OWL 1850.00 Crosstalk Mark 4 145.00 OWL 169.00 DAC Guide 169.00 PAPERBACK 129.00 DAC Easy Borus Pack 115.00 PATERBACK 129.00 DAC Easy Accounting 59.00 PATLI MACE 85.00 DAT Easy Ecounting 59.00 PAUL MACE 85.00 DATA EASE 499.00 Wace Unities Gold 85.00 DATA STORM PEACHTREE 259.00 259.00 DELTA TECHNOLOGY Smarterm 240 205.00 Direct Access 55.00 Smarterm 240 205.00 Gem Artline 285.00 See More 1-2-3 49.00 Perform 72.00 PETER NORTON 90.00 Gem Artline 285.00 See More 1-2-3 49.00 DIGITAL K 139.00 Norton Unities Advanced 85.00 DYNAMIC MICROPROCESSOR 72	CONCENTRIC DATA		NORTH EDGE	
CROSSTALK Historic Constalk Mark 4 145.00 120.00 120.00 1	CORE		NOVELL	
Remote 2 115.00 Guide 169.00 DAC 60.00 PAPERBACK 129.00 DAC Easy Bonus Pack 115.00 PATTON & PATTON 129.00 DAC Easy Accounting 59.00 PANTON & PATTON 139.00 DAT EASY Accounting 59.00 Powcharing IPlus 139.00 DAT Easy Accounting 59.00 PAUL MACE 85.00 DATASTORM PEACHTREE 255.00 PEACHTREE 255.00 DELTA TECHNOLOGY Smartem 240 205.00 205.00 Direct Access 55.00 PERSONICS 79.00 Gem Antine 285.00 See More 1-2-3 49.00 Gem Presentation Team 285.00 PETER NORTON 59.00 Orthor Ultitavision 79.00 See More 1-2-3 49.00 Gem Presentation Team 285.00 PETER NORTON 59.00 DYNAMIC MICROPROCESSOR 70.00 POLARIS 59.00 PALEERTATION 62.00 PRECISION SOFTWARE 259.00 PARATIS 2259.00 Superbase4<	CROSSTALK		ELS 4- user	
DAC Easy Accounting 15.00 PATTON & PATTON 139.00 DAC Easy Accounting 59.00 Flowcharting IIP lus 139.00 DAT Easy Excounting 59.00 Flowcharting IIP lus 139.00 DAT Easy Excounting 59.00 Flowcharting IIP lus 85.00 DATA Easy Excounting 55.00 PAUL MACE 85.00 DATA STORM 55.00 Cmpte Accting WData Query 235.00 DELTA TECHNOLOGY Smartem 240 205.00 Direct Access 55.00 Smartem 240 205.00 Oligital Access 55.00 See More 1-2-3 49.00 Gem Antline 285.00 See More 1-2-3 49.00 Gem Presentation Team 285.00 See More 1-2-3 49.00 DYNAMIC MICROPROCESSOR Norton Utilities 59.00 Norton Utilities 50.00 DYNAMIC MICROPROCESSOR 72.00 POL ARIS 259.00 PACLER SOLUTIONS 259.00 Twist and Shout 65.00 Superbase 4 15.00 Superbase 4 15.00 PREMINE Avanced 85.00 <	Remote 2		Guide	169.00
DAC Easy Accounting 59.00 Flowcharting II Plus 139.00 DATA EASE 499.00 Mace Utilities Gold 85.00 Dataease 4.0 499.00 Mace Utilities Gold 85.00 Dataease 4.0 499.00 Mace Utilities Gold 85.00 Dataease 4.0 499.00 Mace Utilities Gold 85.00 Detaease 4.0 PEAUL MACE 235.00 PEAUL MACE Detaease 4.0 PEAUL MACE 255.00 Cmpte Accting WiData Query 235.00 Detaease 4.0 172.00 PERSOFT 259.00 205.00 Direct Access 55.00 See More 1-2-3 49.00 205.00 Gem Presentation Team 285.00 See More 1-2-3 49.00 90.00 DGITAL KESEARCH Uitravision 73.00 Sorton Utilities Marced 85.00 DYNAMIC MICOPROCESSOR T2.00 PETER NORTON 90.00 Norton Utilities Advanced 85.00 PALL ARTS 62.00 PRECISION SOFTWARE 409.00 90.00 PALTARE 259.00 FIFTH GENERATION	Lucid 3D			129.00
Datasse4.0 499.00 Mace Utilities Gold 85.00 DATASTORM PEACHTREE 235.00 Procomm Plus 55.00 Cmpte Accting WData Query 235.00 DELRINA PERSOFT 259.00 Detta TECHNOLOGY Smartem 240 205.00 Direct Access 55.00 PERSONICS Direct Access 285.00 See More 1-2-3 49.00 Gem Artine 285.00 See More 1-2-3 49.00 Dict AL RESEARCH Ultravision 79.00 Dig TAL K 199.00 Norton Utilities Advanced 85.00 Dig TAL K 199.00 Norton Commander 52.00 DYNAMIC MICROPROCESSOR 72.00 POLARIS 59.00 Packrat 259.00 Packrat 259.00 FIFTH GENERATION FRIME SOLUTIONS 115.00 FORMWORX PRIME SOLUTIONS 115.00 FORMWORX PRIMETIME 65.00 FORMWORX PRIMETIME 65.00 FORX POLARIS 59.00 59.00	DAC Easy Accounting		Flowcharting II Plus	139.00
DELRINA Perform PERSOFT 259.00 DIrect Access 55.00 PERSONICS 259.00 Direct Access 55.00 PERSONICS 79.00 Gem Antime 285.00 PETER NORTON 90.00 Direct Access 50.00 PETER NORTON 90.00 Direct Access 72.00 PETER NORTON 90.00 Orton Utilities 39.00 Norton Utilities 59.00 DYNAMIC MICROPROCESSOR 72.00 POLARIS 285.00 P CARIS 62.00 PRECISION SOFTWARE 409.00 FIFTH GENERATION 62.00 PRECISION SOFTWARE 409.00 Firstback Plus 109.00 Disk Technician Advanced 85.00 FORMWORX 109.00 Disk Technician Advanced 115.00 PORXMITY TECHNOLOGY PRIMETIME 65.00 PROXIMITY TECHNOLOGY Fortwork Writi & File 89.00 PROXIMITY TECHNOLOGY 59.00	Dataease 4.0	499.00	Mace Utilities Gold	85.00
Perform 172.00 ize 259.00 DELTA TECHNOLOGY Smarterm 240 205.00 Direct Access 55.00 PERSONICS 205.00 DIGITAL RESEARCH 285.00 See More 1-2-3 49.00 Gem Aritine 285.00 See More 1-2-3 49.00 DIGITAL K 39.00 Norton Utilities 59.00 DYNAMIC MICROPROCESSOR Norton Utilities Advanced 85.00 DYNAMIC MICROPROCESSOR 72.00 POLARIS 259.00 Packrat 259.00 PACKrat 259.00 Twist and Shout 65.00 PETIME SOLUTIONS 115.00 Fortwork Will & File 89.00 PRIME SOLUTIONS 15.00 Fortwork Will & File 89.00 PRIMETIME 65.00 Fortwork Will & File 89.00 PRIMETIME 65.00 Fortwork Will & File 89.00 PRIMETIME 65.00 Fortwork Will & File 89.00 PROXIMITY TECHNOLOGY 59.00		55.00		235.00
Direct Access 55.00 PERSONICS 79.00 Gem Antline 285.00 Ultravision 79.00 Gem Antline 285.00 See More 1-2-3 49.00 Gem Presentation Team 285.00 PETER NORTON 90.00 Digit ALK 39.00 Norton Ultituies 59.00 Smallak V286 139.00 Norton Ultituies Advanced 85.00 DYNAMIC MICROPROCESSOR 70.00 POLARIS 259.00 PLECTRONIC ARTS 62.00 PRECISION SOFTWARE 409.00 FIFTH GENERATION FRIME SOLUTIONS 115.00 PRIME SOLUTIONS Fastback Plus 109.00 Disk Technician Advanced 115.00 FORMWORX PRIME SOLUTIONS 115.00 PRIMETIME FOX POLAMITY TECHNOLOGY 59.00 59.00	Perform	172.00	Ize	259.00
Gem Artline 285.00 See More 1-2-3 49.00 Orgen Presentation Team 285.00 PETER NORTON 49.00 DIGITAL 285.00 PETER NORTON 59.00 Smallak V286 139.00 Norton Utilities 59.00 DYNAMIC MICROPROCESSOR 72.00 POLARIS 259.00 PCAnywhere III 72.00 POLARIS 259.00 Backup Pro 62.00 PRECISION SOFTWARE 409.00 FIFTH GENERATION FIME SOLUTIONS PRIME SOLUTIONS 115.00 FORMWORX Formworx wiFill & File 89.00 PRIMETIME 65.00 FOX POLARIS 295.00 59.00 59.00	Direct Access	55.00	PERSONICS	
DIGITALK 139.00 Norton Utilities Advanced 59.00 Smalitalk V286 139.00 Norton Utilities Advanced 85.00 DVNAMIC MICROPROCESSOR 72.00 POLARIS 259.00 PC Anywhere III 72.00 POLARIS 259.00 Backup Pro 62.00 PRECISION SOFTWARE 409.00 FIFTH GENERATION PRIME SOLUTIONS PRIME SOLUTIONS 115.00 FORMWORX Formworx wiFill & File 89.00 PRIMETIME 65.00 FOX POLARIS 59.00 59.00 59.00	Gem Artline		See More 1-2-3	
DYNAMIC MICROPROCESSOR Norton Utilities Advanced 85.00 PCAnywhere III 72.00 POLARIS 259.00 ELECTRONIC ARTS 62.00 PRECISION SOFTWARE 259.00 Twist and Shout 65.00 PRECISION SOFTWARE 409.00 FIFTH GENERATION PRIME SOLUTIONS 115.00 FORMWORX PORMWORX PRIMETIME 65.00 FOR WORX PORMWORX PRIMETIME 65.00 FOX PORMUTITY TECHNOLOGY 59.00	DIGITALK		Norton Utilities	
ELECTRONIC ARTS Packrat 259.00 Backup Pro 62.00 PRECISION SOFTWARE 209.00 Twist and Shout 65.00 PRECISION SOFTWARE 409.00 FIFTH GENERATION Pastback Plus 109.00 Disk Technician Advanced 115.00 FORMWORX FORMWORX B9.00 PRIME TIME 65.00 FOX FOX PROXIMITY TECHNOLOGY 59.00	DYNAMIC MICROPROCESSOR		Norton Utilities Advanced	
Twist and Shout 65.00 Superbase 4 409.00 FIFTH GENERATION PRIME SOLUTIONS 90.00 Formworx w/Fill & File 109.00 Disk Technician Advanced 115.00 FORMWORX PORMWORX PRIME TIME 65.00 FOX PORMWORX PRIMETIME 65.00 Fox POX PROXIMITY TECHNOLOGY 59.00	ELECTRONIC ARTS		Packrat	259.00
FORMWORX Formworx w/Fill & File 89.00 PRIMETIME Primetime 65.00 FOX Foxbase Plus/LAN 295.00 PROXIMITY TECHNOLOGY Choice Words 59.00	Twist and Shout		Superbase 4	409.00
Formworx w/Fill & File 89.00 Primetime 65.00 FOX Foxbase Plus/LAN 295.00 Choice Words 59.00		109.00	Disk Technician Advanced	115.00
Foxbase Plus/LAN 295.00 Choice Words 59.00	Formworx w/Fill & File	89.00	Primetime	65.00
ORDERS CALL 800 733 3888	Foxbase Plus/LAN		Choice Words	59.00
	ORDERS CAL	L 8(00 733 <u>3888</u>	

IF YOU DON'T SEE YOUR PRODUCT LISTED PLEASE CALL

1151

US!	
PUBTECH	145.00
File Organizer QUAID	145.00
Copywrite QUALITAS	59.00
386 To The Max 386 To The Max Pro	55.00
QUARTERDECK	95.00
Desqview QEMM 386	79.00 37.00
REFERENCE	
Grammatik III RIGHTSOFT	52.00
Rightwriter RIX	52.00
Colorix VGA Paint	105.00
ROYKORE Opus One	265.00
SAMNA AMI Professional	319,00
SANTA CRUZ OPERATIONS	
SCO Operating System 386 SCITOR	469.00
Project Scheduler 4 SIERRA ON-LINE	429.00
Leisure Suit Larry #2	32.00
Kings Quest IV Space Quest III	32.00 39.00
SIMON & SCHUSTER Typing Tutor IV	29.00
Webster Prof Thesaurus	75.00
SOFTKLONE Mirror III	55.00
SOFTLOGIC Disk Optimizer	45.00
SUFTWARE DIRECTIONS	
Print Q SOFTWARE MASTERS	85.00
Flash SOFTWARE PUBLISHING	49.00
Harvard Graphics	279.00 79.00
PFS 1st Publisher PFS 1st Choice	99.00
PFS 1st Graphics Professional Write	89.00 139.00
SOLUTION SYSTEMS Brief	165.00
SPECTRUM HOLOBYTE	
Tetris Falcon-AT	24.00 32.00
STSC Statgraphics	569.00
STORAGE DIMENSIONS Speedstor	35.00
SUBLOGIC	
Jet Scenery Disks	32.00 CALL
SYMANTEC Q&A	219.00
Timeline	369.00
Grandview SYMSOFT	189.00
Hotshot Graphics	149.00
SYSTEMS COMPATIBILITY Perfect Exchange	50.00
Software Bridge THREE D GRAPHICS	85.00
Perspective Jr. TIMEWORKS	99.00
Publish It!	115.00
TRAVELING SOFTWARE	85.00
Viewlink TUBBO POWER	85.00
TURBO POWER Turbo BTree Filer Turbo Professional	79.00 79.00
UNISON WORLD Printmaster Plus	
VERSASOFT	35.00
DB Man V	219.00
WHITE CRANE Brooklyn Bridge	75.00
WOLFRAM RESEARCH Mathematica 386	599.00
WORDPERFECT Word Perfect	239.00
Word Perfect Library	65.00
Word Perfect Network WORDSTAR	349.00

FAX YOUR ORDER! (818)347-9977

Nordstar Professional 5.5	239.00	
WORDTECH Duicksilver Diamond DBXL Diamond 1.3	349.00 145.00	1
XEROX Kerox Formbase /entura Publisher Kerox Presents	319.00 499.00 309.00	N
XTREE (tree Pro	75.00	
KOR NFL Challenge	59.00	EF
ZSOFT Publishers Paintbrush PC Paintbrush IV	159.00 59.00	F
HARDWARE		A
AST RESEARCH	500.00	l F
AST RESEARCH 3251/11 Enhanced Plus Six Pack Plus 64k ATI	599.00 129.00	
VGA Wonder 256	335.00	
BELKIN/DATASPEC Jables/Switchboxes CENTRAL POINT Jopy II Option Deluxe CURTIS Juby Plus	CALL	C
Copy II Option Deluxe	119.00	N
CURTIS Ruby Plus	65.00	A
EVÉREX nternal 2400 Modem Computers FIFTH GENERATION	149.00 CALL	í
FIFTH GENERATION	579.00	Ľ
ogical Connection 512k HAYES Smartmodem 2400		
HEWLETT PACKARD Font Cartridges/Soft Fonts	449.00	C
NTEI	CALL	F
Coprocessors	449.00 CALL	Ē
Above Board Plus 512k Coprocessors KENSINGTON Masterpiece Plus	109.00	FLEP
Scanman PC	199.00	Ę
New Logimouse89.00 MICROSOFT Bus or Serial mouse w/paint	100.00	
MICROSPEED	109.00 95.00	S
MICROSPEED Fast Trap Serial MOUSE SYSTEMS Bus or Serial mouse II		
NEC HOME Multisync 3D	89.00 699.00	8
ORCHID Pro Designer VGA Plus		4
PANASONIC (XP 1124 Printer	409.00	
PARADISE /GA Plus	365.00	S
	265.00	•
POLAROID EGA Palette PLUS	2399.00	3
Handcard 40 PRACTICAL PERIPHERALS 2400 External Modern	699.00	4
2400 External Modem SEAGATE Hard Disks	179.00	
Hard Disks SUMMAGRAPHICS Summasketch Plus 12 x 12	CALL	1
Summasketch Plus 12 x 12 SYSGEN Bridge File w/adaptor	399.00	
Bridge File w/adaptor TOUCHBASE Worldport 2400 Modem	289.00	2
Worldport 2496 Fax Modem	255.00 499.00	4
VIDÉO 7 Vram VGA 256k	459. 00	4

We ship to APO & FPO WE WELCOME CORPORATE ACCOUNTS AND INTERNATIONAL ORDERS

4

► IMMEDIATE SHIPMENT ON PURCHASI **ORDERS FROM GOVERNMENT AND STATE AGENCIES** CITIES, COUNTIES, SCHOOL AND UNIVERSITIES Prices subject to change without notice and while stocks last. ➤ We Ship the latest versions. ➤ We accept Visa, Master card, American Express. > 2% Surcharge on American Express Please call (818) 347-9400 for an Authorization # for defective good your return will not be accepted. > Due to copyright laws we can back any software where the seal has been broken. > \$5 minimum shippi per item, less on bulk orders. > \$9 Blue Label shipping, \$3.50 C.O.D ch Heavier Items are charged accordingly. > We do not guarantee compatibility Call for prices for any software item not included in this ad. > Order desk open 7 a.m. to 5 p.m. (PST), Saturday 10 a.m. - 2 p.m. (PST). > P.O. Box 10598, Canoga Park, CA 91309 Showroom: 7959 Deering Ave., Canoga Park, CA 91304 > Customer Service 818 347 9400 General Office 347 7500

PO

Boxes

Circle 56 on Reader Service Card



A new OS/2 application guide lists hundreds of programs

his month, I come to you from Milan, Italy. I'm here to teach a seminar on OS/2. I don't speak Italian, however, so the whole class is wired up like at the United Nations. After I speak, the participants dial a language to listen to, whether Italian or French or whatever. I've thought of taking my shoe off and banging it on the table to make a point, but I'm not sure the joke would be in good taste.

Last month, I talked to OS/2 applications developers. But where are the OS/2 applications? They are finally starting to appear. I recently received my copy of IBM and Microsoft's new edition of the OS/2 Application Guide. (You can get a free copy by calling (800) 426-2468, ext. 120.) The guide shows about 800 applications, roughly half of which are currently (as of June) shipping.

What does this tell us about OS/2 applications? Well, they're out there—and in places that you wouldn't expect. They include many industry-specific applications (more of those, in fact, than any-thing else), one being a \$14,000 program that assists in designing microwave antennas. But OS/2 applications don't have to be expensive—one is under \$18.

What Do They Do?

OS/2 applications are a pretty diverse lot. There's a bunch of accounting programs—general ledger, accounts payable and receivable, inventory, payroll, order entry, and job costing. Accounting packages are not inexpensive—from \$600 for the cheapest I could find (that's about 800,000 lira here in Milan) ranging up to a \$2500 package that helps you track bad checks.

A COMPENDIUM OF OS/2 APPLICATIONS



The business category yielded a few surprises. Recently, a researcher in Great Britain wrote to me looking for a large mass-storage device that works under OS/2. I'm an Iomega Bernoulli Box fan from way back, but unfortunately Iomega hasn't released the OS/2 drivers for the Bernoulli Box yet. (The company actually has the drivers finished; I understand there are some legal niceties to get out of the way before the drivers see the light of day.) So I had to tell the researcher to wait a little longer.

Advanced Graphic Applications has a better solution: Discus, a WORM (write once, read many times) controller board and drivers for OS/2. It's not cheap at \$3600—and you have to add the WORM drive itself to the package—but the nearly limitless storage it provides could make it worthwhile for someone with truly large mass-storage needs.

Everyone knows about the weakness of the OS/2 print spooler, but I had no idea that someone had done something about the problem. Software Directions offers a "mainframe-style disk-based print spooler" (does that mean it requires lots of memory, needs a professional staff to maintain it, and you have to wait overnight for it to do anything?). It's called PrintQ and costs \$199. It supports serial printers, too.

Asynchronous Renaissance

Asynchronous communications was once an important branch of PC software, and discussions of whether to go with PC-Talk, Crosstalk, or Smartcom were common at users group meetings. The market has pretty much settled down, with several packages each holding onto its share. But OS/2 was really made for communications. One of the best parts of using OS/2 is downloading BIX traffic in the background with Logicomm while working in the foreground on BRIEF. of these that I have mentioned Logicomm before, although it's not in IBM's guide. *continued*

ITEMS DISCUSSED

BBS	HyperAccess/5\$199	PrintQ \$199
MichTron, Inc.	Hilgraeve, Inc.	Software Directions, Inc.
576 South Telegraph Rd.	Genesis Center, Suite A	1572 Sussex Tpk.
Pontiac, MI 48053	111 Conant Ave.	Randolph, NJ 07869
(313) 334-5700	Monroe, MI 48161	(201) 584-8466
Inquiry 981.	(313) 243-0576	Inquiry 985.
	Inquiry 983.	
Discus \$3600		Prolog\$650
Advanced Graphic Applications, Inc.	MsgVu\$35	Arity Corp.
90 Fifth Ave., Sixth Floor	Dave Briccetti and Associates	29 Domino Dr.
New York, NY 10011	P.O. Box 1713	Concord, MA 01742
(212) 337-4200	Lafayette, CA 94549	(508) 371-1234
Inquiry 982.	(415) 945-7565	Inquiry 986.
	Inquiry 984.	

There is a new group of asynchronous programs, as the old masters haven't made an appearance yet.

For simple terminal emulation, file transfer, and general-purpose communications, there are ChipChat (\$300), Hilgraeve's HyperAccess/5 (\$199), and Professional YAM (\$139). The only one of these that I have had a chance to try is HyperAccess. Matt Gray, president of Hilgraeve, is very convincing when he pitches the product. "We've been using OS/2 ideas like threads for years. We've implemented multitasking in our DOS version of HyperAccess, so porting to OS/2 was quite easy."

Gray says that in communications you spend a lot of time waiting. The Hilgraeve people implemented a block-oriented file transfer protocol that employs that waiting time to compress and decompress files on the fly. And it's pretty impressive. I consistently got 4000-bps throughput when using 2400-bps modems, even with the DOS version. As is the case with many companies, Hilgraeve ships both the DOS and OS/2 versions in a single package. This is a good idea in my opinion, at least for the time *continued*





	ECIALS
MDL 80 CALL CDW19	MDL 390CIN STOCK MDL 3150C& READY MDL 386/25TO SHIP MDL 386/33CALL
MDL 140FOR ALL	MDL 3150C& READY
MDL 340C PRICING	MDL 386/33 CALL
WORKS	TATIONS
AST 105X	ALL AST
AST 386SX Model 5 / Model	45WORKSTSTIONS
AST Bravo	296 \$1054.60
EARTHSTATION V40 or 28	.IN STOCK /286\$1054.60 6, Arcnet or EthernetCALL
	RD BELL
PB1000, 40 Meg\$1614.61	PB900, 12 MHz\$1198.86 PB900, 16 MHz\$1368.70
TAM	PS/2
MDL 30, 20 Meg \$1655,17 MDL 60, 40 Meg3340.15 MDL 60, 70 Meg3644.52 MDL 30286, 1 Dr. 1412.10 MDL 30286, 20 M 1929.50 MDL 50Z, 30 Meg 2876.75	MDL 555X, 30 Meg \$2899.59 MDL 555X, 60 Meg 3178.39 MDL 70, 60 Meg 3747.20 MDL 70, 121 Meg 259.84 MDL 80, 40 Meg 374.40 MDL 80, 70 Meg 5069.37
MDL 60, 40 Meg 3340.15	MDL 55SX, 60 Meg.3178.39
MDL 30286, 1 Dr. 1412.10	MDL 70, 121 Meg
MDL 30286, 20 M 1929.50	MDL 80, 40 Meg 4374.40
	7412 386,250H-4,241300.58895.99 386-20E-40 Meg4565.12 386-20E.100 Meg.5564.22 PORT II, MDL 42687.42 PORT II, MDL 422687.42 PORT III, MDL 40.3495.85 PORT III, MDL 40.3495.85 PORT III, MDL 40.3496.34 PORT 386 MDL 100 6689.74
286E. MDL 1	386-20E. 40 Meg4565.12
286E, MDL 202172.45	386-20E, 100 Meg .5564.22
386E, MDL 402453.41 386 20 MHz 130 5718 33	PORT II MDI 4 2697 42
386, 25 MHz 60 5683.90	PORT. III, MDL 20 3495.85
386S, MDL 1	PORT. III, MDL 40 3999.35 PORT 386 MDI 40 5426 24
386S, MDL 403092.84	PORT. 386 MDL 100 6689.74
T-1000\$657.95	T1600
T1200, 2 Drive 1455.74	T5100
T3100e	T5200, 40 Meg4943.62
T3200	CALL FOR ACCESSORIES
	SE
MDL 2108	MDL 2214\$1921.30
MOL 2112 Martin 121 Martin	MDL 32162060.37
Minisport	data systems
Minisport Supersport 88, 2 Dr/20 Me	data systems CALL CDW ¹⁴
Minisport Supersport 88, 2 Dr/20 Me Supersport 286, 20/40 Me	MDL 3215
Minisport Supersport 88, 2 Dr/20 Me Supersport 286, 20/40 Me Turbosport 386, 40 Meg /	data systems
Minisport Supersport 88, 2 Dr/20 Me Supersport 286, 20/40 Me Turbosport 386, 40 Meg / Turbosport 386, 40 Meg / w/	data systems
Minisport Supersport 88, 2 Dr/20 Me Supersport 286, 20/40 Me Turbosport 386, 40 Meg/ Turbosport 386, 40 Meg/.w. DRIVES, TAP	data systems
Minisport Supersport 88, 2 Dr/20 Me Supersport 286, 2/040 Me Turbosport 386, 40 Meg / Turbosport 386, 40 Meg / wi DRIVES, TAP	Idia systems .NEW!
Minisport Supersport 88, 2 Dr/20 Me Supersport 286, 2/040 Me Turbosport 386, 40 Meg / Turbosport 386, 40 Meg / wi DRIVES, TAP	Idia systems .NEW!
Minisport Supersport 88, 2 Dr/20 Me Supersport 286, 2/040 Me Turbosport 386, 40 Meg / Turbosport 386, 40 Meg / wi DRIVES, TAP	Idia systems .NEW!
Minisport Supersport 88, 2 Dr/20 Me Supersport 286, 2/040 Me Turbosport 386, 40 Meg / Turbosport 386, 40 Meg / wi DRIVES, TAP	Idia systems .NEW!
Minisport Supersport 88, 2 Dr/20 Me Supersport 286, 2/040 Me Turbosport 386, 40 Meg / Turbosport 386, 40 Meg / wi DRIVES, TAP	Idia systems .NEW!
Minisport Supersport 88, 2 Dr/20 Me Supersport 286, 2/040 Me Turbosport 386, 40 Meg / Turbosport 386, 40 Meg / wi DRIVES, TAP	Idia systems .NEW!
Minisport Supersport 88, 2 Dr/20 Me Supersport 286, 2/040 Me Turbosport 386, 40 Meg / Turbosport 386, 40 Meg / wi DRIVES, TAP	Idia systems .NEW!
Minisport Supersport 88, 2 Dr/20 Me Supersport 286, 2/040 Me Turbosport 386, 40 Meg / Turbosport 386, 40 Meg / wi DRIVES, TAP	Idia systems .NEW!
Minisport Supersport 88, 2 Dr/20 Me Supersport 286, 2/040 Me Turbosport 386, 40 Meg / Turbosport 386, 40 Meg / wi DRIVES, TAP	Idia systems .NEW!
Minisport Supersport 88, 2 Dr/20 Me Supersport 286, 2/040 Me Turbosport 386, 40 Meg / Turbosport 386, 40 Meg / wi DRIVES, TAP	Idia systems .NEW!
Minisport Supersport 88, 2 Dr/20 Me Supersport 286, 2/040 Me Turbosport 386, 40 Meg / Turbosport 386, 40 Meg / wi DRIVES, TAP	Idia systems gCALL CDW ¹⁴ gFOR LOWEST ZENITH modemPRICING IES & CARDS
Minisport Supersport 88, 2 Dr/20 Me Supersport 286, 2/040 Me Turbosport 386, 40 Meg / Turbosport 386, 40 Meg / wi DRIVES, TAP	Idia systems gCALL CDW ¹⁴ gFOR LOWEST ZENITH modemPRICING IES & CARDS
Minisport Supersport 88, 2 Dr/20 Me Supersport 286, 2/040 Me Turbosport 386, 40 Meg / Turbosport 386, 40 Meg / wi DRIVES, TAP	Idia systems gCALL CDW ¹⁴ gFOR LOWEST ZENITH modemPRICING IES & CARDS
Minisport Supersport 88, 2 Dr/20 Me Supersport 286, 2/040 Me Turbosport 386, 40 Meg / Turbosport 386, 40 Meg / wi DRIVES, TAP	Idia systems .NEW! gCALL CDW!" gFOR LOWEST ZENITH modemPRICING ES & CARDS

COMPUTERS

PLUS DEVELOPMENT 20 PLUS DEVELOPMENT 40 WESTERN DIGITAL 30 Me	Meg
PRIN	TERS
EPSC	N .
LX810CALL LQ850CDW TM FX850FOR BEST FX1050PRICE EVER CDW TM stocks all cut st	LO510
NE	C
P2200 \$344.65 P5200 509.12 DICOINIX	P5300
150P /300	\$309.17 / 475.17
TOSH	IIBA
	Expresswriter 311 \$377.16
321SL\$468.95 341SL	Expresswriter 301 328.84 CALL FOR ACCESSORIES
3015X	CALL FOR ACCESSORIES
M 17241 \$579.64	M 1700 \$284.47
M-1724L\$579.64 HR20340.60	M-1709\$384.47 HR40629.12
()(()	1414
ML 182 Turbo\$234.48 ML 172199.95 ML 380NEW LASERLINE 61292.69 ML320329.68	ML 321
ML 172199.95	ML 390
ML 380	ML 391
MI 320 329 68	ML 393 Color 1067 60
Pana	sonic
1124 \$330.19	1502 \$142.44
1595	3131
1180	1592\$142.44 3131318.30 1524
LASER P BROTHER HL-8e	\$1799.90 1699.95 / 2744.95
H D I near lot Model 2 / ID	1600.05 / 0744.05
H-P Deskiet	599.00
NEC LC890	
PACIFIC DATA 25 in 1 Cartri	dge
TOSHIBA Page Laser 12	
INTEL DUANUS &	
INTEL Above Board Plus	\$410.68 \$569.53
INTEL Above Board Plus INTEL Inboard 386/PC INTEL Visual Edge	\$410.68 \$569.53 448.39
INTEL Above Board Plus INTEL Inboard 386/PC INTEL Visual Edge INTEL Connect Co-processo	\$410.68 \$569.53
INTEL Above Board Plus INTEL Inboard 386'PC INTEL Visual Edge INTEL Connect Co-processo MATH COPF	S1799.90 .5799.90 .1699.95 / 2744.95 .599.00 .3095.60 .2479.58 .2479.58 .2479.58 COPROCESSOR5 .410.66 .489.93 .599.93 .489.93 .489.93 .489.93 .712.43 ACCESSORS .712.43
INTEL Above Board Plus INTEL Iriboard 386/PC INTEL Voual Edge INTEL Connect Co-processo MATH COPF INTEL 8087-2\$149.90 INTEL 8087-2\$149.90	\$410.68 \$569.53 .448.39 7 30CESSORS INTEL8087-3\$112.20 INTEL8087-3\$112.20
INTEL Above Board Plus INTEL Iriboard 386/PC INTEL Visual Edge	\$410.68 \$569.53 448.39 7712.43 ROCESSORS INTEL.80267.3 \$112.20 INTEL.80267.6 1076.76 \$08.60
INTEL Above Board Plus INTEL Inboard 386/PC INTEL Visual Edge INTEL Connect Co-processo MATH COPF INTEL 8087-2\$149.90 INTEL 8087-6137.30 INTEL 80287-10233.55 INTEL 80387-20399.65	\$410.68 \$569.53 448.39 *
INTEL 8087-2\$149.90 INTEL 80287-6\$149.90 INTEL 80287-6\$37.30 INTEL 80287-10223.55 INTEL 80387-20390.65 INTEL 80387-SX362.82 INTEL 80287-4395.50	INTEL8087-3\$112.20 INTEL 80287-8208.55 INTEL 80387-16389.60 INTEL 80386-25541.92 INTEL 80387-33575.20
NTEL 8087-2\$149.90 NTEL 80287-6137.30 NTEL 80287-10223.55 INTEL 80387-20390.65 INTEL 80387-3X362.82 INTEL 80C86-A395.50	NTEL 8087-3\$112.20 NTEL 80287-8
NTEL 8087-2\$149.90 NTEL 80287-6137.30 NTEL 80287-10223.55 INTEL 80387-20390.65 INTEL 80387-3X362.82 INTEL 80C86-A395.50	NTEL 8087-3\$112.20 NTEL 80287-8
NTEL 8087-2\$149.90 NTEL 80287-6137.30 NTEL 80287-10223.55 INTEL 80387-20390.65 INTEL 80387-3X362.82 INTEL 80C86-A395.50	NTEL 8087-3\$112.20 NTEL 80287-8
NTEL 8087-2\$149.90 NTEL 80287-637.30 NTEL 80287-1023.55 NTEL 80387-20390.65 NTEL 80387-25362.82 NTEL 80286-A395.50 TEL 80C86-A395.50 WYSE 50/60 Amber or Gree WYSE 55/30 Amber WYSE 967	INTEL8087-3\$112.20 INTEL 80287-8208.35 INTEL 80387-15389.60 INTEL 80386-25541.92 INTEL 80386-25541.92 INTEL 80387-33575.20 INTEL 80387-33575.20 INTEL 80387-30575.20 INTEL
NTEL 8087-2\$149.90 NTEL 80287-637.30 NTEL 80287-1023.55 NTEL 80387-20390.65 NTEL 80387-25362.82 NTEL 80286-A395.50 TEL 80C86-A395.50 WYSE 50/60 Amber or Gree WYSE 55/30 Amber WYSE 967	INTEL8087-3\$112.20 INTEL 80287-8208.35 INTEL 80387-15389.60 INTEL 80386-25541.92 INTEL 80386-25541.92 INTEL 80387-33575.20 INTEL 80387-33575.20 INTEL 80387-30575.20 INTEL
NTEL 8067.2 \$149.90 INTEL 80287.6 \$137.30 INTEL 80287.10 \$223.55 INTEL 80287.10 \$223.55 INTEL 80387.20 \$390.65 INTEL 80286.4 \$395.00 INTEL 80286.4 \$30.4000 WYSE 99GT \$\$205.00 PLOTTERS, \$\$\$205.00	INTEL8087-3 \$11220 INTEL 80287-8 20835 INTEL 80287-8 20835 INTEL 80287-15 389.60 INTEL 80386-25 541.92 INTE 80386-25 541.92 INTE 80386-25 541.92 INTE 80
INTEL 8087;2	INTEL8087.3 \$112.0 INTEL8087.4 208.55 INTEL80387.16 328.60 INTEL80387.33 575.20 INALS \$373.40 / \$300.16 \$375.90 / 294.10 334.62 DIGITIZERS NNERS NARS \$37.50 / 294.10
INTEL 8087;2	INTEL8087.3 \$112.0 INTEL8087.4 208.55 INTEL80387.16 328.60 INTEL80387.33 575.20 INALS \$373.40 / \$300.16 \$375.90 / 294.10 334.62 DIGITIZERS NNERS NARS \$37.50 / 294.10
INTEL 8087;2	INTEL8087.3 \$112.0 INTEL8087.4 208.55 INTEL80387.16 328.60 INTEL80387.33 575.20 INALS \$373.40 / \$300.16 \$375.90 / 294.10 334.62 DIGITIZERS NNERS NARS \$37.50 / 294.10
NTEL 8067.2 \$149.90 NTEL 80287.6 \$137.30 NTEL 80287.10 \$223.55 NTEL 80287.10 \$223.55 NTEL 80387.20 \$390.65 NTEL 803387.20 \$390.65 NTEL 802867.4 \$395.00 PLOTHERS, \$\$2067 & \$CAA \$\$207.50	NTEL8097-3
INTEL 8087.2\$149.90 INTEL 8028.7.6\$149.90 INTEL 8028.7.6\$17.30 INTEL 8038.7.10\$29.55 INTEL 8038.7.5\$29.50 INTEL 8038.7.5\$29.50 INTEL 8038.7.5\$29.50 INTEL 8038.7.5\$29.50 INTEL 8038.7.5\$29.50 INTEL 8038.7.5\$29.50 INTEL 80286-A\$395.50 INTEL 80286-A	NTEL8097-3
NTEL 8087.2\$149.90 NTEL 8027.7\$149.90 NTEL 8027.7\$17.30 NTEL 8028.7\$290.85 NTEL 8028.7\$200.85 NTEL 8028.7\$200.85 NTEL 8028.7\$200.85 NTEL 8028.7	NTEL8097-3
INTEL 8087-2 \$149.90 INTEL 8027-6 137.30 INTEL 80287-10 223.55 INTEL 80287-10 223.55 INTEL 80387-5X 362.82 INTEL 80386-5X 395.50 INTEL 80386-5X 395.50 INTEL 80386-A 395.50 INTEL 80387-A 39	NTEL8087-3 \$112.0 INTEL 80287-8 208.55 INTEL 80387-16 389.60 INTEL 80387-33 575.20 INALS \$373.40 / \$300.16 n \$375.90 294.10 JOIG IT IZERS NNER S Compo \$328.12 12 x 12 \$38.12 12 x 12 \$38.12 12 x 12 \$38.12 36 x 48 \$229.153 4 Button Cursor 75.00 IEN \$289.153
INTEL 8087-2\$149.90 INTEL 8087-6137.30 INTEL 80287-10222.55 INTEL 80287-10222.55 INTEL 80387-75X356.82 WYSE 50-60 Amber or Gree WYSE 50-60 Amber or Gree WYSE 50-60 Amber or Gree WYSE 99GT PLOTTERS, & SCA 1043 -5477.15 1043 -6477.15 1043 -915.06 1212[5] -349.05 Scanman PC \$168.89	NTEL8097-3 \$112.20 INTEL 80297-8 208.55 INTEL 80387-16 339.60 INTEL 80387-33 575.20 INTEL 80387-340 / \$300.16 394.62 DIGITIZERS NNERS Xomp 12 × 12 \$358.12 12 × 18 719.10 36 × 48 \$2291.53 4 Button Cursor 75.00 IS Scamma PS2 Scamma PS2 \$225.50
INTEL 8087-2\$149.90 INTEL 8027-6137.30 INTEL 80287-10223.55 INTEL 80287-10223.55 INTEL 80387-5X362.82 INTEL 80387-5X362.82 INTEL 80386 A395.50 INTEL 80387 A39	NTEL8097-3 \$11220 NTEL 80297-6 20855 NTEL 80297-6 398 60 NTEL 80397-6 398 60 NTEL 80397-76 5192 INTEL 80397-76 398 60 NTEL 80397-76 575.20 INALS 575.20 INALS 394.82 DIGITIZERS 394.82 DIGITIZERS 394.82 DIGITIZERS 394.82 Somp 12 × 18 12 × 18 719.10 36 × 48 3236.15 ITH 36 × 48 Stannan PS/2 \$225.50 Stannan PS/2 \$225.50
INTEL 8087-2\$149.90 INTEL 8087-6137.30 INTEL 80287-10222.55 INTEL 80287-10222.55 INTEL 80387-75X356.82 WYSE 50-60 Amber or Gree WYSE 50-60 Amber or Gree WYSE 50-60 Amber or Gree WYSE 99GT PLOTTERS, & SCA 1043 -5477.15 1043 -6477.15 1043 -915.06 1212[5] -349.05 Scanman PC \$168.89	INTEL8087-3 \$112.0 INTEL8087-7 208.55 INTEL80387-16 389.60 INTEL80387-23 575.20 INTEL80387-33 575.20 INTEL80387-33 575.20 INTEL80387-33 575.20 INTEL80387-33 575.20 INTEL80387-33 575.20 INTEL80387-340 / \$200.16 \$375.90 Comp 375.90 12 x 12 \$384.62 Comp 25.25.17 36 x 48 \$228.12 Scarman PS/2 \$225.50 glaphicit 12 x 18 Scarman PS/2 \$225.50 glaphicit 12 x 18
INTEL 8087-2 \$149.90 INTEL 8027-6 137.30 INTEL 80287-10 223.55 INTEL 80287-10 223.55 INTEL 80387-5X 362.82 INTEL 80386-5X 395.50 INTEL 80386-A 395.50 INTEL 80387-A 395.	INTEL8087-3
INTEL 8087-2 \$149.90 INTEL 8027-6 137.30 INTEL 80287-10 223.55 INTEL 80287-10 223.55 INTEL 80387-5X 362.82 INTEL 80386-5X 395.50 INTEL 80386-A 395.50 INTEL 80387-A 395.	INTEL8087-3
INTEL 8087-2 \$149.90 INTEL 8027-6 137.30 INTEL 80287-10 223.55 INTEL 80287-10 223.55 INTEL 80387-5X 362.82 INTEL 80386-5X 395.50 INTEL 80386-A 395.50 INTEL 80387-A 395.	INTEL8087-3
INTEL 8087-2 \$149.90 INTEL 8027-6 137.30 INTEL 80287-10 223.55 INTEL 80287-10 223.55 INTEL 80387-5X 362.82 INTEL 80386-5X 395.50 INTEL 80386-A 395.50 INTEL 80387-A 395.	INTEL8087-3
INTEL 8087-2 \$149.90 INTEL 8027-6 137.30 INTEL 80287-10 223.55 INTEL 80287-10 223.55 INTEL 80387-5X 362.82 INTEL 80386-5X 395.50 INTEL 80386-A 395.50 INTEL 80387-A 395.	INTEL8087-3
INTEL 8087-2 \$149.90 INTEL 8027-6 137.30 INTEL 80287-10 223.55 INTEL 80287-10 223.55 INTEL 80387-5X 362.82 INTEL 80386-5X 395.50 INTEL 80386-A 395.50 INTEL 80387-A 395.	INTEL8087-3 \$112.0 INTEL8087-7 208.55 INTEL80387-16 389.60 INTEL80387-23 575.20 INTEL80387-33 575.20 INTEL80387-33 575.20 INTEL80387-33 575.20 INTEL80387-33 575.20 INTEL80387-33 575.20 INTEL80387-340 / \$200.16 \$375.90 Comp 375.90 12 x 12 \$384.62 Comp 25.25.17 36 x 48 \$228.12 Scarman PS/2 \$225.50 glaphicit 12 x 18 Scarman PS/2 \$225.50 glaphicit 12 x 18
INTEL 8087;2\$149,90 INTEL 8027;6137,30 INTEL 80287;10223,55 INTEL 80287;10223,55 INTEL 80387;5X362,82 INTEL 80387;5X362,82 INTEL 80386;A395,50 INTEL 80387;A395,50 INTEL 80387;A39	ITEL 8097-3
INTEL 8087;2\$149,90 INTEL 8027;6137,30 INTEL 80287;10223,55 INTEL 80287;10223,55 INTEL 80387;5X362,82 INTEL 80387;5X362,82 INTEL 80386;A395,50 INTEL 80387;A395,50 INTEL 80387;A39	INTEL8087-3

8

In Illinois

Open terms available to approved credit

(312) 498-1426 (312) 291-1737

NEW AREA CODE 708 - EFFECTIVE 1/1/90

FAX

- 4

Δ

Credit card charges are not submitted until time of shipmen

0

VISA

DIICEVER MasterCard

Circle 61 on Reader Service Card

SOFTWARE NOVELL NETWORKING SOFTWARE STARTER KITS Entry-Level 286 Starter Kit, 4 Users Entry-Level 286 Starter Kit, 8 Users NOVELL 286 Software V. 2.15 NOVELL 200 SOTWARE V. 2.15... NOVELL SFT Netware V. 2.15... NOVELL NETPRO...... 1120.50 INTERFACE CARDS COM ETHERLINE \$375.45 ARCNET PC110 LANboard PS/2... ARCNET PC130 LANboard ARCNET PC130 LANboard412.50 ARCNET PC 13GE LANboard. ARCNET SMC 16-Bit I/le Server Board.... ARCNET SMC 16-Bit Workstation Board.... ETHERNET Interface Connector (NE1000). ETHERNET Plus Board (tor 286) (NP500). G.NET Interface Card w/Cable. NOVELL NE2000. THOMAS CONRAD 16 Port Hub. Ethernet Terminators .189.50 359.25 MONO MONITORS & CARDS 298.90 .635.35 .298.52 .394.15 .814.25 CDW** Color / Mono Cards w/P \$99.00 / 89.00 HERCULES** Color / Mono Cards w P .146.14 / 178.84 ATAT Monochrome Monitor .189.40 AMDEK 410A / 1280 .149.99 / 679.78 COMPAO Mono / VGA Mono .177.00 / 209.95 IBM PS2 8503 .209.95 SAMSUNG Amber .84.10 NEC Monograph .189.40 / 258.20 PGS MAX 12E / MAX 15 .139.40 / 258.20 PACKARD BELL Green or Amber .89.55 .378.65 Novell trained and authorized sales and support. See WORKSTATIONS under Computers. MODEMS & COMMUNICATIONS EVEREX 12008 / 24008 EVEREX 2400 Ext. / 2400 PS/2... INTEL 2400 Int. / 2400 Ext. ..\$97.90 / 184.15 ..199.80 / 205.45 ..149.75 / 176.94 COLOR GRAPHIC MONITORS IBM PS/2 8512 HAYES Color SAMSUNG RGB Col MAGNAVOX 8762.... HAYES 1200...\$278.60 2400B....\$376.45 1200B.....\$278.60 2400PS2.....\$377.15 2400.....416.09 Personal Modem....109.70 VGA & EGA PRODUCTS S948.66 __rcsiA / 9CM062 365.40 / 372.52 __rcsiSH1 H39 / 1410 282.44 / 955.50 MTSUBENT 1381 Diamond Scan 818.10 NEC Multisyric LI Palasionol Scan 818.10 NEC Multisyric LI Palasionol Scan 192.00 NEC Multisyric LI Palasionol Scan 193.00 NEC Multisyric LI Palasionol Scan 199.85 / 695.85 PACKARD BELL 8524 Enhanced VGA 399.95 PACKARD BELL 8524 Enhanced VGA 399.95 PACKARD BELL 8524 Enhanced VGA 493.33 PGS Ultrasyric 14 16 519.66 PGS Ultrasyric 14 16 519.66 VGA DISPI A*** VGA DISPI A*** **Robotics VGA & EGA MONITORS** Courier 1200\$278.60 1200 External ... 279.60 2400B...... 108.45 9600 HST...... \$129.10 Courier 2400 Dual 9600 HST MH2 MEGAHERTZ CORPORATION BATTERY BACKUP & SURGE AMERICAN .\$911.45 AME-520ES......\$409.48 ...257.72 AME-800RT.........699.19 ...395.82 AME-1200VX AME-330XT AME-450AT DataShield VGA UID: Lett Orticle \$262.98 ATI VGA Vinder 256. \$222.24 \$222.24 GENOA 5200 / 53000 305.55 / 273.20 \$202.88 / 192.05 PRAADSE VGA / VGA + 16. 220.68 / 288.33 \$201.57 / 344.25 VIDEO 7 VGA VIGA VIA VIA VGA - 312.15 / 434.25 \$201.57 / 344.25 \$555.05 SS700+. 500 Wat \$787.90 Watt 1200 Watt .962.75 S100 .59.55 6 Outlet Surge. Durant Te BPS-300 BPS-500 \$330.10 BPS-550. BPS-1200 \$499.85 EGA DISPLAY CARDS taur unt GENOA Super EGA Hi-Res 800 x 600...... NEC MVA 1024..... PARADISE Auto Switch EGA 480...... VIDEO 7 Vega Deluxe BC-450 BC-1200 BC-2000 .158.85 MISC. & ACCESSORIES CAD MONITORS & CARDS MITSUBISHI 9905.19-Inch MITSUBISHI 9905.200 MITSUBISHI 3905L80K SIGMA Laserview .99.99 VERMONT Cobra... METHEUS 1104 123 KEYTRONICS 5151 IBM or AT&T KEYTRONICS 101 133.95 94.95 -MICE LOGITECH C9 Serial /PS/2 LOGITECH BUS MICROSOFT Mouse (Bus Version)... MICROSOFT Mouse (Senal Version) MICROSOFT Mouse w/Windows... MOUSE SYSTEMS (Senial Version)... MOUSE SYSTEMS (Bus Version)... FAX MACHINES AND BOARDS CompleteFax9600\$399.50 SHARP FO-220 Quadram JT Fax9600\$27,65 SHARP FO-300 Quadram JT Fax Port.....\$29.25 SHARP FO-330 \$954.48 .1199.10 PC Magazine says..."You may find a INVITED better deal here than anywhere else." 2840 MARIA, NORTHBROOK, IL 60062 FAX (312) 291-1737 WHY WAIT? CALL COMPUTER DISCOUNT WAREHOUSE™ NOW!



BT89

\$449.40

259.05

\$243.40 ...950.50

.188.88 .219.74

\$2320.90 1835.62

1687.18

.2777.75

20.00

...\$89.95 ...94.99 ...109.34

117.25

.199

Sales 7:30-7:30 CDT Mon-Fri 9:00-3:30 CDT Sat. at 9:00-5:00 CDT Mon-Fri ded until time of sh

COW™ EXTENDED HOURS

MIN. 940

MIN-8438 MIN-3053

Seagate

SEAGATE 20 Meg. \$265.58 SEAGATE ST-251-0.\$299.56 SEAGATE 30 Meg. 279.32 SEAGATE ST-251-1...325.23 SEAGATE 4096 80..559.95

STORAGE DIMENSION

150 Meg.......\$1899.80 320 Meg Internal ..\$2317.88 320 Meg Subsystem 2995.72 520 Meg Internal5852.97

MOST ORDERS RECEIVED BY 5:00 P.M. C.D.T. SHIP SAME DAY

\$729.40

CDW

n-defective returns subject ount for cash. Allow 10 to neurosoii chack. Softwater chaps and other

when the market is undergoing the transition to OS/2.

Another example of how multitasking and communications go hand in hand is with BBSes. For years, BBS operators have looked for ways to run their BBSes (which are usually not very memoryintensive operations) in the background while they're doing other things in the foreground. Just such a thing is possible with MichTron's BBS software. It, of course, supports multiple serial ports, as any OS/2 communications application would by definition. At \$80, MichTron's product is already shipping and looks worth a try.

The final item in this category will appeal to members of electronic conferences, like BYTE's own BIX. When you start using BIX, you join a conference or conferences. For example, beekeepers might join the bee.keepers conference (I don't know if there is such a conference, but there could be-there are many conferences), or writers might join the writers conference. Some conferences are quiet, like ibm.at, which generates about 20 messages a month tops. Writers, on the other hand, can generate 20 messages an hour. Most of it is just chatter, but occasionally a nugget appears, like a useful phone number, book reference, or snippet of code.

When traffic is heavy, it would be nice to be able to save and categorize messages. Such a facility is offered by MsgVu. I tried an early version on BIX and truthfully didn't like it very much, but then I'm pretty crotchety about software. Once I find something I like, I tend to stay with it. Logicomm and Mirror serve me well in OS/2 and DOS, respectively. These programs *don't* keep track of messages, however-they just handle basic communications. MsgVu costs just \$35, making it almost as inexpensive as Logicomm.

Accounting for the Databases

Databases weigh in at 82 products. 82 products? Well, the number is a mite padded. Every accounting package on the market thinks it's a database. Even PrintQ, the OS/2 print spooler I mentioned earlier, groups itself here. Of course, all the big names are shipping already, except for Ashton-Tate.

Although, strictly speaking, Prolog is

not a database (I'll get letters on that one, but it's true), Arity's Prolog for OS/2 is good news. My DOS Prolog classes are often hampered by limited memory space, as Prolog does a lot of searching to get its work done and creates huge data structures—all of which live in RAM in the process of that work. Arity's DOSbased compiler and interpreter are among the best, so the OS/2 product will no doubt be a useful tool for professional Prologers.

I see I've run out of space already. So many packages, so little time. I'm trying to get some specifics on the new High Performance File System (HPFS) that's going into OS/2 1.2. I hope to be able to tell you about it next month. See you then.

Mark J. Minasi is a managing partner at Moulton, Minasi & Company, a Columbia, Maryland, firm specializing in technical seminars. He can be reached on BIX as "mjminasi."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.



tung, Talwan, RO.C

ETHERNET CABLE



Model
CPU
RAM
DISPLAY

Model 212 12 Mhz 80286 12 Mhz 80286 512K 0 Wait 1 Meg 0 Wait Monochrome VGA color

25 Mhz 80386 4 Megs Interleaved VGA color

\$3.195

Model 333 33 Mhz 80386 4 Megs Cache VGA color

\$4,895

Portable III-212 12 Mhz 80286 1 Meg 0 Wait Plasma CGA

25 Mhz 80386 4 Megs Interleaved Plasma CGA

\$3,495

PRICE \$1.395 \$1.895

Prices are for complete systems, including Comptuer, Monitor, Keyboard, Hard Disk, DOS, Documentation, and 1 Year Warranty

All Desktop Systems Include:

- Compact Case 17" w x 7.25"h x 14"d
- 8 Expansion Slots, 5 Full Length Free
- 5 Drive Slots, 3 free Teac 1.2 or 1.4 Meg Floppy (add \$95 for both)
- Trident VGA Card, 100% register compatible, up to 1024x768

- Keytonics 101 Key US Made Keyboard
 2 Serial Ports, 1 Parallel Port, 1 Game Port
 Seagate 40 Meg 28 ms MFM (ST-251-1) Hard Disk

MS-DOS 3.3 or 4.01 with Manuals

Monitor Upgrades

Model	Monitor	Resolution	Dot Pitch	Price
VGA-41	Packard Bell	640x480	.41	Standard
VGA-31	CTX	640x480	.31	Add \$30
VGA-IIA	Nec-IIA	800x600	.28	Add \$290
VGA-3D	Nec-3D	1024x768	.24	Add \$425
Mono	Packard Bell	720x348	.29	Subtract \$450

	Hard	Disk	Upgrad	es
Model	Size	Access Time	Controller Type	Price
ST-125-1	20 MB	28 ms	MFM 1:1	Subtract \$85
ST-251-1	42 MB	28 ms	MFM 1:1	Standard
ST-277N-1	66 MB	28 ms	SCSI 1:1	Add \$60
ST-277R-1	66 MB	28 ms	RLL 1:1	Add \$95
ST-296N-1	85 MB	28 ms	SCSI 1:1	Add \$245
Microscience	121 MB	28 ms	ESDI 1:1	Add \$700

Bitwise — Building and servicing PCs since 1985. Questions? Call Us! we understand what we sell! Shipping — You pay UPS Shipping Charges only, F.O.B. Troy, NY, no surcharges. Full 1 Year Parts & Labor Warranty, 30-day money back guarantee. These are cash or check in advance prices. VISA, MC, DISCOVER, welcomed (2% surcharge). COD, add 1.5%. Personal Financing and Corporate Leasing Available.

All Portable Systems Include: • Portable Case 15''w x 9''h x 8''d (20 lbs empty)

- · High Contrast Plasma Screen (call for LCD prices)
- 5 Expansion Slots, 3 Full Length. 2 slots free in 2 drive system
 3 Drive Slots, Teac 1.2 or 1.4 Meg Floppy (add \$95 for both)
 40 Meg ST-251-1 Self Parking 28 ms hard disk standard

\$2,195

- ALL Hard Disk Upgrades available (see table)
 Simultaneous Display on screen and external monitor
 MS-DOS 3.3 or 4.01 with Manuals

Plasma Display Upgrades

Model	Screen	Resolution	Gray Scales	Price
CGA	640x400	640x200	4	Standard
EGA	640x400	640x350	4	Add \$290
VGA	640x480	640x480	16	Add \$540



1-800-367-5906 518-274-0755 Fax 518-274-0764

Bitwise Designs Inc. 701 River St. Trov. NY 12180-1233





User Jeff Garbers, Crosstalk Communications' Director of Software Development, has been debugging with Periscope® Model IV and says, "The hardware really makes Periscope shine, especially when you've got timing-related problems. I can now track down changing pointers and altered buffers on my 386. I've been using it to debug Crosstalk® Mk. 4 and there's just no better way to do it."

Periscope IV gives you the ability to debug time-sensitive programs, hardware-interrupt routines, and programs with intermittent errors. You can run your program at full speed while tracking down unwanted memory overwrites. You can use the information captured in Periscope IV's real-time trace buffer to see EXACTLY what the system is doing, and to improve its performance.

Periscope manual, disk, quick-reference card, and 512K Plus board that provides writeprotected RAM for Periscope Models I, III, and IV. Periscope Periscope

A New Generation of Hardware-Assisted Debugging

Compatible with virtually any 286 or 386 with an AT-style bus, Periscope IV works on machines running up to 25MHz with any number of wait states. Because it gets information directly from the CPU, instead of from the system bus, Model IV is not sensitive to bus compatibility issues.

Periscope IV collects CPU information in its hardware trace buffer while the CPU runs at full speed. Whether you tell Periscope IV to capture just selected information or to capture everything, you can use its powerful trace buffer commands to search for and display the execution history the way you need to see it. And you can use the CPU cycle count information to get the last bit of performance out of your code.

With Periscope IV you can set hardware breakpoints on memory accesses (within the first 16MB), I/O ports, and data. You can also set breakpoints on the occurrence of specific sequences of events, such as 'watch for the routine FOO to begin executing, then while it is, watch for the variable BAR to be written.' This capability, called sequential triggering, enables you to define complex conditions, then stop your program and examine what has happened when these conditions occur.

If you're developing a large application that needs all of the lower 640K, you can use the optional Plus board to keep Periscope totally out of normal DOS memory. The Plus board requires the use of a second slot.

The Periscope IV software is an extension of the software that comes with all models of Periscope. So, along with Periscope IV's powerful hardware, you get a full-function software debugger with source and symbol support for most popular PC compilers and linkers, Microsoft[®] Windows support, PLINK overlay support, dual monitor support, support for debugging device drivers and TSRs as well as regular programs, DOS independence, crash recovery, ease-of-use, and much more.

Prices on Periscope range from \$145 for software-only Model II-X to \$2,995 for a 25MHz 386 hardware-assisted Model IV. Call 800/722-7006 for pricing details, free information, to talk about your debugging needs, or to order your Periscope.



Order Your Periscope, Toll-Free, Today! 800-722-7006

MAJOR CREDIT CARDS AND QUALIFIED COMPANY PURCHASE ORDERS ACCEPTED

1197 PEACHTREE ST.

A7A

FAX 404/872-1973

GA 30361

404/875-8080



"No matter what your debugging needs, a single call to the Periscope Company has always sufficed..."

Ross Creenberg "Best of 1988" (Development Tools) PC Magazine, January 17, 1989

Circle 205 on Reader Service Card (DEALERS: 206)

Company, Inc.

eriscope

The

EXPERT ADVICE MACINATIONS Don Crabb



CRIMES OF THE HEART?



of its 1990 fiscal year, which will be starting about the time that you read this column. Rather than talk about the products that Apple expects to announce for 1990 availability, I want to push the discussion even further. It's time for me to unveil my Mac wish list. What do I want to see in new Mac products for 1990 and beyond?

The first Mac on my wish list is a natural: a new low-end computer designed to replace both the Plus and the SE. I've called this machine the Mac Classic before, and that's a name that befits its position in the product line.

The Mac Classic would have a modular design, based on the design-formanufacturing (DFM) methods used in the IIcx. In order to make it easily transportable, it would consist of two units, one each for the CPU and the monitor, plus the keyboard. This could all be fastened together for carrying.

The CPU unit would contain a 16-MHz 68020 processor and single-in-linememory-module (SIMM) slots for up to 8 megabytes of RAM. This unit would be the size of the current 80-megabyte external Apple SCSI hard disk drive, but it would weigh less. Its basic configuration would have 2 megabytes of RAM, so that System 7.0 would run (albeit without virtual memory). It would also have an FDHD floppy disk drive and a 20-megabyte small-format hard disk drive. Two Apple Desktop Bus (ADB) ports, two serial ports, a floppy disk drive port, a SCSI port, and a sound port complete the unit.

Oh, yes, there would also be a processor expansion port. Not an internal expansion slot. Forget that nonsense. The Mac Classic would be an information appliance, just like the original 128K-byte Mac. When you want to slice tomatoes with your food processor, you don't have to open the case and install a new motor (possibly damaging the components inside). You simply install a new blade. *continued*

Views on yesterday's follies and hopes for tomorrow's machines

am writing this column not long after someone stole and disseminated the source code to some of Apple's Macintosh ROM. As bad as this crime is (and let's make no mistake about it, this is a *crime*), the real tragedy is what it does to the people who work at Apple. People, many of whom are my friends and who have been loyal Apple employees for years, have come under suspicion. Apple has always been a tough place to work: too much hurry up and wait; too many changes in product direction, development, and marketing; and too many reorganizations. This latest incident just makes life tougher for Apple employees.

I'm appalled at the idiots who stole and disseminated this code and then had the gall to link themselves with some greater good. A criminal act is just that, no matter what the intentions might have been. Cloaking themselves in the banner of "open software" and spouting off about "freedom from the tyranny of proprietary operating systems" is a load of rubbish, nothing more.

These criminals have represented themselves as members of the nuPrometheus League. My hope is that when they are caught (and they will be, after many innocent Apple employees are harassed in the process), their punishment fits the crime. Recall that the Greek god Prometheus was chained to a rock for eternity by Zeus, while a vulture picked over his liver. I hope the nuPrometheus League meets a similar fate.

Don's Wish-List Macs

By all signs, Apple expects to make a big marketing push during the first quarter

Likewise, you shouldn't have to open up your Mac Classic to install some new gizmo, like a floating-point chip.

This processor expansion port allows expansion doodads to be attached as easily as hooking up a second floppy disk drive or an external hard disk drive. Apple should sell an externally powered expansion chassis to hold multiple expansion boards, and it should encourage third-party vendors to create stand-alone accessories that would connect to the expansion port.

The monitor unit would contain the monitor's analog driver board and a 9inch monochrome monitor. You would attach the monitor to the CPU box through some sort of sliding/docking catch that would incorporate the power and data connections (although separate ports would be available if you wanted to separate the CPU from the monitor with a cable). The mouse and keyboard would be one of the standard ADB keyboards that Apple now provides.

The Mac Classic would not have color or gray-scale capabilities built in (though they could be easily added), nor would it have many configurations, keeping in mind its price tag and its intended audience. The street price for the Mac Classic should be around \$900, with pricing for students falling around \$700.

This machine would replace the current Mac Plus and perhaps the SE, and it would likely sound the death knell for the Apple II line. Of course, these are all marketing reasons why Apple might not produce a Mac Classic or might delay its availability. Given IBM's premature dropping of its own AT system, Apple is likely to give market concerns more than mere lip service before unveiling any machine as tempting as my Mac Classic.

The Hyper Mac

OK, I admit it. I'm getting sick of Apple being handed its technological lunch by workstation vendors like NeXT and Sun. Don't get me wrong, I like the NeXT cube and the technology that it represents. And I wouldn't be able to get through a day without Midas, my trusty Sun-3/50NFS workstation. Then there are the new SPARCstations. These are impressive machines at impressively low prices. But they're still not Macs. The NeXT cube and the Suns won't run my



huge library of Mac software. And their interfaces, while sporting many new and clever features, aren't as battle-tested and easy to use as the Mac's.

It's time to unleash a Hyper Mac! This would be a single-user machine running the Mac OS. Apple doesn't need to get involved in fighting Sun on Sun's terms. Sun has the Unix expertise and experience to win that battle, as the current nonsales of A/UX sadly point out.

The Hyper Mac would be a high-end machine capable of running existing 32bit clean Mac software. It would be a six-slot machine, based on a new DFM design center that would clean up the existing Mac II family chassis and motherboard designs. As many components as possible would be surfacemounted to the motherboard, including the CPU. The chassis would also incorporate a beefed-up power supply, providing enough juice to power six NuBus cards without even flinching.

Now to the Hyper Mac's guts. Naturally, this baby will need a new ROM. Apple might as well make it a full megabyte, even if its software aces don't need all that space for now. The Hyper Mac's heart will be a very fast CPU, one that can compete with the likes of Sun's SPARC chip. Better make it a 68040 running at 40 MHz. Apple will want to toss in some kind of static RAM cache to optimize the performance of this fast processor.

There's no point in having this kind of raw computing horsepower tied to a 10-MHz NuBus. So the Hyper Mac will have a NeXT-class NuBus, running at least at 25 MHz, faster if the hardware gurus can pull it off. And direct memory access. Lots of it.

DMA is sorely missing on existing Macs and is one reason that real-time computing applications aren't being written for the Mac. The Hyper Mac's DMA channels will fix that.

How about RAM? Lots of it, virtual memory notwithstanding. We're talking minimum disk paging here. Thus, the Hyper Mac will have 16 SIMM sockets, for 16 megabytes of RAM when using 1megabit-density SIMMs. Using 4-megabit-density SIMMs, the Hyper Mac could pack in 64 megabytes of RAM, enough for serious computing, even real-time stuff like shaded color animations that pump out 75,000 polygon transformations per second. Apple shouldn't sell the Hyper Mac with anything less than 8 megabytes of RAM.

How about an optical disk drive? Not yet. Apple should let NeXT and Canon continued

You know exactly what your company wants in a color printer.

LightSpeed 9624E LightFax 9624 9600 baud modem

superior fax/modem



shipping \$7.00

\$799.00

True 9600 bps modem, V.32, full duplex.

9600/4800/2400/1200/300 bps MNP Class 5 error correction & data compression for data flow up to 19.2 Kbps Fully CCITT V.32/V.22bis/V.22, Bell 212A/103J compliant. Auto speed detection Extended AT command set Non volatile memory storage Cable and software included (specify PC or MAC)

Synchronous and asynchronous modes



\$499.00 shipping \$7.00 ° 9600 baud fax compatible with all Group 3 fax machines 2400 baud modem 100% Hayes™ compatible. Switch from fax to modem with one command Excellent picture quality, superior to standard fax Fax directly from application or from flexible text/graphics editor Full status lights in fax or modem mode Compatible with all PCs and MACs Powerful software for scheduled sending, broadcasting, file queuing etc. Complete with fax and modem software and cable (specify PC or MAC)

Never buy another ribbon! Re-ink with MacInker[™] fabric

over 100,000 sold

Universal Cartridge MacInker reinks most cartridges with appropri-ate adapter. Universal Spool MacInker re-inks all spools

Operation is very simple and automatic

Extra dark, lubricated ink yields better than new print quality

Ink's cooling and lubricating effect extends printhead life

Average cartridge can be re-inked 60-100 times at 5 cents/re-inking

Multicolor Adapters for multiband cartridges (Rainbow, Imagewriter, Epson, NECs, Okidata etc.)

Dedicated MacInkers available for special cartridges and Band Printers

Customers vary from individuals to Fortune 500 Corporations, reporting documented savings of \$30,000/year with MacInker



Universal Cartridge MacInker shown with Epson cartridge

\$68.50

ANY

Universal Cartridge MacInker68.50 Multicolor Adapter (specify printer) 40.00 Epson only MacInker mod. 271EP42.00 Imagewr. only MacInker mod. 234 IM..42.00 Heat Transfer Adapter25.00 Colored ink bottle4.00 ex. reservoir. 5.00 All MacInkers delivered complete with bottle of ink, ink meter, reservoir, reservoir cover. Go color !! Single & multicolor, standard and heat

transfer cartridges available: red, green, blue, brown, purple, yellow, orange, white, silver and gold. Indelible and OCR ink cartridges available.

Call for free catalog

Order Toll Free 1-800-547-3303

in Oregon (503)626-2291

Satisfaction or 30 day refund - Immediate shipment - Major credit cards - POs from national accounts

fax (503)643-5379

Computer Friends, Inc.

14250 NW Science Park Dr. Portland OR 97229

Circle 62 on Reader Service Card

telex 4949559 CF

get those systems up to snuff in terms of speed and maybe include them in Hyper Mac II. For now, Apple should stick with small-format hard disk drives. The base configuration would come with one 160megabyte unit, although the chassis could hold four, plus two FDHD floppy disk drives for quick backups and reading in data and software.

Anything else? The usual SCSI, serial, sound, and ADB ports. The SCSI port should have a faster transfer rate. Oh, and Apple should also throw in a better sound chip than its current Mac II sound chip, maybe a digital signal processor chip. In fact, I vote for a DSP chip.

And Ethernet. Not a NuBus slot-wasting Ethernet card, but built-in Ethernet on the motherboard. Make it thin and thick Ethernet, please (don't make NeXT's mistake on that one).

Is that it? Not quite. I'd also want built-in video. No more of this extra video-card expense. Apple should have built-in video with the same 8-bit highresolution colors found on the SPARCstations. The built-in video should be capable of driving monochrome and RGB monitors, including full-page and twopage units. If you want 16- or 24-bit color, you could add a NuBus card loaded with video RAM.

Quite a machine, eh? Wait until you hear the price Apple should sell it for. Under \$10,000 for a base configuration (19-inch monochrome monitor, extended keyboard, mouse, 8 megabytes of RAM, and a 160-megabyte hard disk drive). I can hear the screaming in Cupertino now. But consider the competition: The NeXT cube sells at Businessland for under \$10,000, and SPARCstations can also be had in many versions for under \$10,000. Those are the real price points the Hyper Mac must attack.

OK, Apple. There you have it. Two new machines on my Mac wish list. Building either one would reassert your technological prowess in the marketplace and capture sales now going to your competitors. Building both of them might just put some of your competitors back where they started: as niche vendors.

Don Crabb is the director of laboratories and a senior lecturer for the computer science department at the University of Chicago. He is also a contributing editor for BYTE. He can be reached on BIX as 'decrabb."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

Monet, not money.



Who says fine art is out of reach? The HP PaintJet color printer produces brilliant color for a price any business can afford.

So now there's no limit to what you can create



with your business communications. Surprise your audience with thousands of colors. Beamed up on an overhead. Or tucked neatly into a report. Persuading people up to 85% more effectively than black and white.

The PaintJet works with all your favorite graphics, presentation, spreadsheet and word processing software. Just hook it up to your IBM-compatible or Macintosh computer and start painting. For only \$1395 (add \$125 for the Macintosh interface).

Call **1-800-752-0900 Ext. 711K** for your nearest authorized HP dealer and a free sample output. The HP PaintJet. It's what artists are starving for.

There is a better way.



Circle 118 on Reader Service Card

Our Swans make waves.



The Swan line of computers is creating waves of excitement among computer users. One reason is price. Swan computers are true bargains, offering you the most for your investment. But price doesn't tell the complete value story.

Swan computers are solid, reliable performers ... assembled by Tussey Computer Products, a solid, reliable company with a tradition of unsurpassed customer satisfaction.

Swan computers are highly compatible. In fact, all Swan computers feature the top-rated Phoenix ROM BIOS to assure 100% PC compatibility. And the benefits keep coming, wave after wave . . .

30-Day Satisfaction Guarantee

If you're dissatisfied with any Swan brand name product, you can return it within 30 days from the date of shipment and get your money back. No questions asked.*

Toll-free Technical Support

When you own a Swan, you can call our toll-free number and be in touch with our expert technical and service staff. They'll answer your questions and help you take fullest advantage of your system's capabilities.

Full 1-Year Warranty

Every Swan brand name product is backed by a full 1-year warranty on parts and labor. A second year of coverage is available through the Swan Extended Warranty (SEW). Ask for details when you order your Swan.

Fast, Sure Delivery

You want your Swan up and running and doing its job for you. Fast. So any order we receive before 4 p.m. EST is shipped the same day. Even orders received after 4 p.m. are shipped within 24-hours.**

We also insure your order at no cost to you. And we don't charge your credit card until your order is actually shipped.

Convenient On-Site Service

Swan offers you the valuable option of on-site service from Sorbus[®], a Bell Atlantic[™]Company. When your computer needs serviced, an experienced technician will be dispatched to your site quickly, minimizing downtime, maximizing convenience and value.

Swans make waves in business and education.

Swan offers a full line of services tailored to the needs of educational and corporate computer users. Call our Educational & Corporate Sales Department toll-free at 1-800-468-9044. Learn how a Swan can be a business animal ... or a teacher's pet.

Swans make waves in the computer industry.

With their compatibility, reliability and performance, Swans add up to value for their owners. So it's no surprise that Swans are making waves in the computer industry. Waves that may make some competitors run for safer ground.

Read what computer journals are saying ...

" ... If you enjoy getting the most performance for your dollar, the Swan ... is a good alternative" to showy, more expensive brand names.

— Computer Shopper, April 1989

"The excellent manual and 30-day money-back guarantee both indicate that Tussey Computer Products values customer service." — PC Resource



Swan 386/20D

"Tussey's Swan 386/20 flies."

— Computer Shopper, April 1989 Gracefully combining power and performance, this Swan has soared to the upper limits of today's technology.

- 80386-20 20/8 MHz Norton SI 22.0
- MS-DOS^{*}, OS/2^{*} & UNIX^{*} Compatible
- Phoenix BIOS
- 1MB of 32-Bit RAM Expandable to 16MB of 32-Bit RAM
- Shadow RAM for Video & BIOS
- Memory Interleave for near 0 Wait State
- 80287 & 80387 Co-processor Socket
- 200W Power Supply
- 5 Device Bays: 3 Exposed, 2 Internal
- 1.2MB 5.25" or 1.44MB 3.5" Floppy Drive
- Dual Floppy/Dual H.D. Controller w/1:1 Interleave
- Ports: 2 Serial, 1 Parallel
- 8 Expansion Slots: 1) 32-bit, 4) 16-bit, 3) 8-bit
- Enhanced 101 Key Keyboard
- Clock Calendar w/Battery Backup • Swan Setup & Utilities Diskette
- Options:
- 80287 or 80387 Co-processor
- Upgrades: 2, 4, 8, 10 or 16MB
- GW BASIC/MS-DOS add \$89

\$1899

Base System with Single Floppy, No Video

386/20D	VIDEO OPTIONS Include Monitor & Video Adapter			
Drive Options	Mono	14" Flat Mono	VGA Mono	VGA Color
w/48MB (28ms) & 1:1 Interleave	\$2399	\$2448	\$2598	\$2898
w/80MB (28ms) & 1:1 Interleave	\$2749	\$2798	\$2948	\$3248
w/150MB (18ms) ESDI w/1:1 Interleave	\$3394	\$3443	\$3593	\$3893

Tower Case Option for 386/20 w/230W power supply add \$300

* Items returned must be as-new, without modification or damage. All warranty cards, manuals and packaging must be included. Return shipping must be be prepaid and insured, bearing a RA (Return Authorization) on the shipping label. Sorry ... shipping charges and upgrade fees are not refundable.

** Custom configured systems may take longer.





Swan 386SX

This system gives you 386 compatibility, power and performance ... at a 286 price.

- 803865X 16/8 MHz Norton SI 17.6
- MS-DOS*, OS/2* & UNIX* Compatible
- Phoenix BIOS
- 1MB RAM Expands to 8MB on Systemboard Shadow BIOS
- Memory Interleave for near 0 Wait State 80387SX Co-processor Socket
- 200W Power Supply
- 4 Device Bays: 3 Exposed, 1 Internal
- 1.2MB 5.25" or 1.44MB 3.5" Floppy Drive
- Dual Floppy/Dual H.D. Controller
- w/1:1 Interleave
- Ports: 1 Serial, 1 Parallel
- 8 Expansion Slots: 6) 16-bit, 2) 8-bit
- Enhanced 101 Key Keyboard
- Clock Calendar w/Battery Backup
- Swan Setup & Utilities Diskette
- **Options:**
- 80387SX Co-processor
- Upgrades: 1.5, 2, 3, 4, 5, 6 or 8MB
- GW BASIC/MS-DOS add \$89

Base System with Single Floppy, No Video

386SX	VIDEO OPTIONS Include Monitor & Video Adapter			
Drive Options	Mono	14" Flat Mono	VGA Mono	VGA Color
w/32MB (40ms) & 1:1 Interleave	\$1799	\$1848	\$1998	\$2298
w/48MB (28ms) & 1:1 Interleave	\$1899	\$2048	\$2198	\$2498
w/80MB (28ms) & 1:1 Interleave	\$2249	\$2298	\$2448	\$2748
w/187MB (18ms) ESDI w/1:1 Interleave	\$2894	\$2943	\$3093	\$3393

Toorder: No surcharge on Discover, Visa, MasterCard or AMEX. • Your credit card is not charged until your order is shipped. Shipping: 3% or \$\$ minimum for UPS Ground. Call for shipping Shipping: 3% or \$5 minimum tor UPS Ground. Call for shipping charges on Express Air. APO, FPO, AK, H1 and all foreign orders. • If part of your order is backordered, the remainder will be shipped UPS Ground.• Allow 2 weeks for personal and company checks to clear. • Defective items replaced or repaired at our discretion.• PA deliveries add 6% sales tax.• Prices and terms subject to change without notice





3075 RESEARCH DRIVE . STATE COLLEGE, PA. . 16801



Swan 286/12

You probably never thought you could get into a reliable business system this inexpensively. But with the 286/12, you can. Now.

- 80286 12.5/6.25 MHz Norton SI 12.3
- MS-DOS* & OS/2* Compatible
- Phoenix BIOS
- 512K of RAM Expandable to 5MB
- Shadow BIOS
- 0 Wait State
- 80287 Co-Processor Socket
- 200W Power Supply
- 5 Device Bays: 3 Exposed, 2 Internal
- 1.2MB 5.25" or 1.44MB 3.5" Floppy Drive
- Dual Floppy/Dual H.D. Controller
- Ports: 1 Serial, 1 Parallel
- 8 Expansion Slots: 6) 16-bit, 2) 8-bit
- Enhanced 101 Key Keyboard
- Clock Calendar w/Battery Backup
- Swan Setup & Utilities Diskette
- **Options:**
- 80287 Co-processor
- Upgrade to 640K, 1, 2, 3 or 5MB
- GW BASIC/MS-DOS add \$89



Base System with Single Floppy, No Video

286/12	VIDEO OPTIONS Include Monitor & Video Adapter			
Drive Options	Mono	14" Flat Mono	EGA	VGA
w/32MB (40ms) & 1:1 Interleave	\$1299	\$1348	\$1698	\$1798
w/48MB (28ms) & 1:1 Interleave	\$1399	\$1448	\$1798	\$1898
w/80MB (28ms) & 1:1 Interleave	\$1749	\$1798	\$2148	\$2248



Swan XT10

The perfect budget-priced home computer. A solid, reliable, compatible performer.

- 10/4.77 MHz 8088-1
- Phoenix BIOS
- 640K of RAM
- 0 Wait State
- 8087 Co-Processor Socket
- 150W Power Supply
- 4 Device Bays: 2 Exposed, 2 Internal
- Single 360K Floppy Drive
 Ports: 1 Serial, 1 Parallel, 1 Game
- 8 Expansion Slots
- Enhanced 101 Key Keyboard
- Clock Calendar w/Battery Backup
- Swan Setup & Utilities Diskette
- **Options:**
- 8087 Co-processor
- 3.5" Floppy Drive
- GW BASIC/MS-DOS add \$89



Base System with Single Floppy, No Video

XT10	VIDEO OPTIONS Include Monitor & Video Adapter			I S dapter
Drive Options	Mono [†] CGA EGA		EGA	VGA
Single Floppy	\$699	\$869	\$1098	\$1198
Dual Floppies	\$779	\$949	\$1178	\$1278
*w/32MB (40ms) Hard Drive	\$979	\$1149	\$1378	\$1478

* Includes Single 360K Floppy Drive 1 Upgrade from 12" to 14" Flat Screen, add \$49

-800-468-9044 FAX: 814-237-4450 • International: 814-234-2236

Order Now Toll-Free

a division of

BODU

Make a mating

Get real compatibility. Call our toll-free number and our expert staff will mate you with hardware, software, or peripherals to fit your unique needs. And at a price you'll love.

And when you shop Swan, you'll get the benefits of a strong, supportive relationship:

- We won't charge your credit card until your order is shipped.
- Orders received before 4 PM EST will be shipped same day ... and each order is insured at no cost to you.
- You'll deal with a financially sound, respected company.
- We'll be here after the sale to help you.

PRINTERS

• Software orders over \$100 and accessories under 6 pounds will be shipped Federal Express.







1180 (192 cps, 80 col, 9-pin) \$179 \$Call 1191 (240cps, 80 col, 9-pin) . 1124 (192cps, 80 col, 24-pin) \$329 1595 (240cps, 132 col, 9-pin) ... 1524 (240cps, 132 col, 24-pin) \$449 \$560 1624 (192cps, 132 col, 24-pin) ... \$Call 4450 (11ppm laser printer) . \$1375





NX-1000 Rainbow \$229 (144cps, 80 col. 9-pin). \$349

NX-15 (120cps, 132 col, 9-pin) NX-2400 (170cps, 80 col, 24-pin) \$Call



Panasonic

KX-P4450\$13	375
Hewlett-Packard	
LaserJet Series II	
• 8 ppm/512K\$12	49
LaserJet Series IID\$C	all



LX-810 (180 cps, 80 col, 9-pin)\$189 FX-850 (264cps, 80 col, 9-pin)\$Call FX-1050 (264cps, 132 col, 9-pin)

OKIDATA



\$469 \$469 391 (270cps, 132 col. 24-pin) \$659 393 (450cps, 132 col, 24-pin) \$Call

Citizen	
20D (120 cps/9-pin)\$159	
180D (180cps, 80 col, 9-pin) \$179	
Diconix	
150+ (180cps, 80 col)\$345	
300 (300cps, 80 col)\$399	
Hewlett-Packard	
Hewlett-Packard Deskjet (240cps, 80 col)\$599	
Deskjet (240cps, 80 col)	
Deskjet (240cps, 80 col)\$599	
Deskjet (240cps, 80 col)	

P2200 (170cps, 80 col, 24-pin) \$359 P5200 (265cps, 80 col, 24-pin) \$529 P5300 (265cps, 132 col, 24-pin) \$689



TTL Monochrome

- RGB/CGA-

EGA -

– Multisync ·

-VGA

PC ADD ON BOARDS

RAM Card XT or AT \$Call

I/O card XT or AT \$79

intel

BOARDS AboveBoard Plus AboveBoard Plus I/O ...

Call for Daughterboard Pricing

3075 RESEARCH DRIVE . STATE COLLEGE, PA. . 16801

Connection Co-processor InBoard 386/PC

NEC Multisync 3-D NEC Multisync Plus

Magnavox 7749 (Grey Scale) ... Magnavox 9082

NEC Multisync 2a

TOPS/DOS 2.1

Teleconnector

Flashcard

.....

..... \$99

\$89

\$240

\$349

\$349

\$Call

\$Call

\$429

\$349

\$129

\$429

.\$119

\$169

584

\$159

\$119 \$129

\$189

\$214

\$379

\$479

SCall

\$399

\$589

a division of

.... \$Call

\$119

SCall

\$699

......\$289

Magnavox 7623 Amber Packard Bell with tilt/swivel

Magnavox 8762

Packard Bell 1431

Amber or Green ...

Magnavox 8515

Imtec 1453

Sony 1304 ...

Amdek 732

Boca

Micron

TOPS

Net Print

8087

8087-1

8087-2 80287

80287-8

80287-10

803875X 80387-16 80387-20

80387-25

80387-33

Imtec 1453 O ...

Magnavox 9053



EGA ATI EGA Wonder 800 Paradise Swan EGA \$169 VGA -ATI VGA Wonder \$Call Orchid Pro Designer VGA\$319 Pro Designer VGA +\$Call Paradise Paradise VGA + \$249 VGA Professional\$Call VGA + 16\$299 Swan VGA \$199 Video 7 VEGA VGA . \$279 Fast Write VGA \$360

- MISC.-Swan

TOSHIBA LAPTOPS

T1200 (10MHz) .. .\$1379 T1600 (12MHz/20MB) .. T3100e (12MHz/20MB) \$3259 \$2749 Call for other Toshiba models

DISKS

3.5" 5.25" RONUS חח/פח \$6.95 \$9.95 MAXELL DS/DD \$19.95 VERBATIM DS/DD \$19.95 \$9.95 \$19.95 SONY DS/DD \$10.95



Seagate ST 157R Hard Drive 48 MB formatted 3.5" Technology

FLOPPY DRIVES

360K

\$74

\$62

PC HARD DRIVES

KYOK

KL320 20MB (40 ms) \$219/\$259* KL330 32MB (40 ms) \$249/\$299*

MiniScribe

8438 30MB (68 ms)\$249

3053 40MB (25 ms) \$449

Seagate

ST-225 20MB (65 ms) \$219/\$259"

ST-238 30MB (65 ms) \$249/\$299

ST-125 20MB (40 ms) \$249/\$299

ST-151 40MB (24 ms) \$439

ÍMPRIMIS

CONTROL DATA

150MB ESDI (16.5 ms) .. \$1299/\$1495*

*Kit Price - includes cables, controller

....\$599

\$629

ST-4096 80MB (28 ms) ...

and mounting screws.

80MB (28 ms)

\$109

\$99

<u>1.2MB</u> \$89

\$73

- Call for Quote

Mitsubishi

3.5" (720K)

3.5" (720K)

<u>OTY</u> 1-3

4-9

104

3.5" (1.44MB)

Roctec 5.25"-

Sony

3.5" (1.44MB)

with Adaptec RLL Controller 1:1 Interleave Supports 2 Hard Drives & 2 Floppy Drives

\$489

Call Today & Ask For Our Free Catalog

Order Now Toll-Free 1-800-468-9044 S=BTJ2 FAX: 814-237-4450 • International: 814-234-2236

Open: 8a.m.-11p.m. M-F, 10a.m.-8p.m. Sat, 12p.m.-8p.m. Sun TUSSEY COMPUTER PRODUCTS

call. 1-800-468-9044



AMERICAN	LOGITECH
Design CAD 3.0 \$155	Finesse
Design CAD 3-D \$209	LOTUS
ASHTON-TATE	Agenda
dBase III+/IV \$Call/\$459	123 v 2.01/3.0 \$299/\$Cal
	Freelance Plus
BEDFORD	Magellan
Integrated Accounting\$139	Symphony
Toolbox\$Call	
BLOC PUBLISHING	MERIDIAN
Personal Lawyer\$39	Carbon Copy Plus \$11
Popdrop\$34	MICROSOFT
Formfiller \$89	Excel\$Cal
Formtool	Flight Simulator 3.0\$3
BORLAND	MS-DOS & GW BASIC \$Cal
Paradox 3.0	Quick BASIC \$6
Quattro	Quick C\$6
Turbo C 2.0	Quick Pascal \$Cal
Turbo C Professional \$159	Windows 286/386 \$64/\$12
Turbo Lightning \$69	Word 5.0\$Cal
Turbo Pascal 5.5	Works
Turbo Pascal Professional \$169	PETER NORTON
BRODERBUND	Norton Commander\$5
Print Shop\$34	Norton Utilities\$5
Print Shop Companion \$37	Norton Advanced Utilities
CENTRAL POINT	OUARTERDECK
Copy II PC \$27	DESQView/DESQView 386 \$79/\$11
Deluxe Option Board\$109	QEMM \$3
PC Tools Deluxe 5.1 \$49	REFERENCE SOFTWARE
	Grammatik III
COMPUTER ASSOCIA FES	SAMNA
Supercalc5\$Call	Ami/Ami Pro \$99/\$Cal
COREL	
Corel Draw\$289	SOFTWARE PUBLISHING
DAC SOFTWARE	First Publisher
Dac Bonus Pack \$119	Harvard Graphics \$Cal
Dac Easy Accounting\$59	PFS First Choice 3.0
Dac Easy Light\$45	SYMANTEC
Dac Easy Payroll \$59	Grandview\$19
Lucid 3-D \$69	Q & A\$20
Call for Pricing on Tutors	Q & A Write \$12
FIFTH GENERATION	Timeline 3.0 \$35
Fastback Plus \$104	THREE D GRAPHICS
FOX	Perspective Junior \$9
Foxbase+/386\$199/\$299	WORD PERFECT
FUNK	Library
Allways for 123/Symphony .\$89/\$89	Word Perfect 5.0 \$21
Sideways	WORDSTAR
	Wordstar Professional v 5.5 \$19
GENERIC SOFTWARE Generic CADD Level 3 \$169	Wordstar v 5.5 Upgrade \$Cal
	10
INTUIT	XEROX
Quicken 3.0 \$44	Ventura Publisher 2.0\$Cal
X.	
A con	



ATI 2400 etc Internal \$159 Haves Smart Modem 1200 bd Internal / External . \$259/\$289 2400 bd Internal/External. .SCall **Practical Peripherals** 2400 bd Internal / External . \$149/\$199 Swan Technologies 1200 bd Internal 1200 bd External 2400 bd Internal ***** 2400 bd External \$149





IMSI
Optical Mouse
w/Dr. Halo III \$72
Microsoft
Mouse
Mouse with Windows \$139
Logitech
NEW Bus Mouse (320 dpi) \$75
NEW Serial Mouse (320 dpi) \$79
with Paint add\$10
ScanMan\$199



Top-quality Swan peripherals can make your PC an even better place to work and play ... and at prices that won't crack your nest egg.

Every Swan brand name product comes with a 30-day, money-back trial guarantee. And every Swan product is backed by a full one-year warranty on parts and labor. You also get toll-free technical support and customer service.

You'll be tickled when you discover what a reliable Swan add-on can do for your home or office PC system.



Swan Modems

Make the world your partner. With the Swan Modem, you'll be able to communicate with other PCs and information services around the world through your pulse or touch tone phone. You'll tap into a world of data and broaden your horizons. Every Swan Modem comes complete with communication software and full documentation.

 Hayes' compatible 	 Auto answer/dial
 Include PC Talk III 	software
2400 bd internal*	
1200 hd internal	\$60

2400 bd external	\$149
1200 bd external	\$89
* includes Bit Com v 3.5 software	



Swan Tape Backups

Protect that nest of important data stored on your hard drive. Swan Tape Backups store 40MB on a single tape cartridge ... reliably, conveniently and economically. A Swan tape drive can be installed on any Swan computer and most XT- or AT-compatibles.

40MB XT or AT Internal\$299 40MB XT or AT External \$399

To order: No surcharge on Discover, Visa, MasterCard or AMEX. • Your credit card is not charged until your order is shipped. Shipping: 3% or \$5 minimum for UPS Ground. Call for shipping Shipping: 3% or so minimum to U'S Ground. Call for shipping charges on Express Air, APO, FPO, AK, HI and all foreign orders. • If part of your order is backordered, the remainder will be shipped UPSGround. • Allow 2 weeks for personal and company checks to clear. • ALLSALES (except Swan products) AREFINAL. • Defective items replaced or repaired at our discretion. • PA deliveries add 6% sales tax. • Prices and terms subject to change without notice





Swan Video Cards

Different people have different uses for their PC's ... from everyday uses like word proc-essing and spreadsheets to today's more demanding applications, such as desktop publishing and presentation graphics. A Swan video card can help you better meet your needs today ... or help you ride the wave of technology into tomorrow.

Switchable Card •Hercules' to CGA \$69 · Parallel Port ...

EGA Card • EGA/CGA/TTL \$169

· 640 x 480 Resolution

\$199



Swan Keyboards

It's important to have choices. So Swan gives them to you. You can depend on the Swan family of tactile keyboards for reliable typ-ing with either the reassuring audible feed-back of the "touch and click" or the quiet response of the "silent" keyboard.

101 Key Touch & Click or Silent.\$79 84 Key Touch & Click \$69



S

F

А

W

R

Ε

S E

UR

Y

WHETHER Report.

Whether you're a software developer writing new applications for the IBM or Mac, or a PC user securing proprietary data files, software and data protection has never had a brighter silver lining. For a number of very good reasons.

Beginning with the 'whether-expert' Rainbow Technologies. And ending with its Software Sentinel family of hardware keys. Starring five models that fit virtually any software program or data file you need to protect.

There's the best-selling SentinelPro for the IBM PC/XT/AT, PS/2 and compatibles, and even the Atari ST. Known worldwide for its virtually unbreakable security. And its ASIC technology. And its invisible operation. A close relation, the Sentinel-C stands at-theready for custom configurations and multiple software packages.

In the Apple market, security-minded Mac software developers turn to Eve. For completely transparent operation and worldclass security of the protected software. Just by plugging Eve into the Mac ADB connector.

PC users wanting a low cost, user-friendly solution to the problem of securing sensitive data can call on the DataSentry. Using a proprietary Rainbow algorithm or DES, the DataSentry encrypts data files on individual PCs, protects modem transmissions and secures data on local area networks.

Rainbow's latest protection strategy is the SentinelShell-that lets users place a 'shell' around existing, off-the-shelf programs. Because access can be limited to those issued a key, libraries, universities and corporations can very simply guard their software investments.

Whatever your whether, Rainbow Technologies has the software and data protection products that make the difference. For more information, call 714-261-0228 in the U.S., or contact Rainbow Technologies Ltd. in the United Kingdom for the distributor nearest you. Whethercasters are standing by. Runs under DOS, OS/2 and Xenix • Algorithm technique (Never a fixed response) • External parallel port installation
 Minimal implementation effort • Higher level language interfaces included
 100 times faster than fixedresponse devices (1 ms)
 ASIC design for reliability



Sentinel-C™

• Protects multiple packages with one device • 126 bytes of non-volatile memory programmed before shipment of the software • Rainbow supplies a unique adapter for programming the unit • Higher level language interfaces included • Runs under DOS, OS/2 and Xenix • External parallel port installation

• For the Macintosh SE and II • Complies with Apple Desktop Bus Interface requirements • Rainbowassigned developer passwords to prevent tampering by other developers or sophisticated "hackers" • 7 locks per key, usable individually or in combination, on one or up to seven applications

 Completely user-installable
 Pocket-sized external device • Menu-driven, userfriendly interface • Single- or multi-user security system
 Audit trail, log-on identifiers and automatic encryption/decryption of entire directories • Secures data transmitted by modems
 Prevents recovery of data by utility programs

• Runs under DOS on IBM PCs and compatibles • Protects without requiring access to the source code • Completely transparent to the end user • User-friendly software • Pocket-size key attaches quickly to any standard PC parallel port • ASIC design for reliability



DataSentry[™]



SentinelShell™





18011-A Mitchell South, Irvine, CA 92714 • (714) 261-0228 • TELEX: 386078 • FAX: (714) 261-0260 Rainbow Technologies, Ltd., Shirley Lodge, 470 London Rd., Slough, Berkshire, SL3 8QY, U.K., Tel: 0753-41512, Fax: 0753-43610 © 1989 Rainbow Technologies. All product names are trademarks of their respective manufacturers.

Circle 235 on Reader Service Card (DEALERS: 236)



Is OfficeVision a glimpse of the future, or a blast from the past?

hen IBM announced its Systems Application Architecture last year, it was clear that the company had some sort of grand plan, but it wasn't clear what the plan was. With the announcement of OfficeVision, the first collection of software for SAA, the plan's outlines have begun to appear.

OfficeVision is a collection of programs that support common requirements, much like those supported by Borland's SideKick. Unlike SideKick, however, OfficeVision also supports Email through a LAN or a mainframe, and it has a programming interface that allows other vendors to integrate their software into OfficeVision. It also has an address book, a basic word processor, a phone dialer, and a filer.

Next year's version will add more features, including the ability to support outside software. OfficeVision will have the same graphical user interface as Presentation Manager (PM). Eventually, the product will be available on every computer that IBM sells.

So what does this tell us about IBM's plans for the future?

First, IBM is committed to the infusion of personal computers throughout its corporate base. Personal computers (IBM would prefer you to use PS/2s) are an integral part of OfficeVision. The indication is that future applications will require personal computers to reduce the load on the mainframe processor.

Second, IBM believes that the LAN is here to stay. LANs provide the bulk of the communications required by SAA, and the first version of OfficeVision will

IBM'S VISION FOR YOUR OFFICE



be a LAN product. In the future, LANs will be even more necessary to SAA than they are now.

Finally, IBM still has its eye on the continuation of the mainframe as the backbone of corporate computing. Ultimately, SAA depends on data residing on a mainframe. This means that IBM plans to have data managed centrally by a data-processing department.

Personal Processing

Even though there will eventually be versions of OfficeVision for IBM's minicomputer and mainframe lines, IBM introduced it first in the personal computer marketplace, partly because of OS/2, which was intended for this purpose. It's also because OfficeVision requires some hefty computing resources that are more readily available on personal computers.

The first versions of OfficeVision will look familiar to current users of PM or Windows. The graphical interface will be the same, and it will be controlled by a mouse in the same manner. These processes are heavy users of the CPU, however, so it will take some time for IBM to tune them for use by terminals on their mainframes.

The first version of OfficeVision to be introduced will be called OfficeVision/2 LAN. The introduction for this version, scheduled for last month, should have taken place by the time you read this. This version is designed for machines using OS/2, and it will communicate with others using a Token Ring LAN. Later, there will be support for Ethernet when OS/2 Extended Edition 1.2 is shipped in January 1990.

LAN Connection

OfficeVision is designed to work with a LAN. The E-mail capability in the initial version depends on it, and future releases will depend on it more. As SAA and OfficeVision software progress through their development, they will depend on *continued*

ITEMS DISCUSSED

data stored on mainframes and minicomputers.

Currently, OfficeVision will support only IBM's Token Ring network. It's a safe bet that other companies, including 3Com and Novell, will find a way to support OfficeVision, too. In the meantime, OfficeVision/2 LAN will also quietly support DOS machines. IBM has worked with Consumers Software of Vancouver to develop MS-DOS workstation support for OfficeVision.

LAN usage becomes more critical with software such as Executive Decision/VM. This package is designed to run on both a mainframe running in a virtual machine environment and a personal computer running OS/2. Executive Decision is a true SAA application. It runs on the personal computer, but it uses a LAN to reach a mainframe where the data is actually stored. As a result, the personal computer never really has the data available internally. Instead, it extracts what it needs from the corporate database on the mainframe.

Central Storage

Eventually, this centralized storage is what IBM intends for the majority of the computing environment. There are some sound marketing and business reasons for this. Simply put, IBM's plan puts the corporate data-processing department in charge of the data again.

The concept is simply this: The personal computer would become an "intelligent workstation." Processing would be shared between the workstation and the central computer. While there may be some local data storage, most data would reside on the central mainframe. The SAA software on the workstation would find the data it needed, wherever it was. The user would never know where the data was kept or how it was found.

Let's say, for example, that you were working with employee records to determine pay raises for the next year. The information might come from personnel data on an AS/400, financial data from the corporation's 3090, and employee performance data from a database server on the LAN. The application would send out Structured Query Language (SQL) queries to each of the three databases.

When the response comes back, the software on the workstation will present it in a single picture. You would have no way to know that three computers were queried. In fact, you'd probably have no way to query those computers directly.

The data used for the queries would remain in its respective databases. It would not be transferred to the personal com-

puter, and the databases could not be manipulated unless that capability was given to a specific user.

Corporate Safety

From the viewpoint of the corporation's management, this change is a distinct improvement over today's situation, where the corporate data is spread among literally thousands of personal computers. There, the corporation has no way of ensuring that important data is safe and properly backed up. In addition, it has no assurance that the data is up-to-date or correct. Management decisions are being made with data that may be corrupted or outdated, and data vital to the operation of the corporation may be lost through something as minor as the failure of a \$200 hard disk drive.

Clearly, corporate management prefers greater control over the company's information than is frequently the case now. Unfortunately, until very recently, there has been no way to provide this. There simply weren't any good ways to consolidate the corporation's data so that it would be secure yet still available to personal computer users when needed.

Now that LANs and SQL have been teamed, that bottleneck is no longer a problem. Users can access a mainframe database almost as easily as they can access data on their personal computers. The only problem is that frequently the methods for doing so are proprietary.

The proprietary nature of these databases is, of course, part of IBM's plan. The idea is that you would have to buy an IBM brand of central computer along with your IBM PS/2. They would be linked by an IBM Token Ring LAN.

This process would continue as development of SAA continues. More and more applications would use central databases for all their data. This would include programs that today use mostly local storage, such as spreadsheets and word processors. You would have the ability to draw from vast corporate resources, but you would be controlled by a central data-processing department.

From IBM's point of view, this is ideal. Companies would come to depend more and more on central mainframes, while at the same time buying more and more personal computers. Everybody benefits, except perhaps the user who may need something that IBM isn't selling. Particularly frustrated by this situation will be small businesses that don't have the resources to buy an IBM mainframe. Those users will simply be left out in the cold by IBM's solution.

Third Parties

Fortunately, there is a SQL world outside of IBM. SQL servers are available from Oracle, Ashton-Tate, Gupta Technologies, and WordTech. SQL databases are available for minicomputers and mainframes from a variety of sources besides IBM. In short, as the benefits of SAA become clear, there will be a way to achieve them outside of IBM.

In fact, most of the benefits of SAA can be achieved without using a central mainframe at all. LAN-based database servers will handle virtually all the same operations as a mainframe DBMS and will permit control of the database to remain with the individual department. New advances in data archiving will let these servers be protected and backed up in much the same way as a mainframe but without requiring a mainframe's staff.

Clearly, SAA has much to offer corporate users. Most important, it offers security of data. After all, the data does belong to the corporation, and it is in the corporation's interests to protect it. That this can be done without moving to IBM as a sole supplier probably ensures that it will happen all the faster. What is missing is a middle ground. Not everyone and not every company needs or can support a minicomputer or a mainframe. At this point, IBM's solution will freeze them out of SAA.

Wayne Rash Jr. is a contributing editor for BYTE and a member of the professional staff of American Management Systems, Inc. (Arlington, VA). He consults with the federal government on microcomputers and communications. You can contact him on BIX as "waynerash," or in the to.wayne conference.

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.



IT EATS IBM'S LUNCH... AND SERVES DELL FOR DINNER!

Introducing Wells American's CompuStar II. It's one *hungry* machine. Feed it the toughest applications you can dish out and it's ready for "seconds" before IBM, Dell and all the others even get started.

IT FEEDS ON THE COMPETITION.

CompuStar II's enormous appetite for devouring



the competition comes from its unique, modular design. Interchangeable, plug-in CPU "modules" are available in 80286, 80386SX and 80386 configura-

tions. The modules are remarkably inexpensive — as little as \$750 for a '286 module, and incredibly powerful." The 33MHz '386 module achieves a stunning MIPS rating! Best of all, for up to one full year after purchase, you can trade in the module you originally select toward the purchase of any of the

IT DEVOURS OTHER COMPACTS.

other more powerful modules.

Unlike other small footprint micros, CompuStar II won't put your computer expansion needs on a diet. Each system features an amazing *six* bus slots — four of them available in a fully configured VGA system. That's 25% more than IBM or Dell gives you. Better yet, you can have up to 11 slots with CompuStar II's exclusive bus expansion chassis. No other compact system available offers this much room for growth. And no other comparably sized system can accommodate that growth better than CompuStar II.

Its whopping 200 watt power supply gives you more than *twice* as much reserve power as IBM or Dell.



And CompuStar II has more room for disk/tape drives — *four* compartments in. all; three accessible from the front panel. IBM and Dell give you just three compartments and only two are accessible from the front. CompuStar II also accommodates

 $5^{1/4}$ and $3^{1/2}$ disk drives. IBM and Dell restrict you to $3^{1/2}$ drives only.

IT'S ALSO WELL-MANNERED.

Worried about quality and reliability? Don't! Wells American has been making PCs longer than IBM *or* Dell! Each CompuStar II is money back guaranteed for 31 days, factory warranted for a full year and can be field serviced from hundreds of locations worldwide.

> When you think about it, buying an IBM or Dell system instead of our new CompuStar II is sort of like eating hamburger when you could have had steak — and paid less for it. CompuStar II. . .from Wells American.

It makes "mincemeat" of everything else.

To receive a CompuStar II product information kit, call 1-803-796-7800. VAR inquiries also welcome.



Corporate Headquarters: 3243 Sunset Boulevard • West Columbia, South Carolina 29169 • 803/796-7800 • FAX 803/796-7029

IBM is a trademark of International Business Machines Corporation. Dell refers to Dell Computer Corporation. *CompuStar II'S CPU performance is so incredible you won't believe it! Call or write for complete benchmark information. Certified FCC Class A. For business use only. Wells American Corporation 1989

Is this your only route to mainframe information?

«« AUTOWARE MENKI »»

< 1 > LOAD PC WORD PROCESSING < 2 > TRANSFER FILES

(3 > CHECK ELECTRONIC MAIL (4 > UIEW WEEKLY SALES GRAPH

Please enter selection

case to USE/CICS 1.7 Sy

Escape to Autoware: NOW!

When you need mainframe access, why endure a frustrating labyrinth of screens? Especially when Attachmate software delivers simple single-menu access.

It frees you to select E-mail, transfer files and retrieve data with single-keystroke ease. It's so automated, we call it Autoware. So fast, we had to call it NOW! NOW! lets you customize menus for specific procedures or applications, such as



unattended file transfer. Within minutes, even non-programmers can automate most repetitive mainframe chores.

Make mainframe access a direct path, not a mindless maze. Let Autoware do the work for you—NOW! Call for your free demo disk: 800-426-6283.

Attachmate Corporation 13231 S.E. 36th Street Bellevue, WA 98006 (206) 644-4010 NOW! and Autoware are trademarks of Attachmate Corporation

Circle 29 on Reader Service Card


There are three approaches to linking PCs and Macs on a LAN—here's our favorite

There are many cultural barriers that make it difficult to integrate such diverse systems as Macintoshes, IBM PCs, Sun workstations, and DEC VAXes on a LAN. This month we look at a few of the issues you'll face and some products you might want to consider if you try to integrate the two most common types of microcomputers: PCs and Macs.

The first step toward PC-to-Mac communications is to connect the systems physically. You have two choices: You can use the Mac standard by buying LocalTalk boards for your PCs, or you can choose a common PC connection, Ethernet, and buy Ethernet adapters for your Macs.

Unfortunately, hooking up heterogeneous systems requires much more than just a physical connection. You've still got to make both systems speak the same language—which, in this case, is the same higher-level protocols. Those protocols are typically the ones that a LAN operating system provides.

Speaking the Lingo

A LAN operating system that integrates heterogeneous systems must follow one of three basic approaches.

In one method, the LAN can force one system to talk the lingua franca of the other. Apple's AppleShare PC follows this approach. You put a LocalTalk card in your PC and wire the PC to your Mac network, and then the PC can access files on the Mac AppleShare file server. The problem with this method is that one kind

BREAKING DOWN THE BARRIERS



of system will need to abandon its native environment.

Another approach is to create a new LAN operating system, a sort of LAN Esperanto, and then implement that new system on both the Macs and the PCs. The TOPS LAN operating system, from Sun Microsystems, works this way. TOPS can run over either LocalTalk or Ethernet, and it doesn't require a dedicated server-both PCs and Macs can share files with the other systems on the LAN. The major drawback of this approach is that it typically doesn't use the native protocols of either system. TOPS, for example, doesn't presently support the AppleTalk Filing Protocol (AFP) on the Mac.

The third method is a compromise: Each system speaks its own "language," or native protocols, and a third party translates between those protocols. Novell's NetWare for Macintosh employs this technique. PCs use the NetWare LAN operating system, while Macs use their standard AFP services.

We believe that this approach, which essentially says, "Stick with what you know, and let a translator do the work," is the right one for most applications. Since Novell has the best implementation of this approach so far, we'll take a closer look at NetWare for Macintosh.

NetWare for Macintosh

NetWare for Macintosh is a translator, or gateway, that runs in a NetWare 2.15 server. Because NetWare uses Novell's proprietary NCP (NetWare Core Protocol) protocols internally, this gateway translates between NetWare's IPX (Internet Packet Exchange) and the Apple-Talk protocols that the Macs require. It has five main components.

The LAN board and its driver implement the LocalTalk or EtherTalk protocols and the actual hardware interface. While you install either board with NetWare's standard NETGEN program, continued neither one actually uses a valid NetWare LAN driver. Instead, NetWare never really sees the board. A NetWare Value Added Process (VAP) works with the board; NETGEN creates a stub for the hooks to that VAP.

The next component provides three of Apple's protocols-the Datagram Delivery Protocol (DDP), the AppleTalk Transport Protocol (ATP), and the AppleTalk Session Protocol (ASP)-on the NetWare server. NetWare for Macintosh needs these protocols to match the standard AppleTalk protocol stack. (See the July NetWorks column for more information on these protocols.) Next up the protocol stack is NetWare for Macintosh's AFP VAP. It uses these lowerlevel protocols to act just like any other AFP server. Macs on the LAN can't distinguish this AFP VAP from any other AFP server.

The final piece of the puzzle is the Service Protocol Gateway (SPG), which translates between AFP requests from the AFP VAP and requests in the NCP format. Once the requests are in the NCP format, NetWare NCP can handle them just as it would handle NCP requests from a PC.

Tracing the Path

The easiest way to understand how all these pieces work together is to look at an example. Consider a file request from a Mac. First, the Mac user brings up the Chooser, selects the NetWare for Macintosh server, and logs onto it. The server's icon appears, and the user treats it like any other disk; to get a server file, the user double-clicks on that file.

The Mac AppleShare client software then goes to work. It requests the contents of the file using AFP. The AFP packet flows down through the usual ASP, ATP, and DDP layers and finally ends up on the LocalTalk wiring.

When the packet reaches the NetWare server's NL1000 LocalTalk board, the server takes over. It sends the packet up through the driver, DDP, ATP, and ASP layers to the AFP VAP. The AFP VAP hands the request to the SPG, which translates it into an NCP request. NCP gets the file and sends the data back through the reverse path.

Icons and Resources

The beauty of this technique is that the Mac never knows that the file isn't on an AppleShare server. NetWare for Macintosh uses the standard AppleShare client software on the Mac.

Presenting that illusion isn't easy. One big difficulty stems from the way Macs

store files: A Mac file actually has two underlying files, a *data fork* and a *resource fork*. The data fork holds the file's data, while the resource fork contains such related items as icons and dialog boxes. Every Mac file must have these two components.

DOS files, of course, don't meet this requirement, and therein lies the problem. TOPS gets around this problem by using a Desktop file in every directory that contains the resource information for all the PC files in that directory. Similarly, NetWare for Macintosh uses a Desktop directory on the server to store the information for resource forks and icons for DOS files. Those files appear to the Mac user with a special DOS icon.

Print Services

AppleTalk also lets you share printers, so NetWare for Macintosh offers the same services. Instead of using an AFP VAP and SPG, however, it contains a corresponding AppleTalk Print Server (APS) VAP that lets a Mac user either queue print requests on the NetWare server or talk directly to the printer,

The APS VAP implements queuing by appearing to the Macs as a LaserWriter. When Printer Access Protocol packets from a Mac arrive at the server, they go up through the DDP and ATP layers to the APS VAP. The APS VAP then translates those requests into NetWare print queue requests. Then, when the NetWare print queue manager is ready to send a print request to the LaserWriter, it hands that request to the APS VAP. The APS VAP then acts like a Macintosh and sends the print job to the LaserWriter.

PCs can also use NetWare's standard printing facilities to queue up PostScript files for printing on the LaserWriter—so PCs and Macs can share a LaserWriter courtesy of NetWare's print queue.

Finally, Macs on the LAN can bypass the server and send print requests directly to the LaserWriter, although those requests will then not be in NetWare's print queue.

If a Mac user wants only the standard AppleShare client software features, then NetWare for Macintosh is happy to oblige. NetWare for Macintosh does, however, offer a few additional utilities for venturesome Mac users. The most interesting one is the Rights desk accessory, which lets Mac users manipulate NetWare's large set of file protections.

Almost There

With all these tools, you're almost done, but not quite. You still need applications that can either use files on both Macs and PCs or at least translate files between the two systems. Currently, only a few such applications exist, although more are appearing all the time.

One such application is Microsoft Word. We had some PC Word files on our 80386-based Samsung NetWare server. We decided to go for the gold and started Word on the Mac on one of those files. No problem; the Mac Word program recognized that the file was from a PC version of Word, translated the file automatically—without losing any formatting—and we were in business.

Unfortunately, if we had tried opening a WordStar file from MacWrite instead, we wouldn't have been as lucky. The greatest integrated LAN operating system in the world isn't much good if your applications can't take advantage of files from different machines.

A Look Ahead

NetWare for Macintosh is impressive, but it does have a few problems. There are, for example, several bugs in the print spooling code. Other problems have prompted Novell to suspend product shipments temporarily. (The product should be shipping again by the time you read this.)

More frustrating, however, is the product's immediate future. The design of Novell's new NetWare 386 version 3.0 supports a cleaner integration of products, such as NetWare for Macintosh, than does the design of NetWare 2.15. Sadly, the initial release of NetWare 386 doesn't support NetWare for Macintosh. If you want both the new features of Net-Ware 386 and the power of NetWare for Macintosh, you'll have to wait.

Still, the next year should be a good one for products that link heterogeneous systems. Token Ring Mac boards are becoming available. Competition in the LAN operating-system arena will heat up as TOPS and 3Com bring out strong new offerings with AFP support. Finally, more and more major applications now offer both Mac and PC versions, with some way to share files between those versions. The barriers, it seems, are slowly falling down. ■

Mark L. Van Name, a BYTE consulting editor, and Bill Catchings are independent computer consultants and freelance writers based in Raleigh, North Carolina. You can reach them on BIX as "mvanname" and "wbc3," respectively.

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.



ROSE

An Integrated Solution

Take our **Master Switch**[™], a sophisticated sharing device, combine it with **MasterNet**[™] networking software for PCs, and you've got an integrated solution for printer and plotter sharing, file transfer, electronic mail, and a lot more. Of course you can also share modems, minis, and mainframes or access the network remotely. Installation and operation is very simple.

AASTER S

Versatile

Or you can use the Master Switch to link any computer or peripheral with a serial or parallel interface. The switch accepts over 20 commands for controlling the flow of data. It may be operated automatically, by command, or with interactive menus. Its buffer is expandable to one megabyte and holds up to 64 simultaneous jobs. The MasterLink [™] utility diskette for PCs comes with every unit and unleashes the power of the switch with its memory-resident access to the commands and menus.

Other Products

We have a full line of connectivity solutions. If you just want printer sharing, we've got



it. We also have automatic switches, codeactivated switches, buffers, converters, cables, protocol converters, multiplexers, line drivers, and other products.

ROSI

DE HEMET

Commitment to Excellence

At Rose Electronics, we're not satisfied until you're satisfied. That's why we have thousands of customers around the world including large, medium, and small businesses, factories, stores, educational institutions, and Federal, state, and local governments. We back our products with full technical support, a one-year warranty, and a thirty-day money-back guarantee.

Call now for literature or more information. (800) 333-9343

Circle 238 on Reader Service Card (DEALERS: 239)

We develop products on the premise that



Page Laser12: 12 ppm, up to 3 paper bins, 750 sheet capability, Toshiba/Qume, Diablo, IBM & HP emulations.



T3100e: 12MHz 80286, internal IBM slot, 20MB hard disk, gas plasma display, 1MB RAM expands to 5MB, 1.44MB 3½" diskette drive.



T1000: 6.4 lbs, 4.77MHz 80C88, 512KB RAM expandable to 1.2MB. MS-DOS in ROM, 720KB 3½" diskette drive. Built-in RGB, parallel, serial and external drive ports.







T1200FB: 9.8 pounds, 9.54MHz 80C86, 1MB RAM. 2 720KB 3½" floppy drives, removable/ rechargeable battery pack.



ExpressWriter 301: 4 lbs, letter-quality 24-dot print head, 60 cps, Toshiba/Qume and Epson LQ emulations, 5 resident fonts.



T5100: 16MHz 80386 microprocessor, 40 or 100MB hard disk, 2MB RAM expandable to 4MB 14.6 lbs. Built-in EGA display with high resolution gas plasma screen.



P351SX: 360/120 cps, 24-pin letter quality, color option, Toshiba/Qume and IBM emulations standard, Epson & Diablo emulations optional.

great minds don't think alike.



T1600: 11.6 lbs, Battery-powered 12MHz 286, 20MB hard disk, 1.44MB floppy. IMB RAM expands to 5MB, backlit EGA LCD, removable/rechargeable battery packs.



T5200: 20MHz 80386 processor, 2 internal IBM compatible expansion slots, 40 or 100MB hard disk, VGA display with external VGA monitor port, 2MB RAM expandable to 8MB.



T3200: 12MHz 286.

2 IBM compatible

slots. 40MB hard

disk, 1.44MB floppy IMB RAM expands

to 4MB, EGA screen



Carrying cases: available in leather or fabric, make our portable PCs even more portable.





T1200HB: 10.8 lbs, 9.54MHz 80C86, 20MB hard disk, IMB RAM, includes 384KB LIM-EMS. Removable/rechargeable battery pack.

P321SL/SLC (color): 216/72 cps, 24-pin letter quality, up to 360x 360 DPI graphics, Toshiba/Qume and IBM emulations standard, Epson and Diablo emulations optional, 32KB print buffer, front panel controls, advanced paper handling.

People have their own quirky ways of doing things. Some think fast. Some slow. Some are deliberate. Some intuitive. Some work from 9 to 5. Others never stop.

That's precisely why we offer so many different products. Including the widest range

of truly portable PCs anywhere. And a line of printers that includes everything from a high volume laser to a four-pound, letterquality, battery-operated portable.

All of which can be easily networked. But all of which are designed to meet the specific needs



of each of our individual users. Because the fact is, at Toshiba, we have an incredibly diverse and sophisticated customer base.

And from what we've been able to determine they have only one thing in common.

They're all different.

Toshiba America Information Systems, Inc., Computer Systems Division

Circle 273 on Reader Service Card (DEALERS: 274)



WORM and erasable optical drives offer practical solutions to large-scale storage requirements

Steve Apiki and Howard Eglowstein

ptical storage technology sounds like science fiction, but using a laser beam to put hundreds of megabytes of data on a disk cartridge that fits into your hand has become a fact. Beyond the technology's Buck Rogers appeal lie practical, real-world devices that answer today's mass-storage requirements.

Optical drives—WORM (write once, read many times) and rewritable systems—are the most appealing, most elegant method yet devised for storing vast amounts of data. But these cutting-edge products have their limitations. Access times, while steadily improving, remain well behind those of magnetic drives. And the relatively high cost of optical drives has made them unacceptable for everyday use.

However, the current trend toward monstrous operating systems, shared databases, and more realistic visual images on disk may shift the economic balance in favor of optical storage. As files get ever larger, optical storage gets more and more appealing—no technology can compete with optical disks when you're measuring backup or even day-today requirements in gigabytes.

This month we focus on nine WORM and four rewritable optical disk drive sys-

The Optical Option

tems available for both Macintosh and IBM PC-compatible computers (see table 1). All are full-height units that use 5¹/₄-inch removable media cartridges with capacities of from 600 megabytes to more than 1 gigabyte. Many-of the packages are resold versions of the same drive or controller bundled with different driver software. To make the most meaningful comparisons, we evaluated each product as a complete system.

WORMs vs. Erasables

WORMs and erasable optical drives both use lasers to pack information densely on a removable disk. But beyond that, they have little in common. The two technologies use different media, incorporate different recording and reading schemes, and have different uses (see the text box "Optical Technologies" on page 168).

WORM drives were the first type of writable optical storage device to become widely available; 51/4-inch drives were available as early as 1985. As the name implies, you can write to each disk only once, and you can't erase data stored on a WORM. This natural data permanence makes WORMs ideal devices for archival backups. They're well suited to situations in which permanent records are required by law; for example, an insurance company might use a WORM to save scanned reports. Another application might be at an engineering design firm that requires a permanent record of all design revisions.

Because of their huge capacity and relatively fast random-access retrieval capability, WORMs are also useful for general archival storage. While WORMs are, by nature, sequential write devices, vendors have gone to great lengths to make them emulate random-access write devices. As such, they're useful for incremental backups or for storing databases that must be regularly updated.

Erasable optical drives are a more recent development, and few are available. Erasable units are ideal for backups. Since you can remove and reuse them, they provide virtually limitless storage capability. Although too slow to be direct replacements for magnetic disks, erasable optical drives are functionally equivalent, and you can use them with almost any applications software.

Unlike WORMs, where competing formats make data interchange a remote possibility, the prospects for a standard for rewritable optical disk technology look good. The International Standards Organization (ISO) is in the final stages of issuing a formal standard, and manufacturers are working toward conformance. ANSI has an identical standard on the table. Although standards will allow data interchange between different manufacturers' products, data interchange is all but impossible between currently available units.

The Speed of Light

We tested the WORM and rewritable drives on two platforms: a 20-MHz Compaq Deskpro 386 and an Apple Macintosh IIcx. We installed each drive according to the manufacturer's instructions. Some PC software provided for either a RAM or magnetic disk cache. Where possible, we accepted the manufacturer's default values for cache size.

Our tests examine optical drive performance in three areas: as a backup device, as a large general-purpose disk, and as a medium for document storage and retrieval. The raw results for each test are shown in table 2. Graphs of these results appear in the figure. The bars in each graph are normalized against magnetic drives running on the appropriate machine; on the DOS side, we used Compaq's 120-megabyte ESDI hard disk drive, and on the Mac we used the Mac IIcx's 80-megabyte internal hard drive.

For the backup test, we copied a large directory structure from the system's primary magnetic drive to the optical drive. The test data was a 25-megabyte *continued* A collection of WORM drives

Left side: ISi 525GB, LaserDrive 810-111

Center, top to bottom: Maximum Storage APX-4200, Pioneer DD-S5001, SDI LaserStor 800, SDI LaserStor for Macintosh, Corel 800

Right side: Corel 940, LaserDrive 820-011





OPTICAL STORAGE TECHNOLOGY

Table 1: Both WORM (write once, read many times) drives and rewritable drives are available in a range of capacities and prices. Unless otherwise noted, prices do not include media. Note that average access times provided by vendors didn't always correlate with our benchmark results in table 2.

	Operating platforms	PC subsystem price		price (double-	Formatted capacity per side (megabytes)	Format method	Average access time (milliseconds)	PC utility software ¹
WORM devices				-				
Corel 800	PC, PS/2, Macintosh	\$3645 ²	\$3645 ²	\$145	400	CLV	168	Retrieval and backup
Corel 940	PC, PS/2, Macintosh	\$3695	\$3695	\$160	470	Modified CAV	90	Retrieval and backup
ISi 525GB	AT	\$6288	N/A	\$350	640	CAD	110	Retrieval and backup
LaserDrive 810-111	PC, PS/2	\$5495	N/A	\$200	405	CLV	175	None
LaserDrive 820-011	Macintosh	N/A	\$5995	\$200	405	CLV	175	N/A
Maximum Storage APX-4200	PC	\$4450	N/A	\$195	380	CAV	28	Version retrieval
Pioneer DD-S5001	PC, Macintosh	\$3895	\$3695	\$145	327	CAV	77	Retrieval and backup
SDI LaserStor for Macintosh	Macintosh	N/A	\$4999	\$150	366	CLV	168	N/A
SDI LaserStor 800	PC, PS/2	\$4495	N/A	\$150	393	CLV	168	Version retrieval, cache utilities
Rewritable devices								
AGA Discus Rewritable DR650	AT, PS/2, Macintosh	\$6495	\$6495	\$250	325	CAV	61	None
RACET Cosmos 600	AT, Macintosh	\$5645	\$5590	\$298	297	CAV	67	Security utilities
Sumo Systems RSSM600-B	PC, Macintosh, Sun, DEC VAX	\$4700	\$4500	\$260	297	CAV	50	N/A
Summus LightDisk-650	AT, Macintosh, Sun, DEC LSI, VAX, MicroVAX	\$6495 ²	\$5495²	\$250	297	CAV	132	None
CAD=Constant area density. CAV=Constant angular velocity. CLV=Constant linear velocity. N/A =Not applicable.								

N/A = Not applicable.

¹ Utility programs in addition to drivers, format utilities, diagnostics, and other required software.
² Price includes media cartridge.

directory with many levels of subdirectories or folders and files of varying length scattered throughout. The PC tests used XCOPY to transfer the entire structure from the magnetic drive (see the backup write times in table 2).

Because WORMs can't erase data, they must use linked lists or similar schemes to point to file updates. This often results in longer read times for successive versions of a file. Incremental backups, a typical use for WORMs, force this condition.

The backup read test incorporates incremental backups. It does a total of five XCOPYs from the optical drive to the magnetic drive, with a partial backup after each. The partial backup uses XCOPY/M to update the disk with 5 megabytes of unchanged files. We timed each XCOPY of the full directory from the optical drive to the magnetic disk and averaged the results.

As a check on the efficiency of directories, we timed searches through the data structure for a nonexistent file, using the Whereis utility from Apple's Macintosh Programmer's Workshop (MPW) 3.0 on the Macintosh and a BYTE Lab utility on the PC.

Macintosh utility software1	Operating-system compatibility
Version retrieval	MS-DOS 3.0+, Mac OS
Version retrieval	MS-DOS 3.0+, Mac OS
N/A	MS-DOS
N/A	MS-DOS 3.0 - 3.3
None	Mac OS
N/A	MS-DOS 3.0+
Version retrieval	MS-DOS 3.0+, Mac OS, Novell
Version retrieval	Mac OS
N/A	MS-DOS 3.0-3.3, Compaq DOS 3.31
N/A	MS-DOS 3.0+, Mac OS, OS/2
Security utilities	MS-DOS 2.0+, Mac OS, TOPS, AppleShare, Novell Advanced NetWare/286 2.15
None	MS-DOS 2.0+, Mac OS, BSD Unix 4.0, VMS
None	VMS, VAXELN, Ultrix BSD UNIX 4.3, RT-11, RSX-11, RSTS/E MUMPS, Mac OS 4.2+, System V, MS-DOS 3.0+, Sun OS 3.5+

The Macintosh provided us with a particularly interesting challenge: The operating system has no equivalent to XCOPY. The Macintosh Finder has no provision for incremental copies. Simply clicking on the structure and dragging it from one disk to another will do the initial copy, but that's all.

The Finder still retains a few bugs that have been hanging around for some time.

Trying to click and drag on our 25-megabyte structure resulted in repeatable Finder errors; the Mac kept complaining that some files were unreadable. Checking back, we found that a Mac SE with System 4.1/Finder 5.5 produced the same results as our Mac IIcx's copy of System 6.0.3/Finder 6.1. We completed the backup tests with the Backup facility in MPW.

If you were to open a large database file on a magnetic disk and make updates to it, the modified file would take up the same amount of space as the original. WORMs, on the other hand, must allocate new storage sectors to replace the old. Despite the wasted sectors, judicious updates on a large file can still be a legitimate use for a WORM drive. We tested the random-access capability of both WORMs and magneto-optical drives with a 20-megabyte database and a test program written in dBASE III Plus 1.1.

For each of five iterations, we made simple modifications to every onehundredth record and then performed a nonindexed search. After indexing the data, we performed the same search in indexed mode. Table 2 shows the times for the sequential search and the index; the indexed search is not shown because it took too little time to yield meaningful results. FoxBASE+/Mac 1.0 took the same script that we used on the PC and executed it flawlessly on the Macintosh.

Our third test simulates drive use in a storage/archival application. An example would be the archiving of digitized claim forms in an insurance company. We digitized a full page of graphics at 300 dots per inch and stored it on the drive as a TIFF file. Using the image editors that come with Hewlett-Packard's Scanning Gallery (for the PC) and the Apple Scanner (for the Mac), we made four simple modifications to the image, saving it under the same filename between each modification. We noted the times for each read and subsequent file write.

This test allowed us to try out another exciting feature of WORM technology: the ability to retrieve old versions of previously deleted or updated files. Those drives equipped with version-retrieval software made it possible to retrieve the original file as well as the intermediate modifications. Generally, getting these older versions back involved running a special utility to return the directory system on the drive to the state that it was in immediately after the desired version was written. Rewritable drives lack the capability to retrieve previous versions.

Our last test was a qualitative evalua-

tion of MS-DOS compatibility. The test program simply sequenced through a series of calls, trying each of the MS-DOS INT 21H disk functions. We'll discuss exceptions to the generally high degree of compatibility in the product overviews that follow.

The WORMs

In evaluating optical drives, capacity and speed are key considerations; but price, software capability, and efficient use of media often play important roles as well.

Your anticipated storage requirements are important; if you have a good idea of how much space you'll need, you'll be able to make an accurate price comparison based on cost per megabyte. If you plan to use an optical device for other than archival storage, consider whether you will need to back up the optical disk itself. Finally, if you need an optical device to back up your Macintosh, make sure that the backup software you select has the capabilities that you need.

Corel 800

Corel Systems is primarily a software company, but it bundles a variety of manufacturers' drives with its software and third-party interface cards to form complete drive subsystems. The Corel 800 subsystem uses the 800-megabyte Ricoh WORM drive and is available for both DOS and Macintosh environments; both versions cost \$3645.

On the PC, the system includes a Future Domain SCSI card and cable. Setup and installation are straightforward: Corel provides both a comprehensive, but generic, software and installation manual and a slim installation guide with Ricoh-specific details. The software manual also includes an in-depth programming section.

The Corel drive was the slowest WORM we tested on both the PC and the Macintosh, but it responded properly to all the DOS 3.3 disk calls we tried.

Corel's DOS driver maintains a small disk cache in system memory. We tested with the default cache size (four sectors). but the size is user-selectable. The driver takes care of the physical-to-logical-sector mapping required to make the optical drive look like a random-access write device. When DOS requests a sector write, the driver maps that sector to a physical sector and updates the translation tables. The translation tables make it possible to rewrite logical sectors even though you can't modify physical sectors. The software writes the translation tables to disk every so often as part of its history continued

OPTICAL STORAGE TECHNOLOGY

Table 2: Benchmark times (in minutes:seconds) for WORM (write once, read many times) drives and rewritable drives. We've included benchmarks for the Compaq Deskpro and Mac IIcx magnetic drives for comparison. Optical drives, on average, took about twice as long as magnetic drives to complete the same task. (See the figure for corresponding graph)					s, on		
PC tests	25-Mb backup write	25-Mb backup read	Directory search	50,000- record database search	50,000- record database index	1-Mb image write	1-Mb image read
WORM devices							
Compaq 120-megabyte ESDI disk drive	10:43	7:22	0:11	2:01	9:00	0:11	0:12
Corel 800	35:21	20:57	0:23	16:48	37:46	1:16	1:39
Corel 940	14:12	11:13	0:09	6:10	13:28	0:16	0:14
ISi 525GB	50:40	12:35	0:13	4:11	10:51	0:25	0:11
LaserDrive 810-111	21:16	17:37	0:19	16:23	24:49	0:23	0:22
Maximum Storage APX-4200	17:04	13:40	1:18	N/A	N/A	0:19	0:11
Pioneer DD-S5001	15:03	12:33	0:13	7:36	14:25	0:18	0:15
SDI LaserStor 800	46:02	33:51	0:14	18:17	29:34	1:37	0:20
Rewritable devices							
AGA Discus Rewritable DR650	26:29	8:22	0:05	3:35	8:39	0:15	0:11
RACET Cosmos 600	39:54	12:51	0:12	6:42	15:04	0:29	0:14
Summus LightDisk-650	34:55	14:26	1:00	17:24	45:04	0:16	0:10
Mac tests							
WORM devices							
Macintosh IIcx 80-megabyte hard disk drive	12:26	3:56	0:09	1:26	2:52	0:11	0:01
Corel 800	30:07	7:50	3:36	13:03	15:05	1:44	1:37

4:48

4:06

4:31

7:36

5:50

5:45

4:06

12:39

29:57

13:01

29:54

25:29

25:44

19:02

1:02

0:26

1:49

2:28

1:46

1:44

0:25

5:18

8:34

5:57

12:56

3:51

3:50

3:39

markers. It updates these markers after a given time interval or after a number of write requests have transpired.

Corel 940

LaserDrive 820-011

Pioneer DD-S5001

Rewritable devices RACET Cosmos 600

SDI LaserStor for Macintosh

Sumo Systems RSSM600-B

Summus LightDisk-650

N/A=Not applicable

History markers make it possible to recover older versions of updated files. Corel's History utility lets you return to old versions either by specifying filenames or by locating any previous history markers. While this allows you to read old versions, you can't write to the cartridge in that state. If you need write access to an old file, you must make the old history marker current; this returns all files on the disk to the state they were in when that history marker was written. Except for Maximum Storage's APX-4200, all WORM version utilities work in a similar fashion.

Corel also provides diagnostic, format, and miscellaneous drive utilities. DOS patch software lets you use large partitions with larger sectors. Particularly useful is a set of programs that let you back up, restore, and verify directories. Corel saves all backups to single files on the optical drive. This is more efficient than using a series of small files, given the large cluster size.

The Corel 800 installs easily on the Macintosh as well. As with most Macintosh peripherals, you connect it to the Mac with a standard 25-pin-to-50-pin SCSI adapter. The required SCSI terminators are built into the drive itself, and the SCSI bus design lets you connect up to six external devices to the Mac's connector, as long as the devices have the two connectors required for daisy chaining peripherals. The Corel 800 has only one connector. If you plan to use the Corel drive in conjunction with other SCSI devices, plan on placing the Corel at the very end of the daisy chain.

6:10

8:21

6:38

14:07

4:48

4:39

4:31

0:21

3:44

0:19

1:47

2:52

2:48

1:01

0:18

0:17

0:19

1:31

0:13

0:13

0:13

On the Macintosh, the WORM Tools utility provides the commands you need to reactivate the history markers. It gives you a list of all the markers by date, but it lacks the convenient list-by-file functions of the PC software.

Using the standard Mac interface, you simply select a point in time, and the software restores the disk to its earlier status. Your drive will reappear on the Mac Desktop in a write-protected state. You then copy the files you need back onto your hard disk and deactivate the history marker. Tools also gives you functions to set various operating parameters in the device driver.

Other software provided with the Corel Mac package includes WORM Format, the formatter and partition program; *continued*

We Just Added Two New Dimensions To Erasable Optical.



Speed And Capacity.

Its speed is Winchester class. Its capacity breaks the gigabyte barrier. It's the new LaserStor[™] Erasable Optical. And its time is now.

No other erasable optical subsystem can touch these specs. 35 ms average seek time. 10 Mbits/sec average transfer rate. One gigabyte removable cartridge capacity.

The reason? We've built LaserStor around Maxtor's revolutionary Tahiti[™] I magneto-optical technology. We've also built LaserStor to work across the board. In PC/MS-DOS, Macintosh[®] and Novell[®] environments. In single- and dual-drive configurations. Completely documented and supported, plug-and-play, right out of the carton.

Get the added value you've been expecting from erasable optical. With the added dimensions only Storage Dimensions can deliver. Call us at

(408) 879-0300.





2145 Hamilton Avenue San Jose, CA 95125

LaserStor is a trademark of Storage Dimensions. Tahiti is a trademark of Maxtor Corporation. @1989 Storage Dimensions

Circle 261 on Reader Service Card (DEALERS: 262)

OFTIC	AL DISK DRIVE		TESTS	
PC tests	Backup	Databa	se	Image file
WORM devices		1		1
Compaq 120-Mb ESDI hard disk drive				
Corel 800			_	
Corel 940				
ISi 525GB				
LaserDrive 810-111				
Maximum Storage APX-4200		N/A		
Pioneer DD-S5001				
SDI LaserStor 800				
Rewritable devices	0			
AGA Discus Rewritable DR650				
RACET Cosmos 600				
Summus LightDisk-650				
Mac tests	Backup	Databa	se	Image file
WORM devices				
Macintosh IIcx 80-Mb hard disk drive				
Corel 800				
Corel 940				
LaserDrive 820-011				
Pioneer DD-S5001				
SDI LaserStor for Macintosh				
Rewritable devices				L
RACET Cosmos 600				
Sumo Systems RSSM600-B				
Summus LightDisk-650				
N/A=Not applicable.				
Results are indexed. For the PC, the Compaq 120-megabyte ESDI hard disk drive=1; for the Mac, the Mac IIcx 80-megabyte hard	25-Mb 25-Mb backup backup write read	Directory 50,000 search record databas	record	1-Mb 1-Mb image image write read

Graphs show each drive's relative performance in a suite of typical optical disk applications. We ran all tests on a Compaq Deskpro 386 and a Macintosh IIcx. For ease of comparison, we indexed our PC platform results to the Compaq's 120-megabyte ESDI hard disk drive, and the Macintosh platform results to the Mac IIcx's 80-megabyte internal hard disk drive. We stacked the results to conserve space; they do not represent a meaningful cumulative result. Shorter segments show better performance. The Corel 940 and the Pioneer WORM drives were consistently fast, while, among erasable drives, those from AGA and Summus split the PC and Macintosh environments.

WORM Diagnostics, for checking the operation of the WORM drive; and an INIT for the Mac's System Folder.

Corel 940

The Corel 940 is a 940-megabyte Panasonic WORM bundled with a Corel interface kit. Both the PC and Macintosh subsystems sell for \$3695. The Corel 940's modified CAV format allows the drive to pack data at a high density without sacrificing speed. (For an explanation of CAV, CAD, and CLV formats, see the text box "Optical Technologies.")

While the software description for the Corel 800 is entirely applicable to the Corel 940, the hardware makes for a sharp contrast in performance. The Corel 940, with far better seek-time ratings, easily outperformed the Corel 800. On the PC, in fact, the Corel 940 was often the fastest drive we tested.

This drive is also one of the fastest WORMs on the Macintosh. We liked the external SCSI selection switch on the back panel and the daisy-chainable dual *continued*

Everything OS/2 can do for you... OS/2 provides an optional **Communications Manager** OS/2[™] includes a built-in which allows easy networking. graphical interface so it's easy to use. OS/2 lets you keep two or more OS/2 lets you run your programs running at the same time, DOS programs plus hundreds so you can do more. of programs DOS can't. 00F8896 IBM Operating System/2TM Installation Diskette Version 1.10 © Copyright International Business Machines Corp. 1981, 1988 Licensed Material - Program Property of IBM -All Rights Reserved © Copyright Microsoft Corp. 1981 - 1988 OS/2 lets you take advantage of 386[™] power. Note to US Government Users — RESTRICTED RIGHTS LEGEND — Use, duplication, or disclos is subject to restrictions in GSA ADP Schedule Contract with IBM Corp. OS/2 lets you run programs larger than 640K, so you can use more powerful applications. OS/2 provides an optional **Database Manager to make** OS/2 lets you take full advantage managing information easy.

of Micro Channel."

This offer lets you do for less.

Right now, when you choose OS/2, you can get from \$100 to \$1,600 back on the kind of heavy duty memory that only OS/2 can handle. With this offer, the more memory you buy (up to 8Mb), the bigger your rebate.

Plus you can get thousands of dollars in rebates on over 100 different OS/2 programs. You can also get hundreds of dollars back on modems, accessory cards and hardware—all the things that help you do more work in less time with OS/2.

So if you're ready to move up to all the real advantages of OS/2, ask your IBM Authorized Dealer about these rebates today. To find the dealer nearest you call 1 800 IBM-2468, ext 128.



Optical Technologies

A sk several vendors how optical disk technology works, and you're likely to get several different answers. In addition to variations in disk format, vendors use a variety of media types, recording techniques, and rotation schemes, each of which has its own unique advantages and disadvantages. Here, in a nutshell, are the basic technologies used in WORM (write once, read many times) drives and rewritable optical disk systems.

WORM drives are made up of a layer of recording material sandwiched between two plastic plates. The doublesided disk requires two recording layers. WORMs in this review use one of two recording materials: tellurium alloy or dye-polymer. These have excellent life expectancies of from 10 to 15 years, but WORM media technology is too new to have proven its durability in real-world use. Tellurium alloy is by far the most common recording material; six of the nine WORM drives we tested use it. Dye-polymer, used in the units from Pioneer and Storage Dimensions, Inc. (SDI), is cheaper to manufacture than tellurium-based products, and projected lifetimes are slightly better.

All the WORMs we tested except the Corel 940 use a recording technology known as ablative pit. They record by focusing a high-powered laser through the plastic layer to burn a hole in the recording material. The presence or absence of these burned pits represents data bits. To read back the data, the same laser shines a low-power beam on the media, and a photosensor detects reflectivity changes between the pits and the untouched surface. This rather complex process requires an expensive and heavy head assembly, and these drives provide only one head each; to access different sides of the disk, you must remove the cartridge, flip it over, and reinsert it.

The Corel 940 WORM uses a similar technique, but instead of burning a hole, the drive laser modifies the structure of the recording medium so that it changes the phase of reflected light. The drive detects phase changes in light from the read laser reflected off the disk surface.

While several companies are exploring different erasable optical technologies, magneto-optical is the only one currently refined enough for use in commercial products. Like WORM disks, magneto-optical disks consist of a layer of recording material sandwiched between two plastic disks. The magnetic recording material of an unused disk has a uniform magnetic orientation. At room temperature, the material is insensitive to normal magnetic fields, but at high temperatures (past its "Curie point") you can alter it magnetically.

To write on this material, the drive head heats the target area with a laser and applies a magnetic field to reverse the orientation of the target area. Once the material cools, it retains the reversed magnetic orientation; thus, the drives can represent data bits by varying magnetic orientations within the disk.

Erasing and rewriting data requires two passes. On the first pass, the head simply heats the target area and applies a uniform magnetic field to return the target area to its original orientation. The second pass writes the new data. The drive reads data by focusing a laser beam at the recording layer. The polarity of the reflected light changes according to the magnetic orientation of the disk (this is known as the Kerr effect). The drive detects reflected polarity and uses it to distinguish spaces from marks. Like WORM drives, magnetooptical drives can access only one disk side at a time.

Capacity vs. Speed

Optical drives use different rotation schemes and track organization to optimize access time or disk capacity. The two most common are constant angular velocity (CAV) and constant linear velocity (CLV). Like magnetic drives, CAV devices maintain a constant rotational speed. Since the data rate at the head is always constant, all tracks must contain the same amount of information. Although the outer tracks are longer, they can contain only as much data as the shortest (innermost) track. As a result, CAV disks waste potential disk capacity.

CLV drives maximize capacity, but they're more complex and generally slower than those using CAV. They vary the rotational speed of the disk to maintain constant velocity of the head over the disk, whether on an inner or an outer track. CLV drives, therefore, can pack the entire drive at the highest data density that the disk can support.

Corel's 940 and Information Storage, Inc.'s (ISi) WORM drives use two other methods, modified CAV and constant area density (CAD), respectively. Modified CAV, a CLV-CAV hybrid, involves splitting the disks into several concentric regions. Within each region, the disk spins at a constant rate; the rate increases for regions located nearer the outside of the disk. This method achieves high data density, and control is not as complex as when using CLV.

ISi's CAD drive is essentially CAV, but it puts an interesting spin on the technique by interleaving data tracks. The result is a honeycomb pattern of data bits with nearly the same data density on outer and inner tracks. For the user, this means very high capacity combined with good performance.

In addition to different rotation methods, optical drives use different methods for organizing tracks. Only ISi, Maximum Storage, and the Corel 940 use the concentric tracks familiar to magnetic disk users. This scheme results in relatively short seek times but suffers when the drive must transfer large amounts of information (i.e., when there are multiple tracks). The rest of the manufacturers chose a spiral track organization, where all data is arranged in a long continuous groove, as on a phonograph record. While this method is more efficient for sustained transfer, it's also slower at finding a randomly selected sector.

SCSI connectors. Most of the WORM drives that we tested automatically ejected the cartridge when we dragged the drive's icon into the trash. The Corel 940 has a manual cartridge eject.

The Macintosh software is standard Corel fare-formatting, diagnostics, and version-retrieval functions, as with the Corel 800. It's an excellent choice, especially if you want more storage.

ISi 525GB

At 640 megabytes per side, Information Storage, Inc.'s (ISi) 525GB was the largest-capacity drive for the PC that we tested. For \$6288, the system includes a drive, a Western Digital SCSI controller card, and software. The unit also includes dual SCSI connectors for daisy chaining.

Breakthrough \$899 Offer-Now You Can Drive CD-ROM

 \mathbf{F} or a limited time Compact Disk Products (CDP) is For a limited time Compact DISK Froducts (CD4) is packaging the state-of-the-art NEC CD-ROM drive Compact with Microsoft's most popular CD-ROM software:

Package A-For \$899, includes Microsoft Bookshelf, a coupon to purchase both Microsoft Stat Pack and Microsoft Small Business Consultant for only \$50 each, a FREE copy of CD-Play Demo and FREE Federal Express delivery.*

Package B-For \$1189 also includes Microsoft **Programmer's Library**



Buy CD-ROM now! CDP sells over 200 quality CD-ROM titles for libraries, schools, legal and medical professionals, programmers, and many others. Over 25 new titles are being published each month. With IBM, NEC, and HP announcing new CD-ROM based PC's or Mini's, a CD-ROM drive is becoming as necessary as a floppy drive.

"I believe more than ever that CD-ROM products will be a major force in the expansion of the information industry." Bill Gates.

CDP is the largest specialized supplier

CONSUL MANY WARRAND

of CD-ROM products in the U.S. Since 1987, CDP has supplied you with prompt service and expert advice... at the best prices. CDP is committed to CD-ROM and it shows. Our Unconditional Guarantee is unmatched. Our free Federal Express delivery is an industry first. Call now and tomorrow you will be driving these power CD-ROM products.

Circle 55 on Reader Service Card

UNCONDITIONAL GUARANTEE

1) If FOR ANY REASON you are unhappy with your purchase you may return it within 30 days for a FULL REFUND.

2) During the 90-day NEC warranty period CDP will ship replacement drives overnight. CALLAN T CHARLEN She had been a stranger of the state of the

ORDER NOW! 800-MEGABYTe (634-2298) (Order line open M-S, 9AM-9PM EST)

Fax Orders 212-737-8289 • Inquiries/Free tech. Support 212-737-8400 DEALER INQUIRIES WELCOME

FREE CD-ROM: Mail in your order coupon and receive the CD-ROM Source Disk FREE. Includes demos of many popular CD-ROM products and retails for \$89. *Federal Express delivery free for phone/fax orders within continental U.S. only.

Please send the package I've checked below.

□ Package "A"-Complete NEC CD-ROM drive kit (internal or stand-alone) plus Bookshelf and CD-Play Demo (includes a coupon to purchase both Stat Pack/Small Business Consultant for \$50 each) for only \$899!

Dackage "B"-Complete NEC CD-ROM drive kit (internal or stand-alone) plus Bookshelf, CD-Play Demo and Programmer's Library (includes a coupon to purchase both Stat Pack/Small Business Consultant for \$50 each) for only \$1199!

Please send the following drive configuration with my order:

□ Stand-alone NEC CDR-77; Select □ PC/XT/AT/386 or
Microchannel

Microsoft

NEC

Use your the trent Pplay Detho Ft NEC CD-ROM drives (retail \$1198): Once again NEC as an Audio C standard. Using 64K buffers (older drives use 8K) NEC delivers the speed users demand. Each drive includes full audio CD hardware (accessible with CD-Play Demo). The CDR-77 stand-alone drive also operates with Macintosh computers (\$99 interface kit required).

Microsoft Bookshelf (retail \$295): An indispensable collection of writers' references for word processor users. This is the most popular CD-ROM title published. You get instant access to: The World Almanac, Chicago Manual of Style, Bartlett's Familiar Quotations, Roget's II: Electronic Thesaurus, American Heritage Dictionary, Business Information Sources, The U.S. Zip Code Directory, Houghton Mifflin Spell Checker and Usage Alert and more! All Microsoft CD-ROM's are RAM resident and include powerful cut and paste features for popular word processing packages.

> Microsoft Stat Pack (retail \$125): Now you have easy access to the abundance of statistics published by the Federal Government-census data, business statistics, agricultural surveys and much more, plus Microsoft Excel and Lotus 1-2-3 spreadsheet files for all tables. A must for marketers and planners.

> Microsoft Small Business Consultant (retail \$149): The most popular publications of the Small Business Administration and Deloitte, Haskins and Sells on running a small business. Answer tax, accounting, legal,

personal, and financing questions in an instant. A gold mine for businessmen, accountants, and consultants.

Microsoft Programmers Library (retail \$395): All the critics are raving "...a masterpiece of simplicity and function." PC World, May '89. A complete library (over 20,000 pages) of the latest releases of Microsoft's Technical Reference Manuals covering OS/2, Windows MS-DOS, C, MASM, etc. with 8 megabytes of source code.

> Also includes FREE CD ROM Networking software. PC Professionals need this NOW!

Compact Disk Products, Inc. 223 East 85th Street, New York, New York 10028 (212) 737-8400

Please send me a free CDP Encyclopedia of CD-ROM Products Corporate / personal check money order enclosed Charge my (circle one) American Express Optima VIS MasterCard Diner's Club VISA

exp. date
4
······································
· +
d handling.





ISi's unique CAD format gives the unit a good access-time rating and respectable performance, especially considering its high capacity. The drive performed well on our benchmarks, often finishing at or near the top of the list.

The drive uses the DOS file system and simply looks like a logical block device to DOS. It maintains block-update information on disk, so you won't lose any data in a sudden blackout. All DOS disk-function calls worked smoothly.

ISi's WORM-TOS PLUS software includes a DOS patch (for larger sectors and partitions), a partition editor, and Back Track version utilities. The driver and patching software allow for up to 640-megabyte partitions. The Back Track utility suffers from a clumsy user interface but was able to recover older file versions without problems.

Overall, the 525GB is an excellent drive. It's fast and fully DOS-compatible, and it has outstanding capacity. Unfortunately, both the drive and media are relatively expensive.

LaserDrive 810-111

LaserDrive sells two nearly identical WORM drives, the 810-111 for DOS machines (\$5495) and the 820-011 for the Macintosh (see below). The LaserDrive 810-111 media offers 405 megabytes per side, with interface cards available for both PC and Micro Channel machines. A second SCSI connector and externaldevice-select thumbwheel allow you to daisy chain other SCSI devices off the LaserDrive.

The LaserDrive was the largest drive we tested. It stands about 15 inches tall. While most of the test units were designed for desktop use, the LaserDrive can stand comfortably on the floor, freeing up valuable desk space.

The 810-111 had the worst accesstime specification of the units we tested. But the system as a whole outperformed several drives with better ratings, turning in a moderate performance overall.

The drive uses the DOS file system and acts like a standard device driver disk. It emulates random-access writes by keeping logical address markers with each sector on the disk. The drive keeps a logical history in a reserved area on disk to keep track of current versions. It executed all the DOS test functions perfectly.

Installing both the hardware and software components was simple, and we had no trouble operating the drive. The driver makes it possible to have disk partitions as large as one disk side. Other software for the LaserDrive 810-111 is quite sparse; there are diagnostic and format utilities, but there is no provision for retrieving outdated versions.

LaserDrive 820-011

The \$5995 LaserDrive 820-011 for the Mac includes driver/utility software and a cable, and it uses the same cartridges and drive as the LaserDrive 810-111.

In our benchmark tests, the Laserdrive 820-011 did well on the backup read test, behind the Corel 940, the Pioneer DD-S5001, and the rewritable Sum-

Si's unique CAD format gives the unit a good access-time rating.

mus LightDisk. But the LaserDrive's poor performance on the 1-megabyte image retrieval tests suggests that it's best used for backups or for storing large files.

The Mac OS has some difficulty calculating the actual amount of remaining space because of rewritten sectors. The utility software provided with the drive includes a desk accessory that displays the amount of rewritable space remaining on the drive. Formatting cartridges is simple: You just click on INITIALIZE in response to the standard Macintosh "This disk is unreadable" alert box.

Maximum Storage APX-4200

The Maximum Storage drive for the PC (\$4450) is unique for two reasons. First, it uses an ESDI host adapter, so daisy chaining drives is out of the question. Second, and more important, its software approaches DOS compatibility from a radically different angle.

Unlike most other programs, which use the DOS file system, the APX-4200's MAXSYS software creates its own file system that's more appropriate for the drive's write-once capabilities. It traps all INT 21H calls, filters out those intended for the optical drive, and passes the remaining commands through to the standard INT 21H handler.

This high-level DOS interface makes for the slickest version-retrieval software of any of the WORMs that we tested. MAXSYS extends the standard MS-DOS naming convention from FILENAME- .EXT to FILENAME.EXT#VN, where VN is the version number. By default, MAXSYS assumes the latest version, but you can specify any earlier one by simply putting the number at the end. This means that for functions that use ASCIIZ strings, you can explicitly specify the version number when you're calling the function. This won't work with DOS's COPY command, however, so Maximum Storage provides a COPY replacement. Other version utilities include LNK, which can effectively retrieve an old version of a file by linking it with a new directory entry, and XDIR, an expanded replacement for DIR that can handle version information.

Unfortunately, this software scheme also results in relatively poor DOS compatibility. The file system doesn't support hidden, system, or archive attributes, and our attempts to open a file by using a file control block failed. The APX-4200 was also unable to run our large database tests; Maximum Storage representatives confirmed the problem and are working on a solution.

The drive turned in excellent times on most of our other benchmarks, but it was slow on directory searches.

Pioneer DD-S5001

Pioneer Communications' DD-S5001 system includes a Pioneer WORM drive and a Corel interface kit for either PC compatibles (\$3895) or Macintosh (\$3695) computers. If you're working with DEC, Sun, or other machines or operating systems, contact Pioneer; several interfaces are available from third parties.

At 327 megabytes per side, the Pioneer drive has the lowest capacity of the WORMs we reviewed. But it's also the least expensive, and its media cost per megabyte is quite low.

The DD-S5001 performed exceptionally well in our benchmark tests. On the PC side, it earned the top composite score on the backup test, and it was near the top on both the database and image suites. It was fully DOS-compatible.

Difficult access to the SCSI switches inside the unit made installing the DD-S5001 on the Macintosh a cumbersome process. Fortunately, most people will need to set these switches only once. The cable attaches to standard SCSI connectors, and the unit includes two connectors for daisy chaining or connecting an external terminator.

Capacity and installation are only part of the story. The DD-S5001 is a fast WORM drive, and it consistently kept *continued*



FASTER THAN THE AVERAGE BEAR

Are you asking yourself what a bear has to do with super speed, remarkable resolution and fabulous colors? We did. too. How can anyone bear to work with less than incredible speed, we asked ourselves. How can anyone bear to

work without extraordinary resolution? Bear to work with less than 256 spectacular colors? We got so beared out, we decided to share one with

you. Along with the bear facts about ATI's award-winning board.

Such as:

- high resolution 800×600 and 1024×768 graphics
- fast 16-bit bus support
- 100% register-level compatible in VGA®, EGA®, CGA®, MDA®, and Hercules® modes
- analog and digital monitor support
- easy, switchless installation
- high resolution and 132 column drivers
 Microsoft[®] compatible bus mouse and
- mouse port included

 available in 256K and 512K versions Oh, and bear this in mind - when it comes to VGAWONDER®, you'll be aetting a honey of a price!

For more informatian, contact your supplier or

ATI Technologies Inc. 3761 Victoria Park Avenue Scarborough, Ontario Canada MIW 3S2 Tel: (416) 756-0718 Fax: (416) 756-0720



red trademarks are as follows: ATI, VGAWONDER – ATI Technologies Inc.; Microsoft - Nicrosoft Corp.; Hercules - Hercules Computer Technologies Inc.; VGA, EGA, CGA, MDA - International Business Machines Corp.

OPTICAL STORAGE TECHNOLOGY

COMPANY INFORMATION

Advanced Graphic

Applications, Inc. (AGA Discus Rewritable DR650) 90 Fifth Ave. New York, NY 10011 (212) 337-4200 Inquiry 1071.

Corel Systems Corp.

(Corel 800, Corel 940) 1600 Carling Ave., Suite 190 Ottawa, Ontario, Canada K1Z714 (613) 728-8200 Inquiry 1072.

Information Storage, Inc.

(ISi 525GB) 2768 Janitell Rd. Colorado Springs, CO 80906 (719) 579-0460 Inquiry 1073.

LaserDrive Ltd.

(LaserDrive 810-111, LaserDrive 820-011) 1101 Space Park Dr. Santa Clara, CA 95054 (408) 970-3600 **Inquiry 1074.**

Maximum Storage, Inc.

(Maximum Storage APX-4200) 5025 Centennial Blvd. Colorado Springs, CO 80919 (719) 531-6888 Inquiry 1075.

Pioneer Communications

of America, Inc. (Pioneer DD-S5001) Optical Memory Products Division Sherbrooke Plaza 600 East Crescent Ave. Upper Saddle River, NJ 07458 (201) 327-6400 Inquiry 1076.

RACET Computers Ltd.

(RACET Cosmos 600) 3150 East Birch St. Brea, CA 92621 (714) 579-1725 Inquiry 1077.

Storage Dimensions, Inc.

(SDI LaserStor for Macintosh, SDI LaserStor 800) 2145 Hamilton Ave. San Jose, CA 95125 (408) 879-0300 Inquiry 1078.

Sumo Systems

(Sumo Systems RSSM600-B) 1580 Old Oakland Rd., Suite C103 San Jose, CA 95131 (408) 453-5744 Inquiry 1079.

Summus Computer Systems

(Summus LightDisk-650) 17171 Park Row, Suite 300 Houston, TX 77084 (713) 492-6611 Inquiry 1080.

pace with the speedy Corel 940. The Corel software package provided with the drive handled the utility and driver functions.

Along with Corel's 940, this drive clearly proves that expensive is not always better.

SDI LaserStor for Macintosh

LaserStor for Macintosh, from Storage Dimensions, Inc. (SDI), sports dual SCSI connectors and internal SCSI address selection switches. For \$4999, you get the drive system, cabling, and driver/ utility software.

It's no coincidence that the LaserStor and the Corel 800 displayed almost identical performance—both use Ricoh disk subsystems and Corel software. The vertically mounted LaserStor takes up less desk space than many other drives. It installed easily and worked without any surprises.

SDI LaserStor 800

The LaserStor 800 PC-based WORM takes an unusual approach to solving the problems of slow access times and inefficient disk use: It caches both data and directories on the system's hard disk drive. The optical drive itself is the same unit that SDI's Macintosh WORM uses; the company plans to port the caching scheme to the Macintosh disk drive, but the software is currently available for the DOS environment only. As with the Pioneer drive, other operating-system support is available from third parties. For \$4495, the PC system gives you the drive, cable, interface card, software, and a comprehensive combination user's and programmer's guide.

SDI's LaserCache software maintains logical-to-physical-sector translation tables and communicates with DOS at the device driver level, as do most other WORMs. Our tests showed it to be completely DOS-compatible. LaserCache, however, keeps translation tables and data in a reserved caching area on the magnetic disk. It reads the translation tables from the WORM only once, when the cartridge is mounted; from that point, it makes all updates to the cache. The unit also caches both data reads and writes and flushes the cache only as it approaches capacity. Before removing a cartridge, the user must flush both data and index information from the cache.

In addition to the advantage of greater speed, the cache also uses the WORM more efficiently than does a direct-write scheme. Rewritten translation tables and user data often waste a great deal of space on a WORM, where any written data consumes space. With LaserCache, rewritten information replaces old information in the magnetic cache, and permanent writes happen only when the cache is flushed.

We tested the unit with an 11-megabyte hard disk cache. The system has no defaults, but you must set aside at least 1 megabyte for caching space. Overall performance was disappointing, especially when you consider the several minutes it took to flush the cache after we finished the tests.

The caching software also makes it more difficult to retrieve older file versions. If you need to save a file and guarantee its recoverability, you must flush the cache after you save the file. If you're running a scanning or CAD application, for example, this means you must save the file, exit the application, run the cache flush utility, and reenter the application. Once you've done that, you can recall the file using LaserCache utilities.

The Rewritables

Rewritable optical drives are very new. Only two vendors, Sony and Ricoh, manufacture the drive mechanisms used in the systems we reviewed. But don't let the underlying similarities fool you. Software and interface components can make for significant differences.

AGA Discus Rewritable DR650

Among the erasable optical units we reviewed, the champion is AGA's DR650. Its high capacity, trouble-free operation, and blinding speed make it ideal for AT or PS/2 users with large storage requirements. The system runs on a standard *continued*

MicroWay Means Numerics!

MicroWay is your best source for the software and hardware you need to get true 32 bit performance from your 386. These include 32-bit tools, such as NDP Fortran, C, and Pascal, and the 32-bit applications that were developed with them (see last paragraph). These products run in protected mode under Unix, Xenix, or Phar Lap extended MS-DOS.

Starting with release 1.4VM, NDP Fortran, C and Pascal not only access 4 gigabytes of memory, but run with Phar Lap's new VMM extension which provides 386 protected mode virtual memory. Now you can run a program with a 30 MB array on a 2 MB system simply by having 30 MB of space on your hard disk.

MicroWay also offers transputer based parallel processing boards and languages that run in an XT, AT, or 386. Each of the T800 RISC processors on these boards packs the power

32-Bit Compilers and Tools

NDP Fortran-386™, NDP C-386™, and NDP Pascal-386™ compilers generate globally optimized, mainframe quality code. Each runs in 386 protected mode under Unix, Xenix or Phar Lap extended MS-DOS. The memory model employed uses 2 segments, each of which can be up to 4 gigabytes. They generate code for the 80287, 80387, mW3167 or mW1167 and include high speed EGA graphics extensions written in C that perform BASIC-like screen operations. NDP Fortran-386™ is a full implementation of FORTRAN-77 with Berkeley 4.2 and Fortran-66 extensions. NDP C-386™ is a full implementation of AT&T's PCC with MS and ANSI extensions. NDP Pascal-386™ is a full implementation of ANSI/IEEE Pascal, with extensions from C and Berkeley 4.2 Pascal. NDPFortran/C/Pascal-386/DOS each \$595 NDP Fortran/C/Pascal-386/VM.....\$695 NDP Fortran/C/Pascal-386/UNIX......\$795 NDP C++\$495 Phar Lap 386/VMM extensions are supported by the VM releases of NDP Fortran, C, and Pascal, making it possible to compile and run programs as large as the free space on your hard disk

Phar Lap Virtual Memory Manager . . \$295 Phar Lap Development Tools \$495

NDP Windows™—NDP Windows includes 80 functions that let you create, store, and recall menus and windows. It works with NDP C-386 and drives all the popular graphics adaptersLibrary: \$125, C Source: \$250

NDP Plot[™] — Calcomp compatible plot package that is callable from NDP Fortran. It includes drivers for popular plotters and printers. Works with CGA, MDA, EGA and VGA ... \$325

NDP/FFT[™] — Includes 40 fast running, hand coded algorithms for single and double dimensioned FFTs which take advantage of the 32-bit addressing of the 386 or your hard disk. Callable from NDP Fortran with mW1167 and 80387 support......\$250 387FFT for 16-bit compilers......\$250

NDP to HALO '88 Graphics Interface — Enables you to call graphics routines in HALO '88 from NDP Fortran, C or Pascal......\$100 Dr. Robert Atwell, leading defense scientist, calculates that NDP Fortran-386 is saving him \$12,000 per month in rentals of VAX hardware and software while doubling his productivity!

Fred Ziegler of AspenTech in Cambridge, Mass. reports, "I ported 900,000 lines of Fortran source in two weeks without a single problem!" AspenTech's Chemical Modeling System is in use on mainframes worldwide and is probably the largest application to ever run on an Intel processor.

Dr. Jerry Ginsberg of Georgia Tech reports, "My problems run a factor of six faster using NDP Fortran-386 on an mW1167 equipped 386/20 than they do on my MicroVAX II."

Parallel Processing

Monoputer M— The world's most popular PC transputer development product now extends the memory available for developing transputer applications from 2 to 16 MB. The board features a DMA bus interface for fast I/O. Monoputer with T414 (0 MB) \$995

Monoputer with T800 (0 MB) \$1495

Quadputer[™]— This board for the AT or 386 can be purchased with 2, 3 or 4 transputers and 1 or 4 MB of memory per transputer. Two or more Quadputers can be linked together to build networks of up to 100 or more transputers providing mainframe power...... from \$3495

Transputer Compilers and Applications These Parallel languages are designed for use with Monoputer2 and Quadputer2. Logical Systems Parallel C \$595 3L Parallel C or 3L Parallel Fortran . . \$895 COSMOS/M - Finite element analysis . CALL ParaSoft: Parallel Environment . . . \$500 Performance Monitor . . . \$500 C Source Level Debugger \$500 T800/NAG™ (See NDP/NAG) \$2750

387BASIC[™] — Our 16-bit MS compatible compiler introduces numeric register variables to produce the fastest running 80x87 code on the market.....\$249

NUMERICS HOTLINE (508) 746-7341

of a 20 MHz 386/1167. Our best selling board, the Quadputer 2^{TM} , has four T800s and boasts 40 MIPS/6 megaflops of processor throughput.

MicroWay manufactures Weitek 1167 and 3167 coprocessor cards that run with the 80386. Both cards include an 80387 socket. The 1167 is 2 to 4 times faster than the 80387. The 3167 runs 30% faster than the 1167 in double precision. The key to achieving this speed increase is our NDP Fortran or C and the new 32-bit applications that offer Weitek support. Either processor provides a dramatic increase in throughput for graphics intensive applications. These include VersaCad and Hoops 3D graphics, ANVIL 5000 CAD/CAM, SRAC and Swanson Analysis finite element packages, Mathematica and a host of other packages that were recently ported to the 386 using our NDP Fortran and NDP C. Please call (508) 746-7341 for more Information.



Weitek-Based Coprocessor Boards

mW1167™ and mW3167™ coprocessor
boards are built at MicroWay using Weitek
components. Each includes an 80387 socket.
mW1167-16\$895
mW1167-20\$1095
mW1167 Microchannel-16/20 CALL
3167-20\$995
3167-25\$1295
3167-33\$1695
mW3167/80387 Board\$150

Intel Coprocessors

8087	\$84	8087-2 \$120
80287-8 .	. \$195	80287-10 \$220
80387-16	. \$350	80387-16SX\$310
80387-20	\$400	80387-25 \$500
80C287A (CMOS) .	\$280
		compatibles) \$350
RAMpak™	- one me	32-bit memory module
		5 \$395
		g\$1495

Multi-User Accelerators

MicroWay's AT8[™] and AT16[™] intelligent serial controllers run 8 to 16 terminals under Unix or Xenix without bogging down your AT, 80386 or PS/2 PC. AT8:\$895 AT16:\$1295



FastCACHE-286 12 MHz	.\$299
SuperCACHE-286 12 MHz	.\$399
FastCACHE-286 9 MHz	. \$199

World Leader in PC Numerics



Corporate Headquarters: P.O. Box 79, Kingston, MA 02364 USA (508) 746-7341 32 High St., Kingston-Upon-Thames, U.K., 01-541-5466 USA FAX 508-746-4678 Italy 02-74.90.749 Holland 40 836455 Germany 069-75-2023 SCSI bus, and you can chain any SCSI device off the drive. Unfortunately, a Mac version of this product wasn't released in time for this review.

At \$6495, the DR650 isn't cheap, but it proved to be the best drive to use with DOS. It consistently turned in top performances, matched only by the Summus drive on the image tests. Although the device driver lets you configure a system RAM cache, we ran it in the default configuration without caching enabled. Adding the cache should further enhance performance.

The only difference in capacity between this drive and the other magnetooptical units is in the data cartridge. All four of the units we tested can use both 325-megabyte-per-side cartridges and the 297-megabyte-per-side variety. But while they can use the same physical media, proprietary formats mean you can't swap cartridges between different drives to share data.

The higher-capacity cartridge has 1024 bytes per sector and less overhead than the lower-capacity, 512-byte-persector disk. The current version of the ISO standard for magneto-optical media covers both 512- and 1024-byte sectors. AGA has chosen to sell and support 325megabyte, 1024-byte-per-sector cartridges. Because the cluster size is so much larger, these cartridges will cost you more in data overhead if you store small files.

AGA's software includes the driver, format and partitioning utilities, and a DOS patch to enable large partitions. It ran all our tests and executed all DOS disk function calls without a hitch.

RACET Cosmos 600

RACET's Cosmos 600, based on Ricoh's 600-megabyte magneto-optical drive, is available for both PC and Macintosh platforms. It's the most network-oriented erasable unit we reviewed, with support for TOPS, AppleShare, and Novell's NetWare. The PC system sells for \$5645; the Macintosh version costs \$5590.

On our DOS test machine, the AGA unit consistently outperformed the RA-CET drive. But the Cosmos 600 was by no means slow; it bested the Summus system on two of the tests.

RACET's drive was completely compatible with DOS. The PCMS software that comes with the drive is adapted from programs shipped with RACET's tape drives. Utilities include formatting, partitioning, and diagnostic programs. PCMS also lets you assign passwords to partitions.

An external SCSI device-select switch

made Mac installation easier. Dual SCSI connectors let you connect the external terminator or another daisy-chained peripheral. Performance was solid—better than the Mac's internal hard disk drive on both the FoxBASE and MPW tests.

RACET's PCMS utility software works reliably, but it can be dangerous: It almost wiped out our hard disk drive. Most of the utilities search through the SCSI bus and bring up a screen with a list of the devices it finds. During the last phase of testing, we inadvertently se-

A mong the erasable optical units, the champion is AGA's DR650.

lected device 0 (the Mac's internal hard disk drive) instead of device 1 (the RA-CET drive). PCMS happily stomped the Macintosh driver on the hard disk and destroyed the partition table.

Sumo Systems RSSM600-B

The Sumo RSSM600-B uses the same internal subsystem as the Cosmos 600 and performed almost identically on all the tests. We tested the unit on the Macintosh, but Sumo began shipping a PC version as we went to press. Two SCSI connectors and an external SCSI address switch grace the back panel. Physically, the Sumo drive is the largest of the rewritables. It's approximately square and sized to fit beautifully under a classic Mac SE or Plus footprint.

Perhaps the Sumo's best feature is its price: \$4500 for the Mac drive (\$4700 for the PC) and \$260 per 600-megabyte (double-sided) cartridge makes it the cheapest of the rewritables.

Summus LightDisk-650

Like the AGA system, Summus's Light-Disk-650 incorporates Sony's magnetooptical drive. Unfortunately, Summus's system can't touch the AGA when it comes to performance. What Summus has going for it is a standard SCSI connection and software that lets it fit comfortably with just about any system. The drive is available for an impressive lineup of machines and a host of operating systems (see table 1); PC kits sell for \$6495, and Macintosh kits sell for \$5495. Installing the drive may require opening the case to get to the internal SCSI address switches.

The Summus drive for the PC doesn't come with any utility software. In fact, it doesn't come with any software at all. The driver card has a BIOS extension ROM that lets it recognize the LightDisk at boot time. You use a utility provided in the ROM to do a low-level format, and standard DOS FDISK and FORMAT commands for formatting and partitioning. All the DOS drive functions we tried worked correctly.

Although the Macintosh rewritables were close in terms of performance, the LightDisk edged out its two Ricoh-based competitors, RACET and Sumo.

The Disk Director 3.0 software (provided with the Macintosh version) handles the low-level formatting and partitioning. The LightDisk is unique in that the partitioning lets you split up the 297 megabytes into several partitions and have them all come up as different logical disk drives.

Buy or Wait?

Optical storage is a young technology, and compatibilities and specifications change rapidly; if you have an application in mind, call the vendor. If you're looking to an erasable optical drive as a medium for data distribution, you may do well to hold off on any purchase until these drives conform to a standard.

On the IBM PC-compatible side, several drives stand out. The ISi 525GB is fast and has an enormous capacity, but it's also quite expensive. The Maximum Storage APX-4200 has the best versioncontrol software and performs respectably, but it has problems simulating random-access writes.

Our favorite WORM drives in both the DOS and Macintosh environments are the Corel 940 and the Pioneer DD-S5001. Both drives are excellent performers in all applications, and both are outstanding values.

The AGA Discus Rewritable DR650 is the obvious choice if you need a rewritable drive for DOS, but all four magnetooptical drives have strong points: the RACET Cosmos 600 has strong networking support, the Sumo RSSM600-B is relatively inexpensive, and the Summus LightDisk-650 delivers the best performance on the Macintosh. ■

Steve Apiki and Howard Eglowstein are testing editors for the BYTE Lab. You can reach them on BIX as "apiki" and "heglowstein," respectively.

Introducing the everything-but-the-kitchen sync.



Presenting a multiscanning color monitor so advanced it's compatible with virtually all the video standards to date. And with video standards to come, like SuperVGA and IBM[®] 8514/A. It's the C1391 PanaSync[™] color monitor. And whether your office PCs are running Hercules[™], CGA, EGA or VGA, this

14" Panasonic[®] monitor will display each to its best advantage.

Of course, the PanaSync monitor is comfortable in virtually any IBM or [with an optional cable] Apple Mac[™] II environment. And we've given as much thought to your comfort, as well. With an ergonomic design. Featuring front-mounted controls. Tilt/swivel stand. And text color switching from green to amber to paper white

in TTL modes. The affordable PanaSync C1391 monitor. The future on display. For more information, or the name of your authorized dealer, call

toll-free 1-800-742-8086.

Circle 201 on Reader Service Card

PanaPro[™] Monochrome Desktop Publishing Monitors



Peripherals, Computers, Printers, Copiers Typewriters and Facsimiles



PanaSync™ Multiscanning Color Monitor



IBM is a registered trademark of International Business Machines Corporation. Mac II is a trade-mark of Apple Computer, Inc. Hercules is a trademark of Hercules Computer Technology:

ACCESS MICRO SYSTEMS... CUSTOM ASSEMBLED.

THE POWER.

ACCESS -- proven, powerful systems, with thousands in use today. ACCESS is the centerpiece of your computer-office management system. ACCESS reduces your workload--increases productivity. Call CMO about the ACCESS 386/20 Tower system, rated 32% faster than the Compaq 386/16.

800-233-8950

\$895 0

ACCESS 286/12

- 16-bit 80286 Main System Board Processor.
- Dual 6/12 MHz switchable CPU speed.
- · 512K RAM, expands to 4MB on
- motherboard.
- Eight slots: (6-16 bit, 2-8 bit).
- Supports 80287 Math Coprocessor.
- · One parallel, serial and game port.
- 102-key "AT" style enhanced keyboard.
- 1.2MB Hi-density 5.25" floppy disk drive
- Five 1/2 height drive bays.
- · Western Digital 2:1 interleave controller.
- · 220 watt high capacity power supply. · Desktop case with Turbo and Power LED Display, keyboard lock, hardware and Turbo switch.
- Norton SI Rating V4.0: 15.3. Industry standard Phoenix compatible BIOS.
- One and Zero Wait State operations.
- · Clock/Calendar with Battery Back-up.
- · Monitor not included in above price. Also available in small footprint and Tower case. See chart for Video and Hard Drive Options.



Your ACCESS	system is custom-
configured to fit	your needs, your

your work style, and your budget. Your hand-assembled system is put through an exhaustive technical checklist and bench-tested a grueling 48-hours to insure that your system will work the first time--every time. To order call today:

THE FLEXIBILITY.

800-233-8950



Computer Mail Order. Since 1981-Low Prices, Large Selection, Fast Service.

	40MB-28ms	80MB-28ms	159MB-23ms
Mono	\$599.00	\$799.00	\$1399.00
EGA	\$899.00	\$1099.00	\$1699.00
VGA	\$999.00	\$1199.00	\$1799.00

FREE ACCESS Software Utilities Provided.

MONEY BACK GUARANTEE 3 YEAR WARRANTY.

THE CONFIDENCE.

We offer what the competition doesn't -- a 3-year limited warranty on parts, free technical support and computer consultant toll-free "hotlines" -- where you'll receive clear answers to any ACCESS questions. Go ahead, give us a try:

800-233-8950



ACCESS 386/16

- 32-bit 80386 Main System Board.
- Switchable 6/8/16 MHz CPU speed. 1MB RAM, expands to 10MB on
- motherboard.
- Eight slots: (1-32bit, 5-16 bit, 1-8 bit).
- Supports 80387 Math Coprocessor.
- One parallel port, serial and game port.
- 102-key "AT" style enhanced keyboard. • 1.2MB Hi-density 5.25" floppy disk drive.
- Five ½ height drive bays. · Western Digital 1:1 interleave controller.
- 220 watt high capacity power supply. · Desktop case with Turbo and Power LED Display, keyboard lock, and hardware switch.
- Norton SI Rating V4.0: 18.7.
- · Industry standard Phoenix compatible BIOS.
- Zero Wait State operation.
- · Clock/Calendar with Battery Back-up.
- Monitor not included in above price. Also available in Tower case. See chart for Video and Hard Drive Options.

\$1995 0 0 100 ACCESS 386/20 32-bit 80386 Main System Board. . Switchable 6/8/20 MHz CPU speed. 1MB RAM, expands to 10MB on . motherboard. Eight slots: (1-32 bit, 5-16 bit, 1-8 bit). Supports 80387 Math Coprocessor. One parallel, serial and game port. 102-key "AT" style enhanced keyboard. 1.2MB Hi-density 5.25" floppy disk drive. Five 1/2 height drive bays. Western Digital 1:1 interleave controller. 220 watt high capacity power supply. Desktop case with Turbo and Power LED Display, keyboard lock and hardware switch. Norton SI Rating V4.0: 24.0. Industry standard Phoenix compatible BIOS. Zero Wait State operation. Clock/Calendar with Battery Back-up. Monitor not included in above price. 32K Static Cache Memory (optional). Also available in Tower case. See chart for Video and Hard Drive Options. CUSTOMIZE YOUR ACCESS 386.

Select any of the Video and Hard Drive options and allow us to CUSTOM ONFIGURE Your **ACCESS** 386 System

UNI	1001	CLC.	1001	ALL	1.33	200	Systi	em
	(Add	to	the	hase	nrice	abo	ve)	

	80MB-28ms	159MB-23ms	338MB-18ms	
Mono	\$799.00	\$1399.00	\$1899.00	
EGA	\$1099.00	\$1699.00	\$2199.00	
VGA	\$1199.00	\$1799.00	\$2299.00	

THE PRICE.

Check our features. Check our competition. You'll receive not only the amazing price, but a full 30-day money-back guarantee-- no questions asked when you order an ACCESS Micro System, Call Today:

800-233-8950



A110

Computer Mail Order. Since 1981-Low Prices, Large Selection, Fast Service.

Circle 63 on Reader Service Card



ACCESS TURBO XT/10

- 8-bit 8088 Main System Board
- Dual 4.77/10 MHz switchable CPU speed. 512KB RAM, expands to 640KB on motherboard
- Eight 8-bit slots .
- Supports 8087-10 Math Coprocessor.
- One parallel port, serial port and game port. 102-key "AT" style enhanced keyboard. 360KB 5.25" floppy disk drive.

- Four ¼ height drive bays. Dual floppy controller, supports 720K format. 150 watt high capacity power supply. Desktop case with Turbo and Power LED
- Display, keyboard lock, hardware and
- Turbo switch. IBM XT compatible EROS BIOS.
- Clock/Calendar with Battery Back-up.
- · Monitor not included.

Low profile case available.

30 Day Money Back Guarantee 1 Year Limited Warranty.

See chart below for Video and Hard Drive Options for ACCESS Turbo XT/10

	1 Floppy	20MB-65m	40MB-28ms	
Mono	\$139.00	\$409.00	\$589.00	
CGA	\$339.00	\$599.00	\$779.00	
EGA	\$499.00	\$769.00	\$959.00	

\$539

The Workstation

In addition to operating as a stand alone computer system, the ACCESS Turbo XT/10 is an ideal solution for your multi-user applications. The ACCESS Turbo can be configured as a Workstation on the Novell, 3Com, Unix and Xenix environments. Call TOLL FREE 800-233-8950 and talk with our trained and authorized sales and support staff. Look at our Networking section for a sample of products offered in the Novell Networking Arena.

CMO And **Access Micro Systems**

Power System Or File Server



ACCESS 386/20 TOWER

- 32-bit 80386 Main System Board.
- Dual 8/20 MHz switchable CPU speed.
- 1MB 32-bit DRAM subsystem.
- System memory expandable to 9MB.
- Eight slots: Two 32-Bit, Five 16-Bit, One 8-Bit.
- 8MHz bus clock, wait state selectable. Supports 80387 Math Coprocessor.
- One parallel port and two serial ports. 102-key "AT" style enhanced keyboard
- 1.2MB Hi-density 5.25" floppy disk drive. Five ½ height drive bays.
- Western Digital 1.1 interleave controller.
- 200 watt high capacity power supply. Vertical Tower case with Turbo and Power LED Display, keyboard lock, hardware and Turbo switch.
- COMPAQ compatible, 32% faster than COMPAQ 386.

- Landmark V0.99: 26.5 27.3 MHz. Norton SI Rating V4.0: 22.5. 64K Bios, setup and diagnostic utility built-in.
- Zero Wait State Operation.
- Clock/Calendar with Battery Back-up.
- Monitor not included



See chart for Video and Hard Drive Options For ACCESS 386/20 Tower

	40MB-28ms	159MB-23ms	338MB-18ms	
Mono	\$599.00	\$1399.00	\$1899.00	
EGA	\$899.00	\$1699.00	\$2199.00	
VGA	\$999.00	\$1799.00	\$2299.00	

FREE ACCESS Software Utilities Provided

NETWORKING

ACCESS 386/20 Tower File Server with 2MB, 10MHz, 512K Workstations, Monochrome Displays, Arcnet Interfaces, Loaded Novell Netware.

ASSEMBLED • TESTED • CERTIFIED

Ready to Turn ON!

- 4-User 40MB Server ELS 1...\$6.899.00
- 6-User 80MB Server ELS II...\$9,699.00

8-User 159MB Server ELS II.\$12,499.00

For larger systems call us. We can custom configure any size network.

Novell Software

ELS 4-User Level 1	\$499.00
ELS Level-II V2.15\$	1,099.00
Advanced NETWARE 286 V2.1\$	1,995.00
SFT NETWARE 286 V2.15\$	3,095.00

Interface Cards

ARCNET (8-bit) PC/XT	.\$129.00
ARCNET (16-bit) 286/386	.\$299.00
ARCNET MCA PS/2	.\$299.00
Active Hub	. \$299.00
ETHERNET (8-bit) PC/XT	. \$239.00
ETHERNET (16-bit) 286/386	.\$289.00
ETHERNET MCA PS/2	.\$359.00
Standard Micro Systems	Call

Computer Mail Order. Since 1981-Low Prices, Large Selection, Fast Service.

Ň

... Price and Power!

Great Packages Ready To G0!



THE COLLEGIAN

ACCESS Turbo XT/10 Computer. 512K Ram installed on the Motherboard. Dual 360K 5.25" floppy disk drive. 102-key "AT" style enhanced keyboard. One parallel, serial, and game port.

Epson LX-810 Printer. 9-Pin, impact dot-matrix.

Collegian Monitor. Monochrome TTI display and adapter. 12" diagonal screen display.

Collegian Software. PFs: First Choice. \$979

THE SECRETARY

ACCESS Turbo XT/10 8088 Computer. 512K RAM installed on the Motherboard. 20MB Hard Disk Drive w/controller. 360K 5.25" floppy disk drive. 102-key "AT" style enhanced keyboard.

Brother HR-20 Daisywheel 20cps print speed.

Secretary Monitor Monochrome TTL display and adapter. 12" diagonal screen display.

Secretary Software. PFS: Write

\$1299

THE ACCOUNTANT

ACCESS 286/12MHz Computer. 512K RAM installed on the Motherboard. 40MB Hard Disk Drive w/controller. 1.2MB 5.25" floppy disk drive. 102-key "AT" style enhanced keyboard.

Espon FX-1050 Printer. 264cps 136 column dot matrix.

Accountant Monitor. Monochrome TTL display and adapter. 12" diagonal screen display.

Accountant Software. Lotus 1-2-3

\$2199

\$4199

THE PUBLISHER

ACCESS 386/16MHz Computer. 1MB RAM installed on the Motherboard. 40MB Hard Disk Drive w/controller. 1.2MB 5.25" floppy disk drive. 102-key "AT" style enhanced keyboard.

Hewlett-Packard LaserJet II 8 Page per minute.

Publisher Monitor. Monochrome VGA FlatSquare Display. 14" diagonal screen display.

Publisher Software PFS: First Publisher NO ONE HAS PROVIDED BETTER SERVICE TO MORE CUSTOMERS FOR AS LONG AS CMO. BYEARS AND STILL GROWING AT CMO, GOOD SERVICI AND LOW PRICE

THE COMPANY

ARE A TRADITION.

CMO is proud to be one of the few companies approved to represent the **ACCESS** Micro System product line. Thousands of **ACCESS** Micro Systems have been sold and they have a proven record of performance in homes and offices just like yours.

Our **ACCESS** systems utilize state-of-the-art components and are custom-assembled to fit your needs, your workstyle, and your budget. Plus all 286's and 386's come with a 3 year limited warranty.

Each and every **ACCESS** system goes through an extensive quality control checklist and is burned-in a minimum of 48 hours, assuring you trouble free performance.

Whenever you have questions or need technical support, our toll free lines put you in touch with **CMO's** knowledgeable computer consultants.

Call CMO Today 800-233-8950

Computer Mail Order. Since 1981-Low Prices, Large Selection, Fast Service.

Reaching New Heights The MaxSys 386T/33 and 386MT/33

12 slots
10 half-height drives
400 watt power supply!

At CSS, we've built a reputation for dependability, value, and performance. That's why we're pleased to unveil the latest

addition to our line of computing solutions — The MaxSys 386T[™] and 386MT[™].

The architecture of the MaxSys 386T features 12 slots and a 400 watt power supply giving you mainframe capabilities at



Compared to IBM and Compaq the MaxSys 386T comes out on top.

The MaxSys 386T (lower photo) and 386MT (upper photo) feature 12 slots to provide the systems with expandability.

a fraction of the cost. The five full-height drive capacity allows you to configure up to three gigabytes (formatted) storage including erasable, optical, Winchester, and removable disk drives, as well as 8mm and 1/4" tape and floppies.

Our smaller version, the 386MT, features 12 slots, five half-height drives, and a 200 watt power supply. Both MaxSys systems allow you to upgrade your original hardware and software investments to meet the standards

A Solid Investment

of today... and tomorrow. They're 100% IBM[™] compatible and have an Adv Norton 4.0 SI rating of 40.0 — the highest for AT[™] systems. Application options range from an ultra high-end personal computer to networked file/ compute/print servers supporting diskless work-stations and ASCII terminals. Plus, the MaxSys systems run MS DOS[™], Ethernet[™], ARCnet[™], Cheapernet, Helios[™], Novell[™], UNIX[™]/XENIX[™], 3 Com[™], Token Ring, OS/2[™], or POSIX.

Both MaxSys systems are available in a variety of configurations and include full technical support, complete documentation, and a one year warranty.

Reach new heights — call us today.



CSS Laboratories, Inc. and CSS logo registered and CSS MaxSys are trademarks of CSS Laboratories, Inc. Ethernet is a trademark of XEROX Corp. Novell is a trademark of Novell, Inc. MS DOS and XENIX are trademarks of Microsoft Corp. UNIX is a trademark of AT&T. Helios is a trademark of Perihilion. ARCnet is a trademark of Datapoint Corp. 3-Com is a trademark of 3-Com Corp.

1641 McGaw Ave., Irvine CA 92714 Tel: 714-852-8161 Fax: 714-852-9464



MCA Meets SX

New machines from IBM and American Mitac pair the 80386SX with IBM's Micro Channel architecture

Mark L. Van Name and Bill Catchings

he marketplace is still undecided about the 80386SX microprocessor and IBM's Micro Channel architecture (MCA), but that hasn't stopped two companies from introducing machines that incorporate both. The IBM PS/2 Model 55 SX and the American Mitac MPS2386 combine these two technologies in very different packages.

The mixture is in some ways an odd one. The 80386SX's main goal is to let you run 80386-specific software for little more than the cost of an 80286-based system. The MCA, on the other hand, boasts better performance, particularly for 32bit peripherals, but at a higher cost.

The Model 55 SX base unit comes in two configurations: with a 30-megabyte hard disk drive (\$3895), and with a 60megabyte hard disk drive (\$4295). The only standard software is the IBM Reference Diskette, which you use to tell the MCA bus about new peripherals. Our evaluation system had the 60-megabyte drive and came with an additional 2 megabytes of memory, an IBM 8513 VGA color monitor, and MS-DOS 3.3, for a total list price of \$6560. (Although the machine didn't come with a math coprocessor, we added one before running the benchmarks.)



The IBM PS/2 Model 55 SX and the American Mitac MPS2386 differ in price, expandability, and compatibility.

The standard American Mitac MPS2386 sells for \$2695. It includes more standard software than the Model 55 SX: MS-DOS and GWBASIC 4.0, the Phoenix Reference Diskette for MCA configuration, and an expanded memory emulator. Two 3¹/₂-inch hard disk drives are optional for the MPS2386: a \$650 40megabyte drive and a \$1500 100-megabyte drive.

Our 40-megabyte evaluation system included a Mitac VGA monitor (Tatung is the OEM), a 16-MHz 80387SX (which Mitac does not sell), a total of 4 megabytes of memory, and a 1.2-megabyte 5¹/₄-inch floppy disk drive. We tested the machine running DOS 3.3; however, Mitac now offers only version 4.0.

With these extras (assuming \$650 for

the 80387SX), our evaluation unit would cost \$5879. That puts it at almost \$700 less than the IBM unit, without the 5¼inch floppy disk drive and 80387SX included in the Mitac unit. Toss out those two items and the price is \$5114, or over \$1400 less than the Model 55 SX. Clearly, price is a major reason to consider the MPS2386.

Architecture

Because both these machines use the 80386SX rather than its speedier cousin, IBM and Mitac were able to skimp a bit on their memory architectures. In particular, neither system uses a cache. The MPS2386 relies instead on a combination of two-way interleaving and paging *continued*

R E V I E W MCA MEETS SX

IBM PS/2 Model 55 SX

Company

IBM Corp. 1133 Westchester Ave. White Plains, NY 10604 (800) 426-2468

Components

Processor: 16-MHz Intel 80386SX Memory: 2 megabytes of 85-ns DRAM in a 2-megabyte SIMM, expandable to 4 megabytes on the motherboard; 128K bytes of BIOS ROM

Mass storage: 1.44-megabyte 3½-inch floppy disk drive; 30-megabyte hard disk drive (Model 8555-031) or 60-megabyte hard disk drive (Model 8555-061) Display: IBM 8513 VGA monitor; VGA circuitry; 256K bytes of display memory; DB-15 monitor connector on the motherboard

Keyboard: 101-key IBM Enhanced I/O interfaces: RS-232C serial port with DB-25 connector; DB-25 parallel port; PS/2-style keyboard connector and mouse connector; three 16-bit MCA slots, one with IBM video adapter extension

Size

 $16 \times 4 \times 151/2$ inches; 19 pounds

Price

Base system: \$3895 System as reviewed: \$6560

Inquiry 854.

(with 2K-byte pages) to let it run without wait states most of the time with its 100nanosecond DRAM. The Model 55 SX also uses paging (with 2K-byte pages), but it lacks the MPS2386's interleaving. Not surprisingly, this architecture makes the IBM unit slower, even though it uses faster 85-ns DRAM.

The MPS2386's DRAM comes on either 256K-byte or 1-megabyte single in-line packages. You install these SIPs in matched sets of four into the eight SIP slots, so the unit's memory can total 1, 2, 4, 5, or 8 megabytes. The base system uses four 256K-byte SIPs to make 1 megabyte.

The Model 55 SX has far fewer memory options. Its two single in-line memory module slots can hold either 1- or 2megabyte SIMMs. The base models include one 2-megabyte SIMM; you can have configurations with 2, 3, or 4 megabytes.

Performance

The MPS2386's better memory architecture makes it about 15 percent faster than

American Mitac MPS2386

Company

American Mitac Corp. 410 East Plumeria Dr. San Jose, CA 95134 (408) 432-1160

Components

Processor: 16-MHz Intel 80386SX Memory: One megabyte of 100-ns DRAM in four 256K-byte SIPs, expandable to 8 megabytes on the motherboard; 128K bytes of BIOS ROM Mass storage: 1.44-megabyte 31/2-inch floppy disk drive; ST-506 hard disk drive controller card; 40-megabyte or 100megabyte hard disk drive Display: Mitac VGA monitor; VGA circuitry; 256K bytes of display memory; DB-15 monitor connector on the motherboard Keyboard: Modified 101-key IBM Enhanced I/O interfaces: RS-232C port with DB-25 connector; DB-25 parallel port; PS/2style keyboard connector and mouse connector; six 16-bit MCA slots, one with IBM-compatible video adapter extension

Size

 $141/_2 \times 61/_4 \times 161/_2$ inches; 28 pounds

Price

Base system: \$2695 System as reviewed: \$5879

inquiry 855.

the Model 55 SX on BYTE's CPU index and 10 percent faster on the FPU index. The Model 55 SX wins the video index handily, however. Its index of 2.42 bests the MPS2386's mark of 1.57.

The disk I/O performances of the two machines are nearly the same. Other drives, however, would probably yield far different results, since Mitac's 100megabyte drive is faster than the 40megabyte unit we tested. IBM, however, doesn't offer a larger drive for the Model 55 SX, and its 30-megabyte drive is even slower than the 60-megabyte system that we tested.

In the critical application index, the two machines were too close to call. Both lost by nearly a 20 percent margin to Compaq's AT-bus 80386SX machine. On the positive side, both the MPS2386 and the Model 55 SX are about 20 percent faster than IBM's 80286-based Model 50 Z.

Compatibility

As we expected, the Model 55 SX worked with all the MCA boards we

tried, including Computer Peripherals' Hook-Up PS2400 internal modem, Gateway Communications' G/Ethernet adapter, and Pixelworks' Ultra Clipper UM1280 graphics card (an interesting test because the board acts as a bus master). The Model 55 SX also had no trouble with Microsoft's Serial Mouse with driver version 6.11, nor with Xircom's Pocket Ethernet Adapter.

The MPS2386 didn't fare quite so well. It successfully ran all but the Gateway G/Ethernet board. We were unable to use that board with NetWare or Gateway's test programs. Because the board worked in the Model 55 SX, and because the MPS2386 ran NetWare over the Xircom Pocket Ethernet Adapter, we concluded that the MPS2386 had a problem with its MCA bus. A Mitac spokesperson said that the firm would investigate the problem and fix it in later production runs.

We also had a minor problem with the MPS2386's Reference Diskette program. On the surface, the MPS2386 seems to use the same Phoenix Reference Diskette (PRD) program as most MCA clones (including those from Tandy and ALR). As with the Model 55 SX, when you install a new board in the system, the machine tells you to run PRD. PRD then tells you that it can't find the .ADF file for that card.

Every MCA board comes with a floppy disk that contains configuration information for that board in a file with a name like 77F4.ADF. (The number identifies the board, while .ADF is the standard extension.) Because IBM's MCA machines use $3\frac{1}{2}$ -inch drives, these floppy disks are always $3\frac{1}{2}$ -inch.

Unfortunately, the MPS2386's PRD program checks drive B for the floppy disk with the .ADF file—but our evaluation unit's drive B was a 5¹/₄-inch drive. We knew to copy the proper .ADF file to the PRD disk, but if you didn't know much about the PRD, you would be in trouble.

The Phoenix PRD program is also more complicated than IBM's. IBM's sacrifices some flexibility for its simplicity, but it never makes you figure out what to do; it just tells you what to do and then works like a charm.

Neither system had any software problems. Both systems flawlessly ran a wide range of applications, including Borland's Quattro 1.0, Reflex 1.14, Side-Kick Plus 1.00A, SuperKey 1.16A, Turbo C 2.0, and Turbo Pascal 4.0; Digitalk's Smalltalk/V 1.2; Kermit 2.32/A; Micro-Pro's WordStar 3.3 and 4.0; Lotus's continued

IBM PS/2 Model 55 SX, Mitac MPS2386

APPLICATION-LEVEL PERFORMANCE

WORD PROCESSING		Mitac	DATABASE
XyWrite III + 3.52	Med./Large	Med./Large	dBASE III +
Load (large)	:14	:14	Copy
Word count	:04/:28	:04/:30	Index
Search/replace	:07/:28	:07/:28	List
End of document	:02/:16	:02/:16	Append
Block move	:11/:10	:11/:11	Delete
Spelling check	:11/1:25	:12/1:27	Pack
Microsoft Word 4.0			Count
Forward delete	:19	:19	Sort
Aldus PageMaker 1.0	Da		
Load document	:11	:12	Index:
Change/bold	:35	:36	
Align right	:28	:27	SCIENTIFIC
Cut 10 pages	:23	:23	AutoCAD 2.
Place graphic	:06	:04	Load SoftW
Print to file	2:30	2:27	Regen Soft
_			Load StPau
Index:	2.07	2.08	Regen StPa
			Hide/redra
SPREADSHEET	IBM	Mitac	STATA 1.5
Lotus 1-2-3 2.01			Graphics
Block copy	:04	:05	ANOVA
Recalc	:02	:02	MathCAD 2.
Load Monte Carlo	:29	:19	IFS 800 pts
Recaic Monte Carlo		:07	FFT/IFFT 1
Load rlarge3	:07	:07	
Recalc rlarge3	:01	:01	Index:
Recalc Goal-seek	:04	:05	
Microsoft Excel 2.0			COMPILERS
Fill right	:07	:07	Microsoft C
Undo fill	2:43	2:47	XLisp com
Recalc	:02	:03	Turbo Pasca
Load rlarge3	:34	:32	Pascal S co
Recalc rlarge3	:02	:02	Index:
Index:	1.97	1.82	L IIIdea.

dBASE III + 1.1			
Copy	1:07	1:01	
Index	:20	:20	
List	1:47	1:40	
Append	2:28	2:07	
Delete	:04	:03	
Pack	2:06	1:35	
Count	:17	:17	
Sort	1:25	1:21	
	1.20		
Index:	1.21	1.36	
SCIENTIFIC/ENGINEERING	IBM	Mitac	
Load SoftWest	1:05	1:03	
Regen SoftWest	:49 :14 :08 16:40	:48	
Load StPauls		:13	
Regen StPauls		:08	
Hide/redraw		16:53	
STATA 1.5			
Graphics	:39	:28	
ANOVA	:17	:16	
MathCAD 2.0			
IFS 800 pts.	:21	:21	
FFT/IFFT 1024 pts.	:22	:21	
Index:	2.61	2.76	
COMPILERS	IBM	Mitac	
Microsoft C 5.0			
XLisp compile	5:21	5:28	
Turbo Pascal 4.0			
Pascal S compile	:07	:07	
Index:	1.67	1.67	

IBM

Mitac



*Cumulative application index. Graphs are based on indexes at left and show relative performance.

LOW-LEVEL PERFORMANCE

CPU	IBM	Mitac	DISK I/O	IBM	Mitac	VIDEO	IBM	Mitac	
Matrix	7.08	7.36	Hard Seek ³			Text			American Mitac MPS238
String Move			Outer track	5.02	3.32	Mode 0	4.06	6.15	
Byte-wide	52.93	38.46	Inner track	4.96	3.33	Mode 1	4.07	6.15	
Word-wide:			Half platter	9.43	9.98	Mode 2	4.25	6.42	Compag 38
Odd-bnd.	49.62	40.90	Full platter	10.00	13.31	Mode 3	4.25	6.41	
Even-bnd.	26.47	19.28	Average	7.35	7.49	Mode 7	N/A	N/A	
Doubleword-	wide:		DOS Seek			Graphics			IBM PC A
Odd-bnd.	33.08	28.25	1-sector	14.91	17.51	CGA:			
Even-bnd.	21.55	18.31	32-sector	29.17	33.61	Mode 4	1.69	2.54	
Sieve	37.42	34.98	File I/O4			Mode 5	1.68	2.56	
Sort	31.99	33.85	Seek	0.23	0.16	Mode 6	1.87	2.80	
			Read	1.13	1.12	EGA:			
Index:	1.78	2.04	Write	1.13	1.00	Mode 13	2.74	4.45	
			1-megabyte			Mode 14	3.11	5.05	
FLOATING PO	INT		Write	5.75	5.64	Mode 15	N/A	N/A	
	IBM	Mitac	Read	5.10	5.49	Mode 16	3.08	5.00	
Math	14.59	13.35				VGA:			
Error ²			Index:	1.36	1.38	Mode 18	3.26	5.27	
Sine(x)	3.90	3.55				Mode 19	1.89	2.84	
Error						Hercules	N/A	3.81	
ex	4.32	3.94				-		_	
Error						Index:	2.42	1.57	
Index:	4.02	4.41							
N/A=Not applicat									CPU CPU
All times are in se and 80386 version			e generated using the	e 8088/80	36	CONVENTIO			
The errors for Flo	ating Poir	nt indicate t	he difference betwee	n expecte	d and	BENCHWAAR	IBM	Mitac	FPU FPU
			ounded to 2 digits.			LINPACK	284.30	279.46	
			I DOS Seek are for med currently set to 10		ak.	Livermore Loc	ps ⁵	0.10	Disk I/O

Dhrystone (MS C 5.0)

3474 3612

(Dhry./sec.)

⁵ For the Livermore Loops and Dhrystone tests only, higher numbers mean faster performance.

For a full description of all the benchmarks, see "Introducing the New BYTE Benchmarks," June 1988 BYTE.

All times are in minutes: seconds. Indexes show relative performance; for all indexes, an 8-MHz IBM PC AT=1.

IBM PS/2 Model 55 SX

Symphony 2; Microsoft's PC Paintbrush 2.0, Windows/386 version 2.0, and Word 4.0; Norton Utilities 3.00; Novell's Net-Ware 2.15; and Symantec's Q&A 1.1.

Little Room to Grow

Neither of these systems gives you many mass storage options. The Model 55 SX offers only 30- and 60-megabyte hard disk drives and has only two drive bays. The drives are both anemic performers, with access times of 39 and 27 milliseconds, respectively. As for the two bays, one holds a Mitsubishi 1.44-megabyte 3½-inch floppy disk drive, and the other accommodates the hard disk drive. Even if there was more room for expansion, the skimpy 90-watt power supply probably wouldn't support another drive.

The MPS2386 gives you more initial capacity, with both 40- and 100-megabyte hard disk drive options. Those drives are also faster; a Mitac spokesperson said that future units will use NEC drives with access times of 28 and 19 ms, respectively. Our evaluation unit held a 40-megabyte Rodime drive with a 28-ms access time.

The MPS2386 also has more room to grow. You can buy an optional internal NEC 1.2-megabyte 5¹/₄-inch floppy disk drive like the one in our evaluation unit. (The Model 55 SX has to use an external 5¹/₄-inch drive.) Further, even with the 5¹/₄-inch floppy disk drive installed, our system had one empty half-height 5¹/₄inch drive bay. Its 150-W power supply gives you enough power to support those additions.

The MPS2386 also offers six MCA expansion slots (one of which is occupied by the hard disk drive controller) to the Model 55 SX's three.

Cases and Innards

You get inside the MPS2386 as you would any AT clone: by undoing five screws on the rear of the case and sliding the cover forward. There's a lot of metal inside this unit, including a pair of support braces that run from the front to the back of the chassis.

The motherboard is 13½ inches square. Its many surface-mounted chips clash with the 19 wires and four resistors soldered on to fix late production problems (Mitac says the board will be cleaner in later production runs). Its 108 chips include the 80386SX-16, an 80387SX-16, and six Intel VLSI chips that perform most of the MCA functions. Removing the motherboard is slow but not difficult.

A Chips & Technologies VLSI chip provides VGA support. That chip uses eight 256K-byte DRAM VGA memory chips, and there are sockets for eight more. A new C&T chip that will support higher display resolutions will be able to use those extra sockets. The MPS2386's memory consists of 36 100-ns, 1-megabit DRAM chips on four 1-megabyte, parity-checked SIPs on the motherboard. Its keyboard controller and ROM BIOS (version 1.02.00) are by Phoenix Technologies.

The Model 55 SX opens easily, as you would expect from a PS/2: You just undo one screw on each side, and you're done.

he Model 55 SX is a solid, compact machine aimed at the entry-level user who wants an 80386.

The screws even remain attached to the case. Once the case is open, you see a little of the famed PS/2 engineering.

The speaker enclosure forms the front of the card cage and pops out easily. The MCA slots are on a daughterboard that's mounted perpendicular to the motherboard. It and its plastic support brace also come out easily. To take out the drives, you only have to remove their cables, take off the front bezels, and slide them out.

Even IBM, however, makes compromises. The on/off switch on the system's front actually moves a metal bar that extends to another on/off switch on the power supply. The motherboard also was no easier to remove than the MPS2386's; it's held in place by eight little blue screws that were difficult to replace.

The motherboard itself looks great at first: It's the size of a sheet of paper (8½ by 11 inches) and has only 67 chips, not counting memory. Among those chips are the 80386SX-16, a socket for an 80387SX-16, six large IBM VLSI support chips, and eight VGA 256K-byte DRAM chips. There were also 28 chips, including 16 85-ns, 1-megabit DRAM chips, on each of the evaluation unit's two 2-megabyte SIMMs. Surprisingly, the motherboard had 16 wire fixes—almost as many as the MPS2386. Both systems have respectable keyboards. The Model 55 SX uses the familiar IBM Enhanced keyboard, whose main deficiency is the small size of its Return key. It has a good feel, with mechanical feedback that you can both feel and hear, but it's a little noisy.

The MPS2386 uses a Chicony Electronics keyboard with the common modified IBM Enhanced keyboard. The Enter key is larger than that on the IBM, while the backslash key is to the left of the Backspace key. This keyboard also has a nice mechanical sound and feel, and it's quieter than IBM's.

Both machines include a one-year carry-in parts-and-labor warranty, with extended warranty service and on-site service available. Who services the IBM unit depends on who sells it to you; you go to either your dealer or IBM. Similarly, you get service for the MPS2386 either from your Mitac dealer or from TRW's Customer Service Division, .Mitac's service representative.

Mitac provides unlimited telephone support. When the support people called us back, they were helpful, although not well informed about the newly introduced MPS2386. Mitac's phone support is not toll-free, however.

A Question of Need

The Model 55 SX is a solid, compact machine aimed at the entry-level user who wants an 80386. You pay a high premium for the IBM logo: Choose the Model 55 SX over the MPS2386, and you pay over \$1000 more and lose the ability to add more hard disk storage. If the IBM name is worth that much money to you, and if you're sure that you'll never need more disk storage, then the Model 55 SX might be the machine for you.

The big question is whether you need an 80386SX MCA machine at all (see "Battle of the Chips," March BYTE, for more on the 80386SX versus the 80286). Frankly, we don't recommend the combination unless you're wedded to MCA and you need to get into the 80386 world as cheaply as possible. If you just want an 80386SX, you'd be better off with an AT-bus Compaq or one of the less expensive compatibles. If, however, you've just got to have this odd combination of the 80386SX and the MCA, the Model 55 SX and the MPS2386 fill the bill. ■

Mark L. Van Name, a BYTE consulting editor, and Bill Catchings are independent computer consultants and freelance writers based in Raleigh, North Carolina. You can contact them on BIX as "mvanname" and "wbc3," respectively.

"Is there something we missed?"

Sales by Region

Is there anything missing in the ACCEL-500 24-pin dot matrix printer?

ACCEL 500

Not performance. The ACCEL-500 can zoom through drafts at 480 cps. Print charts and graphs in dazzling color. And combine letter quality with high resolution color graphics.

Not versatility. The ACCEL-500 is compatible with most popular printers. So it's equally at home on Macintosh[®] and IBM[®]compatible PCs. There's a paper-handling option for every office application, too.

Not convenience. The ACCEL-500's innovative Select-Dial[™] makes paper handling a snap. And plug-in Intelli-Cards[™] add fonts and printer emulations instantly.

Not reliability. The ACCEL-500 is a 'round-

the-clock workhorse that takes even the most demanding workload in stride.

And certainly not value. The ACCEL-500 is priced below leading printer brands that offer far less capability.

In fact, it seems that the only thing missing from the ACCEL-500 is you.



Advanced Matrix Technology 765 Flynn Road, Camarillo, CA 93010 (800) 992-2264 (805) 388-5799

ACCEL-500, Select-Dial and Intelli-Card are trademarks of Advanced Matrix Technology, Inc. Macintosh is a trademark of Apple Computer, Inc. IBM is a registered trademark of International Business Machines Corporation. Drawing courtesy of Wingz.



A VERSATILE LAN-ALTERNATIVE FOR \$395



THREE MODELS TO MEET YOUR APPLICATIONS

The Print Master[®] II 804 Series is BayTech's newest intelligent controller with four ports and a 256KB dynamically allocated buffer. Available in your choice of four serial ports (RS-232C or RS-422A), four parallel ports, or two serial and two parallel ports, the 804 Series offers affordable connectivity.

The 804 Series provides a costeffective solution for users who want to maximize their resources. Each four port model allows you to connect any combination of computers, printers, and plotters for:

- printer sharing
- plotter sharing
- buffering of data
- LAN printer expansion

Models with serial ports allow you to also connect modems or any other RS-232C device for computerto-computer communication and modem sharing.

The 804 Series allows simultaneous data input from computers, output of print data and full duplex communication between pairs of computers.

LAN APPLICATIONS

The 804 Series is ideally suited for expanding the printing capabilities of a LAN system. By acting *Circle 33 on Reader Service Card (DEALERS: 34)* as a printer server, it can off-load network traffic and provide port expansion and extra buffering.

BayTech products are covered by a one-year warranty and are supported toll-free by a team of application engineers.

Call us today to learn how the new Print Master[®] II 804 Series can become your connectivity solution.



Bay Technical Associates, Inc. Data Communications Products Division 200 N. Second Street, P.O. Box 387 Bay St. Louis, MS 39520 USA FAX: 601-467-4551 Telex: 910-333-1618 BAYTECH Phone: 601-467-8231 or toll-free

800-523-2702



ColorQuick offers Mac users a slow but effective alternative to pricey thermal printers

Tom Thompson

olumes extol the color-imaging capabilities of Macintosh computers, but a single word describes printing those images: expensive. But people who balk at paying \$7000 to \$15,000 for laser and thermal wax-transfer color printers now have a new alternative, Tektronix's \$2495 ColorQuick ink-jet printer for the Mac II and Mac SE/30.

With a 216-dot-per-inch resolution, the ColorQuick doesn't rival high-end printers, but its output looks crisp and vibrant on coated paper. What's more, inkjet prints are more durable than waxtransfer prints, so, for example, artists can fold proofs for mailing, and the ink won't flake or run if the paper accidentally gets soaked (as has happened to me).

The printer has some limitations, including sluggish text speed. But when you compare its price and operating costs to those of high-end printers, the Color-Quick can be a winner for some applications.

A Generous Host

Color printers are expensive because, in many instances, they come with their own microprocessor, RAM, and firmware to handle networking protocols and page-description-language commands. Rather than duplicating these components, ColorQuick opts to tap the host

Color Printer Quells Price-Tag Blues



computer to build page images into memory and transfer color data through the Mac's SCSI port to the printer. (This is the same approach that Apple's blackand-white LaserWriter IISC SCSI printer uses.)

This design trades cost savings for computer downtime: ColorQuick ties up the host for the entire printing operation. This can be especially annoying if you are printing large images or lengthy documents.

Nuts and Bolts

ColorQuick's bidirectional print head builds page images one band at a time as four ink jets simultaneously spray dots of cyan, magenta, yellow, and black ink. A levered cover on the print head allows easy access to ink tanks and seals the tanks securely during printing. Lamps on the top of the front of the printer show ink levels. The tanks that store the liquid inks sit on the print head. Also on the print head is a cartridge containing an anticlogging fluid designed to keep the ink jets flowing smoothly. Easy-to-reach buttons let you select form- or line-fed paper, set the media type, and place the printer on-line.

The printer accepts plain paper, coated paper, and transparency film in cutsheet, roll, or tractor-fed forms. Cutsheet and roll feeders come standard; a tractor feeder is available as an option at a cost of \$300. Both standard feeders handle up to B-size (tabloid) or A3-size media; you can also hand-feed 12- by 18inch sheets.

Two 50-pin SCSI ports and a Centronics port let Macs and PCs share the printer. The manual explains how to connect a PC, but you must first determine if your PC applications have the appropriate drivers.

The manual is complete and well illustrated. It points out that the printer continued

REVIEW

COLOR PRINTER QUELLS PRICE-TAG BLUES

ColorQuick

Company

Tektronix, Inc. Graphics Printing and Imaging Division MS 63-447 P.O. Box 1000 Wilsonville, OR 97070 (800) 835-6100

Features

Four-color ink-jet printer prints 16.8 million colors; drivers selected using Macintosh Chooser; two 50-pin SCSI ports and one Centronics port; includes sheet and roll feeders; supports Apple's 32-Bit QuickDraw

Size

 $5\frac{1}{3} \times 15 \times 26$ inches (without feeders); 28¹/₂ pounds (without feeders)

Hardware Needed

Mac II, IIx, IIcx, or Mac SE/30 with at least 2 megabytes of RAM

Software Needed

System 6.0.3/Finder 6.1 or higher

Documentation

User manual

Price \$2495

Inquiry 851.

doesn't have an internal SCSI terminator. This is nice to know if you're cabling the printer to an external SCSI hard disk drive. Many disk drives have hard-to-remove internal terminators and therefore should be placed at the end of a chain of SCSI peripherals (so the order would be, for example, the Mac, a printer, a tape drive, and then the hard disk drive). You set the printer's SCSI ID by means of a small rotary switch. A self-test switch and configuration DIP switches for PCs sit under a hinged front cover that protects them while keeping them readily accessible.

Although the printer is rated at 216 dpi, the Mac software you use determines the actual resolution. For example, most bit-map-based applications, such as MacPaint or PixelPaint, operate on pixels and will print only at the Mac's 72-dpi screen resolution. Vector-based applications, on the other hand, treat graphics as objects and use Color QuickDraw's drawing primitives for additional resolution.

To achieve this extra resolution with text, you must use a font that's three times larger than the document's font. This is because Color QuickDraw uses these larger characters (say, 30-point Courier) to draw the text at 216 dpi; the text actually appears as 10-point Courier on the page. If the larger font is not installed, you can end up with poorly formed text.

Standard ColorQuick disks provide the large fonts in 11 typefaces: Courier, Times, Helvetica, Helvetica Narrow, Palatino, Symbol, ITC Avant Garde Gothic, ITC Bookman, ITC Zapf Chancery, ITC Zapf Dingbats, and New Century Schoolbook. Although these fonts match the PostScript fonts, remember that they are bit-mapped screen fonts, not PostScript fonts. Also, these additional fonts take up space on your hard disk over 2 megabytes' worth.

Putting It to Work

My review unit arrived with sheet and roll feeders, spare ink cartridges, and a box of 3^{1/2}-inch floppy disks. The disks held system software, ColorQuick's printer driver, and the larger fonts. Unfortunately, the printer doesn't ship with a SCSI cable or terminator.

I used ColorQuick with a Mac II running System 6.0.3 with 5 megabytes of RAM and a SuperMac Spectrum/8 video board with a 19-inch color monitor. Although the ColorQuick driver can operate with 2 megabytes of RAM, most color applications require well over 1 megabyte. You might consider upgrading your system RAM to 4 megabytes.

The printer comes filled with ink, so the messiest part of the setup is removing the seal on the print head's ink tanks. You'll probably get ink all over your hands no matter how carefully you do this. However, refilling the ink tanks is easy and clean. Sealed ink cartridges are keyed to prevent you from emptying the wrong color into the wrong tank. One end of the cartridge goes into the appropriate well, breaking one seal; you break a second seal on the cartridge top to let the ink flow into the tank.

ColorQuick sports one of the best printer drivers I've seen because it gives plain-English messages (e.g., "Printer out of paper" and "Put the printer online"). When a problem is flagged, you have the choice of either correcting it and resuming the printing operation, or clicking a cancel button to abort the job. A status window graphically shows how much of the page had been printed before the job halted. The window also indicates ink tank levels.

Smooth Color Blends

I printed images with PixelPaint 2.0, MacDraw 1.1, SuperPaint 2.0, and Cricket Graph 1.0. Line artwork, such as charts and graphs, reproduced best. Most PixelPaint artwork with color blends achieved similar quality. Colors blended in smooth gradations. Interestingly, ColorQuick handled some blends (red to yellow to green) better than others (purple to red), but this may be due to a combination of factors and not just the printer.

Although MacDraw 1.1, Cricket Graph 1.0, and SuperPaint 2.0 use the original eight QuickDraw colors, Color-Quick will accommodate those who still use these applications. The driver does require Color QuickDraw, however, so you can't coax colors out of, say, Mac-Draw 1.1 using a Mac SE or a Mac Plus.

PageMaker 3.0 documents, including the hairlines and colored text, printed fine. However, PageMaker and text-only documents printed slowly: It took nearly 2 minutes per page on low resolution (72 dpi) and over 3 minutes at high resolution (216 dpi). Speed is significant, since printing ties up your Mac. You can't even run the print job in the background under MultiFinder.

Scanned color images were hit-andmiss: Either the printed image looked good, or it didn't. I couldn't determine the cause of this inconsistent quality, especially when I printed two images with nearly the same set of colors, and one looked awful and the other looked sharp and colorful.

You should use coated paper for best results. Images printed on regular paper appeared muddy and flat. Tektronix estimates that coated paper costs 28 cents per sheet. You can expect to pay approximately 40 cents per sheet or more with thermal wax-transfer printers.

ColorQuick's sluggishness when printing text makes it a poor general-purpose printer. However, it shines with artwork, printing most of it at the rated 216-dpi resolution. The nearest price competitor, the \$1395 Hewlett-Packard PaintJet, prints at only 180 dpi.

For the right color-printing applications, such as artist's proofs or color transparencies for business presentations, ColorQuick is an affordable and effective choice. ■

Tom Thompson is a BYTE senior technical editor at large. He can be reached on BIX as "tom_thompson."

Designed for desktop graphics, priced to be personal.

Drawing Board to Board Room

Plot your designs, present your plans, and illustrate your point with the new HI Image Maker.[™] Houston Instrument's newest plotter can improve all your images at a price that makes personal productivity gains affordable.

Precision CAD or Graphic Presentations

Your HI Image Maker uses a variety of technical pens on vellum or presentation bond—and produces vibrant color graphics on transparencies, paper, or vellum. Drawings on media up to 11×17 inches can be produced quickly and beautifully at a resolution of one thousandth of an inch.

Confidence and Value

Industry experts agree, HI drafting plotters defined the priceperformance standard for PC-based CAD plotters. The HI Image Maker is a product you can buy with confidence. Priced at only \$1295,* you can use this plotter throughout your company—or keep it for yourself!

For details, call 1-800-444-3425 or 512-835-0900.

*U.S. suggested retail price. Subject to change.



Houston Instrument and HI Image Maker are trademarks of AMETEK, Inc. Circle 122 on Reader Service Card Micro Channel and AT-bus 386SX Micros --Only From Mitac

MPC2386

MITAC AT-compatible

LIFE ELFE LIFE

Mitac is the first to give you a choice of architectures on the 386SX platform.

MITAC Micro Channel

MPS2386

Whether you use the "industry standard" (AT) architecture or the up-and-coming Micro Channel of IBM's new PS/2s, Mitac's 386SX-based computers assure you the power of Intel's futurecompatible 80386SX microprocessor. The power you need to affordably run today's (and tomorrow's) most advanced 32-bit applications. Of course, you don't need both the MPS2386 and the MPC2386, but whichever system you choose, you get a compact micro with 386 performance and a host of built-in features. On-board VGA-compatible graphics controller, space for both 5-1/4" and 3-1/2" diskette drives, room for four storage devices and a total of six expansion slots assure you maximum flexibility with room for growth. And, as with all Mitac microcomputers, the MPS2386 and MPC2386 are backed by a one-year warranty and Mitac's complete service and support programs. For more information on Mitac's full range of AT- and Micro Channelcompatible computers and the name of your nearest authorized dealer, call today 800-648-2287 Extension 348.

When reliability is a decisive factor

Mitac's microcomputers are distributed in the U.S. by Microamerica and Schweber Electronics. Canadian distribution is handled through TLS.


Kodak and Toshiba take different routes to design printers for the road

Wayne Rash Jr.

odak and Toshiba recently introduced portable printers for laptop-toting business travelers. Kodak's printer shines as a compact and efficient touring companion; Toshiba's does not.

Kodak's success stems from the inkjet printer head that it uses with the Diconix 150 Plus, an updated version of the Diconix 150 thermal printer. Toshiba opted for a thermal print mechanism in its Expresswriter 301, and the result is letter-quality output at an almost impractical speed.

To be effective, your portable printer should be as compact as your laptop computer. Ideally, the printer should fit into the computer's carrying case and run on batteries. Its print quality shouldn't embarrass you, even if it falls short of laser printer quality. The Kodak and Toshiba printers each fulfill some of these requirements, but when they're compared for speed and other practical matters, their similarities end.

Slow but Sure

The Expresswriter is misnamed. "Express" implies speed, and that's a quality missing entirely from this, the slowest printer I have ever reviewed.

Clearly, Toshiba optimized the Expresswriter for print quality at the expense of speed and ease of use. Fanfold paper won't work, so you must insert

Speed Separates Two Portable Printers



Portable printing: The Toshiba Expresswriter 301 (left) and the Kodak Diconix 150 Plus.

each sheet individually. The paper-out indicator signals before the print head actually reaches the bottom of a page but that's just as well, because the platen loses its grip on the paper at about that time, so if anything printed, it would be crooked.

The Expresswriter's actual per-line throughput is a dreadful 12.8 characters per second at regular speed, and 16.6 cps at "high" speed (see table 1). (Toshiba claims a high speed of 60 cps.) This rate grinds even more slowly over an entire page, because the head prints only in one direction. At the end of each text line, the head pauses, makes some internal clicking sounds, and then slowly returns to the left margin to begin a new line.

If you can accept this agonizingly slow speed, you'll be pleased with the crisp results from Toshiba's 24-pin thermal print head. It won't outshine a laser printer, but it's acceptable for most business uses. Unfortunately, that's about the only thing I found acceptable in the Expresswriter.

The unit promises Toshiba 321 SL and Epson LQ-850 compatibility. The Epson compatibility worked fine with Word-Perfect 5.0 and WordStar 5.5. WordPerfect also handled the Toshiba emulation, *continued*

Diconix 150 Plus

Company

Eastman Kodak Co. Personal Printer Products 901 Elmgrove Rd. Rochester, NY 14653 (800) 255-3434

Features

IBM Proprinter, Epson FX-80/85, and IBM Graphics emulation; 2000-character buffer; draft, near-letter-quality, and quality modes; condensed superscript/subscript print; noise: 45 dB **Power**: AC adapter; five rechargeable C cell batteries (life: 12 hours standby, 1 hour printing)

Size

 $2 \times 6\frac{1}{2} \times 10\frac{3}{4}$ inches; 3 pounds

Documentation

User's guide; reference manual

Price

Parallel model: \$499 Serial model: \$519

Inquiry 852.

Expresswriter 301

Company

Toshiba America Information Systems, Inc. 9740 Irvine Blvd.

Irvine, CA 92718 (714) 583-3000

Features

Toshiba 321 SL/Qume and Epson LQ emulation; 2000-character buffer; 24-dot print head; noise: 47 dB Power: AC adapter built-in; rechargeable 1 hour of continuous printing

Size

 $3 \times 5\frac{1}{2} \times 12\frac{1}{4}$ inches; 4 pounds

Documentation

User's manual

Price \$489

Inquiry 853.

Table 1: Even at its slowest setting, Kodak's Diconix 150 Plus outpaces the Toshiba Expresswriter 301's printing speed. (Tests consisted of a 1000-character ASCII text file. Measurements are in characters per second for throughput at 10 pitch.)

Diconix 150 Plus	Expresswriter 301		
Draft: 99	Regular speed: 12.8		
Near-letter-quality: 33	High speed: 16.6		
Quality: 24.2			

but WordStar did not. However, considering that virtually all software accommodates Epson printers in some way, LQ-850 emulation is acceptable.

For this review I used a Zenith SupersPort 286 portable computer. Its carrying case sports a 10- by 12- by 2-inch pocket into which I usually stuff the computer's power supplies, cables, software, LapLink cables, Ethernet cards, a Travis McGee mystery, and, if possible, the printer. Unlike the Diconix, the Expresswriter didn't fit into the pocket. But the Expresswriter is rugged enough to pack into your checked luggage. It survived a rail trip from Washington, D.C., to Philadelphia with no ill effects, although it was inaccessible for any intransit work.

Jet-Propelled

In contrast to the Expresswriter, Kodak's Diconix 150 Plus is compact, easy to use, and reasonably speedy. Its acceptable print quality falls short of the Expresswriter's, but the text prints a great deal faster. The Diconix's ink-jet printing head provides the speed and size advantages. The updated Diconix also accepts single-sheet or continuous-form paper, so I didn't have to hover over the machine during an extended printout.

The printer appears to be a direct descendant of the old Hewlett-Packard ThinkJet. While the original had problems, such as ink splattering and an appetite for special paper, Kodak's version overcomes these shortcomings. Still irritating, however, is the Diconix's tendency not to print the last line of a text file unless it's followed by a formfeed character. This command, common for laser printers, is unusual for dot-matrix models. It proved tedious when I sent ASCII text to the printer using the MS-DOS COPY command. The command was unnecessary when I used word processor or spreadsheet applications.

Overall, the Diconix 150 Plus behaves well and prints quietly. It supports Word-Star and WordPerfect, and both the Epson FX-80 and the IBM Proprinter emulation modes worked properly.

In draft mode, the Diconix runs at 99 cps average throughput for 10-pitch printing (Kodak promises 97 cps average). Draft mode is just that: The print is clearly ink-jet dot-matrix quality, which is fine for draft memos but not business letters.

Diconix also offers near-letter-quality and "quality" printing. Each adds printhead passes, so speed slows accordingly compared to draft printing. But the quality-mode output looks nearly as good as the Expresswriter's text, which takes nearly twice as long to print. More important, you don't suffer with a slower speed unless you choose higher-quality results.

The Diconix performs admirably as a travel printer. I took one to Honolulu, where I used it to create documents that I then faxed to my Washington, D.C., office. The printer was quiet enough to use in my hotel room without concern. Because it fit easily into my laptop's carrying-case pocket, I could work whenever I had the opportunity, including in a Honolulu airport lounge. The larger Toshiba would have been out of reach in my checked baggage.

Which Do You Need?

If you're considering buying either of these printers, first decide if you really need letter quality. The Expresswriter offers this, but it asks you to sacrifice performance and easy portability.

With only slightly lower print quality, the Diconix is fast, light, and practical. It travels easily and performs well where you're likely to use it. In short, it works in the real world of business travel, and the Expresswriter does not. ■

Wayne Rash Jr. is a contributing editor for BYTE and a member of the professional staff of American Management Systems, Inc. (Arlington, VA). He consults with the federal government on microcomputers and communications. You can contact him on BIX as "waynerash," or in the to.wayne conference.

Sample from an Epson 24-pin dot-matrix printer with UltraScript PC

Sample from an Epson 24-pin dot-matrix printer without UltraScript PC

After



UltraScript PC software gives dot matrix printers the power of PostScript-

easy and affordable. Uber-Scripe PC works transporently with an arthurare that supports PostScript (PageMaker, Venture Ubdasher, WordParfact, etc.) so you on net yanearth fore. Sould toxt and geophics. Puttiene and rotate them any multi-

The new DiraScript PC software package given you great deal di graphics in a magon your dot matrix or inkjet printer,

esktop publishing on a dot-matrix budget

BEFORE

UltraScript[™] PC software gives dot-matrix printers the power of PostScript[®] printing at a fraction of the cost.

At last, the power of PostScript printing for thousands less. *UltraScript PC* software runs on your PC and gives ordinary dotmatrix and ink jet printers full desktop publishing capabilities. Create attractive documents that surpass anything you've printed before. It works with software that supports PostScript output, such as PageMaker^{*}, WordPerfect^{*}, Ventura Publisher^{*} and Microsoft^{*} Windows. And it works without forcing you to leave your application to print a document. Use it to scale text and graphics to any size, add shadings and patterns, and position them on the page however you like.

Top-quality typefaces

UltraScript PC is the only PostScript-

UltraScript PC software. Affordable PostScript compatibility for everyone.



compatible product that gives you the same licensed typefaces used by professional typesetters and provided with Adobe[®] PostScript printers such as the Apple[®] LaserWriter[®]. With *UltraScript PC* (U.S. list, \$195), you'll get 25 licensed typefaces. For more font firepower, choose *UltraScript PC plus* (U.S. list \$445). You'll get 22 more for a total of 47.

Ultracompatible

You can use UltraScript PC with most IBM^{*}, Compaq[®] and compatible computers (80286-based or higher with 1.5 MB of RAM recommended). And with dot-matrix printers such as the Epson[®] FX, LX and LQ 950, IBM Proprinter[®] X24 and IBM Graphics. Or ink jet printers such as the HP[®] DeskJet[™] and Canon[®] BJ-130, or HP LaserJet[™] Series II laser printers. And any printer that emulates them.

Join the desktop publishing revolution today—the smart way. Just contact QMS at **1-800-635-3997** and ask about *UltraScript PC*.



The following are trademarks or registered trademarks of their respective companies: QMS and UltraScript of QMS, Inc.; Adobe and PostScript of Adobe Systems, Inc. Ventura Publisher O'Xerox Corporation; Microsoft of Microsoft Corporation, Epson of Epson America, Inc.; PageMaker of Adus Corporation; Compage of Compage Computer Corporation; IBM and Proprinter of International Business Machines Corporation; WordPerfect of ARTS Computer Products, Inc.; Canon of Canon, USA, Inc.; HP, Desklet, Lascrilet of Hewlett-Packard Company, and Apple and LaserWriter of Apple Computer, Inc.; SiPS9 QMS, Inc.;

Circle 224 on Reader Service Card (DEALERS: 225)





MAIL ORDER: Dept BY,120 West 31st Street, N.Y.,N.Y. 10001 (Tel. 1-212-947-5290) MANHATTAN STORE: 120 West 31st. Street, N.Y., N.Y. 10001 (Tel. 1-212-564-3592) SCARSDALE, NY STORE: 455 Central Ave. (Scarsdale Plaza) SCARSDALE, N.Y. 10538 (Tel. 1-914-723-1331) N.Y.C. Consumer Affairs License Number: 800193 Circle 08 on Bondon Service Card

Circle 98 on Reader Service Card



Four Debuggers in One

Logitech's MultiScope could be the debugging toolkit of choice for professional OS/2 programmers

Martin Heller

vent-driven, multitasking programming environments like the OS/2 Presentation Manager (PM) require good debugging tools. Until now, you had only one choice: Microsoft's CVP, a protectedmode version of the CodeView symbolic debugger. Now there's an alternative: Logitech's MultiScope.

Like CodeView, MultiScope works with multiple languages and helps you debug threads, child processes, and dynamic link libraries (DLLs), but it's more comprehensive. The MultiScope package comprises four debuggers: the PM Run-Time Debugger, PM Post-Mortem Debugger, Text Mode Run-Time Debugger, and Text Mode Post-Mortem Debugger.

The run-time versions, like most debuggers, monitor your program as it executes. The postmortem versions, in conjunction with a special utility that saves your program's state in the event of a crash, let you resurrect and examine the static context of a crashed program. The postmortem debuggers really set Multi-Scope apart, since you can easily spend hours sneaking up on a protection violation using a run-time debugger.

The MultiScope debuggers work during or after run time, under PM or in character mode, and on the same com-



MultiScope's Graphic window builds pictures of structured data objects.

puter as the program being debugged or on a remote machine. That's quite a feat. Even better, Logitech has made the debuggers all look much the same, so that there is little transition to make when switching among them. Logitech has also kept its debuggers compatible with the format used by CodeView and generated by Microsoft C and Microsoft Link. And you can use MultiScope in conjunction with Logitech's own Modula-2 for OS/2.

The Big Picture Through Small Windows

The MultiScope debuggers are organized into as many as 14 windows. (Some windows don't apply to all situations.) Naturally, things look best under PM, but the windows appear in text mode, too. The Assembly window shows your disassembled and source code. At run time, you can set breakpoints on the assembly code, get statement addresses, and jump to code lines.

The Breakpoint window (available only in the run-time debuggers) lists the line number, module location, and conditional expression for each breakpoint. You can modify breakpoints in this window; for instance, you can add a pass count to create a delayed breakpoint.

The Call window displays the chain of procedure calls in a thread. From the Call window, you can select a procedure to be displayed in the Source and Data windows.

The Data window displays global and local variables for the currently selected procedure in the current thread. It has facilities for modifying values (at run time), exploring arrays and structures, launching the graphical data display *continued* MultiScope

Company

Logitech, Inc. 6505 Kaiser Dr. Fremont, CA 94555 (800) 231-7717

Hardware Needed

OS/2-capable PS/2 or AT compatible, 4 megabytes of RAM, and a hard disk drive; a mouse is recommended

Software Needed

OS/2 Standard Edition or Extended Edition 1.1 or higher

Price \$299

Inquiry 885.

(under PM), and setting watchpoints (at run time).

The Graphic window displays a boxand-line graph of data structures, showing data objects as boxes and pointers as lines (see photo). In addition, different types of objects are displayed in different colors. As with the Data window, you can use the Graphic window to explore structured objects.

The Log window displays the history of your debugging session. You can save the contents of the Log window to a file if necessary. The Memory window displays memory contents in a variety of formats corresponding to different data types, and it has facilities for adding watchpoints, modifying data, and converting hexadecimal numbers to and from decimal.

The Module window displays the object modules that make up your program. You can set the source language and enable or disable tracing on a module-bymodule basis. From the Module window, you can also control the Data and Source window displays.

The Output window displays the screen produced by the program being debugged. The Register window displays the register, flag, and coprocessor register values for the currently selected thread. You can modify the registers (at run time) and do hexadecimal-to-decimal conversions.

The Source window displays the source code of the currently selected module. You can set breakpoints (at run time), search for procedures and lines, jump to lines, and get statement addresses. The Thread window lists your program's threads of execution and their status (e.g., runnable, frozen, blocked, and critical section), priority, stack location, and code location. You can freeze and thaw threads, as well as control the display of the Source, Data, Call, and Register windows.

The Watch window displays your (runtime) watchpoints, which are generally set in the Data or Memory windows. In the Watch window, you can control the "granularity" or frequency of Multi-Scope's watchpoint checking—each variable watched can be checked at every assembly instruction, every source statement, or every procedure entry. Given the overhead involved in checking data variables without the use of hardware debugging tools, procedure-level granularity is recommended.

Extra Conveniences

The run-time MultiScope debuggers have 11 different Go commands—a much richer set than CodeView provides. Both programs can trace individual assembly instructions and source code lines, trace into or over individual procedure calls, and run until the next breakpoint or watchpoint or the program's end. Code-View's Execute command, which runs your program in slow motion, has no equivalent in MultiScope.

On the other hand, MultiScope adds the ability to execute until the next procedure call, the next procedure return, or the start of a child process or session. It also adds a "go to end" message that ignores breakpoints and watchpoints, saving you the trouble of disabling all your diagnostics when you just want the program to terminate cleanly.

MultiScope's Go commands correspond well to the way I debug, so they save me time compared to the way I use CodeView. But I found the biggest timesaver to be MultiScope's MED (for monitor execution dump) and postmortem debugging facility.

Normally, when a program crashes under OS/2, the user gets a message that says "protection violation," along with some meaningless addresses. Why the program crashed remains a mystery; the OS/2 trap handler doesn't even provide a stack trace, much less a core dump. Sometimes the user can isolate the problem empirically by keeping track of keystrokes and mouse-clicks, but all too often the following dialogue ensues.

User: "Your program crashed." Developer: "What were you doing?" User: "Nothing. It just crashed."

With MED, the situation is a little dif-

ferent. The test version of the program is compiled with a call to MED's initialization routine. Until the program crashes, it runs at full speed, with no interference from MED. When the program crashes, MED takes over and saves the full state of the program in a memory-dump file. The user sends the developer a copy of the dump file, which the developer diagnoses with the Post-Mortem Debugger.

Since MultiScope's postmortem debuggers can do everything its real-time debuggers can do except run the program, finding the cause of the crash is fairly easy. For instance, you can unambiguously identify a null pointer (a common error in C programs and a common cause of protection violations) by doubleclicking in MultiScope's Call window and then examining the highlighted line in the Data window.

MultiScope's graphical interface makes it much easier to learn than Code-View. You can learn to use MultiScope with a mouse and the menus in an hour or two. Learning all the mouse and keyboard shortcuts will take a little longer, but if you use the program a lot, you'll want to learn them.

With complex data structures, Multi-Scope again comes up a winner. You can see inside your structures to figure out what's going on by using the Graphic data window. It's a pity the Graphic window only works in the PM versions of the debuggers. I'd like to be able to use it on PM programs, but you can't run the PM debugger on a PM program; if you try, your machine will hang up.

A Few Problems

The conflict between a PM debugger and a PM program is serious, and it may not be soluble under OS/2 1.1. According to Logitech, the problem is that PM's message dispatcher has only one thread. If any PM application fails to respond to a message, the whole PM screen group grinds to a halt. Since the application being debugged has to be suspended at a breakpoint or watchpoint, it will not respond to messages. If the debugger is also running in the PM screen group, the debugger will not get any messages. Result: total hang-up. For now, developers can use either MultiScope's charactermode or remote debuggers for debugging PM applications.

The remote debugger lets you have a PM environment running on both the application and the debugger, but it requires two machines that run PM. It would be nice to do this with less of a hardware investment.

DR DOS. THE CHOICE IS OBVIOUS, MORE OR LESS.

DR DOS

- Full DOS application support
- Large disk partitions greater than 32 megabytes
- LIM 4.0 expanded memory support
- Graphical icon-based user interface
- Fully executable from ROM
- Quick and easy installation
- Password protection for files and directories
- Full screen text editor
- Multiple command line recall
- Built-in help for utilities
- Backed by the Digital Research commitment to quality service and support

THE OTHER DOS

- Full DOS application support
- Large disk partitions greater than 32 megabytes (DOS 4 only)
- LIM 4.0 expanded memory support (DOS 4 only)
- Graphical character-based user interface (DOS 4 only)

You don't have to look too closely to see how DR DOS stacks up against the competition. With an added set of features and capabilities, DR DOS gives you proven capability *and* flexibility in a superior alternative for any system. Whether you use a hand-held computer, a laptop, a diskless workstation,



a portable or a powerful full-sized system with specialized applications, DR DOS gives you everything you need to make the right choice. Obviously.

For more information: Systems Integrators and OEMs call Digital Research at 800-443-4200.

■ DIGITAL RESEARCH[®]
DR DOS[™]
THE BEST CHOICE.

Digital Research and the Digital Research logo are registered trademarks, and DR DOS is a trademark of Digital Research Inc. Copyright © 1989, Digital Research Inc. All rights reserved.

THINK BIG

Phar Lap Virtual Memory Manager.

It will let you write applications up to 5, 10, 15 megabytes or more for any 386 PC running MS-DOS*. *Forget about RAM limitations*. Your application can run on a machine with as little as 1 or 2 megabytes of memory.

Only Phar Lap 386IVMM* gives you demand-paged virtual memory capability so you can write mainframe-sized applications for the PC. Applications your customers can run on their 386 PCs now with no additional memory. No kidding. All you need is 386IVMM and our family of 386 development tools. Existing programs developed with our 386IDOS-Extender can be easily expanded with 386IVMM too.

Our tools let you take full advantage of the 386 protected mode architecture. Break the DOS 640K limit in the language of your choice; C, Fortran, Pascal, or Assembler.

For fast compact code, use 3861ASM, our 80386 assembler that's upwardly compatible with the MASM* 8086 assembler. Existing DOS and mainframe applications written in a high level language are easily ported by recompiling. And 3861LINK, our 32-bit native mode linker, puts it all together.

Debugging is made easy too. With our 386 symbolic debugger you can debug applications written in assembler or any high level language. Best of all, with Phar Lap's 386lDOS-Extender* you can run your native mode program on any 386-based PC running MS-DOS. And you have full access to DOS system services through INT 21.

NO COMPATIBILITY PROBLEMS

Phar Lap's tools are compatible with the industry's leading systems: DESKPRO 386*, IBM Model 70/80*, 386 clones and accelerator boards. Not only will your new applications be compatible with the leading systems, they'll run alongside all other DOS applications.

NO ROYALTY PAYMENTS

Once your 386 application is complete, all you pay is a low one-time fee to license 386IDOS-Extender for redistribution.

3861VMM is also developer friendly. Call to find out about our flexible runtime pricing.

You can unlock the entire DOS market now. Don't wait for OS/3.

\$495 386IASM/LINK-Package includes 386 assembler, linker, MINIBUG debugger and the developer version of 386IDOS-Extender

- \$895 MetaWare 80386 High C* compiler
- \$595 MicroWay NDP Fortran-386* compiler
- \$195 386IDEBUG symbolic debugger
- \$295 386|VMM developer version of the Phar Lap Virtual Memory Manager

(617) 661-1510 PHAR LAP SOFTWARE, INC. 60 Aberdeen Avenue, Cambridge, MA 02138 Fax: (617) 876-2972 "THE 80386 SOFTWARE EXPERTS"



Phar Lap and 3861DOS-Extender and 3861VMM are trademarks of Phar Lap Software, Inc. MS-DOS and MASM are registered trademarks of Microsoft Corp. DESKPRO 386 is a trademark of Compaq Corp. NDP Fortran-386 is a trademark of MicroWay, Inc. High C and Professional Pascal are trademarks of MetaWare Incorporated. IBM Model 70/80 is a trademark of IBM Corp. Hardware is an issue, too, when simply running the debuggers. With 14 windows to look at, screen real estate is at a premium. Logitech has provided a partial solution in the form of a reduced-size screen font. But anyone who wants to see more than four or five windows at once would do well to look into high-resolution video cards for OS/2, such as the Video Seven VRAM VGA (which can display the PM screen at 800 by 600 pixels on a good multisync monitor) or the IBM 8514/A.

Another problem occurs when viewing variables in local scopes. In the following example, the third instance of i is inaccessible:

This problem, which isn't serious, comes from the Microsoft C Compiler, which simply doesn't generate debugging information for variables in local scopes. You can always rename your variables and move them up to the function level.

A Worthwhile Investment for Professionals

Perhaps the most serious problem facing MultiScope is not technical at all: Code-View is supplied free with Microsoft C. Occasional OS/2 programmers who got CodeView for free might not want to pay for MultiScope.

On the other hand, serious OS/2 programmers can easily justify the \$299 cost of MultiScope by increased productivity. Just one workday saved—for instance, by using MED and postmortem debugging to identify a bug that only happens at a customer's site—should repay the cost of MultiScope. And continued use should pay back handsomely: Logitech has a good set of tools here, which should only improve with time. ■

Martin Heller develops software and writes about technical computer applications. He holds a Ph.D. in physics. He can be reached on BIX as "mheller."

NINE REASONS TO BUY CLIPPER WITHOUT A MOMENT'S HESITATION!

The Clipper language offers two compelling reasons to adopt it as your application development standard: open architecture and .EXE file generation. Clipper 5.0 boasts seven more. We think you'll be convinced before you reach number nine.

1

Open Architecture.

Clipper is both powerful and easy to use, with the most comprehensive command and function set available. Want more? Extend the Clipper language with user-defined functions written in Clipper, Assembler, C and other languages.

2 User-defined Commands.

Even more extensibility is available in Clipper 5.0. Support for user-defined commands allows you to tailor your command set to a specific business or industry.

3.EXE File Generation.

Clipper's compiler yields standalone .EXE files for unrestricted distribution, requiring no LAN-PACKs[™], no run-time modules and no licenses of any kind!

4 Break the 640K DOS Limit!

Improved memory management in Clipper 5.0, made possible by an exclusive version of Pocket Soft's .RTLink[™], lets you run applications larger than 640K, without overlays!

5 Faster Development.

.RTLink features faster linking time and incremental linking, so only the changed object files get re-linked when you compile.





Compiler directives allow more efficient execution with less code needed to accomodate varying PC configurations.

7 Multi-dimensional Arrays.

Accurate modelling of actual circumstances is enhanced by the power of multi-dimensional arrays.

New Documentation, Including an On-line Guide.

New and expanded documentation will make you immediately productive in Clipper 5.0. And you can access it all on-line through the included Guide to Clipper[™] and Norton Guides[™]Engine.

You Can Get It First!

Buy the current version of Clipper after June 1, 1989, register your copy, and be among the first to get Clipper 5.0—*Free!* You'll even save \$100 off the suggested retail price of Clipper 5.0.

So, don't hesitate! Give us a call for the name of your nearest authorized dealer, and make your commitment to Clipper, today.





Nantucket Corporation, 12555 West Jefferson Boulevard, Los Angeles, CA 90066. 213/390-7923 FAX: 213/397-5469 TELEX: 650-2574125. Nantucket, the Nantucket logo and Clipper are registered trademarks of Nantucket Corporation. Other brand and product names are used for identification purposes only and may be trademarks or registered trademarks of their respective holders. Entire contents copyright © 1989 Nantucket Corporation. Now Available Activator/MTM with Programmable Memory Software Developers

Natural selection provides unique passive protection for the porcupine.

The Activator - Natural Selection For Software Protection



Inventor and entrepreneur Dick Erett explains how "The Activator" provides sane protection for your intellectual property._____

• In any industry, just as in nature, the process of natural selection raises one solution above another. Natural selection is the most elegant of engineers.

In the area of software protection The Block has been selected by the marketplace as the solution that works. Over 500,000 packages are protected by our device.

For the past 4 years our philosophy has been; 'You have the right and obligation to protect your intellectual property.'

A New Ethic For Software Protection

In allowing end-users unlimited copies of a software package and uninhibited hard disk and LAN operation, The Block has created a new ethic for software protection.



By removing protection from the magnetic media we remove the constraints that have plagued legitimate users.

They simply attach our key to the parallel port and forget it. It is totally transparent, but the software will not run without it.

A New Technology For Software Protection

Our newest model, The Activator, builds on our current patented design, and establishes an unprecedented class of software protection.

We have migrated and enhanced the circuitry of The Block to an ASIC (Application-Specific Integrated Circuit) imbedded in The Activator.

This greatly improves speed and performance, while reducing overall size. Data protection can also be provided.

Programmable Option

The Activator allows the software **developer** the option to program serial numbers, versions, or other pertinent data known only to the developer, into the circuit, and access it from the program.

Once you program your part of the chip, even we have no way to access your information.

The ASIC makes emulation of the device Circle 257 on Reader Service Card virtually impossible. It also presents an astronomical number of access combinations.

Full 100% Disclosure

Since The Activator is protected by our patent we <u>fully disclose</u> how it works. Once you understand it, endless methods of protection become evident.

Just as no two snowflakes are the same, no two implementations of The Activator are identical. And like the snowflake the simplicity of



The Activator is its greatest beauty.

We never cramp your programming style or ingenuity. Make it as simple or complicated as you desire.

Let us help safeguard what's rightfully yours. Please call today for additional information or a demo unit. *It's only natural to protect your software.*"

> 1-800-333-0407 ext.105 In Connecticut 203-329-8870 Fax 203-329-7428 **Software ecurity inc.** 870 High Ridge Road Stamford, CT 06905

Unlimited Copies • Programmable • No Batteries • Small Size • Fast • Patented • Data Protection



Interactive Systems' 386/ix X11 implements the graphical Unix standard with style

Tom Yager

he X Window System has emerged as a graphical user interface standard in the Unix world, for all the right reasons. It isn't owned by any one company, and it's highly portable. Interactive Systems Corp.'s X Window System product, 386/ix X11, works in conjunction with ISC's 386/ix, a port of AT&T's Unix System V release 3.2. The 386/ix package was the first commercially available 3.2 Unix for the 80386, and it remains the most widely accepted. It's efficient, stable, and rich with features. The 386/ix X11 package, the layered X Window product reviewed here, shares those qualities.

I tested the system using two SIVA 386/20 PCs from VNS America. Each had 8 megabytes of memory and a 300megabyte SCSI hard disk drive connected to an Adaptec AHA-1540A/ 1542A controller. Each machine also had a 16-MHz 80387 math coprocessor. The network connection ran through a pair of Western Digital WD8003 Ethernet adapters.

One system sported an Orchid Pro-Designer VGA display adapter with 512K bytes of memory, and the other system had a Matrox PG-1281 34010based graphics coprocessor. The Orchid VGA adapter drove a Seiko CM-1430 14inch multifrequency monitor, and the Matrox was hooked to a 19-inch Mitsubi-

X Window System on the March



Interactive's 386/ix X11 with the Motif window manager.

shi Diamond Scan Model HL6905. Each system had a Logitech serial three-button mouse.

Taking the Plunge: Installation

Installing 386/ix X11 is simple and automatic. The command sysadm installpkg responds with a prompt for the first disk of the series, and then it's easy from there. The X11 package requires kernel (device driver) support, but this poses no difficulty even for the Unix novice. The installation process automatically rebuilds the Unix kernel to accommodate the new devices.

The installation process binds a set of interactive maintenance programs into the sysadm utility's menu tree. After the kernel support has been linked in, menus guide the administrator through setting up the environment. The device-dependent portions of the 386/ix X11 servers come in object form. You simply select from a list of supported servers, and each is quickly linked together from the object files. Most can drive a wide range of adapters. The VGA server, for instance, only needs to be built once, even if you plan to use several cards and display geometries. You can build and install new servers anytime, so changing boards is no hassle.

The combination of an X11 server, a keyboard, and a mouse form a logical group called a *display*. The keyboard and mouse types are presented in menus; however, since each server supports so many different graphical configurations, you have to enter a string to identify the screen resolution, the size, and the number of colors.

The manual lists the appropriate configurations for each supported server type. The file /usr/lib/X11/Xconfig contains nearly all the specifics as well. Each logical display has one clearly marked adapter, keyboard, and mouse continued

386/ix X11

Company

Interactive Systems Corp. 2401 Colorado Ave. Santa Monica, CA 90404 (800) 346-7111 (213) 453-8649

Hardware Needed

80386-based AT compatible or PS/2 with 4 megabytes of RAM, a Hercules or VGA adapter, a two- or three-button mouse, and a 60-megabyte hard disk drive; an Ethernet adapter is required for networking

Price

- Various configurations are available: Workstation Starter (includes the 386/ix operating system and 386/ix X11): \$495 (single user); \$795 (multiuser)
- Workstation Extender (adds the 386/ix TCP/IP, the 386/ix NFS, and the VP/ix): \$1095 (single user); \$1895 (multiuser)
- Workstation Developer (adds development support for 386/ix and 386/ix X11): \$1995 (single user); \$2995 (multiuser)

Inquiry 883.

entry in this file, and all the configurations under each category appear in commented form.

Two levels of X11 are available from ISC. The most basic, the run-time system, comes with ISC's Run-Time System Guide, which describes the installation procedure and the commands. The development system adds another ISC manual to cover the development libraries, but the largest of the documents are the two Xlib (X function library) manuals. One acts as a guide, and the other is a reference. They both cover the X11 function library completely, and the guide doubles as a fair tutorial.

Starting and Running 386/ix X11

If you're an experienced X11 user, you'll find yourself on familiar ground. If a default server was specified during configuration, you need only type xinit to start. The screen clears, leaving an Xshaped mouse cursor in the center of the screen. The default for xinit is to create one black-on-white terminal window in the upper left corner of the screen. You can, however, set your own color scheme and start up client programs.

Tailoring your environment is simple. When xinit starts, it tries to execute a shell script called .xinitrc in your home directory. The default terminal window, along with other terminals, applications, and visual toys, can be started from here.

The X11 server also allows the default server-specific behavior to be overridden through a similar mechanism, the file .xserverre. This one-line script contains the name of the server (such as Xvga for the EGA/VGA server) and appropriate command-line arguments. Other X11-related configuration files are supported in the standard fashion, allowing you the freedom to change the appearance and behavior of any conforming X Window System application.

ISC also provides xdm, X11's own session manager. This program fires up the server and creates a log-in panel. It prompts for the user name and password and then starts up client programs based on settings in various configuration files located in /usr/l1b/X11/xdm.

X11 itself does not enforce any policies regarding how to manipulate windows. In fact, the default setup gives you no way to move, resize, or otherwise maneuver them. A special client program, called a window manager, handles these functions, and ISC's X11 distribution supplies three: uwm, wm, and twm.

Of these, the most useful is twm. It is highly configurable and builds clean, readable frames around clients. At the top, twm adds a title bar with the client's name, along with boxes with symbols for resizing, iconifying (i.e., replacing the application window with a small box containing the client's title and, optionally, a graphical depiction of its purpose), and attaching keyboard input to the window. Optionally, you can create an icon box. This box lists each client program's name, and clicking the mouse's left button on a name toggles the program's iconified/expanded state.

The twm is one of dozens of user-contributed programs on seven disks. Many productivity-impeding toys are mixed in with the better utilities, but these programs make X11 a joy to use. In my view, no release would be complete without them. Many vendors ship only the core programs necessary for operating X11, along with a weak assortment of clients. ISC is sure to win points with X11 newcomers by including these programs.

Operation is generally smooth. The VGA server, running with the Orchid

board at 1024 by 768 pixels, drove the display with accuracy but with some performance problems. The sluggishness is most severe when moving large terminal or application windows. The window is repainted in its new position very slowly, from top to bottom, taking as much as several seconds to complete. Oddly, other operations involving large areas of display memory are not so slow. In fact, moving a window is the only operation that exhibits this problem. Creating, destroying, iconifying, and deiconifying work very briskly by comparison. It's obviously faster to re-create the window from scratch than it is to move it as an image.

Most of my complaints about X11 concern its performance. It is possible to get more from the hardware than ISC did. The Matrox board does not get pushed near its potential. X11 performs many operations a pixel at a time, rather than telling the board something like "draw a circle of diameter z at position x,y." For example, the xdemo program, when drawing ellipses, runs hardly any faster on the Matrox board than on a VGA. Other shapes do better, and ISC designers trusted the Matrox board to handle the most common graphical element, the thin line.

This disparity between the finely tuned and the barely tolerable puzzles me the most. Engineers at ISC explained that they had to work within the boundaries of MIT's X11 server model. This model, they said, dictates that only certain graphics operations can be handled asynchronously, because the server needs to know when an operation is finished. Thin (default width) lines are a special case and can be handled by the hardware. Nearly everything else is drawn, one pixel at a time, by the X server itself.

In a similar vein, the specialized VGA cards are not used to their potential. The most obvious case is ISC's failure to support any VGA board in a 256-color mode. According to ISC, the change from 16- to 256-color mode is so drastic that a new server would have to be written to accommodate it. That's a lot of work, but I think it would be worthwhile for special cases, such as viewing and rendering artwork and for testing advanced user interface designs.

There are other oddities that need to be addressed as this product matures. For example, the servers seem to take up more and more memory as they run, causing problems in other parts of the system. And there's a problem with virtual terminals. The VGA server operates continued

When 30MB just won't do... Seagate's ST251 Family of 40, 60 and 80MB drives

If 30 megabytes just isn't enough to satisfy your disc storage requirements, then Seagate's 5.25" ST251 family offers the capacity, performance and interface options you need for any operating environment.

The cornerstone of our family is the bestselling ST251. Available in both ST412 and SCSI interfaces, with either 28 or 40 msec access time, this 42MB drive is perfect for demanding applications.

For 50% more capacity, our ST277 features 64MB of formatted storage, with the same access time options as the ST251. And for performancedriven, high-capacity applications, our 84MB ST296 has a 28 msec access time and an SCSI interface.

Each drive in the family comes complete with utility software for easy installation and drive partitioning. You can configure the right solution for your computer system by choosing from Seagate's own line of controllers and adapters for the ST251 family.

No matter which model you choose, you'll receive the same high quality and reliability that have made Seagate the first name in disc drives worldwide. For more information on the ST251 family, contact your authorized Seagate Distributor, or call Seagate at 800-468-DISC.





IEEE 488

Interfaces & Software

Hardware

IEEE interfaces for PC. AT, 386, PS/2, Macintosh, HP, SUN & DEC. Converters from IEEE to RS-232, RS-422, modem, Centronics, SCSI, digital I/O and analog I/O. IEEE extenders, expanders & buffers.

Software

IEEE device drivers for DOS, UNIX^a. Macintosh & SUN. Drivers for Lotus 1-2-3 & Symphony. Macintosh IEEE desk accessory. PC menu-driven analysis.

Support

Free applications support. 30 day money-back guarantee. Two year warranty. IEEE seminars available.

Call for your FREE Technical Guide

Demo disks & application notes available



(216) 439-4091

Telex 6502620864 • Fax (216) 439-4093 (Alexh, Inc. + 2877) Casenon Road • Clereland, Olio 44148 (andro 0074)80(128 • Paris (11348)0178 • Milan 024120100 Brusels (02)V44002 • Linkoping (014)110140 • Helshok (20051238) Mandrád (1997) • 10000 • Zurich (10182) 1944 • Vienen (022025162) Gerinnhem (028)03333 • Olio (02549070 • Copeningen (022025162) Madrid (1914007060 • Linkon (014401342) Mellorine (01575/62 • Linkon (014401342)



in a virtual terminal, one of several that you can switch to with a hot-key sequence. When the system starts, and for some time after, switching to other virtual terminals is quick and effective. After running for some time, however, and working with many complex clients (like Motif-based ones), the hot-key sequence stops working. The screen goes blank, the disk seeks for several seconds, and then the system beeps and puts the 386/ix X11 screen back up. To regain the ability to switch to virtual terminals, you must stop and restart the server.

Then there are the nits. ISC's servers, when sent a hang-up (HUP) signal, should release all their resources and reset. Instead, they exit, confusing programs such as xdm that expect to manipulate the server through this mechanism. Unix full-screen text applications don't resize themselves when the window size is changed. The Matrox server does not handle virtual terminal switching, even though the board is capable of it. Furthermore, it is not possible to run multiple VGA servers on the same machine and console. The hooks are there, and you should be able to switch between multiple X11 sessions with the hot-key sequence.

The Development System

Those who invest in the development system are mostly buying the libraries and header files that give X11 applications their interface to the window system. The simplest of X11 sample programs is the widely distributed helloworld.c. It effectively illustrates the basic requirements for every X11 program.

To build it, you link against two libraries: Xlib (libX11.a) and Berkeley network sockets (libinet.a). The socket library is necessary even on systems that are not networked. While it adds size to every X11 executable file, it enhances portability by adding networking capability to every application. This way, every client program runs just as well over a network connection as it does on the local machine. The combined libraries work together to sense their environment (network or local) and adjust transparently. If the optional TCP/IP networking software is not installed, Unix shared memory will be used instead to handle client-server and client-client communications. If it has been installed, TCP/IP will be used for local connections even if the network is not active (i.e., no other machines are connected).

A special class of window, called a *widget*, can simplify the writing of many kinds of applications. MIT provides the

standard set of widgets, the Athena widgets, and these are included with the 386/ix X11 package. By the time you read this, ISC expects to release widget sets to support two emerging interface standards—the Open Software Foundation's Motif and AT&T's Open Look. I experimented with a beta version of ISC's Motif, and I found it to be both attractive and functional.

Making the Connection: Networking

As mentioned before, every client program must have networking support compiled in. Combined with ISC's hostbased TCP/IP, the real power of X11 becomes visible. A single command line can direct a client's code to be run on an" CPU on the network, with its output di rected to any configured screen on the network. This opens up new possibilities in terms of computation and graphicsserver systems. The fastest box on the network can handle most of the computation-intensive applications, sending the graphics to whichever device is most convenient or capable.

It is all surprisingly easy to configure and manipulate. Any system that has its name listed in a certain host's /etc/ X?.hosts file (where the ? is replaced by the logical display number described earlier) can use that host's display. Other files control general network access for program execution, but once a network is set up, adding a -display machine:? argument to the command line of a conforming client is enough to have that client use the display, keyboard, and mouse of the specified console.

Tests proved that this worked flawlessly. I never had a case where something didn't work right, except that the problems I saw on local connections also prevailed over the network. Extremely complicated programs took slightly longer to start up and display, but not long enough to diminish the network's functionality. X11 applications only need to be directed to a valid logical display; they can be run from any machine on the network, even if that machine is not running X11.

The standards imposed by X11 extend to the format of network traffic, so that dissimilar (heterogeneous) hosts can exchange graphical data and share computing resources with ease. I wasn't able to connect to a network with other than 80386 machines, but colleagues tell me that it's quite a sight to see normally incompatible equipment working quietly together under the mentorship of X11.

A not-so-obvious fringe benefit of *continued*

Low Price. Technical Support. Integrity!

Talk to the Reliable Team at Warehouse Data!

Citizen HSP 500 \$323

PRINTERS

HARDWARE

AT MACHINE

Hyundai 10MHz \$839
Hyundai 12MHz 1065
MIT 12MHz 1MB + 1FDD 929
MIT w/40MB Seagate Drive 1359
MIT w/2MB + 40MB
Seagate

XT MACHINES

MIT w/640K + 1 FDD		\$539
MIT w/20MB Seagate Drive		. 819
MIT w/40MB Seagate Drive		. 959

VIDEO CARDS

ATI EGA 800 Wonder \$1	69
ATI VGA Wonder w/512	345
Generic Color w/PTR	45
Orchid Pro Designer	299
Orchid Pro Designer Plus	385
Paradise EGA 480 1	
Paradise VGA 16 Plus	299
Vega Fastwrite VGA	
Vega VGA	

OFTWAR

...... \$599 Tape AT/PC Miniscribe 30 MB Kit 289 Miniscribe 322MB ESDI Kit AT

1749

MASS STORAGE

Everex 60MB Int

Miniscribe 40MB Kit
Refurb Seagate 40MB Kit 350
Refurb Seagate 65MB Kit 387
Refurb Seagate 85MB Kit 535
Seagate 20MB w/Cont 259
Seagate 30MB w/Cont 279
Seagate 40MB ST-251 40ms 369
Seagate 40MB ST-251-1 409
MEMORY BOARDS
AST Rampage 286 w/512K \$339
DFI 2MB Above Board for AT 79
Everex 3MB Above Board AT 89

Everex 3MB Above Board AT	
DIGITIZER	

Kurta IS/One 12 × 12 \$295

ACCOUNTING Dac Easy Accounting 3.0 \$59 Managing Your Money 5.0 119 Peachtree Complete 149 Peachtree WPDO 220 Quicken 36 CAD AND ENGINEERING 2219 Design Cad 2D 3.0 \$219 Generic Cad Level 3 159 INTEGRATED \$415 Microsoft Works 99 PSF First Choice 89	COMMUNICAT PROGRAMS Carbon Copy PC PUL Laplink III PC Anywhere III Pro Com Plus DATABASE MA Clarion Professiona Clipper dBase IV dBase IV dBase IV dBase IV Paradox Power Base
Smart Software	Q and A RBase for DOS
Grammatik III	DESKTOP PUB db Publisher Pagemaker PFS First Publisher Ventura Publisher GRAPHICS Corel Draw
Microsoft DOS 3.3 \$85 Microsoft DOS 4.1	Harvard Graphics . Printshop

IS/One 12 × 12 \$295	MIT 33MHz 1MB + 1 FDD ., \$3719
MUNICATION	LANGUAGES
GRAMS	Borland Turbo C 2.0 \$95
n Copy PC Plus \$106	Borland Turbo C Pro 165
k III	Borland Turbo Pascal 5.5 99
ywhere III 65	Microsoft Fortran
m Plus	Microsoft Quick Basic
BASE MANAGERS	Microsoft Quick C
Professional \$379	Microsoft Macro Assembler 99
r	PROJECT MANAGERS
IV	Total Harvard Manager 3.01 \$369
IV Developer	Super Project Plus
se +	Timeline Pro 3.0
ox	SPREADSHEETS
Base	Lotus 1-2-3 Ver. 3.0 \$349
A	Microsoft Excel
for DOS 459	Quattro
(TOP PUBLISHING	
tion robelonniu	UTILITIES

	Microsoft Excel
LISHING	UTILITIES
\$499	Always \$85
	Copy II PC
	Fastback Plus 104
519	Form Worx
	Microsoft Windows 286 63
\$275	Norton Advanced
	PC Tools Deluxe 5.5
34	Sideways

LANGUAGES
Borland Turbo C 2.0 \$95
Borland Turbo C Pro 165
Borland Turbo Pascal 5.5 99
Microsoft Fortran
Microsoft Quick Basic
Microsoft Quick C
Microsoft Macro Assembler 99
PROJECT MANAGERS
Total Harvard Manager 3.01 \$369
Super Project Plus
Timeline Pro 3.0 364
SPREADSHEETS
Lotus 1-2-3 Ver. 3.0 \$349
Microsoft Excel
Quattro 159
UTILITIES
Always \$85
Copy II PC
Fastback Plus 104
Form Worx
Microsoft Windows 286 63
Norton Advanced

MONITORS

Hyundai 12" Amber w/Tilt \$79

Hyundai 14" CGA w/Tilt 249

Hyundai 14" EGA 335

NEC Multisync 3D 679

Princeton Ultrasync 16 842

Seiko 1430 VGA 529

Zenith 14" Flat VGA 629

HS-3000 + \$189

Logitech Scanman Hi-Res 179

C&H XT & AT Game Card \$45

Copy II PC Deluxe Option 109

DFI I/O AT P/S/G 45

HAND HELD SCANNERS

DFI Handyscanner

MULTI I/O CARDS

386 MACHINES

I/O GAME

499

Mitsubishi Diamond Scan



LAPTOPS
Toshiba T1000 \$699
Toshiba T1200 HB w/20MB 1999
Toshiba T 1600 3299
Toshiba T3200 w/40MB 3525
MODEMS
Everex 2400B EV-941 \$139
Everex 2400B Int 159
Everex 300/1200B Int 69
US Robotics Courier 2400 289
US Robotics Courier HST 9600 609
US Robotics Sportster 12008 102
US Robotics Sportster
2400B Ext
MATH CO-PROCESSORS
80287 \$142
00207 D (01411-) 040
80287-B (8MHz)
80287-10
80387-16
80387-20 427
8087-1 (10MHz) 179
8087-2 (8MHz) 137





SPECIAL THIS MONTH!

SPECS: • 80286 16 MHz CPU • 1 MB Ram – Expandable to 8 MB 1.2 MB 5.25" Flo 1.2 MB 5.25" Floppy FASTI 40 MB 28ms Hard Drive 8 Expansion Slots Call For Other Models

Parallel, Serial, Game ports included Paraller, Senal, Game ports 1
 200 Watt Power Supply
 101 Key Enhanced Keyboard
 640 x 480 EGA Card
 Entire System Burned in for 4 DAYSI





..... 39

- Personaucompany cnecks allow nourcen (14) days to clear.
 All shipments insured at no extra cost.
 All prices are subject to change without notice.
 We do not guarantee compatibility.
 No charge for
 Visa or MasterCard
 Zza

Technical Support: (602) 246-2222 FAX (602) 246-7805 Phone Hours: Monday thru Friday 6:30 a.m.-6:00 p.m. MST Saturday 9:00 a.m.-5:00 p.m. MST **BY 10** transparent networking is that any computer running an X11 server can connect to the network, even if it isn't able to run any client programs. The recent introduction of X terminals illustrates this. With a minimal operating system and an X11 server in ROM, these terminals use an Ethernet or serial connection to interact with X11. They run nothing but the server and have no other computation capability. They use a specified host to download fonts, and sometimes binary programs (like the server or configuration utilities), so no disk is needed.

X Marks the Spot

ISC's 386/ix X11 arrived a few weeks ago, and it has been that long since I've done anything on an ordinary text display but type xinit. It's easy to grow accustomed to, and even dependent on, X11, and the professional manner in which ISC handled its implementation makes it that much more compelling. It is rich



DocuBase Systems, P.O. Box 507, Ashburnham Ma 01430, USA DocuBase Systems, 16 rue Grand-Bureau, 1227 Geneva, Switzerland with extra features that other vendors have deemed unnecessary. Additional fonts and demo programs have great value even for the experienced user.

Applications developers (and interface hackers) are currently the primary audience for X11, but it has considerable value as an overall environment, too. Those who don't plan to write programs for it will reap benefits just from running it. I expect that, like the Macintosh and Amiga, it will have the effect of turning some users into programmers. Programming under Unix can be enjoyable in itself, but once you add the myriad fonts, colors, and widgets to the mixture, the thrill you feel when first running your own creation is magnified tenfold.

Despite problems that could have sprung from rushing its release, 386/ix X11 is award-winning. The VGA server supports most EGA and VGA cards in all their available resolutions, giving users an inexpensive path to get started with X11, and then to upgrade without sacrificing compatibility. I would like to see a 256-color version, and I expect it will be forthcoming. The VGA support is the heart and soul of 386/ix X11, and it is tremendously well built considering its youth. And there's good support for high-end graphics adapters as well.

Work needs to be done. Functions that hardware can handle without CPU intervention must be removed from the device-independent portion of the server and into the hardware drivers. While the Matrox PG-1281 speeds every operation, only line drawing and blitting (i.e., moving graphics from one area to another) show overwhelming improvement. Matrox's own engineers helped ISC build in support for their hardware, so perhaps the future will bring a more finely tuned server. That tuning will have to include better handling of resources, and some means for telling the server to dump everything and start over.

But 386/ix X11 is a big win for ISC, and the real winners are the users and developers who have been waiting for it. Now the small software house, the student, the consultant, and others who can't afford the big iron can still develop for it, and those that can afford it will have a burgeoning new market for their wares. This may be the best first-release product I've seen, and it will occupy a place of honor in my lab. ■

Tom Yager is a Unix software engineer and freelance technical writer. He maintains a Unix test lab in Westborough, Massachusetts. He can be reached on BIX as "tyager."

on't Let the OUT Y

Presenting Matrix Layout 2.0

The Desktop Programming revolution has begun. More and more people are maximizing the productivity of their desktop computers without learning to write a line of code. It began with Matrix Layout. And continues with Layout 2.0.

More Power to the People

Matrix invented Desktop Programming to let you create your own programs right on your own PC. Now, Layout 2.0 makes it even easier to create your own powerful, professional-quality applications.

Start with Layout's tools window. Everything you'll need to build your program can be accessed by mouse or keystroke.

Next, use Layout's graphics and text tools to build a flowchart model of your program. Create your own windows, icons, and buttons. Cut and paste functions from other Layout programs. Or use the BlackBox Manager to add a BlackBox-a pre-built capability such as telecommunications or dBase support -to your Layout program. All, without writing a line of code.

Layout 2.0 is also a hypertext tool, allowing you to build Hypercard®-like cards, with text and graphics, and link them to related cards in any file. Use it to create cards for your flowcharts or to

create hypertext applications that will run on any IBM-compatible PC.

Power to the Professional

Once your program is complete, Layout 2.0 can automatically create a ready-to-run .EXE file for use by any IBM PC. Or have Layout 2.0 write it in Turbo C, Lattice C, Microsoft C or QuickBASIC. The result: you've got a professional, stand-alone program that does exactly what you want it to. Use it, share it, modify it. You've got the power.

And a Powerful Bargain

For just \$199.95 you get the entire Layout 2.0 package, including free technical support, and more programming power than you've ever had on your desktop. For more information, the location of your nearest Matrix dealer, or a copy of the Matrix Layout 2.0 VHS demonstration video (just \$9.95 for shipping & handling), call today.

1-800-533-5644 (in Massachusetts, 617-567-0037) Join the Desktop Programming

revolution. Order Matrix Layout 2.0, today!



BT 89/10

Matrix Software Technology Corporation • One Massachusetts Technology Center • Harborside Drive • Boston, MA 02128 • (617) 567-0037

Matrix Software/UK • Matrix House. Derriford Business Park • Derriford. Plymouth • Devon PL6 5QZ. England • 0752-796-363. Matrix Software/Europe • Geldenaaksebaan 476 • 3030 Leuven. Belgium • 016202064 The following are registered and unregistered Irademarks of the companies listed: Matrix Layout. Matrix Software Technology Corporation: Hypercard. Apple Computer: IBM. International Business Machines Corporation: dBase. Ashton Tate.

With Layout 2.0, getting started is as easy as choosing a tool. BOB SHITH'S ULdeo Proyra END OF HATTE CHOUP Bildes Tape Cardyling SLOSE & CAREFILE HASH'I selected Quit T Des Saith's Uides Pr DITER THE MDAU HODEN & HIMDON USE & PROCEDURE CLOTE & HINDON Design and build your programs by using a simple flowchart. Jackie Gleason Najor Role Ralph Kranden Program The Honeynooners Mare Info Create Hypercard®-like cards. linked to information in any file. Line Color: 🖬 🗰 🖬 🗰 📾 📾 🗔 🖬 🗐 🖼 📷 🚝 🚝 🥅 m Fill Patte 0 EXT 7 Use the Paint tool to create powerful graphics and buttons Smith's ideo Tape rogram Version 1.00 Continer Layout creates finished, stand-alone programs for any IBM PC.

Tiles and Folds

調算

19



NETWORKING

CMO HAS THE BEST SOLUTIONS TO YOUR MULTI-USER APPLICATIONS.



If you are looking for a Complete Solution, our trained staff of Networking Specialists can assist you in designing your multi-user system. We configure. test and provide on-going support for a full line of Networking software, hardware and connectivity products such asi

Novell Netware

ELS Level-I 4-User ELS Level-II V2.15	\$499 1099
Advanced NETWARE 286 V2.15 SFT NETWARE 286 V2.15	
Orchid PCNet Adapater Card Standard Micro Systems 8-Bit Arcnet PC Boards	3 39 1 79
16-Bit Arcnet Board	399
Tiara 8-Bit Arcnet Boards 16-Bit Arcnet Boards 8-Port Active Hub MCA Ethernet Boards	129 299 299 389
Thomas Conrad 8-Bit Arcnet Boards 16-Bit Arcnet Boards 16-Port Active Hub	179 329 795
Tops Tops for Dos 2.1 Tops for Mac InBox Starter Kit	119 149 339
Western Digital EtherCard Plus	249
*Novell trained and authorized se and support.	ales
Our ACCESS family of 808 80286, and 80386 based computers can be configured	8,

8. around your needs for workstations and file servers.

Ask us how to design the ACCESS 386/20 Tower around your networking and/or multiuser application.



MULTIFUNCTION

AST

A31	
Six Pak Plus Board	\$129
VGA Plus Adapter	389
Rampage/286 512K	399
Boca Research	
Boca TopHat 128K RAM	119
BocaRam/XT 0-1MB Board	119
BocaRam/AT 0-4MB Board	149
Boca.MCA Serial/Parallel	145
Boca Dual Graphics Adptr	69
Boca MultiEGA	149
DCA	
Irma Convertible 3	469
Irma 2 3278 Emulation	729
Emerald	
3XTwin Local 5251 Emulation	call
Everex	
Ram 3000 Deluxe 0-3MB Board	89
Micro Enhancer EGA	149
View Point VGA 256K	279
5th Generation	



Logical connection 512K	\$499
	249
FastWrite 800x600	319
V-RAM VGA Adapter	399
Hercules	
Graphics Card Plus	169
VGA Card	199
Intel	
AboveBoard Plus w/512K	429
	499
	579
	449
	89
0007 FC/AT COPICESSOF	
	209
	369
	229
TinyTurbo Xtra 12MHz	279
Designer 800VGA	269
ProDesigner VGA Adapter	319
Renaissance	
VGAI 640x480 256K Pal	179
VGAII 800x600 256K Pal	239
	79
	Headland Vega VGA Adapter FastWrite 800x600 V-RAM VGA Adapter Hercules Graphics Card Plus VGA Card Intel AboveBoard Plus W/512K AboveBoard Plus J/O w/512K Inboard 386/PC 80386 CPU Visual Edge 8087 PC/XT Coprocessor 80287-8 8MHz Coprocessor 80387-16 16MHz Coprocessor 80387-16 16MHz Coprocessor 037-8 MHz Coprocessor 80387-16 16MHz Coprocessor Orchid Technology TinyTurbo 286 TinyTurbo 286 TinyTurbo 286 TinyTurbo Xtra 12MHz Designer 800VGA ProDesigner VGA Adapter Renaissance

STORAGE DEVICES

e Le

P

N7

Archive	
Archive/XL 40MB Internal	\$339
Archive VP60 External	979
Micropolis	
159MB 23Msec ESDI	1299
338MB 18Msec ESD1	1899
Miniscribe	
8425 20MB 3.5" 40Msec	249
3650 40MB 5¼" 61Msec	329
6085 70MB 5¼" 28Msec	599
Mountain Computer	
TD-4000 40MB Int. Tape	369
TD-8000 80MB Int. Tape	449
TD-7000 150MB Tape	1499
Plus Development	
20MB HardCard	519
Plus 40MB PassPort	579
Seagate	
ST-225 20MB w/cont	249
ST-238 30MB w/cont	289
ST-251-1 40MB 28ms	349
ST-177N 60MB 24Msec	589
ST-1096N 80MB 24Msec	699
Sysgen	
Bridge-File 51/2" External	249
Bridge-Tape 40MB External	449
Reliant Model-215 60MB	469
Reliant Model-519 72MB	499
Toshiba	
1.44MB 3.5" Floppy Drive	99
WELTEC LapTop Sybsystems	
360K 5.25" External Floppy	199
1.2MB 5.25" External Floppy	219
20MB Portable Hard Drive	849
COMPLITERS	-

COMPUTERS

AST	
Bravo 286 Model 5	888
Premium 286 Model 140X	1999
Premium 386/25 Model 5	call
Compaq	
DeskPro 286 Model I	1699
Deskpro 386/20e Model-110	5999
SLT-286 Laptop 40MB	4499
IBM	
PS/2 Model-30/286 w/20MB	1999
PS/2 Model-50Z 30MB	2499
PS/2 Model-60 70MB	3899
NEC	
ProSpeed Laptop 286/386	call
UltraLite Laptop	call
Panasonic	
Business Partner 1650	699
Business Partner 1750	839
Toshiba	
T1000 80C86 Laptop	639
T1200 Dual Floppy Backlit	1549
T200 20MB Backlit	2199
T1600 20MB 286	3499
T3200 40MB 12MHz	3599
T5200 40MB 20MHz 386	4999
Zenith	
MiniSport 1MB Laptop	NEW
SuperSport & SuperSport 286	call
Z-248/12Mhz Model-1	1599
Z-386/16MHz Model-40	4999

MONITORS

ıdek	

Amdek	
Video 210Plus TTL Amber	\$99
Video 410 TTL Monochrome	145
Color 732 Ps/2 VGA	399
Color 632 14" VGA	379
SmartScan 735 MultiScan	489
1280 15" Hi-Res White	699
Cornerstone	
Single Page Monochrome	699
Dual Page PC 16 Shade	2399
Magnavox	
7BM623 12" TTL Amber	85
7BM749 14" Flatsquare VGA	149
CM8762 14" Comp/RGB	249
8CM515 14" RGB Analog	279
9CM053 14"HiRes EGA	339
9CM062 14" VGA Color	349
9CM080 14" MAC II Color	489
Mitsubishi	
XC-1410C 14" EGA Display	349
XC-1429C 14" PS/2 VGA	439
DiamondScan 13" Display NEC	499
Multisync 2A	499
Multisync Plus 960x720	899



NEC Multisync
XL20" VGA
\$1,000
1077

Packard Bell	
PB-1272 12" TTL Mono	\$85
PB-1422EG 14" HiRes EGA	359
PB-1472 14" TTL Mono	99
PB-8541 14" VGA Display	299
Polaroid	
Pallette Plus	2199
Proxima	
EGA Data Display	999
VGA Data Display	1599
Seiko	
CM-1430 14" VGA Display	549
Тахав	
KX-119 12" Amber Comp.	79
Wyse	
Wyse-30 14" ASCII Display	329
Wyse-50 14" ASCII Display	399
Wyse-60 14" 7-page memory	349
Wyse-85 ANSI Data Display	429
Zenith	
ZFM-1490 14" VGA Analog	629

Call Today 800-233-8950

Computer Mail Order. Since 1981-Low prices, Large Selection, Fast Service.

...For Over 8 Years

COMMUNICATIONS

Anchor

Anchor	
1200 Baud External	\$ 99
2400 Baud External	159
2400 Baud Ext. w/MNP 5	269
Everex	
Evercom 24+ 2400 Baud Int	149
Evercom 24E+2400 Baud Ex	t 269
Hayes	
Personal Modem 1200	129
SmartModem 1200 Baud	275
SmartModem 2400 Baud	419
Intel	
2400B Classic Internal	169
PS/2 2400B Internal	249
2400EX External	199
Murata	
M1200 Facsimile	599
Panasonic	
UF-140 Panafax	799
Practical Peripherals	
1200 Baud Internal	65
1200 Baud Stand Alone	84
2400 Baud Internal	135



2400	Baud	Stand	Alon
	51'	70	

 Sharp
 699

 FO-220 Facsimile Machine
 699

 The Complete PC
 259

 Complete Fax 4800 Board
 259

 Complete Answering Machine229
 259

	-	-	-	 -	-
1/			-47	-	
				•	-

Chinon	
DS-3000 Flatbed Scanner	569
Houston Instruments	
9012 HiPad+ 12"x12"	399
PC695 4-Pen A&B Plotter	599
IMSI	
OptiMouse	75
Logitech	
New Logitech Mouse M9	79
ScanMan 400DPI HiRes	189
Microsoft	
Serial or Bus Mouse	119
MSC	
PC Mouse Serial	69
Seiko	
DT-3503 Digitizer	379
The Complete PC	
Complete PC Page Scanner	579

PRINTERS

Alps ASP-1000 9-Pin Dot-Matrix \$169 Allegro 24 24-Pin Flatbed 319 P2000 9-Pin 250cps 136 Col. 699 P2100 9-Pin400cps 136 Col.1099 LPX-600 Laser Printer 1399 Brother M-1709 240cps, 132 Col. 369 M-1809 360cps, 80 Col. M-1824L 24-Wire 80 Col. 399 499 HR-20 20cps Daisywheel 329 1999 HL-8 Laser Printer Epson LX-810 200cps, 80 Col. 179 FX-850 264cps, 80 Col. 339 FX-1050 264cps, 132 Col. call LQ-510 180cps, 24-Wire 329 LQ-850 330cps, 24-Wire call LQ-1050 330cps, 132 Col. LQ-2550 500 cps, 24-Wire Call call **Hewlett** Packard ThinkJet 2225 329 Pacific 25-in-One HP Font 279 Pacific 1-2-4 HP-LJ Memory 339 NEC P2200 Pinwriter 24-Wire 359 P5200 Pinwriter 265cps 519 P5300 Pinwriter 136 Col. 669 LC-890 PostScript Laser 3295 Okidata ML-172 180cps, 80 Col. ML-182 Turbo 220cps 199 239 ML-320 300cps, 80 Col. 359 ML-390 270cps, 24-Wire 499 ML-393 450cps 24-Wire 1049 Panasonic KX-P1180 192cps, 80 Col. 185 KX-P1191 280cps, 80 Col. 239 KX-P1124 192cps, 24-Wire KX-P1524 24-Wire, 132 Col 329 559 KX-P4450 Laser 1 3 9 9 Seikosha SP1600A1 160cps, 9-Pin 179 SK-3000Al 300 cps, 136 Col. 369 Star Micronics NX-1000 140cps, 80 Col. NX-2400 24-Wire 170cps 165 349 Toshiba ExpressWriter 301 340 ExpressWriter 311 430





SOFTWARE

Aldus PageMaker \$4	69
	59
Ashton-Tate MultiMate II 2	89
BLOC Form Tools	55
Borland Paradox 4	49
Borland Quattro 1	59
Borland Turbo Pascal V5.5	99
Broderbund Print Shop	38
	50
Central Pt. PC-II Opt. Board 1	19
DAC-EASY Accounting	60
DataStorm ProComm Plus	49
Delrina Per: Form 1	59
5th Generation FastBack +	98
FoxBase+ Development 1	99
Funk Sideways	40
Harvard Graphics V2.1 \$2	89
IMSI TurboCAD	59
Intuit Quicken	33
Lotus 1-2-3 24	99
MECAManaging Your Money I	19

SOFTWARE

Microcom CarbonCopy +	119
MicroPro WordStar 5.5	239
Microrim R:BASE For DOS	439
Microsoft Windows 286	70
Microsoft Quick Basic V4.5	69
Nantucket Clipper	419
Nolo Press For The Record	- 38
PaperBack VP-Planner +	119
Peachtree Accounting	169
Peter Norton Adv. Utilities	80
Peter Norton Commander	89
Quarterdeck DESQView 2.02	80
SPC: 1st Choice 3.0	90
SPC: Professional Write	149
SPC: 1st Publisher 2.0	80
Symantec Q & A	249
Traveling Lap-Link +	85
Lifetree Volkswriter	119
WordPerfect 5.0	219
WordPerfect Office	249
Xerox Ventura Publishing	459

Over 500,000 Satisfied Customers.



POLICY: Add 3% (minimum \$7.00) shipping and handling. Larger shipments may require additional charges. Personal and company checks require 3 weeks to clear. Credit cards are not charged until we ship. Pennsylvania and Maryland residents add appropriate sales tax. All prices are U.S.A. prices and are subject to charge. All items are subject to availability. We cannot

prices and are subject to change. All items are subject to availability. We cannot guarantee compatibility. We are not responsible for typographic or photographic errors.

Computer Mail Order. Since 1981—Low Prices, Large Selection, Fast Service.

Numonics Untangles the Mouse!

The Cordless Manager Mouse

BUY IT...just \$149.95 (\$175 Value).

The mighty Manager Mouse has no tail to tie you down or hold it back. It's all pure untangled freedom. Plus variable resolution, from 10-1000 dpi, and the maintenance-free performance you'd expect from any well-bred Numonics mouse. Compatible with all popular application software.

BREAK FREE - GET MANAGER MOUSE!

Circle 194 on Reader Service Card

🖸 NU	MONICS-		
\$149.95 FAX: (21	s Corporation, 101 Commer 5) 361-0167 or Call: 1-800-	ce Drive, Montgomeryville, PA 247-4517	18936
Plus \$4.50 shipping & handling per unit. PA residents add 6% sales tax.	# of Units	Payment: 🗆 VISA 🛛 M	
The Cordless	Card No	Expir	ation Date
Manager Mouse	Name		
from Numonics	Company Name		
	Address		·
LIMITED	City	State	Zip
OFFER	Daytime Telephone	Amount	Enclosed



MapInfo turns raw data into meaningful presentation graphics

Stan Miastkowski

n today's confusing world of graphics software, MapInfo 4.0 is a. unique program. It actually lets youdo something eminently useful with any data that contains street addresses or other geographical information. Although its name suggests a simple map generation program, MapInfo is much more. By linking a wide range of data to map files, it gives you a surprisingly new and effective way to look at data.

In a nutshell, MapInfo presents a map (e.g., of a town, county, state, or country) that ties into your database. MapInfo can, for example, pinpoint precisely where a company's customers are located. Or you could have MapInfo show all customers within a 50-mile radius from Chicago, show all customers who bought red widgets, and so on.

Essentially, MapInfo provides a graphical representation of any sort or search you perform on your database. The end result of a MapInfo session is a visualization of "what if." The range of potential applications is almost limitless.

MapInfo's maker, Mapping Information Systems, also offers several hundred different maps onto which you can plot your ASCII or dBASE III data. MapInfo comes with maps of countries, states, and U.S. ZIP codes, and the company also sells digital street maps of thousands of U.S. cities, maps of counties, and demographic/census data. Prices range from \$95 to \$7000. If you're ambitious, you can even scan in your own map.

Visually Map Your Data



MapInfo can produce thematic data maps such as this one of Manhattan showing average household income in various locations around the city.

The Big Map

MapInfo is a large program; the minimum amount of hard disk space you'll need is 3 megabytes. Loading the national ZipInfo file that comes with the package requires another 2.2 megabytes. Then there are the optional maps, if you use them. Even though they're not bitmapped graphical images (MapInfo stores its data in a dBASE-compatible file format), the very amount of data required means lots of megabytes. Individual map files take up as little as 1 megabyte to as much as 100 megabytes.

The basic MapInfo package comes on 10 packed 5¹/₄-inch floppy disks. (Six 720K-byte 3¹/₂-inch floppy disks are also included.) MapInfo's automatic installation utility copies, combines, and unpacks the data. By the time I installed a tutorial, a demo package, and two maps of Boston, Massachusetts, and Nashua, New Hampshire, MapInfo took up almost 20 megabytes of hard disk space.

Since MapInfo is a unique package, it takes a good deal of getting used to, and you have to learn many new terms and concepts. MapInfo's tutorial map package is well worth the trip, but it's only a small step along the way to getting comfortable with the package. The tutorial lessons are essential, but many of my questions were left unanswered, and I frequently got the message "This concept isn't covered in the tutorial."

After loading in maps of Boston and Nashua, I started up MapInfo and found that these cities weren't on the list of available maps. That's because MapInfo doesn't make maps available for use until it knows about them. You need to use an *continued*

MapInto 4.0

Company

Mapping Information Systems Corp. Hendrick Hudson Building 200 Broadway Troy, NY 12180 (800) 327-8627 (518) 274-8673

Hardware Needed

IBM PC, AT, PS/2, or compatible with 640K bytes of RAM, a hard disk drive with at least 3 megabytes of free space, and a CGA, EGA, VGA, or Hercules graphics adapter; a mouse is highly recommended

Software Needed

DOS 2.0 or higher

Documentation User's guide; command reference

Price \$750

Inquiry 884.

ADD command that's buried several menu levels down, and then the map will appear on the list. Surely the program's designers could have improved the user interface by having MapInfo automatically make new maps available.

Layers of Complexity

Although you see a complete map on the screen, the package actually stores data in four different kinds of files. More precisely, each map consists of four layers of different information.

Boundary files are areas on the map that are completely enclosed by connected line segments. The most common types of boundary files are states, cities, towns, and counties. But depending on the type of map you're using and what data you've added to it, a boundary file can also contain data such as ZIP code areas, sales territories, or census information (to name a few).

Map files contain information about line segments. Streets, highways, and rivers are the most common; specialized applications can contain segments such as utility lines, cable networks, and railroads.

Point files contain information about related points. You'll use this file regularly when you import your own data to MapInfo; the program uses it to locate a position. Depending on your application, a point can be something as simple as a building, a city, or a customer location; or something more esoteric such as a utility pole or even pothole locations. Point files are stored in dBASE III format; each point is a record, and each field contains the additional data (e.g., a customer name) associated with a record.

Image files are the key to MapInfo's presentation graphics feature. Using MapInfo's image-generating features, you can add titles, legends, icons, identifications, and distance scales to your finished map.

Once all the files are put together, what you see on the screen is a complete map that incorporates all the individual features. Depending on the map, you can move the cursor around on it, magnify sections, and locate points, boundaries, and so forth.

dBASE and Geocoding

Although moving around MapInfo's existing maps is diverting, the key to the package's power is its ability to let you integrate your own data into a map. The MapInfo package includes MBase, a dBASE III-compatible database from FoxBASE. MBase is designed specifically for preparing data for use with MapInfo, and it doesn't include any programming capabilities. You also can't run conventional dBASE III programs in MBase. It does, however, let you use any dBASE III commands individually.

If you're familiar with dBASE III, you won't have any problems with MBase. If you're not, the learning curve for getting useful work out of MapInfo gets steeper. If the database you want to use with MapInfo isn't in dBASE III or ASCII format, you'll need to convert it. I used Paradox 3.0's export utility to convert a newsletter subscriber file to dBASE III format for use by MBase.

Just importing your data into MBase, however, doesn't make it usable by MapInfo. You still need to go through several steps of preparing the data for use with maps. The first step is creating a point file for the database. This involves adding x- and y-coordinate fields to each of the records in your database. Although the process isn't difficult, you have to be familiar with MBase to do it. (You can also incorporate the fields using your original database before importing it into MBase.)

Once your database contains a point file, the next and most crucial step is to "geocode" the point file. Geocoding, the primary tool for getting your data to actually appear on a map, is the process of assigning a coordinate (either latitude/ longitude or x-/y-coordinates) to each data point. In most cases, MapInfo automatically does the geocoding. Which field you choose to geocode on depends

on your context. If you're using one of MapInfo's optional city maps, you'll want to geocode on the street address. But if you have clients scattered around the country, you'll want to geocode on the ZIP code.

Once you've chosen which field to geocode on, MapInfo goes through your database and assigns values to the x- and y-coordinate fields you created in the database. Then you're ready to use your database. Once I geocoded my newsletter mailing list. I overlayed it on the U.S. map, and it showed me graphically where subscribers were located. I could also locate individual points by typing in other data (such as a subscriber name). Conversely, I could also indicate a point with my mouse and have the full related subscriber data pop up on the screen.

This is just a small example of how you can build and use custom applications with MapInfo. There are numerous variations, and one of the most interesting is thematic mapping. A thematic map displays some kind of data other than geographical locations. MapInfo can represent data themes using a variety of symbols, fill patterns, and colors. The photo shows a MapInfo map of Manhattan giving average household income in various locations around the city.

Once you've created a point file from your own data, you can use a variety of tools to turn a plain-vanilla map into a full-fledged, thematically based presentation graphic. The process is something between using a presentation graphics package and a desktop publishing package. (You can even design your own text fonts and icons or customize the ones that are already included.) But once again, MapInfo's steep learning curve comes into play.

A Resource-Intensive Program

With all the data it has to handle, MapInfo is a very disk- and processor-intensive program. It's especially strenuous on your system's hard disk drive. On my 10-MHz AT clone, I used it with both slow-access (65-millisecond) and fastaccess (18-ms) hard disk drives. The difference in performance was very noticeable with the faster drive. On a 33-MHz machine with a fast hard disk drive, MapInfo flew.

MapInfo also uses any extended or expanded memory that it finds in your system. This speeds up the package's response time considerably. But I also found MapInfo to be more than a bit finicky. I used 2 megabytes of extended memory in my AT clone as a disk cache continued



controlled by Future Computing Systems' Fast, and MapInfo repeatedly locked up. When I turned off the cache, I had no problems.

MapInfo works with a wide variety of graphics hardware. Software drivers are included for everything from Hercules monochrome graphics through CGA (in black-and-white mode) all the way up to EGA and VGA. But although you can use it with older graphics standards, I found that VGA is really the only choice for serious MapInfo work. Additional drivers are available for the ultrahigh-resolution IBM 8514/A and other not-so-standard graphics adapters.

On the output side, printer drivers are included for industry-standard dot-matrix and laser printers, including Post-Script devices. Since mapping applications lend themselves especially well to plotters, drivers are included for most popular pen plotters, including those from Houston Instrument, IBM, and



Hewlett-Packard. Like the graphics drivers, MapInfo also has a wide range of additional printer and plotter drivers available at an extra charge.

The company has announced a network node pack (\$595) that lets multiple users work on maps at the same time.

Following the Road Map

MapInfo is a unique and surprising package whose potential applications are limited only by the imagination. But like so many large applications, it is complex. One important difference between MapInfo and other applications is that it's virtually impossible to use just a part of it. To use MapInfo effectively, you must become familiar with the whole shooting match. That's not an easy job.

The program's designers could have made the learning process a bit simpler. There's no on-line help facility, and it's badly needed. In addition, MapInfo's user interface is quirky. Although some of the terms used in menus are initially daunting, they are necessary because of the singular nature of mapping concepts. However, main menus would be more useful if they dropped down instead of continually taking a large portion of the left side of the screen. (There's a fullscreen option, but it's useful only for viewing a finished map.) A mouse isn't required for using MapInfo, but I found it a necessity for speeding up work.

The paradox of MapInfo is that the people who will find it the most useful are also the ones who are least likely to have the time and patience to live with its learning curve. A sales manager or city planner wants results immediately. Consequently, any office that's a serious MapInfo user will be better served by having one person who becomes the resident expert. For these real-world applications, MapInfo also sells MapCode (\$395), a programming package and compiler that can be used to generate custom (and easier to use) MapInfo applications. It could be the logical solution to MapInfo's problem.

Still, if you're willing to get past the learning curve and other oddities, you'll find MapInfo one of the most useful applications around. Early versions have found a loyal following in various fields. MapInfo has the capability of turning graphical "what if" into "that's it."

Stan Miastkowski is a BYTE consulting editor, managing director of K+S Concepts (a documentation and consulting firm) and editor of the OS Report newsletter. He can be reached on BIX as "stanm."

Rupp Corporation Presents Power Products Showcase Nº-21



*For pricing on RLL, ST506 controllers and other options please call

(303) 494-8078 Dealer Inquiries Welcome Charge Cards Accepted: Amex, Visa, MC Hours (EST) 9:00 to 5:00





Some of the smartest business decisions are made in the dark.

More and more business people are seeing the light and using the GEnie[™] service during non-prime time. That's the way to put GEnie to work for just \$6 an hour. Which is less than half of what CompuServe[®] charges to access many of the same business features.

GEnie, for example, lets you book hotel and airline reservations using the Official Airlines Guide.™ Get financial news with Dow Jones News/Retrieval. Plus you'll get realtime quotes, fast on-line trading and discount commissions, all with Charles Schwab Brokerage Services. A valuable new package that's available on GEnie.

And GEnie makes signing up easy. (1) Set your modem for local echo

- (half duplex), 300 or 1200 baud.
- (2) Dial 1-800-638-8369. When

connected, you just enter HHH. (3) At the U#= prompt simply enter XTX99634,GEnie then RETURN. And have a major credit card or your checking account number ready. For information in the U.S. or Canada, call 1-800-638-9636. Or write GE Information Services, 401 North Washington St., Rockville, MD 20850.



We bring good things to life.

^{*}Applies only to 1200 baud access in U.S. Mon.-Fri. 6PM-8AM local time and all day Sat., Sun., and nat1 holidays. Subject to service availability. Some services may be subject to a surcharge. Prices effective May 1, 1989.



It has more features than HyperCard, but performance is slow

Richard D. Lasky

t sounded too good to be true. Here was a program that took HyperCard as a starting point and added on a veritable wish list of features: color support, multiple windows, object-oriented graphics, irregular button shapes, and even the ability to create stand-alone applications.

That's what Silicon Beach promised of its SuperCard, and it does, in fact, deliver all those enhancements and then some. Unfortunately, those enhancements come at the expense of performance. The trade-off may be worthwhile for some people, and for others, Super-Card's bounty of features is at least worth considering.

Like HyperCard, Only Different

The basic file unit in SuperCard is a *project*, and each project contains at least one window. Windows can be any size, and SuperCard supports all the common Macintosh window types. A SuperCard window is the equivalent of a HyperCard stack. Each window has one or more backgrounds, and each background has at least one card.

Cards may be any size, unlike those of HyperCard, which are limited to only what fits into the 9-inch Macintosh display. In HyperCard, for example, you might have to divide a large map among several different cards. With SuperCard, the whole map is on a single large card that you can view through a scrolling window.

How Super Is SuperCard?



The user interface of SuperCard's SuperEdit is reminiscent of Apple's ResEdit.

Another major difference between SuperCard and Apple's product is the way graphics are handled. HyperCard has just two graphics layers; both are painttype bit maps. SuperCard supports both paint- and draw-type graphics, and each graphics image is treated as a separate object with its own properties and script. Also, instead of a Home card, SuperCard has a file called SharedFile to store common resources.

Two Programs in One

The SuperCard package actually consists of two applications, SuperEdit and SuperCard. You use SuperEdit to create new projects, and you use SuperCard to run them. SuperEdit's user interface is reminiscent of that of ResEdit, Apple's resource editing program (see photo).

Each project displays a list of the windows, menus, or resources contained

in the project. The objects in the list are displayed by name, number, and ID number.

You can open any card in a window to get a visual display of the card's layout. Along the left side of the card layout window is a column of tool icons. You can toggle back and forth between card and background views.

Users familiar with HyperCard's treatment of background objects should be aware that SuperEdit handles things a bit differently. For example, in Hyper-Card's card view mode, you can move background buttons, but in SuperEdit unless you explicitly select the background view—background objects remain inanimate. Although this takes getting used to, it's probably a good idea. I've often worked on a button or field in HyperCard and forgotten that it was in *continued* Circle 131 on Reader Service Card

Rack & Desk PC/AT Chassis

Integrand's new Chassis/System is not another IBM mechanical and electrical clone. An entirely fresh packaging design approach has been taken using modular construction. At present, over 40 optional stock modules allow you to customize our standard chassis to nearly any requirement. Integrand offers high quality, advanced design hardware along with applications and technical support *all at prices competitive with imports.* Why settle for less?



Rack & Desk ModelsAccepts PC, XT, AT Motherboardsand Passive BackplanesDoesn't Look Like IBMRugged, Modular ConstructionExcellent Air Flow & CoolingOptional Card Cage FanDesigned to meet FCC204 Watt Supply, UL Recognized145W & 85W also availableReasonably Priced



R E V I E W HOW SUPER IS SUPERCARD?

SuperCard 1.0

Company

Silicon Beach Software, Inc. 9770 Carroll Center Rd., Suite J San Diego, CA 92126 (619) 695-6956

Hardware Needed

Mac Plus or higher with two 800K-byte floppy disk drives or a hard disk drive; 2 megabytes of RAM is required for color

Software Needed

System 6.0 or higher

Documentation

User manual; language guide

Price \$199

Inquiry 886.

the background domain. Background fields in SuperEdit also have visible text when the background view is chosen, unlike in HyperCard. I liked this feature as well.

Every object can have a script, which you can edit in SuperEdit. In fact, you can have several scripts open at once. Another nice feature is the use of script editing aids provided in the editing window of each script. When you click on one of five buttons, a menu pops up containing all the reserved words in the SuperTalk language. For example, selecting mouseUp from the Sys Messages menu inserts the on mouseUp...end mouseUp message handler into the script window. The script-editing window is not modal, as it is in HyperCard. You have access to the menu bar as well as any other open windows, which I found very convenient and a big improvement over HyperCard.

You can also convert HyperCard stacks to new SuperCard projects using SuperEdit. It places the cards of the stack into a single window in the new project. (SuperEdit supports all the common button types found in HyperCard, and a few more to boot.) I converted two of my stacks. The first was a simple addresstype stack of my customer base. This converted quite well and was fully functional (if a bit slower) in SuperCard. The second stack I converted was a demo version of a stack I developed for nutritional analysis. The calculations worked, but there was a major problem in the portion of the stack that created a bar graph.

That's when I learned that I could not convert HyperCard's drawing commands to SuperCard without some modification.

SuperCard has some nice features that make work easy for the project designer. When you're working in the background mode, for example, choosing the Gray Card command from the view menu causes SuperEdit to display a grayed image of card objects behind the background objects that you are editing. This is a great help in aligning objects in the background mode with card objects.

The text field types are identical to those found in HyperCard. However, the opaque field type found in HyperCard is not available. Text within a field may contain several different fonts and styles, a significant feature lacking in Hyper-Card. However, a card with many font styles on it may take significantly longer to open.

SuperCard supports 8-bit color on the Macintosh II models. This requires at least 1.5 megabytes of RAM. A total of 256 colors (out of a possible 16.8 million) are available at one time. The available colors are contained in a resource called CLUT, which stands for "color lookup table." The system supplies a default CLUT, but you can create a new CLUT resource.

For graphics objects, you can set the "ink effects," which determine what happens to the bit pattern when one object is on top of another. Combining various ink effects with different fill patterns can yield some interesting visual effects. Seven ink effects are available for colored objects.

Unlike most applications, SuperCard stores resources in the data fork of the program. You can create three kinds of resources in SuperEdit: icons, cursors, and CLUTS. In addition, you can import sounds, XCMDs, and XFCNs (external commands and functions).

Running Projects

To run a project created with SuperEdit, you can go directly into SuperCard by choosing the Run command under the File menu in SuperEdit. When you subsequently quit SuperCard, you are returned to SuperEdit. However, this doesn't work when running MultiFinder; SuperCard dumps you back to the Finder instead.

SuperCard has some limited editing abilities that make it a useful environment for fine-tuning your project once it is near completion. You can create and alter objects and their scripts, but the *continued*

WHAT OUR REMOTE AN BRIDGE GAN DO FOR YOUR WORLD.

Ó

Bringing people and information together is what a Microcom LAN Bridge is all about. And, with our unique MNP® Data Compression feature, remote LANs can be connected at unprecedented performance levels. MNP squeezes twice the performance out of your widearea link compared to other bridges at a fraction of the price.

In fact, the Microcom LAN Bridge is the only remote bridge on earth that uses data compression to move oceans of data between LANs. And, it's the first



to support Token Ring networks, in addition to the Ethernet LAN standard.

Think about it. A fully integrated transparent MAC-level bridge built around the IBM PC/AT bus. In four fully upgradeable, multi-line models with speeds from 9600 bps to 1.544 Mbps (T-1). And with prices beginning at \$6,198, the only thing a Microcom LAN Bridge can't squeeze is your budget.

The Microcom LAN Bridge. It brings information and people closer together, no matter where in the world they are.

Call toll-free, 800-822-8224 for more information.

500 River Ridge Drive Norwood, MA 02062 Telex: 710-336-7802 Microcom NWD. U.S. FAX: 617-551-1006 Worldwide Distribution. International FAX: 617-551-1007



MNP is a registered trademark of Microcom, Inc. Microcom LAN Bridge and MNP Data Compression are trademarks of Microcom, Inc. IBM Token Ring and IBM/AT are trademarks of International Business Machines Corp. Ethernet is a trademark of Xerox, Inc.

Circle 175 on Reader Service Card

Circle 8 on Reader Service Card (DEALERS: 9)

EZ-DOS

An alternative, userfriendly Disk Operating System for PCs.

There is no comparisor	Maximum partition size (in megabytes)	Full screen text editor with on-line Help	Command history buffer up to 4K bytes deep	Command line editing	True graphic user interface (GEM Desktop)	On-line help for command syntax & usage	File & directory password protection	INSTALL generates CONFIG/AUTOEXEC files	
qm	512	Yes	Yes	Yes	Yes	Yes	Yes	Yes	EZ-DOS
aris	32	No	No	No	No	No	No	No	DOS 3.3
son	512	No	No	No	No	No	No	Yes	DOS 4.01

EZ-DOS 4.0	. \$79.00
plus True BASIC	. \$99.00
plus serial Mouse	\$129.00
plus T.BASIC & Mouse	

2001 Sales, Inc.

16580 Harbor Blvd., Ste. D Fountain Valley, CA 92708. Tel: (714) 531-6551 Fax: (714) 531-8546 Dealer, Distributor & OEM inquirles welcome. VISA and Master Card accepted. 220 BYTE • OCTOBER 1989 program lacks any advanced editing features. For example, you can reshape a polygon in SuperCard, but if you want to change its ink effect, you must use SuperEdit.

Instead of simply having SuperCard run your project, you can convert your project into a stand-alone application. The advantage is that its distribution is not limited to those people who already use SuperCard. The other side of the coin is that creating a stand-alone application adds some 350K bytes of Super-Card run-time code to the size of the project file. The resulting application works just as if you were running the project with SuperCard; there is no noticeable gain in performance.

You can edit an application in Super-Edit, but you cannot convert it back into a SuperCard project. Unfortunately, SuperCard does not give you the opportunity to change the name of a project being converted. As a result, the new standalone file replaces the project file.

Frustrating Performance

I have two major complaints about Super-Card. The first is its memory requirements and poor handling in low-memory situations. Although the company advertises the minimum memory requirement as 700K bytes, my experience is that even 1 megabyte of RAM is insufficient for getting acceptable performance on a Mac Plus.

When I began reviewing SuperCard, I was chiefly working on a 1-megabyte Mac Plus. My attempts to use the program were fraught with frustration and frozen screens. Even when running one of the tutorial projects, I frequently got the "SuperCard is out of memory" dialog box. What made matters even worse was that half the time the system locked up as soon as I dismissed the warning message.

I upgraded my Mac to 2.5 megabytes of RAM. This let me experiment under MultiFinder. Both SuperCard and SuperEdit are initially set to hog 1600K bytes under MultiFinder, but these values can be reset from the Finder by using the Get Info menu command. I set SuperCard's partition for 750K bytes to test the company's claims of a 700K-byte requirement. I opened the "Ramblin' Ruth" project, a cute little tutorial project that comes with SuperCard. When I tried to add a simple menu to the menu bar, I got the familiar "out of memory" dialog box. I clicked "OK," and the screen froze.

Silicon Beach acknowledges that SuperCard has problems with low-memory

REVIEW HOW SUPER IS SUPERCARD?

> situations. The company suggested removing my INIT files (such as QuicKeys and Suitcase) from my system folder to free up memory on my 1-megabyte Mac. But the company also agreed that it is unreasonable to expect Mac users to give up all their INIT utilities just to run Super-Card. (At least one INIT, called Boomerang, causes SuperCard to crash. It is the fault of Boomerang, and its author is correcting the problem.)

The other problem with SuperCard is the slowness of the screen refresh. This is most often experienced as a long delay going from card to card. Such a long pause would occur between the time I clicked the button and the time the screen auto-highlighted. Thinking nothing was happening, I would click the button a second or third time.

Even after upgrading my Mac to 2.5 megabytes of RAM, I found the response time unacceptably slow. For example, I compared HyperCard's Address stack and SuperCard's Productivity project two Rolodex-like programs that let you "flip" through address cards. Super-Card took more than three times longer (nearly 3 seconds) than HyperCard just to go to the next card.

The company points out that Super-Card is not optimized for 342 by 512 bitmapped cards, as HyperCard is. It suggests using STEP files for animation instead of flipping cards, and avoiding large bit-mapped graphics.

A Super Buy?

Before you rush out to buy SuperCard, carefully consider just what you expect to get. HyperCard users should bear in mind that many of the features in Super-Card are available as add-on XCMD or XFCN programs from third-party developers. For example, HyperWindows from Tulip Software (\$59) lets you access multiple windows of any type from within HyperCard, and it also supports color displays.

The bottom line is that Silicon Beach has created a neat Mac erector set. SuperEdit has many exciting and powerful features, but you may be disappointed by SuperCard's slow performance. In addition, SuperCard is not appropriate for a Macintosh with only 1 megabyte of RAM. But if future versions of the program are better optimized for speedy performance, then SuperCard really will be a dream come true. ■

Richard D. Lasky is a biochemist and stackware developer living in Needham, Massachusetts. He can be reached on BIX c/o "editors."

PC BRAND Chosen[#] 1 For Customer Service and Support.

"PC BRAND is the LL Bean of the personal computer mail order.

PC BRAND wants no unhappy customers, and it's service and support policies help to insure that."

-Personal Computing's 10 Best Mail Order Companies, Feb, 1989





PC BRAND offers you more...

Welcome to PC Brand. Your *first* place to shop. Your *best* place to shop for top quality IBM compatible systems, custom configured to your exact specifications, and thousands of quality name brand peripherals and accessories.

Choose from over 10,000 items in stock... all at unbeatable prices!

Free Freight, Toll-Free Support, 5-Year Warranty and more...

Everyone promises you great service. We deliver the tangibles.

Free freight • Fast delivery •No credit card surcharges •A 30-day Money-Back Guarantee on every system we sell •Toll-Free Customer Service andTechnical Support that will stay with you until your questions are answered and your problem is solved • And our exclusive 5-Year Warranty on all PC Brand products, call for details.

CallPC Brand today.

For the best selection... the best products...at the best price, you can't do better than PC Brand.

Call PC Brand today!

TURN PAGE FOR PC BRAND SYSTEMS ...AND NAME BRAND PERIPHERALS

Circle 218 on Reader Service Card

Outstanding Quality

PC BRAND Chosen #1 For Customer Service and Support. "PC BRAND is the LL Bean of the personal computer mail order...PC BRAND wants no unhappy customers, and it's service and support policies help to insure that."



YourBestChoice forQualitySystems Toll-FreeSupport Toll-FreeService FreeFreight 5-YearWarranty



PCV20 AD-II

15 MHz Throughput in an XT. Norton SI 4.0 512K, 360K Drive, 84-Keyboard

\$539

Standard System Features:

- 10MHz Nec V20 CPU with 1.5 times the power of the 8088!
- 512K RAM standard. Expandable to 640KB
- One 360K Floppy Drive 84-key AT Style Keyboard
- 8 Slots. Serial, Parallel, Game Ports, and Clock Standard
- AT Style Case with Keylock, Turbo, Power and Hard Drive LEDs. Accomodates up to 4 HH Mass Storage devices
- Set-up & Operating instructions.

Standard Pre-Built Configurations:

PCV20 AD-II With 512K, Hard Disk Drive, Monitor & Video Card								
Drive Video	1 Floppy	2 Floppy	40MB-46MS	66MB-25MS				
Mono	\$664	\$739	\$944	\$1094				
VGA/Mono	\$824	\$899	\$1104	\$1254				
EGA	\$1004	\$1079	\$1284	\$1434				
VGA/Color	\$1054	\$1129	\$1334	\$1484				

-Personal Computing's 10 Best Mail Order Companies, Feb, 1989

PC BRAND 286/12 \$799



12 MHz Clock, Zero Wait Operation, Norton SI 15.3 •Landmark™ Speed 15.1MHz 512K, 1.2MB or 1.44MB Drive, 101- Keyboard

Standard System Features:

- 80286-12 Processor Operating at 12MHz with Zero Wait States delivering 15.1MHz Effective Throughput
- 512K RAM expandable to 4MB on the System board using 256K or 1MB 100ns RAM
- 1.2MB 5.25" or 1.44MB 3.5" Diskette Drive
- 1:1 Interleaving Dual Hard Drive/Floppy Drive Controller
- Enhanced 101-key AT Style Keyboard
- High Capacity System Power supply
- Real Time Clock/Calendar with 5 Year Battery
- 80287 Co-Processor Support
- AMI BIOS with full MS/DOS, OS/2, XENIX, NOVELL, 3COM and PCNET compatibility
- Built-in System Board LIM 4.0 EMS hardware drivers
- User configurable I/O timing permitting compatible operation with older peripherals or faster I/O for newer devices
- 8 Slot motherboard design (5 16Bit & 3 8Bit)
- Medium foot print case with 5 Disk Drive bays

Options:

- Full size 5 drive case Factory Installed RAM Upgrades
- · Custom configurations w/Name Brand peripherals of your choice
- Compaq® Style LCD or Plasma Portable
- Full or Mini Size Tower® Case

Standard Pre-Built Configurations:

Video	40MB-46MS 1:1 RLL	66MB-25MS 1:1 RLL	71MB-18MS 1:1 MFM	110MB-25MS 1:1 RLL
Mono	\$1207	\$1432	\$1572	\$1672
VGA/Mono	\$1402	\$1627	\$1767	\$1867
EGA	\$1547	\$1772	\$1912	\$2012
VGA/16Bit	\$1637	\$1862	\$2002	\$2102

Unbelievable Price



20 MHz Clock, Zero Wait Operation Norton SI 23.0 •Landmark™ 26.7MHz 512K, 1.2MB or 1.44MB Drive, 101-Keyboard

Standard System Features:

- 80286 Processor Operating at 20MHz w/Zero Wait States in interleave mode delivering 27MHz Effective Throughput
- 512K RAM expandable to 8MB on the System board using 256K and/or 1MB 100ns RAM
- 1.2MB 5.25" or 1.44MB 3.5" Diskette Drive
- 1:1 Interleaving Dual Hard Drive/Floppy Drive controller
- Enhanced 101-key AT Style Keyboard
- High Capacity 200 Watt System Power Supply
- Real Time Clock/Calendar with 5 Year Battery
- 80287 Co-Processor Support
- AMI BIOS with full MS/DOS, OS/2, XENIX, NOVELL, 3COM, and PCNET compatibility
- Built-in System Board LIM 4.0 EMS hardware drivers
- User configurable I/O timing permitting compatible operation with older peripherals or faster I/O for newer devices
- 8 Slot motherboard design (5 16Bit & 3 8Bit)
- Medium foot print case with 5 Disk Drive bays

Options:

- Full or Mini Size Tower ® Case Factory Installed RAM Upgrades
- Custom configurations w/Name Brand peripherals of your choice
- Compaq® Style LCD or Plasma Portable

Standard Pre-Built Configurations:

286/20 w/512K, Hard Disk Drive, Monitor & Video Card								
Drives Video	40MB-46MS 1:1RLL	66MB-25MS 1:1 RLL	71MB-18MS 1:1 MFM	110MB-25MS 1:1 RLL	150-17MS 1:1 ESDI	320-16MS 1:1 ESDI		
Mono	\$1407	\$1632	\$1737	\$1862	\$2517	\$2817		
VGA/Mono	\$1602	\$1827	\$1932	\$2057	\$2712	\$3012		
EGA	\$1747	\$1972	\$2077	\$2202	\$2857	\$3157		
VGA/16Bit	\$1837	\$2062	\$2167	\$2292	\$2947	\$3247		

PC BRAND 386/SX-16 \$1099



16 MHz Clock, Zero Wait Operation Norton SI 18.7 • Landmark[™] 18.3MHz 512K, 1.2MB or 1.44MB Drive, 101-Keyboard

Standard System Features:

- 80386SX Processor Operating at 16MHz delivering 18MHz Effective Throughput
- 512K RAM expandable to 8MB on the System board using 256K and/or 1MB 80ns RAM
- 1.2MB 5.25" or 1.44MB 3.5" Diskette Drive
- 1:1 Interleaving Dual Hard Drive/Floppy Drive controller
- Enhanced 101-key AT Style Keyboard
- · High Capacity 200 Watt System Power Supply
- Real Time Clock/Calendar with 5 Year Battery
- 80387SX Co-Processor Support
- AMI BIOS with full MS/DOS, OS/2, XENIX, NOVELL, 3COM, and PCNET compatibility
- 8 Slot motherboard design (5 16Bit & 3 8Bit)
- Medium foot print case with 5 Disk Drive bays (Shown with optional Mini Size Tower & Case)

Options:

- Full or Mini Size Tower
 Case Factory Installed RAM Upgrades
- · Custom configurations w/Name Brand peripherals of your choice
- Compaq® Style LCD or Plasma Portable

Standard Pre-Built Configurations:

386SX-16 w/512K, Hard Disk Drive, Monitor & Video Card								
Drives Video	40MB-46MS 1:1RLL	66MB-25MS 1:1 RLL	71MB-18MS 1:1 MFM	110MB-28MS 1:1 RLL	150-17MS 1:1 ESDI	320-16MS 1:1 ESDI		
Mono	\$1507	\$1732	\$1837	\$1962	\$2617	\$2917		
VGA/Mono	\$1702	\$1927	\$2032	\$2157	\$2812	\$3112		
EGA	\$1847	\$2072	\$2177	\$2302	\$2957	\$3257		
VGA/16Bit	\$1937	\$2162	\$2267	\$2392	\$3047	\$3347		

TURN PAGE FOR MORE PC BRAND SYSTEMS... FOR NAME BRAND PERIPHERALS SEE OUR AD ON FOLLOWING PAGES...

To Order Call 1-800-PC BRAND (Call 1-800-722-7263) In All 50 States FAX# 1-800-722-7392

PC Brand, Inc. 954 W. Washington St., Chicago, IL.60607 Int'l Fax# 312-226-6841 Int'l Voice# 312-226-5200. Open Mon thru Fri.: 8am to 6pm Central .MasterCard, VISA, Discover, Checks, & Approved P.O.s. Accepted. Prices and specifications subject to change. Customer Service Inquiries Call: 1-800-662-SERV BYTE 14-10

Amazing Performance

"Faster Than a Speeding Bullet!"

Computer Shopper Cover Story Nov, 1988

"PC Brand offers the best low cost alternative around" -PC Magazine Feb.14, 1989

PC BRAND 386/20 \$1649



20 MHz Clock, Zero Wait Operation Norton SI 23.0 • Landmark Speed 26.1MHz 1024K, 1.2MB or 1.44MB Drive, 101-Keyboard

Standard System Features:

- True 20MHZ Intel 80386-20 CPU Operating with Zero Wait States delivering up to 26.1MHz Effective Throughput
- 1024K RAM standard expandable to 16MB via 32Bit RAM boards using 256K and/or 1MB 100ns RAM
- 1.2MB 5.25" or 1.44MB 3.5" Diskette Drive
- 1:1 Interleaving Dual Hard Drive/Floppy Drive controller, 977.6 KB/SEC Caching Controller w/ESDI Configurations
- Enhanced 101-key AT Style Keyboard
- High Capacity 200 Watt System Power Supply
- Real Time Clock/Calendar with 5 Year Battery
- 80287, 80387 Co-Processor Support
- Phoenix BIOS with full MS/DOS, OS/2, XENIX, NOVELL, 3COM and PCNET compatibility
- 8 Slot motherboard design (5 16Bit & 1 8Bit & 2 32/8Bit)
- Medium foot print case with 5 Disk Drive bays **Options:**
 - Full or Mini Size Tower
 Case
 8MB 32Bit RAM Card Upgrade
 - Custom configurations w/Name Brand peripherals of your choice
 - Compaq® Style LCD or Plasma Portable Weitek Co-processor

Standard Pre-Built Configuration:

386/20	With 1024]	K, Hard Di	isk Drive,	Monitor &	z Video Ca	ard
Drives	40MB-46MS 1:1 MFM	66MB-25MS 1:1RLL	71MB-18MS 1:1 MFM	110-25MS 1:1 RLL	150-17MS 1:1ESDI	320-16MS 1:1ESDI
Mono	\$2125	\$2225	\$2350	\$2460	\$3010	\$3455
VGA/Mono	\$2310	\$2410	\$2535	\$2645	\$3195	\$3640
EGA	\$2415	\$2515	\$2640	\$2750	\$3300	\$3745
VGA/16Bit	\$2555	\$2655	\$2780	\$2890	\$3440	\$3885

PC BRAND 386/25 \$1849



25 MHz Clock, Zero Wait Operation Norton SI 28.2 • Landmark Speed 33.6MHz Norton SI 31.6 • Landmark Speed 43.5 w/Cache 1024K, 1.2MB or 1.44MB Drive, 101-Keyboard

Standard System Features:

- Intel 80386 Processor Operating at 25MHz with Zero Wait States in interleave mode delivering 34 to 44 MHz Effective Throughput
- 1024K RAM standard expandable to 16MB via 32Bit RAM boards using 256K and/or 1MB RAM
- 1.2MB 5.25" or 1.44MB 3.5" Diskette Drive
- 1:1 Interleaving Dual Hard Drive/Floppy Drive controller, 977.6 KB/SEC Caching Controller w/ESDI Configurations
- Enhanced 101-key AT Style Keyboard
- High Capacity 200 Watt System Power Supply
- Real Time Clock/Calendar with 5 Year Battery
- 80287, 80387 or Weitek Co-Processor Support • AMI BIOS with full MS/DOS, OS/2, XENIX,
- NOVELL, 3COM and PCNET compatibility
- User configurable I/O timing permitting compatible operation with older peripherals or faster I/O for newer devices
- 8 Slot motherboard design (5 16Bit & 3 8Bit & 2 32Bit)
- Medium foot print case with 5 Disk Drive bays

Options:

- 32KB or 64KB Cache Processor Weitek Co-processor Tower @ Case
- Custom configurations w/Name Brand peripherals of your choice
- Compaq® Style LCD or Plasma Portable 8MB 32Bit RAM Card

Standard Pre-Built Configurations:

38	6/25 With	Hard Dis	k Drive, N	Aonitor & V	/ideo Car	d
Drives Video	40MB-46MS 1:1MFM	66MB-25MS 1:1RLL	71MB-18MS 1:1 MFM	110MB-25MS 1:1RLL	150-17MS 1:1ESDI	320-16MS 1:1ESDI
Mono	\$2312	\$2462	\$2592	\$2722	\$3322	\$3572
VGA/Mono	\$2527	\$2677	\$2807	\$2937	\$3537	\$3787
EGA	\$2672	\$2822	\$2952	\$3082	\$3682	\$3932
VGA/16Bit	\$2762	\$2912	\$3042	\$3172	\$3772	\$4022

CRT display is courtesy of RIX Softworks, Inc. Irvine, CA.

Exceptional Support

386/33 CACHE

\$2799



33 MHz Clock, Zero Wait Operation

Norton SI 45.9•Landmark 58.7MHz w/32K or 64K Cache 1024K, 1.2MB or 1.44MB Drive, 101-Keyboard

Standard System Features:

- True 33 MHz INTEL 80386-33 CPU operating with Zero Wait States Delivering up to 58.7 MHz Effective Throughput
- Intel 82385-33 Cache Processor with 32K 25NS Static RAM Standard, Field Upgradable to 64K
- 1024K RAM Standard Expandable to 16MB
- 1.2MB 5.25" or 1.44MB 3.5" Diskette Drive
- 1:1 Interleaving Dual Hard Drive/Floppy Drive Controller, 977.6 KB/SEC Caching Controller w/ESDI Configurations
- Enhanced 101-key AT Style Keyboard
- High Capacity 200 Watt System Power Supply
- Real Time Clock/Calendar with 5 Year Battery
- 80387 or Weitek Co-Processor support
- Phoenix BIOS With Full MS/DOS, 0S/2, XENIX, NOVELL, 3COM and PCNET compatibility
- 8 Slot motherboard design
- Full size case with 5 Disk Drive bays
 - (Shown with Optional Full Size Tower ® Case)

Options:

Custom configurations w/Name Brand peripherals of your choice

Weitek Co-Processor Tower Case Factory Ram Upgrades

Standard Pre-Built Configuration:

38	6/33 With	Hard Disl	k Drive, Mo	onitor & Vie	deo Card	
Drives Video	40MB-46MS 1:1 MFM	66MB-25MS 1:1 RLL	71MB-18MS 1:1 MFM	110MB-25MS 1:1RLL	150MB-17MS 1:1ESDI	320MB-16MS 1:1 ESDI
Mono	\$3259	\$3454	\$3554	\$3679	\$4334	\$4634
VGA/Mono	\$3454	\$3649	\$3749	\$3874	\$4529	\$4829
EGA	\$3599	\$3794	\$3894	\$4019	\$4674	\$4974
VGA/16Bit	\$3689	\$3884	\$3984	\$4109	\$4764	\$5064

+ Norton SI 3.0

PCBRAND

YourBestChoice forQualitySystems Toll-FreeSupport Toll-FreeService FreeFreight 5-YearWarranty

286/386 PORTABLES from \$1745

286 & 386 Systems *512K,1.2MB Drive, Combo Controller, LCD Backlit Display Optional EGA Plasma Display



All feature:

- 640 x 400 Backlit Supertwist LCD by TOSHIBA (EGA Plasma version Available)
- Monographic & Color operating modes, EGA Optional
- External Monitor Support
- 2 Available expansion slots
- 86-key keyboard
- Accomodates two 5.25" or 3.5" Floppy/Hard Disk Drives
- 200 Watt 112/220 Autoswitch Power
- Serial, Parallel, Game Port, Clock/
- Calendar Standard

Standard Pre-Built Configuration:

Portable System Processor and Drive Options						
Drive CPU	286-12	286-20	386/SX-16	386-20	386-25	
1 Floppy	\$1745	\$1945	\$2045	\$2595	\$2795	
40MB	\$2175	\$2375	\$2475	\$3025	\$3225	
66MB	\$2275	\$2475	\$2575	\$3125	\$3325	
150MB	\$3140	\$3340	\$3440	\$3990	\$4190	

*386/20 and 386/25 Systems come with 1024K.

SAVE ON NAME BRAND PERIPHERALS... .SEE OUR AD ON FOLLOWING PAGES...

To Order Call 1-800-PC BRAND

(Call 1-800-722-7263) In All 50 States FAX# 1-800-722-7392

PC Brand, Inc.954 W. Washington St., Chicago, IL.60607 Int'l Fax# 312-226-6841 Int'l Voice# 312-226-5200. Open Mon thru Fri.: 8am to 6pm Central .MasterCard, VISA, Discover, Checks, & Approved P.O.s. Accepted. Prices and specifications subject to change. Customer Service Inquiries Call: 1-800-662-SERV BYTE 14-10

CRT display is courtesy of RIX Softworks, Inc. Irvine, CA.

Shop PC Brand Today.

LAPTOP COMPUTERS*

NEC

NEC	
Multispeed HD	\$1995
Ultralite w/1MB	Call
TOSHIBA	
1000; 512K, 80C88, 1 FDD	\$6 99
1600 BACKLIT, 80C86-12, 1MG, 20MB HD, FDD	3240
3100E GAS PLASMA 80C86-12, 1MB, 20MB HD, FDD	2805
3200; EGA, 80286-12, 1MB, 40MB HD, FDD	3595
5200/40 VGA, 80386-20, 2MB, 40MB HD, FDD,	6115
ZENITH	
Supersport 286,20Meg	Call
Supersport 286,40Meg	

Supersport 88, 20Meg Call

Other Makes and Models Call

MONITORS*

MAGNAVOX

MAGNAVOX
7BM623 12" Amber TTL Monochrome \$79
7BM749 14" VGA White Flat Screen 135
CM8762 13" RGB (640x200) Color 230
CM9043 13" EGA (640x400) Color
9CM082 14" VGA (640x480) .31DP Color415
MITSUBISHI
XC-1410 14" EGA (640x350)\$369
AUM-1381 14" Diamond Scan 499
HL6605 15" CAD Monitor 1295
HL6905 19" CAD Monitor 2325
NEC
Multisync 2A 14" (800x600) VGA \$499
Multisync GS 14" Mono 249
Multisync 3D 14" (1024x768) EGA/VGA 679
Multisync XL 19" (1024x768)
Multisync 4D and 5D Call
PRINCETON GRAPHICS
Max 15 15" Multifreq. Monochrome \$249
Ultra 16 16" Multifreq. EGA/VGA
Ultrasync 14" Multifreq. EGA/VGA 520
PRINCETON PUBLISHING LABS
Multiview 15" Full Page Monitor w/adapt\$890
RELISYS (Top Rated by Infoworld and PC World)
RE-9513 14" VGA(720x480).31DP Color \$369
SEIKO
CM1430 14" (1024x768) Dualfreq \$549
SONY
CPD1304 14".25DP(1024x768)Multiscan .\$689
CPD1320 13" (640 x 480) VGA 485
ZENITH
ZCM-1490 14" Flatscreen Enhanced\$619
NEC 140NA
NEC 14"Multisync 2A
800x600 Resolution Super VGA Monitor



MODEMS

A.T.I.

2400ETC Internal Modem w/MNP5 \$165
2400ETC External Modem w/ MNP5 205
HAYES
1200B Int. w/Smartcom\$285
2400B Int. w/Smartcom
1200 Ext. Modem
2400 Ext. Modem
PC BRAND 100% Hayes Compatible!
1200 Baud Internal w/Bitcom\$49
1200 Baud External70
2400 Baud Internal w/Bitcom
2400 Baud External 129
US ROBOTICS
Courier HST/9600\$599
O I MARGARE IT . ANDE 000

Courier V.32 9600 Baud Ext.w/MNP5 ...889 Courier HST Dual Standard Modem......995 Courier HST/IX 9600 Modem925



VIDEO CARDS

ATI	
VGA Wonder w/256K	\$279
VGA Wonder w/ 512K	Call
PARADISE	
Autoswitch 480 EGA	\$179
VGA+	265
VGA+ 16 16 Bit Version NEW	299
VGA Professional w/512K	399
PC BRAND	
Mono Graphics w/Printer Port	
Color Graphics w/Printer Port	49
EGA (640x480) Autoswitch	
VGA	159
VGA 16 Bit	195
VIDEO SEVEN	
Fastwrite VGA	\$279
VRAM VGA	450
VRAM VGA w/512K	Call

DISK DRIVES

FLOPPY DISK DRIVES:

FLOPPY DISK DRIVES:
360K 5.25" HH Black\$75
720K 3.5" HH w /5.25" Mounting
1.2MB 5.25" HH Grey85
1.2MB 5.25" HH Grey
PS/2 FLOPPY DRIVES
CMS 5.25" 360K/PS/2 Ext.Floppy \$199
HARD DISK DRIVES:
IOMEGA
B120I Single 5.25" 20MB Int\$765
B144I Single 5.25" 44MB Int 995
B244X Dual 5.25" 44MB Ext1995
MINISCRIBE
71MB 18MS M3085 \$595
150MB 17MS M3180E ESDI 1/2 Hgt 1195
320MB 16MS M9380 ESDI Full Hgt 1550
640MB 16MS M9760 ESDI Full Hgt 3400
PRIAM
130MB 20MS ID130AT Full Height \$1395
160MB 28MS ID160EC ESDI w/CNTRL 1650
330MB 20MS ID330PS INT. for PS/2 1895
330MB 20MS ID330EC ESDI w/CNTRL 2250
SEAGATE
20MB 65MS ST225 w/XT Controller\$249
20MB 65MS ST225
20MB 35MS ST125 w/XT Controller 299
20MB 35MS ST125245
30MB 65MS ST238 w/XT Controller 269
30MB 35MS ST138
30MB 35MS ST138 w/XT Controller355
40MB 28MS ST251-1
40MB 24MS ST151
80MB 28MS ST4096 Full Height590
TOSHIBA
60MB 25MS MK134 RLL\$429
110MB 25MS MK72 RLL
156MB 23MS MK-156FA ESDI Full Hgt 1095
If the drive you require is not listed here please

If the drive you require is not listed here please contact our sales department for a quote!

TAPE BACKUPS

60MB Archive Int. or Ext. w/Cntrl	\$590
60MB Maynard Maynstream Portable	889
150MB Archive Internal	925
150MB Archive External	1250
150MB Maynard Maynstream Portable	1395
2.2GB Maynard Maynstream Portable	4350

PC BRAND 16Bit VGA


Save Time. Save Money.

SCANNERS/DIGITIZERS

Complete PC Half Page Scanner	.\$189
Complete PC Full Page Scanner	
DFI HS3000 Plus Gray Scale Hand Scan	219
Hewlett Packard Scanjet Plus	Call
Microtek MS II	Call
Microtek MSF300G	.1785
Microtek MSF300Q w/64 Grey Level	. 1495
Summasketch 12X12	378
Summasketch 12X18	635

PRINTERS*

BROTHER

HL 8E Laser (HP LJII, HPGL)\$1875 EPSON

LX810 180/30189 LQ510 180/60329
FX850 330/88 345 FX1050 264/54445
LQ850 330/88Call LQ1050 330/88Call
LQ950 264/88Call LQ2550 400/108Call
KODAK DICONIX
150Plus 150/50315 300WP 310/73439
HEWLETT PACKARD
Deskjet Plus 710 Laserjet II 1720
LASER JET ACCESSORIES
CPI Superfont Cart. adds 150 fonts 295
CPI 1MB Memory Kit. 319 CPI 2MB Memory Kit 549
PRINCETON PUBLISHING
PS-388 Postscript board2250
Adds Postscript to your HP LASERJET!
NEC
P2200 170/55335 P9XL 400/1401030
P2200 170/55 335 P9XL 400/140 1030 P5200 265/90 530 P5300 Wide
P2200 170/55 335 P9XL 400/140 1030 P5200 265/90 530 P5300 Wide 675 LC890 Laser 3190 LC890XL Laser 4495
P2200 170/55 335 P9XL 400/140 1030 P5200 265/90 530 P5300 Wide 675 LC890 Laser 4495 OKIDATA
P2200 170/55 335 P9XL 400/140 1030 P5200 265/90
P2200 170/55 335 P9XL 400/140 1030 P5200 265/90 330 P5300 Wide 675 LC890 Laser 3190 LC890XL Laser 4495 OKIDATA ML320 300/62 45 ML321 300/62 479 ML390 270/90 475 ML391 270/90 655
P2200 170/55 335 P9XL 400/140 1030 P5200 265/90
P2200 170/55335 P9XL 400/1401030 P5200 265/90530 P5300 Wide675 LC890 Laser3190 LC890XL Laser4495 OKIDATA ML320 300/62345 ML320 300/62345 ML321 300/62479 ML390 270/90475 ML391 270/90655 ML393 450/120995 ML393C 450/1201069 PANASONIC (New Models Listed) Value 1.000
P2200 170/55 335 P9XL 400/140 1030 P5200 265/90 330 P5300 Wide 675 LC890 Laser 3190 LC890XL Laser 4495 OKIDATA ML320 300/62 45 ML321 300/62 479 ML390 270/90 475 ML391 270/90 655 ML393 450/120995 ML393C 450/1201069 PANASONIC (New Models Listed) 1180 192/38
P2200 170/55335 P9XL 400/1401030 P5200 265/90530 P5300 Wide675 LC890 Laser3190 LC890XL Laser4495 OKIDATA ML320 300/62345 ML320 300/62345 ML321 300/62479 ML390 270/90475 ML391 270/90655 ML393 450/120995 ML393C 450/1201069 PANASONIC (New Models Listed) Value 1.000
P2200 170/55335 P9XL 400/140 1030 P5200 265/90530 P5300 Wide675 LC890 Laser3190 LC890XL Laser4495 OKIDATA ML320 300/62345 ML320 300/62345 ML321 300/62479 ML390 270/90475 ML391 270/90655 ML393 450/120995 ML393C 450/1201069 PANASONIC (New Models Listed) 1180 192/38189 1191 240/48
P2200 170/55 335 P9XL 400/140 1030 P5200 265/90 330 P5300 Wide 675 LC890 Laser 3190 LC890XL Laser 4495 OKIDATA ML320 300/62 45 ML321 300/62 479 ML390 270/90 475 ML391 270/90 655 ML393 450/120995 ML393C 450/1201069 PANASONIC (New Models Listed) 1180 192/38 189 1191 240/48



PC BRAND-YOUR #1 LAN SOURCE !



NOVELL NETWORKING

NOVELL

NOVELL
4 User ELS 286 Level 1\$479
8 User ELS Level II (Version 2.15)
Advanced Netware 286 (Ver. 2.15) 1850
SFT Netware 286 (Ver. 2.15)
Netware 386Call
Disc Coprocessor Board
NE2000 Ethernet File Server Board
NE1000 Ethernet Card
GATEWAY (PC Magazines Editors Choice)
G/ Ethernet AT\$435
G/NET
G/ Ethernet for PS/2 Call
STANDARD MICRO
PC130 Arcnet Board\$135
PC270 Twisted Pair Arcnet Card130
PC500-WS 16 Bit Work StationBoard 375
PC550-WS 16 Bit Twisted Pair Work Station Bd 395
PC550-FS 16 Bit Twisted Pair File Server Bd 495
PS110 Arcnet Board for PS/2 439
PC500-FS 16 Bit File Server Board
ARCNET Passive Hub72
ARCNET Active Hub
ARCNET Twisted Pair Active Hub 429
TIARA
4 Port Passive Hub\$49
8 Port Active Hub
Lancard/A 8Bit ARCNET Board
Lancard/E 8Bit Twisted Pair ETHERNET 329
WESTERN DIGITAL
Ethercard+ w/Novell Drivers
Ethercard+ Twisted Pair Ethernet Board
Ethercard+ A for PS/2
UNINTERRUPTABLE POWER
ELGAR
IDS1100 1000 Watt UPS Call
IPS 500 Watt UPSCall
PTI
DataShield Turbo/2 625 Watt
Sumonicia I albo, 2 obs fratt minimum 070

PC BRAND

Free Freight 30-Day Money-Back Guarantee

Toll-Free Service and Support

No Credit Card Surcharges

We carry over 10,000 different hardware and software products, Call for prices on products not listed.

SOFTWARE

ALDUS Pagemaker	\$479
ASHTON-TATE DBASE IV	449
BORLAND Quattro	149
CENTRAL POINT PC Tools Deluxe	
FUNK SOFTWARE Sideways	
LOTUS 123 3.0	
MICROSOFT Excel 2.1	235
MICROSOFT Windows 386	125
MICROSOFT Word 5.0	205
WORD PERFECT Word Perfect 5.0	220
XEROX Ventura Publisher 2.0	479

SERIAL MOUSE



CO-PROCESSORS/BOARDS

INTEL

Aboveboard Plus w/	/512K\$419
Aboveboard Plus I/C	O 512K 469
Inboard 386 for PC w	v/IMB595
Inboard 386 AT	
8087-2139	8087-1
80387-16	80287-10259
80387-25 559	80387-20 449
80387-SX 359	80387-33695
*Oversized Monitors.)	Laser Printers, Laptops

*Oversized Monitors, Laser Printers, Laptops and Plotters are excluded from free freight.

Order Call 1-800-PC BRA

(Call 1-800-722-7263) In All 50 States FAX# 1-800-722-7392

PC Brand, Inc.954 W. Washington St., Chicago, IL.60607 Int'l Fax# 312-226-6841 Int'l Voice# 312-226-5200.Open Mon thru Fri:8am to 6pm Central MasterCard, VISA, Discover, Checks, & Approved P.O.s Accepted. Prices and specifications subject to change. Customer Service Inquiries Call: 1-800-662-SERV BYTE 14-10



IN DEPTH

Optical Technologies

- 231 Computing with Light by H. John Caulfield
- 239 The Nitty Gritty Optical Band: Levels of Light by Joseph W. Goodman Joining Forces by Donald J. Channin
- 249 Reflected Light by Gary T. Forrest
- 259 Gigabytes On-Line by James J. Burke and Bob Ryan

266 Read/Write Optical Subsystems

he mystery of light has puzzled and intrigued man throughout the ages. Light forms the very basis of our existence. For the most part, living things, as evolved on this planet, need light to live. From the beginnings of recorded time, man held the sun, the visible source of light, in deep reverence. Whether you believe that ancient man worshipped the sun or that he worshipped the giver of light as represented by the sun, he obviously sensed his great dependence on light. Solar eclipses terrified him, simply because the light went away.

In our efforts to tame light and make it do our bidding, we have developed myriad light-generating and light-controlling devices from lamps to lasers. We may not fully understand the intricacies of light, but we have found many ways to use it. Today, lasers are stealing the headlines and the show.

This month, we focus on optical technologies and look at some of the ways in which laser light is affecting the computer industry. The concept of computing with nothing but light beams boggles the mind. In "Computing with Light," H. John Caulfield explains the concepts behind optical computing, as well as its limits as currently conceived: what it can and can't do. He also discusses holography and its uses in computers.

Next, a series article looks at the bits and pieces of optical technology that are beginning to come into being. "The Nitty Gritty Optical Band" looks at the inroads made in optical interconnections, packages, signals, and ICs. In the first part, "Levels of Light," Joseph W. Goodman discusses the various levels of interconnections, from the machine level to the on-chip level, and how well optics apply on each level. And in the second part, "Joining Forces," Donald J. Channin examines the marriage between electronics and optics down at the chip level and how this union delivers the best of both worlds.

Then, in "Reflected Light," Gary T. Forrest looks at lasers, the light that makes optics work. Laser technologies are in use for a variety of purposes, and different lasers have different uses. This article discusses the different lasers, how they work, and how they are used.

Although all these areas have elements of the present and the future in them, one optical technology we are all familiar with, if for entertainment only, is optical storage. In "Gigabytes On-Line," James J. Burke and Bob Ryan examine optical disks, from CD-ROMs to WORMs to erasable optical storage, and how they work. Our resource guide this month supports this article, listing sources for some of the read/write optical subsystems available.

Will optics replace electronics? Probably not, at least if present research findings continue to hold true. Will optics have a significant impact on our industry in years to come? Most resoundingly, yes! The advantages of optics over electronics in speed and freedom from interference alone are reason enough to fund its research. In more ways than one, lasers are indeed "the light at the end of the tunnel."

> —Jane Morrill Tazelaar Senior Technical Editor, In Depth



The New 25 MHz Executive 325ET combines all the latest technologies in the most advanced 386 computer available. And it's transportable.

MAINFRAME TO GO

\$10 PER MEGABYTE OF DRAM

The 325ET has a hard drive access speed almost undetectably different from that of dynamic memory. For the first time, the large capacity of a hard drive is accessible at an access time of one millisecond (1 ms). Why limit yourself to 2, 8 or 16 megabytes of fast memory and pay \$500 per megabyte, when you can have up to 160 megabytes at a cost as low as \$10 per megabyte?

50 TIMES FASTER

Instead of waiting for the 65 millisecond (ms) access time of an MFM drive, or even the 17 ms of an ESDI drive, you can have instantaneous access to your data. The 325ET is blindingly fast with an average disk access time of 1 ms. In addition, the system architecture allows data transfer speeds that match drive capabilities. (That's really fast!). In fact, the overall read/write performance of the 325ET is 50 times faster (5,000%) than the Compaq° 386/25.

53,000 PORTABLE PAGES

The 325ET, when located along side of a monitor, takes little desk space. The compact design of the 325ET lets you carry it onto an airplane and easily stow it under your seat. Imagine bringing the equivalent of seven four-drawer filing cabinets worth of valuable information to your next meeting - accessible in just 1 ms.



The Executive 325ET is small enough and light enough to make it the most powerful transportable ever.

25 Mhz - 80386 1 ms HD ACCESS

325

FEFEEE

EXECUTIVE 325ET

Standard features:

 Intel 80386 processor running at 25 Mhz.

- 0 wait state operation.
- Enhanced intelligent controller for 1 ms hard disk access time and a transfer rate of 4 MB per second.
- 2 MB of RAM expandable to 16 MB (8 MB on board).
- High performance 16-bit VGA video adaptor.
- 3.5" 1.44 MB diskette drive.
- Sockets for 20 Mhz Intel 80387 coprocessor and 10 Mhz Intel 80287 coprocessor.
- 6 industry standard expansion slots (ISA).

\$3799 or just \$114 per month

	-
Mono VGA	Color VGA
\$4295	\$4650
\$4645	\$4995
\$5695	\$5995
	\$4295 [±] \$4645 [±]

[†] Includes system, monitor, Hard Disk and on-site warranty.

PRIORITY ONE COMPUTER SUPER STORE LOCATIONS California: Bakersfield, Burbank, Fullerton, Irvine, San Jose, Sunnyvale, Westminster, Woodland Hills, Kansas: Lenexa, Wichita Missouri: St. Louis **Oklahoma:** Stillwater Tennessee: Memphis

AND THERE'S MORE.

TIO

1. Toll-Free Technical Support

Our friendly and knowledgeable factory trained engineers are just a phone call away. And we can solve most problems right over the phone. 2. Free on-site service

The 325ET comes with a full year warranty. Supported by Universal Protection Plan with a network of hundreds of service engineers, instant help is just a phone call away. Service is also available at any of our Super Stores, or at any of the hundreds of UPP service centers.

3. Trade up and save more

Now you can put that older and slower IBMe, Compage, or Applee to better use. Your old system may be worth a thousand dollars or more. Our new Trade-Up program allows you to move up to the latest technology for less. Call one of our systems consultants for complete details.

4. 30 day money back guarantee

Your total satisfaction is our goal. If for any reason you are not completely satisfied with the 325ET you may return it within 30 days for a full refund.

5. Easy financing available

We offer both consumer credit for individual purchases, and leasing for business customers. Call us today and find out how easy it is to own the next generation of computers.



©Copyright 1989 Priority One Computer Corporation. All rights reserved. Executive, 325ET, and the Priority One logo are registered trademarks. IBM is a registered trademark of The IBM Corporation... 386/25 is a registered trademark of Compaq Computer Corporation... 386 is a registered trademark of finel Corporation. Apple is a registered trademark of Apple Computer, Inc.

Circle 209 on Reader Service Card

Computing with Light

Optical computers can provide the massively parallel architectures that systems of the next century will need

H. John Caulfield

he eternal search for faster, smaller, more intelligent processors is what drives the development of new technologies. For the past 40 years, advances in computers have depended on advances in electronics, particularly in semiconductor-based electronics. Computers of the next century, however, may require a technology that would seem as radical now as semiconductors were in 1964. Perhaps the Japanese Ministry of International Trade and Industry (MITI) put it best: "Electronics is the science of the twentieth century, and optics is the science of the twenty-first.'

The state of optical technology in 1989 resembles that of electronic technology in 1949. It is poorly developed, unreliable, unstandardized,

and expensive. Why, then, would you ever dream of replacing ICs with optics? Quite simply, you wouldn't. Optics are so fundamentally different from electronics that they do not compete. However, optics can do important tasks that are impossible with electronics. Using the special and wonderful properties of light, optics can work together with electronics in new hybrid systems that are



called (somewhat misleadingly) optical computers.

Properties of Light

Light, like electricity, is a quantum phenomenon. As such, you can't really understand it, but you can write equations that will at least partially predict its behavior. Sometimes it's convenient to think of light as a stream of particles; light particles are called *photons* (electricity particles are called *electrons* or *holes*).

When the particle picture fails, you can think of light as a wave. In fact, depending on the experiment that you perform, light will demonstrate properties of either particles or waves, but not both at the same time. Of course, this doesn't exactly make sense, but this is what quantum mechanics tells us.

Although it may be impossible to understand the nature of light, you can—up to a point—get a handle on it mathematically. You can make essentially perfect predictions of average photon arrival rates and positions, but you'll still have no idea how to predict precisely when and where the next photon will arrive.

Photons belong to a class of particles called *bosons*. Bosons do not interact with other bosons. Thus, optical paths can crisscross in space without interfering with one another. Essentially all the strengths and weaknesses of optics come from this observation.

Electrons, on the other hand, are classed as *fermions*—particles that repel one another. Thus, electrons must be *continued*

A Trillion Points of Light

C reating a processor with fan-in and fan-out values of 1 million is possible only with optical computers.

The inputs to such a processor consist of the transmission values (0 to 1) of a 1000- by 1000-element holographic mask. The data is written in real time to a spatial light modulator (SLM)—the actual input device. The output of the processor is a 1000- by 1000-element detector array (see figure A).

The transmission of the k, l element of the SLM is called a_{kl} . Now, at the i, j detector element, you want to form

$$b_{ij} = \sum_{k,l} \mathrm{T}_{ijkl} \mathrm{a}_{kl}$$

where the sum b_{ij} is over all 1 million (10⁶) SLM elements. You want to do this



for all 10⁶ $i_{,j}$ values. Thus, there will be a trillion (10¹²) values of T_{ijkl} all in use at the same time. Figure A demonstrates how this is done for one of the b_{ij} patterns. It is important to note, however, that all 10⁶ b_{ij} patterns appear simultaneously.

The i,j hologram produces a pattern of illumination at the SLM input. At the k,l SLM element, you refer to the input intensity as T_{ijkl} . The transmission value of that element is a_{kl} , so the amount of light passing through the k,lSLM element from the i,j hologram is $T_{ijkl}a_{kl}$. The imaging lenses to the left and right of the SLM project the laser light from the i,j hologram onto the i,jdetector element. Since it does this for all k,l values, you detect the sum of all $T_{ijkl}a_{kl}$ products at every element of the detector.

All holograms and all detectors in this system work in parallel. Thus, the k,l SLM element has a 10⁶ fan-in and a 10⁶ fan-out. Furthermore, the optical paths clearly crisscross in space both before and after the SLM without interference. The results are 10¹² parallel, weighted (i.e., different T_{ijkl} values) interconnections in a single optical processor.

confined in carriers (e.g., wires) to get them from one place to another reliably. These connecting carriers of electricity take up space that other carriers, therefore, cannot use.

Two conclusions follow immediately from these facts. First, optics is a wonderful way to provide large numbers of input connections (called a *fan-in*) and large numbers of output connections (called a *fan-out*) to a processor. Second, since light doesn't interact with light, you need electronics to get information on and off the beams of light.

Light Connections

To make a connection in electronics, you need a wire of some type and a bonding pad. To implement a fan-in and fan-out of 10 is no big trick, but larger numbers of connections are progressively harder to implement. With optics, you could have a million processors, each with a fan-in and fan-out of a million, all operating in parallel. You can't do this with electronics because of the pathways involved.

Imagine a million processing ele-

ments, each with 2 million bonding pads. The size of such an implementation would be absurd, as would be the power consumption, cost, and time required to solder the wires. The total number of connections in such a system would be 1 trillion. Electronically, this is silly to even think about. In optics, it is straightforward (see the text box "A Trillion Points of Light" above).

Another advantage of optics over electronics is that optics can operate at an average energy per calculation that is less than the theoretical minimum for a traditional electronic logic gate. Because the quantum mechanical nature of light is manifest when you don't confine it to a carrier (e.g., fiber-optic cable), you can make all intermediate calculations energetically free of charge and pay an energy price only for reading the final result.

For example, consider the optical calculation of b_{ij} discussed in the text box "A Trillion Points of Light." The calculation consists of 1 million multiplication operations and 1 million addition operations. When you detect the result and apply a threshold function to it, the quantity of information you extract is one bit: $b_{ij} = 0$ or 1. The atoms in the detector are moving with an average energy of kT, where k is the Boltzmann constant and T is the absolute temperature. Clearly, extracting information must require at least an energy of kT per bit. Indeed, kT is often considered the minimum "quantum of information."

To read out b_{ij} reliably, you must overcome "shot noise" by measuring many light particles or photons. For visible light and room temperature, the photon energy is about 100 kT. If you detect 100 photons, you spend about 10⁴ kT to read out that one bit. The best low-power electronic computers operate at 10⁴ kT per bit. Most operate at 10⁷ kT or more.

But wait. You have measured the result of 10^6 calculations with 10^2 photons and only 10^{-2} kT per calculation. How is this possible? If you send even one photon to each of the 10^6 spatial light modulator (SLM) elements, you would need 10^6 , not 10^2 , photons. Or would you?

The answer to this lies in quantum continued



E veryone agrees! C++ is the only logical way forward for the multitude of C programmers faced with the task of developing sophisticated applications for today's "Power Users".

C + + offers many advantages over all other languages, object oriented or not:

- ANSI C compatible
- Object oriented
- Major industry support
- Data-abstraction
- Strong type-checking
- User defined types
- Modular programming
- Data hiding



The Award Winning Zortech C++ Compiler has absolutely shaken the roots of the C compiler market by setting a new technological standard. It is the very first and only MS-DOS compiler to produce native code directly from C++ source files.

Zortech is at the forefront of C++ Compiler Technology with an already impressive lead, maintained by continually enhancing product quality and support.

Since the launch of the C++ Compiler, Zortech has brought the power and efficiency of C++ to tens of thousands of users worldwide. We continue to develop tools for programmers of the next generation of high powered applications.

Please call or write for full details of our complete range of C++ products.

Zortech Incorporated 1165 Massachusetts Avenue, Arlington, MA02174 tel: 617-646-6703 fax: 617-643-7969



Zortech Limited 106-108 Powis Street, London SE18 6LU tel: 01-316-7777 fax: 01-316-4138

Holography and Computers

H olograms have become a common sight. They appear on credit cards, paperback books, greeting cards, camera boxes, children's toys, and even magazine covers. Soon you'll be seeing them on your windshield as they let you check your speedometer without taking your eyes off the road. So just what are holograms, and how do they relate to optical computers?

Before answering these questions, consider another one: How is it that light entering the pupils of your eyes and crudely focused on your retina causes you to see a multicolored, three-dimensional world "out there" and not in your



Figure B: (1) The interference between the reference wavefront and the object wavefront creates the hologram. (2) The hologram reconstructs the object wavefront from the reference wavefront.

mechanics. Each photon explores all 10⁶ paths. In the wave domain, the light has no one path. Each photon, in effect, makes all 10⁶ calculations! As long as you don't collapse the wave function by asking for the results of intermediate calculations, you can make the intermediate calculations without energy costs.

The average energy per calculation for a complicated calculation is therefore much less than the theoretical minimum for a logic gate. That theoretical minimum, in turn, is much less than the actual energy loss in even the most efficient logic gates. Due to these properties of light, optical computers can feature massive parallel interconnections that are impossible physically and energetically with electronic computers. A representation of a generic optical computer is shown in figure 1.

Optical Components

The key component of an optical computer is the SLM. It is a discrete or continuous array of light modulators whose reflection or transmission properties can be controlled electronically or optically. This page is an SLM. It reflectively head? While no one can answer this basic question, the fact that you do see "out there" is critical to holography.

What you see is not a direct result of the scene you're viewing, but of the pattern of light the scene creates on your retina. Thus, you don't have to re-create the three-dimensional world in order to re-create a scene; all you need to do is cause the same pattern of light to enter your pupils. You don't need the real world at all—just a way of reconstructing the desired light pattern or wavefront.

Holography is a two-step process: wavefront recording and wavefront reconstruction. To reconstruct a pattern of light, you need a source of light. Consider the two wavefronts shown in figure B1. The object wavefront created by the object and the reference wavefront form an interference pattern, which can be recorded on a photographic plate. This recording is the hologram.

The hologram is a transducer from the simple, readily reproduced reference wavefront to the complex object wavefront. The hologram literally selects out of the reference wavefront the portion that looks like the object wavefront (see figure B2). The human eye intercepts this wavefront and sees the original scene behind the hologram.

The light doesn't actually come from where you see the image. This is a virtual image, just like the image in a mirror. But, by perfectly reversing the reference wavefront, you can perfectly reverse the object wavefront. Viewable from beyond the object position is an image of the object. This time, the light really does come from where you see the image. This is a real image.

This two-step recording and recon-

modulates incident light in a spatial pattern. It is not a very useful SLM (at least not for optical computing), because you can't change the reflectivity pattern rapidly. Useful SLMs are changeable by either optical or electrical addressing.

About 25 different SLMs are available commercially (see table 1). SLMs are used as input devices, interconnection devices, scratch-pad memory devices, and processing devices. They are vital to optical computing.

The second most important component of an optical system is a hologram, which provides interconnections as well

struction concept was proposed by Denis Gabor in 1947, winning him a Nobel prize. The technique most used today was invented in the early 1960s by Emmett Leith and Juris Upatnieks. In this recording technique, both wavefronts are derived from a single laser beam split into two beams by a partially reflective, partially transmissive mirror. If you observe several simple precautions, the two beams form an interference pattern where they overlap. That is, where the two beams agree (i.e., are in phase), the light is bright (constructive interference). Where the two beams disagree (i.e., are out of phase), the light becomes dim (destructive interference).

By recording a photographic positive of the interference pattern, you produce exactly the hologram you want. This hologram will pass from the reference wavefront only those parts that could just as easily have come from the object wavefront.

Holography at Work

A hologram is the most versatile of optical elements—it can produce essentially any light pattern you choose. For example, suppose you have a two-dimensional array of small (1 to 2 millimeters) holograms on a single substrate. When illuminated at normal incidence with a collimated reference beam, each hologram can produce a real, two-dimensional image on a fixed output plane. By deflecting the laser beam to the proper hologram, you direct the corresponding "page" of data to the output plane. This is called a page-oriented holographic memory, or POHM (see figure C).

You can store from 10⁴ to 10⁶ holograms in a POHM, with each output

as memory capabilities. The text box "Holography and Computers" above discusses holograms in depth.

Optical Computations

Although optics is ideal for connections and storage, it is not well suited for computation. In fact, the best you can get from purely optical operations is about a 10 percent accuracy rate. This is the downside of optical computing and the reason that purely optical computers are not a realistic possibility. Hybrid electro-optical computers, however, are another story.



Figure C: Retrieving information from page-oriented holographic memory (POHM) involves deflecting the output of the read beam onto an output plane.

image containing from 10^4 to 10^6 binary bits. Thus, up to a gigabit of memory can be randomly accessed in the time it takes to deflect the beam (normally about a microsecond). This means you can access a gigabit of memory randomly at a rate of from 10^{14} to 10^{18} bits per second! That's serious RAM.

Work at the Georgia Institute of Technology and the Center for Applied Optics at the University of Alabama, Huntsville, is leading to compact, highdensity POHMs with a parallel, optically addressable RAM in the output plane. If the output plane contains an optically addressable spatial light modulator (SLM), you can write the whole page onto a laser beam in parallel. Using a modification of the Fourier optical pattern recognizer, you can search that page in parallel for key words. This forms the basis for an optical DBMS that operates on 100,000 bytes at a time. This is a considerable advantage for large databases.

Perhaps the most dramatic application of holography to optical computing is in neural networks. There are two distinctly different research approaches in this area. One exciting possibility is to make a "live" hologram that can continue to learn as it experiences its world. Although this area is quite complex and long-range, considerable advances have been made at Hughes Aerospace, California Institute of Technology, the University of Colorado, and elsewhere. A simpler and perhaps more desirable goal is to use holograms to build neural networks that employ fixed learning.

Even the lenses in optical computers are likely to be computer-generated holograms. They are far lighter and far cheaper than glass lenses and can be computer-optimized to outperform ordinary lenses. This work, pioneered at MIT's Lincoln Laboratory, is now being actively and widely developed.

Holograms are not only items of great wonder and beauty; they are also items of great practical utility in optical computing. They provide the type of storage required by massively parallel optical computing systems.

Many types of computations require some sort of nonlinear processing where the output signal intensity, I_o , is related to the input signal intensity, I_I , by a function like the ones shown in figure 2. The operation of all the functions in figure 2 can be performed "optically." (Since light does not operate on light, some hidden or covert electronic manipulation must also be going on within the device or system.)

There is a great deal of worldwide research into the design and construction of two-dimensional arrays of nonlinear optical operators. Of the many diverse approaches being investigated, most involve highly nonlinear feedback arrangements that lead to what mathematicians call *catastrophes*. Here, you create a device whose transmission increases nonlinearly with the incident light intensity. In addition, you couple some of the transmitted light back as input. This combination leads to the sudden onset of high transmission that the representative curves in figure 2 illustrate. Perhaps the most promising research on these nonlinear optical devices is being conducted at Bell Laboratories.

continued

Optical Research

Optical computers must emphasize the strong points of optical technology (e.g., interconnections and low energy) while tolerating or minimizing the bad points (mainly, low analog accuracy). At uni-

Table 1: This shows the range ofproperties of commerciallyavailable spatial light modulators.Unfortunately, no single SLMcombines all these features.

Characteristics of spatial light modulators

Mode: Reflection, transmission Addressing: Optical, electronic Cost: \$100 to \$50,000 Information: 64 by 64 elements to 25,000 by 25,000 elements Cycle time: 10⁻⁶ seconds to 1 second Contrast: 2-to-1 to 10⁴-to-1 Resolution: 0.002 cm to 0.10 cm Pattern: Discretized, continuous versities such as Carnegie Mellon, the University of Iowa, and the University of Alabama in Huntsville, the focus of research is on computers that marry a fast, low-accuracy optical processor (for computationally complex tasks) with a slower, higher-accuracy, digital part (to "ratchet" the accuracy). These machines are suited to problems such as algebraic equations (linear and nonlinear), eigenvector problems, matrix inversion, and heuristic linear programming.

For example, consider the simple analog optical multiplier shown in figure 3, which performs a parallel multiplication of an input vector with a matrix. You want to find x such that

Ax = b

where \mathbf{b} is a given vector and A is a given matrix.

You can solve this problem crudely in parallel by adjusting x_1 in proportion to y_1-b_1 , x_2 in proportion to y_2-b_2 , and so on, all at the same time. With proper precautions, you can assure that x will relax continuously to the point where for all *i*,



Figure 1: Holograms provide memory storage and interconnections, while spatial light modulators are commonly used for input, output, and processing units.





 $|b_i - y_i| < \epsilon$, where ϵ is a small positive number.

Now, you read out this analog x, digitize it to the accuracy you need for the final result, and call it x_0 . You can now evaluate the residual

$$\mathbf{r}_0 = \mathbf{b} - \mathbf{A}\mathbf{x}_0$$

digitally. If the norm (usually Euclidian) of \mathbf{r}_0 is written $||\mathbf{r}_0||$ and if $||\mathbf{r}_0||$ is suitably small, you quit and output \mathbf{x}_0 . If not, you solve the problem

$$\Delta \mathbf{x}_0 = \mathbf{r}_0$$

optically, then digitize the result, and then calculate

$$\mathbf{x}_1 = \mathbf{x}_0 + \Delta \mathbf{x}_0$$

and

$$||\mathbf{r}_1|| = ||\mathbf{b} - \mathbf{A}\mathbf{x}_1||$$

digitally. You continue until you achieve the desired accuracy.

This approach fails for hard (ill-conditioned or singular) problems. To achieve guaranteed results, you must replace the given matrix A by a noisy version, A+N, during the optical operations. The system then achieves the desired minimum $||\mathbf{r}||$ for all matrices. In addition, the time taken is independent of the problem size. Both of these features (guaranteed convergence and speed that is independent of problem size) are apparently unique to this bimodal optical computer.

You can also do general-purpose digital computing with optics. One promising approach, symbolic substitution, is being pursued at Bell Laboratories. Another approach, the operator method, is being developed at Opticomp. It amounts to a highly parallel programmable logic array that doesn't need to distinguish among multiple signal levels. It simply makes a light or no-light decision. Even at optical accuracy, this is not hard.

A large number of special-purpose optical computers use Fourier transforms to locate and identify objects in a scene. The systems depend on the fact that two successive Fourier transforms produce an image of the input (albeit upside-down and backward). First, you use a lens to form a two-dimensional display of the Fourier transform of an input pattern.

The interesting thing about the Fourier transform pattern is that its shape and location don't change as you move the input around. If you place a filter in the Fourier transform plane that favors the transform of A and tends to block the

IN DEPTH COMPUTING WITH LIGHT



Figure 3: This analog optical multiplier evaluates the expression y = Ax.

transform of B, you will distort both images, but there will be much more light in the blurred A image than in the blurred B image. You use this difference to identify and locate objects in a scene.

Optics and Neural Networks

Of all the optical computing paradigms, the one that uses the interconnection and energy advantages of optics best is neural networks. (For more information on neural networks, see the In Depth section, August BYTE.)

Neural networks are attempts to build processors that work like the human brain. (Digital computers are not much like the brain.) You don't program a neural network; you train it to connect a certain output with a certain input. Unlike the deterministic, discrete, linear logic of digital computers, neural networks display traits like inference and intuition.

Neural networks use processing elements called *neurons*. These are found in layers and are connected to many neurons in both the layer above and the layer below. Thus, neural networks depend on large numbers of interconnections.

If you have n neurons in a layer of a fully connected neural network, each input neuron has a fan-out of n differently weighted interconnections, and each output neuron has a fan-in of n differently weighted neurons. When n approaches 30 or 40, for example, these fan-ins and fan-outs strain the capabilities of electronics. Biological neurons can have much higher fan-in and fan-out, about 10,000. With holography, you can connect a million neurons to each other in parallel with independently chosen weights. That's an incredible 1 trillion independent, parallel interconnections.

Although neural networks are unlike digital computers, most current implementations are actually software simulations running on digital computers. Analog-electronic and optical neural networks will likely prove far more useful than these simulations in the future.

Some optical neural networks combine the learning and reaction in the same hardware like the brain does. These can be very powerful, but they are also very difficult to make. Other optical neural networks do the learning off-line in a digital computer and embody what is learned in a fixed hologram. These are simpler and therefore likely to be useful sooner.

Don't Throw Away Your Micro

These are but a few examples of optical computing. There are many more, with many applications of each.

Optical computers will add to, rather than replace, your microcomputer. The new applications they engender will affect your daily life early in the next century as the Information Age unfolds.

BIBLIOGRAPHY

- Caulfield, H. J., and J. Shamir. "Wave-Particle Duality Considerations in Optical Computing." *Applied Optics*, vol. 28, 1989.
- Yovits, M. C., ed. "Optical and Optoelectronic Computing." Advances in Computers, vol. 28, 1989.

H. John Caulfield is director of the Center for Applied Optics at the University of Alabama in Huntsville. He can be reached on BIX c/o "editors."

TALK IS CHEAP.

Have you heard? For less than \$90 your AT or XT-compatible computer can talk! All it needs is the HV-2000 Computer Voice Kit from Heathkit.

Reading letters, transcriptions and computerized instruction can be easier and quicker than you ever thought possible. Computer games gain a new dimension. Your computer can even entertain children

with stories and songs.

> If you have a modem, the HV-2000

Computer Voice will allow your computer to recite reference and research information from timesharing services. Or, speak radio transmitted ASCII information.

The HV-2000 Computer Voice Card, containing speech synthesizer and audio amplifier, plugs into any AT or XT-compatible computer's expansion slot. An external speaker is also included. Versatile, Heathdeveloped software gives you a wide variety of voices and easy interface to high and low level languages.

The HV-2000 Computer Voice. At less than \$90, talk IS cheap. To order, call toll-free **1-800-253-0570**. Use your Visa, MasterCard, American Express or Heath Revolving Charge card. Use order code 218-001

For your **FREE** Heathkit Catalog call 1-800-44-HEATH

Heath Company

A subsidiary of Zenith Electronics Corporation

Prices, product availability and specifications are subject to change without notice.



COREL OPTICAL SOFTWARE FOR ALL THE LEADING **OPTICAL DISK DRIVES**

SONY OPIONEER Panasonic Macdor



A HARRIS



RIGOH

TOSHIBA

CHEROKEE DATA SYSTEMS, INC.

- Optical Drives Supported
 - WORM Drives
 - ERASEABLE Drives
 - JUKEBOXES

Platforms Supported

- IBM PC
- Macintosh
- Novell Fileservers

Choice of Configuration

- Software Interface Kits
- Complete Optical Subsystems

LASER MAGNETIC STORAGE INTERNATIONAL COMPANY

Corel OptiStar software is renowned for making optical disks as easy to use as floppy disks while maximizing speed and versatility. It is the top choice of the leading optical disk drive manufacturers and received the highest 5 star rating from PC Digest.

Make sure you get the most out of your optical disk system by using OptiStar software which is available as interface kits or in complete Corel optical disk

subsystems. Call us today.



Circle 70 on Reader Service Card

The Nitty Gritty Optical Band

Optical packaging, interconnections, ICs, and signaling

R ight now, we are bumping against the edges of the capabilities of electronics. We need to go beyond our electronic domain into a world that is faster, more secure, more parallel, and more densely interconnected but has less interference. Photonics has significant strengths in these areas.

Optical technology can help pull us into the next generation of computing. It is more secure than electronics: Generally, optical communications don't suffer from crosstalk. It is faster: Light travels faster than electricity and isn't constrained by factors, such as capacitance, that slow down signals in conductors. It is more parallel: Since thousands of dedicated light beams can simultaneously travel through a lens, an opti-

cal device can accept multiple inputs at the same time. And it provides advantages for interconnections because light rays do not interfere with each other.

Optoelectronics

Between the optical and nonoptical environments exists a hybrid domain called optoelectronics with one foot in electronics and the other in photonics. The com-



bination of these two technologies brings us advantages and performance capabilities that are not possible with either of them alone.

Here are some possible applications of new optoelectronic techniques: optical communications networks that rapidly transmit signals around the world and into outer space; optical ICs that promise to be able to combine serial and parallel processing in a three-dimensional computer that can handle massive AI applications; and optical computers and other devices that can perform a thousand times faster than today's supercomputers.

These devices can take different forms: computers that think like we believe humans do, for example, and optical data storage disks that can hold orders of magnitude more information than their magnetic counterparts. In addition, other kinds of devices can easily and rapidly outperform current systems in areas such as pattern recognition, image processing, communications signal processing, voice recognition, and matrix manipulation.

Essential Elements

Domains like optical packaging, interconnections, ICs,

and signaling are key to the future of computing. The technologies are essential elements in the progress of the overall optical environment.

Optical packaging encompasses the issues surrounding the various combinations of components on chips and boards and their interconnections and integration. Generally speaking, the major continued components all optical systems share are the transmitter, the receiver, and the medium. Overall, the aim is to embed more fundamental electronic functions into the light transmitter and receiver modules to create smaller packages that are easier to implement and use.

Packaging priorities are usually application-specific. The connection between the various components is a prime factor in whether or not the packaging is successful for that particular application. A recent development in *pigtail* technology has eliminated some of the interconnection problems in the packaging area. A pigtail is the optical fiber that is permanently attached to the active area of the LED or laser.

Cost is a constraining issue in optical packaging. Components and connections are still much more expensive than their electronic counterparts. But with improvements in, and wider use of, molded plastic optical elements (one of the developments that will make optical techniques viable), the economics of optical technology are gradually migrating into the range of affordability.

New Directions

Years of research are now paying off, and scientists in the areas of semiconductor, circuit, switching, and holographic technologies are beginning to see some outstanding results. These potentially viable results include the use of materials such as gallium arsenide, copper chloride, indium antimonide, zinc selenide, and multiple quantum wells for semiconductors.

A new technology called optoelectronic integrated circuit (OEIC) uses elements such as diode lasers and optical photodetectors fabricated on the same chips that contain electronic circuit functions.

Self electro-optic effect devices (SEED) and quantum-well devices are being considered for switches. In addition, earlier this year, scientists at British Telecom's Research Laboratories achieved the first complete optical selfswitching of ultrashort light pulses, known as *solitons*. The success of this process promises that optical fibers will play a major role in fundamental opticalprocessing elements of the future.

Holography is the basis not only for optical computing, but also for other applications such as storage using optical associative memory. Other interesting experiments are being carried out on holographic look-up tables in the digital optical-computing domain, holographic interconnections, architectures employing real-time holography media (e.g., photorefractive materials), holograms as a technique for connecting the neurons in a neural network, and even holograms as communications links. Optical devices and components have improved tremendously, as has the fiber we use as a medium. Researchers believe photonics will be of use in the AI field in the areas of optical database and knowledge-based machines, perception, and learning. Optical technology also appears to have a significant role in the emergence of neural networks.

Optical architectures useful for processing two-dimensional signals using acousto-optic (AO) devices have been developed and demonstrated for several applications. AO devices are one-dimensional spatial light modulators (SLMs). The areas of architectural considerations and scaling of algorithms and computation for the optical computing environment are also being studied.

Still a Few Years Away

When will we see an optical computer? Some working models already exist in today's research environments. At least one company has a digital optical computer up and running, and another firm has one on the drawing board, but a commercial model of an optical computer is still a few years away. In the meantime, better optical communications, optical storage, and optical displays and many optical techniques are already being incorporated into existing systems.

> -Janet J. Barron Technical Editor

Levels of Light

Are photons inherently superior to electrons in providing interconnections?

Joseph W. Goodman

On a fundamental level, a digital computer consists of a collection of nonlinear elements (the *gates*) within which signals interact, and interconnections among these elements or among groups of these elements. While attention most often focuses on the gates and their properties (e.g., switching speed and power dissipation), the interconnections are no less important. In fact, as the speed of transistors on chips increases, the interconnections become the limiting factor in overall chip performance. Interconnections appear within a computer not only between gates at the chip level, but also at many other levels of an entire interconnect hierarchy:

Level 1: Machine-to-machine interconnections. Examples of interconnections at this level include the coaxial electrical cable of Ethernet, which transmits data at a rate of 10 million bps, and the optical fiber of the Fiber Distributed Data Interface (FDDI), which will soon replace Ethernet in many high-speed applications, at a data rate of 100 million bps. Level 2: Module-to-module interconnections within a single computer, where a module may consist of a unit of memory or a processor. With the increasing emphasis on multiprocessor computers as an architecture of choice, these interconnections are becoming more important. Level 3: Backplane-to-backplane interconnections. Large computers typically consist of a multitude of backplanes into which electronic boards are inserted. These backplanes must exchange information, and therefore must be interconnected.

Level 4: Board-to-board interconnections on a backplane. The backplane supplies the bus or communications channel through which the boards communicate. Level 5: Chip-to-chip interconnections on a board. A typical printed circuit board may contain a hundred or more chips. Data usually flows between these chips via metallic lines embedded in the board.

Level 6: Gate-to-gate interconnections on a single chip, representing the lowest level of the interconnect hierarchy. Interconnections at the chip level are part of the chip design and are typically achieved through extremely fine lines of polysilicon or metal fabricated on the chip itself.

Photons vs. Electrons

Physically, there is reason to believe that photons are inherently superior to electrons in providing interconnections. Electrons are charged particles and therefore influence one another through the forces that electrical fields exert. On the other hand, a photon carries no charge and therefore exerts no influence on other photons. Thus, optical beams in a linear medium pass through one another without interaction, an attribute that is ideal for interconnections.

As the speeds of electronic circuits increase, greater and greater difficulties are encountered in providing the required interconnections at all levels. Photonics has come to the rescue at level 1 of the hierarchy, with many large computer companies accepting the new FDDI standard; the prospect of a tenfold improvement over Ethernet speeds in the near future is now a certainty.

The success of photonics in interconnections stems from the low attenuation of optical fiber, which allows using long spans of fibers without repeaters, and the freedom of optical signals from electromagnetic interference. Equally important are the extremely high data transmission rates possible in optics. These rates are often limited not by the fiber itself, but by the electronic devices that convert electrons to photons at the optical transmitting end and photons back to electrons at the receiving end. The inherent bandwidth of the best fiber is sufficient in principle to allow digital data transmission at rates greater than 10 trillion bps, if only we could access that bandwidth through suitable optoelectronic devices.

A photonic interconnection requires converting electronic signals flowing on

wires to optical signals flowing on an optical channel. Electronic signals are most commonly converted to optical form with LEDs or semiconductor laser diodes, the latter being more efficient than LEDs but also having poorer reliability. Unfortunately, no efficient and practical method exists for generating light using silicon as the device material; virtually all semiconductor optical sources are based on gallium arsenide (GaAs) technology or its relatives. Photodetectors perform the actual conversion of optical signals to electronic form. Both silicon and GaAs make efficient detectors. Each of the conversion steps has less than perfect efficiency, but the detection step is generally far more efficient than the light-generation step.

Optical fibers provide the most widely recognized medium for transporting optical signals. However, when the interconnect distances are short, as they are within a single computer, other possibilities exist. You can construct optical waveguides in planar form on silicon or GaAs chips, and use them to carry optical signals at level 6 (gate to gate) of the hierarchy. Other types of optical waveguides can be fabricated at level 5 (chip to chip). You can also use holographic optical elements to transmit or reflect light to a prescribed set of locations, thereby creating a *free-space* optical channel. Each approach has its own particular strengths, with fibers generally being preferred at the higher levels of the hierarchy, and waveguides or possibly free-space interconnections at the lower levels.

The use of photonics to provide the highest-level interconnections (i.e., between computers, or between computers and high-speed peripherals) is already a proven technology, although many improvements are possible. At the opposite extreme, photonics is unlikely to provide a viable interconnect technology at level 6 (gate to gate), the lowest level of the hierarchy. The reason is complex, but to put it simply, the power efficiency of a photonic interconnection compares favorably with that of an electronic interconnection at the machine-to-machine level; however, the photonic solution compares unfavorably with the electronic solution at the gate-to-gate level.

On the Level

Connecting computers with optical fiber (level 1) is the purpose of the new FDDI standard. It is a proven technology.

One of the earliest examples of the use of photonic interconnections *within* a computer is the so-called Dialog.H computer constructed at the Electrotechnical Laboratory in Tsukuba, Japan (which is funded by the Japanese Ministry of International Trade and Industry). This computer consists of a multitude of electronic processors (level 2), each having its own local memory. The processors are arranged like the spokes of a wheel around a central hub (see figure 1).

Each processor has an optical source and a photodetector. When one processor wishes to communicate with another, it broadcasts an optical signal through free space toward a convex mirror located at the hub of the wheel. The mirror spreads the light so that a portion of it falls on the photodetectors of all processors. Each message contains a header indicating its intended destination. Only the proper destination accepts the message, and when it does, another processor can use the optical channel. Thus, a time-shared communications bus is realized within the computer.

A second early example is the 5-ESS switching computer made by AT&T. This type of computer supplies, at many locations through the communications network in the U.S., the computational power needed to route messages to their proper destinations. The 5-ESS computer uses photonics and optical fibers to supply interconnections between its several backplanes (level 3). Optics was chosen for this task because of its ability to eliminate troublesome ground loops, or unwanted stray electrical paths that plague large electronic systems.

Several industrial organizations have active research projects investigating the use of optics for interconnecting multiple electronic boards (level 4). The so-called *optical backplane* must be capable of providing data rates in the range of 1 Gbps to 10 Gbps (1 gigabit per second = 1000 million bits per second) or higher.

Both industrial research laboratories and universities are investigating the use of optics at the lower levels of the interconnect hierarchy, including chip-tochip interconnections on a board (level 5). Several U.S. companies, including Honeywell, Rockwell, and IBM, have significant development efforts to provide multi-Gbps optical channels into and out of GaAs chips. Many Japanese companies have similar efforts.

The one intrachip (level 6) interconnection where optics may provide a viable alternative to electronics is in clock distribution. Virtually all electronic chips must widely distribute a synchronizing signal called the clock, which serves as a time reference for the many *continued*

IN DEPTH THE NITTY GRITTY OPTICAL BAND



Figure 1: The Dialog. H computer is one of the earliest examples of using photonic interconnections within a computer. It consists of a multitude of electronic processors, each with its own local memory.



Figure 2: Optical clock distribution to a chip via a holographic optical element. An off-chip semiconductor laser source generates an optical timing signal, which a holographic optical element then efficiently broadcasts to many photodetectors embedded in the chip.

devices on the chip. The clock signal must be delivered to virtually all devices on the chip, and therefore suffers a high level of *fan-out*. That is, it is split many times so it can reach all the devices. Such splitting loads the clock lines so that it becomes hard to drive them with a highspeed electronic signal.

Stanford University has been working for several years on designing and fabricating chips that are clocked optically. As shown in figure 2, an off-chip semiconductor laser source generates an optical timing signal, which a holographic optical element then efficiently broadcasts to many photodetectors embedded in the chip. The optical signal is then converted to electronic form at many locations, and conventional chip wiring distributes each locally detected clock signal to nearby devices. Variations of this scheme incorporate many free-running clock oscillators on the chip, which an optical signal then synchronizes.

The Breaking Point

The use of photonics as an interconnect technology remains in its infancy. Electronic-systems designers have a natural tendency to select electronic (rather than photonic) solutions to problems simply because they are unfamiliar with the photonic approach.

However, in fairness, photonic devices need a great deal more development before they will be as reliable and flexible as electronic devices. Driven by the requirements of long-distance fiber-optic communications, this development will surely occur. When it does, photonics will gradually be incorporated into lower and lower levels of the interconnect hierarchy, especially in applications where the highest possible speed is essential.

The implication is that optics will probably provide viable interconnect solutions for the higher levels of the interconnect hierarchy but will eventually fall behind in competition with electronics on the lower levels. Where the breaking point will actually occur is at present the subject of considerable research. It appears highly likely that the typical computer of the future will depend on photonics, certainly for external interconnections, and probably for at least some of its internal interconnections.

Joseph W. Goodman is a professor and chairman of the department of electrical engineering at Stanford University, from which he also holds a Ph.D. He can be reached on BIX c/o "editors."

\$299 GRAPHIC RESOLUTION SOLUTIONS.

1000 LPI. For CAD and

other graphics applications,

ALLEY TYTY TO BE

The DT-1000 is compatible with today's top CAD and paint software

nothing beats the IO DT-1000 graphics tablet. It emulates nine of the most popular tablets and out-performs any mouse. The DT-1000 is an "absolute" pointing device AD and paint software and comes with its own AutoCAD template. It is complete and ready to go...all you provide are your computer and software. It interfaces with standard RS-232C ports. Best of all, the IO DT-1000 gives you twice

...draw and trace as naturally as with pen and paper.

1024 x 768. Let us

open your eyes to a

whole new world of color and resolution. The IO VGA 16 graphics card delivers resolutions, colors and features far beyond standard VGA. It offers truly hardware registerlevel compatibility with all

> popular graphics modes, 16-Bit Data Bus, and both 9-Pin TTL and 15-Pin Analog output.

CALL NOW!

Dealer and distributor inquiries welcome.

*Each. Manufacturer's suggested retail price. With optional use of 512K DRAMS. Specifications subject to change without notice. Included are software drivers for:

of tablets offered in the past.

the features at less than half the price



AutoCAD Framework II GEM Desktop Lotus 1-2-3 Symphony Microsoft Windows 286/Version 2.0 386/Version 2.1

Ventura Publisher WordPerfect WordStar

WordStar WordStar A TRI-KOR COMPANY 12700 Yukon Avenue Hawthorne, CA 90250 Phone (213) 644-6100 Fax (213) 644-6068

Circle 133 on Reader Service Card

Joining Forces

Optics and electronics each have their shortcomings, but together they combine the best of both worlds

Donald J. Channin

A s clock speeds push toward 100 MHz and beyond, and as word lengths increase beyond 32 bits, conventional electronic means of interconnection will be severely tested. Without an alternative, copper, not silicon, will limit the performance and cost of future advanced workstations and processors.

The integration of optics with electronics offers an alternate interconnection technology called optoelectronic integrated circuit (OEIC) technology. Optoelectronic elements such as diode lasers and optical photodetectors are fabricated together on the same chips with electronic-circuit functions.

What can we expect from computers based on these chips?

· Faster, more economical machinery.

• Broadband interconnections for highdensity graphics and ultimately realtime video, as part of the workstation environment.

• New architectures for computing, as optics liberate interconnections from the confines of computer and backplane wiring.

• Processors whose architectures can be custom-configured by electrically controlled beam interconnections.

Silicon-based logic and memory offer so much flexibility and potential for future development that optical systems will probably replace them only in specialized applications. The more general use of optics won't be to replace silicon but to support it. Ultimately, the OEIC technology could look like this:

• Chips in which optoelectronic devices replace the conventional I/O pads and associated line drivers for sending and receiving optical signals.

• Signal connections based on beams of light, fiber-optic lightguides, or planar optical waveguides embedded in printed wiring boards, or combinations of these elements.

Economical packaging that supports

the chips with their optical connections but doesn't need the hundreds of pins that now surround complex chips.

Why Go Optical?

The most obvious reason for these optical refinements is simply the number of pins on complex chips. Three hundred pins are common on processors today, and computer designers are anticipating packages with over a thousand pins in the early 1990s. This growth is a direct result of increasing complexity on the chip, which requires more I/O capability to support it.

Rent's Rule, an empirical rule for logic circuits, tells us that $N_c = K(N_g)^s$. N_c is the number of connections to a chip, and N_g is the number of gates the chip

he use of optics won't be to replace silicon but to support it.

has. K and s are constants whose values are typically 2.5 and 0.6, respectively. If you put more logic on a chip, you must support it with more connections.

Packages with many pins devote most of their real estate to fan-out from the chip itself to the pins. Reliability drops and costs rise rapidly with increasing numbers of mechanical elements. By going to optics, single optical links can replace multiple pin connections.

Present printed wiring boards can handle current clock frequencies of about 30 MHz with little difficulty. But when clock speeds reach 100 MHz and beyond, as they undoubtedly will, the electrical characteristics of the board traces will degrade and ultimately limit system performance.

Low-speed systems use unmatched electrical impedances and expend power-charging line capacitance. This power grows with frequency. To avoid committing excessive chip power to driving these capacitances, you must shift to matched impedances for transmission lines and terminations. This step turns system design into an exercise in radiofrequency (RF) engineering. Electromagnetic interference and compatibility become major design issues.

All these problems spell increasing cost and lower system reliability. Optical links, however, offer the multi-gigahertz bandwidths and noise immunity that have given them a commanding position in fiber-optic telecommunications.

Geometry, Plain and Simple

While the very architectures of present computers are based on the geometries of multilayer boards and backplanes, light is not limited to these geometries. Beams of light can pass through each other and don't need a controlling medium. Such a beam can use the shortest path between two points in a system as a signal path. Changing the direction of such beams can amount to rewiring the machine.

Guided propagation of light in fibers or films is not as flexible, but it can still support layouts and system geometries impossible with conventional interconnections. New computing methods, such as massively parallel and pipelined processing, appear well suited for implementation on machines with the architectural freedom optics can offer.

To make these optically connected computers possible, you will need a CMOS processor, DRAM, or other typical computer chip. However, one or more optical-interconnect subchips would replace the hundreds of bonding pads that normally surround such chips. These subchips act as transmitters and receivers for optical data that otherwise would pass to and from the circuit through electrical connections.

Figure 1 shows the detail of the optical subchip. It is fabricated on GaAs, a semiconductor with properties different from those of silicon but capable of being grown directly on the silicon chip.

Data is sent in parallel to the subchip, converted to serial form by the signal processor, and used to drive a laser transmitter. Laser light modulated by the data is sent to another chip as an unguided beam or through an optical fiber. The receiver element accepts optical signals from other chips and converts them to electrical signals. Then the received signals are converted to parallel form and sent to the silicon master chip.

Signal Processing

Optoelectronic technology is based on using semiconductor devices for generating light signals from electrical inputs, transmitting them, receiving them, and converting them back into electrical form. Certain semiconductors, such as aluminum gallium arsenide (AlGaAs) for wavelengths of 0.8 to 0.9 micrometers (μ m) and indium gallium arsenide (InGaAs) for wavelengths of 1.1 to 1.6 μ m, generate these light signals by applying forward bias (i.e., low electrical resistance) to specially fabricated junctions.

Electrons and holes injected into the junction recombine there to create photons of light. These photons may be emitted directly to form incoherent light. Such a device (e.g., an LED) is easy to make but is slow and inefficient.

Laser diodes are made by incorporating the semiconductor junction into an optical cavity produced in the same material, so that optical feedback stimulates lasing action. Laser diodes can be efficient (more than 60 percent) and fast (more than 10-GHz bandwidth over which light intensity follows current modulation), and they use little current and power (less than 10 milliamps and less than 20 milliwatts). You can couple light from laser diodes into optical fibers for transmission or direct them into beams traveling in free space.

On the receiver side, photodiodes based on reverse-biased (i.e., with high electrical resistance) semiconductor junctions detect the light signals. Photons absorbed within the depleted regions of these junctions create electronhole pairs that are swept out to create a small current that varies with the intensity of the light.

Simply switching the laser on and off with the drive current imposes information on the light beam. The photodetector current tracks this signal and can drive subsequent electronic stages.

A complete transmitter or receiver combines the lasers and photodetectors with electronic circuits that control their operation and provide an interface between them and the digital circuitry. You can also add digital circuitry to convert the parallel data into a single serial data stream to be transmitted over the optical link, and to reconvert the data to parallel form at the receiver. These multiplexing and demultiplexing (MUX/DEMUX) operations let you trade off the highspeed capabilities of optoelectronic devices against the greater chip area and power consumption of parallel opticalsignal paths.

Assembling the Pieces

OEIC technology puts all these functions on a single semiconductor chip. Figure 2 shows an example of the type of chip now being developed (see reference 1). Conceptually, it makes sense to extend the functions on the chip to include logic, memory, and other signal-processing functions that the application needs. Three main issues are involved:

• Different device functions require different semiconductor materials.

Diode lasers can't be made in silicon, nor can photodetectors for the long wavelength optical bands (1.3 to $1.6 \mu m$).

GaAs is excellent for short-wavelength (0.8 μ m) lasers and detectors, and supports a growing field in high-speed logic. Unfortunately, it's not competitive with silicon for large-scale memory or logic.

InGaAs supports long-wavelength lasers and detectors. It also has a potential for even greater electronic speeds than GaAs, but it is still a relatively immature technology.

• Different devices require different and sometimes incompatible processing techniques.

Most laser structures are built up of semiconductor *heterojunctions*, which are crystalline layers of different compositions that are grown on top of each other with demanding requirements on the interface properties of the materials (see reference 2).

Electronic devices, by contrast, are usually made of single-composition materials with electrical properties modified by doping. Not only does fabricating a chip with both types of devices involve different processing for different system elements, but you must do it on a surface that has different elevations for different devices.

• Interfacing optical-transmission media (i.e., fiber optics) limits chip geometry and requires precise mechanical alignment in packaging.

continued



Figure 1: An optical interconnect subchip. Note that it is fabricated on GaAs, a substance with properties different from those of the silicon substrate but capable of being grown directly on it. The OEIC computer chip itself is fabricated of silicon.

Why the FREE Inmac catalog is the computer accessory you'll value most.

You get "a store in a drawer."

Page after page of PC products that make work easier, more effective. At your fingertips, when you wish.

Plain talk makes it all easy.

Spacesavers, workstations, cables, disks. All explained in simple language & pictured as you'd use 'em. Call with any questions: Our informed staff helps you get the right item, instant credit, fast delivery.

The final decision is yours.

Unlike some catalog firms, Inmac lets *you* decide when you're satisfied with a product. A promise we back up with ironclad guarantees.

Call now toll free:



Search and Research

T he most focused research work has been in the field of monolithic integration of electronic and optoelectronic devices. The first milestone was achieved in 1978 when Caltech reported a basic transceiver chip containing a laser, amplifier, and photodetector on a gallium arsenide (GaAs) substrate.

Progress to more complex chips required planar surfaces for photolithography. To achieve that, Honeywell and other companies developed techniques to grow the laser heteroepitaxial layers in a well that is etched into the GaAs substrate.

Since then, fast (1 gigabit per second) and complex (more than 500 gates) transceiver chips have been developed. Receivers using planar photodiode devices have grown in complexity to more than 2000 devices per chip and in speed to over 5 gigahertz. Extensive work has been done in Japan, culminating with the first commercial part (a receiver) offered in 1988 by Matsushita.

This impressive progress was made despite the lack of a compatible processing technique for all the devices on the chips. Without a compatible process, low-cost products are unlikely to appear. This need has been recognized: Examples of compatible optoelectronic integrations have recently appeared.

Fujitsu has shown an approach in which lasers, detectors, and transistors are processed by implanting a planar material containing a semiconductor multiple quantum well. Such quantumwell structures are examples of how new semiconductor growth technologies can perform "atomic engineering" on materials. These technologies tailor the fundamental energy bands to the needs of the devices, rather than limiting device performance to the capabilities of bulk materials. With these techniques, development paths to economical fabrication of complete and complex optoelectronic IC parts are now open.

Another accomplishment in materials engineering addresses a problem involving computer chips and OEIC functions requiring different semiconductor materials. Now you can grow GaAs layers of device quality directly onto a silicon wafer. Originally, the objective was to provide a better substrate for GaAs electronic devices. But the same technology can allow islands of GaAs grown onto a silicon chip to add optoelectronic functions to conventional logic and memory.

The major technical issue is the crystalline quality of the GaAs as it grows on the different crystalline structure of silicon. Defects in the crystalline structure of the grown layers affect the performance and reliability of the devices fabricated on them. Although the quality of the GaAs must improve before reliable lasers can be manufactured, the goal of complete monolithic integration of optoelectronics to support the interconnection of electronic computing functions is now in sight.

Conventional diode lasers emit light from a tiny (about $2 \mu m$) spot on a cleaved edge of the semiconductor chip (hence the term "edge emitter" for devices of this geometry). Special processing and handling are required, and the need to locate the lasers at the edges is a constraint on the layout of the chip. Coupling the light to an optical fiber requires locating the much larger (120- μ m) glass fiber within microns of this emitting spot. Receivers present similar mechanical problems.

These problems make conventional optoelectronic components expensive and ill-suited for high-density computer hardware. However, a group of enabling technologies has emerged that makes OEIC development for computer applications feasible and timely. These technologies have come out of separate research efforts with very different objectives, but together they offer a realistic framework for OEIC design and fabrication (see the text box "Search and Research" above).

In the near term, the concept of multichip packaging now entering systems applications could allow GaAs and silicon chips to share the same package even before the technology for growing GaAs on silicon is perfected. Internal connections between the chips would still require electrical traces, but optics would carry signals outside the packages.

Interfacing OEIC chips for optical transmission has been made much easier with the recent development of surfaceemitting diode lasers. Unlike the conventional edge-emitting lasers, these new devices have optical emission perpendicular to the chip surface. No longer must

IN DEPTH THE NITTY GRITTY OPTICAL BAND

OEIC layouts be constrained so the laser output comes from the cleaved and processed edge of the chip.

An example of such a device is the grating-surface-emitting (GSE) laser announced by the David Sarnoff Research Center (see figure 3 and reference 3). This device uses a diffraction grating processed into the laser to deflect light from the plane of the chip into a narrow

beam. This beam can then go directly into a receiver on another OEIC chip, be redirected with lenses or other optics, or be coupled efficiently into fiber optics. Other approaches to surface-emitting lasers use micromirrors etched into the chip to deflect light, or invert the laser itself so that it is oriented perpendicular to the chip surface.

continued











Item No.B-1412-126533

DELIVERY TO 48 U.S. STATES ONLY

).

Signature

A special feature of the GSE laser approach is that the light beam can be electronically steered. Two optical processes combine to achieve this effect. First, the deflection angle of light from the grating changes with the light wavelength. Second, the electronic drive to the laser controls the light wavelength. Combining these two effects will make it possible to electronically change where the output beam points.

The Age of Optics?

What could we do with a steerable optical interconnection? To start with, we could eliminate a major bottleneck in processor performance by replacing current data bus architectures with direct connections between processors and memory. Such direct connections make sense only if you can switch them in real time, as you can with electronically steerable optics.

Going further, you could base architectures for parallel-processing machines on direct, equal access among all processing elements, rather than on the restricted access that electronic connections offer. Ultimately, we may have work stations in which the processing system alters itself according to the application it is running or even the specific task it is carrying out.

Will we see such machines soon? Both technology and market issues will set the pace for the development of the OEIC chips around which they must be designed. The first users of OEIC devices will probably be not computer manufacturers but makers of telecommunications equipment.

Replacing present fiber-optic equipment with single chips will reduce the cost and probably improve the performance of high-speed systems. Applications will first come as fiber-optic interconnections between computer-room equipment and high-speed networks to replace the bulky electrical cables now used. Cost reduction is the driving force.

Meanwhile, organizations such as the Microelectronics Computer Consortium are exploring the architectural implications of optical interconnections for existing and new types of computers. Various companies are also working, individually and within industry groups, to advance the basic semiconductor technologies and prepare for production. With this activity, the 1990s should be the decade for introducing optics into computers.

REFERENCES

1. Nakano, H., et al. "Monolithic Integration of Laser Diodes, Photomonitors and Laser Driving and Monitoring Circuits on Semi-insulating GaAs." *Journal of Lightwave Technology*, vol. LT-4, page 574. IEEE, June 1986.

2. Kressel, H., et al. "Laser Diodes and LEDs for Fiber Optical Communications." *In Semiconductor Devices for Optical Communications*, edited by H. Kressel. New York, Springer-Verlag, 1980.

3. Evans, G. A., et al. "Two-Dimensional Coherent Laser Arrays Using Grating Surface Emission." *IEEE Journal of Quantum Electronics*, vol. 25, page 1525. IEEE, June 1989.

Donald J. Channin is a program manager at the David Sarnoff Research Center in Princeton, New Jersey. He has a Ph.D. in physics from Cornell University. He can be reached on BIX c/o "editors."

Unlimited storage capacity at only \$ 699.-!

New FLOPTICAL technology available now from microtronics Trade Service

One of the first disk drives based on the new FLOPTICAL technology developed by Insite Peripherals, California, is now available from microtronics Trade Service, West Germany: TESS I 325. This disk drive can store up to 20.8 megabytes of data on a 3.5 inch FLOPTICAL diskette. It is also able to read, write and format standard 3.5 inch diskettes in the IBM PS/2 compatible formats. The disk drive itself is physically compatible to the 3.5 inch standard. It contains a standard SCSI interface. The average seek time is as low as 65 ms.

Unlike the usual technology to store great amounts of data on magnetic media by using magnetic servo tracks, the FLOPTI-CAL technology combines optical and magnetic technologies to create a reliable storage device. Servo tracks are factory prepared on standard 3.5 inch high density diskettes, using a laser device. The servo tracks are burned into the surface of the diskette at a density of 1250 tracks per inch. The magnetic read/write head is positioned by a closed-loop servo following the optical servo tracks with an accuracy within 60 microinches. The optical servo tracks are indelible and not vulnerable to erasure as with magnetic encoded schemes. The care and handling of the FLOPTICAL diskettes is the same as for standard 3.5 inch diskettes. The FLOPTICAL diskette data blocks are written with a proprietary ECC capable of correcting single error bursts of up to 80 bits and multiple bursts of lesser total length.

A single FLOPTICAL diskette costs as little as \$ 19.-, that's 91 cents per megabyte media cost! microtronics Trade Service offers the TESS I 325 FLOPTICAL disk drive with one FLOPTI- CAL diskette for \$ 699.-. Several accessories are available, such as a external case with cables, SCSI host adapters for various computers, mounting rails for 5.25 inch form factor drive bays.

"The TESS I 325 FLOPTICAL disk drive will play a major role in the future store device market." a spokesman of microtronics Trade Service said at the presentation of the drives. "It incorporates many advantages over todays technology, is available at a competitive low price, shows a very good performance and has a virtually unlimited storage capacity. The FLOPTICAL technology will fill the gap between the growing needs for more and more storage capacity and the high prices for this capacity today. And unlike other technologies recently announced, FLOPTI-CAL technology is available in our TESS I 325!"

The TESS I 325 FLOPTICAL disk drive is available at your local computer dealer.

microtronics Trade Service, Bettendorfer Str. 36, 5173 Siersdorf, West Germany, Phone: 49-2464-2147

If you don't know where to buy your TESS I 325 FLOPTICAL disk drive, please contact us. We'll help you!

Idea: H. Bauer, Set by HGB Druck, Jülich

IBM, PS/2 are trademarks of IBM Corp. Insite, Floptical are trademarks of Insite Peripherals, Inc.

microtronics Trade Service, TESS, TESS I 325 are trademarks of microtronics Trade Service

... The Perfect Gift

Reward the computer enthusiasts on your gift list with a year's subscription to BYTE – the definitive guide to personal computing.

Each gift will include 12 issues, plus a bonus issue dedicated to IBM PC's. Your first gift will cost only \$24.95 with additional gifts costing even less; only \$19.95 each — both great money saving rates when you consider that one year of BYTE purchased at the newsstand would cost \$42! (Canada: first gift C\$41.00, additional gifts C\$38.00 each.)

> Don't get caught in the holiday rush, send us your gift list today or call 1-800-528-9150, ext. 845 and we'll do the rest.

YES! I want to send gift subscriptions to the following people and save money off the newsstand price!

TO: (1st Gift – \$24.95; Canada C\$41.00)	F.
Name	W
Address	F
City/State/Zip	Ne
(Each additional gift — \$19.95; Canada C\$38.00 each)	Ac
Name	Ci
Address	
City/State/Zip	Ac
Name	E
Address	Si
City/State/Zip	*P to
Name	P
Address	
City/State/Zip	

FREE BONUS – A gift announcement will be sent in your name to the recipient.

	FROM:
	Name
838.00 each)	Address
	City/State/Zip
	□ Payment enclosed* □ Bill me
	□ Charge to: □ VISA □ MasterCard □ AMEX
	Acct. #
	Exp. Date
	Signature
	*Please send this order card with payment in an envelope to: P.O. Box 550, Hightstown, NJ 08520-9893
	Please allow 6-8 weeks for processing.

AUTE

2H6 V8 3865X

... The Perfect Gift

Reward the computer enthusiasts on your gift list with a year's subscription to BYTE the definitive guide to personal computing.

Each gift will include 12 issues, plus a bonus issue dedicated to IBM PC's. Your first gift will cost only \$24.95 with additional gifts costing even less; only \$19.95 each — both great money saving rates when you consider that one year of BYTE purchased at the newsstand would cost \$42! (Canada: first gift C\$41.00, additional gifts C\$38.00 each.)

> Don't get caught in the holiday rush, send us your gift list today or call 1-800-528-9150, ext. 845 and we'll do the rest.

> > No Postage Necessary If Mailed In the United States



286 vs 3865X

BUSINESS REPLY MAIL First Class Mail Permit No. 42 Hightstown, NJ

Postage Will Be Paid By Addressee

BYTE Computers and Communications Information Group P.O. Box 550 Hightstown, NJ 08520-9886

Որորգորիարիլությունը հերիաների

Order **BYTE** and **BIX** on disk Today!

BYTE Program

Listings on Disk

listings are available from

prices stated below.

BYTE listings on disk are the

right choice if you want to compile or read the complete source

code listings of programs. BYTE

December 1985 to present at the

Full Text of BYTE

Now you can order disks contain-

text of articles. You can read and

processor. Excellent for reference and research! Disks can be ordered singly or by annual subscription. Full text of BYTE is available starting from September 1988.

ing the full, machine-searchable

search the text with any word-

on Disk

Best of BIX on Disk

Receive highlights of each month's activities on BIX-BYTE's worldclass on-line conferencing system. You can read and search the text with any word processor. Each disk contains the most interesting and informative recent discussions specific to the machine you own. For example, order the IBM disk, and get the highlights from IBMspecific conferences. Disks can be ordered singly or by annual subscription.

BYTE also offers listings in print form. Order bound versions of the complete source code listings of programs excerpted from our articles. Handy for quick reference. Order singly or by annual subscription; with or without accompanying diskette version.

Call toll-free for more information: 800-258-5485.

ORDER FORM: To place your order, fill out the card and mail.

		IN	USA			OUTS	IDE USA	
	Single Month (1	disk)	Annual Subscription (13 disks)	Single Month (1	disk)	Annual Subscription	(13 disks)
5-1/4 Inch: IBM PC Other disk formats available. Call toll-free.	 Full Text of BYTE BYTE Listings Best of BIX 	\$9.95 \$9.95 \$9.95	 Full Text of BYTE BYTE Listings Best of BIX 	\$79.95 \$79.95 \$79.95	 Full Text of BYTE BYTE Listings Best of BIX 	\$12.95 \$12.95 \$12.95	 Full Text of BYTE BYTE Listings Best of BIX 	\$99.95 \$99.95 \$99.95
3-1/2 Inch: Apple Macintosh Atari ST Amiga IBM PS/2	Full Text of BYTE BYTE Listings Best of BIX	\$10.95 \$10.95 \$10.95	 Full Text of BYTE BYTE Listings Best of BIX 	\$89.95 \$89.95 \$89.95	 Full Text of BYTE BYTE Listings Best of BIX 	\$13.95 \$13.95 \$13.95	Full Text of BYTE BYTE Listings Best of BIX	\$109.95 \$109.95 \$109.95

FOR DIRECT ORDERING CALL TOLL FREE:	PLEASE COMPLETE IN	FULL	OCTOBER	 Please indicate the issue date below. If you are beginning an an- nual subscription, note the start- ing issue.
800-258-5485	Name			Full Text of BYTE Month Year
Call: M-F, 8:30 a.m. to 4:30 p.m. Eastern Time	Address			BYTE Program Listings Month Year
4.50 p.m. Lastern Time	City	State	Zip	Best of BIX
(603-924-9281 for New				Month Year
Hampshire residents)	County or Parish	Country		Check enclosed
For credit card				MasterCard
orders only.	Credit Card #		Exp. Date	VISA
cracio chiji			B (U.S. funds enclosed
BYTE ##	Signature Please allow 4-8 weeks for	delivery.	Date	(If ordering from outside the U.S. please remit in U.S. funds drawn on U.S. bank. Thank you.)

Order BYTE and BIX on disk Today!

BYTE Program

Listings on Disk

listings are available from

prices stated below.

BYTE listings on disk are the right choice if you want to com-

pile or read the complete source

code listings of programs. BYTE

December 1985 to present at the

Best of BIX on Disk

Receive highlights of each month's activities on BIX—BYTE's worldclass on-line conferencing system. You can read and search the text with any word processor. Each disk contains the most interesting and informative recent discussions specific to the machine you own. For example, order the IBM disk, and get the highlights from IBMspecific conferences. Disks can be ordered singly or by annual subscription.

BYTE also offers listings in print form. Order bound versions of the complete source code listings of programs excerpted from our articles. Handy for quick reference. Order singly or by annual subscription; with or without accompanying diskette version.

Call toll-free for more information: 800-258-5485.

ORDER FORM: To place your order, fill out the card and mail.

PLACE POSTAGE HERE

BYTE & BIX on Disk

One Phoenix Mill Lane PO Box 809 Peterborough NH 03458-0809

Full Text of BYTE on Disk

Now you can order disks containing the full, machine-searchable text of articles. You can read and search the text with any wordprocessor. Excellent for reference and processor. Excellent for reference and research! Disks can be ordered singly or by annual subscription. Full text of BYTE is available starting from September 1988.

Reflected Light

Lasers are the way to go for brightness and sharpness in a world dominated by speed and resolution

Gary T. Forrest

spot of light can never be too small or too bright. This emphasizes the two fundamental user advantages of *lasers* (light amplification by stimulated emission of radiation): sharpness and brightness.

Sharpness refers to a laser beam's ability to be focused to a diffraction limited spotthat is, a spot limited in size only by the wavelength of the light. Brightness refers to the amount of light delivered to a target area. It depends on the spot size and the amount of energy in that spot. With a 100-watt light bulb, you can read a book; with a 100-W laser, you can burn a hole in the book. Lasers come in many forms, including gas, solid-state, and semiconductor designs. Each form has its own range of output wave-

lengths and power (see figure 1 and the text box "Laser Power" on page 250).

Approaching its thirtieth birthday, last technology has finally begun to have a major impact on our lives. Lasers are now in many of our homes inside compact disk players (with CD video coming soon). Laser bar code scanners tabulate prices and update inventories in our stores. Laser printers are used for



high-quality hard-copy output. And earlier this year, erasable optical data storage received a major boost when NeXT introduced a workstation with the Canon erasable optical disk drive. But these developments are just the beginning.

Resolution vs. Speed

The two fundamental properties, brightness and sharpness, determine the density and speed that a specific application is able to achieve. Take, for example, a laser printer that uses a semiconductor laser, like the one in figure 2. A shorter-wavelength laser diode (say, of 680 nanometers versus the 780 nm presently used) will print a smaller spot size on the paper, thereby increasing the resolution.

But the power delivered to the paper—the brightness will determine the printing speed. Currently, 680-nm laser diodes are available commercially with up to 5 milliwatts of power; on the other hand, 780-nm laser diodes (a more mature technology), are available with powers of up to 100 mW. So 780nm diodes currently dominate laser-printer and data-storage applications.

In the past, the available types of lasers often dictated the results of the resolution-versus-speed trade-offs. For example, you can find visible-output gas lasers using krypton gas with powers of several watts that have wavelengths shorter than 780 nm (see figure 1 and table A), so why not use them in laser printers? Gas lasers have been used in printers, but they range in size from a *continued*

IN DEPTH

REFLECTED LIGHT

Laser Power

L asers are generally characterized by their output wavelength, measured in nanometers, microns, or angstroms. For a given type of laser, the output wavelength can often be changed by altering the laser medium.

For example, an excimer laser can operate on mixtures of argon fluoride, krypton fluoride, xenon chloride, and xenon fluoride, with corresponding output wavelengths of 193, 248, 308, and 351 nm, respectively.

In other cases, such as argon-ion lasers, there are several possible lasing transitions, which (depending on the reflectivity of the optics coatings) can allow operation at 488 nm, 514.5 nm, and various other ultraviolet and blue/ green wavelengths.

In the case of semiconductor lasers, the output wavelength is determined in part by the composition of the active region. The most common laser diodes are those used in compact disk players (780 nm) and for telecommunications (1300 to 1550 nm). Although a wide variety of laser-diode wavelengths is possible, economic considerations often limit those available commercially to relatively few.

Although the most commonly used solid-state lasers are neodymium-doped yttrium aluminum garnet (YAG), you can use other lasing hosts (including glasses and crystals) and dopants. Other hosts are actually preferable when you need specific wavelengths. In addition, you can convert the output of a laser to a different wavelength using various dyes and nonlinear materials.

Among the most popular of these conversions in recent years has been converting the infrared output of solidstate lasers at 1064 nm to 532 nm (in the

Table A: The lasers are listed in order of their low-end wavelength (see figure 1 for a graphical description). Power measurements are given in watts (W) and joules (J), and size is given as small (S), medium (M), and large (L).

Laser	Туре	Wavelength	Power	Size	
Excimer	Gas	193 to 351 nm	0.01 to 1 J	L	
Argon ion	Gas	257 to 514 nm	0.01 to 20 W	M, L	
Helium cadmium	Gas	325 to 442 nm	0.001 to 0.075 W	М	
Nitrogen	Gas	337 nm	< 0.001 J	М	
Doubled diode	Semiconductor	432 nm	0.001 to 0.01 W	M	
Copper vapor	Gas	510 to 578 nm	< 0.005 J	L	
Doubled YAG ¹	Solid state	532 nm	0.001 to 2 W < 0.001 to 0.5 J	M, L	
Gold vapor	Gas	628 nm	< 0.002 J	L	
Helium neon	Gas	632 nm	0.001 to 0.1 W	M, L	
Krypton ion	Gas	647 to 676 nm	0.1 to 5 W	M, L	
Titanium sapphire	Solid state	670 to 1040 nm	0.1 to 3 W	L	
InGaAIP ²	Semiconductor	680 nm	0.001 to 0.01 W	S	
Ruby	Solid state	694 nm	1 to 100 J	M, L	
GaAlAs ³ diodes	Semiconductor	Semiconductor 780 to 880 nm		S	
GaAs ⁴ diodes	Semiconductor	Semiconductor 890 to 1060 nm		S	
Neodymium YLF⁵	Solid state 1047 nm		0.02 to 17 W < 0.001 to 2 J	M, L	
Neodymium YAG	Solid state	1064 nm	0.01 to 1000 W < 0.001 to 2 J	M, L	
InGaAsP ⁶ diodes	Semiconductor	Semiconductor 1300 to 1550 nm		S	
Carbon monoxide	Gas	5000 to 7000 nm	3 to 20 W < 0.01 J	M, L	
Carbon dioxide	Gas	9000 to 11000 nm	1 to 5000 W 0.1 to 500 J	M, L	
¹ Yttrium aluminum garnet ² Indium gallium aluminum		aluminum arsenide arsenide	⁵ Yttrium lithium fluoride ^e Indium gallium arsenide ph	osphide	

COMPARATIVE PROPERTIES OF COMMON LASERS

visible-spectrum region). Another example is generating ultraviolet output starting with frequency-doubled solidstate lasers (converting 532 nm to 266 nm) or argon-ion lasers (converting 488 nm to 244 nm).

In considering a laser for a particular application, the most important criteria are those in table A. (The lasers listed are only a fraction of the nearly 200 models and types of lasers listed in the 1989 Laser Focus World Buyer's Guide [Tulsa, OK: PennWell Books].) Lasers often require significant adjustments to achieve various output wavelengths.

Similarly, the power available may depend on the specific wavelength. For example, dye lasers (not discussed here) use a liquid lasing medium, pumped by either a laser or a flash lamp. You can operate these lasers in either a pulsed or continuous-wave (CW) fashion with

foot long to several yards long, and they require air cooling and often water cooling.

Laser diodes have solved this problem. Laser diodes the size of a grain of sand are now packaged in small, hermetically sealed cans less than a centimeter in size. Building on the explosive success of CD players (going from a few hundred units per year to millions in just a few years, and driving the laser-diode price from hundreds of dollars down to single-digit prices), Canon was able to marry small, inexpensive laser diodes with low-cost personal copier designs. The result was the personal computer laser printer.

Designed by Computer

Lasers and computers have entered into a synergistic phase. At the simple mechanical-design level, the laser industry uses CAD/CAM systems to design and fabricate high-tolerance mechanical parts. Lasers require alignment tolerances of mere fractions of a wavelength, so mechanical precision is essential in their construction. For a typical visible laser, this means tolerance on the order of tens of nanometers.

Looking a little deeper, computers are used to optimize laser-cavity designs. This is accomplished by what-if iterative *ray tracing*, following the optical path of the light in the laser cavity as various design parameters change (see figure 3).

For example, one of the main factors contributing to the operating efficiency of a laser is matching the *pump-mode volume* (the area that the pump light illuminates) to the *lasing-mode volume* (the IN DEPTH REFLECTED LIGHT

powers up to 1.5 watts and energies up to 3.5 joules. By changing the lasing dye, you can adjust the output wavelength from 205 nm to 1000 nm, depending on the design of the laser and the pump or lamp used.

To accomplish a specific task, such as welding or writing to an optical disk, the power or energy of the laser is an important characteristic. CW lasers put out a constant power, usually indicated in watts, milliwatts, or microwatts. Pulsed lasers are rated in joules, millijoules, or microjoules.

You can pulse a laser with several different techniques, depending on its design. For example, you can pulse the flashlamp used to pump the laser, resulting in a pulsed laser output. You can also place a high-speed (i.e., where the speed is measured in nanoseconds) shutter inside the laser cavity and use it

active region of the lasing material). Design iterations done on a CAD system allow you to optimize these two volumes for maximum overlap and efficiency.

With laser diodes and electro-optic devices, you can model the simultaneous interaction of electric and optical properties. For example, Spectra-Physics (Mountain View, CA) made extensive use of a microcomputer-based CAD system in designing its new titanium-doped sapphire laser.

For their basic operation, lasers require optical coatings that have unique reflective properties. Virtually all lasers have a highly reflective rear-mirror surface as well as a partially reflective front surface that emits part of the laser light (see figure 3). Some surfaces need to be antireflective and allow light to be coupled into the laser or a device efficiently.

If lasers came in only one type and one wavelength, then designing coatings to achieve these reflectivities would be a one-time problem. But the wide range of wavelengths available requires almost as wide a range of materials for both reflective surfaces and coatings. As a result, multiple layers of materials are used to coat optics forming *stacks*. The thickness of each layer is a fraction of the wavelength of the light being reflected.

Computers now let you determine the physical parameters you want and then use a computer model to calculate the required coating geometry. In addition to coatings, CAD-generated optics let you draw and fabricate (by diamond turning) *continued* to periodically interrupt the laser beam. This results in a pulsed output with a duration of a few tens of nanoseconds. For semiconductor laser types, you can pulse the input current with a TTL-type signal or very short picosecond pulses, again resulting in pulsed output.

The primary purpose of pulsing a laser is to achieve higher *peak powers*—that is, greater energy per unit time. Using these techniques, you can achieve gigawatts of peak power; in some specialized lasers (like those used for laser fusion), you can even achieve terawatts of output power. It is common for the same lasing material to come in either a CW or pulsed design. A few of the more common ones that come in both are neodymium YAG, carbon dioxide, and the semiconductor laser diodes.

Finally, the overall size of the laser can be important, as lasers are often built into other equipment. For example, a laser-based air-pollution monitoring system that has to be carried in a small airplane must be small enough to fit in the plane and must be compatible with the electrical and water-cooling utilities available.

In table A, the classification of size is L for large (more than 1 meter in length, usually requiring water cooling and 220- or 440-volt electrical power), M for medium (roughly the size of a shoe box, often 110-V powered and aircooled), and S for small (typically requiring low voltages for operation and packaged in electronics-type housings with dimensions measured in centimeters or less). The size is often dependent on the output power of the laser, as higher-power lasers require more active lasing area and typically generate more waste heat that needs to be removed.



Figure 1: The three types of lasers shown here—gas, solid-state, and semiconductor—are all capable of generating visible light. (See table A.)

unique aspheric surfaces completely under computer control.

Controlled by Computer

For the laser's advantages of brightness and sharpness to be useful, you often need to manipulate the direction it points in. In addition to simple fixed and scanning mirrors, scanning galvanometers and electro-optic deflectors are the most common ways of moving laser beams around. Or, instead of moving the laser, you can move the work piece with a motor.

Such computer-controlled systems can be as simple as an AT&T PC 6300 driv-



Figure 2: Illustration of a typical laser-diode cavity design. Reflective surfaces on the front face (shown) and rear face (hidden from view) define a laser cavity. The active layer is composed of gallium aluminum arsenide, with the wavelength determined primarily by the relative amounts of Ga and Al in this active region.



Figure 3: A CAD-generated, diode-pumped, frequency-doubled laser cavity. It illustrates the conversion of low-quality infrared diode-laser-pump light to high-quality infrared (1064 nm) and visible (532 nm) light in an all-solid-state design.

ing a motorized microscope stage under control of CAD Design 3 (see photo 1) or Harvard Graphics for micromachining. Or they can be as sophisticated as using a Personal Iris system from Silicon Graphics (Mountain View, CA) as the CAD/ CAM interface to the Stereolithography Apparatus from 3-D Systems (Valencia, CA), which moves an ultraviolet laser beam under computer control through a polymer matrix to fabricate prototype plastic parts. 3-D Systems also offers 80286/DOS- and 80386/Unix-controlled systems for which you provide your own CAD/CAM interface.

In the most general sense of automated control, you can control lasers over conventional RS-232C and general-purpose interface bus interfaces and coordinate their action with other test and fabrication devices. For example, Questek (Billerica, MA) used National Instruments' (NI) LabView software to control the micromachining functions of its excimerlaser system, which you can interface with VersaCAD (see photo 2).

In the laser-equipment field, last year the Newport Corp. (Fountain Valley, CA), the leading optical-equipment catalog-supply company, became the exclusive catalog distributor for LabView and LabWindows (NI's software for optics applications, for Macintosh and IBM PC-compatible computers, respectively). In the laser community, this is tantamount to a major endorsement of computer control and coordination of lasers and test instruments (see photo 3). As a result, laser companies have begun to offer hardware and even customized software interfaces for computer control of laser functions.

At a more subtle level, lasers have had a dramatic impact on workstation performance. In 1988, during the DRAM shortage, availability of 1-megabit DRAMs made the difference between having and not having high-performance workstations. The long-time leader in using lasers for memory repair, Electro-Scientific Industries (ESI) (Portland, OR), dramatically improved chip yields through a process of removing defective memory cells.

ESI uses a new all-solid-state laser technology: Q-switched, diode-pumped, solid-state lasers that operate under the control of proprietary software running on a Hewlett-Packard 9000 Series 300 computer. These lasers cut specific links on the IC with a short laser pulse only tens of nanoseconds long. They have an operating period without maintenance 10 times longer than that of similar flashlamp-pumped lasers. Using this laserrepair technology allowed the DRAM supply to catch up with demand.

Lasers have now become the de facto standard in testing IC devices as well; solid-state and xenon gas lasers operating in the infrared and green wavelength regions are preferred. At Semicon West in May in San Mateo, California, lasers appeared in all the failure-analysis stations displayed in the form of manual-probe stations. But powerful new automated computer verification and test software, such as Merlin's Workbench from Knights Technology (Cupertino, CA), allow the full integration of electrical testing and evaluation with laser processing—all operating under SunWindows.

As the electronics industry moves toward higher-resolution linear circuits and mixed analog and digital circuits, lasers are playing a critical role in fabricating thin-film resistors. High-precision resistor trimming allows higher-resolution D/A convertors to be made with greater linearity. The laser trims the device by cutting a continuous groove (thus changing the resistance) during device testing.

In addition to ESI, such thin-film hybrid resistor-trimming systems using long-lived, Q-switched, diode-pumped, solid-state lasers are now offered by Teradyne Laser Systems (Boston, MA) and XRL, Inc. (Norwell, MA). Both of these companies use Sun-3 workstations as the primary user interface. In a closely related application, Micrion Corp. (Peabody, MA) has developed a large-screen LCD thin-film resistor-repair system that uses the same type of all-solid-state infrared laser, but now frequency-doubled from 1064 nm to 532 nm for greenlight output. This is accomplished by using a nonlinear frequency-doubling crystal, potassium-titanyl phosphate.

Together with CAD systems, lasers are a major facilitating factor in the evolution of machines that are designed and built by other machines. Other examples include using helium-neon (HeNe) lasers in interferometers for precise distance measurement and in pointers for alignment, excimer lasers for high-density deep-ultraviolet semiconductor lithography, ultrafine printed-circuit-board hole drilling, surface-mount printed-circuitboard component attachment by tapeautomated bonding, and laser cutting and soldering. The common element in these areas is the use of computers to precisely position and control the laser beam, allowing the application to make maximum use of the brightness and sharpness of the laser beam.



Photo 1: A Q-switched, diode-pumped, neodymium yttrium-aluminum-garnet laser from Spectra-Physics, attached to a microscope. Under control of the AT&T PC 6300, a CAD Design 3 image is being scribed onto a coated plate. The two monitors show the CAD image (in color) and a section of the scribed image (in black and white). Nicknamed the "Laser Blade," this system is unique in that the diode laserbeam pump light is transported from a power-supply box to the neodymium YAG laser head via an optical fiber. This results in a very small, pencil-size laser head that you can attach directly to the microscope. (Photo courtesy of W. Scarvie, Spectra-Physics, Inc.)



Photo 2: An excimer laser interfaced with a CAD system, and the same laser controlled by a Mac II under LabView. (Photo courtesy of Questek, Inc.)

continued

IN DEPTH REFLECTED LIGHT



Photo 3: National Instruments software, controlling instrumentation for testing lasers. Notice the power meter and stage-positioning system integrated with an IBM PC under the control of LabWindows. The CRT display shows the laser-beam intensity. (Photo courtesy of Newport Corp.)



Photo 4: This image was generated using Pixar's RenderMan software and printed directly on color film using three visible wavelength lasers. (Photo courtesy of Pixar, Inc.)

Better Performance with Laser I/O

Laser technology has also had a major impact on computer input and output devices. High-resolution input scanners require the sharpness of lasers, and the monochromaticity, or single-color nature, of lasers has made them the standard for scanning documents for color separation and digitization. The most popular lasers for these applications have been red (632 nm) HeNe and blue/green (488 nm and 514.5 nm) argon-ion lasers. These lasers have beams that are visible to the human eye, so they are easy to align in scanning systems, and when focused to small spot sizes, printers and scanners can operate at high speeds.

Optical data storage in the form of CD-ROMs, WORMs, and now erasable optical data storage allow huge increases in storage capacity because of the small size of the laser beam spot. In the past, the lack of reliable high-power (more than 30 mW) laser diodes for the erasure cycle held back the development of erasable optical data storage. At lower powers, erasure was too slow for commercial acceptance. Now, high-power lasers (more than 50 mW) are available that can be focused to small spot sizes.

Much-higher-power lasers (over thousands of milliwatts continuously and tens of thousands of milliwatts when pulsed intermittently) are available from laser diodes, but the laser design results in much larger beam sizes, which negates a key reason for using the laser in the first place—a small spot size.

The next revolution in optical data storage is likely to occur quickly, with 680-nm laser diodes replacing 780-nm laser diodes to increase storage density. Although the shorter 680-nm wavelength can achieve a smaller spot, the output power of the 680-nm devices is currently limited to about 30 mW (and most suppliers will guarantee the lasers up to only about 5 mW).

One of the most easily recognized laser applications is bar code scanning: both the slot scanners used in stores and the hand-held scanners used for inventory control. Historically, these scanners, which measure the light reflected from the patterns of bars, have used HeNe gas lasers emitting at 632 nm.

The bars encode price and other information tied into an inventory-control system. Virtually all products sold to the U.S. government must have bar code identification labels. Manufacturers are upgrading production lines to track parts by bar codes and to automate warehouse storage of assembled products.

The end of the terror messa

Each one of these PC screens is saving something different. But they're all telling you the same thing.

You and your data are in a whole lot of trouble.

Perhaps someone hit the wrong key and deleted your data by accident.

Perhaps it's simply lost somewhere on your disk.

Or perhaps the disk is corrupted and everything is lost. Perhaps you



should get the new Norton Utilities[®]. Because only the Norton Utilities can take the terror out of all these error

The Standard Edition gives you UnErase, File Find and a range of features, messages. at an even more reasonable price.

If someone has accidentally

deleted your data, fear not. Our legendary UnErase^{*} can resurrect it with a few simple keystrokes.

If you've misplaced it—which, when you're dealing with a hard disk, is terrifyingly easy to do— our *File Find* will come to the rescue.

And what if worse comes to worst and your whole disk goes down?

Cheer up.



C) File not found

C) Invalid drive specification

The extraordinary new Norton Disk Doctor will determine the exact nature of the problem, report it and, in most cases, fix it for you.

All by itself.

In fact, if the Doctor can't cure your corrupted floppy or hard disk, then Buster, you've got one corrupt disk.

In which case, you'll need to refer to *The Norton Trouble*-

shooter, a 158-page guide to finding and fixing most anything that could go wrong.

Don't worry, you don't have to go to the library or the bookstore to refer to it, because it's included in the Advanced Edition.

Along with 24 more organizational and disk management utilities we don't have space to mention.

PC Magazine calls the Norton Utilities "indispensable."

You'll want to call your local software dealer. Or call us at 1-800-365-1010.

Then you'll have nothing to fear but fear itself.



Peter Norton

Designed for the IBM° PS/2° and PC families and 100% compatibles. © 1989 Peter Norton Computing, Inc. All rights reserved.

New red (680-nm) laser diodes are having a profound impact on hand-held bar code scanners. Laser diodes operate at much lower currents than HeNe lasers, making hand-held bar code readers possible. (780-nm laser diodes can read the bar codes, but some colors show poor contrast at this longer wavelength.) This change in technology will probably lead to using bar codes on even more products as bar code scanners become smaller and less expensive.

Color Is Coming

Perhaps the biggest change of all is yet to come: full-color laser-printed images. Pixar (San Rafael, CA) and Kodak (Rochester, NY) have invested in several levels of laser technology to demonstrate that three primary-color lasers can generate high-resolution color output.

Several years ago, the only lasers available were large, often water-cooled, gas lasers. Now, laser diodes have generated three new classes of laser devices: red (680 nm) laser diodes, frequencydoubled green (532 nm) diode-pumped solid-state lasers, and directly doubled blue-output (432 nm) laser diodes.

More recently, Kodak has pursued a pure infrared laser diode design, in which each laser diode represents the intensity information for one of the three primary colors. But the need for three closely spaced wavelengths in the 780nm to 880-nm range severely limits this approach.

Pixar has used a more conventional concept based on three visible lasers, with a 532-nm frequency-doubled solidstate laser replacing the previous 528-nm argon-ion gas laser. The new solid-state laser occupies about one-tenth the space. More important, it has an output wavelength with less spectral overlap with the red light response of typical photographic film and papers. This means that the green exposure has less effect on the red emulsion layer, and the final result is a purer red color tone in the photograph (see photo 4).

The remaining missing link is a blue solid-state laser, but IBM, Amoco Laser (Naperville, IL), and Spectra-Physics have shown in the past year that such lasers can be made with powers of several milliwatts-and potentially much higher power.

Originally developed in the Industrial Light and Magic group at LucasFilm, the laser scanner (which can be used as both an input scanner and an output printer) is now part of the Pixar electronic-darkroom project. The system operates by simultaneously scanning three laser beams across the film to write (or read) information about the color tone and intensity at each pixel.

The premise is very simple: Whether the image is completely computer-generated (in the case of the Pixar RenderMan software) or originates from an electronic camera, at some point you'll want to show the results to someone else. The solution is hard-copy output that retains the color fidelity and sharpness of the original image. Of course, if you didn't like the original image, changes are only a few keystrokes away.

Gary T. Forrest is president of FYI Reports and provides writing and consulting services to companies in the laser and optoelectronics fields. He has a Ph.D. in chemistry from MIT, where he used lasers for biomolecular research. He can be reached on BIX c/o "editors."

AutoKey 400 programmable macro keys !



AutoKey is trademark of Mextel Corp. All other product names are trademarks of their respective manufacturers. ©1989 MEXTEL CORP.

Circle 172 on Reader Service Card (DEALERS: 173)

Things To Do, People To See, Places To Go.

Make friends. Buy a cockatoo. Make a million. Fly to Tahiti. Phone home. Shop 'til you drop. Get rich quick. Make a good impression. Get married. Fall in love. Go for broke. Meet "Sagebrush Sally." Improve yourself. Learn to cook. Bargain hunt. Invest wisely. Get smart. Talk back. Name that tune. Lighten up. Pontificate. Talk turkey. Get involved. Dress for success. Name drop.

When you join CompuServe, your computer becomes a time-saving, money-making, life-enhancing tool. Because CompuServe gives you access to a long list of services and resources that can help make your life easier, more profitable, and a whole lot of fun.

With CompuServe you can shop

in over 100 stores from the comfort of your favorite easy chair. We have personal investment information to help you feather your nest, and travel services to make it easier to fly south for the winter. We even have over 500,000 other CompuServe members for you to talk to (in your newly acquired spare time).

Circle 59 on Reader Service Card

So become a member of Compu-Serve. And turn the time you spend with your computer into quality time.

To join CompuServe, see your computer dealer. To order direct or for more information, call 800 848-8199.



REMOVABLE. ERASABLE. OPTICAL. REMARKABLE!

REO-650 single-drive system \$4,995 REO-1300 dual-drive system \$9,990 650/600 Meg optical cartridges: \$250 each Interface kits for Macintosh. Sun. HP. IBM-AT, XT, PS/2 and compatibles: \$995 each

RED-13

Pinnacle Micro is the world's leader in removable, erasable, optical storage systems for personal and workstation computers.

The REO-650 is a single drive, SCSI system. The REO-1300 is a dual-drive system. Up to 1.3 gigabytes of facts and figures at your fingertips!

, Each optical cartridge holds up to 650 megabytes of precious memories. Graphics. CAD files. Databases. Images.

You can write, erase and rewrite data... file by file... a million times or more.

Interface kits give you the flexibility to use Pinnacle drives with the computer of your choice: Macintosh. Sun Microsystems. Hewlett Packard. IBM-AT, XT, PS/2 and compatibles.

Software provided with each kit supports a host of working environments: UNIX, Xenix, Novell Netware 2.1, and many more.

Removable, erasable, optical. The new standard in mass storage. Available now from Pinnacle Micro.

Call today for the location of your sales representative or authorized dealer.

€ (800) 553-7070



indemark owners. REO-650, REO-1300 and Pinnicle Micro of Pinnacle Micro, Inc. Sun of Sun Microsystems. HP of Hewlett Packard AT, Xanio, IBM, PS/2 of International Business Machines Corporation. Netware of Novell. Macintosh of Apple Computer Inc.

15265 Alton Parkway • Irvine, CA 92718 • In CA (714) 727-3300 • FAX (714) 727-1913
Gigabytes On-Line

Erasable optical storage brings mass storage to the masses

James J. Burke and Bob Ryan

Ithough backed by the likes of Sony, Philips, and Microsoft, optical storage has yet to catch on with most personal computer users, mainly due to the lack of a read/write capability. Now, with the introduction of rewritable optical disks, optical storage has become a potent rival to magnetic storage.

Rewritable optical technology is the most recent addition to the line of optical-storage products. CD-ROM—the original read-only opticalstorage technology—has been available since the mid-1980s. And more recently, WORM (write once, read many times) technology has made an impact in areas requiring the random-access retrieval of permanent, nonerasable data and images. WORM "jukeboxes" with

more than 1 terabyte (1 million megabytes) of storage have found their way into large government and business operations. With such a device, you can access any business document or engineering drawing in 10 seconds or less.

The Optical Advantage

All types of optical storage have certain advantages over magnetic storage. The



primary advantage is storage density: You can get a lot more information on an optical disk than on a comparably sized magnetic disk. Due to the precision with which a laser can be focused, recording tracks on an optical disk are much closer together than tracks on a magnetic disk. Also, the amount of space needed to record an optical bit is much smaller than that used by magnetic media. Another advantage of optical recording is that it is a great deal less sensitive to deterioration or contamination than magnetic recording media. This is because nothing touches the active recording layer except for the beam of light. The transparent substrate keeps dust and dirt from the focal spot so they cannot change the reflected signal substantially.

Optical disks are also far less susceptible to head crashes than are magnetic disks. Typically, an optical disk head comes no closer than 1 millimeter from the disk substrate. In contrast, the highperformance head of the IBM 3380 magnetic drive flies just 0.25 micrometer (μ m) from the surface of the disk.

It has taken 30 years of research and development to learn how to produce reliable

devices with such flying heights. Even at that, head crashes still occur. For obvious reasons, any attempt to remove a high-performance hard disk from its drive would be the end of the useful life of both. Optical disks, on the other hand, are easily loaded and removed, thus enabling the massive storage capacity of jukeboxes.

IN DEPTH GIGABYTES ON-LINE



Figure 1: A strong laser pulse writes by creating a pit (or a bubble) at the recording layer. The reflectivity of the weaker read beam is analyzed to detect the presence or absence of pits. Compact-disk systems are very similar, except, of course, that they are read-only. (Figure courtesy of Paul Y. Hu)

Standards

Optical disks come in a variety of sizes and constitutions. You can buy 5¼-, 8-, 12-, and 14-inch WORM drives. Compact-disk media, whether carrying digitized audio, computer data, or both, are standardized to 120 mm (4.724 inches). Thanks to standards defined by Philips and Sony, CD-ROM disks from all suppliers use the same protocols and are thus readable in all players. They are becoming the medium of choice for publishing extensive documentation. The opposite is true with WORM drives: Data written on one vendor's WORM drive usually cannot be read by another's. Most of the rewritable optical products announced thus far use 5¹/₄-inch disks and promise to be interchangeable. It's too early to judge whether experience will bear this out. In addition, erasable optical disks with $3^{1}/_{2}$ - and 2-inch formats are also under development. Standards in this area are not as well developed as compact-disk standards.

Storage Variety

CD-ROM is the oldest and best-defined optical-storage technology. It is used primarily for publishing large amounts of information that don't require constant updating. Its major limitation, of course, is that it is a read-only medium.

Compact disks are replicated in much the same way as phonograph records. The disks are injection-molded in dies wherein all the format and data marks appear as raised ridges or hills on one of the interior faces. The original (also called the master) disk is written with great precision in photoresist by an argon-ion laser. After development of the master, a negative father disk is formed by electroplating. The father is used as a stamper to form a mother disk, whose negative sons become one face of the dies used in the injection-molding process that yields the final product. Polycarbonate is the material of choice because of its strength and durability.

WORM technology is a step beyond compact disks. You can write your own data to a WORM disk, although you can't change what you have written. WORM storage is ideal for storing custom data that is not updated often.

WORM drives feature many different designs. In some, absorption of a strong laser pulse causes local vaporization on dye-polymer media (organic films containing absorbing dyes). This forms a bubble in a thin absorbing layer above the active layer. In other designs, the laser ablates a pit in the material, exposing a highly reflective metal film below the active layer. The resultant change in reflectivity experienced by the weaker read beam is used to sense the presence or absence of a pit or bubble.

Another common active material used in WORM media is semimetallic tellurium. A strong laser pulse writes in tellurium by melting it; the attendant surface tension opens a hole (or pit) in the film, which freezes when it cools.

Other material systems are in use and under study today as the industry looks for ways to produce media less expensively. WORM disks cost about \$100 in 5¼-inch format. Capacity varies from 300 to 600 megabytes per side. On 12inch disks, capacity is typically 1 gigabyte per side. The 14-inch disks can hold more than 3 gigabytes per side.

Read/Write Technology

Figure 1 is a schematic illustration of the major components of a WORM read/ write system. The left side of the figure shows the optical pathway. The read/ write head contains a laser diode whose current is modulated electronically during writing to produce pulses of light. The beam of pulses travels through collimating optics, a polarizing beam splitter, and a quarter-wave plate to a focusing objective lens. The beam splitter is

designed to transmit light polarized in one direction and to reflect light polarized in the perpendicular direction. The quarter-wave plate changes the polarization of the beam; two passes through the plate produce a polarization that is perpendicular to the original.

The objective lens focuses the laser beam through a transparent plastic (usually polycarbonate) substrate onto the thin (100-nanometer [nm]) recording layer. Servo signals drive a mechanical actuator that moves the objective lens to keep the beam in focus and on track. The servo signals are derived from the reflected light received at the quadrant photodetector and converted to electrical signals delivered to the controlling servo circuits.

The reflected light collected by all four elements of the quadrant detector generates the signals to be decoded by the EDAC (for error detection and correction) and modulation-decoding circuits. The reflected beam reads binary 1s and 0s according to the presence or absence of a pit, bump, or reversed magnetic domain at a particular position. Most disks have thin (0.8- μ m-wide) concentric grooves, spaced 1.6 μ m apart, to enable optical tracking. The laser writes and reads in the "lands" between the grooves.

New Kid on the Block

Although ideal for certain applications, CD-ROM and WORM drives are not general-purpose storage devices. The first optical storage device to earn that distinction is the erasable optical disk.

You can now purchase rewritable magneto-optical (MO) disk drives that store up to 650 megabytes of information. You can even buy optical-disk jukeboxes that typically provide 30 to 50 gigabytes of on-line storage and provide access to any file in 10 seconds or less.

Rewritable optical disk drives use the standard 5¼-inch form factor and store data on optical media housed in removable cartridges. Although access times for rewritable disks are two to six times slower than those of high-performance (17-millisecond) hard disks, data rates are comparable because the disk spins at up to 3600 revolutions per second. The media should last at least 10 years without reconditioning and provide unlimited rewrites. Currently, rewritable disk drives cost in the neighborhood of \$5000 to \$6000, and disk cartridges sell for about \$250. These prices are steep, but you can expect them to come down as the technology matures. In fact, one manufacturer expects the prices of drives to



Figure 2: In synchrony with an external magnet, the strong write pulse fixes the magnetic orientation of a spot on the recording layer. The local magnetization imparts a positive or negative Kerr rotation to the reflection of the weak read beam. The magneto-optic head detects this rotation. (Figure courtesy of Paul Y. Hu)

drop by a factor of 10 by 1995.

Erasable optical disk drives hardly spell the end of magnetic storage. With their speed advantage, magnetic hard disks have the clear edge for large, multiuser applications, while magnetic tape is still the least expensive form of storage. For the foreseeable future, you will still need a minimum amount of fast-access storage (perhaps 90 megabytes) to hold your computer's operating system and the applications that you use frequently, as well as workspace for those applications. Rewritable optical storage is ideal if you need a lot of on-line, randomcontinued

IN DEPTH GIGABYTES ON-LINE



Figure 3: The size and complexity of magneto-optic heads result in their relatively slow access times. (Figure courtesy of Paul Y. Hu)

access storage at reasonable cost. Optical storage typically costs 25 cents per megabyte, or about 100 times less than magnetic disk storage.

Rewritable Media

Erasable disks typically have polycarbonate substrates, although some developers prefer hardened glass. With glass substrates, a layer of photopolymer, stamped with grooves and other formatting marks, covers the substrate. For polycarbonate disks, the grooves are formed in the injection-molding process that produces the substrate.

Above the grooves are three or four additional layers. One is the active recording layer, which usually consists of a rare earth/transition metal alloy such as terbium iron cobalt (TbFeCo). This layer is sandwiched between two transparent dielectric layers that provide optical enhancement of the polarization rotation as well as protection from oxygen and hydroxide ions, which would attack the metal alloy.

The active recording layer of an erasable optical disk is magnetized. The rotation of polarization of light reflected by this magnetic layer is known as the magnetic Kerr effect. Figure 2 illustrates how this effect is used in MO storage. Prior to its first use, an unwritten disk has a spatially uniform net magnetization illustrated by the upward-pointing arrows in the figure. These represent 0s at all bit positions.

To write a binary 1 at a particular location (or domain), you focus a 100nanosecond pulse of laser light on the layer while a small magnet on the opposite side of the disk produces an external magnetic field opposite in direction to the original magnetization. The layer absorbs most of the laser pulse, which rapidly raises its temperature hundreds of degrees. At the locally high temperatures achieved, the magnetization of the layer is instantly reversed and then fixed with equally rapid cooling.

To erase a written domain, the field of the small magnet is reversed and the domain is pulsed a second time, returning the domain to its original magnetization. Note that written domains must be erased before they can be rewritten. This makes typical write times twice as long as read times.

To read a read/write disk, a weaker linearly polarized laser beam is focused on the recording layer. When reflected, this beam has its polarization rotated slightly (about 1 degree) clockwise or counterclockwise, depending on whether the local magnetization is pointing up or

IN DEPTH GIGABYTES ON-LINE



Figure 4: Developed at Osaka University, this device is substantially less massive than conventional optical heads. Work continues to improve its resolution. (Figure courtesy of Paul Y. Hu)

down. The direction of rotation indicates whether the bit read is a 1 or a 0.

Read/Write Heads

Most optical heads (containing the laser, beam splitter, wave plate, objective, and detectors) actually sit in a compact package below, rather than above, the disk. The head is moved from track to track by voice-coil linear actuators similar to those used in magnetic disk drives. The comparatively slow (about 100-ms) access times of optical disk drives is a consequence of the relative massiveness (100 grams) of the optical head. Research into integrated optical heads is expected to solve this problem.

Figure 3 illustrates the difference between MO heads and those used in digital-audio disk and WORM drives. In the MO head, the first beam splitter reflects all light polarized perpendicular to the page, but it transmits only about 80 percent of the orthogonal polarization, reflecting the rest. Thus, light with both polarizations is reflected to the left after interacting with the media. The second beam splitter picks off a portion of this light to provide signals for the focus and track servos. Most of the light continues to the left, passing through a half-wave plate that rotates the polarization by 45 degrees, and then through a third polarizing beam splitter to two detectors whose photocurrents are differentiated electronically. This differential detection scheme removes the comparatively large DC photocurrent common to both detectors and sums their small AC currents, whose sign (positive or negative) indicates whether the MO layer imparted positive or negative rotation to the beam.

New Media

Because the optics that are needed to detect the small Kerr rotation in MO systems are much more complicated than those used in CD-ROM and WORM heads, research continues into substances that produce larger, easier-to-detect Kerr rotations. Bismuth-doped-garnet films and metal multilayers (or superlattices) are among the substances being developed for MO recording. At present, the garnets are too grainy (or noisy) to compete with rare earth/transition metal alloys. However, because they provide larger Kerr rotation and are much less susceptible to corrosion, work continues to improve their performance.

Other promising materials for rewritable optical media include *phase-change* layers that are made of amorphous alloys *continued* of tellurium, selenium, and other elements. When heated with a focused laser pulse of appropriate power and duration, these alloys crystallize locally, forming a spot of increased optical reflectivity. A more powerful pulse of shorter duration erases (or amorphizes) the crystalline mark.

Phase-change media are attractive for rewritable applications because the optical head required is simpler than with MO drives, and the signals are stronger. The problem with most phase-change media is that only a limited number of write and erase cycles are possible before performance degrades to unacceptable levels. At least one company has apparently overcome this limitation: Matsushita Electric has announced the introduction of a commercial phase-change system in Japan. Dye-polymer media are also being developed for rewritable storage. No working products have reached the market yet.

The Future of Optical Storage

The key technologies that are driving the advances in optical recording are media, lasers, optics, the recording channel, and electronics.

In the near term, the most important subject for research into media is how to achieve direct overwrite in MO recording. Currently available media must be erased before being rewritten, creating a two-pass process. Promising areas of research involve bilayer and trilayer combinations of active media. Direct overwrite has been demonstrated with phasechange media, although so far there are no products available in North America.

Lasers and Channels

The semiconductor laser diode has been central to all advances in both communication and recording (see "Reflected Light" on page 249). These tiny devices, 200 to 300 μ m on a side, deliver up to 40 milliwatts of optical power into the optical path of MO drives. The wavelength of their emissions is typically 830 nm, although 780-nm lasers are also in use.

The wavelength and the focusing power of the objective lens determine the spot size at the active layer. In today's systems, the spot size is slightly larger than one wavelength. Obviously, shorter wavelength lasers would yield greater disk capacity.

Researchers have demonstrated 670nm lasers in the gallium indium aluminum arsenide (GaInAlAs) system, and they are attempting to make blue lasers with group II-VI semiconductors. Optical frequency-doubling and frequencymixing devices have also been demonstrated, though not with the efficiency and compactness required for optical heads.

Surface-emitting diode lasers, and arrays of such lasers on a single chip, have been demonstrated by several laboratories. These lasers are candidates for multiple-beam optical recording, which is currently the most direct way of increasing data rates. In fact, edge-emitting arrays of four and five elements have already been demonstrated in multitrack reading and writing with a single objective lens.

Servo and channel technologies are essential to both optical and magnetic recording and continue to be advanced in both arenas, with each borrowing from the other. The optical channel presents problems not encountered in magnetic hard disks, such as burst errors associated with disk contamination during manufacture. Because marks are only about one wavelength apart on a track, and the tracks are separated by $1.6 \,\mu m$, a particle of dust or dirt at the active layer can mask many contiguous bits. Thus, sophisticated modulation codes have been developed, and research continues to find better codes.

Downsized Heads

The most important area of optical research today is the optical head. At 100 grams, it is much too massive to meet the challenge of 17-ms random access. Integrated optical heads, such as the one illustrated in figure 4, may one day solve this problem.

The compact-disk head in the figure was proposed and constructed by Professor Hiroshi Nishihara and his colleagues at Osaka University in Japan. Although devices of this kind had been proposed before, this was the first functional demonstration. The device is built up on a 5mm by 10-mm silicon chip that has an oxidized upper surface. A thin dielectric layer of a higher refractive index is deposited on the upper layer and serves as an optical wave guide. It confines the diode laser light introduced at its edge to within its walls and their immediate surroundings.

The laser beam expands laterally as it propagates toward a focusing grating coupler. The shallow curved grooves of the FGC are spaced closer together along its length. This changes the direction of the light radiated from them and focuses the light at the disk. Reflected light from the disk is diffracted back into the wave guide. There, a second wave-guide grating diverts it to tracking, focusing, and signal detectors, built up on the silicon substrate by conventional semiconductor processing techniques. Although the device works, the smallest spot size that has been achieved thus far has been 2 μ m—too large to read a compact disk.

Nishihara's group has also demonstrated a partially integrated MO head. Light reflected from a disk is launched into adjacent wave guides by three different FGCs and sent to separate detectors. The objective lens that sends light to the disk and the laser itself were not integrated, however.

The seminal work of the Nishihara group has provoked related studies in many laboratories. Applications of integrated optics to communications systems have been under development since the early 1970s. Thus, much of the waveguide technology needed for integrated optical heads is already available, as are grating couplers, a common component in any guided-wave laboratory. However, focusing grating couplers that are efficient and yield high-quality beams with good polarization properties need to be developed or appropriately combined with other "micro-optic" elements to yield the necessary quality. Additionally, gratings are very sensitive to wavelength shifts. Diode laser manufacturers cannot control the wavelength of peak emission accurately. Thus, techniques for compensating wavelength shift must be developed.

While there is much research still to be done, it is likely that you will one day see optical drives with multiple disks and multiple integrated optical heads, incorporating multiple lasers. The prospects of matching, and even exceeding, the performance of today's hard disks are excellent. Of course, magnetic technology will improve as well. You can expect to see both technologies working side by side in the foreseeable future. ■

ACKNOWLEDGMENT

We would like to thank Paul Y. Hu for the use of the figures. Paul is an adjunct professor in the Optical Sciences Center at the University of Arizona and a senior engineer at IBM's general products division in Tucson, Arizona.

James J. Burke is a professor in the Optical Sciences Center at the University of Arizona in Tucson and director of the Optical Data Storage Center there. He has a Ph.D. in optical sciences from the University of Arizona and can be reached on BIX c/o "editors." Bob Ryan is a BYTE technical editor. He can be reached on BIX as "b.ryan."

The Ultimate Business Computers



Model 212D 80286-12MHz / Model 210D 80286-10MHz

Model 3165X 803865X-16MHz

The Ultimate Business Computers

In 1986, CLUB American Technologies introduced the first personal computers designed for heavy industrial and commercial use. Since then, over 175,000 CLUB computers have been installed worldwide and have been well accepted by the Fortune 500, Government Institutions and thousands of small businesses.

This overwhelming success in CLUB's computers is a result of excellence in engineering during which no details are overlooked from the initial design to the final product. Also during manufacturing, each system is subject to an intensive SCBI process followed by In-Circuit Simulation Field Testing. If your business computer that can in today's competitive and find out more about the Ultimate Computers from CLUB American Technologies.

(415) 683-6600

Model 320 80386-20MHz

In Canada, PC Centre: (416) 470-0560 International: (415) 683-6659 Technical Support: (415) 683-6580



Sparrow I/16 80286-16MHz

PC WORLD September 1989

Model 325CT 80386-25MHz

Model 325C 80386-25MHz

"...When it comes to the basics, price, performance...capacity...CLUB American Technologies...delivers outrageous value."

> is looking for a give you the edge marketplace, call today Ultimate Business

> > CLUB American Technologies, Inc

Read/Write Optical Subsystems

Unlike CD-ROM, WORMs and erasable optical disks let you write and store massive amounts of your own data. The following is a list of WORM- and erasable disk-drive systems available to end users (as opposed to OEMs). Note that the capacity given combines the capacities of both sides of the media. For the amount of storage on-line at one time, divide the capacity by 2.

Alphatronics, Inc. P.O. Box 13687 **Research Triangle Park** Durham, NC 27713 (919) 544-0001 **Inspire Desktop** Dual Drive\$13,900 1300-megabyte erasable optical disk drive for the AT. Also available for DEC and Sun systems. **Inspire Desktop** Single Drive \$7900 650-megabyte erasable optical disk drive for the AT. Also available for DEC and Sun systems. Inquiry 1182.

Aquidneck Systems International, Inc. 650 Ten Rod Rd. North Kingston, RI 02852 (401) 295-2691 **Optical Archiving**

System from \$23,000 Sophisticated read/write system capable of storing up to 1 terabyte of data. Supports many mainframes, minicomputers, and workstations. Inquiry 1183.

Computer Upgrade Corp. 2910 East La Palma Ave., Suite A Anaheim, CA 92806 (714) 630-3457 **Optical Storage Subsystems** 5¹/₄-inch drives (450 to 1200 megabytes) from \$1595 12-inch drives (1000 to 6000 megabytes) from \$5995 Jukebox subsystems (25 to 141 platters per unit)..... from \$15,000 Complete line of optical storage systems for Macintosh, Apollo, DEC, Data General, IBM, Perkin/Elmer, and Sun computers. Inquiry 1184.

Corel Systems Corp. 1600 Carling Ave., Suite 190 Ottawa, Ontario, Canada K1Z 8R7 (613) 728-8200 Corel 400 IBM PC and Macintosh version \$2895 Novell NetWare version \$3995 400-megabyte SCSI WORM drive subsystem. Corel 650 IBM PC and Macintosh version \$3975 Novell NetWare version \$4995 654-megabyte SCSI WORM drive subsystem. Corel 800 \$3645 800-megabyte SCSI WORM drive subsystem for the IBM PC and Macintosh. Corel 940 \$3845 940-megabyte SCSI WORM drive subsystem for the IBM PC and Macintosh. Inquiry 1185.

Delta Microsystems, Inc. 5039 Preston Ave. Livermore, CA 94550 (415) 449-6881 SCSI WORM Subsystemfrom \$6000 567-megabyte to 2000-megabyte optical disk drives for Sun systems. Inquiry 1186.

Deltaic Systems 1977 O'Toole Ave., Suite B206 San Jose, CA 95131 (408) 954-1055 **OptiSer ver 600** \$4499 594-megabyte SCSI erasable optical disk drive for the Macintosh. Conforms to ISO standard. **WORMServer 1000** \$3599 940-megabyte SCSI WORM subsystem for the Macintosh. Also uses 400-megabyte disks. Inquiry 1187.

drive subsystem; external version also available for the AT. Inquiry 1188.

Laserdrive Ltd. 1101 Space Park Dr. Santa Clara, CA 95054 (408) 970-3600 **810-111** (DOS version) \$5495 **820-011** (Macintosh version).. \$5995 *810-megabyte WORM drive* subsystem. Inquiry 1189.

Maximum Storage, Inc. 5025 Centennial Blvd. Colorado Springs, CO 80919 (719) 531-6888 **APX-4200** \$4450 760-megabyte WORM optical disk drive subsystem for DOS machines. Inquiry 1190.

Micro Design International, Inc. 6985 University Blvd. Winter Park, FL 32792 (407) 677-8333 LaserBank 400 \$2995 400-megabyte WORM drive system for DOS systems. Also available for Xenix and Unix. LaserBank 940 \$4095 940-megabyte SCSI WORM drive system for DOS systems. Also available for Xenix and Unix systems. LaserBank 600 R \$6995 600-megabyte erasable optical disk drive for DOS systems. Also available running under Xenix and Novell NetWare.

Mitsubishi Electronics America, Inc. Computer Peripherals Division 991 Knox St. Torrance, CA 90502 (213) 217-5732 MW-5D1\$3400 600-megabyte internal SCSI WORM drive system for the IBM PC. MW-5U1\$4300 600-megabyte external SCSI WORM drive system for the IBM PC. Inquiry 1192.

Inquiry 1191.

N/Hance Systems 908 Providence Hwy. Dedham, MA 02062 (617) 461-1970 N/Hance 525 Internal version..... \$2750 External version \$2950 240-megabyte WORM drive system for DOS systems includes interface, driver, and Text. Scan software. N/Hance 565 DOS versions: Internal \$4295 External \$4495 Xenix versions: Internal \$4975 External \$4995 654-megabyte SCSI WORM drive system with host adapter, driver, Text. Scan software, and Write Once File System (WOFS) software. N/Hance 5120 PC versions: Internal \$6188 External \$6388 2560-megabyte double drive.....\$11,695 Xenix versions: External \$8195 2560-megabyte double drive.....\$13,495 1280-megabyte WORM drive with interface and driver. Inquiry 1193.

Online Computer Systems, Inc. 20251 Century Blvd. Germantown, MD 20874 (301) 428-3700 MDUfrom \$6000 Multimedia storage unit for DOS systems includes 400-megabyte WORM drive plus CD-ROM, hard disks, tape backup, and SCSI connector. Also supports OS/2, Unix, and VAX/VMS. Inquiry 1194.

Panasonic Industrial Co. 2 Panasonic Way Secaucus, NJ 07094 (201) 348-7000 LF-5010.....\$3299 940-megabyte external SCSI WORM drive system for the IBM PC and the Macintosh. LF-5014....\$2999 940-megabyte internal SCSI WORM *drive system for the IBM PC.* Inquiry 1195.

Peripheral Land, Inc. 47421 Bayside Pkwy. Fremont, CA 94538 (415) 657-2211 Infinity Optical...... \$5695 635-megabyte erasable optical disk drive for the Macintosh. Infinity Optical 1.2 \$11,995 1270-megabyte erasable optical disk subsystem (two drives). Inquiry 1196.

Pioneer Communications of America, Inc. Optical Memory Products Division Sherbrooke Plaza 600 East Crescent Ave. Upper Saddle River, NJ 07458 (201) 327-6400 **DD-S5001** PC version.......\$3895 Macintosh version......\$3695 654-megabyte WORM drive subsystem. Inquiry 1197. RACET computes Ltd.

Storage Dimensions 2145 Hamilton Ave. San Jose, CA 95125 (408) 879-0300 LaserStor AT and PS/2 version \$4495 Macintosh version \$4995 786-megabyte WORM drive subsystem. LaserStor Erasable **Optical** \$7995 876-megabyte SCSI erasable optical disk drive system for the AT, PS/2s, Macintosh, and Novell NetWare. Also uses 574-megabyte ISOcompatible cartridge. Inquiry 1199.

United Systems Co. 14701-B Myford Rd. Tustin, CA 92680 (714) 832-3613 **Spark L1200**\$19,000 2000-megabyte WORM storage system. Includes a powerful proprietary operating system that works in conjunction with MS-DOS. **Inquiry 981.**

This resource guide is intended to provide a reasonable cross-section of available products, companies, and services; due to space limitations, we cannot list all companies and products. Inclusion in the resource guide should not be taken as a BYTE endorsement or recommendation. Likewise, omission from the guide should not be taken negatively. The information here was believed to be accurate at the time of writing, but BYTE cannot be responsible for omissions, errors, or changes that occur after compilation of the guide.



Everybody's first language is a quarter century old: You've come a long way, BASIC

Bill Gates



ince the first program ran on an English-built computer in 1948, computing has evolved by several orders of magnitude. In just 15 years, personal computers have grown from 8-bit, 4Kbyte toys to powerful 32-bit, 16-megabyte tools for science and industry.

Amid all this growth in hardware, the BASIC language has quietly turned 25 years old, and the BASIC interpreter that opened up the microcomputer to millions of people has entered its fifteenth year.

SETTING THE STANDARDS

BASIC didn't become the best-known and most accessible computer language simply because it comes free with every machine. BASIC's strengths-the simplicity of using an interpreter, its powerful string handling, the richness of the language, its English-like keywords and syntax, and the freedom it gives programmers to experiment-make it the ideal way for computer novices to explore the intricacies of their computers.

During this milestone year for BASIC, you can see how it may evolve by looking at the technology of operating systems like OS/2 and the promise of object-oriented programming.

BASIC was born out of a need to give nontechnical people a simple way to interact with a computer. In 1962, a math professor at Dartmouth College, Thomas Kurtz, proposed to the department chairman, John Kemeny, the radical idea that all Dartmouth students should learn about computers during their four-year stay. But the batch-oriented computers of the day made that prospect impossible, since it often took days to find out if a simple program would compile properly. Even then, the program could only calculate a result and return an answer; the person who wrote the program never actually saw it run.

Kemeny and Kurtz, expanding on research going on at MIT and Bell Labs, built a time-sharing operating system for a new computer that Dartmouth was about to receive. In the process, they decided that giving students a way to share the computer's hardware was of little use without a simple language for talking with the machine. FORTRAN and ALGOL didn't fill the bill for ease of use, so they created the Beginner's All-purpose

Symbolic Instruction Code as a simplified blend of the best of FORTRAN and ALGOL.

On May 1, 1964, Dartmouth students, greeted by the now famous READY > prompt on their teletype terminals, could write simple programs and send them off to be compiled and run. Listing 1 shows a simple program (a multiplication table) written in that first BASIC. Kemeny and Kurtz recount the birth of BASIC in their book Back to BASIC (Addison-Wesley, 1985).

And Then There Were Micros

The first microcomputers, sporting very small memories, came on the scene in 1975 from companies like MITS and Southwest Technical Products. These machines understood only machine language. Paul Allen and I sensed an opportunity and wrote a version of BASIC to run in those small memory spaces. Our first BASIC for the MITS Altair allowed a user to run programs on a 4K-byte machine. Memory was so precious that we even replaced the READY > prompt with OK > to save a few bytes. We built this BASIC as an interpreter.

Memory constraints partly guided our decision to implement BASIC as an interpreter. But another factor was our fascination with interpreters, and the immediacy and ease of use they give to the programming art. An interpreter lets a programmer tell the computer to perform a job, and then the computer gives immediate feedback and results, including the reporting of errors. This immediacy comes from the interpreter's being built as part of the language, not as a separate program like a compiler. First-time users would find working with a compiler difficult.

Drawing on experience I had obtained writing a BASIC interpreter for a PDP-8 while in high school, Paul and I made our original microcomputer BASIC a single-representation interpreter. This means that rather than storing the exact source code in text form, we translated it into a more compact form because of the memory constraints we faced.

We did tricks to let the programmer see his or her program continued



exactly as he or she keyed it in while executing the program at a reasonable speed. Using the lower values of a byte and the upper 128 ASCII values to tokenize BASIC keywords was an innovation in that interpreter. We also coined the short commands TRON and TROFF to turn on and off BASIC's earliest built-in debugging tool, a trace facility. Fitting the language's reserved words, error messages, and floating-point library to run programs in a 4K-byte machine required a lot of tricks—it's still my favorite piece of code because it is so refined.

We chose to write a BASIC interpreter for several reasons. First, BASIC was simple enough that we thought we could squeeze it, plus user programs, into 4K bytes. We also liked

Listing 1: The 1964 BASIC had no INPUT statement. Instead, you had to assign data to a variable with the LET or READ DATA statements.

10 REM 1964 BASIC 20 LET N = 355/113 30 PRINT "MULTIPLICATION TABLE FOR",N 40 FOR I = 1 TO 10 50 PRINT I, N * I 60 NEXT I 70 PRINT "-----"" 80 END

Listing 2: The 1977 8K-byte BASIC had longer variable names, the INPUT statement, strings, and the IF...GOTO statement. This is a more flexible version of the program in listing 1.

```
10 REM 1977 8K BASIC

15 PRINT "ENTER NUMBER FOR MULTIPLICATION TABLE"

20 INPUT NUMBER

25 INPUT "ENTER NUMBER OF LINES"; LINES

26 IF LINES <1 GOTO 120>

30 PRINT "MULTIPLICATION TABLE FOR",NUMBER

40 FOR I = 1 TO LINES

50 PRINT I, NUMBER * I

60 NEXT I

70 FRINT "------"

80 PRINT "DO YOU WANT ANOTHER Y/N";

90 INPUT C$

100 IF C$ = "Y" GOTO 15

115 REM

120 REM ERROR HANDLING

130 PRINT "WRONG NUMBER OF LINES"

140 END
```

Listing 3: The 1985 Microsoft QuickBASIC. It and other BASICs of the period eliminated line numbers and added subroutines and IF...THEN...ELSE statements.

```
INPUT "File to be searched";F$
INPUT "Pattern to search for";F$
OPEN F$ FOR INPUT AS #1
WHILE NOT EOF
LINE INPUT #1, TEST$
CALL LINESEARCH(TEST$,P$)
WEND
SUB LINESEARCH(TEST,P$) STATIC
STATIC NUM
NUM = NUM = 1
X = INSTR(TEST$,P$)
IF X = 0 THEN
EXIT SUB
ELSEIF X > 0 THEN
PRINT "Line #";NUM;":";TEST$
END IF
END SUB
```

being able to write a meaningful one-line program in BASIC; with other languages, you had so many variable and environment definitions to worry about, you had to write several lines of code just to print "hello" on the screen. And we liked BASIC's powerful variable-length string-handling functions.

Why Use BASIC?

We convinced the makers of the early microcomputers that they needed BASIC in their machines to let people use them. Otherwise, you could turn on the machine, but you couldn't do much with it. And until disk operating systems came along in about 1979, BASIC was the only way most people could use a personal computer. Our BASIC caught on because we encouraged people to write books about BASIC programming that contained lots of source code listings. We also promoted the idea of people writing programs in our BASIC and then selling or giving away those programs.

Other people were writing BASICs at that time: Li Chen Wang (Tiny BASIC), Steve Leininger (Radio Shack Level 1 BASIC), Steve Wozniak (Apple Integer BASIC), and Gordon Eubanks (BASICe and CBASIC). But Microsoft BASIC eventually appeared in the ROMs of over 50 types of machines and became a de facto standard.

That early BASIC was primitive compared to today's language. It forced you to use only two-letter variable names and required line numbers (see listing 2). But it proved to be an acceptable way to create useful programs for computers. It gave you instant feedback as you wrote a program, and its stringhandling features let people write fairly sophisticated textoriented applications. We invented new BASIC verbs like PEEK and POKE, and INP and OUT, to let people get at the resources of the machine. We devised a way to let programmers call machine language routines from BASIC so they could make critical parts of their programs faster.

Interpreters can be extended quite easily, so we frequently added new features to BASIC. We developed the music and graphics-string macro languages that used the verbs PLAY and DRAW. Many features that ended up in GWBASIC (short for Gee Whiz) came from our experience writing interpreters for Japanese machines.

BASIC hit a plateau when GWBASIC was put into the IBM PC ROM. Without IBM's updating the ROM, it was hard to popularize BASIC extensions beyond the interpreter. This BASIC became extremely popular, of course, and even today I'm amazed at what a high percentage of PC users have experimented with that BASIC because it is so simple to learn and use.

When BASIC faltered on the plateau of being an IBM PC-compatible standard, we created QuickBASIC. Other companies were extending BASIC, too—for example, BASIC's inventors, Kemeny and Kurtz, with True BASIC.

Not So Basic

When I show programmers the BASIC I use today, they say something like, "That looks a lot like Pascal." People who think of BASIC as the IBM PC's BASICA are surprised that it doesn't have to be a line-oriented language with little structure. BASIC has become very modern since 1983 (see listing 3).

In the mid-1980s, BASIC improved on three fronts: as a language, with the addition of long variable and label names, record structures, and better block-structuring tools; as an environment, with a built-in editor, debugger, and compile-run facility; and as a compiled language, with faster response in the classic compile/debug/edit/compile cycle while generating fast, high-quality code. BASIC also gained the ability to run continued

High Performance Systems

Starting Price: \$2480 Enjoy extra performance from your computer with Eltech!

"One of the best numeric performers of the bunch" MIPS Magazine, August 1989

> The Eltech 9870 386 computer utilizes the best technology available today. Featuring the Floating Point Processor 80387-25/Weitek 3167, Eltech is now offering one of the fastest affordable computers that can be shipped to you TODAY! The 9870 also includes Cache Memory: 64 or 256KB S-RAM ; Expansion RAM: 4 or 8MB on 32-bit Board; Maximum RAM: 16MB Data Bus Width: 32-bit; Zero Wait States and 1 Serial and 1 Parallel Ports.

> > **30-Day Money-Back Guarantee.** Next Day Free On-Site Service. Next day delivery available.

- One year free on-site service
- Consulting service program
- Leasing and financing program

Distributors & VAR inquiries welcome Call for details.



1725 McCandless Drive Milpitas, CA 95035 Telephone: 408-942-0990 FAX: 408-942-1410 Technical Support: 408-942-1067

7000

Jen Five easy ways to boost your **BASIC**



So who cares that BYTE magazine calls PROBAS a "Supercharger for QuickBASIC" or that PC Tech Journal says that PROBAS is a "high-quality, high-quantity package"? Who buys a product just because Jerry Pournelle said "Anyone doing serious QuickBASIC pro-gramming would do well to get [PROBAS]"? And who cares that Wayne Hammerly calls PROBAS "The greatest thing since sliced bread"?

Who?--Only those who want to write better, faster, slicker programs and save hundreds of programming hours in the process. With all of that hoopia out of the way, we are formally announcing the momentous release of PROBAS Version 3.1, now with over 400 assembly routines to make BASIC programs faster and more powerful than you ever dreamed with features like:

- A 1,000-page two-volume manual
- .
- Full mouse support Extended and EMS memory support
- •
- Full-featured windowing Moveable, resizable windows .
- Screen snapshots (text & graphics) .
- . Virtual screens in memory
- Lightning-fast file I/O
- Critical error handling
- String, array, and pointer sorts
 Search directories and archives

Create dazzling screens in text, CGA, EGA, VGA, and Hercules graphics modes with windows that can overlay one another and be moved and resized on the fly. Store megabytes of string, data, or screen snapshots in extended or EMS memory. Draw complex text or graphic screens to memory and snap them on in an eyeblink. The **ProBas** file I/O routines allow you to read or write huge chunks of data at a clip, far faster than with BASIC.

PROBAS also has over 300 other essential services, including handy string, date, time, direc-tory, and array manipulation routines; string, screen, and data compression routines; valu-able equipment and input routines; and faster replacements for many BASIC commands.

Whether you are a professional or a novice, PROBAS will boost your BASIC in ways you never thought possible. PROBAS allows the professional to write faster, tighter code in much less time and allows novices to quickly and easily write professional-quality programs that would be impossible with BASIC alone. The bottom line is **PRoBAs** adds power and saves time. After all, how much is a few hundred hours of your time really worth?

For all DOS versions of QuickBASIC and BASCOM. Just \$149.00!



PROREF provides on-line help for the routines in the **PROBAS** library. This hypertext manual links directly to the QB Advisor in QuickBASIC 4.5 so that the PROBAS reference becomes an integral part of your QuickBASIC on-line manual. Includes information and examples on **ProBas** routines and helpful hints on program-ming in BASIC. Just \$50.00!



Screen

On-Line Help

For PROBAS

PROSCREEN is a full-featured screen generator/ editor that will save you more design and coding time than you ever thought possible. **PROSCREEN** treats screens like a word processor treats text to provide complete control over characters, colors, and placement. Design input screens with up to 130 fields, 19 pre-defined and 2 user-defined masks. Save Screens to screen files or .OBJ files and use the tight BASIC/Assembly code that comes with PROSCREEN to access the screens. There's no kludgy code generator here! Access hundreds of input screens with less than 25k of total code. Just \$99.00!

PRO MATH

Mathematics Library

PROMATH is a collection of over 150 high-level routines that provide mathematical functions and operations for programmers who often work in mathematics, science, or engineering. Complex variables, real and complex matrices, real and complex trigonometric and hyperbolic functions and their inverses, solution of linear equations, integration, differential equations, Fast Fourier transforms, graphics support, and many other useful routines are provided.

For years Fortran has been the language of choice for scientific and engineering applica-tions, but it lacks many of the useful features of QuickBASIC. **PROMATH** contains most of the Fortran mathematical and numeric functions and allows you to easily translate Fortran code to BASIC or write new programs in BASIC, while retaining Fortran's numerical prowess.

The PROMATH manual is over 200 pages and provides a complete description of each routine, including any algorithm and the mathe-matical formula the routine uses, shown in standard notation. For QuickBASIC 4 and BASCOM 6 only. Just \$99.00!

Circle 113 on Reader Service Card

RO DAST

TOOLKIT

The TOOLKIT is a collection of high-level BASIC and assembly modules that use the routines in the **PROBAS** library to save you even more hours of grunt work. Why spend hundreds of hours re-inventing the wheel when you can just plug in TOOLKIT modules like:

- Super-fast B-Tree indexing
- Ring, Bar, Pop-Up, Pull-Down menus
- Scroll-bar tag windows Dialog boxes with radio buttons .
- Two mini-editors with word wrap
- **BCD** math routines
- Julian date & calendar routines Patch .EXE files
- Protected memory storage area

The TooLKIT now supports EGA and VGA graphics modes for menus, windows, editors, calendars, and more. Complete with BASIC source code and an all-new comprehensive manual. The TOOLKIT requires the PROBAS library and helps conserve your greatest asset of all-time! Just \$99.00!

TELECOMM PROBAST TOOLKIT

The PROBAS TELECOMM TOOLKIT is a collection of high-level communications modules that you plug into your code to provide popular file transfer protocols, terminal emulations, login scripts and baud rates up to 115,200 baud. You aet:

- Xmodem/Modem7/Xmodem-1k .
- .
- .
- Ymodern (single and batch) CRC-16 and Checksum VT52, VT100, ANSI, BBS etc. Auto Dialer & data base .
- Documented BASIC source

Why use clumsy SHELLs to complex terminal programs when you can plug just the communi-cations routines you need into your code? Implement just the features and commands you want. Requires **PRoBAs**. Just \$75.00!

Our thirty-day, money-back guarantee assures you the highest quality and our technical support staff is always ready to help.



9309 JASMINE COURT . LAUREL, MD 20707

(800) 343-7484

INT'L. ORDERS: (301) 953-2191 FAX: (301) 725-8147 BBS: (301) 953-7738

Add \$5.00 per item (\$8.00 Canada) for shipping per order. Europe: \$39.00 for 1st item plus \$5.00 for each additional item. Visa, M/C, C.O.D. (US Only) checks and approved POs accepted. Trademarks PaoBas, PaoRer, PaoScaem PaoMara: Hammerly Computer Services, Inc. Quid& BASIC, BASCOM: Microsoft Corp.

THE 25TH BIRTHDAY OF BASIC

recursive routines, to handle sophisticated structures such as Btrees, and to deal better with graphics.

About this time, BASIC became more structured, with the addition of DO WHILE, WHILE...WEND, DO UNTIL, LOOP WHILE, and LOOP UNTIL loops, and SELECT CASE constructs. BASIC today has facilities that permit creating data structures as rich as those of C or Pascal. BASIC also shed the



shackles of 64K-byte limits on program size; today's BASIC programs are limited only by memory, and even individual arrays can be up to the limits of memory in size.

You can also use long (32-bit) integers in your programs. Record structures added the capability to let you define your own data structures, combining many different individual data types, such as strings and numbers.

The environment for BASIC programming has changed, too. In QuickBASIC 4.0 and 4.5, for instance, a built-in full-screen editor with automatic syntax editing, a built-in debugger, and context-sensitive help makes the program-creation process as fast and easy as possible. Borland also integrated a full-screen editor into Turbo Basic.

Another important change in the modern BASICs was a move from interpreters back to compilers: Indeed, Dartmouth BASIC has remained a compiled language since its inception. BASIC compilers for microcomputers appeared soon after disk operating systems became available, and were made possible, in part, by the availability of up to 64K bytes of memory.

These compilers included Microsoft products and Digital Research's CBASIC-86 compiler. Later, Better BASIC, Quick-BASIC, True BASIC, ZBasic, and Turbo Basic were developed. But the major move to compilers needed to be made without sacrificing the instant feedback and quick detection of errors, features that made the BASIC interpreter so successful.

Advancements in compiler technology enabled the development of a BASIC compiler that gave the appearance of an interpreter, thus offering the best of both worlds. Single-pass compilers that could compile first hundreds—and then thousands of lines of code in just a few seconds gave BASIC the appearance of an interpreter but let programs execute faster.

Later, we invented an in-memory scheme combining the features of an interpreter and a compiler. It uses a special intermediate threaded pseudocode that, when combined with an environment like the QuickBASIC editor, lets you write, debug, and change the code just like in an interpreter. When you are ready, you can compile the finished product to get maximum speed and compact size in an executable file.

Compiling BASIC also made it easier to call routines written in other languages from within BASIC. Because the compiler generates standard intermediate .OBJ files, you can link C or FORTRAN .OBJ files with your BASIC .OBJ files and call continued

Unleash the BASIC Power of Hypertext!

Our latest BASIC-booster includes the first hypertext engine designed to be called from BASIC. With the **PROBAS HYPERHELP TOOLKIT** you can use the hypertext engine to put one or more manuals on-line with full hypertext search facilities. Imagine having one or more manuals on-line with all of the fantastic hypertext abilities in the QuickBASIC 4.5 compiler and then some:

- · Choose single- or multi-window display
- Specify window colors and placement
 Move and resize windows with mouse or keys
- Sophisticated mouse and keyboard interface
- Up to 40 bookmarks to move between hyperlinks

In less than a dozen lines of code you can pop-up context-sensitive help at any time. Your users can then jump to related help, examples, or just browse the manual(s) in one or more windows that they can move or resize at will. The text will automatically wrap within the window to stay fully visible!

Create HyperCard Applications

Use the HYPERHELP engine to create fullblown hypercard applications. Create sophisticated multi-window, multi-thread hypercard stacks. Mix cards and manuals for total data integration. Moving from link-to-link or cardto-card is instantaneous and the speed will amaze you.

Adding hypertext to your applications takes less than about a dozen lines of BASIC code. Converting ASCII text to hypertext is just as easy—just put delimiters around keywords, hyperlinks, and items you want to display in boldface.

Multiple Help Subsystems

The hypertext engine is just a part of the HYPERHELP TOOLKIT. There is a wide selection of help subsystems with various displays, user interfaces, and memory requirements to suit almost any need. Want a small, windoworiented, keyword help system? It's in there! Need a Terminate & Stay Resident help system? It's in there! How about a lightbar indexing system that then pops-up the selected text? It's in there!

The HYPERHELP TOOLKIT gets it's blinding speed by using the low-level routine in our PROBAS Professional Basic Programming Library. HYPERHELP requires the PROBAS Library. See our ad on the opposite page for information on PROBAS, shipping rates, and our thirty-day money-back guarantee.

Special Introductory Price—For a short time this powerful hypertext engine and collection of help subsystems is available for **just \$99.00**!





those "foreign" language routines from within your BASIC program.

With these improvements in compiler technology, BASIC's longtime reputation as a slowly executing language fell by the wayside. Today, many popular commercial applications are written in BASIC. For example, there's a speaker-design program called AccoustaCADD, a radio station playlist manager called Music Scan, and even a program for molecular biologists called DNA Inspector. Modern compiled BASIC programs run as fast as programs compiled in Pascal or C.

I'm still a big fan of BASIC. It handles many of the overhead tasks that other languages force you to deal with, thereby unleashing your programming creativity. I have challenged programmers to write code to solve any problem using any tool they choose; I wager that I can write the same program faster using QuickBASIC. In fact, there is a joke around Microsoft that says when an application is falling behind schedule, "Just give it to Bill and he'll write it in BASIC over the weekend."

Still, as powerful as BASIC is today, there are ways to make it even better.

The BASIC Clairvoyant

Even though BASIC gives you great freedom for writing programs, it still forces you to think procedurally; your programs become a series of linked, step-by-step procedures to perform certain actions. Programming this way becomes an exercise in project management: First do this, then do that if something else happens, and so on.

As programs become more complex, these "projects" get harder to manage. Structured programming concepts deal with this complexity by encouraging programmers to break up code into small chunks, and then tie the chunks together with the unfortunately error-prone convention of function calls within, and across, module and file boundaries. Object-oriented programming puts a new twist on that idea: Make each program chunk a self-contained package of data and the procedures for manipulating that data, and then have the chunks send and receive messages to interact with other chunks.

This scheme provides a "black-box" mentality for program pieces—the pieces become objects whose internal complexity stays hidden from other objects. But why do you need to think of programs as collections of objects?

The visual environments that are used on computers today give a clue as to why thinking about program objects is important and different. In a visual environment, you choose an action or event after you choose the data that is the target of the action or event. For example, delete character, delete word, delete paragraph, and delete page are simply one command applied to different objects. You must choose the object—a character, word, paragraph, or page—before you select the command delete.

Object-oriented design techniques package data and the methods of manipulating that data together: The package becomes an object. If you want an object to do things that it doesn't currently know how to do, you create a new object that inherits the capabilities of the old object and then add the new capabilities you want to define. In traditional procedural programming, you set up the action first and then identify the data and supervise every step in the action's manipulation of that data.

Object-oriented programming will influence the development of all languages, including BASIC, over the next several years. Objects contain both code and data, and they manage their own behavior while hiding their internal complexity. *continued*

Discover Parallel cessing!



Tell & tale telefile

S 11111. 1.11.

**** **** **** **** **** --THEFT

1999 1999 1999 1999 1999 1999 ant an an an an an an and talk that that they are the an an na m m m m

The World's Most Popular Transputer Development System

Since 1986, the MicroWay Monoputer has become the favorite transputer developbecome the favorite transputer develop-ment system, with thousands in use world-wide. Monoputer/2 extends the original design from 2 to 16 megabytes and adds an enhanced DMA powered interface. The board can be used to develop code for transputer networks or can be linked with other Monoputers or Quadputers to build a transputer network. It can be powered by the 20 MHz T414 or T800 or the new 25 MHz T425 or T800.

Fortran and C Make Porting a Snap!

Microway stocks parallel languages from 3L, Logical Systems and Inmos. These include one Fortran, two Cs, Occam, Pascal, and our own Prolog. We also stock the NAG libraries for the T800 and Rockfield's structural and thermal finite element package. A single T800 node costs \$2,000, yet has the power of a \$10,000 386/1167 system. Isn't it time you considered porting your Fortran or C application to the transputer?

Mainframe Power For Your PC!

MicroWay's **Quadputer** is the most versatile multiple transputer board on the market today. Each processor can have 1, 4 or 8 megabytes of local memory. In addition, two or more Quadputers can be linked together with ribbon cables to build large systems. One MicroWay customer reduced an 8 hour mainframe analysis to 15 minutes with five Quadputers, giving him realtime control of his business.

For further information, please call MicroWay's Technical Support staff at (508) 746-7341.

C

ALEGEREL PERIODENTE PRESERVER



World Leader in PC Numerics

P.O. Box 79, Kingston, MA 02364 USA (508) 746-7341 32 High St., Kingston-Upon-Thames, U.K., 01-541-5466 USA FAX 617-934-2414 Australia 02-439-8400 Germany 069-75-1428

Objects interact with other objects by passing messages back and forth. That way, any object can be changed without affecting other objects. Any programmer can create an object that can interact with any other object; all the programmer has to know is the message-passing syntax.

To adapt to this object-oriented emphasis in programming, BASIC will need the ability to create and manipulate classes and subclasses, which are the principal data abstraction devices of object-oriented programming. BASIC will also need a visual component. After all, the best way to design a form is to draw the form, not write code to reproduce it. With a mouse and a palette of predrawn graphics images, you should be able to combine lines, boxes, and buttons interactively on a screen to design a form for a program. That kind of interactive design of objects should also let you attach to or combine your creations within a program.

Future versions of BASIC will increasingly provide support for this kind of programming. The programs will look different from the BASIC we're used to. A visual BASIC program will be a mixture of code, programmer-written objects, and visually specified objects. With separate windows, you would be able to edit both the visual and code parts of the program.

HyperCard provides an interesting example of this combination of visual and more standard procedural programming. The screen display of the card, with its buttons and display areas, provides the visual field; the script language, HyperTalk, lets you create procedures that relate to the card and the information that the card links with. Although HyperCard is only a partial implementation of object-oriented programming, it forms an understandable intermediate step between procedural and object-level programming.

Another major change in BASIC's future will be its universality. This change will result from BASIC's becoming part of the overall computing environment. BASIC may soon become the equivalent of today's MS-DOS command interpreter, COMMAND.COM. If this happens, BASIC will play a role similar to the one it played in the earliest personal computersas a universal "macro" language through which users interact with their computers and all the applications they run.

A universal BASIC would come in different flavors. One fla-

vor would serve as a central control language for the computing environment. As an environment control tool, BASIC would be a command-line adjunct to a visual user interface. Another flavor would serve as an embedded language within application programs. Embedded BASIC would allow power users to embellish the performance of their applications, as Lotus 1-2-3 users do today, without having to learn a new macro language for each application they use.

You would be able to use BASIC syntax to tell your application programs to perform their various functions in the order you want them performed. For example, if you needed a certain report each month, you'd be able to write a short BASIC program that tells the application to gather the relevant data, format it properly, and have it waiting for you at the appointed hour. BASIC can provide this power while remaining easy to learn and use. These kinds of changes will keep BASIC vibrant for a long time.

Perpetually Young

The next 25 years in BASIC's life will probably be even more exciting than the first 25. BASIC's development has mirrored the explosive growth of the personal computer industry: When the hardware was weak, BASIC was pretty cramped, too. The rapid improvements in hardware in the last 15 years have been matched by the growth of BASIC in both power and flexibility. If you haven't looked at BASIC in the last few years, you'll be surprised by how it's changed. Compare listings 1, 2, and 3 to see the evolution of BASIC from 1964 through 1985.

In the late 1970s, when C started becoming very popular, many people predicted the demise of the COBOL and FOR-TRAN languages. Pascal was supposed to sound the death knell for BASIC. But all these languages continue to survive. I believe that in the case of BASIC, the language is flourishing. If BASIC becomes a universal macro language, as I think it will, it may outlive all the procedural languages. BASIC may, in fact, outlive us all.

Bill Gates is chairman and CEO of Microsoft Corp. in Bellevue, Washington. He cofounded the company in 1975 with Paul Allen. He can be reached on BIX c/o "editors.

EDC Electronic Design Center

Motherboard for 1-16 TRAM

Transputer board with 4 x T414

Transputer board with 4 x T800

Rack for 10 EDC-4T4MB cards

Transputer Boards

EDC-B016 EDC-4T4MB-T414 EDC-4T4MB-T800 EDC-4T4MB-ITEM EDC-4T4MB-TDS

Transputer Module Series 501

EDC-501-128KS EDC-501-256KS* EDC-501-1MD-T414-70 EDC-501-1MD-T414-100 EDC-501-1MD-T800-70 EDC-501-1MD-T800-100 All transputer modules pin-compatible with INMOS TRAMS.

EDC GmbH.

Software Development System Transputer module with T414 or T800 and 128K SRAM Transputer module with T414 or T800 and 256K SRAM Transputer module with T414 and 1MB DRAM (70ns) Transputer module with T414 and 1MB DRAM (100ns) Transputer module with T800 and 1MB DRAM (70ns) Transputer module with TB00 and 1MB DRAM (100ns)

Taunusstr. 51/III, 8000 Munchen 40

High Tech in Perfection Transputer Products

Transputer Interface Module

EDC-UBX1	UNIBUS interface card
EDC-TVM1	VME-Bus interface card
EDC-TQB1	Q-Bus interface card,

Transputer Software

FDC-SWMS1 EDC-SWVDOT

E

E

E

EDC Memory Module

EDC-SX32-064	
EDC-SX32-256	
EDC-DX32-256	
EDC-DX40-256	

64K x 8 SRAM module 64K x 32 SRAM module 256K x 32 DRAM module 256K x 40 DRAM module

RAM-Disk for Transputer boards

Tel.: (89) 350 70 76 Fax: (89) 359-61-80 Tx.: 521 25 99

Mathematical and statistical package in OCCAM

THE COMPUSTAR® THEORY OF SENSIBILITY

C=al+mca+eisa

Okay, we admit it may not be as profound as Einstein's Theory of Relativity. But, if you're a computer user, we bet it's a bit more, shall we say, "relative" — not to mention a whole lot more sensible.

he "C" stands for CompuStar_® — the world's first and only multi-processor, convertible bus™ microcomputer. And, as the theory states, CompuStar means AT, MCA and EISA compatibility — all in a single system.

A CONVERTIBLE BUS?

Each CompuStar features snap-in bus "modules" that let you convert from one bus standard to another — a PC/AT^1 bus, a PS/2(MCA) bus. . . or both!



SNAP-IN PS/2 AND AT BUS MODULES.

Depending on configuration, you can have up to 13 AT and/or PS/2 bus expansion slots. Plus, when the new EISA bus becomes popular, we're licensed to offer it as well.

THREE COMPUTERS IN ONE.

Buses are not the only thing you can reconfigure in a CompuStar. Each system can be equipped with any of three CPU Modules - an 8086, an 80286 or an 80386. Since the modules are interchangeable, you won't have to worry about buying the wrong computer system. We'll even let you trade-in your CPU Module toward the purchase of any of



the other more powerful modules.* But that's not all. CompuStar features an incredible seven disk/tape compartments that we'll gladly custom configure for you at the factory. No matter what your application, we can tailor fit a CompuStar to match it precisely.



CPU MODULES ARE INTERCHANGEABLE.

IT'S NUMBER ONE RATED.

If you're thinking a computer with as much flexibility as CompuStar would have to compromise something, like performance — think again. The CompuStar is one of the fastest, most powerful systems available. In fact, CompuStar's performance and flexibility so impressed InfoWorld magazine they gave it the highest rating of all hardware products tested in 1988! That's astonishing when you consider you can buy a CompuStar for thousands of dollars less than a comparably equipped system from IBM or Compaq.

If you're shopping for the next generation in personal computers, why not call us today at 803/796-7800 to arrange an on-site no obligation 30 day CompuStar_® trial in your office.* Relatively speaking, it's the only sensible thing to do.



Corporate Headquarters: 3243 Sunset Boulevard • West Columbia, SC 29169 • 803/796-7800 • FAX 803/796-7029

¹Personal Computer AT, AT, PS/2 and IBM are trademarks of International Business Machines Corporation. ² MCA is a trademark of IBM. *Some restrictions may apply. Call us for details on our trade-in and total customer satisfaction programs.

l'ertormers.



H.I.M.S. 386SX/16 MHz

- INTEL 80386SX MICROPROCESSOR RUNNING AT 16 MHz SOCKET FOR 16 MHz 80387SX MATH COPROCESSOR
 - DUAL DISKETTE AND HARD DISK DRIVE CONTROLLER (1:1 5.25" 1.2 MB OR 3.5" 1.44 MB DISKETTE DRIVE
- 1 MB 80 NS MEMORY (OR 2 MB, 4 MB EXPANDABLE TO 16 MB) **NTERLEAVE**
 - 40 MB HARD DISK 38 MS, 800 KB 0ATA TRANSFER RATE
 HI-SPEED 2 SERIAL PORT(S), 1 PARALLEL PORT
 - 101 ENHANCED TACTILE "CLICK" TOUCH KEYBOARD
- 200 WATT SWITCHING POWER SUPPLY
- 8 EXPANSION SLOTS (2=FAST SLOTS/8 BIT, 1=8BIT, 5=16 BIT)
- HI-PERFORMANCE 16-BIT VGA CARO (800 x 600) OR OPTIONAL (1024 x 768)
- 6 LAYER H.I.M.S. (U.S.A.) MOTHER BOARD
 LATEST AMI 386 BIOS (BUILT-IN DIAGNOSTICS, SETUP, AND HARD DISK FORMATTING UTILITY SOFTWARE)
 - - 10 YEAR BATTERY WITH CLOCK CALENDAR DISK CACHE AND EMS UTILITY SOFTWARE
 H.I.M.S. SMALL FOOT PRINT, 4 BAYS CASE

\$1895

HARD DISK DRIVE	1 MB	2 MB	4 MB
68 MB 22 MS (800KB DTR)	1995	2150	2395
100 MB 22 MS (800KB DTR)	2195	2375	2595
120 MB 28 MS ESDI 1MB DTR	2650	2795	3050



HLMS. PAGE MODE SERIES 16 AND 20 MHz 386

- INTEL 80386 MICROPROCESSOR RUNNING AT 16 MHz (OR
- SOCKET FOR 20 MHz INTEL 80387 OR 20 MHz WEITEK 3167 MATH 20 MHz
 - 5.25*1.2 MB OR 3.5* 1.44 MB DISKETTE DRIVE
 DUAL DISKETTE AND HARD DISK DRIVE CONTROLLER (1:1
 - VTERLEAVE)
- I MB OR (4 MB OPTIONAL) 80 NS PAGE MODE MEMORY
 66 MB 23 MS HARD DISK, 800 KB DATA TRANSFER RATE
 - HI-SPEED 2 SERIAL PORT(S), 1 PARALLEL PORT
- 101 ENHANCED TACTILE "CLICK" TOUCH KEYBOARD
 - 230 WATT POWER SUPPLY (110/220) FCC, UL, CSA, TUV
- В 8 EXPANSION SLOTS (2=32/8-BIT, 1=8-BIT, 6=16-BIT) HI-PERFORMANCE 16-BIT VGA CARD (800 x 600)
 - 6 LAYER H.I.M.S. (U.S.A.) MOTHER BOARD OPTIONAL (1024 x 768)
- LATEST AMI 386 BIOS (BUILT-IN DIAGNOSTICS, SETUP, AND
 - HARD DISK FORMATTING UTILITY SOFTWARE) 10 YEAR BATTERY WITH CLOCK CALENDAR DISK CACHE AND EMS UTILITY SOFTWARE
- 5-BAY STURDY DESKTOP CASE (6 BAY VERTICAL CASE
 - FCC CLASS B ON TOWER & DESKTOP **OPTIONAL**

\$2295 FOR 20 MHz

HARD DISK ORIVE	1 MB	4 MB
100 MB 22 MS 800 KB DTR.	2395	2895

HARD DISK ORIVE	1 MB	4 M8
100 MB 22 MS 800 KB DTR.	2395	2895
120 MB 28 MS 1 MB DTR. ESDI	2750	3250
150 MB 15 MS 1 MB 0TR. ESDI	3095	3595
330 MB ESDI 14 MS 1 MB DTR.	3950	4450





SERIES CACHE PRO 386 20. HLM.S. PROFESSIONAL

- 25 AND 33 MHz
- INTEL 80386 MICROPROCESSOR RUNNING AT 20 MHz (OR 25 AND 33 MHz OPTIONAL
- SOCKET FOR 80387 OR WEITEK 3167 MATH CO-PROCESSOR
- 64 K 25 NS CACHE UPGRADEABLE TO 256 K, READ AND WRITE CACHE WITH WRITE BACK CACHE
 - PAGE MODE MEMORY ARCHITECTURE
- 1 MB 80 NS MEMORY UPGRADEABLE TO 2, 4, 8 MB ON MOTHER BOARD, 16 MB WITH 32-BIT MEMORY CARD
 - 5.25" 1.2 MB OR 3.5" 1.44 MB DISKETTE DRIVE
 DUAL DISKETTE AND HARD DISK DRIVE CONTROLLER, 1:1
 - INTERLEAVE
 - HI-SPEED, 2 SERIAL, 1 PARALLEL PORT
- 250 WATT HEAVY DUTY POWER SUPPLY
- 101 ENHANCED TACTILE "CLICK" TOUCH KEYBOARD
 8 EXPANSION SLOTS (1=32 BIT, 1=8 BIT, 6=16 BIT)
- LATEST AMI 386 BIOS (BUILT-IN DIAGNOSTICS, SETUP, AND HARD
- HIGH PERFORMANCE 16-BIT VGA CARD (800 X 500) OR OPTIONAL DISK FORMATING UTILITY SOFTWARE)
 - 6 LAYER H.I.M.S. 64/256 CACHE MOTHER BOARD 1024 X 768)
- 66 MB 23 MS HARO DISK 800KB DATA TRANSFER RATE.
- 6 BAY VERTICAL OR 5 BAY DESKTOP CHASIS (SUPER VERTICAL
- 10 BAY WITH 375 WATT POWER SUPPLY OPTIONAL)

 - FCC CLASS B ON DESKTOP OR TOWER
- DISK CACHE, EMS UTILITY SOFTWARE
- 20 MHz \$2695 25 MHz ADD \$495
 - 33 MHz ADD \$1295
- 8 1 5 2 2

UND FIND SOULD THIS WILL NO MUMPHIC	101100	
RD DISK DRIVE	1 MB	4 MB
0 MB 22 MS 800 KB DTR.	2950	3495
I MB (ESDI) 28 MS 1 MB DTR.	3350	3895
0 MB (ESDI) 16 MS 1 MB DTR.	3695	4450
0 MB (ESDI) 14 MS 1 MB DTR.	4550	5150

H.I.M.S. TECHNOLOGIES has been manufacturing hi-performance COMPANY

computers in California under private label for a number of years; and hi-performance computers, 286, 386SX, 386 Page Mode and Cache service, which seems to be a missing feature with most of our competitors. Just compare our competition and you will find the obvious, then add our One Year On-Site Service at no extra 386 to satisfy your needs in price, performance and after the sale now H.I.M.S. is manufacturing under its own label the same SURPRISE cost.

PRODUCT

supplying the industry with 386 Cache Pro in verticle, super verticle or desktop with FCC Class "B" approval. How about our 256K Write Back Cache Design at down to earth pricing? You can actually afford the high Disk is pre-compsurfed and formatted. H.I.M.S. carries a wide variety of H.M.S. manufactures a complete breadth of 286, 386SX, Page Mode speed luxury! All the H.I.M.S. Systems can be custom conligured to fit 386 and Cache 386 systems. H.I.M.S. is the only company currently burned-in from the Factory for 72 hours at 60° Centigrade. The Hard specifications. All H.I.M.S. Systems come assembled, tested and options like: Video Cards for CAD/CAM and desktop publishing, your needs, so call our expert sales executives to discuss your printers, monitor's 14" to 25", Opto magneto drives, math coprocessors, ploters, pointing devices and software.

SERVICE

All H.I.M.S. computers come with a One-Year On-Site Service included. This gives you an immediate back-up just in case a problem may arise a technician can be in your tocation within 4 to 8 hours from our 414 service locations, including Puerto Rico and Canada. All products are made in the U.S.A.III

M.I.M.S. TECHNOLOGIES is the Price, Performance and after sales service leader in the Fast Group.





Phone: (408) 946-9711 • FAX: (408) 946-9744 368 Montague Expressway • Milpitas, CA 95035



Circle 125 on Reader Service Card

BM, COMPAQ, ALR, EVEREX, UNIX, XENIX, NOVELL ARE TRADEMARKS OF THEIR RESPECTIVE COMPANIES.

OCCAM II

Companion and counterpart of the INMOS transputer, the Occam II programming language is designed for parallel processing

Dick Pountain



The literal translation of the Latin *Entia non sunt multiplicanda* praeter necessitatem is "Entities should not be multiplied beyond necessity," which is still good advice even now in the era of floating-point coprocessors.

In the 1980s, INMOS introduced the transputer, a highspeed microprocessor designed for parallel processing. With it came Occam, the programming language designed especially for parallel programming on the transputer. Occam II is the latest version of Occam.

An Occam Machine

INMOS developed Occam and the transputer together in a way that few hardware/software combinations have been developed before. The transputer's hardware features (e.g., the on-chip serial links) were chosen to support the Occam model of concurrency, and the instruction set was devised to optimize execution of Occam programs. In turn, the features of the Occam language compiler were shaped by the hardware operations and performance, given the state of VLSI technology in the early 1980s. Although the transputer is perfectly capable of running programs written in C, FORTRAN, Pascal, or assembly language, it is an "Occam machine" in a real sense. To be more precise, the transputer embodies in hardware the Occam model of computation.

The Occam Philosophy

Since their inception in the 1940s, digital computers have been rather "introverted" entities. John von Neumann's great insight that a single memory space can hold both the data and the program that manipulates the data has governed the design of all computers to this day and, indirectly, of programming languages as well. A digital computer carries out its processing activity in the small enclosed world of its RAM space. The outside world impinges only by exceptional means. The singleclosed-world concept is the essential simplification that has allowed the science of computing to flourish so remarkably over the last 40 years. Only now is the computing community in a position to risk stepping away from it.

The demand for computing power, driven by applications like weather forecasting, real-time three-dimensional graphics, and numerical simulations, is growing exponentially. The pursuit of this extra power has made it clear that the basic von Neumann concept can be pushed only so far. The idea of a single (faster and faster) processor talking to a single (larger and larger) memory no longer has validity; the processor spends more time fetching instructions and data than it does processing. The speed of the bus that connects the memory and the processor has become a crucial bottleneck. Ever more elaborate layers of caching only postpone the inevitable crunch. It is generally agreed that the way to greater power and performance involves splitting up computations so they run on more than one processor concurrently-in other words, parallel processing. (See the In Depth section of the November 1988 BYTE.)

Unfortunately, while the von Neumann architecture has allowed the industry to make enormous strides in hardware optimization, it has also restricted the evolution of programming languages for distributed networks of processors. Conventional programming languages assume that the data is stored in main memory (if the data is stored externally, on magnetic disk, it must be brought into memory before it can be used). Languages like C and Modula-2 don't even have I/O instructions in their core language. They implement I/O operations as separate library routines. I/O instructions tend to be different in kind from the arithmetic and logical instructions that perform the processing. They frequently display complicated, ad hoc semantics imposed by the idiosyncrasies of communicating with external devices. What's more, the instructions for disk I/O are *continued*

often different from those for screen I/O or serial port I/O. Consider, for example, the contortions involved in establishing an RS-232C link in BASICA.

The von Neumann architecture has also constrained programming language design in another way. It assumes a single processor sequentially executing a single list of instructions from the main memory. The most widely used programming languages display this assumption in their design fundamentals. Some languages, such as Modula-2, have added features to support concurrent execution, but, except perhaps in the case of Ada, these features feel more like optional extensions than integral parts of the language. When writing a concurrent program in these languages, the programmer often must become involved in the detailed mechanism of process synchronization.

Interprocess Communication and Concurrent Execution

In Occam the concepts of communication and concurrent execution are built into the core of the language itself rather than tacked on as afterthoughts. David May designed Occam at the INMOS research center in Bristol, England. Professor Tony Hoare of Oxford University greatly influenced the design of the Occam channel through his seminal paper "Communicating Sequential Processes" (*Communications of the ACM*, 1978). The key idea of CSP is that parallel computations can be implemented by a number of purely sequential von Neumann machines communicating with each other over a network of selfsynchronizing channels.

The CSP idea infuses both the transputer hardware and the Occam language. The transputer acts as a whole computer-ona-chip, complete with memory and four fast serial communication links. A network can be constructed by joining the links of several chips together. These links run concurrently with the main processor and have built-in hardware handshaking for synchronization. The transputer hardware also features an efficient time-slicing process scheduler that lets multiple processes run on the same chip. As I'll show below, it is crucial to the design that the same multiple processes can run *either* on multiple transputers *or* on a single one. (See "T800 and Counting," November 1988 BYTE, for more information on transputer hardware.)

In Occam, the abstract concepts of a *process* and a *channel* are equivalent to the elements of the CSP model; that is, the programmer can build closely linked multiprocessor networks by linking processes with channels. Occam channels support the underlying handshaking mechanism of the transputer *links* in a way that is totally transparent to the programmer. The crucial point is that an Occam program makes no initial assumptions about the actual hardware network it will run on. An Occam channel can eventually be implemented either as a real transputer link joining the separate memory spaces of two processors or as a shared memory location on the same processor without altering the program's logic. When coding a parallel-



Figure 1: A process diagram of the simple program structure where proc1 communicates to proc2 through chan1.

process algorithm, you can concentrate solely on getting the logic correct and ignore hardware issues.

Multiprocessor development can actually take place on a single transputer. When the program logic is correct, you can map it onto a real network of transputers (of sufficient number to achieve the required performance) without altering its logical behavior. This intimate connection between Occam and the transputer hardware has given rise to much confusion about how "high-level" a language Occam is meant to be. I have devoted a section below to this issue.

Processes and Channels

The fundamental program element in Occam is the *process*. By definition, "a process starts, performs actions, and then terminates." This sounds very much like the definition of any computer program, but it forces you to think about things normally taken for granted, such as what is meant by "terminates." An Occam program can consist of many concurrent processes, and they can all terminate at different times; indeed, some may not terminate at all.

In Occam, there are only three primitive actions that a process can perform—namely, *assignment*, *input*, and *output*. Assignment is the same as it is in BASIC, C, or Pascal: It changes the value of a variable:

fred := 2 + x

Input and output involve passing a value to or from a *channel*. Channels are program entities that behave in some ways like variables; for example, they have a name and a type and must be declared before use (Occam II is a strongly typed language). A channel connects exactly two processes in only one direction; a bidirectional connection requires two channels. If a channel, chan1, connects two processes, proc1 and proc2, that are running in parallel, then proc1 may contain an output statement like this:

chan1! fred+3

This means "output the value of variable fred + 3 on the channel chan1." The process proc2 may contain an input statement like this:

chan1? tom

which means "input from channel chan1 to the variable tom."

At first, it may help to think of input and output over channels as a way of assigning a value to a variable in another process. The net effect of the two statements above is rather like tom := fred + 3, except that tom exists inside a different process from fred. Shared global variables are forbidden in Occam. If a variable is assigned in process A, Occam will not allow you to use that variable in any other process running in parallel with A. (Compiler checks enforce this prohibition.) The only legal way to transfer a value from one parallel process to another is via a channel. You use variables only to store values, not transfer them. The rationale for this should become clear after some reflection. Logically it is the same problem as that of several users on a LAN accessing the same file—without record locking, chaos results. Occam uses the channel communication process instead of variable locking.

Both input and output processes are "patient"—that is, each will wait until the other is ready. So it is immaterial whether proc1 reaches its output statement before or after proc2 reaches its input statement; whichever arrives first waits for the

other. A parallel Occam process runs completely asynchronously (i.e., at its own speed) until it must communicate with another process, at which point the two processes are forced into step while they exchange data, after which they go their separate ways again. Basically, this is the same idea as the "rendezvous" in Ada, but in Occam it is implicit and totally transparent to the programmer.

Because channels and processes are so fundamental to Occam, it's often useful to draw process diagrams that describe a

Because Occam

permits parallel execution, sequential execution cannot be taken for granted as it is in ordinary languages.

program's structure rather than flowcharts. Figure 1 shows how you might diagram the simple situation described above.

Occam Programs

Occam programs are built up from the three primitive processes just described (i.e., assignment, input, and output) by combining them into more complex processes. Or, looking at it the other way around, Occam lets you hierarchically decompose a problem into a collection of concurrent processes communicating via channels.

The syntax of Occam looks fairly conventional to anyone who is used to Algol-derived languages such as Pascal. Only two things immediately stand out as being unusual. First, Occam uses indentation not just for increased readability, as in C and Pascal, but also as the sole delimiter of subprocesses; there is no equivalent of BEGIN...END or $\{..\}$. Second, because Occam permits parallel execution, sequential execution cannot be taken for granted as it is in ordinary languages. In Pascal or BASIC, if you write statements one after the other, you expect them to be executed one after the other. In Occam, if you want a sequence, you have to ask explicitly for a sequence. Suppose you have three processes called A, B, and C. Then, in the Occam construct

SEQ A

- B
- С

indenting A, B, and C by two spaces under the keyword SEQ, defines a compound process consisting of the sequence A followed by B followed by C. This process terminates when C terminates, much as in BASIC or Pascal. However, if you say

PAR A

- В
- c

you have specified a new process consisting of A, B, and C running at the same time. This process terminates when the slowest of A, B, and C terminates. You neither know nor care which process that may be. The simple communication example above looks like this when fully declared in Occam:

```
CHAN OF INT chan1:
INT fred, tom, jane:
PAR
SEQ
fred := 3
chan1 ! fred + 2
SEQ
chan1 ? tom
jane := tom * 20
```

The channel chan1 is declared to be able to carry integer values only (i.e., of type INT), and INT is said to be its protocol. This program results in fred=3, tom=5, and jane=100. Had you tried to use fred in the second SEQ as well, the compiler would have reported an illegal shared variable in a PAR. You could instead have declared the variables as local to their SEQs, in which case the problem can't even arise:

```
CHAN OF INT chan1:

PAR

INT fred:

SEQ

fred := 3

chan1 ! fred + 2

INT tom, jane:

SEQ

chan1 ? tom

jane := tom * 20
```

As a rule in Occam, it's best to keep all data local unless there's a pressing reason not to. You can name processes and give them parameters just as in C or Pascal, so you can go on to say

```
CHAN OF INT chan1:

PROC proc1(INT x)

INT fred:

SEQ

fred := 3

chan1 ! fred + x

:

PROC proc2(INT y)

INT tom, jane:

SEQ

chan1 ? tom

jane := tom * y

:

PAR -- main process starts here

proc1(3)

proc2(20)
```

Other Control Processes

In Occam, you have several other ways of combining primitive processes besides PAR and SEQ—for example, IF, WHILE, CASE, and ALT. The conditional process IF executes the first process whose test is true. The selection process CASE operates similarly but uses literal selector values instead of tests. WHILE provides a conditional loop like that of C and Pascal. The most interesting control process of all is ALT, the alternative process, which has no equivalent in sequential languages. Consider the following program fragment:

OCCAM II

ALT			
right	?	х	
out	!	х	
left ?	Ċ,	х	
out	ł	х	

1

The ALT process watches channels left and right and executes the subprocess associated with whichever one produces a result first; it's like a first-past-the-post race between the channels. Here, the subprocess is the same for both, merely outputting the received value on the single channel out. If you iterate the ALT process, it has the effect of merging or time-multiplexing two input streams into one output stream. The process below merges two streams of complex numbers until you stop it by sending the Boolean value FALSE on channel shutoff:

```
PROTOCOL COMPLEX IS REAL64; REAL64:
PROC merge(CHAN OF COMPLEX right,
           left, out;
           CHAN OF BOOL shutoff)
  REAL64 x.real, x.imag:
  BOOL running:
  SEQ
    running := TRUE
    WHILE running
      ALT
        shutoff ? running
           SKIP
        right ? x.real; x.imag
          out ! x.real; x.imag
        left ? x.real; x.imag
          out ! x.real; x.imag
```



Figure 2: A process diagram of two input streams multiplexed into a single output stream. The Boolean value FALSE on channel shutoff will terminate the program.

Table 1: Occam II supports a full range of type conversion and IEEE rounding and the following data types:
BYTE INT (size defined by executing hardware) INT16 INT32 INT64 REAL32 REAL64 BOOL

Figure 2 shows the process diagram for this example.

This process illustrates several further points about Occam: It supports a 64-bit ANSI/IEEE floating-point data type REAL64 (other supported data types are shown in table 1); channels can have structured rather than simple protocols; more than one variable can be changed by a single input or output; although Occam has structured channel protocols, it does not have corresponding structured variables or records, so a sequence of simple variables has to suffice.

Arrays

Occam supports arrays of both processes and channels in addition to plain data arrays. An array of SEQ processes is just a way of describing a counted loop similar to Pascal's for loop. To illustrate, here's a process that prints strings to a screen:

PLACE screen AT 8:

PROC writestr(CHAN OF BYTE stream; VAL []BYTE
 string)
SEQ i := 0 FOR SIZE string
 stream ! string[i] : SEQ
 writestr(screen, "Hello world!")

SIZE is a built-in Occam function that returns the size of an array. Note that Occam does not support separate character or string types but treats them as bytes and arrays of bytes. The process uses PLACE to make *screen* a physical hardware channel (see below).

An array of PAR processes is a central construct in the Occam style of programming. It describes a pipeline of processes in which you can pass data from one process to another and subject it to the same operation at each stage. The simplest example of the use of such a "replicated" PAR is to implement a queue or buffer structure such as this terminal type-ahead buffer:

```
[21]CHAN OF BYTE buffer:
PROC keyboard.input()
  WHILE TRUE
    BYTE char:
    SEQ
      keyboard ? char
                           -- get a character from
                              the keyboard
      buffer[0] ! char
                           -- put it into the
                              pipeline
PROC terminal.output()
  WHILE TRUE
    BYTE char:
    SEQ
      buffer[20] ? char
                           -- get a character from
                              the pipeline
      screen ! char
                           -- display it
PROC type.ahead()
  PAR i := 0 FOR 20
                           -- 20 parallel
                              processes
    WHILE TRUE
                           -- all like this ...
      BYTE char:
      SEQ
        buffer[i] ? char
                              -- pass the
                                 character
                                 on to...
        buffer[i+1] ! char
                              -- ... the next stage
•
```

```
PAR
keyboard.input()
type.ahead()
terminal.output()
```

The main process, type.ahead, is a replicated PAR that simply passes characters along the line of channels called buffer from the keyboard input process to the screen output process. All three processes run in parallel. The buffer is self-regulating thanks to the nature of Occam channel communication; it can't overflow or underflow but waits patiently in either case.

You can use an array of parallel processes for parallel sorting, vector arithmetic, or graphics ray tracing by performing computations on the data rather than just passing it along. Of course, to reap any performance benefit, you must assign a physical processor to each component of the replicated PAR, although you can develop and test the program by time slicing on a single processor.

Real-Time and Hardware Matters

Once you have debugged an Occam program to the point where the logic is correct, you can turn to matters of configuration and performance. Occam provides the means to assign processes to physical transputers and channels to physical transputer links. It also supports I/O ports (so you can write device drivers for conventional peripheral chips) and the absolute location of program objects in memory (for memory-mapped devices).

You use the keywords PLACE and PLACED to associate channels and processes with physical devices. The body of a pipelined ray-tracing program may contain declarations of this kind when configured to run on several transputers:

```
VAL number.transputers IS 50 :
PROTOCOL PIXELPACK IS INT::[]INT :
[number.transputers]CHAN OF PIXELPACK forward,
        return :
. . . . . . . .
PLACED PAR i := 0 FOR number.transputers
  PROCESSOR i T8
    PLACE forward[i]
                       AT linkOin :
    PLACE forward[i+1] AT linklout:
    PLACE return[i]
                      AT linklin :
    PLACE return[i]
                       AT linkOout:
    calculate(forward[i], forward[i+1],
        return[i], return[i+1])
```

The user-defined process calculate performs ray-tracing computations on batches of "raw" pixels that are sent outward on the array of channels named forward; the processed results are sent back along the return channels. The protocol PIXEL-PACK is a 16-bit count followed by an array containing that number of 16-bit pixels. The PLACED PAR assigns an array of 50 parallel calculating processes to a pipeline of 50 T800 transputers (PROCESSOR i T8), and the PLACE statements assign the Occam channel names (forward[i], and so on) to real transputer links (linklin, and so on). Figure 3 diagrams this process.

I have simplified this example drastically—a real ray-tracing program is much more complex. You can also use PLACE to put variables or arrays at absolute memory addresses, just like absolute variables in Turbo Pascal.

Performance in Occam programs is not just a matter of the number of processors employed; process priority can become an issue, too. In general, Occam discourages the use of priority, preferring to allow channels to self-synchronize. Although you can develop most programs without prioritization, it may become unavoidable in real-time applications. The keyword PRI can be applied to both PAR and ALT processes to establish one component's priority over all the others. Thus, in

PRI PAR

A B

c

process A has priority, and processes B and C can proceed only when A is waiting on an input or output. A good example of the use of a PRI ALT is to mix a stream of serial data from a UART chip with data from an Occam channel; the UART is an "impatient" external device that can lose data if kept waiting:

```
TIMER clock:
... more declarations
SEQ
  clock ? time
                            -- get start time
  WHILE active
    SEQ
      time := time PLUS interval
      PRT ALT
        clock ? AFTER time -- is it time to check
                               the UART yet?
          SEQ
            get.UART(char)
            to.buffer ! char
        source ? char
                            -- otherwise get from
                               channel
          to.buffer ! char
```

The user-defined process get.UART checks the UART's status register and gets a character if one is ready; clock demonstrates another kind of Occam object, a timer that acts like a channel that delivers the current time. The operators PLUS and AFTER are used to do modulo arithmetic on time values. The value of interval would be set just short of the shortest possible time in which a new serial character can arrive (that time, in seconds, is about 10 divided by the baud rate). Thus, processor time is not wasted in a "busy wait" when no UART data is due.

Limitations of Occam

There has been much misunderstanding about how high-level the Occam language is. Occam is very intimately linked to the transputer instruction set, to the point where many Occam constructs compile to single instructions. In fact, INMOS intended Occam to be the assembly language of the transputer, the lowest level at which it can be programmed. Some assemblers are now available for the transputer, but parallel assembly procontinued



Figure 3: A simplified diagram of ray tracing using 50 parallel T80 transputers.



OCCAM II

gramming is strictly for heroes. Viewed as an assembly language and compared to 8086 or 68000 assembly languages, Occam is very high-level indeed. But compared to Pascal or C, it is rather low-level, lacking, for example, record types and structures. Moreover, it is a static language (like FORTRAN), in which all the resources a program needs must be known and allocated at compile time. This means that it does not support a stack or a heap and so does not permit recursive procedures.

This was a deliberate, if radical, design decision by INMOS. The transputer was not designed to compete head-on with the Intel and Motorola chips as a general-purpose single CPU, but rather to be a programmable component for very high-performance parallel applications, often of the embedded type. Typical transputer applications have been distributed control systems, laser printer engines, graphics processors, image-processing arrays, and signal processors. For such applications, Occam needs to be efficient and secure. It must also be capable of running without an operating system, on the raw hardware, and, perhaps, using only the on-chip memory.

It would have been possible to make Occam a stack-based, block-structured language like C, but then every parallel process would have to have its own stack, which requires a dynamic memory-allocation scheme (like that in Unix) for which the transputer provides no hardware support. Such schemes mean large memory overheads and degraded context switching; a raw Occam process can be switched in about 1 microsecond compared to about 100 microseconds for Unix tasks.

Another point is that the static nature of Occam allows compiler checks to catch most logic errors (apart from deadlock) at compile time while reducing the number of possible run-time errors and making them cheaper to detect-important benefits for high-security applications. It seems likely that transputer users will be split into two camps for some time. Some will want a fuller operating system, such as the Helios system (see "A Personal Transputer," June 1988 BYTE). They'll also want a C compiler but will be prepared to accept reduced performance. Others will need the minimalism of Occam. Eventually, the camps could be reunited if INMOS is ready to produce a dynamic version of Occam when the next generation of transputers provides the needed hardware memory management.

A "Novel Calculus"

These few examples, I hope, have conveyed some of the feel of Occam programming. Designing Occam programs is certainly different from designing sequential programs; often it is more like designing electronic circuits where you "wire" together a number of active components, the wire being channels and the components being parallel processes.

While Occam is a safe, elegant, and efficient way to program transputer networks, it is also something more; it's a novel calculus or way of thinking about concurrent systems. The clean syntax of Pascal has made it the textbook language in which to express sequential algorithms. I believe that Occam can fulfill the same role for parallel algorithms. Occam has well-defined algebraic semantics that allows accuracy-preserving transformations to be performed on program text. INMOS design engineers have used a specification written in high-level Occam, via a transformation system, to verify the accuracy of the microcode that implements the FPU of the T800 transputer. In future designs for hardware, this microcode may be "compiled into silicon" from the Occam descriptions.

Dick Pountain is a BYTE consulting editor, technical author, and software consultant living in London, England. You can contact him on BIX as "dickp.

N RamTec (09) 224620 0) 4507696 (SF) Morete

Overseas Trade 2726077



IT Hz SO GOOD!

INTRODUCING HAUPPAUGE'S 33MHz SYSTEM BOARDS.

If your computer feels slow, we know where it hertz. For a fast cure, get our new 386 MotherBoard/33MHz. We've built in 4 Megabytes of high speed RAM, 64K of RAM cache, and both 387 Weitek math coprocessor sockets. This board makes your 386 computer the fastest PC available!

Network Savvy. With the 386 MotherBoard/33MHz, you can build a file server or workstation that makes Novell networks *scream*. Enjoy compatibility with Token Ring, Arcnet, Ethernet, and other network cards.

The UNIX Engine. Great for VARS, Systems Integrators and UNIX OEMs, the Hauppauge 386 MotherBoard/33MHz runs SCO Xenix, Interactive 386/ix and AT&T's UNIX System V. With its PC/AT compatible I/O system, our 33MHz board accommodates the latest in disk control, graphics, and network I/O cards.

CAD Capability. Do your AutoCAD and other CAD programs seem slow? The 386 MotherBoard/33MHz boosts your math and graphics applications, and supports the high speed 387-33 and 33MHz Weitek math coprocessors.

Technical Features. The 386 MotherBoard/33MHz includes: • 4 Megabytes of high speed 32-bit memory, expandable to 64 Megabytes • 64K of 20 nsec cache memory = Six 16-bit expansion slots, one 8-bit and one 8-bit/32-bit slot = PC/AT compatible I/O system for support of OS/2 and UNIX.

Trademarks: IBM PC, XT, AT, PS2 and OS/2: IBM. Intel 386: Intel Corp.; Windows/386: Microsoft Corp. DESQview: Quarterdeck

Yes, send me your product information!

Name	1
Company	
Address	
City, State, Country	
Telephone	-
Mail Coupon to:	
Hauppauge Computer Works, Inc. 175 Commerce Drive	or
Hauppauge, New York 11788, U.S.A. Tel; 01-516-434-1600	
Fax: 01-516-434-3198	

Hauppauge Computer Works, GmbH Hansaallee 201 4000 Dusseldorf 11, West Germany Tel: 0211-594320 Fax: 0211-593908

For more information call Hauppauge, (516) 434-1600. In Europe: (49) 211-594320

Hauppaugel

Zip Code.

Your high performance 386 Supplier Circle 303 on Reader Service Card

Hauppauge Computer Works



 TEAC 360K floppy drive Multi I/O w/1P, 1S, 1G, fdc, clock 	yboard
XT/10 Video Options Drives Mono CGA EGA	VGA
Single 650 775 1045	1115
Dual 675 855 1125	1195
20MB 975 1150 1425	1495
40MB 1125 1305 1575	1645
S Systems 286/12 • Intel 80286-12 CPU • Ami or Phoenix BIOS • 1MB RAM on board • TEAC 1.44 3.5° floppy drive • Hard/floppy drive controller	
AT 286-12 Video options	
Drives Mono EGA	VGA
Single 855 1305	1375
20MB 1190 1640	1715
40MB 1345 1795	1865
S Systems 286-16 • Intel 80286-16 CPU • Award BIOS • Enhanced 101 key key • Baby AT style case	yboard
IMB RAM on board TEAC 1.44MB floppy drive Hard/floppy drive controller	
1MB RAM on board TEAC 1.44MB floppy drive Hard/floppy drive controller	
1MB RAM on board 1EAC 1.44MB floppy drive Hard/floppy drive controller	VGA
1MB RAM on board TEAC 1.44MB floppy drive Hard/floppy drive controller AT 286-16 Video options	VGA 1530
1MB RAM on board • TBAC 1.44MB floppy drive • Hard/floppy drive controller AT 286-16 Video options Drives Mono EGA Single 1010 1455 20MB 1345 1795	1530 1865
1MB RAM on board TBAC 1.44MB floppy drive Hard/floppy drive controller AT 286-16 Video options Drives Mono EGA Single 1010 1455 20MB 1345 1795 40MB 1500 1950	1530 1865 2020
1MB RAM on board • TBAC 1.44MB floppy drive • Hard/floppy drive controller AT 286-16 Video options Drives Mono EGA Single 1010 1455 20MB 1345 1795	1530 1865 2020 2285 r {1:1}
 1MB RAM on board TEAC 1.44MB floppy drive TEAC 1.44 & 1.2MB floppy drive TEAC 1.44 & 1.44 & 1.44 & 1.44 & 1.44 & 1	1530 1865 2020 2285 r {1:1}
 1MB RAM on board TEAC 1.44MB floppy drive TEAC 1.44MB floppy drive TEAC 1.44MB floppy drive TEAC 1.44MB floppy drive TP, 1S Port TP, 2S Ports AT 386-20 Video options 	1530 1865 2020 2285 r (1:1) yboard
 1MB RAM on board 1Z20W power supply 1P, 1S Port 1P, 2S Ports AT 386-20 Video options Drives Mono EGA 	1530 1865 2020 2285 r (1:1) yboard VGA
• 1MB RAM on board • 220W power supply • TEAC 1.44MB floppy drive • 1P, 1S Port • Hard/floppy drive controller • 1P, 1S Port AT 286-16 Video options Drives Mono EGA Single 1010 1455 20MB 1345 1795 40MB 1500 1950 80MB 1765 2215 S Systems 386-20 • Hard/floppy controlle • Intel 80386-20 CPU • Hard/floppy controlle • Ami BIOS • AT full style case • TEAC 1.44 & 1.2MB floppy • 1P, 2S ports AT 386-20 Video options Drives Mono EGA 1795 2225	1530 1865 2020 2285 r (1:1) yboard VGA 2305
 1MB RAM on board 1Z20W power supply 1P, 1S Port 1P, 2S Ports AT 386-20 Video options Drives Mono EGA 	1530 1865 2020 2285 r (1:1) yboard VGA

Monochrome Monitors	
Amdek V210A ,	
Amdek V410A	.150
NEC Multisync GS	.220
Samsung mono-12 flat	.105
Samsung mono 14	.105
Color/EGA Monitors	
Amdek C732	\$445
Amdek C722	
AST EGA	.515
Mitsubishi 1410C	
Mitsubishi 1430C	
Samsung EGA 14	
VGA/CAD Monitors	
Mitsubishi 1381A	\$515
NEC Multisync 11A	. 505
NEC Multisync 3D	. 695
NEC Multisync plus	.965
NEC Macsync	025 Call
	. Can
Printers	
Printers NEC P2200	\$330
NEC P5200	
NEC P5300	
Okidata 320P	
Okidata 321P Okidata 390	
Okidata 390	
Okidata 393	
Okidata 393C	
Toshiba 301	
Toshiba 311	.380
Toshiba 341SL	
Toshiba 351SX	.985
Laser Printers	
NEC LC 890\$	
	3405
Toshiha Pagelaser	2785
Toshiba Pagelaser	2785
HP Laserjet 11/11D	.2785 .Call
HP Laserjet 11/11D	.2785 .Call
HP Laserjet 11/11D Plotters HI DMP52 \$	2785 .Call
HP Laserjet 11/11D Plotters HI DMP52 \$ HI DMP52MP \$	2785 .Call 2495 .2945
HP Laserjet 11/11D Plotters HI DMP52 \$ HI DMP52MP \$ HI DMP61 \$	2785 .Call 2495 .2945 .3245
HP Laserjet 11/11D Plotters HI DMP-52 HI DMP-52 HI DMP-61 HI DMP-62	2785 .Call 2495 .2945 .3245 .4000
HP Laserjet 11/11D Plotters HI DMP52 HI DMP52MP HI DMP61 HI DMP62 Video Boards	2785 .Call 2495 2945 .3245 .4000
HP Laserjet 11/11D Plotters HI DMP52	2785 .Call 2495 .2945 .3245 .4000
HP Laserjet 11/11D Plotters HI DMP52	2785 .Call 2495 .2945 .3245 .4000
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 22495 .2945 .3245 .4000 .\$155 210 189
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 2495 .2945 .3245 .4000 .\$155 210 189 195
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 22495 .2945 .3245 .4000 .\$155 210 189 195 210
HP Laserjet 11/11D	2785 .Call 22495 .2945 .3245 .4000 .\$155 210 189 195 210 280 320
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 22495 .2945 .3245 .4000 .\$155 210 189 195 210 280 320 320 470
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 22495 .2945 .3245 .4000 .\$155 210 195 210 280 220 320 470 250
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 22495 .2945 .3245 .4000 \$155 210 189 195 210 280 320 225
HP Laserjet 11/11D Plotters HI DMP-52 HI DMP-52MP HI DMP61 HI DMP62 Video Boards Hercules Colorcard Hercules Incolorcard Hercules VGA Paradise EGA-350 Paradise EGA-480 Paradise VGA-Plus Paradise VGA-Plus Paradise VGA-Plus Video 7 Vega Deluxe Video 7 Vega VGA	2785 .Call 22495 .2945 .3245 .4000 \$155 210 189 280 280 280 280 280 280 280 280 280 280 295 2945
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call .2495 .2945 .3245 .4000
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call .2495 .2945 .3245 .4000
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 22945 2945 3245 3245 4000 \$155210 189 210 280 280 280 280 225 215 210 280
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 22945 .2945 32495 .2945 3245 .4000 \$155 .210 .189 .195 .210 280 320 470 225 300 300 475 \$290
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 22495 .2945 .3245 .4000 \$155210189210280470250475475475475475475
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 22495 .2945 3245 3245 3245 3245 .210 189 210 220 220 320 220 320 225 300 225 300 225 300 225 300 225 300 225 220 300 225 220 200 .
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 22495 .2945 3245 3245 3245 4000 \$155210 .189 195210 280 220 320 280 225 300 380 425 210 225 300 425 211
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 22495 .2945 3245 3245 3245 4000 \$155210 .189 195210 280 220 320 280 225 300 380 425 210 225 300 425 211
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 22495 .2945 3245 3245 3245 4000 \$155210 .189210 220 220 320 225 300 420 225 300 425 .Call 420 435 4420
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 22495 .2945 3245 3245 3245 4000 \$155210 .189 195210 280 280 280 225 2300 380 475 \$290 380 425 241
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 22495 .2945 3245 .2945 .2945
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 22495 .2945 3245 3245 4000 \$155210 189 195 210 280 320 470 225 300 475 \$290 485 485 485
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 22945 .Call 22945 .3245 3245 .210 189 210 280 280
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 22495 .2945 3245 3245 3245 4000 \$155210 .189210 2200 22000 2200 2200 2200 2200 22000
HP Laserjet 11/11D Plotters HI DMP-52	2785 .Call 22495 .2945 3249

Accelerator Boards

Accelerator Boards	
AST Fastboard-386	. Call
Intel Inboard 386-PC	.650
Intel Inboard 386 Quadram Quad 386XT	900
Quadram Quad 386XT	.Call
Hard Drives	
Seagate 20MB	. \$225
Seagate 40MB	
Seagate 80MB	600
Plus Hardcard-20	
Plus Hardcard-40	670
Plus Passport-20	415
Plus Passport-40	
Tape Drives Archive 5240	
Archive 5240	.\$325
Archive 5540	345
Archive VP601	675
Archive VP601 Mountain 4340	400
Math Co-processors	
Intel 80287-8	
Intel 80287-10	
Intel 80387-16	
Intel 80387-20	
Intel 80387-25	590
Intel 80387SX	
Intel 80c287	315
Software	
Software Aldus Pagemaker	.\$455
dBASEIV	450
Lotus 1-2-3 v. 2.01	295
Lotus Symphony	415
Microsoft Windows 286	70
Microsoft Windows 386	
Microsoft Excell	
Microsoft Word	
Microsoft Works	
Paradox 3.0	
PFS First Publisher	
Word Perfect 5.0	
Symantac Q&A 3.0	
Symantac Q&A 386	Call
Logitech Serial Mouse	Call
Logitech Bus Mouse	Call
Microsoft Mice	
Madama	
US Robotics 1200	<u> </u>
US Robotics 1200	Call
Okitel 1200B int Okitel 2400B int	
Okitel 2400B Plus int	285
Laptop Computers	* 0.0 = 0
Toshiba 1600	
Toshiba 3100E	
Toshiba 3200 Toshiba 5200-40	
Zenith Supersport 286	Call
Coommons	Oun
Scanners	
HP Scanjet	
Logitech Scan Man Niscan OCR	
Surge Protectors	<u> </u>
Curtis Diamond	
Curtis Emerald	
Curtis Ruby	
Kensington Masterpiece	00
Fax Machines	
Sharp FO-220	
Sharp FO-300	
Sharp FO-330	
Murata 1200	
Initiala 1000	0/0

To order call 1-800-837-3573; Fax # 312-495-2629

- Lease Available
- COD under \$500.00
- Certified & Cashiers Check
- Wire-Transfer, Money Orders
- Personal & Co. checks allow 10 days to clear.
- No returns without RMA#
- 30 Day Return Policy

- No returns on Software
- Prices subject to change without notice.

ELS ENTERPRISES, LTD.

15 E. Madison, Lombard, IL 60148

Hours: M-F, 8am-6pm Saturday 10am-4pm

HANDS-ON PARALLEL PROCESSING

An inexpensive way to set up your own hypercube system using Macs and AppleTalk

Geoffrey C. Fox, Alex W. Ho, Paul Messina, and Terry Cole

he promise of parallel computing is performance: unprecedented performance in large configurations and a better price/performance even in small systems. However, programming parallel systems to perform concurrent compu-

tations requires new techniques best learned through hands-on experience on real parallel computers.

Many wishing to learn or teach parallel programming cannot afford to buy a commercial parallel computer. We'll describe how to create a parallel computer (of a type known as a hyper-

sively from lower-dimensional cubes. The maximum number of stages a message might have to traverse in a p-dimensional hypercube is p, as opposed to $2^{(p-1)}$ steps for a physical ring connection.

The hypercube architecture has the added advantage of being able to map conveniently to a wide range of simple topologies. such as a ring, a grid, a pyramid, or a binary tree, while requiring a modest number of physical connections at each node. In a 1024-node system, for example, 10 communication channels are needed. Currently available hypercube systems include the

cube) using an ensemble of Apple Macintosh computers and AppleTalk. For more information about parallel computers in general, refer to the text box "The Drive for Parallel Systems" on page 288.

The Hypercube

A p-dimensional hypercube computer, also called a pcube, has 2^p processors that can be thought of as being located at the vertices of a pdimensional cube (see figure 1). The physical connections among the node processors lie along the edges of the hypercube. Each node processor of a p-cube is connected to pother processors. In the case of a three-dimensional cube, the total number of node processors is eight and each node is connected to three other nodes. Higher-dimensional cubes can be formed recur-



Caltech/JPL Mark Series computers and the commercial systems of Intel Personal Scientific Computer (iPSC), NCUBE, and Ametek.

In most of the current hypercube systems, the node processors are not connected to any I/O peripheral devices. To provide them with I/O capability, a computer called a control processor (CP) or cube manager is connected to one or more node processors (see figure 1).

A CP is a conventional computer with ordinary I/O devices. It is the only path from the outside world to the hypercube, and vice versa. Programmers can interact with the hypercube only via the CP. To run an application program on a hypercube, the program must be downloaded from the CP. When data has continued

The Drive for Parallel Systems

S cientists, researchers, and engi-neers all over the world are clamoring for computer systems that will enable them to approach and solve large-scale problems realistically. For instance, to carry out a meaningful numerical study of quantum chromodynamics (a theory of fundamental particles) would require repeated recalculation of about 100 million values representing various field strengths in the four-dimensional space-time region near a proton. In the field of computational fluid dynamics, to adequately model the fine structures of threedimensional high-Reynolds-number (turbulent) flow would consume an enormous number of computer cycles.

The demand for higher-performance computers is rising. But the performance of conventional supercomputers is approaching its fundamental physical limit, which is imposed by the speed of light (about 1 foot per nanosecond), the fastest possible speed a signal would be able to travel from one $_{1}$ art of the computer to another (see reference 7 in the main text). Even if the physical size of a single-processor computer could be made very small and its components could send signals at the speed of light, such a computer still could not achieve more than a few billion instructions per second, which is not enough for applications that are der ved from various contexts such as physics, fluid dynamics, or real-time image and natural-language processing, just to name a few.

The advancement of semiconductor and VLSI technology will make individual processing units substantially cheaper but cannot improve their performance to a comparable extent. To obtain an appreciable increase in the throughput rate of a computer system, the system must be able to overcome the sequential bottleneck of the Von Neumann architecture.

To address this issue, new computer architectures are required that use many processors to work on the same problem at the same time. In other words, what we need is concurrent or parallel processing.

Most computers have only one processing unit, the CPU, that performs all the computational work. Computer programs, written in languages such as C or FORTRAN, are compiled (i.e., translated) into a sequence of machine instructions. These instructions must be executed sequentially by the computer. However, many applications are inherently parallel, as in most real-world phenomena. If we can capitalize on the parallelism of these applications by using concurrent processing to overcome the sequential bottleneck of the conventional design, we can achieve faster execution and increase throughput.

In addition to providing a path to unprecedented speed, another strong motivation for designing and using parallel computers is the hope for better price/ performance than sequential systems offer. Microprocessors of moderate speed are produced by the millions for personal computers and other applications. Their internal speeds and feature sizes do not require the most expensive fabrication techniques. While one microprocessor is not terribly powerful, dozens or hundreds of microprocessors organized as one computing system can perform sizable computations.

Combining 20 5-MIPS microcomputers could yield an equivalent of 100 MIPS, a speed that few sequential conputers can achieve. The price of the components in the microcomputerbased system is much less than that of a sequential compute: of comparable speed. Of course, programming the parallel system efficiently may be more difficult than programming the sequential one, particularly for those who have grown up in a serial programming environment.

to be written onto disk or tape, say at the end of a hypercube application, the node processors have to be programmed to send their data to the CP, where file I/O is possible.

Programming a hypercube concurrent computer isn't difficult, but it's also not as straightforward as programming a sequential machine, especially for those of us who have programmed sequentially for years. Hands-on experience in programming a hypercube is extremely valuable for learning and understanding how concurrent computers and programs work.

It may be extravagant to buy a small commercial hypercube computer just to learn about parallel processing or to teach a class in advanced computer architectures. One alternative is to assemble your own hypercube, the Mac-Cube, using the Macintosh family. This is especially desirable for academic and research environments in which Macs are already abundant.

The Mac-Cube

We have designed and fabricated a Mac-based hypercube with a companion operating system and named the group the Mac-Cube (see reference 1). It uses LocalTalk hardware and Apple-Talk software as the medium for the nodal connections. Hypercube connectivity is emulated on the AppleTalk LAN, while the hypercube communications protocol is integrated with the AppleTalk software.

Available for use with the Mac-Cube is Mac-CrOs, an MPW C and assembly language implementation of the Caltech/JPL

Crystalline Operating System, also known as CrOS III (see reference 2). Software based on Mac-CrOS is portable across all commercial hypercubes running CrOS III. [Editor's note: The Mac-CrOS software is available from several sources. See the text box "Parallel-Processing Resources" on page 293 for details on obtaining resources from Caltech. Also see page 5 for information about files available on BIX.]

Requirements

The required hardware and software for setting up a Mac-Cube is separated into two parts: the CP and the node processors. A CP requires a Macintosh Plus, SE, or II; a 10-megabyte hard disk drive (minimum configuration); System 4.1 and Finder 5.5 (Mac-Cube has been tested with these versions, though later versions should be compatible); MPW 2.0; and the C^{3P} Mac-Cube software library (which contains Mac-CrOS and a configuration program).

Node processors require a Mac Plus, SE, or II; one 800Kbyte floppy disk drive; System 4.1 and Finder 5.5; and a startup disk with C^{3P} Mac-Cube configuration software.

A functional Mac-Cube hypercube consists of $2^{p} + 1$ Macs, where p is the dimension of the hypercube. For the implementation discussed here, the p dimension is between 0 and 4, which corresponds to one to 16 Macs. Of the total $2^{p} + 1$ machines, 2^{p} serve as the nodes of the hypercube and can be any member of the Macintosh family except the Mac 128K. The additional

Parallel Processors

The performance of parallel processors is related to the underlying architecture of the system and the mode of processor coordination. There are two major categories of parallel architecture. In the SIMD (single instruction and multiple data stream) system, the processors perform the same instruction at each cycle, but each operates on different data. In an MIMD (multiple instruction and multiple data stream) system, the processors can run independently. Each processor can execute different portions of the same program or completely different programs.

An important aspect of multiple-processor architectures is how the processors are associated with memory. In *shared-memory* systems, all processors access the common physical memory by direct connections, by a network of connections, or by a memory bus. Sharedmemory systems enable each processor to operate on data that is also accessible to other processors. Because all processors can modify stored data, care must be taken to avoid attempts by processors to gain access to data before the appropriate value has been stored.

One limitation of shared-memory architecture is that it appears to be expensive and difficult to produce massively parallel systems—that is, systems with hundreds or thousands of processors. Examples of shared-memory parallel computers are Cray's Cray-2, ETA's ETA 10, Bolt Beranek and Newman's Butterfly, ELXSI's System 6400, and IBM's RP3, among others.

In contrast to the shared-memory model, there are the *distributed-mem*ory or *local-memory* systems. This form of processor/memory relationship exists when some amount of memory (local memory) is attached to each processor, and connections are established among the processor-memory pairs (also designated as node processors, or simply nodes). In a distributed-memory system, each processor has direct access to only its own local memory.

If a processor has to access or modify the value of a piece of data that does not exist in its local memory, message-passing via communication channels is the mechanism required to achieve the task. The communication channels are the actual physical linkages of the individual processors and can be arranged in an arbitrary network topology. A disadvantage of network communication is an increase in latency of memory access, because a request for information by a processor may have to traverse several stages of the connection network to get to the particular memory unit that has the data.

Some Network Topologies

A simple scheme for connecting distributed processors is the ring topology in which each node processor is connected to two other processors. Another simple scheme is a rectangular grid. In this configuration, each processor is connected to the four other processors that are its nearest neighbors. A significant drawback of simple topologies such as these is that the number of processors involved in coordinating the sending of a message from one node processor to another could be very large. In the case of a ring, as many as half the total processors could be involved. The resources of a node processor will be wasted if it has nothing to do while waiting for a message to arrive.

In designing high-performance distributed-memory parallel processors, several criteria must be satisfied by the connection network: fast communication among nodes, simple connectivity for each node, and a connection topology that matches the natural geometry of applications. The hypercube topology discussed in this article is used by several vendors of commercial distributedmemory systems to meet these criteria.

Macintosh is used as the CP. Usually, the CP is used for developing applications. If this is the case, the CP must be capable of running the MPW. Mac-CrOS applications can be developed using C or Pascal inside the MPW environment. The minimum recommended configuration for the CP doing development work is a Mac Plus with a 20-megabyte hard disk drive.

All nodes of a Mac-Cube must be in the same AppleTalk zone. Any number of other Macs, as well as AppleTalk gateways, can also be in the same local zone without interfering with Mac-CrOS. Multiple Mac-Cubes can coexist in the same AppleTalk zone, as shown in figure 2. A 2-cube, five-Mac system (four nodes and a CP) and a 3-cube, nine-Mac system (eight nodes and a CP) are illustrated.

Mac-Cube as an Instructional Tool

Mac-Cube has several advantages over commercial hypercubes as an instructional or experimental tool for parallel processing. One major advantage is its low setup cost. Most university computer laboratories or research laboratories have numerous Macs in close proximity; very likely, they are already connected using the AppleTalk LAN. In this case, no additional hardware is needed to assemble a Mac-Cube. Using some of the Macs on the local AppleTalk network does not disturb other computers on the same network. In other words, while some students are using several Macs on an AppleTalk network in the normal sequential mode, others can configure a few of the remaining Macs into a single or multiple Mac-Cube(s).

A second advantage is its ease of use. Nodes of commercial hypercubes are not equipped with I/O devices such as display monitors, yet each node of a Mac-Cube (i.e., a Macintosh computer) always has a graphics display monitor and input devices such as a mouse and a keyboard. The availability of a display device at each node enables users to see and to demonstrate how parallel algorithms function. Graphics display capability at the nodes has high educational value, as applications can display information in a spatially intuitive and descriptive manner. Moreover, Macintosh graphics are superior to those typically found on mainframe or minicomputer terminals.

Viewing the actions of an application at each node actually facilitates debugging, because errors can be pinpointed to specific nodes. In addition, taking advantage of the availability of I/O devices at each node makes it possible to implement multiuser applications, such as distributed expert systems and databases.

A Closer Look at CrOS

CrOS is a loosely synchronous message-passing system for hypercube-connected or hypercube-emulated environments. It is a channel-based, point-to-point *polled* communication system that enables directly connected nodes of a hypercube to communicate with each other. CrOS is efficient and well suited for *continued*



Figure 1: Hypercubes of dimensions 2, 3, and 4. Each cube has 2^p processing nodes and a single control processor, and each node is connected to p other processors. Thus, a 2-cube has four processing nodes and one control processor, and each processing node is connected to two other nodes.



Figure 2: Sample Mac-Cube hypercubes on an AppleTalk network. Note that there are 2-cube and 3-cube systems on the same network and that the lone (shaded) user is undisturbed except for the network loading added by the Mac-Cubes. Also, the Macs that make up each cube do not need to be contiguous.

problems with regular or homogeneous domains—hence the name "Crystalline."

When polled communication is used, the application program contains explicit read and write command pairs. For example, let's assume that node 1 needs to write to node 3. When node 1 is ready to write to node 3, it must issue a "write to node 3" command. But before the write can proceed, node 3 must issue a "read from node 1" command. If node 3 is operating on other instructions when node 1 sends its request to write, node 1 will halt until node 3 finishes the instructions it already has. Only when node 3 replies with a "read from node 1" command can node 1 actually perform the write.

The reverse is also true. Should node 3 want to read from node 1, it will issue a "read from node 1" command, but it cannot continue until it receives a reply. Because the nodes cannot proceed until the write and read command pairs are exchanged, they move in lockstep through their programs, with each read and write command resynchronizing the processors.

Listings 1a and 1b show examples of the command pairing previously described. Listing 1a runs on the nodes and implements dumpelt(), which is a command that dumps data from the nodes to the CP. Listing 1b runs on the CP and implements mdumpep(), which also requests a data dump from the nodes to the CP.

Examples of rigorous scientific applications using CrOS on hypercubes can be found in fields such as neural-circuit simulation, protein dynamics, chemical reactions, chaos, computational fluid dynamics, earthquake engineering, convolution decoding, ray tracing in computer graphics, seismic waves, geodynamics, tomography, computational astrophysics, lattice gauge theory in high-energy physics, condensed matter, and granular physics (see reference 3). These algorithms are described in an excellent set of application papers (see reference 4), which contains 180 papers, including over 30 Caltech CrOS applications. Reference 5 contains public domain software with source code for the algorithms described in reference 3.

Developing CrOS applications for Mac-Cube is similar to developing applications for other commercial hypercubes. A CrOS application always contains a CP program and a node program pair. Generally, the CP program is used to download the node program—which is developed and compiled on the control processor—to the node processors. The CP program also distributes initial data to the appropriate node processors. Major computation, which can mostly be parallelized, takes

place on the node program running on the node processors. The CP will then receive computational results from the node processors and display them or save them for later analysis.

Executing CrOS Applications

Before starting an application, you must decide which computers will be the node computers and which computer will be the CP. It doesn't matter in what order the node and CP computers are connected by AppleTalk. The only requirement is that they are all on the same AppleTalk network. Not all computers on the network have to be assigned to one Mac-Cube or multiple Mac-Cubes; the unassigned computers can operate normally while some cubes are running.

Before running a CrOS application, you must "collect a hypercube" by running boot and bootelt on the CP and the nodes, respectively. These programs tell the CP computer how many node computers are available on the network and their addresses. After this procedure collects enough Macs and configures them as a Mac-Cube of a known dimension, the parallel application can be executed inside or outside the MPW shell.

The configured Mac-Cube remains intact after the execution of a program, so you can execute other applications without reconfiguring or rebooting for each application. If you want to change the dimension of a configured Mac-Cube (i.e., add or delete some nodes or change the CP), the Cube must first be "uncollected" by running the unboot program. To "re-collect" a new Mac-Cube configuration, the same procedures as described above apply. A sample Mac-Cube configuration session is displayed in figure 3.

Debugging CrOS Applications

Debugging concurrent applications on most commercial hypercubes can be difficult. Fortunately, having a graphics display monitor on each node makes debugging on Mac-Cube easier. Moreover, by virtue of the physical ring structure of Local-Talk, all the communications on a Mac-Cube can be easily monitored by watching the one LocalTalk line that physically connects all the nodes.

Two tools have proved useful in debugging CrOS applications: a Macintosh assembly-level debugger and AppleTalk Peek (from Apple Computer Network Systems Development). As distributed, Mac-CrOS code has been compiled with the source names option so that the name of the routine currently being executed is available from the debugger. It's easy to get some idea of what happens in a program by using a debugger. Breakpoints also can be inserted at key places in the programs.

AppleTalk Peek is a program that monitors packet activity at the lowest level. Each CrOS packet corresponds to at least four of the low-level AppleTalk packets. Additionally, each CrOS communication routine will use one or more of the CrOS packets. With a knowledge of the packet structure used by low-level CrOS routines (as documented in the CrOS source code), as well as a knowledge of which actual CrOS packets are sent, you can often determine the state of communications fairly easily.

AppleTalk Communications

Communication in Mac-Cube is implemented using Local-Talk, a baseband, ring-topology network that is inexpensive and widely used. Unfortunately, because only one message travels on the bus at a time, LocalTalk is ill-suited to efficiently emulate the hypercube topology that enables messages to travel in concurrent pathways. As a consequence, the Mac-Cube is a less efficient implementation than the PC-Cube (see reference 6), which is another "build-it-yourself" educational hypercube continued

Listing 1: (a) This program runs on the Mac-Cube nodes to dump specific memory locations in each node to the control processor (CP). (b) This memory-dump code runs on the CP and is a complement to listing Ia. Both node and CP programs must run and be acknowledged by each other for the requested memory dump to occur.

```
(a)
```

```
¥
    crosnode.c
    example CrOS NODE program : all the nodes do a dumpelt() and check for errors. dumpelt() is a CrOS function that dumps data from nodes to the CP. A call to
  ×
 * dumpelt() must be complemented by a call to mdumpcp() or
* fdumpcp() in the CP.
 */
#include "croselt.h"
main()
        struct Cubenv env;
        int OKflag, isize:
        cparam(&env); /* gets run-time parameters */
isize = sizeof(int);
OKflag = dumpelt(&env.procnum, isize); /* dumps
                                                              processor ID to CP */
        if (OKflag >= 0)
    printf("Communication OK.\n");
        else
```

```
printf("Communication error. \n");
```

(b)

}

```
/*
¥
  croscp.c
```

```
* Example CrOS CP program: The CP does mdumpcp() and checks
* for errors. mdumpcp() is a CrOS function that dumps
* data from nodes to CP's memory. A call to mdumpcp() on
```

```
* the CP must be complemented with a call to dumpelt() on
* all the nodes.
```

```
*/
```

#include "croscp.h"

```
main()
```

}

```
struct Cubenv env; /* contains run-time parameters */
int OKflag, 1, isize
int data[32], buf[32];
printf("Downloading to Cube...\n");
```

```
cubeld(2, "crosnode"); /* downloads node program to a 2-cube */
(Press RETURN for more or ESC to cancel)
(Press RETURN for more or ESC to cancel)
printf("Downloading done. \n");
cparam(&env); /* fills structure env */
isize = sizeof(int);
OKflag = mdumpcp(buffer, isize, buf);
if (env.nproc != buf[0]) OKflag = -1;
for (i = 0; i < env.nproc; ++1)
    if ((buf[i+1] != sizeof(int)) || (data[i] != i))
        OKflag >= 0;
    printf("Communication OK. \n");
else    printf("Communication error. \n");
                                      printf("Communication error.\n");
 else
```

Figure 3: Procedures to configure a Mac-Cube of dimension 2 (four Macs, one CP) and execute a program named TestProgram. Then the nodes are released and used to configure a 1-cube (two Macs, one CP), execute TestProgram again on the 1-cube, and release all the nodes completely.

<u> </u>	erver:MPW:Worksheet
boot -d 2 This is Node 119 Net 14337 node is 39. node is 65. node is 77. node is 68.	 # Gather four nodes for the cube. # The node numbers are the Appletalk # ID numbers. They are only for diagnostic # purposes.
TestProgram Hello from O. Hello from 1. Hello from 2. Hello from 3.	 # A test program that gets a message from # each node.
boot -f	* Free the nodes used in the cube.* They can still be used for another cube.
boot -d 1 This is node 119 Net 14337 node is 66. node is 68.	# Gather two of them for another cube.
TestProgram Hello from O. Hello from 1.	
boot -a	* Release the nodes for good.

system, based on IBM PCs or compatibles.

Communications under AppleTalk were designed with the International Standards Organization standard for network communications in mind. The highest level (called the transport level in the ISO model) of "guaranteed datagram delivery" is implemented through the AppleTalk Transaction Proto-



Figure 4: Efficiency versus execution time of a 0-, 1-, and 2cube Mac-Cube, which translates to one, two, and four Macs, respectively. Because the communication overhead also increases as nodes are added, the efficiency declines slightly. For example, adding three more processors to a singleprocessor node (for a total of four) reduces execution time to a little more than one-fourth of the single processor's time.

col. It would be easy to implement hypercube communications using ATP. However, ATP is designed to handle a more sophisticated networking environment than is needed for CrOS, and thus it would introduce an additional level of inefficiency into an already inefficient environment.

In order to get higher communication efficiency, the ATP routines were bypassed for CrOS, and communication was implemented using the AppleTalk Link Access Protocol. At this level, next to the physical or hardware level, communication is streamlined, but packets are no longer "guaranteed" to reach their destinations. Because of this, the implementation of Mac-CrOS software is intelligent in its interactions with the hardware and the operating system to monitor packet activity. It is also more efficient.

Mac-CrOS is implemented in terms of the low-level, Mac-Cube-specific cread(), cwrite(), vread(), and vwrite(), in addition to the generic higher-level routines. The low-level Mac-CrOS routines consist of assembly language code that interacts in real time with the asynchronous AppleTalk drivers at a very low level. Global data structures are used to share information between this low-level code and the higher-level, synchronous C language codes that are used to implement the other Mac-Cube-specific CrOS routines.

Certain global data structures are initialized when the first Mac-CrOS routine in a program is called. However, basic information, such as the maximum hypercube dimension, the registered name of the CP, the AppleTalk addresses of all the nodes of the hypercube, and the address of the CP, cannot be gathered effectively at run time.

For this reason, a "boot-up" program is used to gather the node computers that will be used coherently and cooperatively as a hypercube. The boot-up program stores its data in the system heap as a system resource so that the hypercube will remain intact between program runs. This program is also used to release nodes from a Mac-Cube and to verify that all the nodes are still in place after a program has been run. The boot-up program enables multiple hypercubes per AppleTalk network. This program uses the higher-level ATP routines as well as the

Parallel-Processing Resources

In this article, we have described the Mac-Cube, an excellent low-cost system that emulates more sophisticated parallel computers. Solving Problems on Concurrent Processors (see reference 3) and its software supplement (see reference 5) provide an introduction to parallel processing and a large selection of tutorial software. Much of this is in the public domain and can be obtained from Caltech using c3plib, an electronic distribution system for software and documentation from C^{3P} (Caltech Concurrent Computation Program), described below.

Mac-Cube-related software is available from c3plib and on BIX (see page 5 for further details). Another small tutorial system is based on the IBM PC-Cube (see reference 6), for which software can be obtained from c3plib. The PC-Cube is also commercially supported by Parasoft of Mission Viejo, California. Other elegant tutorial systems are built around add-on boards for Macs, Suns, and PCs. The most modern of these use transputers, each of which has a 10-MIPS performance. CrOS software for these add-on boards is discussed in reference 5 and can be obtained commercially from Parasoft at 27415 Trabuco Cir., Mission Viejo, CA 92692, (714) 380-8375.

Software Distribution: c3plib

The c3plib system is a file server at Caltech for the distribution of concurrent computation software, documentation, and reports from C^{3P}. It's essentially a program that answers E-mail requests by responding with the appropriate material by E-mail. Requests should be addressed to "c3plib@caltech.edu" (for INTERNET users) or "c3plib@caltech.bitnet" (for BITNET users).

The file server understands several commands, and each command must be the first word on a line. The principal command is send. For example, the server will respond to a one-line send help message by sending a help file with detailed instructions about using the file server. A send index message will get the requester an index file that gives an overview of directory and file structure. If you don't have access to the network, requests for information should be sent to C^{3P} Requests, Caltech Concurrent Computation Program, 206-49, Pasadena, CA 91125.

Name Binding Protocol to enable the nodes to find the CP.

Code Compatibility and Cube Efficiency Mac-CrOS has been tested on the Mac SE and the Mac II. Two CrOS III applications were taken from the Caltech/JPL Mark Series hypercube and ported to Mac-Cube. The algorithms used are described in detail in the book Solving Problems on Concurrent Processors (see reference 3). The two applications solve the Mandelbrot set in the complex plane, and a two-dimensional Laplace equation using finite-difference methods. Except for the graphical enhancements possible only on the Mac-Cube, the CrOS-based parts of the programs did not require any modifications to run in the Macintosh environment.

Although Mac-Cube is not designed for high performance, it does provide a speedup relative to the number of node computers. Figure 4 shows that the efficiency for solving the Mandelbrot set on a 1-cube (i.e., two Macs) is approximately 97 percent (speedup about 1.94 times) over that of a single Mac. This efficiency drops to 90 percent (speedup roughly 3.6 times) on a 2-cube (four-Mac) system.

Evaluating Value

Mac-Cube is valuable for learning hypercube programming and concurrent computation in general. It's inexpensive to set up and easy to install. The graphics and I/O capabilities of the nodes are particularly important for gaining insights into application development and problem solving, as well as for enabling users to actually look at each node of the hypercube in action.

The ability to watch the operation of each node also provides a good way to study parallel algorithm operation and makes debugging a simpler task. Applications implemented on the ark II/III series hypercube at Caltech/JPL have been ported to Mac-Cube with no relevant modification, demonstrating the compatibility of Mac-Cube's software environment with other hypercubes that use the Crystalline Operating System. ■

ACKNOWLEDGMENT

The system described here was developed by Caltech students funded by the Caltech Summer Undergraduate Research Fellowship (SURF) program. The students were Matt Breaden, Stanley Chen, Allen Knutson, and Sho Kuwamoto. This work is based on research supported by the Department of Energy grant DE-FG03-85ER25009 and by the Program Manager of Joint Tactical Fusion Office.

REFERENCES

1. Ho, A. W., G. C. Fox, D. Walker, T. Cole, M. Breaden, S. Chen, A. Knutson, and S. Kuwamoto. "Mac-Cube: A Macintoshbased Hypercube." *Proceedings of the Third Conference on Hypercube Concurrent Computers and Applications*. Edited by G. C. Fox. New York: ACM, 1988 (Caltech report C^{3P} 573).

2. Kolawa, A., and B. Zimmerman. CrOS III Manual. Caltech Report C³⁹ 253B, 1986.

3. Fox, G. C., M. A. Johnson, G. A. Lyzenga, S. W. Otto, J. K. Salmon, and D. W. Walker. *Solving Problems on Concurrent Processors*, vol. 1. Englewood Cliffs, NJ: Prentice Hall, 1988.

4. Fox, G. C., ed. Proceedings of the Third Conference on Hypercube Concurrent Computers and Applications. New York: ACM, 1988.

5. Angus, I., G. C. Fox, J. S. Kim, and D. Walker. Software Supplement: Solving Problems on Concurrent Processors, vol. 2. Englewood Cliffs, NJ: Prentice-Hall, 1989.

 Ho, A. W., G. C. Fox, D. Walker, T. Cole, S. Snyder, D. Chang, S. Chen, and M. Breaden. "PC-Cube: An IBM PC-Based Hypercube." *Proceedings of the Third Conference on Hypercube Concurrent Computers and Applications*, 1988 (Caltech report C^{3P} 587).

7. Fox, G. C., and P. Messina. "Advanced Computer Architectures." *Scientific American*, October 1987.

Geoffrey C. Fox is a professor of theoretical physics at Caltech and editor of the Journal of Concurrency: Practice and Experience. Alex W. Ho is a member of the research staff at Caltech in the Concurrent Computation Program. Paul Messina is director of Caltech Concurrent Supercomputing Facilities. Terry Cole is chief technologist at the Jet Propulsion Laboratory. They can be reached on BIX c/o "editors."




BEST SERVICE IN THE USA **PRICE IS NOT ENOUGH!** • 90 Day Immediate Replacement Free Technical Assistance Fast, Low Cost Delivery • 15 Day Home Trial • Experts In Customer Satisfaction Bulletin Board Service • No Credit Card Fees Free Catalogs LOWEST PRICES EVER! SAVE 1% 1200 Baud SEAGATE **180 CPS With NLO** Internal Modem Hard Drives Printer with & Hard Cards The Computer Direct 20 MEG Half-Height Drive Kit 100% Hayes Compatible **Credit Card** List Modem Software Included 95 \$499 --- a \$29.95 Value! Model Special Introductory Offer ST-225 NLO 180-11 40 MEG Half-Height Drive No Annual Fee 05 List \$699 For the First Year Model List \$129.95 List \$399.95 ST-251 **Everyday low price! 40 MEG Super Fast Drive** No one can sell this printer for less CALL TODAY! List \$799 1200 Baud 720 CPS 6 Head Printer FREE CATALOG!!! Model **External Modem** ST-251-1 80 MEG Hard Drive 100% Hayes Compatible List FREE SE DELTA \$799 Model ST-4096 **MEG Hard Card** List 15" Carriage \$399 1 Model ST-125 ------30 **MEG Hard Card** List List \$1995 1000's of Items List 95 \$499 \$238.90 Model Fits in the paim of your handl The fastest printer you'll ever need. in Stock ST-138RLL Magnavox 8762 2400 Baud 51/4" DSDD Disks **Bondwell Laptop Color RGB Monitor Internal Modem** As Low As ... Computer Qty of 25 Made in the USA!19" each 100% IBM® Qtv of 25 Compatible 100% Hayes Compatible Qtv of 100 Modem Software Included w/sleeves 60 & labels24' each --- a \$29.95 Value! Lowest Price in the Country! 5¼" High Density Disks List \$129.95 List As Low As... More Baud - Less Bucks! Qty of 25 The B-300 is a 286 based unit **Magnavox EGA** 2400 Baud Qty of 25

VISA MASTERCARD COD

Monitor

1F

w/sleeves

w/sleeves

& labels

List \$599 48' each

As Low As ...

Lots of 10

59' ea

A Made in the USA! A

3¹/₂" DSDD Disks

No Limits - Lifetime Warranty!

Qtv of 100

COMPUTER DIRECT will match any current (within 30 days), valid nationally advertised delivered price on specially marked items of the exact same product with a comparable payment method, excluding any applicable soles taxes. Verification Required

that gives you the power of

an AT® at only 15lbs. With

its built-in20 MB hard drive

and 1200 Baud Hayes

compatible modem, this is

the one you've been waiting for!

High Speed Ultra-Compact

PC with Supertwisted Display

95

List \$7495 **External Modem**

list

\$349

100% Hayes Compatible

Made in the USA!

S

Prices do not include shipping charges. Call to get your lowest delivered cost. We insure all shipments at no extra cost to you! All packages are normally shipped UPS Ground. 2nd Day or Overnight Delivery available. Minimum shipping charge per order is \$3.75, Illinois residents add 6.5% soles tax. We ship to all paints in the U.S., Canado, Puerto Rica, Alaska, Hawaii, Guan and APO & FPO. (Color Manitars shipped in Continental USA only.) PRICES AND AVAILABILITY SUBJECT TO CHANGE WITHOUT NOTICE

88

We'll give you 30 days to plug our product.

Try our multi-user/multi-channel communication boards (and our promises) for 30 days with no risk.

13

io of

You're looking at multi-user systems. You want high performance. High reliability. Great service and technical support. And real value. Trouble is, that's what every board company promises.

But whose promises can you afford to stake your reputation on? Ours. Because only DigiBoard dares to let you try us in the real world. With no risk.

With DigiBoard you can order any DigiCHANNEL multi-channel communications board and evaluate its performance

SEMP



for a full 30 days. Choose basic boards or the industry's fastest intelligent boards. PC-Standard or Micro Channel. Four, eight or 16 ports. Even a Synchronous option on some models.

7

11

15

Ô

0

10

0

10

14

Digi

8

12

16

While you're evaluating the performance of our boards, we hope you'll benchmark our technical support too. Customers tell us it's as great as our engineering. But enough talk. The only way to see how good we are is to try

> us. And now, you can plug us in without risking a penny. Just plug into your nearest DigiBoard distributor.

Ask your DigiBoard distributor for our FREE booklet, How to Do Multi-User Right.

NATIONAL DISTRIBUTORS

SOFTSEL COMPUTER PRODUCTS, East 800-645-7779, Central 800-645-7775, West 800-645-7778; ARROW ELECTRONICS INC., COMMERCIAL SYSTEMS DIVISION, 800-323-4373 U.S., 516-391-1762 N.Y.; INGRAM-MICRO D, 800-642-7631; ROBEC DISTRIBUTORS, 800-223-7081 Request Ann Brady

CANADIAN DISTRIBUTORS

CDI COMPUTER DISTRIBUTION, 604-984-0641; EMJ DATA SYSTEMS LIMITED, 519-837-2444; SOFTSEL COMPUTER PRODUCTS, 800-268-1220; INGRAM-MICRO D, 416-738-1700 REGIONAL DISTRIBUTORS MULTI COMPUTER PRODUCTS, South East Region, 800-456-8584

ICOM SYSTEMS INC., Central Region, 302-506-1444; MP SYSTEMS, Central & Western Regions, 800-624-1688 U.S., 800-322-6411 CA AIS INC., Central Region, 800-950-2471; COMPUTER SOURCE INTERNATIONAL, North East Region, 800-222-5022; TRICOM, North East Region, 800-TRICOM-1; REDLAW, South East Region, 305-791-5459

DigiBoard Inc., U.S. 800-344-4273, MN 612-922-8055

Circle 306 on Reader Service Card

DISK CACHING

Here's how to evaluate different disk-caching schemes

P ersonal computers have at last evolved to the point where computational speed is not the major source of delays. In most applications, the CPU spends the majority of its time waiting for one of two things: user input or peripherals (particularly disk transactions). It's unlikely that computer designers will be able to do anything to speed up the former, but they have done something about the latter. Taking advantage of increasingly inexpensive and quick DRAM, engineers are speeding up disk access by implementing hard disk caching.

RAM Caching vs. Disk Caching

A cache is a small amount of fast memory that holds the same information as some part of a slower storage medium, so that the information can be obtained quickly when it's needed. Most of the same terminology applies to RAM and disk caches: *hits, misses, lines,* and *associativity.* But because the physical and electrical characteristics of a hard disk are very different from those of a RAM chip, the optimal caching strategies are different as well.

The most important difference between disk and RAM caches, other than raw speed, is that not every byte of disk data is as easy to get to as every other byte. In most RAM systems, access times are the same for every byte. On a disk, the time it takes to retrieve an arbitrary byte can vary by two orders of magnitude (see the text box "What Affects Access Time?" on page 298).

Another important difference between disk caching and RAM caching is the size of the transfers involved. A RAM access on a typical microcomputer can retrieve as little as 1 byte; disk data must be accessed as whole sectors (typically 512 bytes, although some disks have 256-byte or 1K-byte sectors). This means that the minimum practical *line size* of a disk cache (i.e., the smallest chunk of data it can save for future access) is an order of magnitude larger than for a RAM cache.

Finally, there is the problem of maintaining coherence: keeping the contents of the slower storage medium the same as (or, in Unix parlance, in sync with) the cache. RAM is generally expected to be volatile. If you turn off the power switch on a machine with a RAM cache, you don't expect the contents to be preserved when you turn the machine back on. Thus, if a RAM cache doesn't get a chance to update main memory before the machine shuts down, it's not a problem. But it is a problem if your disk cache doesn't update the disk before you switch off. Whole files-and, worse yet, the directory structure of the disk itself-can be damaged or utterly lost.

Write-Through vs. Write-Back

Most cache programs used in microcomputers are *write-through* caches, maintaining coherence by sending write requests to the disk controller immediately. This is the most fail-safe method. But the cache can often save time and head motion if it delays writes. This is the idea of a *write-back* cache, which consolidates writes destined for the same track and does several at one time. If two write requests come in for the same sector, the cache can detect the situation and do only one write.

Delayed writes can cause problems, however. Early versions of Unix had a built-in disk cache that could delay writes for long periods. In fact, a sector that was written to frequently might not be updated for hours. If such a machine was shut down without a special command (called sync) or if it crashed suddenly, the file system could require major repairs. Fortunately, newer versions of Unix automatically do a sync at frequent intervals to avoid this problem.

Many cache programs that do delayed writes on other machines use a similar approach. The cache program I use on my IBM PC AT clone always flushes its cache after 2 seconds. It also intercepts the Ctrl-Alt-Del soft reset sequence and the INT 19 (Reset) vectors, and it makes sure that the disk gets updated before the machine is reset. It's not possible to trap a hard reset, however. Thus, if the machine crashes so badly that you need to reach for the big red switch or if you turn it off too quickly, you may lose data.

Read-Ahead

Just as it may be able to consolidate write operations by introducing a delay, a disk cache may be able to save time by implementing *read-ahead*—that is, reading into the cache for future use the sectors immediately after those requested by the operating system. Since disk access is often sequential, there's a good chance that this strategy will pay off.

The most simpleminded read-ahead algorithms do nothing more than increase the line size of the cache (i.e., always reading some additional number of sectors after the one requested). But smarter caches have more clever strategies. There's always a chance that an anticipatory read won't have any benefit, so it doesn't make sense to keep "extra" sectors in the cache until a least recently used (LRU) algorithm kicks them out. Instead, many caches reserve a separate portion of RAM exclusively as a readahead buffer and transfer only sectors that are really used to the main cache area.

Concurrent Operation

One thing that a cache can do—whether it's implemented as a caching controller or as software—is let disk operations continued

What Affects Access Time?

M any factors influence the amount of time it takes a disk drive to retrieve data. They include *seek time*—the amount of time it takes the head to move to the right track, *settling time*—the time it takes for the head to stop vibrating after it gets to that track, *latency* the amount of time it takes for the desired sector to come around to the disk head, and *transfer time*—the amount of time it takes to get the data off the disk, through the controller, and into the appropriate RAM buffer.

The most common number that you will be quoted when you ask the speed of a hard disk drive is the average trackto-track access time. This is the average time it takes the disk head to move one track during a relatively long seek (typi-

proceed concurrently with other tasks. For instance, when the operating system instructs the disk to move the head to a particular track, there is generally no cally across a third of the total number of tracks). But latency is also an important factor; an incorrect interleave can cause the controller to wait many revolutions of the disk to get the data that it wants. And the *skew*, which is the angle between the first sectors on adjacent tracks, can also make a difference.

To understand why skew is important, imagine that the controller wants to read the data from several adjacent tracks in succession (i.e., it reads the first track, steps the head, reads the second track, and so on). Unless the system is smart enough to read sectors out of order, it must wait after each step until the first sector of the new track passes under the head.

How long does the controller wait? If

need to wait until the head has finished moving before returning control to the system. However, the IBM PC ROM BIOS, among others, does wait, thus the skew is set so that the head will arrive at the new track just before the needed sector passes under it, there will be a minimum amount of latency. Unfortunately, most controllers format with no skew at all. In this case, you will get optimal performance when the seek time is slightly shorter than the time it takes the disk to spin once (16 milliseconds on a hard disk that spins at 3600 revolutions per minute).

A smart cache program can sometimes reduce the effect of a nonoptimal skew angle by reading and caching every sector that passes under the head, even if it hasn't been requested yet. Since many accesses are sequential, there's a good chance that the sector data will be useful shortly.

causing unnecessary delays.

Many disk caches take care of performing seeks in the background so that the system can run faster—or they simply

The most powerful expanded memory software available.

TURBO EMS Version 4.3

With Added 386 Support





Turbo EMS 4.3 now includes 386 support, "Automatic Spillover" and special support for Windows, Excel, DESQview, and Ventura.

- 386 features include "VCPI" support, relocating TSR and device drivers, increasing DOS memory, shadowing ROM, large page mode, discontiguous extended memory support, and supports Lotus 3.0
- Provides "Automatic Spillover" between any combination of expanded memory, extended memory and disk file space
- Simulates LIM 4.0 expanded memory with LIM 3.2 hardware
- Allows customized individual configuration files for multiple software applications
- Supports the LIM XMS 2.0 specification for extended memory
- Provides up to 32 megabytes of LIM 4.0 expanded memory

Turbo EMS 4.3 \$99.95 Sugg. retail

4393 Viewridge Avenue, Suite A • San Diego, CA 92123 • 619/565-6400 • FAX 619/565-0798

don't do them if the destination track is in the cache. (If you use a disk benchmark program on a system that is running this kind of cache, the figure that you will be given for track-to-track access time will not be a meaningful one.)

Caches in multitasking systems and single-tasking systems with write-back

n a disk cache, speed may be less critical than RAM space.

often use *elevator seek* algorithms. The head is moved between tracks the same way an elevator moves between floors in a building, continuing in a given direction until there are no more outstanding requests for access to tracks in that direction. It then turns around and makes a pass back across the disk. The resulting access pattern is orderly and usually close to optimal.

Finally, as I mentioned earlier, a system with a write-back cache must update the disk every so often in the event that the machine crashes or is turned off. This process should be handled as a background task.

Associativity in Disk Caches

Most RAM caches are direct-mapped or two-way associative. It usually isn't practical to provide a higher degree of associativity because the hardware required becomes too complex; it's less expensive to reduce cache misses by adding more cache memory.

In a disk cache, however, speed may be less critical than RAM space. A software disk cache usually uses storage taken from the pool of RAM normally available to other parts of the system; a caching disk controller can use only the amount of RAM that's available on the board. (Remember that sectors must always be cached as a whole; a single-byte read requires 512 bytes of cache.)

Also, since RAM and the CPU are faster than the disk mechanism, it pays to take more time to manage the cache well. The penalty for doing a binary search through a list of available sector numbers is small compared to the penalty incurred when an important sector—say, part of the file allocation table (FAT)—is thrown out of a direct-mapped cache.

For all these reasons, it pays to use a fully associative caching algorithm for a hard disk cache.

Replacement Strategies

Many disk caches use a strict LRU algorithm to choose a slot for new data. Other techniques are biased for amount as well as time of use—a sector that was once used a lot will "age" more slowly than one that wasn't used much. Some more-complex algorithms, especially in multitasking systems, factor in the difficulty of getting the data back. If the disk head is far from the data, it may be best to keep the data in the cache. Still other algorithms take into account special knowledge of the file system. For instance, it's a good idea for a DOS cache to keep the FAT—and possibly the root directory—in the cache at all times.

continued



Australia (02) 654 1873, Austria (0222) 38 76 38, Benelux +31 1858-16133, Denmark (02) 65 81 11, Finland 90-452 1255, France (01)-69 412 801, Great Britain 0962-73 31 40, Israel (03) 48 48 32, Italy (011) 771 00 10, Korea (02) 784 784 1, New Zealand (09) 392-464, Portugal (01) 83 56 70, Sweden, Norway (040) 92 24 25, Singapore 065 743-2086, Spain (93) 217 2340, Switzerland (01) 740 41 05, Taiwan (02) 7640215, West Germany 01831-1687, USA FAX (408) 378-7869.

Know Thy System

A good cache will take advantage of special knowledge of the operating system under which it runs. A DOS cache, for instance, may recognize that sectors are allocated in groups called *clusters* and

> A disk cache is more essential in some operating environments than in others.

try to cache whole clusters (since that's the way DOS allocates and uses them). It should also know about and be able to use the different methods of allocating memory outside the limited 640K-byte DOS area, including LIM/EMS memory and the extended memory specification.

Familiarity with the file system is also useful. For instance, if a file is fragmented, read-ahead operations may be of no help; the next sector of the disk won't be the next sector of the file. But if the cache understands the file system well enough to find and read the sector that really *does* come next, it can do the right thing.

A disk cache is more essential in some operating environments than in others. The Amiga file system, for instance, is organized in such a way that reads and writes are relatively quick, but building a directory or locating a file can be very slow, even with the new, fast file system. A disk cache is important for good performance in this system.

As the user of a disk cache, you will need to know about the operating system as well, so that you can tune the machine for optimal performance. For instance, if you're running MultiFinder on the Macintosh, you may find it necessary to reduce the size of the cache to run many programs at once. Otherwise, the Resource Manager may continually purge resources from memory and then reread them from the cache, bogging down the system in the process.

Caching and Networks

If you're running a LAN, you will almost certainly want to use a hard disk **Listing 1:** The 8086 assembly language source code for capturing a record of all the disk reads and writes.

****** SNOOP.ASM Created 6/24/1969 by L. Brett Glass SNOOP.ASM This TSR logs all hard disk reads and writes that pass through the IBM PC BIOS to a RAM buffer. The sector, cylinder, head, drive, operation, and number of sectors are recorded. Usenet: apple/well/rogue ARPANET: well/rogue@APPLE.COM BIX: glass CompuServe: [72267,3673] (Also reachable from MCI Mail) This program may be freely redistributed for noncommercial purposes only. It may not be made part of any hardware or software product without the express written consent of the copyright owner. This program is supplied on an "as is" basis. The author assumes no responsibility for its correctness or its fitness for a given purpose, nor for consequential damages that may arise from its use. equ 13h ; Disk I / O interrupt number DISKINT equ 21h ; Interrupt number for: DOS function DOS TSR equ 27h ; Terminate / stay resident GETVEC equ 35h ; DOS function numbers: Get interrupt vector SETVEC equ 25h ; Set interrupt vector equ 9 PRINTMSG Print message equ 80h ; Mask to test for hard disk number HARD ; BIOS functions: Read DISKREAD eau 2 DISKWRITE equ 3 Write GETBUFADDR equ 99Ah ; Special Int 13h request for snoop buffer address BADCMD equ 1 ; Bad command result code for BIOS call SENTINEL equ 4321h ; Sentinel value to signal that SNOOP is present MAXTRANSACTIONS equ 8 * 1024 ; Log 8K disk transactions BUFFERSIZE equ 6 * (8 * 1024) ; Each transaction is 6 bytes Code segment assume cs:Code,ds:Nothing org 100h Entry: jmp near ptr Init ; Jump to transient portion of program ; Store the original vector here DiskIOOfs dw 0 ; Now make labels for segment and offset DiskIOSeg dw 0 ; Make a label for the whole vector Define constants that indicate where buffer starts and ends BufferStart equ (offset NextLoc) + 2 (offset NextLoc) + 2 + BUFFERSIZE BufferEnd equ Snoop proc far broot far test dl,80h ; Is it a call to the hard disk? jz Chain ; Nope, let it through cmp ah,DISKREAD ; Is it a read request? je Log ; If so, log it cmp ah,DISKWRITE ; Is it a write request?

cache on the server. Novell's NetWare has caching built in, and some NetBIOSbased networks (e.g., the Network-OS) come with a disk-cache program that's relatively easy to install. Novell also has drivers for caching controllers.

Caches on network workstations are another matter. There is a great danger of losing coherency if two workstations have access to a file at the same time. To prevent this problem, most software hard disk caches will refuse to cache a network disk, leaving this task to the network software. The network software, which understands the protocols and file sharing conventions, generally takes a conservative approach as well—usually, it won't let a file be cached locally unless it's marked read-only or opened for the exclusive use of one workstation.

Hardware or Software?

If you're buying a new computer system, you may be faced with the dilemma of whether to buy a caching disk controller (like recent offerings from Distributed Processing Technology or Mylex) or simply use a software caching program.

Caching controllers certainly have some advantages: They add dedicated processing power to the system and usually don't take much (if any) RAM away from the host system. Unfortunately, they don't always deliver performance

```
ie Log
             cmp ax,GETBUFADDR ; Is it a buffer address request?
                  Chain ; If not read or write or addr request, pass on
ax.cs ; Get address
             ine Chain
GetAddr:
             mov
             mov
                  es,ax
                  bx, offset WrapFlag
             mov
                  dx,SENTINEL ; Tell program SNOOP is present on the sly
ah,BADCMD ; Look like bad command
             mov
            mov
             stc
                           ; Generate apparent error
             ret 2
                          ; Do not restore original flags when returning
             push di
                 d di ; Use di as a pointer into the buffer
di,cs:NextLoc ; Get the next position to be written
Log:
             mov
                  cs:[di],dx ; Store DX there
             mov
                  d1,2
             add
                  cs:[di],cx ; Then CX
             mov
             add
                 d1.2
             mov
                  cs:[di],ax ; Then AX
             hhe
                 di.2
                  di, BufferEnd ; End of buffer?
             CMD
                  ØF
             .1b
                  di, BufferStart ; If so, wrap to beginning
             mov
            mov
                  cs:WrapFlag,1 ; And set a flag so we know we've wrapped
60:
                  cs:NextLoc,di
            mov
                  d1
            pop
Chain:
             jmp cs:[DiskIO] ; Jump to disk BIOS
Snoop
             endp
; Labels used by TSR portion of program
WrapFlag
                 0 ; Flag to indicate buffer has wrapped at least once
             dh
NextLoc
            label word ; Next location to store disk info
             "Transient" area (also used for logging transactions) begins here
            db 'Hard Disk Log Utility'
db ODh,OAh,'Copyright (C) 1989 by L. Brett Glass'
db ODh,OAh,'Reboot to remove this TSR.'
db ODh,OAh,'$'
Message
;
            assume cs:Code,ds:Code
İnit
                               ; This code executed on entry
            proc near
            mov ax, (GETVEC shi 8) + DISKINT ; Get interrupt vector from DOS
int DOS ; DOS call
            mov [DiskIOOfs],bx ; Save the old vector
            mov [DiskIOSeg],es
            mov dx, offset Snoop ; Get ready to add our own routine
            int DOS ; DOS call
            mov dx, offset Message ; Prepare to print message
            mov ah, PRINTMSG ; Print message through DOS
            int DOS
                               ; DOS call
            mov NextLoc, BufferStart ; Start from beginning of buffer
mov dx, BufferEnd ; Reserve space for buffer
                              ; Terminate and stay resident
            int TSR
Init
            endp
Code
            ends
                      Entry
            end
```

commensurate with their price tags, especially under single-tasking operating systems like DOS, where a software cache may be as good or better.

Hardware caches usually have their own pool of RAM for the cache, and you may need to buy special boards or chips from the manufacturer to expand the cache. (Software caches, by contrast, use the same kind of memory the rest of your machine uses, and you can usually decide how much RAM goes to the cache and how much to the system.) A caching controller may also prevent you from using low-level disk maintenance packages like SpinRite and Disk Technician. Caching controllers may prevent you from running operating systems that don't use the BIOS (e.g., Unix and OS/2) unless they're register-compatible with the original AT controller or come with a special software driver.

When evaluating a caching controller, beware of manufacturers' claims of "0.5-millisecond access time" or less. These figures are usually produced by benchmark programs designed to measure the time it takes for a hard disk drive to physically move its heads—*not* controller performance or overall system throughput. Since most caching controllers don't actually move the head in response to a seek command or do seeks in the background after the call has returned, the figure you'll get from one of these programs has little bearing on the performance you'll get on a day-to-day basis. If you wish to do a benchmark, use a set of tests that corresponds to the kinds of disk transactions you're likely to use in your work.

A Hard Disk Snoop

How would different disk-caching strategies affect performance on your machine? To demonstrate how hard disk caching could speed up your system, I've included a program that will let you find out. It consists of two parts: a TSR *snoop* module, which invisibly logs the last 8192 requests your machine has made onto the IBM PC disk BIOS, and a *simulator*, which shows how much time could be saved by different caching strategies. Listing 1 shows the assembly language source code for the TSR module.

SNOOP.COM installs itself between the Int 13h interrupt vector and the disk BIOS, and it logs all hard disk read and write requests. (It detects and ignores requests that go to floppy disk drives.) It saves 6 bytes of information about each request—including the action, the head, the track, and the sector—in a circular buffer for use by the simulator.

EVAL.PAS, the simulator, is written in Turbo Pascal 5.5. It looks through RAM and extracts the relevant information from the buffer maintained by SNOOP.COM and then analyzes it to see how a cache could speed up the system. You can enter different drive characteristics (e.g., interleave factors and access times) to see how the system will perform under different conditions.

EVAL.PAS is designed to make it easy for you to try your own disk-caching algorithms to see how well they would work with your machine and access patterns. If you have a clever idea for a replacement strategy, head-motion strategy, or some other improvement to diskcaching technology, here's your chance to find out how well it will work. Add the algorithm to the simulator and watch the results!

Editor's note: The source code listing for SNOOP.ASM and EVAL. PAS is available in several formats. See page 5 for details.

L. Brett Glass is a freelance programmer, author, and hardware designer residing in Palo Alto, California. He can be reached on BIX as "glass."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

BEST PICTURE OF THE YEAR: *Readers Poll, Data Based Advisor, February 1989

SALES RESULTS 12 MONTH TREND MILLIONS OF LBS 1000 900 800 700 600 500 400 300 200 100 0 **1ST QTR** 2ND QTR **3RD QTR** 4TH QTR

CATEGORY: BEST DATABASE MANAGEMENT GRAPHICS PACKAGE.

dGE the most powerful database graphics package on the market, has just been voted the "best graphics tool for a database manager," according to the readers of Data Based Advisor.

If you think that's impressive, consider this: the vote was based on dGE 2.0.

Now dGE 3.0 is here.

dGE 3.0 is better than ever.

The Graphics Design Center, included in the new 3.0 version, supports the creation of graphic charts and pictures in a free-form menu driven environment.

So instead of requiring you to

program in dBASE source code, the Graphics Design Center writes the code for you after you've designed the image using pull-down menus and WYSIWYG editing screens.

There's more good news. Version 3 also adds a font editor, expanded printer support, 3-D bar graphs and more.

Impress your boss, your clients, and yourself. Easily.

dGE does what you want. And it does it with the dialect of your choice. Consider the possibilities:

GRAPHS:

- Bar Polyline • 3-D Bar
- figure High-low-close
 Polyvector
 - Time series
- Pie Cartesian Polar

DIALECTS:

- dBASE III+ Ouicksilver
- dBASE IV
- Clipper
- FoxBASE+
- Microsoft C • R:BASE
 - Ouick C • Turbo C

dBFast

Eagle

- Compiler dGE comes complete with interface
- to all dialects listed.

What's more, dGE 3.0 works with: CGA, EGA, VGA and Hercules monitors, IBM PC, XT, AT, PS/2 and compatibles. Supports the most popular printers and plotters including HP-G/L language plotters. PCX/PCC support now also included.









For more information and your FREE DEMO DISK just call 1-800-231-1293

BUSH RESS (BUHHESS

or 1-206-941-2300 or write Pinnacle Publishing, P.O. Box 8099, Federal Way, WA 98003.

When you're ready for the best, you're ready for dGE.

Price: \$195.00; contact Pinnacle Publishing or your local software dealer.





Federal Way, WA 98003 206/941-2300 800/231-1293 FAX 206/946-1491 © 1989 Pinnade Publishing, Inc.

The Database Enhancement Expert™

dGE is a trademark of Bits Per Second. Other brand and product names are trademarks of their respective holders.

Come Visit Us At Comdex Booth #C-740



Part 1

TWO TIN CANS AND SOME STRING

The job—simple and useful—is transferring a file from one machine on a network to the other. Not a contest, more like a shared stage. And I'll start the performance with the AppleTalk program.

What's Your Address?

When you think about what a network is-a bunch of computers and printers sharing some form of common communications medium-you realize that one logistical problem that crops up is how to give users the ability to recognize one another. This boils down to providing each user with a unique address that other users can identify. On an AppleTalk network, each machine is assigned a unique, 8-bit node number. (I'll reveal which program does this assigning later.) Notice I said "each machine," not "each computer." A machine on a network can be an unmanned peripheral (e.g., a laser printer) as well as a manned Macintosh.

On a single Mac, I might run more than one application that's using the network. For example, I might run a DBMS program reading a shared database on some remote server to generate a sales report on the office laser printer. How does the network keep records arriving from the database server from getting mixed up with acknowledge packets from the printer, even though both are being sent to the same node (i.e., my machine)?

Sockets is the network term for the answer. A socket is a kind of logical node within a node, a post office box within an apartment number. Each application wishing to communicate across Apple-Talk must first obtain an 8-bit socket number that is unique within the node. For this reason, a program that communicates across the network is often called a *socket client* (used interchangeably with the term *network-visible entity*). So, in the example above, my DBMS program might be communicating with the server via socket 64, while the print job is talking to the LaserWriter through socket 65. Messages coming back from the server say "Deliver me to socket 64," while acknowledge packets from the printer say "Deliver me to socket 65."

Finally, AppleTalk permits you to connect networks via bridges to form internets. AppleTalk allows up to 254 unique nodes on a single network. If bridging were not allowed, some large installations would quickly reach the limits of AppleTalk. To distinguish one network from another, AppleTalk defines a 16-bit network number associated with each network on an internet.

These three coordinates—network number, node number, and socket number—combine to form a socket client's *internet address*. This address is unique for each socket client on an internet.

Level Out

The components of AppleTalk are stratified in clearly defined layers (see the figure on page 149 of the July BYTE). Each layer is really nothing more than a set of functions. But it's convenient to speak of layers, because this helps you visualize the fact that functions of higher layers embody more complex activities. Also, functions in higher layers stand on the shoulders of those below: Functions of one layer can only call functions beneath them. It's important to point out, however, that layers are not opaque; those above do not hide those below. Programmers have full access to all layers, so if you don't like the way Apple has done things, you can literally write your own network operating system from the ground up.

• ALAP. The lowest of these layers is AppleTalk's Link Access Protocol. ALAP is the gateway through which everyone must pass to get to the actual network. It's also the AppleTalk traffic cop; since AppleTalk is physically a CSMA/CD network, it's ALAP's job to continued

A two-part series on AppleTalk and NetBIOS, and how each works with a file transfer program

etworks have snuck up on us. I can't remember how many times I've read or heard about "The Year of the LAN." I don't think there ever will be a Year of the LAN; the invasion moves like a sluggish tide: imperceptible but overwhelming. Here at BYTE, there are at least three LANs in operation (that I'm aware of), and they were all installed without fanfare or massive work interruptions: A phone man showed up one day to put a red sticker on my new outlet; a board and some cables showed up the next day. I was connected before I knew what was going on.

What has amazed me most about networks is how underutilized they often are. It wasn't until more than a year after installing AppleTalk that I finally shouldered my way into the Inside AppleTalk manual and realized that I already had services available for creating applications beyond simply sharing the laser printer. Later, after I'd installed one of the serial-card-based LANs (EasyLAN, to be exact) in two of my PC clones, I discovered that I could put together Net-BIOS applications. It was like learning two languages that had sprung from a common ancestor but had developed in separate cultures (Apple and IBM).

I decided that the best way to present AppleTalk and NetBIOS was to concoct a real-world application as a common denominator and then build software to perform the task—one program using AppleTalk, the other using NetBIOS.



resolve collisions on the network. Basically, this means that everyone talks along the same wire, and if two users talk simultaneously, a collision occurs. ALAP, in the case of AppleTalk, detects the collision and handles retransmission.

Recall that machines on an AppleTalk network are recognized by unique node numbers; ALAP enforces that uniqueness. Packets traveling along the network are referred to as ALAP frames. These frames contain source and destination node numbers so that every machine can determine who's talking to whom.

ALAP is described as a "best effort" delivery system. This means that if you send a data packet from one node to another using ALAP calls, you're not guaranteed that the message will arrive safely at its destination. If some transmission error occurs along the way, the destination node will detect the error (since ALAP attaches a 16-bit frame check sequence). However, ALAP contains no accommodations for retransmitting the bungled packet—that's the job of higherlevel protocols. ALAP makes certain only that it got sent—not that it arrived.

• DDP. Next up the ladder is the Datagram Delivery Protocol, which manages communications between sockets on an internet. DDP recognizes sockets within nodes, but, as with ALAP, it only provides a one-shot attempt; if the packet's contents are somehow fouled, DDP will make no attempt to resend. This is where ATP comes in. • *ATP*. The AppleTalk Transaction Protocol, as its name implies, provides a controlled means of carrying out a complete transaction between two socket clients on the network. A *transaction* is AppleTalk for a dialog: the exchange of a request and a response between two application programs (see figure 1). A response can actually consist of up to eight transmissions. So, a single requesting transmission might be a message like "Send me the first eight 512-byte blocks from file BOB." The response would consist of eight actual packets that are consecutive 512-byte blocks from BOB.

ATP guarantees delivery. Application developers don't have to worry about calculating cyclic redundancy checks or what to do if one end drops a packet. This month's sample program uses ATP for that reason. The guarantee is possible because of the transaction ID that ATP attaches to outgoing request packets. When a respondent services the request, the response packets sent back to the requester carry that same transaction ID.

The ATP driver also holds a retry timer and maximum retry count. Once a request datagram is sent, ATP starts the retry timer. If the requester doesn't receive a response before the timer runs out, ATP retransmits the request. The retry count specifies how many times ATP should attempt retransmission. If you're bound and determined to get a request to its destination, you can specify a retry count of 255, which tells ATP to continue retransmission forever, until you explicitly tell it to stop (or until it succeeds).

ATP provides two classes of service: ALO (for "at least once") and XO (for "exactly once"). If you flag an ATP request as being ALO, then *any time* the request is received by the responder, the responding system's ATP driver will deliver that request to whatever application is calling ATP. So, even if the requester's ATP driver retransmits the same packet as part of a retry operation, that packet is delivered to the responder. This is useful for time-critical applications where one machine is monitoring a rapidly changing value (such as a timer) on another machine.

XO transactions allow only one copy of the request packet to make it to the responder's end, no matter how many times a request may have been retransmitted. (XO transactions are sufficient for most applications; this month's program uses them exclusively.) Each responder's ATP driver maintains a list of recently received XO transactions, so ATP can determine which transactions have already been sent to the calling application.

You Name It

Now that you've learned what facilities are available for setting up communications between two Macs, there's probably a question nagging at you: "How does a program on one Mac 'find' a program on some other Mac in order to set up communications?" Well, remember continued



Figure 1: The anatomy of a transaction. (a) The system on the left sends a request (TReq) to the system on the right. The request is for the first eight sectors of a file. (b) Since a single request can be answered with up to eight responses, the system on the right is able to satisfy the request with eight response (TResp) packets.

How to create high-performance programs without wasting your time or money



Step 1: The \$19.95 Power C compiler

Power C is the new ANSI compatible C compiler that runs faster than Microsoft C[®] and has more functions than Turbo C[®]. Power C combines highperformance software with superb documentation, all for less than the price of most C books alone. It's your fast route to fast programs without the fast bucks.

The quality of the Power C documentation makes it easier to learn C. The manuals that accompany our competitor's products are terse at best. They contain little or no information about C, and very few examples. In contrast, the Power C book includes a step-by-step tutorial and is chock-full of example programs. Most of our customers are saying that it's the best C book they've ever used.

The quantity of functions in the Power C library makes it easier to accomplish your programming tasks. The Power C library contains more than 420 functions, a superset of the functions in Microsoft C[®] 4.0 and Turbo C[®] 1.0. In addition, Power C includes a large number of video and graphics functions. You get super-fast functions for drawing lines, boxes, circles, ellipsis, pie charts, and more.

The speed of the Power C compiler makes programming fast. Power C's integrated *Make* utility saves you time and effort by automatically managing your large programming projects. If you modify your program, Power C makes a new version by recompiling only the files that have changed. The compiled programs are equally fast. Just check out the performance chart. See how much time and money you save with Power C.

Performance / PriceChart (execution times in seconds)			
Power C Quick C* Turbo C			
1) fib	23.8	53.4	26.4
2) sieve	27.6	43.2	25.5
3) tdbi	3.5	9.0	9.6
4) diskio	13.5	14.4	14.3
5) report	11.0	71.7	60.7
6) drystone	36.6	41.6	31.8
Compile/Link	73.9	113.5	81.4
EXE File Size	25120	32092	27184
Compiler/Debugger	\$39.90	\$99.00*	\$149.95*
Library Source	\$10.00	\$150.00	\$150.00
Total Cost	\$49.90	\$249.00	S299.95
ALL L. R. M. LILL			

* Includes limited debugger only Benchmark programs used by Dr. Dobb's Journal and Computer Language Magazine.

Step 2: The \$19.95 Power Ctrace debugger

Power Ctrace is the new state-of-the-art C debugger that makes Microsoft's Codeview[®] look like old technology. Power Ctrace reduces the time you spend debugging your C programs by at least a factor of 10. With Power Ctrace, you work smarter instead of harder. Actually, using Power Ctrace is so much fun that debugging doesn't even feel like work anymore.

Power Ctrace shows you 7 windows of program information: 1) C source statements, 2) screen output, 3) variables, 4) watch points, 5) memory, 6) symbols, and 7) assembly instructions. You can view a single window or as many as 4 windows at the same time (as shown on the screen above). Eight predefined window arrangements are available at the press of a key, or you can design your own. Power Ctrace is loaded with many other advanced features. Power Ctrace automatically displays *all* of your variables (including arrays and structures), saving you from having to remember and type their names. The virtual output window lets you see the screen output from your program while simultaneously viewing any of the other windows. Interruptible input allows you to get control even while your program is reading input from the keyboard. Backwards tracing gives you the ability to trace backwards through the execution path.

With all its advanced features, the single most important feature of Power Ctrace is simple operation. With Power Ctrace, you won't waste any time trying to understand or remember cryptic commands. A single keystroke is all it takes. Help screens show you which key to press and pop-up menus list your options. Invest just 10 minutes of your time with Power Ctrace now, and you'll save hours from now on.

Order Line: 1-800-333-0330 Technical: 1-214-783-6001 1132 Commerce Dr., Richardson, TX 75081

bu day	money o	ack guara	ntee
Name			
Street			
City			
State		Zip	
Telephone			
Paying by:	🗌 Mo	ney Order	🗌 Check
🔲 Visa	□ MC	🗆 AX	Discover 🗌
Card Expiration Date			01-
Computer Name		Disk	Size
BCD Busines Add Shipping (S5 US Texas Residents add Total amount of your	pjiler (\$19.9) debugger (ce Code (\$10 embler & lib s Math (\$10, SA - \$20 Fore 8% Sales Ta r order) 5) 519.95) 0.00) rary manager .00) sign)	\$ \$
(Requires DOS 2.0 o			в

Power C & Power Ctrace are trademarks of Mix Software Inc. Turbo C is a registered trademark of Borland International. Quick C, Microsoft C, & Codeview are registered trademarks of Microsoft Corp.

that it's ALAP's job to assign unique node numbers to machines on the network. When you activate AppleTalk on your Mac, your local ALAP driver chooses the node number for your machine dynamically. It picks a random node number, say 88, and broadcasts onto the network a message like "I want to be node 88; are there any objections?" If a machine is already node 88, your ALAP driver keeps picking random numbers until there are no complaints.

Even though the node numbers are random, your machine locates your partner's machine thanks to the Name Binding Protocol. The NBP makes socket clients visible on the network. It provides a means by which a socket client's internet address can be tied (*bound*, in network terminology) to a name. Most important, once you've bound your internet address to a name, you can register that name in a kind of network-wide directory that all network users have access to. Then anyone who knows your internet name can find your internet address.

A name consists of three components: zone, type, and object. Each component can be up to 32 characters long. The zone portion lets you partition an AppleTalk internet into subnets—handy for setting up departments in a large, companywide network. The type component lets you identify the kind of service an entity provides. Finally, the object portion lets you distinguish between members of the same type in the same zone.

Here's an example: This month's program runs on two machines-the one sending the file and the one receiving the file. Both machines call NBP and register their types as "BYTEFTRANS." However, the sender's object name is "ByteSend," and the receiver's object name is "ByteRecv."

Once a program registers its name on the network, applications on other machines can use NBP to locate the internet address of that program. Notice I said *program* and not *computer*. Remember that machines are associated with nodes, while programs are associated with sockets within nodes. So, a single machine may have several names registered on the network, each name attached to a particular application program running on that Macintosh.

Establishing a Dialogue

To make all this clear, I'll step through the AppleTalk calls that a program would use to send a file across the network. Imagine that you want to send a document from your Mac Plus to a colleague's Mac II across the office. In keeping with ATP terminology, assume your machine is the requesting end and your comrade's is the responding end, and assume both ends are running the same program. (This program is general enough to act as either sender or receiver.)

The program's first task is to make each end of the conversation visible to the other. This is a job for NBP, but before you can call it, you have to have an internet address with which to bind the name. On the responder's side, the program calls the OpenATPSkt function to open a socket for receiving requests. You must supply this function with two arguments: the internet address from which to expect requests, and the socket number on your node (the local socket) that will receive them. If you give the function a 0 for the local socket number, ATP will pick the socket number for you.

The internet address argument defines the requester's side of the transaction and acts as a filter for incoming requests. Remember that an internet address consists of network number, node, and socket. If you enter a nonzero number for any component of the internet address, your program receives only those transactions matching that value in that component. If you've constructed a networked database server, you might set its local socket to 89 and set the requester's socket to 89, and all network traffic pertaining to your database will occur only between applications talking through socket 89.

A zero in one of the requester's internet fields matches all requests in that field. Thus, if you pass OpenATPSocket all zeros for the requester's internet address, you've told ATP that the local socket will accept requests from anyone on the network. (Sockets 64 through 127 are available for applications to use. ATP uses socket numbers between 128 and 254 when it picks the number. Sockets 0 through 63 are reserved by Apple.)

Moving up to NBP

Now that the responder has opened a socket, the program can call the NBP continued



Figure 2: The response buffer data structure (BDS) tells the AppleTalk Transaction Protocol where incoming responses can be placed. A single response BDS can consist of up to eight BDS elements of 12 bytes each. A BDS element governs a response buffer, where the actual response data goes.

HANDS ON

SOME ASSEMBLY REOUIRED

Listing 1: Pseudocode for a program to send and receive a file	e on an AppleTalk network.
IF receiving THEN direction:=1	{ the first 2 bytes of bu
ELSE direction:=0;	Read(fname, buffer[2], 512)
{ Prompt user for filename.	{ Set the first 2 bytes o
IF direction=1 THEN BEGIN	{ of bytes actually read buffer[01]=number_actual
Display an SFPutFile Dialog Box;	IN Parameterblock DO
<pre>fname := entered filename;</pre>	BEGIN
END ELSE	Set exactly_once bit;
BEGIN	<pre>addr_block := his_addres req_length := 514;</pre>
Display an SFGetFile Dialog Box;	<pre>req_pointer := buffer;</pre>
fname := selected filename; END	Set bds_pointer to our : { We expect only 1 resp
END	num_of_buffs := 1;
{ Open an ATP socket.	timeout_val := 15; { Re
<pre>{ Following lines tell OpenATPSocket that the local { socket (selected to be 89) will receive requests from</pre>	<pre>retry_count := 4; { Re END</pre>
{ all network addresses, nodes, and sockets. Hence zeros	CALL SendRequest(Paramete
{ in each field. IN Parameterblock DO	END { End of WHILE loop }
BEGIN	ELSE { direction = 1 }
receive_network_address = 0;	BEGIN
receive_node_number = 0; receive_socket_number = 0;	Create(fname); { Create the REPEAT
mysocket = 89;	{ Get a request.
END	IN Parameterblock DO
CALL OpenATPSocket(Parameterblock);	BEGIN atp_socket := 89; { Rea
{ Register your name on the network.	req_pointer := buffer;
zone := "*"; { Local zone type := "BYTEFTRANS";	req_length := 514;
IF direction=1 THEN object := "ByteRecv"	END CALL GetRequest(Parameter)
ELSE object := "ByteSend"	{ GetRequest() returns a .
mysocket := 89; Build a Names Table Element;	{ ParameterblockI'll ca
IN Parameterblock DO	{ The number of bytes sen
BEGIN	{ of buffer.
Set pointer to Names Table Element; retry_interval = 10; { Retry every 1.3 seconds	num_bytes := buffer[01] IF num_bytes<> 0 THEN
retry_count = 50;	Write(fname,num_bytes,b)
verify_flag = TRUE; { Check for duplicate names	{ Send a response.
END CALL NBPRegisterName(Parameterblock);	IN Parameterblock DO BEGIN
	<pre>atp_socket := 89;</pre>
<pre>{ Look up the other station's name. zone := "*";</pre>	{ Show that this is the { to the current request
type := "BYTEFTRANS";	atp_flags := atpEOMBit;
IF direction = 1 THEN object := "ByteSend"	addr_block := his_addres
ELSE object := "ByteRecv"; Build an Entity Name;	Set bds_pointer to our p { Only 1 response to ser
IN Parameterblock DO	num_of_buffs := 1;
BEGIN retry_interval = 10; { Retry every 1.3 seconds.	bds_Size := 1; trans_ID := transaction_
retry_count = 50;	END
Set pointer to Entity Name;	CALL SendResponse();
{ Set aside 40 bytes to receive response from { LookupName().	UNTIL (num_bytes <> 512); END
ret_buffer = NewPtr(40);	(pt t t
ret_buffer_size = 40; max_to_get = 1; { Looking for 1 name.	{ Finish up. Close(fname);
END	Display("Done");
CALL LookupName(Parameterblock); { LookupName returns numGotten in Parameterblock.	CALL REMOVE_MY_NAME; EXIT;
IF numGotten = 0 THEN	LATT,
BEGIN	REMOVE_MY_NAME:
Display(" **No answer") CALL REMOVE_MY_NAME;	<pre>zone := "*"; { Local zone type := "BYTEFTRANS";</pre>
EXIT	IF direction=1 THEN object
'END { If LookupName() was successful, the other	ELSE object { An entity_name is simply
side's internet address is in ret_buffer.	{ of zone, type, and object
EXTRACT his_address from ret_buffer;	{ preceded by a byte count.
Free(ret_buffer); { Dispose of memory used by ret_buffer.	entity_name := zone + type IN Parameterblock DO
{ Both ends must build a response buffer data { structure-referred to as a BDS. See text for	entity_pointer := address
{ details.	CALL RemoveName(Parameterb)
Build a response BDS; IE direction = 0 TWEN	RETURN;
IF direction = 0 THEN BEGIN	
Open(fname);	
offset := 0; WHILE (fname NOT at end-of-file)	
BEGIN	
{ Read 512 bytes from file fname into buffer, leave	

```
{ the first 2 bytes of buffer empty.
Read(fname,buffer[2],512);
{ Set the first 2 bytes of buffer to the number
       of bytes actually read by Read().
    buffer[0.,1]=number_actually_read;
     IN Parameterblock DO
      BEGIN
       Set exactly_once bit;
       addr_block := his_address;
req_length := 514;
       req_pointer := buffer;
       Set bds_pointer to our response BDS;
       { We expect only 1 response.
num_of_buffs := 1;
       timeout_val := 15; { Retry every 15 seconds.
retry_count := 4; { Retry 4 times.
      END
    CALL SendRequest(Parameterblock);
   END { End of WHILE loop }
 ELSE { direction = 1 }
BEGIN
   Create(fname); { Create the file.
   REPEAT
     { Get a request.
     IN Parameterblock DO
      BEGIN
       atp_socket := 89; { Receive on socket 89.
req_pointer := buffer;
req_length := 514;
      END
    CALL GetRequest(Parameterblock);
{ GetRequest() returns a transaction ID in the
{ Parameterblock...I'll call it transaction_ID.
     { The number of bytes sent is in the first 2 bytes
     of buffer.
    num_bytes := buffer[0..1]...;
    IF num_bytes<> 0 THEN
       Write(fname,num_bytes,buffer[2]);
     Send a response.
    IN Parameterblock DO
      BEGIN
       atp_socket := 89;
{ Show that this is the last response
        to the current request.
       atp_flags := atpEOMBit;
addr_block := his_address;
Set bds_pointer to our response BDS.
       { Only 1 response to send.
num_of_buffs := 1;
       bds_Size := 1;
trans_ID := transaction_ID.
     END
  CALL SendResponse();
UNTIL (num_bytes <> 512); { End of REPEAT.
   END
 { Finish up.
Close(fname);
   Display("Done");
   CALL REMOVE_MY_NAME;
  EXIT:
EAL.,

REMOVE_MY_NAME:

zone := "*"; { Local zone

type := "BYTEFTRANS";

IF direction=1 THEN object := "ByteRecv"

ELSE object := "ByteSend"

reme is simply a concatenatic

with each st
  { An entity_name is simply a concatenation
{ of zone, type, and object, with each string
{ preceded by a byte count.
entity_name := zone + type + object;
IN Parameterblock DO
  entity_pointer := address of entity_name;
CALL RemoveName(Parameterblock);
    RETURN;
```

function RegisterName to attach a name to that socket and make the name visible on the network. You don't have to explicitly tell NBP your node or network number; it can find that out itself.

The requester doesn't need to make all the calls to ATP or NBP that I've mentioned. Strictly speaking, the requester



Figure 3: The names table entry (NTE) list is the Name Binding Protocol's inmemory notebook of what names are currently active on the network. Each NTE is composed of two parts, the entity's internet address and name. (Fields with asterisks are variable-length, with size determined by a preceding count byte.)



can sit back and watch the network for the responder's name to appear and then begin transmitting requests at the responder's internet address.

However, in my file transfer program, I opted to have the requester call Open-ATPSocket to capture a socket for the sole purpose of having one to give to RegisterName. In this way, both ends of the conversation can see that the other is on the network. So the requester's name serves merely as a semaphore to the responder's program, telling it that the requester is active and communication can commence.

The NBP routine LookupName allows a program to see visible entities on the network. You pass this routine a pointer to a data structure containing the three components (zone, type, and object) of a target name, and LookupName rummages around on the network and returns another data structure containing the internet address of all entities that match. Each component can contain wild-card characters: "*" in the zone field means the caller's local zone (similar to a default directory in a file open command); "=" in the type or object field tells LookupName to match all possible values for that field. This lets you locate all network entities in your zone of type "Database," for example.

In my file transfer program, the requester calls LookupName to search in zone "*" for type "BYTEFTRANS" and object "ByteRecv." The program then examines the data structure that LookupName returns to determine the responder's internet address. Once the requester knows the responder's address, the requester opens the file you've selected for transmission and calls Send-Request to begin passing data sectors over the network.

As I mentioned earlier, the responder calls LookupName merely to convince itself that the requester is on-line. Once that's done, the responder calls Get-Request to receive the data transmitted by the requester's SendRequest call. The rest is a dance choreographed by AppleTalk: The request packet passes from requester to responder, and the responder writes the data to the disk and issues a SendResponse call to inform the requester to send the next packet. This process—SendRequest, GetRequest, and SendResponse—continues until the entire file has been transmitted.

The Job Is Done

Once the job is done, both sides close things down in an orderly fashion: Both continued on page 357

Circle 213 on Reader Service Card (DEALERS: 214)

BYTE

PRODUCT SHOWCASE

BUYER'S MARTBYTE BITS

PRODUCT SPOTSMICRO PRODUCT CENTER



THE BUYER'S MART is a monthly advertising section which enables readers to easily locate suppliers by product category. As a unique feature, each BUYER'S MART ad includes a Reader Service number to assist interested readers in requesting information from participating advertisers.

RATES: 1x-\$525 3x-\$500 6x-\$475 12x-\$425 Prepayment must accompany each insertion. VISA/MC Accepted.

AD FORMAT: Each ad will be designed and typeset by BYTE. Advertisers must

ACCESSORIES

CUT RIBBON COSTS! Re-ink your printer ribbons quickly and easily. Do all cartridge ribbons with just one inker! For crisp, black professional print since 1982. You can choose from 3 models: Manual E-Zee Inker — \$39.50 Electric E-Zee Inker — \$39.50 Ink Master (Electric) — \$189.00 Ink Master (Electric) — \$189.00

1000s of satisfied users. Money-back guarantee. BORG INDUSTRIES

525 MAIN ST., JANESVILLE, IA 50647 1-800-553-2404 Fax: 319-987-2251

Inquiry 576.

COMPANION AND EXTENDER

Place a keyboard and monitor up to 600' from your CPU with EXTENDER and COMPANION products. Keep a second Keyboard/Monitor at the CPU with COM-PANION. Supports MDA, CGA, EGA, VGA, PS2. Uses single 3/6" cable.

Prices start at \$149.00 for EXTENDER and \$219.00 for COMPANION 25 ft. unit complete.

CYBEX CORPORATION 2800-H Bob Wallace, Huntsville, AL 35805

International Fax #205-830-1947 205-534-0011

Inquiry 577.



Inquiry 578.

REFILL LASER PRINTER & COPIER CARTRIDGES Don't throw away that used laser printer or copier cartridge. Refill it and save over 75%, it's easy. For use with Canon EP & EPS car-tridges, HP LaserJet & LaserJet II, Apple Laserwriter & Laserwriter II, Canon LPB, FAX, and many others. Also kits for Canon Copiel We have colors for laser printers. Dealers Welcome. VISA/MC COMPLETE REFILL KIT toner, felt pad, and instructions VIDEO TAPE PROGRAM \$45 MORACK INC. 9132 Windsor Dr., Palos Hills, IL 60465 For order or information (708) 598-0580 FAX: (708) 598-9203

Inquiry 579.

PC UPS BREAKTHRU

Our patented technology provides on-line (no-break) / sinewave Uninterruptible Power Supplies at standby / squarewave unit prices! 15+ minutes of blackout operation time. (International models also available) **SinePower Corporation** Box 820130 Houston, TX 77282-0130

Inquiry 580.

ACCESSORIES

THE BUYER'S MART A Directory of Products and Services

> HP LASERJET II M - E - M - O - R - Y

1MB-2MB-4MB MEMORY EXPANSION BOARDS

Save 50%-60% 2-YEAR WARRANTY

STARION CORPORATION (800) 782-8297 CA: (714) 750-2627

Inquiry 581.

ARTIFICIAL INTELLIGENCE

MANA

Intelligent Computing for 286/386 Transform your PC into an A1-based workstation. Expert systems, AI, knowledge base applications, rapid prototyping, object oriented, multi-tasking, vir-tual memory, LISP/PROLOG etc. modes in multi-language compiler, mouse driven, multi-windowed, fully integrated environment.

BMS, Inc. 700 E. Ogden Avenue, Westmont, IL 60559 Tel: (312) 789-9160 Fax: (312) 789-0253

Inquiry 582.

NATURAL LANGUAGE C LIBRARY

Increase your market share! Use JAKE to add a natural language front end to your application. JAKE translates English queries and commands into C function calls and data structures. JAKE offers context-sensitive semantic processing; interfaces easily; <64K mem. JAKE \$495. INTERACTIVE DEMO \$10

ENGLISH KNOWLEDGE SYSTEMS, INC. 5525 Scotts Valley Dr. #22, Scotts Valley, CA 95066 (408) 438-6922

Inquiry 583.

NanoLISP \$99.99

An MS-DOS Common LISP interpreter that supports most Common LISP operations and strictly adheres to the standard. Numerous advanced and extra features, excellent debugging facilities, sample Al programs, fully-indexed manual, free technical support.

Microcomputer Systems Consultants P.O. Box 68 46, Santa Barbara, CA 93160 (805) 967-2270

BAR CODE

PRINT BAR CODES/BIG TEXT FROM YOUR PROGRAM

Add bar codes and big graphics characters to your pro-gram. Print from ANY MS-DOS language. Bar codes: UPC, EAN, 2 of 5, MSI, Code 39. Epson, Oki, IBM dot matrix text up to 1/4". Laser.lefu to to 2". Font cartridges not required. \$179-\$239. 30-day \$\$ back.

Worthington Data Solutions 417A Ingalis St., Santa Cruz, CA 95060 (800) 345-4220 In CA: (408) 458-9938

furnish typewritten copy. Ads can include headline (23 characters maximum), descriptive text (250 characters is recommended, but up to 350 characters can be accommodated), plus company name, address and telephone number. Do not send logos or camera-ready artwork.

DEADLINE: Ad copy is due approximately 2 months prior to issue date. For example: November issue closes on September 8. Send your copy and payment to THE BUYER'S MART, BYTE Magazine, 1 Phoenix Mill Lane, Peterborough, NH 03458. For more information call Brian Higgins at 603-924-3754.

BAR CODE

PORTABLE READER

ed, handheld reader with 64K static RAM. Battery-or 2x16 LCD display, 32-key keyboard, Real-Time-Clock. Wand or laser scanner. Program prompts and data checking thru its own keyboard. Easy data transfer by RS-232 port or PC, PS/2 keyboard. Doubles as On-Line Reader. 30-day \$\$ back.

Worthington Data Solutions 417-A Ingalis St., Santa Cruz, CA 95060 (800) 345-4220 In CA: (408) 458-9

In CA: (408) 458-9938

PRINT BAR CODES AND BIG TEXT

On EPSON, IBM, OKI dot matrix or Laser let, Flexible design on creases screen. Any tox matrix or claser/eff. Hex/bib design on one easy screen. Any formatisize, Up to 120 field/abel. 13 text sizes to 14-readable at 50'. ANG, MIL-STD, 2 of 5, 128, UPC/EAN, Code 39, File Input & Scanned logostymbols (PCX)—\$279. Other programs from \$49, 30-day \$\$ back.

Worthington Data Solutions 417-A Ingalis St., Santa Cruz, CA 95060 (800) 345-4220 In CA: (408) 45 In CA: (408) 458-9938

BAR CODE READERS

For PC, XT, AT, & PS/2, all clones, and any RS-232 terminal. Acts like 2nd keyboard, bar codes read as keyed data. With steel wand—\$399. Top rating in independent reviews. Works with DOS, Xenix, Novell, Alloy, ALL software. Lasers, magstripe, & slot badge readers. 30-day \$\$ back.

Worthington Data Solutions 417-A Ingalls St., Santa Cruz, CA 9506 (800) 345-4220

In CA: (408) 458-9938

BAR CODE SOLUTIONS

Bar coding is so easy with our complete line of readers. Our PC-Wand readers emulate your PC keyboard or ASCII ter-minal, and are carried around taking inventory, entering road-sales and clocking time. Our bar code label printing software packages work with DOS and most matrix or laser printers. We also sell pre-printed labels. Our hardware can work with nearly every computer in the world.

International Technologies & Systems Corp. 835-C North Berry St., Brea, CA 92621 (714) 990-1880 FAX: (714) 990-2503 TLX 6502824734 MCI

Inquiry 584.

BAR CODE SOFTWARE SOLUTIONS

ISD has software solutions that allow you to use bar codes for most anything. Like identifying products. Labeling packages. Or even managing assets and paperwork. You'll be able to speed and simplify data collection. Track products dock-to-stock. Streamline in-ventory control. And more.

Integrated Software Design, Inc. 171 Forbes Blvd., Mansfield, MA 02048 TEL: (508) 339-4928 FAX: (508) 339-2257 ©1989 Integrated Software Deelgn, Inc.

BAR CODE

WHEN EASE-OF-USE COUNTS

Reading bar codes should be as easy as a "quick flick of the wrist." But many bar code readers require you to flick and flick and Flick and FLICK until the bar code label is finally read. PERCON designed bar code readers that *really are* as easy as a "quick flick of the wrist.

PERCON

2190 W. 11th Ave., Eugene, OR 97402 Phone: (800) 873-7266 FAX: (503) 344-1399

PERCON: THE BAR CODE SPECIALISTS

If you have questions about bar code technology, it's nice to know an experienced, friendly bar code specialist is only a phone call away. Want to know where to start or where to find hard-to-find bar code accessories? Call PERCON for answers.

PERCON

2190 W. 11th Ave., Eugene, OR 97402 Phone: (800) 873-7266 FAX: (503) 344-1399

5-YR. WARRANTY AT PERCON

PERCON decoders are now covered by a fiveyear limited warranty. That means you won't spend one cent replacing your PERCON bar code decoder for five full years. That's reliability you can count on!

PERCON 2190 W. 11th Ave., Eugene, OR 97402

Phone: (800) 873-7266 FAX: (503).344-1399

PC BAR CODE SPECIALISTS

Bar code readers designed for fast, reliable, cost effective data entry. Looks just like keyboard datal Choose from stainless steel wand or laser interface. Also, powerful Bar Code and Text printing software. Great warranty. Dealer inquiries welcome.

Seaguli Scientific Systems 15127 N.E. 24th, Suite 333, Redmond, WA 98052 206-451-8966

BAR CODE READERS

Among the best and most widely used bar code decoders. Reads all major codes (39, 1 2/5, S 2/5, UPC/EAN/JAN, CODABAR, MSI). Connects between keyboard and system. IBM, PS/2, MAC, DEC-VT com-patible. OS & software independent. Same day ship. 2 Year Warranty (pen incld). Large Reseller Discounts.

Solutions Engineering

Bethesda, MD 20815 (301) 652-2738 4705 Langdrum Lane, Bet (800) 635-6533 (

Inquiry 586.

DATA INPUT DEVICES

Bar Code, Magnetic Stripe Readers & SmartCard Encoder/ Reader for microcomputers & terminals, including IBM PS22 & others, DEC, Macintosh, ATAT, CT, Wese, Wang, All readers connect on the keyboard cable & are transparent to all soft-ware. UPC & 39 print programs, magnetic encoders, & por-table readers are also available.

TPS Electronics 4047 Transport, Palo Alto, CA 94303 833 Telex 371-9097 TPS PLA FAX: 415-856-3843 415-856-6833

Inquiry 587.

BAR CODE

VARIANT MICROSYSTEMS BAR CODE READERS DELIVER

- WAND/LASER/MAGNETIC CARD CONNECTIVITY Keyboard wedges (Internal/External) for IBM PC/XT/AT, PS/2 and portables.
- and portables. RS232 wedges tor WYSE, Link, Kimtron terminals Bar code and label printing software Full two-year warranty 30-Day Money-Back Guarantee Extensive VAR/Dealer Discounts

3140 De La Cruz Blvd., Suite 200/Santa Clara, CA 95054/(408) 980-1880 FAX: (415) 623-1372

Inquiry 588.

BBS/PUBLIC DOMAIN

MedCom BBS 800/445-4BBS (800/445-4227)

Bi lines, 31/224, 8N1 Group & private chat. Many games, including the new multi-player, fast-action full-color graphice & sound, "Flash Attack" from Galactionmi Chese/Checkers/Othelio. E-Mail, 1000s of di, message base, online news & entertainment. Free time vnloads

6312 E. Santa Ana Cyn Rd #361, Anaheim, CA 92807 Voice (714) 996-9999

CASE

STATE OBJECT **ORIENTED COMPILERS**

The COMPEDITOR's use finite state and object oriented programming techniques to design, develop and docu-ment source programs in: Ada, Basic, C, Fortran and Pascal. IBM DOS 2. + 250K RAM. Prices: \$200-\$300 (With Primer and Debugger) Sampler \$75 (With All manuals & Credit) AYECO 5025 Nassau Circle, Orlando INCORPORATED FL 32808 (407) 295-0930 Inquiry 589.

CD-ROM

CD-ROM Drives & Titles Largest selection for PC & Mac. Microsoft Programmers Library & Drive \$995 Computer Library \$695 • Public Domain S/W \$99. Drives from \$699. Hundreds of titles from \$29. MC/VISA/AMEX, Money-back Guarantee. Call or write for free 100-page catalog. Get it all from "The Bureau" Bureau of Electronic Publishing 121 Norwood Ave., Upper Montclair, NJ 07043 (201) 746-3031

Inquiry 590.

Hitachi CD ROM 3500 PC/XTIAT internal kit. \$639 Hitachi CD ROM 15035 PC/XTIAT external kit. \$679 NEG CD ROM Medicitosh asternal kit. \$779 Couring Statistics by Stateminet (ReM Trail). \$52,985 Couring Statistics by Stateminet (BM Trail). \$52,985 Carlos Soft Bochebert (BM, Trail). \$29 Geophysics of North Asternal by NASA (RM Trail). \$290 Free Brochumes, Dazama and Dazama of DISHS \$600
CD ROM, INC. 1120-B 10th St., Golden, CO 80401 303-278-8550

Inquiry 591.

CD-ROM/WE'LL BEAT ANY PRICE All IBM/MAC drives/titles. Call for price list, monthly specials, POs, international orders welcome. Special library, school, ment pricing. COD, Visa, MC, Amex

CD-ROM SHOPPER (201) 290-8288 1168 Elm Street Rahway, NJ 07065 24-HR AUTO ORDER LINE

Inquiry 592.

CD-ROM

CD-ROM Publishing Services Complete CD-ROM publishing services including custom soft-ware interface. Reasonable rates, fast turnaround, Call for

aunte Titles published: Food/Analyst, Econ/Stats, Consu/Stats, Agri/Sta

B. Hopkins Technology CD-ROM Publisher 421 Hazel Lane Hopkins, MN 55343-7117 US 74017,614

(612) 931-9376 CIS 74017.614

Inquiry 593.

COMPUTER INSURANCE

INSURES YOUR COMPUTER

SAFEWARE provides full replacement of hardware, media and purchased software. As little as \$39 a year provides comprehensive coverage. Blanket coverage; no list of equipment needed. One call does it all. Call 8 am-10 pm ET. (Sat. 9 to 5)

TOLL FREE 1-800-848-3469 (Local 614-262-0559)

SAFEWARE, The Insurance Agency Inc.

Inquiry 594.

COMP. MAINT. CHEMICALS

Buy Direct

A full line of Computer Maintenance chemicals: Pressurized Duster, CRT Screen Cleaner, Hood & Housing, Anti-Static, Head & disc, Freon T.F. Solvent, Cleaning Diskettes, Wipes, Swabs, All at wholesale prices. **Call Data-Chem at:**

1-800-FON-6698

Inquiry 595.

COMPUTER PRINTERS

LAPTOPS *	APPLE * IBM
COMPAQ SLT	IBM PS2
ZENITH	MACINTOSH
SHARP	LASERWRITER
TOSHIBA	IMAGEWRITER
NEC	HP LASERJET
PLOTTERS	EPSON
HARD DRIVES	FAX MACHINES
	21-8900 For Prices 1. 150, Cerritos, CA 90701 International Orders Welcome

Inquiry 596.

COMPUTER SUPPLIES

COLORS: Black, R		
	BLACK	COLOR
NEC P2200	\$7.75	\$12.00
Okidata 390/391	7.00	9.00
Panasonic KXP-1124	6.75	7.75
Toshiba P351	5.00	6.00
PRICE & SPEC. SUBJECT TO CHANGE WO NOTICE. FOR OTHER RIBBONS CALL FOR CATALOG		
RAMCO COMPUTER SUPPLIES P.O. Box 475, Manteno, IL 60950		
(USA) 800-522-8922 ' (CANA)	DA) 800-621-54	44 * 815-468-8081
Inquiry 597.		

CROSS ASSEMBLERS

CROSS ASSEMBLERS

Universal Linker, Librarian Targets for 36 Microprocessors Hosts: PC/MS-DOS, micro VAX, VAX 8000

ENERTEC, INC. BOX 1312, B11 W. Fifth St.

Lansdale, PA 19446 Tel: 215-362-0966 Fax: 215-362-2404

Inquiry 598.

OCTOBER 1989 • B Y T E 311

CROSS ASSEMBLERS

68000 CROSS ASSEMBLER

Assembles 68000/68010 code on a PC Compatible

 Very High Speed—2MB source code assembled per minute • Macros • S-Records

Knowledge Based Systems, Inc. 2746 Longmire • College Station • Texas • 77840 Phone: (409) 696-7979 • Fax: (409) 696-7277

BBS: (409) 696-7055

Inquiry 599.

Professional Series

PseudoCode releases its PseudoSam professional Series of cross assemblers. Most popular processors. Macros, Conditional Assembly, and Include Files. Vir-tually unlimited size. For IBM PCs, MS-DOS 2.0 or greater. With manual for \$50.00. (MI res. 4% tax). Simulators and disassemblers also available. Shipping \$5, Canada \$10, Foreign \$15. Visa/MC.

KORE Inc. 3510 Plainfield NE, Grand Replat, MI 49505 30-Day set/sfaction guaranteed or purchase price refunded.

Inquiry 600.

CROSS ASSEMBLERS/SIMULATORS

Brand new full-function simulator for the 8056 controller, supporting ALL MODES of Interrupts plus the HSI, HSO, A/D, and Serial leatures, with full disassembler; just \$300001 (but superb simulators for the 8048, 8051, and 8065 sel for \$200,00, and those for the 8052 and 280 for \$250,00 each. Our line of cross assemblers for all above target CPUs are also full PC com-patible and sell for \$100,00 each. We offer discounts for simulator plus

Lear Com Company 2440 Kipling St./Ste. 206, Lakewood, CO 80215 303-232-2226

Inquiry 601.

MACINTOSH CROSS ASSEMBLERS

µASM[™]—available for most 8-bit MPUs. Fast. Full Mac in-terface. So Hex output downloads to most EPROM program-mers. Features macros, conditional ass'y, local and auto labels, symbol table cross-reference, module sectioning. Editor included, \$129.95 each plus S/H. MC/V/AE. Technical bulletin available.

MICRO DIALECTS, INC., Dept B P.O. Box 30014, Cincinnati, OH 45230 (513) 271-9100

Inquiry 602.

CROSS ASSEMBLERS

Macros, PC Compatible, Relocatable, Condi-

EPROM Programmer Board **MICROCOMPUTER TOOLS CO.**

Phone (800) 443-0779

In CA (415) 825-4200 912 Hastings Dr., Concord, CA 94518

Inquiry 603.

6800-Family Development Software Our C Compilers for the 6800, 6801, 6809, & 68HC11 feature a complete implementation (ex-cluding bit fields) of C as described by K&R and yield 30–70% less code than other compilers. Our Assemblers feature macros and conditional assembly. Linker & Terminal Emulator included.

Wintek Corporation 1801 South St., Lafayette, IN 47904

(800) 742-6809 or (317) 742-8428 Inquiry 604.

312 BYTE • OCTOBER 1989

DATA CONVERSION

MEDIA CONVERSION/DATA TRANSLATION More than just a straight dump or ASCII transferi Word Processing, DBMS, and Spreadsheet data on Disks or Tapes transferred directly into applications running on Mainframes, Minis, Micros, Dedicated Word Processors, Typesetters, and Electronic Publishing systems. IBM PS/2 & Macintosh supported

#1 in the translation indu **CompuData Translators, Inc.**

3325 Wilshire Blvd., Suite 1202, Los Angeles, CA 90010 (213) 387-4477 1-800-825-8251 Inquiry 605.

DATA/DISK CONVERSION

RESULTS		
You Can Depend On!		
Data Conversion		
 Disk Duplication 		
 Optical Scanning 		
Computer Conversions		
9580 Black Mountain Rd., Suite J, San Diego, CA 92126		
619-693-1697		
nquiry 606.		

DISK CONVERSIONS Media transfer to or from: IBM, Xerox, DEC, Wang, Lanier, CPT, Micom, NBI, CT, Exxon, WRDPLEX WP, WS, MS/WRD, DW4, MM, Samna, DEC DX, MAS 11, Xerox-Writer, ASCII.

FREE TEST CONVERSION **CONVERSION SPECIALISTS** 531 Main St., Ste. 835, El, Segundo, CA 90245 (213) 545-6551 (213) 322-6319

Inquiry 607.

FROM MACS TO MAINFRAMES... Our 12 conversion systems

support over 1000 formats **DISK INTERCHANGE** SERVICE COMPANY

2 Park Drive . Westford, MA 01886 (508) 692-0050

Inquiry 608.

BUY YOUR OWN CONVERSION SYSTEM!

With nearly a decade of experience in data conversion, you can work with the industry leader in 9-track tape, car-tridge tape and diskette conversion systems. Enjoy the convenience of your own conversion system. Call today to discuss your application!

Flagstaff Engineering 1120 Kalbab Lane, Flagstaff, (602) 779-3341 ff, AZ 86001

MasterCard-Visa- American Expr

Inquiry 609.

THE #1 CHOICE

in disk & tape conversion for many leading corporations, government agencies, law firms, and companies in every industry-world-wide. Free test • Satisfaction guaranteed

Call the helpful conversion experts.

Graphics Unlimited Inc. 3000 Second St. North, Minneepolis, MN 55411 (612) 588-7571

Inquiry 610.

DATA/DISK CONVERSION

10x FASTER EASIER TO USE IBM PC TO HP FILE COPY Update version uses windows: Call for free demo! IBM PC to HP File Copy allows IBM PCs, PS/2, compatibles to interchange files with Hewlett-Packard Series 70, 80, 200, 300, 1000, 9000s. Oswego Software Box 310 312/554-3567 FAX 312/554-3573

Oswego, IL 60543 Telex 858-757

Inquiry 611.

CONVERSION SERVICES Convert any 9-track magnetic tape to or from over

2000 formats including 31/2", 51/4", 8" disk formats & word processors. Disk-to-disk conversions also available. Call for more info. Introducing OCR Scanning Services.

Pivar Computing Services, Inc. 165 Arlington Hgts. Rd., Dept. #B Buffalo Grove, IL 60089 (800) HI-Pivar

DATABASE MGMT. SYSTEMS

dBASE file access from C Code Base 4 is a library of C routines which gives complete dBASE or Clipper functional-ity and file compatibility. Use DOS, Unix, OS/2 or MS Windows.

\$295 with Source! FREE DEMO

Sequiter Software Inc. Call (403) 439-8171 Fax (403) 433-7460

Inquiry 612.

DEMOS/TUTORIALS

INSTANT REPLAY III Build Demos, Tutorials, Prototypes, Presentations, Music, Timed Keyboard Macros, and Menu Systems. Includes Screen Maker, Keystroke/Time Editor, Program Memorizer, And Back Carel Device and Program Memorizer, And Carel Device Carel Devices Strong the BEET. Not and Animator, Redd Great Reviews Simply the BEST. Not copy protected. No royatises 60-day satisfaction money-back guar. IBM and Compatb. \$14995 U.S.Chk/Cr. Crd. Demo Diskette \$500.

NOSTRADAMUS, INC. PO. Box 9252

Salt Lake City, Utah 84109 (801) 272-0671

Inquiry 613.

DISASSEMBLERS

80x86 .EXE/.COM to .ASM

- Accurately reconstruct, study & modify (sK+) programs with a minimum of input or editing of output.
 Assembly language output is MASM 5x-compatible.
 Exhaustive flow-trace distinguishes code from data.
 Best formats for each, Commented BIOS calls/DOS functions.
 SEGMENT/PROCepter vital pseudo-ops. PC-DISnDATa (51/4" disk & manual) \$165

PRO/AM SOFTWARE

220 Cardigan Road, Centerville, OH 45459 (513) 435-4480 (9 A.M.-5 P.M. EST M-F)

Inquiry 614.

SOFT-X-PLORE

See "BYTE's May '88 issue pg. 78" Disassemble 500 kb (*) program at 10,000/min. (*) in any file, ROM/RAM memory up to 80386 instruction set (*), SOFT-X-plore: Is for MS/DOS 2.0+ systems * uses 20 algorithms and seven passes (*) * only \$99.95 plus S&H w30-day guarantea. To order call (800) 446-4656 or into (203) 953-0236 write: **RJSWANTEK INC.** Or write: 178 Brookside Rd., Newington, CT 06111 best on the market MC/VISA accept

Inquiry 615.

DISK DRIVES

0

Su Col

N

132 Ingu

S

. .

. -

21

80

Ingu

8.

The

dep at PAS Ope ware

AM

17

Ingu

Inau

DICK DITTEC	
PS/2 DRIVES FOR PCs ATs CompatiKit/PC	
Built-in floppy controllers—no problem. pports multiple drives and formats. Lets your mputer use IBM PS/2 1.4M diskettes <i>plus more/</i> all for further information or to place an order. VISAMCCODICHECK.	
Ilcro Solutions Computer Products 2 W. Uncoln Hwy., DeKalb, IL 50115 815/756-3411 See our ad on page 74.	
liry 616.	
DISK DUPLICATION	
OFTWARE PRODUCTION	
Disk duplication All formats EVERLOCK copy protection Label/sleeve printing Full packaging services Star-Byte, Inc.	
2880 Bergey Rd., Hatfield, PA 19440 5-997-2470 800-243-1515	
uiry 617.	
DUPLICATION SERVICES	
SOFTWARE DUPLICATION	ſ
One-Stop Shopping Technical Support Custom Packaging Drop Shipping Copy Protection Fast Turnaround Competitive Pricing	
ATISFACTION GUARANTEED 00-222-0490 NJ 201-462-7628	
MEGASoft P.O. Box 710, Freehold, NJ 07728	
iry 618.	I
EDUCATION	
Sc. & M.S. In COMPUTER SCIENCE American Institute for Computer Sciences offers an In- th correspondence program to earn your Bachelor of nence and Master of Science degrees in Computer Science home. BBc. subjects covered are: MS/DOS, BASIC, SCAL, C, Data File Processing, Data Structures & arating systems. MS program includes subjects in Soft- e Engineering and Artificial Intelligence.	
MERICAN INST. for COMPUTER SCIENCES 104-BY 11th Ave. So., Birmingham, AL 35205 TOLL FREE 1-800-872-AICS	
iry 619.	i
Gradebook emulation	
micro-computers	
Da Poma GB First dedicated gradebook	
on the Macintosh available since 1984	
Da Poma, Inc.	

PO. Drawer H, Hondo, Texas 78861 (512) 426-5932

Inquiry 620.

ENTERTAINMENT

NEMESIS[™] Go Master®

Go, a game of strategic elegance, has been a way of life in the Orient for over four thousand years. Many consider Go to be the secret of the Japanese business-man's success. "While chess is a game of war, Go is a game of market share" [President of Nikko Hotels].

"If you are interested in Go, buy this program." Game of the Month J. Pournelle BYTE 7/87 Toyogo, Inc. The Leader in Computer Go.

76 Bedford St. #34-Y, Lexington, MA 02173, (617) 861-0488

Inquiry 621.

FLOW CHARTS

Flow Charting II+ For IBM and compatibles. It will amaze you with its speed, power and simplicity. 28 standard shapes with over 120 sizes — 10 text fonts — 4 line styles. Place text, lines and shapes anywhere on your chart. For only \$229 you'll never draw another chart by hand.

Patton & Patton 81 Great Oaks Bivd., San Jose, CA 95119 1-800-525-0082 Ext. 42 (Outside CA) 408-629-5376 Ext. 42 (CA/Int'l) See our ad on page 118.

Inquiry 622.



vard, Pixie, Lotus, Freelance, and others supported. Files accepted by modem. Free Federal Express on all orders of 20+ elides. Only \$8 per slide. Call for literature or circle reader service number shown below.

Accent Presentations, Inc. 990 Highland Drive, Ste. 202, PO. Box 1303, S ach, CA 92075 1-800-222-2592

Inquiry 627.

GRAPHICS

RAINDROP

FAST, compact PrtScrn Utility for end users AND developers. Hardcopy as fast as 10 secs. Average binary size - 6 kbyte. 12 video graphic standards. Scale, rotate, colorize and more. 'CALL' from user-written programs. Complete 9- & 24-pin dot-matrix, inkjet, and laserjet library \$39.95+\$3 s/h.

RAINBOW TECHNOLOGIES 8106 St. David Ct., Springfield, VA 22153 (703) 440-0064

Inquiry 628.

HARD DRIVE REPAIR

DISK DRIVE REPAIR DATA RECOVERY SALES of new, remanufactured and removable disk drives

FULL TECHNICAL SUPPORT **ROTATING MEMORY SERVICE**

1508 Dell Aw enue, Campbell, CA 95008 (408) 370-3113 We buy used drives good or bad

Inquiry 629.

HARDWARE

CHIP CHECKER

• 74/54 TTL + CMOS • 14/4000 CMOS • 8000 Nat. + Signetics • 9000 TTL • .3" + .8" IC widths • 14-24 Pin Chips Tests/Identifies over 650 digital chips with ANY type of output in seconds. Also tests popular RAM chips. IBM-compatible version \$259. C128 + C64 version \$159. **DUNE SYSTEMS**

(616) 983-2352

Inquiry 630.



Macintosh® Parts & Repairs Programs for the corporate, government, dealer and educational buyer. Call for kit.

Save up to 55% on Mac II CPU 800-274-5343 / 617-891-6851

Pre-Owned Electronics, Inc. 30 Clematis Ave • Waltham, MA 02154 Macintosh is a registered trademark of Apple Computer, Inc.

Inquiry 632.



- Uses only one expansion unit
 Supports two 3½* and/or 5¼* diskette drives
 Supports two fixed disk drives (up to 140 MB each)
 On-board BIOS, automatically handles any comb. of

RMT 2001-F2H2 THE SPACE ODYSSEY RMT SYSTEMS, INC. (714) 863-1092

HARDWARE/ADD-ONS

The World's First Highest Density Module!

- World's First Highest Density Modul 18 Meg on the smallest surface Organization: 2x1024Kx9 bit Technology: CMOS, hybrid, 18xHMS1100JP-10 Compatibility: With two Hitachi H856A 18-10 Suitable for extension of basic memory Engineere take notice. This product can be manufactured on large scale. For more information please write or call:

- Termotrol Corp. 1888 Century Park East, Suite 1900, L.A., CA 90067 Tel: 213-284-3242

Inquiry 634.

HARDWARE/COPROCESSOR

DIGITAL SIGNAL PROCESSOR DIGITIAL SIGNAL PROCESSON DSP products for the IBM PC/XT/IAT based on the TI TMS32010 and TMS320C25 up to 12 MIPS oper-ation. Designed for applications in communications, Instrumentation, speech, and numeric processing. Offered with 12 bit 110 KHz A/D and D/A and continuous-to-disk data acquisition & playback option.

From \$650 DALANCO SPRY 89 Westland Ave., Rochester, NY 14618 (716) 473-3610

Inquiry 635.

SC/FOXTM PARALLEL COPROCESSOR PC/XTIAT686 plug-in board with Forth software. 10 MIPS operation, up to 50 MIPS burst, 64K to 1M byte memory, lase Harris RTX 2000TH RISC real-line CPU with 1-opcie multiply, 1-opcie 14-priority Interrupts, two 256-word stacks, three 16-bit timer/counters, 16-bit liko bus, Ideal for real-time control, signal and image processing, and multiple board operation. From \$2,295. Optional SCFOX Single Board Computer version for stand-sione operation. Eurocard size with software, start-ing at \$1,495. ng at \$1 495 SILICON COMPOSERS, INC. (415) 322-8763 210 California Ave., Suite K, Palo Alto, CA 94306 Inquiry 636. **IMAGE PROCESSING ZIP Image Processing** LIP things affordable, sophisticated image processing to the PC Capture video from camera/VCR. Versions for ImageWise, Willow Pubs VGA, HRT 512x512, serial im-ageWise (or PC/ laptopPS2) frame grabbera. Call (314) 962-7833 to order (VISA/MC). ZIP starts at \$79, frame grabbera, \$398. 30-day money-back guarentee. Hogware Company 470 Belleview, St. Louis, MO 63119 (314) 962-7833 Inquiry 637. INVENTORY MANAGEMENT STOCK-MASTER 4.0 STOCK-MASTER 4.0 Commercial grade Inventory management software at micro prices. • Supports all 12 transaction types • Tend Analysis • Tend Analysis • Cuality Control • Multiple Locations • Durchase Order Tracking • Durchase Order Tracking • Serial/Lot # Tracking Inquiry 638.







1194 Pacific St., Suite 201, San Luis Obispo, CA 93401 (805) 546-9713 or (800) 234-5584

Inquiry 644.

MAC PROGRAMMING TOOLS

MAC DEVELOPMENT TOOLS
Professional Programmers Extender: Standard
Mac interface, lists, printing, graphics, tiling.
Extender GraphPac: Quality color graphs, Line.
bar, semi-log, customizable symbols.
INVENTION Software

(313) 996-8108

Inquiry 645.

MEMORY BOARDS

MEMORY EXPANSION Intel Above Boards w/LIM 4.0 8 MHz PC/ATs IBM, Compaq, Zenith etc. 1MB \$299.00 2MB \$399.00 10 + MHz ATs 1MB \$499.00 Prices subject to change

COUNTERTRADE (303) 530-5433

Inquiry 646.

MEMORY	CHIPS
MEMORY	CHIPS

41258-15-12-10	Call	51000 (1 Meg)	Call
4184-15	Call	51258 for Compaq 386.	Cali
4164-12	Call	8087-3-2	Call
41128 Piggy Back for AT.	Call	80287-6-8-10	Call
41464-12 (64Kx4)	. Call	80387	Call
414256 (256Kx4)	Call	NEC-V-20-8	Call
2764,27128,27256,27512 .	Call	Mouse	Call
Prices	s subject	to change	
ESSKAY	-	718-353-33	52
ESSAAT		110-333-33	55

Inquiry 647.

INFO	REE RMATION ATH CO-PROCESSORS
TOLL FREE 24 HRS. 7 DAYS A WEEK 1-800-338-1531	DEDICATED TOLL FREE FACSIMILE LINE 24 HRS7 DAYS A WEEK 1-800-242-5751
1-402- Best Price McDonald a	MON-FRI 8-8 C.S.T. 691-8248 205 in U.S.A. Ind Associates HE CHOICE OF INDUSTRY PROFESSIONALS
nguiry 648.	

MEMORY PRODUCTS

	LOW LO	W PRICE	S
256K	DRAM	256×6	SIM/SIP
1 Meg	DRAM	1 Megx9	SIM/SIP
256×9		1 Meg×8	
		Speeds	
		TEL 0267 - 80367	
		MHz	
	R&RE		les
	1-800-7	736-3644	
1			

Inquiry 649.

MONITOR INTERFACE

Test EGA, VGA, M tors with handheld r KHz to 64.0 KHz, I	DEO GENERATOR ultisync & Data Projec- monitor tester. From 15.7 battery powered, 4 pat- ith no adapter cables.
800-RGB-TECH UK: 0244-880478	CHNOLOGIES INC. In 0H: 216-543-1646 Paris: 01331-476-32789 Ad on page 342.
Inquiry 650.	



Inquiry 651.

NETWORKING

NETWORK BUSINESS SYSTEM	AS
Keycard Eliminator	. \$99.
D C B Eliminator	.\$99.
ELS Utilities	
Netcrack (lose password?)	.\$99.
Getdisk (get BIOS drives)	
BIOS Tools (patch drive tbls)	.\$99.
NETWORK BUSINESS SYSTE	MS
1215 Woodhollow Drive, Suite 1104, Houston, TX	77057
(713) 783-4457	

Inquiry 652.

So Far Your Computers Have Been Talking to Each Other NOW Your Staff Can as Well

So for thor Computer has lean lating to Eato Other AUM Your Safa Can as Well CHAT — ACCESS A Complete Clatting and Messaging Solution for Xiom, Need, and Dher Hettics Hetworks. CHAT-ACCESS is the ultimate in user thinodly software, enabling you to solid messaging, movies them and in compage of the logged in users in hall scale comensation. Using only 11 Keyle of your workstation RAM (for TSP) program). MATA-CCESS provides a little of logged in users and sends one or all of to mitmough interactive worksome that simultaneously display both sides of the comensation. (MATACCESS Sperman on SCOM SPLIDS 3-DEPEN (MS-DOS workstation), Novel NetWare and all other PC LANs that support NetBIOS.

Shany Computers Ltd.

 Rechter Building, 4 Smilansky St., Natanya, Israel 42304

 Tel: (972) (53) 333931
 Fax: (972) (53) 342418

Inquiry 653.

SHANY COMPUTERS, SOFTWARE THAT MAKES YOUR NET. ... WORK

An essential experience of the starting and the starting start

Shang Computers Ltd. Rechter Building, 4 Smilansky SL, Natarya, Israel 42304 Tel: (972) (53) 333931 Fax: (972) (53) 342418

Inquiry 654.

OBJECT ORIENTED TOOLS

OBJECT-ORIENTED TOOLKIT

TRIPLE your productivity with Complete C* The only object-oriented development utility for C with pre-compiler, foundation classes (source code included), in-tegrated make, real-time debugger, Documentation Generator, Application Streamliner, Versions for DOS (\$449), SCO-XENIX (\$495), QNX (\$449) with full technical support. Other ports ailable upon reg uest.

Complete Computer Corporation 111 West 57th St., Suite 1400, NY, NY 10019 212-582-2635

Inquiry 655.

OS/2 UTILITIES

INTEGRATED OS/2 PACKAGE

- Protected mode Hot-key activated Background/foreground Multi-sess ioned shel

SASNAK SOFTWARE PO. Box 56, Dept. B; Lansing, KS 66043 (913) 651-1728

Inquiry 656.

PROGRAMMERS TOOLS

LAN Application Development

NPPC: High performance library routines callable from C and Assembler. High level interface permits rapid development of peerto-peer, client/server, or multi-server NetBIOS applications under DOS. Synchronous or Asynchronous message control. Compact Code. Source Avail. No Royalty. NPPC \$495

Applied Software Technology PO Box 397, Dpt. N, Los Gatos, CA 95031 (800) 678-1111 ext. N1

Inquiry 657.

PROGRAMMERS TOOLS

Screen Master

Screen designer & program generator for C, dBASE & Clipper. Full color control, eight box types + shadowing, line drawing, supports. DBF files direct-ly, alignment, many editing features, writes code for any menu type, mouse support, demo available. \$69.95 (+ S&H)

(508) 435-0585 Athena Technologies, Inc. P.O. Box 1261, Westboro, MA 01581

Inquiry 658.

HYPERINTERFACE[™]

Menu Creator — A program generator for menu-driven user interface. Excellent for complex menu systems. S9956. Advanced Library — Extended capability for data entry and advanced text-display con-trol from your programs. S9956. FORTRAN, Pascal, C, BASIC supported. HYPERMATH — An application of Menu Creator and the Advanced Library. FREE Avanpro Corp. PO. Box 969, Pacific Palisades, CA 90272

(213) 454-3866

Inquiry 659.

TLIB^{**} 4.12 Version Control "TLB" is great system" — PC Tech Journal 3/88. Full-featured configuration mgmt for software profes-sionals. All versions of your code instantly available. Very compact, only changes are stored. Check-in/out locks, revision merge, branching, more. Mainframe deltas for Pansophic, ADR, IBM, Unisya. Only 999.95 + S&H, or 5-station LAN \$299.95 + S&H. MS-DOS VISA/MC **BURTON SYSTEMS SOFTWARE** P.O. Box 4156, Cary, NC 27519 (919) 858-0475

Inquiry 660.

Have Same 'C' Source for UNIX and DOS D-ISAM—Unix standard indexed file management library for UNIX DOS and NETWORKS. Manages all locking. UNIX/ DOS source \$595 (for both), DOS fibs' \$145.

W-Character windowing with COLORS, Line Graphics, Bells and more. You need not modify DOS code to work WELL on any UNIX terminal. UND/DOS source \$295 (tor both), DOS libe' \$85.

BYTE DESIGNS PO. Box F195-76, Blaine, WA 98230 1-800-663-8547 or (604) 278-5200 "(DOS libe available for Microsoft or Borland 'C' compilers)

Inquiry 661.

Async Executive" & Tutorial ASYIIC EACCULTED AT DURING THE CONTAIN Interrupt driven transmit & receive. Supports up to eight ports. Bur-lered I/O to 64K. 50 to 1920/6PS. XONXOFF. DTEDCE. Modem controls. Transfer character or blocks. Millisecond timing, Univer-sel anguage interface. BIOS/DOS extension capabilities. XMODEM wCRC 300+ page comprehensive manual. Sample programs in-clude a spoole written in C. For IBM PCX/TWT & all compatibles. Software Developer's KI: \$195. NO ROYALTES Shipping \$5, Canades \$10, Intermational \$15 CA residents must add sales tax. Checks/MO only.

CIRRUS SOFTWARE, INC. PO. Box 51924, Dept. B., Palo Alto, CA 94303 (415) 949-1470

Inquiry 662.

ProPak 2.0 The Programmer's Productivity Pack

The most useful programmer's tools and villities, smoothly integrated into a single package. Ideal for professional pro-grammers, software developers, and students, tool Versions for MS-DOS, DESQview and OmniView included. Powerful, flexible, and easy to use. Fully customizablet Full 30-day money-back guaranteel Only \$79.95 plus \$&H

Faik Data Systems 5322 Rockwood Ct., El Paso, TX 7932 (800) 326-5615

PROGRAMMERS TOOLS

TURBO PLUS \$149.95

Programming tools for use with Turbo Pascal 5.0 & 5.5. Screen Painter, Code Generator, VO Fields, Dynamic Menus, Programming Unit Libraries, OOP Support, and Sample Programs included. All routines work in both text and graphics modes! 60-day money-back guarantee! Demo Disk avail. For IBM and compatibles.

Nostradamus Inc.

PO. Box 9252, Sah Lake City, UT 84109-0 (801) 272-0671

Inquiry 664.

Get INSIDE!

The best PC activate performance tool is now better than ever with source line timing, caller timing and arbitrary event timing—all with microsecond accuracy and without source modification. The expanded DOS analysis mode identifies I/O bottenecks. \$125

Call today for a free brochure and the latest list of supported compilers. 30-day guarantee. VISA/MC/COD

Paradigm Systems

P.O. Box 152, Milford, MA 01757 (800) 537-5043 In MA: (508) 478-0499

FREE BUYER'S GUIDE Programmer's Connection is an independent de

representing more than 450 manufacturers with over 1000 software products for IBM personal computers and compatibles. We have serviced the professional pro-grammer since 1984 by offering sound advice and low prices. Call or write today to receive your FREE com-prehensive Buyer's Guide.

Programmer's Connection US 800-336-1166 7249 Whipple Ave. NW Canada 800-225-1166 North Canton, OH 44720 International 216-494-3781

Inquiry 665.

OBJECTIVE-C 4.0 MS-DOS

Object-Oriented Language used by over 800 companies. Now on affordable hardware! For PC-AT, PS/2 w/2MB, 20MB HD & MS C 5.1.

Includes — Objective-C Compiler, Runtime Library, ICpak101 Library with 16MB extended memory suport. \$249 - 30-Day Money-Back VISA/MC/AMEX/Check

THE STEPSTONE CORPORATION 75 Glen Road, Sandy Hook, CT 06

(203) 426-1875 (800) 289-6253

Inquiry 666.

OBJECTIVE-C 4.0 OS/2

Workstation-Class Object-Oriented Technology on OS/2! For PS/2 M50 and up, w/2M8 RAM, 20M8 HD, OS/2 1.1 & MS C 5.1. Includes - Objective-C Compiler, Runtime Library and ICpak101

\$495 - 30-Day Money-Back VISA/MC/AMEX/Check

THE STEPSTONE CORPORATION

75 Glen Road, Sandy Hook, CT 06482 (800) 289-6253 (203) 426-1875

Inquiry 667.

OBJECT-ORIENTED TRAINING Industry's Object-Oriented Technology trainer aince 1986 Over 120 seminars & workshops conducted. Public courses nationwide & corporate on-site courses available. Offerings include: · Essentials of Object-Technology: \$625 Object-Oriented Design:
 Programming In Objective-C: \$1,000 \$1,000 THE STEPSTONE CORPORATION 75 Glen Road, Sandy Hook, CT 06482 (800) 289-6253 (203) 426-1875 Inquiry 668.

PUBLIC DOMAIN

\$3.00 SOFTWARE FOR IBM PC Hundreds to choose from, word processors, databases, spreadsheets, games, lotto, com-munications, business, music, bible, art, education, language and useful utilities for making your com-puter easier to learn. Most programs have documentation on the disk. Free 125-page catalog. BEST BITS & BYTES PO. Box 8245, Dept-B, Van Nuys, CA 91409 In CA: (818) 764-9503 800-245-BYTE

Inquiry 669.



QubeCalc, EDRAW, AutoMenu, Math Tuto, PC-DOS Help, Baker's Dozen, Languages, EZ-Form, PC-Style, PackDisk, PC-Stock, KidGames, Best Games, Home Inventory, PC-Outline, Form Letters, ImagePrint, SideWriter, PC-Prompt, Best Utilities. BRIGHT FUTURES INCORPORATED P.O. Box 1030, East Windsor, CT 06088 FREE CATALOG (\$1.50 per disk)

Inquiry 670.

FREE CATALOG **PUBLIC DOMAIN/SHAREWARE**

 • 400 IBM PC & compatibles disks • 200 Amiga disks • 125 Atari ST disks PC disks as low as \$1.25 each, Amiga & ST as low as \$1.60 each I Rent or by. *Free shippingI* Call toff thes, write or cir-cle reader service for FREE BIG CATALOG with full descriptions. Please specify computer-48-hr. turnaround

Computer Solutions P.O. Box 354—Dept. B, Mason, Michigan 48854

1-800-874-9375 (M-F 10-6 EST) 1-517-628-2943 Inquiry 671.

FREE IBM SOFTWARE

FREE CATALOG also contains SHAREWARE. 5¼ and 3½-inch. All categories. ENGINEERING, CAD, DESKTOP PUBLISHING, LANGUAGES, UTILITIES, BUSINESS, GRAPHICS, SPREAD-SHEETS, WORD PROCESSORS, CHURCH, MEDICAL, HEALTH, EDUCATION, HOME.

SECTOR SYSTEMS COMPANY, INC. Dept. B10, 416 Ocean Avenue, Marblehead, MA 01945 (617) 639-2625

Inquiry 672.

FREE CATALOG \$1 IBM SOFTWARE

For your free 32-page Master Edition catalog featuring the best of IBM Shareware from just \$1 each, call or write today!

1-800-338-2118

SOFSOURCE Box 828, East Lansing, MI 48826

Inquiry 673.

FREE SOFTWARE CATALOG

Low as \$1.20/disk Over 1000 quality IBM software On 5.25" and 3.5" format From outside U.S.A., except Canada, please send US \$2.00 refundable with order. For fast service, write to

SOFTSHOPPE PO. BOX 3678, Ann Arbor, MI 48106-3678 313-761-7638

Inquiry 674.





Inquiry 675.



(816) 776-2700 FAX: (816) 776-8398 (800) 227-0644

Inquiry 677.

THE ULTIMATE COPY PROTE	CTION
Completely Menu Driven Defeats all Hardware/Software Copiers No Source Code Changes	Quite Simply The Best
Multiple Layering No Damaged Media Full Hard Disk Support Unlimited Metering Yew	Way To Protect
FREE Demo Disk Software STOPCOPY* \$325** STOPCOPY PLI	Investment
BBI COMPUTER SYSTEMS® (301) 14105 Heritage La., Silver Spring, MD 20906 FAX: (34	871-1094 01) 460-7545

Inquiry 678.

COP's Copylock II Protect on standard diskettes Cannot be copied by any device incl. Option Board Fully hard disk installable Normal back-up of protected programs LAN currents I AN-si as sale demo version of your software . 0 Standard Version \$975, Automatic Version \$1950 **DANCOTEC** Computer In US: 2835 Sterra Rd., San Jose, CA 95132 408-729-8182 or 1-800-344-2545 Int'l: 2880 Bassard, Denmark Phone +45-44440322 Fax: -44440722 Inquiry 679.

ALL-IN-ONE PROTECTION!

ALL-III-UNIE PHOVIECIIONI TOTALSAFE gives you total security: access control, virus protection, date ancryption, secure directories, and lots morel Req. PC, HD, 1 skt (or socket). Completely transparent. In-troductory price: \$12000 + \$800 \$14 (U.S.), 30-day guarantee. Also evailable a complete line of PC access and data security products. Callwrite for Into. MCVI/SA/MEX. Gemma Security Products. Callwrite for Into. MCVI/SA/MEX. Gemma Security Products. Callwrite Auto, Sta. 609, San-ta Monica, CA 90401 TEL: 213-394-4622 FAX: 213-395-4214 TOTALSAFE gi

Eliashim inc. 520W Hwy 436, Suite 1180-30, Altamonte Spgs., FL 32714 TEL: 407/682-1587 FAX: 407/774-8103

Inquiry 680.

SECURITY

BIT-LOCK® SECURITY

BII-LOCK SECURITY Piracy SURVIVAL 5 YEARS proves effectiveness of powerful multilayered security. Rapid decryption algorithms. Reliablesmail port-transparent security device. PARALLEL or SERIAL port. Complemented by economical KEYLOK" and multifeatured COMPU-LOCK "including countdown, timeout, data encryption, and multiproduct protection. (Dos/Unbt/Mac)

MICROCOMPUTER APPLICATIONS 3167 E. Otero Circle, Littleton, CO 80122 (303) 922-6410/770-1863

Inquiry 681.

PC Security "Password" With All the Computer Security Talk, PASSWORD is the Perfect Security Lock.

As the Perfect Security Lock. Password is a coheren program providing security to your PC Password is Easy to understand and Simple to instal, neurises no reformating. The boot limit option secures your hard disk. Password provides to up to 100 users with the supervisor controlling access to protected directories. Pessword is menu-often with popul windows and help screens. The pro-gram provides an audit thail of users, and a screen banking lesters. PASSWORD 95800 US Visa, MCC, Amer. Nasdec International Inc.

2704-85 Ga Winnipeg MB Canada R3C 4J5 98 FAX (204) 943-3702

PH: (204) 956-2798

Inquiry 682.

COPY PROTECTION

The world's leading software manufacturers depend Ton Softguard copy protection systems. Your FREE DSKETTE Introduces you to SuperLock---invisible copy pro-tection for IBM-PC (and compatibles) and Macintosh. Hard disk support •- No source code changes • Customized versions •- LAN support · New upgrades available (408) 773-9680 SOFTGUARD SYSTEMS, INC. 710 Laloway, Suite 200, Sunnyvale, CA 94086 FAX (408) 773-1405

Inquiry 683.

HANDS OFF THE BOARD" 1/2 SIZE SECURITY BOARD

Stop floopy boot -- Require password to boot PC Real-time disk encrypt — prevent boot sector virus Prevent DOS FORMAT/FDISK and low-level formats Set hard disk READ ONLY or turn ON/OFF Turn floppies, printers and COM ports ON/OFF IBM XT, AT Bus - DOS V3.0+ - \$149.95 + \$5.00 S/H SYSTEMS CONSULTING INC. PO BOX 111209, Pittsburgh, PA 15238 (412) 963-1624

Inquiry 684.

SOFTWARE ENTERTAINMENT

BE MORE ENTERTAINING!

With the new, improved Humor Processor Version 2 you can add humor to your speeches, newslet-ters, or everyday conversation. Create original jokes or select from the indexed, expandable 500-joke database. Only \$49.95 + \$5 S&H. IBM PC or Compatible. 30-day money-back guarantee. Call today for special offer!

Responsive Software 1901 Tunnel Rd., Berkeley, CA 94705 800-669-4611 VISA/MC

Inquiry 685.

SOFTWARE FORTRAN

EXPAND & EXTEND LIBS 122 FORTRAN callable routines. EXPAND allows DOS compilers access to LIM/EMS 3.2 or 4.0 expanded memory. EXTEND provides CGA, EGA, VGA, Hercules, HP, Tektronix, AutoCAD DXF graphics, access to BIOS/DOS functions plus additional utilities. EXPAND etta EVTEND 54.0 p.044 5218 \$119, EXTEND \$149, both \$218.

DESIGN DECISIONS, INC. P.O. Box 12884, Pittsburgh, PA 15241 (412) 941-4525

Inquiry 686.

SOFTWARE/ACCOUNTING

PC TIME CLOCK

AutoTime is an Employee Management System that allows you to turn any PC into an Electronic Time Clock. AutoTime provides Time & Attendance, Job Costing, Payroll Interface, and Labor Distribution reporting. Network compatible. Prices start at \$495. Other Business Products: Network FAX, Absence Call-In, db-EDI.

Chase Technologies 1617 Kingman Ave., San Jose, CA 95128

(408) 998-2917

Inquiry 687.

dBASE BUSI	NESS TOOLS
GENERAL LEDGER ORDER ENTRY	PURCH ORD/INVNTORY ACCOUNTS RECVABLE
JOB COSTING	JOB ESTIMATING
BILL OF MATLS PAYBOLL	SALES ANALYSIS ACCOUNTS PAYABLE
\$99 88.	
datamar systems	Cred. Card-Check-COD
4876-B Santa Monica Ave.	(010) 000 0044
San Diego, CA 92107	(619) 223-3344
Inquiry 688.	
005714005	
SOFTWARE	/BUSINESS
DATA E	
POWERFUL	LY SIMPLE
Full featured, heads-down data of Designed for the PS/2®, PC, X	entry with two-pass verification.
	I. AL OF CONDAUDIES.
Standalone \$395 L	AN version available.
Standalone \$395 L	AN version available.

Tel: 206/776-6443 Fax: 206/776-7210 **Computer Keyes** 21929 Makah Rd. Woodway, WA 98020 USA: 800/356-0203

TSA88—TRANSPORTATION PROGRAMMING A general-purpose system for solving transportation, assignment and transpinpenet problems (capacitated or uncapacitated) with up to 1300 origins and destinations. Build TSMR indo your own programs with compil-ed Turbo Pascal units. TSA98 read/writes LOTUS worksheets. Use 12-335/mohorys as markit generator or post processor. Many other leatures including interactive and batch operation, spreadsheet display and efficing, problem/basis storage. Re I/O, Simpler restart, report generator, sensitivity problem/basis storage. Re I/O, Simpler restart, report generator, sensitivity analysis. \$149 with manual and 6007 support. \$209 with Turbo Pascal units. Eastern Software Products, Inc. P.O. Box 15328, Alexandria, VA 22309 (703) 360-7600

Inquiry 690.



Lionheart Press, Inc.

ox 379, Albu FAX: (514) 939-3087 (514) 933-4918

Inquiry 692.

SOFTWARE/BUSINESS

DATA ENTRY

KeyEntry III[®], a complete Data Entry System that provides all the capabilities for designing data entry applications, con-trolling data flow, & monitoring/reporting operator activity & performance. Supports LAN and stand-alone environments. Evaluation copy (all programs & documentation) available. Call today for information!

Southern Computer Systems, Inc. 2732 Seventh Avenue South Birmingham, AL 35233 (800) 533-6879/(205) 251-2985

Inquiry 693.

SOFTWARE/DEVELOPMENT

Moby	Words™
On 5%	foppies
Moby Words	Moby Part-of-Speech
530,000 unique words & phrases	150,000 words with part/s of speech
The largest word list in the	For razor-sharp language
world \$78	parsing \$148
Moby Hyphenator	
150,000 syllabilied words	Moby Pronunciator
ISULUOU SYNADIRED WORDS	150,000 words with standard IPA marks
Never give the user a bad	For perfect text-to-speech \$198
break again \$128	
All Royalty free. Send ch	eck or MO (CA add 6%) to:
Illuminel II	Inabridged
	Monterey, CA 93940-1307
COD/Info: 1-	408-373-1491
Inquiry 694	

Inquiry 694.

SOFTWARE/ENGINEERING

Affordable Engineering Software FREE APPLICATION GUIDE & CATALOG Circuit Analysis . Root Locus . Thermal Analysis . Plotter Drivers • Engineering Graphics • Signal Processing • Active/Passive Filter Design • Transfer Function/FFT Analysis • Logic Simulation • Microstrip Design • PC/MS-DOS • Macintosh • VISA/MC **BV Engineering Professional Software** 2023 Chicago Ave., Suite B-13, Riverside, CA 92507 (714) 781-0252

Inquiry 695.



Call, write, or check inquiry # for more info.

Northern Valley Software 28327 Rothrock Dr., Rancho Palos Verdes, CA 90274 (213) 541-3677

SOFTWARE/ENGINEERING

FREE ENGINEERING MAGAZINE Personal Engineering is a monthly magazine sent free of charge (USA only) to scientists/engineers who use PCs for technical applications. Topics each month include Instrumentation . Data Acq/Control • Design Automation. To receive a free sample issue and qualification form either circle below or send request on letterhead to: Personal Engineering Communications Box 300, Brookline, MA 02146

Inquiry 699.

ECA-2 Analog Circuit Simulation
ECA2 Electronic Circuit Analysis is a high performance, interactive, analog cir- cuit simulator. Available for a wide range of computers and operating systems.
AC, DC. Transient, Fourier, Over 500 nodee Temperature. Full nonlinear simulator
Bomperature.
ECA-2 2.40 IBM PC \$775 FREE DEMO. Turning Systems Available
Tatum Labs, Inc.
3917 Research Park Dr. B-1, Ann Arbor, MI 48108 313-663-8810
nquiry 700.
SOFTWARE/GEOLOGICAL
GEOLOGICAL CATALOG Geological software for log plotting, gridding/contour- ing, bydiology, digitizing, 3-D solid modelling, syn-

thetic seismogram, fracture analysis, image process-ing, scout ticket manager, over 50 programs in catalog. Macintosh tool Please call, or write, for Free Catalogl

RockWare, Inc. 4251 Kipling St., Suite 595, Wheat Ridge, CO 80033 USA (303) 423-5645 Fax (303) 423-6171

SOFTWARE/GRAPHICS

QuickGeometry Library

Many powerful math subroutines for CAD/CAM and graphics; LINES, ARCS, CIRCLES, ELLIPSES, NON-UNIFORM RA-TIONAL, B-SPLINES WOFFSET (NURBs); INTERSECTION (wen spines), ROTATE, SCALE, TRANSLATE, MIRROR, OF-SET, BREAK, TRIM; ENDPOINTS, TANGENTS, CURVATURE; DXF //o; ISBN PC comp MS-DOS 24. S19900 + no S&H; incl C source, manual, support, 30-day guarantee.

Building Block Software P.O. Box 1373, Somerville, MA 02144

(617) 628-5217

Inquiry 701.

PROFESSIONAL GRAPHICS FOR SCIENTISTS AND ENGINEERS PC/MS-DOS • Macintosh

FREE 48-page Catalog Lineart.og Scaling • Graphs with error bars • AUTO PLOT • BATCH Mode • Multiple Yaxes • Multiple Auto files • Auto Forced Scaling • Full labeling • Built-in editor • 1:23 Interface • Curve fitting • Statistics • CGA, EGA & Hercules Compat-ble. 40 pen plotters supported.

BV Engineering Professional Software 2023 Chicago Ava., Suite B13, Riverside, CA 92507 VISA/MC (714) 781-0252

Inquiry 702.

TurboGeometry Library 3.0 New 30 upgradel Now over 300 2D & 3D routines. Surfacing, Solids, HiddenLine, Volumes, Areas, Transforms, Perspectives, Tangents, Clipping, Decomp, & more. IBM PC/Comp, MS-DOS 20.4. Turbo Pascal, Turbo C, MSC. Manual. 30-Day guar. \$19995 wisource. Foreign S&H extra. VISA, MC, PO. USA funds only. USA funds only

Disk Software, Inc.

2116 E. Arapaho Rd., #487, Richardson, TX 7508 214-423-7288/FAX 214-423-4465/800-636-7760 TX 75081 Inquiry 703.



GRAFMATIC: screen routines \$135. PLOTMATIC: plotter driver 135. PRINTMATIC: printer driver 135. For the IBM PC, XT, AT & compatibles. We support a variety of compliers, graphics bds., plotters and printers. MICROCOMPATIBLES 301 Prelude Dr., Dept. B, Silver Spring, MD 20901 USA (301) 593-0683

Inquiry 708.



SOFTWARE/INVESTMENT	
MIDNIGHT ENGINEERING" A new publication for entrepreneurial hardware and software engineers that will encourage and challenge you to personally develop and market your own products. • PRACTICAL ARTICLES • INSIGHTFUL INTERVIEWS • DETAILED PRODUCT REVIEWS call or write for a FREE copy of the premiere issue of Mid- night Engineering. DATARX 111 E. Drake Rd., Suite 7041, Fort Colline, CO 80525 303-223-2120 Inquiry 710.	
SOFTWARE/LANGUAGES	1
FORTH with DRUMA FORTH-83 Break the 64K barrier without speed/space penalty. Weil designed, attractively priced. 139 Standard. • IMb+ automated memory management • On-line documentation, ASCII/block files • Many powerhul and useful features • Other products: windows, modules, profiler • IBM PC/XTAT & all compatibles • BM PC/XTAT & all compatibles • Write or call for FREE example diskette. DRUMA INC. • 6448 Hwy. 200 East E103, Austin, TX 78723 Orders: 512-323-0403 BBoard: 512-323-2402	
SOFTWARE/MATHEMATICS	Ì
MATH EDITING FOR THE PC $x_l^2 = \sum_{k=0}^{\infty} [x_k^{2rs} (n)] + (\frac{1}{\sqrt{a \pm \beta x}})$ • MathEdit constructs math equations to be inserted into WordPerfect TaX and Manuscript documents. • User-friendly interface—no new word processor needs to be learned. • MathEdit—S149 Ke-TALKK communications • MathEdit—S149 • Communications • S0 MEMilien Are, Suite 100 Communications • S0 MEMilien Are, Suite 100 Communications • S0 MEMIlien Are, Suite 100 Columbus, Onio 43201 (614) 294-3535 Inquiry 712.	
Derive™ A Mathematical Assistant Makes math more inspiration and less perspiration! Combines the power of computer algebra with 2D & 3D pictuing and a friendly menu-driven user inter- face. Does equation solving, calculus, trigonometry, vector & matrix algebra, and more. Derive requires a PC compatible computer & 512K memory. Soft Warehouse, Inc. Bets Harding Ave., Suite 505, Honolulu, HI 96818 (808) 734-5801	
Inquiry 713.	Ī
SOFTWARE/MEDICAL	
Medical Systems with ECS PPM offers a complete line of matical software ranging from simple insurance claims processing to comprehensive ARI management. PC CLAM PLUS-claims processing with ECS to over 100 major in- surance commercial and an end of the software rangement. PC CLAM PLUS-claims processing with ECS to over 100 major in- surance commercial and the software rangement. THESE CLAM PLUS-claims processing with ECS to over 100 major in- surance commercial and the software rangement insurance carriers claims to over 100 insurance carriers Software prices start at \$4500. Dealer lengths and the software rangement 350 E. New York, Indianapolis, IN 46204 800-428-3515 BDCULGE 714	
SOFTWARE/PACKAGING	1
	Г
HARD TO FIND COMPUTER SUPPLIES FOR SOFTWARE DEVELOPERS & POWER USERS Cich binders & siticases like IBMs. Viryl binders, base, and folders in many sizes, Disk pages, envelopes, & labels, Low meeting interviews of the folder Benetingen version to the universe	

renders in many sizes. Disk pages, envelopes, & labels. Low quantity imprinting. Bulk disks. Everything you need to bring you software to market. Disk and binder mailers. Much more! Low Prices! Fast service. Call or write for a FREE CATALOG. Anthropomorphic Systems, Limited

376-B E. Saint C arles Bd., Lombard, II, 60148 1-800-DEAL-NOW 312-629-5160

SOFTWARE/PACKAGING

SAVE SAVE SAVE SAVE LET'S TALK PACKAGING

From Disk Labels to Manuals to Shipping Boxes-We are a complete packaging service. Everything you need to market your software. Call for our free catalog.

SOFCOM Printing and Packaging 10305 Reading Rd., Cincinnati, OH 45241 513-563-7136

Inquiry 716.

SOFTWARE/PRINTING

PRINTER GENIUS

Powerful memory-resident printer management • C trol printer features from menus or within document nt · Conents Print spool-to-disk files or memory
 Background print
 File & directory browse
 Edit small text
 and more... User friendly pop-up screens • 92-page manual • Preset for all printers • Completely flexible • PC MS-DOS • \$89 + \$4 S/H • VISA/MC

Nor Software Inc. 527 3rd Ave., Suite 150, New York, NY 10016 (212) 213-9118

Inquiry 717.

SOFTWARE/SCANNERS

Optical Character Recognition Stop retyping: PC-OCR[®] software will convert typed or printed pages into editable text files for your word processor Works with HP Scan Jet, Panasonic and most other scan-Nors Supplied with 18 popular fonts. User trainable: you can teach PC-OCR[™] to read virtually any typestyle, incl. foreign fonts. Proportional text, matrix printer output, Xerox copies OK. \$385. Check/VISA/MC/AmExp/COD

Essex Publishing Co. Box 391, Cedar Grove, NJ 07009 P.O. Box 391, Cedar Grove, (201) 783-6940

Inquiry 718.

SOFTWARE/SCIENTIFIC

TableCurve—TableCode Curve-Fit 211 Equations in a Single Step TableCurve" generates printed reports and Lotus, dBase, Quattro, Harvard Graphics, and Pagemaken/ Ventura output. TableCode" generates functions and calling code for C, Pascal, BASIC, FORTRAN, Modula-2 and dBASE languages. Demo \$5, TableCurve \$159, TableCode \$149 McVisa AISN Software PO Box 3277, Phoenix, AZ \$5064

PO. Box 32277, Phoenix, AZ 85064 602-266-1925

Inquiry 719.

Chaos/Nonlinear Dynamics

Ordinary and Delay Differential Equation Solvers * Bifurcation Diagrams *2 and 3-D Pioting, Sequential Magnification, Poincarti Sections * Next Maximum, 1-D & Circle Maps * Phase Portraits with Multiple Initial Conditions * Spectral Analysis, Fractal Dimensions, Lyapunov Exponents DS:1 \$250.00 DS:11 \$350.00 CHAOS IN THE CLASSROOM \$49.95 DYNAMICAL SYSTEMS, INC.

PO. Box 35241, Tucson, AZ 85740, 602-825-1331

Inquiry 720.

C SCIENTIFIC LIBRARY

C SCIENTIFIC LIBRARY Ednsive library of matin, mathematical, and statistical routines. Developed and documented for use by technical specialises and C programmers in mesaerch, solucation, engineering, and scientific ap-plications. Over 550 hundions, superior documentation—four manuals, including Tubrital, Function Pages, and Example Programs. Includes Real and Complex Linear Agebra, Egioresystems, Differential Equa-tions, Quadrature, Smoothing, Filtering and Prediction, MultiVariate Statistics, MultiDiamessional Colorationation, Linear Programming, Curve Fitting and Interpolations, etc. \$235 object only and \$385 with C source code.

EIGENWARE TECHNOLOGIES 13090 La Vista Dr., Saratoga, CA 95070 (408) 867-1184 Inquiry 721.

SOFTWARE/SCIENTIFIC

LARGE MATRICES

Invert a 235 × 235 REAL*8 non-sparse matrix in 35 min on your 640K DOS based 16 MHz 386/387 (13 min on 12 MHz 286/287) using LU decomp with back subst. Also large matrix capability for matrix multiply, transpose, scale, add, simul eq, etc. 80 bit precision. No added memory boards required. Use with Microsoft or IBM Pro FORTRAN unformatted matrix files. Full featured demo disk can generate and run large random matrices \$20.

JOYCE NUMERICS INC.

500 Chesterbrook Blvd., Suite 15 C-6, Wayne, PA 19087 (215) 993-9013

Inquiry 722.

Free catalog includes technical application notes

1-800-942-MATH

MicroMath Scientific Software Salt Lake City, Utah 84121-3144

Inquiry 723.

SOFTWARE/SECURITY

HANDS OFF THE PROGRAM® OPERATING SYSTEM SECURITY

subdirectories, files, printers and flopples Keyboard lock - automatic or manual Log PC boot, program exec, file opens, login/logouts Prevents DOS FORMAT and most viruses Drive A: Boot Protection / Hard Disk Lock IBM PC or 100% comp. — DOS V3.0+ — \$89.95 + \$3.75 S/H

SYSTEMS CONSULTING INC. PO BOX 111209, Pittsburgh, PA 15238 (412) 963-1624

Inquiry 724.

SOFTWARE/SORT

OPT-TECH SORT/MERGE

Extremely fast Sort/Merge/Select utility. Run as an MS-DOS command or CALL as a subroutine. Sup-ports most languages and file types including Btrieve and dBASE. Unlimited file sizes, multiple keys and much morel MS-DOS \$149. OS/2, XENIX, UNIX \$249

(702) 588-3737

Opt-Tech Data Processing P.O. Box 678 - Zephyr Cove, NV 89448

Inquiry 725.

STATISTICS

SX STATISTIX

PC Magazine Editors Choice! Easy to learn and use
 Fast Free Support
 Money-Back Guarantee

At \$179 SX outperforms higher priced programs! If you value your time and money, call today for FREE SX demo disk

612-631-2852

Analytical Software Box 13204, Roseville, MN 55113

Inquiry 726.

The BASS System™ Why use up 8 meg and 640K just to run a data step on your PC? Now you can run your data step code and statistical procs with a system that takes only 1 meg and 400K (and costs only \$399)! Free information:

BASS Institute, Inc. P.O. Box 349, Chapel Hill, NC 27514 (919) 933-7096 or BB: (919) 968-6755 (N,8,1)

Inquiry 727.

STATISTICS

SOLO 3.0 from BMDP

Popular statistics and excellent graphics for the PC. Quick and easy to use. For business professionals, researchers, or students. From the leader in statistical software for over 25 years. Top-notch support. Satisfaction guaranteed! \$199 complete with graphics. Call today, VISA or MC.

BMDP Statistical Software, Inc. 1440 Sepulveda Blvd., Suite 316, Los Angeles, CA 90025 (213) 479-7799

Inquiry 728.

STATA

Stata 2.05 Now Available. More statistics, graphics and an all-new manual. Still only \$590. Quantity Discounts Available. New, lower academic price. \$20 Demo. Call toll-free for more information.

1-800-STATAPC

Computing Resource Center 10801 National Boulevard, Los Angeles, CA 90064 (213) 470-4341

Inquiry 729.

DBMS/COPY

CONVERTS YOUR DATA INTO INFORMATION CURVERIS YOUR LAIA INTO INFORMATION Now your frontile stat package can access any database. DBMS/COPY can directly convert any database or spreadsheet file (CRACLE, PARADOX, dBASE, LOTUS det) und any atal package file (SAS, SPSS, SYSTAT, etc.) and vice versa. The PLUS version allows sorts, selections, and recalculations. \$195, 30-day guarantee. VISAMC/ANEX/PLOCCO.

CONCEPTUAL SOFTWARE INC. PO. Box 56627, Houston, TX 77256 57-4222 FAX: (713) 667-3FAX 1-800-STAT WOW (713) 667-4222

Inquiry 730.

THE SURVEY SYSTEM

An easy-to-use package designed specifically for questionnaire data. Produces banner format, cross tabs & related tables, statistics (incl. ragression) & bar charts. Codes and reports answers to open-end questions. All reports are camera-ready for profes-sional presentations. CRT interviewing option. **CREATIVE RESEARCH SYSTEMS**

15 Lone Oak Ctr., Dept. B, Petalu 707-765-1001 ma, CA 94952

Inquiry 731.

MINITAB's a PC of cake!

MINITAB's intuitive commands are easy to use and remember. Features descriptive statistics, regression, time series, chi-square, hi-res graphics, much more. PC version incl. LOTUS interface, data editor, network pricing. Call for FREE brochure.

Minitab, Inc. 3081 Enterprise Dr., State College, PA 16801 (814) 238-3280

Inquiry 732.

NCSS

Professional, easy to use, menu-driven statistical system. Used by over 5,000 researchers. • 5.0 Statistical System —\$99 • 5.1 Graphics (2D & 3D)—\$59 • 5.3 Power Pac Supplement—\$49 • 5.4 Exp. Design/QC—\$49 • 5.5 Survival Analysis—\$59 • 5.6 Forecasting—\$69 We accept checks, POs, Visa, MC. Add \$3 s/n.

NCSS-B 801-546-0445 865 East 400 North, Kaysville, UT 84037

STATISTICS

SCA STATISTICAL SYSTEM The only statistical software encompassing Forecasting & Time Series Analysis Quality and Productivity Improvement General Statistical Analysis Available on both DOS and OS/2 operating systems.

Call today for more information

Scientific Computing Associates 4513 Lincoln Ave., Suite 106, Lisle, IL 60532, USA one: (312) 960-1698 FAX: (312) 960-1815 Phone: (312) 960-1698

StatPac Gold[™]

StatPac Gold is the award-winning statistics and forecasting package that delivers. It's fast, flexible, easy to use and dependable. Time-tested and loaded with features. You be the judge. Get the facts! Call for your FREE brochure.

1-800-328-4907 Walonick Associates, Inc.

6500 Nicollet Ave. S., Minneapolis, MN 55423 (612) 866-9022

Inquiry 734.

UNINTERRUPTABLE POWER

HOW TO PROTECT YOUR COMPUTER And Make It Last Longer

FREE money-saving literature. What you need to know about UPS—uninterruptible power supply. How to get complete pro-tection from power line problems. 350/v4 through 15KVA models from the world's largest manufacturer of single-phase UPS.

Best Power Technology, Inc. P.O. Box 280, Necedah, WI 54846 (608) 565-7200 ext. 3737

TOLL FREE (800) 356-5794 ext. 3737

Inquiry 735.

UTILITIES

COPY AT TO PC—BRIDGE-IT 3.5 "CPVID2PC" RELIABLY writes 380KB foppies on 12 MB drives, saving a slot for a second hard disk or tape back-up. Only \$7900 + SH "BRIDGE-IT 3.5" is a DEVICE DRIVER supporting 31% 720KB1.A4MB drives for PCXTMT writout upgrading DOS/BIOS. Only \$3800 + SH BRIDGE-IT 3.5 BUNDLED WITH INTERNAL 1.44MB DRIVE AT 13200 + SH \$129.00 + S/H VISA/MC/COD UPS B/R MICROBRIDGE COMPUTERS
 B55 Sky Way Suite 113, San Carlos, CA 94070

 1-415-593-8777(CA)
 1-415-693-7875 (FAX)

 1-514-845-0818 (CANADA)
 1-600-523-8777
 1-415-593-7875 (FAX) 1-800-523-8777

Inquiry 736.

DELTA, the better text file comparison tool. Scrollable windowed presentations of file or directory comparisons, with a built-in editor window. Ideal for programmers! Re-quires DOS 2.0 or higher with at least 384K RAM. A hard disk is recommended. Order now. \$79. DEMO available on our BBS

OPENetwork POWER TOOLS FOR POWER USERS

215 Berkely Pl. (B-1), Brooklyn, NY 11217 718-638-2240 BBS: 718-638-2239

Inquiry 737.

Recover deleted files fast!

Disk Explorer now includes automatic file recovery. You type in the deleted file's name, Disk Explorer finds and restores it. Disk Explorer also shows what's really on disk; view, change or create formats, change a file's status, change data in any sector. MS-DOS \$75 U.S. Check/Credit card welcome

QUAID SOFTWARE LIMITED 45 Charles St. E. 3rd Fl. Toronto, Ontario, Canada M4Y 1S2

(416) 961-8243

UTILITIES

DATABASE UTILITIES

NORTAK Software Ltd. now offers a menu-driven ASSIST-like file utility for dBASE, Clipper, and Fox-BASE. Self-contained (.EXE file), fast and simple to use. SINGLE VERSION-\$35; 3-VERSION PACKAGE-\$60.

er call SHOSHIN Systems Inc. Canada 1-800-267-8856 USA 1-800-267-0755

Info Only 613-235-2310 VISA and MC accepted

Inquiry 738.

AppleWorks \leftrightarrow IBM

CROSS-WORKS transfers both ways between Apple IIe/IIc/IIgs and IBM PC/XT/AT/PS-2 & compatibles. Exchange AppleWorks with Word-Perfect (keeps formatting), Lotus 1-2-3 (keeps formulas), and dBase II/IVI Included cable plugs in serial ports for 19,200 baud transfers. Easy menu operation.

Phone (919) 878-7725 for free info packet. SoftSpoken Co., PO Box 97623, Raleigh, NC 27624

Inquiry 739.

SAVE TIME and MONEY

with the RED Utilities. Programs include: Batch file compiler speeds batch files. Disk cache speeds hard and floppy disks. Printer spooler. Path com-mand for data files. Wild card exceptions. Sort directories. Over 10 more programs. Only \$79.95. Order todayl 30-day money-back guarantee. IBM PC. Visa/MC

The Wenham Software Company 5 Burley St., Wenham, MA 01984 (508) 774-7036

Inquiry 740.

WORD PROCESSING

We can read 130 languages from Armenian to Zulu

Use SPOT OCR Software with an image scanner and your PC to read 130 foreign languages, typed pages, typesel material, magazines and books into standard text files. Flagstaff Engineering can provide any OCR solution. Call today to discuss your application!

Flagstaff Engineering 1120 Kaibab Lane, Flagstaff, AZ 8600 (602) 779-3341 MasterCard-Visa-American Expo

Inquiry 741.

FARSI / GREEK / ARABIC / RUSSIAN

Hebrew, all European, Scandinavian, plus either Hindi, Pun-jabi, Bengali, Gujarati, Tamil, Thal, Korean, Viet, or IPA. Full-Jaul, Bengal, Gujaran, Jama, Horeari, Alexan, Horeari, Viet, oli Ir-X. Full leatured multi-language word processor supports on-screen foreign characters and NLQ printing with no hardware modifications. Includes Font Editor. \$355 dot matrix; \$150 add'1 for laser; \$19 demo. S/H in U.S. Incl'd. Req. PC, 640K, graphics. 30-day Guarantee. MC/VISA/AMEX

GAMMA PRODUCTIONS, INC.

710 Wilshire Blvd., Suite 609, Santa Monica. CA 90401 213/394-8622 Tix: 5106008273 Gamma Pro SNM

Inquiry 742.

WORD PROCESSING

DuangJan

Bilingual word processor for English and: Armenian, Bengali, Burmese, Euro/Latin/African, Greek, Gujarati, Hindi, Khmer, Lao, Punjabi, Russian, Sinhalese, Tamil, Telugu, Thai, Ukranian, Viet, ... Only \$109+\$5 sh (foreign + \$12 sh). Font editor included. For any IBM compatibles with dot-matrix & LaserJet printer. Demo \$9+\$1 s/h Visa/MC

MegaChomp Company 8 Cottman Ave., Philadelphia, PA 19149-1806 3438 Cott (215) 331-2748 FAX: (215) 331-4188

Inquiry 743.

PC-Write 3.0 — Shareware Fast, full featured word processor for IBM PC. Now edits large files & multiple columns. Also spell check, mailmerge, networking, ASCII, and macros. Easy-to-use, optional menus. Supports 500 printers incl. lasers. Softwars, guide and tutorial on disk: \$19. Registration with manual, support newsletter and 2 free updates: \$99.

90-day money-back guarantee. VISA/MC.

Quicksoft 1-800-888-8088 219 First Ave. N., #224-BYTC, Seattle, WA 98109

Inquiry 744.

YOUR SALES MESSAGE

about the special computer product or service that you provide belongs in print.

THE BUYER'S MART

can help you reach computer professionals and produce valuable inquiries for your company! Call Brian Higgins for more information

603-924-3754

Subscription Problems?

We want to help!

If you have a problem with your BYTE subscription, write us with the details. We'll do our best to set it right. But we must have the name, address, and zip of the subscription (new and old address, if it's a change of address). If the problem involves a payment, be sure to include copies of the credit card statement, or front and back of cancelled checks. Include a "business hours" phone number if possible.



Subscriber Service, P.O. Box 555, Hightstown, NJ 08520

HUIF

ςμγ

Pay Less \$\$ for more Memory

SIMM MODULES

AST • APPLE • DELL• EVEREX •	PS2 • COMPAQ
1 Meg x 8 – 10 (Macintosh)	\$108.00
1 Meg x 9 - 10	\$119.00
1 Meg x 9 – 80	\$129.00
PS II 2 meg Simm Module	\$495.00

EXPANSION BOARDS

COMPAQ • PS2 • HP LASERJET

MEMORY CHIPS 64K • 256K • 1MG

INTEL MATH COPROCESSORS - FULL LINE



call: 714-855-0411 ter charg

23552 Commerce Center Drive, Suite L, Laguna Hills, CA 92653

(FAX) 714-855-8504

ESTABLISHED 1985 · LOW, LOW PRICES · VISA MASTERCARD • SAME DAY SHIPPING • CORPORATE & SCHOOL P.O.'S WELCOME

Dynamic Electronics STOCKING DISTRIBUTOR OF SEMICONDUCTORS

DOS IN EPROM

Or any other code, for that matter! PromKit allows you to create Eproms that look like read-only disk drives in your PC-compatible systems. Use PromKit even if you're not a programmer. Just use PromKit to convert any disk into EPROM images for your Prom blaster! Copy system files, batch files, data files, or anything else you want. Use Proms for read-only, SRAMS for read-write! Includes source code in C. Over 180 pages, including disk, only \$179.

We'll include a free copy of the pocket-sized XT-AT Handbook by Choisser and Foster with each PromKit if you mention this ad when you order. Of course, this \$9.95 value is also available by itself. Or buy five or more for only \$5.00 each.

(619) 271-9526



VISA'

Annabooks 12145 Alta Carmel Ct Suite 250-262

San Diego, California 92128 Money-back guarantee



OVERLAND DATA will bring out the GENIUS IN YOU when it comes to connecting your PC to the mini/mainframe world. OUR ENGINEERS DESIGNED the most successful tape drives, controllers and software in use today. Call the experts ... ODI!

- PC/XT/AT/386/PS2 & Compat.
- DOS, XENIX, UNIX, NOVELL
- 800, 1600, 3200, & 6250 BPI
- Outstanding Customer Support 24-hour delivery available on
- Cipher, Qualstar, Anritsu & M4

"See us at Comdex #W604"

Overland Data "Experience Makes The Difference" CALL TODAY AT 1-800-PC-9TRAK! 5600 Kearny Mesa Road • San Diego, CA 92111

TEL: 619/571-5555 • FAX: 619/571-0982



Circle 197 on Reader Service Card

Circle 57 on Reader Service Card



386SX Performance is as easy as π

Upgrade to 386SX Power with 2 MB Ram for only \$795.00!

Featuring:

- Fits XT, Baby or Full AT's and Towers
- 387SX and Shadow BIOS Support
- Your choice of Award[™] or Phoenix[™] BIOS
- SXD (2 MB DIP) or SXS (8 MB SIMM) versions
- Three year parts & labor warranty
- 45 day trial offer period
- 20, 25 and 33 Mhz 386DX motherboards, RAM, Drives, Cases, P/Ss, and Add-in Cards
- Professional Workstations available



1030 Earlysville Forest Drive, Earlysville, VA 22936 Fax: 804-978-3906 Information: 804-978-3917 Visa, MC and AMEX Accepted * Since 1983 • 1989 Pi Computer Corp.

T

COMIPARE OUR NEW LOWER PRICES AND SUPERIOR QUALITY





Mail-Order Electronics 24 HOUR ORDER HOTLINE 415-592-8097

NEC V20 & V30 CHIPS	M(@R(@)2)\@]@ESX@]R[@@	MPONENIS	MISC. COMPONENTS
Replace the 8086 or 8088 in Your IBM PC and Part No. Increase its Speed by up to 30% Price	Z80, Z80A, Z80B, SERIES 8000 SERIES Continue Part No. Price Part No. Pr		TANTALUM CAPACITORS
UPD70108-5 (5MHz) V20 Chip \$6.49 \$5.95 UPD70108-8 (8MHz) V20 Chip \$8.49 \$7.95		49 8286	TM.1/35.1µ1@35V
UPD70108-10 (10MHz) V20 Chip \$12.26 \$10.95 UPD70116-8 (8MHz) V30 Chip \$9.95 \$7.95	Z80A-CTC	95 8742	POTENTIOMETERS
UPD70116-10 (10MHz) V30 Chip \$16.95- \$15.49	Z80A-S!O/O 3.95- 2.95 8212	.95 8748H (HMOS)(21V) 9.95 99 8749	Values available (insert ohms into space marked "XX"): 500Ω, 1K, 2K, 5K, 10K, 20K, 50K, 100K, 200K, 1MEG
7400	Z808-CTC	.39 8751H (3.5-12MHz) 36.95 49 8755	43PXX 3/4 Watt, 15Turn .99 63PXX 1/2 Watt, 1Turn .89
Part No. 1-9 10+ Part No. 1-9 10+ 7400. SALE .15 7474. SALE .25	Z868181	49 80286-10 (10MHz)LCC 49.95 95 80287-3 (5MHz)109.95 75 80287-8 (8MHz)209.95	TRANSISTORS AND DIODES PN2222
7402	8031	75 80287-8 (8MHz)209.95 95 80287-10 (10MHz)259.95 95 80386-16 PGA279.95	2N2222A
7405	8035	.69 80387-16 (16MHz)395.95	2N3904
7407	8039	.95 80387-25 (25MHz)569.95 82284 (8MHz)9-49 7.95	JMT123 SPDT. On-On 1.19 206-8 SPST, 16-pin DIP 1.25
7410	80850 240 105 8254	95 DATA ACQUISITION	MPC121 SPDT. On-On-On 1.19 MS102 SPST, Momentary .39 D-SUB CONNECTORS
7414	8087 (5MHz)99.95 94.95 82055A-5 8087-1 (10MHz)	25 ADC0808CCN5.95 5.49	DB25P Male, 25-pin .69 DB25S Female, 25-pin .75
7420	8088 (5MHz) 4.95 3.49 8274	95 ADC0809CCN	LEDS XC556R T134. Red
7430	8116	.75 DAC0808LCN 1.75 1.49 49 AY-3-1015D 4.95 .75 AY-5-1013A 1.95	XC556G T134, Green17 XC556C T134, Clear/Red .17
7438	8155	6500/6800	Low Profile Wire Wrap (Gold) Level #2
7445		68000 Series	8LP
7447	2016-12 2048x8 120ns	95 Part No. Price 89 6402	16LP
7473	2112 256x4 450ns MOS	95 6502	28LP
74LS00	2114N-2L 1024x4 200ns Low Power	49 65C02 (CMOS) 7.75 49 6520 1.95	74HC HI-SPEED CMOS
74LS02	6116P-1 2048x8 100ns (16K) CMOS	95 6522 2.95 19 65C22 4.25	Part No. Price Part No. Price
74LS04	6116LP-1 2048x8 100ns (16K) LP CMOS 4.39	79 6532 <u>5.49</u> 4.95 59 6551 <u>2.95</u> 2.69 09 65C802 (CMOS) 15.95 14.75	74HC00
74LS06	6264P-10 8192x8 100ns (64K) CMOS	49 6800	74HC04
74LS09	6264LP-10 8192x8 100ns (64K) LP CMOS 40.95 10	25 6808	74HC10
74LS11	6264LP-15 8192x8 150ns (64K) LP CMOS 10.25 6514 1024x4 350ns CMOS	95 6820	74HC32 SALE 25 74HC273 SALE 49
74LS20	43256-10L 32.768x8 100ns (256K) Low Power26.95 23 43256-15L 32.768x8 150ns (256K) Low Power26.25 22	6840	74HC74
74LS27	62256LP-10 32.768x8 100ns (256K) LP CMOS27.96 24 62256LP-12 32.768x8 120ns (256K) LP CMOS27.25 24	6850	74HC85
74LS32	62256LP-15 32.768x8 150ns (256K) LP CMOS 26.25 23	MC68000L89.95 8.49	74HC123
74LS42	421000A9A-10 1.048.576x9 100ns 1MEGx9 SIP	MC68000L10 11.95 8.95 MC68010L10 39.95 29.95 MC68020RC12B 89.95	74HC132
74LS74	421000A9B-10 1.048.576x9 100ns 1MEGx9 SIM 209.06 15 421000A9A-80 1.048.576x9 80ns 1MEGx9 SIP 449.06 22	095 MC68701 17.95 MC68705P3S 9.95	74HC139
74LS76	421000A9B-80 1.048.576x9 80ns 1MEGx9 SIM	MC68705U3L 10.95 9.49 MC68705U3S 10.95 9.49	74HC163SALE .39 74HC174S9 74HC4543SALE .99
74LS85	4116-15 16.384x1 150ns (MM5290N-2)	49 MC68450L1049.95 29.95 25 MC68881RC16A129.95	74HCT-CMOS TTL
74LS90	4164-100 65.536x1 100ns	49 MC68881RC20A169.95	74HCT00
74LS125	4164-150 65.536x1 150ns	49 WD1770	74HCT04 SALE .17 74HCT174 SALE .25 74HCT08 .5 74HCT175 SALE .25 74HCT14 .29 74HCT1240 .54 74HCT14 .29 74HCT240 .54
74LS138	41256-80 262.144x1 80ns	.95 6504A 1.19	74HCT32
74S/PROMS	41256-120 262.144x1 120ns	49 6510	74HCT86
74S04	41264-12 64Kx4 120ns Video RAM	95 6545-1	LINEAR
74S74	41464-15 65.536x4 150ns	25 6567	TL071CP
74S124	41256A9A-10 262.144x9 100ns 256x9 SIP	95 6582 (9V)	Lon Lor 39 Lon Log Str 43 TL072CP .79 DS14C89N (CMOS)1.19 5.69 TL082CP .49 LM1496N .69 TL082CP .49 LM1871N .195 TL082CP .49 LM1872N .195
745153	511000P-10 1.048.576x1 t00ns (1 Meg)	49 8564 4.95 2.95	1 LUSAGN
74S174SALE 25 74S472'SALE 2.49 74S175SALE 25 74S571'		.95 8701	LM301N
CD-CMOS	EPROMS	95 8722	LM308N. 59 XR2240. 149 LM308K. 125 26LS29. 225 LM310N. 129 26LS31. 99 LM311N. 39 26LS32. 99 LM317T. 65 26LS33. 149
CD4001	TMS2516 2048x8 450ns (25V)	95 901225-01 15.95 95 901226-01 15.95	LM3104 1.29 261.S31 .99 LM3117 65 261.S32 .99 LM3177 65 261.S33 .149 LM318N .99 ULN2803A .119 LM318N .129 ULN2803A .129 LM3201N .25 LM3201N .25 LM322A .349 LM2070N .128 LM332C .139 MC3470R .119 LM3362 .99 MC3473P .365 LM3377 .109 MC3473P .35
CD4007	TMS2532A 4096x8 450ns (12 5V)	25 901227-02	LM318N
CD4013 29 CD4050	1/UZA 256x8 2K(1us) 406	25 901460-03 1.95	LM324N
CD4015	2716 2048x8 450ns (25V)	25 No specs available	LM336Z
CD4018	27C16 2048x8 450ns (25V) CMOS 4-25	75	UK3327 33 LM2917N (8 pin) 1.79 LK3362 99 MC3470P 1.19 LK337 1.09 MC3478P 3.95 LK337 1.09 MC3478P 3.95 LK338K 449 MC3487P 99 LK339K 39 UDN3613M 39
CD4021 59 CD4093 25 CD4024 45 CD4093 35 CD4027 35 CD4094 89 CD4094 89	2732A-20 4096x8 200ns (21V) 4-25	95 95 75 74C00 Sale 19 74C174 Sale 39	LM348N
CD4028	27C32 4096x8 450ns (25V) CMOS	25 74C02 Sale .19 74C175 Sale .59 25 74C04 Sale .19 74C192 Sale .99	LF353N
CD4030	2764-25 8192x8 250ns (21V)	59 74C08 Sale .19 74C194 Sale .49 39 74C10 Sale .15 74C231 1.70	LF357N
CD4042	27128-20 16 384v8 200mc (21V) C (0	95 74C14	LM358N 49 NC354
CD4046	27128-25 16.384x8 250hs (21V)	95 74C32 Sale .19 74C2441.79 75 74C74	LM393N 39 /415% (LM3404-13)1.29 L7398N 195 78057 (LM3401-5)45 LF411CN 79 78127 (LM3401-12)45 LF412CN 129 78157 (LM3401-12)45 NE555V 29 7905% (LM320K-5)1.35 XRL555
CD4049	270128-25 16.384x8 250ns (21V) CMOS 5-95 27256-15 32.768x8 150ns (21V) CMOS 5-95	49 74C86 Sale .19 74C911 6.95	LF412CN
EEPROMS	27256-20 32.768x8 200ns (12.5V) 6.25	29 /4089538 2.95 /40912	
2816A 2048x8 350ns (9V-15V) 5VRead/Write	27C256-15 32.768x8 150ns (12.5V) CMOS 295 27C256-25 32.768x8 250ns (12.5V) CMOS 549	25 74C151 Sale 1.49 74C917 Sale 3.95 95 74C154 Sale 2.75 74C920 Sale 3.95	LM565N
2817A 2048x8 350ns 5V Read/Write	2/512-20 65.536x8 200ns (12.5V)	95 74C157 Sale 1.25 74C921 Sale 2.95	LM723CN
2864A-30 8192x8 300ns 5V Read/Write (Pin 1 No R 8) 12.95 2865A 8192x8 250ns 5V Read/Write	27512-25 65.536x8 250ns (12.5V) 27C512-25 65.536x8 250ns (12.5V) CMOS <u>949</u> 27C1024 131.072x8 200ns (12.5V) CMOS (1 Meg) 24-95 68764 8192x8 64K 450ns (25V) Chip Enable) <u>1</u>	49 74C161 Sale .49 74C9233.95 95 74C162 Sale .49 74C925	
52B13 2048x8 350ns (21V) 5V Read Only	00700-33 819280 04K 330/IS (234) (Output Enable).	35 · · · · · · · · · · · · · · · · · · ·	LM1488N
PARIAL LISHING • OVER 40	000 COMPONENTS AND ACCESSO RAM'S SUBJECT TO FREQUENT	RIES IN STOCK! • CAL RICE CHANGES	L FOR QUANTITY DISCOUNTS

Worldwide • Since 1974 15th YEAR QUALITY COMPONENTS • COMPETITIVE PRICING



24-Hour Order Hotline (415) 592-8097 • The Following Phone Lines Are Available From 7AM - 5PM P.S.T.: • Customer Service (415) 592-8121 • Technical Assistance (415) 592-9990 • Credit Department (415) 592-9983 • All Other Inquiries (415) 592-7108

TOSHIBA T1000	\$635 NecUlt	ralite 2meg.\$22	89 CANON Fax	x 20\$9		0V\$625
" T1200F		ed 286/20 .\$30				
" T1200FB\$		40 \$33		\$17		
" T1200H		40\$43		\$19		
" T1200HB\$ " T1600\$		ishi 286-219\$19 290 \$22		\$23		
" T3100E\$		240		\$29		
" T3200/40\$		P 7241/40mb\$19				
" T5100\$		2\$14			" Fax 25	
" T5200 40 \$					25 " Fax 35	\$1545
" T5200 100 \$						
ZENITH Z-184-10 \$		SONIC PRINTER				
" Z-184-20 \$ " Z-286-20 \$		80				
" Z-286-40\$		24				
" Z-384-40\$		92\$3				
COMPAQ 286-20mb		R KXP 4450 \$13				
" 286 40 MB	\$call KXP15	95 \$4				
NEC MLTSPD HD.\$		24 \$5				
	51499 CANO	N Fax 8\$6	19 Remfg. UX	30 \$3	85 T3700	\$1099
" MLTSPD EL \$						
PREPAY PRICES	: VISA/MC/COD	+ 2.9% Restock 20%	Handling Chg. 5.95	No Exchange/	Returns.	
PREPAY PRICES T.P.C. 12603 Hoo	: VISA/MC/COD	714/898	0.0.0			100
PREPAY PRICES	: VISA/MC/COD		0.0.0		Returns.) - 383 - 3	199
PREPAY PRICES T.P.C. 12603 Hoo	: VISA/MC/COD	714/898	0.0.0			199
PREPAY PRICES T.P.C. 12603 Hoo Garden Grove, C.	: VISA/MC/COD over St. A 92641	714/898 FAX 714/3	3-8262 391-1202	1-800	0-383-3	
PREPAY PRICES T.P.C. 12603 Hoo Garden Grove, C.	: VISA/MC/COD over St. A 92641	714/898 FAX 714/3	0.0.0	1-800	0-383-3	
PREPAY PRICES T.P.C. 12603 Hoo Garden Grove, C.	: VISA/MC/COD over St. A 92641	714/898 FAX 714/ CKIS	3-8262 391-1202	1-800	0-383-3	
PREPAY PRICES T.P.C. 12603 Hoo Garden Grove, C.	E B A	714/898 FAX 714/2 CKIS 1989 Rate 1987	3-8262 391-1202 SSUE s (postage and ha -'89 BYTE Issues	1-80 S F C andling inclu \$6.00*	D - 383 - 3 D R S A L aded): BYTE 1988 Index	. E \$4.00
PREPAY PRICES T.P.C. 12603 Hoo Garden Grove, C. BYT January	E B A	714/898 FAX 714/3 CKIS 1989 Rate 1987 BYT	3-8262 391-1202 5 S U E 5 (postage and ha 2 '89 BYTE Issues 2 '83-'84 Index	1-80(S F C andling inclu \$6.00* \$4.00	D - 383 - 3 D R S A L ided): BYTE 1988 Index 1985 Inside The IBM PC	E \$4.00 s \$4.00
PREPAY PRICES T.P.C. 12603 Hoo Garden Grove, C. BYT January February	E B A	714/898 FAX 714/2 C K I S 1989 Rate 1987 BYT BYT BYT BYT	3-8262 391-1202 5 S U E 15 (postage and ha 16 (Postage and ha 17 (Postage 	1-80(S F C andling inclu \$6.00* \$4.00 \$4.00 \$4.00	D - 383 - 3 D R S A L ided): BYTE 1988 Index 1985 Inside The IBM PC 1986 Inside The IBM PC 1988 Inside The IBM PC	. E \$4.00 s \$4.00 s \$5.00
PREPAY PRICES T.P.C. 12603 Hoo Garden Grove, C. BYT January February March	E B A	714/898 FAX 714/2 CKIS 1989 Rate 1987 BYT BYT BYT BYT BYT	3-8262 391-1202 5 S U E 15 (postage and ha 16 (postage and ha 17 (postage and ha) 17 (postage and 	1-80(S F C andling inclu \$6.00* \$4.00 \$4.00 \$4.00 \$4.00 \$4.00	D - 383 - 3 D R S A L ided): BYTE 1988 Index 1985 Inside The IBM PC 1986 Inside The IBM PC	. E \$4.00 s \$4.00 s \$5.00
PREPAY PRICES T.P.C. 12603 Hoo Garden Grove, C. BYT January February March April	E B A	714/892 FAX 714/2 C K I S 1989 Rate 1987 BYTI BYTI BYTI BYTI BYTI BYTI BYTI The at	3-8262 391-1202 5 S U E 1985 S U E 1985 Index 1985 Index 1986 Index 1988 (Benchmarks) \$3.00 powe prices include postage	1-800 S F C andling inclu \$6.00* \$4.00 \$4.00 \$4.00 \$4.00	D-383-3 DRSAL DRSAL Ided): BYTE 1988 Index 1985 Inside The IBM PC 1986 Inside The IBM PC 1988 Inside The IBM PC 1988 Inside The IBM PC Applications Software Today Special se add \$.50 per copy for Canad	. E \$4.00 s \$4.00 s \$5.00 s \$6.00 \$4.00
PREPAY PRICES T.P.C. 12603 Hoo Garden Grove, C. BYT January February March April Issues Available	E B A	714/898 FAX 714/3 C K I S 1989 Rate 1987 BYT BYT BYT BYT BYT BYT BYT BYT BYT BYT	3-8262 391-1202 5 S U E 5 (postage and ha 2 '89 BYTE Issues 2 '83-'84 Index 2 1985 Index 2 1985 Index 2 1986 Index 3 1987 Index 1988 (Benchmarks) \$3.00 we prices include postage b ; and \$2.00 per copy to for refer to Back Issue order for	1-800 S F C andling inclu \$6.00* \$4.00 \$4.00 \$4.00 \$4.00 \$4.00	D - 383 - 3 D R S A L ided): BYTE 1988 Index 1985 Inside The IBM PC 1986 Inside The IBM PC 1988 Inside The IBM PC Applications Software Today Special se add \$.50 per copy for Canad urface delivery). European cust al Advertising section of book.	\$4.00 \$4.00 \$\$4.00 \$\$5.00 \$\$5.00 \$4.00 \$4.00 Ma and comers
PREPAY PRICES T.P.C. 12603 Hoo Garden Grove, C. BYT January February March April May	E B A	TI4/898 FAX 714/2 C K I S 1989 Rate 1987 BYT BYT BYT BYT BYT BYT BYT BYT BYT BYT	3-8262 391-1202 5 S U E 5 (postage and ha -'89 BYTE Issues 5 '83-'84 Index 5 1985 Index 5 1985 Index 5 1986 Index 5 1987 Index 1988 (Benchmarks) \$3.00 Nove prices include postage 5 ; and \$2.00 per copy to for refer to Back Issue order for 6 indicate which issue requests with payment	1-800 S F C andling inclu \$6.00* \$4.00 \$4.00 \$4.00 \$4.00 \$4.00 \$4.00 \$4.00 \$4.00 \$4.00	D - 383 - 3 D R S A L ided): BYTE 1988 Index 1985 Inside The IBM PC 1986 Inside The IBM PC 1988 Inside The IBM PC Applications Software Today Special se add \$.50 per copy for Canad urface delivery). European cust al Advertising section of book. ke by checking (~) the b	. E \$4.00 \$ \$4.00 \$ \$5.00 \$ \$6.00 \$4.00 ta and comers
PREPAY PRICES T.P.C. 12603 Hoo Garden Grove, C. BYT January February March Available June	E B A	TI4/898 FAX 714/2 C K I S 1989 Rate 1987 BYT BYT BYT BYT BYT BYT BYT BYT BYT BYT	3-8262 391-1202 5 S U E 5 (postage and ha -'89 BYTE Issues 5 '83-'84 Index 5 1985 Index 5 1985 Index 5 1986 Index 5 1987 Index 1988 (Benchmarks) \$3.00 Nove prices include postage 5 ; and \$2.00 per copy to for refer to Back Issue order for 6 indicate which issue requests with payment	1-800 S F C andling inclu \$6.00* \$4.00 \$4.00 \$4.00 \$4.00 \$4.00 \$4.00 \$4.00 \$4.00 \$4.00	D - 383 - 3 D R S A L ided): BYTE 1988 Index 1985 Inside The IBM PC 1986 Inside The IBM PC 1988 Inside The IBM PC Applications Software Today Special se add \$.50 per copy for Canad urface delivery). European cust al Advertising section of book.	. E \$4.00 \$ \$4.00 \$ \$5.00 \$ \$6.00 \$4.00 ta and comers
PREPAY PRICES T.P.C. 12603 Hoc Garden Grove, C. BYT January February March Available June July	E B A	714/898 FAX 714/2 FAX 714/2 C K I S 1989 1989 1987 BYT1 Ch Ch	A-8262 B91-1202 A Constage and have a (postage and have) (postage and have) (post	1-800 S F C andling inclu \$6.00* \$4.00\$\$4.00\$\$	D-383-3 DRSAL DRSAL aded): BYTE 1988 Index 1985 Inside The IBM PC 1986 Inside The IBM PC 1986 Inside The IBM PC 1988 In	. E \$4.00 \$ \$4.00 \$ \$5.00 \$ \$6.00 \$4.00 ta and comers
PREPAY PRICES T.P.C. 12603 Hoc Garden Grove, C. BYT January February March Available June July August	E B A	714/892 FAX 714/2 FAX 714/2 C K I S 1989 1989 1987 BYT C (603) C Ch Card #	A-8262 391-1202 A-8262 A-82	1-800 S F C andling inclu \$6.00* \$4.00\$\$4.00\$\$	D-383-3 DRSAL DRSAL aded): BYTE 1988 Index 1985 Inside The IBM PC 1986 Inside The IBM PC 1988 Inside The IBM PC 1988 Inside The IBM PC Applications Software Today Special se add \$.50 per copy for Canad surface delivery). European cust al Advertising section of book. ke by checking (~) the b Peterborough, NH 03458	. E \$4.00 \$ \$4.00 \$ \$5.00 \$ \$6.00 \$4.00 ta and comers poxes.
PREPAY PRICES T.P.C. 12603 Hoc Garden Grove, C. B Y T January February March Available June July August September	E B A	714/898 FAX 714/2 C K I S 1989 1989 1987 BYT Card # Exp. D	A-8262 391-1202 A-8262 A-82	1-800 S F C andling inclu \$6.00* \$4.00\$\$4.00\$\$	D - 383 - 3 D R S A L aded): BYTE 1988 Index 1985 Inside The IBM PC 1986 Inside The IBM PC 1986 Inside The IBM PC 1988 Inside The IBM PC	. E \$4.00 \$ \$4.00 \$ \$5.00 \$ \$6.00 \$4.00 ta and comers
PREPAY PRICES T.P.C. 12603 Hog Garden Grove, C. BYT January February March Available June July August September October	E B A	714/892 FAX 714/2 FAX 714/2 C K I S 1989 1989 1987 BYT BYT <td>A-8262 B91-1202 AB S L E S (postage and ha '89 BYTE Issues E '83-'84 Index E '89 BYTE Issues E '80 BYTE Issue E '80 BYTE Iss</td> <td>1-800 S F C andling inclu \$6.00* \$4.00\$\$4.00\$\$</td> <td>D-383-3 DRSAL</td> <td>. E \$4.00 \$ \$4.00 \$ \$5.00 \$ \$6.00 \$4.00 ta and comers</td>	A-8262 B91-1202 AB S L E S (postage and ha '89 BYTE Issues E '83-'84 Index E '89 BYTE Issues E '80 BYTE Issue E '80 BYTE Iss	1-800 S F C andling inclu \$6.00* \$4.00\$\$4.00\$\$	D-383-3 DRSAL	. E \$4.00 \$ \$4.00 \$ \$5.00 \$ \$6.00 \$4.00 ta and comers
PREPAY PRICES T.P.C. 12603 Hog Garden Grove, C. B Y T January February March Available June July August September October November December	E B A	714/892 FAX 714/2 C K I S 1989 1989 1987 BYT G03) C Ch Card # Exp. D Signat Name Addres	B-8262 B91-1202 S S U E s (postage and ha -'89 BYTE Issues E '83-'84 Index E 1985 Index E 1985 Index E 1986 Index E 1986 (Benchmarks) \$3.00 pove prices include postage over prices include postage (s) and \$2.00 per copy to for refer to Back Issue order for e indicate which issue requests with payment Back Issues, One Phoe 924-9281 eck enclosed Char ate f b c c c c c c c c c c	1-800 S F C andling inclu \$6.00* \$4.00\$\$4.00\$\$	D-383-3 DR SAL aded): BYTE 1988 Index 1985 Inside The IBM PC 1986 Inside The IBM PC 1988 Inside The IBM PC Applications Software Today Special se add \$.50 per copy for Canad urface delivery). European cust al Advertising section of book. ke by checking (~) the b Peterborough, NH 03458 D MasterCard	. E \$4.00 \$ \$4.00 \$ \$5.00 \$ \$6.00 \$4.00 ta and comers oxes.
PREPAY PRICES T.P.C. 12603 Hoc Garden Grove, C. B Y T January February March Available June July August September October November December Inside the IBM PCs	E B A	714/892 FAX 714/2 C K I S 1989 1989 1987 BYT	Back Issues, One Phoe Back Issues,	1-800 S F C andling inclu \$6.00* \$4.00\$\$4.00\$\$	D-383-3 DR SAL aded): BYTE 1988 Index 1985 Inside The IBM PC 1986 Inside The IBM PC 1988 Inside The IBM PC Applications Software Today Special se add \$.50 per copy for Canad urface delivery). European cust al Advertising section of book. ke by checking (~) the b Peterborough, NH 03458 D MasterCard	. E \$4.00 \$ \$4.00 \$ \$5.00 \$ \$6.00 \$4.00 ta and comers
PREPAY PRICES T.P.C. 12603 Hoc Garden Grove, C. B Y T January February March Available June July August September October November December Inside the	E B A	714/892 FAX 714/2 C K I S 1989 1989 1987 BYTI G(603) C Ch Card # Exp. L Signati Name Addres City State	Back Issues, One Phoe Back Issues, One Back Issue	1-800 S F C andling inclu \$6.00* \$4.00\$\$4.00\$\$	D-383-3 DR SAL aded): BYTE 1988 Index 1985 Inside The IBM PC 1986 Inside The IBM PC 1988 Inside The IBM PC Applications Software Today Special se add \$.50 per copy for Canad urface delivery). European cust al Advertising section of book. ke by checking (~) the b Peterborough, NH 03458 D MasterCard	. E \$4.00 \$ \$4.00 \$ \$5.00 \$ \$6.00 \$4.00 ta and corrers

High Quality * No-Risk Guarantee *Low Price *Expert Service *Fast Delivery

We've Built Our Reputation on These Factors for 10 Very Successful Years.

CLONE 286

12MHz, 32MB HARD DRIVE, 1 MB 0 WAIT RAM, AND 12" MONOCHROME MONITOR

8 Expansion Slots

Utilities

279

With MS-DOS" 3.3 or 4.01 and GWBABIC \$79 or \$99 Extra.

CLONE 285 STANDARD FEATURES: • IMB Feat O Wail State RAM. • High Performance 1:1 Interleave, 800 Kb/sec 2: Floppy/2 Hard Disk Controller. • 12M S.25° or 1.44M 3.5° Floppy Drive (Your Chorce). • 101 Key Enhanced Keyboard. • 1 Parallet. J Serial, 1.4yaylatk Port. • 200 Watt Power Supply • 80287 Math Coprocessor Socket • On-board Clock/Cal. w/Battery Backup. • B Expansion Stots.

• 8 Expansion Slots • Setup Unity in ROM. • System Reset Switch on Front Panel. • CPU Speed Switchable • Fully Expandable to 4/MB. • FCC Certified • Novell Compatible. • One Year Parts & Labor Warranty. • One Year Parts & Labor Warranty. • Complete Software Package including. PC-Write - OModem - ExpressCalc AutoMenu - HomeBase - MoneyMaster Findax - Hard Disk Cache - Clone utilities.

FAST DELIVERY!

CLONE 286 STANDARD FEATURES

Comple System



25MHz, 1MB RAM, 32K cache, base system . . 2094 ISMHz, 1MB RAM, 32K cache, base system ... 2729 With MS-DOS* 3.3 or 4.01 and GWBASIC \$79 or \$98 Extra.

LONE 386 STANDARD FEATURES:

SATISFACTION GUARANTEED!

ou get a rock-solid one year guarantee on arts and labor, plus a 30 day money-back attisfaction Assurance guarantee (except n software and shipping).

NO ORPHANED CUSTOMERS

We have been supplying our customers with high quality hardware and software since 1980. We enjoy an excellent industry-wide reputation built on providing top quality merchandise, a no-risk guarantee, low price, expert service and fast delivery. Our customers expect and repuise on less. receive no less.



Your Clone equipment will be promptly and expertly serviced by our specially trained, knowledgeable technicians who know what they are doing.

Buy with Confidence! Our Guarantee Removes All the Risk from Your Buying Decision!

The Cione guarantee is simple and straightforward. You have 30 days after receipt of your Clone to see if you and it are going to be compatible. If you are not satisfied with your Clone for any reason within that time, you may return it for a full refund, less shipping charges.



CLONE VALUE CHART

CLONE 286	12" MONOCHROME	EGA COLOR	VGA COLOR
12MHz CPU, 32MB 40MB SEAGATE HD	\$1279	\$1690	\$1813
16MHz CPU, 32MB 40MS SEAGATE HD	1479	1890	2013

Add \$20 for "Click/Tactile" 101-key Keyboard. Add \$20 for 14" Monochrome Monitor.

CLONE 386	14" MONOCHROME	EGA COLOR	VGA COLOR
20MHz CPU, 32MB 40MS SEAGATE HD	\$1999	\$2393	\$2516
20MHz CPU, 32K CACHE, 32MB, 40MS SEAGATE HD	2299	2693	2816
25MHz CPU, 32K CACHE, 32MB 40MS SEAGATE HD	2604	2998	3121
33MHz CPU, 32K CACHE, 32MB 40MS SEAGATE HD	3240	3634	3757

OPTIONS FOR CLONE 286/386 COMPUTERS:

Add 327 for 32MB, 28MS Seegate HD. Add 342 for 48MB, 40MS Seegate HD. Add 358 for 48MB, 28MS Seegate HD. Add 3146 for 65MB, 40MS Seegate HD. Add 3173 for 65MB, 28MS Seegate HD. Add 3203 for 65MB, 28MS Seegate HD.

Add \$495 for 122MB, 28MS Sesgete H Add \$30 to VGA price for 16 bit VGA card. Add \$49 to VGA price for 14" Multi-frequency Monitor. Add \$125 for 6 drive lower case. OH sta

OPTIONAL EQUIPMENT FOR CLONE COMPUTERS

super LQ, 24 pin, 16 fonts ..., 469 Star XB-2415 Printer (same as above with wide carriage) 599 1200/300 baud int. modem..... 59



Total Power Protection!

250 Watt Model

Add \$23 shipping in the lower 48 states.

\$ 279

399

499

639

1099

1444

ct input vo

Two Audible Alarma LED Displays.
 Optional Network Port.
 Transfer Times As Fast
 As 1 Millisecond (De-

pends on Model)

088 (0) 4 77-	Game-Joystick port
OMHz Turbo-speed	Clock/Calendar
Asinboard	 Fully Expandable
40K RAM standard	PC-Write - OModem
087 Socket	ExpressCalc - Home
50-watt power sup	Base - MoneyMast-
80K Floppy Drive	er - Findex - Clone
with Disk Controller	Utilities - AutoMenu
fercules [®] Compat-	· FCC Class B Certif
ble Video Card.	Keyboard Lock
liRes TTL monitor	. LED's for Power.
preen or amber)	Turbo and Hard
-Parallel prot prts	Disk Access
-Serial port (2nd	• 1 yr parts, lab war

UNINTERRUPTABLE

POWER SUPPLY

120 Volt

120 Volt

120 Volt

120 Volt

120 Volt

120 Volt

Save on Low Cost Floppys!

Specify ex eight collect

Features

As Low As

250 Watt 300 Watt

500 Watt

600 Watt

1600 Watt

230 voit units also avail Shippe

Protects Against

Blackouts
Overvoltage.
Overload.
Spills/Surges.

Brownouts
 Blackouts

• EMI

1200 Watt

SOFTWARE SAL WEST PRICES - FAST DELIVERY

This list is only a small portion of our inven Call us for all of your software needs!

MS-DOS®BUSINESS SOFTWARE	
Aldus Pagemaker 3.0	1541
Allways.	. 87
Borland Quattro (1-2-3 Clone)	165
Borland Reflex 2.0	175
Borland Sprint, Word Processor,	138
DAC Easy Acontg. (all version 3)	
DAC Easy Payroli	81
DAC Easy Bonus Pack (includes	
accounting, payroll, both tutors)	120
DAC Easy Light	
dBase IV	470
Design CAD	165
Design CAD 3D	214
Desqview	20
Desquiew with OEMM 386	14
Desquew with DEMM 386 ,	. 55
Formtool	
Framework III	334
Generic CADD, Level 3 (includes	
DotPlot and DeskConvert)	172
Lotus 1-2-3 version 3 0	361
Lotus Agenda	28
Lotus Symphony	451
Microsoft Multiplan	12
Microsoft Multiplan	23
Paradox 3.0	- 446
Peachtree Complete System II	174
Peachtree Double Bonus Bundle	23
ofs: First Choice	. 91
pfs: First Publisher	. 83
ofs: Professional Write.	144
Printshop Bundle	3
Publish It ¹	121
Q&A	211
Quicken 30	35
Rightwriter	5
Rightwriter Wordperfect 5.0	24
Wordstar Professional Release 5.5	211
MS-DOS LANGUAGEB/UTILITIES	
Autosketch Enhanced	
Borland Turbo Basic	
Borland Turbo Basic	. 8
Bortand Turbo Pascal	1.0
Borland Turbo Pascal	10
Bor. Turbo Assembler/Debugger	. 91

ł	Microsoft Quick Basic Compiler 67
	Microsoft Quick C Compiler 67
)	Microsoft Windows 286
2	Microsoft Windows 386
i .	Norton Commander 53
è i	Norton Utilities 4.5 Advanced Edit 88
i i	PC Tools Deluxe 5.5
	Procomm Plus
i i	Sideways
	X Tree Professional
	OTHER MS-OOS
	Alge Blaster
	Chess Master 2100
	F-19 Stealth Fighter
	Falcon AT
	Kings Ouest (I, II, III or IV)
5	Leisure Suit Larry II
2	Math Blaster Plus 28
	Mavis Beacon Teaches Typing 32
	Reader Rabbit
	Where in U.S.A is C. San Diego? 27
	BOOKS
	Take advantage of our volume discounts
	and save a bundle! Buy any 3 books and
	earn an additional \$3 discount. Buy 4 and
•	deduct \$4. Buy 5 and deduct \$5, etc.
	Lines 1 3 2 Consul Edition fill

Using 1-2-3. Special Editio dBase III Plus Handbook Managing Your Hard Disk MS-DOS Users Guide ... Running MS-DOS 518 17 16 17 19 Bunning MS-DOS Using Autocad Using Managing Your Money Using O & A Using Symphony Using Wordperfect 5.0 21 15 18 19 18



1-800-527-0347

Clone enol

Res. U.S. Pat. Off

Save Your Data and Money, Too! Peripherals Sale!



32.7M8 \$259 40ms 8T-251 \$369 ^{\$}419 \$579 ^{\$539} ST-277R XT Kit Options

We provide the best low cost, high quality, last access hard drives for your IBM, 100% com-patible or Tandy computer Our XT and SCSI kits are complete with drive, controller, cables and installation instructions. We use only brand and installation instructions, we use only brain new genuine Seagate drives so you can be assured of long trouble-free drive life. Data transfer rates as fast as 500 KB per second MFM, 800 KB ALL and 1MB using SCSI. We provide

software to park the heads (some drives self-park). Tandy 1000 requires DMA and ROM 1.01 • Not for EXHX. Please specify the com-puter brand and model when ordering. ST 506, 4096 and 14HA are full aze6 3/4", and ST 157R is 3/6" All others are hall height 5,", Sizes listed are after formatting. One year parts and labor warranty. Satisfaction guaranteedor your mon-ey back, less shipping

^s639

122.7MB 28ms ST-4144F RLL Bare



compatibles and Tandy 1000/1000A, SL, SX, TL, TX. Please specify the exact make and model of your computer. One year parts and labor warranty. Circle 52 on Reader Service Card

CLONE COMPUTERS • 2544 W. Commerce St. • Box 223957 Dallas, Texas 75222-3957 • Telex: 882761 • Fax: 214-634-8303

•1969 by Clone Computers, All rights reserved. Prices and specifications subject to change rout notice, All prices are in U.S. Dollars, Payments must be in U.S. funds drawn on e U.S. bank.









SERVING

YOU

SINCE

1980

\$319

ST-157R RL

Carbon Copy - (need two copies) \$114	
Copy II PC	
Copy II PC Option Board Deluxe 118	
Fastback Plus	
Grammatik III	
Microsoft C Compiler 5.1	
Microsoft Macro Assembler 5.1 99	
Microsoft Quick Basic Compiler 67	
Microsoft Quick C Compiler 67	
Microsoft Windows 286 67	
Microsoft Windows 386 127	
Norton Commander \$3	
Norton Utilities 4.5 Advanced Edit 88	
PC Tools Deluxe 5.5 79	
Procomm Plus	
Sideways 42	
X Tree Professional	
OTHER MS-OOS	
Alge Blaster \$28	
Chess Master 2100 32	
F-19 Stealth Fighter 44	
Falcon AT	
Kinne Overt /L H. III. or 100	



Circle 119 on Reader Service Card



connect IBM 5218 Display-Writer printer to PS/2 and AT.* Available now. Hundreds installed. For order info, call:



Circle 226 on Reader Service Card

THE GENERAL STORE RETAIL OPERATIONS SYSTEM

The premier system for retail store management. Supports cash drawers, barcode readers, receipt printers, customer displays, digital scales and complete online credit card authorization. Controls all types of retail stores balth hardgoods and apparel with complete size/color matrix management and reporting. Easy to install and use. Field proven for speed and reliability. Provides all the features needed for today's retail merchant at a price far below comparable systems. Demo system available.



Circle 74 on Reader Service Card



PAL/EPROM PROGRAMMER for PC VERSION 2 of Software and Hardware \$475 ms 20 and 24 pin MMI, Alova, Cyuress, Ricoh/ Programs 20 and 24 pin MML, NS, TI, Altera, Cypress, Ricoh Panatoc PALa. EPLD (UV erasable), polarity, and RA typ Functions Include: read, write, verify, protect, edit, print, and file load and save of program. JEDEC files supported. 2716-27512 EPROMa. Panetions Include: read, write. na In erify, blank check, HI/LO spi adit in ASCII, HEX, or Decim INTEL Hex and Mo ord file supe 200/100 MHz LOGIC R for PC 1 427100 \$1299 LA27200 \$1899 do with 4K/c nel + 6 Ch nel mode with 16K/ci internal Rates from 200MHz (LA27200) or 100MHz (LA27100) to 250 Hz al Clock from DC to 50 MHz • 16 Level Triggering Sequence hold Voltage Level at TTL, BCL, or -8V to +14V variable • Data ng Diagram or State List - Save/Load Data and Sourp Info (201) 994 - 6669 Link Computer Graphics, Inc. 4 Sparrow Dr., Livingston, NJ 07039

Circle 155 on Reader Service Card



Circle 121 on Reader Service Card

IC	Cs	SAN	AE DAY S	HIPPING (LIVER USUALLY) IN for AUG. 27,	
	OUT	SIDE	OKLAHON	AA: NO SA	LES TAX	
		C	YNAM	IC RAM		
	SIMM	(1)	256Kx36	80 ns	\$400.00	
12/10	SIMM	1	1Mx9	70 ns	185.00	3.08
psal	SIMM		1Mx9	80 ns	145.00	2.00
08,00	SIMM		256Kx9	100 ns	50.00	CAM
PStore	1Mbit		1Mx1	100 ns	12.75	
14	41256		256Kx1	60 ns	7.25	50
	41256		256Kx1	80 ns	6.25	7-2
29:	41256		256Kx1	100 ns	3.95	338
55	41256	5	256Kx1	120 ns	3.50	88
ATE AO	4464		64Kx4	120 ns	4.50	-16
COM	41264	(3)	64Kx4 EPR	120 ns	9.75	387
DECS	27C1	000	128Kx8	200 ns	\$22.00	80,80
WILET	27512		64Kx8	200 ns	9.50	80
05/2	27256		32Kx8	150 ns	7.25	80287-8 \$215.00
Tanot	27128		16Kx8	250 ns	4.50	80287 \$215.
WH'S			STATIC		1.00	
the	62256		32Kx8	100 ns	\$19.95	-2
	6264F		8Kx8	120 ns	5.95	3087 5125
	61164	P-12	2Kx8	120 ns	4.50	00 in
OPEN 61/2 DAYS, 7.30 AM-10 PM SHIP VIA FED-EX ON SAT.						
SAT D	ELIVERY	Mast	erCard/VIS/	A or UPS CA	SH COD	
	DED ON	MIC	ROPROC	ESSORS	JNLIMITED	INC.
RECE	VED BY:			Ave. (91		961
The Stal A Fri P-1	\$12.25/1 lb	No n	ninimum or	der. Please note	prices subject to	changel
		AL ADD			Pressing and	

Circle 26 on Reader Service Card

FAX: (213) 383-3423

G. Reed, Inc.

258 South Western Avenue, L.A., CA 90004

Shipping and handling charges may apply.

Circle 176 on Reader Service Card

Up to date. Down to earth.

<u>Changing the world</u>. UNIX is changing the world of computers, the world of business – quite simply, changing the world. It's revolutionizing office automation. It's required for U.S. government computer contracts. It's the backbone of information strategies worldwide.

The information you need.

That's why you need UNIXWORLDthe magazine that keeps you up to date on the rapidly changing world of open-systems computing. Each issue brings you the latest product trends and technical advances that can affect your business. The inside story on some of the world's

hilcatio

biggest high-tech companies. Easy-to-understand programming tips and tutorials that can help you and your company use UNIX to its fullest. And unbiased hardware and software reviews to help you invest wisely when you buy.

The whole UNIX-verse. UNIXWORLD's in-depth features go beyond dry technical facts, to show how the pieces fit together – to tell you what's important about the advances and the strategies that are changing your world. And UNIXWORLD consistently offers the freshest, most down-to-earth writing you'll find in any computer publication. <u>Subscribe and Save</u>. Subscribe today, and receive the next 12 issues of <u>UNIXWORLD</u> for just half the regular newsstand price. Save even more by ordering for two or three years. You can't lose – every subscription to <u>UNIXWORLD</u> comes with a no-risk guarantee.*

1 year \$18.00 (save 50%) 2 years \$32.00 (save 55%) 3 years \$42.00 (save 60%)

Subscribe now! Call toll-free: 1-800-341-1522



If you're into UNIX, you need UNIXWORLD MAGAZINE.

		10				
PS/2 model 30/286 PS/2 model 50/30 meg . PS/2 model 50/30 meg . PS/2 model 70/60 meg . PS/2 model 80/40 meg . PS/2 model 80/115 meg PS/2 model 80/115 meg Call for other m		F	LOV PRICE	5	Everex Step 286 - 12 & 10 1 Meg RAM Set up utility in RO S/P, C/C Enhanced keyboard 1.2 MB floppy DOS/BASIC Everex	Call! for
386 S 40 meg 386 S 20E - 40 meg 386 20E - 40 meg 386 110 meg/25 MHz 386 60 meg/25 MHz 386 60 meg/25 MHz Portable III 40 meg/12 Mil CARD & MONITOR Call for other m	Call Call 4295 Call 7295 5895 Hz3995 & EXTRA	LEADER SINCE 1983 Compaq SLT 286-20/40 3795/Call Toshiba T1000 Call T1200F Toshiba Call T1200HB Salet Call T1600-20/40 Meg Call for Call		795/Call Call Call Call Call	Step 386-20 MHz & 16 MHz & 25 MHz & 33 MHz Up to 256K cache of very high speed RAM 2 Meg RAM, expandable to 16 Meg S/P, C/C Enhanced keyboard 1.2 MB floppy DOS/BASIC Call!	
Mac IICX/80 Meg, 40 Meg Mac-II/40 Meg Mac-SE 30/40 Meg Call for 60 and 100 Meg Lazer NT. Lazer NTX WE STOCK CITIZE OKIDAT	DSh RAM5095 	T3200- T5100- T5200- Zenith Zenith Mitsub 25-N-1 Ci 1 Meg. N	all! 40 Meg. 40/100. 40/100. 286-20 Meg. ishi 286-20 Meg. ishi 286-20/40. 20 Pacific Data (For HP artridge 265 Pacific Page. termory Board 295 Plotter Cartrid PRINCETON GRAPHICS SONY	Call Call 195/Call Call 449/Call)) (ge239 (ge239 AMDEH HAYES	AST 286 mode AST 286 mode AST 386 mode AST 386 40 M CARD 8 CALL FC	I 140X
EVERE GOLD ST BOARDS Paradise VGA +239 Vega VRAM449 ATI VGA Wonder285 Everex EGA		H(ECIALS 455 229 495 495 495 219 NES 795 1249 Call Call	ACER DUSTON INSTRUMENTS NOVELLL Authorized Dealer	LX-810/L0 LQ-850/10 FX-850/10 320/321 390/391 321-SL/3/ 351-SX 3	IP MITSUBIS RINTERS EPSON 2-510 359/339 350 359/479 0KIDATA	TAXAN MAGNOVOX LASER PRINTERS HP Laser II 1695 HP Desk Jet ± 695 Panasonic 4450 1395 Brother HL-8-E 1895 Nec LC 890 3195 PageLaser 12 \$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$ Canon Laser Call MODEMS Everex 1200 Int 89 Everex 2400 Int 159 Hayes 1200 B 299
Samsung EGA						
HOURS: M-S 9-6 CORPORATE ACCOUNTS WELL CALL FOR VOLUME DISCOUN CONSULTANTS CALL FOR PRI 330 BYTE • OCTOBER	COME TS CING Price	(818) (818)	6-3482 (Outs 884-8644 (In C/ 884-8253 (FAX change without notice	A)) Compaq i	1/2 BL s a Registered Tradem	7 ROSCOE BLVD. ANOGA PARK OCK W. OF TOPANGA CA 91304 nark of Compaq of International Business Machines

Circle 66 on Reader Service Card


Circle 46 on Reader Service Card Circle



Circle 135 on Reader Service Card

Circle 49 on Reader Service Card

B&C MICROSYSTEMS INC.

355 WEST OLIVE AVE., SUNNYVALE, CA 9 TEL: (408) 738-5511 FAX: (488) 739-5521









Circle 323 on Reader Service Card

Circle 73 on Reader Service Card

VOICE MASTER KEY ® VOICE RECOGNITION SYSTEM FOR PC/COMPATIBLES & TANDY 1000 SERIES A FULL FEATURED VOICE I/O SYSTEM

GIVE A NEW DIMENSION TO PERSONAL COMPUT-ING. . . The amazing Voice Master Key System adds voice recognition to just about any program or application. Voice command up to 256 keyboard macros from within CAD, desktop publishing, word processing, spread sheet, or game programs. Fully TSR and occupies less than 64K. Instant response time and high recognition accuracy. Voice recognition tool-box utilities are included. A genuine productivity enhancer!

SPEECH RECORDING SOFTWARE...Digitally record your own speech, sound, or music to put into your own software programs. Software provides sampling rate variations, graphics-based editing, and data compression utilities. Create software sound files you can add to macros for voice recognition verification response. **A** complete, superior speech and sound development tool.

SOFTWARE CONVERSION CODES. . . The Voice Master Key System operates a growing list of third party talking software titles using synthesized phonetics (text-to-speech) or digitized PCM, ADPCM, and CVSDM encoded sound files. Voice Master Key System does it all!



EVERYTHING INCLUDED. . .Voice Master Key System consists of a plug-in card, durable lightweight microphone headset, software, and manual. Card fits any available slot. External ports consist of mic inputs and volume controlled output sockets. High quality throughout, easy and fun to use.

ONLY \$149.95 COMPLETE

ONLY \$89.95 FOR TANDY 1000 SL/TL MODELS— SOFTWARE PACKAGE ONLY. Requires Tandy Brand Electret microphone.

ORDER HOTLINE: (503) 342-1271 Monday-Friday, 8AM to 5PM Pacific Time

Visa/MasterCard, company checks, money orders, CODs (with prior approval) accepted. Personal checks subject to 3 week shipping delay. Specify computer type and disk format (3½" or 5¼") when ordering. Add \$5 shipping charge for delivery in USA and Canada. Foreign inquiries contact Covox for C & F quotes. 30DAYMONEY BACK GUARANTEE IF NOT COMPLETELY SATISFIED. ONE YEAR WARRANTY ON HARDWARE.

CALL OR WRITE FOR FREE PRODUCT CATALOG





Circle 269 on Reader Service Card



Circle 294 on Reader Service Card



Circle 164 on Reader Service Card



The SAELIG Company 1193 Moseley Rd Victor NY 14564 (716) 425-4367 or fax (716) 425-7381

ONLY \$219 (25qty)

Circle 309 on Reader Service Card

monitoring,etc.



Circle 150 on Reader Service Card





NEW: REMOTE A-BUSI Use the new Serial (RS-232) Adapter or Processor to control any A-BUS system. Cards can be up to 500 ft away using phone type cable, or off premises using a modern. Call or send for the new A-BUS Catalog which covers all the products.

Important _

All A-BUS Systems: Come assembled and tested Include detailed manuals with schematics and programming examples + Can be used with almost any language (BASIC, Pascal, C, assembler, etc.) using simple "IN" and "OUT" commands (PEEK and POKE on some computers) ♦ Can grow to 25 cards (in any combination) per adapter ♦ Provide jumper selectable addressing on each card Require a single low cost unregulated 12V power supply Are usually shipped from stock. (Overnight service is available.)

Inputs, Outputs, etc.

Analog Input: 8 analog inputs. 0-5.1V in 20mV steps (8 bits). 0-100V range possible. 7500 conversions/second. AD-142: \$142 12 Bit A to D: Analog to digital converter. Input range -4V to +4V, expandable to 100V. On-board amplifier. Resolution 1mV.

Conversion time 130ms. 1 channel. (Expand to 8 channels with the AN-146; \$153 RE-156 card.)

Relay Card: 8 individually controlled industrial relays each with status LED's (3A at 120VAC contacts, SPST). RE-140: \$142

Reed Relay Card: 8 reed relays (20mA at 60VDC, SPST). Individually controlled and latched, with status LEDs.RE-156: \$109

D/A converter: 4 Channel 8 Bit D/A converter with output amplifiers and separate adjustable references. DA-147: \$149

24 line TTL I/O: Connect 24 input or output signals (TTL 0/5V levels or switches). Variety of modes. (Uses 8255A) DG-148: \$72

Digital input: 8 optically isolated inputs. Input can be 5 to 100V voltage levels or switch closures. IN-141: \$65

Digital Output Driver: 8 outputs: 250mA at 12V. Drive relays, solenoids, stepper motors, lamps, etc. ST-143: \$78

Clock with Alarm: Powerful clock/calendar. Battery backup. Timing to 1/100 sec. Alarm relay. LED and buzzer. CL-144: \$98

Touch Tone Decoder: Each tone is converted into a number which is stored on the board. PH-145: \$87

A-BUS Prototyping card: 4x4.5" card. Will accept up to 10 I.C.s. With power & ground bus. PR-152: \$16

Counter Timer: Three 16 bit counters/timers. Use seperately or cascade for long (48 bit) counts. CT-150: \$132

Call our application engineers to discuss your project.

Ordering Information: We accept Visa, Mastercard, Checks, and M.O. C.O.D. is \$4 extra. Purchase orders are subject to credit approval. CT residents add 7.5% sales tax. Shipping: \$4 per order (usually UPS ground). UPS 2nd Day Air: \$4 extra. Next Day service available. Canada: \$6 per order (Airmail). Outside US and Canada: Add 10% of order total.

Motion Control

Smart Quad Stepper Controller: The world's finest. On board microprocessor controls four motors simultaneously. Uses simple English commands like "MOVE ARM 10.2 (INCHES) LEFT". For each axis, you control coordinates (absolute or relative), ramping, speed, units, scale factors, etc. Many inputs for limit switches, etc. On the fly reporting of speed, position ... Built in drivers for small motors (such as MO-103 or 105). SC-149: \$299 Options: > 5 amp/phase power booster for 1 motor: PD-123: \$49 Remote "teach" keypad for direct motor control: RC-121: \$54



A large A-BUS system with two Motherboards Adapter in the foreground plugs into PC,XT,AT type slot.

Stepper Driver Kit: For experimenting with stepper motors. Includes 2 MO-103 motors and a ST-143 dual driver PA-181: \$99

Stepper Motors: (4 phase, unipolar) MO-103: 21/4" dia, 1/4" shaft, 7.5°/step, 12V, 5 oz-in torque. \$15 MO-104: 2" dia, 1/4" shaft, 1.8º/step, 5V, 60 oz-in torque, \$45 MO-105: 1.7" square. 2" shaft, 3.75°/step, 12V, 6 oz-in. \$15

Classroom to advanced industrial applications.

Be a Wizard in your Lab, Factory, College, Home

It used to be difficult and costly to do process control, robotics, data acquisition, monitoring and sensing with your computer. Now the low-cost A-BUS system makes it easy to do almost any project you can imagine.

Versatility, A-BUS cards handle most interfacing, from on/off switching, to reading temperatures, to moving robot arms, to counting events, to sensing switches...

Adaptability. The A-BUS is modular, allowing expansion well beyond your needs. It works with almost any computer, or even as a remote data station with the new serial adapters.

Simplicity. You can start using the A-BUS in minutes. It's easy to connect, and software is a breeze to write in any language.

Reliability. Careful design and rugged construction make the A-BUS the first choice in specialized I/O.

An A-BUS system consists of: - An A-BUS adapter plugged into your computer - A cable to connect the adapter to 1 or 2 A-BUS function cards. - The same cable will also fit an A-BUS Motherboard for expansion to up to 25 cards in any combination.

About Alpha Products

Founded in 1976 for the purpose of developing low cost I/O devices for personal computers, Alpha has grown to serve over 70000 customers in over 60 countries. A-BUS users include many of the Fortune 500 (IBM, Hewlett-Packard, Tandy, Bell Labs, GM ...) as well as most major universities. A-BUS products are U.S. designed, U.S. built, and serviced worldwide. Overseas distributors: England: Caldy Science Assoc. Ltd., Merseyside, 051 342 7033. Australia: Brumby Technologies Pty. Ltd., NSW, 759 1638. France: Coserm, Rungis, 46 86 64 75

A–BUS Adapters

Can address 64 ports and control up to 25 A-BUS cards.

Require one cable. Motherboard required for more than 2 cards.

A-BUS Parallel Adapters for:

The sector and the sector setter se	
IBM PC/XT/AT & COmpatibles. Uses one short or long sict.	AR-133: \$69
Apple II,II+,IIC Plugs into any slot inside.	AR-134: \$52
Commodore 64,128 Pluge into Expansion Port on back.	AR-139: \$48
TRS-80 Model 102,200 Uses 40 pin "System bus".	AR-136: \$76
Model 100 (Tandy portable) Plugs into socket on bottom.	AR-135: \$75
TRS-80 Model 3,4,4D Y-Cable available if 50 pin bus is used.	AR-132: \$54
TRS-80 Model Plugs into 40 pin expansion bus.	AR-131: \$39
Tandy Color Computers Fits ROM slot, Multipak or Y-Cable	AR-138: \$49
A-BUS Cable: Necessary to connect any para	
one A-BUS card or to first motherboard, 50 pin, 3 ft.	CA-163: \$24

Special Cable for two A-BUS cards CA-162: \$34

Serial Adapter: Connect A-BUS systems to any RS-232 port. Allows up to 500 ft from computer to A-BUS. SA-129: \$149

Serial Node: To connect additional SA-129/A-BUS systems to a single RS232 serial port (max 16 nodes). SN-128: \$49

Serial Processor: same as above plus built in BASIC for offline monitoring, logging, decision making, etc. SP-127: \$189 Use SA-129 or SP-127 with moderns for remote data acquisition.

Motherboard: Holds up to 5 A-BUS cards in sturdy aluminum frame with card guides. A sixth connector allows (using cables CA-161: \$12) additional Motherboards to be added. M8-120: \$108 Power Supply: Power pack for up to 4 cards. PS-126: \$12

Complete Catalog Available For Orders and Info call (203) 656-1806 Weekdays from 9 to 5 EST or FAX 203 656-0756



Circle 20 on Reader Service Card









Circle 291 on Reader Service Card



Circle 89 on Reader Service Card





New,





Circle 237 on Reader Service Card



Circle 254 on Reader Service Card









Circle 246 on Reader Service Card





Circle 266 on Reader Service Card



Circle 86 on Reader Service Card







Circle 270 on Reader Service Card



Circle 191 on Reader Service Card

Circle 105 on Reader Service Card

Buy with

Confidence



In an effort to make your telephone purchasing a more successful and pleasurable activity, The Microcomputer Marketing Council of the Direct Marketing Association, Inc. offers this advice, "A knowledgeable buyer will be a successful buyer." These are specific facts you should know about the prospective seller before placing an order:

Ask These Important Questions

- How long has the company been in business?
- Does the company offer technical assistance?
- *Is there a service facility?*
- Are manufacturer's warranties handled through the company?
- Does the seller have formal return and refund policies?
- Is there an additional charge for use of credit cards?
- Are credit card charges held until time of shipment?
- What are shipping costs for items ordered?

Reputable computer dealers will answer all these questions to your satisfaction. Don't settle for less when buying your computer hardware, software, peripherals and supplies.

Purchasing Guidelines

- State as completely and accurately as you can what merchandise you want including brand name, model number, catalog number.
- Establish that the item is in stock and confirm shipping date.
- Confirm that the price is as advertised.
- Obtain an order number and identification of the sales representative.
- Make a record of your order, noting exact price including shipping, date of order, promised shipping date and order number.

If you ever have a problem, remember to deal first with the seller. If you cannot resolve the problem, write to MAIL ORDER ACTION LINE, c/o DMA, 6 E. 43rd St., New York, NY 10017.

MC COPIFUTES"

This message is brought to you by:

the MICROCOMPUTER MARKETING COUNCIL of the Direct Marketing Association, Inc. 6 E. 43rd St., New York, NY 10017



C Direct Marketing Association, Inc. 1988



Circle 265 on Reader Service Card



Circle 271 on Reader Service Card



Circle 11 on Reader Service Card

nagan						
SEAGATE ST-225 KIT \$220 ST-238 KIT \$255	FAX Toshiba 3300\$798 Toshiba 30600\$1035					
ST-251-0 \$311 Panafax F100 \$835 ST-251-1 \$327 Sharp UX \$817 OTHERS \$335 \$337 Sharp UX						
KEYBOARD 102 AT STY KEYBOARD 102 AT STY HAND SCANNER D.F.I. H HAND SCANNER LOGITI	LE W/CLICK\$44 HS3000 PLUS\$171 ECH\$169					
SERIAL MOUSE LOGITE BUS MOUSE LOGITECH MOUSE D.F.I.3. BUTTON MOUSE D.F.I.3. BUTTON	\$72 S W/SOFTWARE \$37					
10 pieces or more, except fax, all products are 100% IBM compatible. Check for more items. 1-600-683-2255						
Nagan Corporation 8021 N.W. 14th St. Miami, FL 33126	Tel: (305) 477-3929 Fax: (305) 477-4326 TLX: 159292NAGAN UT					

Circle 186 on Reader Service Card



Circle 120 on Reader Service Card



R Microdevi 30 DAY MONEY BACK GUARANTEE • 1 YEAR WARRANTY ON ALL PRODUCTS • TOLL-FREE TECHNICAL SUPPORT

MEMORY

DYNAMIC RAMS

PART#	SIZE	SPEED	PINS	PRICE
4116-150	16384x1	150ns	16	.99
4164-150	65536x1	150ns	16	2.49
4164-120	65536x1	120ns	16	2.89
4164-100	65536x1	100ns	16	3.39
TMS4464-12	65536x4	120ns	16	9.95
41256-150	262144x1	150ns	16	4.49
41256-120	262144x1	120ns	16	4.99
41256-100	262144x1	100ns	16	5.49
41256-80	262144x1	80ns	16	5.99
41256-60	262144x1	60ns	16	7.99
414256-100	262144x4	100ns	20	14.95
414256-80	262144x4	80ns	20	16.95
1 MB-120	1048576x1	120ns	18	13.95
1 MB-100	1048576x1	100ns	18	14.95
1 MB-80	1048576x1	80ns	18	15.95

SIMM MODULES

PART#	SIZE	SPEED	FOR	PRICE
41256A9B-12	256K x 9	120ns	PC	59.95
41256A9B-80	256K x 9	80ns	PC	69.95
421000A8B-10	1MB x 8	100ns	MAC	169.95
421000A98-10	1MB x 9	100ns	PC	169.95
421000A9B-80	1MB x 9	80ns	PC	179.95

STATIC RAMS

PART#	SIZE	SPEED	PINS	PRICE
TMM2016-150	2048x8	150ns	24	3.25
HM6116LP-2	2048x8	120ns	24	5.49
HM6264LP-15	8192x8	150ns	26	8.95
HM6264LP-12	8192x8	120ns	26	9.95
HM43256LP-15	32768x8	150ns	28	19.95
HM43256LP-12	32768x8	120ns	28	21.95
HM43256LP-10	32768x8	100ns	28	24.95



	74	SERIES	5 LC	GIC	
7400	.19	74LS32	.18	74LS245	.79
74LS00	.16	74LS73	.29	74LS273	.79
74LS02	.17	7474	.33	74\$288	1.69
7404	.19	74LS74	.24	74LS322	3.95
74LS04	.16	74574	.49	74LS367	.39
74S04	.29	74LS138	.39	74LS373	.79
7406	.29	74LS155	.59	74LS374	.79
7408	.24	74LS163	.39	74LS393	.79
74LS08	.18	74LS240	.69	74LS682	3.20
7432	.29	74LS244	.69	74LS688	2.40

C.P.U.'s		MIS	MISC		PALS	
800	0	DAC0800	3.29		16L8	2.95
8052AH BASIC 8088 8250 8251A 8253-5 8254 8255-5 8741 8748 8749 8749 8755	34.95 5.99 6.95 1.69 1.95 9.95 2.49 9.95 7.95 9.95 14.95	1793 COM8116 MC1468167 INS8250 NS16450 LM317T NE555 LM741 7805T 7812T 7812T 75150 75154	9.95 8.95		16R4 16R6 16R8 20L8 20R8 20R8 20R8 20R8 20X8 20X8 20X8 20X8	2.95 2.95 2.95 4.95 4.95 4.95 4.95 4.95 4.95 L KIT RY-LEVEL
65	00	14411	9.95		DEVELO KIT FRO	M CUPL.
65C02* 6522	7.95 2.95	CRYS			FULL SU FOR 16L	
V20 V20-8 V20-10 V30	6.95 8.95 11.95 13.95	1.0MHz 1.8432 20.0 24.0	5.95 5.95 4.95 4.95			R6, 20R8



This month's topic is floppy drive compatibility. There are 360K 5-1/4", 720K 3-1/2", 1.2Meg 5-1/4" and 1.44Meg 3-1/2" drives, any of which can be used on most PC's and PC clone Recent improvements in floppy controllers make using high density drives on 8088-based machines a viable option.

density drives on 8088-based machines a viable option. To simplify, we'll eliminate the redundant choices. A 1.2Meg drive can work with both high density 1.2Meg flopples and low density 300K flopples. A high density 3-1/2° 1.44Meg drive can use both the high density 1.44Meg and the low density 720K disks. Unless you know that you will never need high density capability, a good universal standard is one 3-1/2° and one 5-1/4° high density drive.

Now for the bombl Big Blue uses a different method to distinguish between 720K and 1.44Meg drives. While most of the manufacturers look for and detect the High Density hole in the manufacturer look for and detect the High Density hole in a high density disketis, here yead the data to moke that determination. This causes a problem when a Low Density disk without the hole is written in the high density mode. So if you get a 3-1/2² clisk that a drivend says is formatted at 1.44Meg, make sure it has a High Density hole or it probably won't read in your clone.

An intrequent problem can occur when a 360K drive is written in a 1.2Meg drive and is then read in a 360K drive.

EPROMS

PART#	SIZE	SPEED	Vpp	PINS	PRICE
2708	1024x8	450ns	25V	24	4.95
2716	2048×8	450ns	25V	24	3.49
2716-1	2048x8	350ns	25V	24	3.95
2732A	4096x8	250ns	21V	24	3.95
2764	8192x8	450ns	12.5V	28	3,49
2764-250	6192x8	250ns	12.5V	28	3.69
2764-200	6192x8	200ns	12.5V	28	4.25
27C64	8192x8	250ns	12.5V	28	4.95
27128	16384x8	250ns	12.5V	28	4.25
27128A-200	16384x8	200ns	12.5V	28	5.95
27256	32768×8	250ns	12.5V	28	4.95
27256-200	32788×8	200ns	12.5V	28	5.95
27C256	32768x8	250ns	12.5V	28	5.95
27512	65536×8	250ns	12.5V	28	8.95
27C512	65536×8	250ns	12.5V	28	9.95
27C101-20	131072x8	200ns	12.5V	32	29.95



PROTOTYPE CARDS

Ē

FR-4 EPOXY GLASS LAMINATE WITH GOLD PLATED EDGECARD FINGERS AND SILK SCREENED LEGENDS

		rinte
JDR-PR1 JDR-PR2 JDR-PR2-PK	FOR XT WITH +5V AND GROUND PLANE ABOVE WITH I/O DECODING LAYOUT PARTS KIT FOR JDR-PR2 ABOVE	27.95 29.95 8.95
JDR-PR10 JDR-PR10-PK	FOR AT BIT WITH I/O DECODING LAYOUT PARTS KIT FOR JDR-PR10 ABOVE	34.95 12.95
JDR-PR32 JDR-PR16 JDR-PR16-PK JDR-PR16V	FOR P5/2 32 BIT PROTOTYPE CARD 16 BIT WITH I/O DECODING LAYOUT PARTS KIT FOR JDR-PR16 ABOVE 16 BIT FOR VIDEO APPLICATIONS	69.95 49.95 15.95 39.95
SIN	EXTENDER CARDS	
EXT-8088 EXT-80286 EXT-16 EXT-32	8-BIT FOR 8088 MOTHERBOARDS 16-BIT FOR 286/386 MOTHERBOARDS MICROCHANNEL 16-BIT MICROCHANNEL 32-BIT	29.95 39.95 69.95 99.95

PC BREADBOARD-ON-A-CARD



IC SOCKETS/DIP CONNECTORS

SOLDER	TAIL	WIREWI	TAP	ZIF SOC	KETS
8 PIN ST	.11	8 PIN WW	.59	ZIF-14	5.95
14 PIN ST	.11	14 PIN WW	.69	ZIF-16	5.95
16 PIN ST	.12	16 PIN WW	.69	ZIF-20	6.95
18 PIN ST	.15	18 PIN WW	.99	ZIF-24	7.95
20 PIN ST	.18	20 PIN WW	1.09	ZIF-28	7.95
24 PIN ST	.20	24 PIN WW	1.49	ZIF-40	10.95
28 PIN ST	.22	28 PIN WW	1.69		
40 PIN ST	.30	40 PIN WW	1.99	VOLU	
				DISCOU	
				CAL	
SOLD	ED.C	IID D.CI	IDC	IDC	'5
SOLD	ER-C	UP D-SL	JBS		-
SOLD		UP D-SU		IDE20	.55
				IDE20 IDE34	.55 .89
MAL	E	FEMA	LE	IDE20 IDE34 IDS20	.55 .89 .65
MAL	E .45	FEMA	LE .49	IDE20 IDE34 IDS20 IDS34	.55 .89 .65 .75
MAL DB09P DB15P	E .45 .59	FEMA DB09S DB15S	.49 .69	IDE20 IDE34 IDS20 IDS34 IDB09P	.55 .89 .65 .75 1.39
MAL DB09P DB15P HDB15P	E .45 .59 1.49	FEMA DB09S DB15S HDB15S	LE .49 .69 1.59	IDE20 IDE34 IDS20 IDS34 IDB09P IDB09S	.55 .89 .65 .75 1.39 1.45
MAL DB09P DB15P HDB15P DB19P	E .45 .59 1.49 .69	FEMA DB09S DB15S HDB15S DB19S	.49 .69 1.59 .75	IDE20 IDE34 IDS20 IDS34 IDB09P	.55 .89 .65 .75 1.39

CABLES AND GENDER CHANGERS

MOLDED; GOL	LD-PLATED CONTACTS; 100% SHIELD	ÆD
CBL-PRINTER	6 FT. PC PRINTER CABLE	9.95
CBL-PRNTR-25	25 FT. PC PRINTER CABLE	15.95
CBL-PRINTR-RA	RIGHT ANGLE PRINTER CABLE	15.95
CBL-DB25-MM	DB25 MALE-DB25 MALE 6 FT.	9.95
CBL-DB25-MF	DB25 MALE-DB25 FEMALE 6 FT.	9.95
CBL-9-SERIAL	DB9 FEMALE-DB25 MALE 6 FT.	6,95
CBL-KBD-EXT	5 FT. KEYBOARD EXTENSION	7.95
CBL-CNT-MM	36-PIN CENTRONICS -M/M	14.95
CBL-FDC-EXT	37-PIN EXT, FLOPPY CABLE	9.95
CBL-MNT-9	9-PIN MONITOR EXTENSION	6.95
CBL-MNT-15	15-PIN MONITOR EXTENSION CABLE	9.95
CBL-MODEM	MODEM -DB25-DB25 FEMALE	6.95
GENDER-VGA	DB9-DB15 ADAPTOR	4.95
GENDER-9-25	DB9-DB25 SERIAL ADAPTOR	4.95

PARTIAL LISTINGS ONLY—CALL FOR FREE 84-PG CATALOG!

PS-A

\$59.95

JDR MICRODEVICES AND THE JDR MICRODEVICES LOGO ARE REGISTERED TRADEMARKS OF JDR MICRODEVICES. IBM. AT. PS/2 ARE TRADEMARKS OF INTERNATIONAL BUSINESS MACHINES.



FULL SIZE SLIDE CASE

- DESIGNED FOR FULL SIZE 286/386 MOTHERBOARDS
- USES STANDARD AT-COMPATIBLE POWER SUPPLIES
- DRIVE MOUNTS FOR THREE FLOPPY AND TWO HARD DRIVES
- RESET SWITCH AND KEYLOCK
- POWER-ON, TURBO AND DISK LEDS
- INCLUDES ALL MOUNTING HARDWARE

CASE-70	
CASE-50 FOR 8088 OR MINI-86 MOTHERBOARDS	\$59.95
CASE-FLIP FLIP-TOP XT-STYLE CASE	\$39.95
CASE-SLIDE SLIDE TYPE XT-STYLE CASE	\$39.95
CASE-JR	\$149.95

WITH 150W POWER SUPPLY. FOR 8088 OR MINI-286 BOARDS. \$189.95 CASE-IR-200 WITH 200W POWER SUPPLY, FOR 8088 OR MINI-288 BOARDS.

0.04

UPRIGHT CASE 29995

SLEEK DESIGN SAVES DESK

- SPACE, ADDS STYLE ! ACCOMODATES ALL SIZES OF MOTHERBOARDS
- INCLUDES 250 WATT POWER SUPPLY
- MOUNTS FOR 3 FLOPPY AND 4 HARD DRIVES
- TURBO AND RESET SWITCHES SPEED DISPLAY, POWER,
- DISK LEDS
- MOUNTING HARDWARE, FACEPLATES AND SPEAKER INCLUDED
- **CASE-100**

" I just had to write and express our gratitude for your fine, service oriented business. We have found your firm to be very friendly, prompt and professional!"

- Tim Brown, Galesburg, IL



RUN YOUR XT COMPATIBLE UP TO 10 TIMES FASTER!

HUN YOUR XT COMPATIBLE UP TO 10 TIMES FASTEHI REPLACES YOUR 8089 PROCESSOR WITH AN 80386 WHILE STILL USING YOUR EXISTING COMPONENTS. • 16 MHZ 80386 MICROPROCESSOR • 10MB RAM INSTALLED • SOCKETED FOR 80387 MATH COPROCESSOR • OPTIONAL 1MB 0R 2MB PIGGYBACK MEMORY BOARD

PCIB1200 PCIB1210 1MB PIGGYBACK MEMORY BOARD \$475.00 PCIB1220 2MB PIGGYBACK MEMORY BOARD \$895.00



- PROGRAMS 27XX AND 27XXX EPROMS UP TO 27512 SPLIT OR COMBINE CONTENTS OF SEVERAL EPROMS
- OF DIFFERENT SIZES SUPPORTS VARIOUS PROGRAMMING FORMATS AND VOLTAGES

 READ, WRITE, COPY,
BLANK CHECK AND VERIFY SOFTWARE FOR HEX AND INTEL HEX FORMATS

MOD-EPROM

1/154

sterCo

MODULAR CIRCUIT TECHNOLOGY

^{\$}1049



25MHZ 386

THE INTELLIGENTLY DESIGNED BOARD INCORPORATES THE BEST FEATURES OF CURRENT 386 TECHNOLOGY.

 ACCELERATED 80386 MPU RUNS AT 25MHZ
 10MHZ/
 25MHZ KEYBOARD SELECTABLE SPEEDS
 16MB RAM
 CAPACITY: 8MB ON BOARD, 8MB USING OPTIONAL RAM CAPACITY: SMB ON BOARD, SMB USING OF HONAL RAM CARD (ØKB INSTALLED) + USES 256K OF 1MB DRAMS (80NS FOR 1 WAIT, 60NS FOR Ø WAITSTATES) • SHADOW RAM FOR BIOS AND VIDEO • 8 EXPANSION SLOTS (ONE 32-BIT, FIVE 16-BIT, TWO 8-BIT) • ADJUSTABLE BUS SPEEDS • INTERLEAVED MEMORY • NEAR ZERO WAIT STATE OPERATION • AMI BIOS

MCT-386MB25



12MHZ 286

• AT COMPATIBLE OPERATES AT 8/12 MHZ • KEYBOARD SELECTABLE CLOCK SPEEDS • NOW EXPANDABLE TO 4MB ON BOARD USING 1MB DRAMS (ØKB INSTALLED) • USES 256K OR 1MB DRAMS (100NS FOR 1 WAIT, 80NS FOR WAITSTATES) • SIX 16-BIT AND TWO 8-BIT SLOTS, 8MHZ BUS SPEED • AMI BIOS • AUTO RECHARGING NICAD BATTERY • SUPPORT FOR POWER ON AND SPEED INDICATORS . KEYLOCK AND RESET SWITCHES 8-1/2" X 13" WITH XT HOLE SPACING MCT-M286-12

MCT-M286 10 MHZ VERSION \$269.95



20MHZ 286

 BENCHMARK SPEEDS UP TO 25.8MHZ
 EXPRESS RAM
SLOT FOR 8MB OF Ø WAIT STATE RAM USING AN
OPTIONAL RAM CARD
 SUBMERSE STATE STATE SAM CAPACITY
SELECTABLE SPEEDS
 IMB ON-BOARD RAM CAPACITY SELECTABLE SPEEDS • 1MB ON-BOARD RAM CAPACITY (ØKB INSTALLED) • USES 256K DRAMS (60NS FOR Ø WAITS, 80/100NS FOR NEAR ZERO WAITS) • 8 EXPANSION SLOTS: ONE EXPRESS RAM SLOT, ONE 8-BIT AND SIX 16-BIT SLOTS • PHOENK BIOS • 8MHZ BUS SPEED • SOCKETED FOR 80287 COPROCESSOR

· 8-1/2" X 13" WITH XT HOLE SPACING

MCT-M286-20

MCT-M286-16 8MHZ/16MHZ VERSION \$489,95 MCT-M286-M 8 MB RAM CARD (ØKB) \$119.95 MCT-M286-MIO \$14 8 MB RAM CARD WITH PARALLEL AND SERIAL PORTS \$149.95 (ØKB INSTALLED)



10MHZ 8088

GET IMPROVED RELIABILITY AND LESS POWER

CONSUMPTION WITH THIS "SINGLE CHIP" DESIGNI • XT COMPATIBLE: OPERATES AT 4.77/10MHZ • KEYBOARD SELECTABLE CLOCK SPEEDS • SOCKETED FOR 8087-1 COPROCESSOR • 8 EXPANSION SLOTS • MCT BIOS • 640K RAM CAPACITY (ØKB INSTALLED) • SUPPORTS KEYLOCK, RESET AND TURBO SWITCHES • POWER-ON &

TURBO-MODE LEDS SUPPORTED . ONLY 8-1/2" X 9" MCT-TURBO-10

EPROM MODULE

NOD-MEP

MCT-TURBO 4.77/8 MHZ TURBO MOTHERBOARD \$95.95 MCT-XMB 4.77 MHZ MOTHERBOARD \$87.95

PROGRAMS 24-32 PIN EPROMS, CMOS EPROMS & EEPROMS FROM 16K TO 1024K · HEX TO OBJ

CONVERTER + AUTO, BLANK CHECK/PROGRAM/ VERIFY + VPP 5, 12:5, 12:5, 13, 21 & 25 VOLTS • NORMAL, INTELLIGENT, INTERACTIVE & QUICK PULSE PROGRAMMING ALGORITHMS

MODULAR PROGRAMMING SYSTEM

OUR INTEGRATED MODULAR SYSTEM EASILY EXPANDS! ALL THE MODULES USE A COMMON HOST ADAPTOR CARD—USE JUST ONE SLOT TO PROGRAM EPROMS, PROMS, PALS & MOREI

COMMON HOST

ADAPTOR CARD \$29.95

- UNIVERSAL INTERFACE FOR ALL THE PROGRAMMING MODULES
- SELECTABLE ADDRESSES
 PREVENTS CONFLICTS
 MOLDED CABLE

MOD-MAC

ORDER TOLL-FREE 800-538-5000

MON.-FRI. 7 A.M. TO 5 P.M., SATURDAY, 10 A.M. TO 3 P.M. (PST)

UNIVERSAL MODULE \$499.95

UNIVERSAL MODULE 343 PROGRAMS EPROMS, EEPROMS, PALS, BI-POLAR PROMS, 8748 & 8751 SENIES DEVICES; 16V9 AND 20V8 GALS (GENERIC ARRAY LOGIC) FROM LATTICE.NS, SGS - TESTS TTL, CMOS, DYNAMIC & STATIC RAMS - LOAD DISK, SAVE DISK, EDIT, BLANK CHECK, PROGRAM, AUTO, READ MASTER, VERIEY AND COMPARE - TEXTOOL SOCKET FOR .3'TO .5' WIDE IC'S (8-40 PINS) MOD-MUP



MOD-MEP-4 4-EPROM PROGRAMMER \$169.95 MOD-MEP-8 8-EPROM PROGRAMMER \$259.95 MOD-MEP-1616-EPROM PROGRAMMER \$499.95 DIGITAL IC MODULE \$129.95 TESTS TTL, CMOS, DYNAMIC & STATIC RAM AUTO SEARCH FOR UNKNOWN PART NUMBERS

USER-PROGRAMMABLE TEST PROCEDURES MOD-MIC

\$249,95 PAL MODULE

\$119.95

PROGRAMS MMI, NS, TI 20 & TI 24 PIN DEVICES BLANK CHECK, PROGRAM, AUTO, READMASTER, VERIFY & SECURITY FUSE BLOW MOD-MPL

\$99.95 **CUPL SOFTWARE**

COMPLETE ENTRY-LEVEL PAL DEVELOPMENT KIT. MOD-MPL-SOFT

JDR MICRODEVICES 2233 BRANHAM LANE. SAN JOSE, CA 95124 (408) 559-1200 FAX (408) 559-0250 TELEX 171-110 RETAIL STORE: 1256 S. BASCOM AVE., SAN JOSE, CA (408) 947-8881 HOURS: M-F 9-7, SAT, 9-5, SUN, 12-4

COPYRIGHT 1989 JDR MICRODEVICES



DR Microdevid 30 DAY MONEY BACK GUARANTEE • 1 YEAR WARRANTY ON ALL PRODUCTS • TOLL-FREE TECHNICAL SUPF



RELISYS

VGA MONITOR

14" ANALOG VGA MONITOR WITH GLARE-RESISTANT SCREEN • 720 X 480 MAXIMUM RESOLUTION • TILT/ SWIVEL BASE • CONTRAST AND BRIGHTNESS CONTROLS VGA-MONITOR

°359

\$239.95

\$59.95

\$129.95 SAMSUNG FLAT

ONE OF THE BEST MONOCHROME MONITORS! • 12* FLAT SCREEN REDUCES DISTORTION • AMBER DISPLAY 720 X 350 RESOLUTION MONO-SAMSUNG

RELISYS MULTISYNCH \$429 AN EXCEPTIONAL VALUE ON AN OUTSTANDING DISPLAY! 14* NON-GLARE SCREEN • 1024 X 768 MAXIMUM HIGH RESOLUTION • CGA/EGA/VGA COMPATIBLE • TTL OR ANALOG MODE OPERATION JDR-MULTI

NEC MULTISYNC 3D \$649.95 1024 X 768 MAX RESOLUTION · CGA/EGA/VGA/MCGA/ PGC COMPATIBLE · HERCULES AND OTHER STANDARD

ADAD TORS NEC-MULTI

RGB COLOR

 CGA MODE DISPLAYS UP TO 16 COLORS, MONOCHROME MODE FOR TEXT • 14 GLARE-RESISTANT SCREEN • 840 X 200 MONOCHROME • 320 X 200 COLOR RESOLUTION JDR-RGB



CGA CARD

IBM-COMPATIBLE ADAPTOR FOR RGB MONITORS . 640 X 200 MONO, 320 X 200 COLOR RESOLUTION • DISPLAYS 4 COLORS SIMULTANEOUSLY • LIGHT PEN INTERFACE MCT-CG \$59.95

MCI~CGP	WITH PHINTER PORT	
CG-COMP	COMPOSITE ADAPTOR	\$4.95

MONO GRAPHICS

XT AND AT-COMPATIBLE • HERCULES COMPATIBLE MONOGRAPHICS • SUPPORTS LOTUS 1-2-3 • HIGH RESO-LUTION 720 X 348 DISPLAY • VLSI CHIPS • CONFIGURE E PARALLEL PRINTER PORT AS LPT1 OR 2 MCT-MGP



No problem! Just place your order by 10:00 (PST) today, and ask us to ship it Federal Express® overnight delivery.



VGA PACKAGE ^{\$499}

VGA COLOR AND CLARITY AT AN EGA PRICEI . 8-BIT VGA VGA COLOH AND CLAHITY AT AN EGA PRICET • 8-BIT VGA CARD IS FULLY COMPATIBLE WITH IBM VGA • 720 X 540 MAXIMUM RESOLUTION, 640 X 480 IN 18 COLORS • 528 X 480 RESOLUTION IN 256 COLORS • IBM STYLE, HIGH RESOLUTION ANALOG MONITOR • EGA/CGA/MONCHROME AND HERCULES COMPATIBLE • DRIVERS FOR WINDOWS, GEM, 1-2-3, SYMPHONY, AUTOCAD AND VENTURA VGA-PKG

\$339.00 EGA MONITOR 14" NON-GLARE SCREEN WITH 640 X 350 MAXIMUM RESOLUTION • DISPLAY 16 COLORS SIMULTANEOUSLY EGA-MONITOR

LARGE SCREEN MONO \$139

· GLARE-RESISTANT 14" SCREEN WITH AMBER DISPLAY 720 X 350 RESOLUTION + TILT/SWIVEL BASE + FRONT MOUNTED CONTROLS GM-1488

PAPER WHITE VGA \$119.95

GRAY SCALE MONITOR— PERFECT FOR DESKTOP PUB-LISHINGI • ULTRA HIGH-RESOLUTION 800 X 480 • 14* GLARE RESISTANT SCREEN • TILT/SWIVEL BASE MONO-VGA



EGA CARD

\$149.95

\$249.95

· 640 X 350 HIGH RESOLUTION - DISPLAYS 16 COLORS AT A TIME • COMPATIBLE WITH HERCULES, CGA AND IBM MONOCHROME • SOFTWARE DRIVERS FOR WINDOWS, LOTUS, CAD, AND MORE . 256K VIDEO RAM. MCT-EGA

16-BIT VGA

· 1024 X 766 RESOLUTION · 256K VIDEO RAM EXPAND-ABLE TO 512K · 64 LEVELS OF GRAY SCALE MCT-VGA-16 MCT-VGA-8 6-BIT VERSION \$199.95



ł	
à	

ENHANCED \$**69**95 **101-KEY KEYBOARD**

· ENHANCED 101-KEY LAYOUT · EXTRA LARGE SHIFT & ETURN KEYS + AUTO-REPEAT + XT OR AT COMPATIBLE
 LEDS FOR SCROLL, CAPS AND NUM LOCK DTC 5220

BTC-5339R	COMPACT 101-KEY \$79.95
MAX-5339	MAXI-SWITCH 101-KEY \$84.95
K103-A	AUDIBLE * CLICK* 101-KEY \$84.95

STANDARD 84-KEY KEYBOARD \$59.95

• EXTRA LAP	USTS FOR XT OR AT • AT STYLE LAYOUT RGE SHIFT AND RETURN KEYS • AUTO EDS FOR SCROLL, CAPS AND NUM LOCK
	MAXI-SWITCH 84-KEY \$64.95 XT-STYLE 83-KEY \$59.95

MODULAR CIRCUIT TECHNOLOGY DRIVE CONTROLLERS

FLOPPY DISK CONTROLLER \$29.95 INTERFACES UP TO 4 FLOPPY DRIVES TO IBM PC OR COMPATIBLE • DS/DD AND DS/DQ COMPATIBLE MCT-FDC

1.44MB FLOPPY CONTROLLER \$49.95 SUPPORTS 2 FLOPPY DRIVES (360K, 720K, 1.2MB & 1.44MB) ELIMINATES THE NEED FOR SOFTWARE DEVICE DRIVERS

MCT-FDC-HD MCT-FDC-HD4 4 DRIVE CONTROLLER \$59.95

HARD DISK CONTROLLER \$79.95 · SUPPORTS 16 DRIVE SIZES INCLUDING 10, 20, 30 AND 40MB CAN DIVIDE 1 LARGE DRIVE INTO 2 LOGICAL DRIVES MCT-HDC

RLL CONTROLLER \$89.95 SUPPORTS 2 RLL HARD DRIVES
 50% FASTER DATA
 TRANSFER
 DESIGNED FOR XT-COMPATIBLES MCT-RU

286/386 F/H CONTROLLER \$149.95 FLOPPY/HARD DISK CONTROL IN AN AT DESIGN • FOR UP TO 2 FLOPPIES (360K/720K/1,2MB/1,44MB) & 2 HARD DRIVES MCT-AFH

286/386 RLL CONTROLLER \$100 05 IMPROVES AT COMPATIBLE'S SPEED & STORAGE . FOR UP TO 2 RLL HDD'S & 2 FDD'S (360K/720K/1.2MB 1.44MB) MCT-AFH-RLL

MULTIFUNCTION I/O CARDS MULTI I/O

FLOPPY CONTROLLER \$79.95 SUPPORTS UP TO 2 360K FLOPPIES
 SERIAL, PARALLEL, GAME PORT AND CLOCK/CALENDAR MCT-MIO

MULTI I/O CARD \$59.95 • SERIAL PORT • CLOCK/CALENDAR WITH BATTERY • PARALLEL PORT IS ADDRESSABLE AS LPT1 OR LPT2 MCT-IO

286/386 MULTIFUNCTION \$139.95 ADDS 1.5MB TO YOUR AT 3MB W/ OPTIONAL PIGGYBACK CARD (ØK INSTALLED) · SERIAL, PARALLEL PORTS MCT-AMP

MCT-AMF-MC 1.5MB PIGGYBACK BOARD \$29.95 286/386 MULTI I/O CARD \$59.95 SERIAL, PARALLEL AND GAME PORTS
 USES 16450
 SERIAL SUPPORT CHIPS FOR HIGH SPEED OPERATION MCT-AIO

MONOGRAPHICS MULTI I/O \$119.75

 CONTROL 2 FLOPPIES • SERIAL, PARALLEL, GAME PORT, CLOCK/CALENDAR • RUNS COLOR GRAPHICS SOFTWARE YOUR BLACK AND WHITE MONITOR. MCT-MGMIO

\$0095	HARD DISKS	KITS
⁹ 99 ³⁵	20 MB *199 60 MB *389	60.50 m
1.44MB 3-1/2" DRIVE	30 MB ^{\$} 219 80 MB ^{\$} 569	20 MB *249 30 MB *279
• 80 TRACKS • 135 TPI • ULTRA HIGH DENSITY • READWRITE 720K DISKS, TOO	40 MB ^{\$} 319	
INCLUDES ALL NECESSARY MOUNTING HARDWARE FDD-1.44X BLACK FACEPLATE	28 MS \$389	JDR'S exclusive
FDD-1.44A BEIGE FACEPLATE FDD-1.44SOFT SOFTWARE DRIVER \$19.95	ALL PROPERTY	detailed manual makes installation
FDD-3.5X 3-1/2" 720K (BLACK) \$97.95 FDD-3.5A 3-1/2" 720K (BEIGE) \$97.95	a set a la la la	worry-free!
MF355A 3-1/2" MITSUBISHI 1.44MB, BEIGE \$129.95 MF355X 3-1/2" MITSUBISHI 1.44MB, BLACK \$129.95	Seagate Seagate	New Low
5-1/4" FLOPPY \$6995	KITS INCLUDE HARD DRIVE, DRIVE CONTROLLER, CABLES & INSTRUC	DTIONS.
DISK DRIVE FDD-360 5-1/4* DOUBLE-SIDED DD 360K \$69.95	SIZE MODEL SPEED FACTOR ONLY KIT	
M2551A 5-1/4" FUJITSU DOUBLE-SIDED DD 360K \$89.95 FD-55B 5-1/4" TEAC DOUBLE-SIDED DD 360K \$99.95	20MB ST-225 65 MS 5-1/4" \$199 \$248 30MB RLL ST-238 65 MS 5-1/4" \$219 \$279 40MB ST-251 40 MS 5-1/4" \$219 \$369	\$309 SIZE MODEL SPEED FACTOR PRICE
FDD-1.2 5-1/4" DOUBLE-SIDED HD 1.2M \$95.95 M2553K 5-1/4" FUJITSU DOUBLE-SIDED HD 1.2M \$119.95	40 MB ST-251-1 28 MS 5-1/4 \$389 \$439 60 MB RLL ST-277 40 MS 5-1/4 \$389 \$449	\$429 21.5MB \$T-125N 40MS 3-1/2" \$299 \$499 32.2MB \$T-136N 40MS 3-1/2" \$339 \$549 48.6MB \$T-157N 40MS 3-1/2" \$389
FD-55G 5-1/4" TEAC DOUBLE-SIDED HD 1.2M \$129.95 FD-55F 5-1/4" TEAC DOUBLE SIDED, QD720K \$119.95	80MB ST-4096 28 MS 5-1/4" \$569 — 120MBRLL ST-4144R 28 MS 5-1/4" \$699 \$759	\$679 21.3MB ST-225N 65MS 5-1/4* \$329 \$859 43.1MB ST-251N 40MS 5-1/4* \$419
ARCHIVE TAPE BACK-UPS	20MB ST-125 40 MS 3-1/2* \$259 \$299 30MB RLL ST-138 40 MS 3-1/2* \$289 \$339	\$373 \$429 85MB \$T-296N 28MS 5-1/4" \$499 85MB \$T-296N 28MS 5-1/4" \$499
AR5240X 40 MB TAPE DRIVE FOR XTS & ATS \$369.95 AR5540A FAST 40 MB TAPE DRIVE ATS ONLY \$369.95		
AR2020 EXTERNAL CHASSIS & INTERFACE \$159.95 AR20A ADDITIONAL INTERFACE CARDS \$89.95	MODULAR CIRCUIT TECHNOLOGY	FROMETHEUS
AR340 40 MB TAPE CARTRIDGE \$24.95	4800/2400BAUD FAX/DATA MODEM	new!
HANDY COMMER 2000 DUUS	new!	
HANDY SCANNER 3000 PLUS	\$110	FOR PROCHARTINETING
		Num (Des (201) Volual
NEW PAINTREAME	2400/4800 BAUD COMBINED DATA/FAX	9600 BAUD MODEM \$699 ⁹⁵
	MODEM FOR LESS THAN MOST 2400 BAUD DATA	HIGH SPEED MODEM FEATURES MICROCOM NETWORK PROTOCOL (MNP) AND V.32 COMPATIBILITY 9600/4800/ 2000/2020 BBB OPEDATOR > 5/11/10 PUBLEY - 6041 PAO/
	MODEMS ALONE! BY SACRIFICING THE FAX RECEIVE FUNCTION WE CAN OFFER THIS REMARKABLE PRICE!	2400/1200 BPS OPERATION • FULL DUPLEX • CALL BACK SECURITY • NON-VOLATILE RAM STORAGE FOR 10 PHONE NUMBERS • ASYNCHRONOUS/SYNCHRONOUS • FULLY
PLUS AND	4800 BAUD FAX TRANSMISSION CAPABILITY TO ANY GROUP III FAX MACHINE • 2400 BAUD V.22BIS DATA	COMPATIBLE WITH CCITT V.32/V.22BIS/V.22, BELL/212A • MNP-5 FOR 100% ERROR FREE TRANSMISSIONS
	MODEM • XT/AT COMPATIBLE HALF CARD • CONVERTS DOS TEXT, PCX, AND TIFF FILES FOR FAX GROUP III TRANSMISSION • MENU DRIVEN SOFTWARE	DATA COMPRESSION FOR THROUGHPUT TO 19.2K BAUD COMPATIBLE WITH MNP OR NON-MNP MODEMS PRO-96E
Carto Carto	PHONE BOOK • MULTIPLE FAX TRANSMISSIONS TO GROUPED ADDRESSES • PROFAX FAX SOFTWARE	INTERNAL O
NEW IMPROVED IMAGE CLARITY	MCT-FAXM \$ 0095	2400 BAUD
NEW ERGONOMIC DESIGN NOW 2 MORE ROLLERS FOR STRAIGHT TRACKING NEW SPEED OVERRUN WARNING	2400 BAUD MODEM 03 • 2400/1200/300 BAUD • FULL HAYES COMPATIBILITY	\$ 99 ⁹⁵
LIGHT • SCANNER CARD HAS BUILT-IN OPTIONAL MOUSE PORT • INCLUDES ZSOFT'S PC PAINTBRUSH PLUS AND IMAGE TOOLS • QUICKLY SCANS IMAGES UP TO 4' WIDE AT 100, 200.	BUILT-IN SPEAKER CONFIGURABLE AS COM1, COM2, COM3 OR COM4 AUTO FUNCTIONS INCLUDE WAIT-FQR-	AUTO DIAL/ANSWER SELF-TEST ON POWER-UP
300, OR 400 DPL IN BOTH DIRECTIONS • 8&W AND THREE HALF-TONE MODES • 32 LEVELS OF GRAY SCALE	DIAL TONE & AUTO-REDIAL ON BUSY • PROCOM M COMMUNICATIONS SOFTWARE • MADE IN USA MCT-241	SELF-TEST ON POWER-UP FULL OR HALF DUPLEX • TOUCHTONE OR PULSE DIALING HAYES AND BELL SYSTEMS COMPATIBLE • HALF CARD
HERCULES, EGA AND CGA COMPATIBLE DON'T MISS THIS EXCELLENT VALUE!	MCT-121 1200 BAUD VERSION	SIZE • MIRROR II COMMUNICATIONS SOFTWARE PRO-241
HS-3000 OCR-SOFT CHARACTER RECOGNITION SOFTWARE \$99.95		PRO-12I 1200 BAUD 1/2 CARD \$69.95 EXTERNAL 2400 BAUD \$14995
And and a second	MICROPOLIS HIGH SPEED HIGH DENSITY HARD DRIVES	• 2400/1200/300 BAUD + 8 STATUS LIGHTS • REQUIRES SERIAL PORT AND CABLE
SERIAL MOUSE \$3995 DFI		PRO-124E PRO-12E 1200 BAUD EXTERNAL MODEM
• 3-BUTTON OPTO-MECHANICAL • 200 D.P.I. • 5-1/2' CABLE	150MB 5-1/4" DRIVE \$949 FULL HEIGHT ESDI DRIVE, 23MS AVERAGE ACCESS TIME.	
USES SERIAL PORT COM 1/2 INCLUDES SOFTWARE DRIVERS	1355 1355-PKG DRIVE WITH ESDI CONTROLLER \$1049.00	JIM'S BARGAIN
DMS-200E MOUSE & HALO-DPE SOFTWARE,	FULL HEIGHT SCSI DRIVE, 23MS AVERAGE ACCESS TIME, 1375	HUNTERS CORNER
DMS-200 \$59.95	340MB 5-1/4" DRIVE \$1619	My My
Contech mice	FULL HEIGHT ESDI DRIVE, 18MS AVERAGE ACCESS TIME 1558	Jim Wharton JDR's VP Sales
LOCITICH - THREE-BUTTON SERIES 9	1558-PKG DRIVE WITH ESDI CONTROLLER \$1799.00 FULL HEIGHT SCSI DRIVE, 18MS AVERAGE ACCESS TIME	DEI SERIAL MOUSE
SERIAL PS/2 COMPATIBLE. LOGC9 SERIAL MOUSE SERIAL MOUSE SERIAL MOUSE ST9.95	1578	PLUS HALO-DPE SOFTWARE
LOGC9-P SERIAL MOUSE WITH PAINTSHOW \$109.95 LOGC9-PC SERIAL MOUSE WITH PAINT/CAD \$154.95	680MB 5-1/4" DRIVE \$2499	REGULARLY \$59.95 • THREE-BUTTON OPTO-MECHANICAL MOUSE WITH 200 DPI
LOGB9-P BUS MOUSE \$89.95 LOGB9-P BUS MOUSE WITH PAINTSHOW \$104.95	FULL HEIGHT ESDI DRIVE, 16MS AVERAGE ACCESS TIME. 1568	RESOLUTION • USES SERIAL PORT COM1 OR COM2 • WITH SOFTWARE DRIVERS, 5-12 FT. CABLE • INCLUDES HALO- DEFENDED FOR DEPENDENT UNIT IN UNIT OF INTER-
LOGB9-PC BUS MOUSE WITH PAINT/CAD\$149.95 NOT PS/2 COMPATIBLE	FULL HEIGHT SCSI DRIVE, 16MS AVERAGE ACCESS TIME. 1588	DPE, A SOPHISTICATED DESKTOP PUBLISHING EDITOR DMS-200 EXPIRES 10/31/89
CALL FOR OUR F	REE 84-PAGE CATALOG!	Terms: minimum order S10.00. For shipping & handling include \$3.50 for ground and \$4.50 for air. Orders over 1 lb.
	DEE 000 520 5000	and foreign orders may require additional shipping charges —contact the Sales department for the amount. Ca resi- dents must include applicable sales tax. Prices subject to
	REE 800-538-5000	Terms: minimum order \$10.00. For shipping & handling include \$3.50 for ground and \$4.50 for air. Orders over 1 lb and foreign orders may require additional shipping charges —contact the Sales department for the amount. Ca resi- dents must include applicable sales tax. Prices subject to change withoug notice. We are not responsible for typo- graphical errors. We reserve the right to limit quanitities and to substitute manufacturer. All merchandise subject to prior sales. A full copy of our terms is available upon request.

Circle 141 on Reader Service Card

MON.-FRI. 7 A.M. TO 5 P.M., SATURDAY, 10 A.M. TO 3 P.M. (PST)

e the All m erchandi available

change withoug notice graphical errors. We re to substitute manufact sales. A full copy of or Homs pictured may on

EDITORIAL INDEX BY COMPANY

Index of companies covered in articles, columns, or news stories in this issue Each reference is to the first page of the article or section in which the company name appears

COMPANY

PAGE

Inqu	INT # COMPANY PAGE	1
1141	AAPPS 49	1
989	ACCOLADE115	1
982	ADVANCED GRAPHIC	
1071	APPLICATIONS 133, 160, 266	1
1181		
1147	ADVANCED PRODUCTS &	
	TECHNOLOGIES	
	AGILIS	
1124	AJIDA TECHNOLOGIES	
1002	ALDUS	
1182	ALPHATRONICS	
1121	AMERICAN IMAGING	
	SYSTEMS64	1
855	AMERICAN MITAC181	
	AMETEK	
	AMOCO LASER249	J
1105	ANNABOOKS64	1
	APPLE	
	COMPUTER98, 139, 149, 287	
1183	AQUIDNECK SYSTEMS	
	INTERNATIONAL266	
986	ARITY	
	ASHTON-TATE 17	
	AST RESEARCH17	
	AT&T UNIX SOFTWARE	
	OPERATION 17	1
	ATARI 17	1
1116	BIOPAC SYSTEMS64	
	BIPOLAR INTEGRATED	1
	TECHNOLOGY17	
1104	BLAISE COMPUTING64	
860	BORLAND INTERNATIONAL 111	
1131	BUSINESS FORECAST]
	SYSTEMS64	
	CALTECH/JPL MARK	-
		1
1118	CANON	1
1119	COMPUTER PROFESSIONALS FOR	
	SOCIAL RESPONSIBILITY 17	1
1184	COMPUTER UPGRADE	1
1072	COREL SYSTEMS	
1152	CORVUS SYSTEMS	
997	CRESCENT SOFTWARE	
1139	CUMULUS	1
1137	COM0203	1
	DATA GENERAL	
	DATA TRANSLATION	
984	DAVE BRICCETTI AND	
	ASSOCIATES	1
	DAVID SARNOFF RESEARCH	1
	CENTER	
1006	DAYNA COMMUNICATIONS 81	1
1144	DAYSTAR DIGITAL	1
1186	DELTA MICROSYSTEMS266	

COMPANY

PAGE INQUIRY #

INQUIRY #

Inqu	IKI #	COMPANY	TAGE
1187	DELTAICS	STEMS	266
1154	DIGITAL CO	OMMUNICAT	IONS
	ASSOCIA	ГЕЅ	
1134	DIGITAL EQ	UIPMENT	
852		KODAK	
994		IC ARTS	
		IENTAL PROT	
	EP50N	•••••	
	FIFTH GEN	ERATION SY	STEMS 17
1148	FRANKLIN	COMPUTER	49
	FUJITSU		
1123		OFTWARE	
1143	GENESYS		
	GEORGE M	ORROW	····· 1/
		LOGY	
990	GROUIER E	LECTRONIC	
,,,,		ING	
995		Y COMPUTE	
	SERVICES	5	115
1133		T TECHNOLO	
1115	HEM DATA.		
983		PACKARD	
1005	HILOKAEV	E	
1000	HITACHI/M	AXWELL	
854	IBM	17, 1	45, 181, 249
1101			
1126	IMC NETW	ORKS	
1136 1073	INFORMAT	ECHNOLOG	1
1188	STORAGE		160 266
1100		· •••••••••••••••••••••••	
883		VE SYSTEMS	
1130	ISOGON		64
		ELECTRONIC	
	INDUSTR	Y & DEVELO	PMENT
1103	JENSEN & F	TION	1/
1105		TIONAL	17 64
	III I LIVIN	IIONAL	
		ECHNOLOGY	
	KODAK		249
1112	KORN INDU		- 2
	CONSULT	ANTS	64
1161	LANGUOT	MS	40
1151 1120	LANDCAD	мs)	
1140	LANDUADI	••••••••••	

INQU	IRY #	COMPANY	PAGE
1074 1189	LASERD	RIVE	160, 266
885 991	LOGITE	СН6	4, 115, 195
1102	LOTUS D	EVELOPMENT	17
988 884		SOFTWARE	
004	SYSTE	MS	211
1075		JM STORAGE	
1190	MEGACE	ADUICE	40
1140 981		APHICS ON	
701		۹	
1191	MICRO E	DESIGN	
		NATIONAL	
998		ELP OFT	
1192	MITSUB	SHI ELECTRONIC	CS
		ICA	
1193		E SYSTEMS	
1129		I ASSOCIATES	
		AL EDUCATION UTING CONFERE	NCE 17
	NCUBE.		17, 287
1137		ME ELECTRONIC	
	(U.S.A	.) RT	17, 49
1135	NORMER	REL USA	49
	NOVELL		149
1113	OCEANI	SLE SOFTWARE .	61
1115	OKIELE	CTRIC	
		FI	
1194		COMPUTER	
002	SYSTE	MS UNIVERSITY	
993		UNIVERSITY	115 360
	11200	•••••••••••••••••••••••	115, 500
1195		NIC INDUSTRIAL	
1008		CE	
1196		RAL LAND	
	PHOENIX	TECHNOLOGIE	S 17
1150		ICS	
1076 1197	PIONEER	COMMUNICATIO	ONS
117/			
	POQET	••••••	17
1100	PRIME		
1155	PROTEO	۰	49

INQU	JIRY #	С	OMPA	NY	PA	GE
	QUEST	ΞК				249
1077 1198	RACET	COMF	UTERS	5	. 160, 2	266
992 1145	ROBERT					
987	SAMNA					115
1138	SEIKO I	NSTRI	JMENT	S USA .		49
1000	SELECT SEMICC SHARP.	N WE	ST			249
886	SILICON SILICON	BEAG	CH SOF	TWARI	Ε	217
1125	SOFTPR	0				64
985	SOFTW/ SPECTR	ARE D	IRECT YSICS .	IONS		133 249
1070	STANFO	RDU	NIVER	SITY	1.00	239
1078 1199	STORAC	E DIN	IENSIC	INS	160,2	200
980	SUMMU					
1080	SYSTE	EMS			160,2	266
1079 1200	SUMO S	YSTEN	MS	• • • • • • • • • • • •	160, 2	266
1200	SUN MIC	ROST	STEM	8	17 1	40
1003	SYMAN	TEC				81
	SYMBO	LICS	•••••		• • • • • • • • •	17
851	TEKTRO	NIX .				87
1149	TELESY	STEM	S SLW			49
	TERADY	YNE L	ASER S	SYSTEM	1S2	249
996	TEXAS I THE PRO	NSTR	UMEN	TS		17
990	3-D SYS	JICON FEMS	GRUU	Ρ		
	TOPS					
853	TOSHIB	A AMI	ERICA		MATIC	DN
999	TRAVEL	ER'S	GUILD			15
1128	TSM ASS	SOCIA	TES	•••••	•••••	64
	U.S. CO	MME	RCE			
	DEPAI	TME	NT		• • • • • • • • •	17
981	UNISYS UNITED	CVCT	EMC	• • • • • • • • • • • •	••••••	17
701	UNIVER					
1153	VADIS					49
1132	WELLS		RICAN			49
1001	WORDS					
	WORDT					
	XRL	•••••			2	.49
	ZENITH	DATA	SYSTE	EMS	•••••	17

COMING UP IN BYTE

Scheduled to appear in forthcoming issues of BYTE, the following list of articles represents work in progress.

PRODUCTS IN PERSPECTIVE:

With TIGA-based graphics just around the corner, we test a number of graphics coprocessor boards using the Texas Instruments 34010 chip in the November **Product Focus**.

Diskless workstations are becoming popular for use in LANs. We compare two new units from Wyse Technology and TeleVideo Systems in system reviews.

In a **peripheral review**, we evaluate two high-speed network nodes from Dayna Communications and TOPS that claim to quadruple data transfer rates on Apple networks.

Software reviews look at the following two products: ExperTelligence's Action! is an applications development program that runs on the Macintosh II/Texas Instruments MicroExplorer combination, and Alpha Four from Alpha Software is a relational database designed for nonprogrammers.

IN DEPTH:

The November Expanded In Depth will explore the hardware and software capabilities, challenges, and problems associated with **32 bits and above**. This may sound futuristic, but it isn't, because 32-bit hardware is here in 80386, 68020, and 68030 machines. And as the 80486 is here now, can the 68040 be far behind? What are some of the challenges associated with bringing software to these machines that actually use their 32-bit capabilities? How do 32-bit systems handle memory? And where will they go from here? Is the direction onward and upward? 64 bits? 128 bits? Is there a limit? Do we reach a point of diminishing returns? These are some of the questions that will be answered.

FEATURES:

We'll take a look at **helical scan technology**, a method of storing data on magnetic tape that owes a great deal to the VCR. Additionally, we'll explore **Intel's new 80860 chip**, take a guided tour of the **NeXT machine's Mach operating system**, and get an overview of the activities at **MIT's Media Lab**.

In **Under the Hood**, Brett Glass takes a look at EISA, the newest industry bus standard; in **Some Assembly Required**, Rick Grehan continues his "Two Tin Cans..." article on network interfaces with a look at NetBIOS.

As always, our columns, Computing at Chaos Manor, The Unix /bin, Down to Business, Macinations, OS/2 Notebook, and NetWorks, offer **Expert** Advice on a whole raft of problems, from the exotic to the mundane.

Industry news and the latest information on hardware and software are the core of our **Microbytes**, **What's New**, and **Short Takes** sections. These departments, written by BYTE reporters and editors, provide a focus on the important events in microcompting that is unequaled by any other source.

To get further information on the products advertised in BYTE, fill out the reader service card by circling the numbers on the card that correspond to the inquiry number listed with the advertiser. This index is provided as an additional service by the publisher, who assumes no liability for errors or omissions.

Inquiry No.

* Correspond directly with company.

Alphabetical Index to Advertisers

Inquiry No.	Page No.	Inqu
8 2001 SALES 9 2001 SALES 10 2500 AD SOFTWARE		92 93 94
8 2001 SALES 9 2001 SALES 10 2500 AD SOFTWARE 11 ACS COMMUNICATIONS 13 ADVANCED LOGIC RESI 14 ADVANCED LOGIC RESI 15 ADVANCED LOGIC RESI 16 ADVANCED ADVANCED ADVANCED LOGIC RESI 17 AKSWARD 18 ADVANCED ADVANCED ADVANCED ADVANCED ADVANCED 19 ADVANCED ADVANCED ADVANCED ADVANCED 10 ADVANCED ADVANCED ADVANCED 11 ADVSVENDA	S 344 EARCH 2,3 EARCH 2,3 CH 185	95 304 96 97
16 ADVANTAGE SOFTWAR 17 AK SYSTEMS 16 ALL REGULATOR AB	E 119 342 333	98 314
16 ADVANTAGE SOFTWAR 17 AK SYSTEMS 16 ALL REGULATOR AB 19 ALL REGULATOR AB 20 ALPHA PRODUCTS 21 AMERICAL GROUP 23 AMERICAN SMALL BUS		99 100 10
AMPRO AMPRO AMPRO ANNABOOKS ANNABOOKS		102 103 213
27 ATI TECHNOLOGIES 29 ATTACHMATE CORP		214 104 105
32 BARADINE PRODUCTS		10 10 10 10
34 BAYTECH		110
37 BINARY TECHNOLOGY		11 11 30
38 BIT WISE 39 BIT WISE 450 BIX 41 BLAISE COMPUTING 42 BORLAND INTERNATIO 43 BORLAND INTERNATIO 44 BP MICROSYSTEMS		11! 110 11
45 BP MICBOSYSTEMS	341	111 111 120
* BYTE BACK ISSUES		12 12 12
46 BYTE BITS BYTE SUB MESSAGE 47 BYTEK COMPUTER COI BYTEWELICATIONS BYTEWEEK/NEWSLETT 46 B&C MICRO	RP337 	12 12
46 B&C MICRO 49 B&C MICRO 323 B&C MICRO	ER 363 331 331	12 12 12
 28 CADRE TECHNOLOGIE CALIFORNIA DIGITAL 50 CH PRODUCTS 		12
50 CH PRODUCTS 51 CH PRODUCTS 52 CLONE COMPUTER 53 COMMUNICATION RESEAR 54 COMMUNICATION RESEAR 55 COMMUNICATION RESEAR		13 13 13
		13 13 13
56 COMPUCIASSICS 57 COMPUCOM 59 COMPUSERVE 60 COMPUTER ASSOCIATION OF COMPUTER ASSOCIATIONO OF COMPUTER ASSOCIATIONO OF COMPUTERASSOCIATIONO OF COMPUTER ASS		13 13
81 COMPUTER DISC WAREF	294,295 IOUSE144A	14 14 14
62 COMPUTER FRIENDS 63 COMPUTER MAIL ORD 64 COMPUTER MAIL ORD 65 COMPUTER MAIL ORD 322 COMPUTER PERIPHER	ER 176,177 ER 178,179	14 14 14
 COMPUTER PROFESSIONAL 	S. 112A-B	14 14 15
268 COMPUTER PROFESSION 66 COMPUTERLANE 87 COMPUTRADE 68 CONTECH COMPUTER	330	15 15 15
		15 15 15
72 CORPORATE COMPUTERS OF 73 COVOX	FIOWA76,77	15
75 CSS LABORATORIES IN 76 CSS LABORATORIES IN * CUBIX CORPORATION	IC 180 IC 180	16 16 31
DAMARK 78 DATA TRANSLATION IN 79 DAYTRON		31 16 16
 B0 DELL COMPUTER DELL COMPUTER B1 DELL COMPUTER 	CII,1	16 16 16
306 DIGIBOARD		16 17 17
85 DIGITALK		17 17 17
89 DISKETTE CONNECTIO 90 DIVERSIFIED COMPUT	N 337	17
87 DOCUBASE SYSTEMS. 91 DYNAMIC ELECTRONIC • ECOSOFT	S 321	17

qui	ry No.	Page	No.
92334554867************************************	EDC GMBH . ELEXOR ELEXOR ELEXON ELEXON ELEXONPUTING ELEXONPUTING ELS ENTERPRISES, LTD ELTECH RESEARCH. ENCOMPUTIERS EPSON EXSEL FOCUS RESEARCH, INC FOCUS RESEARCH, INC FORESIGHT RESOURCE FORESIGHT RESOURCE FORESIGHT RESOURCE FORESIGHT RESOURCE FORTRON . FORTRON . FORTRON . FORTRON . FORTRON . FORTRON . FORTRON . FORTRON . GOTEK, INC. G-TEK, INC. HAMPAUGE COMPUTER HAMMERLY COMPUTER HAMPERKINETIX HYPERKINETIX HYPERKINETIX HYPERKINETIX HYPERKINETIX HYPERKINETIX HYPERKINETIX HYPERKINETIX HYPERKINETIX HYPERKINETIX HYPERKINETIX HYPERKINETIX HYPERKINETIX HYPERKINETIX HIMAC. INTELLIGENCEWARE INMAC. KEA SYSTEMS. IMAGENET SY	NRC. 200 201 201 201 201 201 201 201 201 201	27417361751477833.2.2.37888621000164882235756658848890008733333333333333333333333333333333
64 65 66 67 69 70	MATRIX MAXCIMA MEAD COMPUTER MEGATEL	· · · · · · · · · · · · · · · · · · ·	334 51 207
71 72 73 74 75 76	MEXTEL MEROCOMPUTER MKTG MICRO SOLUTIONS COMP MICROCOM MICROCOM	CNCL P.PROD	256 256 343 .74 219 328
78	MICROSOFT MICROSOFT MICROSOFT		85

inqui	iry No. Pa	ge No.
179 180 181	MICROSPEED MICROSPEED MICROTRON TRADE SERVIO	34 34 CE 248
182	MICROWAY	1/3
184	MILAO	305
185 186	MONTGOMERY GRANT	130
187 188	NANTUCKET	. 199 . Cill
189 190	NANTUCKET NATIONAL INSTRUMENT NEC HOME ELECTRONICS NEC HOME ELECTRONICS NETWORK TECHNOLOGIES NOHAU CORPORATION	38,39
192 193	NOHAU CORPORATION NOHAU CORPORATION NORTHGATE COMPUTER 1	. 299
	NORTHGATE COMPUTER 1	36.137
194	NORTHGATE COMPUTER 1 NORTHGATE COMPUTER 1 NUMONICS	40 141
195 196	NUMONICS NU-MEGA TECHNOLOGIES ON LINE STORE ORACLE	. 121
197	ON LINE STORE OVERLAND DATA,INC. PACIFIC COMPUTERS PACIFIC DATA PRODUCTS PANASONIC PARA SYSTEMS PARSONS TECHNOLOGY PARTON & PATTON. PERISCOPE PERISCOPE PETER NORTON PHAR LAP PI COMPUTER CORPORATI PINNACLE MICRO	
198 199 200	PACIFIC COMPUTERS	89
201 202	PANASONIC	175
203	PARSONS TECHNOLOGY PATTON & PATTON	
205	PERISCOPE	.144D .144D .255
207 216	PHAR LAP PI COMPUTER CORPORATION	198 ON 322
312 313		258
315 209 210	PRIORITY ONE COMPUTER PROGRAMMER'S PARADISI	
211 212	PROTECH MARKETING	59
208 217	PSI P.C. NETWORK	
218 219 220	P.C.BRAND 2	22,223
221 222	P.C.BRAND	26,227
224	QMS	. 193
225 226 227		
228 229		
230 231 232	QUARTERDECK 1	28,129
232	QUARTERDECK 1 RADIO SHACK	28,129 28,129
	RAIMA	
235 236 237		150
	ROSE ELECTRONICS	157
240 241	ROSE ELECTRONICS RUPP CORPORATION RUPP CORPORATION RUPP CORPORATION RUPP CORPORATION RUPP CORPORATION RUPP CORPORATION RUPP CORPORATION SAELIG COMPANY SAFEWARE	215
242 243 244		215
245 309	RUPP CORPORATION SAELIG COMPANY	
246 301 302	SAMSUNG	66,67
248 249		
250 251	SANIA CHUZ OPERATION SCHWAB COMPUTER SCIENTIFIC ENDEAVORS SCIENTIFIC ENDEAVORS SCIENTIFIC ENDEAVORS SCIOTO COMPUTERS SEAGATE	338
252 253	SCIENTIFIC ENDEAVORS SCIOTO COMPUTERS SEAGATE	338
254	SEAGATE SILICON SHACK SMALL COMP BOOK CLUB	
	SMALL COMP BOOK CLUB	SYS83
255 256 257	SOFTWARE SECURITY	
258	SPECTRUM STATSOFT	103

000 OTENIOO 4/0	40
260 STEINCO A/S14	46
261 STORAGE DIMENSIONS (N.AMER) , 1	65
260 STEINCO A/S	65
316 STORAGE DIMENSIONS (INT'L)1	
316 STORAGE DIMENSIONS (INT'L)1	00
317 STORAGE DIMENSIONS (INT'L)1	65
263 STSC	27
264 SUPERSOFT	20
204 SUPERSUPI	ou
265 SURAH, INC	44
266 SWIRLSOFT	41
266 SWIRLSOFT	14
269 TALKING TECHNOLOGY 3	
269 TALKING TECHNOLOGY 3	34
270 TECHNOLOGY POWER 3	42
271 THE IDEA WORKS	44
272 TMI.INC.	00
	20
273 TOSHIBA 158,1	23
274 TOSHIBA 158.1	59
272 TMI,INC. 273 TOSHIBA. 158,1 274 TOSHIBA. 158,1 277 TOUCHBASE SYSTEMS,INC. 158,1	36
278 TRACE.INC	20
276 THAGE, INC	03
278 TRACE,INC. 1 279 TRAVELING SOFTWARE 1 307 TUSSEY COMPUTER PROD. 146,1	05
307 TUSSEY COMPUTER PROD. 146.1	47
308 TUSSEY COMPUTER PROD 148,1	10
308 T033ET 00MPOTENT NOD 140,1	73
280 T.P.C	26
281 ULTIMATE TECHNOLOGY 3	38
282 LINITEX	40
UNIXWORLD VERMONT CREATIVE 284 WAREHOUSE DATA 225	20
* VERMONT CREATIVE	43
VERMONT CREATIVE	16
284 WAREHOUSE DATA	05
285 WATCOM 1	20
285 WATCOM 1 286 WELLS AMERICAN (N.AMER) 1 287 WELLS AMERICAN (N.AMER) 1	23
200 WELLS AMERICAN (N.AMER) . I	23
287 WELLS AMERICAN (N.AMER) . 1	53
320 WELLS AMERICAN (INT'L) 1 321 WELLS AMERICAN (INT'L) 1	53
321 WELLS AMERICAN (INT'L) 1	53
288 WELLS AMERICAN 2	77
200 WELLS AWENICAN	
289 WELLS AMERICAN	11
290 WIESEMANN & THEIS 2	84
400 WINTEK	9
291 WINTEK	27
291 WINTER	31
324 WINTEK	31
292 XELTEK	33
294 Z-WORLD	34
294 Z-WORLD	00
255 ZENITE DATA STOLENS 4	
296 ZEOS INTERNATIONAL 90,	91
297 ZEOS INTERNATIONAL 92.	93
298 ZEOS INTERNATIONAL 94	0.
AND ZEOGINITEDNATIONAL 34,	50
297 ZEOS INTERNATIONAL 92, 298 ZEOS INTERNATIONAL 94, 299 ZEOS INTERNATIONAL 96,	9/
300 ZORTECH 2	33
	_

Page No.

INTERNATIONAL SECTION 80 I No North American Inquiries please 80 IS 1-72

401	06 SOFTWARE CENTRE EUROPE . I	S-58
402	06 SOFTWARE CENTRE EUROPE . I	5-59
403	ABC COMPUTER CO, LTD	S-61
	Abo com oren co, ero	0-01
404	ACER.INC IS-4	4.45
405	ACER,INC	C 20
	AGINE LEGHINOLOGI CONF .	13-30
409	ADVANTEK INT'L LTD	IS-10
406	AGC ELECTRONICS CORP.	C 64
	AGC ELECTHONICS COHP	2-21
407	ALADDIN KNOWLEDGE SYS.	S-55
	AQUADING OVOTEMO INO	
408	AQUARIUS SYSTEMS INC	2-39
410	BIX	S.71
	BIX. BLUE CHIP TECHNOLOGY	
411	BLUE CHIP LECHNOLOGY	IS-56
469	BRITISH TELECOM	6.0 2
405	DIVITION TELECOMY	J-2,3
	BRITISH TELECOM IS BYTE BACK ISSUES	S-68
	BYTE PUBLICATIONS	0 70
	DITE FUBLICATIONS	3-70
•	BYTE PUBLICATIONS	S-72
412	BYTE PUBLICATIONS	0 20
	CLARION SUF I WARE	3-73
413	CLARION SOFTWARE	S-29
414	CLEO COMMUNICATIONS	-
	CLEO COMMUNICATIONS	15-33
468	COBALT BILLE	15.46
	CONTROL TELEVICTOR	10
415	COBALT BLUE CONTROL TELEMETRY COPAM ELECTRONICS CORP	12-36
416	COPAM ELECTRONICS CORP.	IS-67
	ORD TEOLINOLOOV INO	10 01
417	C&D TECHNOLOGY, INC	12-36
	DATA COMMUNICATIONS IS-4	RA_F
	DATA COMMUNICATIONIC	
	DATA COMMUNICATIONS	12-45
418	D-LINK SYSTEM, INC	IS-16
419	DIETDIOU	10 22
	DIETRICH	12-27
	FLONEX	15-19
404	ELONEX FAST ELEKTRONIK GMBH	10 40
421	FAST ELENTRUNIN GMDH	12-44
470	FASTFAME CO., LTD FOCUS ELECTRONIC CO, LTD	18-40
422	FOOLIO EL FOTDONIO CO LTO	10
	FUGUS ELECTRUNIC CO,LTD	12-21
•	FORTE COMMUNICATIONS	IS-14
424	GALAXY MICROCRAFT SYS .	
	GALAAT MICHOCHAFT STS .	13-52
425	GAMMA	IS-12
426	GAMMA	10.4
	GENUA STOTEMIS	.13-4
427	GREY MATTER	IS-65
428	GTCO	C 20
	0100	13-20
429	GTCO. HWA HSIN ELECTRONIC CO.	IS-20
430	HIMA HOM ELECTRONIC CO. J	C 24
	THAT ISH LEED HONIO CO.	0-24
431	IXILTD.	IS-56
432	INES	S-48
		0-40
434	INES	. IS-7
435	INTEROLIADRAM	15.0
		. 13-3
436	INTERQUADRAM	IS-40
437	KAYPRO	5-37
	KAYPRO	0-07
438	MATFAIR MICHOS	12-63

inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
442 ORCAD SYSTEM 443 PERICOM 444 PHILIPS MONITO 445 PRICE TREND	IS-25	SOFTWARE EX TELETEK TOUCHBASE	RNAL OF OBJEC IS CITEMENT IS IS IS	534 EDI 535 EDI 536 ELECTRIFIED DI 537 FOUNTAIN TECHN	ER SYSTEMS NE-33 NE-20 SCOUNTERS NE-25 VOLOGIES,INC. NE-15 EMS NE-4 EMS NE-4	503 CDS	ES PC-8 PC-7 WSLETTER PC-4 PC-9
	NC IS-48	REGIONAL SECTION	s	540 HALSKAR SYS	TEMS NE-8		VICATIONS PC-16
448 QUOTHA 32	IS-46			541 HALSKAR SYS	TEMS NE-8	504 DATAMAG,INC 505 DATAMAG,INC	PC-2
449 SAMSUNG ELEC SCANDEC TRIBL	TRONICS IS-53	Midwest	80 MW1-8		MPUTERS NE-1 MPUTERS NE-1	506 HEALD INSTITU	TE OF TECH. PC-13
451 SCOTTSDALE SY	STEMS IS-13	BYTEWEEK/NE	WSLETTER . MW-2	544 HARVARD INFO	SYSTEMS NE-6	507 KEYBOARD CC	MEDY PC-11
 SOFTLINE CORF 452 SOFTWARE CON 	ORATION IS-35		BLIND MW-4	545 HERTZ	NE-7		MS,INC PC-15 SOFTWARE PC-13
453 SOFTTEK COMP		476 DAKOTA COMP	UTER MW-3 IICATIONS MW-8			510 SOFTWARE ENGL	
454 STONY BROOK S	OFTWARE .IS-27	477 HALSKAR SYS		548 LAPTOPS ETC.	NE-28	511 TELETEK	PC-3
455 STONY BROOK S		478 HALSKAR SYS	EMS MW-6		MPUTING NE-23		
456 SUPERTRON ELEC 458 TOPLINK COMPU	TER COLTDIS-41	479 NEXT WORKS, 480 NEXT WORKS,	THE MW-1		OMPUTING NE-23 OLOGIES NE-9		TER NETWORKPC-1
	L SERVICES . IS-46	480 NEXT WORKS, 481 Y.E.S.SYSTEM			NE-36	515 WINTIME TECH	IPC-14
	LOGIES IS-8	482 Y.E.S.SYSTEM	SCORP MW-5	553 MPM	NE-36	516 ZERICON	PC-10
462 TRITON TECHNO 463 TWINHEAD INT'L	CORP IS-8	483 ZERICON	MW-7	554 M.S.C 555 NOCONA ELEC	TRONICS NE-29		
463 TWINHEAD INT L	IS-47				UTER NE-27	South	80 SO1-12
465 UNITECH COMP.	CO,LTD IS-26	Northeast	80 NE1-36	557 ON LINE COMP	UTER NE-27		
466 USA SOFTWARE 471 WORLD WIDE CC	PIER PARTS IS-52	523 ADTECH		558 ONLINE PRODI	UCTS CORP. NE-17 UCTS CORP. NE-17	486 A-TRONIC CON • BYTEWEEK/NE	WSLETTER SO-4
471 WORLD WIDE CC	FIER FARI 5 13-52	523 ADTECH	NE-31		NE-16	487 COMPUTER W	HOLESALERS SO-5
		521 ADVANCED DIG	ITAL CORP NE-3	561 PC PLUS TECH	INOLOGIES . NE-19	488 COMPUTER W	
INT'L DIRECT RESPON	SE POSTCARDS	522 ADVANCED DIG		562 PC PLUS TECH 563 RENEGADE CC	INOLOGIES . NE-19	469 MIGHTY MICRO	NICATIONS SO-12
	OLI COTORIDO	525 A-TRONIC COM 526 BLUE CIRCLE C			UTER NE-34	490 MIGHTY MICRO	D
 BYTE INTERNATION 	ONAL IS	527 BLUE CIRCLE C	ROUP, INC NE-6	565 TELETEK	NE-11	491 OCTAGON TEC	HNOLOGIES . SO-7
BYTEWEEK	AZINE IS	528 COMPFAX		566 TELETEK	NE-11	492 OCTAGON TEC 493 SQUAREFIELD	HNOLOGIES . SO-7
 ITC INC 	IS	529 COMPFAX 530 COMPUTER EX	PERTINC NE-32		P NE-13 P NE-13	494 SQUAREFIELD	
* METRABYTE	IS	531 COMPUTER EX	PERT, INC NE-32	569 TRANS-M COR	P NE-13	495 SUMMA COMP	
MICRO SIM			ICATIONS NE-24	570 TRANS-M COR	P NE-13		
NEASONABLE SU	JEUTIONS 15	532 DAYTRON ELEC	HONICS, INC NE-22	571 ZEPHYR SERV	ICES NE-2	* Correspond directly	with company.

BYTE ADVERTISING SALES STAFF:

Steven M. Vito, Associate Publisher/V.P. of Marketing, One Phoenix Mill Lane, Peterborough, NH 03458, tel. (603) 924-9281 Arthur Kossack, Eastern Regional Sales Manager, 645 North Michigan Ave., Chicago, IL 60611, tel. (312) 751-3700 Jennifer L. Bartel, Western Regional Sales Manager, 8111 LBJ Freeway, Suite 1350, Dallas, Tx 75251, tel. (214) 644-1111 Liz Coyman, Inside Sales Director, One Phoenix Mill Lane, Peterborough, NH 03458, tel. (603) 924-2518

NEW ENGLAND ME, NH, VT, MA, RI, ONTARIO CANADA & EASTERN CANADA John C. Moon (617) 262-1160 McGraw-Hill Publications 575 Boylston Street Boston, MA 02116 FAX: (617) 262-6430

ATLANTIC NY, NYC, CT, NJ (NORTH) Kim Norris (212) 512-2645 McGraw-Hill Publications 1221 Avenue of the Americas--28th Floor New York, NY 10020 FAX: (212) 512-3520

EAST PA, NJ (SOUTH), MD, W. VA, DE, D. C. Thomas J. Brun (215) 496-3833 McGraw-Hill Publications Three Parkway Philadelphia, PA 19102 FAX: (215) 496-3828 SOUTHEAST NC, SC, GA, FL, AL, TN, VA, MS Thomas Tolbert (404) 252-0626 McGraw-Hill Publications 4170 Ashford-Dunwoody Road Suite 420 Atlanta, GA 30319 FAX: (404) 252-4056

MIDWEST IL, MO, KS, IA, ND, SD, MN, KY, OH, WI, NB, IN, MI Kurt Kelley (312) 751-3740 McGraw-Hill Publications Blair Building 645 North Michigan Ave. Chicago, IL 60611 FAX: (312) 751-3767

SOUTHWEST, ROCKY MOUNTAIN CO, WY, OK, TX, AR, LA Karl Heinrich (713) 462-0757 McGraw-Hill Publications 7600 W. Tidwell Rd, – Suite 500 Houston, TX 77040 FAX: (713) 462-6526 SOUTH PACIFIC SOUTHERN CA, AZ, NM, LAS VEGAS Ron Cordek (714) 557-6292 McGraw-Hill Publications 3001 Red Hill Ave. Building #1-Suite 222 Costa Mesa, CA 92626 FAX: (714) 557-2219

Tom Harvey (213) 480-5243 McGraw-Hill Publications 3333 Wilshire Boulevard #407 Los Angeles, CA 90010 FAX: (213) 480-5249

NORTH PACIFIC HI, WA, OR, ID, MT, NORTHERN CA, NV (except LAS VEGAS), W. CANADA, UT Christine Kopec (415) 362-4600 McGraw-HII Publications 425 Battery Street San Francisco, CA 94111 FAX: (415) 954-9786

Bill McAfee (408) 879-0371 McGraw-Hill Publications 1999 South Bascom Ave. Suite #210 Campbell, CA 95008 FAX: (408) 879-9067 BYTE BITS (2x3) Mark Stone (603) 924-6830 BYTE Publications One Phoenix Mill Lane Peterborough, NH 03458

The Buyer's Mart (1x2) Brian Higgins (603) 924-3754 BYTE Publications One Phoenix Mill Lane Peterborough, NH 03458

Regional Advertising Larry Levine (603) 924-4379 BYTE Publications One Phoenix Mill Lane Peterborough, NH 03458

Barry Echavarria (603) 924-2574 BYTE Publications One Phoenix Mill Lane Peterborough, NH 03458 National Sales Scott Gagnon (603) 924-4380 Mary Ann Goulding (603) 924-2664 Elisa Lister (603) 924-2665 BYTE Publications One Phoenix Mill Lane Peterborough, NH 03458

BYTE Deck Mailings Ed Ware (603) 924-6166 BYTE Publications One Phoenix Mill Lane Peterborough, NH 03458

A/E/C Computing Deck Computing for Engineers Dan Harper (603) 924-2598 BYTE Publications One Phoenix Mill Lane Peterborough, NH 03458

Peterborough, NH Office Advertising Fax: 603-924-7507

International Advertising Sales Staff: Frank Tanis, European Sales Manager, BYTE Publications, Batenburg 103, 3437 AB Nieuwegein, The Netherlands, tel: 31 34 02 49496, fax: 31 34 02 37944

Karen Lennie McGraw-Hill Publishing Co. 34 Dover St. London W1X 4BR England 01 493 1451 FAX: 01 493 9896

Ros Weyman Serving Germany, Austria, & Switzerland McGraw-Hill Publishing Co. 34 Dover St. London W1X 4BR England OI 493 1451 FAX: 01 493 9896

Alessandro Coari McGraw-Hill Publishing Co. Via Flavio Baracchini 1 20123 Milan, Italy (2) 89010103 FAX: (2) 879 400

Pedro Teixeira 8, Off. 320 Iberia Mart 1 Madrid 4, Spain 1 45 52 891

Mrs. Maria Sarmiento

Masaki Mori McGraw-Hill Publishing Co. Overseas Corp. Room 1528 Kasumigaseki Bldg. 3-2-5 Kasumigaseki, Chiyoda-Ku Tokyo 100, Japan 3 581 9811 FAX: 81-3-581-4018 Scavex Ltd. 503 Wilson House 19-27 Wyndham St. Central, Hong Kong Tel: 5-260149 Telex: 60904 SEVEX HX FAX: 852 5 810 1283

Seavex Ltd. 400 Orchard Road, #10-01 Singapore 0923 Republic of Singapore Tel: 734-9790 Telex: RS35539 SEAVEX FAX: 65 732 5129 Mr. Ernest McCrary Empresa Internacional de Comunicacoes Ltda. Rua da Consolacao, 222 Conjunto 103 01302 Sao Paulo, S.P., Brasil Tel: (11) 259-3811 Telex: (100) 32122 EMBN

Page No.

To get further information on the products advertised in BYTE, fill out the reader service card by circling the numbers on the card that correspond to the inquiry number listed with the advertiser. This index is provided as an additional service by the publisher, who assumes no liability for errors or omissions.

* Correspond directly with company.

Index to Advertisers by Product Category

Inquiry No.

HARDWARE

800	ADD INS
404	
521	ADVANCED DIGITAL CORP NE-3
522	ADVANCED DIGITAL CORP NE-3 ALPHA PRODUCTS
20	ATI TECHNOLOGIES
31	B & B ELECTRONICS 333
411	BLUE CHIP TECHNOLOGY IS-56
526 527	BLUE CIRCLE GROUP, INC NE-6 BLUE CIRCLE GROUP, INC NE-6
	B&C MICRO
	CONTROL VISION 341
73	COVOX
41/	C&D TECHNOLOGY, INC IS-36 DATA TRANSLATION INC 45
92	EDC GMBH
105	FTG DATA SYSTEMS 342
	GAMMA IS-12
426 107	GENOA SYSTEMSIS-4 G-TEK, INC48D
	G-TEK, INC
115	HEATH COMPANY 237
119	HIGH RES. TECHNOLOGIES 328
121 432	HOME SMART COMPUTERS 328
432	INESIS-48 INTERQUADRAMIS-9
133	IO COMM
	IO TECH 204
135	IO TECH
143 154	KEA SYSTEMS
167	MAXCIMA
440	MICROMINT IS-34
190	NEC HOME ELECTRONICS 41
192 193	NOHAU CORPORATION 299 NOHAU CORPORATION 333
205	PERISCOPE
206	PERISCOPE144D
216	PI COMPUTER CORPORATION 322
445	PRICE TRENDIS-8 PROCOMP, USA INCIS-48
440	PROCOMP, USA INC IS-48 PROCOMP, USA INC IS-48
	PSI 323
227	QUA TECH
240	RUPP CORPORATION 215 RUPP CORPORATION 215
	RUPP CORPORATION 215
243	RUPP CORPORATION 215
244	RUPP CORPORATION 215
245	RUPP CORPORATION 215
254	SILICON SHACK
263	STSC
495	SUMMA COMPUTER SO-3
565	
566 511	TELETEK NE-11 TELETEK PC-3
512	TELETEK PC-3
801	DRIVES
55 181	COMPACT DISK PRODUCTS 169 MICROTRON TRADE SERVICE 248
•	SEAGATE
802	FACSIMILE
528 529	COMPFAX NE-5 COMPFAX NE-5
803	HARDWARE PROGRAMMERS
	BARADINE PRODUCTS 334
44	
45	BP MICROSYSTEMS 341

<u> </u>	_							
inqui	iry No	•				Pa	ge No	».
47 49 323 148 150 155 157 158 159 160 292	B&C B&C KOR K.E.M LINK LOGI LOGI LOGI	EK COI MICRO E,INC. M. ELE COMF CAL D CAL D CAL D CAL D CAL D		RONI TER O ICES ICES ICES	CS . SRAF	PHICS	33 33 33 33 5. 32 34 34 34 34	1 3 1 4 8 4 4 4 4 4 4
804			_	INST	RUN	ENT	ATIO	N
19 93 237	ALL I	REGUI REGUI (OR . L TIME	_AT		B		33 34 33	3 1 8
805		_	_			ARDS		-
50 51 422 428 429 172 173 179 180 194	CH P FOC FOR GTCC GTCC MEX MEX MICF NOR	RODU RODU US ELI TE CO D TEL . TEL . ROSPE ROSPE THGA IONICS				:0 DNS	12 .IS-5 .IS-1 .IS-2 25 25 3 38,13	5 7 4 0 6 4 4 9
806		_		M	ASS	STC	RAG	E
313 228 261 262 316	CON DATA DATA DIGI- JB TI MICR MICR ONLI ONLI ONLI OVEI PINN QUA STOR STOR	YSTEM TECH MAG, DATA ECHNG CONTAC CONTACT NE PF RLANE IACLE IACLE IACLE IACLE IACLE IACLE IACLE IACLE IACLE IACLE		MPU GGIE: OGIE: NSCO FRAE DUCT ATA, II DUCT ATA, II CRO DRPC NSION NSION	TER S SS SS SSCC SCC SCC SCC SCC	COR PROD ERVIC DRP. DRP. DRP. TION AMER) NT'L)	P. 34 . PC- . PC- . 34 . 13 13 7 ZE 24 NE-1 NE-1 NE-1 . 32 25 34 . 16 . 16 . 16	4 2 2 2 3 3 4 8 7 7 1 8 8 2 5 5 5 5
807				MI	SCE	LLAN	EOU	s
34 419 99 131 436 171 226	BAY1 DIET FOCI INTE INWI MER QUA SCAI TRAC	TECH TECH RICH US RE GRAN N DEV RITT C TECH NDEC CE,INC SEMAN TIME T	SE/ D. CON		I,INC ENT ER . DR .	INC.	18 .IS-5 33 21 .IS-4 28 32 .IS-6 10 28	6 2 8 8 0 4 8 9 9 4
808				-	-	FIPLE	_	-
57 322 277	COM	D COM PUCO PUTEI CHBAS	M. RP	ERIP	HER	ALS I	32 NC 7 3	2 5 6
809	ACE	R,INC				MON	-	- [
404	AUCI						-44,4	9

by	Product Cate	egory
	ry No. Page No.	Inquiry No. Page No
	ELITE MICROSYSTEMS INC 117	406 AGC ELECTRONICS CORP IS-51
		* AMPRO
	NEC HOME ELECTRONICS . 38,39	
	PANASONIC	38 BIT WISE
444	PHILIPS MONITORS IS-11	39 BIT WISE
		502 BI-LINK PC-7 503 CDS
810	NETWORK HARDWARE	318 CLUB AMERICAN TECH 265
		67 COMPUTRADE
	BRITISH TELECOM IS-2,3	416 COPAM ELECTRONICS CORP .IS-67
	CSS LABORATORIES INC 180 CSS LABORATORIES INC 180	71 CORPORATE COMPUTERS OF IOWA . 76,77
	CUBIX CORPORATION 44	72 CORPORATE COMPUTERS OF IOWA . 76,77
	DIGIBOARD	80 DELL COMPUTER CII,1
	D-LINK SYSTEM,INC IS-16	* DELL COMPUTER 64A-E
	GOODWAY	81 DELL COMPUTER
	L&W MICROCOMPUTING NE-23	96 ELTECH RESEARCH 271
	L&W MICROCOMPUTING NE-23	470 FASTFAME CO., LTD IS-40
	MICROCOM	102 FORTRON
	NETWORK TECHNOLOGIES 342	103 FORTRON
	SAMSUNG 66,67	537 FOUNTAIN TECHNOLOGIES NE-15
	SAMSUNG 66,67	538 FUTURA SYSTEMS NE-4
	TRANS-M CORP NE-13	539 FUTURA SYSTEMS NE-4
568	TRANS-M CORP NE-13	424 GALAXY MICROCRAFT SYS. IS-52
569	TRANS-M CORP NE-13	109 GATEWAY 2000 10,11
570	TRANS-M CORP NE-13	303 HAUPPAUGE COMPUTER 285
		545 HERTZ NE-7
811	PRINTERS/PLOTTERS	120 HITECH EQUIPMENT CORP 344
		430 HWA HSIN ELECTRONIC CO . IS-24
15	ADVANCED MATRIX TECH 185	125 H.I.M.S.TECHNOLOGIES 278
•		* IBM PS/2 48,48A
	FUJACORP INC	437 KAYPRO
	HEWLETT-PACKARD PERIPH 14,15	144 KILA SYSTEMS
	HEWLETT-PACKARD PERIPH 144G	149 KUSTEM DATA SERVICES 331
	HEWLETT-PACKARD PERIPH. 145	170 MEGATEL
	HOUSTON INSTRUMENT 189	22 MITAC
	QMS 107	NORTHGATE COMPUTER 134,135
	QMS 107	* NORTHGATE COMPUTER 134,133
	QMS 193	* NORTHGATE COMPUTER 138,137
	QMS	491 OCTAGON TECHNOLOGIES . SO-7
	ZERICON MW-7	492 OCTAGON TECHNOLOGIES . SO-7
	ZERICON	556 ON LINE COMPUTER, NE-27
210	ZERICON PC-10	557 ON LINE COMPUTER NE-27
		561 PC PLUS TECHNOLOGIES , NE-19
812	PRINTERS RIBBONS	562 PC PLUS TECHNOLOGIES . NE-19
100	PACIFIC DATA PRODUCTS 89	216 PI COMPUTER CORPORATION 322
	PACIFIC DATA PRODUCTS 89	445 PRICE TREND
	WORLD WIDE COPIER PARTS .IS-52	234 RADIO SHACK CIV
		563 RENEGADE CORP NE-35
813	SCANNERS/IMAGE PROCESSORS	309 SAELIG COMPANY
		449 SAMSUNG ELECTRONICS 1S-53
161	LOGITECH 54,55	253 SCIOTO COMPUTERS 337
162	LOGITECH 54,55	456 SUPERTRON ELECTRIC CO. IS-41
493	SQUAREFIELD SO-2	270 TECHNOLOGY POWER 342
494	SQUAREFIELD SO-2	272 TMI,INC
		458 TOPLINK COMPUTER CO IS-32
814	SOFTWARE SECURITY	273 TOSHIBA
		459 TRIANGLE DIGITAL
	ALADDIN KNOWLEDGE SYS. IS-55	307 TUSSEY COMPUTER PROD. 146,147
	CONTROL TELEMETRY IS-38	308 TUSSEY COMPUTER PROD 148,147
	FAST ELEKTRONIK GMBHIS-42	464 UNIBITIS-47
	LOGIC VISION	286 WELLS AMERICAN (N.AMER) . 153
	PROTECH MARKETING 59	287 WELLS AMERICAN (N.AMER) . 153
	PROTECH MARKETING 59 RAINBOW TECHNOLOGIES 150	320 WELLS AMERICAN (INT'L) 153
	RAINBOW TECHNOLOGIES 150	321 WELLS AMERICAN (INT'L) 153
	ROSE ELECTRONICS 157	288 WELLS AMERICAN
	ROSE ELECTRONICS 157	289 WELLS AMERICAN
	SOFTWARE SECURITY 200	400 WINTEK
		295 ZENITH DATA SYSTEMS 48E
815	SYSTEMS	296 ZEOS INTERNATIONAL 90,91
	5151EM5	297 ZEOS INTERNATIONAL 92,93
403	ABC COMPUTER CO,LTD IS-61	298 ZEOS INTERNATIONAL 94,95
	ACME TECHNOLOGY CORP . IS-38	299 ZEOS INTERNATIONAL 96,97
	ADTECH NE-31	
	ADTECH NE-31	816 TERMINALS
	ADVANCED LOGIC RESEARCH 2,3	
	ADVANCED LOGIC RESEARCH 2,3	97 EMERALD COMPUTERS, INC 35
409	ADVANTEK INT'L LTD IS-10	465 UNITECH COMP.CO,LTD IS-26

nqui	ry No. Page No.
406	AGC ELECTRONICS CORP IS-51
	AMPRO 124
408 38	AQUARIUS SYSTEMS INC IS-39 BIT WISE
39	BIT WISE
	BI-LINK PC-7
503	CDSPC-9 CLUB AMERICAN TECH265
318 67	COMPUTRADE
416	COPAM ELECTRONICS COPP 15-67
71	CORPORATE COMPUTERS OF IOWA . 76,77
72 80	CORPORATE COMPUTERS OF IOWA . 76,77 DELL COMPUTER CII,1
	DELL COMPUTER 64A-B
81	DELL COMPUTER65
96 470	ELTECH RESEARCH 271 FASTFAME CO.,LTD IS-40
102	FORTRON
103	FORTRON
537 538	FOUNTAIN TECHNOLOGIES NE-15 FUTURA SYSTEMS NE-4
539	FUTURA SYSTEMS NE-4
424	GALAXY MICROCRAFT SYS. 15-52
109	GATEWAY 2000 10,11
303 545	HAUPPAUGE COMPUTER 285 HERTZ NE-7
120	HITECH EQUIPMENT CORP 344
430	HWA HSIN ELECTRONIC CO . IS-24
125	H.I.M.S.TECHNOLOGIES 278 IBM PS/2
437	KAYPRO
144	KILA SYSTEMS 331
149 170	KUSTEM DATA SERVICES 331 MEGATEL
551	MINTA TECHNOLOGIES NE-9
22	MITAC 190
1	NORTHGATE COMPUTER 134,135 NORTHGATE COMPUTER 138,137
	NORTHGATE COMPUTER 138,137
491	OCTAGON TECHNOLOGIES . SO-7
492 556	OCTAGON TECHNOLOGIES . SO-7 ON LINE COMPUTER , NE-27
557	ON LINE COMPUTER NE-27
561	PC PLUS TECHNOLOGIES . NE-19
562	PC PLUS TECHNOLOGIES . NE-19 PI COMPUTER CORPORATION 322
216 445	PRICE TRENDIS-6
234	RADIO SHACK CIV
563 309	RENEGADE CORP NE-35
449	SAELIG COMPANY
253	SCIOTO COMPUTERS 337
456	SUPERTRON ELECTRIC CO. IS-41
270 272	TECHNOLOGY POWER 342 TMI,INC
458	TOPLINK COMPUTER COIS-32
273	
274 459	
	TUSSEY COMPUTER PROD 146,147
308	TUSSEY COMPUTER PROD 148,149
464 286	UNIBIT IS-47 WELLS AMERICAN (N.AMER) , 153
287	
320	WELLS AMERICAN (INT'L) 153
321 288	WELLS AMERICAN (INT'L) 153 WELLS AMERICAN 277
289	WELLS AMERICAN
400	WINTEK
295	ZENITH DATA SYSTEMS 48B ZEOS INTERNATIONAL 90,91
297	ZEOS INTERNATIONAL 90,91 ZEOS INTERNATIONAL 92,93
298	ZEOS INTERNATIONAL 94,95
299	ZEOS INTERNATIONAL 96,97
16	TERMINALS
-	
97 465	EMERALD COMPUTERS, INC 35 UNITECH COMP.CO.LTD IS-26

Inqu	iry No. P	age No.	Inqu	iry No.
817		UPS	825	I
202	PARA SYSTEMS	79	532	DAYTRO DAYTRO ECOSOF
	-			IMAGENE
	SOFTWARE		128	IMAGENE MAP INFO
_				PINNACL
		and the second second	250	
818			251	SCIENTIF
	Scientific/Te	cnnical	252	SCIENTIN
70	COREL	238	826	<u> </u>
819	IBM/MSDOS APPLIC Business		•	DRAGON ELONEX
412	CLARION SOFTWARE	15-29	453	
	CLARION SOFTWARE		564	SUMMA
60	COMPUTER ASSOCIATES	. 28,29	827	IBA
	INTELLIGENCEWARE			
	NANTUCKET			2500 AD
441	NOVELL			BORLAN
	ORACLE PEOPLESMITH SOFTWARE			BORLAN
	RAIMA		85	DIGITALK ELLIS CC
	RAIMA			JENSEN
271	THE IDEA WORKS	344	151	
			•	MICROSO
820				MIX SOF
	Scientific/Te	chnical		STONY B
25	ANNABOOKS	201		STONY B
	BE AWARE INC.			WATCOM ZORTECH
	BE AWARE INC		300	ZURIEU
83	DIGITAL RESEARCH	197	828	
84	DIGITAL RESEARCH	197	-	_
165	MATHSOFT	51		ATTACHN
188	MICROSOFT	b,/ СШ	41	BLAISE C
	PATTON & PATTON			COBALT
	SPECTRUM			DAYTRO
259	STATSOFT	47		HAMMERI
			114	
321	IBM/MSDOS APPLIC		431	IXILTD.
	miscell	aneous		IMES GM
123	HYPERKINETIX	110		LANTANA
124	HYPERKINETIX	110		LOGITEC
	KEYBOARD COMEDY		311	LOGITEC
571	ZEPHYR SERVICES	NE-2		MICROSO
322	IBM/MSDOS APPLIC	TIONE		MIX SOFT
22	Word Pro			MKS
_				PARSON
	FRANKLIN/PROXIMITY			PEOPLES
214	FRANKLIN/PROXIMITY	308		PETER N
			207	PHARLA
323	IBM/MSDOS	- CAD		QUARTER
23	AMERICAN SMALL BUS.COMP.	114		QUARTER
	FORESIGHT RESOURCES			QUARTE
	FORESIGHT RESOURCES			SOFTWAI
	IMAGENET SYSTEMS			SUPERSO
	IMAGENET SYSTEMS		266	SWIRLSC
	ORCAD SYSTEMS CORP ORCAD SYSTEMS CORP			TRAVELI
	ULTIMATE TECHNOLOGY .		•	VERMON
	WINTEK		829	
	WINTEK			
400	WINTEK	9	74	CRICHLO
324	IBM/MSDOS COMMUNIC/	TIONS	87	DOCUBA
	ACS COMMUNICATIONS		830	
	COMMUNICATION RESEARCH G			
	COMMUNICATION RESEARCH G		-	
	DIVERSIFIED COMPUTER. KEA SYSTEMS		30	A/SOFT D
	PERICOM		37	BINARY T
	TALKING TECHNOLOGY		831	OTHER -
461	TRITON TECHNOLOGIES .	IS-8		
462	TRITON TECHNOLOGIES .	IS-8	*	SOFTWAR

	iry No. Page No.
5	IBM/MSDOS — GRAPHICS DAYTRON
2	DAYTRON ELECTRONICS NE-22
7	ECOSOFT
3	IMAGENET SYSTEMS 331 MAP INFO 32
5	PINNACLE PUBLISHING 302
1	SCIENTIFIC ENDEAVORS 338 SCIENTIFIC ENDEAVORS 338
5	IBM/MSDOS - LAN
-	DRAGONSLAYER SYSTEMS NE-33
•	ELONEXIS-19
3 4	SOFTTEK COMPUTER IS-56 SUMMA COMPUTER NE-34
7	IBM/MSDOS — LANGUAGES
	2500 AD SOFTWARE 144
2	BORLAND INTERNATIONAL 13 BORLAND INTERNATIONAL 13
5	DIGITALK 24,25
5	ELLIS COMPUTING
1	LAHEY COMPUTER SYS 144F
•	MICROSOFT 19
	MIX SOFTWARE
	STONY BROOK SOFTWARE . IS-27 STONY BROOK SOFTWARE . IS-27
5	WATCOM 120
0	ZORTECH 233
3	IBM/MSDOS - UTILITIES
9 1	ATTACHMATE CORP 154 BLAISE COMPUTING 48C
	CADRE TECHNOLOGIES INC 31
8	COBALT BLUEIS-46
9 3	DAYTRON
4	HAMMERLY COMPUTER SERV 272 HAMMERLY COMPUTER SERV 273
1	IXILTDIS-56
9	IMES GMBH
3	LANTANA TECHNOLOGY 298
0	LUGITECH
	LOGITECH 46 MICROSOFT
4	MIX SOFTWARE 305
5	MKS 123 NU-MEGA TECHNOLOGIES 121
3	PARSONS TECHNOLOGY 87
9	PEOPLESMITH SOFTWARE PC-13
7	PETER NORTON
0	QUARTERDECK 128,129
1	QUARTERDECK 128,129
23	QUARTERDECK 128,129 QUARTERDECK 128,129
2	SOFTWARE CONSTRUCTION IS-43
	SUPERSOFT
6 9	SWIRLSOFT 341 TRAVELING SOFTWARE 105
•	VERMONT CREATIVE 16
•	OTHER APPLICATIONS Business/Office
4	CRICHLOW
)	OTHER APPLICATIONS Scientific/Technical
0	A/SOFT DEVELOPMENT, INC. 132 BINARY TECHNOLOGY 338
	OTHER CROSS DEVELOPMENT
•	SOFTWARE DEVELOPMENT SYS . 83

Inqu	iry No. Page No.	10
832	OTHER — LANGUAGES	5
		555
83		5
332 OTHER - LANGUAGES 104 FRANKLIN SOFTWARE 86 294 Z-WORLD 334 833 DESKTOP PUBLISHING 166 MATRIX 207 834 EDUCATIONAL/ INSTRUCTIONAL 1571 410 BIX 15-71 9 BYTE BACK ISSUES 326 9 BYTE BACK ISSUES 326 9 BYTE BACK ISSUES 326 9 BYTE BUBLICATIONS 15-70 9 BYTE PUBLICATIONS 15-70 9 BYTE PUBLICATIONS 15-72 9 BYTE PUBLICATIONS 15-72 9 PYTE SUB MESSAGE 42 9 BYTEWEEK/NEWSLETTER 363 9 PTEWEEK/NEWSLETTER 50-42 55 COMPUTER PROFESSIONAL 112A-B 50 268 COMPUTER PROFESSIONAL 112A-B 50 10ATA COMMUNICATIONS MW-8 50-512 10ATA COMMUNICATIONS MW-8 50-512 10ATA COMMUNICATIONS S0-42		
166	MATRIX 207	1
834	EDUCATIONAL/	1 1
		1
410	BIX IS-71	5
•	BYTE BACK ISSUES 326	4
		1
•	BYTE PUBLICATIONS 72,73	1
•	BYTE PUBLICATIONS IS-72	1
		4
	BYTEWEEK/NEWSLETTER . MW-2	
		5
55	COMPACT DISK PRODUCTS 169	5
	COM OF LITTION LOOIONAL TILAD	4
	COMP.FOR THE BLIND MW-4	4
•		1
•		1
	DATA COMMUNICATIONS PC-16 DATA COMMUNICATIONS SO-12	2
	DATA COMMUNICATIONS IS-48A-B	2
	KNOWLEDGE GARDEN 361	2
:	SMALL COMP BOOK CLUB 32A-B	2
	UNIXWORLD 329	2
	5 MAIL ORDER/	2 4 2 4
83	5 MAIL ORDER/ RETAIL	4 2 4
83 401	5 MAIL ORDER/ RETAIL 06 SOFTWARE CENTRE EUROPE . IS-58	4 2 4 5 2
83 401 402 499	MAIL ORDER/ RETAIL 06 SOFTWARE CENTRE EUROPE . IS-58 06 SOFTWARE CENTRE EUROPE . IS-59 3-F ASSOCIATES	4 2 4 5
401 402 499 16	MAIL ORDER/ RETAIL 06 SOFTWARE CENTRE EUROPE . IS-58 06 SOFTWARE CENTRE EUROPE . IS-59 3-F ASSOCIATES	4 2 4 5 2 2 5 5
401 402 499 16 21 486	MAIL ORDER/ RETAIL 06 SOFTWARE CENTRE EUROPE . IS-58 08 SOFTWARE CENTRE EUROPE . IS-59 3-F ASSOCIATES	4 2 4 5 2 2 5
401 402 499 16 21 486	MAIL ORDER/ RETAIL 06 SOFTWARE CENTRE EUROPE . IS-58 08 SOFTWARE CENTRE EUROPE . IS-59 3-F ASSOCIATES	4 2 4 5 2 2 5 5 2 4
401 402 499 16 21 486 525 52	MAIL ORDER/ RETAIL 06 SOFTWARE CENTRE EUROPE . IS-58 06 SOFTWARE CENTRE EUROPE . IS-59 3-F ASSOCIATES	4 2 4 5 2 2 5 5 5 2 2
401 402 499 16 21 486 525 52	MAIL ORDER/ RETAIL 06 SOFTWARE CENTRE EUROPE . IS-58 06 SOFTWARE CENTRE EUROPE . IS-59 3-F ASSOCIATES	4 2 4 5 2 2 5 5 2 2 4 2 4
83 401 402 499 16 21 486 525 52 52 52 56 305 61	MAIL ORDER/ RETAIL	4 2 4 5 2 2 5 5 2 2 4 4 2 4
83 401 402 499 16 21 486 525 52 56 305	MAIL ORDER/ RETAIL	4 2 4 4 5 5 2 2 2 2 5 5 5 2 2 4 4 2 4 4 4 4
83 401 402 499 16 21 486 525 52 56 305 61 530 531 62	MAIL ORDER/ RETAIL	4 2 4 5 2 2 2 5 5 5 2 2 4 4 2 4 4 4 4 4
83 401 402 499 16 522 56 305 61 530 531 62 63	MAIL ORDER/ RETAIL	4 2 2 2 5 5 5 2 2 4 4 2 4 4 4 4 8
83 401 402 499 16 525 56 530 531 62 63 64 65	MAIL ORDER/ RETAIL	4 2 4 5 2 2 2 5 5 5 2 2 4 4 2 4 4 4 4 4
83 : 401 402 499 16 21 486 525 52 530 530 531 62 63 64 65 487 488	MAIL ORDER/ RETAIL	4 2 4 5 2 2 2 5 5 2 2 2 4 4 2 4 4 4 8 2 4 8
83 401 402 499 21 286 525 530 530 531 63 64 65 487 488 65	MAIL ORDER/ RETAIL	4 22 22 5 5 5 22 24 4 4 22 4 4 4 2 2 4 4 4 8 8 4
83 401 402 499 525 52 565 530 530 530 531 62 63 64 65 63 64 65 487 488 866 476	MAIL ORDER/ RETAIL	4 2 4 5 2 2 2 5 5 2 2 2 4 4 2 4 4 4 8 2 4 8
83 401 402 499 16 21 486 525 52 56 305 530 530 531 63 64 65 487 488 66 476 82	MAIL ORDER/ RETAIL	4 22 22 5 5 5 22 24 4 4 22 4 4 4 2 2 4 4 4 8 8 4
83: 401 402 499 16 21 486 525 52 56 305 531 530 531 62 63 64 53 64 65 487 488 66 65 487 488 88 889	MAIL ORDER/ RETAIL	4 22 22 5 5 5 22 24 4 4 4 8 8 4 4 4 1
83: 401 402 499 16 21 486 525 52 56 305 531 530 531 62 63 64 53 64 65 487 488 66 65 487 488 88 889	MAIL ORDER/ RETAIL	4 22 22 5 5 5 22 24 4 4 4 8 8 4 4 4 1
83 401 402 499 161 486 525 530 530 531 62 63 64 65 487 488 66 64 65 487 488 89 91 534 535	MAIL ORDER/ RETAIL	4 22 22 5 5 5 22 24 4 4 4 8 8 4 4 4 1
83 401 402 499 16 525 55 63 63 64 65 487 488 64 466 476 82 88 89 91 534	MAIL ORDER/ RETAIL	4 22 22 5 5 22 22 4 4 4 8 24 8 4 1 8 4 1 8
83 401 402 499 525 52 536 530 531 62 63 65 63 65 63 65 63 65 63 65 88 89 91 534 535 536 530 487 488 65 535 536 534 535 536 530 534 535 536 530 534 535 536 536 537 537 536 537 537 537 537 537 537 537 537 537 537	MAIL ORDER/ RETAIL	4 2 2 4 4 5 2 2 2 2 2 4 4 2 2 2 2 4 4 2 4 4 8 2 4 4 8 4 1 8 1 1 8 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2
83: 401 4499 16 21 4825 52 5305 61 5301 5301 5301 5301 645 645 645 645 645 645 645 645	S MAIL ORDER/ RETAIL	4 2 2 4 4 5 2 2 2 5 5 5 2 2 2 4 4 2 2 5 5 5 2 2 2 4 4 4 8 2 4 4 8 1 1 8 1 2 2 4 4 1 8 1 1 2 2 2 2 1 4 4 1 1 2 2 2 2 1 1 2 2 2 2
83: 401 402 499 52 56 305 530 530 531 62 63 64 65 530 64 65 64 65 63 64 88 89 91 534 535 536 487 488 66 476 88 89 91 534 535 530 437 837 837 837 837 837 837 837 837 837 8	MAIL ORDER/ RETAIL OBSOFTWARE CENTRE EUROPE . IS-58 06 SOFTWARE CENTRE EUROPE . IS-59 3-F ASSOCIATES . PC-8 ADVANTAGE SOFTWARE . 119 AMERICAL GROUP . 328 A-TRONIC COMPUTER . SO-11 A-TRONIC COMPUTER . SO-11 A-TRONIC COMPUTER	4 22 4 4 5 22 25 5 5 22 2 24 4 2 4 4 8 2 4 8 4 1 8 4 1 2 2 2 2 2 4 4 4 2 2 2 2 5 5 5 2 2 2 2 4 4 4 8 4 4 1 8 4 4 1 1 2 2 2 2 2 5 5 5 2 2 2 2 2 4 4 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
83: 401 402 409 16 216 526 305 61 5301 622 634 65 487 488 89 914 535 536 487 488 89 914 535 536 487 488 89 914 535 536 487 488 89 914 535 536 487 537 536 487 537 536 537 537 537 537 537 537 536 537 537 537 537 537 537 537 537	S MAIL ORDER/ RETAIL	4 2 2 4 4 5 2 2 2 2 2 2 4 4 2 2 2 2 2 4 4 4 8 2 4 4 8 4 1 8 1 2 2 2 2 2 2 4 4 1 1 8 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

Inqu	iry No.	Page No.
540	HALSKAR SYSTEMS	NE-8
541 542	HALSKAR SYSTEMS HARMONY COMPUTERS	NE-8
543	HARMONY COMPUTERS	NE-1
544 546	HARVARD INFO SYSTEMS	
547	HY-TEC	
126	IC EXPRESS	
130 136	INMAC	
137	JAMECO	324,325
140 141	J.D.R. MICRODEVICES	
548	LAPTOPS ETC	NE-28
164 438		
438	MAYFAIR MICROS MEAD COMPUTER	
•	MICROCOMPUTER MKTG CI	ICL. 343
176	MICROPROCESSORS UNI MICROWAY	
182	MICROWAY	275
489	MIGHTY MICRO	SO-1
490	MIGHTY MICRO	50-1
552	MPM	NE-36
553 554	MPM	
186	NAGAN CORP.	
479	NEXT WORKS, THE	
480	NEXT WORKS, THE NOCONA ELECTRONICS	
196	ON LINE STORE	335
198 560	PACIFIC COMPUTERS PC LINK	
209	PRIORITY ONE COMPUTE	
210	PROGRAMMER'S PARADI	
217 218	P.C. NETWORK	
219	P.C.BRAND	222,223
220 221	P.C.BRAND	
448	QUOTHA 32	IS-46
249 451	SCHWAB COMPUTER	
491	SCOTTSDALE SYSTEMS . SOFTLINE CORPORATION	
510	SOFTWARE ENGINEERING	
265 267	SURAH, INC	
513	TRAN COMPUTER NETWO	DRKPC-1
514 280	TRAN COMPUTER NETWO	
282	UNITEX	
466 284	USA SOFTWARE	IS-23
481	Y.E.S.SYSTEMS CORP	
482	Y.E.S.SYSTEMS CORP	
836	6 MISCELLANE	OUS
	ANTHRO	42
246	SAFEWARE	341
463	TWINHEAD INT'L CORP	IS-50
837	70N-LINE SERV	ICES
450	BIX	358,359
59 110	COMPUSERVE	257
	GEINFO SERVICES	
838		TING
8 9	2001 SALES	220
•	IBM OS/2	167
142	KADAK	
229 248	SANTA CRUZ OPERATION	
255	SOFTWARE LINK	
256 453	SOFTWARE LINK	213 IS-56
263	STSC	

REQUEST FREE INFORMATION BY FAX

Attention BYTE Readers!! Now you can fax your requests for free product and advertiser information featured in this issue.

Just fax this page to 1-413-637-4343. You'll save time because your request for information will be processed as soon as your fax is received.





Fill out this coupon carefully. PLEASE PRINT.

Check off the answers to questions "A" through "C".



Print your name, address, and fax number clearly on the form.



Remove this page or copy this page clearly and fax it to the number above.

d

		12	3	4	5	6	- 7	8	9	10	11	12	13	14	15	16	17	18	19	20
N/	2	1 22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
Name	4	1 42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
Title	6	1 62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
The	8	1 82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Company	10	1 102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120
	12	1 122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140
Address	14	1 142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160
	16	1 162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180
City	18	1 182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200
	20	1 202	203	204	205	206	207	208	209	210	211				215	216	217	218	219	220
State/Province Zip	22	1 222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240
Country	24	1 242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260
Country	26	1 262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280
Phone Number Fax Number	28	1 282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300
	30	1 302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320
A. What is your level of management responsibility?	32	1 322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340
1 Senior-level Management	34	1 342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360
2 🗆 Other Management	36	1 362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380
3 🗆 Non-Management	38	1 382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400
R What is your primary ich function/principal area of	40	1 402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420
B. What is your primary job function/principal area of responsibility? (Check one.)	42	1 422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440
4 Administration	44	1 442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460
5 🗆 Accounting/Finance	46	1 462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480
6 🗆 MIS/DP/Information Center	48	1 482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500
7 🗆 Product Design and Development	50	1 502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520
8 🗆 Research and Development	52	1 522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540
9 🗆 Manufacturing	54	1 542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560
10 🗆 Sales Marketing	56	1 562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580
11 Purchasing	58	1 582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600
12 🗆 Personnel	60	1 602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620
13 🗆 Education/Training	62	1 622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640
14 🗌 Other:	64	1 642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660
C. Please indicate your organization's primary business	66	1 662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680
activity: (Check one.)	68	1 682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700
Computer-Related Businesses:	70	1 702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720
15 🗆 Manufacturer (Hardware, Software)	72	1 722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740
16 Computer Retail Stores	74	1 742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760
17 🗆 Consultants	76	1 762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780
18 🗆 Service Bureau/Planning	78	1 782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800
19 Distributor/Wholesaler	80	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820
20 Systems House/Integrator/VAR	82	1 822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840
21 🗆 Other:	84	1 842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860
Non-Computer-Related Businesses:	86	1 862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880
22 🗆 Manufacturing	88	1 882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900
23 🗆 Finance, Insurance, Real Estate	90	1 902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920
24 🗌 Retail/Wholesale	92	1 922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940
25 🗆 Education	94	1 942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960
26 Government	96	1 962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980
27 🗆 Military	98		983																	
28 □ Professions (Law, Medicine, Engineering, Architecture) 29 □ Consulting	100	1 1002																		
30 🗆 Other Business Services		1 1022																		
\Box Transportation, Communications, Utilities		1 1042																		
2 Other:		1 1062																		
		1 1082																		
I already subscribe to BYTE.		1 1102																		
Please send me one year of BYTE Magazine for \$24.95		1 1122																		
and bill me. Offer valid in U.S. and possessions only.		1 1142																		
BYTE MAN OCTOBER 1989		1 1162																		

INFORMAT

Want More Information About the Products and Advertisers Featured in this Issue?

62

61

91 92 93 94

63 64 65



12 🗆 Personnel

14 Other:

(Check one.)

13
Education/Training

C. Please indicate your organiza-

tion's primary business activity:

15 🗋 Manufacturer (Hardware, Software)

Computer-Related Businesses:

Circle numbers on reply card which correspond to numbers assigned to items of interest to you.



Check all the appropriate answers to questions "A" through "C".

31 32 33 34 35 38 37 38 39 40

66 67 68 69 70 71

10 11 12 13 14 15 17 18 19 20 21 22 23 24 25 26

41

121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 138 137 138 139 140 141

72 73

95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111



47 48 49 50 51

42 43 44 45 48

74 75 76 π 78 79 80

151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 188 189 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 186 189 190 191 192 193 194 185 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 226 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 280 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360

Print your name and address and mail.

52 53 54 55 58 82 83 84 85 88

81

57 58 59 60

87 68 89 90

112 113 114 115 116 117 118 119 120

142 143 144 145 148 147 149 149 150

Fill out this coupor	i carefully.	PLEASE	PRINT.	
----------------------	--------------	--------	--------	--

Name		
Title	() Phone	
Company		
Company		
Address		
City	State Zip	
A. What is your level of	16 🗆 Computer Retail Stores	
management responsibility?	17 🗆 Consultants	
1 🗆 Senior-level Management	18 🗆 Service Bureau/Planning	
2 🗆 Other Management	19 Distributor/Wholesaler	
3 🗆 Non-Management	20 🗆 Systems House/	
B. What is your primary job func-	Integrator/VAR	
ion/principal area of responsibility?	21 🗆 Other:	
Check one.)	Non-Computer-Related Businesses	
4 🗋 Administration	22 🗆 Manufacturing	
5 Accounting/Finance	23 🗆 Finance, Insurance,	
6 MIS/DP/Information Center	Real Estate	
7 Product Design and	24 🖸 Retail/Wholesale	
Development	25 Education	
8 Research and Development	26 Government	
9 🗆 Manufacturing	27 🗆 Military	
10 Sales/Marketing	28 Professions (Law,	
1 🗆 Purchasing	Medicine, Engineering,	

29 🗆 Consulting

32 🗆 Other:



Please send me one year of BYTE Magazine for \$24.95 and bill me. Offer valid in U.S. and possessions only.





BUSINESS REPLY MAIL FIRST CLASS MAIL PERMIT NO. 176 PITTSFIELD, MA

POSTAGE WILL BE PAID BY ADDRESSEE



READER SERVICE PO Box 5110 Pittsfield, MA 01203-9926 USA

FREEINFORMATION

Want More Information About the Products and Advertisers Featured in this Issue?



Circle numbers on reply card which correspond to numbers assigned to items of interest to you.



Check all the appropriate answers to questions "A" through "C".



Print your name and address and mail.

> NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES



POSTAGE WILL BE PAID BY ADDRESSEE



READER SERVICE PO Box 5110 Pittsfield, MA 01203-9926 USA

ՅՈստվեսեՌոսիեեսեհոսեեժիսեսե

Fill out this coupon carefully. P	LEASE PRINT.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60
		B1 62 63 84 65 68 67 68 69 70 71 72 73 74 75 78 77 78 79 80 61 82 83 84 85 86 67 88 89 90
		91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 106 109 110 111 112 113 114 115 116 117 118 119 120
Name		121 122 123 124 125 129 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 148 147 148 149 150
	()	151 152 153 154 155 156 157 158 159 180 161 182 163 184 165 186 187 168 169 170 171 172 173 174 175 178 177 178 179 180
Title	Phone	181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210
THE	1 110110	211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240
		241 242 243 244 245 246 247 246 249 250 251 252 253 254 255 256 257 256 259 260 261 262 263 264 265 266 267 268 269 270
Company		271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 286 289 290 291 292 293 294 295 296 297 298 299 300
		301 302 303 304 305 306 307 306 309 310 311 312 313 314 315 316 317 316 319 320 321 322 323 324 325 326 327 328 329 330
Address		31 32 33 324 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 380
		361 382 363 384 365 368 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390
City	State Zip	391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420
City	State Zip	421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 436 439 440 441 442 443 444 445 446 447 448 449 450
A. What is your level of	16 Computer Retail Stores	451 452 453 454 455 458 457 458 459 480 481 482 483 484 485 468 487 488 469 470 471 472 473 474 475 478 477 478 479 480
management responsibility?	17 Consultants	481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 508 507 506 509 510
1 Senior-level Management	18 Service Bureau/Planning	511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 528 527 528 529 530 531 532 533 534 535 536 537 538 539 540
2 Other Management	19 Distributor/Wholesaler	541 542 543 544 545 548 547 548 547 548 549 550 551 552 553 554 557 558 559 560 561 582 563 584 585 566 567 568 569 570
3 🗆 Non-Management	20 Systems House/	571 572 573 574 576 576 577 578 579 580 581 582 583 584 685 586 587 568 589 590 591 592 593 594 595 596 597 598 599 600
	Integrator/VAR	601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630
B. What is your primary job func- tion/principal area of responsibility?	21 Other:	631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 548 847 648 649 650 651 652 653 654 655 656 657 658 659 660
(Check one.)	Non-Computer-Related Businesses:	681 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690
4 Administration	22 Manufacturing	691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 706 709 710 711 712 713 714 715 716 717 718 719 720
5 Accounting/Finance	23 Finance, Insurance,	721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 736 739 740 741 742 743 744 745 746 747 748 749 750
6 MIS/DP/Information Center	Real Estate	751 752 753 754 755 756 757 756 759 760 761 762 763 764 765 766 767 766 769 770 771 772 773 774 775 776 777 778 779 780
7 Product Design and	24 Retail/Wholesale	781 782 783 784 785 786 787 785 789 790 791 792 793 794 795 796 797 796 799 890 601 602 603 804 605 606 607 608 809 810
Development	25 🖾 Education	811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 930 831 832 833 834 635 836 837 838 839 840
8 🗆 Research and Development	26 Government	841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 889 870
9 🖾 Manufacturing	27 🗆 Military	871 872 873 874 875 678 877 878 879 879 860 681 882 683 884 885 886 887 886 889 890 891 892 893 894 895 896 897 898 899 900
10 Sales/Marketing	28 Professions (Law,	901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930
11 D Purchasing	Medicine, Engineering,	931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960
12 Personnel	Architecture)	981 962 963 964 965 968 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990
13 Education/Training	29 Consulting	91 922 933 994 995 996 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1006 1009 10101 1012 1013 1014 1015 1016 1013 1022
14 🗆 Other:	30 C Other Business Services	102 102 102 102 102 102 102 102 102 102
C. Please indicate your organiza-	31 🖾 Transportation,	1051 1052 1053 1054 1055 1056 1057 1058 1059 1060 1061 1062 1063 1064 1065 1066 1067 1068 1069 1070 1071 1072 1073 1074 1075 1076 1077 1078 1079 1077
tion's primary business activity:	Communications, Utilities	1081 1082 1083 1084 1085 1086 1087 1088 1089 1090 1091 1092 1093 1094 1095 1096 1097 1098 1099 1100 1101 1102 1103 1104 1105 1106 1107 1108 1109 1110
(Check one.)	32 🗆 Other:	1111 1112 1113 1114 1115 1116 1117 1116 1119 1120 1121 1122 1123 1124 1125 1126 1127 1126 1129 1130 1131 1132 1133 1134 1135 1136 1137 1138 1139 1140
Computer-Related Businesses:	OCTOBER	141 1142 1143 1144 1145 1146 1147 1146 1149 1150 1151 1152 1153 1154 1165 1156 1157 1158 1159 1160 1161 1162 1183 1164 1185 1166 1187 1166 1189 1170
15 Manufacturer (Hardware, Software)	IBSD002	1171 1172 1173 1174 1175 1176 1177 1178 1179 1160 1181 1182 1183 1184 1185 1186 1187 1168 1189 1190 1191 1192 1193 1194 1195 1196 1197 1198 1199 1200

Please send me one year of BYTE Magazine for \$24.95 and bill me. Offer valid in U.S. and possessions only.

HANDS ON SOME ASSEMBLY REQUIRED



We Buy

NEW/USED

Computer Equipment

continued from page 308

requester and responder delete their names from the network by calling RemoveName, and the responder releases the socket used for servicing requests by calling CloseATPSocket.

The requester had actually opened two sockets, one to pass to RegisterName and another with which to carry out a transaction during the SendRequest call. The program doesn't explicitly open the second socket; ATP does that automatically in SendRequest. When the request arrives at the responder's end, the GetRequest function passes a "return address" to the responder's application program, so it knows where to send the response packet. The requester never really knows, nor needs to know, its own socket number.

Now You're Talking

Communicating with AppleTalk is more or less a matter of filling entries in a parameter block (a block of memory of predefined fields), loading register A0 with a pointer to the parameter block, and calling the proper function. A general road map of the parameter block would be difficult to construct, since it changes depending on whether you're calling NBP or ATP. Your best bet is to keep a copy of Inside Macintosh on hand. The pseudocode in listing 1 indicates those locations where the program is filling the fields of the parameter block with an IN Parameterblock DO structure (vaguely similar to Pascal's WITH construct). I have tried to keep the field names as close to the mnemonics given in Inside AppleTalk as possible.

The pseudocode follows the process I outlined above. Each side (sender and receiver) opens a socket, registers a name on the network, and then performs a LookupName() to locate the other side. The program branches to one of two processes, depending on whether it's sending or receiving.

The sender begins reading the file, transmitting 512-byte blocks via Send-Request(). The receiver reads the requests with GetRequest(), writes the data to the destination file, and then acknowledges its receipt with a Send-Response(). (Note that there's no real content to the response; it serves as an acknowledgment signal.) When the last block is transmitted (signaled by a block smaller than 512 bytes), both sides close their files and remove their names from the name table.

There are two data structures of special note that are too complex to describe in the pseudocode. The first is the buffer data structure (BDS). Before a program can send a request, it has to get its house in order for the response(s) it's certain to receive. (Remember that a given request can trigger up to eight responses.) ATP's SendRequest routine requires that you construct a BDS describing where incoming responses are routed.

Each element of a BDS—there can be up to eight—contains a pointer to available memory for the associated response, a byte count telling how big that memory is, and another byte count for how many bytes were actually received (see figure 2). When the first response comes in, it looks in BDS element 0 to figure out where to put the response data. When the second response comes in, it looks in BDS element 1, and so on. Since my program expects only one response consisting of a doubleword, this requires a single BDS element pointing to a 4-byte buffer.

The second data structure is used exclusively by NBP and is described in figure 3. The names table entry (NTE) is a member of a linked list that NBP keeps in memory. Each member corresponds to a name on the network associated with your node. NBP knows what names go with what network number, node, and socket. Whenever you register a name, you have to set aside memory space for that name's NTE. Furthermore, the NTE's memory block must be locked as long as that name is active (or it could get lost if memory moves during a heap compaction).

Done Talking

This concludes my romp through Apple-Talk. Next month, I'll do the same for NetBIOS. The source code for this month's program is available via the usual routes under filename ATTRANS (see page 5 for details). It's written in Palo Alto's Mach 2 Forth but should be readily adaptable to any other Forth dialect (and, with the help of the pseudocode, to other languages).

I plan to take a look at AppleTalk's Extended Protocol Package (XPP) in this column sometime in the near future. Stay tuned. ■

Rick Grehan is the director of the BYTE Lab. He has a B.S. in physics and applied mathematics and an M.S. in computer science/mathematics from Memphis State University. He can be reached on BIX as "rick_g."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.





...when you are looking for that extra terminal.



... when you need an outlet for your used equipment.



BIX CALENDAR

OCTOBER

Display this month's BIX activities

Let the interactive games begin!

BIX's newest exchange, the *Interactive Game Exchange*, is dedicated to interactive recreation on line. Action continues every night, and you can access it via your computer and BIX. Just as you can access all the other BIX exchanges—*Bulletin*, *IBM*, *Macintosh*, and *User's Group*—and all the BIX conferences.

SUNDAYS, 9 PM EST. Poetic Liberties

Poetry, art, music and stories from by gone days to yet-to-come days are featured in this conference. (join fun.n.games/game.room)

SUNDAYS, 9:30 PM EST. School Night

Learn about role-playing games on line and off line at Fantasy Foundation College. (join ff/ff.col)

MONDAYS, 9 PM-Midnight EST. Check into the Meade & Mirth Inn A free-form game set in the Middie Ages or far into the future. (join mnm/inn)

TUESDAYS & WEDNESDAYS, 9:30 PM EST. As the Ledinworld Turns

Ledinworld is the advanced D&D center of the Exchange. Enjoy real-time fantasy role-playing games as well as message-based player interaction. (join lworld/ledinworld)

THURSDAYS, 9 PM EST. Meanwhile, Back at the Inn . . .

... the free-form, role-playing games continue as the mead and mirth flow. (join mnm/inn)

THURSDAYS, 10:15 PM EST. Pandemonium

Contemporary parlor games and social activities. (join fun.n.games/game.room)

FRIDAYS, 9 PM EST. Trivia . . .

Begin your T.G.I.F. nights in the pursuit of trivia. (join fun.n.games/game.room)

FRIDAYS, 9:30 PM EST. . . . & Other Pursuits

... such as "Argonauts," the futuristic role-playing game. (join encounters/new.worlds)

SATURDAYS, 8:30 PM EST. Fantasy Meeting You Here

Play "One Night In Waterdeep" and other real-time fantasy role-playing games. (join lworld/ledinworld)

SATURDAYS, 9 PM EST. More Meade & Mirth

And you can add to the mirth every Saturday night. (join mnm/inn)

All-Month Conferences and Special Events

Macintosh Exchange—We expand BYTE's optical-devices product focus and in-depth coverage in the Macintosh Exchange this month by looking at some of the available optical-storage devices for the Mac. With rewritable optical media routinely able to store 600 megabytes, what can the Mac user expect to use such devices for? (join mac.hack)

Blue Tuesdays—Every Tuesday in October (9PM EST), join Barry Nance, IBM Exchange Editor, and the IBM conference moderators as they discuss issues and answer your questions about IBM and workalike computers. (join the main CBix area, channel 1, band B)

Wizards of OS.9-You're off to meet the wizards in this

special focus on CD-I/CD-RTOS with guest experts. (join os.9) New Conferences

journalism—Let practicing journalists show you how, what, when, where and why. (join journalism)

journalism.pro—A closed conference for professional journalists. Contact 'janziff' or 'jonhall' for details on how to join this conference.

sfwa—A closed conference for members of the Science Fiction Writers of America. Contact 'mike_banks' for details.

mac.macappda—Join with members of the *Macintosh* Applications Developers Association as they create new software for the Macintosh series. (join mac.macappda)

Circle 450 on Reader Service Card.

Finally. An on-line service that doesn't nickel and dime you.

It's BIX's flat-fee service.

BIX is short for BYTE Information Exchange. The on-line information service that's yours for an unheard-of flat fee of just \$39 for three months*—an amount you could easily waste in just two to four hours with an *hourly rate*, on-line service. (Not to mention the fact that you'd be nickel-anddimed for its monthly minimums.)

And here's another distinction: BIX is strictly for microcomputer pros; it contains no "fluff." As a subscriber, here's what you've got coming to you:

- □ All the information and ideas exchanged in more than 150 microcomputer-related conferences—a give-and-take in which you can participate.
- Microbytes Daily—up-to-theminute industry news and new

product information.

Plus support from hardware vendors and software publishers, access to extensive software libraries, and the use of our electronic mail service—which allows binary attachments.

Subscribe to BIX right now using your computer and modem. Set your telecommunications program for full duplex, 8 bits, no parity, 1 stop bit, or 7 bits, even parity, 1 stop bit. Now dial BIX at 617-861-9767, hit the return key, and respond as follows:

Prompt:	You Enter
login (enter"bix"):	bix
Name?	bix.flatfee

You can charge your BIX subscription to major credit cards, or have it billed to your company. You may also purchase unlimited off-peak access via Tymnet for just \$15 per month, or \$2 per off-peak hour, in the continental US**. For more information, including your local Tymnet access number, call 800-227-2983 (in New Hampshire and outside the United States, call 603-924-7681).

*Based on a \$156 annual fee, billed quarterly — a subscription you may cancel at any time without future charges. You may also subscribe for a 3-month trial at just \$59.

**For international rates, please consult your local PTT. Our international packet network address is 310690157800.



One Phoenix Mill Lane Peterborough, NH 03458 800-227-2983. In NH 603-924-7681.

PRINT QUEUE

Hugh Kenner

Curtains for Lady Buxley

THE HUMANITIES COMPUTING YEARBOOK: 1988

edited by Ian Lancashire and Willard McCarty

The Macintosh requests a decision. You are Denis Marin, born 1638, and in the French society of that era, your aim is (what else?) to maximize family prestige. Economic, political, marital opportunities abound. A flow of correspondence has kept you informed. You want a wife who will bring fortune and connections. Propose to Mlle. X? Ah, best check her status. If yours is lower, a refusal would ghettoize you for years. Such were seventeenth-century French realities.

In fact, you are an undergraduate studying the ancien régime. You are running a program called The Would-Be Gentleman, which lets you guide the Marin family through two generations, to 1715. A sort of pedagogical Zork, it calls for some 154 decisions (buy? sell? marry? beget?), and "when students act from twentieth-century motivations rather than from seventeenth-century assumptions, they fall neatly into traps set for them. A common way of losing the game is to arrive at 1715

with loads of cash and a high status but without any children to inherit them." That's no way to set up a dynasty.

This program, available for a mere \$7, engages students in "historical concepts otherwise very difficult to teach"; they learn, interactively, what it was like to live at that level of ambition in those years. It's described on page 150 of The Humanities Computing Yearbook, a work indispensable for anyone engaged in the field. (A huge field; in a moment, I'll try to describe it.) This first volume attempts a comprehensive survey from earliest times (the 1960s) through 1988. Hereafter, annual updates are promised.

All right, the "field": nearly anything that turns on "our writing system, the printing press, the public library," also art history, biblical studies, creative writing, editing and publishing, history, languages and literatures, text analysis...on and on. It's easier to say what's not included: no business applications, no engineering ones. To this broad domain, some 400 pages of fairly small print now offer a well-organized annotated bibliography, plus lists (with sources) of available software.

There are many surprises. Two decades ago, David Packard, a classicist who happens to be a Hewlett-Packard Packard, was reflecting that much of classical scholarship has always amounted to numb pattern-matching. (Find, in the corpus of Greek literature, every instance of the word *oinope*. Blearyeyed insomniacs, century after century, fingered parchment to accomplish chores like that.)

Packard's ruminations (I'm simplifying) led to section 19.7.1, "The A.P.A. Corpus: a repository of Greek and Latin texts in machine-readable form," developed by the Packard Humanities Institute and described in *Classical Journal* as long ago as 1977. (A.P.A. is the American Philological Association.) Since "Greek and Latin literature" can be rather strictly

defined, it's possible to claim that the "Corpus" is virtually complete. So the humanities discipline long deemed the very stuffiest got computerized ahead of all the rest.

No trick now to turn up all those instances of *oinope*. Homer applied it 10 times to the sea—hence the familiar translation, "wine-dark." But he also used it once for oxen, and Sophocles used it for a human forearm. A winedark arm? Perhaps we'd best rethink. Oxen sweat; so do arms. The sea too flashes back light from its fluent surface. May that word point not to color but—ah—to gleam?

The work with *oinope* was long since done, by hand. It's also had to be checked by repeated redoing; human eyes wander, human memories leak. So, post-Packard, we find machines dedrudging processes centuries-long defined. To deduce what old words may connote requires collections of instances to scrutinize. No better collector than a PDP-11.

continued



Knowledge Processing



Don't leave your users lost in a maze of information!

A knowledge processor communicates knowledge - the natural extension of everything we do on a computer.

It's the intelligent integration of everyday resources like data, text, logic, graphics, and video that turns information into knowledge.

KnowledgePro is the first knowledge processor. It combines a high-level, object-oriented programming language with hypertext and expert systems technology.

KnowledgePro gives you a total development environment with the tools you need to create intelligent multi-media applications.

PC Magazine, Holland... "KnowledgePro is the first of a new generation of software, the knowledge processor...it has the power of, for example, Pascal or PROLOG, but the programmer isn't troubled with the technical details."

PC Week, USA... "It's rare, but every so often a PC application comes along that breaks new ground and creates a fundamentally different way to use computers. According to its corporate users...KnowledgePro does just that."

Infoworld... "We don't live in a computational world. If we're going to move knowledge around we need tools...The same person who will learn macros in Lotus can learn this."

KnowledgePro costs \$495 with no runtime fees. It runs on IBM PC, XT, AT and PS/2 compatible machines with 640k of memory and a hard disk. A working demo with a 100 page manual is available for \$33 including shipping (\$38 foreign) with credit towards purchase of the full system.

Find out what knowledge processing is all about. Call 518-766-3000 (FAX 518-766-3003) or write to Knowledge Garden Inc., 473A Malden Bridge Rd., Nassau, NY 12123, USA. Amex, Visa or M/C accepted.

KnowledgePro® The intelligent way out

Another intelligent tool from



Circle 145 on Reader Service Card

KnowledgePro is a registered trademark of Knowledge Garden Inc. IBM, PC, XT, AT and PS/2 are trademarks of International Business Machines Corp.

Technology doing what was long done by hand: That's the story in field after field. Databases, unsurprisingly, are everywhere. Art historians use them, lexicographers, philologists. There's even one of Texas cave paintings, with digitized images. Archaeology, keeping track of countless sites and objects (e.g., pots, bones, and buttons), enjoys not only relational databases but a shareware program to analyze them.

R t this moment, some humanities computing seems to be in a state of free-fall. It's tool-driven, a bad way to be. Better, be situation-driven.



And some things now get done that our parents could never have thought of. When NASA's land-mapping techniques for digital image processing were turned on the *Mona Lisa*, they spotted areas where it had been altered.

Amid literary studies, though, things can get murky. No denying it, some things there are stably quantifiable. Think of letter- and word-frequency distributions. And there are writers whose manner we soon learn to recognize at a glance; Henry James comes to mind. So what it is that we're recognizing: might *that* be described by statistics? It's long been a tempting thought, and now we have computers....

Computerized procedures, I'm serenely convinced, could well distinguish the prose of James from that of Mickey Spillane. I'm less certain that they could sort out—oh, three George Bush speechwriters; there, surely, the style of the genre swamps nuances of personality? Yet that's the kind of question some historian may one day be asking.

So we find section 25.1, "Authorship Analysis," a controversial procedure indeed that looks for a writer's "fingerprint" by number-crunching measures of vocabulary and syntax and then offers decisions about texts of unknown authorship. One problem area is the sheer impossibility of verifying its findings. Trajectory calculations we can verify by firing a bullet. Unknown authorship, by whatever means we guess, must remain, alas, unknown.

The procedure is amusingly spun off in section 12.2, "Tools for Composition," where an outfit called Glatt Plagiarism Services helps instructors put "the suspected student" into the hot seat while a paper gets fingerprinted for plagiarism.

You want to know how that's done? Well, it assumes (1) the uniqueness of your "fingerprint," and (2) no one's ability to emulate a fingerprint as well as its owner. You're presented with your paper, every fifth word blanked out. You're timed while you sweat at filling in the blanks. The result goes off to Glatt, where they combine time with total correct responses to estimate a PPS (plagiarism probability score). For this, the instructor pays \$500 annually. A longtime instructor, I'm willing to trust hunches.

Or, if you've heard about text generators, over in section 7.3 there's Automatic Novel Writer, to generate 2100-word murder stories (which seem long enough) beginning, for example, "Wonderful smart Lady Buxley was rich. Ugly oversexed Lady Buxley was single." Or (7.4) Returner, "A program that analyzes Alberta T. Turner's poem 'Return' and simulates stanzas of a like kind." Spare me. One "Return" is enough.

Alberta T. Turner aside, I'm persuaded that interesting texts can be somehow spun out of existing texts. Charles Hartman and I have a book of poems in press; it fascinates us that you'd never guess what the computer derived them from (sentences for schoolchildren to analyze and parse). Somehow, a human core lingers. What constitutes it is a mystery. And the feel of our output differs from what's spawned by word lists plugged into sentence patterns. There's a great deal to be learned hereabouts.

Yes, some of this research seems trivial. Trivial too, if you had them all spread out before you, might be many of the findings of computer science. We're still learning what best to ask of our wondrously literal-minded slave. When a keystroke will give you a count of the letter q in a text, well, you're apt to request it, never mind what to think next. At this moment, some humanities computing seems in a state of free-fall. It's tool-driven, a bad way to be. Better, be situation-driven, the way the following narrative illustrates.

Fifty-some years ago, it occurred to Miles Hanley at the University of Wisconsin that James Joyce's *Ulysses* was one book for which a word index would be uniquely valuable, so deliberate had been Joyce's employment of isolate words. (He crossed them off long lists.) But, in 1936, a word index to a quartermillion-word text? Improbably, it got done, with cards and student slave labor and minuscule grants, and was circulated by mimeograph. And it made intellectual history, still not wholly reckoned, when its statistical tables—a seeming afterthought—caught the eye of a fanatic, Harvard's George Kingsley Zipf.

Zipf noted what has since been known as Zipf's law: an exact inverse correlation between frequency and appearance. There had been no statistics for a text of this size before. And lo, if the commonest word (*the*) occurred 16,000 times, then—as if to compensate—the count of *Ulysses* words that occurred but once was 16,000! And so on. A log-to-log graph of frequency versus occurrence is a straight slanting line. It gets pondered yet. Trying to lend it mathematical rigor was the effort of Benoit Mandelbrot's first published paper, and chapter 38 of *The Fractal Geometry of Nature* shows that line of thought pointing him toward what he's famous for.

The moral seems to be that Hanley knew what he wanted, an index to a unique text, and Zipf knew what he wanted, a pattern, and Mandelbrot knew what he wanted, a taxonomy of patterns. The tool-driven often don't quite know what they want, and they generate Automatic Writers of "novels" that no one is likely to dream of reading. I promise not to report another sentence about ugly oversexed Lady Buxley. ■

Oxford University Press, New York: 1988, 404 pages, \$59

Hugh Kenner is a professor of English at Johns Hopkins University. His reviews have appeared in publications like the New York Times and Harper's. His recent books include A Sinking Island and Mazes. He can be contacted on BIX as "hkenner."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

Quality In. Quality Out



No matter how well acquainted you are with making important personal computing decisions—decisions that may involve hundreds of thousands of dollars-the value of those decisions is only as good as the value of your information. Without quality information-it's hard to make quality decisions.

BYTEweek, McGraw-Hill's new weekly newsletter for professionals in the personal computer industry, is devoted to giving you that quality information through its timely and compact one-stop news format.

This new publication provides you with short, easy-to-read selections of the most important news and technological developments of the past week. And BYTEweek interprets this news with indepth commentary and analysis.

Subscribe to BYTEweek for quality information. Remember, quality in . . . quality out.

Subscribe now and take advantage of the special one-year charter subscription rate of \$395 (\$495 outside the U.S. and Canada). This special price represents a savings of \$100 off the regular rate. Your subscription includes 50 issues plus a free three-month subscription to BIX-a \$49 value. Through BIX you can directly access the Microbytes Daily news service and communicate with other BIX users.

Don't miss this opportunity! In the U.S., call BYTEweek's toll-free number: 1-800-258-5485, in N.H. and outside the U.S., call: 1-603-924-9281.

BYTEweek offers a money-back guarantee if you're not completely satisfied.





STOP BIT **I** Peter Wayner



The computer revolution is a success, and nothing will ever be the same

hen I was in seventh grade in 1976, my friends and I discovered the phone number to access the nation's research network, ARPANET. We found an unattended teletype with a modem in a science lab of our forward-thinking junior high school and dialed away. ARPANET asked for a password, but we soon discovered that it didn't matter what we typed—the network would always let us in. Back then, life was free and easy in the world of computers, and nobody worried about security.

My friends and I spent the rest of the school year playing computer games, talking to people at MIT, experimenting with the software, and trying to find our way around a toy that was as big as all of the U.S. We never did anything damaging, and no one seemed to worry or even care that we were there.

In an earlier frontier—the American west—there was a sheriff, but he had plenty of ground to cover. The peace was kept by an unofficial code of what was good and bad. And just as the old gunfighter never shot anyone in the back, a hacker would never erase someone else's files. He or she might hide them or play some other clever prank that made him or her the most awesome weenie around, but the actions were never fatal. It was a wild West with a sense of humor, a Sergio Leone movie with Robin Williams instead of Clint Eastwood.

Now, though, the frontiers are closing in. As time goes by, there will be fewer and fewer leisurely raft trips through the electronic rivers for the Huck Finns among us who would rather avoid being

civilized. Computer shenanigans are big news, and the people judging the mug shot in the paper are rarely going to relish the technical bravado. They are more likely to have a chip on the shoulder from the last time a computer screwed up one

GOODBYE,

MR. CHIPS

of their bills. In the old days, the computer weenie caught slipping into forbidden machines was rarely dealt with in court. Although the crime was usually the equivalent of breaking and entering, the laws were vague and generally predated the transistor. The victims usually settled with the hacker out of court, in return for learning about the security holes in the system. Now, several years after the movie "War Games" hit the screens, prosecutors see electronic cat burglars as an interesting evolving part of the law—but not a technical problem beyond understanding.

In Syracuse, the story of Robert Morris, America's computing cover boy, continues to unwind. Morris is charged with creating the virus that brought AR-PANET to its knees last November. The federal government will attempt to prosecute Morris under a 1986 law prohibiting unauthorized use of federal computers. This is an important case to the government; it doesn't want the case to end in an acquittal, thereby sending the wrong message to all the budding young computer geniuses out there.

Getting a conviction in this case will be difficult. The prosecution will have to deal successfully with the philosophical question of whether a person who programs a virus to invade a computer is guilty of invading the computer. And what constitutes evidence that the mastermind did it all? There is also the problem of intent; the law prohibits destroying or copying information, but the virus that crippled ARPANET was only out for a Sunday drive, albeit at light speed.

When the automobile was introduced, those who could afford to buy one were overcome by an incredible feeling of liberation. The automobile gave people the freedom to go anywhere. Henry Ford wasn't a great success because he built a clever assembly line, but because he turned the dream of being able to hop to the next town on a whim into reality. Unfortunately, too much of this fourwheeled freedom has come to mean smog, traffic jams, auto insurance, speed limits, and long lines at the Department of Transportation. Is California still known for being the untamed land at the end of the frontier? No; it's now just the home of the freeway.

Will the same thing happen with computers? I'm afraid so. It will take a while, but the power of civilization is too strong to resist. The computer revolution is threatened with the curse of succeeding. Once everyone starts using some new machine, the temptation to make everything right by regulation comes creeping in. One minute you're on the cutting edge of technology, and the next minute, there's a large, gray building in Washington overseeing your actions.

There really is no other way. When things get big and everyone gets involved, keeping the peace must be made more efficient. I guess that's what computer scientists would want if we were organizing the world the way they try to organize their software: justice completely and rigorously defined.

But somehow, it doesn't seem the same anymore. ■

Peter Wayner, a consulting editor for BYTE and a graduate student at Cornell University, recently completed a summer internship at Xerox Palo. Alto Research Center. He can be reached on BIX as "pwayner."

Stop Bit is an open forum for informed opinion on topics related to personal computing. The opinions expressed are those of the author and not necessarily those of BYTE or its staff. Your contributions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.



Are you using a DOS-based personal computer for controlling instrumentation? Do you want the best available software tools for acquiring and analyzing data using standard DOS programming languages? If your answer to these questions is *yes*, LabWindows[®] is just the solution you're looking for. The unique LabWindows function panel interface lets you interactively control your instrumentation hardware and collect data, as well as automatically generate Microsoft[®] C or QuickBASIC program code for your application.

With LabWindows you can control GPIB, RS-232, or VXI instruments, or plug-in data acquisition cards for PS/2 and PC-AT computers. For standalone instrument users, the LabWindows instrument library has over 50 ready-to-use instrument drivers so you can program your instrument using intuitive instrument-specific function panels, without knowing the instrument inside-out.

Because acquiring data is only one element of your application, LabWindows has a complete set of QuickBASIC and C compatible libraries for data analysis, presentation, and storage. Manipulate arrays, create a histogram, or use the optional Advanced Analysis Library to perform operations such as Fast Fourier Transforms, digital filtering, and curve



Circle 188 on Reader Service Card

fitting. Give your programs a big performance boost using the specially optimized LabWindows analysis routines for computers with an 80387 numeric coprocessor. For your data presentation and storage needs, use the LabWindows Graphics Library to create multiplot graphs, bar charts, or scatter plots, and use the

Data Formatting Library for data logging and file operations.

ALL

If you're looking for the right tools to take maximum advantage of your DOS computer using QuickBASIC or C for data acquisition and analysis, there is only one solution...LabWindows. Call National Instruments at (800) IEEE-488 to speak with a sales or applications engineer about how LabWindows can help you.

Ask for a FREE Catalog

NATIONAL INSTRUMENTS OF JAPAN (03) 788-1922 • NATIONAL INSTRUMENTS OF FRANCE (1) 486 53370 • NATIONAL INSTRUMENTS UNITED KINGDOM (06) 355-23545 • ARGENTINA (1) 46-5776 • AUSTRALIA (2) 736-2888 • BELGIUM (2) 466-8199 • CANADA (416) 890-2010, (613) 596-9300, (514) 747-7878, (403) 295-0822, (604) 988-2195 • CHILE (2) 225 3689 • DENMARK (2) 251-122 • FINLAND (0) 372 144 • GREECE (1) 361-1283 • HONG KONG (2) 0426-2707 • IRELAND (846) 661414, (3) 427-2282 • ISRAEL (3) 324 298 • ITALY (2) 984-91071-2-3 • KOREA (2) 776-5340 • MEXICO(5) 660-4323 • THE NETHERLANDS (7) 099-6360 • NEW ZEALAND (9) 444-2645 • NORWAY. (2) 53-1250 • PORTUGAL (1) 545-313 • SINGAPORE (65) 336-4713 • SOUTH AFRICA (011) 787-0473 • SPAIN (1) 455-8112 • SWEDEN (8) 792-1100 • SWITZERLAND (6) 552-8949 • TAIWA/YTHE REPUBLIC OF CHINA (02) 703-6280 • THAILAND (2) 234-9330 • WEST GERMANY (89) 80-7081



A price/performance breakthrough for 386-based systems, the new Tandy 4000 SX combines more integrated features than ever in a machine at this price.

The Intel® 80386SX microprocessor combines the ability to run highperformance 80386 based software, as well as current 80286 and 8088 based software. You get the best of both worlds—32-bit performance with 16-bit hardware compatibility. This means the Tandy 4000 SX insures your computer investment for the future. As a low-cost alternative to an expensive 386 system, you won't be left behind when you want to move on to more advanced 386 based applications, like MS[®] OS/2.

Built-in VGA graphics give you beautifully detailed, high-resolution displays. Add a color analog monitor and create astonishing graphics in up to 256 colors (from a palette of 256,000) for nearphotographic clarity.

The 4000 SX's SmartDrive™ Integrated Drive Electronics (IDE) technology allows you to add high-performance hard disk drives without the need or expense of installing a separate disk controller.

Innovative technology. Quality engineering. Competitive pricing. Come see the new Tandy 4000 SX today. From the best-selling family of PC compatibles made in America.



SmartDrive/TM Tandy Corp. Intel and 386/TM licensed from Intel Corp. MS/licensed from Microsoft Corp.