



BYTE

dBase for Windows

Quad-Speed CD-ROM
Drives Deliver

Features Lotus Notes
Users Want Most

THE MAGAZINE OF TECHNOLOGY INTEGRATION

SPECIAL REPORT

Small Office, Big Business

From the Internet to smart phones...
how to make ANY business
perform like a big one



PLUS

Lab Report: The Best Big-Screen Monitors

New Standards to Help Manage Color

PAGE 93



02662

0 440235 0

01

\$3.50 U.S.A./\$4.50 IN CANADA
A McGraw-Hill Publication/0360-5280


MPA

The best way to build Windows database applications



"With just a few mouse clicks I can create great-looking forms very easily, using tools that automate the work for me."

—Smith Barney Shearson





SE WINDOWS



Unmatched compatibility is just the beginning

Whether you want to create stunning forms and reports, develop professional Windows database applications, or use information stored in remote databases, only dBASE[®] for Windows gives you the tools you need ... using knowledge you already have. Your investment is secure because your existing dBASE data, applications and knowledge all move forward into Windows. You can even use the new Component Builder™ to give your existing applications a graphical look. And dBASE for Windows and dBASE for DOS can be run concurrently by different users on a network. But compatibility doesn't begin to capture the excitement of the new features you simply have to see to believe.

New features make managing your data easier

dBASE for Windows takes full advantage of Windows. Powerful, new, visual tools like the Navigator and Catalog Window let you view, organize and run all your tables, queries, forms, reports, labels, programs and related files, just by pointing and clicking with your mouse. The new Visual Query Designer and SpeedFilter™ technology returns answers fast, even when you're searching multiple tables. The FormExpert™ helps you create great-looking forms. And with SpeedMenus,™ Object Inspectors,™ Interactive Tutors™ and On-line Help, you'll be up, running and seeing productivity gains right away.

Upsize to client/server using what you already know

While you may not think of yourself as a developer, dBASE for Windows' superior design tools make it easy to create your own applications. Unique Two-Way-Tools™ create dBASE code for you automatically and even let you work interchangeably between your visual design tools and dBASE code. There are even prebuilt "objects" for you to use, or modify with simple point-and-click commands. Put the new objects together and you've just created a new, fully functional, Windows application.

And dBASE for Windows is the only database that provides a smooth transition into the client/server environments of the future. That's because we make it as easy to access and use remote SQL data as it is to use your local dBASE data.



Borland
The Upsizing Company

Your path from DOS to Windows and Client/Server is here! Call now

1-800-336-6464 ext. 8918

**WE
S
A
RE
OB**


FOR WINDOWS

**the
future
is here!**

- **It's Windows**
- ♥ **It's Object-Oriented**
- ♦ **It's Client/Server**

And it's what you already know!

dBASE developers: it's everything you asked for



dBASE[®] for Windows dramatically leverages the knowledge, applications, and data of the seven million dBASE users worldwide. It moves you from DOS to Windows and client/server in a single step.

And it pioneers new levels of productivity for everyone who works with information. dBASE for Windows again sets the standard for data management and database application development.

Upgrade Now!

The best way to build Windows database applications.

\$199⁹⁵
UPGRADE



■ dBASE Windows

\$149⁹⁵
UPGRADE



■ dBASE 5.0 for DOS

dBASE Training Videos

■ Learning dBASE for Windows



\$49⁹⁵

■ Developing with dBASE for Windows

\$49⁹⁵



Your path from DOS to Windows and client/server is here, CALL NOW!

1-800-336-6464, ext. 8918

FastFax 1-800-408-0001

Certification 1-800-353-2211

Canada 1-800-461-3327

Borland
The Upsizing Company

Copyright © 1994 Borland International, Inc. All rights reserved. All Borland product names are trademarks of Borland International, Inc. Prices good in the United States and Canada only. All prices are in U.S. dollars. Dealer prices may vary. BI 7411

Circle 65 on Inquiry Card (RESELLERS: 66).

Power Macintosh


Steve Archuleta
Director, Systems for Mass
Markets Service Delivery
U S WEST, Phoenix

During the week, Steve manages the systems and processes that support 11 million customers in 14 western states. On weekends, he dotes on his granddaughter, rushes the net on the tennis court and, "when I'm feeling daring," scales the face at local rock climbing havens.



“There’s leading edge. And bleeding edge. And you

The RISC-based PowerPC™ microprocessor at the heart of every Power Macintosh takes desktop computing to new levels of performance and compatibility. For the name of your nearest authorized Apple reseller, call 800-732-3131, ext. 750, today.



have to walk the line to stay competitive.

That’s why we use Power Macintosh. It’s a

RISC PC, so it’s leading the way. But it’s

also a Mac that can run Windows and

DOS, so it’s compatible with everything



“In some cases, we used to have three different PCs on one desk—an absolute monument to systems failure. So that’s where we put the Power Macintosh first. Now there’s one PC per desk, the Power Macintosh. One happy user per desk, too.”

we’re doing now. That makes Power Macintosh a



Mac OS For Windows

Power Macintosh™ fits right in at U S WEST, where people use many different types of PCs and 30 or so custom DOS and Windows programs. “Power Macintosh helps our people collaborate, no matter what kind of PC they use.”

very safe choice. Which is good for a guy

like me. I take my risks on the weekend.”

Power Macintosh. The business Macintosh.



News & Views

GROUPWARE

What Notes Users Want.....24
As great as Lotus Notes is for deploying productivity-enhancing applications throughout a company, it still suffers from numerous weaknesses. Here's what users want and a hint of things to come from Lotus.

WINDOWS DATABASES

End-User Windows Databases Take Off.....28
BYTE looks at three Windows database offerings—Microsoft Access 2.0, Lotus Approach 3.0, and Alpha Software's Alpha Five for Windows—that claim to be the best end-user database available.

STORAGE TECHNOLOGIES

15 MB in a Matchbook.....30
The storage capacities of personal communications devices, pagers, and digital cameras could improve greatly in 1995 thanks to a 32-Mb new flash memory device called CompactFlash from SunDisk.

WIRELESS TECHNOLOGIES

Infrared Gets Real.....30
The Infrared Data Association's new standard has vendors getting on board the infrared bandwagon.

VIDEO EDITING

Professional Video Prices Drop....34
Powerful desktop computers combined with new video editing programs are delivering professional video editing to the PC, Mac, and Power Mac platforms.

DOCUMENT MANAGEMENT

Indexing Gets Smart.....36
Information publishers are turning to a new breed of smart indexing tools that can automatically summarize and condense huge documents without human intervention.

INTERNET COMMERCE

The Next On-Line Wave.....40
On-line services are responding to the enormous demand of users for Internet accessibility by incorporating Internet access and tools.

NEW PRODUCTS

What's New.....240
The PN60 prints color anywhere; CalcPac calculates in Windows; Duct puts a Mac voice in PCs; and more.

Special Report: Small-Office Computing

Small-Office Computing 120

BY PAULINA BORSOOK AND MICHAEL NADEAU

The Virtual Storefront 125

BY ANDREW SINGLETON

Making the Internet Connection—126
One Person's Internet Business—132

Curing the Windows Fax Blues 133

BY STAN MIASTKOWSKI

Doing It All on One Line 145

BY ANDY REINHARDT

Caller ID Goes to Work 149

BY GILBERT AMINE,

ANNETTE RIGGIO,

AND ELLIS HILL

High-Tech Bookkeeping 155

BY KEN SHELDON

Features

1994 BYTE Awards 49

COMPILED BY DENNIS BARKER BYTE editors pick the 50 outstanding products or technologies of the past year.



FIELD-SERVICE AUTOMATION

Solutions Focus: The Newton Goes Vertical 64

BY ANDY REINHARDT Why a maker of phone-testing equipment chose to repackaging the Apple Newton MessagePad as its solution for client/server-based automated field service.

WORLD WIDE WEB

Mosaic: Beyond Net Surfing 75

BY JOHN R. VACCA This GUI navigator is also a tool for doing business on the World Wide Web.

State of the Art

COLOR MANAGEMENT

Matching Colors 88

BY RUSSELL KAY

Getting the color you want without unpleasant surprises is no simple trick.



Consistent Color 93

BY MICHAEL SUGIHARA

New software standards help manage color for consistent and accurate reproduction.

Reviews



PAGE 175



PAGE 191



PAGE 193



On-Screen Color 101

BY BILL HILLIARD

Today's crop of monitors are producing better color than ever. Here are some tips on how you can pick the best monitor and video card to get the kind of color accuracy you need.

CD-ROM DRIVES

Quad-Speed CD-ROM Delivers 165
 BY MICHAEL NADEAU Four new quad-speed CD-ROM drives are affordable if you work with high-speed video or animation.

IMAGE EDITING

Lively Pictures 171
 BY TREVOR MARSHALL HSC Software's Live Picture is an impressive image editor for the Power Mac.

APPLICATION SERVERS

Apple's Workgroup Server 9150 175
 BY RAYMOND GA CÔTÉ Apple presents its top-of-the-line PowerPC-based system as an application server.

PROGRAMMING

Prograph CPX: Purely Visual 179
 BY RAYMOND GA CÔTÉ Macintosh programmers have access to a powerful visual-programming environment—and it's not from Microsoft.

PRESENTATION SOFTWARE

Software Roundup: Powerful Presentations for Windows 183
 BY SUSAN YEATON The traditional slide-show leaders—Charisma, Harvard Graphics, Lotus Freelance Graphics, and Microsoft PowerPoint—concentrate on power and usability.

PROJECTION PANELS

Audience Share 191
 BY G. ARMOUR VAN HORN As more people incorporate sound and video in their presentations, projection panels must keep up. Proxima's new Ovation+ active-matrix LCD projection panels support 24-bit color and stereo sound.

DATABASES

dBase Does Windows 193
 BY JIM CARLS The Windows version of dBase makes all the right noises in object orientation and ease of use, and it knows how to read old dBase files.

INTERNET INTERFACES

Internet with Style 197
 BY BEN SMITH Netscape Communications' free Mosaic browser is optimized for 14.4-Kbps modem connections. Versions of its commercial Mosaic server offer security features to enable commerce on the Internet.

MODELING SOFTWARE

Bringing 3-D Modeling to PCs 201
 BY EVAN YARES Autodesk releases AutoCAD Designer 1.0, a 3-D solid-modeling program.

LARGE-SCREEN COLOR MONITORS

Lab Report: 62 Big, Beautiful Color Monitors 204
 BYTE/NSTL searches for the best 17-, 20-, and 21-inch monitors, using an extensive battery of tests to measure image quality, sharpness, contrast, convergence, legibility, power consumption, and distortion. We also evaluate ease of setup, controls, power management, and documentation.

- The Best 17-inch Monitors—206
- How We Tested—210
- The Best 20- and 21-inch Monitors—212
- Honorable Mentions—216
- Dubious Achievements—216



Pournelle: Communications Issues.....231
 BY JERRY POURNELLE Jerry discusses modems and networking.

Books and CD-ROMs: Creating Life in a Computer..45
 BY ANDREW SINGLETON AND RUSSELL KAY A look at books on artificial life and genetic programming and a CD-ROM on warplanes.

Commentary: Who Needs the Internet?....296
 BY RICHARD JENNINGS Heresy or a cogent view?

Publisher's Letter14
 BY DAVID EGAN



Blasts from the Past.....41
 Highlights from two decades of covering the PC revolution.

Letters.....18
 Readers describe solutions using agent technology and express frustration with TCP/IP addressing.

Reader Survey140

READER SERVICE

- Editorial Index by Company 294
- Alphabetical Index to Advertisers 290
- Index to Advertisers by Product Category 292
- Inquiry Reply Cards: 196A, 292A

BUYER'S GUIDE

- Mail Order Hardware/Software Showcase 249
- Buyer's Mart

PROGRAM LISTINGS

From BIX: Join "listings/frombyte95" and select the appropriate subarea (i.e., "jan95").
 From the UUNET:ftp to ftp.uu.net, log on as "anonymous," and enter your user ID as your password. Type "cd/published/hyte" and type "DIR." Files appear in subdirectories by month.
 From the BYTE BBS at 1200-9600 bps: Dial (603) 924-9820 and follow the instructions at the prompt.

BYTE (ISSN 0360-5280) is published monthly by McGraw-Hill, Inc. U.S. subscriber rate \$29.95 per year. In Canada and Mexico, \$34.95 per year. European surface mail subscriptions \$60, airmail \$85. Non-European subscriptions, \$60 surface mail or \$85 airmail. All foreign subscriptions are payable in U.S. funds that can be drawn on a U.S. bank. Single copies \$3.50 in the U.S., \$4.50 in Canada. Executive, Editorial, Circulation, and Advertising Offices: One Phoenix Mill Lane, Peterborough, NH 03458. Second-class postage paid at Peterborough, NH, and additional mailing offices. Postage paid at Winnipeg, Manitoba. Canada Post International Publications Mail Product Sales Agreement No. 248492. Registered for GST as McGraw-Hill, Inc., GST #123075673. Printed in the United States of America. **Postmaster:** Send address changes and fulfillment questions to BYTE Subscriptions, P.O. Box 552, Hightstown, NJ 08520.

Core Technologies

PROGRAMMING

FPU Precision.....223
 BY OLIVER SHARP A simple comparison program can help programmers who grapple with FPU imprecision.

CPUS

AMD's 29030 Microprocessor.....225
 BY FLOYD GOODRICH A flexible bus interface and the ability to sustain high performance with low-cost memory make the 29030 a good choice for the embedded market.

OPERATING SYSTEMS

The Oberon/F System227
 BY DICK POUNTAIN Niklaus Wirth's Oberon/F is a lightweight, portable, object-oriented component framework for the Windows and Mac environments.

NETWORKS

Daisy-Chain Ethernet229
 BY STAN MIASTKOWSKI Bring the legendary simplicity and flexibility of PhoneNet to the twisted-pair Ethernet LAN.



Final Output 209
 BY MICHAEL WEISS Color printers, more affordable than ever, hold out the promise of better color.

This page presents the articles in this issue according to computing platform.

DOS/WINDOWS

End-User Windows Databases Take Off.....28

Each of these three Windows databases—Microsoft Access 2.0, Lotus Approach 3.0, and Alpha Software's Alpha Five for Windows—comes with a rich toolset designed to enhance your productivity as soon as you tear into the box.

Professional Video Prices Drop.....34

Premiere 4.0, Adobe's professional-level video-editing program for Windows, the Mac, and the Power Mac, offers many new features that will appeal to video professionals.

Curing the Windows Fax Blues.....133

Here are some tips on troubleshooting fax modem problems to get your fax modem working in your Windows PC.

Caller ID Goes to Work.....149

Borland's Sidekick for Windows is among a growing list of applications programs incorporating caller ID capability into its list of features.

High-Tech Bookkeeping.....155

Two technologies that may change the way businesses keep their books on computer are OLE and on-line electronic services. Peachtree Accounting for Windows, MTX Accounting from MTX International, and Intuit's Quicken 4 for Windows all make use of OLE technology.

Powerful Presentations for Windows.....183

Windows offers the right environment for presentation software. Presenters can preview their work or deliver a presentation from a notebook PC. The traditional slide-show leaders—Charisma, Harvard Graphics, Lotus Freelance Graphics, and Microsoft PowerPoint—concentrate on power and usability.

Audience Share.....191

Proxima's Ovation+ projection panels let you project Windows presentations with animation or video. The active-matrix LCD panels support 24-bit color and stereo sound.

dBase Does Windows.....193

dBase for Windows is finally here, and it's a real Windows version, with drag-and-drop querying and new object-oriented language extensions.

Bringing 3-D Modeling to PCs.....201

Autodesk Designer was conceived as a relatively low-cost alternative to workstation-based solid-modeling programs. Version 1.0 is a decent first effort, but it lacks many of the precision tools that serious CAD users require.

OS/2

Code Talk: File I/O on Objects, Instead of Bytes.....40

This month Grehan takes a look at Gamelon, an object-oriented file access library for OS/2, Windows, and Windows NT.

MACINTOSH

Professional Video Prices Drop.....34

If you want professional-level video editing and don't mind mixing, matching, and verifying hardware and software components, Adobe's Premiere 4.0 for the Mac, Power Mac, and Windows offers a low-cost alternative.

Lively Pictures.....171

Macintosh-based artists have much to cheer about with HSC Software's Live Picture, which brings high-end workstation editing to the Power Mac. Tests reveal minor problems with pixellation at some zoom levels, however.

Apple's Workgroup Server 9150.....175

Here's a look at Apple's high-end PowerPC-based application server.

Prograph CPX: Purely Visual.....179

State-of-the-art visual programming on the Macintosh is fully extendable to keep up with changes to the Mac Toolbox.

Audience Share.....191

With Proxima's Ovation+ projection panels, you can project animation and video from your Mac at 640 by 480 resolution. The active-matrix LCD panels support 24-bit color and stereo sound.

UNIX

The Oberon/F System.....227

Oberon/F, an object-oriented component framework, is currently in beta for Windows and the Mac. Versions are also planned for Unix/Motif and OS/2.

NETWORKS

Mosaic: Beyond Net Surfing.....75

While the Internet provides access to a worldwide collection of information resources and services, navigating the network can be frustrating and confusing. Mosaic is a GUI navigator and a tool for conducting business on the World Wide Web.

Making the Internet Connection.....126

If you're thinking about connecting to the Internet, you may just need dial-up access or you may need a full-fledged Internet protocol connection. Be sure and consider the pros and cons of each.

Apple's Workgroup Server 9150.....175

Apple's top-of-the-line PowerPC-based application server provides a variety of network services, such as automatic cataloging, prepress color separation, printing, and fax communications.

Internet with Style.....197

Netscape Communications offers Mosaic browsers optimized for 14.4-Kbps modem connections, and its servers offer the encryption and security to run a commercial service on the Internet. You can even set up a site local to your LAN if you just want to publish corporate information to your local users.

Daisy-Chain Ethernet.....229

Farallon Computing and Tut Systems are both challenging conventional wisdom by offering daisy-chain Ethernet using inexpensive and easier-to-install copper wire instead of coaxial cable. We examine Farallon's EtherWave and Tut's Silver Streak.

Pournelle: Communications Issues.....231

Jerry discusses networking and communications issues.

Accounting 155

Adaptive computing 36

Awards 49

Books 45

CAD 201

Caller ID 149

CD-ROM drives 165

Color 88, 93, 101, 109, 204

Communications 24, 30, 75, 125, 133, 145, 231

Computer telephony... 145, 149

CPUs 225

Databases 28, 193

Document management..... 36

Graphics 171, 201

Groupware 24

GUIs 36, 75

Image editing 171

Indexing 36

Internet 40, 75, 126, 132, 197, 296

Modems 133, 145, 231

Monitors 101, 204

Multimedia 191

Networks 75, 175, 197, 229, 231

Operating systems 227

PDA's 64

PowerPC..... 34, 171, 175

Presentations 183, 191

Printers..... 109

Programming..... 36, 40, 179, 223, 227

RISC 225

Servers 175

Small-office computing..... 120, 125, 133, 145, 149, 155

Storage..... 30

Video..... 34

Wireless..... 30

World Wide Web..... 75, 125

BACKUP ON CD!

Recordable CD Backup System



TAPE IS OUT.

- Tape is slow
- No random access
- One-year shelf life
- Too many different formats
- Reliable?



OPTICAL IS IN.

- Recordable CD is fast
- Random access
- Five-year shelf life
- CD-ROM standard format
- Very reliable

The CD has replaced the tape cassette in the music industry. And Recordable CDs are well on their way to replacing tape in the computer industry.


Introducing the new **Pinnacle RCD-1000™** - the best way to backup your data. Our Recordable CD System comes complete with backup software for \$1995. Each Recordable CD holds up to 680 Megabytes of fast random access data. RCD media is reliable with a five-year shelf life guaranteed. And inexpensive, only \$29 per disk or 4 cents per Megabyte. The Pinnacle RCD-1000™ is ideal for data archival, as well as creating and testing multimedia titles, even making your own music CD of custom tunes. The RCD is the best way to backup data since RCD media can be played back on most CD-ROM drives.



Pinnacle RCD-1000™

The new Pinnacle RCD-1000™ is a **double speed** multisession recorder and player. It supports ISO 9660, CD-XA, CDI and CD Red Book audio recording standards. The RCD-1000™ is equipped with a big 1 MB cache buffer that will ensure compatibility with most hard disk drive systems. Available in internal or external versions.

The RCD-1000™ system comes complete with Pinnacle's **easy-to-use** software program and **backup utility** for Windows. Simply drag and drop files from your File Manager application to your RCD application window and in minutes you've mastered your own compact disc - from data backups to new information creations.



Windows RCD Backup Utility

All Trademarks and Registered Trademarks of Their Respective Owners

TO REACH THE PINNACLE CALL: 800-553-7070

Tel: 714-727-3300 Fax: 714-789-3150

Circle 103 on Inquiry Card (RESELLERS: 104).

PINNACLE  **ICRO**
THE OPTICAL STORAGE COMPANY



THE NEW COMPAQ LTE ELITE. ALL THE FEATURES YOU ASKED FOR. FROM THE DIFFICULT~

At Compaq, we always try to give you the notebook features you've asked for. Even if your requests do seem to stretch the laws of physics. Case in point: the Compaq LTE Elite.

To begin with, we actually found a way to get rid of that bulky AC adapter that you've always had to carry. We built the LTE Elite to have its own built-in AC adapter, so when you travel, all you need is a thin power cord.

At your request, we also designed it to be easily expanded. The LTE Elite gives you a choice of fast 486 processors (up to 75MHz) and a removable hard disk. It also has PCMCIA slots that let you use over 140 Compaq-tested cards. And almost every key component is upgradeable: the memory, the display and the processor itself.

We even designed the LTE Elite to make things easier in the office - with the SmartStation and MiniStation expansion bases. Both of these

options feature built-in networking* and SCSI-2 capabilities for an instant desktop configuration - with ports for your full-sized monitor and keyboard. The SmartStation also adds expansion slots and bays,



a spare battery charger and motorized docking.

Of course, the LTE Elite also provides the peace of mind that comes with the Compaq three-year warranty** and free 24-hour helpline.

You can try the LTE Elite for yourself at a nearby authorized Compaq reseller. Or, if you would prefer receiving specifications immediately via fax, just give us a call at 1-800-345-1518, choose the PaqFax option and select document #4023.

With the LTE Elite, you'll find it's hard to make a wrong decision. If not impossible.

COMPAQ

© 1994 Compaq Computer Corporation. All rights reserved. Compaq and LTE registered U.S. Patent and Trademark Office. Elite, SmartStation and MiniStation are trademarks and PaqFax is a service mark of Compaq Computer Corporation. *SmartStation includes built-in Ethernet capabilities. MiniStation is available in Ethernet or Token-Ring models. **Certain restrictions and exclusions may apply. Monitors, battery packs and certain options are covered by a one-year warranty. The Intel Inside logo is a registered trademark of Intel Corporation.



~ TO THE IMPOSSIBLE.



Circle 293 on Inquiry Card.

EDITOR IN CHIEF
Raphael Needelman

Editor in Chief's Assistant: Linda Higgins

EXECUTIVE EDITOR
Rich Friedman

CHIEF OF CORRESPONDENTS
Dennis Barker

MANAGING EDITOR
Lauren Stickler Thompson

ASSISTANT MANAGING EDITOR
Tom Kevan

NEWS

Peterborough:
News Editors: David L. Andrews, Carol J. Swartz
International: Martha Hicks
New York:
News Editor: Salvatore Salamone
San Mateo/West Coast:
Bureau Chief: Andrew Reinhardt
Senior Editor: Tom Halfhill

PRODUCT REVIEWS

Director: Stanford Diehl
Senior Technical Editors: Rick Grehan, Douglas Tamasanis
Technical Editors: Rex Baldazo, Selinda Chiquoine, David Essex, Dave Rowell

STATE OF THE ART/FEATURES

Peterborough:
Senior Editor: Alan Joch
Technical Editor: Russell Kay
Lexington:
Senior Editor: Edmund X. DeJesus

SENIOR TECHNICAL EDITORS

At Large: Tom Thompson, Jon Udell

SENIOR RESEARCHER

Rowland Aertker

ASSOCIATE TECHNICAL EDITORS

Susan Colwell, Cathy Kingery, Mark Reynolds, Warren Williamson

SENIOR CONTRIBUTING EDITOR

Jerry Pournelle

CONTRIBUTING EDITORS

Stephen Apikl, Michael Nadeau, Barry Nance, Dick Pountain

CONSULTING EDITORS

Nicholas Baran, Raymond GA Côté, Howard Eglowstein, Trevor Marshall, Stan Mlastkowski, Roberta Pournelle, Ellen Ullman, Peter Wayner

EDITORIAL ASSISTANTS

Tammy Grenier, Jane Sheldon

PUBLISHER
David B. Egan

Publisher's Assistant: Donna Nordlund

V.P. OF SALES

ADVERTISING DIRECTOR
William M. Dwyer (415) 513-6864

ADVERTISING SALES

NEW ENGLAND
Sanford L. Fiblish (617) 860-6344
Patricia Payne (603) 924-2654

EAST COAST

Kim Norris (212) 512-2645
Jonathan Sawyer (603) 924-2665

SOUTHEAST

Mary Ann Goulding (404) 843-4782
Brian Higgins (603) 924-2651

MIDWEST

Lori Silverstein (614) 759-3744
Ed Ware (603) 924-2664

SOUTHWEST, ROCKY MOUNTAIN

Jennifer Walker (214) 701-8486
Kevin Lary (603) 924-2527

SOUTH PACIFIC

Beth Dudas (714) 753-8140
Mark Speros (714) 753-8140
Brad Dixon (603) 924-2574

NORTH PACIFIC

Roy J. Kops (415) 513-6861
Susan Werner (415) 513-6862
James Bail (603) 924-2662

INSIDE ADVERTISING SALES

Director of Sales Operations: Diane Lieberman
Assistants: Susan Monkton, Vivian Bemler

THE BUYER'S MART (1 x 2)

Margot Swanson (603) 924-2656

HARDWARE/SOFTWARE SHOWCASE

Ellen Perham (603) 924-2598
Mark Stone (603) 924-2695

REGIONAL

Ed Ware (603) 924-2664

BYTE DECK

Susan Rastellini (603) 924-2596

EURO-DECK

Joseph Mabe (603) 924-2533

INTERNATIONAL ADVERTISING SALES STAFF

See listing on page 305.

PERSONNEL

Human Resources Administrator: Patricia Burke
Assistant: Fran Wozniak
Receptionist: Beverly Goss

How to Contact the Editors

We welcome your questions, comments, complaints, kudos, and submissions.

MAIN OFFICE: One Phoenix Mill Lane, Peterborough, NH 03458, (603) 924-9281.
San Mateo: 1900 O'Farrell St. #200, San Mateo, CA 94403, (415) 513-6912.

New York: 1221 Avenue of the Americas, New York, NY 10020, (212) 512-3175.
Lexington: 24 Hartwell Ave., Lexington, MA 02173, (617) 863-5100.

U.K./EUROPE: 34 Dover St., London W1X 4BR, England, +44 71 495 6780.

ELECTRONIC MAIL: On BIX, send to "editors." All BYTE editors and columnists also have individual mailboxes on BIX for easy access.

MC: 250-0135 BYTE Magazine. Many editors also have individual MCI addresses in their own name.

OTHERS: Many editors also are reachable through uunet, AppleLink, CompuServe, and numerous other services.

U.S. fax: Editorial: (603) 924-2550

Advertising: (603) 924-7507

U.K. fax: +44 71 495 6734

SUBMISSIONS:

Authors: We welcome article proposals and submissions. Unacceptable manuscripts will be returned if accompanied by sufficient return postage. Not responsible for lost manuscripts or photos.

Vendors: We welcome news of your new products; please call the News department or the BYTE Lab at the earliest possible date. We cannot be responsible for unsolicited product samples.

ARTICLE REPRINTS:

For price quotations on customized reprints of BYTE articles, contact Susan Monkton, reprints manager, at (603) 924-2618. (Minimum quantity: 500.)

Subscription Customer Service

inside U.S. (800) 232-BYTE; outside U.S. +1 609 426 7676. International subscribers may also contact our international customer service facility in Galway, Ireland, by calling +1 353 91 752792 or via fax: +1 353 91 752 793. For a new subscription, (800) 257-9402 U.S. only, or write to BYTE Subscription Dept., P.O. Box 555, Hightstown, NJ 08520. Subscriptions are \$29.95 for one year, \$54.95 for two years, and \$74.95 for three years in the U.S. and its possessions. In Canada and Mexico, \$34.95 for one year, \$64.95 for two years, \$87.95 for three years. In Europe, £42 (US\$60) for surface delivery, £55 (US\$80) for air delivery. Non-European countries US\$60 for surface mail, or US\$85 for air mail. Single copy price is \$3.50 in the U.S. and its possessions, \$4.50 in Canada. Foreign subscriptions and sales should be remitted in U.S. funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue.

PHOTOCOPY PERMISSION:

Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of McGraw-Hill, Inc., is prohibited. Requests for special permission or bulk orders should be addressed to Faith Kluntz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

Copyright © 1995 by McGraw-Hill, Inc. All rights reserved. BYTE and  are registered trademarks of McGraw-Hill, Inc. Trademark registered in the United States Patent and Trademark Office.

 Member Audit Bureau of Circulation

BIX Interactive On-line Service

MANAGING EDITOR
Christine Taylor

EXCHANGE EDITORS

Amiga Exchange: Joanne Dow
Entertainment and Leisure Exchange: Rich Taylor
IBM Exchange: Barry Nance
Programmers Exchange: Bill Nicholls
Professionals Exchange: David Reed
Tojerry Exchange: Jerry Pournelle
WIX Exchange: Karen Kenworthy
Writers Exchange: Wayne Rash Jr.

TECHNICAL ASSOCIATE
Mark Lavi

BIX, owned and operated by Delphi Internet Services Corporation, is a worldwide, low-cost, on-line information service featuring industry news, downloadable software, powerful electronic mail, previews of upcoming BYTE articles, the full text of published issues of BYTE, and source and/or executable code for BYTE benchmarks and noncommercial software mentioned in feature articles. BIX also offers unmatched "conferences" on virtually every computer-related topic imaginable, where you can share information with thousands of other computer pros. To subscribe via modem, set your communications software to full duplex, 7 bits, even parity, 1 stop bit, and then call (800) 695-4882 or (617) 491-5410, or telex to x25.bix.com and type "bix" at the USERNAME prompt. At the Name? prompt, type bix.ville. For more information, call (800) 695-4775 or (617) 354-4137 (voice); send a fax to (617) 491-6642; or send Internet mail to info@bix.com.

MEMBER SERVICES MANAGER
Kevin Plankey

OFFICERS OF MCGRAW-HILL, INC.:

Chairman and Chief Executive Officer: Joseph L. Donno; *President and Chief Operating Officer:* Harold W. McGraw III; *Executive Vice President, General Counsel, and Secretary:* Robert N. Landes; *Executive Vice President and Chief Financial Officer:* Robert J. Bahash; *Senior Vice President, Treasury Operations:* Frank D. Penglose; *Executive Vice President, Publication Services:* Norbert Schumacher.

Founder: James H. McGraw (1860-1948).
General Counsel, and Secretary: Robert N. Landes; *Executive Vice President, Treasury Operations:* Frank D. Penglose; *Executive Vice President, Publication Services:* Norbert Schumacher.



Sound Blaster Value Edition
SRP, \$69.95

The sound decision.

With hundreds of today's hottest games written for Sound Blaster™ cards, there are so many tough decisions. Will it be the thunderous explosions in *Rebel Assault*, or the eerie howling of *The 7th Guest*? The Sound Blaster Value Edition card is an economical way to get started. It's an 8-bit sound board that works with any Creative Labs CD-ROM drive and includes sound utilities and games.



Sound Blaster Pro Value Edition
SRP, \$105.95

The smart decision.

Games are not the only software designed for Sound Blaster cards. Imagine a math program with a vast array of sound effects. It's mesmerizing. It's hypnotic. Especially if you have the Sound Blaster Pro Value Edition, the 8-bit sound card with stereo sound. It's compatible with Creative Labs CD-ROM drives, and comes with innovative sound utilities and recording software.



Sound Blaster 16 Value Edition
SRP, \$139.95

The 16-bit decision.

The Sound Blaster 16 Value Edition is the best-selling sound card ever. It works with any Creative Labs CD-ROM drive and delivers stereo sound that meets MPC2 standards. It works with any speakers or headphones. And after experiencing a 16-bit game on Sound Blaster, you'll bolt to a nearby window, stick your reverberating head outside, and start screaming like a banshee, "I WANT 16-BIT SOUND!"

Tough decision. Choose one Sound Blaster or buy 5 more computers?



Sound Blaster 16 MultiCD
SRP, \$199.95

With Advanced Signal Processor
SRP, \$249.95

The freedom decision.

Sound Blaster 16 MultiCD™ preserves your freedom of choice! It will connect a CD-ROM drive from manufacturers such as Sony, Mitsumi, and of course, Creative Labs. This 16-bit card is upgradeable to Wave Blaster™ II or an Advanced Signal Processor, the advanced technologies for MIDI music and more demanding sound-enhanced programs.



Sound Blaster 16 SCSI-2
SRP, \$249.95

With Advanced Signal Processor
SRP, \$299.95

The I-want-it-all decision.

Sound Blaster 16 SCSI-2 delivers everything and compromises nothing. It's 16-bit sound with an optional Advanced Signal Processor and a collection of sound utilities. But best of all, it connects the sound card and up to six SCSI devices to a single port.



Sound Blaster AWE32 Value Edition
SRP, \$329.95

With Advanced Signal Processor
SRP, \$399.95

The next wave decision.


The next generation of games will arrive with sound so real, you'll have to hang on to your headphones. Only Sound Blaster AWE32 can deliver the ultimate CD-quality sound. Real instrument samples and real sound effects. It's a 16-bit card with Advanced WavEffects™ and an optional Advanced Signal Processor. And other cool stuff. Like QSound, a 180° soundscape of intense virtual audio. Sound Blaster AWE32 has it all.



Of course, all Sound Blaster cards are easy to install and provide 100% compatibility with all software written for the Sound Blaster audio platform. Make your decision and visit your nearest Creative Labs dealer. Or call 1-800-998-5227 Ext. 111



© 1994 Creative Technology Ltd. The Sound Blaster and Creative Logos are registered trademarks. Sound Blaster, Sound Blaster 16 MultiCD, Sound Blaster 16 SCSI-2, Sound Blaster AWE32, Wave Blaster, WavEffects, Creative VoiceAssist, Multimedia is Creative, and the Sound Blaster Compatibility Logo are trademarks of Creative Technology Ltd. All other trademarks are the property of their respective holders. U.S. inquiries: Creative Labs 1-800-998-5227. International inquiries: Creative Technology Ltd., Singapore. TEL: 65-773-0233 FAX: 65-773-0353.




Slow performance.


Your software is bogged down, but you can't buy a new PC right now.

CPU upgrade.

OverDrive™ processor, a family of single-chip upgrades that significantly boosts the overall performance of your Intel486™ SX and DX processor-based PCs.

To speed up your 486, follow the





Call 1-800-538-3373, ext. 178.†


To find out more about the family of OverDrive processors and to receive a free demo disk.

Speeds up software.

Microsoft Excel* 4.0 runs 122% faster and Microsoft Word* 2.0 120% faster when you upgrade a i486™ DX-33 processor with an IntelDX4™ 100 MHz OverDrive processor.

†For European residents, call +44 (0) 793 431155, and ask for infopack IOD17.
© 1994 Intel Corporation. *Other brands and names are the property of their respective owners.


OverDrive™ processor upgrade path.



OverDrive™ processor family of products

intel®

It's Been a Very Good Year



Raphael Needleman

David B. Egan

And 1995, which includes our 20th anniversary issue in September, will be even better

For the most part, the publisher manages the business interests of a magazine. I worry about such matters as policy, our views on key issues effecting our marketplace, and what kind of resources BYTE needs to continue creating a product that engages your attention. There are very few occasions on which I can talk to you directly in the magazine. This is one of those occasions. As we begin the new year, let's look back on the one we just finished. From a business perspective, 1994 was a good year for BYTE. While a number of other major computer magazines dropped in total advertising pages and circulation, BYTE surged ahead in year-to-year advertising sales and posted impressive gains in subscription-renewal rates.

The advertising statistic may be of little interest to you as a reader, except as an indicator of the growing importance your attention and opinion have on those who develop the hardware and the software to meet your demanding technology needs. Obviously, the rising renewal rate is of great interest to us. You are the technically astute opinion maker who drives today's purchasing of computer technology, and the fact that you're renewing your subscription tells us that we're successful in our efforts to meet your information needs. In fact, a recent study told us that nearly nine out of every ten of you plan to renew your subscriptions to BYTE. Thanks!

I think we've earned your loyalty through standards-

setting editorial work. Our November cover story on the fierce competition between new CPUs is already widely touted as a definitive evaluation and comment on the promise of this leading-edge technology. West Coast Bureau Chief Andy Reinhardt's comprehensive March cover story on the Internet ("Building the Data Highway") has earned a number of accolades. And we're still getting feedback—supportive and otherwise—to Jon Udell's opinion piece, "Why IBM Should License Win32," in last September's issue.

Delighted as I am to write this, I must also confess that this is a bittersweet moment for BYTE, for this marks Dennis Allen's departure from our magazine. Part of our editorial organization for more than eleven years, Dennis served as our editor-in-chief for the past three. After more than a decade of service, Dennis has decided to move on to new challenges. We'll miss him; and we wish him well. On the page that follows, Dennis writes more eloquently than I about the memories he takes with him. His legacy lives in the pages of this publication, one of the most widely read and respected journals of computing technology in the world.

The younger looking fellow in the photo above is BYTE's new editor-in-chief, Raphael Needleman. Rafe brings to his new assignment impressive credentials: He's an accomplished technologist, book author, testing lab manager, and world-class editor. His background includes duties as executive editor of *PC/Computing*, editor of *Corporate Computing* (where he and I first worked together), and reviews editor at *InfoWorld*. I'm delighted to have Rafe join our team. He'll offer BYTE a fresh perspective and will work to make it even more relevant and compelling reading for those of you who turn to our magazine for the authoritative word on computing technology.



I look forward to talking to you in these pages again in our 20th anniversary edition of BYTE, coming up this September. Meanwhile, let us know how we're doing at meeting your information needs. Please write to Rafe and me. We're here to serve you.

A handwritten signature in black ink, appearing to read "David B. Egan".

DAVID B. EGAN, PUBLISHER
(degan@bix.com)

Limited time offer

The #1 Windows database has a new Sidekick



Buy Paradox and get Sidekick and a training video **FREE**

Special Offer
\$99⁹⁵*
for both products

Simple to learn

"The hands down best Windows database"

—InfoWorld, July 1994

Easy to use

"Sidekick stands out from the rest"

—Wall Street Journal, June 1994

New Paradox 5.0, the best just got better!


Now our Interactive Coaches quickly teach you how to apply the power of Paradox® to accomplish any task. Our on-line Experts™ guide you step-by-step in creating professional forms, reports, and labels. And Paradox is the only database that supports OLE 2.0 client and server, making it better integrated with PerfectOffice and Microsoft Office, than any other Windows database. Whether you need to create invoices, catalog your music collection, or organize your customers and contacts—it's simple...Paradox does it for you!

New Paradox Training Video

The training begins right out of the box with a free *Learn Paradox for Windows Today!* video to teach you all you need to know about getting started with Paradox 5.0 for Windows. And act now, because this offer is only good from October 15 to January 31, 1995, so call Borland or your local dealer today!

New Sidekick simplifies your life!

Sidekick is the all-in-one personal organizer that's so fast, functional, and friendly, it helps you stay on top of everything you've got going on: your calendar, your address book, your to-do lists—you're never more than a mouse-click away from your vital information.



Call Now or see your local dealer for this incredible offer: Paradox 5.0, Sidekick, and a training video for only...

\$99⁹⁵*
(a \$199 value)

Offer good from October 15 to January 31, 1995

1-800-336-6464, ext. 9644



Borland



*\$99.95 for existing owners of Paradox for DOS or Windows after \$30.00 manufacturer's rebate; dealer prices may vary. **Circle 284 on Inquiry Card (RESELLERS: 285).**

Copyright © 1994 Borland International, Inc. All rights reserved. All Borland product names are trademarks of Borland International, Inc. Prices good in the United States and Canada only. All prices are in U.S. dollars. Dealer prices may vary. BI 7955.1

Good-bye, Farewell, Adios. . .



**Saying goodbye is never easy.
Yet the time has come for me to leave BYTE.**

After more than eleven years here, BYTE has become a part of me, and leaving it is not without some sorrow. It's a good kind of sorrow, though—the kind you feel when you graduate from school and the new opportunities are boundless and exciting.

Thanks to you, my experience here has been wonderful. Together, we've seen BYTE through many changes, and we've endured the ever-changing technology landscape. I hope that you've enjoyed the experience as much as I have.

During the last three years, BYTE moved back to its technical roots. And while all the other computer magazines seemed to become more and more alike, BYTE's authoritative voice made it stand head and shoulders above the rest. As a result, the *New York Times* and others have hailed BYTE as the *Scientific American* of computer magazines.

Compliments aside, the changes BYTE made were simply an answer to your requests. Judging by your response, those changes were right. Subscription renewals are up, and on the newsstand, BYTE broke several all-time records in 1994. Also, the mail we've received from readers has been overwhelmingly positive.

Those changes were not easy, however, and the entire BYTE editorial team has my applause and appreciation. Nowhere else is there a group of more qualified technical journalists, editors, and designers. Nowhere. It has been my distinct privilege to work with such a fine group of people, and I shall not forget their hard work.

Although all of the people of BYTE have my profound thanks, there are two very special individuals whom I'd especially like to thank: Rich Friedman, BYTE's executive editor, and Dennis Barker, BYTE's chief of correspondents. Both played crucial roles in making BYTE *the* authority in computing. Their publishing and editing skills and their dedication to BYTE has been exemplary. They are also two close friends I will miss dearly.

Another friend I'll also miss is Jerry Pournelle, BYTE's star columnist. Jerry has contributed to BYTE much more than the several thousand words he writes each month. He has shared his wisdom with the staff, and he provided inspiration for me.

While I will surely miss the entire staff at BYTE, I leave knowing that BYTE is in good hands. I personally testify to their dedication in delivering nothing short of excellence in technical reporting and fact, and I am certain that you will continue to be delighted with each issue of BYTE they bring forth.

The folks I'll miss most of all, though, are you, the BYTE readers. You have made every accomplishment possible. From its beginnings 20 years ago, BYTE and its readers have had a special relationship that is rare in publishing, and I've enjoyed being part of that relationship. You bestowed on me the greatest honor any chief editor could have: You read the magazine. And by reading, you made everything worthwhile.

Words fail me in adequately expressing my deepest gratitude. You challenged me, and you rewarded me. Thank you.

My work here is done. I am proud of my labor and accomplishments at BYTE, but like a graduate, I'm ready to move on to other challenges.

Adios,

A stylized, handwritten signature of Dennis Allen in black ink, featuring a large, sweeping initial 'D' and 'A'.

DENNIS ALLEN

NOW WITH V.34

THE BEST 28,800 BPS CONNECTION



SupraFAXModem™ 288—starting at \$249.95

It's time to separate theory from reality. Some 28,800 bps modems claim to be four-times faster by offering sensationally high throughput. But sensational throughput depends on sensational phone line conditions. Not a reality in today's telecommunications. In the real world of less-than-perfect phone lines, the SupraFAXModem 288 outperforms all the competition. But don't take our word for it — just look at the reviews. It has also won award after award for outstanding value. For a surprisingly low price you get Supra's top-of-the-line feature set including: **Silent Answer™** for voice and fax line sharing, **Flash ROM** for easy field upgrades, **top-rated fax and data software**, and **Supra's five-year limited warranty**. Plus, all internal PC models are designed with **SupraSmart™ technology** for a super-efficient modem-to-computer interface! It's time to separate theory from reality — the SupraFAXModem 288 offers the best 28,800 bps connection available. And that's a fact. **Call Supra at 800-727-8647 today.**



Specifications subject to change. All trademarks belong to their respective companies.
7101 SUPRA DRIVE SW • ALBANY, OR 97321 USA • PHONE: 503-967-2410 • FAX: 503-967-2401 • SUPRA GmbH • CARL FRIEDRICH GAUSS STRASSE 7 • D-5024 PULHEIM BRAUWEILER • GERMANY • PHONE: 49-22-34-98590



"Its ability to plug-away through poor line conditions puts it in a whole new league." Computer Shopper, July 1994

1st Place — PC Computing, "Great bundle with bargain price—our winner was a favorite with testers." June 1994.
★★★ — MACWORLD, "Supra is paving the way for life in the fast lane." August 1994.

One in 9 Billion

It appears a bug is in the FPU of many Pentium processors. The Pentium FPU returns erroneous values for certain division operations. For example, an error is obtained by calculating $1/(1/x)$ for values in the range 824633702418 $\leq x \leq$ 824633702449 and throughout any interval obtained by multiplying or dividing the above interval by an integer power of 2. Other intervals also produce division errors. These errors can be verified in compiled code, an ordinary spreadsheet, or even the Windows calculator in scientific mode.

We observed the bug on all the Pentiums we tested, including a Dell P90, a Gateway P90, a Micron P60, an Insight P60, and a Packard-Bell P60. It has not been observed on any 486 or earlier system. I am interested in hearing of test results from other Pentiums, from 486-DX4s, and from the AMD, Cyrix, and Nex-Gen clones of the Pentium.

Dr. Thomas R. Nicely
Professor of Mathematics
Lynchburg College, VA

We tested Dr. Nicely's claims on various Pentium machines, and the error is as described. We contacted Intel, and John Thompson, an Intel spokesperson, confirmed our findings. However, the error is confined to the lowest bits of the mantissa (usually the lower 9 or 10 bits), so it is unlikely that anyone would encounter it. Thompson said that Intel's statistical analysis of the bug indicated the problem would occur once every 9 to 10 billion operand pairs (an operand pair being an expression such as $a+b$, $a-b$, and $a \times b$). Corrected Pentium processors are already in the manufacturing pipeline. Finally, Thompson said that readers should contact Intel if their particular applications run afoul of the bug and that Intel will "work with them to solve the problem."—Rick Grehan

The Future Is Now

I was intrigued by your recent cover story on Intelligent Networks ("The Network with Smarts," October 1994) but worried as well. Everything you presented was in the future tense, although every type of technology you described is available by

using Lotus Notes and products from Lotus's Business Partners Program.

Reexamine the dream scenario offered in the article: "If I get a fax from Toshi regarding the Kyoto project, please run it through OCR and read it into my voice-mail box, send a copy of the text to Barbara, and forward the fax image to the optical-archive mailbox in the legal department."

Okay, that's a pretty tall order, but in two weeks, I could set up such a system for you. You can create information-seeking agents using SandPoint's Hoover product; fax integration with OCR is available from Lotus and from other vendors. You can develop voice-mail integration and phone

client services using the Phone Notes client developed jointly by Simpact and Lotus. Also, imaging integration is available from a variety of vendors, including Lotus itself with LN:DI. SkyTel offers pager-integration, and voice-recognition systems from IBM fulfill the dream. These can all be found on the Notes platform today; there's nothing future tense about these technologies.

Nathan Freeman
New York, NY
freeman@mjt@notes.net

Addressing Addressing Standards

In "Automating TCP/IP in NT" (November 1994), Peter Wayner says that if he uses Microsoft's WINS (Windows-Internet Naming Service) to provide name-to-address-translation service on a Microsoft-based TCP/IP network, no one outside of that network will be able to get to him by name. I think it's Microsoft's fault for not making WINS work with DNS, the Internet's Domain Name Service; after all, DNS has been around much longer and is an internationally accepted standard. By not working with the widely used standard, WINS users will have cut themselves off from the rest of the world. I'm glad to see that Microsoft is trying to work through the IETF (Internet Engineering Task Force) to resolve the differences. Let's hope the operative tone here is "work with" rather than "dictate to."

Doug Loss
Wilkes-Barre, PA
loss@husky.bloomu.edu

Sugar-Coated Reporting?

In the November BYTE Letters, Don Leamy points out that PCs can *never* be PnP (Plug and Play) due to built-in deficiencies. He criticizes BYTE for not being up-front and frank in its assessment and for not "telling it like it is." Tom Halfhill excuses BYTE's lack of candor, indicating the decision not to provide the whole truth was due to reasoning, "Why burst their bubble [of mistaken judgment and ignorance]?" Might I suggest that BYTE tell the real truth as it is—not the half-truth or sugar-coated truth?

Joel Amkrout
Los Angeles, CA


I did not mean to imply that PnP won't work. PnP will work and will make life easier for millions of PC users. PnP is a kludge, but it does work. My rather flip-pant comment—"Why burst their bubble?"—doesn't mean that BYTE should avoid telling the truth. It doesn't matter if the Macintosh has better plug-and-play capabilities than the PC because most PC owners aren't going to sell their systems and buy a Macintosh. It matters only to people who haven't yet decided between a PC and a Mac. But the tens of millions of current users deserve a solution, too. So far PnP is the best solution to make PCs easier to use, while preserving as much of PC owners' current investment as possible.

—Tom Halfhill

Recycling Technology

In the "VLIW Questions" article in November, Peter Wayner states, "VLIW [very large instruction word] is a new way to attack an old problem." But VLIW is what used to be called *microcode*. End users could write microcode through hardware options on systems from Data General and DEC, though few were desperate enough for the performance to do so. Look at the internals of systems as far back as IBM 360 and 370 mainframes, and you'll see similar techniques. I'm much more impressed by efforts such as Motorola's

We want to hear from you. Address correspondence to Letters Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458; or you can send E-mail via the Internet or BIX to editors@bix.com. Letters may be edited.



Four million transistors. Two billion operations per second. One chip.

With the TMS320C80 DSP, there's no limit to your imagination. And it's from the technology leader in Digital Signal Processing — Texas Instruments.

On one piece of silicon, you'll find four parallel Advanced DSPs. Orchestrated by a 32-bit RISC master processor, with an integral 100-MFLOPS floating-point unit. All delivering real-time



interactive processing power. So you can realize your imagination and produce products that were once considered beyond reach.

For a free brochure and technical data sheet on the highest performance, most highly integrated DSP ever produced, simply call us at

1-800-477-8924, ext. 3553.

E X T E N D I N G Y O U R R E A C H™

 **TEXAS
INSTRUMENTS**

PowerPC 620, which packs many support systems and mainframe-level techniques into a single chip.

Harlan Rosenthal
rosenthh.dialogic@pobox.dialogic.com

Like microcode, much of what is old is new again, but smart compilers are an important part of VLIW, whereas microcode was written by hand.

—Peter Wayner

Inheritance in PowerBuilder

In the well-structured software roundup "SQL Front Ends for Windows" (October 1994), Mark Hettler and Scott Higgs give a largely accurate view of PowerBuilder 3.0a. But they miss a couple of tricks. They say that "you cannot derive a user object from a button." In fact, PowerBuilder provides standard user objects that provide this capability. These specialized standard objects can have events, scripts, functions, and variables added. At Ernst & Young, we use standard user objects extensively to provide common user-interface functions across a range of commercial software.

The authors also imply that user objects can be shared by moving them between libraries. PowerBuilder not only allows a library of user objects and other reusable components to be part of several applications, it also allows inheritance of these objects into specialized objects. We use this feature extensively as well. All our commercial applications inherit from objects in a shared ancestor library.

James Taylor
Development Manager, Ernst & Young
Las Colinas, TX

Developing Hardware-Independent Software

I have been following the discussions in BYTE on new microprocessors and systems, and I keep reading that "the code has to be recompiled to take advantage of the CPU." When I read about VLIW's (very large instruction word's) need for smart compilers, I wondered why I hadn't seen any mention of reassemblers. By *reassemblers* I mean programs that take a binary and generate a new binary optimized for another CPU. Here you have the K5 reconstructing CISC into RISC on the fly; you have processors spending huge numbers of transistors trying to execute code out of order to take advantage of superscalar pipelining; and you have Pow-

erPC emulating binaries. These all seem to lead to an obvious approach of spending the time once in software to determine what one binary is doing and then to generate a new binary that takes advantage of another CPU's strengths.

Alan P. W. Hewett
Mt. Vernon, OH
apwh@cbpine.att.com

The actual term for your reassembler is binary translation, and the short answer is that it does exist. Echo Logic (Holmdel, NJ) has a technology called FlashPort that can translate among several different binary formats, including 680x0 to PowerPC and x86. DEC also has a translator that moves VAX binaries to Alpha. But binary translation is not an answer to the questions of RISC vs. CISC, optimized compilation, or VLIW. Also, there are some unanswered legal questions if you translate a binary without authorization from the original software developer.

I think there are other approaches yet to be explored that address these problems. For example, what if software was delivered in some form of pseudocode that could be compiled and optimized for a specific computer as part of the installation process? You could buy an application in a semicompiled format, and the installer would automatically compile and optimize the code. If you later upgrade to a completely different platform, the software would get recompiled again

on installation, using a plug-in installation compiler. This arrangement would insulate the software from details of the hardware and still achieve optimum performance and compatibility without emulation.—Tom Halfhill

Microsoft Hardware

When Windows was first released, Microsoft offered us the mouse—not just any mouse compatible with the existing mice of the day but a special mouse. Now Microsoft is set to improve our lives again with Chicago, a more user-friendly Windows to replace Windows. And to top it off, the company has moved into hardware with a keyboard that has three extra keys for special functions within Chicago. It couldn't find room on the old keyboards. Isn't it wonderful to see such a great company dedicated to improving our lives without letting compatibility stand in the way of profit?

Gordon Reid
Moorabbin, Victoria, Australia

FIX

The Xerox 4520 laser printer in the November 1994 Lab Report is the 4520mp, not the 4520ps. That report also listed an incorrect price for the Hewlett-Packard DeskJet 1200 C/PS. The correct price is \$2479. ■

COMING UP IN FEBRUARY

• SONY MAGIC LINK

Does the first portable computer to incorporate General Magic's Magic Cap operating system and Telescript technology fulfill the vision of a personal digital assistant?

• 41 GRAPHICS ADAPTERS

If you're wondering whether it's worthwhile to upgrade your PCI or NuBus graphics adapter, the NSTL/BYTE Lab Report will feature extensive performance results for CAD and general business, as well as explanations of the special hardware support for video and 3-D technology.

• SCALABLE RAID

We test the performance and reliability of RAID systems for cross-platform environments and scalable needs.

• STATE OF THE ART: PATTERN RECOGNITION

Communicating with your computer in a natural way, using handwriting or speech, demands sophisticated pattern-recognition capabilities. It is simple for humans, but very demanding for PCs.

• LAN OPERATING SYSTEMS

Following up on our peer-to-peer operating-systems roundup, this month we examine larger-scale operating systems for enterprise networks.



BEFORE THEY EVER LEAVE THE GROUND,
THE PILOTS AT DELTA
GET CLEARANCE FROM FRAMEMAKER.



In the cockpit of every
Delta Air Lines jet you'll
find something absolutely

critical to safe, legal, and efficient air travel:
a FrameMaker® document. It's called a
Minimum Equipment list, and it's also
available on-line, for access via radio from
dispatchers on the ground.  It's one of
many operational, technical, and administrative
manuals that Delta writes and publishes in
FrameMaker. Because FrameMaker gives
Delta the functionality and flexibility they
need to create, update, and consolidate their
extensive documentation.  Particularly
attractive were features like automatic
indexing. Superior graphics handling.
Multiplatform capabilities for file compati-
bility across PCs, Macintoshes, and



UNIX systems. And of course,
on-line document distribution, complete
with automatic hypertext links, through
FrameViewer.*  So don't just settle for
any old publisher — fly first class with
FrameMaker 4. Call 1-800-U4-FRAME
Ext. 618 today for our comprehensive
Guide To Document Publishing. And watch
your publishing projects really take off
with FrameMaker 4.  **Frame**

© 1994 Frame Technology Corporation. All rights reserved. Frame, FrameMaker, FrameViewer, Frame Technology, and the Frame logo are registered trademarks of Frame Technology Corporation. Other brand or product names are trademarks or registered trademarks of their respective companies. In Europe, call 051 7 442 926.

Circle 81 on Inquiry Card.



TAKE MULTIMEDIA INTO




ANNOUNCING THE HIGH-PERFORMANCE T4850CT. Now you can create dazzling multimedia presentations on a large 10.4" display, with the excitement of Indeo™ video and the richness of integrated .WAV and MIDI Audio. By connecting this plug-and-play notebook to an optional Desk Station IV,

T4850CT FEATURES:

- 75MHz IntelDX4™, 3.3 volt processor, 16KB cache
- 10.4" dia. color SVGA TFT-LCD active matrix display
- 810 Million Byte (= 772MB) HDD or 520 Million Byte (= 500MB) HDD
- 8MB RAM expandable to 24MB
- Two PCMCIA slots (16mm and 9mm)

- VL local-bus video
- Integrated graphics accelerator
- 65,536 (64K) simultaneous colors
- .WAV Audio and MIDI sound
- Audio jacks: headphone, built-in speakers and microphone
- 6.9 lbs.
- NiMH battery for extended life

- 3.5" 1.44MB floppy disk drive
- Ballpoint™ Mouse with QuickPort™
- Pre-installed software: DOS®, Windows for Workgroups™, Windows Sound System™, Run Time Video for Windows™, Indeo™ video and Fris-esse™ software
- Toll-free Technical Support – 7 days a week/24 hours a day





Indeo™ video bolstered by a powerful 75MHz IntelDX4™ processor provides greater performance for smoother video playback.

10.4" dia.

The 10.4" color active matrix screen displays 65,536 (64K) simultaneous colors for stunningly realistic images and brilliant graphics.

810 MILLION BYTES

Choose between a robust 810 Million Byte (= 772MB) or 520 Million Byte (= 500MB) hard disk drive configuration for storing large multimedia files.

Dual PCMCIA expansion slots (Type II and Type III) run simultaneously—with connection to your LAN, fax/modem and more.



Integrated .WAV Audio and MIDI pump out clear and powerful sound effects, music and dialogue.



NEW DIMENSIONS.



you'll have the flexibility to hook up an external monitor, keyboard, mouse and more, for a comfortable desktop environment. The new T4850CT puts the show and the audience in the palm of your hand. For your nearest Toshiba dealer, call 1-800-457-7777.

In Touch with Tomorrow
TOSHIBA

© 1994 Toshiba America Information Systems, Inc. All products indicated by trademark symbols are trademarked and/or registered by their respective companies. The Intel Inside and Indeo video logos are trademarks of Intel Corporation.

Circle 121 on Inquiry Card.

News & Views

GROUPWARE

What Notes Users Want

As great as Lotus Notes is for deploying productivity-enhancing applications throughout a company, it still suffers from numerous weaknesses. Here's what users want, as well as a hint of things to come from Lotus.

RICK DOBSON AND DAVE ANDREWS

From its beginning in 1989 as a client/server platform for deploying distributed work-flow and communications applications, Lotus Notes has grown into a leading groupware platform, with an installed base of almost 4000 companies and more than 1 million users worldwide. Managers at companies big and small alike say that

Notes' document databases are an excellent way to store unstructured data. Notes users can access multiple databases of documents, participate in electronic discussions, and route messages to quickly access and disseminate information. However, if you scratch the surface of a typical Notes success story, you'll often find a tale of administrative and programming complexities. An informal survey conducted by BYTE of chief information officers (CIOs), developers, and users indicates a number of areas where Notes could improve (see the text box, opposite page). Lotus hopes to address these and other concerns in a major upgrade of Notes that the company hopes to release in the middle of this year.


Notes is now available in server versions for OS/2, NetWare, Windows, Windows NT, and Unix, and in Windows, OS/2, Unix, and Macintosh client versions. The product provides a platform for a multitude of decision-support, customer-service, and problem-resolution applications developed by internal corporate programmers and third-party developers. "There's almost nothing I can think of that we don't use Notes for," says Jim Charles, CIO at Computer Language Research, a tax-automation software company based in Dallas, Texas. "It's how we have reengineered, to use a cliché, our company," he adds.

Other software companies have released programs that compete with certain aspects of Notes (e.g., BBSes for electronic discussions, E-mail programs, relational databases with replication, and work-flow management programs), but no currently available product directly competes with the document-based Notes. Microsoft's Exchange Server and Oracle's Documents might challenge Notes, but neither product is slated to ship until later this year.

Meanwhile, CIOs working at large, multiple-server Notes installations say they lack tools for managing and fine-tuning their Notes installations. Developers who have mastered the Notes macro language for creating applications lament the lack of an integrated procedural language similar to Visual Basic. In addition, our interviewees say that Notes could beef up

its reporting capabilities, further improve the efficiency of its replication engine, and introduce more granular control of replication options. A number of users also asked for an overall increase in speed, lower cost, improved database access, and a better interface for end users.

Lotus says version 4.0 of Notes will address most of its users' requests. The company



Name	Request Type	Description
Bill Stone	Needs Notes Mission Critical Apps	Bill the head HR executive at MS
John J. Rockefeller, Jr.	Wants an Interview with our CEO	John heard that Notes was a tool
Bill Somebody	Needs a copy of Microsoft Exchange	Bill is worried that Lotus is a leader
Bill Button	Yellow Page book for industrial firms	Bill needs a quick turn-around job

Many users want the Notes interface improved. Notes currently limits its Views to one line, which arbitrarily cuts off the descriptions shown on the screen.

said it's still too early to disclose details, but it announced general goals for version 4.0 when it made a prerelease version available to about 200 Notes developers in October.

Lotus says Notes 4.0 will let end users create agent programs that perform such activities as scanning news wires for specified information. Mobile users will find it easier to connect to a Notes network, and they'll be able to preconfigure their systems to selec-

tively extract information, such as key portions of Notes databases, the latest mail messages, or appropriate modem dialing rules, in background mode. The Notes Mail interface will be replaced by cc:Mail. Notes' user interface will be enhanced, making it easier for users to store and navigate information.

Lotus also said that it will improve the performance of Notes' servers, increase the number of users supported by each server, and offer tools for

easier administration and management. With LotusScript, developers will have access to a BASIC-like scripting and macro language that will also work with other Lotus and non-Lotus applications. The company says that LotusScript will communicate with other scripting languages—such as Visual Basic, Applications Edition—through platform scripting interfaces such as OLE 2.0 automation.

The early word from devel-

opers who have seen or are using the alpha version of Notes 4.0 is that it's an ambitious upgrade that will address many of the product's current weaknesses. With Notes, Lotus already provides a platform that can literally allow a company to reinvent itself, but the process usually requires a good deal of effort. Lotus hopes that the next release of Notes will solidify the company's position in the ever-evolving groupware market.

NOTES' STRENGTHS AND WEAKNESSES

BYTE conducted 15 interviews with CIOs of companies that use Notes; the goal was to learn what they like about Notes and what they'd like to see improved.

What Users Like About Notes



Improved communications. Interviewees universally praise Notes for its ability to open new channels for customer communications while improving a company's internal communications, both within and across departments. "Notes does not come in and hit just one horizontal section of your company," says Mike Bertrand, president of Notes consultancy Uptime Computer Solutions (San Jose, CA). Instead, he says, Notes typically fosters improved communications that span a company's departmental boundaries.



It's easy to program and use. CIOs say that writing and fielding a complex work-flow application with Notes requires programming expertise, but they also say it's easy for end users to develop their own applications and customize existing ones. "That's an incredibly important feature—that our users can build applications without any input from MIS," says Sheldon Laube, national director of information and technology at Price Waterhouse in Menlo Park, California.

Notes Mail. Users like the basic functionality of Notes Mail. Although some complain that it lacks rules and is somewhat inefficient, they like the fact that it's easy to forward documents and embed graphics and spreadsheets into mail messages.

Work flow. Developers throughout the world have written distributed work-flow applications that run on top of Notes.

Built-in security. Some CIOs say they won't even consider any platform for fielding applications that are replete with sensitive customer information unless it has the level of security that Notes has.

What Users Would Like Improved



Notes' programming environment. Several developers and CIOs lament the Notes macro language's lack of support for even basic FOR...NEXT looping capabilities. Most say they're looking forward to Lotus's integrating LotusScript, the company's BASIC-

like programming language, into Notes. Most express the hope that LotusScript will support OLE Controls.

Replication. Replication is a key feature in Notes. Notes 3.0 introduced selective replication, which can reduce network traffic, but administrators, especially those with large worldwide Notes installations, want a more efficient replication engine and finer control over its options. "Field-level replication would be a very nice feature," says Mike Mandelvaum, vice president of information technologies development for Chase Manhattan.

Administration. Interviewees' requests for improving Notes' management and installation tools range from improved network-monitoring tools to a utility that would convert a Notes mail-address book from flat-naming to the newer hierarchical storage scheme. Lotus's partnership with AT&T portends less administration hassles on the back end.

Cost. It currently costs about \$330 per seat for Notes' client software, but that's just the beginning of the price of a Notes installation. Adding Notes to your network can require RAM and computer upgrades, plus the related additional management headaches.

To address the price issue, Lotus has introduced scaled-down Notes Express clients that cost approximately \$99 per seat. But Notes Express won't run your custom applications. "We would really like to see a Notes run-time version that strips out the development tools," says Rick Bernard, information systems manager at Software 2000 (Hyannis, MA). "In our eyes, Notes Express has a limited use for our needs," he adds. "We need a version of Notes that will allow us to execute a custom application, and Express will not do that."



Reporting and database access. Many interviewees are using products such as Lotus's Notes ViP and Brainstorm Technologies' (Cambridge, MA) VB/Link to complement Notes' basic reporting capabilities; a need for better integrated reporting is a common theme. Also, Notes is not designed to support transactional processing tasks performed by relational databases. But users sometimes want to import structured data into Notes in batch operations instead of using @dbLookup. This is why they're looking to products such as Brainstorm Technologies' DataLink for Notes.



What's one without the other?

Your notebook PC and the new HP DeskJet 320 printer.



High-quality mobile printing.

*Compact and light,
just 4 lbs.*

*Upgradable to color for
just \$49. And ColorSmart
technology makes it
vibrant and easy to use.*



*\$379 list price, actual
price may be lower.*

*Bundled with optional sheet
feeder for a list price of \$455.*

*Check the Yellow Pages for
the HP dealer nearest you.*

HP Printers

 **HEWLETT®
PACKARD**

WINDOWS DATABASES


End-User Windows Databases Take Off

Software companies that develop Windows database tools for the corporate end user continue to refine their products' ease of use while building in room to extend to enterprise databases. Three Windows database offerings—Microsoft Access 2.0, Lotus Approach 3.0, and Alpha Software's Alpha Five for Windows—include tools, such as templates, tutorials, prompts, and help, that are designed to enhance out-of-box productivity. For many end users, this quick start is enough. Others, however, will want business applications that go beyond basic forms and reports; they require custom menus and icon bars, data-manipulation capability, and task automation. The best choice depends on an end user's particular skill level, unique style, and business requirements.

Access 2.0 (see "Access 2.0: The Best of Both Worlds?," September 1994 BYTE) is packed with productivity tools: Wizards and Builders (42 in all, including interactive designers for tables, queries, forms, reports, and labels); ToolTips to help you decipher the user interface; Cue Cards to provide on-line tutorials (optionally with your own data); and a context-sensitive help

system to provide help with anything that's visible on the screen. Access also includes many extended features for developing business applications, including a Menu Builder for developing customized menus.

Access 2.0 now includes the ability to interactively create application-specific icon bars. The program also includes a Macro Builder that automatically generates Access Basic code. Access readily im-



Access requires more database knowledge as tools get more advanced material.

ports or attaches to all the popular PC database files, automatically links to Word and Excel, supports OLE 2.0, and provides access to SQL data via its built-in ODBC driver. Microsoft also offers "upsizing tools" to simplify the conversion of Access data to client/server data on Microsoft SQL Server.



Approach's interface to its macro language has an interactive dialog box that uses plain-English descriptions.

Approach 3.0 from Lotus ((617) 577-8500) boasts many of the same productivity tools as Access: Assistants with SmartMasters (including interactive designers for forms, reports, form letters, and mailing labels); SmartIcons; an on-line tutorial; and point-and-shoot context-sensitive help. Approach includes 51 templates and three sample applications.

Approach's Notepad interface makes moving between views in a database a snap. The program uses a context-sensitive standard interface, called an InfoBox, to make real-time modifications to every imaginable property in a view. Approach lets you customize the menus and icon bars without programming.

Approach accomplishes every task interactively. It reads and writes all the popular PC database files; links automatically to 1-2-3 and Lotus Notes to analyze and share data and create reports, forms, worksheets, and labels; and supports OLE 2.0. The program transparently accesses SQL data sources either by using its PowerKey technology (for Oracle SQL, SQL Server, and DB2)

or via its built-in ODBC driver.

Released in October, Alpha Five ((617) 229-2924) includes three basic Genies (database, query, and report designers), bubble help, and database-driven (as opposed to table-driven) default forms and reports.

The area where Alpha Five really shines is its rich feature set. In addition to a data dictionary (which offers the ability to set business rules at the database level), Alpha Five provides the most complete interactive tool set for business applications development. Although you cannot create custom menus in Alpha Five, you can turn off the speed bar, put speed-bar-style buttons on forms, and restrict menu



Alpha Five's field transformation rules exemplify the product's rich tool set.

items. When automating tasks, Alpha Five's script recorder captures every action and automatically generates xBASIC (a blend of BASIC and xBase) code; you can then view, modify, and reuse this code at will. Alpha Five also offers OLE 2.0 support and can natively read and write .DBF format. For the end user who can wait, Alpha Software plans to add ODBC data access in the first quarter of 1995 and bidirectional ODBC access by the summer.

—Jane Richter

END USERS DEFINED

The end user is someone who wants to accomplish business tasks without having to take the time to memorize manuals or master a programming language. An end-user database must be easy to use and contain a comprehensive, interactive (i.e., nonprogramming) feature set. The savvy end user evaluates a database on an ease-of-use scale that ranges from out-of-box productivity (easiest) to requiring substantial effort to arrive at a successful, uncompromising end of a task (hardest).

—J. R.

Watcom C/C++ 10.0


ACCELERATE

Your C and C++
Application Development


The new Watcom C/C++ 10.0 development system simplifies and accelerates development of high-performance, multi-platform 16- and 32-bit applications. Watcom C/C++ 10.0 delivers productivity and performance, combining our state-of-the-art compiler technology with a new, integrated development environment (IDE) and comprehensive set of tools.

New Integrated Development Environment and Tools

The new IDE is built to simplify the complexities of real-world application development and make it easy to exploit the high-performance, multi-platform power of Watcom C/C++ 10.0. In a single "project" you can build multiple EXEs, DLLs, and LIBs, targeting several different platforms. The IDE simplifies each stage of development from compiling and linking to debugging and performance tuning. The package includes versions of the IDE and tools for all three host platforms (Windows 3.x, OS/2 2.x and Windows NT).



Watcom C/C++ 10.0 includes a source editor with syntax highlighting, a suite of resource editors, testing and monitoring tools for Windows 3.x and NT development.



The advanced multi-platform debugger accelerates the development cycle by increasing the bandwidth between you and your application.

Multiple Platforms in a Single Package Watcom C/C++ 10.0 supports development of applications targeting an incredible array of platforms: DOS, Windows 3.x, OS/2 1.x, 32-bit DOS (includes royalty-free DOS extender), OS/2 2.x, Windows NT, Win32s, 32-bit Windows 3.x and Novell NLMs. To maximize the potential on individual platforms, Watcom C/C++ 10.0 extends the capabilities of the core, multi-platform toolset with platform-specific tools, SDKs and libraries. This extensive support is amplified by the cross-platform capabilities of the IDE and tools, which enable building applications for a wide range of target environments from any of the host systems.

The Best Optimization Technology Watcom C/C++ 10.0 combines both 16- and 32-bit compilers in a single package, providing you with the industry-leading optimizing compiler team. PC Magazine tested performance of industry standard C and C++ compilers and said: "the fastest executables created during testing came from Watcom C/C++¹², Version 9.5, while the 16-bit version of the same compiler produced the smallest executables¹¹". Now, with Watcom C/C++10.0, this competitive advantage is delivered with our easy-to-use development environment and tools.

Watcom C/C++ 10.0 delivers all this in a single package!

- New integrated development environment hosted on Windows, OS/2 and Windows NT
- Comprehensive suite of multi-platform development tools including debugger, browser, profiler and more
- Professional source editor, resource editors, testing and monitoring tools hosted on Windows and Windows NT
- Target Platforms include:
 - 16-bit: DOS • Windows 3.x • OS/2 1.x
 - 32-bit: Extended DOS • Windows NT
 - Win32s • OS/2 2.x • 32-bit Windows 3.x • Novell NLM
 - AutoCAD ADS/ADI
- Both 16-bit and 32-bit compilers for C and C++, the industry's best code optimizer, faster compile times with pre-compiled headers, C++ supports templates, exception handling and the Microsoft Foundation Class library (MFC)
- Licensed components from:
 - Microsoft Windows 3.1 SDK
 - Microsoft Windows NT SDK
 - Novell NLM SDK v4.0
 - IBM OS/2 Toolkit v2.1
 - Microsoft MFC Class library
- Includes Rational System's DOS/4GW 32-bit DOS extender with royalty-free distribution
- Significantly expanded and revised on-line documentation
- And more!

Suggested Retail Price:

Watcom C/C++ 10.0 CD-ROM Edition
(CD-ROM with on-line documentation) **\$350***

Watcom C/C++ 10.0
(CD-ROM with printed documentation) **\$450***

Upgrades:
(for owners of Watcom C/C++¹² or Watcom C/C++¹⁶ v9.5)

Watcom C/C++ 10.0
CD-ROM Upgrade Edition **\$149***

Find It At CompUSA and Egghead or call
1-800-265-4555



Watcom

A Powersoft Company

STORAGE TECHNOLOGIES

15 MB in a Matchbook



SunDisk says its CompactFlash cards will deliver up to 15 MB of uncompressed storage for digital cameras, pagers, and other mobile devices.

The storage capacities of personal communications devices, pagers, and digital cameras could improve greatly in 1995, thanks to a 32-MB new flash-memory device, called CompactFlash, from SunDisk (Burlingame, CA). The CompactFlash, which the company says will be available in volume in the second quarter of this year, delivers from 2 to 15 MB of uncompressed capacity in a card that's the size of a matchbook (roughly one-quarter the size of a standard Type II PCMCIA card) and weighs just half an ounce.

CompactFlash cards will be available in 2-, 4-, 10-, and 15-MB capacities. In addition to combining the best elements of flash memory, the CompactFlash is compatible with the PCMCIA standard. That means you will be able to pull one of these tiny cards from your pager, PDA (personal digital assistant), or camera and put it in a CompactFlash PCMCIA Type II adapter card, which you then insert into your desktop computer, notebook, laser printer, or other device.

CompactFlash cards should make pagers and digital cameras more useful. Today's low-end cameras, such as the Apple

QuickTake 100 24-bit digital device, typically have only enough on-board memory to store less than 10 high-resolution images. Alexis J. Gerard,

editor of the *Future Image Report* (Burlingame, CA), says the low storage capacities of current low-end digital cameras means photographers working in the field have to download their images into a notebook computer if

they want to take numerous high-resolution pictures. "CompactFlash," he says, "is the only thing that exists in such a small form factor that it offers electrical and logical compatibility with an established standard [PCMCIA]." CompactFlash cards could also allow two-way

CompactFlash: Pro and Con

Pro

- Rugged (sustains a 10-foot drop to a concrete surface)
- Low power consumption
- Nonvolatile (i.e., retains contents when switched off)
- PCMCIA-compatible

Con

- Currently expensive

paging devices, a number of which should be introduced this year, to store large data messages, small fax messages, and even voice mail.

But one drawback is price. The volume price for CompactFlash devices to manu-

facturers will range from \$75 (2 MB) to \$345 (15 MB). But Nelson Chan, director of marketing at SunDisk, says prices will drop by about 30 percent a year. And he adds that flash RAM can be used repeatedly, unlike traditional film.

—Dave Andrews

WIRELESS TECHNOLOGIES

Infrared Gets Real

Although IR data links have long been possible, a lack of standards has resulted in incompatible technologies that have stymied IR connections' widespread adoption. But now the IRDA's (Infrared Data Association) new standard has vendors getting aboard the IR bandwagon.

The new IR standard lets you create links between systems up to 10 feet apart over IR serial connections at speeds of up to 115.2 Kbps. With these speeds (which are in the same ballpark as a floppy drive's throughput), convenience will be a big IR-device selling point. But the range restriction will keep IR data links that conform to this new standard out of LAN architectures. The IRDA is working on new standards that will overcome these restrictions and enable faster IR connections with greater range.

All this may lead you to believe that the current IR standard is destined to be a niche technology, but that isn't the case. Microsoft is supporting the IRDA standard in Windows 95, and hardware vendors are lining up to produce IR products.

Part of the reason for this is that IR technology is inexpensive. While no one's willing to talk


pricing yet, all the vendors that BYTE interviewed were confident their products would be competitive with any other short-haul data transfer technologies, such as LapLink's (from Traveling Software) serial and parallel port cables.

Specifically, DEC's PC business (Acton, MA) was to release in the fall a new subnotebook called the Highnote Ultra, which will have an IR connection and data transfer software. Not to be outdone, DEC's old rival, IBM, will be releasing two IBM ThinkPad models, the 755CD and 755CE, with IR capacities. Other vendors will be introducing IR-capable PDAs (personal digital assistants). Apple, Motorola, and Sony have all thrown their hats into the IR-equipped-PDA ring.

And what will all these laptops and PDAs talk to? Possibly IR-equipped Hewlett-Packard LaserJets, according to HP. Adaptec is also moving aggressively in this area, with IR add-ons for OEMs and the after-sale market. Any way you look at it, it seems certain that IR technology is about to become an important part of the portable-computing world.

—Steven J. Vaughan-Nichols

MEDIA • ON



MP90 System Featuring

- INTEL Pentium 90Mhz CPU
- 8 MB RAM
- 540 MB Hard Disk Drive
- 1.44 MB 3.5" Floppy Diskette Drive
- PCI VGA Card with 1 MB RAM
- Double -Speed CD ROM Drive
- 16-bit Professional Sound Card
- 2 Low Distortion Speakers
- 15" Non-Interlaced SVGA Monitor
- Serial Mouse
- 101 Keyboard
- MS Dos & MS Windows
- FREE Gift: CD Titles Package

MP60 / 66 System Featuring

- INTEL Pentium 60/66Mhz CPU
- 8 MB RAM
- 540 MB Hard Disk Drive
- 1.44 MB 3.5" Floppy Diskette Drive
- PCI VGA Card with 1 MB RAM
- Double -Speed CD ROM Drive
- 16-bit Professional Sound Card
- 2 Low Distortion Speakers
- 15" Non-Interlaced SVGA Monitor
- Serial Mouse
- 101 Keyboard
- MS Dos & MS Windows
- FREE Gift: CD Titles Package

MP75 System Featuring

- INTEL Pentium 75Mhz CPU
- 8 MB RAM
- 540 MB Hard Disk Drive
- 1.44 MB 3.5" Floppy Diskette Drive
- PCI VGA Card with 1 MB RAM
- Double -Speed CD ROM Drive
- 16-bit Professional Sound Card
- 2 Low Distortion Speakers
- 15" Non-Interlaced SVGA Monitor
- Serial Mouse
- 101 Keyboard
- MS Dos & MS Windows
- FREE Gift: CD Titles Package



CALL Today: **1. 800. 552. 7835**

Note: The Intel Inside logo and Pentium are registered trademarks of Intel Corporation. All other names are properties of their respective owners.

Circle 282 on Inquiry Card (RESELLERS: 283).

When all else fails,

Starting at
\$119

There are three types of computer users: those who have lost data due to a power problem, those who are going to, and those who have protected themselves against the inevitable surge, blackout or brownout with the most reliable UPS they can buy: Back-UPS by APC. In fact, editors and users alike agree that if your system demands absolute reliability, you can depend on APC Back-UPS.

According to a study by Bell Labs, undervoltages represent the overwhelming majority of power problems likely to hit your computer. The question is not if a failure will occur, but when. Whether due to construction, wiring, weather, other office

APC Voted most reliable by 3-to-1

Tripp

Best



In a recent poll by PC Magazine's MagNet, APC was voted the most reliable UPS manufacturer by a 3-to-1 margin. That's dependability that will see you through years of unmatched power protection.



equipment, or accidents, power problems are as inevitable as death and taxes. That's why you need instantaneous battery backup power from the Back-UPS to prevent data loss, hard disk crashes, and hardware damage.

If you're concerned about lightning, rest assured that when measured using the ANSI/IEEE 587 Category A test wave, Back-UPS are superior to virtually all separate surge suppressors. Surge performance is even backed by a \$25,000 Lifetime Equipment Protection Guarantee.



"The clear winner in price performance...it's unbeatable..."

August 1993
APC Back UPS 1250



**LIFETIME
EQUIPMENT
PROTECTION
\$25,000**

FOR AS LONG AS YOU OWN THE PRODUCT, IF YOUR PROPERLY CONNECTED EQUIPMENT IS EVER DAMAGED BY AN AC SURGE, INCLUDING SURGES DUE TO LIGHTNING, APC WILL REPAIR OR REPLACE OUR PRODUCT AND UP TO \$25,000 OF CONNECTED EQUIPMENT (SEE POLICY FOR DETAILS, VALID IN U.S. AND CANADA ONLY)

APC
AMERICAN POWER CONVERSION

Back-UPS® prevail

Attention Resellers, Win \$10,000 cash in APC's Back-UPS Workstation Success Story Promo!! Call for an entry form today!



"All other brands of UPS die regularly in this lightning prone environment. My APC won't die!" said Paul Sisilli, Systems Analyst, City of Port St. Lucie. "With other brands, users don't find out until it is too late. The power interruptions here are very hard to live with. The other brands are dying off. Typically they last just beyond their warranty period. My Back-UPS is going on three years...no other brand is as reliable."



Don Truax knows first hand about Back-UPS reliability: "It ought to be against the law to buy a computer without an APC Back-UPS 250. I recently had a direct lightning hit right outside the house...my computer never blinked. Each morning I get a surge down the line and both APC's hate it - they simultaneously 'holler 'n clamp' while my 'Brand T' quietly sleeps in. I've relegated that unit to non-critical household stuff like my VCR."



Andrew Wargo, Manager at Baxter Land Company, tried two other brands before Back-UPS. "One lasted a few days, a second one went up in smoke after 48 hours, a third lasted less than 24 hours! I then bought my Back-UPS for less than half of what I had paid for the others. We've purchased three more Back-UPS and for the past 14 months they've been just hummin' away on the same power line that was eating the other brands alive!"

If you're protecting a network server, a communications interface port (on models Back-UPS 400 and higher) provides the security of an automatic shutdown to all major OS including NetWare, Windows, Windows NT, LAN Server, LAN Manager, LANtastic, SCO Unix, OS/2, Banyan Vines, AppleShare/System7 and more, so your data is safe whether the system is attended or not. (PowerChute software and interface kits sold separately.)

And since data processed on networked clients needs protection too, the \$139 Back-UPS 280 provides an economical solution for all your LAN workstations. And if you have a new green PC, the price is even better at \$119 for the new Back-UPS 200.



Discovering how essen-



Back-UPS (L to R)	Application	Sugg. List
200	Green PCs, small desktop systems	\$119
280	Desktop systems, LAN nodes, POS	\$139
400	Desktop 486, 386 systems, servers	\$229
450	Tower 486, 386 systems, servers	\$279
600	Heavily configured systems, CAD/CAM workstations	\$399
900	Multiple systems, longer runtime applications	\$599
1250	Multiple systems, LAN hubs, small minis, telecom equipment	\$799

More than...
2,000,000
Satisfied Users

APC has won more awards for performance and reliability than all other UPS vendors combined...including five consecutive LAN Times Readers Choice awards...



trial Back-UPS protection is can be hard...if you wait for the next storm to roll through. But discovering how affordable it has become is easy...

Call today and find out (the easy way) why more than 2,000,000 satisfied users bank on Back-UPS from APC. With more awards than all other brands combined, field-proven reliability, and a two year warranty, Back-UPS are power protection you can purchase with confidence.



AWARD-WINNING FEATURES

Instantaneous backup power beats blackouts and brownouts

Unmatched lightning (tested to UL1449) and surge protection for maximum hardware safety

Network-grade line conditioning and EMI/RFI filters prevent glitches

LAN Interface (on Back-UPS 400 and up) provides automatic shutdown to all major OS: Windows, NT, NetWare, LAN Server, LAN Manager, LANtastic, Unix, OS/2, Vines, AppleShare/System7 and more.

Site diagnostics automatically spot missing ground and reversed polarity, two common miswirings which usually require an electrician's visit to diagnose.

Option switches allow you to customize transfer voltage and alarm settings.

Test Switch for ongoing peace of mind.

2 year warranty and full safety approvals including ISO9001.

\$25,000 Lifetime Equipment Protection

Hot Swappable, User Replaceable Batteries reduce service time, costs by allowing safe removal and replacement of exhausted batteries, while your system stays running.

APC

AMERICAN POWER CONVERSION
800-800-4APC

APC EUROPE (+33) 64625900 / ASIA/PACIFIC FAX: (+813) 5295-1989
L. AMERICA FAX: 401-788-2716 / Computer: GO APCSUPPORT
Internet: tech@apctech.UUCP or unel@apctechtech

VIDEO EDITING

Professional Video Prices Drop

Powerful desktop computers combined with new video-editing programs are delivering professional video-editing capabilities to the PC, Mac, and Power Mac platforms. These new video-editing programs with hardware can replace analog editing systems that can cost as much as \$100,000.

Of particular note is Premiere 4.0 from Adobe, a professional-level program that can create and edit video, film, and CD-ROM movies. Premiere's status as either a replacement for—or a complement to—more expensive video-editing packages, such as Avid Technology's (Tewksbury, MA) turnkey Media Suite Pro and Data Translation's (Marlborough, MA) Media 100, will depend on your production needs, budget, and willingness to mix and match products and technical support from different vendors.

The Windows and Mac versions of Premiere 4.0 have

many new features that will appeal to the video professional. Among these are support for SMPTE time code, movie capture and creation at the true NTSC rate of 29.97 frames per second, EDLs (Edit Decision Lists), batch digitization of analog video clips, batch movie compilation, support for up to 99 video and 99 audio tracks, and the ability to create custom effects and custom filters.

Premiere's nonlinear video-editing tools make the PC and Mac more flexible than analog video-editing tools, but it can take even a Power Mac or a Pentium-class machine several hours to render a complex special effect in a digital movie and then transfer it to videotape. Premiere 4.0 lets you preview your preliminary video construction in real time, but not the movie's special effects and transitions, which you still have to render.

Premiere 4.0's ability to read SMPTE time-code numbers lets you create an EDL that you

take, along with your source videotapes, to a post-production studio. In the studio, the movie's various elements are combined to create a high-quality analog movie that you've already designed in Premiere. The package's support of the major industry EDL formats from such companies as CMX, Grass Valley, and Sony, combines the best of analog and digital editing.

Premiere's new capabilities, combined with improvements to its interface, make the program a formidable competitor in the video world, according to analysts and video professionals. However, some video directors will opt for more integrated products for the Macintosh, such as Media Suite Pro and Media 100, or Fast Electronic's (Redwood City, CA) Video Machine for the PC.

For example, Elizabeth Coker, who creates corporate training and other videos for Fortune 500 companies at the Tennessee Industrial Training


Service, says she likes

the approach that Avid takes with Media Suite Pro. Avid certifies its products' capture boards, specially modified Micropolis hard drives, sound boards, and SCSI-2 controllers to ensure the creation of high-resolution, frame-accurate videotape movies with synchronized audio and CD-quality sound. She also likes the fact that all her technical-support concerns are handled by just one company and that she can upgrade Media Suite Pro to Avid's top-level video-com-

posing products.

Avid says it will release a Windows version of Media Suite Pro early this year. Premiere's low price (\$495 for the forthcoming Windows version; \$795 for the Mac version) is attractive, but the program requires you to mix and match video-capture and audio-compression boards with high-performance, high-capacity hard drives.

Several video producers that we interviewed said that if you can afford it, you should get one of the higher-end products, such as Media Suite Pro. However, if you don't mind mixing, matching, and verifying different hardware and software components, Premiere 4.0 can deliver professional video less expensively. —Jon Pepper



Premiere 4.0 for Windows' support for EDLs, SMPTE time code, 99 video and 99 audio layers, and other features make it a contender in the professional world of desktop video production.

Contact Information

Media 100

Prices for this hardware/software digital-video package for creating broadcast-quality video on the Mac start at \$8995. Data Translation, (508) 460-1600 ext. 100.

Media Suite Pro

This integrated digital-video editing system for the Mac (a Windows version is slated for spring) starts at \$9995. Avid Technology, (800) 949-2843 or (508) 460-1600.

Video Machine

Video Machine for the PC is a complete desktop video-editing suite (\$3995); the \$6995 Digital Player-Recorder add-on board offers simultaneous linear and nonlinear broadcast-quality-video editing. Fast Electronic, (415) 802-0772.

Adobe Premiere 4.0


The Mac/Power Mac version costs \$795; the Windows version costs \$495 through February 15, \$695 thereafter. Adobe, (800) 833-6687 or (415) 961-4400.

COREL

FLOW

Quick and Powerful Diagrams!

CorelFLOW is the fast, easy way to organize and communicate your ideas with flowcharts, diagrams, schematics and more!



Incredible value!

- 2,000 Symbols
- 1,000 Clipart Images
- 1,000 Corel Photos on CD-ROM
- 100 TrueType Fonts

Easy to use!

- "Drag and drop" drawing
- Automatic shape connectors
- Direct text and line editing
- Customizable workspace

Powerful!

- OLE 2.0 support
- Customizable Smart Symbol Libraries
- Application and diagram linking
- Access multiple Smart Symbol Libraries
- Automatic resizing of symbols to fit text
- Flexible object manipulation
- Built-in spellchecker
- Network ready

\$69.99*

*US Funds plus applicable taxes.

STAPLES
The Office Superstore


1-800-333-3330

Call for the store nearest you!

Enter the Corel \$2,000,000 World Design Contest and win! (September to March) To receive a faxed copy of the contest rules and an entry form please call: 1-613-728-0826 ext. 3080, Document #1004. To leave a message please call: 1-613-728-0826 ext. 81609.

Circle 72 on Inquiry Card.

COREL
1-613-728-3733



ADAPTIVE COMPUTING

On-Line-Access Services Inconsistent for the Blind

For more than a decade, the on-line world has been providing megabytes of information to thousands of blind computer users. Speech synthesizers, interfaced to personal computers, can read ASCII text as it scrolls onto a video monitor. But blind users' easy access to on-line information may be drying up as major providers, such as America Online and Prodigy, require users to have GUIs to access their on-line services.

GUI systems are typically difficult for the blind to operate, and few on-line-service providers seem to be aware that vision-impaired users may wind up as road kill on the information highway. For example, America Online is currently not user-friendly for visually impaired consumers who use Windows-based speech or braille-output systems, although the company says it is investigating remedies for this situation.

One solution to providing access is to construct GUIs that the blind can operate effectively; another is to offer parallel ASCII or GUI interfaces so that users can select the one that's best for them. Cyberia Communications (York, PA, data: (717) 840-1444; voice: (717) 840-0139) has chosen the latter

route for its on-line service. The company offers subscribers a variety of services. When users log into Cyberia, for example, they can choose from three interfaces: normal emulation, graphical RIP (Remote Image Protocol) emulation, and Easy Access for the Blind emulation. When a user chooses the third interface, all graphics are stripped, and the menus are presented in a format that's easily readable by various screen-reading devices.

Other on-line services, such as BIX, CompuServe, Delphi, and GENie, offer text interfaces that are suitable for the blind community. Vision-impaired users want to ensure that the ASCII option is kept open. "The trend toward the GUI is a disturbing development, because reliable access to these interfaces just isn't here yet," says Brian Charlson, senior computer instructor of adaptive equipment at the Carroll Center for the Blind (Newton, MA). "The blind are not against the development of the graphical user interface, but we are firmly against the development of any interface that doesn't work with speech, braille, or screen-magnification systems," he adds. The point is to produce a GUI that can work for both the sighted and the blind alike.

—Joseph J. Lazzaro

U S A Today Subscription, Daily news on Cyberia.
 Press 0 for News.
 Press 1 for Health.
 Press 2 for Sports.
 Press 3 for Technology.
 Press 4 for Business Law.
 Press 5 for Advertising.
 Press 6 for International News.
 Press 7 for Telecommunications.
 Press 8 for Events & Marketing.
 Press 9 for Banking & Economy.
 Press K for Issues & Debate.
 Press L for Personal Investing.
 Press M for Insurance.
 Press N for Health.
 Press O for Energy.
 Press P for Real Estate.
 Press Q for Travel.
 Press R for Humor.
 Press S for Entertainment.
 Press X for Today's Headlines.
 Press minus for Previous Menu.
 Please enter your Command:



Cyberia provides three different interfaces for users to access its services, including ones for blind users and users of communications programs that support RIP.

Whatever Happened to . . .



The IMS 3250 (see "Make the Right CPU Move," December 1992 BYTE)
 For several years, International Meta Systems ((310) 375-4700) has been working on a RISC chip that can emulate x86 and 680x0 processors at competitive speeds. The company says the delays are partly due to a need to improve the chip's speech-processing capabilities. The 3250 will target the hand-held market and sell for about \$80 in volume when it ships, which is slated for the middle of this year.

Indexing Gets Smart

Information publishers are turning to a new breed of smart-indexing tools that can automatically summarize and condense huge documents without human intervention. Automatic-abstracting technologies address problems that even complex Boolean searches can't.

On-line publishers of information are evaluating smart-indexing tools from companies such as Iconovex (Bloomington, MN, (612) 943-0292) and InText Systems (Folsom, CA, (415) 391-5790) so that content subscribers won't waste time needlessly downloading large documents. "A lot of times, full-text indexes provide a lot more information than people can use," says Tom Mandt, director of advanced development at IVI Publishing (Minneapolis, MN), a digital publisher that's expanding its on-line presence. "The ability of these tools to look at a lot of information and

condense it is intriguing," he adds.

Iconovex, which already sells a series of programs, called Indexicon (\$149), that automatically generate back-of-the-book-style indexes for popular Windows and Mac word processors, has developed a toolkit for C and C++ programmers, called Syntactica. Available now for Windows, and soon for Unix and the Mac, Syntactica can generate an indicative abstract (i.e., a summary of the full text) by using a combination of semantic and syntactic analysis. In addition to creating traditional back-of-the-book indexes, the toolkit can create concept indexes, in which a document's key ideas are provided both alphabetically and by page number.

Another intriguing development comes from InText Systems. The company is currently developing a software development kit for on-line

publishers to use in writing agent programs that let users launch searches through World Wide Web documents. The agents create abstracts of documents that meet a specific search criterion.

Another company using smart-indexing technologies to summarize text is Oracle (Redwood Shores, CA, (415) 506-7000), which says it will integrate its ConText linguistic-analysis and content-extraction software into its Documents workgroup software for managing unstructured text data.

"The whole idea of the intelligent document is gaining acceptance," says Carl Frappaolo, executive vice president at Delphi Consulting (Boston, MA), a consultancy specializing in electronic-document management. "Smart-indexing tools are the next big thing in this area."

—D. A.



JetDirect EX External print servers support any parallel-based printer. JetDirect cards support HP LaserJet, HP DeskJet and HP DesignJet printers with I/O slots

NOS compatibility: Novell NetWare; IBM LAN Server; Microsoft LAN Manager; Apple EtherTalk; Apple LocalTalk*; Windows NT; Windows for Workgroups; UNIX HP-UX, SunOS, Solaris, IBM AIX, SCO UNIX, Ipd**


Network compatibility: Ethernet: 10Base-T, 10Base2; Token Ring (4/16 Mbps); Apple LocalTalk*

Multiple protocols with automatic switching

Software management utilities such as HP JetAdmin and HP JetPrint†† for NetWare and UNIX for easy printer installation, remote status and management

Supports SNMP-based network management software

Flash memory for easy upgrades**



Nothing Supports Your Printers Better Than HP JetDirect Print Servers.

Now you can easily connect and manage the printers in your network environment.

If you've been looking high and low for a way to get all your printers on the network, rest your eyes here for a moment. Because the HP JetDirect family of print servers has a solution that works with

the printers in your company. Not to mention virtually any LAN environment.

And thanks to the software utilities we've included, installation is quick and management of your printers is easy. Plus, you'll

enjoy vastly improved printer performance.

Of course, you'd expect all this from Hewlett-Packard, the leader in

network printing. So give us a call at 1-800-533-1333, Ext. 8464.† You'll soon discover that when it comes to sharing printers on a network, nothing stacks up to HP JetDirect print servers.

Another smart networking product from HP.



JetDirect cards connect HP printers with I/O slots

JetDirect EX connects any parallel-based printer



*Not supported by JetDirect EX. **Supported by JetDirect EX, fall of 1994. †In Canada, call 1-800-387-3867, Dept. 8464. ††Supported with NetWare only. Microsoft is a U.S. trademark and Windows is a trademark of Microsoft Corporation. UNIX is a registered trademark in the United States and other countries. Licensed exclusively through X/Open Company Limited. ©1994 Hewlett-Packard Company



NEC VERSA™ NOTEBOOKS: THREE SERIES MEET ALL NEEDS

Notebook computers have become a must for professionals on the go. They now account for a quarter of all PC sales. NEC offers three series of high-quality Versa notebooks that feature unmatched flexibility for upgrades and expansion.

Our top-end Versa M Series is designed for mobile professionals. It combines powerful computing with multimedia capabilities. High-speed processing power is provided by DX4

75MHz or 100MHz CPUs. We offer twelve models with 8MB RAM and up to 810MB of disk storage. Color display options include a 9.5-inch TFT screen with 16 million colors or 800 x 600 resolution. For effective presentations, the Versa M offers 16-bit stereo sound, built-in mike and high-fidelity speakers.

Our Versa V Series offers outstanding notebook performance and TFT color screens at an affordable price.

We have four models with DX2 50MHz CPUs, 4MB system memory and up to 340MB of disk storage. The Versa V Series features DoubleTime™ technology with a second battery for 6 to 10 hours of on-the-road computing. Back at the office, the Versa V becomes a full-featured desktop PC with our Docking Station™ II.

The Versa S Series is designed especially for those who need to travel light. Our high-end, 9.5-inch TFT color model with 260MB hard disk weighs only 2.3kg. It measures 276(W) x 212(D) x 42(H)mm. Five models are available with SX 33MHz or DX2 50MHz CPUs, and 4MB RAM.

All trademarks are property of their respective holders.

PROMOTING SDH NETWORKS WORLDWIDE

Network providers around the world are rapidly introducing digital networks based on the Synchronous Digital Hierarchy. NEC offers a comprehensive line of SDH fiber optic transmission systems and microwave radio systems. We are working with network providers in many countries to plan and implement optimum SDH networks.

NEC has started delivery of 155-Mbps SDH microwave radio equipment for the Novosibirsk-Khabarovsk link spanning 4,500km in Russia. The link is part of the grand Europe-to-Far East network connecting Copenhagen, St. Petersburg, Moscow and Khabarovsk. NEC SDH microwave systems will also be used in trunk routes extending 2,000km in Sweden.

Recent orders for our SDH fiber optic transmission systems (FOTS) have come from network providers in Brazil and Mexico, and the national railway of China. Our FOTS will be a nerve center in a trunk line of the projected 2,500km railway between Beijing, China and Kowloon, Hong Kong.

In the US, a leading long-distance carrier has chosen our 2.4Gbps SONET FOTS to connect major American cities. NEC will also supply FOTS and advanced network management systems to a regional Bell company.

P7 OFFERS 40 HOURS OF STANDBY TIME

Our new P7 cellular phone is optimized for business users who demand a whole day's service and don't want to carry spare batteries around.

The P7 offers 40 hours of standby and 135 minutes of talk time with a standard battery. It gives users an extra margin of security and eliminates power problems around the clock.

The P7 offers all the essential functions of a high-end cellular phone. It fits snugly in your palm and weighs only 250g. It's easy to use. It has a 40-

character, 4-line LCD screen. Both the display and key pads are illuminated for nighttime use.

Speech is loud and clear. The P7 has a microphone which filters out peripheral noise and a concave earpiece that lets you hear the caller, not the passing traffic. A retractable, flexible antenna ensures excellent reception.

You can easily convert the P7 to a car phone with optional car kits. They include a cigarette-lighter adapter, a hands-free kit and a 3W booster.



SMART, COST-EFFECTIVE PABX


The NEAX7400 ICS* series is a new generation of PABX systems for voice and data. It features a unique architecture - distributed access to a cluster of telephones.

Conventional PABX systems make direct access to each telephone they serve. This requires as many connecting cables as telephone sets. NEC's new system uses only two pair cables. They carry 2Mbps of multiplexed data for connection with a Distributed

Access Unit. The DAU provides information for up to 30 telephones.

Distributed access greatly reduces cabling costs and duct-space requirements. Users can add or move telephones with unprecedented ease. The DAU system offers an efficient response to the needs of work groups by connecting clusters of analog or digital telephones.

Our new PABX systems come in a variety of modular, upgradeable models supporting up to 23,552 ports. All offer over 500 service features, including integration with computers and access to ISDN.



*Names/specs vary in Brazil and the USA.

NEC

Blasts from the Past



DENNIS BARKER

As we approach our twentieth year of publishing BYTE, we'll be looking back at highlights from two decades of covering the PC revolution.



Second annual BYTE Awards. Things we thought excellent from '89 included the 486, for which we made the daring prediction: "we see great potential"; Apple's 32-bit QuickDraw; Xircom's Pocket Ethernet Adapter; Wingz; OSF Motif; the Texas Instruments Graphics Architecture; Phar Lap's Virtual Control Program Interface; and Electronic Arts' Studio/1 paint program. Only one computer made the best-of-the-year list: the Mac IIci — "the biggest jump in processing performance for a Mac since the Mac II was announced."

then a few more months to get a less buggy operating system. As a concept, we liked Mr. Jobs's onyx box, especially the software and development tools, "but the cube doesn't make it as a multiuser Unix system." Man, are we glad we didn't call it "insanely great."



Microsoft and IBM, hoping to make everything perfectly clear, called a press conference to define their operating system intentions. Windows would be tailored for PCs with less than 2 MB of RAM, said IBM's Jim Cannavino. OS/2 1.2 would be for 3-MB machines, said Microsoft's Bill Gates, and OS/2 2.0 would be for luxury systems. According to Cannavino, Windows would never be a server platform, and it would never have the fancy features of OS/2, like multithreading, distributed processing, and long filenames.



You can tell now that the preceding year had been the Year of the Mac Debut. This issue was full of Mac-related articles, including features on Microsoft Mac BASIC version 2 and "The Visual Mind and the Macintosh," which extolled MacPaint as a tool for visual thinking.

Strange Little Beastie of the Month
The Portable Mainframe from Opus Systems: a \$14,000 386SX-based lunchbox with a Motorola 88000 card slotted in. The 88K zoomed along at 21 MIPS, but because the thing was plugged into an AT slot, throughput was throttled. Good for running big spreadsheets, but not for conducting experiments in fluid dynamics in your hotel room.

The Next Cube had been announced more than a year before, but it wasn't until mid-'89 that we actually could get a production machine for testing, and

From the UK



Dick Pountain reported on the Amstrad CPC 464. Amstrad targeted its new Z80A-based system for use in the home, where most computers were used for "playing games or learning programming." The CPC 464, with its 80-column screen, "neat" operating system from Locomotive, and support for CP/M and DOS, appeared to be a business and a pleasure machine. With a color monitor, it sold for £375 — a deal, considering color monitors sold then for about £300.

We interviewed Steve Wozniak. The Woz spoke candidly about mistakes Apple had made with the Apple III. "We made it very difficult for anyone to get access to the insides of the machine. . . . We closed that machine up to where somebody could have a very difficult time finding out how to add their own I/O drivers. . . .

We made it very difficult for outside developers instead of providing all the information as we did with the Apple II." Some folks are still using Apple IIs. When was the last time you saw someone using an Apple III?

Our West Coast bureau reported from Unix Systems Expo, in L.A., that Unix was starting to appear on PCs. Amidst all the minicomputer products, Xenix was running on IBM PCs, Tandy Model 16Bs, and Apple Lisas. Our reporter lamented the preferential treatment given attendees of a men's fashion show going on at the same time. The fashion people got free parking at the convention center

and free passes to the Unix show. The Unix crowd didn't.



Domesticated computers. Along with Steve Ciarcia's instructions on building a home-control console, we explained how you could use a microcomputer to manipulate the lighting in your house, run the furnace, dial the phone, and sustain marital bliss (No, wait — *sustain marital bliss* is in an upcoming issue).

"As of this writing, the state of the art in personal computing is such that the user is king. It is possible to enter a computer store and witness the operation of a typical modern system, try it out, then purchase one just like it to take home."
— Carl Helmers editorial, "The Era of Off-the-Shelf Personal Computers Has Arrived"

Time was more expensive then. Mountain Hardware advertised its Apple Clock, for the Apple II. It kept time in 1-ms increments and came with software for calendar and clock routines. But the board cost \$199, and it took up a whole slot.

Programming quickies included listings for a checkbook balancer written in Pascal and a program in CBASIC that would give you the French equivalent of an English word and vice versa.

Intrdcng

th wrld's fstst

md-rnge

wrkstns.





INTRODUCING THE WORLD'S FASTEST MID-RANGE WORKSTATIONS. THE ALPHASTATION FAMILY.

Why mince words? The workstations in our new 64-bit AlphaStation™ family blow right by 32-bit machines. These three powerhouses start at 166 MHz and go up from there. That's more than enough juice for serious number-crunching apps, sizzling 2-D and 3-D graphics, MCAD, ECAD, mapping, you name it. All of which makes them the best price/performance bargains on the market.

Of course, each AlphaStation also runs UNIX®, Windows NT™ and OpenVMS™ operating systems, and gives you the openness of the new industry-standard PCI bus.

And if you like reliability and

low running costs, you'll appreciate their 3-year warranty.

As for value, check the specs. They speak volumes. You'll see these aren't just the world's fastest mid-range workstations.


They're also within yr prc rng.

Call your Digital Business Partner or 1-800-DIGITAL.


ALPHA
GENERATION

	ALPHASTATION 200 4/166	ALPHASTATION 200 4/233	ALPHASTATION 400 4/233
ENCLOSURE	Desktop	Desktop	Mini-tower
CMP SPEED	166MHz	233MHz	233MHz
SPECint92	107.7	137.7	157.7
SPECfp92	134.8	183.9	183.9
Xmark93	11.93	15.04	15.04
I/O Slots	2 PCI/ISA 1 ISA	2 PCI/ISA 1 ISA	2 PCI 3 ISA, 1PCI/ISA
Max I/O	132MB/sec	132MB/sec	132MB/sec
Max Memory	192MB	192MB	192MB
Max Int. Storage	3.15GB	3.15GB	8.4GB


digital



Track and manage the production, inventory and use of materials in addition to the management of labor, equipment and other resources.




Change project views to see WBS or PERT charts showing dependency links, milestones and status.



View project status quickly and easily to anticipate and avoid costly project delays.

State-of-the-art graphics and reporting capabilities make your data easier to understand.



If PERT Charts, WBS Structures And Comparative S-Curves Get You All Excited, This Will Really Spin Your Hard Drive.

Serious project managers need software that's as serious about the job as they are. And that software is CA-SuperProject.

Powerful yet flexible, SuperProject is sophisticated enough to reflect your work environment and is incredibly easy to use.

Model your projects realistically with effort-driven tasks, date constraints, large capacities, to-the-minute scheduling, flexible progress tracking, auto actuals, re-scheduled remaining effort and strong multi-project management.

Manage resources and costs efficiently with multiple calendars, availability and rate tables, efficiency factors, shifts, overtime,

materials management, advanced leveling, rate overrides, fixed and overhead costs, cost accounts and cost/schedule reporting.

Understand, report and present your projects effectively using four unique outlines with integrated Gantt and histogram charts, crosstabs, PERT and WBS charts, S-Curve and other cost charts, full customization with unlimited saved layouts and 90 user-defined fields and formulas, all in an intuitive WYSIWYG environment.

Call 1-800-225-5224, Dept. 62500, For More Information.

CA-SuperProject for the serious power user. You'll wonder how you ever managed without it.


New CA-SuperProject 3.0

UNIX Windows OS/2

Computer Associates International, Inc., One Computer Associates Plaza, Islandia, NY 11788-7000
All product names referenced herein are trademarks of their respective companies.

COMPUTER ASSOCIATES
Software superior by design.

Circle 69 on Inquiry Card.



Creating Life in a Computer

ANDREW SINGLETON

Arificial life (AL) burst on the scene as a science, a technology, a philosophy, and a group of personalities during the first AL conference in 1987. Now, with Claus Emmeche's book *The Garden in the Machine*, we have a concise guide to all the various threads, tied together with Emmeche's own philosophical analysis.

AL researchers explore "the biology of the possible." They believe that we can use computers to explore the world not of BL (biological life) but of many possible alternative life-forms. They define life not by its material substance but by its organization, which can include the patterns of information in a computer. The researchers believe life in all its forms has mechanisms for processing energy and information that emerge from some fundamental order in the universe, a new natural law that shapes those forms out of chaos.

If life can have alternate forms, what is life? With that question, we plunge into the zoology of AL, including its history, its technologies, and its personalities, all in only 166 pages. We learn about exobiology, biochips, artificial chemistry, genetic algorithms, animats, cellular automata, computational ecology and thermodynamics, the edge of chaos, and the riddle of morphogenesis.

The history lesson begins with Aristotle, who proposed "psyche," the force that gives animals independent motivations, and continues through John von Neumann, who drew up a detailed plan for a "self-reproducing automaton." Emmeche introduces biologists such as Louis-Jean-Marie Daubenton, C. H. Waddington, and Jay Gould. We meet Tom Ray, creator of evolving AL creatures, and Christopher G. Langton, the organizational father of AL, author of the "seven commandments" of AL, and originator of the "edge of chaos" theory of computation.



We see the influence of Stephen Wolfram, who explored the space of cellular automata, and Edward Fredkin, who believes the universe is a cellular automaton. We get a quick explanation of the evidence behind Stuart Kauffman's claim to have found mathematical principles for the organization of life, and an even quicker review of John H. Holland's genetic algorithms.

This book does not require a knowledge of computer science. The description of cellular automata and the game of Life recounts how John Conway's first experiments involved moving dishes around on his floor tiles. To his infinite credit, Emmeche does not oversimplify the science or the philosophy that he is describing, and his paraphrase of technical points is accurate.

Emmeche writes that AL research is a shadow world that exists mostly in theories. They won't bring forth a slimy snail or a nightingale. As a biologist, Emmeche has come to terms with the capabilities and limitations of AL in relation to his chosen field. But he stops short of exploring the larger cultural and ethical implications of AL.

AL imitating BL relies on bottom-up evolution. BL starts with relatively simple organisms and builds more complex behavior through evolution and emergence. This principle, applied to the creation of AI, is the

motivation for genetic programming. Starting with thousands of simple, randomly generated programs, genetic programmers attempt to cull out the ones with useful behavior. They



BANDITS INCOMING

WARPLANES: MODERN FIGHTING AIRCRAFT

(Maris Multimedia, Ltd., London, U.K.) \$69.95

As "the ultimate encyclopedia of military aircraft and aviation" for the 1976-1994 period, this CD-ROM doesn't quite live up to its billing. For those in love with planes, however, it's a good start. The disc has aircraft and weapons data, a history section, a three-plane flight simulator, and coverage of many conflicts.

Planes are the heart of this CD—530 aircraft from around the world, most with photos and about 20 percent with video clips. There is reasonably complete information on each plane's history and specifications, but the photos (a maximum of two per plane) are disappointing. Often, you can't tell what the plane really looks like. There are no photos for several far-from-secret aircraft, such as the F-16XL. It appears the publisher assembled these pictures hurriedly, without much attempt to select good images.

The video clips, displayed in a 2- by 3-inch window on a 14-inch monitor, show mostly takeoffs. Image quality is fair. Overall, the video adds little value.

The flight simulator lets you "pilot" a Russian SU-27 fighter, a C-130 Hercules transport, and an A-10 Warthog ground attack plane. It's poorly documented, and some controls seem backward—left-arrow key to




bank right, and vice versa. The conflicts section cross-references planes, airfields, and so on for the cold war in Europe, the Arab-Israeli conflict, and the Gulf War (U.S. Navy

and joint RAF/coalition operations). Its history feature shows a shadowy map; when you click an on-screen button, event captions appear in chronological order, with lines to show where they occurred. When the screen gets full, it clears and moves to the next time period. It's not very interesting or informative.

All in all, this disc tries to cover too much ground. Limited to plane facts, with better photos, would have made this a treasure trove for the aircraft enthusiast. As it is, it's a reasonably in-depth reference on many planes and weapons.

—Russell Kay

NAFTA Is 1,100 Pages Long. Indexicon Created An Index For It In 10 Minutes.



Indexing used to be a long, difficult procedure. Not anymore. Introducing Indexicon—the first automatic indexing program, the first to understand the structures of the English language. At the click of the mouse, Indexicon reads through a document, locates key terms and phrases, and generates a back-of-the-book style at a rate of up to 50 pages per minute! If you're spending any amount of time manually indexing, Indexicon can pay for itself the first time you use it! **Only \$149.99. Call 1-800-943-0292 to order.** (If not completely satisfied after 30 days, return for a full refund!) Plus, act now and get LexEDIT FREE! (A \$50 value!)



With LexEDIT you can tailor specific lexicons before you run the Indexicon program, for perfect indexes everytime! Available for Windows versions of MS Word 2.0, 6.0 and above, Word Perfect 6.0 and above. Call for other platforms.

Coming soon! Indexicon for the Macintosh.

To index NAFTA, we used Indexicon for WP/WIN on a 486/66 MHz.



ICONOVEX 7448 W. 78th St. • Bloomington, MN 55439
Phone: 612-943-0292 • Fax: 612-943-1087

ICONOVEX@Delphi.Com or Compuserve: 74064,440

Books & CD-ROMs

apply a genetic algorithm to select the best candidates, modify them with mutation and crossover (or mating), and create a new population of candidates. A refined version of this process might build up software with powerful capabilities. At the very least, we know that a similar mechanism can yield surprising results in the realm of BL.

Where philosophers blaze a trail, engineers follow with paving equipment, and nobody has heavier machinery than John R. Koza. His book *Genetic Programming* weighs in at 800 pages and contains data from hundreds of experiments. Each experiment required runs from several hours to several days on an aging Lisp machine and includes its own statistical charts.

The book contains an introduction to genetic algorithms and a thorough explanation of the mechanism for applying a genetic algorithm to generate S-expressions or Lisp expressions. The appendix contains the complete listing in Lisp code of a simple genetic-programming system and several other tools. The reference material is complete enough to teach you how to do genetic programming and reproduce many of the experiments.

Koza is a pioneer in the field of genetic programming, and he has faced a number of skeptics. The idea of randomly combining computer routines does sound crazy to anyone who has faced the difficulty of debugging even a carefully constructed routine. His book includes a sometimes plodding attempt to justify genetic programming as a systematic and widely applicable method.

The book starts with two claims. One, that many problems can be cast "as requiring the discovery of a program that produces some desired output when presented with particular inputs," or program induction. Two, that genetic programming is an effective way to do program induction. The book then presents a wide variety of problems and demonstrates how to set them up as program-induction problems. In finding and setting up these problems, Koza shows real ingenuity.

He solves classic control problems, such as cart balancing, and introduces diversions like the optimal feeding strategy for a

THE GARDEN IN THE MACHINE
Claus Emmeche
Princeton University Press
ISBN 0-691-03330-7
\$24.95

Addison-Wesley
ISBN 0-201-52571-2
\$36.75

GENETIC PROGRAMMING
John R. Koza
MIT Press
ISBN 0-262-11170-5
\$60

**GENETIC ALGORITHMS IN SEARCH,
OPTIMIZATION, AND
MACHINE LEARNING**
David E. Goldberg
Addison-Wesley
ISBN 0-201-15767-5
\$48.50

GENETIC PROGRAMMING 2
John R. Koza
MIT Press
ISBN 0-262-11189-6
\$45

**GENETIC ALGORITHMS (FOURTH
INTERNATIONAL CONFERENCE)**
Richard K. Belew and Lashon B. Booker
Morgan Kaufmann
ISBN 1-55860-208-9
\$44.95

ADVANCES IN GENETIC PROGRAMMING
Kenneth L. Kinnear Jr.
MIT Press
ISBN 0-262-11188-8
\$45



ARTIFICIAL LIFE II
Edited by Christopher G. Langton,
Charles Taylor,
J. Doyne Farmer,
and Steen Rasmussen

**GENETIC ALGORITHMS (FIFTH INTERNATIONAL
CONFERENCE)**
Stephanie Forrest
Morgan Kaufmann
ISBN 1-55860-299-2
\$44.95

Remote Control Software. Rated #1. Over and Over and Over...

#1 Overall
Evaluation

#1 Overall
Power

#1 Overall
Usability

#1 Performance

#1 Versatility


#1 Ease of
Learning

#1 Ease of Use

Stac

STORAGE & COMMUNICATIONS

1201 19th Place • Vero Beach, FL 32960 U.S.A.
Phone (407) 770-4777 • Fax (407) 770-4779



The 45-page review for *Software Digest* covered all the bases. It was the most extensive review ever done on remote control software. In the end, the experts called ReachOut Remote Control simply "the best program in the...evaluation." It outscored the competition in not one, not two or three, but in seven categories. In its report for *Software Digest's* June '94 issue, National Software Testing Laboratories wrote:

NSTL recommends ReachOut Remote Control for its excellence in almost every category. No other program matches its number of features or ease of use, and it is the unanimous choice for best program in the testers' general usability evaluation.

The recommendation confirms the findings of exhaustive corporate evaluations. And it parallels assessments by such leading publications as *Byte*, *LAN Magazine*, *PC User*, *Network Computing*, *Government Computer News* and *InfoWorld*.

But why not judge for yourself? We will be happy to send you more information on the NSTL report. Better yet, take advantage of our 60-day money-back guarantee and order your copy of ReachOut today. Call 1-800-677-6232 ext. 214 for your nearest dealer location.

Before you know it, you'll be using ReachOut. Over and over and over...

THE MOST COMPREHENSIVE REVIEW OF REMOTE CONTROL SOFTWARE

SOFTWARE DIGEST RATING	OVERALL EVALUATION	PROGRAM
★★★★	8.5	Reachout Remote Control
★★★	7.5	Close-Up
★★★	7.3	Norton pcANYWHERE 1.0 for Windows
★★★	7.3	Carbon Copy for Windows

Circle 96 on Inquiry Card (RESELLERS: 97).

If Your Software Is Good, It's Good Enough To Steal.

Call **800-841-1316** to find out how this device protects your software and your profits.



- No Programming
- Nothing New To Learn
- Stand-alone and Network Protection

SOFTWARE SECURITY

6 Thorndal Circle, Darien, CT 06820-5421 (203) 656-3000

Software Security International Ltd.
+44-(0)1784-430-060

PEABODY, HERE... WITH THE FAX-ON-DEMAND SYSTEM THAT WON'T SET YOU "WAY BACK."




As a recognized authority in the fields of technology and history, it is no surprise that COPIA has asked me to say a few words about their FaxFacts product. After all, we are both best of breed.

- Retrieve Info via fax/voice
- Expandable to meet your needs
- U.S. Patent holder for same call fax delivery
- Fax Broadcast/Fax Mailbox
- Fax from any Windows program
- IVR provides realtime queries
- Credit Card charge per fax

Faxfacts[®]
by Copia
International Ltd.
Wheaton, Illinois 60187
800/689-8898

TRY THIS DEMO:
708/924-3030
DOC. NO. 889812



lizard. Through this all, it is apparent that genetic programming can solve only simplified problems. In an attempt to solve more difficult and more realistic problems, Koza introduces the idea of Automatically Defined Functions, or ADFs. These are evolved subroutines, which add a more complex, hierarchical structure to the evolved programs. ADFs are the subject of a second weighty tome entitled *Genetic Programming 2*.

It explores the application of ADFs in chapters such as "The Bumblebee Problem" and "Prediction of Omega Loops in Proteins." It examines how ADFs perform as problems get harder. It shows how you can force ADFs to take on specialized functions and exploit this specialization. It looks at ADFs with fixed arguments, with no arguments, and with an evolved number of arguments. The book demonstrates that ADFs bring more difficult problems within reach, although it leaves open the question of how genetic programming can be scaled up to produce, for instance, a machine-vision system.

For all their depth, Koza's books are extremely narrow. They present only one particular mechanism for doing genetic programming. A few of Koza's conclusions, like the one that mutation is not useful, are wrong. A more expansive view of genetic programming comes from Kenneth L. Kinneer's *Advances in Genetic Programming*. This anthology of papers from 22 contributors shows off the exuberance of the new field.

Advances in Genetic Programming contains useful work on theory, representations, and applications. Kinneer compares ADFs to other methods for building hierarchy. Eric Teller shows how genetic programming can evolve the use of memory, or "mental models." Frederick Gruau demonstrates how genetic programming can be applied to generate embryos that expand into neural networks. Peter Nordin applies a genetic algorithm to generate superfast machine-language programs rather than Lisp. The book also contains examples of truly practical genetic-programming applications. Brij Masand used genetic programming to optimize text classification, and Howard Oakley used it to produce a useful stack filter for measuring blood flow. Several authors present approaches to image recognition.

Even if you never have the patience to read academic conference proceedings, you should read *Artificial Life II*, the proceedings of the second conference on AL held in Santa Fe in 1989. It contains a remarkable concentration of influential and broadminded writing. Christopher Langton examines the conditions that lead to interesting behavior (here called "extended transients") in cellular automata and, by implication, in the crucibles of AL and evolution. Thinking Machines founder W. Daniel Hillis adds to the practice of artificial evolution with the technique of "Co-Evolving Parasites." And Robert J. Collins and David R. Jefferson describe their "Ant Farm" experiments in simulated evolution.

You too can get involved. A practical background for those excited about genetic programming begins with David E. Goldberg's textbook *Genetic Algorithms in Search, Optimization, and Machine Learning*. The two *Genetic Algorithms* books suggest some of the several ways that genetic algorithms can be applied. Internet mailing lists and newsgroups track the current action. ■

Andrew Singleton is president of Creation Mechanics (Dublin, NH), a software development company specializing in genetic programming for financial analysis. You can reach him on the Internet or BIX at editors@bix.com or at p0039@psilink.com.

1994 BYTE AWARDS

The biggest stars of 1994 were enabling technologies. Many of last year's best products were the ones that will lead to this year's biggest hits.

Nineteen-ninety-four was a prelude of sorts. It set the scene for a dramatic act in which story strands entwine, mistakes are repaired, villains are vanquished, heroes are redeemed, truth is revealed, love is triumphant, and justice prevails.

The most significant developments of 1994 were enabling technologies—hardware and software that serve the needs of developers or that give users the kind of performance they require for the late 1990s. This includes such products as the Power Macs, which offer high performance at a good price. (We had expected to be voting on PowerPC-based computers from other companies, but that will be next year's story.)

General Magic's Telescript is another good example. This year we voted on the language itself; we expect to be voting next year on Telescript-based products.

In some ways, the past year was most notable for things we couldn't give awards to—things we thought we'd be voting on but couldn't, because they never came to market: namely, Microsoft's Chicago (aka Windows 95) and IBM's Power Personal PCs. We worked with beta versions of Chicago, and we had a preproduction PowerPC-based system from IBM, but we give awards only to products that are shipping.

We expect to be voting next year on a boatload of new RISC products. IBM will bring out its Power Personal systems, and other companies—including members of Taiwan's NewPC Consortium—will introduce their own PowerPC designs. The new chips and software that arrived this year point toward a big upswing in RISC products next year. Analysts at Dataquest predict that sales of RISC PCs will generate revenues of \$7 billion in 1995.



1994

BYTE

AWARD

OF

EXCELLENCE

Power Macs and Pentiums

Far and away, the biggest vote-getter among the BYTE staff was Apple's line of Power Macs. Our enthusiasm for these new models was shared by the buying public: Apple has sold more than a million Power Macs since their rollout in March, thereby becoming the leading vendor of RISC systems. Analysts predict even higher sales in 1995, when owners of older Macs, new users, and some RISC converts snatch up Power Macs.

Our voting results also reflect the kind of year it was for x86-style desktop systems. You'll note that there are few of these machines in our list of winners. While many of the PCs that came out in 1994 were variations on the theme of faster and less expensive—a great theme—none of them broke new technical ground.

Killer Apps?

What was the piece of software you heard about most often last year? Chicago, probably. But what about shipping software? Chances are it was Doom, the grizzly game Jerry Pournelle describes as "heroinware." That's an indication of the kind of year it was in the world of popular software. In other words, there was no killer application.

Instead, we found the most excellent software to be outside the realm of mainstream and professional applications: The very best work was deeper down, in the world of development tools and operating systems. Our highest awards for 1994 go to platforms and software technologies that will enable the development of ground-breaking new products and capabilities.

Perhaps the most significant software ar-

rival of the year—or at least the one that received the most votes from our staff—is General Magic's Telescript. So far, commercial use of Telescript has been limited to AT&T's PersonaLink service, Sony's Magic Link personal communicator, and the maybe-it's-arrived-by-now Envoy from Motorola. But some major communications companies, such as French Telecom and Nippon Telephone and Telegraph, say they'll use this language and its intelligent agents as the core of new, smart networks.

Another important enabling software that stood out on last year's timescape is Microsoft's OLE Controls. (We voted it the "most significant technology" as part of BYTE's Best of Comdex awards last spring.) OLE Controls, which combines OLE 2.0 with Visual Basic custom controls, will give developers tools for building a new generation of innovative programs.

How We Picked the Best

We handle our voting process democratically. Every staff editor, as well as each contributing editor, is allowed to nominate what he or she thinks are the most significant products of the year. Being a multiplatform magazine, we are not limited by operating systems or CPUs: We are free to choose from the entire universe of personal computing.

When considering which products to nominate, we use these criteria: A product has to represent a new technology or break ground in terms of performance, price, or innovative use of an existing technology. Editors can nominate only those products that they have actually used.

After the nominations are in, a ballot is compiled. Each voter then picks what he or she believes are the 10 best products or technologies on the ballot. Depending on how many votes an item gets, it receives an Award of Excellence, Distinction, or Merit.

Ninety-Five Will Be Smokin'

In some ways, the industry was in a holding pattern during 1994, waiting to see what would happen with new operating systems, such as Windows 95, and new processors, such as the PowerPC. The number of products that really knocked us out last year was down from the year before. But the things we liked, we *really* liked. They are significant technologies and products that are going to change the way we use computers.

Amidst all the spark and sputter of 1994, there were signs of a radical shift toward new processors, new operating systems, and new prototypes in software development. The components for major changes in computing are now in place. Ninety-five is going to be awesome. —Compiled by Dennis Barker

AWARDS OF EXCELLENCE

CodeWarrior

Metrowerks

A top-notch multiplatform development system. The latest release of CodeWarrior, CW3, gives Macintosh and PowerPC programmers a wide-sweeping, feature-rich toolbox, and it also adds spark to the somewhat moribund world of Macintosh development packages, giving Symantec some competition.

CodeWarrior ships with Apple Extensions for 680x0 and PowerPC platforms, including AOCE (Apple Open Collaborative Environment), Drag and Drop, QuickTime, and the Threads Manager.

At the center of this package is the Integrated Development Environment, which is typical of all CodeWarrior tools: It's small and fast, and it does just what you expect. The system is flexible enough to allow every source file to contain multiple code segments—which is particularly useful when writing C++ and MacApp programs.

Some of our editors call CodeWarrior the package that saved Apple and the Power Macs, since it has been used by so many developers who are bringing their applications over to the new architecture.



CodeWarrior

Live Picture

HSC Software

An awesome image-editing program, Live Picture uses new technology to shorten the time it takes to manipulate photos and other realistic images. The pro-

tools. (See the review "Lively Pictures" on page 171.)

This program always draws big crowds when it's demonstrated at trade shows. You'll see why once you've looked at it, especially if you've ever worked with Photoshop or Picture Publisher.

Live Picture costs \$3995; that's a lot more than what Photoshop and Picture Publisher cost, but it's peanuts compared to what high-end workstation products, such as those from Scitex, sell for.



Live Picture

gram also uses a new image-storage format (developed by FITS Imaging, of Paris) that gives editing software fast access to any portion of an image at any zoom level. It's also got a slick airbrush and some nice special-effects

Nx586

NexGen

The newest rebel entry in the War of the x86 Empire. NexGen's Nx586 is an 80x86-architecture processor; it supports all x86 instructions. When run on the Nx586, programs behave just



WINDOWS NT FLIES AT THE SPEED OF ALPHA ON ASPEN SYSTEMS.

ALPHA
GENERATION

Aspen Systems understands that performance can be the key to your success. Our line of ALPINE™ workstations and servers meet your demands for extreme Windows NT™ performance with unsurpassed speed, reliability and flexibility. ALPINE systems power your applications with Alpha processors from Digital Semiconductor, a Digital Equipment Corporation business, at speeds from 166Mhz to 275Mhz. Aspen engineered the ALPINE with 128-bit memory



expandable to 1 gigabyte, 512K or 2MB on-board cache, FAST SCSI-2, 3 PCI and ISA slots, a remote diagnostics port and a host of other features that make Windows NT fly. In a reviewer's words, "...what we found was the best overall NT performance we have tested to date." * And the ALPINE boosts your buying power with one of the best price-performance ratios in the workstation/server marketplace.

To maximize your Windows NT performance, call Aspen Systems at (800)-992-9242.



4026 Youngfield St. • Wheat Ridge, CO 80033-3862 USA • Tel: +01 (303) 431-4606 • Fax: +01 (303) 431-7196 • Internet: aspen@aspsys.com

© Aspen Systems Inc. 1994 ALPINE is a trademark of Aspen Systems Inc. Windows NT and the Windows NT logo are trademarks of Microsoft Corporation. * Source: DIGITAL NEWS & REVIEW, October 1994 Alpha and the AlphaGeneration logo are trademarks of Digital Equipment Corporation.

as they do when they run on an AMD, Cyrix, or Intel chip.

What distinguishes the NexGen chip is its microarchitecture. It fetches x86 instructions from memory, but in the pipelines it executes RISC-like translations of x86 instructions. NexGen calls them RISC86 instructions and uses them to give the chip Pentium-class performance.

The Nx586 is a fascinating design. It demonstrates that x86-compatible chips don't need to replicate Intel's microarchitecture. And its price appears right (about \$500 in lots of 1000, or about \$200 less than what Intel's Pentium currently sells for; of course, that price difference could evaporate soon).

Although seven motherboard makers and four system vendors have said they will use the NexGen chip, only one Nx586-based system has shipped thus far—the Alaris Nx586 VL. BYTE benchmarks show this system's integer performance is about 1.7 times higher than that of a 66-MHz 486, which is comparable to that of a Pentium-based Gateway 2000 P5-90. (See "NexGen's Come-from-Behind Strategy," November 1994 BYTE, page 30.)

As a design, the Nx586 is an outstanding accomplishment.

Competing with mighty Intel in the marketplace is another story. But if AMD and Cyrix can do it....

.....
OLE Controls

Microsoft

Componentware is the future. Tools that contribute to the construction of components are significant because they enable a shift to a new—if you'll pardon the expression—paradigm.

OLE Controls are important because they establish a generalized component model for Windows. In other words, OLE Controls will work with any OLE-aware application. In the past, VBXes (Visual Basic custom controls) were pretty much limited to Visual Basic. Other development tools added VBX compatibility,

but only in a limited way, and it was something of a hack. OLE Controls are more general and aren't tied to the Visual Basic architecture. This opens up a larger market for third-party developers and also enables 32-bit controls. (VBXes are 16-bit only.)


.....
PowerBook 500 series

Apple Computer

Apple gave the popular PowerBook a good overhaul with these new models—a good idea, considering the competition it's getting from IBM's hot-selling ThinkPads and Compaq's Aero.

The PowerBook's trackball has been replaced with an innovative trackpad. "It works much better than a trackball for text selection and editing, and it's better suited for drawing," says our Mac expert, Tom Thompson. Plus, since it has no moving parts, it's less likely to fail than a trackball.

These new PowerBooks use the 68LC040 processor, which



PowerBook 500 series

is clocked at 66 MHz. However, the rest of the system runs at 33 MHz, so that's the level of overall performance that you can expect. Adding a second battery extends the length of time you can work away from a power plug. (BYTE's battery-life tests show the machine will run for about 6 hours on two fully charged units.) Or you can fill that space with an expansion card or Apple's PCMCIA expansion module.

The PowerBook 500 series has substantial capacity for more memory and large hard disks. A built-in Ethernet port boosts the machine's network capabilities. The active-matrix color display used in the upper-end 540c model is excellent. The 520 comes with a passive-matrix screen, but


you can swap in an active-matrix version if you want.

Since its debut, the PowerBook has set the pace for portables. The 500 line continues that tradition.

.....
Power Macintosh

Apple Computer

With the Power Macs, Apple has made one of the smoothest technology shifts in history—and without forsaking performance, price, or compatibility. These new Macintoshes deliver plenty of horsepower, especially when do-



Power Macs

ing floating-point calculations (vital for working with graphics and video).

BYTE's cross-platform benchmarks show that the low-end Power Mac 6100/60, which sells for \$2200, performs comparably to a Pentium PC. And our low-level and application benchmarks show that the Power Macs don't need to hang their heads in the company of other RISC systems, either. In fact, in some applications, the 7100/66 and 8100/80 can keep up with workstations based on DEC's Alpha chip. The Power Macs will get even faster as more software houses move their programs to native code and as Apple ports more of the Toolbox to native code.

Apple has made some wise compromises in design. Cost-saving decisions, such as the inclusion of slow RAM, have been canceled out by performance-boosting features, such as the inclusion of a wider data bus and burst transfers. The hardware allows for faster systems in the future. Apple's engineers are to be commended for their farsighted approach.

These first Power Macs are proof that the PowerPC architecture has the right stuff to carry users toward the millennium.

They've got the power to handle hungry data types, such as video. They will be able to accommodate a variety of new operating systems. And they cost less than most used cars. The Power Macs win our collective praise as the most significant computers of 1994.

.....
Telescript

General Magic

This communications-oriented programming language enables the construction of smart networks. Telescript gives developers the tools they need to build intelligent agents and distributed networks. Eventually, there will be tools that allow ordinary users to create their own agents without programming

(e.g., "Hello, Agent: Get me tickets to the Beatles reunion concert and find me a date for the evening.")

Because Telescript is a portable language that executes atop a run-time interpreter, applications can run without recompilation on any supported platform or network; it's not limited to systems that use the Magic CAP interface (which some of us find cartoonish). Telescript shields programmers from many of the complexities of network protocols and directory services. It addresses the major issue of security—agents, after all, are not much different from viruses—in several ways: Agents are encrypted, they have to pass authentication barriers, and their life span and capabilities (e.g., spawning) are regulated.

What PostScript did for cross-platform, device-independent documents, Telescript might do for cross-platform, network-independent messaging. So far, products and services using Telescript are few; using a Sony Magic Link in conjunction with AT&T's PersonalLink is the best available way to see Telescript in action. But with major companies such as French Telecom, Motorola, and Nippon Telephone and Telegraph pledging to use Telescript,

Cool Computer Upgrades.

POWER SUPPLIES

"The premier power-supply maker"

John Dvorak, *PC Magazine*, March 30, 1993

"The only company to go to for a power supply"

Jerry Pournelle, *Byte*, April 1993

ENERGY-SAVING UNITS

Save juice with our economical Energy-Star power supplies. Fully-tested, UL/CSA/TUV approved.

STAR 205 SLIM/DESK/TOWER\$79

ULTRA-QUIET UNITS


Unrattle your nerves with an ultra-quiet Silencer power supply. Appreciated by users since 1986, their high-efficiency fans and low-turbulence circuitry reduce noise up to 84%!

A must for home office or multimedia applications.

SILENCER 205 SLIM/BABY\$99

SILENCER 220 DESK/TOWER\$109

SILENCER 270 DESK/TOWER\$169



HIGH-PERFORMANCE UNITS



Upgrade your computer with one of our premium Turbo-Cool power supplies—the choice of PC professionals. You'll get 50% - 100% more power, built-in line conditioning, super-tight regulation, ultra-clean output, a high-capacity cooling fan, UL/CSA/TUV, a 3-year warranty for 300/400 models, and a 5-year warranty for the 450! Ideal for high-end workstations and network file servers.

TURBO-COOL 300 SLIM/BABY\$149

TURBO-COOL 300 DESK/TOWER\$179

TURBO-COOL 400 DESK/TOWER\$219

TURBO-COOL 450 DESK/TOWER\$329

MINI-TOWER CASES

"The only worthy upgrade [cases] I've found"

Ed Bott, *PC Computing*, October 1994



For an easy-to-build system, there's nothing like our economical Personal Mini-Tower enclosure. Features: small footprint, (3) 5-1/4" bays, (4) 3-1/2" bays (2 int.), a removable motherboard cage for easy assembly.

Specs: FCC-B, 16.7"L x 7.2"W x 15.5"H, 16lbs.
PERSONAL MINI-TOWER\$79



For a professional, solid-steel, USA-made enclosure, choose our new Commercial Mini-Tower. Features: (3) 5-1/4" bays, (3) 3-1/2" bays (2 int.), accepts a baby or full-size motherboard, comes with a removable drive cage.

Specs: FCC-B, 16.2"L x 8.5"W x 15.4"H, 22lbs.
COMMERCIAL MINI-TOWER\$189

REDUNDANT POWER

Eliminate the risk of network downtime or data loss due to power supply failure with the TwinPower 900 redundant power system. It delivers high-capacity, fault-tolerant power to your entire network server.

Consists of two parallel Turbo-Cool 450 power supplies and a special interface. A must for mission critical LANs.

- 900 watts peak power
- 100X more reliable than a single-unit
- load-sharing design
- hot-swap capability

TWIN-POWER 800\$795

TWIN-POWER 900\$995

OPTIONAL MONSTER CASE\$795



Optional all-steel, US-made Monster Case with (18) 5-1/4" bays, space for 2 MBs.

OVER-TEMP ALARMS

Don't let PC fan failure cost you your system! Install our

110 TwinAlert to detect overheating—before damage occurs. At 110°F, you'll get a loud audible alarm and a signal for optional network monitoring. And, if the computer is unattended and the temperature continues to rise to a dangerous 118°F, the TwinAlert will save your machine by automatically shutting-off its power! The 110 TwinAlert is compact, easy to install, and compatible with any computer.

110 ALERT (audible alarm only)\$19

110 TWINALERT (all features)\$39



CPU COOLERS



It's a fact. 486 chips run hot, often exceeding 185°F! Now, you can cool your 486 to a safe 85°-95°F with our popular CPU-Cool. Consists of a long-life ball-bearing mini-fan inside a die-cast heat sink that easily mounts on the CPU. Powered by a spare drive connector. Effective, inexpensive insurance!


- cools CPU 70° - 100°F
- prevents system errors
- adds years to CPU life
- thinner, quieter, and better-built than cheap imported imitations.

■ safe, simple installation

CPU-COOL (486s)\$24

PENTACOOL-54 (90/100 PENTIUMS)\$24

PENTACOOL (60/66 PENTIUMS)\$29



PC POWER & COOLING, INC.

5995 Avenida Encinas, Carlsbad, CA 92008 • (619) 931-5700 • (800) 722-6555 • Fax (619) 931-6988

We accept Visa, MC, COD, or PO on approved credit. Warranty period: 5-years for CPU coolers, Turbo-Cool 450/550 and TwinPower. 3-years for Turbo-Cool (except 450/550). 2-years for all others.

Hours: 7 a.m. - 5 p.m. (PT) Mon. - Fri. Silencer, Turbo-Cool, TwinPower, CPU-Cool, PentaCool, 110 Alert and 110 TwinAlert are trademarks or registered trademarks of PC Power & Cooling, Inc. ©1994 PC Power & Cooling, Inc.

Circle 99 on Inquiry Card (RESELLERS: 100)

it could become the lingua franca of worldwide telecommunications.

ThinkPad 755 series

IBM

A great pair of mobile PCs. Big Blue's 755C has one of the nicest and sharpest—and definitely the biggest—displays we've seen on a notebook: a 10.4-inch TFT (thin-film transistor) active-matrix screen. The smaller, dual-scan color screen on the model 755CS is sharp, too.

The list of standard features is impressive and includes 4 MB of RAM, a 170-MB hard disk, a full-size keyboard, PCMCIA support, 16-bit audio, and local-bus video with 1 MB of video memory. Buyers can choose between an Intel 75-MHz DX4 and a 50-MHz DX chip. Its RAM is expandable to 36 MB, and its storage capacity goes up to a whopping 810 MB, making this an excellent office computer as well as

a powerful road machine.

IBM has thrown in lots of free software, and not just disposable junk, either; there's cc:Mail, Lotus Organizer, SofNet FaxWorks, and access to America Online.

Visual Voice

Stylus Innovations

At its core, Visual Voice is another VBX. Hook it up to the Visual Voice Workbench, though, and you've got a GUI environment for building a complete Visual Basic-based telephony application. As Rick Grehan wrote in his CodeTalk column in November, you can use Visual Voice to construct a program that can answer the telephone, send and receive faxes, play audio files, record audio to disk, decode Touch-Tones, hang up the phone, and "probably more things that I haven't yet discovered."

Inside the Visual Voice VBX are actions and properties that, with the proper hardware, allow

your PC to perform all the actions mentioned above. Once you have gone through the process of assembling sound files, VBX routines, and Visual Basic code, the Workbench pours the appropriate BASIC code and proper connections to the VBX into the clipboard, so you can then hop over to your Visual Basic application and paste it all in.

Telephony programs will be some of the killer applications we'll see during this decade. Development packages like Visual Voice will make it easy to take advantage of the merger of PCs and telephones.

Windows NT 3.5 family

Microsoft

Jon Udell, a BYTE senior technical editor at large, describes the newest NT (aka Daytona) as a Mack truck. "It carries big loads for servers and serious business, scientific, and engineering users whose tasks justify powerful x86

or RISC workstations," he says.

The new version is slimmer than 3.1. Its performance-monitoring and event-logging services are sophisticated. Its multi-VDM (virtual DOS machine) Win16 capability works well, protecting Win16 applications from one an-



Windows NT


other. Microsoft says Daytona will ensure reliable DDE and OLE traffic across VDM boundaries, and Jon's tests thus far indicate that this is true. And its performance certainly beats NT 3.1's. For users who have the iron and prefer security, reliability, and manageability, given adequate performance, Windows NT 3.5 is worth checking out.

AWARDS OF DISTINCTION

BJC-600

Canon

Like the Epson Stylus Color (see page 58), this is a printer that delivers sharp and vibrant color




Canon BJC-600

without bleeding cash. To our collective eyes, the Canon's color output isn't as rich as the Epson Stylus Color's. However, it's still very good, and the Canon BJC-600 is a great deal faster than the Epson at getting the output out. Even if you use color only occasionally, you certainly should take a look at this one when it's time to purchase a new printer.

CleanSheet

Working Title

Objects made easy. CleanSheet is like a construction kit for grown-ups—grown-ups who want to build customized calculation applications without writing any code. You drag the parts (i.e., objects) you need from a palette and then link them together. Sci-



CleanSheet

entists, engineers, and financial modelers will find it a most useful tool.

Collabra Share

Collabra Software

This groupware brings an easy-to-install, easy-to-use confer-

encing system to your LAN. With Collabra Share, users organize "forums" for discussion. The interaction isn't in real time; it's more like that of a BBS. Threads can include files, such as a spreadsheet, that everyone can comment on or edit. People not on the LAN can be included via regular E-mail. Collabra Share isn't Lotus Notes, but it's much simpler to install, use, and maintain. For certain workgroups, it's a good solution.

CorelDraw 5

Corel

CorelDraw, which regularly sprouts new applications, gets better as it gets bigger. The newest version offers a run-time engine for the CorelShow presentation program, support for morphing in the CorelMove animation application, new lenses for applying photographic effects, improved color management, and a much-better PhotoPaint image-editing program,

among other things. This is an all-in-one graphics shop.

DragonDictate for Windows


Dragon Systems

Dragon Systems has long been at the forefront of PC dictation technology. By delivering a software-only product that supports the most popular PC sound solutions (e.g., the Microsoft Sound System and Creative Labs' Sound Blaster), DragonDictate should propel speech-to-text dictation out of its niche and into the mainstream.

Folio Views 3.1

Folio

This Windows package is one of the best tools around for compiling and indexing massive amounts of text into a collection that can be quickly and easily searched. It's one of the tools that we use in the office to archive the text of BYTE articles.



Protect your software with Sentinel and watch your profits go hog wild.

Nothing can eat away profits like a herd of pigs. That's why farmers in 47 countries manage swine production with PigCHAMP® software. And that's why PigCHAMP protects their products with Sentinel®, from Rainbow Technologies.

As a developer, you know the importance of profit margins. If you sell software, you're probably losing revenue to piracy. Protect with Sentinel and get all the revenue you deserve.



"Illegal duplication can drive the cost of software sky high. Sentinel lets us sell our products inexpensively throughout the world, while serving our customers better," explains PigCHAMP's Steve Abrams.

Over 11,000 developers protect their software with Sentinel. For DOS, Windows, NT, OS/2, Macintosh, UNIX, or any platform – Sentinel is the worldwide standard in software protection.



Implementing Sentinel is quick and easy. And only Sentinel delivers the most advanced technology and highest quality every time, all backed by the industry's largest technical staff.

So fatten up your software sales. Protect with confidence, protect with Sentinel. Call for a Developer's Kit today.

1-800-852-8569

SENTINEL
Securing the future of software



Rainbow Worldwide HQ: Irvine, CA. Phone 714-454-2100 • Fax 714-454-8557 • Rainbow North Carolina: Phone 800-843-0413 • International offices in U.K., France and Germany • Distributors located worldwide.
©1994 Rainbow Technologies, Inc. Sentinel is a trademark of Rainbow Technologies, Inc. PigCHAMP is a trademark of PigCHAMP. All other product names are trademarks of their respective owners. Thanks to Ann and Joe of Cazzi Ranch in Los Batos, Ca.

Circle 110 on Inquiry Card.

HP LaserJet 4M Plus

Hewlett-Packard

Our November 1994 Lab Report ranked this model as the best overall printer for general business use, calling it "a leader in the new generation of 10- to 12-ppm, 600-dpi lasers." It's easy to set up, can switch between PCL5 and PostScript, and can hold lots of paper.

HP 9000 Series 700 Model 712/60

Hewlett-Packard

Powerful Unix workstations at Pentium prices. HP uses innovative hardware packaging and the superscalar PA-7100LC CPU



HP 9000 Series 700

to deliver high performance in a system that's a good low-cost entry into workstation computing.

IBM 0662 Model A10

IBM

A 1-GB hard drive. Although our benchmarks rated Micropolis's 1-GB Taurus 4110A drive slightly faster on most tests, no other drive had the Model A10's combination of high capacity, speed, and compactness. IBM's magnetoresistive head technology allows for smaller read/write heads and more dense packing of data on the disks (1 GB on three platters, whereas Micropolis uses five).

Kali's Power Tools

HSC Software

These Photoshop plug-ins extend the capabilities of Adobe's photo-editing program and simplify many of the complex op-

erations. It's a good example of component software; you just plug it in and add features to an application.

LANMeter 675

Fluke

This handy problem solver—which analyzes and tests protocols, hardware, and cables—



LANMeter 675

can replace a shelf of network-testing tools. Not only can the LANMeter display the distribution of network loads, but it can also show you the source of error packets and, on Token Ring networks, perform soft error-domain analysis. This 4½-pound device saves you from having to understand the low-level engineering of network communications and having to learn how to use a protocol analyzer.

LapLink for Windows

Traveling Software

With this program, Mark Eppley and company make the thankless task of transferring files about as easy as it can get. LapLink's remote-control utility is great, but probably the program's most impressive feature is SpeedSync, which transfers only those parts of a file that have changed (which helps lower those phone costs).

Myst

Broderbund Software


If you want to see multimedia put to effective use, check out Myst. This package's fantasy-world game might not be as ad-

dictive as Doom, but the development effort behind this CD-ROM adventure certainly deserves an award. The animation, background graphics, and design are brilliant. Along with the game, you get QuickTime movies that take you behind the scenes, showing interviews with the people who conceived and programmed this challenging diversion.

One World Fax Server

Global Village

This fax modem/software combination sits quietly on your LAN and provides shared fax-



One World Fax Server

sending capability to any number of Mac users, taking up only one or two phone lines. A nice solution that sure beats printing out documents and then waiting in line at the office fax machine.

OpenDoc

Component Integration Laboratories

This cross-platform compound-document standard, backed by Adobe, Apple, IBM, Novell, WordPerfect, et al., aims to provide a way for users to work with information while operating on different platforms. Like the competing OLE 2.0, OpenDoc goes beyond compound documents to define a full-blown component architecture (see "A Close-Up of OpenDoc," March 1994 BYTE). OpenDoc parts can load dynamically, embed themselves in containers, and respond to commands issued from a variety of languages. Other notable features include vendor neutrality, support for nonrectangular content and multiple active objects, a scripting technology, and DSOM (Distributed System Object Model), which supporters say will give OpenDoc platforms a mechanism for packaging and distributing components.

OS/2 for Windows

IBM

With this version of OS/2, Big Blue has delivered a solution for people who want a 32-bit operating system that supports preemptive multitasking and multithreading while being able to run DOS, Windows 3.11, and native OS/2 applications on a relatively modest PC. It's easy for Windows users to get started with it because the operating system installs right on top of the Windows version that's already on their machines.

Photoshop 3.0


Adobe Systems

Adobe soups up the performance of its premier image-editing package; it's now significantly faster. Another welcome addition is support for multiple layers, which lets you place (and then work on) elements on different layers. The new Windows version supports multithreading under NT, so it takes advantage of dual-processor PCs.

Quicken Deluxe 4 for Windows

Intuit

Intuit upgraded the various versions of this top-selling personal finance program, making it easier for new users and more pow-



Quicken Deluxe 4 for Windows

erful for experienced users. Most impressive is the Deluxe 4 version for Windows. This CD-ROM lets you stroll through an office, library, and conference room to gather information (on, say, mutual funds). It includes special appearances by financial experts Jane Bryant Quinn and Marshall Loeb, who answer questions about investments and offer generalized advice.

Without VEDIT you will soon be **R.O.L.** (Really-outa-luck)



"I just received my copy of VEDIT PLUS and am very happy with it. I have occasion to edit files up to 40 megabytes, and haven't had a proper editor for it until now. VEDIT's speed is incredible. I ran through 20 MB of data today - VEDIT has quadrupled my production rate for this sort of thing already."

Bruce Numm, Los Angeles, CA

"I tell people that your products are superb, of course. But even more important, I tell them the conscientious support and consideration your staff give your customers is unmatched anywhere. Thank you for the generous support you have provided me over the years."

Ian A. Morton, St. Paul, MN

You may think that you already own a good editor. But if you don't have VEDIT, you don't have an editor that can edit any file. You may not know it yet, but you will. Someday. Probably soon. Under the gun of an important deadline. That you won't be able to meet.

For starters, some popular (and expensive) editors can't even edit "null", Ctrl-Z, or other control characters. With any binary/data file or even a corrupted text file you are R.O.L. (really-outa-luck).

Most editors can't handle lines longer than 256 or 512 characters. Get a file with 1000+ character long lines and you are again R.O.L.

Almost every editor comes to a crawl with files bigger than a few megabytes. That may sound big, but look around. How about that 20Meg Postscript file, the 50Meg database and the 500Meg file you're putting on CD-ROM. With your existing editor, you probably don't even consider them editable.

What about mainframe files without "newlines", or with EBCDIC characters. Or a dBASE file with fixed length records and a complex header. Can you edit them? Unless you have VEDIT, you are again R.O.L. Too bad if the entire project depends upon it.

VEDIT - The Universal File Editor

Only VEDIT can edit any file you'll ever encounter - control characters, long lines, huge files (up to 2 Gigabytes) and all. And it has special features for mainframe, database (e.g. dBASE .DBF) and CD-ROM files. With its incredible speed, it can quickly edit 100+ megabyte files that no other editor is fast enough for. For CD-ROM developers, VEDIT isn't just an editor, it's a life saver.

File modes support DOS, Unix and Mac text files, plus data files with fixed or variable length records. Display modes include ASCII, Hexadecimal, Octal and EBCDIC or any combination in a split screen. A user created translation table can be used for custom display modes or for translating the file itself.

Ultimate programmer's editor

VEDIT has every advanced feature programmers expect. Multi-file, multi-window editing, search/replace with regular expressions, parentheses matching, template editing, smart indenting, undo/redo, auto-save, block operations by character, line, file or column. The flexible compiler support integrates tools from different vendors. VEDIT also has convenient word processing and printing.



Edit any file on your disk or the disk sectors directly!

The new VEDIT PLUS is the world's only integrated file editor and disk utility with innovative disk/sector editing. You can open the entire disk, or portions thereof, just like a file. All of VEDIT's editing features are then at your fingertips including sophisticated search/replace, translating and block operations. Cut and paste between sectors and normal files. Access the DOS partition and other partitions (e.g. UNIX or OS/2).

Powerful macro language

The new C-like macro language automates repeated editing operations, performs file translations and is ideal for "filters". It permits "off-the-cuff" macros to be typed in and immediately executed; there is no time consuming compilation.

The macro language is so powerful that just a few simple lines can do the same work as a tricky 100+ line C program. It can even interface to the hardware and machine language routines.

VEDIT PLUS - The last editor you will ever need

VEDIT PLUS has every advanced feature you need, can quickly edit any file and is fully programmable. And given VEDIT's 15 year track record and our continuous development, it's the last editor you will ever need. (VEDIT was first advertised in the May 1980 issue of Byte Magazine. Only Microsoft has been around a little longer.)

With over 140 configuration parameters and a fully configurable keyboard layout with unlimited keystroke macros, you can fine-tune VEDIT to your exact needs and personal preferences.

A fully functional demo disk of VEDIT PLUS and a shareware VEDIT Jr. (single file, single window) are available on CompuServe and on our BBS. Or call 1-800-45-VEDIT for the free demo disk.

VEDIT - DOS single user license: \$89; DOS network 5 user: \$195.

VEDIT PLUS - DOS single user license: \$149; DOS network 5 user license: \$325. UNIX/XENIX, QNX: \$285.

30-day money back guarantee. 1-Year free technical support.

VEDIT is a registered trademark of Greenview Data Inc.

Toll Free: 1-800-45-VEDIT (1-800-458-3348)
Telephone: (313) 996-1300, Fax: (313) 996-1308
BBS: (313) 996-1304, CompuServe: 71333,3656; GO VEDIT
Mail: P.O. Box 1586, Ann Arbor, MI 48106

Greenview Data

Circle 67 on Inquiry Card (RESELLERS: 68).

Silver Streak

Tut Systems

This \$99 connector essentially turns plain old telephone wiring into 10-Mbps cabling—it's Ethernet without the thinnet. A Silver Streak LAN can have up to 30 Ethernet connections per segment. BYTE contributing editor Barry Nance set up and tested a Silver Streak network and remarked that "LAN packets flowed normally." When you add it all up, Tut's solution isn't less expensive than going with Ethernet cabling. But it's an innovative idea, it works, and it makes sense for small LANs.

Simon

IBM/BellSouth

This personal communicator combines a cellular phone, an 8600-bps fax modem, E-mail, cellular paging, and several pro-



Simon

ductivity programs (e.g., a calendar, an address book, and a notepad) in an 18-ounce device

that's the size of a slim walkie-talkie. Simon succeeds at being what it tries to be, which is not a personal computer but a mobile communications device.

SoftWindows for Mac

Insignia Solutions

This emulation package allows you to run DOS and Windows programs on a Power Mac. The speed isn't fantastic—it's comparable to that of a 386—but SoftWindows is a solid solution for folks who really have to run Windows applications on a Mac.

SparcBook 3

Tadpole Technology

Tadpole put a lot of thought into the design of this mobile system, reviewer Steve Apiki said in



SparcBook 3 (right)

the August 1994 issue. It's the smallest and lightest (6½ pounds) of last year's wavelet of SPARC portables. (Sun's SparcStation Voyager is faster, but it weighs over 15 pounds.) Tadpole's Nomadic Computing Environment provides some network-configu-

ration capabilities and a nice save-resume feature that stores the contents of memory when you shut down the system and then reloads it when you start it up again.

Stylus Color

Epson

It was a very good year for color ink-jet printers, with Epson and Canon both coming out with low-cost units that produce amazing-



Stylus Color

ly sharp color images. You've got to see the Stylus Color's output to believe it. You've also got to wait a while to see it; speed is not this printer's forte. But its price is so low (around \$600) that it'll make you wonder why anyone would buy a black-and-white model.

System 7.5

Apple Computer

The latest Mac OS, for both 680x0 and PowerPC systems. Strategic new elements in the interface can improve a user's productivity. Important additions,

such as the Thread Manager, enable developers to tailor their applications to exploit features in the future Copland release.

TMS 320C80

Texas Instruments

Developers and analysts raved over this DSP (digital signal processor). One called it "the god of DSPs." The chip, also called the MVP (multimedia video processor), integrates four 64-bit DSPs, a 32-bit RISC CPU, dual video controllers, a DMA controller, and 50 KB of static RAM onto one chip. TI says it can handle 2 billion operations per second. The 320C80 should start showing up in high-end video boards, image processors, and videoconferencing systems soon.

V.34 technology

Motorola

Although Motorola Codex's A3260 Fast device didn't win the top spot in our July 1994 Lab Report on V.34 modems (Hayes's Optima 28800 V.FC + Fax did), it did score the fastest in the impaired-line test. Travelers who've had to deal with lousy phone lines at hotels and airports will appreciate this. Plus, Motorola is one of the few modem makers that doesn't charge you extra for upgrading to V.34. That, in our opinion, deserves kudos.

AWARDS OF MERIT

Access 2.0

Microsoft

With new features that make it easy to learn and use, together with enhanced development tools, this object-oriented relational database can serve dabblers as well as developers.

Contura Aero 4/33c

Compaq

The Kate Moss of notebooks. This svelte color unit weighs only 5 pounds even with its optional external floppy drive, battery pack, and adapter. If it had

a better screen than its passive-matrix display, this would be a killer notebook.

CorStream

Artisoft

A high-speed NetWare 4 server with the easy-to-use LANtastic interface. One of the best products to be shown at Spring Comdex 1994.

The Debugger

Jasik Designs

If you want to do serious source code and assembly language

Macintosh programming, this is the debugger you need. It supports both 680x0 and PowerPC assembly language and source code deinfestation. The Debugger's ability to display and debug two processor instruction sets simultaneously is an extraordinary piece of programming.

DM-5028

DoubleSpeed Plus

Plecter

This unit was rated the best overall double-speed CD-ROM drive in our September 1994 Lab Report for its excellent combina-


tion of speed and price (\$409). It led the pack in text-searching speed and came in second in sequential-throughput speed.

Internet-in-a-Box

Spry/O'Reilly & Associates


One of the slickest programs for pointing and clicking your way through the data jungle. This kit simplifies accessing the Internet from your Windows PC. It includes Spry's FTP, Telnet, Gopher, mail, news, WAIS (Wide Area Information Service), and Mosaic tools, as well as O'Reilly's Global Network Navigator.

Unix applications
without the usual
profanity.



Our new PC-Xware 2.0 will change the way you relate to Unix. All you have to do is point and click on a Windows icon, and up pops a graphical X or a character-based application. And that's only for starters. Our Folder Tabs interface, for instance, makes it darn easy to maneuver through dozens of convenient features. There's also PC-Xware's tail-kicking, 32-bit performance, meaning Unix applications react at your pace. And, for the first time ever, you can run Unix-based multimedia applications on your PC. And to make sure you get to enjoy all this, PC-Xware virtually installs itself and its 32-bit VxD TCP/IP stack at the same time. For

a free brochure, call NCD today at 1-800-793-7638, or e-mail us at info@pcx.ncd.com and ask for PC-Xware. By comparison, everything else is a royal pain in the you know what.



Network Computing Devices, Inc. **NCD**

9590 SW Gemini Drive, Beaverton, Oregon 97008, 503-641-2200

Quadra 630

Apple Computer

One of the best multimedia machines there is, with built-in



Quadra 630 video support and a TV tuner if you want it. Affordable, too.

RAM Doubler

Connectix

A cool system utility that effectively doubles the amount of RAM available to Mac applications; it uses a neat data-compression mechanism.

SoftBoard

Microfield Graphics

This \$2995 conferencing peripheral looks like a standard whiteboard. But it also displays the written information simultaneously on a PC or Mac hooked in via a modem and a phone line. Great for meetings with people in remote offices.

TD-4 Personal Workstation

Intergraph

Two 90-MHz Pentiums in a box, with a high-performance graphics subsystem. Perfect for CAD, modeling, and NT applications.

T4800CT

Toshiba

The Cadillac of portables. The Windows notebook of choice if you're willing to pay \$6400 for speed (the system has a DX4/75 CPU), long battery life (5 hours),



Toshiba T4800CT

and a very sharp color display. It makes a nice desktop replacer.

TrueSpace

Caligari

If you've wanted to try 3-D illustration but were daunted by the idea of learning how to use a complex CAD-type program, check out this Windows package.

Vectra XU 5/90C

Hewlett-Packard

A 90-MHz Pentium PC with a design that our testers found

"well-considered." The XU offers IDE and SCSI-2 storage, networking, and video acceleration (via an S3 chip) integrated on the



Vectra XU 5/90C

motherboard via the PCI bus. Take the top off, and it's easy to access the components.

Watcom C/C++ 10.0

Watcom

Now a complete graphical development environment. From a DOS, Windows, OS/2, or NT host, you can generate executables for those platforms, as well as for NetWare and AutoCAD. ■

PORTABLE STORAGE, FAST AND SIMPLE



PLUGGER®

Plugger is an external hard drive that connects directly to the parallel printer port. Ideal for data storage, additional capacity, backups, file transfer or software installation. Plug the shockproof hard drive to the printer port and your PC has an additional volume (D:\etc.). Share it among all your PCs! It's so portable, you'll never be without your data.

Interface : parallel port
Capacity : 120 MB to 810 MB
Access : 12 ms

SHUTTLE®

Shuttle portable systems connect directly to either a SCSI port or printer port, thus avoiding costly controller cards and installation hassles. No need to open your PCs. Technologies include; Tape, DAT, Optical, CD-ROM and SyQuest. Software for: DOS, OS/2, Windows, Novell, Unix and Apple. Shuttle is the fastest parallel + SCSI storage solution you can buy!

Interface : parallel port + SCSI
Capacity : 100 MB to 10 GB
Speed : up to 95 MB/min. (SCSI), 25 MB/min. (parallel port)



Call today for product information, reviews or the nearest dealer.

Computer Connections USA ☎ 1-800 438 5336, 617 271 0444 - Computer Connections Germany ☎ 02102 93010 - Computer Connections France ☎ 1 39 880688
Computer Connections Holland ☎ 070 3209409 - Computer Connections Swiss ☎ 31 3027760 - Memory Technology UK ☎ 734 771 588

The Quickest Way for the CD-ROM Revolution to Pick Up Speed.

4X
With a 1MB
Buffer!



Introducing the 4PleX Quad Speed CD-ROM Drive with a 1MB Buffer.

If you've been waiting for CD-ROM drive performance to really take off, get ready to hold on tight. The new Plextor 4PleX leaps past the capabilities of 2X and 3X drives, and puts you in the forefront of the multimedia revolution. The fastest (600KB/sec) data transfer rate yet seen will whiz multimedia video, graphics and animation across your screen, providing you with realism and excitement that slower CD-ROM drives can't match.

4PleX quad speed drives are available in both internal (standard half-height size for easy mounting in your PC) and external configurations. Both models feature a massive 1MB buffer, the largest ever found on a CD-ROM drive. They connect to your system through a SCSI-2 interface, which offers tremendous performance advantages over the IDE- and ATAPI-interfaces used by many competing drives. 4PleX drives surpass MPC-2 specifications, and are XA and Kodak Photo CD multisession compatible.

Plextor drives are designed for maximum performance and minimum downtime. They are built at an ISO 9002-approved factory in Japan, boast an industry-leading 70,000 MTBF (15% duty), and are covered by a two-year warranty. If you encounter any difficulty installing or operating a 4PleX drive, call our toll-free technical support line, where real people with real answers (CD-ROM is all they do!) will assist you.

Why wait? Join the multimedia revolution with a revolutionary 4PleX CD-ROM drive. Call toll-free 800-4PLEXTOR (800-475-3986) for more information and the name of a dealer near you.



Ask for a free
copy of our
brochure,
"15 Questions
To Ask Before
Purchasing A
CD-ROM Drive"

 **PLEXTOR**

4255 Burton Drive
Santa Clara, CA 95054
Tel: 408-980-1838 or
Tel: 800-4PLEXTOR
Fax: 408-986-1010



* In Canada, call 1-800-387-3867, Ext. 8574. You may also obtain information through the Internet at URL location: http://www.hp.com/TMO/PERIPHERALS/peripherals_main.html
Adobe and PostScript are trademarks of Adobe Systems Incorporated which may be registered in certain jurisdictions. ©1994 Hewlett-Packard Company PE12463



In color. In no time.

The speedy new HP Color LaserJet.

You've already taken the first step into color printing. And it's really made a difference in your users' work. But as demand for color has grown, you've noticed that what they need is more speed.

Now, with Hewlett-Packard's latest innovation, you can take the next step. The new Color LaserJet printer. It keeps pace with the workload by delivering up to 2 sharp, colorful pages every minute. Or 10 black & white pages. Now, multiple copies of reports and proposals can easily be done in color. Merged text and

graphics documents are laser sharp. On plain paper. And printed permanently.

To make color easier to use, the Color LaserJet offers ColorSmart. For compatibility, there's enhanced HP PCL 5 and optional genuine Adobe® PostScript™ Level 2 software. Add an optional industry-leading HP JetDirect card and you've got a color laser printer that works seamlessly on virtually any network.

As you'd expect, this move up to laser color comes with HP's renowned commitment to service and support. For more information or a sample from the fast new Color LaserJet, call 1-800-821-8440, Ext. 8574.*

You do your job. We'll do ours.
HP LaserJet Printers



The Newton Goes

ANDY REINHARDT

Downsizing is a euphemism for the laying off of employees, but it's also a clarion call to management to work smarter and more efficiently with fewer people. The telephone companies of the U.S., transitioning from a quasi-public monopoly to fiercely competitive private entities, have had to do a lot of both in the past 10 years, and there's more to come.

The dirty little secret of labor reduction, however, is its enormous price in loss of collective knowledge. Workers who have honed their expertise, sometimes for decades, are suddenly gone, taking with them a refined understanding of problems and solutions.

The only way for companies to preserve that legacy while reducing their employment ranks is to attempt to capture such wisdom in software, using expert systems. This need, coupled with

practice that's still common at smaller independent firms) and later filled out paper forms to record the results of service calls. These forms were then manually rekeyed into mainframe computers for tracking and analysis. Even now, technicians can complete just three to four jobs per day, on average.

Phone companies are now trying to drive automation from the regional data centers into the hands of so-called *craft technicians*, the people in the yellow hard hats who test and repair phone lines. There are an estimated 100,000 such professionals in the U.S. alone, and as many as half a million worldwide. Considering that they work on and around phone lines, their efforts don't currently take full advantage of the communications infrastructure that's literally at their fingertips.

Firms that supply equipment to telephone companies are now

being pressed into designing for downsizing: Telephone companies are seeking products that will enable them to automate field tasks, reduce their labor costs, and improve the overall work quality. One such supplier is Harris (Melbourne, FL), whose Dracon

Harris/Dracon aims to boost its phone-repair productivity with a custom-designed, ruggedized Apple Newton MessagePad

division, located in Camarillo, California, designs and manufactures telephony test equipment. An early player in CATs (craft-access terminals), pocket PC-like devices that let line workers dial into service offices for dispatch instructions, Dracon has now struck out in a new direction with a hand-held computer that is based on, of all things, the Apple Newton MessagePad.

Dracon's ruggedized, custom-designed version of the Newton handles dispatch and other craft-access functions, and it also automates job tickets and results reporting through easy-to-use screen forms. But its biggest benefit is the intelligence that it delivers into the hands of field technicians. The Dracon SuperTech 2000 CDA (craft digital assistant) automates test procedures, delivers on-line help, and provides access to the repositories of data, schematics, and expertise that were formerly carried by hand or in the heads of workers—or were inaccessible in the field. How Dracon

progressed from its original vision of a hand-held system to the notion of customizing the Newton is a revealing tale about developing targeted solutions.

The Dracon CDA also represents a major step in Apple's effort to reposition its maligned PDA (personal digital assistant) as a vertical-market tool. (Industry wags quip that vertical markets are where failed consumer electronics go to die; however, the



Norm Schiliaci, SuperTech 2000 product manager for Dracon and the project's engineering development leader.

the growing complexity of the phone system and the drive to boost productivity, is spurring a new wave of automation at local and long-distance telephone companies.

Considering how advanced the phone networks are, their operations are remarkably low-tech in certain labor-intensive areas, such as field service. Until recently, repair technicians often got their assignments over the phone from a central dispatcher (a

Vertical

Newton's situation probably isn't so dire.) Dracon's application is a desirable, high-visibility one for Apple: It involves blue-collar workers, harsh environments, and the potential for substantial productivity payback. If Apple and Dracon make this application fly, it could be a model for other vertical-market products.

Both Apple and Dracon have the opportunity to apply the technologies of Dracon's CDA to other areas. For example, their nonexclusive arrangement allows Apple to leverage off Dracon's work in ruggedizing the Newton. This could help it sell in other demanding environments, such as oil-field exploration, mining, shop-floor control, utilities, and governmental services (e.g., emergency response, traffic and parking control, census taking, and public health).

Meanwhile, Dracon chose to use the Newton partly because of its object-oriented software environment. Although Dracon's software is now focused on telephone repair, its templates, scripts, and communications capabilities are generalizable and reusable. Dracon hopes to eventually provide these software tools to other firms customizing the Newton for field-service applications.

Testing the Loop

Dracon is a major player in the market for line-testing and conditioning equipment in the *local*, or *subscriber*, loop, that part of the phone network located between the customer site and the CO (central office), with products such as the DATU (direct-access test unit) Loop Conditioning System. The company began the project that led to the birth of the SuperTech 2000 CDA more than three years ago, before the Newton was even announced. The project's roots go back even further—to 1987, when Dracon expanded from microprocessor-based test equipment into the market for hand-held CATs, which were pioneered by AT&T and Bellcore.

Line testing and conditioning are essential aspects of POTS (plain old telephone service) because analog circuits are so subject to quality degradation. To ensure an acceptable level of sound fidelity, technicians have to find failed components or line breaks and eliminate noise in the circuit.

Before the advent of such devices as the DATU, these tests were performed by two people, a technician in the field and a partner in the CO. The field technician carried a large phone-line device called a *butt set* (named for its ability to butt in on a line) and an assortment of analog meters for testing voltage and current. He or she would call the CO, ask a worker there to provide a test frequency or sequence of tones on the line under test, and measure the results. This iterative process was easily bottlenecked when CO workers became overburdened.


The DATU eliminates the need for a technician in the CO, because the field technician can call from the butt set directly to an interactive test system and use DTMF tones to control it. The DATU resides in the CO. Using tones, the field technician orders it to switch onto a specific line and then call back, perform

BRINGING AUTOMATION TO THE FIELD

The Challenge

Harris/Dracon's customers, the phone companies, wanted to:

- Reduce the size of their field-service work force and boost productivity above the average of three jobs per day.
- Move their data-processing workload away from central offices and into the field.
- Break away from proprietary host/terminal systems and move toward an open client/server model.
- Improve their overall work quality through the use of expert systems.



The Response

These requirements propelled Harris/Dracon to:

- Customize an inexpensive, mass-market hand-held system instead of designing a niche product.
- Build a communications system involving both local- and wide-area wireless networks.
- Obtain as many components as possible through licensing instead of rolling their own.



The Outcome


- The core Newton was wrapped in a tougher case and a protective rubber boot, fitted with backlighting and wireless networking capability, and loaded with software to automate phone-line tests and repair tasks.
- Dispatch, reporting, and job-ticket closure are simplified and speeded up.
- Expert-system software makes it easier for technicians to conduct complex, iterative tests and productively use a variety of third-party devices.
- Distributed servers will eventually off-load schematics, network diagrams, and customer profiles from central hosts.



Lessons Learned

This experience demonstrates that:

- New platforms carry inherent risks: The Newton hasn't fared as well in the market or attracted as much third-party support as was originally expected.
- Harris/Dracon was surprised and disappointed by the paucity of development tools for the Newton but believes the situation is improving.



diagnostic sequences, or provide a set of frequencies.

But the process is still a bit like detective work, which is why clever humans are needed to complete the process. Most craft technicians used to have only high-school diplomas; now, because of more complex digital telephony, some companies require them to hold an associate degree or pass a test. And technicians typically spend a few weeks every year being retrained by AT&T and other phone-equipment suppliers.

When telephone companies first set out to automate field service, their first line of attack was improved dispatching. Repair workers make between \$15 and \$30 per hour, depending on their specialties and skill level, so one of the imperatives was to send out the right person for each job, not somebody who's improperly qualified. To improve labor deployment efficiency, telephone companies implemented expert systems in their OSS (Operational Support Systems) centers, which are regional facilities that oversee many COs. Among the information housed at OSSes are so-called *outside-plant records*, which are schematics of wiring plans, maintenance

histories, and databases of customer-service options (i.e., whether customers have selected services, such as call waiting, call ID, or voice mail).

When a service problem is first reported, the OSS conducts an initial automatic test through the lines. Computers in the OSS ask loop-based equipment to access a physical circuit, and the OSS then tests such factors as voltage, amperage, resistance, and capacitance on the line. These measurements are fed into host-based expert systems that compare the findings with problem profiles and provide a basic analysis of the fault. From this data, dispatchers estimate the kind of technician that needs to be sent out; this saves money right off the bat if the problem can be solved by a junior person, and it shortens the repair time required if the problem requires a more specialized person.


The second method used by telephone companies for improving labor deployment efficiency was to issue dispatches by computer instead of verbally. Field technicians were given small CATs, typically computers with built-in 1200-bps modems, that they could use to tap into a line and receive marching orders. These

devices were usually proprietary, character-based terminals and relied on centralized host systems in the OSS (most of which were initially DEC PDP-11s and VAXes and, later, Unix-based minicomputers). Nowadays, CATs are more typically DOS-/x86-based hand-held PCs.

In 1987, Dracon introduced a state-of-the-art CAT built around a pair of CPUs (an 8086 and an MC 6502) and a heated, backlit LCD. But the market failed to develop, and the company dropped the product in 1989. According to Norm Schillaci, SuperTech 2000 product manager for Dracon and leader of engineering development for the project, CATs posed numerous architectural problems. As terminals, they were reliant on the host, which afforded little opportunity for distributing processing power. In fact, telephone companies preferred that CATs not be too intelligent; this kept prices down and minimized the cost of replacing any that were lost or damaged.

One advantage of this approach, of course, was that new features could be implemented centrally instead of requiring individual devices in the field to be reprogrammed. Unfortunately, CATs also

If You're Tired Of Waiting For Reports, Call Us For An Instant Solution.



Sitting and waiting for reports is something you no longer need to stand for.

Because now, there's new CA-Visual Express™

A powerful, easy-to-use query and reporting tool for Windows that gives you instant access to more than 20 databases.

What's more, there are three levels of query-building methods that will make the novice or expert feel right at home: Quick Queries, Graphical Query By Example or SQL.




Visual Express can access:

- PC databases
 Btrieve, CA-Clipper™, dBase, Foxpro, CA-Datcom™/PC, Excel, Paradox, Text File, WATCOM SQL, XDB local
- Server databases
 CA-Ingres™, DB2/2, Informix, Netware SQL, Oracle, SQL/400, SQL Server, SQLBase, Sybase, XDB client/server
- Mainframe databases
 CA-Datcom, CA-IDMS™, DB2, SQL/DS

Analyze Your Data Any Number Of Ways.

Visual Express features more than 40 built-in functions for extensive analysis. So you can summarize operations, analyze sales and build financial reports. Plus, you can move this data



Choosing a new data source is as easy as point and click.


from one Windows application to the next with just a few clicks of the mouse.

It's Easy To Turn Hard Data Into Beautiful Reports.

With Visual Express, the only thing as easy as accessing your data is turning it into stunning reports. With just a few clicks of the mouse, you can use all your Windows fonts.



Highlight key areas with lines and boxes. Add colors and shading. Embed full-color 2D and 3D graphs and charts. Even insert your company logo.



Best of all, Visual Express leads you through every step and lets you customize any part of your report in seconds.

The end result: presentation-quality reports that speak highly of the author.

New CA-Visual Express. For those who want brilliant-looking reports and easy access to data, the wait is finally over.

**CA-Visual Express
 Is Only \$99*,
 Regularly Priced At \$495.
 Call 1-800-225-5224,
 Dept. 27500 To Order Now.**



New CA-Visual Express

© 1994 Computer Associates International, Inc., Ispania, NY 11788-7000. All other product names referenced herein are trademarks of their respective companies. *Limit one copy of CA-Visual Express per customer. Additional copies may be purchased at regular price. Mainframe servers require additional purchase.

provided limited information to craft workers, and users needed training to master their arcane syntax.

A confluence of forces led Dracon to its next solution, which eventually became the SuperTech 2000 system. The first factor was the soaring amount of computer power that could be built into tiny devices, which made the use of traditional terminals indefensible in price/performance terms. The second factor was anticipation of demand for client/server solutions: While telephone companies wouldn't dispose of their OSS hosts overnight, breaking the hard coupling between back-end systems and field devices was an attractive first step. Third, the downsizing imperative and growing complexity of both the network and testing procedures dictated the need for smarter, easier-to-use field devices.

Dracon conceptualized a new hand-held system that united some of the functions of a test meter, a butt set, and a CAT and added job-ticket processing, on-line help, and built-in expertise. This vision required a general-purpose computer platform because it had to be programmable, yet it also had to meet some stringent physical characteristics (e.g., small, lightweight, battery-powered, and rugged).

The need for ease of use, which meant getting rid of all the cryptic text commands used on CATs, drove the adoption of a user interface built on forms, check boxes, pick lists, and pull-down menus. Using a smart mobile device with a GUI would let Dracon hide the legacy systems in the OSS without requiring telephone companies to scrap or retool them.

Another key early decision was to use wireless technology to connect the mobile device to other systems. One drawback of CATs is that a physical connection to a wire must be made to download service calls. Every time craft technicians attach a CAT to, or disconnect it from, the wires, they stress the physical connection points of both the phone system and the CAT. A wireless system not only avoids this problem but also permits the exchange of data when the craft technician is driving between job sites.

Ironically, wireless technology also offers greater data bandwidth than current CATs (i.e., 56 Kbps or higher, versus 1200 bps). At the same time, Dracon decided to implement a wire-line modem in the CDA as a backup in case the wireless system ever went out of commission.

The Long Road

Field devices used to be proprietary, says Dracon's Schillaci, but a few years ago, phone companies started issuing RFPs (re-

quests for proposals) for DOS-based systems. "It wasn't that DOS was any better; it was that they [phone companies] were afraid of being boxed in by a closed system," he says. "They wanted the option of running third-party programs on these devices instead of relying on what the vendor supplied. And they wanted to be able to develop their own apps."

In 1991, Dracon began looking at general-purpose platforms on which to build its combo unit. The first contenders, DOS-based pen computers from Grid Systems (which is now owned by AST), didn't fit the bill. Schillaci says that while these systems were sufficiently ruggedized, they

The telephone companies are attempting to drive automation from regional data centers into the hands of the people wearing the yellow hard hats.



—Norm Schillaci,
SuperTech 2000
product manager for
Dracon and the
project's
engineering
development leader

were too heavy, didn't have a long-enough battery life, and were too expensive. Furthermore, he says, their software tools and operating environment (DOS plus the Pen-Right shell) weren't robust enough for the target customer base and usage profile.

Dracon also considered building its own DOS-based system from scratch but ruled that out because of high development and manufacturing costs. "We are not in the business of making general-purpose computers," Schillaci says. The company also rejected the idea of supplying an off-the-shelf (or an environmentally hardened) laptop for use in conjunction with a CAT, because this would have required technicians to carry two devices while in the field. The whole point was to roll all the necessary functions into a single system.

Looking at options other than DOS-based systems, Dracon considered, and eliminated, several of them. The Eo systems, which ran the object-oriented Pen-Point operating system on AT&T's Hobbit chip, were cast out for being too big and too costly. "The Eo had lots of integration [i.e., built-in cellular capability and a rich software environment], but it was heavy and very expensive," Schillaci says. "We

saw it as a real disaster, and an analyst recommended against it." Systems running General Magic's Magic CAP or Microsoft's WinPad looked like they would not be ready soon enough. (As it turned out, the Newton shipped more than a year before the Sony Magic Link did, while the first WinPad systems are yet to be delivered.)

When former Apple head John Sculley announced the Newton, with its entry price of just \$800, Dracon was impressed. "We went, 'Wow!'," Schillaci says. But equally important were Apple's image and attitude. "Lots of people were trying to figure out what a PDA was, but Apple had come the closest," he adds. "They had set up their own division. They had a reputation for being a pioneer. And they had signed up a lot of third-party partners, like Motorola and Toshiba." And, he notes, a consultant told Dracon that he expected only two pen/PDA environments to succeed over the long haul: the Newton and the WinPad.

Although the Newton was aimed at the consumer market, Dracon decided to tailor the device for a vertical application. A key factor in this decision was the object orientation of the Newton operating system, which Dracon believed would make two things possible: the reuse of code and easy third-party licensing of software components. This meant not only that Dracon could obtain software functions from other firms rather than inventing them from scratch (e.g., the SuperTech 2000 CDA can use VT100 terminal-emulation software from Ex Machina [New York, NY]) but also that Dracon could sell the forms and procedures it created (e.g., a job-ticket template or a script for managing test procedures) to other vertical-market players. For these reasons, concluded Schillaci, "We decided that going with the Newton was the safest thing."

Customizing the Newton

Dracon's original intent was to use an off-the-shelf Newton with an external communications module connected via the LocalTalk port; the target weight for the whole package was 2½ pounds, with an operating life of 8 hours per charge.

But problems emerged quickly. A wide variation in field-lighting conditions dictated that the display be backlit, which would use up more energy and require retrofitting of the unit. More important, the Newton's packaging—especially its unprotected screen surface—was not up to Dracon's environmental specifications. Among the problems: the degree of safety from precipitation, the quality of the seals,

THE WORLD'S EASIEST DESKTOP PUBLISHER!

ON THE WAY HOME
FROM THE OFFICE...

FREE*

THAT'S RIGHT NANCY,
PAGEPLUS INTRO IS THE
EASIEST DTP TO USE...
AND IT'S FREE!

≡SOB≡
BRAD, I WISH I'D NEVER
WASTED MONEY ON
EXPENSIVE DTP...

If you don't already use Serif's PagePlus DTP, now's your chance! For a limited time you can get the world's easiest Desktop Publisher FREE! The Serif Free Software Offer has been extended due to massive demand. There's 250,000 copies available, but this incredible value must end soon! PagePlus Intro is the little brother to PagePlus 3.0, our \$99 power-packed rival to Aldus PageMaker. Intro is designed specifically for those new to DTP and is super-friendly and flexible. And it's built on the same foundations that have made PagePlus 3.0 an international award-winner and world-wide Best-Seller. PagePlus Intro gives you everything you need to get started FREE. Even a DTP newcomer will quickly be designing high quality, graphics-packed flyers, letterheads and newsletters and getting great results on any dot-matrix, ink-jet or laser printer in color or b/w. And you'll find out that DTP is real fun too! What's the catch? There's no catch. PagePlus Intro is simply the easiest way to find out about DTP... Once you've used one value-packed Serif product you'll want the rest! Join our hundreds of thousands of enthusiastic Serif PagePlus customers. Call right now for your FREE PagePlus Intro!!!

IF NANCY HAD KNOWN THAT SERIF'S INCREDIBLE FREE SOFTWARE OFFER HAD BEEN EXTENDED, SHE'D HAVE CALLED RIGHT AWAY AND SAVED MONEY!!!

CALL NOW FOR YOUR FREE
SERIF PAGEPLUS INTRO -



1-800-489-6719

24-Hour Toll-Free Value Line, Open 7-Days.
Please Quote Code - BY015

OFFER
EXTENDED!
250,000
ADDITIONAL
COPIES!

* There is a non-refundable \$6.95 shipping and admin charge. Please have your credit card ready: Visa, MasterCard, Amex and Discover accepted. Limit one copy per household. You need Windows 3.1 and 2Mb RAM. Serif and PagePlus are trademarks of Serif, Inc. Aldus and PageMaker are trademarks of Aldus Corp. All other trademarks acknowledged. Please mail checks or money-orders to Serif, PO Box 803, Nashua NH 03061. (603) 889-8650 and fax (603) 889-1127. PagePlus Intro can be collected free from Serif in Nashua... call for details. This offer is limited to the first 250,000 US callers. Please allow up to 28 days for delivery. PagePlus 3.0 is \$99 and the Publishing Suite is \$199 available from Serif or other fine retailers.

Circle 132 on Inquiry Card.

This ad was designed and produced using Serif PagePlus Intro & other Serif products.

and the placement of the speaker (see the table "Environmental Requirements for the Dracon SuperTech 2000 CDA"). For these reasons, Dracon decided to design a customized version of the Newton.

The SuperTech 2000 CDA is based on a standard Newton core, using the same main printed circuit board as the Gelato (i.e., MessagePad 120) release of the product. However, there are differences between the two models: Dracon's CDA has stronger plastic and a different case, is slightly thicker than the Newton, doesn't have an infrared port, and has a different silk screen over the LCD. The screen is also covered with a Mylar shield, and there is a door to cover it when the device is not in use. Also, the entire system is enclosed in a rubber boot to further protect it against breakage.

In addition, Dracon has added backlighting behind the LCD and incorporated a new "fuel-gauge" battery technology, which features a microprocessor in each battery pack that manages different power and recharging characteristics transparently to the system. This will allow seamless migration from the nickel-metal-hydrate batteries the CDA uses today to more efficient lithium-ion batteries in the future. The Dracon CDA doesn't include

an AC adapter because it's intended to be used only on battery power and recharged on a supplied charge stand when not in use. Schillaci says that one reason Dracon chose both the Newton and the wireless technology offered by Digital Ocean (Lenexa, KS) was their respective power management capabilities, compared to other options.

The CDA itself is only part of the SuperTech 2000 system, which also includes communications components for linking the Newton back to the CO and OSS. Built into the hand-held unit is a wireless LAN based on Digital Ocean's spread-spectrum technology, used for talking to a communications bridge located in the technician's truck or in a satchel. This wireless LAN can also be used to interface portable test equipment to the Newton (more on this later). The communications bridge, in turn, communicates to the service center via a wireless WAN; for now, Dracon is using analog cellular technology, but eventually it could employ CDPD (Cellular Digital Packet Data), packet radio, satellite, or

some other emerging technology.

Digital Ocean's wireless LAN has a range of 800 feet and operates in the 902- to 928-MHz unlicensed frequency range. Instead of frequency hopping, it employs direct-spread radio technology, which Dracon says uses less power and allows for a potential throughput of up to 2 Mbps (although, due to software overhead in the Newton, the actual rate is now closer to LocalTalk rates of 234 Kbps).

Analyst Ken Dulaney, of the Gartner Group (Santa Clara, CA), points out that direct-spread technology is more subject to external interference than other technolo-

The Dracon SuperTech 2000 CDA uses Apple's Newton technology wrapped in a more rugged case and enhanced with backlighting, built-in wireless communications, and an improved battery. Apple is free to incorporate these changes into other vertical-market implementations of the Newton.

Environmental Requirements for the Dracon SuperTech 2000 CDA

Storage temperature range	-40°C to +66°C
Operating temperature range	-20°C to +44°C
Thermal shock resistance	Unit will operate for 1 hour after ambient temperature change of -40°C to +21°C or +21°C to +66°C
Water resistance	Unit is splash-resistant but not submersible
Physical shock resistance	Unit can withstand multiple drops from up to 6 feet



gies. But because the nature of Dracon's transmissions isn't very confidential and the signal range is fairly short, security is not a big factor.

Dracon chose to adopt this two-level communications architecture instead of equipping each CDA directly with a wireless LAN (either on a PCMCIA card or built in) for several reasons. First, the wireless LAN creates a distributed communications hub surrounding each truck that is capable of supporting more than one repair technician. This helps push the workload away from service centers and into the field, reducing the data traffic going in and out of the OSS. It also breaks timing dependencies between mobile devices and host systems: The CDA doesn't have to have real-time access to the host, which permits greater flexibility on both sides of the communications link.

Second, the LAN also supports non-CDA devices. This means that makers of portable test equipment can equip their products with compatible radios and then link them locally to the CDA.

Third, the wireless LAN uses less energy than a WAN and operates at a higher data rate. To a certain extent, it also protects Dracon's customers against the risks of evolving wireless-WAN standards: Rather than having to change every unit in the field to support a new technology, they only need to update the more easily replaced interfaces in the communications bridges. Of course, a wireless WAN card could still be installed in the Newton's PCMCIA slot by the customer.

The notion of a communications hub is central to Dracon's long-term vision for the SuperTech 2000. For the time being, the truck-based bridges (which are likely built on DOS- or Unix-based x86 computers) are mere relays that shuttle LAN traffic back to the service centers. But they will eventually become, or be attached to, distributed servers containing some of the "outside plant" information that's now housed at the OSS.

Thus, when a craft technician wants to see a wiring plan or look up a customer's service profile, the data transmission can occur locally and at faster LAN speeds instead of at slower WAN rates. Forms, templates, and customer information can be maintained in the servers and updated via periodic downloads from the service center. Job tickets can be distributed in batches each morning in real time and then collected when each job is completed, instead of on demand.

Using the CDA

Third-party players will determine how much of the craft technician's work is eventually integrated into the Dracon CDA. Initially, the repair technicians will still carry portable test equipment around with them, so the actual measurement of voltages and frequencies won't be done by the Newton. But over time, these functions could be brought under the CDA's umbrella or even designed into PCMCIA cards. To encourage such integration, Dracon will publish the HAPI (Harris API) specification, which outlines the roughly 50 function calls and 50 frames and templates that it has added to the Newton environment.

The closest kind of integration would make use of either the wireless LAN or the CDA's RS-232 serial port. Makers of

Exabyte's new 8mm XL tape drive is the perfect union of capacity and reliability.

- ▶ 14 GB capacity compressed
- ▶ 1 MB/second transfer rate compressed
- ▶ 160,000 hours MTBF
- ▶ Extended-length media
- ▶ Half-high form factor
- ▶ Backward compatible

EXABYTE IS
←-----→
EVERYWHERE

8mm

4mm

Quarter-Inch

Libraries

Media

Accommodating the new extended length data-grade 8mm media, the EXB-8505XL 8mm tape drive can store 14 gigabytes of compressed data per cartridge. That's nearly two times the capacity of DDS-2 drives. Using the EXATAPE™ 160XL data cartridge with its Recognition System assures users of the highest data reliability and integrity. And this new high-capacity tape drive can read the tapes written on any of the 750,000 8mm tape drives in use today. Seamless integration with latest-generation 8mm libraries protects your 8mm investment.

EXABYTE 

For more information call the Exabyte office nearest you: The Netherlands (31) 3403-51347; Germany (49) 69-95-925-220; France (33) 1-69-41-16-17; United Kingdom (44) 492-874855; Asia (65) 271-6331.

© 1994 Exabyte Corporation. Exabyte is a registered trademark and "Exabyte is Everywhere" and EXATAPE are trademarks of Exabyte Corporation. Exabyte Corporation, 5485 56th Street Boulder, Colorado 80501 USA Phone (303) 442-4321 Fax (303) 447-7007.

Circle 80 on Inquiry Card

portable test equipment, such as CTC, Tektronix, and 3M, could reengineer their devices to contain a wireless LAN or serial interface and then develop Newton-based software to access, configure, and control the device. The result would allow a craft technician to receive work orders, perform tests using third-party devices, incorporate measured results into reports, and close job tickets from a single user interface. So far, no test-equipment makers have publicly committed to supporting the Dracon CDA, but the company is working closely with four major players, of which it expects at least one to attach a device via serial and another via the wireless LAN.

If this third party doesn't want its product to directly connect to the CDA, there's another possible integration option: supplying Newton-based support software. A device maker could provide instructions on how to control and configure its product; advice on how to interpret results; or even forms into which to enter measurements for analysis, incorporation into a report, transmission to the OSS, or input to an expert system.

According to Schillaci, all the programs that are now in development for the CDA are graphical and "tappable." If any text entry is required, they use an on-screen keyboard for hunt-and-peck text entry, not the Newton's handwriting recognition. (There are also applications that use digital ink; more on this later.) Changes to applications can be downloaded to flash memory.

Certain Newton functions, such as the Intelligent Assistant, will not be available for craft-technician applications. But other built-in capabilities, such as the ability to record names and addresses, will be. In addition, data values that are created and used by CDA programs won't be accessible to normal Newton applications, so the data can be protected from corruption.

Coming to Market

The Dracon SuperTech 2000 CDA is still in development, with the first customer

shipments planned for sometime between March and May. Schillaci expected to begin beta-testing software in November 1994 and estimates the final code size will be about 500 KB. Dracon is currently working closely with Bell South,

abilities. By way of comparison, Schillaci notes that less-functional CATs sell for between \$2500 and \$5000. "There really aren't any competitors for this [CDA] now," he adds.

The precise manufacturing details also were not firm at press time. The most likely scenario is that Apple will manufacture the CDA under contract to Dracon, using excess plant capacity in Taiwan and Japan, and Dracon will handle the final testing, configuration, and delivery out of its Camarillo, California, facility.

This relationship between Dracon and Apple, Schillaci claims, offers each party the best of both worlds. "Our expertise is ruggedized products—[preventing] what the environment, sunlight, and so on can do to products," he says. "Apple understood the limits of their design. We're going to ruggedize it, and then they or anybody else can leverage off that."

The selling proposition for the SuperTech 2000 CDA is thus threefold, Schillaci says. "We will save you money today," he says, through increases in efficiency and reduction in costs. He adds that "we will save you money tomorrow" by putting in a distributed, TCP/IP-based network infrastructure and reducing the difficulty of migrating your back-end OSS systems. And "we will even make you incremental revenue," he notes, because support for digital ink and signature capture on the CDA will enable the repair people in the field to sell services to customers and take orders from them right on the device's screen.

The only caveat is offered by the Gartner Goup's Dulaney, formerly a manager at Grid Systems, who has traveled down this road before. "The phone companies will want supplies of these devices for five years," he warns. "But doing special orders is not Apple's paradigm. That's what killed us at Grid." ■

Andy Reinhardt is BYTE's West Coast bureau chief. You can reach him on the Internet or BIX at areinhardt@bix.com.

SuperTech
Select a SuperTech Function

- Work Order Manager
- DATU
- HLT
- Meter
- Timesheet
- Configure SuperTech

Work Order Manager
Enter summary

Vicious dog at repair site.
Unable to repair. Will return with steak.

Direct Access Test Unit
DATU Line Conditions:

- Audio Monitor
- Ground Line
- Ring Ground
- Tip Ground
- Tip - Ring Short to Ground
- High Level Tone
- Ring High Level Tone
- Tip High Level Tone
- Tip - Ring High Level Tone
- Low Level Tone
- Open Line
- Permanent Signal Release
- Short Line

Time Sheet Manager
Date: Fri, 7/15

W/O Num	Dispatch		Total Time
	Opened	Closed	
12821	08:10	08:50	00:40
12822	09:00	10:15	01:15

Total Time: 1:55

The Work Order Manager lets craft technicians receive dispatches from the service office, enter comments, and close out the job ticket.

The Direct Access Test Unit screen is the heart of the CDA's automated test capability. Instead of having to punch the keys of a butt set, the craft technician merely selects tasks from this graphical screen, and the CDA performs the correct test sequence.


The Presentation Manager keeps track of every time the craft technician opens and closes a job; from this information, the CDA automatically builds a time sheet that can be uploaded to legacy accounting systems.

GTE, and Pacific Bell on its CDA, he adds, and is also talking with Bell Atlantic, Nynex, and other independent telephone companies.

Pricing hadn't been set by the time this went to press, but Schillaci says the cost will be value-added, meaning it will reflect the base \$800 price of the Newton incremented by the value of Dracon's numerous enhancements and software capa-

Select any 5 books for only \$4⁹⁵ (Values to 198.75)

when you join the
The Computer Book Club®



0279851 \$19.95
Softcover




4191P \$32.95
Softcover



4461H-XX \$47.00
Counts as 2




3279P \$26.95
Softcover



0576173 \$30.00



0415765 \$28.00
Softcover




8816548 \$29.95
Softcover



4424H \$24.95



0513449-XX \$24.95
Counts as 2



4418H \$39.95



8820251 \$24.95
Softcover




4265H \$38.95



4134H \$29.95



4262H-XX \$39.95
Counts as 2



4166P \$22.95
Softcover



056693-XX \$70.50
Counts as 2



4270H \$29.95



8818095-XX \$29.95
Counts as 2/Softcover



4085H \$29.95




4144H \$29.95



4210P \$21.95
Softcover



3280H \$38.95



4491H \$39.95



4413H-XX \$49.95
Counts as 2



8819806 \$29.95
Softcover



881653-XX \$29.95
Counts as 2/Softcover



4356H \$39.95



4221H-XX \$40.00
Counts as 2



029682 \$29.95
Softcover



0549486 \$39.95
Softcover



3049P-XX \$28.95
Counts as 2/Softcover

As a member of The Computer Book Club...

...you'll enjoy receiving Club bulletins every 3-4 weeks that contain exciting offers on the latest books in the field—at savings up to 50% off regular publishers' prices. If you want the Main Selection do nothing, it will be shipped automatically. If you want another book, or no book at all, simply return the reply form by the date specified. You'll have at least 10 days to decide. If you ever receive a book you don't want, due to late mail delivery of the Bulletin, you can return it at our expense. Plus, you'll be eligible for **FREE BOOKS** through the Bonus Book Program. Your only obligation is to purchase 3 more books during the next 2 years, after which you may cancel your membership at any time. Ironclad guarantee: If you are not completely satisfied, return it for a full refund.

All books are hardcover unless otherwise noted. Publishers' prices shown. If you select a book that counts as 2 choices, write the book number in one box and XX in the next. A shipping/handling charge & sales tax will be added to all orders. © 1995 CBC BY195


If card is missing, write to: The Computer Book Club,
A Division of McGraw-Hill, P.O. Box 508, Columbus, OH 43216-0508

Software Developers:

It's Midnight. Do You Know Where Your Software Is?



Bringing software into the world is a little like bringing up children. You always know where they start, but you seldom know where they'll end up. These days, with illegal use of software so common, concerned developers have good reason to worry about the products of their labor. That's where HASP® - The Professional Software Protection System, comes in.



Like a responsible babysitter, HASP accompanies your software wherever it goes. With HASP there, your software won't run out of control. Without HASP, in fact, your software won't run at all.

For developers, HASP provides the highest level of security and reliability. For legitimate users, HASP is a friendly and transparent solution. Once connected, they won't even feel it's there.

And if your child wants to play with its friends, a single NetHASP lets it run free around a local area network. But always under your supervision and control.

Get serious about software protection. Since 1984, nearly one million HASP keys have enabled thousands of software developers, in more than 60 countries, to protect their software. To find out why HASP is considered the best product in the market, order your HASP Developer's Kit today.

1-800-223-4277

ALADDIN

The Professional's Choice

North America Aladdin Software Security Inc.
Tel: (800) 223 4277, 212-564 5678
Fax: 212-564 3377
E-mail: sales@hasp.com

Intl Office Aladdin Knowledge Systems Ltd.
Tel: 972-3-537 5795, Fax: 972-3-537 5796
E-mail: aladdin@aladdin.co.il


United Kingdom Aladdin Knowledge Systems UK Ltd.
Tel: 0753-622266, Fax: 0753-622262

France Aladdin France SA
Tel: 1 40 85 98 85, Fax: 1 41 21 90 56

PC: DOS, Windows, Windows NT, Win 32S, OS/2.

SGO Unix, SCO Xenix, Interactive Unix, AIX, AutoCAD, DOS Extenders, LANs, MAC (ADB port), Macintosh, PowerMAC, AppleTalk LANs, NEC, DOS, Windows, AMIGA

© Aladdin Knowledge Systems Ltd. 1985-1994. HASP® is a registered trademark of Aladdin Knowledge Systems Ltd. All other product names are trademarks of their respective manufacturers. (9/94)



- Australia Conlab 3 8985685
- Benelux Aladdin Benelux 080 782098
- Czech Atlas 2 766085
- Chile Micrologica 2 222 1388
- Denmark Berendsen 39 577100
- Egypt Zeineldin 2 3604632
- Finland ID-Systems 0 870 3520
- Germany CSS 201 278804
- Greece Unibrain 1 6856320
- Italy Partner Data 2 26147380
- Japan Athena, 3 58 213284
- Korea Dae-A 2 848 4481
- New Zealand Training, 4 5666014
- Poland System 61 480273
- Portugal Futurmatica 1 4116269
- South Africa D Le Roux, 11 886 4704
- Spain PC Hardware, 3 4493193
- Switzerland Opag 61 7169222
- Taiwan Teco 2 555 9676
- Turkey Mikrobeta 312 467 7504

Circle 61 on Inquiry Card.

Mosaic: Beyond Net Surfing

JOHN R. VACCA


It's easy to get tangled up in the Internet: Finding information can take too long. Servers might be down. Connections mysteriously croak. You have to know which vendors and collections to search, as well as the specific query language for the system. You have to be careful while formulating your query. You sometimes have to look through too many hits, which are not sorted in order of relevance. You are working under pressure while paying for connection time. And it's hard to avoid distractions—scrolling through the Simpsons newsgroup instead of tracking down those files on new object management technologies, for instance.

Nevertheless, the Internet provides access to a worldwide collection of information resources and services. But for a new user, it can be confusing. Navigating the network can be an exercise in frustration for even the most ambitious networker.

Fortunately, software is available that can help. Many users are turning to the Mosaic program—some estimate its usage at 1 million. This browsing software gives you a graphical interface for navigating the Internet. It's probably the most popular means of wending through the WWW (World Wide Web)—that hyperlinked cornucopia of information resources. But Mosaic is more than an easy-to-learn GUI for net surfing. It can also be a tool for publishing information on the WWW.

Mosaic was developed at the National Center for Supercomputing Applications, at the University of Illinois at Urbana-Champaign, as an Internet-based, global, hypermedia browser. It allows you to hunt for, retrieve, and display documents and data from all over the Internet. It's a window on the ever-expanding world of on-line information.

As a hypermedia browser designed for searching and retriev-



Mosaic is more than a GUI for navigating the Internet; it's also a tool for doing business on the World Wide Web

ing, Mosaic provides a unified interface to the diverse protocols, data formats, and information archives used on the Internet. Mosaic draws these disparate pieces into a seamless picture that you can view with relative ease. Once you've located a publisher's home page—the screen of the National Institute of Standards and Technology's home page (on page 78) is a good example—you just click on a table-of-contents-like listing to jump to the information you want.

With Mosaic's hypermedia-based interface, hyperlinks are embedded in richly formatted documents that can include color images and

sounds. "Mosaic provides the mechanisms for linking text, sound, images, and animations," says Leslie Southern of Ohio Supercomputer Center User Services (Columbus, OH). "Our server links to other servers with common interests. While some servers are implemented in an outline format, we have gone to great lengths to integrate the information in our server."

At the Ohio Supercomputer Center, for example, the system is

set up so you can browse through information on the center's computing facilities. Calendar items, center initiatives, and news releases are closely interconnected, so users can retrieve associated information from any direction. Links are also used to correspond to the level of detail provided.

Furthermore, the interface allows all information located around the world to be interconnected in an environment that permits users to travel through the information by clicking on hyperlinks. "You can move around within complex documents, as well as from document to document across the network, simply by clicking on these hyperlinks," explains Frank Baker, a member of The National Center for Supercomputing Applications' Mosaic development team. You use the same interface for both navigation and document viewing; you can even retrieve information from Gopher, a versatile menu-

driven information system, or from WAIS (Wide Area Information Service) or anonymous FTP (file transfer protocol) servers without moving to a different application for each one, Baker adds. Mosaic lets you use a consistent, graphical interface with these hard-to-use Internet tools.

The Mosaic interface is based on the idea of hypermedia, where electronic links—known as *hyperlinks*—are embedded in richly formatted documents that can include full-color images and sound. These documents are presented to users as pages in an interactive, scrollable, online book (see the screen of the Jet Propulsion Laboratory document on page 78 for an example).

You can take advantage of the full-text and index-based search tools provided by WAIS to locate a particular document. As development continues, the system's flexible design allows other information

and data resources, such as relational databases, to be integrated into the Mosaic environment.

Mosaic and WWW

Mosaic is part of the WWW environment—a system for maintaining distributed hypertext that originated at the European Laboratory for Particle Physics (known as CERN) in Geneva. Initially developed to keep track of researchers' information and to provide scientists with an easy method of sharing data, the WWW is growing into one of the world's most widely used environments for information publishing.

To access the information stored in WWW repositories, you must use a client or a browser. "Mosaic is one of the most popular browsers," says Craig Schlenoff, an information technology manager at the National Institute of Standards and

Setting Up a Server

To distribute information via the WWW, you first need to set up an HTTP server. The HTTP protocol is stateless, lightweight, and extremely fast, and it provides capabilities that are not found in earlier protocols, such as FTP.

One of the first steps in setting up a server is getting server software. HTTP server software is available from various WWW sources for Unix, Macintosh, Windows, and VMS systems (see <http://info.cern.ch/hypertext/WWW/Daemon/Overview.html> for more information on writing servers and gateways in general).

Unix Servers

NCSA httpd. This is available at the URL (universal resource locator) ftp://ftp.ncsa.uiuc.edu/Web/ncsa_httpd.

CERN httpd. CERN's server is available for anonymous FTP from info.cern.ch (the URL is <http://info.cern.ch/hypertext/WWW/Daemon/Status.html>). It's also available from many other sources; use your local copy of Archie to search for "www" to find a nearby site.

GN Gopher/HTTP server. The GN server is unique in that it can serve WWW and Gopher clients (in their native modes). This is a good server for those migrating from Gopher to WWW, although it does not have the server-side script capabilities of the NCSA and CERN servers. See the URL <http://hopf.math.nwu.edu/>.

Perl server. This is a server written in the Perl scripting language, called Plexus, for which documentation is available at the URL <http://bsd.com/server/doc/plexus.html>.

Macintosh Server

MacHTTP is available at the URL http://www.uth.tmc.edu/mac_info/machttp_info.html.

Windows and NT Servers

HTTPS. A server for Intel- and Alpha-based Windows NT systems. It's available via anonymous FTP from emwac.ed.ac.uk/pub/https (the URL is <ftp://emwac.ed.ac.uk/pub/https>). Make sure to download the version that's appropriate for your particular processor. You can either read a detailed announcement at the FTP site or use the URL <ftp://emwac.ed.ac.uk/pub/https.txt>.

NCSA httpd for Windows. This server includes most of the features of the Unix version, including scripts (which generate pages on the fly, based on user input). This server is available by anonymous FTP from [ncsa.uiuc.edu](ftp://ncsa.uiuc.edu) in the [Web/ncsa_httpd/contrib](http://ncsa.uiuc.edu/Web/ncsa_httpd/contrib) directory as the file [whtp1lab6.zip](http://ncsa.uiuc.edu/Web/ncsa_httpd/contrib/whtp1lab6.zip), or at the URL ftp://ftp.ncsa.uiuc.edu/Web/ncsa_httpd/contrib/whtp1lab6.zip.

SerWeb. A simple, effective server for Windows. It's available by anonymous FTP from winftp.cica.indiana.edu (or one of its mirror sites, such as nic.switch.ch), as the file [serweb03.zip](http://pub/pc/win3/winsoc), in the directory [/pub/pc/win3/winsoc](http://pub/pc/win3/winsoc). There is also a Windows NT version of SerWeb, available by anonymous FTP from emwac.ed.ac.uk as the file [/pub/serweb/serweb_i.zip](http://pub/serweb/serweb_i.zip).

WEB4HAM. This server is available via anonymous FTP from ftp.informatik.uni-hamburg.de as the file [/pub/net/winsoc/web4ham.zip](http://pub/net/winsoc/web4ham.zip).



OS/2 Server

OS2HTTPD. For information, see the home page for details (the URL is <ftp://ftp.netcom.com/pub/kfan/overview.html>) or fetch the package by anonymous

FTP from ftp.netcom.com in the directory pub/kfan.

DOS Server

KA9Q NOS (nos11c.exe) is an Internet server package for DOS that includes HTTP and Gopher servers. It can be obtained via anonymous FTP from inorganic5.chem.ufl.edu or biochemistry.cwru.edu.

VMS Servers

CERN HTTP for VMS. This is a port of the CERN server. It's available at the URL [http://delonline.cern.ch/disk\\$user/duns/doc/vms/distribution.html](http://delonline.cern.ch/disk$user/duns/doc/vms/distribution.html).

Region 6 Threaded HTTP Server. A native VMS server that uses DECthreads. This offers a performance advantage, because VMS has a high overhead for each process, which is a problem for the frequently forking NCSA and CERN servers that began life under Unix. A multithreaded server avoids this overhead. It's available at the URL <http://keg11.eng.ohio-state.edu/www/doc/serverinfo.html>.

Amiga Server

NCSA's Unix server. This Unix server has been ported to the Amiga and is bundled with the AMosaic browser. See the URL <http://insti.physics.sunysb.edu/AMosaic/home.html> for details.


NEW BUSINESS WON



Tektronix



GO FOR IT!



NETWORKING: BRILLIANT. VALUE TO WIN NEW BUSINESS—FAST!

Color is color, unless you want performance *and* price.

New Phaser™ 140 Color Printer: \$1,695.
At last there's a low-cost printer with world-class performance. It lets your business hit the ground running. Start with 360 dpi resolution on plain or glossy paper, transparency or back-print film. Pour on Pantone's certified color and Adobe™PostScript™ Level 2. Rip

through image processing at RISC-speed—the fastest in its class. The Phaser 140 supports PCs, Macs, and networks simultaneously. And it's from Tektronix, a Fortune 500 leader, where value in workgroup color printers now starts at only \$1,695, and doesn't stop until you finish first.





Tektronix

Circle 120 on Inquiry Card.

Free output sample, call 800-835-6100, Ext. 1066.

© 1994 Tektronix, Inc. All rights reserved.

Highly informative
business applications
can also be great-
looking.



Developers: Bet You Haven't Seen Xbase Like This Before.




It's easy to create
Windows applications
with browsers and
editors that design
and manage the
process.

With CA-Visual Objects[®], developing new applications is a sight to behold. Because for the first time, the ease of use of visual programming has been married with the fourth generation power of an Xbase language.

The result is the only application development tool that gives you full object orientation, GUI support and client/server architectures combined with existing Xbase technologies and databases.

And the advanced technology of Visual Objects doesn't stop there. The object orientation includes inheritance, polymorphism and encapsulation. And the native code compiler boasts an engine that drives Visual Objects at a speed that's as fast as lightning. Plus, the repository-based interactive development environment includes class browsers, painters, editors and prebuilt classes.

**Mission-Critical
Client/Server
Repository-based
Native Code Compiler
Fully Scalable
Class Libraries
OOP**



For More Information, Call 1-800-225-5224, Dept. 14500.

Phone soon for a closer look at new CA-Visual Objects. Your mind won't believe what your eyes are seeing.

New CA-Visual Objects[®]

© Computer Associates International, Inc., Isonia, NY 11788-7000. "Light LB" graphic developed in conjunction with Light LB[®] Business for Windows from DFL Software, Inc. All products referenced herein are trademarks of their respective companies.

Circle 71 on Inquiry Card.

**COMPUTER
ASSOCIATES**
Software superior by design.





FLAY

OPERATION

3000

Santa

Easy

Over & Sacks

Jack Waddell

THE NIGHT BEFORE
CHRISTMAS



WELCOME BACK

Wishin' & radin'

The Littlest Nowman

Africa

Building HTML Documents



Once you've used NCSA Mosaic for a while, you may want to create your own documents or home pages and make them available to the WWW. If you're familiar with a markup language, such as Tex, Latex, or troff, you'll make the transition to HTML (Hypertext Markup Language) readily.

You can write an HTML document with any text editor. Try the Source button of your browser (or save it as an HTML file) to look at the HTML for a page you find particularly interesting. The odds are that writing an HTML document will be a great deal simpler than you'd expect. If you're used to marking up text in any way, HTML should be intuitive.

A beginner's guide to HTML is available at the URL (universal resource locator) <http://www.ncsa.uiuc.edu/General/Internet/WWW/HTMLPrimer.html>. You can also find a plain-text version (at the URL <ftp://ftp.ncsa.uiuc.edu/ncsapubs/WWW/HTMLPrimer.txt>) and a compressed PostScript version (at the URL <ftp://ftp.ncsa.uiuc.edu/ncsapubs/WWW/HTMLPrimer.ps.Z>). Because the latter two are FTP URLs, you can fetch them by hand using FTP if you do not yet have a WWW browser.

In addition, there is a good set of HTML documentation available at the URL <http://www.ucc.ie/info/net/html/doc.html>, and there's an HTML primer with a URL of <http://www.vuw.ac.nz/who/Nathan.Torkington/ideas/www-html.html>.

Again, to learn the particulars, see the relevant on-line documentation.

and browsing system. And CommerceNet developers are adding both data-coding and digital-signature technology to Mosaic's capabilities. "That will make it possible for users to conduct business transactions without fear of fraud or theft," Tenenbaum claims.

CommerceNet's coding technology is made possible by an agreement between CommerceNet and RSA Data Security (Redwood City, CA). This agreement will make it possible to develop and distribute secure versions of Mosaic that will communicate with special information-server computers.

Authoring Systems

In today's information systems, there are "islands of information" from which it is difficult to access anyone else's data in a uniform manner. For example, you must use the Dow Jones interface to search Dow Jones for a financial analyst report, and you need the Dialog interface to search a database there. Even within a single vendor's information repository, the tools are difficult to use.

Users want one easy-to-use program to provide uniform access to all data, whether it's from private, corporate, or commercial sources. And information providers need tools for setting up their data repositories. This is what authoring systems with a Mosaic interface are all about. Two such systems, from InfoSeek and Quarterdeck,

and other projects. Backed by \$24 million in federal government and industry financing, it is one of the first significant efforts to bolster the Internet by providing more robust software with the security features needed for electronic commercial transactions. "Buyers and sellers can now meet on the network and trust each other," says Jay Tenenbaum, chairman and founder of Enterprise Integration Technologies (Palo Alto, CA), one of the developers of CommerceNet.

One company currently demonstrating its wares in this new electronic shopping center is the Internet Shopping Network, based in Menlo Park, California. Referring to itself as the "toy store of the global village," the Internet Shopping Network is competing with the giant computer superstore chains by connecting buyers directly to distributors via a Mosaic interface.

Open to anyone on the Internet, CommerceNet takes advantage of Mosaic's ability to act as an information-retrieval

The Global Schoolhouse Project

The GSH (Global Schoolhouse) Project connects classrooms around the world to demonstrate the use of the Internet and Mosaic in the K-through-12 school environment. The project is developing collaboration technologies, interfaces, and advanced information-retrieval tools.

The main objectives of the GSH include the following:

- Demonstrate how people and information resources on the Internet can be used as a classroom tool for research and as a medium for interactive, collaborative learning with Mosaic.
- Teach students how to become active learners and information managers.
- Develop an ongoing, on-line system of training and support for teachers so that they can use Internet technology and tools effectively in their classrooms.
- Demonstrate the most current technol-

ogies in a classroom setting.

- Encourage business, government, school, higher-education, and community partnerships for ongoing collaboration concerning the integration of technology into the classroom.

The GSH Project is sponsored by the National Science Foundation, with support from AT&T, Cisco, Cornell University, Farallon, SuperMac, U.S. Sprint, the University of Illinois, Zenith Electronics, and other organizations. Curriculum and classroom activities coordination is provided by the Global SchoolNet Foundation (Oceanside, CA).

The GSH Project involves live videoconferencing among the students and teachers using Cornell University's CU-SeeMe software and telephone audio. The project has recently incorporated audio that is transported over the Internet using Mosaic and Maven software, which was developed at the



University of Illinois.

Current GSH Project schools in the U.S. are located in California, Illinois, Iowa, Missouri, Nebraska, New York, North Carolina, Tennessee, Utah, Vermont, and Virginia. Participants outside the U.S. are located in Australia, Canada, England, France, Finland, Germany, and New Zealand. Japan, Norway, the Philippines, and several other countries are planning to participate in the future.

In conjunction with the activities in their classrooms, students conduct at least one live videoconference with a government official in their area of study to discuss the results of their research and hold a question-and-answer session. The advantages of such an activity include demonstrating the accessibility of the government to the public via the Internet and promoting early involvement in the processes of government by students.

Complete CD Recorder Solutions

The fastest desktop CD-ROM recorder.



\$4,995.

The best-priced desktop CD-ROM recorder.



\$2,495.

Speed isn't everything - but it's close. The dataDisc CDR-4x quad-speed CD-ROM recorder with DiscMaker™, the easiest and most powerful mastering software for Windows, Mac or UNIX, makes the most powerful and complete desktop CD-ROM recording solution available today. Don't settle for anything less.

This third-generation CD Recorder can cut a 680 megabyte blank disc in 18 minutes with less time required for less data. You can cut discs in all formats including CD-ROM, CD-DA (Digital Audio), CD-ROM XA (sound, text, images, multisession), CD-I (Interactive) and more.

But enough on hardware. Premastering software is just as important. What features does the software need?

Speed. A virtual CD is created as you drag and drop files into the DiscMaker window. You can reposition files and directories to optimize CD performance as quickly as you drag and drop them.

True Multisession. DiscMaker implements true multisession, the way the Kodak Photo CD™ de-facto standard has defined it.

Fast, easy, affordable. DataDisc CDR-4x and DiscMaker™, mastering software comes bundled with a SCSI card, cable, 10 blank discs and lifetime technical support. Other configurations available. Blank discs available under \$15!

Call the number one CD-ROM company to get yours. Call dataDisc at 800-DATADISC (800-328-2347). Call today.

You've been waiting for it - it's here. Announcing the dataDisc CDR-2x. Add to it DiscMaker™, the easiest and most powerful premastering and mastering software package for Windows or Mac and you've got the best priced CD Recording system around.

This second-generation CD Recorder can cut a 680 megabyte blank disc 36 minutes with less time required for less data. You can cut discs in CD-ROM (normal data), CD-DA (Digital Audio) and multisession formats. Or add DiscMaker Multimedia software and make CDs for XA (video/audio interleaving), CD-I, Photo CD formatting, CD-TV and more.


But enough on hardware. Premastering software is just as important. What features does the software need?

Speed. A virtual CD is created as you drag and drop files into the DiscMaker window. You can reposition files and directories to optimize CD performance as quickly as you drag and drop them.

True Multisession. DiscMaker implements true multisession, the way the Kodak Photo CD™ standard has defined it.

Fast, easy, affordable. CDR-2x with cable \$1,995. CDR-2 Times, DiscMaker™ mastering software, SCSI card, cable, 10 blank discs and lifetime technical support, \$2,495. Other configurations available. Blank discs available under \$15!

Call the number one CD-ROM company to get yours. Call dataDisc at 800-DATADISC (800-328-2347). Call today.



dataDisc™
We simply do it for less.™

Circle 157 on Inquiry Card (RESELLERS: 158).

are new to the market.

InfoSeek has established a commercial Internet search service that interfaces with Mosaic. It's compatible with existing Internet end-user tools and protocols. It enables Unix, PC, and Macintosh users to use Mosaic as a common user interface and perform an easy point-and-click operation to browse, search, and retrieve information.

By late 1995, in addition to offering the basic Mosaic search service, "we will also be providing our advanced Mosaic search software and Internet server software to anyone who wants to make their information accessible over the Internet for either commercial or noncommercial use," says Steve Kirsch, president and CEO of InfoSeek. "This will expand the network of information sources available to all InfoSeek subscribers. InfoSeek Mosaic CUI (common user interface) software will hide the complexity of where the data is located and which protocols were used to retrieve the information."

InfoSeek says it has applied for patents on two approaches for finding information with Mosaic. One is a method for immediately identifying which information

FOR MORE INFORMATION

Ellery Systems, Inc.
4840 Pearl East Cir.,
Suite 301-W
Boulder, CO 80301
(303) 443-8414
fax: (303) 443-5865

InfoSeek
2620 Augustine Dr.,
Suite 250
Santa Clara, CA 95054
(408) 982-4463
fax: (408) 986-1889

Minnesota Supercomputer Center, Inc.
1200 Washington Ave. S
Minneapolis, MN 55415
(612) 337-3501
fax: (612) 337-3400

The National Center for Supercomputing Applications
University of Illinois
Champaign, IL 61820
(217) 244-3364
fax: (217) 244-1099

National Information Infrastructure Test-Bed
Fairfax, VA 22021
(703) 757-7630
fax: (703) 757-0850

National Institute of Standards and Technology
Commerce Department
Gaithersburg, MD 20899
(301) 975-4427
fax: (301) 258-9749

Ohio State University College of Business
1775 College Rd.,
Suite 20899
Columbus, OH 43210
(614) 292-9754
fax: (614) 292-1651

Ohio Supercomputer Center
1224 Kinnear Rd.
Columbus, OH 43210
(614) 292-9367
fax: (614) 292-7168

Quarterdeck Office Systems, Inc.
150 Pico Blvd.
Santa Monica, CA 90405
(310) 392-9851
fax: (310) 314-4218

RSA Data Security, Inc.
100 Marine Pkwy.
Redwood City, CA 94061
(415) 595-8782
fax: (415) 595-1873

Sandia National Labs
20449 East Kirkland AFB
Albuquerque, NM 87185
(505) 844-7192
fax: (505) 844-8480

collection(s) are relevant to a user's query, thus saving the user from having to know where to search. The other is a method for combining the results of searches from dif-

ferent collections in a way that properly merges the relevance rankings, regardless of the underlying search-engine technologies. Solving these problems, Kirsch says, is necessary to truly provide total access to global information resources.

Quarterdeck Office Systems plans to bring its commercial version of Mosaic and publishing tools to market in 1995. Company officials say their planned enhancements include faster performance, multimedia viewers, and an improved user interface compared to current versions of Mosaic.

Quarterdeck will target two major market segments. SOHO (small office/home office) and individual users will use the basic package for Internet navigation and document viewing. These users will find it easy to capture information from any Internet node without the expert knowledge of computer commands that's required by other interface options, Quarterdeck officials say. Corporate and Fortune 500 accounts will use the advanced Mosaic tools for development of multisite information systems.

Lowering the Cost of Global Communications
Consider this: Using traditional technology, a direct mailing or faxing to 1200 customers in the U.S. alone costs between \$1200 and \$1600. The same coverage with a global communications link costs only about \$10. Add another 600 customers in six different countries, and the cost is still about \$10. Using Mosaic for global communications could lower the cost of doing business around the world.

continued

More Productivity... Greater Control In Your Computer Classroom

CLASSNET is a powerful video network that puts every monitor, mouse and keyboard in the instructor's control.

- Display teacher and student screens to the entire class
- Observe student work-in-progress, then take over keyboard and mouse
- Interact with students without leaving your desk
- Darken screens for immediate attention
- Broadcast multimedia, VCR, Laserdisc, TV to student computers
- Works with all major operating systems and hardware; with or without LAN
- Supports mouse, voice, graphics and motion video - up to 64 computers
- Available with fast file-transfer, E-mail and intercom functions



CLASSNET™

For information and free demo disk...
Call **1-800-922-8020**



International Hqtrs: Il Beit Hadfus St. Jerusalem 95483 Israel
Tel • 972-2-518593 Fax • 972-2-518971

North American Office: 195 W. 8th St. Holland, MI 49423
Tel • 616-392-3707 Fax • 616-396-2224

Circle 126 on Inquiry Card.

Rule the Internet

Introducing InternetWorks™: the most elegant front end ever created for the Net. It gives you all the features of programs like Mosaic, plus a bunch more that make Mosaic look Jurassic.

Multi-threading. For simultaneous downloading of unlimited documents, in a fraction of normal time. Multiple windows. To view/browse an unlimited number of documents at the same time.

Full OLE2 support. Lets you download Internet documents into Microsoft Word, Excel. Access or any OLE2-compliant application for total interapplication integration.

Other stuff. E-Mail. Electronic Internet Yellow Pages. Complete communications software (TCP/IP, Winsock, SLIP/PPP). Programmability via Visual Basic or Visual C/C++. Customizable HTML and bitmapped home pages and fonts. Graphics support (JPEG, GIF & BMP). Sound support (AU & WAV). FTP, Gopher, WAIS, News, 800-number installation support... the works. Everything you need to use the Internet.

Special introductory offer: \$99 (\$129 MSRP).

Or for free (well, actually \$9.95 for postage and handling) we'll send you InternetWorks LITE*, which lacks some of the oh-my-god features — but is still a truly inspired, better-than-Mosaic interface.

800-453-SURF for the introductory offer, or the dealer nearest you.



*LITE version allows two simultaneous downloads. Doesn't come with E-mail, electronic Internet Yellow Pages, programmability or customizable home pages. © 1994 BookLink Technologies, Inc. All rights reserved. InternetWorks is a trademark of BookLink Technologies, Inc., a CMG Information Services, Inc., company. Other product names or company names are trademarks of their respective companies. \$9.95 for continental U.S. orders, additional shipping rates apply for international orders.

Circle 154 on Inquiry Card.



PKWARE®

Data Compression Library® Products

The PKWARE Data Compression Library products allow you to include state-of-the-art, patented data compression technology within your software applications. Data produced by the PKWARE Data Compression Library products is compatible across platforms!

The PKWARE Data Compression Library products offer an all purpose data compression algorithm which compresses ASCII or binary data quickly. An adjustable dictionary size allows software to be fine tuned for maximum speed or compression efficiency. The use of application defined callback functions allow maximum flexibility. No runtime royalties. The format used by the compression routine is completely generic and not related to the PKZIP® file format.

Versions available for DOS, OS/2, Windows, and *soon* for Win32.



• Compatible with IBM Cset/2 & Borland C++ for OS/2.

- Routes provided as an object file & library file.
 - Requires 36k of memory to compress & 12.5k of memory to extract.
- OS/2 Version **\$350**



• Compatible with Microsoft Windows 3.x applications.

- Fully reentrant.
 - The DLL requires 36k of memory to compress & 12.5k of memory to extract.
- Windows Version **\$350**



• Supports both Intel & Alpha object modules.

- Compatible with Microsoft Visual C 32-bit & Borland C++.
 - Requires 36k of memory to compress & 12.5k of memory to extract.
- Win32 Version **\$375**



• Compatible with popular 16-bit language compilers.

- Can be used in any memory model.
 - Requires 35k of memory to compress & 12.5k of memory to extract.
- DOS Version **\$275**

PKWARE® INC.
The Data Compression Experts.

9025 N. Deerwood Drive
Brown Deer, WI 53223-2437
Phone: (414)354-8699 Fax: (414)354-8559

Please add \$5.00 Shipping & Handling per package in the U.S. & Canada; \$11.25 overseas. Wisconsin residents please add 5% state sales tax & applicable county sales tax. No COD.



Copyright 1994, PKWARE, Inc. PKWARE, the PKWARE logo, PKZIP, and the PKWARE Data Compression Library are registered trademarks of PKWARE, Inc. Microsoft is a registered trademark and Windows, Win32, and the Windows logo are trademarks of Microsoft Corporation. OS/2 and the OS/2 logo are registered trademarks of International Business Machines Corporation. Trademarks of other companies mentioned here appear for identification purposes only and are the property of their respective companies.

Ellery Systems provides a Mosaic interface with its Global Commerce Link services, which are focused on providing cost-effective Internet communications services to businesses worldwide—especially SOHO users, independent consultants, and telecommuters. GCL gives users on-line offices that put their small businesses on the global commerce map.

GCL has the potential to advertise a business to millions of customers, seven days a week, 24 hours a day. More important, GCL allows a company with a Mosaic interface to quickly and efficiently serve its customers with automated responses to information requests, automated price-quotation services, globe-spanning E-mail capability, and more.

Being able to use Mosaic to instantly communicate current product information to customers and sales forces around the world can give a company a huge advantage over competing firms. Also, being able to automate same-day responses to customer inquiries and requests for quotes is an enormous advantage over competitors who don't have Mosaic—and who must rely on delivery services that can take days or even weeks to deliver information.

In short, GCL packages the communications power of Mosaic for a business. GCL services start by preparing colorful, graphical information about a business, which is then displayed on the Internet. Automated information, ordering and fulfillment services, customer mailing and list management, electronic-document creation, and document archiving are just a few of the services that GCL offers.

Evolving Mosaic

In the next few years, the commercial Internet evolution—of which Mosaic is a part—will put adventurous businesses on the global information highway. With immediate presence on the WWW, a business will be able to differentiate itself from its competitors by acting as a resource for millions of Internet users located around the world.

For people who have an Internet connection—and a considerable degree of patience—searching through the WWW is the best way to find answers to many questions. I used Mosaic to do much of the research for this article. The pointers I've included should help you on your way around the WWW. ■

John R. Vacca is a freelance writer based in Houston who covers information technology. You can contact him on the Internet at 74044.164@compuserve.com or on BIX c/o "editors."

BY195

Why Back Up?



Move forward with BEST for just \$133!

Get your hands on the best power protection value on the market today — the new low-cost, high quality Patriot® models from BEST. The new Patriot models surpass APC's Back-UPS® in all the important categories. That's because we designed the new Patriot series to provide highly reliable power protection, with the best price/performance in its class. If you're using computers today, you know you need power protection. Here are just two of the ways the new Patriot models outperform APC's Back-UPS® line:

- BEST's new Patriot 250VA model gives you up to 70 percent longer runtime.
- In multiple-blackout situations, the Patriot 250VA model's runtime is more than 150 percent longer than the comparable Back-UPS® model.

There are more reasons to choose BEST. For one thing, BEST was named the leading manufacturer of network UPS products for the second consecutive year in the 1994 *VARBusiness* magazine survey. This survey shows that BEST ranks first in reliability, overall quality, and technical

COMPARE	BEST Patriot®	APC Back-UPS®
250VA list price	\$133	\$139
250VA full-load runtime	8.5 min.	5 min.
250VA runtime after 2 blackouts*	8 min.	3 min. 10 sec.
400VA list price	\$219	\$229
600VA list price	\$379	\$399

support. In fact, BEST won 12 of the 14 survey categories. And if you need power protection systems for more than small LANs or individual PCs, BEST has a full product line up to 250 KW.

You can buy the new Patriot models today with our full warranty. Don't back up. Move forward with BEST, call 1-800-356-5794, ext. 9062

"We fully appreciate the personal commitment BEST has made to its customers and resellers."

Karen Dieffenthaler, Electrotec U.S.A. Inc.

"It's wonderful to see a company and management who care and are really interested in the customer and reseller."

Rex Ennis, Blackstone Electric, Inc.




Your Quality Power Partner™

Best Power Technology, Inc.
P.O. Box 280 Necedah, WI 54646

1-800-356-5794, ext. 9062

Patriot and Power Partner are trademarks of Best Power Technology, Inc. Back-UPS is a trademark of American Power Conversion Corporation (APC), which is not affiliated with BEST.

*Two-hour recharge between outages. First blackout five minutes at full load (170 watts), two-hour recharge, second blackout, then runtime measured.



Circle 63 on Inquiry Card (RESELLERS: 64).

State of the Art

MATCHING COLORS

Making color-printer output match your monitor image is a complex and frustrating problem. But consistent and predictable color management is on the way.



Color is wonderful. It adds impact, interest, and information to most documents and graphics (colorized movies excepted). Color monitors have been available for personal computers almost from the beginning. Today, inexpensive and surprisingly good new printers, using a variety of output technologies, make color printing affordable for almost anyone.

So you fire up your graphics program, whip up a color chart, poster, or image, and send it off to your desktop color printer. Surprise! You discover that the printed color doesn't match the color on your screen. Remember that favorite color photograph of your family that you had put on Photo CD? The monitor image doesn't look like the glossy print, and when you send the image to the printer, the output doesn't look like the original or the image that was on the computer screen.

Color can be a serious problem. Its quality changes from one device to another and from one operation to the next. There is no consistency, no accuracy, and no predictability.

Computers manipulate color images in a number of ways. You can scan a photograph or painting into digital form and then rework it using software, with effects judged on your monitor's screen. Or an artist can create original art directly on his or her computer, without any physical object. From there, the artwork can be translated into a number of different file formats, combined with other images and text, proofed on a variety of color or black-and-white devices, shown on a projection panel, printed out on high- or low-quality paper, sent on for full-color reproduction via offset or gravure printing, or incorporated into a multimedia product that is designed to be viewed on someone else's computer.

What is merely a frustrating annoyance

for one user can be a crippling and expensive problem for the user who must maintain consistent color across a variety of applications, displays, and output devices. You can't have the company logo appearing in 15 different shades of red, ranging from orange to purple. And, if you're showing off a product, your reproduction had better look like the real thing.

The problem is real. The good news is that help is on the way. A variety of products tackle this problem head-on, and some of these technologies are being integrated into the next generation of operating systems, such as Windows 95 and SunSoft's Solaris.

Standards and Software

In "Consistent Color," Michael Sugihara discusses the roots of the color-matching problem, beginning with the ways in which we define color. He describes the fundamental differences between the color of transmitted light (e.g., from your monitor) and that of reflected light (e.g., anything reflected off of paper). He introduces some of the intricacies of color space models, looks at the issues of color calibration and characterization, and explains the difficulties inherent in translating a specific color from one system or model to another.

The bulk of Sugihara's article, however, is concerned with the solutions, not the problems. An industrywide consortium is busy hammering out standards that hold out the promise of accurate and predictable color. Sugihara takes a broad look at several of the leading-edge color management products now on the market. He explains where they're coming from, what their strengths and weaknesses are, and how they differ from one another.

In Your Face

While a color graphic is being manipulated on computer, the primary point of refer-

ence is how the image looks on the monitor. It's neither practical nor economical to send the file off to the color printer after every minor revision. For the past few years, monitor makers have been trying to address their end of the color-matching problem, and they have evolved some ingenious new approaches.

In "On-Screen Color," Bill Hilliard, who is a color consultant to the VESA (Video Electronics Standards Association) monitor committee, takes a look at where monitor technology is heading with regard to color calibration and management, resolution, convergence, and other factors. He describes the color management solutions that monitor makers are currently offering with the latest crop of digital monitors. He also discusses the relationship between screen resolution and brightness and provides tips on what you should look for in choosing a monitor and a video card. In addition, he examines the question of how many colors you need in your palette.

However, more than the monitor has to be calibrated; its immediate environment plays an important role. Ambient lighting can seriously alter your perception of on-screen color, and magnetic forces from nearby equipment or even the earth itself can distort color if you're not careful. Finally, Hilliard discusses color-matching issues for the flat-panel LCDs used in laptops and assesses how well their color matches up to that of CRT monitors.

In Print

Hard copy—the output from color printers and four-color printing presses—is the end of the line, the make-or-break area in which you—and your customers and your bosses—judge final color production or reproduction. A new generation of color ink-jet and laser printers is raising user expectations, but how realistic are these?


In "Final Output," printer consultant and industry-analyst Michael Weiss examines the current state of the art and the future potential of a number of competing color-printing technologies—ink-jet, laser, thermal-wax, dye-sublimation, and solid ink-jet. He shows how the different technologies compare with respect to speed, consistency, equipment cost, and operating expenses, and he discusses how they are likely to shake out in the marketplace in the next few years. ■

—Russell Kay, Technical Editor

Consistent Color

First, define your colors and standards


.....93



On-Screen Color

What you see—is it what you want?

.....101



Final Output

What you get—how accurate is it?

.....109





*HP JetAdmin and similar utilities are available for NetWare, UNIX, Mac, LAN Server, LAN Manager and other popular networks. **In Canada, call 1-800-387-3867, Ext. 6549. Adobe, PostScript, and the PostScript logo

No babysitting necessary.

Network-ready HP LaserJet printers for your LAN.

You've got places to go. People to meet. Deadlines and demands. Why sit still for network and end-user problems?

The new, network-ready HP LaserJet 4MV, the LaserJet 4M Plus, and the HP LaserJet 4Si MX printers work in all the most popular network environments. And direct connect right out of the box with the built-in HP JetDirect network interface card.

The primary benefit to users is, of course, faster job completion time. Network-ready

HP LaserJet printers maximize network transfer speed and bypass parallel-port bottlenecks.

Beyond this, they also feature the HP JetAdmin family of printer management software that takes the complexity out of network printing.* So you can remotely set up and manage all HP JetDirect connected printers on the network.

Other user benefits abound. Automatic switching between languages, I/Os and operating systems. True Adobe™ PostScript™ Level 2 software built in. And versatile paper-handling capabilities.

Consider all this, along with legendary HP LaserJet reliability, and superior service and support, and there's really no question. Call 1-800-LASERJET, Ext. 8549 for more information.**

Give your users network-ready HP LaserJet printers. Let them take care of themselves. Then walk away with confidence.

You do your job. We'll do ours.
HP LaserJet Printers



CD RECORDING

Are You Getting the **WHOLE** Story?

Uh, NO we don't actually make the drives!"

"Well, ours doesn't come with software..."

2x & 4x CD-Recording Systems Now Available!

Upgrades?

Tech-Support? Uhhh...

Introducing the *most* COMPLETE 2x & 4x CD-Recording Systems

NOW you can record your own CD-ROM discs. OK, you already know that. But what does that mean? And what do you *really need* to record your own CDs?

You see, a lot of companies will sell you their CD-recorder, and even more will happily sell you their software. But only one company provides you with a **complete CD-recording solution** — JVC.

Whether you need to **archive** data, or develop custom CD-ROM discs for **distribution** or **multimedia publishing**, we have a CD-recording system to suit your needs.

And unlike other companies, we've developed completely integrated software and hardware solutions, so your JVC CD-recording system is all you need.

quad-speed drives, for even faster recording!

Get the Facts! We know what you need. After all, we have the industry's *only* dedicated support and engineering team, bringing you the most **complete solutions** at the **lowest total cost**.

So call today for your **FREE brochure**, "CD-RECORDING: The Whole Story."

714/261-1292

Now record even faster!
That's right! Complete **2x & 4x** CD-Recording systems are now shipping.



Check These Features! With full support for all international and emerging CD-ROM standards and formats, you can record on your **PC, Mac or Unix** computer and—thanks to the ISO 9660 format—your CD can be read by more than **28 million CD-ROM users** around the world. **Want more?** How about mixed-mode, CD-I or XA to record **your multimedia presentations**. Or **double-speed &**



JVC

JVC Information Products Company of America
17811 Mitchell Avenue
Irvine, CA 92714
Fax: 714/261-9690

Distributed in the United Kingdom:
JVC Professional Products (UK) Ltd
Ullswater House, Kendal Avenue
London W3 0XA England
Tel: (081) 896-6000
Fax: (081) 896-6060

Distributed in Canada:
CAL-ABCO
170 Alden Road
Markham, Ontario L3R 4C1
Tel: (800) 387-4345
Fax: (905) 475-2333

Distributed in Japan:
Victor Company of Japan, Ltd
12-3-Chome Moriya-cho, Kanagawa-ku Yokohama
Kanagawa 221 . Japan
Tel: (045) 450-1754
Fax: (045) 450-1760

Circle 144 on Inquiry Card (RESELLERS: 145).

© 1994 JVC Information Products Company of America. All other names and trademarks are the property of their respective owners.

CONSISTENT COLOR

Applications and operating systems that know about color will finally make effective color management available to the mainstream user

MICHAEL SUGIHARA



Color is more available and less expensive than ever. But the neophyte color user faces a confusing and frustrating situation. After struggling to get a presentation to look just right on the monitor, you are given obscure and unhelpful choices in a printer setup dialog box—"more vivid color," "matches the screen," or "automatic color." After making adjustments to get a desktop ink-jet printer to produce the proper colors, you send the job to the network's high-speed color laser printer for duplication and to a thermal-transfer printer for transparencies. The most expensive surprise of all comes when you send the job to the local print shop for mass duplication on a four-color press. No two of these outputs look quite the same.

If color is to be an effective tool, you must be able to create and enforce consistent, predictable color along the processing chain: scanners, software, monitors, desktop printers, external PostScript output devices, prepress service bureaus, and printing presses. Unfortunately, professional use of color, particularly in the printing and graphics industries, has always been seen as an art, not a science, requiring human intervention throughout the process.

Technology must intervene, and people are still waiting for a good solution. But help is on the way. Many color-matching and color management schemes are coming to market or are already here, including Eastman Kodak's Precision Color Management System, Hewlett-Packard's ColorSmart, Apple's ColorSync, Pantone's ColorDrive, Tektronix's TekColor, EFI's EfiColor, and Agfa-Gevaert's FotoFlow.

Why So Difficult?

The dilemma of color management is that different devices just can't create the same range of colors. Some colors can be easily viewed on a monitor but can't be output accurately on certain printers. Conversely,

DANIEL PELAVIN © 1995

State of the Art Consistent Color

printing processes can easily produce colors that monitors can't display. Finally, different printing processes have their own limitations.

Color is created on a computer screen in a different fashion than it is on paper. The computer screen emits light directly, but most color that we see in the real world is reflected light. A standard CRT monitor creates color by causing red, green, and blue phosphors (thus, an RGB monitor) to glow. These phosphors on a black mask can simulate a wide range of colors. This system is called *additive color*. (Color monitors are treated in greater depth in "On-Screen Color" on page 101.)

Printed material is created by applying inks or toner to white paper. The pigments in the ink absorb light selectively so that only parts of the spectrum are reflected back to the viewer's eye (hence the term *subtractive color*). The basic printing ink colors are cyan, magenta, and yellow, and a fourth ink, black, is usually added to create purer, deeper shadows and a wider range of shades. This four-color ink process is called CMYK.

Do You See What I See?

The everyday office environment also complicates color management. Ambient light directly affects what you see when viewing a color monitor or hard copy. Sunlight has more blue and green in it than red, and incandescent light has much more red. Fluorescent lamps tend to spike in the green range, and their noncontinuous-spectrum light can further distort colors.

There are also variations among devices, pigments, and media. The phosphors used in CRT displays vary in color and intensity from brand to brand and lot to lot. They change over time. The pigments in inks and toners also vary, and the nature of the pigment can alter its appearance. For example, a fluorescent pigment appears brighter because it absorbs light from outside the visible spectrum and then emits it at a different, visible wavelength. Some types of paper soak up ink-jet ink differently than other types. A paper's whiteness can also vary. Surface characteristics of paper—gloss, texture, and color—change the way people perceive colors.

This perception is perhaps the biggest

variable. In general, the eye is more sensitive to yellows and oranges than it is to blues. This sensitivity varies from person to person and usually becomes more exaggerated with age.


Color Spaces

How do you describe color in a meaningful, objective way? Most color systems define color in terms of a 3-D *color space*. The most common systems are RGB for monitors and CMYK for printers. Unfortunately, both these color spaces are device-dependent, because they describe the levels of the signals sent to the device, not the color those signals produce. Send 100 percent red and 100 percent green signals to two different monitors side by side, and you'll see different shades of yellow.

The CIE (Commission Internationale de l'Eclairage) was formed early in this century to develop standards for the specification of light and illumination. From a series of experiments run in the late 1920s, the CIE averaged subjective responses to color patches illuminated by a standard light source and created a series of mathematical transformations. From these, they derived three theoretical primary sources—named X, Y, and Z—that could be combined to produce all colors visible to the human eye. In rough terms, X represents the amount of redness in a color, Y the amount of greenness and lightness (bright-to-dark), and Z the amount of blueness. This system was adopted as the CIE XYZ model, and it's the basis for most other color space models.

It's difficult to illustrate the CIE XYZ model because of its three dimensions. Thus, a 2-D transformation, called the CIE *x, y* model, was created by separating the achromatic portions (i.e., blacks, whites, and grays) from the chromatic (i.e., those containing hues). A color's position in this space is given by calculating coordinates where the *x* value is the ratio of the redness value divided by the total reflectance: $x = X/(X+Y+Z)$. The *y* value is the ratio of the greenness value divided by the total reflectance: $y = Y/(X+Y+Z)$. The resulting color space, or *chromaticity diagram*, is shown in the figure "CIE Color Space."

Translating device-dependent color spaces to an objective color space and back again is the fundamental challenge for color management systems. Some use lookup tables while others use transforms. If the lookup table is too small or the transform method too simplistic, however, rounding errors can lead to color shifts or



The CIE *x, y* model is a 2-D representation of the full 3-D CIE XYZ color space model. The lines on this figure represent the limits (gamut) of color monitors and of web-offset printing.

STATISTICA/w

Windows,
DOS, Macintosh

STATISTICA/w™ (for Windows) Complete Statistical System with thousands of on-screen customizable, presentation-quality graphs fully integrated with all procedures ■ Complete Windows 3.1 support, DDE, OLE, TT-fonts, multiple toolbars, right mouse button support ■ Unlimited numbers of data-, results-, and graph-windows ■ Inter-window integration: data, results, and graphs can be treated as objects and converted into one another in a number of ways ■ The largest selection of statistics and graphs in a single system; comprehensive implementations of: Exploratory techniques; multi-way tables with banners (presentation-quality reports); nonparametrics; distribution fitting; multiple regression; general nonlinear estimation; stepwise logit/probit; general ANCOVA/MANCOVA; stepwise discriminant analysis; log-linear analysis; factor analysis; cluster analysis; multidimensional scaling; canonical correlation; item analysis/reliability; survival analysis; time series modeling; forecasting; lags analysis; quality control; process analysis; experimental design (with Taguchi); and much more ■ Manuals with comprehensive introductions to each procedure and examples ■ Hypertext-based Stats Advisor expert system ■ Extensive data management facilities (spreadsheet with long formulas, block operations, advanced Clipboard support, DDE hot links, relational merge, data verification, powerful programming language) ■ Batch command language and macros also supported, "turn-key system" options ■ All output displayed in Scrollsheets™ (dynamic, customizable, presentation-quality tables with toolbars, pop-up windows, and instant 2D, 3D and multiple graphs) ■ Extremely large analysis designs (e.g., correlation matrices up to 32,000x32,000, unlimited ANOVA designs) ■ Megafile Manager with up to 32,000 variables (8 Mb) per record ■ Unlimited size of files; extended ("quadruple") precision; unmatched speed ■ Exchanges data and graphs with other applications via DDE or an extensive selection of file import/export facilities ■ Hundreds of types of graphs, including categorized multiple 2D and 3D graphs, matrix plots, icons, and unique multivariate (e.g., 4D) graphs ■ Facilities to custom design new graphs and add them permanently to menu ■ On-screen graph customization with advanced drawing tools, interactive stretching and resizing of complex objects, interactive embedding of graphs and artwork, special effects, icons, maps, multi-graphics management, page layout control for slides and printouts; unmatched speed of graph redraw ■ Interactive rotation, perspective and cross-sections of all 3D and 4D graphs ■ Extensive selection of tools for graphical exploration of data: fitting, smoothing, overlaying, spectral planes, projections, layered compressions, marked subsets ■ Price \$995.

Quick STATISTICA/w™ (for Windows) A comprehensive selection of basic statistics and the full graphics capabilities of STATISTICA/w ■ Price \$495.

STATISTICA/dos™ (for DOS) A STATISTICA/w-compatible data analysis system ■ Price \$795.

Quick STATISTICA/dos™ (for DOS) A subset of STATISTICA/dos statistics and graphics ■ Price \$295.


Domestic sb/h \$10 per product; 14-day money back guarantee.

 **StatSoft™**

2325 E. 13th St. • Tulsa, OK 74104 • (918) 583-4149
Fax: (918) 583-4376

Overseas Offices: StatSoft of Europe (Hamburg, FRG), ph: 040/4200347, fax: 040/4911310; StatSoft UK (London, UK), ph: 0462/482822, fax: 0462/482855; StatSoft Pacific (Melbourne, Australia), ph: (03) 663 6590, fax: (03) 663 6117; StatSoft France (Paris), ph: (1) 45 68 87 00, fax: (1) 45 66 06 51; Available from other Authorized Representatives worldwide: Sweden: AkademiData Scientific AB ph: 018-210035, fax: 018-210039; Finland: Statcon Oy ph: 24-334673, fax: 24-333867; Belgium: Texma Newtech 10 61 16 28; South Africa: Osiris Technical Systems 12-663-4500; Japan (Macintosh): Three's Company, Inc., 03-3770-7600; Japan (Windows): Design Technologies, Inc., 03-3667-1110.

StatSoft, STATISTICA/Mac, Quick STATISTICA/Mac, STATISTICA/w, Quick STATISTICA/w, and Scrollsheets are trademarks of StatSoft, Inc.; Macintosh, Mac IIx, Excel and MacDraw are trademarks of their respective companies.



STATISTICA/Mac™ (for Macintosh) A STATISTICA/w-compatible, comprehensive data analysis and graphics system designed for the Macintosh ■ Large selection of statistical methods fully integrated with presentation-quality graphics (incl. EDA, multiplots, a wide selection of interactively rotatable 3D graphs; MacDraw-style tools) ■ Unlimited size of files ■ Full support for System 7, incl. "Publish and Subscribe" ■ Price \$695.

Quick STATISTICA/Mac™ (for Macintosh) A subset of STATISTICA/Mac: a comprehensive selection of basic statistics and the full graphics capabilities of STATISTICA/Mac ■ Price \$395.

Lost in Color Space

The translation between color spaces can lead to some unexpected results when switching from one application to another. The RGB color space used for monitors and the CMYK color space used for most color printers serves as a good example.

I started with a Macintosh image that, on the monitor, was 50 percent red and 25 percent green. I then used two popular image-manipulating packages, Altsys (formerly Aldus) FreeHand 4.0a and Adobe Photoshop 3.0.

According to FreeHand, to reproduce this image on a CMYK printer requires 50 percent cyan, 75 percent magenta, 100 percent yellow, and 0 percent black. Photoshop, however, calls for 30 percent cyan, 69 percent magenta, 100 percent yellow, and 36 percent black—for the same printer. The figure “Color Inconsistencies” shows what the resulting colors look like.

These differences in translation are not isolated. Products from Adobe, Aldus, and Quark will show variations in color space translations for RGB, CMYK, and other common models. Even comprehensive color systems can run into trouble. Of the original 1012 Pantone colors for coated paper, for example, 70 cannot be properly reproduced with CMYK inks, because they fall outside of the CMYK gamut.

image degradation. Ultimately, the quality of the output is the only real indicator of a color management system's success.

Color Management Basics

The ideal color management system should enable color control throughout the desktop environment, independent of any individual device's capabilities and limitations. To see how systems accomplish this, consider two fundamental functions: calibration and characterization.

Calibration puts a device into a known state. Variables such as ambient lighting, media characteristics, and pigments must be taken into account, and the viewing environment must be stable. If ambient lighting changes—as sunlight coming through a window—the perception of colors on a monitor will change. For professional work, calibration is mandatory.

Characterization describes the relationship of a device's calibrated state to an RCS (reference color space). The ideal RCS allows both the precise specification of a color and intuitive color selection.

Color Inconsistencies

What the monitor showed



50% red
75% green
0% blue

The FreeHand recommendation



100% yellow
75% magenta
50% cyan
0% black

The Photoshop recommendation



100% yellow
69% magenta
30% cyan
36% black

Each color management vendor has its own proprietary RCS and characterization methodology. All supply profiles for popular input, display, and output devices. However, devices may require periodic recharacterization to maintain accuracy. For example, monitor phosphors react to temperature and change color with age.

Where Color Management Belongs

Until Apple introduced ColorSync as a part of its System 7.x operating system in 1992, color management was left to specific applications. For example, Adobe Systems' PageMaker 5.0 uses the Kodak Precision CMS, and QuarkXPress 3.2 is bundled with an EfiColor XTension. These high-end systems have produced impressive results, but they are computationally intensive and mutually incompatible (see the text box “Lost in Color Space”).

Another approach is to put color selection parameters into the printer driver, as HP has done with its ColorSmart technology. Not a true color management system, ColorSmart tries to anticipate what you

expect in color output, with the emphasis on predictability, vibrancy of color, clarity of text, and subjectively appealing colors. Color accuracy per se takes a back seat. This approach is helpful for the casual user, but it works against the overall goal of a WYSIWYG color environment.

Putting color management into the operating system, as opposed to into applications, allows any application to take advantage of color management and will theoretically result in predictable and consistent color. In practice, however, some trade-offs between color management accuracy and system performance still exist.

Standards Please!

Recognizing the problems of cross-platform color, the ICC (International Color Consortium, although originally named the ColorSync Profile Consortium) was formed in March 1994 to establish a common device profile format. The founding companies included Adobe, Agfa, Apple, Kodak, Microsoft, Silicon Graphics, Sun Microsystems, and Taligent.


The ICC published its first standard—version 3 of the ICC Profile Format—in June 1994. Apple plans to integrate the new ICC format into its QuickDraw GX, and SunSoft has committed to using the format in its Solaris operating system. Perhaps most important, Microsoft's promised Windows 95 will also use the ICC format.

The fact that the three most prominent operating environments will support the same device color profiles is important, but it doesn't guarantee that they will work the same. In fact, the ICC Profile Format is designed to be extensible to allow basic color management and to meet high-end prepress production needs. There are also provisions for “private” codes in the format, which some people fear may make certain profiles less flexible and thus complicate cross-platform compatibility.

Windows 95 and ICM

Windows 95 will be the first Microsoft operating environment to include color management, which will be called ICM (Independent Color Matching). This uses a default color-matching module licensed from Kodak, along with device profiles for many common monitors, scanners, and printers. ICM is also expected to be included in a future release of Windows NT.

As of press time, Microsoft hadn't released a Windows 95 beta that included ICM, so the exact implementation and user interface are still unknown. But Microsoft



Conceptual design by Robert P. Humenik and Jerry D. Flynn of McDonnell Douglas Space Systems

Out-of-this-world graphics have landed on the Intel platform.

Personal workstations from Intergraph Computer Systems transport you to a world where high-end graphics software runs alongside your office automation tools — at a cost that won't send your budget into orbit. Until now, the processing power required for high-level CAD/CAM/CAE software forced you to work in two separate worlds: a PC for your office tasks and a workstation for intensive graphics design.

Now you can experience warp speed in both worlds. Personal workstations (TD-2 through TD-5) are equipped with single or dual Intel Pentium processors. In addition, they implement a workstation-like architecture that boosts Pentium power. So compute-intensive engineering operations — and your Microsoft Windows applications — run at lightning speed. And you can choose either Windows NT or Windows/DOS.

Light years beyond other systems, personal workstations are the first to implement the full thrust of OpenGL for graphics acceleration. So you can rocket through intensive 3D graphics operations such as rendering, modeling, and animation up to 100 times faster than conventional technology allows.

Why pay astronomical prices for workstations or push a PC beyond its limits? Choose the only Intel-based system made for the world of graphics — the personal workstation from Intergraph Computer Systems.

Call today: 800-763-0242 or 1-205-730-5441. Or reach us on the Internet at <http://www.intergraph.com>.

INTERGRAPH
COMPUTER SYSTEMS

Circle 85 on Inquiry Card (RESELLERS: 86).



Intergraph and the Intergraph logo are registered trademarks and TD-2, TD-3, TD-4, and TD-5 are trademarks of Intergraph Corporation. Microsoft is a registered trademark and Windows and the Windows logo are trademarks of Microsoft Corporation. The Intel Inside and Pentium Processor logos are trademarks of Intel Corporation. Other brands and product names are trademarks of their respective owners. Copyright 1994 Intergraph Corporation, Huntsville, AL 35894-0001, DDAD19000

Save Disk Space

PKZIP[®]

PKZIP version 2.0

PC WORLD



WORLD CLASS
AWARD

PKWARE[®] introduces the next generation of its award winning compression utility. PKZIP 2.0 yields greater performance levels than achieved with previous releases of the software. PKZIP compresses and archives files. This saves disk space and reduces file transfer time.

Software developers! You can significantly reduce product duplication costs by decreasing the number of disks required to distribute your applications. Call for Distribution License information.

Put Your Executables on a Diet

Software developers! Save disk space and media costs with smaller executables. You can distribute your software in a compressed form with PKLITE Professional. PKLITE Professional gives you the ability to compress files so that they cannot be expanded by PKLITE. This discourages reverse engineering of your programs.



PKLITE increases your valuable disk space by compressing DOS executable (.EXE and .COM) files by an average of 45%. The operation of PKLITE is transparent, all you will notice is more available disk space!

Compression for YOUR Application



The PKWARE Data Compression Library[®] allows you to incorporate data compression technology into your software applications. The application program controls all the input and output of data, allowing data to be compressed or extracted to or from any device or area of memory.

All Purpose Data Compression Algorithm compresses ASCII or binary data quickly. The routines can be used with many popular DOS languages. A Windows DLL and an OS/2 32-bit version is also available!

PKWARE[®] INC.

The Data Compression Experts[®]

9025 N. Deerwood Drive Brown Deer, WI 53223-2437
(414) 354-8699 Fax (414) 354-8559

PKWARE Data Compression Library for DOS \$225 PKWARE Data Compression Library for OS/2 \$350
PKWARE Data Compression Library DLL for Windows \$350
PKZIP \$47.00 PKLITE \$46.00 PKLITE Professional \$136.00

Please add \$5.00 S&H per package in the US & Canada \$11.25 overseas
Wisconsin residents add appropriate state sales tax & county sales tax.
Visa and Mastercard accepted, no COD orders.

State of the Art

and others have discussed many of ICM's technical and architectural elements. According to Myron Kassaraba, Kodak's director of licensing for color management products, Windows 95 will ship with 8³-size (8 bits describing each of the three color components) device profiles. This is the smallest profile that will produce good results in the desktop environment. ICM's 12-bit transform engine for color matching can also handle more robust profiles (16³ and 32³) in professional applications, though at the expense of overall performance. Because ICM will accept the ICC Profile Format, third-party peripheral makers need develop only a single profile for Macintosh, Windows 95, and Unix environments.

ICM's design will reportedly allow you to "plug in" third-party color-matching engines to replace the default Kodak technology. Expect Agfa, EFI, and Pantone to provide such engines during the next 12 months.

Apple's ColorSync 2.0

Although ColorSync has been around since 1992, only a few applications suppliers have used its functionality. ColorSync 1.0 was criticized as not being flexible enough for both casual and professional color users. Also, version 1.0 lacked direct CMYK support, using only the CIE XYZ model for device independence and RGB for QuickDraw compatibility.


ColorSync 2.0 has yet to ship, but it will establish the ICC Profile Format as a practical matter. With this product, Apple will take the industry a long way toward making cross-platform color management a reality. ColorSync 2.0 adds the CMYK color model, so it will support most color printers. It will also support earlier Macintosh technology, including the original QuickDraw and the new QuickDraw GX, and can use version 1.0 profiles and APIs. In ColorSync 2.0, the interaction between applications and color management has been simplified. Third-party color management modules can be used for some devices and the default module for others.

But ColorSync and ICM don't address all your color needs. Both offer basic color management through a device-independent color space model, and device profiles for common displays, scanners, and printers. But neither supplies the tools needed to fully integrate color use into everyday computing. Companies such as EFI, Kodak, Pantone, and Trumatch provide value-added software that will enhance the functionality

BY185

Now what you see
is what you print.

For Monitors in
Environment



Nanao has something you've been waiting for: WYSIWYP. We're the first monitor manufacturer to include new Colorific™ color management software free with our 17" or larger FlexScan® professional display monitors. With easy-to-use, set-and-forget Colorific, you can print graphs, presentations, transparencies and other business documents – the first time – in the colors you actually see on the screen. Just think what this means: output color accuracy. Time savings. Reductions in trial-and-error draft printing. No more surprises. Colorific is the first software-only color calibration system that replaces add-on hardware solutions costing from \$300 to \$1,000. And it's available today. Once again, Nanao continues a tradition of industry innovations. Our award-winning FlexScan family of monitors are renowned for ultra high resolution, sharp edge-to-edge focus, energy-saving features and high product reliability. Now we're adding one more breakthrough to the list: WYSIWYP with Colorific.**



NANAO®

Superior In Every Detail

NANAO USA CORPORATION
23535 Telo Avenue, Torrance, CA 90505
(310) 325-5202 Fax: (310) 530-1679
1-800-800-5202

3 Year Warranty*

Superior In Every Detail is a registered trademark of Nanao Corporation. All product names are trademarks of their respective companies. ©1994 Nanao USA Corporation. *3 year on P & L, 1 year on CRT. **Actual printout may vary. Colorific provides nearest possible match of output.

Circle 92 on Inquiry Card (RESELLERS: 93).

of the built-in systems. These include tools to match desktop color output to four-color press output and color calibration for individual scanners and monitors.

Pantone's POCE and ColorDrive

In 1963, Pantone (Carlstadt, NJ), a leader in color-reproduction technology, introduced to the printing industry its first color system, PMS (Pantone Matching System). Now it offers many software tools for color management, notably POCE (Pantone Open Color Environment) and ColorDrive.

Announced in October 1993, POCE is the result of a collaboration between Pantone and Light Source Computer Images (Larkspur, CA) to develop a color management system applicable to photographic color and printed spot color. (*Spot color* is a part of an image that is printed with a single-colored ink or toner, not a combination of colors). POCE has since been overshadowed by Microsoft's selection of Kodak technology and by Apple's continuing efforts with ColorSync. As a result, Pantone is concentrating its efforts on its traditional strong point, industry-standard spot colors, according to Andy Hatkoff, Pantone's director of business development.

It can be difficult to take a color created in one application and use it in another. Most solutions are based on standardized palettes created from a fixed number of colors. Unfortunately, these systems don't easily support custom colors. Pantone's ColorDrive, announced last September, is designed to standardize palettes, letting

different applications use the same colors and enabling proofing devices (e.g., desktop color printers) to produce output that closely reflects what will be produced via offset or gravure presses. ColorDrive encompasses Pantone's color systems and lets you import and export custom colors between applications. Printer output is calibrated for printers that contain Pantone-licensed palettes and for any printer with ColorSync 1.0-compatible profiles. ColorDrive should be available for the Mac (68K or native Power Mac) this month; a Windows 95 version is scheduled for the second quarter.

Trumatch SwatchPrinter

Trumatch (New York City) created the first process-color matching system specifically designed for digital output. Based on a clever use of the HSB (hue, saturation, brightness) color space, it, too, requires human intervention at the final step of the professional printing cycle. According to Trumatch president Steve Abramson, this is unavoidable, because no current computerized color management tools can yet replace the human eye. The differences between the color capabilities of monitors, color printers, and the four-color press, he says, are still large enough that no amount of manipulating the color space data will result in a "perfect" match.

Color printers—whether ink-jet, thermal-transfer, laser, or dye-sublimation—cannot faithfully reproduce all the colors produced by the inks of a four-color print-

ing press. Trumatch's SwatchPrinter software lets you print a 27-page reference showing the 2000+color Trumatch palette, along with each color's CMYK percentages, on a color PostScript printer. This output can be compared with a Trumatch color swatch fanbook showing the same colors printed on a four-color press, which will pinpoint any differences and simplify color selections for final printing.

Closing in on Consistent Color

Effective color management has come much closer to reality in the past year than many people thought possible. Virtually all major color participants have embraced the new device profile standard, and this year will see color management widely incorporated in operating systems. For the first time, you will begin to see cross-platform compatibility through standardized device profiles and third-party software.

Full color management will still require considerable intervention by trained human eyes and considerable expense. The color professional will find his or her job a little easier because of these improvements. For the rest of us, however, predictable desktop color may, at long last, become a reality this year. ■

Michael Sugihara is vice president of MWA Consulting, Inc., of Palo Alto, California, an industry-analyst organization that focuses on printing and imaging issues. You can contact him on the Internet at mwac@apple.link.apple.com or on BIX c/o "editors."

ROMDISK™

For PCMCIA Products circle 75,
OTHER Products circle 76 on Inquiry card.


SOLID STATE Disk Emulators and PCMCIA Products

Board Level Disk Emulators

- Replace mechanical drives in embedded systems
- High performance and low cost models available
- Flash, EPROM and battery-backed SRAM technologies. Capacities from 180K to 16MB
- Dual drive and hard drive emulation support
- 8 and 16 Bit ISA bus support

PCMCIA Carddrives & Adapters

- Use PCMCIA cards in your desktop or embedded PC system
- Internal model fits in 3 1/2" drive bay
- Dual socket & external models available
- Support for all types of memory, I/O cards and Type III hard drives
- DOS & Windows compatible drivers included



PC CardShark II™
PCMCIA Carddrive

High Capacity DRAM Drive

- Expandable 16 to 512MB. 5 1/4" or desktop models. Fast SCSI-2, SIMM module based, .1msec access with built-in battery back-up and ECC.

Flash IDE Drives with capacities from 2.5 to 40MB

Features: Autoboot capability, all models. Support for all popular operating systems. Solid state reliability.

Applications: Embedded Systems, Diskless PCs, LANs, POS, Medical, CAD/CAM, Graphics, High Performance PCs and Servers.


CURTIS, INC. Industry Leader in Disk Emulation Products

418 W. County Rd. D • St. Paul, MN 55112 • 612/631-9512 • FAX 612/631-9508

ON-SCREEN COLOR

There's a lot more to getting and keeping accurate monitor color than meets the eye. New calibration technologies work with color management software to offer unparalleled color matching.

BILL HILLIARD



Color monitors present the illusion that color output is possible. But there's a considerable difference between the color you see on-screen and what you get for output. Although some programs let you pick colors that match Pantone, Trumatch, or other color reference systems, the colors displayed on-screen never match the colors printed. With few exceptions, everyone gets surprised at print time.

For most users, the CRT monitor is the color reference that counts. These users aren't desktop publishing professionals. They don't have color scanners, and they don't try to match reference colors. They're just normal users of office suites, presentations or charting programs, or other applications that display color. For them, the monitor is the device in the computing chain that defines their color palette. They want printed copies or transparencies to match the colors they see on-screen.

What We Want, or What's White?

Besides color the printer can match, users have other expectations. The monitor's overall color balance should be consistent from day to day and from unit to unit of a particular brand and model. This is especially important for work that other computer users will look at. Also, colors should be uniformly pure across the entire monitor, even in the corners.

The monitor should also provide a pleasing look on-screen. Research suggests that North Americans and Europeans prefer a warm "paper white" tone on-screen, while Asians, on average, prefer the cooler, bluish-white tone most monitors default to. Because most monitors are made in Asia, they come with a bluish cast.

What are *cool white* and *warm white*? A monitor's natural color balance is called its white-point color temperature, referring to the color displayed when all three

DANIEL PELAVIN © 1995

Picking an Accurate Monitor and Graphics Card

You want or need to buy a new monitor. You probably already know how to tell if one monitor is better than another for general purposes; that information is widely available. But if accurate, consistent color is your most important requirement, what do you really need to look for?

So Many Colors

First, don't buy more colors than you really need. For most desktop publishing applications, the 65,000 colors provided by a 16-bit graphics card are almost indistinguishable from the 16 million of a 24-bit board. Most business and home applications do just fine with a 256-color, 8-bit display. CD-ROM multimedia titles generally use only a 256-color palette, so paying extra for 16- or 24-bit video won't improve what you see on-screen.

Most graphics cards support 24-bit color, 1280- by 1024-pixel resolution, and 72- to 75-Hz vertical refresh rates—but not all three at the same time. This is another reason why most users still run Windows in 256-color mode, especially on large monitors, where flicker is more visible. This won't change until the cost of VRAM drops considerably or there's another design breakthrough.

Palette size isn't really an issue for monitor color fidelity. Multimedia and

WYSIWYP (what you see is what you print) color printing works perfectly well for most applications in 256 colors.

However, it is a good idea to look for a monitor that offers some type of color calibration. Many come bundled with software-based color management systems. In addition, you should look for monitors (and video boards) that comply with VESA's DDC (Display Data Channel), preferably DDC level 2, which offers two-way communication between host and monitor. Some monitors skimp by supporting only DDC level 1, which is adequate for Plug-and-Play-compliance but not as versatile.

Resolution vs. Brightness

A monitor's maximum potential resolution (e.g., 1024 by 768 pixels) is determined by its dot pitch—the center-to-center distance between openings in its shadow mask or grill. The smaller the pitch, the closer the openings; the more finer openings you have, the higher the resolution you can achieve.

But you probably should not buy the finest-pitch monitor you can find. An extremely small dot pitch cuts image brightness and contrast. Smaller openings in the shadow mask mean that fewer electrons actually hit the screen, giving a dimmer image. You can think of a monitor's contrast as the difference between its darkest black and its light-

est white. The brighter the white, the greater the contrast. You can turn up the brightness to compensate for a fine dot pitch, but if you go too far, the pixels bleed or bloom, destroying the increased resolution that the fine mask tried to give you.

Ultimately, you want resolution and brightness. Why not just increase the electron guns' voltage to illuminate the phosphors more? Unfortunately, as beam current increases, the shadow mask absorbs more electrons, heats up, and deforms. Also, upping the juice makes it harder and more expensive to meet radiation safety standards.

Aperture grills are less susceptible to misalignment, so monitors using Sony Trinitron or Mitsubishi Diamond-Tron tubes can deliver more beam energy to the phosphors and tend to be bright. However, a new warp-resistant alloy for shadow masks, called Invar (for invariable), can withstand the higher voltages needed to produce a brighter display. Most high-quality monitors have Invar masks.

In trading off resolution and brightness, choose a brighter monitor for image editing, multimedia, or graphics work that's not particularly focused on WYSIWYG typography. However, for page layouts, word processing, or other line art and typographical tasks, favor higher resolution over brightness.

phosphors—red, green, and blue—are fully illuminated. The temperature terminology is based on a visual equivalence between the monitor's white and the temperature of a so-called "black body" that emits light when heated, such as in an electric stove's heating element. At room temperature, the element appears black. As its temperature rises, the element appears first deep red (thus the term *red hot*) and then yellow. If you could increase the temperature of the element further, without it melting or burning up, it would look white (white hot) and then bluish white.

At every point, you can measure the temperature of the element in degrees Kelvin (absolute) and associate the color appearance of the black body with a certain white-point color temperature. For example, place

a monitor (showing a white screen) next to a heating element. As the heating element's temperature goes up, it will approach the color of the monitor's white screen. At the instant they match, the temperature of the heating element, in degrees Kelvin, is the white-point color temperature of the computer screen. The bluish white of most monitors is 9300° Kelvin. A 5000° white point (what some call paper white) is nearly the same as direct sunlight; this is the graphic arts industry's standard light for evaluating color.

In the Eye of the Beholder


Color is hard to quantify because of imprecise perception and subjective interpretation. If you say "candy-apple red" and "cherry red" to two people, each indi-

vidual will imagine different colors, because their color sensitivity and past experiences will be different.

Differences in surrounding light affect color perception. An apple that looks so delicious outdoors under sunlight looks quite different under greenish fluorescent lights at home (see the figure "How Red Is the Apple?"). A picture of that same apple on your computer monitor will look different at a 5000° paper-white balance than at the more typical bluish white.

Also, the same apple displayed in front of a bright window will appear duller than when it's in front of a darker surround. This is known as *contrast effect*, and it's undesirable for accurately judging color. Reflections off the monitor face can skew on-screen colors; morning light can shift

Drive Your Image To The Limit



From wire-framing to modeling and full rendering, the ViewSonic 21PS is the ideal monitor for all CAD/CAM/CAE applications. As an engineer, you undoubtedly spend most of your day electronically creating designs. The image on your screen is a critical factor to you. With that in mind, we designed our new 21" color monitor (19.7" diagonal viewable area), which surpasses even YOUR greatest expectations.

The ViewSonic 21PS, with its superior screen image, features our OnView™ control system which visually adjusts up to 20 functions. Some unique controls include trapezoid, parallelogram, tilt, moire, pincushioning and ViewMatch™ color tuning.

Fully loaded with features, the ViewSonic 21PS offers an ultra fine 0.25mm dot pitch, maximum resolution of 1,600 x 1,280 and refresh rates up to an unbelievable 160Hz. Plus, we've added our ARAG® coating to virtually eliminate annoying glare and reflection from the screen. And, by incorporating ViewSonic's super dark screen technology, we've dramatically increased image contrast and color saturation.

The ViewSonic 21PS is MPR-II low radiation certified and exceeds the EPA's Energy Star™ requirements by powering down to under 8 watts in the "Off" mode, and it is compatible with both PC and Mac systems.




Shift into high gear with ViewSonic's new 21PS, the perfect vehicle to drive your image to the limit... and beyond.

ViewSonic®
See The Difference!™

Tel: (800) 888-8583 or (909) 869-7976 Fax: (909) 869-7958
Call FaxSonic at (909) 869-7318 (fax-on-demand)
Request Doc. 162 (21PS)
Applelink: VIEWSONIC Compuserve: 73374, 514

All products and brand names are registered trademarks of their respective companies.
The EPA only promotes energy efficiency and does not endorse any particular company or product.

Circle 122 on Inquiry Card (RESELLERS: 123).



Even though both halves of the apple are the same shade of red, differences in surrounding light affect your color perception.

screen colors in a reddish direction, and mid-afternoon lighting will cause a yellow cast. Individual color sensitivity varies; even people with "normal" color vision may be biased toward red or blue.

Altered States

In 1991, NEC (Wood Dale, IL) introduced on its higher-end monitors the first widely available method (called AccuColor) for adjusting the CRT to get WYSIWYP (what you see is what you print) color. Because of NEC's influence on the market, most monitor makers offer similar controls on their 15-inch or larger monitors.

AccuColor and its competitors let you manually adjust the monitor's RGB gain controls. In essence, you can adjust the monitor's tint. If your image of an apple prints fine but looks pale on-screen, you might bump up the monitor's red gun relative to the others. But while this helps you match the apple's red on-screen, the overall white background of your windows or desktop also takes on a reddish tint. You've matched one color at the expense of 16 million others. This is the crudest adjustment for monitor color balance.

Calibrating the Monitor Display

CMSes (color management systems) are software applications designed to adjust all colors—on-screen or the printed output—to produce WYSIWYP color. (For a complete look at CMSes and how they work, see "Consistent Color" on page 93.)

In addition to CMSes working directly with applications software, such as Adobe Photoshop or QuarkXPress, a limited degree of color management is being built into operating systems, notably Apple's

Mac System 7.x (ColorSync), Microsoft's forthcoming Windows 95 (using Kodak's Precision Color Management System, or KPCMS), and future versions of SunSoft's Solaris.

Sonetech produces KPCMS-based software for Windows 3.1, which is distributed with the newest monitors from Nanao, EIZO, Mitsubishi, Nokia, and Itek/Iiyama. NEC recently added Colorific as a no-charge, or bundled, option for every AccuColor-compatible monitor in its line.

A CMS is a filter or equalizer that converts a monitor's original color definitions into those the printer needs to produce matching output. How well this works

depends on the accuracy of the conversion formulas and the device profiles used to define the monitor's and printer's individual color-rendering characteristics.

ColorSync and Windows 95 provide default, or generic, "monitor profile" data files to describe the colors on various monitors. They don't provide data on the individual values of the specific monitor you are using. Needless to say, WYSIWYG color matching suffers.

Monitor makers get around this limitation by providing optional or bundled devices called display calibrators. Printer makers, too, are beginning to supply calibration routines in their drivers, enabling you to reset your printer so that you can work better with KPCMS, ColorSync, or other color management systems.

Display calibrator devices maintain colors by measuring—and in some cases, adjusting—your monitor's color characteristics. They also create a "profile" that accurately describes how your monitor shows colors.

Hardware-display calibrators work with the computer's video circuitry, using a suction-mounted photo sensor and a serial connection. They set up a feedback measurement loop between the video signals and the colors that the sensor can see. Hardware calibrators for the Macintosh are available from Radius (Santa Clara, CA), RasterOps (Santa Clara, CA), and Daystar (Flowery Branch, GA). Units for PCs running Windows are available from Radius and Nanao (Torrance, CA).

Other calibrators are software-based working at the operating environment level. Typically, you visually compare on-screen color with supplied color samples.

Often these systems use optical illusions that help eliminate the need for special knowledge. With a mouse, you feed information back to the CMS to create an accurate color profile for that monitor in that location. Some systems are tied to specific hardware, such as Radius' ColorComposer, for use with Radius or Super-Mac monitors and graphics boards.

In the future, if a monitor complies with the VESA's (Video Electronics Standards Association's) new DDC (Display Data Channel) standard, you can adjust its internal color balance and color response curve (gamma) without knowing anything about the video card, other than that it is DDC-compliant. DDC defines a two-way communications channel that lets the host PC adjust the monitor's color-rendering characteristics to a known state without sacrificing brightness, contrast, or color gamut. It does this by changing electronic gain controls inside the monitor, which gives better dynamic range (i.e., greater on-screen color gamut) than would adjusting (thus limiting) digital values in the graphics board's DACs (D/A converters).

Windows 95's Plug and Play architecture will support DDC, and NEC, Nanao, and EIZO are already shipping DDC-compliant monitors.

Seeing Beyond the Surface

How well does a monitor suppress glare and ambient light? Reflections from the CRT's phosphors themselves need to be reduced, lest they reduce blackness and image quality. To cut or diffuse external reflections, makers treat the CRT's surface by chemical etching, mechanical etching, or applying silica. However, all these methods defocus the screen image a bit.

Another approach is to apply a thin-film AR (antireflective) coating directly on the CRT face (the best and most expensive method), bond AR panels to the CRT, or supply external slide-on panels. A few manufacturers, such as Matsushita, combine thin-film AR coatings with fine-grain silica particles. This provides a more cost-effective method for reducing specular reflections and glossiness without the adverse yield and production issues associated with more costly AR coatings.

A Magnetic Personality

Because a monitor uses magnets to aim its electron beams, it is sensitive to any changes in either external or internal magnetic fields. The larger the monitor, the greater its susceptibility to environmental

Professional Monitor Series



PC Digest
RATINGS REPORT



This Monitor Family Will Brighten Your Day.

Thousands of satisfied color monitor users around the world have reason to smile. They are using the high-performance, high-quality, extremely reliable color monitors available from Smile International, Inc. — all for a great price.

Smile offers a range of high-resolution, user controllable, microprocessor-based, feature-

rich, low radiation and low power consuming monitors that are second to none.

From 9" Super VGA through 14", 15", 17", 20" and 21" Ultra Multiscan models, Smile provides solutions for nearly every conceivable application. These monitors are designed to provide optimum screen clarity, sharpness, color, image manipu-

lation and user friendliness.

Contact Smile — our monitor family will put a big, bright smile on your face, too.

Smile International Inc., 1575 Sunflower Ave., Costa Mesa, CA 92626 Phone: (800) U SMILE-2

 **SMILE**
International, Inc.

Smile International, Inc. is a subsidiary of Kuo Feng Corporation — the only Taiwan monitor manufacturer to offer a complete family of high-performance monitors in 9", 14", 15", 17", 20" and 21" models.

Circle 87 on Inquiry Card (RESELLERS: 88).

Flat-Panel Color—Any Good?

Color LCDs are a mainstream technology for laptop computers, and some makers, including Compaq and Apple, have discussed using only color displays on their notebook computers. But are LCDs suited for careful, accurate color work? The short answer: They're usable, but just barely. LCDs will never be good color-proofing devices for WYSIWYG color printing, because of limitations of viewing angle, contrast, and size.

A CRT monitor propagates light over a wide angle—nearly 180 degrees. By contrast, if you look at an LCD from outside its 30-degree viewing angle, it's difficult to see anything on the screen at all. Essentially, if you rotate the screen around a vertical axis, at some point you'll see nothing. Up to that point, the image contrast will steadily decrease, which means that at each angle you view the display from, the color looks different.

Diminished contrast is also an issue because LCD contrast is so low to begin with, compared to CRTs. If power consumption isn't a concern, then LCDs can get fairly bright. Their low end, however, isn't black, because some backlighting seeps through the "off" pixels, reducing the color gamut of LCDs substantially. In addition, bright LCDs get hot, which makes colors drift.

Size is a killer. With windowing GUIs, people want to see more on-screen. A 14-inch LCD won't cut it; the market wants 15, 17, or 21 inches, and producing these is a problem of nightmare proportions. The typical VGA-grade, 9½-inch active-matrix LCD panel has nearly a million transistors. CPU makers manufacture chips with several million transistors, using redundant designs and getting tens of small chips on a silicon wafer. However, LCD makers can't build in as much redundancy, and they can process only a few panels on each glass substrate. To get a large display, they might be able to produce only one panel on a single substrate. With an LCD, each defect is a dead pixel. As size grows, the likelihood of clumps of dead pixels grows dramatically, and manufacturing costs and yields become unmanageable. In the spring of 1994, Sharp announced the world's first 21-inch active-matrix LCD. It produced a single prototype. Clearly, commercially feasible, large-screen LCDs are a long way off.

On the horizon, Texas Instruments is perfecting another flat-panel technology, DMD (Digital Micromirror Device), which puts millions of small mirrors on a chip. Here, too, it's hard to scale this technology up to large sizes, though it seems to have better potential than LCDs. However, there's another problem. According to Jack Roberts of Dataquest, "with LCD's, when pixels are dead, they're off. And this is less noticeable than if those pixels were always on. But with DMD, there's a 50 percent chance that a dead pixel will be off or on, so defects are more noticeable."

variances. Clustered around the neck of the CRT is critical support circuitry, particularly the yoke with its two precisely wound electromagnets. All monitor manufacturers fine-tune color purity and convergence—the beam's ability to strike the screen in the proper place—with magnets that are glued onto the tube at the factory. But during shipping, these magnets can fall off, or the yoke can slip. Thus, it's always best to purchase a monitor from a reputable dealer or maker who will offer service access or no-questions-asked returns.

All monitors automatically degauss (i.e., clear themselves of any stray magnetic fields) when they're powered up. In use, however, the monitor develops a relationship with other strong magnetic fields in its environment, including the Earth's magnetic fields, which are probably the strongest forces. In fact, to achieve the best viewing, position your monitor with the flow of the Earth's magnetic field: face the monitor west in the northern hemisphere or east in the southern hemisphere. Makers such as Nanao and EIZO calibrate their high-quality monitors differently according to their intended destination.

Many monitors allow manual degauss-

ing to remove any stray magnetic effects during operation. These could be caused by poorly shielded power supplies, other monitors nearby, and unshielded loudspeakers. If your monitor sits in one place and never moves, manual degaussing may never be needed. But move your monitor after it's been on awhile, even just swivel it 90 degrees, it will be out of sync with its new magnetic environment. Corners may twist, and colors may slip or smear. It's a good idea to turn your monitor off, degauss it manually at least once a week.

Smaller Boxes, Better Color, Lower Cost

In the future, we can expect shallower monitors based on CRTs with 110-degree beam deflection; today's monitors all use 90-degree tubes.

Also, expect improved convergence, color purity, and brightness uniformity across the face of the monitor. Philips (Nashville, TN) has introduced its Brilliance 21A monitor using a digital technology called CyberScreen to control the beam within tight tolerances.

Typically, a monitor's color purity, white point, and brightness uniformity vary by as much as 25 percent between the cen-

ter of the display and the corners. To compensate for this error, CyberScreen monitors treat the monitor face as if it were composed of many separate square areas, or tiles. These tubes are preprogrammed at the factory with unique correction factors for each tile—perhaps more correction in the corners, less correction at the center of the screen. Further, the unit's circuits automatically monitor an internal sensor to detect changes in external magnetic fields and maintain picture quality.

The specifications for the CyberScreen monitors are excellent. Misconvergence may be as low as .14 mm versus as much as .4 mm in corners for competitive monitors. And variations in brightness are held to less than 10 percent. This greater uniformity yields improved color matching. You can expect similar technology from Philips' competitors over the next year.

Other new technology in the works will enable image and geometry corrections across the face of the monitor on a scan-line-by-scan-line basis. This will produce big improvements in color purity, brightness, and misconvergence, and other corrections are eliminated in the factory almost altogether—even on 110-degree tubes.

Finally, bigger monitors will continue to come down in price, as more people rely on Windows and other GUI-based operating systems and need displays with more available real estate. By 1996, according to an estimate by Dataquest, 17-inch monitors should be selling in equal numbers to 14- and 15-inch units.

In today's business, academic, and technical settings, color is an integral part of the computing environment; color is an available and increasingly important tool in communicating information and making sense out of data. Almost everyone uses a color monitor these days, something that was not true a few years ago. The net result of increased color requirements, technical improvements, compatible color management software, and market trends will be that tomorrow's crop of color monitors will be better and cheaper than ever. They will provide users with consistent and predictable color that can be tailored to their specific needs and other equipment. And they will help put an end to all those unpleasant surprises at output time. ■

Bill Hilliard is a founder of Sonnetech, Ltd., a San Francisco-based developer of software and hardware to improve color fidelity. You can reach him on the Internet at sonnetech@aol.com or on BIX c/o "editors."

WHAT HAPPENS

WHEN YOU ADD **SIZE**

TO AN ALREADY

EXTRAORDINARY PACKAGE?

WHAT DO YOU THINK?



At 7 feet 2 inches tall, Kareem Abdul-Jabbar has got some serious size. But that's only half the story. The fact that he added superior basketball skills to an already imposing frame is what made him a dominant force in the NBA for two solid decades.

The new ergonomically and aesthetically designed Elite series of monitors from MAG InnoVision have features that other monitors just can't touch. And the fact that they only come in the larger 15-inch, 17-inch and 21-inch sizes with the most advanced CRT technologies makes them truly fantastic. Advance Display Calibration, Green Energy and LCD displays combined with ultra high resolutions up to 1600 x 1280, lightening-quick refresh rates and crystal clear dot pitches make them impossible to beat. And since they're so reliable, we'll even throw in a 3-year limited warranty.

So pick one up at a MAG InnoVision dealer near you. Their larger size and imposing features are liable to dominate the market for years to come and they cost a lot less than, say, an NBA draft pick these days.





It Makes Simple Presentations Impressive. It Makes Impressive Presentations Simple.


It's a Proxima Ovation™+ projection panel. It works with your computer and an overhead projector to project powerful large-screen images. Anything from simple graphics to full-motion multimedia presentations. And yes, you need one. Because with it, you can communicate more effectively than ever before.

But that's not all. Proxima's Ovation+ is easy to use—just plug it in like a monitor. It's impressive to watch—it's active-matrix display projects 16.7 million

eyepopping colors. And it puts you in command. Our unique Cyclops® interactive pointer system works like a cordless mouse to give you total control of your software from anywhere in the room. Any software, any presentation, any platform.

Suddenly, your presentations are more impactful. Your points more memorable. Your workgroups more productive. All because you have an Ovation+ projection panel.

To receive your free CD-ROM demo disk or information on our complete line of Proxima Desktop Projection™ products, call us today at **1-800-447-7694**.



PROXIMA®

THE DESKTOP PROJECTION COMPANY


Main Office: 9440 Carroll Park Drive, San Diego, CA 92121-2298 (619) 457-5500, FAX (619) 457-9647, (800) 447-7694 (U.S.A. and Canada) European Office: Horstweg 24, 6191 Rix Bees, The Netherlands, +31-43-650 248, FAX +31-43-648 220 Proxima and Cyclops are registered trademarks of Proxima Corporation. Desktop Projector and Desktop Projection are trademarks of Proxima Corporation. Other trademarks are the property of their respective owners. U.S. and foreign patents are pending. Copyright 1994 Proxima Corporation. All rights reserved. Specifications are subject to change without notice.

Circle 130 on Inquiry Card (RESELLERS: 131).

FINAL OUTPUT

Today's color printers get better, faster, cheaper, and more capable. Will we each have a color printer on our desk by decade's end?

MICHAEL WEISS



Rapid change is the name of the color-printing game these days. Rising quality, falling costs, new and improved printer technologies, and widely available software that can output color are all contributing to the explosive growth in color printing in a wide variety of settings from home to school to office. These trends will continue over the remainder of the decade at an even more rapid rate.

Accurately predicting what will change is a lot easier than correctly guessing when it will happen. New products with new features will bombard the market—some breakthroughs appear just around the corner; others will need four or five years to perfect. However, the one constant will be that the large number of major industry participants will keep pushing themselves, and consequently one another, to provide users with new and better color printers. There certainly seems to be an industry consensus that color output will become increasingly important.

A compelling argument can be made that technology generates both user interest and software developer support, especially when delivered to the marketplace by Canon, Epson America, and Hewlett-Packard in the case of ink-jet technology or by HP and Xerox for desktop color laser printers. Other highly respected manufacturers, such as Tektronix and Eastman Kodak, have generated similar support by producing specialty products based on thermal-wax transfer and dye-sublimation color-printing technologies.

Liquid Ink-Jet Printing

The most obvious thing about color liquid ink-jet printing is its enormous and growing popularity. Both HP (in 1993) and Canon (in 1994) have passed the 10 million mark in ink-jet printer shipments. HP sold 5 million in 1993 alone, and 2 million of those were color printers. For

DANIEL PELAVIN © 1995

Falling Prices for Color Printers



1994, HP expects 60 percent of the ink-jet printers it sells will be color-capable. Indeed, since HP introduced the DeskJet/DeskWriter 320 and 540 and retired its older models, it no longer ships monochrome-only ink-jet printers. In addition to HP, Canon, and Epson, ink-jet printer suppliers include Apple, DEC, Lexmark, Tektronix, Texas Instruments, and Xerox.

The success of liquid ink-jet is due to the printers' continually decreasing cost; improvements in print quality, performance, and ease of use; and effective marketing. Recent advances in liquid ink-jet printing technology include higher resolution, better ability to print on plain paper, faster speed, surprisingly large improvements in print quality, and the ever lower costs. Lightfastness and waterfastness have also improved.

Printing speed is increasing, as the vendors incorporate more nozzles into their print heads. The new Canon BJC-4000 has a 128-nozzle head and prints at 5 ppm (pages per minute) in monochrome. Another development on the horizon is a full-width print array. Canon could build that today, as well as a 256-nozzle head, but not at a price that makes them feasible for desktop printing. In five years, this will change.

According to many industry participants, another major breakthrough will be true medium independence—the ability to print on almost anything. The key to this is ink chemistry, something no ink-jet producer will discuss in detail. Ink chemistry is a key area of competitive advantage for HP, Canon, and Epson, whose R&D departments are working on improvements in pigments, lightfastness and waterfastness, and suitability for printing on a wide vari-

ety of media. For example, Canon already has a large specialty printer that uses a 256-nozzle head to print at 400 dpi (dots per inch) on a wide variety of textiles. It prints on T-shirts, and the images do not fade; it also prints on bathing suits, and the ink will not wash off. These advances in ink technology will find their way to the desktop by the end of the decade.

Another area of major improvement that's close at hand is dramatically improved resolution and thus print quality. New printers from Epson and Lexmark entered the market in 1994 that were able to deliver extremely high-quality images because of new printer driver software. Resolution will continue to increase, and this year you will see true 600- by 600-dpi ink-jet printers to replace the so-called 600- by 300-dot-addressable solutions currently on the market. The Epson Color Stylus, used with its software drivers, already claims 720 by 720 dpi.

The next plateau in print quality will be photo-realistic images. In the next few years, units will offer high resolution (600 or 720 dpi) with more depth of color and enhanced drivers to compete with continuous-tone printing from color laser, variable dot-wax transfer, and dye sublimation. Indeed, a number of major vendors believe that the ability to print photo-realistic images at a high speed and keep costs low will be the key to market success at the end of the decade.

Other issues, such as the cost per page, will fall by the wayside. Printing costs will decline with improvements in medium independence, as users will no longer need to purchase special paper. Costs will drop further as competition forces vendors to lower their ink-cartridge prices, which to-

day are still high-profit items.

If liquid ink-jet printers can deliver high quality with robust duty cycles and offer advanced paper handling at speeds comparable to those of laser printers, they will compete aggressively with all color-printing technologies. There are no technical impediments to any of these attributes. In fact, ink-jet printers have a manufacturing cost advantage that should ensure that they remain the lowest-cost color printers in the marketplace. For the foreseeable future, liquid ink-jet will be the color technology to beat.

Solid Ink-Jet Printing

Solid ink-jet, or *phase-change*, technology offers a good deal of promise as well. This technology uses heat to melt the ink material, which at room temperature has the texture of a hard crayon. Once the ink hits the paper or other medium, it cools almost instantly. This attribute makes solid ink-jet perhaps the most medium-independent color-printing technology that is currently available on the desktop—early suppliers of the technology liked to show samples printed on sandpaper and toilet tissue.

Other advantages of this type of printer include the production of vibrant colors that are especially good on transparencies, waterfastness, and true clean-hands installation and resupply. Image quality is excellent, although not currently up to the level of dye sublimation. Tektronix, the leading supplier of solid ink-jet printers, has developed techniques that make monochrome text and graphics quality quite good. On the negative side, solid ink-jet printers print slowly, and they are expensive to buy and operate. Also, the color is not very lightfast; it tends to fade quickly when exposed to sunlight.

Tektronix has made significant R&D investments in the technology and is clearly aware of the current shortfalls. There is every reason to believe that its next generation of printers will be at least twice as fast as the current Phaser 300i, which doubled the speed of the first-generation Phaser III PXi.

There is nothing inherent in the solid ink-jet technology that would inhibit it from being competitive with desktop color laser solutions. A. J. Rogers, strategic marketing manager of the Tektronix Color Printing and Imaging division, likes to say that "it has the simplicity of liquid ink-jet without the drying-time problem." Solid

ONE FOR ALL

and all on one



Powerful

Brings power to your network. Controls 2 to 1,024 computers (networked or stand-alone) from a single or several location(s) simultaneously and independently. Allows access anytime, anywhere: viewing, monitoring, operating are no longer restricted to local consoles. Provides increased system security and productivity.



Efficient

Cuts down on the need for large quantities of monitors, keyboards and mice. Reclaims floor space. Saves time and money.

Integrated

Hardware-based and software-independent. Flexible, modular, upgradable. The system's unique matrix technology minimizes cabling requirements and ensures trouble-free operation.

Reliable

A range of quality German engineered products that meets today's computing needs.

**The PolyCon Management System
- A totally new approach -**

**Call this number NOW!
Ask for detailed information.**

Circle 148 on Inquiry Card (RESELLERS: 149).

MARCH 8 - 15, 1995



CeBIT'95

HANNOVER

Hall 12 EG, C35

PolyCon

Data Systems

GmbH

PolyCon GmbH Data Systems
Haintelchstraße 77
D-33613 Bielefeld / GERMANY
Telephone: ++49-(0)521-9861321
Fax: ++49-(0)521-9861322

Sales and Support in the USA:
Tel: 1-800-243-2228



It runs with
NetWare

ink-jet printing is already fully medium-independent and is more reliable and easier to use today than color laser printing. Further, the lightfast problem seen in Tektronix offerings can be overcome: Brother offers a solid ink-jet printer that uses a pigmented ink that is much more resistant to fading.

Major solid ink-jet improvements need to occur in two areas: performance and price. Speed is the easier of the two to achieve. The next generation of solid ink-jet products, due out this year, is likely to comprise true page printers with the ability to print color at least as fast as current color laser printers. Price breakthroughs will be contingent on higher sales volumes that would dramatically reduce manufacturing costs. To do this, solid ink-jet printers will have to keep pace with the print-quality improvements expected for both liquid ink-jet and color laser technologies.

Solid ink-jet color-print quality is already good for graphics and will improve with further development. However, text quality must be improved, especially in monochrome, to compete successfully with laser printers. It seems clear that color laser printers will improve to match monochrome laser quality with increased reso-

lution, moving from 300 to 600 to 1200 dpi using smaller toner particles and resolution-improvement techniques. Solid ink-jet devices will have to match the higher resolution and better text imaging. There are no basic technical impediments to this, but print quality comparable to today's monochrome laser printers is probably two generations of solid ink-jet printers away.

Solid ink-jet/phase-change technology shows good promise for the end of the decade. By then, these printers are likely to have a small footprint, speeds that match desktop color lasers, and prices in the \$2000 to \$3000 range. With those specs, the technology should remain attractive to many.

Color Laser Printing

Color laser printing is currently the hottest printer topic. At this writing, four vendors were supplying desktop color laser printers: QMS, Xerox, HP, and, just about to appear, Tektronix. They offer speed, adequate text quality and color that is good enough for general-office printing, and address-networking capabilities. As with all new technologies, they still command a price premium, but prices are dropping quickly. The 12-ppm monochrome HP

LaserJet 4 Plus sells for \$1839, and the color LaserJet costs \$7295.

Unfortunately, there are a number of difficulties with color laser printing today. First, it is far from clean: Toner installation is a messy procedure. Moreover, some units require surprisingly frequent intervention by users to service components. As a consequence, they are significantly harder to live with than other color-printing technologies or monochrome lasers.

Another disturbing issue, hopefully temporary, is that the QMS and Xerox models (both using Hitachi's color-laser engine), appear to be mechanically fragile. Users report needing higher-than-normal numbers of service calls to keep these printers working properly. The HP Color LaserJet does not appear to suffer from this problem. The Tektronix offering is unknown because it was unavailable at press time.

Perhaps the most serious problem with color laser printers is lower print quality than what users are likely to expect. The QMS, Xerox, and HP devices don't support continuous tone reproduction; they must create combination colors using halftone (dot-pattern) screens. The new Tektronix desktop laser printer does use continuous tones; its overall quality should

compare favorably to the imaging capabilities of the larger and more expensive Canon and Xerox machines. Note, however, that text quality for desktop color laser units, such as the HP Color LaserJet, does not compare with today's office standards set by 600-dpi monochrome printers, although it may be good enough for most purposes.

Because color laser printers are still in their infancy, today's difficulties should not be viewed as a failure of the technology. Over the next five years, all vendors' color laser printers will become simpler and more reliable. The next-generation devices should be capable of clean-hands installation and require minimal user intervention. Quality will go up quickly, as will speed.

Today, you have to compromise to get affordable quality color. By the end of the decade, you won't have

Build Yourself a Color Transform

This cutout is an example of a 3-D, nonlinear color transform. By cutting out these two shapes and folding them into cubes, the complexity of a color transform may be more fully appreciated.

The cube on the left is divided into planes of constant value, as shown by the black lines on its surfaces.

After color transformation to the cube on the right, the cutting planes become curved cutting surfaces.

This specific color transformation was designed to match a printer to a monitor and was made using the Candela Color Management System.

As simple as cut and paste!

The only Windows™ statistics package you'll ever need.

Also available for
DOS and Mac!

#1 for DOS and Windows

Rated "the best general-purpose statistics program" for the PC by *Software Digest*®, SYSTAT for DOS is now joined by SYSTAT for Windows. This addition to the SYSTAT family takes full advantage of Windows, with pull-down menus, dialog boxes, sizable windows, and the ease of use you expect in a Windows package.

SYSTAT for Windows runs in standard and 386 enhanced modes and can take advantage of Windows advanced memory management. No matter how large or complex your analysis is, you can use SYSTAT.

SYSTAT delivers a balance of power and simplicity. It lets you analyze and manipulate data

with a comprehensive range of advanced statistical procedures, and present your results with stunning graphics.

Just point and click

SYSTAT is a full-fledged Windows application. Just point and click. SYSTAT's QuickStat™ buttons give you simple, single-click shortcuts to common statistical analyses.

More statistics, from the basic to the most sophisticated

A full range of univariate and multivariate statistics—from *t* tests to multidimensional scaling. With a few clicks you can turn most statistics into graphs and perform:



- multiway crosstabs with log linear modeling
- nonparametric statistics
- principal components and factor analysis
- cluster analysis
- time series
- nonlinear estimation
- correlation matrices
- means, effect, and dummy models
- post hoc tests

SYSTAT offers the most advanced multivariate general linear model available for Windows.

The most graphics

No other statistical or graphics package can produce all the scientific and technical graphs that SYSTAT can—nor surpass its ease of use. Graphics capabilities include:

- histograms
- single, multiple, stacked, and range bar graphs
- single and grouped box plots
- stem-and-leaf diagrams
- pie charts
- scatterplot matrices
- 3-D data and function plots
- contour plots
- control charts
- maps with geographic projections
- Chernoff faces
- complete color spectrum
- log and power scales
- confidence intervals and ellipses
- linear, quadratic, step, spline, polynomial, LOWESS, exponential, and log smoothing



"SYSTAT (for Windows) – with its superb graphics, high-quality statistical algorithms, and reasonable price – is an excellent choice." PC Magazine

To order SYSTAT (with a 60-day money-back guarantee), or to request more information and a demo disk, call:

800-543-5835

For Windows circle 117,
For IBM/DOS circle 118.

For more information call or write: **SPSS Inc.**, 444 N. Michigan Avenue, Chicago, Illinois 60611. Tel: 1.312.329.3300; Fax: 1.800.841.0064
Australia: 61.3.602.5088, Belgium: 32.2.268.1775, Denmark: 45.64.406575, Finland: 358.0.692.3800, France: 33.76.418508, Germany: 49.55.4272075,
Greece: 30.1.362.9041, Holland: 31.34.0266336, Italy: 39.587.213640, Japan: 81.33.5902311, Malaysia: 603.703.5568, Mexico: 52.5.563.0641,
New Zealand: 64.7.8562675, Norway: 47.32.892.240, Poland: 48.12.360791, Spain: 34.3.4154904, Sweden: 46.8.317.740,
Switzerland: 31.971.33.71, Taiwan: 886.2.704.2762, UK: 44.462.480.055

© 1994 SYSTAT®, Inc. SYSTAT for DOS rated highest in overall evaluation by *Software Digest Ratings Report*, Vol. 8, No. 5, May, 1991. Software Digest is a registered trademark of NSTL, Inc.

SYSTAT®

MOVING?

To change your subscription mailing address, please complete the form below and send it to:

BYTE Magazine
Subscriber Services
PO Box 555
Hightstown NJ 08520

Fax: 609-426-7087
Phone (9 a.m. to 8 p.m., Eastern Time, Monday through Friday):
800-232-2983 (U.S.), or
609-426-7676

Current/Old Address:

Account Number

Name

Company

City/State/Zip

PLACE MAILING
LABEL HERE

New Address:

Name

Company

Address

City/State/Zip

Please allow up to 8 weeks for this change to become effective.

BYTE
The Magazine of Technology Integration



State of the Art

to. The one open issue is cost. If color laser-printer prices reach the \$2000 to \$3000 range, they will likely find their use in higher-end desktop environments, while comparable ink-jet printers will occupy the low end and midrange.

Thermal-Wax Transfer and Dye Sublimation

Compared with ink-jet or laser printers, today's thermal-wax transfer and dye-sublimation printing technologies are more specialized (i.e., less versatile). Each has clear technical strengths and weaknesses. Both have good color-imaging characteristics. TTP (thermal-transfer printing) produces excellent transparencies, while dye sublimation is the clear leader in producing photo-realistic images.

Perhaps the greatest drawbacks of both technologies are their cost and their requirements for special media. Both are quite expensive on a cost-per-page basis, and dye-sublimation units are expensive to purchase. Further, the cost per page for TTP is fixed—the cost per print is unaffected by the amount of color on a page because the process uses a full block of transfer ribbon for each page printed. These ribbons are expensive, their pricing largely controlled by patent-licensing arrangements.

Achieving best quality from TTP requires special medium. The slick paper that gives thermal transfer an optimum base for printing also makes it impossible to integrate transparently into a larger document. Attempts at plain-paper solutions have resulted in lower print quality.

Dye sublimation has similar drawbacks. As with thermal-wax transfer, ribbon use is fixed and expensive. The one bright light here is that dye-sublimation ribbons are not bound by the same proprietary pricing constraints as thermal wax, so you are likely to see a dramatic cost-per-page reduction. The process will continue to command a premium over other types of color printing, however, because of paper costs. The paper needed for dye sublimation is an expensive, photographic-grade stock.

You can also expect dye-sublimation mechanisms to become significantly less expensive in the next few years. As host processors become more powerful, some printer manufacturers will provide "dumb" dye-sublimation printing devices with radically reduced prices. They might be slower, but they will also be much less expensive, while still providing excellent imaging capabilities.

Other advances will also be made. The new Eastman Kodak 8600 dye-sublimation

Lighten Up!



Introducing Hardlock LT™. The light price will brighten your day.

Your copy protection decision just got a whole lot easier. Now Glenco offers a complete range of choices for protecting your software against unauthorized use.


New Hardlock LT is the perfect copy protection system for your high volume lower-priced software. Hardlock LT features the same premium **support, compatibility** and **reliability** as our unsurpassed Hardlock system, complete with 128 bytes of memory, easy implementation, and the same ASIC security found in most other copy protection systems on the market today.

Compare Hardlock LT to all the others. You'll be amazed. Call now for an evaluation kit.

1-800-562-2543



GLENCO ENGINEERING INC. 
SERVING THE SOFTWARE INDUSTRY SINCE 1979
Software Protection • Data Security



Systems available for DOS, Windows, Windows NT, OS/2, Unix, Xenix, DES, Single User, Network, CD-ROM Applications and More

Call 708-808-0300 or Fax 708-808-0313 for a distributor in your country.
©1994 Glenco Engineering, Inc.

For Domestic Information, circle 83 on Inquiry card.

Rackmount

- ENCLOSURES
- KEYBOARDS
- MONITORS
- DRIVE ENCLOSURES

Integrand's unique enclosure design uses modular construction. We have 3 basic models for ISA/EISA bus computers. Over 100 interchangeable modules allow you to customize them to nearly any requirement. Integrand offers high quality, advanced design hardware and strong support. Why settle for less?



Monitor: 10" Super VGA Color from \$650

PC Enclosures from \$300

Keyboards: Drawer, Shelf & Panel from \$85

Made in U.S.A.

Rack & Desk Models

Accepts Most Motherboards and
Passive Backplanes

Up to 20 Slots

Rugged, Modular Construction

Excellent Air Flow & Cooling

200 & 300 Watt Supplies, UL, CSA, TUV

Call or write for descriptive brochures, prices
or applications assistance:

INTEGRAND

RESEARCH CORP.

8620 Roosevelt Ave. • Visalia, CA 93291

209/651-1203

FAX 209/651-1353

We accept VISA and MasterCard

Circle 84 on Inquiry Card.

IBM XT/AT TM IBM • 286/386/486 TM INTEL. Drives and computer boards not included.

State of the Art Final Output

printer provides much better lightfastness than has been previously achieved. Additional improvements in image quality also can be made, although devices are likely to remain at the 300-dpi level, simply because higher resolution is not particularly important for continuous-tone rendering.

The performance of thermal transfer and dye sublimation differ considerably. Dye sublimation is a slow technology, while some of the fastest color printers on the market are TTP units. In extensive benchmark testing across technology lines, the Tektronix Phaser 220e and 220i achieve better throughput than any other color device tested—this includes liquid-ink, solid-ink, dye-sublimation, other thermal-transfer products, and some color laser printers.

Although both processes can produce generally good images, there are still significant image-quality problems. Both experience problems producing text in small point sizes with good character shapes and smooth edges. In addition, both have trouble with fine-line detail, especially hairlines printed perpendicular to the paper path. These problems are inherent in the technology because it is difficult to quickly heat and cool individual pixels to produce fine levels of detail under certain circumstances.

Considerable creative effort has also been invested in developing machines that can serve new users and new applications where the inherent drawbacks are less significant. Fargo and Seiko Instruments have dual-technology devices that can produce thermal-wax transfer and dye-sublimation output, and a variety of vendors have introduced large-format printers in the 24- by 40-inch class.

More improvements are on the way. In the next 12 to 24 months, true 600-dpi thermal-transfer printers will be available. Another 1995 print-quality improvement will be the use of variable-dot printing, where dots of varying sizes will replace today's dithering techniques that incorporate same-size dots. The process will require more memory in the printer but will produce print

By the end of the decade, users should expect fast, clean, easy-to-use, and inexpensive color printers. Color quality will be high, and output will be much more waterproof and lightfast than today.

It seems likely that all printing technologies will converge and deliver similar capabilities to users.



technologies will converge and deliver similar capabilities to users.

quality midway between traditional thermal transfer and dye sublimation. Products using these new technologies will be faster than dye-sublimation printers, perhaps down to only 2 minutes per page. Media costs will also be lower.

From a marketing perspective, dye-sublimation and thermal-wax transfer technologies will remain competitive through the 1990s: Their excellent print quality will ensure their use in specialty markets. But beyond that, they

will be under increasing pressure from the other color-printing technologies in terms of both image quality and cost. And they've already lost the speed battle.

Closing the Gap

All the major desktop color-printing technologies have a mix of strengths and weaknesses. The suppliers are aware of all the shortfalls and are working to correct them as quickly as possible. By the end of the decade, users should expect fast, clean, easy-to-use, and inexpensive color printers. Color quality will be high, and output will be much more waterproof and lightfast than it is today.

What is absolutely not clear at this point is which—or whether—one of these technologies will emerge as clearly superior to the others. It seems more likely that all the printing technologies will converge and deliver similar capabilities to users. Printer prices will drop, as will cost per page. Each technology will still have advantages and disadvantages, but they will be small and may matter only in certain applications. In the end, technology itself will probably not be the principal determinant. For color printing, says Ron Patten, senior product-marketing manager at Seiko Instruments, "success will be determined by marketing, not by technology." ■

Michael Weiss is president of MWA Consulting, Inc., of Palo Alto, California, an industry-analyst organization that focuses on printing and imaging issues. You can contact him on the Internet at mwac@applelink.apple.com or on BIX c/o "editors."

BYTE

Special Report



More and more small businesses are tapping into the Internet

SMALL-OFFICE COMPUTING

How new technologies can make your small office act like a big office in serving your customers.



The Virtual Storefront

Use the World Wide Web to set up shop on the Internet. Here's how.
page 125



Curing the Windows Fax Blues

Forget the horror stories, you can get your fax modem to work.
page 133



Doing It All on One Line

You can combine data and voice on the same phone line without ISDN.
page 145



Caller ID Goes to Work

Here's how to integrate Caller ID with your key business applications.
page 149

A man with dark hair, wearing a dark suit, white shirt, and patterned tie, is smiling and looking slightly to the right. His hands are clasped in front of him. In the background, a red car is visible, slightly out of focus. The overall lighting is dramatic, with strong highlights and shadows.

MAZDA'S I.S. CHIEF

CAN'T WAIT TO


GET WARPED.



OS/2 is in its third rev, so it's solid, stable, and mature.

Mike Anzis is the I.S. man behind the wheel of Mazda's computers. And OS/2® Warp is about to make his life easier.


As Mike puts it: "We use OS/2 on our headquarters' client/server systems. It's also installed in our 900 dealerships. But until now, we haven't been able to get OS/2 everywhere we need it - on laptops in the field. OS/2 Warp changes all that." OS/2 Warp



A toolbar gets users quickly and easily into their applications.

and proven reliability, OS/2 Warp is a total computing solution that performs ruggedly at every level.

From a basic 4MB laptop to a client/server system, the OS/2 family now scales an even wider variety of PC platforms.



The BonusPak gives mobile users the applications they need.

And OS/2 Warp is a real communicator.

With fax, Internet e-mail, and desktop conferencing, there

IT'S ONE MODEL THEY REALLY NEED ON THE ROAD.

isn't an easier way to keep those out on the road, in the loop.

OS/2 Warp also offers Mike Anzis rock-solid reliability. "I know from years of experience with OS/2, I can trust it to keep performing. Now I can enjoy this peace of mind at every level."

OS/2 Warp is available for under \$90. To get warped, stop by your local software dealer, or call 1 800 3 IBM-OS2. Ask for a free demo disk.

The new 32-bit, multitasking, multimedia, Internet-accessed, crash-protected, Windows-friendly, totally cool way to run your computer. OS/2® WARP



OS/2 Warp is available from your software dealer. It's also available from IBM for \$89 by calling 1 800 3 IBM-OS2.

Reseller prices may vary. OS/2 Warp consists of OS/2 version 3 and BonusPak. IBM, Operating System/2 and OS/2 are registered trademarks of the International Business Machines Corporation. Crash Protection and the OS/2 logo are trademarks of IBM. Windows is a trademark of Microsoft Corporation. ©1994 IBM Corp. All rights reserved.

Circle 256 on Inquiry Card.

Small-Office

PAULINA BORSOOK AND MICHAEL NADEAU

According to the U.S. Statistical Abstract, 97.8 percent of all nonresidential businesses are classified as small businesses (100 or fewer employees). Of those, says research firm IDC, about 67 percent own PCs. To stay in the market with larger, more powerful competitors, these small businesses must do things better, cheaper, and faster. The same

holds true for large companies' independently run satellite offices. The best hope of these small businesses, next to their wits, is to make better use of new technology than their larger competitors.

Sure, large companies have their multimillion-dollar enterprise networks, but this kind of infrastructure comes at a price: inflexibility. Before it can implement new technology, a large

company must show that it will both provide a payback and be compatible with existing infrastructure. The evaluation process can take years.

Small companies can quickly justify and implement

new technology, which gives them new competitive tools to reach customers and suppliers, to access numerous resources, or to do administrative chores more efficiently. Take communications, for example. Low-cost options now allow small offices to implement conferencing using both voice and data on the same line (see "Doing It All on One Line," on page 145), or to integrate Caller ID features into their applications (see "Caller ID Goes to Work," on page 149).

Even applications commonly found in large companies can give smaller organizations a boost when used innovatively. For example, few large companies go to the lengths to optimize the effectiveness of E-mail as has Orbit Software (Danville, CA), a highly decentralized international provider of backup and storage software for Hewlett-Packard 3000 and 9000 machines. The seven-person Orbit sales office and corporate headquarters is connected by a 56 Kbps line to the R&D site 40 miles away in Novato, which itself maintains 19.2 Kbps connections to programmers working in Oakland and San Jose, as well as in Seattle, Washington. What's more, dial-up E-mail connections exist between headquarters and each of the seven international Orbit offices, each only staffed by about three people. Any office can connect to any other Orbit office at any time.

Orbit uses E-mail to provide better service to customers: When a client is having a problem that the local Orbit office can't solve, E-mail provides company

Small companies or independent employees of larger companies can get a leg up by intelligent use of new technology



Computing

president David Merit with instant and complete documentation of the problem by the time he gets the customer on the phone. In fact, it's likely he's been monitoring the problem through E-mail as it developed. E-mail might also allow an Orbit staffer in Singapore to solve the problem of a customer in Belgium. "People are really impressed by our E-mail system," says Merit. "They tell us 'even HP doesn't do this!'"

Winning an account or getting a product to market first often means having access to the information you need when you need it. One resource still very much under-used by many large companies is the Internet. Not only is the Internet a vast storehouse of information, it can also serve as a low-rent storefront for many business. "The Virtual Storefront," on page 125, explains how to get the right Internet connection as well as how to set up an on-line shop.

Performing everyday administrative chores such as billing or bookkeeping is not just aggravating; it steals time and resources away from important revenue-generating tasks. This is especially true for small offices that often cannot afford to hire secretaries or accountants. Help is on the way from companies such as Intuit and Peachtree. These companies are using on-line resources and

cross-application data links to shave hours off common accounting tasks (see "High-Tech Bookkeeping," on page 155).

For the small company competing with giants, new technology can be the great equalizer. For the independent employee looking to get ahead, new technology can be a great enabler on the way to the top. ■

Paulina Borsook is a San Francisco-based writer who has written about security issues for BYTE. Michael Nadeau is a BYTE contributing editor. You can reach them via the Internet at loris@well.sf.ca.us and miken@bix.com, respectively.



The ZEOS® Pantera™... "This Is As Good As It Gets."

-PC World Best Buy, August 1994

It's true! The ZEOS Pantera is as good as it gets. Leading experts from top industry publications all agree that the ZEOS Pantera is the best PC available. Unparalleled in its field, the Pantera has continuously earned award after award—month after month.

There's no desktop system that comes close to the ZEOS Pantera in performance, reliability, and value. As *PC/Computing* said: "Rocket-fast performance and a great price make this our favorite Pentium of the lot."

Supreme Performance



The ZEOS Pantera, based on Intel's 486 and Pentium processors, is breaking record after record with its supreme power and awesome performance.

"Mark a new high on the performance

What makes the Pantera blow all others away? Superior engineering — starting with a ZEOS designed motherboard, created specifically to take full advantage of the latest technological advancements. The motherboard is stocked with exceptional features such as an on-board PCI Local Bus IDE Controller and support for up to four IDE devices. For the fastest video performance, we give you a Diamond Stealth 64-bit PCI video card with 1MB DRAM *standard*.

Valuable Extras

The Pantera is a first-rate example of ZEOS' commitment to provide you with an excellent value on an award-winning machine. With all the extras, options, and 100% compatibility with all major operating systems, you can't go wrong.

Many of our most popular money-saving Pantera packages are ready to ship *the same day you order*. We also give you the option to custom-design a system to your exact computing needs.

Either way, you can buy with confidence because of our on-going dedication to offer you high-quality features and state-of-the-art technology at an affordable price. As *PC/Computing* said: "... this is a deal you simply can't pass up."

And the value doesn't stop with your purchase. Nobody does more to support you after the sale. ZEOS has won six *PC Magazine* Readers' Choice for Service & Reliability awards. No other company has won more.

Unequaled in performance, reliability and value, the ZEOS Pantera "is the ultimate Power Desktop." *PC World* added: "It's lightning fast, beautifully configured, and priced right." To get your best buy, call a ZEOS Systems Consultant today at 800-554-5226.

chart!" *PC World* said the Pentium-66 and Pentium-90 Pantera PCs were "the fastest system(s) ever tested."

The ZEOS Pantera 66MHz and 90MHz also received the highest scores in all benchmark tests run by *Windows Sources*, and earned two Experts' Pick awards.



Pentium-66
April 12, 1994
DX4-100
June 28, 1994



Pentium-60
April 1994
Pentium-90
August 1994



486DX2-66
January 1994
February 1994
March 1994
June 1994
December 1994

DX4-100
October 1994
November 1994
December 1994

Pentium-60
December 1994

Pentium-66
June 1994
July 1994
August 1994
September 1994

Pentium-90
August 1994
September 1994
October 1994
November 1994



Pentium-66
May 1994



Pentium-66
June 1994

Pentium-90
August 1994



Pentium-90
November 1994



486DX2-66
March 1994



Standard With Every ZEOS System:

- ▶ Genuine Intel® Processor. ZIF socket for easy upgrading.
- ▶ Diamond Stealth PCI local bus color graphics card with 1MB DRAM, upgradable to 2MB DRAM.
- ▶ Two high-speed serial ports and one enhanced parallel port on the motherboard.
- ▶ Slots: Three PCI & 4 ISA (486), 3 PCI & 5 ISA (Pentium).
- ▶ Flash BIOS.
- ▶ 200 watt power supply with built-in surge suppressor. Switchable between 115/230V.
- ▶ ZEOS 101-key space-saving keyboard.
- ▶ FCC Certified Class B; UL Listed.
- ▶ ZEOS Customer Satisfaction Package.

486 Extras:

- ▶ RAM expandable to 128MB.
- ▶ EPA Energy Star compliant.

Pentium™ 60 & 66 Extras:

- ▶ RAM expandable to 192MB.
- ▶ Integrated business audio.
- ▶ Optional on-board Fast SCSI-2.

Pentium 90 & 100 Extras:

- ▶ RAM expandable to 192MB.
- ▶ Integrated business audio.
- ▶ Optional on-board PCI local bus Fast SCSI-2.
- ▶ Optional on-board PCI local bus Ethernet LAN.
- ▶ EPA Energy Star compliant (Pentium-90).

Additional processors available.

Package 1		Package 2		Package 3		Package 4	
486SX-33	\$1395	486SX-33	\$1695	486SX-33	\$2195	486SX-33	\$2595
486DX-33	\$1495	486DX-33	\$1795	486DX-33	\$2295	486DX-33	\$2695
486DX2-66	\$1545	486DX2-66	\$1845	486DX2-66	\$2345	486DX2-66	\$2745
Pentium-60	\$1845	Pentium-60	\$2145	Pentium-60	\$2645	Pentium-60	\$3045
Pentium-66	\$1995	Pentium-66	\$2295	Pentium-66	\$2795	Pentium-66	\$3195
Pentium-90	\$2145	Pentium-90	\$2445	Pentium-90	\$2945	Pentium-90	\$3345
Pentium-100	\$2595	Pentium-100	\$2895	Pentium-100	\$3395	Pentium-100	\$3795
<ul style="list-style-type: none"> ▶ 4MB RAM ▶ 214MB local bus IDE hard drive with 32K cache ▶ 3.5" 1.44MB floppy disk drive ▶ Diamond Stealth 64-bit PCI local bus SVGA color graphics card with 1MB DRAM ▶ ZEOS 14" 1024 x 768 non-interlaced SVGA color monitor, .28mm dot pitch ▶ Six-bay desktop case with two cooling fans ▶ Microsoft Mouse ▶ MS-DOS 6.2, Windows for Workgroups 3.11 		<ul style="list-style-type: none"> ▶ 8MB RAM ▶ 528MB local bus IDE hard drive with 256K cache ▶ 2X CD-ROM drive and 3.5" 1.44MB floppy drive ▶ Diamond Stealth 64-bit PCI local bus SVGA color graphics card with 1MB DRAM ▶ ZEOS 14" 1024 x 768 non-interlaced SVGA color monitor, .28mm dot pitch ▶ Six-bay desktop case with two cooling fans ▶ Microsoft Mouse ▶ MS-DOS 6.2, Windows for Workgroups 3.11 		<ul style="list-style-type: none"> ▶ 16MB RAM ▶ 720MB local bus IDE hard drive with 128K cache ▶ 2X CD-ROM drive and 3.5" 1.44MB floppy drive ▶ Diamond Stealth 64-bit PCI local bus SVGA color graphics card with 1MB DRAM ▶ ZEOS 15" 1024 x 768 non-interlaced SVGA color monitor, .28mm dot pitch ▶ Six-bay desktop case with two cooling fans ▶ Microsoft Mouse ▶ MS-DOS 6.2, Windows for Workgroups 3.11 ▶ Lotus SmartSuite 		<ul style="list-style-type: none"> ▶ 24MB RAM ▶ 1GB local bus IDE hard drive with 256K cache ▶ 4X CD-ROM drive and 3.5" 1.44MB floppy drive ▶ Diamond Stealth 64-bit PCI local bus SVGA color graphics card with 1MB DRAM ▶ ZEOS 15" 1024 x 768 non-interlaced SVGA color monitor, .28mm dot pitch ▶ Six-bay desktop case with two cooling fans ▶ Microsoft Mouse ▶ MS-DOS 6.2, Windows for Workgroups 3.11 ▶ Lotus SmartSuite 	

Favorite Options

528MB to 1GB Hard Drive Upgrade.....\$245

1MB to 2MB Video RAM Upgrade.....\$59

Diamond Stealth 64/PCI Video Card with 2MB VRAM

Fastest 64-bit accelerated video.....**\$249**

Upgrade from a 14" to a 15" Monitor

ZEOS SVGA NI, 1024 x 768, flat screen.....**\$95**

Upgrade from a 15" to a 17" Monitor

ZEOS SVGA NI, 1280 x 1024, flat screen.....**\$395**

SCSI Controller Chip

For on-board SCSI. Includes drivers.....**\$49**

Internal 14,400 bps V.32 bis Modem with 14,400 bps

Send/Receive Fax Modem.....\$99

ZNYX EtherAction™ 32

32-bit PCI Ethernet LAN adapter. 10Base5, 10Base2 and 10BaseT connections.....**\$199**

Front Drive Bay PCMCIA SwapBox

Full PCMCIA compatibility with desktops. Installs into 3.5" drive bay.....**\$159**

Internal Tape Backup

80 to 250MB (with compression), includes backup software.....**\$149**

10-Bay Vertical Case.....\$95

Multimedia Upgrade

Turtle Beach sound card and stereo speakers...**\$128**

300W Power Supply Upgrade.....\$50

Many other affordable upgrades and options available. Call for details!

Now: Free Lotus SmartSuite!



All Panthera packages include Microsoft DOS 6.2 and Windows for Workgroups 3.11. In addition, packages 3 and 4 include Lotus SmartSuite—

1-2-3, Ami Pro, Freelance Graphics, Organizer and Approach.

800-554-5226

**24 Hours a Day
365 Days a Year**




Fax Orders: 800-362-1205 or 612-362-1205. Phone Orders: Outside U.S. and Canada: 612-362-1212, Government: 800-245-2449, ZEOS Information Systems, Inc. GSA #GS00K94AGS5176. Purchase Orders, MasterCard, VISA, Am Ex, Discover, COD and affordable leasing programs.


Purchase orders are subject to approval. Business leasing programs available. All prices, specifications and availability are subject to change without notice; call to confirm these and warranty details. Prices do not include shipping. Novell compatibility is Developer Tested Only. Novell makes no warranties with respect to this product. All products and company names are trademarks or registered trademarks of their respective holders. Intel Inside and Pentium Processor Logos are trademarks of Intel Corporation. ZEOS is a registered trademark; Computers Now! is a registered service mark; Panthera is a trademark of ZEOS International Ltd. © 1995 ZEOS International Ltd., 1301 Industrial Blvd., Minneapolis, MN 55413 USA. ZEOS is a publicly traded company (NASDAQ symbol: ZEOS). PAN-BYT-9501



Network utilities—vital, but set aside 100K



DOS 6 utilities—handy, but about 120K



Multimedia—fun, but can you spare 50-80K?



Internet utilities—where will you get 120K?

If you don't have QEMM 7.5, what else have you sacrificed?

Sooner or later, as you push the limits of your PC's capabilities, you will run into a wall. Memory limits. Drivers that won't load. Crashes. "Out of Memory" messages. And you'll run into this wall whether you have one megabyte in your PC or 16.



That's why millions of people, from PC gurus to novice users run QEMM[®]. It fixes memory problems and keeps your PC performing at its best.

Introducing QEMM 7.5 It Makes Room for All the Good Stuff

Our newest QEMM takes into account the greater demands you're putting on 'conventional' memory today: device drivers, sound cards, disk compression, caches, network utilities, CD ROM drivers, etc. Not to mention all the stuff you want for tomorrow, like the drivers you'll need for Internet utilities. It finds room for all those things so you don't have to sacrifice capabilities you want—now or in the future.

MemMaker, the memory utility that comes with DOS 6, does an OK job of delivering additional memory, but it just hasn't kept up with demanding users.

Say you wanted to run a mouse, sound card, SmartDrive, your DOS 6 and Novell utilities, and your Microsoft Bookshelf '94 CD ROM. You couldn't with MemMaker. Not unless you were willing to manually

Hot new features

- 100% Windows installable
- Faster 32-bit memory model
- PCMCIA support
- *Stealth Stackers* saves 8-32K
- *QuickBoot* saves time
- *Optimize/Restore* lets you revert to recent settings

'tune' it. And then you might end up with 490K or so to use. But QEMM 7.5 routinely returns 634K of conventional memory. And when you consider as little as one 'K' of memory makes the difference between a program loading or not, you can see where an additional 140K or so could be vital.

A side benefit of running QEMM is that with memory 'elbow room' you get more reliability—fewer crashes and hangs. And some programs (especially games) run faster and smoother.

When you run DOS programs in Windows, QEMM 7.5 will provide benefits for those programs, too. Many productivity programs won't even run without it unless you sacrifice drivers and other goodies.

QEMM 7.5 comes with a new version of our award-winning memory utility, Manifest, which reports details you can't find out any other way—like how Windows and the programs running under it are using memory or what software is using your IRQs.



Our new Manifest memory analyzer now runs in Windows. And it's still free with QEMM.

There are dozens of new features and improvements to our new QEMM, making it even faster and safer. Find out for yourself. Visit your favorite software dealer or call (800) 571-4860 for a free brochure.

Stop making sacrifices. Get QEMM 7.5—the safest, most powerful memory manager for Windows, DOS and games.



© 1994 Quarterdeck Office Systems, Inc. All rights reserved. Trademarks are property of their respective owners.

Quarterdeck, 150 Pico Boulevard, Santa Monica, CA 90405 (800) 571-4860 Fax (310) 314-4219
Quarterdeck International Ltd., B.I.M. House, Crofton Terrace, Dun Laoghaire Co. Dublin, Ireland Tel. (353) (1) 284-1444 Fax: (353) (1) 284-4380
Registered U.S. users of earlier versions of QEMM may purchase upgrades from dealers or direct from Quarterdeck for \$29.95 plus \$5 shipping & handling. Call (800) 354-4757.

Circle 259 on Inquiry Card (RESELLERS: 260).

The Virtual Storefront

ANDREW SINGLETON

Corporations both great and small have invaded the Internet in a virtual land rush. Fortunately, this new universe is big and accessible: Anybody can stake a claim. Retail space on New York's Fifth Avenue may have limited availability and sky-high prices, but any business can have a Fifth Avenue address on the Internet.

Space is not a problem. Even though the Internet's current 4 billion *IP addresses*, which identify a given computer, may one day get used up, a standards committee is currently working on an addressing method known as *IP-next generation*, which will add a few bytes to each address and satisfy any possible galactic demand.

While this committee busily clears space, an organic growth known as the WWW (World Wide Web), or simply the Web, is obliterating distance. On the Web, no destination is more than a few mouse-clicks away.

The Web is an endless expanse of hypertext. Each hypertext document resides on a server and has links to other documents. These linked documents can be located on any server joined to the Internet, whether they're on the same server or on different servers in different countries.

Here's a typical scenario: A user reading a document from the NCSA (National Center for Supercomputing Applications) server in Illinois selects a link that reaches across the Atlantic and grabs a document from the CERN (European Laboratory for Particle Physics) server in Switzerland. Because the Internet was originally a government-subsidized research tool, the majority of the information and software available on it is free. CERN (the creator of the WWW), NCSA (the creator of the Mosaic browser), and many other individuals and organizations offer free Web software.

The players in Internet commerce are small companies. Prominent service providers, such as BBN Internet Services (Cambridge, MA) (i.e., Nearnnet and Barrnet) and Alnet (Falls Church, VA), have revenues of \$10 million to \$20 million per year (about 1/5000 of AT&T's annual revenues). Retailing giant Home Shopping Network recently bought the Internet Shopping Network, the most prominent direct-marketing company on the Internet. The deal was front-page news in national publications such as the *New York Times* and *USA Today*. At the time, the Internet Shopping Network had just eight employees and



JEAN TUTTLE © 1995

one network server.

Businesses want to use the Web for a number of reasons. Because it was designed as a publishing medium, it holds a particular interest for publishers. On-line distribution services, such as CompuServe, Lexis/Nexis, and Reuters, can take more than half of the revenues from each sale. With Internet distribution on the Web, a small publisher can cut out the middleman and capture a much greater revenue share, as well as maintain a unique look and feel. Furthermore, Web distribution is faster than producing and distributing a book, magazine, newsletter, or CD-ROM. Timeliness is especially important for newsletters and financial analysis.

The multimedia capabilities of the Web, which enable the delivery of pictures and sound as well as text, make it a great venue for distributing marketing literature. Many corporations provide what is known as a *home page*, which has the company's logo and motto and a menu of choices for background information, product information, and news. Background information often includes pictures and résumés of the company's principal officers. A news section might include a list, in reverse chronological order, of product announcements. Product information can be expansive, including such items as a full catalog, service examples and endorsements, and technical specifications.

In addition to catalogs, order forms can be distributed on-line as well. Direct marketers on the Internet allow customers to submit an order by simply pushing a button and filling out a form. A password authorizes a customer to run up a tab, and encrypted transactions allow customers to

**On the Internet,
no one needs
to know how
small your
business is**

Making the Internet Connection

BEN SMITH

Most small- to medium-size businesses do not have a connection to the Internet. The main reason for this is that it's orders of magnitude easier to get a phone line connected to your office than it is to get a connection to the Internet.

If you want to be an Internet information provider, your Internet connection needs to be the best IP connection that you can afford. However, that's difficult to achieve.

If your business needs to be only a consumer of Internet resources, the simplest way to get access is by subscribing to any of the commercial information exchanges that have recently added Internet access. This access, however, is usually limited.

The second line of access is through dial-up Internet-access providers that provide you with *shell* accounts on a server. These systems are specifically built on traditional Internet-server platforms, so they provide all the service that you'd expect to get if you had your own Internet server in your office that included Usenet news, Internet E-mail, FTP, and many other Unix utilities.

One of the best-known dial-up access sites, The World, is located in Brookline, Massachusetts. Like subscribers to the large information exchanges, subscribers

to The World can access the server by dialing in directly, either through The World's own network of access points or through the CompuServe Packet Network, the U.S. nationwide communications network. (You don't have to be a subscriber to CompuServe to use this access.) On the West Coast is a famous server called The WELL (Whole Earth 'Lectronic Link). Yet another is CERFnet, which offers toll-free dial-up service.

Another notable dial-up service is The Pipeline, located in New York City. By using a proprietary communications protocol, you can achieve many of the attractive features of Mosaic at a fraction of the cost of other services. The Pipeline includes E-mail and Usenet news, along with some Internet-browsing tools, all with a common user interface. As with Mosaic, the client program is free (see the screen below).

There are other advantages of using dial-up access. For example, all the processing, file retrieval, and caching takes place on the remote servers and doesn't burden your system with the storage and management of all those files.

But there are disadvantages as well: You are totally reliant on the remote system for access methods and control. Your connect time is determined by the speed at which you read the text on the remote

system, not by the potential bandwidth of your connection. (Chat scripts, which automatically log in and download files for local viewing, can eliminate this problem.) Finally, you are often limited to just text. True, you can retrieve images, but the process of retrieval and viewing is not integrated into the search-and-retrieval method. The only way to eliminate these limitations is by tying your system to the Internet using UUCP or TCP/IP, the Internet's native protocols.

Internet Protocol Connections


UUCP is the Internet protocol that is the least expensive to implement. It's the modem-to-modem protocol that's traditionally used to distribute E-mail and Usenet news. You need to have your site connected to get your E-mail and news via UUCP. UUNET Technologies (Falls Church, VA) operates the most famous and the most connected dial-up site in the U.S. Being a UUNET client has another advantage: You're connected to one of the most important archive sites—a computer system that has copies of the most popular freely available programs and information files.

With UUCP, you can not only send and receive E-mail and Usenet news but also retrieve files from the systems that you're connected to. Since all files on all UUCP connections can be automatically transferred among machines, the connection time and phone charges are much less than when you use a modem to interactively read a file on another system.

Even better than a UUCP connection to an Internet site is an IP connection. While UUCP is a store-and-forward protocol-and-networking design, IP and its companions, TCP and UDP, are the basis of the fully connected client/server networking that represents most of the Internet today.

You don't have to have a Unix or VMS server at your end to take full advantage of an IP connection. There are plenty of client programs that you can run on your MS-DOS, Windows, NT, or Macintosh computer, Mosaic being the most modern of them. But first you need to get an IP connection.

There are many places to go to obtain an IP connection, as well as many



ways of implementing it. A small business may not need—or be able to afford—a full-time, leased-phone-line connection to the Internet. Two IP connection-on-demand alternatives might be sufficient: SLIP and PPP.

SLIP is a simple and nonstandardized, but widely available, protocol that requires few resources to implement or install. It was designed for relatively low-speed modem-to-modem connections and low loads.

PPP, on the other hand, offers standards, flexibility (i.e., you can implement more than TCP/IP over it), and optional security. However, it not only requires more sophistication to implement and install than SLIP, but it also needs more bandwidth overhead from the serial connection to run.

Many of the larger dial-up-connection providers that offer shell accounts also offer SLIP and PPP connections. Be sure to work out your local system's communications logistics before you approach a vendor for a connection. Steer around any protocol and system incompatibilities when searching for the best connection provider. If you are achieving your IP connection from an MS-DOS or Windows PC, the application that you run on it for navigating the Internet must be an application that the connection provider can ensure will work with its system.

If you find yourself in need of a local network with a TCP/IP connection to the Internet, you've entered a world of servers, routers, and system administration. You've become a member of the Internet, with all its associated powers, privileges, and responsibilities.

It's possible that errors on your network may cause problems for other members of the Internet once your little LAN is going to be seen in some form in the outside world. You must have registered and approved IP addresses, network-domain names, and IP ports and services. If you're doing an IP-LAN-to-Internet connection for the first time, you may need some on-site help to get up and running cleanly.

Ben Smith is a consultant, a former BYTE Lab testing editor, and the author of Unix Step-by-Step (Hayden Books, 1990). You can reach him on the Internet at ben@ronin.com or on BIX as "bensmith."

submit a credit card number or even pay with "digital cash" (which I'll describe in detail later). This type of shopping is gratifying for the consumer and provides an extremely low overhead for the vendor.

The Internet also makes after-sales support more efficient. Vendors can distribute product documentation on the Web and provide support by E-mail. To help get sales transactions started, prospective customers can often send E-mail to info@the target vendor.

Building the Virtual Storefront

The following steps describe how you can set up a home page on the Web to display your company's marketing material, offer goods and services for sale, and collect information or orders from clients.

Step 1: Install a Web browser. To do your initial research, you'll need one essential tool: a Web browser. These browsers are often based on the Mosaic GUI front end (see the screens on page 130). Refer to one of the many available introductory books about the Internet and find a table that lists Internet service providers. Select a provider that offers 14.4-Kbps or 28.8-Kbps dial-up SLIP or PPP service.

A Web browser gives you access to the sources listed in this article by their URLs (uniform resource locators). The URL <http://www.store.com/catalog.html>, for example, has three parts: a server protocol, a host name, and a source name. When you type this URL, it seeks out an http server on the computer www.store.com and asks for the file [catalog.html](http://www.store.com/catalog.html).

Step 2: Get a good name. Every company on the Internet has a name. In the name *money.com*, for instance, *money* is reserved by a company as a domain name; *.com* indicates that it is a commercial organization. Individual computers at an organization use prefixes; for example, one computer at this company might have the name [vault.money.com](http://www.vault.money.com).

It's wise to reserve your name promptly. The U.S. government pays InterNIC to register these names on a first-come, first-served basis. Your Internet service provider can check to see whether your desired name has already been taken and submit an on-line name request for you. For more information on reserving names, see <http://www.internic.net>.

Step 3: Select a service provider. You must find an Internet service provider to connect your server with the world. Since this vendor will be a combination of landlord and essential utility, it's important for you to be comfortable with your choice. A provider should be able to give you sat-

isfactory technical support, especially in the early stages.

Service providers can be big or small. Big service providers have a regional or nationwide presence and lease their own networks to carry Internet traffic from your local POP (point of presence) to the interchanges. These providers maintain space-age mission-control consoles, called Network Operation Centers, and they can track down the cause of any errors that occur in network transmission. Small service providers rely on Sprint to carry their traffic across the country and typically have a single POP maintained by a couple of hackers. They can't track down errors as well as a Network Operation Center can, but they cost less and can give you personal attention (see the text box "Making the Internet Connection" at left).

Step 4: Consider connectivity alternatives. To keep your server connected and open for business at all times, you need to use a leased line, a co-location, or host services. As recently as last year, the leased-line method was the only way to place a server on the Internet. You had to find an Internet service provider and pay a substantial lump sum to install a network port. Then you or your provider arranged with the local phone monopoly to provide a leased line from the provider to your office, paying another installation fee in the process. Then you bought a router and plugged your server in. After a cost of approximately \$15,000 and three months' worth of work, you were finally on-line (see "Connectivity Costs" on page 130).

Once installed, a leased line is reliable and fast and gives your workstations seamless access to other network services. It remains the only practical way of providing high-volume connectivity for an office network.

With leased lines, you pay a fixed fee according to the size of your pipe. Leased lines come in several speeds, from 56 Kbps up through T1, or 1544 Kbps. The phone company uses these denominations for carrying digitized voice conversations, where 56 Kbps carries a single conversation and T1 carries 24 conversations.

The least expensive and easiest alternative is a 56-Kbps line. Although 56 Kbps does not seem like much bandwidth—an ordinary modem can carry almost the same amount of data at 28.8 Kbps compressed—it is appropriate for a small Web server. If you become a heavy Internet user, however, you should proceed directly to T1.


Several trends have recently evolved to make leased-line service more palatable for small businesses. Competition among



The Canon BJC-4000. Its resolution is equal to laser quality. Its print speed is 5ppm. It's less than \$400.

F O R Y O U R N E A R E S T C A N O N

© 1994 Canon Computer Systems, Inc. Canon and BJC are registered trademarks of Canon Inc.



Plus there's brilliant color. The math couldn't be simpler.

Canon



BJC-4000
color printer.

D E A L E R C A L L 8 0 0 - 8 4 8 - 4 1 2 3 .

CCSI, 1995 Redhill Ave., Costa Mesa, CA 92626. In Canada, call (800) 263-1121. (*Dealer price may vary)

Special Report Small-Office Computing

providers has reduced the installation fee to as little as \$400. The local phone companies face competition as well, from local fiber networks installed by Teleport Communications Group (Staten Island, NY) and MFS Telecomm (Oakbrook Terrace, IL); this may give you a choice of carriers.

By popular demand, many Internet service providers now offer much less expensive ways, such as co-location and host services, to open up shop on the Internet. *Co-location* involves placing a server at

the service provider's site. *Host services* include FTP, Gopher, and Web servers maintained by the Internet provider. Both of these options eliminate the expense of communications equipment and a leased phone line.

The big service providers would rather sell you a leased line and all the extras and collect the installation charge, but smaller providers can give you co-location services for as little as \$150 a month plus a per-byte usage fee. Host services can cost even less.

With these services, the server is located in someone else's office, so you just provide the published content of your company's information from your office or home. To update the remote server, you dial up the Internet with your modem or ISDN account and then use FTP to send new or improved hypertext files. Your provider should be able to route any E-mail responses to your dial-up account.

Step 5: Set up a Web server. Once you are connected to the Internet, you need to run a piece of software known as an HTTP server (also called a Web server). Many Web servers with similar capabilities are listed for downloading at <http://info.cern.ch/hypertext/WWW.Daemon/Overview.html>. (Note that many URLs are case-sensitive.) The two most popular ones are written in C for Unix computers—one from CERN and another from NCSA.

Traditionally, Web servers run on Unix workstations, and you can find binary versions for machines from DEC, Hewlett-Packard, IBM, Silicon Graphics, and Sun. A budget-minded small business should consider Linux, a free Unix clone that runs on PCs.

Unix machines come with Internet daemons, such as FTP and Telnet, already installed. They have powerful script languages for handling forms and database requests, and they can handle numerous users. The main disadvantage of these daemons, however, is that you must have a good knowledge of Unix to find and edit their many configuration files.

If you find the prospect of becoming a system administrator for a Unix machine daunting, the EMWAC (European Microsoft Windows NT Academic Consortium) HTTP Server for Windows NT offers an alternative. This server installs itself as a "service process," the NT jargon for a daemon, the first time you run it. You then

CONNECTIVITY COSTS



UNIX WORKSTATION SERVER	\$5000-\$15,000
NT/UNIX/LINUX PC SERVER	\$2500
ROUTER	\$1000
CSU/DSU	\$1000-\$2000
FOR A 56-KBPS TELEPHONE LINE:	
CSU/DSU (interface hardware for a digital phone line)	\$400
Leased-telephone-line installation	\$50-\$400
Internet-provider installation	Up to \$4000
Leased-line charges (per month)	\$100-\$300
Internet-provider charges (per month)	\$150-\$600
FOR A T1 TELEPHONE LINE:	
CSU/DSU	\$1500
Leased-telephone-line installation	\$400-\$1700
Internet-provider installation	Up to \$5000
Leased-line charges (per month)	\$400-\$1000
Internet-provider charges (per month)	\$1000-\$4000

configure it with a single dialog box in the NT control panel. It comes with readable documentation and a WAIS (Wide Area Information Service) text-search engine.

The EMWAC HTTP server has drawbacks; it's slower than a Unix server, and it suffers from the lack of a good script language in NT. You must program the scripts in C++, using the examples provided. But it's capable of handling multiple users, and it's easy to install and use. You can download it from EMWAC at <ftp://emwac.ed.ac.uk/pub/https/hsi386.zip>.

A new breed of commercial servers is designed to control access and extract payment from customers. Commercial servers cost from \$1000 to \$25,000, but they feature easy installation, technical support, authentication, and encryption. *Authentication* is used to verify the identity of a customer for confidentiality or billing purposes. *Encryption* is used to guarantee the security of information, such as bank account and credit card numbers, and to provide digital signatures on agreements, such as order forms. As of this writing, Netscape Communications (Mountain View, CA, <http://home.mcom.com>) and Enterprise Integration Technologies (Menlo Park, CA, <http://www.eit.com>) have announced their intention to offer these features. However, the authentication and encryption features work only with matching versions of Mosaic.

Step 6: Design your Web service. After you get your server up and running, the task of designing your literature begins. Web documents are formatted using HTML (Hypertext Markup Language). Fortunately, HTML consists of a small



Three Mosaic browsers. From top to bottom, they are Netscape, from Netscape Communications; AIR Mosaic, from Spry; and GWHIS, from Quadralay.



**DX4-100
Now Available**

WinBook[®] XP

Highest quality, best features, lowest price!



August 1994, WinBook XP
DX2/50 4/260 Monochrome

Don't take our word for what a great value and performer the WinBook XP is. Read what the experts have to say:



"With plenty of processing power, (and) enough battery life to handle a transcontinental flight easily,...the WinBook XP...is a value winner." "...the WinBook XP is the lightest full-size notebook in the roundup; it also had excellent battery life..., optional audio and a good price..."

PC MAGAZINE, Cover Story: Notebooks, Aug. 1994



"...the WinBook XP is a great Windows PC, and an excellent value." "...the fact that you get the amount of performance we did from a battery charge speaks highly of the engineering that went into the WinBook XP."

LAPTOP BUYER'S GUIDE & HANDBOOK, First Look, Dec. 1994



"In terms of value,...(the WinBook XP) ranks above many famous-name notebooks. And in terms of pointing devices, it's definitely got them out-numbered." "...if you're looking for a well-equipped, wallet pleasing portable, the WinBook XP deserves a spot on your short list." "...the WinBook with modem is \$700 less than a comparably equipped, modemless (Dell Latitude XP) 475C."

COMPUTER SHOPPER, PC Reviews, Nov. 1994



"The WinBook XP represents the best kind of innovation in the rapidly changing field of notebook computers. It keeps the best of proven technologies, such as a sharp display, and complements them with new technologies, such as those employed to stretch battery life. The long battery life makes it a good choice for anyone who needs a basic notebook that also delivers solid performance."

WINDOWS MAGAZINE, WinLab First Impressions, Dec. 1994




Use your MasterCard, Visa, Discover Card, Micro Center[®] charge, personal check or P.O. with credit approval. U.S. sales only.



Your satisfaction is unconditionally guaranteed for 30 days from date of purchase. If for any reason you are not satisfied with your purchase from us, we will be glad to give you your money back.

©1994 WinBook Computer Corporation. All rights reserved. WinBook and Micro Center are registered trademarks of Micro Electronics, Inc. The Intel Inside logo is a trademark of the Intel Corporation. All other trademarks and registered trademarks are property of their respective corporations. All prices and specifications are subject to change without notice or obligation. Prices do not include shipping.

- SL-ENHANCED INTEL 486 DX4-75MHZ OR 486 DX4-100MHZ
- 5.9 LBS. DUAL-SCAN COLOR OR 8.1 LBS. OPTIONAL ACTIVE MATRIX COLOR
- DIMENSIONS: 11.3" X 8.5" X 1.7"
- 4 OR 8MB (EXPANDS TO 16 OR 32MB)
- 3.5" 1.44MB DISKETTE DRIVE
- REMOVABLE 120 TO 520 HDD
- VGA DUAL-SCAN COLOR OR OPTIONAL ACTIVE MATRIX
- 10-CELL NIMH BATTERY & AC PACK
- SUSPEND/RESUME FEATURE
- TWO TYPE II OR ONE TYPE III PCMCIA SLOT
- INTEGRATED DUAL-BUTTON POINTING STICK OR OPTIONAL DUAL-BUTTON 19MM TRACKBALL
- PARALLEL, SERIAL AND PS/2 PORTS
- 1MB VIDEO MEMORY WITH EXTERNAL VGA PORT
- LCD FUNCTION INDICATOR PANEL
- 14.4 SEND/RECEIVE FAX/VOICE/DATA MODEM
- INTERNAL AUDIO OPTIONAL



We use only genuine Intel microprocessors in our quality computer systems.



\$1999

- Intel 486 DX4-75MHz
- Dual-scan color
- 4MB RAM
- 123MB Hard Drive

\$2999

- Intel 486
- 854-100MHz
- Dual-scan color
- 8MB RAM
- 520MB HDD
- 14.4 Fax Modem
- DOS & Windows

OTHER MODELS AVAILABLE

Call toll-free to order, 1-800-468-0712

Monday-Friday, 8am-9pm EST • Saturday, 9am-4pm • 1160 Steelwood Rd. Columbus, OH 43212 • FAX: 1-800-448-0308

Circle 262 on Inquiry Card.

One Person's Internet Business

PAULINA BORSOOK

Eric Thiese, principal of Liberty Hill Cyberwerks (San Francisco, CA), provides Internet training and consulting services. He helps businesses obtain basic Internet E-mail services and set up WWW (World Wide Web) servers. These WWW servers are physically located at Thiese's home office.

For his main machine, he uses a custom 66-MHz 486 computer running on BSDi that's built to his specifications for longevity. His setup also includes a T1 line, a Livingston router, a Tielink CSU/DSU (channel service unit/data service unit), and the Free Software Foundation's version of Gopher. In addition, he has three other machines, including a 386 that he uses to run Liberty Hill.

As his business grows, Thiese may reach out to local HTML (Hypertext Markup Language) writers and contractors, but be-

cause he has more than a few dozen clients, his sole proprietorship would be stretched beyond its resources if he did so. Thiese believes that the opportunity for a business like his may exist for only a couple more years. But for now, there is a market window that he can take advantage of since "most of the [Internet] tools are on Unix, and there's a lot that people don't know." This may change as easier-to-use Internet tools for Macs and Windows-based machines become available.

There's another reason why his business is thriving, however: Large computer and communications corporations and technology-consulting firms have not yet targeted small businesses wanting a storefront Internet presence as a market. But this situation may also change as the commer-

cialization of the Internet grows.

Or it may turn out that most businesses won't need E-mail or WWW sites. Thiese says that since it's easy to tell when a node is being accessed, it's also easy to tell if an Internet node is providing a customer's clients with the information or access that they want. And if a node isn't being accessed often, he and his customers can then figure out ways to make the site more helpful, more entertaining, or more interactive.

"There's money to be made on what people do not know."

—Eric Thiese



Paulina Borsook is a San Francisco-based writer who has written previously for BYTE about security issues. You can contact her on the Internet at loris@well.sf.ca.us or on BIX c/o "editors."

number of keywords and is much simpler to use than it might sound. You can get a tutorial from <http://www.ncsa.uiuc.edu/General/Internet/HTMLPrimer.html>.

You'll want to use graphics in your documents to appear polished and larger than life. Get a good computer drawing package and a video frame grabber for taking pictures. If you decide to work with an independent designer, make sure that he or she can produce digital pictures.

An HTTP server does just two things: Send files out to a client and call scripts and programs on your server computer. For instance, after a client fills out a form, a script can take the information and store it in a file or a database. The script might also generate a fax or E-mail response.

Sophisticated publishers use scripts to generate documents on-the-fly from databases. My company has used this technique to publish large financial databases with millions of potential pages. Other firms use database scripts to look up and display catalog information. You can find some sample database publishing applications and tools at <http://www.ncsa.uiuc.edu/demoweb/demo.html>.

Step 7: Close the loop with electronic commerce. Big institutions are betting that electronic commerce will soon energize the Internet. Electronic commerce includes

pay-per-view publishing; industrial EDI (Electronic Data Interchange) for ordering and billing; home banking; trading and betting; and on-line shopping. You need no real estate and only minimal amounts of labor to participate in electronic commerce; it thus has the potential to benefit small businesses by lowering fixed costs.

Several payment mechanisms are competing to finance on-line shopping and pay-per-view publishing on the Internet. In the simplest version, a customer fills in a credit card number on an order form to complete a non-face-to-face transaction, which is similar to placing an order over the telephone. Encrypted Mosaic browsers and servers are designed to support such transactions by making it safer to send credit card numbers over public networks.

A more sophisticated mechanism uses a payment server maintained by a bank where the customer has an account. The customer uses encryption software, along with a public-key certificate, to digitally sign a payment authorization. The vendor receiving this authorization then redeems it for money with the payment server. This system is more secure than others because vendors don't obtain customers' credit card numbers. It can also support the smaller, more numerous transactions that would be required for pay-per-view.

A more radical scheme is the aforementioned concept of digital cash, which is currently being offered by DigiCash (Palo Alto, CA, and Amsterdam, <http://www.digicash.nl>). Digital cash consists of anonymous electronic tokens that can be exchanged via encryption software and redeemed for real cash at participating banks. In practice, digital cash is similar to the payment-server mechanism, since you need to redeem each token at a payment server to check its continued validity.

Step 7: Promote your site. Just having a server isn't enough; you want people to notice it. One way to invite attention to your server is to put some useful, free information on it and then announce it in a few selected Usenet newsgroups that are relevant to your business.

Post an announcement to the NCSA what's new page, whats-new@ncsa.uiuc.edu. Get your suppliers and customers to link your home page to theirs. Be sure to put your E-mail address and Web URL on all your business cards and literature. Then stake your claim. ■

Andrew Singleton (Dublin, NH) is president of Money.Com, a provider of payment services and professional financial information services on the Internet. You can contact him on the Internet at asingleton@money.com or on BIX c/o "editors."

Curing the Windows Fax Blues

STAN MIASTKOWSKI

Faxes are an essential part of business communications. In fact, they've become even more prevalent as modem manufacturers have widely incorporated fax capabilities. There's a simple reason for this: All the chip sets at the heart of today's modems incorporate fax features.

The advantages of computer-based faxing over stand-alone fax machines are numerous. You can fax high-quality output directly from your applications without having to go through the extra steps of printing documents and going to a fax machine. On the receiving side, there's no need to deal with curly and inconvenient thermal fax paper. You can discard junk faxes without having to print them and print high-quality copies of the faxes you want to keep. Most important for small businesses, fax modems are by far the cheapest way to obtain fax capability.


But at the same time, the promises of fax modems are often just that: promises. Unfortunately, there's another scenario that's becoming all too common. You've just installed a fax modem and software. You click on an icon, get your fax all ready to go, and send it. Then...nothing. If you're lucky, you might hear a click from your fax modem or perhaps see a "helpful" error message, such as Event Error. Even worse, the fax modem hardware and software that have been working fine for months may suddenly become obstinate and cranky.

Certainly, many users have few or no problems. However, both fax modem makers and fax software developers grudgingly admit that their technical-support lines field numerous calls from irate or frustrated users.

Fast Fax Facts

Although fax machines and fax modems use sophisticated methods for setting up calls (see the text box "The Anatomy of a Fax Call" on page 134), faxes are essentially simple unidirectional, nonprotocol data transmissions that don't use error correction. The type of information that's transferred in a fax transmission appears, at first blush, laughingly simple when compared to the ASCII and binary data that modems regularly handle.

Yet, like all data transmissions, faxes require very critical timing. Cobbling old-fashioned fax technology into the modern world of resource-hungry, multitasking operating systems can cause endless problems. But there are so-



lutions (see the text box "Solving Fax Modem Problems" on page 138).

Toronto-based Delrina is the maker of the market-leading WinFax Pro for Windows software as well as FaxPro for Mac. According to John Visca, Delrina's technical-support team leader, 75 percent of Delrina's technical-support calls are for hardware configuration problems. Nearly all of them are PC-related. Macs handle peripheral connections more intelligently, and they are also much less prone to software-timing problems.

The IBM PC standard has saddled users with some maddening hardware limitations. When it comes to the serial-port connections that fax modems use, you're usually limited to the standard installed settings of COM1 (IRQ [interrupt request] 4, base address 3F8h) and COM2 (IRQ 3, base address 2F8h). Optionally, you can also configure COM3 and COM4 using different base addresses, although the fact that they also use the default IRQ 4 and IRQ 3 interrupts is another cause of compatibility problems.

The UART Dilemma

At first glance, it seems that external fax modems rather than internal models would eliminate serial-port configuration problems. If, for example, your PC is equipped with the usual array of two serial ports, it's a simple matter of plugging a serial cable from your fax modem to a free serial port. But, especially with older PCs, you're likely to run into problems with externally connected

You can get problem-free productivity by using a fax modem in your Windows PC. Here's how.

Subscription Problems?

If you have a problem with your BYTE subscription, let us know! For best service, provide a brief description of the problem and a copy of a recent magazine mailing label (if available). If your label is unavailable, just give us your subscription account number along with your name, address, and zip code where your BYTE subscription is currently being sent. If you have a change of address, be sure to provide both your old and new addresses. If the problem involves a payment, be sure to include copies of your cancelled check (both sides) or your credit card statement. Please include a "business hours" phone number if possible. Send to:

**BYTE Magazine
Subscriber Service
PO Box 555
Hightstown, NJ 08520**

**Fax: 609-426-7087
Phone: (9 a.m. to 8 p.m.
Eastern Time,
Mon. - Fri.)
800-232-2983 (U.S.),
or 609-426-7676**

BYTE

Because the *Experts* decide.

Special Report Small-Office Computing

serial-port hardware.

The heart of a serial port, whether in an add-in card or built into the motherboard, is an integrated circuit called a UART (universal asynchronous receiver/transmitter). There is one for each serial port. The UARTs used in the original PC format were designed to match the common data transfer speeds of the era, a leisurely 300 bps, not today's fax transfer rates of 9600 bps and 14.4 Kbps (not to mention the increasingly common V.Fast speed of 28.8 Kbps). The 8250 and 16450 UARTs still commonly found in many PC serial ports have no internal buffer for smoothing data transfer. Without this buffering, your PC's

processor and the communications software must work harder to pick up the slack.

What's needed for contemporary communications is the more capable 16550 UART, which has a built-in 16-byte buffer that smoothes data flow and eliminates many intermittent and hard-to-locate problems with both faxes and data communications. Unfortunately, the realities of the hardware business make 16550 UARTs difficult to find in even many of the latest PCs. In single-unit quantities, old-style 16450 UARTS cost about \$5; 16550 UARTs cost about \$20. In the quantities that computer makers use, individual costs

The Anatomy of a Fax Call

Whether there's a fax modem or fax machine on either side (or both sides) of the line, all fax calls go through the same five-step process:



1. Connection: The calling fax uses the standard V.21 fax protocol to establish a physical connection with the receiving fax at 300 bps. The receiving station sends a STID (station ID) to the calling fax.



2. Phasing and training: Still at 300 bps, the calling station sends a single HDLC (high-level data link control) frame to the receiving station. During a 200-millisecond "window," both sides negotiate a maximum sending speed (depending on line conditions). The calling station then sends null characters to the receiving station at the negotiated speed. If the receiving station receives characters, it sends confirmation and control is returned to the calling station.



3. Unidirectional transfer: The calling station sends data to the receiving station in a one-direction, nonprotocol transfer (no error correction). At the end of each page, the calling station sends an EOM (end of message) and the speed returns to 300 bps. If no further pages are to be sent, the calling station goes to step 5. If more pages are to be sent, the calling station goes to step 4.



4. Negotiation: Before another page is sent, both of the stations go through the same negotiation as found in step 2 to detect if the line conditions have changed.



5. Disconnect: At the end of the transfer, both systems disconnect from the telephone line.



Any computer information service that has a place for everyone from a skateboarder in Wichita to a bond trader in Hong Kong certainly has a place for you.



On CompuServe, there's room for everybody.

Over two million members, in fact, all around the world. People ranging from 12-year-old rock aficionados to members of the Hong Kong stock exchange, all of them taking advantage of more than 2,000 different things to do.



On CompuServe they can swap information, fax business reports, flirt, answer questions, argue about politics — just plain communicate faster and easier with more people than ever before. They can get facts and figures for their homework, do business background checks while they're at work, or figure out which airline rate is the most economical. CompuServe is also known for its downloadable freeware and shareware. And has technical support representatives online, too, to answer questions, along with "regular" people who have

been using just about every kind of equipment there is.



Maybe you should join the crowd. For one low monthly fee, CompuServe offers unlimited connect time — day or night — to a full package with more than 100 basic services. News, stock quotes, travel arrangements, movie and restaurant reviews, and 60 e-mail messages a month are just some of what's available. Along with many other services for a nominal additional charge.



For more information or to order, just see your computer dealer, or call 1 800 848-8199 (614 529-1349 for international inquiries). You'll find out how easy it is to get in touch with more than two million friends that you don't know yet.



CompuServe
The information service you won't outgrow.

Circle 251 on Inquiry Card.

HOW DO YOU GET A JOB WITHOUT EXPERIENCE? AND HOW DO YOU GET EXPERIENCE WITHOUT A JOB?

Most young people have one answer to this problem. They avoid it until they're out of college. But they could be getting solid work experience while they're still in college. With your company's help. And ours.

We're Co-op Education. A nationwide program that helps college students get real jobs for real pay, while they're getting an education.

But we can't do it without you. Those real jobs have to come from real companies. Like yours.

For more information on how you can participate in this valuable program, write Co-op Education, Box 775E, Boston, MA 02115.

Not only will you be giving students a chance to earn money and pick up the most valuable kind of knowledge, you'll be giving yourselves a chance to pick up the most valuable kind of employee.

Co-op Education.

You earn a future when you earn a degree.

Special Report

are much lower, but the cost savings of using old UARTs goes directly to the bottom line.

It's easy to find out what type of UART your PC uses. Just run MSD.EXE (Microsoft System Diagnostics), versions of which come with both Windows and MS-DOS 6.x. The COM Ports menu selection shows you what UART your serial ports are using. If they don't use the 16550, you have several choices. If your serial ports are on an add-in I/O board, the simplest solution is to replace the board. Most board makers (e.g., Boca Research) have 16550 UART boards, but they're about twice the price of 16450-based boards. Expect to pay \$50 to \$65 (street price) for a 16550-based dual-serial, single-parallel board.

More complicated and expensive I/O-card solutions are available from other companies. Sophisticated serial boards like the Hayes ESP Communications Accelerator 2.0 and DigiBoard's PC/2e have dedicated processors and huge buffers that pull the chore of smoothing data flow and timing away from the PC hardware. They're more than a little overkill for standard fax modem use. For the coming generations of ultrahigh-speed modems and applications like remote LAN access, however, they fill a genuine need.

By far the easiest way to update your UARTs is to buy an internal fax modem. Almost without exception, today's internal fax modems use 16550 UARTs for maximum performance. However, incorrect internal fax modem installations are a major cause of fax problems. If your PC has a pair of internal serial ports, you'll need to disable one of them before installing your internal fax modem.

Two serial ports attempting to use the same interrupt invariably cause major problems. That normally means changing jumpers on an add-in board or on your motherboard, although some newer PCs, including those from Dell and Gateway 2000, with on-motherboard serial ports have the "smarts" to detect if an internal fax modem is installed and disable conflicting ports.

The Software Side

Even if your fax modem is correctly installed, your serial ports use 16550 UARTs, and your cables and phone line are correctly installed, you're not out of the woods. Potential problems still exist with fax modem calls. Both fax modem makers and fax software developers are quick to point to one of the biggest problems with computerized fax communications: Microsoft



A Public Service of This Publication ©1987 National Commission for Cooperative Education

One World. One Communications Software.

PROCOMM PLUS for Windows.

Integrating
fax with data
opens up a
whole new world in
communications software.



PROCOMM PLUS for Windows 2.1 is here with new features which are above and beyond all other communications software programs.

First up, you have access to complete fax capabilities including a fax viewer, scheduling, broadcast send, and the ability to receive faxes in the background; all from right within PROCOMM PLUS for Windows.

Plus, you can access your local area net or the vast global village via the Internet with our TCP/IP support for Telnet

connections and an easy-to-use FTP file transfer and file management utility. With the fully-customizable Action Bar,




you can easily activate frequently used features with immediately understandable icons. You'll find our new Dialing Directory smart enough to serve as a single phone source to organize voice, fax and data calls. Enhanced ASPECT

scripts automate on-line sessions with services like CompuServe and MCI Mail. Our GIF viewer displays graphics as you download them. And in the intuitive PROCOMM PLUS tradition, everything is extremely powerful and easy to use.

**Call us at 1.800.315.3282
to upgrade for just \$69.**

To start fresh, visit your computer retailer. PROCOMM PLUS for Windows 2.1...a whole world is waiting.



**PROCOMM
PLUS** for Windows™

TOTALLY CONNECTED

Solving Fax Modem Problems

If your fax software and fax modem just aren't talking to each other, or fax sending or receiving has suddenly become unreliable, there are a number of possible problems and solutions:

- Is the (external) fax modem plugged in (AC and phone line), turned on, and connected to the correct serial port?
- Is the (internal) fax modem attempting to use an IRQ (interrupt request) that another serial port is already using?

If your fax modem software is running from Windows and fax communications (or the quality of received faxes) are unreliable, check the following:

- Does your internal fax modem or serial-port I/O board use a 16550 UART (universal asynchronous receiver/transmitter)? Use MSD.EXE to find out.

- Are you using Microsoft's old Windows 3.1 COMM.DRV? If so, update the driver to version 3.11, or use the driver supplied with your fax software. You can also buy a third-party driver, such as TurboCommander.
- Is your available DOS memory (before starting Windows) low? Disable as many TSR programs (from AUTOEXEC.BAT) as possible. Also remove any unneeded TSRs from the LOAD= line of Windows' SYSTEM.INI file. Screen savers and virus checkers are particular culprits.
- Make sure Windows is using a permanent swap file and it's at least the recommended size. (From Windows' Main group, enter the Control Panel, choose the 386 Enhanced icon, and click on the Virtual Memory button.)
- Delete any .TMP files created by Windows and Windows applications:

These are usually deleted automatically. (To find where .TMP files are stored, type SET at a DOS prompt and make note of the directory that TEMP= points to. Change to that directory and delete all .TMP files in it.)

- Run CHKDSK /F from DOS (SCANDISK from MS-DOS 6.22) to check for disk errors and repair them.
- Run DEFRAG (from MS-DOS 6 or higher) or a third-party disk defragmenter to optimize your hard disk.
- If Windows fax performance is still flaky, try adding the following lines to the [386Enh] section of Windows' SYSTEM.INI file:

```
COMBOOSTTIME=30  
COMxBUFFER=4096
```

(x is the COM port number your fax modem uses).

Windows. The demands that Windows places on system hardware are especially acute in communications, where timing parameters are critical. If your PC is a 386 or even a 486 with 4 MB or less of RAM and you use multitasking applications, at some point the system will become so bogged down that data flowing to a fax modem will slow down. This causes fax failure.

According to industry sources, one of the major causes of fax failure in PCs is


too many TSR DOS programs. For example, Delrina's Visca says that virus checkers are common troublemakers. The obvious solution is to use as few TSRs as possible. But even with maximum DOS memory before starting Windows, it's still easy for Windows to reach a point where it can no longer reliably handle communications. The key measure of upcoming trouble is Windows system resources. Pull down Help and About Program Manager from the Windows desktop to see your

current resources.

Even a 486/66 with 16 MB of RAM can reach a critical resource point when you multitask four to six major applications (e.g., Microsoft Office or Lotus's SmartSuite). Some add-on Windows utilities—such as Norton Utilities 8.0 or Dashboard 2.0, which Borland recently acquired from Hewlett-Packard—feature on-screen resource meters and even let you set alarms if Windows resources fall below a certain level.



When system resources fall below 30 percent, Windows' preemptive multitasking can no longer handle the critical timing parameters needed for successful fax and data calls.



Many fax software packages (e.g., FaxWorks) include built-in fax modem diagnostics that go a long way toward isolating common problems. You can easily spot simple problems, such as an improperly assigned COM port.

COREL DRAW!™

The Award Winning Graphics and Publishing Team!




Ideal Entry-Level Graphics

CorelDRAW 3 is so easy to use! With precision type control, amazing special effects and powerful illustration tools, CorelDRAW 3 is the ideal entry-level graphics package. CorelDRAW 3 includes CorelCHART, Corel PHOTO-PAINT, CorelSHOW, CorelTRACE and Corel MOSAIC.

- 250 Fonts
- 14,000 Clipart Images & Symbols

\$99.99*
CD-ROM Version
99* CD-ROM & 3.5" disks



Powerhouse Graphics

CorelDRAW 4 is the complete graphics solution. With all the power and modules of CorelDRAW 3, CorelDRAW 4 also includes dozens of new artistic and technical enhancements, an object-orientated animation module, OCR capabilities and multi-page layout.

- 750 Fonts
- 18,000 Clipart Images & Symbols



\$279.99*
CD-ROM Version
\$399.99* CD-ROM & 3.5" disks



\$479.99*
CD-ROM Version
\$699.99* CD-ROM & 3.5" disks

Complete Graphics & Publishing Solution

CorelDRAW 5 combines the graphics power of CorelDRAW and the advanced publishing capabilities of Corel VENTURA 5 within an integrated user interface. CorelDRAW 5 has all the modules of CorelDRAW 4 plus a revolutionary color management system, major gains in speed and performance, and hundreds of improvements.

- 825 Fonts
- 22,000 Clipart Images & Symbols



COMPUSA
THE COMPUTER SUPERSTORE.
1-800-COMPUSA
1-800-266-7872

Visit any of our stores or call our nationwide toll-free number.

* US\$ plus applicable taxes.

Circle 252 on Inquiry Card.

Enter the Corel \$2,000,000 World Design Contest and win! (September to March) To receive a faxed copy of the contest rules and an entry form please call: 1-613-728-0826 ext. 3080, Document #1004. To leave a message please call: 1-613-728-0826 ext. 81609.

COREL
1-613-728-3733

KUR-0070

About the Products

Boca IO AT55 single-parallel dual 16550 serial board.....\$149
Boca Research, Inc.
(407) 997-6227
fax: (407) 997-0918
Circle 1146 on Inquiry Card.

DigiBoard PC/2e.....\$299
DigiBoard
(800) 344-4273
(612) 943-9020
fax: (612) 943-5398
Circle 1147 on Inquiry Card.

Hayes ESP Communications Accelerator 2.0
single port.....\$99
dual port.....\$149
Hayes Microcomputer Products, Inc.
(404) 840-9200
fax: (404) 441-1213
Circle 1148 on Inquiry Card.

TurboCommander.....\$49.95
Pacific CommWare
(503) 482-2744
fax: (503) 482-2627
Circle 1149 on Inquiry Card.

COMM.DRV Horrors

Perhaps the least-known and most-common cause of Windows communications problems with both data and fax transfers is the infamous Windows communications driver (COMM.DRV). The driver shipped with Windows 3.1 works fine for low-speed communications and most of the time for 9600-bps fax calls. However, because it lacks built-in support for the 16550 UART, it's a common troublemaker with contem-

porary fax modems. Microsoft has updated the driver and added COMMDLG.DLL (a DLL with 16550 support) to Windows 3.11 and Windows for Workgroups. To see what version of Windows you're running, again pull down Help and About Program Manager from the Windows desktop. If it doesn't say version 3.11, you've located a potential cause of problems. An archive to update Windows 3.1 to 3.11 is available free of charge (except for connection charges) from CompuServe (GO MSL [Microsoft Software Library], file WW0981.EXE), the Microsoft Download Service ((206) 936-6735), or BIX (WW0981.EXE in the windows/listings area).

Some Windows fax packages automatically install their own drivers. For example, Delrina's WinFax Pro has a driver named WFXCOMM.DRV. Also, other

third-party suppliers have COMM.DRV replacements that go far beyond the capabilities of even the updated Microsoft communications driver. TurboCommander from Pacific CommWare (Ashland, OR) is a case in point. This utility replaces COMM.DRV and adds a raft of extras, including the ability for multiple devices (e.g., COM1 and COM3) to share a single interrupt without causing problems.

It's easy to get discouraged about the many things that can go wrong, but the vast majority of fax modem installations proceed with few or no problems. The end results are worth it. And the future is brightening for Windows users. Windows 95, with its Plug and Play support, promises greater support for all types of communications. Nearly painless fax modem installation and use are distinct possibilities for the future. ■

Stan Miastkowski is a BYTE consulting editor who's been writing about communications and networking technology for over 16 years. He's coauthor of Windows for Workgroups Bible (Addison-Wesley, 1993). You can contact him on the Internet or BIX at stanm@bix.com or on MCI Mail at 530-9979.

URGENT—YOUR INPUT NEEDED

On: OBJECTS ACROSS THE ENTERPRISE

Dear Reader:

To improve BYTE's coverage of technology in the State of the Art section, we'd like to get *your* feedback about what topics, areas, and products we should be considering, and in what ways. Later this year, we're planning to cover how object-oriented technology is being used in the real world, in large organizations and enterprise-wide applications. So we need to know what you'd like to see in this area, what products and services should be available, and please include tips on people we should be talking to—users, vendors, researchers—you tell us! Let us know what you're doing with object technology in your organization—how you're using it, why you chose this path, and the problems and benefits you've encountered.

Also, we're using a new method to capture your comments and suggestions so that we can use them more easily in the future, not just as a one-shot item. To let us know what you think, please use the following as a template to send us, via E-mail, an ASCII text file with your comments. Please be sure to include the <FIELDNAMES> with their angle brackets, followed by your information and comments. And thanks very much for your help.

Please E-mail the completed form to: editors@bix.com

<TOPIC>
Objects Across the Enterprise

<LASTNAME>
Jones

<FIRSTNAME>
John

<TITLE>
Technical Director

<COMPANY>
ABC Industries

<PHONE>
800-555-1234

<EMAIL>
jjones@host.domain

<COMMENTS>
This is where your comments go. Be as brief or as long as you want. Tell us what you think, what you need, what you want to know more about. Tell us what you're doing. Tell us who we should be talking to about this.

It's easy, baby.

No matter what your age or experience, you'll find SMC's new EtherEZ™ Ethernet adapter child's play to install. After all,



EliuSwitch ES/1



Ethernets TigerHub

SMC's complete networking solutions include LAN switches, hubs, LAN adapters and network management software.



it works in both Plug and Play (PnP) and non-Plug and Play ISA computers. It's fully compliant with PnP specifications so no configuration is needed. There are no jumpers to set and the I/O mapping feature

requires no PC memory.

What's more, our new version of EZStart™ makes driver installation and adapter management faster and easier than ever.

**For A \$49 EtherEZ
Combo Adapter,
Call 1-800-SMC-4-YOU,
Dept. EZ33.**

The new EtherEZ adapter from SMC. If only everything in life was this easy.


Circle 292 on Inquiry Card.

New EtherEZ™ Plug and Play



Offer is limited to one per customer, while supplies last. U.S. dollars. All trademarks and registered trademarks are the property of their respective holders. © 1994 Standard Microsystems Corporation.

- Requires No Configuration
- SimulTasking™ For Superior Performance
- Extensive Driver Support
- Three Models: 10Base-T, Combo, Thin Coax
- SNMP and DMI Manageable

SMC
SWITCH ON THE POWER



THE *(desktop
laser printers
that talk back
to you)* COMPANY




Sorry, I'm all out of 11x11



I'm ready.

I'm not.



Hey, anybody got a job for me, I'm bored.

THE DOCUMENT COMPANY
XEROX

Don't worry. Your job is next.



What resolution do you want to print at?



Your stuff's ready. Come get it.

My charge-back reports are ready, anytime.



Try the printer on 5, I hear he's full of it.

That's a lot of pages. The 4520 down the hall has the speed you need.



Network printers should do more than print pages. They should also make an imprint on the way you work with documents. That's why the Xerox 4500 series of desktop laser printers comes with Document Services for Printing. For instance, while you work at your PC, this intuitive software tells you which printer fits your job best, when a job is done, if paper is out, and a bunch of other stuff, all in real time. What's more, with 600 x 600 dpi resolution and our unique TrueRes smoothing, all the jagged edges of characters and graphics are eliminated. Result: You make better-looking documents easily and more productively. And with the Xerox Total Satisfaction Guarantee, you have backup that makes sure you stay productive for three full years. So why settle for printers you don't have to think about, when you can now get printers that think about you? Talk back to us, by calling 1-800-ASK-XEROX ext. 965.

Total Satisfaction. Guaranteed.




THE
DOCUMENT
COMPANY
XEROX
Worldwide Sponsor



Circle 125 on Inquiry Card.

Now You Can Fly From New York To Tokyo Without Your Computer Going Down Somewhere Over Colorado.



Introducing The AER Energy Power 220™ Battery. Up To 10 Times The Run-Time Of Your Current Rechargeable.*

It doesn't matter if you're in a plane, train or automobile. Every portable computer user knows the feeling. You're cruising along, getting work done like crazy — when suddenly, you're forced in for an emergency landing. Battery's dead. Out of juice. Your computer's grounded.

That is unless you have the new, stand-alone AER Energy Power 220 accessory battery. Its revolutionary zinc-air technology gives you up to 10 times the run-time of your current rechargeable battery with each charge. Now that's some serious flight time.

So Much More Run-Time Means So Much More Productivity.

At last, you can truly enjoy the portability and productivity your portable computer promised you from the beginning. And with the new AER Energy Power 220 you'll be able to work 2 or 3 days instead of 2 or 3 hours on a single charge. So say goodbye to that low-battery alarm anxiety you've been suffering from. No more recharging just to gain an extra 2 or 3 hours run-time. In fact, you may not have to recharge again for a long time.



It Can Power Most Computers & Cellular Phones Simultaneously.

Got a cellular phone? Many laptop owners do. Sometimes you need both to really maximize your productivity. Trouble is — cellular phone batteries give out faster than laptop batteries. Until now. Just hook up to an AER Energy Power 220 and your talk time and computer time are really going to take off.


Go Where No Laptop Has Gone Before.

Another benefit of the AER Energy Power 220 battery is its ease of use. It fits neatly into its own optional carrying case. It has a higher energy per weight ratio than existing batteries. What's more, there's no memory effect so you can recharge even a partially-depleted battery at any time. And maybe best of all, you won't have to lug those extra batteries and a recharger with you everywhere you go.

At last, you and your portable computer are truly free. To order an AER Energy Power 220 battery, or to receive more information, call 1-800-769-3720. And send us a postcard when you get to Tokyo.

THE AER ENERGY POWER 220™

Up To 10 Times The Run-Time Of
Your Current Rechargeable



Doing It All on One Line

ANDY REINHARDT

In a small office, where you're trying to keep costs to a minimum, having to install two or more separate phone lines for voice, data, and fax calls seems wasteful. A new class of multimode modems solves this problem with an added benefit: Not only can you share a single line among multiple uses, but you can do so *concurrently*. The only other way to accomplish the same thing is via ISDN, which still isn't available in many areas and costs more than analog phone service.

The most obvious use for multimode modems is conferencing, where two or more users view and discuss documents at the same time. But there are dozens of other potential uses, including visual voice-response systems and information access, product support, show-and-tell remote presentations, multimedia messaging, and business-card exchange. Many of these applications are especially tempting to mobile users, telecommuters, and owners of home-based businesses.

The simplest, least expensive, and likely most widely installed solution will be a new class of switching modems built using the VoiceView technology from Radish Communications Systems (Boulder, CO). VoiceView runs across conventional phone lines and equipment, sharing a line, for instance, between a phone call and a file transfer by switching quickly from voice mode to data mode and back again. Radish has licensed VoiceView to major modem manufacturers (representing roughly 85 percent of the market, Radish says) and software companies, including Microsoft, in a bid to establish it as the baseline standard. The cost of adding VoiceView support to modem firmware is so low (Radish charges only a one-time fee, not a royalty) that analyst Harry Newton, president of Computer Telephony Expo (New York, NY) expects 60 to 70 percent of all new modems sold by the end of 1995 to include support for mode switching.

Radish isn't the only game in town, however. AT&T Paradyne (Largo, FL) and Multi-Tech (Mounds View, MN) make modems that let you combine voice and data on a single line *simultaneously*, rather than switching between the two modes. (See the photo on page 146.) These cost more money—on the order of \$500—and they use proprietary (and different) modulation schemes, which means that you have to have the same modem on both sides of the line. But through an agreement with Radish, AT&T will

also support VoiceView, so if an AT&T simultaneous voice/data modem calls a Radish-type modem, the AT&T device can "fall back" into a switching mode.

Another option comes from Spectrum Signal Processing (Burnaby, BC), which specializes in products based on DSPs (digital signal processors).

Spectrum has already staked out a position in computer/telephony boards (the Envoy II fax/modem) and multimedia (SoundChoice32) and has recently introduced the OfficeF/X, a fax/modem/sound card with software for unified inbox, Internet mail, and call management.

In early 1995, Spectrum plans to go a step further, adding support for simultaneous voice and data, first on a 14.4-Kbps "soft" modem and later in a 28.8-Kbps implementation. For the time being, Spectrum's solution will be proprietary, but the company hopes to include Radish-compatible switching and is also working with other players on standards for simultaneous voice and data.

In a sense, all these schemes are in a race against time, because what they provide for customers can be done better and faster by ISDN digital telephony. ISDN's 2B+D basic rate provides two 64-Kbps voice/data channels and a 16-Kbps data channel, for a net bandwidth of more than four times that of a V.34 modem. But Radish, AT&T Paradyne, Spectrum, and others are counting on the current conventional wisdom that says it will be years before digital telephony is ubiquitous—not just ISDN service but



Multimode modems cut phone bills, facilitate document conferencing, and enable "visual" interactive voice response



The AT&T DataPort 2001 Multimedia Communicator modem carries both digitized voice and computer data simultaneously over the same carrier, allowing you to talk and swap documents with somebody on the other end of the phone at the same time. The technology is proprietary, so you need at least two DataPort 2001s, but AT&T has agreed to support the Radish Communications VoiceView modem-switching protocol.

also compatible phones and other devices on customer premises.

The Baseline

By positioning its technology as the least common denominator, Radish hopes that users will soon be able to assume the presence of VoiceView modems on the other end of the line. To that end, Microsoft plans to build support for VoiceView into Windows 95. Developers will start to count on an installed base and write new programs that take advantage of multimode communications. "VoiceView is an arbitrator," says Paul Davoust, vice president of marketing at Radish. "It's the fundamental glue in computer-telephony integration."

Whether switched or simultaneous, the basic benefit of multimode modems is that you can talk *and* exchange data during a single phone call. You could discuss a project with a colleague, transfer a spreadsheet file, view the spreadsheet together while discussing its numbers, fax over a mock-up for the packaging design, and so on, all while using one live phone line.

Document conferencing programs from Intel (ProShare), Crosswise (Face to Face), Future Labs (TalkShow), and DataBeam (FarSite) are obvious candidates for multimode modems, because by definition they involve two users discussing and viewing data at the same time. None of these packages now supports voice directly; to the contrary, they require that you use two phone lines, one for the voice call and another for the modem to exchange data. Moreover, the two calls must be placed separately, and you accrue twice the service charges. By contrast, riding on top of a multi-

mode modem lets you initiate a single call and share the service cost among users. Most document conferencing programs will be able to support multimode modems with little or no modification.

One conferencing package, ShareVision PC3000 from Creative Labs (Milpitas, CA), was designed from the very beginning to support simultaneous audio, video, and data communication. In fact, the bundled hardware and software package includes a proprietary 28.8-Kbps multimode modem that compresses audio and video (using a scheme called Vector Adaptive Transfer Processing) and multiplexes it with data across a single line. Creative has not commented on whether it plans to move toward a standards-based modem.

Trade-Offs

The switched and simultaneous solutions have opposing strengths and weaknesses. Radish boasts of its ability to work transparently on nearly any phone infrastructure (i.e., analog or digital PBXes, Centrex, and so on). But with switching modems, conversation ceases during data transfers. The duration of the gaps in speech depends on the size of the file transfer or fax. However, both voice and data communication occur at their normal rates: standard-quality audio and 9600-bps or faster (depending on the modem) data.

The AT&T and Multi-Tech modems share bandwidth among uses; this means that conversation by itself happens at a normal rate, but when you talk and exchange data at the same time, data transfer occurs at a maximum of 4800 bps and speech quality is degraded. The unusual modulation schemes used in these devices can also pose problems when running over certain digital phone switches or IVR (interactive voice response) systems.

The quality of Spectrum's MWave-based solution depends on the underlying

soft modem. In a 14.4-Kbps version, 13 Kbps is allotted to voice (8-bit digitized voice, sampled at 16 KHz and compressed using GSM (Global Standard for Mobile communications [the pan-European digital cellular standard]) encoding, leaving only 1400 bps for a trickle of data communication during conversation. But during minute breaks in speech, data speed surges to 14.4 Kbps. In the planned 28.8-Kbps product, voice traffic will stay at 13 Kbps, and data speeds will vary from roughly 15.8 to 28.8 Kbps. Short of ISDN, this will be the fastest way to do simultaneous voice and data. The OfficeF/X board lists for \$349, so the street price for the enhanced version probably won't be much higher.

Smorgasbord

Most people are so accustomed to using a phone while working on their PCs that it never occurs to them how the two devices could be integrated. Aside from file transfer and document conferencing, multimode modems permit a variety of remote-access applications.

For instance, if you had a caller I.D. service (with or without the capability to associate incoming numbers with entries in a database) and a multimode modem fronting your voice-mail system, you could implement a visual inbox that would let you call your voice mail from a PC (locally or from the road), see the numbers (or names) of the people who had called you, and select in any order the messages you wanted to hear. Or, if you implemented a unified "multimedia" inbox, you could make a single call to a message server that would relay your voice mail, E-mail, and faxes at one fell swoop or would let you receive multimedia messages containing both voice and images.

Voice and data together will facilitate remote presentations, in which you talk somebody through a Harvard Graphics slide show, show someone real estate listings with maps and photos, or view and discuss a medical image. It could also be a boon for customer support, because a technician could, during a single call, talk to a user, perform remote diagnostics, assume remote control of a troubled system, and capture files and screens. When the presentation or support call is finished, the participants could exchange business cards in the background by clicking on an

APPLICATIONS FOR MULTIMODE MODEMS

- Document conferencing
- File transfer or fax during conversation
- Remote presentations
- Product support with remote access
- Visual voice mail
- Multimedia messaging
- Enhanced voice-response systems



RIDICULOUS?

ETHERNET ADAPTERS, LIKE PAPER CLIPS, ARE IN SOME WAYS ALIKE. THEY EITHER PERFORM OR THEY DON'T. THEY'RE COMPATIBLE OR THEY AREN'T. THEY'RE MADE EFFICIENTLY OR THEY'RE OVERPRICED. COMMON SENSE, UNCOMMON VALUE. KINGSTON. CALL (800) 435-0056, EXT. 903 AND GET THE FAX.




THE INSIDE NAME IN NETWORKING

Network Group (800) 435-2620 Phone (714) 435-2600 FAX (714) 435-2699


Circle 257 on Inquiry Card (RESELLERS: 258).

Switched vs. Simultaneous Voice and Data Transmission

Switched voice and data



Simultaneous voice and data



Two new types of modems let you combine voice and data on a single line. Switched devices modulate data over a carrier and then alternate the full modem bandwidth between that signal and a normal voice channel. Simultaneous devices digitize voice and merge it with a data signal and then modulate the synthesized bit stream over a single carrier, in effect sharing the modem's bandwidth between the two sources. Both types typically come with software that supports file transfer during voice phone calls, and many include (or support) whiteboarding packages for sharing and marking up documents while discussing them.

icon (this would rely, of course, on the emergence of a standard for representing electronic cards).

Perhaps the greatest and most underappreciated application for multimode modems is as an enhancement to traditional IVR systems, for applications ranging from banking to shopping to order entry. Given that multimode modems can "query" the capabilities of devices on the other end of the line, information-services providers can set up their IVR systems to be audio-only if a caller just has a phone or to switch into a visual mode if a caller is using a multimode modem. In the latter case, service providers can enrich their offerings with text, graphics, and images, as well as provide customers with visual confirmation of transactions. Users will be able to select options visually, instead of having to listen to long lists of spoken menu choices.

Davoust argues that supporting textual and graphical interfaces via conventional phone lines, using a standardized protocol, will let service providers differentiate themselves from their competition. "This will make it possible for people to get value-added phone services from call centers," he says. Thus, a customer with a multimode modem, dialing into a ticket agency, might be able to choose a seat vi-

ually, whereas a traditional voice customer would have to rely on the luck of the draw. Radish is so convinced of the business opportunity for interactive "service applications" such as these that it believes the "person-to-provider" market will precede and initially outpace that for "person-to-person" mixed-mode communications.

Radish is selling tools for developing Unix- and OS/2-based VoiceView servers in conjunction with Dialogic, which has a 65 to 70 percent market share of call-processing boards with four or fewer ports, according to Nancy Jamison, a senior analyst with Dataquest (San Jose, CA). The pairing of Radish and Dialogic is especially promising for small businesses looking for an inexpensive way to jump into interactive merchandising and customer relations. With a single server, you could set up a purely voice-based service and, driven from the same underlying databases and menus, an interactive on-line service. A customer could then use the service visually or through voice menus, depending on the device he or she was dialing in on.

Smooth Sailing

Despite Radish's effort to establish a baseline standard, users may not be willing to

settle for switching voice and data when solutions such as the Spectrum 28.8-Kbps modem arrive on the market. Barry Jinks, president of Spectrum, argues that although his firm's product is similar in concept to the simultaneous voice/data products from AT&T Paradyne and Multi-Tech, it benefits from being based on a DSP and, thus, being upgradable via software. As for Radish, Jinks contends that switching solutions aren't feasible for some applications, such as "telegaming," where two users in remote locations collaborate on a video game, because the sound and images have to be synchronized.

Spectrum, too, could enjoy only a limited window of opportunity if ISDN becomes more widely available throughout the U.S. and the world. Sharing less than 30 Kbps of bandwidth between a voice channel and simple data transfers is a reasonable solution. But as soon as you introduce multimedia data types—24-bit color, animations, digital audio, and especially video—the requirements skyrocket. Even basic-rate ISDN isn't a fat enough pipe for sending video clips from your home office to a client across the country.

Andy Reinhardt is BYTE's West Coast bureau chief. You can contact him on the Internet or BIX at areinhardt@bix.com.

Caller ID Goes to Work

**GILBERT AMINE,
ANNETTE RIGGIO,
AND ELLIS HILL**

Caller-ID telephone service enables a subscriber to see a display of a caller's phone number as the telephone rings. More than 3 million subscribers currently use this telephone service in the U.S. and Canada, primarily for its call screening and security benefits. But thousands of small-business users, ranging from pizza delivery companies to work-at-home professionals, use caller ID as well.

Business applications often require the use of a personal computer and effective integration of caller-ID information with existing software. In fact, many believe that the caller-ID-to-PC linkup is at the heart of computer-telephone integration. When you properly integrate caller-ID service with your business software, new and exciting uses for this technology emerge. For example, your software might automatically retrieve information on the calling customer or supplier, which increases productivity and makes you appear more professional (see the text box "Vodavi Keys Into Caller ID Business Applications" on page 152).

In one case, a pizza operator in the Chicago suburbs cut the company's average contact time with repeat customers from almost 2 minutes to just 19 seconds, using a PC caller-ID application from National Systems (Chicago, IL). Time is money, and the savings dropped directly to the bottom line. For this firm, caller ID also solved an age-old pizza delivery problem. Because calls are now verified, pranksters can no longer send six anchovy pizzas to an 80-year-old woman who lives alone. Customers also have benefited from caller ID, because they no longer need to repeat their name, address, directions to their location, and choice of toppings each time they call. Other service-oriented businesses could achieve similar benefits.

Customers and businesses also benefit from another caller-ID feature, call logging (see the text box "Sidekick for Windows Gets a Kick with Caller ID" on page 150). Because caller ID can be captured in a log, service professionals can "cold call" customers who phone after hours and do not leave voice messages. Prospective customers get a second opportunity to make inquiries, and businesses get the opportunity to build their customer bases. Some businesses have increased their sales by as much as 20 percent a month.



JEAN TUTTLE © 1995

Caller ID Basics

Caller ID is a member of the CLASS (custom local-area signaling services) family of telephone services offered by local telephone companies for a monthly fee. Other CLASS services include call return, repeat dialing, call rejection, call trace, priority ringing, and selective call forwarding. CLASS services depend on the presence of Signaling System 7, an advanced signaling protocol used to communicate between central offices.


Caller-ID service was initially conceived by AT&T/Bell Laboratories in the late 1970s. Following the breakup of AT&T, BellSouth and Bell Atlantic were the first companies—in 1984 and 1987, respectively—to move forward with caller-ID field trials and deployments. Today, caller-ID service is available in parts of 45 states and in most of Canada (see the figure "Caller ID Availability Map"). Several other countries, including Australia, the U.K., France, the Netherlands, and Israel, have announced plans to deploy caller ID in 1995 or 1996.

For technical and regulatory reasons, caller ID is currently limited to identifying local numbers. Long-distance calls are usually identified as "out of area." As a result of a March 1994 ruling by the FCC, caller-ID services are expected to operate with long-distance and 800 calls by the end of April. At least one major carrier plans to offer caller ID on inbound 800 calls by February.

Another limitation of caller ID is that it does not always

By integrating caller ID with key business applications, you can provide better service and increase productivity

Caller ID Availability Map



Despite a slow start due to concerns over privacy, caller-ID service is now available in parts of 45 states; Washington, D.C.; and Puerto Rico. With the exception of California, remaining states are expected to offer the service by the end of 1995. Basic caller-ID service displays only the number of the caller, and deluxe caller-ID service shows the caller's name and number. Monthly rates vary by state and type of service, and range from \$3.50 to \$10. (Map courtesy of Research First Consulting)

show the primary number of the caller's business. In many cases, it shows the number of the line from which the call is made, rather than the main billing number. This limitation is expected to disappear as more telephone companies offer caller ID deluxe, a service that includes the caller's name.

The availability of caller-ID services within a geographic area depends on a number of factors, including the type of central office serving the area and its deployment schedule. You should check with your telephone company business office about the availability of the service and the monthly rates before acquiring the nec-

essary equipment or software to take advantage of caller ID.

In the U.S., Canada, Australia, and Israel, caller ID is transmitted as a burst of a Bell 202 FSK (Frequency Shift Key) modem signal between the first and second ringing cycles (see the figure "Caller ID Signaling and Data Format"). Therefore, you should always wait for the second ring before you pick up the receiver. Otherwise, the central office will abort and fail to retransmit the caller-ID data if you pick up too quickly.

British Telecom and several other European telephone companies will transmit a caller-ID signal before the first ring. This

intelligent implementation avoids the early pickup problem. Not surprisingly, BT has shied away from Bell 202 in favor of its CCITT cousin, V.23. In practice, any Bell 202 FSK receiver worth its salt will also detect V.23. The Dutch telephone company has its own implementation of caller ID, which uses DTMF (dual-tone modulated-frequency) tones.

In the U.S. and Canada, the data-link layer of caller ID follows the Bellcore TR-TSY-000030 specification. It consists of two possible formats, the Single Message Format, which provides the calling number, and the Multiple Message Format, which provides the calling number and the customer or business name under which the number is listed. You can purchase the latest copy of the caller-ID specification for a nominal fee by calling Bellcore at (800) 521-2673 or (908) 699-5800.


Caller ID Products

- Call Editor (Windows), VIVE Synergies (Richmond Hill, Ontario, Canada): provides seamless integration to Symantec's Act for Windows and other popular contact-management software.
- Caller ID+Plus (DOS and Windows), Rochelle Communications (Austin, TX): a memory-resident contact manager and caller-ID system. It includes a call log and an import/export function.
- Call Link (Windows), DSG Communications (Saskatoon, Saskatchewan, Canada): offers an elegant way to relay caller ID to external applications using DDE.
- CentrexMax (Windows), Dees Communications (Vancouver, British Columbia, Canada): features fully integrated caller-identification software based on the popular Modatech Maximizer contact-management system.
- Intellect, Clearwave Communications (Fort Collins, CO): a hardware/software product that integrates phone, fax, modem, computer, voice mail, and answering machine.
- InterActive Communicator, InterActive (Humboldt, SD): a PC/phone combination that acts as a communications center.

Sidekick for Windows Gets a Kick with Caller ID

Software developer Borland International (Scotts Valley, CA) has incorporated caller-ID capability into Sidekick for Windows, Borland's personal organizer equipped with a flexible calendar and card-file and note-taking features. Caller ID automatically displays the Sidekick card-file information as the telephone rings, enabling users to prepare themselves for important calls and to better manage their telephone activity. Another benefit is a call-logging feature, which shows the date, time, duration, and origin of all incoming calls and makes Sidekick a virtual answering machine.

Sidekick's new capabilities are the result of a business and technology partnership between Austin-based Rochelle Communications and Borland. Rochelle produces and markets single-line and multiline caller-ID interface devices. Sidekick users can purchase Rochelle's single-line ANI-232 decoder unit for \$80.




The pop-up window for Sidekick's caller-ID feature.

A number of IC makers, including Exar, Mitel, Motorola, and Sierra, provide caller-ID receiver chips. In addition, modem chip makers AT&T, Rockwell, and Sierra provide caller-ID decoding in some of their products.

Residential Products

Caller-ID display units sell for \$39 to \$119; those with higher memory capacity and more features cost more. You can purchase

Caller ID Signaling and Data Format



In the U.S. and Canada, caller ID is transmitted as a Bell 202 modem signal between the first and second rings. The single-message format is the most commonly used and provides calling-number information, the date, and the time. By dialing *67, callers may block the transmission of their phone number, and a "P" (for private) appears in the number field. Calls from outside your area, on the other hand, are identified by an "O" in the phone field. If the subscriber picks up the receiver before the second ring, the caller ID is not transmitted. (Illustration courtesy of Motorola)

them from telephone company fulfillment agents, telephone and electronics specialty stores, and mail-order companies. A second generation of caller-ID display units provides additional features, such as the blocking of selected calls or speed dialing. At the high end of the market, integrated telephone sets that include caller-ID displays and cordless telephones sell for \$99 to \$299.

Many software products link caller ID to a PC and provide a pop-up screen containing information on the caller, if he or she is in the database. See "Caller ID Products" on page 150.

Caller ID Developer Tools

Many developer toolkits and application generators exist for VARs and programmers who want to integrate caller-ID information with other applications. Rochelle Communications (Austin, TX) sells developer toolkits for DOS, Windows, OS/2, Unix (Sun, SCO, AIX), and the Macintosh. Caller-ID voice application generators are also popular. Stylus Innovations (Cambridge, MA) provides caller-ID support in its Visual Voice application

generator for Visual Basic.

For developers interested in voice applications under OS/2, ComTel Telecommunications (Bethesda, MD) offers an application generator that is compatible with Dialogic and Natural Microsystems voice cards. Voice Power Technologies (Austin, TX) markets Voice Manager, a Unix-based voice application generator for service-bureau applications. Davis Associates (Belle Mead, NJ) sells a caller-ID application generator based on Paradox that lets you customize the database

program for order entry, service management, and telemarketing.

Integration Options

To use the features of caller ID to full advantage, users must be able to take the data supplied by the telephone company, put it into applications, and link it to existing databases. Today, the path to integrating the various elements into a useful whole can be littered with pitfalls. To overcome potential problems, a number of vendors provide applications, code libraries, and development tools that can significantly cut development time and cost. Integration of existing applications to telephony services can be as simple as buying an off-the-shelf application that communicates with the target application. The primary integration options are listed below.

Memory-resident keyboard macros. These programmable macros store a sequence of commands and are inexpensive and simple to implement. But often they require redundant databases and can be clumsy.

Custom development. You can



Vodavi Keys Into Caller ID Business Applications

While telephone companies were busy conceptualizing caller ID as a service for their residential customers, companies like Vodavi Communications Systems (Scottsdale, AZ) were concentrating on using its powers for the betterment of business. Identifying small-to medium-size businesses as its target market, Vodavi integrated computers and telephony, introducing the first ICLID (Incoming Caller ID) key telephone system in 1991 (see the figure).

Its value to businesses with busy call centers seemed an obvious one to Ron Pavlak, manager of marketing and strategic planning for Vodavi. "Telephone companies have mismarketed caller ID from the beginning by directing it to residential customers," Pavlak says. "It is an ideal small-business management

tool that enables [companies] to provide personalized customer service, screen calls, control interruptions, effectively manage volumes of calls, and reduce fraud."

By using ICLID information, key sys-

tem users can save an average of 20 seconds per call, a significant accomplishment when you consider the irritation customers sometimes feel toward the business that has just kept them on hold for 30 seconds. A loss of patience often

translates into a lost sale. Vodavi's current DOS-based product, Call Tracker, links the incoming number to a pop-up file on a company's customer database. The firm expects to release a Windows-based PIM in 1995.

tailor applications to the exact needs of the user, but development expense may be prohibitive. DDE. Dynamic exchange of data is effective if done right, but it does not necessarily link all data sources. Also, DDE is not available on all operating systems. ODBC (Open Database Connectivity). ODBC lets one application access multiple database sources. It can provide seamless integration with leading databases but is not yet available with most applications.

DLL. DLLs provide access to a wide variety of caller-ID functions. Caller-ID vendors provide DLLs that can be quickly linked to a user's application.

Telephony APIs. Sets of programming interfaces available from Microsoft (TAPI), Novell (TSAPI), and other vendors give programmers access to a stan-

tem users can save an average of 20 seconds per call, a significant accomplishment when you consider the irritation customers sometimes feel toward the business that has just kept them on hold for 30 seconds. A loss of patience often


translates into a lost sale. Vodavi's current DOS-based product, Call Tracker, links the incoming number to a pop-up file on a company's customer database. The firm expects to release a Windows-based PIM in 1995.

ESP—Exemplary Service Professionals

In today's competitive environment, the quality of customer service is fundamental. Knowing who is calling and having instant access to pertinent information translates into savings on the bottom line and increased revenues. For example, important or repeat customers can be tagged to receive special handling. But a word of cau-

Vodavi Key System

Central office lines



Vodavi's Starplus Digital Telephone Systems offer caller ID and computer-telephone integration capabilities. Using a caller ID, the system can route calls to specific extensions within the company. Vodavi's new PC Phone uses an RS-232 interface to connect to a computer and supports call processing and management functions from DOS or Windows.

PUT SOME BITE IN YOUR ILLUSTRATIONS.

INTRODUCING AT&T MULTIMEDIA DESIGNER™ SOFTWARE—A WHOLE DIFFERENT KIND OF ANIMAL.

AT&T MULTIMEDIA DESIGNER SOFTWARE IS POWERFUL, FLEXIBLE AND AFFORDABLE. A 32-BIT, CD-ROM BASED, FULL-COLOR IMAGING SOLUTION THAT CREATES GRAPHICS FOR MULTIMEDIA, PRESENTATION, LAYOUT, PRINT AND PHOTOGRAPHIC APPLICATIONS. AT&T MULTIMEDIA DESIGNER SOFTWARE HAS WHAT IT TAKES TO PUT SOME REAL BITE IN YOUR CREATIONS. EITHER VERSION—AT&T MULTIMEDIA DESIGNER SOFTWARE FOR WINDOWS NT™ OR FOR WINDOWS 3.1™—PUTS LEADING EDGE CREATIVE POWER AT YOUR FINGERTIPS. PLUS, THE WINDOWS NT VERSION COMES WITH THE CONVENIENCE OF CROSS PLATFORM COMPATIBILITY WITH INTEL®, MIPS®, ALPHA AND SOON POWERPC™. FOR A LIMITED TIME SAVE \$370 TO \$500! CALL AT&T NOW AT 1-800-896-6544 EXT. 100 OR VISIT YOUR LOCAL RETAILER.

TAKE A SERIOUS LOOK AT AT&T MULTIMEDIA DESIGNER SOFTWARE. AND THEN LET YOUR IMAGINATION RUN WILD.



MULTIMEDIA SOFTWARE SOLUTIONS

CALL NOW! • 1.800.896.6544 EXT. 100
ALSO AVAILABLE AT COMPUTER SUPERSTORES AND OTHER RETAIL OUTLETS

ALL TRADEMARKS, OR REGISTERED TRADEMARKS ARE PROPERTY OF THEIR RESPECTIVE HOLDERS. AT&T RESERVES THE RIGHT TO WITHDRAW THIS OFFER AT ANY TIME.



ADVANCED FEATURES:

RADIAL AND ROTATABLE LINEAR GRADIENTS WITH MULTIPLE AND REPEATING COLORS

250 TRUETYPE® FONTS INCLUDED

WINDOWS™95 COMPATIBLE (3.1 VERSION ONLY)

OBJECT IMAGE QUALITY MAINTAINED EVEN WHEN SCALING

GELLOPHANE AND SOFT SHADOWS

ANTI-ALIASED TEXT, GRAPHICS AND IMAGES

IMAGE PROCESSING, INCLUDING EMOSS, POSTERIZE, PIXELIZE, SOFTEN, NEGATIVE AND HIGH-CONTRAST, FLIP/ROTATE, B/W (MONOCHROME)

8, 16, 24 OR 32-BIT WITH ALPHA CHANNEL SUPPORT


THE BEST OF DRAW (VECTOR) AND PAINT (RASTER) PROGRAM FEATURES

TRANSPARENT BITMAPS AND POLYGONS

FREE TECHNICAL SUPPORT



UPGRADES AVAILABLE FROM
\$149



MULTIPLE DOCUMENT INTERFACE (MDI) WINDOWS INTERFACE



Circle 263 on Inquiry Card (RESELLERS: 264).

MORE THAN JUST BITS, BYTES & BAUDS.



McGraw-Hill Publications. MAXIMIZE YOUR REACH.



- 4-Architectural Record
- 7-A/C Flyer, Aviation Week & Space Technology, AW & ST Russia, Business & Commercial Aviation, World Aviation Directory, Buyer's Guide, World Aviation Catalog Guide
- 20-Business Week, Business Week China, Business Week Poland, Business Week International, Business Week Russia
- 28-Chemical Engineering
- 32C-BYTE, Data Communications, Data Communications International, LAN Times, UnixWorld, Netware Technical Journal
- 39-Electrical World
- 41-ENR, Construction News Publishing Network (12 Magazines, 5 Newspapers), Sweet's Catalog File
- 46-Global Finance
- H6-The Physician & Sportsmedicine, Postgraduate Medicine
- 114-Modern Plastics, Modern Plastics International, Modern Plastics Encyclopedia & Buyer's Guide
- 117-Power, Electric Power International

High-Tech Bookkeeping

New technology is changing the face of the small business's ledger

KENNETH M. SHELDON

Time is money. And the more time you spend maintaining your business's finances, the less time you have to actually *make* money. Fortunately, several new technologies could change the way businesses keep their books on computer and result in increased productivity for even small offices.

The typical finance or accounting program contains a great deal of information that would be valuable to share with other applications. Most of the accounting and personal-finance programs let you export a file that a spreadsheet or word processing program can use. A few programs, however, also support Windows' DDE technology, which would let you, for example, automatically export sales figures into an Excel spreadsheet that compared sales over the course of several months or years.

One such package is Peachtree Accounting for Windows. Circuits & Systems Inc. (East Rockaway, NY) developed Chaver-ware, a membership-management program for synagogues. It uses Peachtree's package for its accounting module. According to Rob Hirsch, senior vice president for Circuits & Systems, DDE links make it easy to send invoices to synagogue members for things like dues and religious school tuition. The user clicks on a button, and Chaver-ware sends that information by DDE link to Peachtree, which then creates an invoice.

Going a step beyond DDE, Microsoft's OLE technology allows users to create links to other applications and to automatically open those applications and edit objects without leaving the original application. Peachtree uses OLE in its forms designer. Clicking on a clip-art object in the forms designer opens a window to the associated application (such as Windows Paintbrush), with access to a full set of editing tools.

Another product that makes use of OLE is MTX Accounting from MTX International (Englewood, CO) for Microsoft Office. Built around Microsoft Access, MTX Accounting provides tools that let users track and analyze their accounting information. Bill Glasier, president of Sentry Medical Products of Englewood, Colorado,

From Checkbook to Balance Sheet

Whether you choose a personal-finance package or a true accounting program to maintain your company's finances depends on your business. When making your decision, consider the following questions:

Do you operate on a cash basis? While a personal-finance program can easily track cash income and expenses, dealing with payables, receivables, or aging generally requires a more full-fledged bookkeeping or accounting program.

How many employees do you have? Tracking the government's requirements for payroll deductions calls for a system that will support separate "accounts" for withholding

or unemployment insurance. While some personal-finance packages can be adapted to perform these functions, a program specifically designed for the task will generally be more flexible and easier to use.

Do you have a large, changing inventory? If you need to track a large number of items, stock on hand, quantities ordered, and so on, you'll need a package that provides flexible inventory management. Accounting packages will be stronger in this area.

Do you deal with multiple customers or vendors? A true accounting package will provide more flexibility than a personal-finance package when it comes to dealing

with a large number of customers and vendors.

Do you have an accounting background? Some packages require you to be familiar with standard accounting terminology like credits, debits, and posting. Others substitute plain-English phrases for accounting jargon, making it easier for non-accountants to set up and maintain the system.

Do you require a GAAP-compliant system? Generally Accepted Accounting Principles require such features as the inability to delete transactions (to maintain a complete audit trail). For a small business, that may be an unnecessary and even bothersome feature.

uses MTX Accounting to search his accounting database for customers who have not made purchases within a specified time. When he selects the option, MTX automatically launches Microsoft Word and merges those customers' names and addresses with a document that thanks them for their business and offers them a discount on their next purchase.

Small Business on Small Disks

Peachtree Accounting for Windows is now available in a CD-ROM edition that includes, along with basic program files, a large selection of clip art, label-creation software, and a CompuServe link. The disk also provides on-line documentation for the program, as well as Allegro's Multimedia Business Library of 12 financial books.

Another company that now provides its software on CD-ROM is Intuit (Menlo Park, CA), whose Deluxe edition of Quicken 4 for Windows includes on-line documentation, multimedia tutorials, and interactive advice from financial experts. As this story was being written, Microsoft announced that it was in the process of buying Intuit and selling its Quicken competitor, Money, to Novell.

Taking Businesses On-Line

Another technology that may affect the way small companies do business is the advent of on-line electronic services such

as banking, bill payment, and credit-card reconciliation. Many personal-finance programs already let users pay bills and update stock prices electronically, using commercial services available through on-line systems such as CompuServe or Prodigy. These are straightforward, one-way transactions that take place through the ACH (Automated Clearing House) network maintained by the Federal Reserve.

Bringing complete electronic banking to PC users has taken longer, because setting it up is more complicated, due to the restrictions on access to an individual's banking data. Providing electronic access to the data requires a cooperative relationship between the service provider and the bank.

Individual banks can sell on-line services to their customers, but most don't have the expertise or software to do so. And any service provider or software company wanting to provide electronic banking services to users has to strike a separate deal with each individual bank.

Nevertheless, a few software companies have made forays into the field. Microsoft Money has a Bank On-Line option that lets you bank electronically, but you must have an account with one of the four banking institutions connected with the service: U.S. Bank, First National Bank of Chicago, Michigan National Bank, or Chase Manhattan Bank. Mi-

Special Report Small-Office Computing

Microsoft is negotiating to include other major banking institutions, which, it says, will significantly enhance your ability to link to banks.

Microsoft's electronic banking services are delivered by National Payment Clearinghouse Inc. (Downer's Grove, IL), which provides services in cooperation with local banks. Interestingly, NPCI is owned by Intuit, which incorporated NPCI's services into its own financial services hub for

Quicken users. If the above-mentioned services are integrated into Windows 95, and if the purchase of Intuit goes through, Microsoft will be in a position to provide a tremendous range of on-line services for both individuals and companies.

Peachtree Accounting for Windows is also poised to leap into the arena of on-line services. Last year, Peachtree was acquired by Automatic Data Processing (Roseland, NJ), a major provider of com-

puterized services (e.g., automated payroll) to businesses. ADP markets a service to banks called Business Express/PC, which lets business users check their account's status whenever they want, view transaction history, transfer funds, and perform other banking functions.

Taking Down the Barriers

For individual users, one barrier to on-line banking and bill payment services has been cost. At \$10 to \$15 per month, many people don't pay enough bills or do enough banking to make the services worthwhile. However, for businesses, which may conduct hundreds of such transactions a month, the cost isn't a barrier.

So why aren't businesses clamoring for on-line services? And why aren't vendors of accounting programs providing them?

To begin with, setting up electronic banking for businesses is even more complicated than doing it for individuals. Because businesses generally handle more money than individuals, there's more risk involved in making accounts accessible via telecommunications, not to mention special regulatory issues. Also, banks maintain business accounts separately from personal (or "consumer") accounts. On top of that, many business users are afraid of on-line services. A primary concern is usually the lack of a paper trail.

On-line banking also presents security issues for businesses. In an office where more than one person has access to the accounts, security measures such as password protection are a necessity. Without them, an employee could easily transfer money to a private account. Most on-line services use a PIN (personal identification number), like those used to access accounts via a bank's ATM machine. For security purposes, larger businesses will require multilevel passwords that limit access to sensitive areas.

Businesspeople in general and accountants in particular tend to be technologically conservative lot. There's too much at stake to invest in technologies that aren't tested and true. Nevertheless, a booming market indicates that small businesses want to computerize their books and may be more willing to try new technologies like CD-ROM delivery and on-line services that could make their lives easier. ■

Kenneth M. Sheldon is a freelance author who has written extensively for BYTE and other computer publications. You can contact him on the Internet or BIX at ksheldon@bix.com.


Just Protect It!

With list prices starting at just \$139, protecting your PCs or LANs against faulty power has never been easier or more affordable. Combine this with our unmatched product quality, service, and Exclusive 5- and 10-Year Triple Power Warranties™ — you're guaranteed unsurpassed UPS protection.

And with our state-of-the-art Power Management Software, you can leave for lunch knowing that, if a power problem strikes, your system and data will be saved and fully protected — *automatically!*



The PowerRite Pro and Plus UPS families incorporate Deltec's proprietary Advanced Battery Management (ABM™) that doubles battery life and assures system uptime!



Deltec's FailSafe and LanSafe III software automatically save your files and conduct an orderly system shutdown during extended blackouts — even in unattended modes — along with extensive monitoring and power management when used with our microprocessor-based UPSs.



Don't let yourself become powerless. Call now for our "Quick Fax Power Guide" and immediately receive a FREE assessment of your computer power needs.

DELTEC-NSSI
A Fiskars Company

Innovators in Power Protection



Call Now!
1-800-DELTEC-1



Don't Risk It — Just Protect It!

EXPLORE the INTERNET!



FREE*

Delphi Internet™ offers you full access to the Internet and now you can explore this incredible resource with no risk. You get 5 hours of evening and weekend access to try it out for free!*

Use Delphi Internet's mail gateway to exchange messages with over 30 million people at universities, companies, and other



online services such as CompuServe® and MCI Mail®. Download programs and files using FTP or connect in real-time to other networks using Telnet. You can also meet people on the Internet. **Internet Relay Chat** lets you "talk" with people all over the world and **Usernet News** is the world's largest bulletin board with over 20,000 topics!

To help you find the information you want, you'll have access to powerful search utilities such as **Gopher**, **Hytelnet** and **WAIS**. If you aren't familiar with these terms, don't worry; Delphi Internet has hundreds of expert online assistants and a large collection of help files, books, programs, and other resources to help get you started.

Over 850 local access numbers are available across the country. Explore Delphi Internet today. You'll be amazed by what you discover.

FIVE HOUR FREE TRIAL!*

Dial By Modem 1-800-365-4636, Press return until you get a prompt
At Username, enter JOINDELPHI. At Password, Enter BYJ95

*Free offer applies to new members only; limit one per household and is valid for a limited time. A valid credit card is required for immediate access. Free time may be used only during the remainder of the calendar month of becoming a member. Telecom surcharges apply during business hours (8am to 6pm week days) via Tymnet or Sprintnet and for access outside the mainland US. New members must agree to Terms and Conditions of membership when joining. Complete details and other restrictions are provided during the toll-free registration. DELPHI INTERNET is a trademark of Delphi Internet Services Corporation.

Attention Current Internet Users: See what Delphi Internet can offer you! Stock quotes, Grolier's Encyclopedia, newswires, and hundreds of other services are just a few keystrokes away. Telnet to delphi.com and enter the username and password above for a free trial.

**9,600 bps available in most local areas via Tymnet and Sprintnet. 14,400 bps available by dialing direct to Cambridge, MA



Questions? Call 1-800-695-4005.
Send e-mail to INFO@delphi.com

©1994 Delphi Internet Services Corporation

Circle 281 on Inquiry Card.

capability:

INTERNATIONAL REACH



Illustration by Ajin As seen in Business Week International, February 15, 1993 Issue

Global Intelligence

YOU SHOULD KNOW THIS:
The magazine that delivers the world of business also delivers a worldwide audience.

Business Week has steadily grown an international network. In 1981—long before “thinking global” became a corporate mandate—*Business Week* launched *Business Week International*.

It caught on. With 24 resourceful bureaus around the world, *Business Week International's* tailored editorial quickly became *the* source of global business intelligence.

Now we reach top management from Frankfurt to Singapore, Moscow to Buenos Aires. Remarkably, 90% of these coveted readers are non-U.S./Canadian citizens.

Global intelligence opens global markets. If you're targeting a specific region, you may choose from three regional editions: Europe, Latin America and Asia. If you want to speak to the dynamic new capitalists of Russia, China or Poland in their own language, you may choose from three local language editions.

Take advantage of our unsurpassed worldwide network. Call Gerd Hinske at **41-21-617-44-11** or your local account manager. Because great business minds think alike. Globally.

Business Week's International Reach. A company capability.

Source: 1993 Business Week International Subscriber Study



BusinessWeek
Beyond news. Intelligence.

PC-COMPANION *Plus*™

Add a second keyboard, monitor and mouse
to your PC up to 250 feet away!

- Supports PC/AT, PS/2 and 100% compatibles
- Combine monochrome and color VGA monitors
- Mouse support available at both local and remote workstations
- Switch selectable privacy mode



**For Macintosh
support, ask
about our new
Mediator for Macintosh!**

Cybex Corporation
4912 Research Drive • Huntsville, AL 35805 USA
(205) 430-4000 • FAX (205) 430-4030
Dealer Program Available **Made In USA**



PC/AT and PS/2 are registered trademarks of IBM Corporation. Macintosh is a registered trademark of Apple Computer, Inc. Microsoft and Logitech are trademarks of their respective companies.

Circle 269 on Inquiry Card (RESELLERS: 270).



Is your sys admin group balancing proprietary e-mail systems against interoperability and ease of use? Try an open system. Try Eudora®!

MacUser thinks we're the closest thing to perfect e-mail because you get an unlimited number of mailboxes, great filtering options, and you can attach files to your heart's content. (It's great for PCs, too!)



When buying proprietary e-mail, you may just get more than you bargained for.


Why did we take the world's most popular freeware and charge \$65 for it? We pumped it up with nifty features, ensured Mac/PC compatibility, and more!

Most proprietary e-mail applications have tons of features. But try pushing one through a gateway without getting something trampled on... like your message.



Find out why millions of Mac and PC users have picked Eudora as their e-mail of choice. Call us at 1-800-2-Eudora; fax: 619-597-5058; e-mail: eudora-sales@qualcomm.com; worldwide web address: <http://www.qualcomm.com/QualHome.html>

QUALCOMM



Is your network an unfriendly place for printers? Typhoon laser printers with VPT™ support 4 protocols and over 20 network operating systems. They can handle your hostile, mixed-platform environment.

Does your printer cringe at the thought of high print volumes? With duty cycles up to a million pages a month, Typhoons don't scare easily!

Typhoons can handle it! They've got speeds of 30 or 60 ppm, the best paper handling in the industry and much more. Call us. We'll solve your worst printing nightmare.



HOSTILE PRINTING ENVIRONMENT? SEND IN A TYPHOON

1-800-980-0374


 Dataproducts

The Micro International 3600 Notebook

... speak softly
and carry the
fastest book.

\$3110

Dual-Scan Color with 250mb HD - 8mb RAM




The Micro International 7500 Notebook

... or experience
the value of a
"Pentium Life"

\$1510

Mono with 486SX/33 - 120mb HD - 4mb RAM




Micro International, 10850 Seaboard Loop, Houston, Texas 77099. Top quality service and support *since 1984!*
Full information (including specifications, all options & prices) available by fax or mail on request.
Fax (713) 495-7791 Hours: 8-6 Mon-Fri, 10-1 Sat. Call today toll free:

1-800-967-5667

NEW

WIBU-Box goes PCMCIA



- ✓ WIBU®-BOX for LPT, COM or as card for (E)ISA slots and as PCMCIA-Card (Rel. 2.1)
- ✓ WIBU-BOX – one of the smallest ASIC based dongle
- ✓ WIBU-BOX for Macintosh and PowerPC soon
- ✓ Protection for DOS, Windows and networks
- ✓ Support of OS/2®, Win32s, Windows™NT

WIBU-KEY

The most complete palette of copy protection hardware

Order your evaluation package today!

We are looking for international distributors

Copy Protection



The Ultimate Copy Protection System


WIBU-KEY Beats a dongle anyday

WIBU SYSTEMS

WIBU-SYSTEMS GmbH, Germany
Rueppurrer Strasse 54, D-76137 Karlsruhe
Phone: +49-721-931720, FAX: +49-721-9317222

Southwind International Inc.
P. O. Box 308, Brookeville, MD 20833,
Phone: (301) 570-3497, FAX: (301) 570-4773

Direct Light pen Input On-screen



Cursor control at its optimum, with single pixel resolution and smooth instantaneous tracking. Input as **natural as pen to paper**. Light pens can work independently or with a mouse.

Design Technology's light pen systems operate on DOS*, Windows*, NeXT* and selected UNIX* platforms.

Evaluation systems:
US\$188. Quantity discounts available.



design technology

11489 Woodside Avenue
Santee, CA 92071-4724
619 448-2888 FAX: 619 448-3044
E-mail: 73650.443@compuserve.com

Call today **800 945-7367**

*Trademarks of their respective companies.



Smart
ISVs License
Smartpad Technology



SMARTPAD™

Instantly embeds powerful, customizable toolpads in all your Windows & DOS applications.

Buttons can launch programs, run recorded macros, send menu/keystroke commands, and execute DDE commands

Use any bitmap as button face or combine text and bitmaps

Helpful popup ButtonClues™


Use innovative tab buttons to create multiple button "layers"

Embed or attach custom toolpads at the top, left, right or bottom of any program window

Convert any application into a Windows shell

Create floating pad palettes that pop up automatically or on-demand via mouse click or hot key

Launch Microsoft Word 6.0



Add a macro recorder, task manager and Run... processor to any toolpad

SmartPad is the perfect front end for Windows that allows you to personalize and automate all your applications without programming. You can achieve in a matter of a few hours the results that previously needed months of programming and trial and error.

SmartPad Developer Edition includes SmartScripts, a fully VBA Compatible macro language, that allows you to add decision-making power to your single-click applications — easy-to-use "procedural snippets"

for incorporating if-then-else logic, looping, subroutines, and more. Plus you can compile SmartScripts for tamper-free, higher performance.

SmartPad is the quickest and most reliable way to:

- Seamlessly embed customizable toolbars in any Windows or DOS applications.
- Add BalloonHelp and ButtonClues to any application for ease of use.
- Automate repetitive and complex tasks

with Macros, DDE, Scripts, etc.

- Automate data sharing across Windows, DOS and host-based applications.
- Create customized shell to replace Program Manager.
- Standardize the look, feel and function across applications from different vendors.

PRODUCT REVIEWS

"There is a deeper, almost revolutionary side to SmartPad that stands out as an achievement worth exploring." — Brian Livingston, Windows Sources

"The toolbar utility to end all toolbar utilities." — PC World, Sept. '94

"Now you can do more things in less time and with less effort than you ever thought possible." — eMAG

**CALL TODAY:
800•434•0202**

SPECIAL
Introductory Offer
\$89
Developer Edition
\$149

Softblox
1201 West Peachtree St.
Atlanta, Georgia 30309
FAX: 404-892-0981



SOFTWARE SECURITY

MARX

Protect your software for good and relax!



CRYPTO-BOX[®]

in your net gives no chance to sharks and pirates.

The **CRYPTO-BOX[®]** provides software protection in single PC *and* LAN-environments. A brand new concept allows software developers to limit user access by password - and at a reasonable price!

- Revolutionary microprocessor technology
- Programmable memory (560 bytes)
- Officially approved IDEA[™] crypt algorithm (ISO 9979/2)
- Absolute compatibility and transparency
- Maximum number of concurrent users in LANs configurable without changing the key
- Minimal implementation time

Call now for your evaluation kit, or send E-Mail: 100273.171@compuserve.com.



NEW
CD-ROM VENDOR SECURITY
Convenient distribution of CD-ROM Software.



MARX Int'l. Inc.

USA
1659 Briarcliff Rd. NE#4
Atlanta GA 30306
Phone: 404-897-3869
Fax: 404-897-5431

MARX GmbH

Germany / International
Vohburger Straße 68
D-85104 Wackerstein
Phone: +49-8403-1555
Fax: +49-8403-1500

CRYPTO-BOX S.A.R.L.

France
28, rue de Lattre de Tassigny
F-67303 Schiltigheim- Strasbourg cedex
Tél.: +33-8881-4031
Fax: +33-8881-2028



Circle 296 on Inquiry Card (RESELLERS: 297).

Quad-Speed CD-ROM Delivers

But you need a fast PC for best results with these four new units

MICHAEL NADEAU

The standard-issue double-speed CD-ROM drives found on most PCs today are no longer good enough to play back multimedia software. They simply can't read and send the data fast enough to the computer's processor, graphics accelerator, and sound card to maintain smooth, uninterrupted operation. In business, this is a serious issue. Jerky video and choppy audio can destroy an otherwise strong presentation or diminish the effectiveness of a training film.

Quad-speed drives, which spin at twice the rate of double-speed CD-ROM drives, have been available for several years, but only as bulky external units and at high prices. Four companies—TEAC, Plextor, NEC Technologies, and Toshiba—recently introduced quad-speed drives priced from around \$475 for some internal models to as high as \$775 for external drives. Although you still pay significantly more than you would for most double-speed models, these drives are well worth the price—as long as you install them in a PC that is properly equipped to handle them.

Just because the data access rate of a quad-speed drive is twice that of a double-speed unit (600 KBps vs. 300 KBps) doesn't mean that you will see a doubling in performance. The truest measure of multimedia playback performance is the throughput to the video display or other output device, and that depends a great deal on the computer's processor and graphics accelerator. If one or both are too slow, the quad-speed drive will be in a hurry-up-and-wait mode much of the time. This is especially true for CD-ROM drives with large, intelligent caches. A quad-speed drive will provide better throughput on nearly any PC, but to get your money's worth, you need to install it in at least a 50-MHz 486DX2 system with a 64-bit local-bus graphics accelerator card.

Another consideration: Your system can play back video no faster than the data rate at which it was recorded. To accommodate single-speed models, the lowest common denominator among CD-ROM drives, the video for most commercial titles is recorded at a rate of about 150 KBps. A higher data rate will improve the video



A stack of four quad-speed CD-ROM drives (from top to bottom): TEAC America's SuperQuad, Toshiba's XM-3501B, Plextor's 4Plex, and NEC Technologies' MultiSpin 4Xe. List prices with host adapter range between \$549 and \$645. The TEAC drive uses a proprietary AT interface compatible with some Sound Blaster cards; the other three are SCSI drives. The NEC is an external unit (internal also available); the others are internal. The Plextor and Toshiba drives provided the best performance.

quality, but if you play back that video on a drive that's slower than the rate at which the video was recorded, you will get a slow, jerky mess. By the end of this year, quad-speed drives are expected to become the unit of choice, and software developers are just now beginning to optimize video for quad-speed drives.

Four Quads

The four drives I tested were the NEC MultiSpin 4Xe Model CDR-601K, Plextor 4Plex PX-43CH, TEAC SuperQuad Model CD-55A, and Toshiba XM-3501B. All the drives are half-height or smaller and come with a suite of software that includes drivers for DOS and Windows, a utility for playing audio CDs, and installation software. You can also buy external Mac versions of all but the TEAC drive. Each of the drives has a headphone jack and an audio-line-out connector for use with sound boards. All review units except for the NEC were internal drives.

Compared to NEC's MultiSpin 4X Pro, introduced in 1994, the new 4Xi and 4Xe drives offer less in the way of performance and features but cost almost \$200 less. However, the external NEC MultiSpin 4Xe (\$515 without adapter) is still feature-rich. It automatically senses audio CDs and plays them as such when you insert them.

Standard audio CD controls are on the front panel. Audio capability is built into the drive unit, so you don't need to have a sound board in your PC. You will need speakers, however. An EPP (enhanced parallel-port) connector on the back of the unit lets you use the unit with EPP-equipped portables, providing a theoretical 1-MB-per-second transfer rate. A lens-cleaning system inside the unit keeps the dust that gets by the 4Xe's double dust door from interfering with disc reads. NEC supplied a 16-bit Trantor ISA SCSI-2 adapter and its own drivers. The 4Xe was the only unit to come bundled with CD-ROM titles: Microsoft Encarta and NEC's CD Tutorial. An internal unit, the 4Xi, is also available (\$415 without adapter).

The Plextor 4Plex PX-43CH (\$489 without adapter) came with a Future Domain TMC 1610 16-bit SCSI-2 ISA adapter. It differs from the Future Domain adapter used by Toshiba only in that it has its own ROM BIOS. Plextor, like the vendors of other drives reviewed, offers several adapter options, or it will sell the unit without one. The drivers supplied were based on Corel's PowerSCSI product. At 1 MB, the Plextor drive has the largest built-in cache. The external 4Plex PX-43CH goes for \$599 without an adapter.

Reviews Quad-Speed CD-ROM Delivers

TEAC's SuperQuad is unique among the group not only because of its slim 1-inch-high profile, but also because it uses a motorized tray rather than a separate disc caddy. It is also the only drive that isn't a SCSI device. TEAC uses Creative Lab's proprietary version of the AT interface (aka IDE), which works with Sound Blaster cards. The others use SCSI adapters. In spite of the AT interface, the TEAC drive doesn't have a price advantage (\$599 with interface card). Because of its AT interface, the TEAC is the only drive that doesn't come in an external model, but it was the simplest internal unit to get up and running. The adapter has no jumpers or DIP switches to set, and if you wish, you can run the drive off a sound card. I tested the TEAC unit running from the included AT adapter and from a Sound Blaster 16 sound card and found only minimal performance differences.

Toshiba offers three models of the XM-3501. I tested the internal XM-3501B (\$470 without adapter). The TXM-3501E (\$600 without adapter) is the external version, and the TXM-3501A4 (\$2470) is a four-drive unit. All can be mounted horizontally, vertically, or even diagonally. Toshiba supplied a Future Domain TMC1610-MEX, 16-bit SCSI-2 ISA adapter that uses Toshiba's own drivers.

How I Tested

I ran three sets of benchmark tests on the four drives on a Dell Dimension 466V with a 66-MHz 486DX2 CPU, a 64-bit Number Nine #9GXE64 VL-Bus graphics accelerator, and a Creative Labs Sound Blaster 16 audio card. For comparison, I also ran all tests on the CD-ROM drive that came with the Dell, a double-speed Matsushita Model CR-563-B (see the benchmark table, "Quad-Speed Performance").

The first set was a suite of low-level tests called CDStone (version 1.1), which was developed by The Profit Group (Tucson, AZ). It measures seek time across the entire width of the disc (full stroke), across one-third of the disc (one-third stroke), and across random distances. A good full-stroke score indicates that the drive can locate a specific track more quickly. The one-third stroke test is most commonly used as a standard means of rating the seek times of CD-ROM drives. The random-distance test more closely represents real-world circumstances.

CDStone also measures the read rate for both large and small blocks of data. A good score on the large-block read test is an indicator that the drive can handle video

and audio files well, and the small-block test reflects a drive's likely performance with database or other text files. Finally, CDStone measures CPU use during data access at 150 KBps and 300 KBps. CDStone then provides an overall index of performance, using a typical single-speed drive as the baseline.

The second test suite consists of three

video is recorded at lower rates. While a good double-speed drive should be able to play back a clip recorded at 300 KBps, it will choke on anything recorded at a higher rate. On the other hand, video recorded at 300 KBps or lower presents no challenge at all to a quad-speed drive.

Head-to-Head

I evaluated each unit for ease of installation, performance, and value. Installing each drive was a snap. The external NEC unit was, of course, the easiest to install: I simply inserted the adapter and plugged in the power and SCSI cables. After mounting the internal units, I plugged in the power, SCSI or AT, and sound cables. Only one snag arose: The Plextor drive had a different sound cable connector from the one that came with the Sound Blaster board.

Loading the drivers had greater potential for presenting problems, but surprisingly, driver installation was successful on the first try on three of the four units. The PowerSCSI drivers that came with the Plextor's Future Domain adapter didn't get along with the driver for the Number Nine graphics accelerator. After trying various settings, I got the two working together, but only by disabling Microsoft's EMM386 memory manager as well. If you want to use the Plextor drive with the #9GXE64, check with Future Domain and Number Nine first to see if they have updated their drivers, or use a different SCSI adapter.

All the vendors hype their drives' 600-KBps transfer rates and low average seek times, but I found seek time ratings a poor indicator of overall CD-ROM drive performance. The tests placed the Toshiba and Plextor drives almost even at the top, with a slight edge to Plextor. On the low-level CDStone and 600-KBps video tests, both drives were almost twice as fast as the double-speed Matsushita drive. The Toshiba and Plextor were about 45 percent faster than the double-speed drive on the animation tests, and about 14 percent faster on the Indeo video test. Every drive tested ran the 150-KBps and 300-KBps video tests at the full 30 frame-per-second rate, and every quad-speed drive except the TEAC also ran the 600-KBps video test at the full frame rate.

In the CDStone and AutoCAD animation tests, the NEC unit ran 3 percent to 9 percent behind the leaders; it was about 9 percent slower than the Plextor on the Indeo video test, for example. The TEAC drive brought up the rear. To keep things in

About the Products

NEC MultiSpin 4Xe Model CDR-601K

external, with adapter.....\$595

NEC Technologies, Inc.
1255 Michael Dr.
Wood Dale, IL 60191
(800) 632-4636
(708) 860-9500
fax: (800) 366-0476

Circle 1013 on Inquiry Card.

Plextor 4Plex 43CH

internal, with adapter.....\$549

Plextor
4255 Burton Dr.
Santa Clara, CA 95054
(800) 475-3986
(408) 980-1838
fax: (408) 986-1010

Circle 1014 on Inquiry Card.

TEAC SuperQuad Model CD-55A

internal, with adapter.....\$599

TEAC America, Inc.
7733 Telegraph Rd.
Montebello, CA 90640
(213) 726-0303
fax: (213) 727-7672

Circle 1015 on Inquiry Card.

Toshiba XM-3501B

internal, with adapter.....\$645

Toshiba America Information Systems, Inc.
Disk Products Division.
9740 Irvine Blvd.
Irvine, CA 92713
(714) 457-0777

Circle 1016 on Inquiry Card.


well-known animation files—Robo Truck, Roller Coaster/Mount St. Helens, and AutoDesk Building—that were created using AutoCAD. The scores are simply the number of seconds each required to complete each animation.

The last suite was meant to separate the wheat from the chaff. It consisted of four versions of the same video file: an Intel TV ad. All four ran using Video for Windows. Three used Cinepak video compression but were recorded at different data rates: 150 KBps, 300 KBps, and 600 KBps. The last version was recorded at 475 KBps, using Indeo compression, which is much more CPU-intensive. I used the Intel ad because it was available at the higher data rates.


Remember, most commercial CD-ROM

Quad-Speed Performance


CDStone Suite



AutoCAD Animation Suite



Video Suite



- Matsushita Model CR-563-B (2X drive)
- Toshiba XM-3501B
- TEAC SuperQuad with TEAC AT card
- TEAC SuperQuad with Sound Blaster
- Plextor 4Plex
- NEC MultiSpin 4Xe

All tests were run on a Dell Dimension 66V (66-MHz 486DX2) with a 64-bit Number Nine VL-Bus graphics accelerator. The Dell's double-speed Matsushita CD-ROM drive served as a basis for comparison. The CDStone tests measure access times (full stroke, one-third stroke, and random access) and data read rates (long block and short block), as well as CPU use. The CDStone index uses a typical single-speed drive as its baseline. The AutoCAD animation tests simply measure the time it takes each

of three AutoCAD animations to complete. The video tests shown here measure the frame rate playback and completion time of two versions of the same Video for Windows file. One uses Cinepak compression and is recorded at a data rate of 600 KBps. The second uses Indeo compression and is recorded at 475 KBps. Note that all the drives, even the Dell's original double-speed Matsushita, ran 150-KBps and 300-KBps files at their full rate.


perspective, however, keep in mind that all the quad-speed drives blow the doors off even the best double-speed units available. The TEAC, slowest of the bunch, was still 50 percent faster than the double-speed Matsushita on the CDStone tests and up to 20 percent faster on the animation tests.

So here's the bottom line: All the quad-speed drives I tested will play most com-


mercially available multimedia equally well on a fast PC. That leaves you to consider price, features, and the future. If performance with future applications is your overwhelming concern, or if you're developing those applications, then either the Toshiba or Plextor units will serve you well. The NEC provides lots of extras for a moderate price, and isn't that far behind the two performance leaders. The AT in-

terface gives TEAC an edge when it comes to simplicity, but when more demanding video hits store shelves, TEAC's slow performance could be a liability. ■

Michael Nadeau is a BYTE contributing editor and author of The BYTE Guide to CD-ROM (Osborne/McGraw-Hill, 1994). You can reach him on the Internet or BIX as miken@bix.com.




BYTE's
Mac Programmer's Cookbook
by Rob Terrell
\$29.95 U.S.A.
ISBN: 0-07-882062-6



YELLOW PAGES
SECOND EDITION

The Internet Yellow Pages, Second Edition
by Harley Hahn and Rick Stout
\$29.95 U.S.A.
ISBN: 0-07-882098-7



The Visual C++ Handbook
by Chris H. Pappas and William H. Murray
\$34.95 U.S.A.
ISBN: 0-07-882056-1



Oracle DBA Handbook
by Kevin Loney
\$34.95 U.S.A.
ISBN: 0-07-881182-1

Tuning Oracle
by Michael J. Corey, Michael Abbey, and Daniel Dechichio
\$29.95 U.S.A.
ISBN: 0-07-881181-3

Oracle Workgroup Server Handbook
by Thomas B. Cox
\$29.95 U.S.A.
ISBN: 0-07-881186-4

When It Comes to **CD-ROM**


We Wrote the Book

Everything You Always Wanted to Know About CD-ROMs and More!

This Exclusive Book/CD-ROM Package Includes

- Sound and Clip Art
- Samples of CD-ROM Applications
- Multimedia Authoring Tools

Part buyer's guide, part standards guide, and part troubleshooter, the **BYTE Guide to CD-ROM** discusses all aspects of this proliferating technology so you can take full advantage.



BYTE **Guide to** **CD-ROM**

by Michael Nadeau,
BYTE Senior Editor

Includes
CD-ROM Disk
\$39.95 U.S.A.
ISBN: 0-07-881982-2

Osborne
Get Answers—Get Osborne
For Accuracy, Quality and Value

**Available Now At Your
Local Book & Computer Stores**

or Call Toll-Free: 1-800-822-8158 Any Time
Mention key code #SFC4BY2 and use your
VISA, American Express, Discover or MasterCard

BYTE/Osborne Books are Available at the Following Locations

AT NATIONWIDE STORES:

Barnes & Noble
Borders
Computer City
Media Play
Software, etc.
Taylors

BookStar
Comp U.S.A.
Elek Tek
Micro Center
Super Crown
Waldenbooks

ALABAMA

Madison
Madison Books
and Computers
PH: 205-772-9250
FAX: 205-461-8076

ARIZONA

Tempe
Computer Library
PH: 602-820-0458
FAX: 602-491-7971

CALIFORNIA

Berkeley
Cody's Books
PH: 800-479-7744 (In CA)
800-995-1180 (Outside CA)

Cupertino
Computer Literacy
Bookshops
PH: 408-973-9955

Stacey's Professional
Bookstore
PH: 408-253-7521
FAX: 408-253-5861

Irvine
Irvine Sci-Tech Books
PH: 800-229-9514
FAX: 714-733-0122

Los Angeles
ASUCLA Students Store
PH: 800-456-0019
PH: 310-206-4041
FAX: 310-825-0382

Opamp Technical Books
PH: 800-468-4322
FAX: 213-464-0977

Palo Alto
Stacey's Professional
Bookstore
PH: 415-326-0681
FAX: 415-326-0693

Stanford Bookstore
PH: 800-673-2348
FAX: 415-322-2021

Sacramento
Tower Books
PH: 916-481-6600

San Diego
San Diego Technical Books
PH: 800-346-0071
FAX: 619-279-5088

San Francisco
Stacey's Professional
Bookstore
PH: 800-926-6511
E-mail: staceysbk@aol.com

San Jose
Computer Literacy Bookshops
PH: 408-435-1118
E-mail: info@clbooks.com

San Luis Obispo
Earthing Bookshop Inc.
PH: 805-543-7951

El Corral Bookstore
PH: 805-756-5315
FAX: 805-756-5351

Santa Barbara
Chaucers Bookstore
PH: 805-682-6787
FAX: 805-682-1129

Earthing Bookshop
PH: 805-965-0926
FAX: 805-962-6620

UCSB Bookstore
PH: 805-893-2082

Stanford
Stanford Bookstore
PH: 800-533-2670
FAX: 415-322-1936

Sunnyvale
Computer Literacy
Bookshops
PH: 408-730-9955

COLORADO
Boulder
BiblioTek
PH: 303-443-7037

Colorado Bookstore
PH: 303-442-5051
FAX: 303-444-6604

Colorado Springs
McKinzev-White
Booksellers
PH: 719-590-1700

Denver
Auraria Book Center
PH: 303-556-3230
FAX: 303-556-3736

BiblioTek
PH: 303-534-3460

Tattered Cover Bookstore
PH: 800-833-9327
FAX: 303-399-2279
E-mail:
books@tatteredcover.com

Englewood
Softpro Books
PH: 303-740-7751
FAX: 303-740-8152

Longmont
United Techbook Co.
PH: 303-651-3184
FAX: 303-651-3405

CONNECTICUT
New Haven
Yale Co-op
PH: 800-ELI-YALE
FAX: 203-772-3665

**DISTRICT
OF COLUMBIA**
Washington D.C.
Reiter's Scientific
& Professional Books
PH: 00-537-4314
FAX: 202-296-9103

GEORGIA
Atlanta
Oxford Bookstore
PH: 404-262-9975
FAX: 404-364-2729

HAWAII
Honolulu
Honolulu Book Shops
PH: 808-847-5551
FAX: 808-841-4674

University of Hawaii
Bookstore
PH: 808-956-4338
FAX: 808-956-4323

ILLINOIS
Naperville
Books & Bytes, Inc.
PH: 708-416-0102
FAX: 708-416-0375

INDIANA
Ft. Wayne
Majerek's Readers World
PH: 219-482-1531

MASSACHUSETTS
Boston
Charlesbank Bookshops
PH: 617-236-7442
FAX: 617-236-7418

Waterstone's Booksellers
PH: 617-859-7300
FAX: 617-437-0997

Burlington
Softpro
PH: 617-273-2919
FAX: 617-273-2499
E-mail:

books@softproeast.com
Cambridge
Harvard
Co-Operative Society
PH: 617-499-2000
FAX: 617-868-7038

Quantum Books
PH: 617-494-5042
FAX: 617-577-7282
E-mail:
quanbook@world.srd.com

Wordsworth Books
PH: 617-498-0080
FAX: 617-354-4674

Newton Highlands
New England
Mobile Bookfair
PH: 617-527-5817
FAX: 617-527-0113

Worcester
Tatnuck
Bookseller/Databooks
PH: 800-642-6657
FAX: 508-756-9425
E-mail:
databooks@delphi.com

MICHIGAN
East Lansing
Grand River Books
PH: 517-333-3666

Flint
Young & Welshans
Book Sellers
PH: 810-732-0626
FAX: 810-732-2393

MINNESOTA
Minneapolis
Baxters Books
PH: 612-339-4922
PH: 800-626-1049
FAX: 612-339-6134

NEW HAMPSHIRE
Hanover
Dartmouth Bookstore
PH: 800-675-3616 (in NH)
800-624-8800 (outside NH)
FAX: 603-643-5170

NEW MEXICO
Albuquerque
Page One, Inc.
PH: 800-521-4122
FAX: 505-294-5576

NEW YORK
New York
Barnes & Noble
Fifth Ave.
PH: 212-807-0099
Computer Book Works
Warren St.
PH: 212-385-1616
FAX: 212-385-8193

McGraw-Hill Book Store
Ave. of the Americas
PH: 212-512-4100
FAX: 212-512-4105

OHIO
Cincinnati
University of
Cincinnati Bookstore
PH: 513-556-1800
FAX: 513-556-5555

OREGON
Portland
Powell's Technical Books
PH: 503-228-3906
FAX: 503-228-0505

PENNSYLVANIA
Pittsburgh
Book Center -
U. of Pittsburgh
PH: 412-648-2321
FAX: 412-648-1902

RHODE ISLAND
Providence
Brown Bookstore
PH: 401-863-3168
FAX: 401-863-2233

TEXAS
Dallas
Taylors Bookstore Ltd.
PH: 214-357-1700
FAX: 214-956-8012

VIRGINIA
Vienna
Computer Literacy
Bookshops
PH: 703-734-7771
E-mail: sales@tc.clbooks.com

WASHINGTON
Bellevue
Tower Books
PH: 206-451-1110
FAX: 206-454-0453

University Bookstore
PH: 206-646-3300
FAX: 206-634-0810

Seattle
University Bookstore
PH: 206-634-3400
FAX: 206-646-3340

WISCONSIN
Madison
University Bookstore
PH: 608-257-3784
PH: 800-993-2665
FAX: 608-257-9479

Milwaukee
Harry W. Schwartz
Bookshops
PH: 414-274-6460
PH: 800-236-7323
FAX: 414-274-6408

Osborne

Get Answers - Get Osborne
For Accuracy, Quality and Value

With Phar Lap, DOS applications know no limit.

Build multi-megabyte DOS programs easily, in 16 or 32 bits.

Here are two great solutions to your DOS memory crunch: TNT DOS-Extender® for up to 4 gigabytes in 32 bits, and 286DOS-Extender™ for as much as 16 megabytes in 16 bits. Finally your programs can access all the memory in a PC.

Choose TNT DOS-Extender if you want ultimate 32-bit power and speed. The flat memory model also makes it simple to port from UNIX. Or, to boost memory in your 16-bit application, use 286DOS-Extender. Either way, you get the most trusted, most widely-used DOS-Extenders in the world.



Favorite tools.

All Phar Lap DOS-Extenders work with Microsoft and Borland C/C++ compilers. For 32-bit development, you can also choose MetaWare, Symantec, or Watcom. Keep using CodeView or Turbo Debugger, and all your run-time libraries, including graphics. Nobody else gives you this flexibility.

Enhances performance.



The TNT DOS-Extender turns DOS into a true 32-bit operating system with a flat, 32-bit address space. You'll build smaller, faster programs, and dramatically improve the performance of math-intensive applications. Get advanced features like multitasking, DLLs, and threads.

Compatibility.

Because you embed a Phar Lap DOS-Extender into your program, there's nothing special for end-users to type at the DOS

prompt. All they see is the power they never got under conventional DOS. And because Phar Lap products support the XMS, VCPI, and DPMS industry standards, your applications run under DOS, Windows (3.1 and NT), OS/2, and even Windows 95.

Adds Windows GUI, too.



With the TNT DOS-Extender, you can turn a DOS application into a Windows application. Our exclusive WinPipe technology lets you retrofit existing DOS applications with a Windows front-end. And, unlike Windows programs, your applications will run wherever you want them — under Windows and DOS.

Fully proven.

Phar Lap DOS-Extenders are the leading DOS memory solution, in use in thousands of products including Visual C++ by Microsoft and AutoCAD by Autodesk. Call today and find out how you can push the limits of your applications with Phar Lap DOS-Extenders.



Phar Lap Software, Inc.

60 Aberdeen Avenue, Cambridge, MA 02138 617-661-1510 FAX: 617-876-2972

Phar Lap and TNT DOS Extender are registered trademarks, and 286DOS-Extender is a trademark of Phar Lap Software, Inc. All other product and company names are trademarks or registered trademarks of their respective holders.

Circle 102 on Inquiry Card.

Lively Pictures

HSC's Live Picture features state-of-the-art technologies for enabling high-end image editing on the Power Mac

TREVOR MARSHALL

My first contact with Live Picture was in June 1993 during the Digital World trade show. A rumor was circulating that Kai Krause (author of Kai's Power Tools, and HSC Software's chief technical visionary) was secretly showing a radically different image-editing program. Jerry Pournelle and I found Kai in a darkened suite that was packed with people and equipment, waxing long and hard about an early version of a new package from France called Live Picture. Using acronyms such as FITS (Functional Interpolating Transform System) and IVUE (for Image VUE, a French-language acronym), Kai tried to convince us that conventional pixel editors like Adobe Photoshop and Corel Paint would soon be relegated to the technological scrap heap.

Well, it has taken some time, but Live Picture is now shipping, and the current version is radically different from the one Jerry and I saw in 1993. No longer does HSC Software intend it to replace Photo-

shop, which you will need for some tasks.

However, Live Picture makes fast image editing more affordable than it has ever been before. At \$3995, Live Picture is only a fraction of the cost of high-end workstation products from Quantel and Scitex.

Live Picture has already received wide acclaim, so I'll focus on just what you can expect from the newer, native Power Macintosh version. My test setup consisted of a Power Mac 8100/80 CD equipped with 40 MB of RAM (8 MB more than required), an NEC MultiSync 5FG monitor, and a FARGO Primera PRO Dye Sublimation color printer. The Power Mac's internal video was set to 832- by 624-pixel resolution.

IVUE and FITS

Live Picture's key features have as much to do with the user interface as with imaging technology, but because it is not possible to understand how the program works without first taking a look at the IVUE image format, we shall, in fact, do just that.

Computerized images are typically scanned, transported, and stored in a pixel-mapped format (most commonly TIFF).

And, while the images on a high-resolution video monitor can become quite large (e.g., my 832- by 624- by 24-bit monitor displays 2 MB of uncompressed data), an image that is being prepared for printing can be many times larger. An 8.5- by 11-inch page printed at 300 dots per inch would end up as a 25-MB image file. Normal image editors (Photoshop and Corel Paint) scan files of this size every time they refresh the screen display.

In practice, however, most of the pixels that are read from the file are discarded, and only a few are painted through to the screen. This technique is called *subsampling*. But when you apply an effect, such as the unsharp mask, every pixel in the main image file must be updated. Thus, much of an electronic artist's time is spent waiting for files to be processed.

Contrast the Collage software from Specular International (Amherst, MA), which lets the artist manipulate a proxy of the original image to speed up the operation of many page-composition (or compositing) functions. You form the proxy by sub-sampling the main image before



Live Picture's IVUE technology uses mathematical abstraction to maintain high resolutions at widely varying zoom levels. Here, the zoomed-in view of the model's eye reveals a clear subimage that does not maintain its sharpness when printed out.

you begin the Collage session. Then you perform all the compositing on the proxy image, which contains only a fraction of the number of pixels in the original. At the end of the editing session, Collage carries out the same functions, at full resolution, on the original. Due to the smaller number of pixels being manipulated, it is much faster to compose a page with Collage than with a pixel-based editor. On the other hand, it is useless to use high levels of zoom on a Collage proxy, which is inherently low resolution.

Live Picture uses two new technologies that effectively speed up the editing session without requiring any significant compromise in the ability to zoom in to fine image detail. The first is FITS. As does Collage, Live Picture stores any changes to the image as mathematical equations. But FITS uses new ways of representing these image changes. You are not constrained merely to making compositing functions but have available many operations that are new to personal computers.

Although the changes you make affect the image on your screen, nothing happens to the main database until you finish the session and activate the FITS RIP, the raster-image processing program that converts the file for output on a raster-based device. This shifts the waiting to the RIP post-processor, which can work as a background task that you activate at the end of the day or during a coffee break. Unlike the old methods, RIP postprocessing should not affect your creativity or your productivity.

Zooming In

The other new technology behind Live Picture is called IVUE, an image-storage format designed by FITS Imaging (Paris, France) to provide editing software with fast access to any portion of the main image at any zoom level. The IVUE file format contains the original high-resolution image and a series of reduced resolution subimages (thumbnails). The number of subimages depends on the size of the main image; the larger the image, the more subimages are produced during the conversion process. The smallest subimage is usually around 256 by 256 pixels. When an application requests pixel data, Live Picture determines which portion of each subimage to access.

Obviously, an IVUE file will be larger than the uncompressed TIFF version of the same image—around 33 percent larger, according to FITS Imaging. On the other hand, the TIFF format supports lossless compression, and the average TIFF file

takes up much less disk space when stored in the compressed form. FITS Imaging offers a JPEG compression mode, but you can expect an IVUE database to eat up more of your disk than the TIFF database of the same images. This is a small price to pay for the increase in speed obtained using IVUE-aware applications, such as Live Picture.

An IVUE file is larger than the corresponding TIFF file because it contains several sets of images. But, because an IVUE file is structured like an indexed database, the program can display any part of any image onto the screen, at any zoom level, very quickly. Live Picture generates the screen display by interpolating between the appropriate IVUE thumbnails. At some levels of zoom, you can see the monitor first display a coarse version of the image, with the fine details painted later. But you have to be observant; on my Power Macintosh's internal video, both the coarse and detailed images were finished in just 1 or 2 seconds.

The two screens on page 171 show a concept that Kai Krause used at the 1993 meeting to demonstrate IVUE's high resolution. They show the technology's potential and its shortcomings. The screen on the right was created by zooming in on the glint in the model's right eye, showing that the glint is in fact a complete high-resolution "reflection" of the model's head. You can also see that this zoom level is too high. The interpolation artifacts in the original scanned image are clearly visible even though the edited subimage is perfectly clear on the screen. An HSC spokesperson says that Live Picture could not introduce such interpolation effects, however.

Because high resolution is maintained at different sublevels of the main image, there is no inherent pixellation in a Live Picture image. Although I can imagine that some high-tech spy might get a kick from hiding a highly detailed secret document inside portions of an otherwise innocuous image, it is hard to imagine any practical use for Live Picture's ability to handle such a wide range of resolutions. In fact, what you see on the screen is not what you will see on the printed page (a limitation, to be sure, of other



Like Adobe Photoshop 3.0, Live Picture lets you assemble images from multiple layers. Thumbnails of three layers appear at the right, with the base layer at the top.

image editors as well). When printed, this reflection will again become a pixellated glint. Artists don't have to worry about pixellation at the screen level, but they'll need to pay attention to the resolution in the final printing process.

Layers in Live Picture

Images are created in Live Picture by adding layers. When an image is imported, it becomes a layer. Or, you can create a layer of a particular background color. You can also make a layer transparent, opaque, or translucent.

The screen above illustrates the layering concept. On the right edge of the screen is a list of layers. Starting at the top is the base image: four scrap television sets with fractured screens. Next is a layer called "4 TVs B&W"—then "TV 1 Red Maters," "TV 2 Red Onion," and "TV 3 Red Pepper." The final layer, "TV 4 Red Tomato," is partly scrolled off the bottom of the display. Some of these layers have their corresponding thumbnail images opened and some do not, but each layer has a unique place in the composition on the screen.

Starting with the four TVs, I selected the outlines of the broken screens as masks and applied transparency to the "4 TVs B&W" layer in these specific areas. Masking is a task presumably all Photoshop users have done at one time or another, but performing it on a unique layer has one big advantage: The masking can be turned on or off at will. The original image remained unchanged. I then created new layers for the images of the vegetables, resized them, and placed them behind the appropriate TV screens.

What you see on the screen is really an

NEW!

Cut The Clutter!

Megabytes More Storage!



CleanSweep™

What a mess! Windows programs leave fragments in every corner of your system. So, even after you've attempted to remove them, you end up running low on hard disk space.

Trying to free up space without knowing where every component is concealed can cost you valuable time...with no guarantee that useless fragments haven't slipped through the cracks. Until now!

With amazing new **CleanSweep™**, you'll have spotlessly clean

Windows. *Reclaim megabytes of storage* for dramatically more hard disk space and better system performance!

Easy-to-use **CleanSweep** is the safest, most powerful uninstaller...and more! Designed by **Quarterdeck®** to run *in all Windows environments*, it sweeps away outdated applications and unnecessary files safely and completely! Now, you can...

-  **Uninstall Unwanted Applications:** Analyze programs instantly...then do thorough uninstalls file-by-file or all at once.
-  **Remove Unused Files:** Get rid of temporary files, backup files, archive files, help files, graphic files.
-  **Remove Wasteful Duplicate Files.**
-  **Eliminate Unneeded System Components:** Clean out fonts, display drivers, Windows documents, wallpaper, screen savers, help files and more.

30-DAY MONEY BACK GUARANTEE

You must be completely satisfied or you can return **CleanSweep** within 30 days for a full refund.



Quarterdeck Office Systems, Inc.
150 Pico Boulevard, Santa Monica, CA 90405
(310) 314-3222 FAX (310) 314-4219

Copyright 1994, Quarterdeck Office Systems, Inc. All Rights Reserved. Quarterdeck is a registered trademark and CleanSweep is a trademark of Quarterdeck Office Systems, Inc. All other products mentioned are trademarks or registered trademarks of their respective companies.

Circle 298 on Inquiry Card (RESELLERS: 299).

You can't make a mistake! **CleanSweep** backs up and confirms every action automatically, allows you to view *before* deleting, and even restores files if necessary. **CleanSweep** includes a network uninstall to remove programs from *all* workstations...not just the server.

POWER USERS: **CleanSweep** can be modified to *your* taste. Bypass file confirmation. Review master logs of all activities. Search by wildcard! And, this powerful utility supports Drag-And-Drop.

Clean Up Your System With CleanSweep!

Available At Software Retailers Nationwide!
Or Order Today For Immediate Delivery...


JUST \$49.95

Save \$10 Off The Manufacturer's Suggested Price: \$59.95

Order By Phone 24 Hours A Day Toll-Free:

1-800-354-3222

Please Ask For Promotion Code: 1D1



The safe, powerful uninstaller — and more!

Free out unused duplicate files.

Remove unnecessary components.

Quarterdeck
Clean Sweep™
for Windows

Clean Up Your System!

“object oriented” composition. To interchange, for example, the pepper and the tomato, you merely have to select those layers and drag the images into their new positions. With Live Picture, you can continue to work on any section of the image until you are satisfied.

Only after you've made all your design decisions do you activate the FITS RIP and create the output file for the new composition. Even then, the original image remains unchanged. The output file is created mathematically, according to the instructions programmed into the FITS file by your actions during the editing session. Such creative flexibility is absent in a conventional pixel-mapped editor, where once you have merged a new object, it is fixed into the image, and you are stuck with it. Some desktop products, including Fractal Design Painter on the Macintosh and Picture Publisher on the PC, support floating objects, but you must merge them before you save the final image.

The Fine Art of Transparency

For some time, Altamira's Composer has had a layered structure similar to Live Picture's. I have used this feature a lot, but it has a serious shortcoming: After you've applied transparency to a layer or an object, you can't easily remove or alter the transparency. But since Live Picture does not compute the pixel changes until your composition is complete, you can change transparency or any other attribute at any time.

The screen below consists of four layers:

the original color image imported from the CD, and layers called “Blur the Car,” “Girls Blk & Wht,” and “Background.” I added the “Blur the Car” layer to try to define the outline of the subjects more vividly by reducing the clarity of the other objects, namely the car. The “Girls Blk & Wht” layer started out as a monochrome version of the original image. After I added transparency in the regions around the subjects' bodies, the original color image started to peek through. Changing the transparency on the foreground subjects to 100 percent and on the background subjects to 40 percent and 60 percent, respectively, rounded out the composition. The process from start to finish took 10 minutes, most of which was spent thinking.

A Unique Air Brush

I applied transparency with the air brush, which is the most useful tool introduced by Live Picture. The air brush generates a concentrated central stream and an area of “spray” that has a reduced effect as the distance from the center increases. I was not too careful brushing around the edges of the subjects—you can find defects if you look closely.

You can use the air brush to spray every effect in a Live Picture composition. You can air-brush paint, of course, but you can also “brush” unsharp mask, radial blur, transparency, or colorization. Every image editor needs a feature like this. It is such an obvious concept, and it makes an artist's job so much easier.

Take, for example, the unsharp mask. Artists most frequently use the unsharp mask to more clearly define the edge of an object. So why not just spray the mask around the outline, as Live Picture lets you do? It makes you wonder why computer artists have continued to put up with defining rectangular areas.

To test this feature, I imported a sports car image into Live Picture. After just three brush strokes and 30 seconds of work, I was able to distort the car's shape significantly. I applied two vertical brush strokes of the distort mask to the front bumper and to the middle of the rear wheel. The speed of

application, or brush pressure, determined the effect's radius of action.

I could also unbrush this effect. By lightly brushing over the distorted area (with the erase function), I made the vehicle's original shape gradually reappear. Brushing reduced the distortion's intensity, eventually returning the car to its original outline. I tried the Gaussian blur effect, which also could be removed, incrementally, by brushing with the eraser. By allowing you to spray an effect into your composition and spray the erasure, FITS has added a new dimension to artistic creativity.

Safe at Any Speed

In a direct comparison with Adobe Photoshop 3.0, which also added both layering and layer transparency, the speed advantages that its IVUE technology brings to Live Picture are starkly apparent. Photoshop 3.0 uses a few tricks to speed up the way it displays layers, but its redrawing speed drops noticeably as you add layers. If your images are relatively small, and you have a lot of RAM in your Macintosh, then Photoshop may be a better choice than Live Picture. On the other hand, you will lose the unique creative features of Live Picture, such as the ability to air brush your effects.

Live Picture worked well on my Power Mac 8100/80—almost too well. The editor, in fact, performed much faster than I needed. Screen redraws were so fast I found the machine pacing me; it was always finished with its work before I was ready to give it another command.


Several companies supply network-based FITS RIPs, but because even complex images are Ripped on the Power Mac in just a few minutes, I expect that it will run acceptably fast on a network. I did not test Live Picture on a network, however.

Live Picture 1.5 is not just another image-editing program. It can do things that no other editing program can. While its technical underpinnings (IVUE and FITS) are certainly innovative, I'll always value Live Picture for its easy-to-use special effects. The price may seem high to the amateur electronic artist, but it is a must-have for any professional. ■

Trevor Marshall is a BYTE consulting editor. He can be reached on the Internet at trevor@yarc.com or on BIX as tmarshall.

About the Product

Live Picture 1.5\$3995
HSC Software
6303 Carpinteria Ave.
Carpinteria CA 93013
(805) 566-6200
fax (805) 566-6385
Circle 1012 on Inquiry Card.



Varying the transparency of layers can produce interesting artistic effects. This image was created by overlaying the black-and-white photo over the otherwise identical color version, using an air brush feature to blur the car, and then increasing the transparency in front of the subjects to 100 percent.

Apple's Workgroup Server 9150

BYTE peels the skin off another Apple—this time it's the high-end PowerPC-based Workgroup Server 9150

RAYMOND GA CÔTÉ

The Apple Workgroup Server 9150 is the high-end of a trio of PowerPC-based servers from Apple. All three systems are available with AppleShare 4.0.2 installed. Setting up the server consists solely of unpacking the system, plugging in the appropriate Ethernet converter (e.g., thin wire, twisted pair, or token ring), turning on the system, and entering the initial administration password.

A quick look at the system's capabilities and Apple's marketing literature would have you believing that the Server 9150 is a replacement for the previous high-end machine, the Workgroup Server 95. This is not the case. The Server 95 is a Unix-based 68040 system with a tuned version of AppleShare that takes advantage of the preemptive multitasking capabilities of Unix. Apple still intends the Server 95 to be the high-end choice for people who need maximum throughput in a file server.

The Server 9150's advantage over the Server 95 lies in pure computational speed. The system's 80-MHz CPU, 32-KB on-chip processor cache, and 512 KB of secondary cache combine to produce Apple's most computationally powerful system. All this power would be wasted if it were used simply to share files among users, so Apple has positioned the Server 9150 as an *application server*.

An application server provides access to computational services, rather than solely to shared files and raw data. A database server, which manipulates and filters large amounts of data before handing off the results to the client computer, is the traditional use for such servers. However, an application server can provide a variety of services, including automatic cataloging, prepress color separation, printing, and communications (fax).

System Specifics


The Server 9150 is housed in a full-size tower case. Around the back are two RCA-style phono connectors for stereo sound input, as well as the standard set of Macintosh connectors: monitor; Ether-

net, SCSI, modem, and printer ports; a single Apple Desktop Bus port; and microphone and external speaker jacks. The high-speed GeoPort ports for a modem and printer are capable of maintaining 230.4-Kbps throughput.

The Server 9150 has two SCSI buses. All the internal SCSI devices are connected to the first SCSI bus; the second bus leads to both external and internal SCSI connectors. Removing the side cover of the Server 9150's case reveals a well-packed interior. Starting at the top are bays for as many as five 3½-inch drives. The standard configuration provides two 1-GB drives in the two lowest bays. The double-speed CD-ROM drive and tape backup DAT (digital audiotape) drive are mounted just above the drive bays. The review unit's single floppy drive is positioned about one-third of the way from the bottom of the case.

The power supply and fan consume about one-third of the central portion of the case. The primary cooling airflow starts at the back of the case, is pulled through the tightly packed drive bay, over the eight memory slots, and then out through the power supply. A second, smaller flow of air comes in over the four NuBus expansion slots. Significantly, the PowerPC processor itself is not in the direct path of either air current; the chip runs cool enough to get by with just a heat sink.

Reaching the hard drives is a simple matter of removing a few screws and sliding out the mounting bracket. The NuBus expansion area is also readily accessible, as is the single PDS (Processor Direct Slot) located adjacent to the NuBus connectors. For some reason, though, Apple has a habit of blocking access to RAM slots. In this case, the RAM expansion slots reside just behind the edge of the power supply. You might be tempted to try wedging your hands in there, but, given the cost and



The Apple Workgroup Server 9150 provides bays for as many as five SCSI hard drives, a CD-ROM drive, and a DAT drive. A second, external SCSI bus lets you connect an additional seven hard drives outside the tower.

fragility of memory, you are better off removing the power supply to get at the slots. Of course, you must remove the drive bays before you can remove the power supply. The placement of the internal connector for the second SCSI bus behind the power supply presents one further hassle.

System Software


The Server 9150 runs the standard PowerPC version of System 7 release 7.2; you may have AppleShare 4.0.2 installed at the factory. A PowerPC version of Retrospect Remote provides archival backup on the DAT drive.

Apple is promising a software-only version of RAID that provides RAID 0 (disk mirroring) and RAID 1 (disk striping) and should offer additional improvements in performance or data integrity. This software was not available at the time the tests were conducted.

The Test Applications

Because Apple has positioned the Server 9150 as an application server rather than a file server, I concentrated on evaluating the speed of the available native-mode applications. Over a dozen companies have

Reviews Apple's Workgroup Server 9150



announced the release or imminent release of applications that take advantage of the Server 9150. These include such diverse applications as 4D Server, a new multi-user release of the 4th Dimension database; a work-flow server from Quark; and an automated software distribution system from Wave Research.

For these tests, I ran several applications that are available for both 68K-based processors and PowerPCs. I also ran preliminary versions of the new BYTE cross-platform benchmarks. The test 68K server was a 33-MHz Workgroup Server 80 with 8 MB of RAM and a 1-GB hard drive running System 7.1. The Server 9150 had 16 MB of RAM and two 1-GB hard drives. The table "Performance Results" summarizes the test results. I used the following products during testing:

- A beta version of ACT US's 4D Server, a native PowerPC version of the standard 4th Dimension 68K server. Although informal testing indicated that the PowerPC version is, not surprisingly, significantly faster than the 68K version, the final numbers are not included in the results, because, at test time, the software was still in beta form. 4D Server should be shipping by the time you read this review.

- Cumulus PowerPro, an image-cataloging and -retrieval system from Canto Software. The server can create or extract thumbnails from almost any image format. It combines a clean, simple user interface with a quick search engine, a hierarchical keyword structure, and a drag-and-drop interface. Cumulus PowerPro also lets you print selected images directly from the server. During testing, I loaded and cataloged the same 1289 images on the 68K version and the PowerPC version. The 68K version needed an average of 5.7 seconds per image. The PowerPC version required 2.4 seconds per image—a performance increase of 133 percent.

- Filemaker Pro from Claris, a popular Macintosh database system. Although it has long provided the ability for multiple users to access a single database via a network, earlier implementations were slow and moved lots of data over the wire. Claris has introduced a server version of the product, which, combined with Filemaker 2.1v3, provides greatly enhanced multiuser access. As many as 100 users can connect to a server simultaneously. More important, sorts and searches can now take place on the server; before, the client did much of the work.

The first Filemaker benchmark test was a multifeild search of a 32-MB file (the maximum file size allowed) containing 2068 records. The 68K-based Server 80 completed the test in 8 seconds, while the Server 9150 crossed the finish line in 5 seconds. A second test required obtaining a grand total of a series of floating-point numbers in the 2068 records. The Server 80 completed this task in 87 seconds, and the Server 9150 required 52 seconds. For these two tasks, the Server 9150 was at least 60 percent quicker than the Server 80.

The last series of tests consisted of running a late-beta version of BYTE's new cross-platform benchmarks. These new benchmarks test simple algorithmic operations, such as sorting numbers and strings, and evaluate real-world performance with such tests as a Fourier transform and a neural network back-propagation routine. The results varied widely, with one test actually showing a decrease in performance on the Server 9150, while solving a linear-equation algorithm improved by a factor of 13. Although speed improvements are always dependent on the application that you use, the approximately 400 percent overall improvement shown in these tests indicates that native


About the Products

Workgroup Server 9150 (with an 80-MHz PowerPC 601, 512 KB of secondary processor cache, 16 MB of RAM, two 1-GB hard drives, a DAT drive, a CD-ROM drive, Retrospect Remote backup software, and RAID software)\$9229 (with AppleShare 4.0.2 installed).....\$10,269

Workgroup Server 8150 (with an 80-MHz PowerPC 601 processor, 256 KB of secondary processor cache, 16 MB of RAM, Ethernet, a double-speed CD-ROM drive, room for a single 1-GB hard drive, an internal DDS-2 DAT drive, and one SCSI bus).....\$7459 (with AppleShare 4.0.2 installed).....\$8499

Workgroup Server 6150 (with a 60-MHz PowerPC 601 processor, 256 KB of second-level processor cache, 8 MB of RAM, Ethernet, an internal 500-MB hard drive, a double-speed CD-ROM drive, a floppy drive, and AppleShare 4.0.2 installed).....\$4219

Apple Computer, Inc.
1 Infinite Loop
Cupertino, CA 95014
(800) 795-1000
(408) 996-1010
fax: (800) 462-4396
Circle 1011 on Inquiry card.



Schildt's Windows 95 Programming in C and C++


The best way for programmers to make a smooth transition to Windows 95 with special tips for porting from Windows 3.1.

by **Herbert Schildt**

\$29.95 U.S.A., ISBN: 0-07-882081-2, Available 12/94

Master C/C++ with the Master: Herbert Schildt

Find out what millions of people already know—Herb Schildt is THE author to turn to for C and C++ programming information and insights. For more than ten years, his uncompromising style and attention to detail have produced numerous best-sellers that have set the standard by which other programming books are judged. With his straightforward approach, Herb Schildt will have you getting the most from C/C++ in record time. Whether you're a newcomer to C, moving up to C++, or an experienced programmer, Herb Schildt has written a book for you.




C++ from the Ground Up

Learn C++ without a background in C—this book shows you how. Covers all aspects of C and C++ in one complete volume.

by **Herbert Schildt**
\$27.95 U.S.A.

ISBN: 0-07-881969-5




Teach Yourself C, Second Edition

Everything you need to know to program in C, in short, easy-to-understand lessons.

by **Herbert Schildt**
\$24.95 U.S.A.

ISBN: 0-07-882011-1




Teach Yourself C++, Second Edition

Go bilingual! If you already know C, this book is the ideal way to learn C++. A great companion to **Teach Yourself C**.

by **Herbert Schildt**
\$24.95 U.S.A.

ISBN: 0-07-882025-1



The Annotated ANSI C Standard

Do it right! No C/C++ programmer should be without a copy of the standard. Schildt demystifies it with clear explanations, tips, and warnings.

by **Herbert Schildt**
\$39.95 U.S.A.

ISBN: 0-07-881952-0

Also available by Herbert Schildt with co-authors Chris H. Pappas and William H. Murray, III:

Osborne Windows Programming Series

Volume 1: Programming Fundamentals
\$39.95 U.S.A.
ISBN 0-07-881990-3

Volume 2: General Purpose API Functions
\$49.95 U.S.A.
ISBN 0-07-881991-1

Volume 3: Special Purpose API Functions
\$49.95 U.S.A.
ISBN 0-07-881992-X

Available now at your local book and computer stores or call 1-800-822-8158 any time. Mention key code SFC4BYS and use your American Express, VISA, Discover, or MasterCard.

Osborne

Get Answers-Get Osborne
For Accuracy, Quality and Value

We've Made It Perfectly Clear.



The Series 2/Model SX-23 Digital Audio Processor

ISO/MPEG/MUSICAM Coding
AES/EBU/SPDIF Digital I/O
Balanced Analog I/O
90 dB+ Broadcast Quality

The most advanced, innovative and best sounding digital audio boards come from Antex. That's why they're preferred by OEMs and integrators worldwide for broadcast, recording and multimedia applications.

- Multiple compression formats - ISO/MPEG/MUSICAM, Dolby AC-2, CD-ROM XA, MS ADPCM, IMA
- AES/EBU/SPDIF Digital I/O
- Balanced analog I/O
- Programmable floating point DSP
- Onboard EEPROM for software security
- 16-bit stereo, 64x oversampling Sigma Delta
- High-level DOS/Windows drivers
- Dual-device and multiple adapters
- Wavetable synthesis
- SCSI/MIDI interfaces



The difference is clear.

800/338-4231 • 310/532-3092 • FAX 310/532-8509
16100 South Figueroa Street, Gardena, California USA 90248

Reviews

PERFORMANCE RESULTS

These results show the relative speed increase provided by the PowerPC 601-based Workgroup Server 9150 over the Motorola 68K-based Workgroup Server 80. Figures include relative speed ratings for both applications and benchmark tests. The BYTE benchmark integer index figure is the geometric mean of the following tests: numeric sort, string sort, bit-field operations, floating-point emulation, assignment algorithm, IDEA (International Data Encryption Algorithm), and Huffman compression. The floating-point index figure is the geometric mean of the Fourier coefficients calculation, neural network simulation, and LUD (lower and upper decomposition). The tests were compiled using Metrowerks Code Warrior CW4.

The BYTE tests are beta versions, and the results are therefore preliminary. If BYTE finds a significant change between these results and those obtained when the benchmarks are in their final form, the magazine will publish an update.

TEST	PERFORMANCE INCREASE*
Filemaker search	1.6
Filemaker summation	1.7
Canto image cataloging	2.4

BYTE BENCHMARKS

	68K-BASED WORKGROUP SERVER 80 INDEX	POWERPC-BASED WORKGROUP SERVER 9150 INDEX
Integer	.22	.77
Floating-point	.04	.22

* Figures indicate the performance increase of the Workgroup Server 9150 over the Workgroup Server 80.

SIMPLY THE BEST RESOURCE FOR DIRECT BUYERS!

Use BYTE's fast, convenient card deck to find the best deals on computer products and services. Each mailing is loaded with essential hardware and software product information for making purchases direct from the manufacturer — *and it's absolutely free!*

The BYTE Deck is your #1 resource for:

- CD-ROM
- Networking
- Multimedia
- Windows *and More!*

The next edition of the BYTE Deck mailing will arrive in your mailbox soon. **Don't miss it!**

Advertisers: Call Susan Rastellini today at (603) 924-2596 or fax your order to (603) 924-2683



applications will get a significant boost on the Server 9150.

The PowerPC Today

Apple has significantly raised the performance of its server offerings with the introduction of its PowerPC 601-based workgroup servers, such as the Server 9150. Although bigger and quicker machines are always promised in the near future, the performance increase offered by the Server 9150 over previous 68K-based servers provides good reason to select a PowerPC solution today. Apple's top-of-the-line PowerPC platform is a solid powerhouse ready to perform immediately. ■

Raymond GA Côté is a BYTE consulting editor and vice president of product development for Appropriate Solutions, Inc. (Peterborough, NH). You can reach him on the Internet at rgacote@apsol.com or on BIX as "rgacote."

Prograph CPX: Purely Visual

Visual programming to the extreme: no hand-typed code, no waiting

RAYMOND GA CÔTÉ

Prograph CPX from Prograph International of Halifax, Nova Scotia, is a pictorial development environment and application framework for the Macintosh. It supports custom extensions and provides optional support for communicating with corporate databases. The Prograph environment consists of several major subsystems: an interpretive development environment and debugger, an ABC (Application Builder Class) framework, and a separate compiler for creating stand-alone executables.


Prograph is object-oriented and data-flow driven, with a dynamic development environment. The publishers claim it will slash hundreds of hours off your development time. And it will soon be available on platforms other than the Macintosh (see the text box "Crossing Platforms"). This product sure has all the right buzzwords, but can it deliver on its promises?

What a Pretty OODL

Object-oriented programming is such a common concept these days that I won't belabor the point except to say that Prograph, like SmallTalk, really *is* object-oriented. Everything is an object. This provides a great deal of flexibility, such as the ability to identify object types at run time and make decisions based on the type.

Such a true object-oriented approach has the potential of adding significant processing overhead to any application. In practical terms, this does not seem to be a major liability on modern machines. I ran the Prograph development environment on a Macintosh 9150 Power PC Workgroup Server, a PowerBook 540, and an old Macintosh IIci. Although the interpretive development environment can be a bit sluggish at times, the final compiled executables run satisfactorily.

The concept of a dynamic development environment is not new—SmallTalk being the classic example—but it is still fairly rare. In a dynamic development environment, everything, including the executing program, is available for examination and modification. This means that you can take an application and change its underlying



Each application is composed of sections. Each section can contain a set of universal methods, persistent objects, and classes. Classes consist of attributes (local variables) and methods.

code, window layouts, and even class hierarchies while the program is executing and immediately see how the changes alter the program's behavior.

If the integrated debugger pops up with an error, you can examine the problem, modify or rewrite the method exhibiting the problem, and then continue execution starting from where your changes alter the possible flow of execution. You can even write your programs in a top-down fashion without defining the lower levels of functionality until the program is running. The debugger simply states that you are accessing a method or attribute that has not yet been defined and asks if you want to define it now.

Where Has All the Data Gone?

Perhaps one of the most difficult concepts to grasp in Prograph is that the basic program execution follows a data-flow model. Data-flow languages provide little control over the order in which sections of a program are executed. And, truth be told, you usually don't care about the execution order. If a low-level primitive requires three parameters, the primitive executes as soon as the three parameters are available, regardless of what else needs to be

completed. Although this concept is fairly foreign to most C and C++ programmers, it is a convenient way of envisioning program execution. Simply take a piece of data and follow it around your program.

In real-world applications, some operations must take place in a specific order (e.g., update a database entry before reading it from another part of the program), and Prograph imposes execution order through the use of *synchro* links. But even with *synchro* links, Prograph does not guarantee that one operation will occur immediately after another, only that the second operation will occur after the first.

Although this is the first data-flow language I've used, I became comfortable with thinking in terms of data flow after a day or two of using Prograph. You'll probably find the data-flow concept easier to grasp than your first attempts at learning C++.

Who Needs Pictures?

The overwhelming first impression of Prograph is that of either a CASE or a drawing tool. Everything is visual. Projects are composed of sections, which are composed of universal procedures, persistent data objects, and methods (see the screen above). Methods, in turn, are composed

of cases, which, in turn, contain the actual code (see the screen on the right). All the elements at each level are represented by pictures. At no point in Prograph will you open up a large text window and start writing the "real" code. The real code is created by placing a set of built-in (or user-defined) primitives onto a methods window and then drawing lines to link these pictures together to form a program.

Being from the old school of programming (I'll happily regale you with tales of paper tape and punch cards), this is about as far removed from traditional programming as I can get. Where's the text? How do I see the overall program flow? And how does all this picture stuff work, anyway? Don't assume that just because Prograph is based entirely on pictures that it is simple, intuitive, or a toy; it is none of these. What it is, is consistent, powerful, and expressive.


Over the years, I have tried a number of picture-based development environments and CASE tools, many of which claimed they would simplify my development environment. Many of these tools were just collections of pretty icons that contained ordinary traditional code. Pro-

graph is different from any other tool I've used. It provides a language as rich and complex as SmallTalk or C++ but in pictures, not words.

Drawing on Experience

The first thing you must do after installing Prograph is work through the tutorial. Otherwise, you'll just be frustrated by the experience. Prograph is loaded with options. You can click, double-click, command-click, and option-drag command-click to perform an operation. Clicking on the left or right side of an icon produces different actions. There are even multiple controls with various options tucked into the title bar of several windows.

It sounds complicated when you first read through it, and indeed, it remains so for the first few hours. You'll quickly find, however, that what Prograph lacks in simplicity it makes up for in consistency. Command-clicking always performs the



same type of action, as does double-clicking the left side versus the right side of an icon (the left side creates things, and the right side provides a list of preexisting things, such as methods).

Intuitive is probably the last word I would choose to describe Prograph. Without the tutorial, you'll never be able to figure out how to perform even the simplest operations. This is not a criticism of the product. After all, how intuitive did you find C or C++ to be the first time you tried to learn it?

Prograph is a complex and powerful tool that requires a serious investment in time and effort. After working with Prograph for about a week, I feel comfortable building some simple one- and two-window forms and working with some databases. It will probably take another two or three weeks before I can stop referring to the reference guide every 5 minutes. However, three to four weeks to become comfortable with a new language is not a large investment of time.

Learning ABC

No development environment today is complete without its own class library or framework. Prograph provides the ABCs and ABEs (Application Builder Editors). Every application contains a single instance of the application class. Applications, in turn, are composed of menu, window, and document classes.

Building the user interface consists of creating a set of menus and windows, associating behaviors with the menu items and the window control elements. You can define behaviors for each event that is appropriate for a particular control item (e.g., double-click, key-down, update, and others). The object editors also let you

Crossing Platforms

As a professional software developer, I find it difficult to recommend any software development tool that is not available on more than one major computing platform. Although Prograph CPX has a 1.0 release number on it, Prograph has been available on the Macintosh for several years. Now, with its "professional" version, Prograph International is prepared to move off the Macintosh.


According to product manager Mark Szpakowski, Prograph will be shipped for the Windows platform during the first quarter of 1995. A Unix version is also in the works, but exact release dates are not yet available. A Power Macintosh version should be available by the time you read this.

Prograph is a 32-bit development system and will require a 32-bit operating system for developing and running the final executable. The initial target development environment will be Windows NT and Windows 95 when it is available. The programs you create with Prograph will also be able to run under Windows 3.1 with the Win 32s extensions.

Prograph International appears to be taking a reasonable approach to cross-platform compatibility. It is not attempting to maintain 100 percent compatibility with the low-level Macintosh-style calls in the current Prograph. Rather, the compatibility level is focused on the ABC class library and as many of the lower-level Prograph primitives as make sense. A platform-specific layer of primitives will provide full access to the Windows API, just as Macintosh users have full access to the Mac Toolbox.

Mr. Szpakowski notes that Prograph's built-in database capability will be available across platforms, with the ability of sharing the resulting files among Mac, Windows, and Unix applications. In addition, access to external database systems through ODBC (Open Database Connectivity) will be identical on the Mac and under Windows.

We don't know if they'll love, honor and obey,
but we do know they're compatible.



NSTL's compatibility and interoperability tests are the most rigorous in the industry. So when you see our Seal, you know the computer products you're buying will be compatible.

The following computer products* have recently earned the NSTL Seal.

DATATECH Enterprises Co. Ltd.
DSN-3348C Notebook

Digital Equipment International Ltd.
Celebris 560 System

Arima Computer Corp.
CompactNote CN486 Notebook

Racore Computer Products, Inc.
MB117 Token Ring Switchable ISA Adapter
MB119 Token Ring Switchable ISA Adapter
MB116 Token Ring Switchable MC Adapter
MB118 Token Ring Switchable MC Adapter

LONGSHINE Electronics Corp.
32-Bit PCI Ethernet LAN Card

GVC Corporation
Ethernet Pocket Adapter

KYE Systems Corp.
New Pocket Ethernet Adapter
Jumper & Jumperless NE2000
Compatible Card

Microstar Computer Corp.
NoteStar NP-663 Notebook

Philips Electronics Industries
PCM1000 System

Standard Micro Systems
SMC TokenCard Elite Master32 (ESA)
SMC TokenCard Elite (ISA)

Veridata Electronics Inc.
GemPower 486D50U Notebook

Cyrix Corporation
Austin 486DX/2 50

Artalex Computer Corp.
ADX-5666 Notebook

CLEVO Co.
Clevo 7500A Notebook

Texas Instruments
Token Lite Manufacturing Kit
of OSF TR Cards



For more information about the NSTL Seal and what it takes to earn it, call
800-220-NSTL or (610) 941-9600. It's the first step toward a long and healthy relationship.

* All brand or product names mentioned are trademarks or registered trademarks of their respective holders.
Plymouth Corporate Center • 625 Ridge Pike • Conshohocken, PA 19428 • Fax: 610-941-9952 • NSTL is a division of McGraw-Hill, Inc.



Circle 95 on Inquiry Card.

define Balloon Help text items.

Editors are provided for each of the control item types. You can define new editor types for new controls. The tutorial shows how to define a new chart control that has its own editor.

The ABC library is rich and expressive; aside from the usual window and menu control elements you expect to see in any framework, you'll also find classes for printing, delayed tasks, font control, color and image manipulation, database access, image dragging, and rubber banding. The interactive development environment was built using the ABC library and is an excellent demonstration of the library's capabilities.

At the other extreme to the ABC library is the set of medium- and low-level primitives. Here you'll find functionality from simple bit and string manipulations to serial-port control, AppleEvent interfaces, AppleTalk, QuickTime, and a full set of Macintosh Toolbox primitives up through System 7.1. Using the built-in extension capability, it is fairly easy to add support for new Toolbox functionality, such as the Drag and Drop or Speech managers available in System 7.5.

Extensibility

One problem with nonmainstream development environments is determining what to do with all your old code. Prograph provides two solutions to this problem. You can create new primitive functions, or you

can simply treat your old code as an extension.

Creating a new primitive requires you to take the existing source code and encapsulate it in a wrapper that provides access to the Prograph internal structures, such as objects, strings, and lists. Primitives can also communicate with the interpretive environment to provide error conditions.

Most of the primitives provided in the Prograph environment are written in Symantec C. Primitives can be written using either Symantec's Think or Apple's MPW C compilers. Sample MPW and Symantec projects are provided, which you can modify to fit your own needs. Writing new primitives may require you to significantly alter your existing code to take full advantage of the Prograph structures, but it provides the tightest coupling of the environment with your old code.

Extensions are useful for including large amounts of existing C or Pascal code in your Prograph environment. To create an extension, you first create a standard Symantec Think or MPW code library. You then run this library through the C or Pascal Interface Tool for Prograph to produce a package. You copy the package into an Extensions folder on the Macintosh, where it is immediately available for use within Prograph. Although Extensions are not as tightly integrated into the Prograph development environment as Primitives (e.g., you would not use Prograph native data structures), they are a

quick and convenient way to gain access to lots of existing code.

Building Applications

Prograph ships with both an interpreter and a compiler. After your final application is developed and debugged in the Interpretive environment, you start up the compiler to create the final double-clickable application.

The compiler has a minimal interface. Beyond letting you set some application specifics—the Finder ID, heap size, and various system flags—it simply compiles the application. If the compiler finds an error, such as an undefined method, it flags the error and provides you with the option of switching to the interpreter environment to fix the problem. Be prepared with lots of RAM if you have both the compiler and interpreter running at the same time—each requires about 7 MB.

The resulting applications run noticeably quicker than in the interpretive environment. They are also significantly smaller. Whereas the development environment requires about 7 MB, the smallest application size appears to be around 512 KB when using the ABC framework. One sample program that manipulates images, performs database access, and provides several data-entry screens required around 700 KB and took 4.5 minutes to build. As with most frameworks, the resulting executables seem too large for small, frequently used utilities. However, the 500-KB executable size is comparable to other frameworks.

Conclusion

Prograph CPX is a rich and powerful development environment. Once you become familiar with the system, its three-layered approach of framework, rich primitive set, and comprehensive set of low-level Toolbox calls provides the unbeatable expressive power of an abstract framework with the functionality of direct communication with the operating system.

Coupled with the interpretive development environment, this extensibility lets you quickly develop sophisticated applications. The major drawback to this environment is its availability on only a single platform, but that should be changing soon. ■

Raymond GA Côté is a BYTE consulting editor and vice president of product development at Appropriate Solutions in Peterborough, New Hampshire. He can be reached on the Internet at rgacote@apsol.com or on BIX c/o "editors."

About the Products

Prograph CPX\$695
(includes 90 days of free technical support)

Interapplication Communications

Toolkit\$99

Charting Objects\$99

Visual Effects Manager\$149

C Tool (for creating extensions)\$199

Communications Toolbox\$299

SQL/DAL Interface\$999
(includes 10 deployment seats; >10:
\$75 per seat)

Oracle Interface\$999
(includes 10 deployment seats; >10:
\$75 per seat)

Sybase Interface\$999
(includes 10 deployment seats; >10:
\$75 per seat)

SNA gateway\$9950
(> 50 seats: \$100 per seat)

PDN (Prograph Developer Network)

(subscription includes three CDs per year plus technical support)

PDN/Bronze\$399 per year
E-mail support

PDN/Silver\$999 per year

E-mail and voice support;
48-hour response

PDN/Gold\$1499 per year

E-mail and voice support;
24-hour response

U.S. Sales Office:

Prograph International, Inc.
447 Battery St.
San Francisco, CA 94111
(800) 927-4847

fax: (415) 391-3942

Circle 1001 on Inquiry Card.

Internet: info@prograph.com or
sales@prograph.com
Newsgroup: comp.lang.prograph

AOL: prographer

Use keyword Prograph to access the Prograph Forum

AppleLink: prograph.sls or prograph.spt
Prograph folder in the Third Parties folder

CompuServe: 73300,3460

GO MACDEV, topic Object-Oriented

Prograph FirstClass BBS: (902) 455-6616

Powerful Presentations for Windows

The top presentation programs for Windows concentrate on usability, but there's plenty of power under the hood

SUSAN YEATON

Presentation packages help business presenters to create what was once the province of corporate art departments and outside consulting firms: professional-looking overheads, slides, handouts, and screen shows. Whether the program is used twice a year or once a week, time not spent on choosing complementary colors and aligning text can be spent on a presentation's content. Thus, the trend has been for these programs to stress usability features and make design choices for the user.

This month, NSTL focuses on Windows presentation packages that fit the general-business-use category—Charisma, Harvard Graphics, Lotus Freelance Graphics, and Microsoft PowerPoint—rather than those that emphasize multimedia presentations. To fit this category, the programs must be broad-based, with extensive charting (including organization charts), drawing capabilities, a built-in outliner that accepts text created in other programs and retains the outline levels of that text, and slide-show features.

NSTL did not include programs, such as Astound and Action, that appeal to the high-end multimedia user, because these programs are best compared in an issue dedicated to multimedia. For the same reason, NSTL did not include programs that emphasize drawing (e.g., CorelDraw) or charting (e.g., Stanford Graphics and Delta-Graph Professional). Also, the point upgrade of Asymetrix's Compel still lacks an outliner and does not provide the extensive charting of the other programs chosen for this review.

Focus on Usability

Because less technical users are often required to build presentations, usability is an important component of this evaluation. To test usability, NSTL convened



NSTL recommends Microsoft PowerPoint as the best all-around Windows presentation program. It's the easiest to learn and use, has the best quality, is fast, and has an extensive array of features.

a panel of independent testers who were not familiar with the programs and asked them to create and give a presentation that included several text charts, data charts, an organization chart, and clip art. They used each program's outliner and added transition effects to an on-screen presentation. Testers ran tutorials, consulted manuals and on-line help, and used the learning and use aids provided by the programs.

Creating pages, or *slides*, is the core of the presentation process. The testers created a seven-slide presentation, with a va-

riety of bullet, title, and data charts, and with clip art. They used both the outliner and the slide editor to build the presentation. After creating the entire presentation, the testers switched templates and concentrated on making edits to the slides.

All the programs have templates (also known as backgrounds or masters), which are basically slide backgrounds with a particular "look." Color templates contain complementary colors that let you create professional-looking slides with no effort. You can alter templates to fit individual

OVERVIEW								
NSTL RATING		VERSION	PERFORMANCE	VERSATILITY	EASE OF LEARNING	EASE OF USE	REQUIRED MEMORY	PRICE
★★★	Charisma	4.0	▼	▲	▲	▲	4 MB	\$495
★★★★	Harvard Graphics	3.0	▼	▲	▲	▲	4 MB	\$395
★★★★	Lotus Freelance Graphics	2.1	▲	▲	▲	▲	4 MB	\$495
★★★★	Microsoft PowerPoint	4.0	▲	▲	▲	▲	8 MB	\$395

KEY

★★★★ Outstanding
 ★★★ Excellent
 ★★ Average
 ★ Below average
 ☆ Poor

▲ Good
 ■ Fair
 ▼ Unacceptable

PERFORMANCE				
All times are in seconds.				
	CHARISMA 4.0	HARVARD GRAPHICS 3.0	LOTUS FREELANCE GRAPHICS 2.1	MICROSOFT POWERPOINT 4.0
Print black-and-white handouts				
Return-of-control	17.8	25.4	17.6	11.3
Page drop	117.1	154.3	162.7	95.3
Screen redraw				
Switch to gradient background	8.4	2.8	1.0	15.8
Go to next slide	8.7	10.8	7.2	7.6
Switch views				
To sorter	13.7	13.9	8.4	1.0
Back	0.8	2.8	0.3	0.8
Print color handouts				
Return-of-control	20.8	28.8	18.0	12.9
Page drop	572.3	466.0	527.8	446.4

needs and save them for future use.

Charisma asks you to choose the output medium to determine page size and orientation and appears to offer the same template list despite the device that you choose. Harvard Graphics lets you pick any template regardless of the chosen output device but gives hints about which ones work best in each medium. The same Freelance Graphics template can be used regardless of the output medium (e.g., overhead, 35mm slide, or screen show), and the program will make the necessary adjustments to the slides. PowerPoint, on the other hand, separates its templates by output device.

Templates and the adoption of "click here" prompts by all the tested programs

eliminate the need for drawing placeholder boxes and take the guesswork out of creating a presentation with a cohesive look. Where the prompts appear on a given slide is governed by the page layout chosen. Now offered by all the programs, page layouts let you choose the type of slide you want (e.g., a title page, a bullet chart, or a pie chart). More-complex layouts include two-column bullet charts and combination text and data-chart layouts.

Electronic Consultants

Even with dozens of attractive templates and great page layouts, you sometimes need help organizing your thoughts and figuring out which type of chart is best for the job. Harvard Graphics' and Power-

Point's new advisors and wizards are intended to get you by the impasse. PowerPoint's AutoContent Wizard leads you through a choice of six common types of presentations (e.g., recommending a strategy or selling a product or idea). By choosing one and filling in some simple information, such as a slide title and name, it becomes a presentation in outline form with several slides created. You then replace the hints with your own text, and you have generated a presentation.

Harvard Graphics' Quick Presentations feature also starts with a sample presentation based on one of seven themes, such as a marketing plan or a new-product proposal. You just pick a theme, and the slides are created, complete with titles, bullets, and charts. Unfortunately, the text is often too vague or short (e.g., "Marketing Mix"), with no further information given.

Harvard Graphics' Quick Advice system, however, is excellent. In the dialog box for a new presentation, you not only can choose your template, layout, and output device, but you can receive helpful information on each possible choice, along with a thumbnail preview of each. For example, if you choose a scatter chart, the advisor explains when to use a scatter chart and then describes and explains the options available for each type of scatter chart. Best of all is the advisor that describes each template and includes a thumbnail of it next to its description.

Freelance Graphics' point release lacks the advanced help features offered by Harvard Graphics and PowerPoint. Creating a presentation requires dealing with two simple dialog boxes: one for choosing a look, with thumbnails and names of each template (SmartMaster), and one for choosing a page layout. Freelance Graphics has an excellent option for previewing each slide edit before you invoke a change. You can also preview changes to text attributes and charts, which can be a great aid to productivity. Moving or resizing Freelance Graphics' "click here" prompts can affect all slides with the same page layout at once, or you can first unlink the edited slide so that changes affect only that slide.

Charisma does less hand-holding than Harvard Graphics or PowerPoint in creating a presentation, so it's a bit difficult for a nonprofessional to use. As with Freelance Graphics, you pick a template and a page layout from the list and thumbnail, and the thumbnail is drawn with the background you just selected. Once you choose these items, hints that are displayed on the status bar provide some guidance for working

Highlights		
	Strengths	Limitations
Charisma	<ul style="list-style-type: none"> Special drawing effects Only program with Gantt chart feature Only TWAIN-compliant program 	<ul style="list-style-type: none"> Most difficult to learn and use Limited workgroup features No organization chart feature
Harvard Graphics	<ul style="list-style-type: none"> Great advisor help system Conferencing feature Extensive drawing effects with bundled Harvard F/X 	<ul style="list-style-type: none"> Slowest program overall Lowest quality rating overall Smallest number of templates and clip-art library
Lotus Freelance Graphics	<ul style="list-style-type: none"> Fast screen redraws Largest number of templates and transition effects Only program with automatic file backup 	<ul style="list-style-type: none"> Smallest number of outline levels No custom chart templates Restricted placement of chart legends and titles
Microsoft Powerpoint	<ul style="list-style-type: none"> Fastest program overall Highest quality score overall Only program with screen-show rehearsal feature 	<ul style="list-style-type: none"> One-level Undo feature Cannot choose second color for gradient Cannot have multiple pies on one chart

C, C++ and BASIC programmers, now you get much more than xBase compatible DBMS power.

Thousands of programmers have already discovered how to get dBASE, FoxPro and Clipper compatibility from their favorite language and hardware platform. For example, one customer has C programs running on PC and Sun workstations sharing data with concurrently running FoxPro for Windows applications. You see, CodeBase technology is simply the best way to add multi-user xBase compatible DBMS power to C, C++, BASIC, or Pascal.

You still get high speed & small size

CodeBase users really appreciate our small executable size. Unlike SQL engines which are a Meg or so in size, CodeBase 5.1 EXE's can be as small as 45K! You'll also like the speed—with our Intelligent Queries you get the execution speed of C plus stunning query performance from our smart use of available index information.

Introducing CodeControls

Now formatted data entry in Windows is as easy as point & click!



Introducing the new CodeControls, a unique set of data-aware custom controls. Now simply drop them into your Windows applications via your favorite visual interface builder.

NEW—You get formatted data entry

Experienced Windows programmers know formatted data entry is difficult


to program under Windows. But with our new **CodeControls**, you can simply 'Point & Click' to design data entry windows for date, numeric, and character information—formatted just the way you want it.

NEW—Data-aware controls

Our custom controls are *data-aware*, so now you can easily build a scrolling list box that's tied to a data file, or look up matching combo box entries—even as the user types.

Introducing CodeReporter 2.0

Now use the new Instant Report Wizard to create a variety of reports—instantly.



Introducing the new CodeReporter 2.0, our interactive xBase report writer. We designed it with developers in mind, but end-users will love it.

NEW—You get instant reports

Use our new Instant Report Wizard to quickly create a wide variety of reports—in an instant, then easily refine them as necessary, or let your end users build their own special reports!

NEW—You get drag & drop

We've added drag & drop capabilities to **CodeReporter**, so regardless of whether you want data, totals, or text, simply drop a report object onto your layout screen.

NEW—You get interactive queries, sorts, & relations

Use CodeReporter to visually design reports easier than ever. For example, you can quickly build query and sort expressions using our calculator-style expression builder. In addition, you can easily relate data files together using our graphical relation builder.



"There's never been a better time to buy into CodeBase technology. You get complete xBase compatibility, full DBMS power, plus an interactive report writer and a set of unique data-aware custom controls for Windows."

Buy One, Get Two FREE.

Now when you buy any one of our xBase compatible library products: **CodeBase**, **CodeBase++**, **CodeBasic** or **CodePascal** (for the language of your choice), you'll get both the new **CodeReporter 2.0** AND the new **CodeControls 2.0** absolutely **FREE**—for a limited time only.

To Order Now Call 403-437-2410

Unconditional 60-Day Money-Back Guarantee

SEQUITER SOFTWARE INC. FAX 403-436-2999
UK Tel. +44-81-317-4321

P.O. Box 575 Newmarket NH 03857-0575

on the slide, such as "Enter Text" when you double click on a text box and "Drag to move symbol" when you select any placeholder or object. The testers found Charisma hard to learn and sometimes cumbersome when making changes to slides. Using edit commands, such as changing bullet attributes, is somewhat confusing, as is building slides via layers.

On-Screen

All the programs simplify the procedure of setting up and running a screen show. They differ slightly, however, in the way they apply transition effects and offer some distinct features.

PowerPoint is the easiest program to use for presenting a screen show with little or no multimedia objects. You can set the speed of transition effects to slow, medium, or fast. Because you preview effects right on the slide-sorter thumbnail, you can directly see how the effects will

look on your slides. You can preview effects on a sample slide in a dialog box as well. PowerPoint is the only program that lets you rehearse your presentation to judge how long you spend talking about each slide and the whole show.

PowerPoint also has a "drill down" feature that lets you embed another document (e.g., a spreadsheet) in a presentation so that backup data is available at a moment's notice if you need it. You can access the data easily during the presentation by clicking an icon placed on the slide. With data links, you can change the backup data, which will update a linked chart on the slide as well.

The other programs receive the same ratings for screen presentations. They all work fairly easily, but they do not have PowerPoint's overall usability. You should note, though, that Charisma has great dialog boxes for adding movies and sound to presentations and has effects choices on

an icon bar. As with PowerPoint, you can set the speed of transition effects. Printed output in all the programs includes audience handouts, speaker notes, full-size slides, and, with the exception of Harvard Graphics, outlines.

The Drawing Board

Drawing is a feature that is strongest in Charisma and Harvard Graphics. Charisma's tools are part of the interface, but Harvard Graphics' are primarily in Harvard F/X, an integrated application packaged with the main program. Harvard F/X has a different interface that takes some time to get used to, but it has eye-catching effects. Harvard F/X and Charisma offer curved, warped, and extruded text and objects; PowerPoint can apply these effects to text only via Microsoft WordArt. Charisma and Harvard F/X let you contour text to a path and blend objects, a capability of Freelance Graphics as well. Harvard F/X

In the Wings

PERSUASION 3.0

Although it was not ready in time for full NSTL testing, the long-awaited version 3.0 of Aldus's Persuasion will soon be available, bringing another strong challenger into the field of desktop presentation packages. The new version of Persuasion continues the program's strategy of focusing more on serious users who will be creating presentations on an on-going and fairly frequent basis. It makes great strides in adding usability to the program through a revamped and more logical menu structure and floating icon palettes, but high-end features are the priority. In fact, Persuasion lacks novice-level teaching tools. The program does not include any wizards, coaches, or advisors.

Persuasion is a powerful program that provides many fine-tuning controls that appeal to serious presentation designers. You can adjust the position of graphics objects, for example, by increments as small as the width of one pixel on the screen using "nudge," a feature also found in Microsoft PowerPoint 4.0. You can adjust independently the foreground, background, line, and shadow colors of each graphics object or piece of text to any of 200 colors or any of 200 gray scales. And you can define an unlimited number of left-, right-, center-, and decimal-aligned tabs for each text group you add to a page.

The biggest advance is the addition of Aldus Chart 1.0, the companion charting program. It adds histograms, bubble charts, radar charts, polar charts, high-low-open-close charts, and spectral area maps to its standard stock of chart types. Two other notable feature additions to Persuasion are animation and hyperlinks within its slide shows. Either can be used by the main program as well as by the run-time slide-show player.

WORDPERFECT PRESENTATIONS FOR WINDOWS 3.0

We could not include WordPerfect Presentations 3.0 in our full report, but we did preview a beta version of the program. Presentations will compete on its own but will also be part of the upcoming PerfectOffice suite of applications. All the modules in the PerfectOffice suite feature a common menu structure between the modules and shared resources, such as the spelling checker, thesaurus, grammar checker, and drawing tools. The suite also supports cross-application macros.

Presentations has an extensive list of features. Particularly impressive are its tools for painting and bit-map editing directly on slides. TWAIN support lets you scan images directly into the program.

Another area where Presentations is strong is in 3-D effects. The program comes with an impressive set of tools that can add all kinds of 3-D effects to either charts or text. You can, for example, give text a straight 3-D, perspective 3-D, or reverse perspective 3-D aspect, all from many viewpoint angles. You can also give 3-D aspects to charts at any time from any viewpoint angle.

Presentations offers numerous tools designed to shorten the learning curve for first-time users. It includes a series of coaches, which are short tutorials related to specific presentation-building tasks. One particular feature that should make Presentations faster and easier to work with is its in-place editing of data charts. The program also includes another learning tool (similar in concept to PowerPoint's wizards and Harvard Graphics' advisor system) called the Show Expert, which teaches you how to design a presentation.

PRESENTATION FEATURES

	CHARISMA 4.0	HARVARD GRAPHICS 3.0	LOTUS FREELANCE GRAPHICS 2.1	MICROSOFT POWERPOINT 4.0
Creating/editing presentations				
Number of unique templates/masters/backgrounds	75	88	101	185 ¹
Templates globally and individually edited	●	●	●	●
Create slides via outliner	●	●	●	●
Outline expand/collapse	○	●	●	●
Number of outline levels	5	10	3	5
Number of clip-art symbols	>600	536	>500	>1100
Number of symbols in CD-ROM	>7000	○	○	○
Includes sound clip library	●	○	●	○
Electronic presentations				
Slide sorter	●	●	●	●
Number of transition effects and directions	58	51	33	44
Global and individual transitions	●	●	●	●
Preset slide display time	●	●	●	●
Manual slide display control	●	●	●	●
Presentation rehearsal	○	○	○	●
Draw on-screen during presentation	●	●	●	●
Add video/sound clips to show	●	●	●	●
User-created buttons for screen shows	●	●	●	○
Hidden slides	○	○	○	●
Continuous looping	●	●	●	●
Text tables and charts				
Automatic alignment	●	●	●	●
Automatic indent	●	○	●	●
Drag-and-drop text	●	●	●	●
Clip-art symbols as bullets	●	○	●	○
Superscript/subscript text	●	○	○	●
Arbitrary line/paragraph leading	●	○	●	●
Text frames/borders	○	●	●	●
Organization charts	○	●	●	●
Data charts				
3-D charts	●	●	●	●
Table chart	●	●	●	●
Pie, bar, line, area, and scatter charts	●	●	●	●
Mixed/overlay charts	●	●	●	●
Gantt charts	●	○	○	○
Chart templates	●	●	○	●
Incorporate free-form drawings/symbols	●	●	●	●
Graph noncontiguous ranges	○	○	●	●
Drawing features				
Number of drawing tools	6	9	9	5
Adjustable shape	●	●	●	●
Proportional drawing (squares and circles)	●	●	●	●
Rounded rectangles	●	●	●	●
Freehand shapes	●	●	●	●
Curved text	●	●	●	●
Bézier curves	●	●	●	●
Group/ungroup objects	●	●	●	●
Rotate objects to any angle	●	●	●	●
Slant selected objects	●	●	○	○
Mirror or flip shapes	●	●	●	●
Snap-to-grid points or objects	●	●	●	●
Colors and fills				
Gradient text fill	●	●	○	○
Bit-map text fill	●	●	○	○
Save edited color palette	●	●	●	●

¹ 55 templates, each in three versions: 35mm and on-screen, black-and-white overhead, or color overhead
 ● = yes; ○ = no

also makes circular or rectangular copies of objects and will meld, intersect, subtract, or punch objects' paths.

Also worth noting is Harvard Graphics' Conferencing feature, which lets you display a presentation simultaneously on up to 64 computers connected via a NetBIOS-compatible LAN. During a conference, the presenter controls the mouse and slide changes, although control can be given to an attendee. Freelance Graphics and PowerPoint support Lotus Notes, which lets a presentation be routed to workgroup members for review and editing.

Presentation Performance

Creating a presentation with a polished, professional look and attention to detail is not a task to hurry through. Nor is speed usually an element of a screen show. The time it takes to run a screen show is generally determined by the presenter's and the audience's needs, and it is a good bet that the presenter will be talking while the next slide is drawing. It is primarily while creating and editing slides and while printing that speed may be an issue.

NSTL first tests performance during common procedures, such as going to the next slide, switching to the slide sorter, and switching the template in a presentation. These tests indicate how each program handles screen redraws, a frequent occurrence when using graphics programs. Second, because audience handouts are so often part of a presentation, printing performance is also measured, both in color and in black and white.

Freelance Graphics is the fastest at most tests involving redraws, with PowerPoint a close second. In fact, the fastest times in all the screen-redraw tests were earned by one of these two programs. Charisma is fast when going to the next slide and is good at black-and-white printing, but it is the slowest of the programs at color printing. The complex Windows metafile graphic NSTL placed on one of the slides considerably slowed down Harvard Graphics' redraws involving that slide.

The Question of Quality

Quality is so important in a graphics program that NSTL weighted it twice as high as performance. We evaluated the programs for the quality of their templates and layouts, clip art, printed output, chart options, and screen shows.

PowerPoint delivered the highest quality of the tested programs, due to its excellent clip art, page layouts, printout options, and best use of the 256-color

SUPPORT FEATURES

	CHARISMA 4.0	HARVARD GRAPHICS 3.0	LOTUS FREELANCE GRAPHICS 2.1	MICROSOFT POWERPOINT 4.0
Output:				
Print presentation	●	●	●	●
Print outline	●	○	●	●
Print speaker notes/audience handouts	●	●	●	●
Print chart data with chart	⊙	●	○	○
Black-and-white print preview	○	●	●	○
Print slide numbers	⊙	●	●	●
File management				
OLE client and server	●	●	●	●
OLE 2.0	○	○	○	●
DDE	●	●	●	●
Deactivate links	●	●	●	●
Automatic file save by increment	●	●	●	○
Automatic file backup	○	○	●	○
File search by content/date/author	○	○	○	●
Stand-alone (run-time) screen show	●	●	●	●
Compress show for transport	●	●	○	○
Native data import formats				
ASCII	●	●	●	●
Rich Text Format	●	○	○	●
dBase .DBF	○	○	○	○
Microsoft Word for Windows (DOC)	○	○	○	●
WordPerfect for Windows	○	○	○	●
Lotus Ami Pro (SAM)	○	○	○	○
Lotus .WKS	●	●	○	●
Excel .XLS	⊙	⊙	○	●
Image import/export formats				
Windows Metafile (WMF)	●	●	●	●
Hewlett-Packard Graphics Language	●	⊙	⊙	⊙
CGM	●	●	●	⊙
Encapsulated PostScript	●	●	⊙	●
TIFF	●	●	●	⊙
Microsoft Excel .XLC	○	○	○	●
Lotus 1-2-3 (PIC)	○	○	⊙	⊙
PC Paintbrush (PCX)	●	●	●	⊙
PICT	●	●	●	⊙
Windows Bitmap (BMP)	●	●	●	⊙
Kodak PhotoCD (PCD)	⊙	⊙	⊙	⊙
CorelDraw (CDR)	⊙	⊙	○	⊙
Workgroup support				
E-mail enabled	○	●	●	●
Automatically route to workgroup	○	●	●	●
Share native files between PC and Mac	○	○	○	●
Simultaneous viewing of presentation over LAN	○	●	●	○
Lotus Notes support	○	○	●	●
Read-only access to locked files	○	●	●	○
Users maintain personal settings	○	●	●	●
Miscellaneous features				
Slide bureau service	○	●	●	●
Access to slide service from program	○	●	●	●
TWAIN-compliant	●	○	○	○
Number of Undo levels	100	4	10	1
Spelling checker	●	●	●	●
Global search and replace text	○	○	○	●

⊙Excel 4.0, not 5.0
⊙Import only

⊙Export only
● = yes; ○ = no

capabilities. With 1100 clip-art symbols and 21 page layouts, it offers the most diversity to users. The smooth blending of gradients when using the 256-color-capable Video Seven card gives slides the most professional look of the tested programs.

Freelance Graphics' best asset is its 101 unique templates, including the most interesting scenery and objects on the most eye-catching backgrounds. The on-screen look in 256 colors is less than desirable, even in VGA mode.

Charisma looks the best in VGA display of all the programs, but like Freelance Graphics, it loses quality when switched to a 256-color display. The templates are relatively simple, compared with those from Freelance Graphics and Harvard Graphics, but the more than 600-piece clip-art collection is diverse and of high quality. Charisma has the best-quality screen-show features, owing to its large number of effects, its sound clips, and layering for the most flexible slide builds.

Harvard Graphics offers only 31 templates, so it cannot match the diversity of the other programs. Although it has the smallest clip-art collection, the symbols are diverse and exhibit good quality. Harvard

About the Products

Charisma 4.0\$495
Micrografx, Inc.
1303 East Arapaho Rd.
Richardson, TX 75081
(800) 733-3729
(214) 234-1769
Circle 1003 on Inquiry Card.

Harvard Graphics for Windows 3.0.....\$395
Software Publishing Corp.
3165 Kifer Rd.
P.O. Box 54983
Santa Clara, CA 95056
(408) 986-8000
Circle 1004 on Inquiry Card.

Lotus Freelance Graphics for Windows 2.1.....\$495
standard version, single-user.....\$395
Lotus Development Corp.
55 Cambridge Pkwy.
Cambridge, MA 02142
(800) 343-5414
(617) 577-8500
Circle 1005 on Inquiry Card.

Microsoft PowerPoint for Windows 4.0.....\$399
(estimated retail price)
Microsoft Corp.
1 Microsoft Way
Redmond, WA 98052
(800) 426-9400
(206) 882-8080
Circle 1006 on Inquiry Card.

COMING SOON

From the Editors of BYTE Magazine

BYTE

on CD-ROM

Announcing
the full
text of
BYTE,
fully
indexed
and at
your
fingertips
on CD-ROM.



Now you can
search
through
back
issues
of BYTE
and
quickly
find the
information
you need.

Look for more information in your next issue of **BYTE!**

BYTE

Because the *Experts* decide.

**Mc
Graw
Hill**

Your PC goes Mac !!

Macintosh HD floppy disks



MacDisk®
reads, writes and formats Macintosh
1,44 MB floppy disks.
Under Windows, file exchanges between Word,
Excel, PageMaker, XPress, and other sibling
applications, without any hardware modification.

Macintosh SyQuest cartridges

MacSQ®
Reads/writes 44/88 MB Macintosh
SyQuest cartridges.
Transfer of scan files, colour separations.
Under Windows, supports ASPI-compatible
adapters, and under DOS low-cost adapters and
parallel port solutions (Puma, etc.).



Even bigger Mac SCSI disks

MacScuzzy®
a superset of MacSQ, also drives 128, 300 & 650
MB magneto-optical cartridges, Bernoullis and
even plain hard disks (up to 1 GB).
The ultimate solution for file exchanges !



Logiciels & Services DUHEM
21, rue La Bruyère - F-75009 PARIS (France)
Tél. (+331) 49 70 04 55/Fax (+331) 49 70 04 56
Free leaflet and demo disk. Offer good until supply lasts.
MacDisk 125 \$, MacSQ 200 \$, MacScuzzy 245 \$

Dealers & Distributors Welcome
Ask for our very special conditions

A Message to Our Subscribers

From time to time we make the BYTE subscriber list available to other companies whose products or services would be of interest to our readers. We take great care to screen these companies, choosing only those who are reputable. Furthermore, subscriber names are made available for direct mail purposes only; telemarketing calls are strictly prohibited.

Many BYTE subscribers appreciate this carefully managed program, and look forward to receiving information of interest to them via the mail. While we believe this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive promotional literature. Should you wish to restrict the use of your name, please send your request (including your magazine mailing label, name, address, and subscription account number) to:

BYTE Magazine
Subscriber Services
PO Box 555
Hightstown, NJ 08520



Reviews Software Roundup

Graphics' on-screen quality is good in both standard VGA and 256-color display.

The Perfect Pitch

The testers rated Charisma the most difficult of the programs to learn and use. This is because the program does so much and does not rely on other products in a suite or bundled applets to supplement its features. Instead, Micrografx offers a well-designed interface that gives you icon access to all the program's features. Charisma is not a particularly fast program, but it has the tools and effects to make visually exciting presentations, and its multimedia capabilities are extensive.

Harvard Graphics did not win in the testing primarily because it performed the slowest overall and had the lowest quality rating. It is, however, a well-rounded program with some innovative features. Its usability is good, due to the advisor system, and charting features are plenty. Harvard F/X contributes advanced text and object manipulation and eye-catching effects. And the conferencing feature will probably be emulated by other vendors.

Not long ago, Lotus Freelance Graphics was ahead of the pack, but now the program needs a major upgrade to keep pace with the competition. It is still an easy program to use, and its speed is impressive, so it continues to do well overall. Compared with the relatively new versions of the other programs, it is hard not to notice its lack of advice in choosing a template and its lack of help in creating the content of a presentation. Its drawing and charting options are also somewhat limited.

NSTL recommends Microsoft PowerPoint as the best all-around program. Although all the test programs are quite good, PowerPoint is the easiest to learn and use, has the best quality, is fast, and has extensive features. The program includes beautiful, high-quality templates and an extensive clip-art collection. PowerPoint's advanced presentation design aids are great for the inexperienced presentation author, yet do not get in the way of the more advanced presenter. ■

This report contains the partial results of a recent issue of Software Digest, a monthly publication of NSTL, Inc. To purchase a complete copy of the report, contact NSTL at 625 Ridge Pike, Conshohocken, PA 19428, (610) 941-9600; fax (610) 941-9950; on the Internet, editors@nstl.com. For a subscription, call (800) 257-9402. BYTE Magazine and NSTL are both operating units of McGraw-Hill, Inc.

Audience Share

Proxima's new Ovation+ projection panels do up multimedia

G. ARMOUR VAN HORN

Bill Cosby can sit down on an empty stage and hold our attention. Most of us don't have that gift. If he chose to show overhead transparencies, he could dump them all on the floor and get big laughs while rearranging them. I know from experience that I get another reaction entirely.

Whether or not you have good communications skills or comic timing, you can appreciate a little help in getting your point across. By projecting your PC or Mac display onto a screen, a full-color, active-matrix presentation product by Proxima or a competitor can give you all the power of the computer when you are presenting information to a group, without the clumsiness of spilled overheads or upside-down slides.

Proxima's newest family of panels, the Proxima Ovation+ series, is a good match for the multimedia capabilities available with today's desktop and portable systems. Two of the series, the 842C (\$5695) and the 846C (\$6695), have LCD control circuitry for displaying video and animation. All three Ovation+ panels, including the 840C (\$4995), can display bright, nearly 24-bit color. The 840C and 842C have 8.4-inch active-matrix LCD panels; the 846C has a 9.4-inch panel that projects a larger image for bigger audiences.

The 842C and 846C can handle NTSC, PAL, and SECAM video. In all other respects, the three Ovation+ panels have the same features and options, including stereo sound inputs and outputs. The price includes an infrared remote control, but you must send in your warranty card to get it. Options include the Proxima Cyclops Model 2050 interactive pointer system (\$495) with a plug-in sensor unit and an infrared wand, and a laser pointer pen (\$295) that also works with the Cyclops sensor eye. Both the Cyclops wand and the laser pen act as long-distance mice, giving you cursor control of graphical-presentation applications, with the wand at the screen and the pen from anywhere in the room.

I reviewed an Ovation+ 842C projection panel, equipped with the optional Cyclops 2050 system and the laser pointer. The Cyclops software was in beta testing.

I attached the system to two 486 systems running different display systems, and three Macintosh setups that included an AV model and a Power Macintosh. Used with Proxima's Ovation+ 920WS (\$14,795), which has 1280- by 1024-pixel resolution, the Cyclops can also work with Sun workstations running Solaris.


Finish Details

The Ovation+ 842C is a well-finished, 6.5-pound, 15- by 12.9- by 2.1-inch unit that sits on a standard overhead projector. Its total weight is a little higher with power supply, accessories, and cables. First-time setup took me less than a half hour, and subsequent setups took less than 10 minutes.

Along one side of the panel are the dual sets of connections for stereo sound in and out, video inputs for S-VHS and an RCA jack for other video sources, a serial port for directly connecting a Microsoft mouse, a "mouse out" pass-through port so that Cyclops users can control software through the serial port on the host computer, pass-through Macintosh and VGA outputs for driving the display of a desktop host computer, the connection accepting the host computer's video output, and the power socket. The cables to connect the panel to standard Macintosh video (DB-15 with sense pins) and VGA are included with the panel, with a hefty power brick and power cables of generous length.

Cyclops buyers receive a cable to connect the Cyclops output to standard Intel/PC serial ports and a Y-cable to connect to the ADB (Apple Desktop Bus) of a Macintosh. Standard equipment is an infrared remote control to activate the panel's built-in on-screen menuing capability.

To exercise the Ovation+ to its full potential, I installed the Cyclops option in the projection panel, a simple matter of slipping off a plastic cover and sliding the Cyclops sensor unit into place in the projec-



The Proxima Ovation+ 842C projection panel comes with an infrared remote control (inset) that offers functions for controlling the panel and your presentation. Also shown is the optional laser pen that works with the Cyclops interactive pointer system.



tion panel. The Cyclops eye is an electronic camera that watches the projection area for the presence of the red pointer from the Cyclops wand or the optional laser pointer.

Up and Presenting

Setup for a presentation includes several steps and a number of cables, but the functions of each will be completely obvious after you have used the system a couple of times. After plugging in the Ovation+ power cable, the first step is to plug the provided video cable from the LCD panel into your computer's monitor connector. Optionally, you can plug a monitor into the panel.

To provide you with remote control of the presentation software running on your computer, you use a mouse connection from the panel to the PC serial port (Microsoft-compatible) or via the Mac's ADB port. You can use a serial mouse plugged into the panel or the optional Cyclops system. If you plan to alternate a video source with computer output, you connect a playback deck or other video source to the appropriate video inputs of the projection panel.

The Ovation+ 842C displays 640- by 480-pixel resolution, and the pass-through connection described above works with either Macintosh or PC systems set to that resolution. The Ovation+ panels can also

dBase Does Windows

Borland's Windows version of an industry-standard database adds object-oriented functionality and retains backward compatibility. But is it enough?

JIM CARLS

Long ago (that is, in the mid-1980s), dBase was a key weapon in the rebellion against mainframe DBMSes (database management systems). As it earned the interest and then the devotion of oppressed middle managers looking to capitalize on the PC, dBase built a huge following and grew more powerful through several versions.


Then, alas, came dBase IV, the Jabba the Hut of database managers, a memory-gobbling slug of a program with an inclination to choke on program code too modular for its taste. A hemorrhage of users followed. Then parent company Ashton-Tate was acquired by rival Borland International. Observers wondered if Borland would simply kill dBase, but even after the exodus, the dBase users and programmers remaining were legion. Borland released dBase IV 2.0, which finally ended the memory problems, but the program was still based on the waning DOS interface.

Now that there is a Windows version of dBase, the question is whether the current incarnation of dBase can compete against the likes of Microsoft Access, Fox-Pro for Windows, and even Borland's own Paradox.

Vital Signs

The revamped dBase is a likely contender. For one thing, programs written in dBase III+ and IV will generally run as-is in the command window (which replaces the dot prompt of earlier versions). There are a few compatibility items you need to check, but these are clearly explained in the manuals, a READ.ME file, on-line help, and a module called the Component Builder. Problems are most likely to result from unlucky coding choices you made while developing under a previous version. Specifically, you might have used function names and variable names that have since been added to the list of dBase keywords. If so, you'll have to change them to avoid conflicts.

To take you beyond mere backwards compatibility, the Component Builder can convert some components (specifically



dBase for Windows's object-oriented Query Designer lets you add tables and records to a query by dragging and dropping them. Here, the Query Designer is editing a query of two tables, with the equivalent code displayed in the command windows.

.FMT, .FRM, and .LBL files and the menu definitions within .PRG files) into dBase for Windows code that takes advantage of the object-oriented Windows user interface.

The new version is more than simply a Windows-interfaced version of dBase IV. The dBase language has acquired the features available in general-purpose languages (e.g., C++ and other Xbase languages, such as Clipper) that help you build flexible, rock-solid applications. These include a preprocessor, local and static variables, code blocks, and the ability to use procedures or user-defined functions interchangeably wherever the language can accept an expression.

dBase for Windows is an object-oriented development system, giving you the ability to declare your own object classes. True, you can still write procedural dBase code until you retire, but you can also take advantage of the language extensions to make the transition to OOP (object-oriented programming).

Although the manuals contain clear introductions to the subject, it is the Two-Way Tools feature that can really help smooth the OOP transition. With Two-

Way Tools, the definitions of objects you create visually are stored as dBase code in separate files. You can create an object and then open, view, and even edit the resulting code file. Not only do you create your own examples, but you can easily do search-and-replace code changes that would be difficult using only a mouse-driven interface.

Creating a Sample Application

Installing dBase is straightforward, unless you don't have 21 MB of space on your hard disk for a full installation. My original disk set included a bad disk, but Borland's technical support soon sent a replacement. The installation program checks for adequate space and lets you do a minimal install if you're too cramped for room.

To get a feel for the new version, I created a basic billing system similar to what a franchised service organization, such as a pest-control or building-maintenance company, might use. The system required six tables organized around a central table to which services would be posted, billed, and paid. In order to provide the data necessary to create the service records, I set

up reference tables for customers, franchisees, service types, billing-table headers, and billing-table contents.

The first step in creating such a system in dBase is to set up a "catalog," a concept retained from earlier versions and equivalent to a "project" in FoxPro and the more traditional "database" in Access.

Although the command window gives you immediate access to all old (and new) commands, the easiest way to create anything is through the Navigator, which is a control panel similar to those in other Windows DBMSes. All files of a certain type in the system are grouped under an icon. Each list of files includes an untitled file, with which you can create new ones of that file type. Although a catalog is a file type, opening a catalog is like opening a subnavigator, which limits the file list to those in the catalog. For a quick introduction to setting up a system (or if you are brand new to databases), a set of interactive tutorials easily walks you through the process as you create your own files.

After establishing a catalog for my sample system, I initialized a new table by clicking on the tables icon, then double-clicking on the untitled table. Anyone familiar with dBase will be familiar with setting up the table fields, because the arrangement of name, type, width, decimals, and index fields is the same as it is in dBase IV. What is new is the ability to push a button and create a Paradox table just as easily.

Unlike some DBMSes, dBase does not store such things as valid clauses, formatting, or field labels in the table definition. Longtime dBase users will be accustomed to this approach, but if you're setting up a system that will be used by people unfamiliar with dBase, avoid giving them access to direct table editing; stick instead to the easier methods of using forms or a carefully crafted browse or query.

Making Queries

Unless you are working from an extremely simple database design, you will create queries as the basis of your forms and reports. You use the Query Designer for this (see the screen on the previous page). It lets you add tables graphically to the query, order the records, pick fields, and set relationships among the tables. I

clicked on the untitled query in the query list to create a general-purpose nonfiltered query for use with the services table. The system automatically prompts you for a file to use as the basis of the query, in this case the services table.

To add other files, you choose an icon from the speedbar. Once you've decided how files in the query should be related, you make the connection by dragging from the parent file to the child file. When you do, a dialog box appears in which you set the specifics of the relation, including referential integrity, which prevents the child records from becoming orphans if someone tries to delete the parent.


Form Designer

Since version IV, dBase has had reasonably good form-design tools. In the Windows version, these have been enhanced to make good use of the graphical interface and the program's object orientation. The Form Designer eliminates much of the manual coding that the older DOS versions of dBase required.

You can choose to create a form manually, or you can use the Form Expert (see screen), which can automatically fill in items in the Form Designer. You can create four types of forms with the Expert: columnar, form, browse, and one-to-many.

The columnar and browse formats will be familiar to experienced dBase users. The form layout makes a best guess at laying out a form with the least wasted space, resulting in a rectangular group of fields and labels. The one-to-many format is a columnar layout in which the Expert embeds subforms to display multiple records from a linked table. Such a form might review unbilled services for each customer prior to invoicing, for example.

I created two sample forms for the invoicing system: one to review and edit service records, and another to preview customer billings. I used the form layout for the service-record form and created a reasonably clean-looking layout that could be used for data entry or editing.



The Form Expert provides help in designing four types of forms. Here, the Form Expert makes a best guess at laying out a form in the least amount of space. In the window at right is the program code generated when the form was created.

I found two problems in the resulting form, which was required to verify three secondary key entries (the customer ID, the service code, and the franchisee ID) during creation of a service record. But when I added these three fields to the form, they appeared as simple input fields like the others, even though I'd set up a relation to the corresponding file via those fields. Although you can delete the field from the form and replace it with a Combo Box, the Combo Box doesn't let you enter a new code. Any Windows database should offer a form object with specific properties that provide access to a related file via both a pick list or a call to another form.

I was also disappointed to find that the form, which included about 35 fields drawn from an unfiltered query of four files, seemed slow to appear, even though my test machine was a 486SX with 12 MB of RAM. Scrolling through records was reasonably quick (although slow compared to, say, a DOS Clipper screen), but a move to the top of the file could take up to 10 seconds. The speed increased to roughly a half second after I rephrased the query. A change in the order of the records and indexes may have caused the improvement.

I did, however, like the automatic sizing of the form's design grid to match the font in effect. This seemed to be easier to work with than one of arbitrary size like that found in Microsoft Access.

The other form I created was for previewing billings. It employed the one-to-many format to display data from a query designed to show only eligible services for each customer. The Form Expert generated this without any problem, producing a layout with space for information about

About the Product

dBase for Windows.....\$400
Borland International Inc.
100 Borland Way
Scotts Valley, CA 95066-3249
(800) 331-0877
(408) 431-1000
fax: (800) 408-0001
Circle 1010 on Inquiry Card.

THE REAL TEST OF A REALTIME OS...



AT THE POINT OF SALE . . .

No matter how good an operating system may look on paper, it's got to deliver the goods at run time. When you're hit with millions of credit-card transactions a day, or busy retail checkouts that just can't quit, you need an OS you can count on. With QNX, you get responsive, reliable performance. Industry-standard tools. And the flexibility to run on everything from handheld devices (with full GUI support) to enterprise-wide networks.




ON THE FACTORY FLOOR . . .

Automation applications would grind to a halt without the tried-and-true functions of a *real* realtime OS. Like priority-driven preemptive scheduling. And executive-class context switching (QNX clocks in at 5 μ sec on a 66MHz 80486). From automotive plants to nuclear power facilities, QNX has been keeping thousands of mission-critical applications up and running around the clock for years.



ON THE INFORMATION HIGHWAY . . .

News travels quickly. So does entertainment, online education, or any other kind of information you need to move. With our built-in fault-tolerant networking, robust filesystem, and high-performance X Window System (155,000 Xstones), no wonder developers depend on QNX for call routing, text-to-speech, video-on-demand, and other computer telephony applications.



IN HOSPITALS AND LABS . . .

Healthcare workers don't have time to wait for vital data. Which is why QNX is at the heart of a wide variety of performance-critical applications. From automated patient charting to medical imaging, QNX gives developers the competitive edge to build cost-effective products on standard platforms that can outperform costly high-end systems.

... IS IN THE REAL WORLD.



WE WORK IN REAL TIME.™

1-800-676-0566

(EXT. 1001)

QNX SOFTWARE SYSTEMS LTD. 175 TERENCE MATTHEWS CRESCENT, KANATA, ONTARIO, CANADA K2M 1W8 TEL: 613-591-0931 • FAX: 613-591-3579

© QNX Software Systems Ltd. 1994. QNX is a registered trademark of QNX Software Systems Ltd.

Circle 107 on Inquiry Card.

Something Missing?

Complete your **BYTE** collection by ordering **Back Issues** today!

	1991	1992	1993	1994	1995
January					
February					
March					
April					
May					
June					
July					
August					
September					
October					
November					
December					
Special Issues	Outlook '92	Windows '92 Portability '92	Windows '93 B Guide Summer '93 B Guide Fall '93		

Special Issues U.S. Delivery \$3.00 Foreign \$4.00
1990 through 1994 U.S. Delivery \$6.00, Foreign Delivery \$8.00, Canada & Mexico \$6.50

All issues prior to 1990 U.S. Delivery \$3.00, Foreign Delivery \$4.00

All checks must be in U.S. funds and drawn on a U.S. bank.

Please indicate which issues you would like by checking (✓) the boxes. Send requests with payment to:

**BYTE Back Issues,
 One Phoenix Mill Lane
 Peterborough, N.H. 03458
 (603) 924-9281**

Check enclosed **Charge:** VISA MasterCard American Express

Card# _____

Exp. Date _____

Signature _____

Name _____

Address _____

City _____

State _____ Zip _____



Because the *Experts* decide.

All orders must be prepaid. Please allow four weeks delivery.

Reviews

each customer at the top and a browse display of services below that. If designed properly, this base form would make it easy to manage service billings from a single screen.

What's on the Menu

If you are developing a full DBMS, the Menu Designer, which is a subfunction of the Form Designer, offers a simple tool for creating the menus you'll need. Once you call it, Menu Designer presents a blank space in the top left corner of an empty menu. You simply fill out the options you want, moving across to create a menu bar item or down to create items on a drop-down menu. In the latter, tabbing to the right creates a cascading menu item. Once you've established the layout, you can edit the properties of each item to make the menu operational. You can set the menus to replace the normal dBase menu or to reside inside a form window.

Reports from the Field

Reporting functions in dBase for Windows are provided by a capable third-party package. Crystal Reports for dBase, which is almost seamlessly integrated with the main program. Like many band-oriented Windows report writers, it provides full control over formatting, such as multiple fonts, graphics elements, and report sections, with drag-and-drop ease. You can place any dBase field type in a report, including memo fields, graphics, and OLE objects (you should probably limit OLE objects, though, to those your printer can understand).

There's also good news for professional developers, who will be able to distribute applications freely with the \$495 Distribution Kit. Also, a \$10 ODBC socket kit facilitates access to ODBC data sources.

It appears that faithful dBase users have been rewarded for their patience. dBase for Windows preserves their years of investment but propels them firmly towards the future of database software. Its compatibility, Windows interface, and object orientation establish it as a big-league player right beside other popular DBMSes such as Paradox and Access. If Borland can resolve some of the speed problems (which may happen when a compiler appears), dBase could regain its status as a real killer app. ■

Jim Carls is a consultant, developer, and freelance writer living in Memphis, TN. He can be reached on the Internet at 75035.3622@compuserve.com or on BIX c/o "editors."

Internet with Style

Netscape Communications rebuilds the World Wide Web

BEN SMITH

The threads that form the Internet hang like cobwebs, reaching out to connect this tenuous community of people and resources. Tools for finding and retrieving information and for contacting and communicating with the systems and users differ greatly, reflecting their varied origin. Each has its own purpose, interface, operations, and syntax. Most of the tools are command-driven.


Mosaic was designed and built by Marc Andreessen and a team at the University of Illinois at Champaign/Urbana—hosted NCSA (National Center for Supercomputing Applications). It is the first Internet interface that combines the hypertext browsing of WWW (World Wide Web), the file retrieval of ftp, and numerous image viewers under one GUI. (For more information, see “Mosaic: Beyond Net Surfing” on page 75.)

The NCSA Mosaic browser not only runs on Unix workstations but also—and more important—on Windows PCs and Macs. Conceptually, it has what is needed to make a commercial Internet resource palatable enough to be marketable. When it was first shown to the public, Mosaic was an instant success. Now Andreessen and most of the team have rebuilt NCSA Mosaic so that it is industrial strength and commercial grade. It is called Netscape.

Fast, Friendly, and Free

Mosaic primarily works with HTTP, the core of WWW. HTTP is the result of an effort initiated primarily through CERN, the European Particle Physics Laboratory in Geneva, Switzerland. The servers don't need to be supercomputers; any Unix system will suffice, and there are now servers for operating systems such as Windows NT and even DOS. Mosaic clients, often called browsers or viewers, can be as simple as a PC running Windows.

Traditionally, the performance bottleneck has been the connection between servers and clients. NCSA Mosaic was intended to be a prototype, a proof of concept. It was developed for networks providing 10-Mbps or better, not your typical connection to the Internet. The reasons for this high bandwidth requirement are Mo-



osaic's computing and communications model and its appealing incorporation of digital multimedia elements.

Like most Internet utilities, the development of NCSA Mosaic virtually stopped at the conceptual level. As a result, most of the attempts by commercial software publishers to clean it up and make an efficient, robust commercial product of it have not eliminated its basic design flaws.

Netscape Communications, a company formed from most of the original Mosaic team and under the business tutelage of Jim Clark, founder of Silicon Graphics, has changed Mosaic from the bottom up. While maintaining conformance with WWW structures and existing servers, it has completely rewritten the Mosaic browser/viewer as well as the HTTP server. The products are Netscape (the browser/viewer) and Netsite (the server).

A Better Browser

Netscape is both visually more appealing and operationally more functional than the original NCSA Mosaic. The labeled but-

tons across the bottom of the main window have been replaced with iconic buttons at the top. Menus are easier for the novice to learn because they follow common models (e.g., the leftmost drop-down menus are File and Edit).

The File menu is much simpler—only nine items. The important selections that were part of NCSA Mosaic's 16 File operations have been distributed over new drop-down menus. For example, the Reload and Refresh menu items now reside in a drop-down menu called View, along with a handy function for people developing documents for WWW—Source, a separate window for viewing the HTML (Hypertext Markup Language) source code of the current page.

The Preferences screen incorporates some of the fine style of the NextStep user interface. Through it, you can configure your browser in nearly 50 ways, but without having to hand-edit a complex configuration file.

Many of the technical-information displays can be turned off to give a less-cluttered look. Netscape Communications'

viewer/browser has been carefully designed for the nontechnical user rather than for computer scientists, engineers, and physicists. However, the improved user interface is not nearly as important as the performance improvements.

Without requiring anything different from the `httpd` server, Netscape has not only made the document-retrieval process faster by a factor of 10, it also makes the apparent speed (for the user) instantaneous. The goal was to bring the optimum bandwidth requirements down from 10-Mbps Ethernet speed to a level that is more realistic for the majority of Internet connections: 14.4 Kbps—that of a PPP or SLIP connection over voice phone lines.

By displaying part of the document before its transfer is complete, there is an improvement in perceived performance. But there are some real performance improvements as well, achieved through a trimmer screen layout, better network communications libraries, automatic caching of previous pages, and streaming and compression techniques built into the client.

Perhaps the most amazing thing about Netscape is the price. It's free for non-

commercial users, just like the original NCSA Mosaic.

Industrial Strength

If the browser/viewer is free, how does the company expect to make any money? The answer lies in its servers, replacements

About the Products

Mosaic Netscape.....free for noncommercial users

Mosaic Netsite Communications Server.....\$1495 introductory, \$5000 list

Mosaic Netsite Commerce Server.....\$25,000
Netscape Communications Corp.
650 Castro St., Suite 500
Mountain View, CA 94041
(415) 254-1900
fax: (415) 254-2601
Circle 1167 on Inquiry Card.

for the complex-to-install-and-configure, ubiquitous `httpd`. Netscape Communications has two versions: Netsite Communications Server and Netsite Commerce Server. The first of these is simply a more robust and efficient `httpd`, one for which you can get technical support.

Unlike many other WWW servers, it doesn't require that your server already be attached to the Internet to access documentation. In fact, you can easily set up a private web for distributing information in your organization.

The efficiency that Netsite includes is one that any commercial-grade WWW information provider is going to need: a better computing model that scales well to heavy request loads and client connections. The generic `httpd` required a new process for every WWW data request. The creation and destruction of processes and communications sockets are heavy burdens on the operating system. This load may not be noticeable when there are only a few every second, but if the requests are dozens or even hundreds a second, any system is going to be brought to its knees.

Netsite servers use a different model, where a configurable number of server processes are always running. Because they all use shared libraries (the operating system must support this), the server processes use less total memory than in other popular servers. The server also has built-in routines for handling image



SEE WHAT'S MISSING FROM YOUR COMPRESSED IMAGES?

Genuine Fractal Quality.™

CD-ROM publishers—get the big picture!

Compress PC images down to 1% of their original size... *Maintain* image quality...Get *fast* decompression. See for yourself how a major publisher puts over 10,000 images on a CD-ROM. High quality images come

up in *seconds*—no special hardware required—with Fractal Compression.™

Let's discuss details.

No artifacts, no pseudo color, no Gibbs effect. High image quality at *any* resolution.

Fractal Compression™ from Iterated is the *quality* compression technology.

Improve your Image. Call today.

Join Microsoft, Grolier and other powerhouse CD-ROM publishers. Let

Genuine Fractal Quality™ improve *your* image. Call today for a free demo disk.

Call (800) 437-2285 now!
(+1) (404) 840-0310
Fax (+1) (404) 840-0806



Iterated Systems

"WE SELECTED FRACTAL TECHNOLOGY AS THE BEST OVERALL MIX OF COMPRESSION, IMAGE QUALITY AND SPEED."
—MICROSOFT MULTIMEDIA PUBLISHING GROUP

An emulator on its own will get you nowhere fast.



So SmarTerm includes the protocol stacks.



SmarTerm gives you everything you need to connect your PCs to UNIX, VMS or Data General hosts. You just 'SmarTerm and go.'

It's a really *radical* idea, like selling a car with wheels. So *radical*, in fact, SmarTerm is the only software that gives you the complete connectivity, high performance, and ease of use you need, all in one.

SmarTerm products all consist

of the most precise terminal emulation available, plus *free* SmarTerm TCP/IP and LAT stacks *and* NDIS and ODI support. (You wouldn't expect to pay extra for the wheels on your car, would you?)

On top of this, SmarTerm's pioneering corporate support tools and utilities make the software cost effective and quick to run by automating common tasks. You can use your mouse in host applications, record scripts, use drag-and-drop FTP, and more - so much more than any other connectivity package.

Find out how to 'SmarTerm and go' with the complete host connectivity software. Call Persoft now at 1-800-EMULATE (1-800-368-5283).

All SmarTerm® for Windows products include:

- SmarTerm TCP/IP as a Windows Sockets DLL
- Individual or centralized TCP/IP management
 - Drag-and-drop FTP
 - Pop-up keyboards
- User-definable button palettes
- True Multiple Document Interface
 - Connections directory
 - Script recorder
- Simplified keyboard remapping
- SmartMouse™ programmable mouse support
 - Customizable help system
 - On-screen toolbox

SmarTerm products are also available for DOS.



Call now for new SmarTerm
for Windows version 4.0
information!

persoft

CONNECTIVITY SOLUTIONS
DOS • Windows • Ethernet • Token Ring

Persoft, Inc., 465 Science Drive, P.O. Box 44953,
Madison, Wisconsin 53744-4953 USA.
Tel: (608) 273-6000 Fax: (608) 273-8227.

Persoft Europe, Lower Woodend Barns, Fawley, Henley-on-Thames,
Oxfordshire, RG9 6JF, England.
Tel: 0491 638090 Fax: 0491 638010

© 1994 Persoft, Inc. All rights reserved. Persoft and SmarTerm are registered trademarks and SmartMouse is a trademark of Persoft, Inc. All other trademarks mentioned are properties of their respective companies.

Circle 101 on Inquiry Card

components of HTTP communications.

While it is common practice to extend WWW servers with external scripts and executable programs using WWW's CGI (Common Gateway Interface), frequent requests to these external programs can result in the same kind of system overload as spawning a new process for each new request. Netsite servers are designed to have these extensions run under the same process as the server through the use of dynamic program module loading.

The design criteria for Netscape Communications' WWW servers are focused on providing the greatest number of services with the least impact on the server's system resources. Many of the system requirements have only recently become available on modern Unix systems and won't be realizable on older systems that have no support for dynamic loading and shared libraries.

Commercial Grade

The second version of the server, Netsite Commerce Server, has a special strength—secure communications and server authenti-

cation. This lets commercial Internet service providers and their customers carry on secure transactions over the Internet.

The Netsite Commerce Server is Netscape Communications' most important product because it offers the basic requirements for secure transactions over the otherwise open-for-snooping-and-spoofing Internet. The authenticated and secure communications link is achieved as a wrapper (using RSA encryption and digital signatures) to the client/server communications. The underlying server and client protocols remain the same.

The design is similar to PGP (see "Pretty Good Privacy" in the July 1994 BYTE) in that a signature is verified through a public key retrieved from a trusted source. Once verified, the key transmitted from the server to the requesting client is used to encrypt and decrypt subsequent communications in the session. The Commerce Server requires Netscape as its client.

One important difference, particularly for video and sound, between the algorithms used in PGP and the Netsite Commerce Server is that Netscape Communi-

cations' encryption is streaming, and PGP requires block transmissions. Any commercial transactions that take place through this link must rely on the same vendor/customer trust used in credit-card purchases over the phone. At least the communications link is secure, unlike voice links made with portable and cellular phones.

Netscape Communications is in the process of writing the API for linked extensions to both its servers, as well as HTML document authoring tools that will help in creating page layouts as well as allowing dynamic image and text editing.

Netscape Communications may not be able to clean out the loose threads and cobwebs of the Internet, but its client and servers are the kinds of products the Internet needs to make the transition from being a cobweb of experimental projects to a serious commercial marketplace. ■

Ben Smith is a consultant, former BYTE Lab testing editor, and author of UNIX Step-by-Step (Hayden Books, 1990). You can reach him on the Internet at ben@ronin.com or on BIX as "bensmith."



LASER POINTER \$49.95

For presenting, directing, and conferencing.

Metal plating with Solid brass body creates a sense of beauty.

Shock resistant of 2-meter height.

Runs on two "AAA" size batteries.

Attracts the attention of the audience.

Full 1 year factory warranty.



Available in black and silver.

ALSO AVAILABLE, THE SUPER INFINITER,
5 TIMES BRIGHTER FOR \$99.

For more information,
please contact a dealer near you.



Taiwan Patent 66982 & 80712
German Patent G 93 04 919.6
U.S.A. Patent 5, 193,099
Worldwide Patent Pending
FDA Approved

Quarton USA Ltd. Co.
7042 Alamo Downs Parkway, Suite 250
San Antonio, Texas 78238-4518, U.S.A.
Tel: (210) 520-8430
Fax: (210) 520-8433
Outside U.S.A. Fax 886-2-6432000
Quarton Inc., Taiwan

Bringing 3-D Modeling to PCs

Seeking a price breakthrough in features-based 3-D modeling, Autodesk makes a promising start with AutoCAD Designer 1.0

EVAN YARES

Autodesk, the developer of AutoCAD, has been at the top of the PC CAD market for about 12 years. By any standard, the company has had quite a run, managing to make so much money that it must have had a hard time spending it all. Still, not all is well with Autodesk. Lurking behind its success has been a big question: Where does the world's sixth-largest software company go from here?

At one time, Autodesk won business due to the mistakes of its competitors, but that's happening less often. AutoCAD, which still accounts for the vast majority of Autodesk's sales, is not the technical leader it once was. A program that in 1982 offered 80 percent of the features of high-end CAD systems for 20 percent of the price could in 1994 perhaps lay claim to providing a quarter of the technology at a quarter of the price.

The solution seems to be in developing advanced add-in products, such as AutoCAD Designer 1.0. Designer is a \$1500 parametric feature-based modeler that works with AutoCAD Release 12. It is based on the ACIS (American Committee for Interoperable Systems) solid-modeling kernel from Spatial Technology (Boulder, CO) and DCM-2D constraint management technology from D-Cubed Ltd. (Cambridge, U.K.). Designer gives AutoCAD some of the solid-modeling capabilities found in such workstation-based CAD programs as Pro/Engineer from Parametric Technology Corp.

Getting the Parameters

Designer plows no new technological ground, but it represents a price/performance breakthrough. Although Pro/Engineer, the competitive product most often mentioned in the same breath as Designer, sells for about \$18,000 in standard trim, the combined price of Designer and AutoCAD is \$5250.

To understand what Designer brings to AutoCAD, you first have to understand the vernacular used to describe it. The term *parametric* has a specific meaning in the context of CAD. It implies that the models

created in the CAD system are not dimensionally fixed, but rather are defined by a set of dimensions and geometric constraints. If any of the defining dimensions are changed, the rest of the model is affected.

Consider a rectangle. Its dimensions are length and width. Its geometric constraints are that its top and bottom sides are horizontal, its left and right sides are vertical, and all its sides are connected end to end. In most CAD systems, you can draw a rectangle as a series of lines, but the software will not keep track of the relationships between the lines. Move a line, and you no longer have a rectangle. A parametric program, by comparison, keeps track of and preserves such relationships between objects.

An Awareness of Limitations

The term *feature* describes a 3-D object created by extruding, sweeping, or revolving a closed profile. In Designer, all objects are created by starting with a base feature and then joining, intersecting, or subtracting other features from it. I've outlined the process in the text box "A 3-D Feature Presentation: Anatomy of a Model," which describes how I built a 3-D test model of an automotive connecting rod. The resulting fully rendered image is shown to the right.

In practice, however, Designer can be annoying to use. In the real world, you'd never find a connecting rod as simple as the example I used. Most connecting rods use split caps and have subtle machining details that are hard to represent in Designer. It's not surprising, then, that when I tried to draw a real-world connecting rod, I ran headlong into a few of Designer's limitations.

First, when I was constraining a profile, Designer turned some fillets (i.e., arcs that are tangential to two lines) into loops. The way to work around this was to constrain the profile in a different order. An alternative would have been to draw the initial sketch more accurately.

I ran into more constraint problems when I accidentally over-constrained several profiles. Frankly, it takes a good geometric eye to tell how a profile should be



A fully rendered test design created in AutoCAD Designer 1.0. The steps in the design process are illustrated on the next page.

constrained; it shouldn't be so difficult. An Autodesk spokesperson claimed that over-constraining is a problem with CAD programs in general, and that the next version of Designer will make it easier to remove constraints individually at any point in the constraining process.

Furthermore, after creating the major features in one of my rod designs, I found that Designer could not apply the fillets I wanted because it has certain design limitations that you don't find in high-end CAD programs. I wanted to apply a variable radius fillet, but Designer makes no provision for it. Other problems I had with filleting are less explainable: Designer simply gave up on some fillets that it should have been able to do.

Still another problem cropped up when I tried to change the creation order of some of the features. No facility exists for doing

A 3-D FEATURE PRESENTATION: ANATOMY OF A MODEL

Although creating a part in AutoCAD Designer is, for the most part, pretty simple, it is not completely painless. For this review, I created an automotive connecting rod, a process that is depicted in the photo sequence that follows.

First, you create a simple sketch of the part's outline. The sketch doesn't have to be dimensionally accurate or even very neat.



You then turn the sketch into a profile with the ADPROFILE command, and Designer automatically applies constraints that clean up your sketch (photo 1). In the process, Designer makes some assumptions about the intended shape of the sketch. For example, it adjusts lines that almost touch, so that they do touch; it makes lines that are nearly vertical or horizontal, exactly vertical or horizontal; and it makes arcs that are nearly tangential to lines, exactly tangential to those lines. In some cases, the assumptions that Designer makes are incorrect, but you can override them manually.

After you turn a sketch into a profile, you must apply some further constraints and dimensions to achieve the shape you really want. If a profile is underconstrained (i.e., if you do not give a profile all the constraints and dimensions that are required to achieve the desired shape), then there are no guarantees that Designer won't turn the profile into something unrecognizable the next time you change a dimension.

Fully constraining a profile can be a tedious job. One reason is that the dimensions and constraints that are neces-



sary to accomplish the task are not obvious. In the connecting rod example, in addition to adding the required dimensions, I had to constrain the top and bottom arcs so that they had the same X value, and I had to set the dimensions of the lines so that they had the same Y value (photo 2).



Once you fully constrain the profile, you can turn it into a feature. In the rod example, this is a simple extrusion (photo 3). At this point, the part is a solid model, although it is not yet complete; the rod still needs journal holes.

You add the holes as sketches (photo 4), turn them into profiles, constrain them to be concentric to the ends of the rod, and then subtract them as extrusions from the base feature (photo 5).



Profiles must be constrained with respect to the base feature. This is where feature-based modeling departs from simple solid modelers, such as AME (the AutoCAD Modeling Extension). Although it might initially seem like a restriction, this requirement lets you build a part with little regard to what its final dimensions will be. In the case of the rod, its overall length, width, and end diameters can be changed just by updating their dimensions (photo 6). From a design perspective, this is an advantage, because it lets you design parts before you finalize their dimensions.

After you have established the basic features of a part, you can add fillets and

chamfers (i.e., beveled edges). On the rod, I added chamfers in the journal holes and fillets at the base and top of the shank and around the outer edges (photo 7). To show what the rod looks like, I asked Designer to apply a mesh to its surface and render it, which created the image shown on page 201.

Because Designer parts are solid models, the program is able to calculate their mass properties. You use the ADMASSPROP command in Designer to display a dialog box listing a part's mass, volume, center of gravity, principal axes, and moments of inertia. An entry field lets you specify the density of the material. All the entries in this dialog box have no default unit of measurement, so they are based on whatever units you used to create the part.

Once you have essentially completed a part, Designer has the capability to create a multiview drawing from it. The drawing can incorporate orthogonal and isometric views, as well as sections.



An important characteristic of Designer is that the part and the drawing are bidirectionally associative. This means that any change you make in one is automatically reflected in the other, making the drawing truly intelligent. After a designer or engineer creates a complex part, anyone who has a minimum of AutoCAD experience will be able to modify its dimensions. For example, the rod design could be modified to be any length, with any journal diameter, thickness, and beam width.

From the creation of one part, you can grow a whole family of parts. That, at least, is the theory behind Designer.



this, so the only recourse is to delete some features and then recreate them—not an appealing option, considering it involves redrawing and reconstraining each affected profile. It is possible, however, to make a copy of a profile manually before turning it into a feature. You can retrieve this copy later, if needed.

One Point Oh

AutoCAD Designer is in its first release, and it shows. The program lacks certain refinements that come with maturity. For instance, it has no way of exporting surface data (at least not without going through Autodesk's \$1500 AutoSurf program), it lacks the ability to sweep profiles in 3-D or create sculpted surfaces, and it cannot conveniently do sheet-metal or thin-shell design. Even Designer's documentation seems to suffer from first-release problems: It's a bit skimpy and has more than its share of errors.

Despite its warts, Designer is an impressive program overall. Although I encountered difficulties in creating some of my test models, in the end, with the exception of a few complex fillets, Designer was able to create them. No other CAD program in its price range would have been able to do that.

Time will likely be Designer's salvation. Autodesk has issued two updates since the program's initial release, and the company plans to continue updating Designer on a regular basis. Now that AutoCAD Release 13 is shipping, Designer is slated to become more closely integrated with it, so its seams will be less obvious. Autodesk planned to release Designer 1.1 by the time you read this. Its new features include the ability to change constraints at any point in the design process, a set of on-line tutorials on 3-D modeling, and optimized performance (Autodesk claims to have reduced the time required to save some multimegabyte files from roughly 2 hours to 15 minutes).

For mechanical engineers and designers who are already using AutoCAD, buying Designer is almost a no-brainer. It gets them into feature-based modeling for a relatively small investment, and it doesn't require that they learn a new CAD system. Even if Designer proves useful in only a few applications, its cost can easily be justified.

For designers and engineers who don't use AutoCAD, however, the buying

Is AutoCAD Designer a Baby Pro/Engineer?

Since the day AutoCAD Designer was announced, the most common question about it has been whether it is a baby Pro/Engineer. It's a fair question to ask, and the answers are straightforward.

Pro/Engineer is a high-end CAD system from Parametric Technology Corp. (Waltham, MA). Over the past several years, the software has gained a large share of the high-end CAD market, and rightfully so. It is an excellent modeler, with the kind of power that manufacturers need for designing and building complicated products. A typical suite of Pro/Engineer software sells for three to four times the price of a complete AutoCAD Designer setup. If Designer is able to provide a significant subset of Pro/Engineer's capabilities at such a large price advantage, the folks at PTC may have something to worry about.

To see how Designer stacks up against Pro/Engineer, I spent an afternoon at the local PTC office in Phoenix. I went armed with a sketch pad and a few notes on how I wanted to construct my test model, an automotive connecting rod. Rather than starting with a drawing and seeing if the applications engineer could re-create it, I wanted to test Pro/Engineer's conceptual design abilities. The test machine was a Silicon Graphics Indy workstation, with extreme graphics and 32 MB of RAM.

As you might expect, Pro/Engineer had no major problems creating my test connecting rod. At the same time, however, it was not orders of magnitude faster than Designer, and it, too, ran into some design dead ends. Twice during the design process, the PTC applications engi-

neer had to delete existing features because they prevented him from continuing. Once, he had to reorder some features to proceed.

As I noted, Designer had problems generating complex fillets on some of the test parts I built. Pro/Engineer had no such problems and was able to handle whatever wicked geometric tricks I threw at it.

An essential question for engineers is whether the tools they use can solve the problems they have. In short, it doesn't matter how good your hammer is if you really need a screwdriver. Designer can create a wide class of parts but not all parts. It is just not as robust as its higher-end competitors, such as Pro/Engineer. Even though Designer can do an acceptable job modeling a simple connecting rod, Pro/Engineer is capable of modeling not only the connecting rod but the entire engine as well.

For this article, I used Pro/Engineer as an example of a typical high-end CAD system; it is by no means the only example. Companies such as Structural Dynamics Research (Milford, OH), Computervision (Bedford, MA), and Intergraph (Huntsville, AL) offer workstation-based products with similar capabilities. Also, Manufacturing and Consulting Services (Scottsdale, AZ) offers a high-end package that runs under DOS using a 32-bit extender.

For the moment, the folks at PTC (and the other high-end CAD vendors) have nothing to worry about with Designer, other than the fact that some prospective customers might mistake it for a baby Pro/Engineer. That it clearly is not.

decision is more complicated. The investment in hardware and training for AutoCAD is not all that different from what you get into with high-end CAD systems. In some cases, paying an extra

\$12,000 for a high-end CAD system may be good economy, particularly if you're designing products that may produce a few million dollars in revenue to your company. On the other hand, it may be better economy to buy four times as many AutoCAD

Designer seats and let four times as many engineers and designers have access to parametric feature-based modeling technology.

Chances are, future versions of Designer will evolve to be more like the high-end solid modelers. For now, it occupies a unique price/performance niche that should appeal to a wide range of users. ■

Evan Yares is the principal consultant at Design Automation Systems in Phoenix, Arizona. You can reach him on the Internet at 5300.1771@compuserve.com or on BIX c/o "editors."

About the Product

AutoCAD Designer 1.0\$1500

Autodesk, Inc.
2320 Marinship Way
Sausalito, CA 94965
(800) 964-6432
(415) 332-2344
fax (415) 491-8311

Circle 1000 on Inquiry Card.

62 BIG, BEAUTIFUL COLOR MONITORS

Once you convert from a 15-inch to a larger-size monitor, you're spoiled for life, with no regrets

ANTHONY J. LENNON

Large-screen, high-resolution color monitors are more than luxurious; they're rapidly becoming a necessity for many business applications. The larger the monitor and the greater the resolution, the more cells in a spreadsheet or windows in a GUI you'll see. For serious CAD work, 20- or 21-inch monitors are a must. They're also well suited to desktop publishing, because they can display a two-page spread. Another excellent reason to purchase a large-screen monitor is if you give group presentations. We tested 62 monitors, ranging from 17 to 21 inches, that offer the necessary resolution and refresh rates to take full advantage of today's GUIs.

Using mechanical precision-testing devices and software tools, we searched for the best in the 17-, 20-, and 21-inch categories. We put each monitor through a battery of over 40 visual inspections to measure image quality, sharpness, contrast, convergence, legibility, and distortion. We also evaluated the ease of setup, the controls, and the documentation. Finally, we determined how much power each monitor consumes in active, idle, and sleep modes.

The average MSRP (manufacturer's suggested retail price) of the 17-inch monitors is \$909, close to \$1300

How to use this guide

We selected the best color monitors by combining the test results of display quality, usability features, controls, design, and power consumption. Our test equipment includes soft-

ware diagnostics, hardware tools, and subjective evaluation. Each category has a different weighting system to arrive at the final scores.

We base overall scores on a weighted average of scores for image quality, sharpness, convergence, contrast, distortion, and legibility. Higher numbers indicate better quality.

BEST OVERALL NEC MultiSync XE17



NEC has always produced high-quality monitors, and the MultiSync XE17 is no exception. When connected to a Plug and Play system, it negotiates an optimal configuration and offers that as the default setting. Its power management conforms to the VESA DPMS (Display Power Management Signaling) method. Front-panel buttons let you easily navigate through on-screen menus and adjust control settings. The color accuracy of the monitor can also be customized. NEC uses a flat-screen CRT, and its Multilayered screen coating reduces glare and contributes to an excellent screen-contrast rating. The monitor received an excellent usability rating, due in part to its superb documentation.



If the column for Mac 16-inch or higher resolution is checked, the monitors may also support 1152x870 and 640x480 pixels, as well as 832x624 pixels.

The prices listed are MSRP. Street prices may be as much as two-thirds lower.

MODEL #	PRICE	OVERALL SCORE	QUALITY INDEX	FEATURES SCORE	DEPT PRICE	MAXIMUM DISPLAY AREA (IN)	MAXIMUM RESOLUTION MONITOR/ALIAS	152-426 OR HIGHER MAC SUPPORT
NEC MultiSync XE17	\$1090	★★★★	★★★★	★★★★	28	316x237	1024x768	✓
Nano FireScan T2-17	\$1299	★★★★	★★★★	★★★★	25	328x242	1600x1200	✓
Samtron SC-728XKL	\$850	★★★★	★★★★	★★★★	28	320x240	1280x1024	✓
CTX 1785GM	\$1049	★★★★	★★★★	★★★★	26	325x225	1600x1280	✓
Samsung SyncMaster 170L	\$849	★★★★	★★★★	★★★★	28	320x240	1280x1024	✓
IBM 17P	\$1250	★★★★	★★★★	★★★★	26	315x235	1600x1200	✓


Behind the Big Screen

JANUARY 1995

BYTE
BEST
LARGE-SCREEN
COLOR MONITORS


BEST

PEDESTAL
Monitors that pan and tilt smoothly and offer a good range of movement make it easy to adjust a monitor's position to allow comfortable viewing.



CONTROLS
Look for controls that are mounted on the front bezel and have easily identifiable markings. Digital controls with on-screen menus are the easiest to use. For image adjustments, we favored push buttons over thumbwheels.

EMISSION SHIELD
Shields provide additional protection against VDT emissions. Look for products offering Sweden's MPR-II or TCO levels of protection.



SCREEN SURFACE
A nonglare coating reduces the visual distractions of light reflecting on a monitor. Some technologies diffuse the light by providing a rough surface that scatters incident rays. Others reduce glare by using a multilayer coating that diffracts incident light but maintains sharpness and contrast. An antistatic surface reduces a screen's electrical charge, thus decreasing the accumulation of dust.

PICTURE TUBE
A monitor's CRT contains the electron gun that sends beams of electrons, controlled by deflection circuitry, through the shadow mask to create an image on the phosphor screen.

CABLING
You'll need power and video cables longer than 5 feet to provide flexibility in placing monitors in the workspace. Take measurements of your workspace before purchasing a large monitor and make sure the wiring setup will be convenient and safe.

BNC CONNECTORS
In monitors with high horizontal scanning frequencies, BNC connectors provide shielding between the video input and the signal lines.

POWER MANAGEMENT CIRCUITRY
Power conservation features reduce energy consumption when the computer system is idle. Look for the Energy Star logo.

less than the average MSRP (\$2243) of the 20- and 21-inch monitors. The ETC Computer ViewMagic CA-1765CPL and ViewMagic CA-1765SPL were the least expensive monitors we tested at \$659. The Philips Brilliance 21A Model 2130DC carried the most expensive price tag of \$2999.

Large-scale monitors are heavy. The average weight for a 17-inch monitor is 46 pounds, and the average 20- or 21-inch monitor weighs 73 pounds. They also consume voluminous desk space and a lot of wattage in active mode (116 W for a 20- or 21-inch model and 90.9 W for a 17-inch model). But all the 20- and 21-inch monitors and all

but two of the 17-inch ones (the Orchestra Tuba and the TVM AS 6A) are Energy Star recipients, meaning they consume 30 W or less in a low-power state.

One common aspect of many of the monitors is the picture-tube manufacturer. Our entire test sample of 62 monitors, from 33 different vendors, represents only six picture-tube manufacturers (Hitachi, Matsushita, Mitsubishi, Toshiba, Sony, and NEC). Hitachi manufactured 58 percent of the total. Differences in individual tubes and electronics, such as the microprocessors that handle incoming video signals, help differentiate quality among our test sample.

17-INCH MONITORS

NEC MultiSync XE17

The NEC tradition continues with the introduction of a line of high-quality monitors that includes the MultiSync XE17. This unit stands out for its excellent screen contrast and efficient internal power management system. The monitor is Microsoft Plug-and-Play-compatible. On-screen menus make using its advanced digital controls a breeze.

PAGE 206

20- AND 21-INCH MONITORS

Nanao FlexScan F760i-W

The Nanao offers excellent overall display quality and earns the third-highest power rating in its class. The monitor excels in our legibility and image-quality tests and exhibits relatively small amounts of distortion and misconvergence. It provides an automatic on/off control and has a combination of LED lamps, push buttons, and an adjustment knob on its front panel. There are two ways to adjust color: with sophisticated controls for experienced users and with the easy-to-use Colorific color-calibration software.

PAGE 212

DO YOUR EYES A FAVOR

17-INCH MONITORS

If you spend more than four hours a day in front of a 15-inch monitor, consider moving up to a 17-inch monitor with better resolution. The higher resolution will increase your viewing real estate, and the larger screen will make the images larger, so you'll be able to see those additional spreadsheet cells. A high-refresh rate reduces flicker and will be easier on your eyes. We tested 44 17-inch monitors. Prices ranged from \$659 to \$1299.

About one-half of the 17-inch monitors have maximum noninterlaced resolutions of 1280 by 1024 pixels. Most of the others support higher noninterlaced resolutions (1600 by 1200 or 1600 by 1280 pixels). The exceptions are the NEC, Radius, and Panasonic units, which are limited to a maximum resolution of 1024 by 768 pixels. We believe that 1024-by-768-pixel resolution on a 17-inch monitor provides excellent viewing. As the resolution increases, text and objects get smaller, so you would need to be sharp-eyed to enjoy working at resolutions of 1280 by 1024 pixels or higher on this size screen.

All monitors except two are Energy Star recipients and all but eight provide internal power management systems. All meet Sweden's MPR-II standards for VDT emissions. Several carry FCC Class A ratings and are not recommended for home use; they may cause interference with TV reception.

Controls range from basic contrast and brightness to more sophisticated features such as degauss and side convergence, or pincushioning. On most, you can adjust the color to some extent. Sixteen of the monitors provide on-screen menus for image adjustments. All but four monitors support at least one Macintosh mode.

Warranty and support policies often separate major monitor manufacturers from second- and third-tier vendors. Make sure you understand the service policies before you purchase a monitor.

The Best Overall winner, the NEC MultiSync XE17, is Microsoft Plug-and-Play-compatible. This means that a Plug and Play computer system can communicate with the XE17 to identify available setup options that both devices support. A list of optimal configuration options pops up, and the drivers will be included in the operating system—you don't need to install them. The XE17 offers excellent contrast, but its overall display-quality score is only slightly above average, due to its relatively low distortion index. An efficient internal power management system, coupled with above-average features and excellent usability propelled this unit to the number-one rating.

Two Nanao models placed among the top in the 17-inch category. The FlexScan T2-17 (\$1299) uses a Sony picture tube, and it excelled in the DisplayMate image-

COLORIFIC COLOR MANAGEMENT SOFTWARE

In addition to sophisticated digital color controls, some high-end monitor manufacturers (e.g., Nanao) are offering Colorific color management software free of charge. Colorific (Sonnetech, Ltd., San Francisco, CA) is a software-only color-calibration system that supports all Windows and Macintosh color applications. It provides communication between the printer and the display, which ensures that the displayed colors match the printed output. Its patent-pending process measures the individual characteristics of your monitor and makes adjustments to display optimum colors. Adjustments accommodate environmental variables such as room lighting, monitor brightness settings, and variations in different video cards. Colorific provides the functionality of costly hardware calibration devices used by graphics professionals and can cut costs by reducing trial-and-error draft printing.

Colorific works with all color monitors and virtually any graphics program, format, or adapter. You are led through a series of choices that determine the color space (i.e., the mathematical description of the monitor's color-rendering characteristics). Template cards and on-screen color combinations guide you through the process. When the process is complete, the utility will create a profile of your monitor and measure it against an international standard for perfect color. You can then optionally reset the monitor to a more accurate set of colors. Once settings are complete, they are saved until you change them. Colorific functions at the operating-system level and requires no special commands. If your scanner does not provide color correction, Colorific will let you correct the color of the scanned input on your monitor.

Colorific for Windows incorporates the Kodak Precision color management system standard for color rendering. Kodak Device Color Profiles are available for most commonly used printers; additional profiles are available from Sonnetech. Colorific for Mac includes Apple's ColorSync color management utility and works with every ColorSync-compatible printer, including Adobe PostScript Level 2 printers.



Colorific's gamma screens synchronize color brightness with incoming voltage.

We're Becoming Very Big In Monitors.



Imagine this: Once every 15 seconds someone in the USA buys a new CTX color monitor.

That's a million last year alone – more even than sold under big names like NEC, Sony, IBM and Mitsubishi*.

And that's before the international experts started raving about our bigger, new, high-performance 1765GM and 1785GM 17-inch "green" monitors:

"Best 17-in. monitor" (Monthly PC Magazine, Japan).

"Best overall performance" (Soft & Micro Magazine, France).

"One of the best monitors...bright, sharp display and excellent colors" (Windows Magazine, Sept. '94). *"Symbol of Excellence Award"* (CETDC/ Business Week Asia, Taiwan).

"Best Display Products" (Computex/Byte, Taiwan).

Not only does the larger, flat-square tube give you

more display area for Windows®, an ultra-fine .26mm dot pitch and flicker-free 1280 x 1024 at 75Hz resolution bringing your graphics to life as never before.

Users thrive on the ergonomic design; anti-glare, anti-reflection, anti-static screens; and its front-mounted, full-featured digital touch-panel.

These new low-radiation (MPR II-compliant) "green" monitors use only five watts of power when "on" but inactive. That's six times better than even the US EPA's own Energy Star guidelines.

So how did we get so big so fast? Simply by giving you more for less. For more information, call your nearest CTX office.

CTX

CHOICE OF THE PROS

USA Headquarters 20530 Earlgate Street, Walnut, CA 91789, 909-595-6146, Fax 909-595-6293 Technical Support 1-800-888-2012 BBS 909-594-8973 Southern Region 6624 Jimmy Carter Blvd., Norcross, GA 30071, 404-729-8909, Fax 404-729-8805 Eastern Region 481-A Edward Ross Drive, Elmwood Park, NJ 07407, 201-646-0707, Fax 201-646-1998 Midwestern Region 500 Park Blvd., Ste. 295C, Itasca, IL 60143, 708-285-0202, Fax 708-285-0212 Southwestern Region 1225 E. Crosby Rd., Ste. A21, Carrollton, TX 75006, 214-416-9610, Fax 214-245-7447.



©1994 CTX International, Inc. All brand names are trademarks or registered trademarks of their respective owners.
*Official 1993 Monitrak U.S. monitor sales research.

Circle 73 on Inquiry Card (RESELLERS: 74).



Sceptre 15" CC-615GL
Award-Winning Professional Ultra
VGA Color Monitor



**3 YEAR
WARRANTY**

If you are looking into buying a proven business computer monitor look no further.

*BYTE magazine found the Sceptre 15-inch color monitor to be the "best overall" in performance and quality. Better than NEC, IBM, Mitsubishi, and Zenith in screen quality, cost, power conservation and distortion tests.

Sceptre 14" CE-61N

JANUARY 1994
BYTE
JANUARY 1994
GENERAL BUSINESS
COLOR MONITOR

BEST

OVERALL BUSINESS MONITOR*

PC Digest rated Sceptre's CC-615GL #1 after combining scores for quality,

**PC Digest
RATINGS REPORT**

usability, power consumption and features.


The experts have already compared for you. So, if you look at the facts we are confident that you will be looking into a Sceptre high resolution color monitor.

Sceptre manufactures a complete line of business monitors. For more information please call 1-800-788-2878.

Sceptre 17" CC-617GL



SCEPTRE®
TECHNOLOGIES



Circle 138 on Inquiry Card (RESELLERS: 139).


SCEPTRE

New and improved from NEC

BEST OVERALL NEC MultiSync XE17



NEC has always produced high-quality monitors, and the MultiSync XE17 is no exception. When connected to a Plug and Play system, it negotiates an optimal configuration and offers that as the default setting. Its power management conforms to the VESA DPMS (Display Power Management Signaling) method. Front-panel buttons let you easily navigate through on-screen menus and adjust control settings. The color accuracy of the monitor can also be customized. NEC uses a flat-screen CRT, and its multilayered screen coating reduces glare and contributes to an excellent screen-contrast rating. The monitor received an excellent usability rating, due in part to its superb documentation.



	PRICE	OVERALL SCORE	QUALITY INDEX	FEATURES SCORE	DOT PITCH	MAXIMUM DISPLAY AREA (MM)	MAXIMUM RESOLUTION NONINTERLACED	832x624 OR HIGHER MAC SUPPORT
BEST NEC MultiSync XE17	\$1060	★★★★	★★★★	★★★★	.28	316x237	1024x768	✓
RUNNER-UP Nanao FlexScan T2-17	\$1299	★★★★	★★★★	★★★★	.25	328x242	1600x1200	✓
RUNNER-UP Samtron SC-728SXL	\$850	★★★★	★★★★	★★★	.28	320x240	1280x1024	✓
RUNNER-UP CTX 1785GM	\$1049	★★★★	★★★★	★★★★	.26	325x225	1600x1280	✓
RUNNER-UP Samsung SyncMaster 17GL	\$849	★★★★	★★★★	★★★	.28	320x240	1280x1024	✓
RUNNER-UP IBM 17P	\$1260	★★★★	★★★★	★★★★	.26	315x235	1600x1200	✓

A remarkable image from Samtron

HIGH QUALITY Samtron SC-728SXL



The Samtron's high quality ranking is due mainly to its excellent performance in the convergence test. The unit's average was only .02 mm (the Philips and Megalimage models were its closest competitors at .029 mm). The Samtron features antistatic CRT coating, flat-screen CRT technology, and above-average contrast. Although it employs dynamic focusing, its image sharpness was only average. And it performed below the norm in the legibility test. The Script font was not legible below 14 points (13 points was the average for 17-inch monitors), and the Times Roman and Arial fonts were not readable when their point size was smaller than six (the average being five points).

	PRICE	OVERALL SCORE	QUALITY INDEX	FEATURES SCORE	DOT PITCH	MAXIMUM DISPLAY AREA (MM)	MAXIMUM RESOLUTION NONINTERLACED	832x624 OR HIGHER MAC SUPPORT
BEST Samtron SC-728SXL	\$850	★★★★	★★★★	★★★	.28	320x240	1280x1024	✓
RUNNER-UP Sony Multiscan 17se	\$1250	★★★	★★★★	★★★	.25	300x225	1600x1200	✓
RUNNER-UP Dyna Micro MON-172GLR	\$699	★★★	★★★★	★★★	.28	300x225	1280x1024	
RUNNER-UP CTX 1765GM	\$999	★★★	★★★★	★★★	.27	325x245	1280x1024	✓
RUNNER-UP Megatron Megalimage	\$679	★★★	★★★★	★★★	.28	300x225	1280x1024	✓
RUNNER-UP ADI MicroScan 5EP	\$769	★★★	★★★★	★★	.28	320x240	1280x1024	

Low cost, low power, high quality

LOW COST (UNDER \$800) ADI MicroScan 5EP

With its \$769 MSRP, the ADI MicroScan 5EP finished as our Low Cost winner. It offers higher contrast and produced a lower distortion index than that of the Samtron SC-728SXL. The MicroScan 5EP's power rating indicates the efficiency of the system's internal power management system; however, its .28-mm dot pitch, lower-than-average number of user-definable modes (only eight), and lack of an on-screen menu adversely affected its features rating. Digital contrast and brightness controls are located on the front of the unit; more sophisticated controls (i.e., horizontal phase and width, vertical size and shift, and degauss) are located behind a protective cover.

	PRICE	OVERALL SCORE	QUALITY INDEX	FEATURES SCORE	DOT PITCH	MAXIMUM DISPLAY AREA (MM)	MAXIMUM RESOLUTION NONINTERLACED	832x624 OR HIGHER MAC SUPPORT
BEST ADI MicroScan 5EP	\$769	★★★	★★★★	★★	.28	320x240	1280x1024	
RUNNER-UP Orchestra Tuba-II	\$795	★★★	★★★★	★★★★	.26	330x241	1600x1200	
RUNNER-UP Megatron Megalimage	\$679	★★★	★★★★	★★★	.28	300x225	1280x1024	✓
RUNNER-UP NSA Hitachi Super 17s	\$795	★★★	★★★★	★★★	.26	316x237	1280x1024	✓

quality test. The FlexScan F560i-W (\$1279) uses a Toshiba picture tube, offers above-average image quality, provides higher contrast, and exhibits less distortion than the FlexScan T2-17. The FlexScan F560i-W's front control panel is more sophisticated than the FlexScan T2-17's. However, you can access the FlexScan T2-17's advanced features using an on-screen menu. The two 17-inch Nanao monitors offer superb features and above-average usability—they should, considering their price tags.

Weighting for Best Overall

DISPLAY 40%
Sharpness 40%
Legibility 30%
Convergence 20%
Contrast 10%

OVERALL FEATURES 40%
Quality 20%
Features 20%
Usability 20%

POWER CONSUMPTION 15%
DISTORTION 5%

The Samtron SC-728SXL ranks third overall and earned the best overall image-quality rating. This unit was practically free from misconvergence, and only four other monitors received a better power rating.

Weighting for High Quality

DISPLAY 45%
Sharpness 40%
Legibility 30%
Convergence 20%
Contrast 10%

IMAGE QUALITY 45%

DISTORTION 10%

Both CTX International 1785GM and the 1765GM monitors placed well in the 17-inch class. The 1785GM exhibits an extremely sharp Hitachi display with a .26-mm dot pitch. The 1765GM offers better contrast and exhibits less misconvergence with its .27-mm dot-pitch Matsushita picture tube. The stylish monitors look identical from the front.

The Sony Multiscan 17se is second only to the Samtron SC-728SXL in our High Quality category. Sony's Trinitron display technology produces vibrant, fully saturated colors. The Multiscan 17se's three factory preset color modes and one user-adjustable color mode let you adjust on-screen colors to match printouts.

The Sony Multiscan 17se is second only to the Samtron SC-728SXL in our High Quality category. Sony's Trinitron display technology produces vibrant, fully saturated colors. The Multiscan 17se's three factory preset color modes and one user-adjustable color mode let you adjust on-screen colors to match printouts.

KEY

Excellent ▲▲▲▲ Good ▲▲▲▲
Fair ▲▲ Poor ▲

How We Tested

We tested 17-inch monitors that support a noninterlaced resolution of at least 1024 by 768 pixels at a refresh rate of 70 Hz, as well as 20- and 21-inch monitors that support a noninterlaced resolution of 1280 by 1024 pixels at 60 Hz. We tested all monitors using BNC connectors (if they were available).

We use a Klein optical gauge to measure convergence and a Tektronix luminance photometer to measure screen contrast. On the software side, Sonera Technologies' DisplayMate Professional and NSTL's monitor-testing software let us make detailed evaluations of image quality.

BYTE conducted more than 40 separate visual inspections on each monitor, using software-testing tools. We performed all Windows-based tests at standard resolutions for each class of monitor (1024 by 768 pixels at a 72-Hz vertical refresh rate for 17-inch monitors and 1280 by 1024 pixels at a 60-Hz vertical refresh rate for 20- and 21-inch monitors). As our test-bed, we used Graphics Pro Turbo video adapters (with 4 MB of VRAM) by ATI Technologies and Compaq Deskpro 66M computers.

DISPLAY QUALITY

For measuring overall image quality, we used three monitors of low, middle, and high quality as a control set: They all displayed the same image.

To measure image sharpness, we used an NSTL utility that produces 1- and 2-pixel-thick RGB boxes at the outside edges of the screen. We examined how well each monitor displays each box and black line. A second series of images measured the monitors' abilities to display fine vertical and horizontal lines.

Distortion manifests itself as oddly shaped screen images. Testers measure the lengths of a series of lines displayed on the monitor, and DisplayMate calculates a percentage of distortion.

The legibility test offers a real-world measurement. Testers decided at which size text was both readable and legible from a standard reading distance of 24 inches.

We determined the overall display-quality score by calculating the weighted average of the image-sharpness (40 percent), contrast-ratio (10 percent), con-

TESTING TOOLS


KLEIN CONVERGENCE GAUGE

This gauge works on the principle of optical reconvergence, measuring the amount of reconvergence necessary to define the convergence error present. Misconvergence displays itself as white areas or lines that have a tinge of RGB. The Klein model CM7AG gauge contains three prisms, each passes one of the phosphor colors of the CRT. The stationary center prism is a reference; the outer two prisms shift. Rotating the outer prism makes the image beneath it appear to shift. The amount of shift is calibrated in millimeters. The gauge scales read the convergence error present when the three colors of the image shift into optical reconvergence.

The Lumacolor's sensor head sticks directly to the screen with a suction cup.

TEKTRONIX J17 LUMACOLOR PHOTOMETER AND SENSOR HEAD

The J17 is a hand-held digital photometer, radiometer, and colorimeter. The backlit unit features auto-ranging, auto-zero, readings in English or metric units, and an RS-232D interface. The J17 supports the fully interchangeable J1800 series of heads that provide the ability to make a variety of light measurements. We used the J1820 chromaticity head for taking chromaticity measurements of displays, ambient-lighting measurements, and light-source measurements. Luminance values are initially displayed in cd/m^2 but can be converted to foot-lamberts with the press of a button.



Looking through the Klein convergence gauge.

vergence (20 percent), and legibility (30 percent) tests. We combined this score with the image-quality (45 percent each) and the distortion (10 percent) scores.

Using a digital multimeter connected to the power system of the monitor, we measured power consumption when each monitor displayed a full Windows screen and when the screen was blanked. For VESA DPMS-compliant (Display Power Management Signaling) monitors, we measured power consumption in suspend mode.

FEATURES

The features we judged included the number of factory preset and user-definable modes, type of video connectors, maximum usable screen area, weight, maximum resolution, power management, and electromagnetic radiation emission specifications.

For Best Overall winners, we calculated the weighted average of the image sharpness (40 percent), contrast ratio (10 percent), convergence (20 percent),

and legibility (30 percent) tests. We weighed this score equally against the total for image quality, features, and usability (20 percent each). Distortion (5 percent) and power consumption (15 percent) are the remaining two components. The 17-inch monitors that priced under \$800 and the 20- and 21-inch monitors that priced under \$2000 were eligible for the Low Cost category.

Contributors

Anthony J. Lennon, Project Manager NSTL, evaluates portables, systems, peripherals, and network hardware.

Siva Kumar, Technical Analyst/NSTL, specializes in hardware and network-operating-systems testing.

Maggi Bender, Tester/NSTL.

The Lab Report is an ongoing collaborative project between BYTE magazine and National Software Testing Laboratories (NSTL). BYTE magazine and NSTL are both operating units of McGraw-Hill, Inc. Contact the NSTL staff on the Internet at editors@nstl.com; at NSTL, Inc., Plymouth Corporate Center, Plymouth Meeting, PA 19462; or at (610) 941-9600. Contact BYTE on the Internet or BIX at editors@bix.com or at (603) 924-9281.

REACH FOR THE STARS



SCL-728SXL
17" Flat Screen
1,280 x 1,024 (60Hz) High Resolution
Mac Compatible



SC-528UXL
15" Flat Screen
1,280 x 1,024 (60Hz) High Resolution



SC-428UXL
14" 1,024 x 768 (75Hz) High Resolution

For generations, we have looked to the stars as symbols of that which cannot be reached.

To be considered a star, one must display rare talent and ability to rise above the masses.

While the average person may never literally reach the stars, it is possible to put one to work for you. ★ Consider the Samtron StarPower™ line of high resolution monitors. Featuring digital controls, flicker-free screens to ease eye strain and non-interlaced displays for edge to edge viewing, the entire line complies with EPA Energy Star™ standards. ★ In addition, every Samtron monitor comes with an unparalleled three year parts and two year labor warranty, adding up to heavenly performance at down-to-earth prices.

★ Contact your local dealer about the StarPower line.

You won't even need a telescope to see them up close.

SAMTRON

MONITORS WITH STARPOWER™

The StarPower Line Features:

- Super Fine Dot Pitch
- Low Emission, MPR II
- VGA, SVGA, XGA, VESA Compatible
- Multi-Scan
- Power Saving



SAMTRON DISPLAYS, INC.
14251 E. Firestone Blvd. #101 La Mirada, CA 90638
Tel: 310 802-8425 Fax: 310 802-8820
Customer Service: Tel: (800) SAMTRON.
Distributors: Canada, Tel: (416) 858-3000
Mexico, Tel: 011-525-325-0993

20- AND 21-INCH MONITORS

If you conduct group presentations, design large and complex CAD drawings, run desktop publishing applications, or edit color graphics, you should consider a 20- or 21-inch monitor. At 800- by 600-pixel resolution, a full-screen presentation would be clear even from the back of a conference room. A number of the products also feature BNC video connectors, which let you chain several monitors together.

These large-scale monitors are expensive and demand a premium in desk space. They are also power-hungry devices. In active mode, the monitors consume an average of 116 W compared to an average of 90.9 W for the 17-inch test units. However, they are all Energy Star recipients. All the units also meet Sweden's MPR-II standards for CRT emissions, but only seven of the products carry FCC Class B ratings.

The Philips Brilliance 21A and Nanao FlexScan F760i-W finish with nearly identical overall ratings. The Philips, which lists for over \$900 more than the Nanao, finished with the highest overall display-quality rating.

The NSA Hitachi SuperScan Elite 21 finished slightly behind the Nanao FlexScan F760i-W and Philips Brilliance 21A in the overall rankings. Because the unit contains an efficient internal power management system, and it also earned the third-highest display-quality rating. Its MSRP of \$1995 made it the Low Cost winner. It comes with Windows-based software that lets you control the monitor's settings using your mouse via an RS-232 port.

The Radius SuperMatch 21*T XL's high overall rank is due mainly to its excellent usability rating. The monitor comes with superior documentation. It also received high marks for its easily adjustable 180-degree tilt-and-swivel range. However, the Radius performed poorly in the legibility test.

Power management is not the ViewSonic 21's strength. However, it is priced under \$2000, offers above-average image sharpness (thanks to its dynamic focus circuit), and does not suffer from image distortion. Its contrast ratio is aided by a high-power video amplifier that enhances brightness. The monitor makes use of flat-screen CRT technology and can store up to 21 types of timing.

The Nokia Multigraph 445X provides excellent features and ranks near the top in power management. The Nokia's display wasn't as bright as those of many of the other units, which lowered its contrast ratio. It exhibited slightly higher misconvergence than the norm but provided above-average performance in the remaining display-quality tests. Subpar multilanguage documentation hurt the monitor's usability rating.

The Idek/Iiyama VisionMaster MF-8221 (\$1945) is the least expensive of the 21-inch monitors. It has an excellent quality score but only fair usability. In the legibility test, it provided the best-overall performance. The three VisionMaster models also provide excellent quality. The MF-

KEY TERMS

Aperture grill/shadow mask All monitors have an aperture grill or shadow mask, a piece of thin, perforated metal through which electron beams pass before striking phosphors. While most picture tubes use a dot mask, one with very small holes, Sony's Trinitron picture tubes use a mask with long vertical slots. The geometry of the openings of the masks prevent the electron beams from striking the wrong phosphor dots. The electron beam for red is blocked from illuminating blue phosphors by the mask; in other words, the mask creates a shadow over the blue and green dots when the beam for red passes.

Blooming Blooming occurs when the image on a monitor appears to grow in size when that image is brightly illuminated. You will see this most often with bright white characters or objects. Characters become unfocused as the pixels spread and diffuse.



Convergence/misconvergence Monitors use the RGB color model, producing white by illuminating the three phosphor dots of a color triad simultaneously. Convergence is a monitor's ability to precisely illuminate each dot in the triad. This is difficult because the electron beams for RGB must converge exactly on each triad. Misconvergence occurs when the electron beams scan the wrong dots of a triad and manifests itself as colored edges on white objects. High levels of misconvergence appear as shifted colors.

Dot pitch Dot pitch refers to the distance between the centers of RGB phosphor dots that make up the color triad. Smaller distances generally mean greater resolution capability. Comparing a monitor with a .53-mm dot pitch to one with a .28-mm dot pitch is similar to comparing a 9- and 24-pin printer. In products using the Trinitron aperture grill, the dot pitch refers to the center-to-center distance of the vertical grill openings.

Horizontal frequency This indicates the number of horizontal lines illuminated on-screen in 1 second. Increasing resolution requires greater horizontal frequency.

Vertical refresh rate The speed at which the electron beams scan across the screen from top to bottom is the vertical refresh rate. The beam of electrons sweeps across the phosphor dots a line at a time. The phosphor absorbs the energy of the beam and releases this energy as light. As the energy is used, the light fades. If the beams do not return to the phosphor dots quickly enough, the image starts to fade. This results in a visual effect called flicker. High refresh rates reduce flicker and keep the image sharp and stable. As resolutions

increase, the need for higher refresh rates also goes up. Higher resolutions require more and smaller pixels, and to prevent image degradation, they must be refreshed more often.

Interlaced/noninterlaced In interlaced mode, the display image is divided into two fields consisting of either odd or even scan lines. On one pass, the electron beams refresh the even lines, and then on the next pass, they refresh the odd lines. Noninterlaced means the electron beams scan every line of the display on each vertical sweep. Manufacturers developed interlacing as a way of pushing higher resolutions through the narrow bandwidth of early displays and video adapters. Products that support greater signal bandwidth do not need to interlace. You should consider only the maximum noninterlaced resolution when evaluating monitors.



Degaussing Strong electromagnets control the deflection of the electron beams used to illuminate phosphors. These electromagnets are susceptible to interference from the earth's magnetic field. As you pan or tilt the monitor, you pass it through these magnetic fields, which can cause the monitor to display color shifts or blotches of discoloration. The degauss control realigns the electron beams and reduces screen discoloration.

Multiscanning vs. fixed frequency A multiscanning monitor has the ability to lock on to virtually any frequency between the high and low limits of its controlling electronics. A fixed-frequency monitor will accept video signals at one of a limited number of combinations that must match the signals the display adapter provides. All the products in this review offer multiple-frequency synchronization.

Resolution The size of the pixels contributes to the sharpness of the image and the amount of an image displayed. Increasing resolution requires more and smaller pixels. Standard VGA resolution is 640 pixels horizontally and 480 pixels vertically. We tested monitors capable of resolutions as high as 1600 pixels by 1280 pixels. Increasing the resolution means sending more data; consequently, monitors offering high resolutions must also provide greater bandwidth. High-resolution modes also require faster refresh rates.



800 by 600 pixels

1280 by 1024 pixels

One button. One finger.
Total control.



Our FlexScan® professional display monitors now include ScreenManager™, a powerful, on-screen control system that puts all vital image controls at your fingertips. ScreenManager gives you the feeling of a graphical user environment (GUI). All adjustments for color, distortion, sizing, moiré reduction and other functions are easily made by scrolling through a series of on-screen menus with our popular thumbwheel. Setting each individual adjustment is as easy as clicking on a mouse. ScreenManager is another Nanao innovation, and an answer to the growing need for less intimidating technology.

With ScreenManager, Nanao's award-winning family of monitors – featuring ultra high resolutions, sharp edge-to-edge focus, and energy-saving features – are better than ever before. Because they're easier to use. Just think. You don't have to keep looking at your manual for instructions. All the adjustments you need to make are displayed right on the screen. When we developed ScreenManager, we put monitor control right where it belongs – at your fingertips.

3 Year Warranty**



Circle 90 on Inquiry Card (RESELLERS: 91).




NANAO®

Superior In Every Detail

NANAO USA CORPORATION
23535 Telo Avenue, Torrance, CA 90505
(310) 325-5202 Fax: (310) 530-1679
1-800-800-5202

Superior In Every Detail is a registered trademark of Nanao Corporation.
*ScreenManager displays one menu at a time. ScreenManager available on selected models. **3 year on P or L, 1 year on CRT. All product names are trademarks of their respective companies. ©1994 Nanao USA Corporation.

WE'D LIKE TO MAKE SOMETHING PERFECTLY CLEAR.



C-1491

C-1591E

C-1791E

C-1792P

C-2192P

Panasonic's PanaSync™/Pro series of monitors brings screen resolution to a higher level.

Gaze at Panasonic's C-1792P and C-2192P ultra-high-resolution digital monitors and you'll experience one of the sharpest, true-to-life pictures in the industry—thanks to our state-of-the-art DQ-DAF technology.

The key is our patented DQ-DAF™ electronic gun. Unlike conventional DAF guns, which create a high degree of distortion, moire and a degradation in horizontal resolution, our DQ-DAF gun produces 20 percent less spot aberration, resulting in minimal moire and higher resolution right to the edges of the screen. And that means the precision accuracy designers and engineers are looking for.

The C-1792P and C-2192P monitors were specifically developed for CAD/CAM, computer graphics and desktop publishing applications.

Their ultra-high-resolution, PanaPerfect™ Control System and AGRAS™* coating make them ideal for 3D and multimedia technologies.

Panasonic's on-screen display has 17 control functions for precise, quick and easy adjustments on everything from brightness to position to image color. In fact, the PanaPerfect Control System is a feature you'll find on virtually all our monitors.

With monitors starting at 14 inches, there's one to suit every person and every application. And each is as clear and picture perfect as the next.

Panasonic's professional series of monitors. Clearly above the crowd. For the authorized Panasonic dealer nearest you call 1-800-742-8086.



	C-1491	C-1591E*	C-1791	C-1792P	C-2192P
Dot Pitch	.28	.27	.28	.27	.25
Maximum Resolution	1280 x 1024	1280 x 1024	1280 x 1024	1600 x 1280	1600 x 1280
PanaPerfect Control System		✓	✓	✓	✓
Warranty	1 Year	1 Year	3 Year CRT 1 Year Full	3 Year CRT 1 Year Full	3 Year CRT 1 Year Full

*Available Spring 1999

*Anti-Glare, Anti-Reflection, Anti-Static.
†Double-Quadrupole Dynamic Antistatism and Focus

Circle 98 on Inquiry Card.

Panasonic
Office Automation 
MN3-BY

Superior image quality and control

BEST OVERALL Nanao FlexScan F760i-W



The Nanao uses a flat-screen CRT, dynamic focus, and dynamic-beam spot-control circuitry to reduce distortion and achieve superior image quality. The monitor automatically powers on and off with the PC. A blank screen triggers the power-save mode, and the monitor switches to the lowest power mode after a user-specified time period; after that, only the microprocessor remains active. Sophisticated color controls let you change the white-point temperature setting, color gain, and color contrast of the screen image. After Dark with Ecologic video blanking and Colorific color-calibration software are bundled with the unit.



8221 and MF-8621 contain a power-off sensor that automatically places the monitors in standby mode when no one is in front of them for over an hour. The control buttons are located on a sliding tray that

pops out from the base of the unit. The MF-8221 is VESA DPMS-compliant (Display Power Management Signaling). You can adjust the displayed image from up to 3 meters away, using a remote-

Weighting for Best Overall

DISPLAY 40%
Sharpness 40%
Legibility 30%
Convergence 20%
Contrast 10%

OVERALL FEATURES 40%
Quality 20%
Features 20%
Usability 20%

POWER CONSUMPTION 15%
DISTORTION 5%

control unit and the on-screen menu system.

The Mitsubishi Diamond Pro 21T excelled in the image-sharpness test. The monitor uses dynamic-beam forming for focusing, and its CRT is coated with antireflection, antiglare, and antistatic coating.

You can adjust the displayed image via a keyboard or mouse, using its serial-interface kit, which comes with a serial-control cable and Diamond Control

Weighting for High Quality

DISPLAY 45%
Sharpness 40%
Legibility 30%
Convergence 20%
Contrast 10%

IMAGE QUALITY 45%

DISTORTION 10%

for Windows software. Low contrast, power ratings, and relatively high misconvergence scores hurt the monitor's overall ranking.

The 20-inch Tatung CM-20MKR incorporates a dark-tinted antiglare tube that reduces eye fatigue and provides the best-overall contrast (about 17 percent higher than its closest competitor). The monitor's efficient power-saving system is second only to that of the 20-inch TVM AS 7G, but its performance in the convergence and distortion tests was poor, and the images weren't sharp.

		PRICE	OVERALL SCORE	QUALITY INDEX	FEATURES SCORE	DOT SIZE	PITCH	MAXIMUM DISPLAY AREA (MM)	MAXIMUM RESOLUTION NONINTERLACED	MAC 16-INCH SUPPORT OR HIGHER
BEST	Nanao FlexScan F760i-W	\$2069	▲▲▲▲	▲▲▲▲	▲▲▲▲	21"	.28	403x298	1280x1024	✓
RUNNER-UP	Philips Brilliance 21A	\$2999	▲▲▲▲	▲▲▲▲	▲▲▲▲	21"	.28	406x304	1600x1280	✓
RUNNER-UP	NSA Hitachi SuperScan Elite 21	\$1995	▲▲▲▲	▲▲▲▲	▲▲▲▲	21"	.28	406x302	1600x1280	✓
RUNNER-UP	Radius SuperMatch 21" XL	\$2599	▲▲▲▲	▲▲▲▲	▲▲▲▲	21"	.31	380x285	1600x1280	✓
RUNNER-UP	ViewSonic 21	\$1995	▲▲▲▲	▲▲▲▲	▲▲▲▲	21"	.25	402x301	1600x1280	✓

No trade-off for quality

HIGH QUALITY Philips Brilliance 21A Model 2130DC



The Philips exhibits the least amount of misconvergence of its class. It has a flat-screen CRT, with antistatic and antireflective coating and provides the top performance in the distortion test. It is second only to the Idek/Iiyama VisionMaster MF-8221 in the legibility test. However, the Philips' contrast ratio is subpar, and it provides only average image sharpness and quality. An LCD displays control messages and diagnostics, and a keyboard lock allows you to temporarily disable the control panel. The monitor stores up to 19 different graphics resolutions, and you can select up to three different white color temperatures.

		PRICE	OVERALL SCORE	QUALITY INDEX	FEATURES SCORE	DOT SIZE	PITCH	MAXIMUM DISPLAY AREA (MM)	MAXIMUM RESOLUTION NONINTERLACED	MAC 16-INCH SUPPORT OR HIGHER
BEST	Philips Brilliance 21A	\$2999	▲▲▲▲	▲▲▲▲	▲▲▲▲	21"	.28	406x304	1600x1280	✓
RUNNER-UP	Nanao FlexScan F760i-W	\$2069	▲▲▲▲	▲▲▲▲	▲▲▲▲	21"	.28	403x298	1280x1024	✓
RUNNER-UP	NSA Hitachi SuperScan Elite 21	\$1995	▲▲▲▲	▲▲▲▲	▲▲▲▲	21"	.28	406x302	1600x1280	✓
RUNNER-UP	NSA Hitachi SuperScan Supreme 21	\$2745	▲▲▲▲	▲▲▲▲	▲▲▲▲	21"	.26	406x302	1600x1280	✓

Excellent quality and a smart price

LOW COST (UNDER \$2000) NSA Hitachi SuperScan Elite 21



The flat-screen NSA Hitachi SuperScan Elite 21 is an excellent value; it finishes with a similar overall rating to the Philips Brilliance 21A Model 2130DC, which costs over \$1000 more. The monitor's overall display quality is excellent. Its performance in the convergence and distortion tests is superior, and it features a dynamic-focus circuit. Sophisticated digital controls are located on the cabinet front, or you can use the mouse or keyboard to adjust the image size, trapezoid, rotation, and side pincushion. You can also adjust RGB color balance. Microprocessor-based preset functions can store 31 sets of geometry settings, including the factory settings.

		PRICE	OVERALL SCORE	QUALITY INDEX	FEATURES SCORE	DOT SIZE	PITCH	MAXIMUM DISPLAY AREA (MM)	MAXIMUM RESOLUTION NONINTERLACED	MAC 16-INCH SUPPORT OR HIGHER
BEST	NSA Hitachi SuperScan Elite 21	\$1995	▲▲▲▲	▲▲▲▲	▲▲▲▲	21"	.28	406x302	1600x1280	✓
RUNNER-UP	ViewSonic 21	\$1995	▲▲▲▲	▲▲▲▲	▲▲▲▲	21"	.25	402x301	1600x1280	✓
RUNNER-UP	Idek/Iiyama VisionMaster MF-8221	\$1945	▲▲▲▲	▲▲▲▲	▲▲▲▲	21"	.28	406x304	1600x1280	✓

KEY	
Excellent ▲▲▲▲	Good ▲▲▲▲
Fair ▲▲	Poor ▲

HONORABLE MENTIONS


The Idek/Iiyama VisionMaster Pro MT-9121

comes with a remote-control unit and an on-screen menu system. You can use the remote control within its slide-out tray or from a distance of up to 3 meters. A warning sounds at 10-, 20-, and 30-minute intervals if you fail to return the remote to its tray. You can also adjust tilt and swivel manually or via the remote control. A lock mode protects against accidental changes to display settings.



If your computer has audio capability, the 17-inch Nokia Valugraph 447L will let you hear voice messages from its loudspeakers, without external audio equipment. It even includes sound balance and volume controls. Corresponding outputs of the computer are connected to left/right inputs on the monitor. If you want to silence the loudspeakers, you can plug headphones into a socket on the side.

The Mitsubishi Diamond Scan 17FS and the Diamond Pro 21T let you adjust their displays using your mouse or keyboard. To do this, the units must be configured with their serial-interface kits (included with the 21T and as an option on the 17FS). The serial-interface kit has a serial cable and Diamond Control for Windows software that lets you make any of the adjustments found on the control panels (i.e., degaussing, enabling/disabling power management, selecting color temperature, and adjusting RGB gains). NSA Hitachi SuperScan Elite series of monitors also comes with serial control software that offers similar functionality.



Dubious Achievements



The Sceptre Technologies CC-617G and CC-617GL+ monitors have awkwardly placed degauss, brightness, and contrast slide controls. It would be easy to accidentally reset them when adjusting tilt and swivel. The power button is located on the right corner of the units and is difficult to locate if you are not familiar with the monitors. Front digital controls are located on the swivel base. You may need to consult the manual to determine how to access the rotation and pincushion controls.



The Idek/Iiyama VisionMaster MF-8617's LCD

panel eliminates many adjustment buttons, which gives the unit a sleek appearance. When you press the main button, the panel displays a menu that you can navigate by pressing the plus and minus keys, a procedure similar to navigating menus on many printers. The problem with the unit's space-saving design is that menu items are abbreviated with three letter codes

that you must look up in the documentation. For instance, the code for pincushion adjustment is PCC, and the code for horizontal size is HSC.



The screen display menu on the ETC Computer ViewMagic CA-1765SPL overlays the current screen. Because the menu isn't on a solid background, adjustments are difficult to see, especially from within a GUI, such as Microsoft Windows or X Window System.



Samsung A new point of view.



SyncMaster 17GLs

It's about how you work...Attitude. Satisfaction. Pride. The 17-inch SyncMaster™ monitors reflect today's changing lifestyles. Hassle-free. Value-oriented.

Samsung took for granted you wanted bright, crisp clear images that don't flicker. You're also concerned about safety and energy conservation, so they're standard on the whole series. Life should be as simple as possible, so we added



SyncMaster	14GL	15GL	17GL	17GLs
CRT Size	14"	15"	17"	17"
Dot Pitch	.28	.28	.28	.26
Maximum Resolution	1024x768	1024x768	1280x1024	1600x1280
Maximum Refresh Rate at Maximum Res. (Hz)	76	76	60	60
MFR-II (Low Radiation)	•	•	•	•
Power Management	•	•	•	•
Flat Square Screen	•	•	•	•
On-Screen Programming			•	•
Real Color Control			•	•
Warranty	2 Years	2 Years	2 Years	2 Years

©1994 Samsung Electronics America Inc. The EPA Energy Star logo is not to be considered a product endorsement. Image on SyncMaster 17GLs courtesy of Mike Quinn Design Office

innovative new features like On-Screen Display and Real Color Control, and as you would expect, the GL Series comes with a two-year limited warranty.

Think about how you view your work. Samsung did. And came up with a whole new point of view. For additional information, call 1-800-933-4110.

TECHNOLOGY
THAT WORKS
FOR LIFE



° Fax-on-demand System now available for product specifications 201-229-4053

Circle 155 on Inquiry Card.

ROLL CALL OF LARGE-SCREEN

MANUFACTURER	MODEL	PRICE AS TESTED (MSRP)	PRICE AS					FEATURES SCORE	SCREEN SURFACE	DOT PITCH (MM)/MASK TYPE
			OVERALL SCORE	QUALITY INDEX	USABILITY INDEX	POWER SCORE	SCREEN SURFACE			
ADI Systems, Inc.	MicroScan 5AP	\$859	▲▲▲	▲▲▲▲	▲▲▲▲	▲▲▲	▲▲▲	NG	.26/dotted	
ADI Systems, Inc.	MicroScan 5EP	\$769	▲▲▲	▲▲▲▲	▲▲▲▲	▲▲▲	▲▲	NG	.28/dotted	
Amdek	AM/817E	\$769	▲▲▲	▲▲▲	▲▲	▲	▲▲▲	NG, AS	.26/dotted	
CTX International, Inc.	1765GM	\$999	▲▲▲	▲▲▲▲	▲▲	▲▲▲▲	▲▲▲	All apply	.27/dotted	
CTX International, Inc.	1785GM	\$1049	▲▲▲▲	▲▲▲▲	▲▲▲	▲▲▲	▲▲▲▲	All apply	.26/dotted	
Dyna Micro, Inc.	MON-172GLR	\$699	▲▲▲	▲▲▲▲	▲	▲▲	▲▲▲	All apply	.28/dotted	
ETC Computer, Inc.	ViewMagic CA-1765CPL	\$659	▲▲▲	▲▲▲▲	▲▲	▲▲	▲▲▲	AG, FS	.26/dotted	
ETC Computer, Inc.	ViewMagic CA-1765SPL	\$659	▲▲▲	▲▲▲▲	▲▲	▲▲▲	▲▲▲	AG, FS	.26/dotted	
Goldstar U.S.A., Inc.	1725	\$900	▲▲▲	▲▲▲▲	▲▲▲	▲▲▲▲	▲▲	NG, AS	.28/dotted	
IBM PC Co.	IBM 17P	\$1260	▲▲▲▲	▲▲▲▲	▲▲▲	▲▲	▲▲▲▲	AR, AS	.26/aperture gr	
Idek/Iiyama North America	VisionMaster MF-8617	\$799	▲▲▲	▲▲▲▲	▲▲	▲▲	▲▲▲▲	AS, AR	.26/dotted	
MAG InnoVision, Inc.	DX17F	\$729	▲▲▲	▲▲▲▲	▲▲	▲▲	▲▲▲	NG	.26/dotted	
MAG InnoVision, Inc.	MXP17F	\$1299	▲▲▲	▲▲▲▲	▲▲	▲	▲▲▲▲	NG, AS	.26/dotted	
Megaltron	Megalimage S17MGP	\$679	▲▲▲	▲▲▲▲	▲▲	▲▲▲▲	▲▲▲	NG, AS, Silica	.28/dotted	
Mitsubishi Electronics America, Inc.	Diamond Scan 17FS	\$1069	▲▲▲	▲▲▲	▲▲▲	▲▲	▲▲▲	AS	.28/dotted	
Nanao USA Corp.	FlexScan F580i-W	\$1279	▲▲▲▲	▲▲▲▲	▲▲▲▲	▲▲	▲▲▲▲	AR, AS	.26/dotted	
Nanao USA Corp.	FlexScan T2-17	\$1299	▲▲▲▲	▲▲▲▲	▲▲▲▲	▲▲	▲▲▲▲	AR, AS	.25/slotted	
NOTE NEC Technologies, Inc.	MultiSync XE17	\$1060	▲▲▲▲	▲▲▲▲	▲▲▲▲	▲▲▲	▲▲▲▲	AS, AG	.28/dotted	
Nokia Display Products, Inc.	Multigraph 447X	\$1199	▲▲▲	▲▲▲▲	▲▲	▲▲	▲▲▲▲	AG, AS	.25/slotted	
Nokia Display Products, Inc.	Valugraph 447L	\$695	▲▲▲	▲▲▲▲	▲▲	▲▲▲▲	▲▲▲	AG, AS, AR	.25/dotted	
NSA Hitachi	Super 17s	\$795	▲▲▲	▲▲▲▲	▲▲▲	▲▲▲	▲▲▲	AG, AS, AR	.26/dotted	
NSA Hitachi	SuperScan Elite 17	\$1049	▲▲▲	▲▲▲▲	▲▲▲	▲▲	▲▲▲	AG, AS, AR	.26/dotted	
Optique, Inc.	4500DC	\$795	▲▲▲	▲▲▲	▲▲	▲▲	▲▲▲	AG	.28/dotted	
Orchestra Multisystems, Inc.	Tuba	\$769	▲▲▲	▲▲▲	▲▲	▲▲▲▲	▲▲	E	.26/dotted	
Orchestra Multisystems, Inc.	Tuba-II	\$795	▲▲▲	▲▲▲▲	▲▲	▲▲▲	▲▲▲▲	NG	.26/dotted	
Panasonic Communications & Systems Co.	C1791E	\$999	▲▲▲	▲▲▲▲	▲▲▲▲	▲	▲▲▲	AS, AG	.28/dotted	
Philips Consumer Electronics Co.	Brilliance 17A Model 1720DC	\$1099	▲▲▲	▲▲▲▲	▲▲	▲▲▲▲	▲▲▲▲	All apply	.27/dotted	
Qume	QM1791	\$908	▲▲▲	▲▲▲	▲▲	▲	▲▲▲▲	NG	.26/dotted	
Radius	SuperMatch 17 XL	\$1049	▲▲▲	▲▲▲▲	▲▲▲▲	▲▲	▲▲▲	All apply	.27/dotted	
Relisys	TF-177BL	\$945	▲▲▲	▲▲▲	▲▲	▲▲	▲▲▲	NG	.26/dotted	
Samsung Electronics America	SyncMaster 17GL CST7687L	\$849	▲▲▲▲	▲▲▲▲	▲▲▲▲	▲▲▲▲	▲▲▲	AS, NG	.28/dotted	
Samsung Electronics America	SyncMaster 17GLs CFA7689L	\$949	▲▲▲	▲▲▲▲	▲▲	▲▲▲▲	▲▲▲▲	AR	.26/dotted	
Samtron Displays, Inc.	SC-728SXL	\$850	▲▲▲▲	▲▲▲▲	▲▲	▲▲▲▲	▲▲▲	NG, AS	.28/dotted	
Sceptre Technologies, Inc.	Sceptre CC-617G	\$695	▲▲▲	▲▲▲▲	▲▲▲	▲▲▲	▲▲▲	All apply	.28/dotted	
Sceptre Technologies, Inc.	Sceptre CC-617GL+	\$695	▲▲▲	▲▲▲	▲▲	▲▲	▲▲▲	All apply	.26/dotted	
Smile International, Inc.	CA1706M2	\$785	▲▲▲	▲▲▲	▲▲	▲▲▲	▲▲▲	NG	.26/dotted	
Smile International, Inc.	CA1717M2	\$695	▲▲▲	▲▲▲	▲▲	▲▲▲	▲▲	NG	.28/dotted	
Sony Electronics, Inc.	Multiscan 17se	\$1250	▲▲▲	▲▲▲▲	▲	▲	▲▲▲	AG	.25/slotted	
Tatung Co. of America, Inc.	CM-17MKR	\$945	▲▲▲	▲▲▲	▲▲	▲▲▲	▲▲▲	AG	.26/dotted	
TVM Professional Monitor Corp.	TVM AS 6A	\$699	▲▲	▲▲▲	▲▲	▲▲	▲	NG, AS	.28/dotted	
ViewSonic	ViewSonic 17	\$995	▲▲▲	▲▲▲▲	▲▲▲	▲	▲▲▲▲	AR, AG	.27/dotted	
ViewSonic	ViewSonic 17E	\$795	▲▲▲	▲▲▲▲	▲▲▲	▲	▲▲▲	AG, AS	.28/dotted	
ViewSonic	ViewSonic 17G	\$845	▲▲▲	▲▲▲▲	▲▲▲	▲	▲▲▲	AR, AG	.28/dotted	
Zenith Data Systems, Inc.	Z-Vision ZCM-1740-UT	\$999	▲▲▲	▲▲▲▲	▲▲	▲▲	▲▲▲▲	AG	.28/slotted	
Sony Electronics, Inc.	Multiscan 20se	\$2450	▲▲▲	▲▲▲▲	▲	▲▲▲	▲▲▲	AG	.30/slotted	
Tatung Co. of America, Inc.	CM-20MKR	\$1695	▲▲▲	▲▲▲▲	▲▲	▲▲▲▲	▲▲▲	AG	.31/dotted	
TVM Professional Monitor Corp.	TVM AS 7G	\$1199	▲▲▲	▲▲▲▲	▲▲	▲▲▲▲	▲▲▲	NG, AS	.31/dotted	
Hitachi America, Ltd.	Accuvue GX-21	\$2099	▲▲▲	▲▲▲▲	▲▲	▲▲▲	▲▲▲	AR	.28/dotted	
IBM PC Co.	IBM 21P	\$2600	▲▲▲	▲▲▲▲	▲▲▲	▲▲▲	▲▲▲	AS, AR	.31/aperture gr	
Idek/Iiyama North America	VisionMaster MF-8221	\$1945	▲▲▲	▲▲▲▲	▲▲	▲▲▲	▲▲▲▲	AG, AS, AR	.28/dotted	
Idek/Iiyama North America	VisionMaster MF-8621	\$2495	▲▲▲	▲▲▲▲	▲▲	▲▲▲	▲▲▲▲	AG, AS, BP	.26/dotted	
Idek/Iiyama North America	VisionMaster Pro MT-9121	\$2150	▲▲▲	▲▲▲▲	▲▲	▲▲▲	▲▲▲▲	AG, AS, BP	.30/slotted	
MAG InnoVision, Inc.	MX21F	\$2199	▲▲▲	▲▲▲▲	▲▲	▲▲	▲▲▲	NG, AS	.28/dotted	
Mitsubishi Electronics America, Inc.	Diamond Pro 21T	\$2399	▲▲▲	▲▲▲▲	▲▲	▲▲	▲▲▲	AS, AR, AG	.31/slotted	
NOTE Nanao USA Corp.	FlexScan F760i-W	\$2069	▲▲▲▲	▲▲▲▲	▲▲	▲▲▲▲	▲▲▲▲	AR, AS	.28/dotted	
Nokia Display Products, Inc.	Multigraph 445X	\$2250	▲▲▲▲	▲▲▲▲	▲▲	▲▲▲	▲▲▲▲	AG	.25/dotted	
NSA Hitachi	SuperScan Elite 21	\$1995	▲▲▲▲	▲▲▲▲	▲▲	▲▲▲▲	▲▲▲	AG, AS, AR	.28/dotted	
NSA Hitachi	SuperScan Supreme 21	\$2745	▲▲▲	▲▲▲▲	▲▲	▲▲	▲▲▲	AG, AS, AR	.28/dotted	
Philips Consumer Electronics Co.	Brilliance 21A Model 2130DC	\$2999	▲▲▲▲	▲▲▲▲	▲▲▲	▲▲	▲▲▲▲	AR, AS	.28/dotted	
Radius	SuperMatch 21 T XL	\$2599	▲▲▲▲	▲▲▲▲	▲▲▲▲	▲▲	▲▲▲	AG, AS, AR	.31/slotted	
RasterOps Corp.	ClearVueColor 21	\$2499	▲▲▲	▲▲▲▲	▲▲	▲▲	▲▲▲▲	All apply	.25/dotted	
ViewSonic	ViewSonic 21	\$1995	▲▲▲▲	▲▲▲▲	▲▲	▲▲	▲▲▲▲	AR, AG	.25/dotted	

NOTE = BYTE Best. Key: Excellent ▲▲▲▲ Good ▲▲▲ Fair ▲▲ Poor ▲

Screen surfaces: AG = antiglare AR = antireflective AS = antistatic BP = bonded panel E = etched NG = nonglare

COLOR MONITORS

FEATURES CONTINUE ON NEXT PAGE

MAX. DISPLAY WIDTH×HEIGHT (MM)	MAX. HORIZONTAL× VERTICAL RESOLUTION NI (PIXELS)	MISCONVERGENCE (MM)		PICTURE-TUBE MANUFACTURER	MIN./MAX. HORIZONTAL SCANNING FREQUENCY (KHZ)	MIN./MAX. VERTICAL SCANNING FREQUENCY (HZ)	INPUT CONNECTOR (15-PIN/BNC)	VIDEO BANDWIDTH (MHZ)
		CENTER	SIDES					
320×240	1280×1024	< .30	< .50	Toshiba	30/64	50/100	Yes/No	85
320×240	1280×1024	< .30	< .50	Hitachi	30/64	50/100	Yes/No	85
300×225	1600×1200	.20	.20	Hitachi	24/82	47/105	No/Yes	120
325×245	1280×1024	.30	.40	Matsushita	30/65	50/100	Yes/Yes	110
325×225	1600×1280	.30	.40	Hitachi	30/85	50/100	Yes/Yes	135
300×225	1280×1024	INP	INP	Toshiba	30/64	50/90	Yes/No	110
329×245	1280×1024	< .20	< .30	Hitachi	30/65	50/100	Yes/No	75
329×245	1280×1024	< .20	< .30	Hitachi	30/65	50/120	Yes/No	75
329.5×248.2	1280×1024	.40	.55	Hitachi	30/65.8	50/120	Yes/No	112
315×235	1600×1200	.15	.40	Sony	31/82	50/110	Yes/Yes	139
320×240	1600×1200	.30	.50	Hitachi	23.5/86	50/120	Yes/Yes	135
328×248	1280×1024	.20	.30	Hitachi	30/64	50/100	Yes/No	100
328.6×249.1	1600×1280	.20	.30	Toshiba	30/82	50/120	Yes/Yes	130
300×225	1280×1024	INP	INP	Hitachi	30/64	50/100	Yes/No	106
320×240	1280×1024	.35	.45	Mitsubishi	30/78	50/130	Yes/Yes	110
318×238	1280×1024	.30	.45	Toshiba	30/82	55/90	Yes/Yes	120
328×242	1600×1200	.30	.40	Sony	30/85	55/160	Yes/Yes	130
316×237	1024×768	<.20	<.35	NEC	31/65	55/120	Yes/No	85
315×236	1600×1200	<.30	<.40	Sony	30/82	50/110	Yes/Yes	140
327×246	1280×1024	.30	.40	Hitachi	31/64	48/100	Yes/No	100
316×237	1280×1024	.35	.45	Hitachi	30/64	50/100	Yes/No	125
325×245	1600×1280	.35	.45	Hitachi	30/82	55/120	Yes/Yes	135
316×236	1600×1280	.30	.40	Hitachi	30/82	50/100	Yes/No	135
330×241	1600×1200	.30	.40	Hitachi	30/78	50/90	Yes/Yes	110
330×241	1600×1200	.30	.40	Hitachi	30/82	50/90	Yes/Yes	135
300×225	1024×768	.15	.35	Matsushita	30/64	50/160	Yes/No	86
329×248	1600×1280	.30	.40	Matsushita	30/82	50/120	Yes/Yes	135
300×220	1600×1280	.30	.40	Hitachi	29/64	47/120	Yes/No	135
225×300	1024×768	.30	.40	Matsushita	31/64	50/90	Yes/Yes	100
310×235	1600×1280	.30	.50	Hitachi	30/82	50/120	Yes/Yes	130
320×240	1280×1024	.30	.40	Hitachi	30/64	50/100	Yes/No	106
320×240	1600×1200	.30	.40	Hitachi	30/82	50/120	Yes/Yes	135
320×240	1280×1024	.30	.40	Hitachi	30/65	50/100	Yes/No	110
328×245	1280×1024	< .30	< .50	Hitachi	30/66	50/90	No/No	110
328×245	1280×1024	< .30	< .50	Hitachi	30/66	50/90	Yes/No	110
325×245	1600×1280	.30	.40	Hitachi	30/80	50/90	No/Yes	100
325×245	1280×1024	.30	.40	Hitachi	30/65	50/90	No/No	80
300×225	1600×1200	.30	.40	Sony	31.5/82	50/150	No/Yes	100
290×218	1600×1280	.35	.50	Hitachi	28/82	50/120	Yes/Yes	130
290×218	1280×1024	.40	.50	Hitachi	29/66	50/90	Yes/Yes	100
316×237	1600×1280	.30	.40	Matsushita	30/82	50/160	Yes/Yes	135
305×231	1280×1024	.30	.40	Mitsubishi	30/64	50/90	Yes/No	86
320×240	1280×1024	.30	.40	Mitsubishi	30/64	50/160	Yes/No	86
321×236.5	1280×1024	.30	.40	Sony	30/82	50/110	Yes/No	140
373×280	1600×1200	.30	.40	Sony	31.5/85	50/150	No/Yes	100
350×262	1600×1280	.40	.55	Hitachi	28/82	50/120	Yes/Yes	130
360×270	1600×1280	.40	.60	Hitachi	28/82	50/120	Yes/Yes	130
415×310	1600×1280	.30	.45	Hitachi	28/90	50/152	Yes/Yes	130
395×292	1600×1200	INP	INP	Mitsubishi	31/82	30/82	Yes/Yes	139
406×304	1600×1280	.30	.40	Hitachi	25/85	50/120	Yes/Yes	135
406×304	1600×1280	.30	.40	Hitachi	25/85	50/120	Yes/Yes	135
397×297	1600×1280	.30	.40	Mitsubishi	24.8/92	50/160	Yes/Yes	200
407×304	1600×1280	.20	.30	Hitachi	30/82	50/120	Yes/Yes	135
408×306	1280×1024	.30	.40	Mitsubishi	30/85	50/125	Yes/Yes	150
403×298	1280×1024	.35	.45	Hitachi	30/78	55/90	Yes/Yes	120
400×300	1600×1200	.30	.40	Matsushita	30/102	50/120	No/Yes	200
406×302	1600×1280	.30	.40	Hitachi	30/94	50/150	Yes/Yes	160
406×302	1600×1280	.30	.40	Hitachi	31.5/107	50/150	No/No	200
406×304	1600×1280	.15	.20	Hitachi	30/82	50/160	Yes/Yes	150
380×285	1600×1280	.20/.30	.40	Mitsubishi	30/85.3	50/152	Yes/No	150
355×284	1600×1280	.40	.45	Matsushita	30/82	50/90	Yes/Yes	135
402×301	1600×1280	.30	.40	Matsushita	30/82	50/152	Yes/Yes	150

NI = noninterlaced. INP = information not provided.

ROLL CALL OF LARGE-SCREEN

17-INCH

MANUFACTURER	MODEL	DISPLAY MODES (NUMBER OF PRESET/USER- DEFINED)	HORIZONTAL REFRESH RATE (HZ)						
			VGA 640×480	MAC 16-INCH 832×624	SUPERVGA 800×600	1024×768	MAC 1152×870	1280×1024	1600×1280
ADI Systems, Inc.	MicroScan 5AP	10/8	60	N/A	72	70	N/A	60	101'
ADI Systems, Inc.	MicroScan 5EP	10/8	60	N/A	72	70	N/A	60	101'
Amdek	AM/817E	14/6	72	N/A	72	76	72	76	60
CTX International, Inc.	1765GM	15/10	75	75	75	75	N/A	60	N/A
CTX International, Inc.	1785GM	15/15	75	75	75	75	75	75	60
Dyna Micro, Inc.	MON-172GLR	16/16	72	N/A	72	70	N/A	60	N/A
ETC Computer, Inc.	ViewMagic CA-1765CPL	13/17	72	75	72	70	N/A	60	N/A
ETC Computer, Inc.	ViewMagic CA-1765SPL	13/17	72	75	72	70	N/A	60	N/A
Goldstar U.S.A., Inc.	1725	7/8	75	75	Varies	76	Varies	60	N/A
IBM PC Co.	IBM 17P	14/16	72	77	72	75	75	77	60
Idek/Iiyama North America	VisionMaster MF-8617	6/21	73	75	75	70	75	80	66
MAG InnoVision, Inc.	DX17F	16/8	100	75	90	76	N/A	60	N/A
MAG InnoVision, Inc.	MXP17F	26/8	100	75	120	100	N/A	76	60
Megatron	Megalmage S17MGP	12/11	76	75	76	72	75	60'	N/A
Mitsubishi Electronics America, Inc.	Diamond Scan 17FS	6/4	60	75	75	70	75	75	N/A
Nanao USA Corp.	FlexScan F560i-W	9/19	60	75	72	70	75	72	60
Nanao USA Corp.	FlexScan T2-17	10/10	75	75	75	75	75	75	68
NI NEC Technologies, Inc.	MultiSync XE17	14/20	Varies	75	Varies	Varies	N/A	87'	N/A
Nokia Display Products, Inc.	Multigraph 447X	3/23	Varies	INP	INP	75	INP	INP	INP
Nokia Display Products, Inc.	Valugraph 447L	5/12	72	INP	75	75	INP	INP	INP
NSA Hitachi	Super 17s	7/11	100	100'	100	80	76	60	N/A
NSA Hitachi	SuperScan Elite 17	7/24	120	120'	120	100	90	76	66
Optiquet, Inc.	4500DC	9/6	72	75	72	75	75	72	60
Orchestra Multisystems, Inc.	Tuba	17/32	72	N/A	72	75	N/A	72	60
Orchestra Multisystems, Inc.	Tuba-II	17/32	72	N/A	72	75	N/A	72	60
Panasonic Communications & Systems Co.	C1791E	17/17	72	75	72	72	75	60	N/A
Philips Consumer Electronics Co.	Brilliance 17A Model 1720DC	12/15	60	75	72	70	75	76	60
Qume	QM1791	14/6	72.8	N/A	56.2	70	N/A	72	76
Radius	SuperMatch 17 XL	13/16	Varies	75	Varies	75	N/A	60	N/A
Reisys	TF-1778L	11/19	60	75	56	Varies	75	Varies	65
Samsung Electronics America	SyncMaster 17GL CST7687L	12/11	60	74.5	Varies	Varies	N/A	60	N/A
Samsung Electronics America	SyncMaster 17GLs CFA7689L	12/11	59.9	74.5	Varies	Varies	75	Varies	60
Samtron Displays, Inc.	SC-728SXL	14/10	60	75	75	75	N/A	60	N/A
Sceptre Technologies, Inc.	Sceptre CC-617G	11/20	Varies	75'	75	75	75	60	N/A
Sceptre Technologies, Inc.	Sceptre CC-617GL+	11/20	Varies	75'	75	75	75	60	N/A
Smile International, Inc.	CA1706M2	10/30	70	75	56	75	75	70	60
Smile International, Inc.	CA1717M2	10/30	70	75	56	70	N/A	60	87'
Sony Electronics, Inc.	Multiscan 17se	9/11	60	75	72	Varies	75	Varies	60
Tatung Co. of America, Inc.	CM-17MKR	25/25	60	75	Varies	Varies	75	Varies	60
TVM Professional Monitor Corp.	TVM AS 6A	10/17	72	N/A	72	72	76	60	N/A
ViewSonic	ViewSonic 17	8/8	152	75	120	100	75	76	66
ViewSonic	ViewSonic 17E	13/13	90	75	90	76	N/A	60	N/A
ViewSonic	ViewSonic 17G	3/8	120	75	90	76	N/A	60	N/A
Zenith Data Systems, Inc.	Z-Vision ZCM-1740-UT	9/20	72	N/A	85	76	N/A	75	N/A

Sony Electronics, Inc.	Multiscan 20se	9/11	60	75	75	Varies	75	Varies	60
Tatung Co. of America, Inc.	CM-20MKR	25/25	60	75	Varies	Varies	75	Varies	60
TVM Professional Monitor Corp.	TVM AS 7G	10/17	75	N/A	75	76	76	76	60

Hitachi America, Ltd.	Accuvue GX-21	4/16	60	132	75	109	75	84	72
IBM PC Co.	IBM 21P	12/10	75	60	77	70	88	77	60
Idek/Iiyama North America	VisionMaster MF-8221	9/34	73	75	72	75	75	80	66
Idek/Iiyama North America	VisionMaster MF-8621	9/34	73	75	72	75	75	80	66
Idek/Iiyama North America	VisionMaster Pro MT-9121	13/32	73	75	72	75	75	80	72
MAG InnoVision, Inc.	MX21F	26/8	100	75	90	100	75	76	60
Mitsubishi Electronics America, Inc.	Diamond Pro 21T	12/10	60	75	75	Varies	75	78	66
NI Nanao USA Corp.	FlexScan F760i-W	9/19	60	75	72	70	75	72	60
Nokia Display Products, Inc.	Multigraph 445X	14/14	60	INP	INP	75	75	70	63.7
NSA Hitachi	SuperScan Elite 21	8/23	150	140'	140'	115	100	85	75
NSA Hitachi	SuperScan Supreme 21	8/23	150	N/A	N/A	Varies	115	100	85
Philips Consumer Electronics Co.	Brilliance 21A Model 2130DC	12/7	60	75	75	75	75	76	60
Radius	SuperMatch 21T XL	9/6	60	74.5	Varies'	70	75	Varies	68.66
RasterOps Corp.	ClearVueColor 21	13/8	Varies	75	72	75	75	Varies	65
ViewSonic	ViewSonic 21	13/8	152	75	120	100	75	76	66

NI = BYTE Best. ✓ = yes. N/A = not applicable. ' = interfaced. NI = noninterfaced. INP = information not provided.

20-INCH

21-INCH

COLOR MONITORS

HORIZONTAL PHASE	CONTROLS				ON-SCREEN MENUS	COLOR MATCHING	INTERNAL POWER MANAGEMENT SYSTEM	NET WEIGHT (LBS.)	DIMENSIONS (HEIGHTxWIDTHxDEPTH IN INCHES)	FCC CLASS	WARRANTY (YEARS)	PHONE NUMBER	TOLL-FREE PHONE	INQUIRY NUMBER
	FOCUS	CONVERGENCE	SIGNAL LEVEL	PINCUSHIONING										
✓				✓		✓	48	17.5x16.1x15.2	B	2	(408) 944-0100	(800) 228-0530	1105	
✓				✓		✓	48	17.5x16.1x15.2	B	2	(408) 944-0100	(800) 228-0530	1106	
✓				✓		✓	55	16.2x14.7x15.4	A	1	(408) 473-1200	(800) 722-6335	1107	
				✓		✓	75	17.0x16.4x18.4	B	2	(909) 595-6146	(800) 888-2017	1108	
				✓		✓	55	16.4x17.2x18.4	B	2	(909) 595-6146	(800) 888-2017	1109	
				✓		✓	41	15.0x16.0x16.0	B	2	(408) 943-0100	(800) 362-3962	1110	
✓				✓		✓	39	15.9x16.5x17.3	B	2	(510) 226-6250	N/A	1111	
✓				✓	✓	✓	39	15.9x16.5x17.3	B	2	(510) 226-6250	N/A	1112	
				✓		✓	41.8	17.1x16.5x18.9	B	2	(201) 816-2000	N/A	1113	
		✓		✓		✓	26	17.7x16.1x17.9	B	3	N/A	(800) 772-2227	1114	
				✓		✓	47	16.7x16.2x18.3	B	3	(215) 957-6543	(800) 394-4335	1115	
✓				✓		✓	50.6	16.9x16.0x17.1	B	3	(714) 751-2008	(800) 827-3998	1116	
✓				✓	✓	✓	50	17.3x17.3x18.8	A	3	(714) 751-2008	(800) 827-3998	1117	
		✓		✓		✓	46	11.1x10.7x10.9	B	1	(714) 777-6166	N/A	1118	
✓				✓		✓	47.5	16.0x16.1x17.3	B	3	(714) 236-6352	(800) 843-2515	1119	
✓	✓	✓		✓		✓	49.7	16.3x16.2x17.6	B	3	(310) 325-5202	(800) 800-5202	1120	
		✓		✓		✓	55	16.4x16.2x18.5	B	3	(310) 325-5202	(800) 800-5202	1121	
✓	✓	✓	✓	✓	✓	✓	48	17.1x16.4x19.2	B	3	(708) 860-9500	(800) 632-4636	1122	
✓	✓	✓	✓	✓	✓	✓	44	16.2x16.9x18.4	B	3	(415) 331-6622	(800) 296-6542	1123	
				✓		✓	41	16.9x16.8x19.0	B	3	(415) 331-6622	(800) 296-6542	1124	
				✓		✓	45	16.6x15.9x17.2	B	3	(617) 461-8300	(800) 441-4832	1125	
				✓		✓	49	16.9x16.1x18.3	B	3	(617) 461-8300	(800) 441-4832	1126	
				✓		✓	48.9	16.3x16.2x16.9	B	1	(909) 468-3750	(800) 843-6784	1127	
✓				✓		✓	50	16.1x17.3x16.9	B	2	(714) 891-3861	(800) 237-9988	1128	
✓	✓	✓	✓	✓	✓	✓	50	16.1x17.3x16.9	B	2	(714) 891-3861	(800) 237-9988	1129	
				✓		✓	38.5	16.6x16.1x17.3	B	1	(201) 348-7000	(800) 742-8086	1130	
✓				✓		✓	46	16.5x16.5x17	B	3	(310) 217-1300	(800) 835-3506	1134	
✓		✓	✓	✓	✓	✓	42.2	17.1x16.5x16.5	B	1	(408) 473-1530	(800) 457-4447	1137	
✓				✓		✓	44	16.0x16.3x16.8	B	1	(408) 434-1011	N/A	1138	
✓		✓		✓		✓	42	16.6x16.5x16.7	A	2	(408) 945-9000	(800) 783-2333	1139	
				✓		✓	46.2	17.1x16.6x17.0	B	2	(201) 229-4000	(800) 726-7864	1135	
				✓		✓	46.2	17.1x16.6x17.0	B	2	(201) 229-4000	(800) 726-7864	1135	
✓				✓		✓	50	16.0x16.0x17.0	B	3/2	(310) 638-1282	N/A	1135	
✓				✓		✓	41	15.5x15.5x17.5	B	3	(818) 369-3698	(800) 788-2878	1135	
✓				✓		✓	41	15.5x15.5x17.5	B	3	(818) 369-3698	(800) 788-2878	1135	
✓				✓		✓	44	16.2x16.5x16.5	B	2	(714) 546-0336	(800) 876-4532	1135	
✓				✓		✓	42	16.2x16.5x16.5	B	2	(714) 546-0336	(800) 876-4532	1136	
		✓		✓		✓	49.6	16.3x15.9x17.7	B	3	(408) 432-0190	(800) 352-7669	1137	
✓				✓		✓	50	15.0x16.2x18.9	A	1	(310) 637-2105	(800) 829-2850	1138	
				✓		✓	47	17.1x16.4x19.2	A	2	(909) 988-3368	(800) 822-8168	1139	
				✓		✓	39.5	16.6x16.1x17.2	B	3	(909) 869-7976	(800) 888-8583	1136	
				✓		✓	40.1	16.5x16.3x17.4	B	3	(909) 869-7976	(800) 888-8583	1136	
				✓		✓	38	16.6x16.1x17.2	B	3	(909) 869-7976	(800) 888-8583	1136	
✓	✓	✓	✓	✓	✓	✓	51	16.7x16.8x18.1	B	1	(708) 808-5000	(800) 582-0524	1133	
				✓		✓	66.1	18.7x18.7x19.7	B	3	(408) 432-0190	(800) 352-7669	1134	
✓				✓		✓	61	18.9x18.9x21.3	A	1	(310) 637-2105	(800) 829-2850	1135	
				✓		✓	63	18.7x19.2x21.6	A	2	(909) 988-3368	(800) 822-8168	1136	
				✓		✓	75	18.5x19.7x20.1	B	1	(201) 573-0774	(800) 225-1370	1137	
		✓		✓		✓	84	19.7x19.5x21.5	A	3	N/A	(800) 772-2227	1138	
				✓		✓	73	18.5x19.3x21.1	A	3	(215) 957-6543	(800) 394-4335	1139	
				✓		✓	73	18.5x19.3x21.1	A	3	(215) 957-6543	(800) 394-4335	1137	
		✓	✓	✓	✓	✓	80	20.3x19.6x20.4	A	3	(215) 957-6543	(800) 394-4335	1137	
✓				✓		✓	75	19.4x19.8x20.6	A	3	(714) 751-2008	(800) 827-3998	1137	
✓				✓		✓	79.5	19.4x19.4x21.4	A	3	(714) 236-6352	(800) 843-2515	1137	
✓	✓	✓	✓	✓	✓	✓	77.2	19.2x19.7x21.1	B	3	(310) 325-5202	(800) 800-5202	1137	
✓	✓	✓	✓	✓	✓	✓	71	20.5x20.2x19.7	B	3	(415) 331-6622	(800) 296-6542	1137	
				✓		✓	73	18.7x19.2x21.0	A	3	(617) 461-8300	(800) 441-4832	1137	
				✓		✓	73	18.7x19.2x21.0	A	3	(617) 461-8300	(800) 441-4832	1137	
✓	✓	✓	✓	✓	✓	✓	82	19.0x20.0x21.0	A	3	(310) 217-1300	(800) 835-3506	1138	
✓				✓		✓	81	19.4x19.4x21.4	B	1	(408) 434-1011	N/A	1139	
✓				✓		✓	66	18.8x19.9x20.1	B	1	(317) 577-8788	(800) 729-2656	1138	
✓				✓		✓	65	18.9x19.9x20.1	B	3	(909) 869-7976	(800) 888-8583	1131	

welcome to the great wide open

The future of computing is wide open.

If you're working in an open-computing environment—or are planning to make the change soon—the choices are more complicated than ever. You need the right mix of technical and business information to make the right decisions.

That's why you should be reading *Unix World's Open Computing*.

Written for professionals who integrate, manage, program and resell interoperable systems, *Open Computing* gives you the up-to-the-minute information that you need to:

- reduce information costs
- create strategic computing solutions
- select the right hardware and software
- improve productivity

Seize the opportunity—the open-computing era will reward both the individuals and the organizations that can put their knowledge to use and harness the potential of interoperable systems. Build your knowledge through the in-depth features, industry news, comprehensive product reviews, and programming tips in every issue of *Open Computing*.

To start receiving *Open Computing*, just call the toll-free number below. Receive twelve issues for just \$18.00 per year—half of the newsstand price. Your satisfaction is guaranteed.

subscribe now
1.800.257.9402



FPU Precision

Ndiff, a custom comparison program, helps programmers sort out how various hardware platforms calculate FPU operations differently

OLIVER SHARP

Programmers who work with floating-point-intensive applications know that obtaining accurate numbers can be tricky. One particularly awkward problem is that floating-point applications do not produce identical results on different machines. In fact, the results can even change when switching from one compiler to another.

Traditionally, programmers have used a utility such as diff to compare two text files to see if two versions of a code are in agreement. But diff may not be sufficient for FPU-intensive applications. Two programs may both be working correctly even though every number they compute is different. Considering that scientific applications may produce thousands or millions of numbers as results, how can a programmer check whether the code is executing properly on different machines? To address this problem, I wrote a program I call ndiff.

Different Results

To understand how an application can behave differently on different hardware platforms, we need to look at the way computers handle non-integer values.

A floating-point value consists of a sign, an exponent, and a significand. In the IEEE standard, a single-precision floating-point value equals $(-1)^S * (1 + \text{significand}) * 2^{(\text{exponent} - 127)}$. Some real numbers can be expressed precisely, but most do not have an exact representation. The listing "Demonstrating Floating-point Round-off" computes the square root of 2, squares that, and compares the final result to 2. On a SPARC workstation, the difference is $1.2e-7$; on a Cray C90, it is $1.4e-14$.

Programmers commonly do two things that affect the results of a floating-point application: They change the precision of the code and the order in which operations are executed.

In the first case, *precision* simply refers to the number of bits that are used to store floating-point values. Modern computers typically offer two sizes: 32 bits, known as single precision, and 64 bits, known as double precision. Although these sizes are specified by the IEEE/ANSI standard and have become widely accepted, they are not universal and are certain to change in the future as the length of the machine instruction word continues to increase. A given program won't always run on a machine

with the same word size as the one on which it was originally written. Moving to an architecture with a different representation size will almost always change the results of floating-point programs.

One of the reasons that "Demonstrating Floating-point Round-off" behaves differently on the SPARC and Cray computers is that the latter uses 64 bits for single precision. Changing precision alters the rounding behavior and usually changes the results. (Language mechanisms are another way to change precision.)

A second source of trouble relates to something most of us learned in grammar school. We were taught that arithmetic operations like multiplication and addition are commutative (i.e., $A \times B$ and $B \times A$ yield the same result) and associative ($(A+B)+C$ is the same as $A+(B+C)$). However, neither is true in computer addition.

Unfortunately, a compiler must often rearrange the order of computations to improve program performance. "Reordering for Optimization" shows a simple example using a standard compiler optimization called loop-invariant code motion. This transformation moves computations that are inside a loop but don't need to be. In the example, the new code computes $B+C$ once instead of redoing it 100 times. However, if addition is performed left to right in this language, the original code computed $(\text{result}+B)+C$. The new version uses $\text{result}+(B+C)$ instead, which is not necessarily the same thing.

While changing the order is often a significant improvement on single-processor machines, the benefit can be much more dramatic on a parallel architecture. For ex-

Demonstrating Floating-point Round-off

```
/* sqrt.c - the problems of approximation */
#include <stdio.h>
#include <math.h>

main()
{
    float a;
    a = sqrt(2.0);
    a = a*a;
    if (a == 2.0)
        printf("a is 2\n");
    else
        printf("a isn't 2; the difference is %e\n",a-2.0);
}
```

ample, suppose that we have an array of one million elements and wish to compute the sum. At first glance, this seems to be the perfect problem to solve on a parallel machine. If there are 100 processors, we can use each one to add 10,000 of the elements together. Then we do a final pass, adding the partial sums, and the computation will be just under 100 times as fast (depending on communication requirements and how that final pass is implemented).

However, the new and efficient parallel algorithm adds

the numbers differently than the original did. Instead of going from one end of the array to the other, the pieces of the array that are allocated to each processor are summed first. Because addition is not associative, the modification of the order will change the final results. Such changes often make it difficult to know when a

Reordering for Optimization

```
original code:          optimized code:
for i = 1, 100          bplusc = B+C;
  result = result+B+C;  for i = 1, 100
                        result = result+bp1usc
```

parallel program is debugged. Even when the program is working correctly, all of its results are slightly different than the ones from the sequential version. Although such changes are often unavoidable, ndiff can help to determine how large the differences are.

The Program

Ndiff works by going through two files in lockstep to compare each line. It scans each pair of lines twice. The first pass looks at everything but numbers to verify that the letters and symbols in the two lines are identical. If there are any differences, ndiff prints out the two lines together, with a line-number prefix. Because the idea behind ndiff is to compare the output of the same program on different architectures, there will generally be few or no differences that aren't numerical. However, the program might do something like print out the current date and time, so ndiff can't simply give up when the files don't match.

If the lines are identical aside from their numerical values, ndiff rescans them looking for pairs of numbers. It reads in the numbers as double-precision floating-point values and compares them. Note that ndiff depends on the library routine `sscanf()` to parse the numbers; a poorly written implementation of that routine will affect the results that ndiff generates.

Once you load a pair of numbers, ndiff compares them. If they are identical, ndiff discards them and continues. If not, it computes a number of statistics that describe the way they differ, including the absolute value of the difference and the percentage. Once ndiff completes its work, it prints out a report describing the relationship of the two files.

"An Ndiff Report" shows two sample input files and ndiff's analysis of them. Running diff on the files would only reveal that the first lines are identical. Ndiff is more helpful because it provides a statistical summary of the differences to help reveal whether they are the results of architectural and compiler effects.

Ndiff uses a variety of statistics, because any single one can be misleading. One strategy for comparing numbers is to consider only the magnitude of the difference and require that it be small. For example, 1 and 1.000001 only differ by 10^{-6} and are probably close enough for practical purposes. But absolute magnitudes can't be interpreted without some information about the application that generated them. If the program is computing the distance between two galaxies in meters, a difference of a few thousand is probably negligible. When computing the number of microns between atoms, however, a difference of one would be unacceptable. Therefore, ndiff computes both the magnitude of the difference and the percentage difference. If the difference is a tiny percentage, it can probably be ignored.

After comparing the two files, ndiff reports the largest percentage and the largest difference it encountered for any number pair. In general, if the maximum percentage is small, the two files are essentially identical, and you can ignore the rest of the report.

Even if the maximum percentage is large, all may still be well, but the programmer must be careful, because large maximums can conceal problems. In "An Ndiff Report," some of the numbers differed by a large percentage and some by a large magnitude. The first half of the report suggests that the files are almost identical, but it could be deceptive. Suppose that the files contained the corresponding pair (500,1000)—a pairing that should certainly be a major cause for concern. That pair wouldn't change the maximums, though, because ndiff already finds a larger difference and a larger percentage in the file as it is now.

The second half of ndiff's report reveals these hidden pairings. It is a set of threshold rules computed for several different percentages. A threshold rule consists of two values, P and M, and means that every pair of corresponding numbers in the files is either within P percent of one another or has a difference less than M. In the "Thresholds" portion of "An ndiff Report," the third line reveals that differences larger than 1.0 percent are all small (less than .01). The pair (500,1000) would completely change the threshold rules: for both 1 percent and 10 percent, M would be 500. The pro-

An Ndiff Report

```
file1:
**
This file contains several numbers for ndiff to work on.
0.02 1026060.33 343.8599 4444444.33454 1000
**

file2:
**
This file contains several numbers for ndiff to work on.
0.01 1033409.11 343.8667 4444493.22983 1000
**

output:
**
4 numbers differ between the two files out of 5 comparisons.
Average of the differences: 1.849423e+03
Largest difference: 7.348780e+03 on line 3 (was 0.711%)
Average percent difference: 12.500%
Largest percent difference: 50.000% on line 3 (was 1.000000e-02)

Thresholds:
Differences were either below          or less than
                                0.001%          7.348780e+03
                                0.010%          7.348780e+03
                                0.100%          7.348780e+03
                                1.000%          1.000000e-02
                                10.000%         1.000000e-02
```

grammer can quickly tell from the thresholds when a potentially troublesome pairing is concealed by the maximum values.

Scientific Tool

Ndiff is not a perfect solution to the problem of variation in floating-point behavior, but it is a useful tool for programmers who must work on the same code in different environments. I've relied on it often when working with and parallelizing scientific applications using a diversity of architectures and compilers. Ndiff is available electronically. For information about downloading the program, see "Program Listings" on page 5. ■

Oliver Sharp is a doctoral candidate at the University of California—Berkeley. His research area is compilation for parallel architectures. You can contact him on the Internet at Oliver@cs.berkeley.edu, or on BIX c/o "editors."

AMD's 29030 Microprocessor

Based on the proven 29K RISC core, this processor is ideal for embedded applications

FLOYD GOODRICH

You can find Advanced Micro Devices' family of 29000 RISC microprocessors and integrated RISC microcontrollers throughout several large segments of the office automation market. They are used in printers (both color and black-and-white) and function as both the printers' controllers and rasterizers. In telecommunications work, they act as central office switches. They can be found in networks, controlling routers and hubs and managing RAID arrays for storage applications. The high performance of these 29000 RISC processors, especially their ability to manipulate and transfer data at high speeds, makes them an ideal fit in these markets.

These 29000 processors, better known as the 29K family, comprise three product lines. First are the general-purpose RISC processors, which use a modified Harvard architecture and have separate buses for instruction and data accesses. Next is a series of microprocessors that have on-chip caches and thus require only a single bus for instruction and data fetches. The final group is a series of integrated RISC microcontrollers. Before I delve into the details of a specific processor, I'll provide a basic description of the 29K microarchitecture. Later, I'll use that information to expand on the feature set of the AMD 29030, a RISC microprocessor tailored for demanding embedded applications.

29K Roots

All 29K family members use the same 32-bit core microarchitecture and compatible object code. The microarchitecture's instruction set consists of fixed-length 32-bit instructions. The 29K core supports many standard RISC features, such as pipelining, load overlapping and forwarding, and architectural parallelism. But the 29K core also includes several unique high-performance features, such as a large register file and fast interrupt handling.

Among the 29K microar-


chitecture's standard RISC features is a four-stage (fetch, decode, execute, and write back) pipeline that can process, on average, an instruction every 1.26 clock cycles for typical application code. Like all RISC processors, the 29K relies on a load/store architecture. This lets a compiler or a programmer minimize or eliminate pipeline stalls by scheduling memory accesses within the instruction stream.

An on-chip, four-instruction prefetch buffer decouples the pipeline execution speed from the memory speed. Most instruction accesses come from the instruction cache, but when the processor must fetch instructions from memory, the prefetch buffer minimizes delays. By sending the first instruction fetched from memory directly to the pipeline instead of waiting for all four instructions within a cache block to arrive, the prefetch buffer minimizes the latency associated with instruction-cache misses.

In addition, the 29K core has methods for allowing instructions to continue executing while memory accesses occur. Appropriately scheduling load and store operations is critical for high-performance operation, because over a quarter of all instructions involve memory accesses. To promote efficiency, the 29K core uses overlapping and forwarding techniques to eliminate pipeline stalls that would otherwise arise when the pipeline has to wait for data. With proper scheduling, the 29K core can typically maintain single-cycle execution through load instructions, provided the results of the load operation are not immediately required. Interlocks between pipeline stages ensure that this parallelism cannot result in the incorrect operation of the 29K core. In addition, the pipeline receives the results of a load instruction as soon as the bus interface latches the data; it need not wait for an entire buffer to fill before the critical instruction is sent to the pipeline.

Finally, the 29K core uses three-operand instructions: Its instructions use two registers as sources, and a third register serves as the destination of the operation. This differs from a two-operand instruction architecture, in which numerous register-to-register move instructions must be added to a RISC program simply to preserve one of the source operands.

Because the source operands are preserved, fewer instructions are required to combat data destruction, and 29K processor programs are more compact. Also, the three-operand instruction format



closely matches compiler-generated data structures, making it a more natural fit for compiler-generated code.

Unique Core Details

The characteristics mentioned thus far are standard fare that all RISC processors use to improve throughput. But the 29K core has several unique features that boost performance. First, it has a huge register file. Other RISC processors might have a register file with 32 or 64 entries, but the 29K has a 192-entry register file. This enables a compiler to assign all of a procedure's local variables to registers, avoiding the penalty of using load/store operations to store these variables in RAM. To maximize performance, this register file is triple-ported, which allows it to supply two source operands and receive one destination operand at the same time and which makes access faster than it would be from an on-chip cache. In addition, the register file is available to an earlier pipeline stage (the decode stage) than a cache would be, which shaves the fetch stage from the pipeline. But the greatest benefit of the large register file is the elimination of save-and-restore code on procedure calls. Removing this type of code can improve procedure-call performance by as much as a factor of 10.

The 29K core does not save the state of a machine when an interrupt or exception occurs, which makes interrupt-handling routines extremely fast. A systems programmer can decide to write code to save the state of the machine or elect not to preserve the machine's state and offer fast interrupt service.

The Am29030

The Am29030 incorporates the 29K core, along with certain performance-enhancing features. The 29030 uses the 29K family's 32-bit architecture and is implemented in CMOS. It has clock speeds of 20, 25, and 33 MHz. The 29030 has an on-chip, 8-KB, two-way set-associative instruction cache; an integrated memory management unit; and scalable clocking that lets you get high performance using low-cost memory. These and other features make the 29030 attractive to the embedded-control market.

Traditionally, the embedded-control market has had a fixed set of requirements for success. First is object-code compatibility. The time-to-market requirements of embedded applications place incredible pressure on software engineers to create good, stable code in a minimum of time. Object-code compatibility thus ensures that a new project can reuse field-tested procedures drawn from a stable of reliable and well-understood program code.

Another key to success in the embedded market is restricting the use of peripheral interface hardware. Embedded control applications are generally cost-sensitive—so much so that the design should not demand that additional money be spent on components. A bus interface that is simple, yet it supports high-speed transfers is highly desirable for these applications.

The 29030 bus supports accesses to 8-, 16-, and 32-bit instruction memory and accesses to 16- or 32-bit data memory. This lets a system designer select the appropriate memory width, given the performance and cost constraints. For example, to achieve the highest performance, a designer might have the 29030 copy a program out of inexpensive 8-bit ROMs into 32-bit memory, then execute the program in RAM.

The 29030 supports burst transfers up to 1 KB in length. In these transfers, the processor can achieve single-cycle transfers of 32 bits, to or from memory. This high sustained transfer rate lets you fetch instructions quickly even when using inexpensive paged-mode DRAM, and it also supports fast software-controlled transfers of data to and from inexpensive bursting memory. Be-

cause data accesses can be big-endian or little-endian, the 29030 can be connected to a variety of peripherals. The 29030 uses three lines to support conventional and burst transfers. Interface complexity is further reduced by using two synchronous buses: an address bus of 32 lines and a data/instruction bus of 32 lines (see the figure). This reduces the board area required by the processor and the number of bus connections; it also lowers the parts count for the memory subsystem. Because the 29030 bus interface is straightforward, a hardware designer does not need to spend a great amount of money or time on system glue logic.

The scalable clock is an on-chip phased-locked loop that lets the 29030 processor run internally at full speed (say, 33 MHz) while the external bus runs at half speed (16.67 MHz). In this configuration, the processor, with its instruction cache, provides high performance but uses low-cost memory. As with other parts of the 29030, the designer of a system that uses less expensive memory may decide whether to use scalable clocking to contain costs or obtain maximum performance by using faster memory.

By squeezing high performance from inexpensive memory, the 29030 achieves an attractive system cost-to-performance ratio. It is important to note that the cost-to-performance ratio should be based on the cost of the entire system, not simply on the processor's cost. Processors cheaper than the 29030 are on the market, but they require more expensive system components and memory, which drives up the total cost of the system.

Another unique feature of the 29030 is traceable caching, which lets an emulator or any generic postprocessor reconstruct a real-time code trace that is visible in the cache. Typically, a system engineer must turn off a processor's on-chip cache to force visible transactions on the bus for debugging purposes. This is inadequate for quickly solving complex program interactions involving on-chip caches. The 29030 implements cache tracing by using a second 29030 on an ICE (in-circuit emulator) acting as a slave while the 29030 on the controller board acts as the master. The master processor executes the program and generates all bus transactions for both processors. The slave processor executes the same instructions but uses its address bus to drive all cached branch target addresses. This lets the ICE read these addresses and construct a trace of program flow inside the cache. To ensure prompt visibility of a cache and improve the debugging process, AMD expects to deploy this technology on all 29K products containing on-chip caches.

Future Directions

One further advantage of the 29030 is a simple upgrade path. You can move up to the next-generation microprocessor, the Am29040, without changing the design of a system. The 29040 adds an on-chip data cache and hardware integer multiplier, in addition to running at higher frequencies internally. Because the 29030 and the 29040 are object-code compatible, you can run the same software. The 29040 is also bus-compatible and footprint-compatible with the 29030. It can plug into the same socket as the 29030, and it interfaces to the same logic as the 29030 does. The 29040 provides a clean migration path while limiting development time and maintaining the attractive cost-to-performance ratio that embedded applications demand. ■

Floyd Goodrich is a technical marketing manager in AMD's Embedded Processor Division in Austin, Texas. He has a B.S.E.E. degree from Rice University and did product development and applications engineering at Motorola for eight years. You can reach him on the Internet at floyd.goodrich@amd.com or on BIX c/o "editors."

The Oberon/F System

A lightweight, portable, object-oriented component framework

DICK POUNTAIN

Oberon/F is the latest addition to an important new software category, the object-oriented component framework. NextStep's AppKit is the most famous current exemplar; Taligent's TalAE will soon be contesting that title. Oberon/F provides a thin object-services layer that runs on top of the host operating system and lets you write cross-platform, portable, and extensible applications as if the host operating system supported full object orientation. Although currently in beta for Windows and Macintosh System 7, Oberon/F versions are also planned for OS/2 and Unix/Motif. The Oberon/F system is being developed by Niklaus Wirth's Oberon Microsystems (Zurich, Switzerland).

Component frameworks aim to reduce the huge learning curve of class libraries and to enable software reuse by supplying big and already-useful chunks. If using a class library is like buying a load of bricks, then using a framework is like erecting a prefabricated house, with the walls already assembled.

Oberon/F is a wholly document-centric framework in which everything is a document that you can edit within the development system, which also serves as the run-time system. Every Oberon/F document contains one or more views—software components that let you view and edit a particular data type, such as text, a graphic, or a spreadsheet. Each view is implemented by a separate module, which gets dynamically linked and loaded on demand like a DLL. Unlike with Windows DLLs or VBXes (Visual Basic custom controls), however, you can extend Oberon/F modules. If the appropriate module is present, any Oberon/F document editor can edit any type of view, so the concept of applications owning files completely dissolves.

Oberon/F incorporates a highly efficient but proprietary compound document model that lets you embed views into one another in arbitrarily complex ways. In future releases, this system will be progressively integrated with OLE and OpenDoc.

The Oberon/F Development Environment

Oberon/F is based on Oberon 2, language successor to Pascal and Modula 2, and includes a compiler and debugger for this language. Oberon 2 is a strongly typed, compiled language that supports both modular and object-oriented programming as well as Eiffel-like precondition and postcondition testing using ASSERT state-

ments. It includes an automatic garbage collector to preserve memory integrity, an unusual feature for a compiled language. The driving force throughout the Oberon/F project has been the pursuit of simplicity. The beta-0.9 Oberon/F system arrived on a single 1.44-MB floppy disk and occupies barely 4 MB of hard disk space.

The programming, editing, and debugging environment is completely integrated, giving it the same feel as interactive interpreted systems like SmallTalk or Lisp. This is an illusion, as Oberon 2 compiles straight to 32-bit native 486 or 680x0 code. However, the compiler is so fast at 15,000 lines per minute, and the modules you write are typically so small, that compilation time is seldom noticeable.

The compiler, debugger, and other software tools are all

Extending the Oberon/F Texts Component

```

MODULE DickText;
IMPORT TextModels, TextControllers;
PROCEDURE UpCase*;
VAR beg, end: LONGINT;
    ch: CHAR;
    c: TextControllers.Controller;
    buf: TextModels.Model;
    r: TextModels.Reader;
    w: TextModels.Writer;
BEGIN
    (* determine extent of selected text *)
    c := TextControllers.Focus();
    IF (c # NIL) & c.HasSelection() THEN
        c.GetSelection(beg, end);
        (* make a buffer for uppercase text *)
        buf := TextModels.dir.New(); (* a directory object *)
        w := buf.NewWriter(NIL);
        r := c.text.NewReader(NIL);
        r.SetPos(beg);
        (* process selected text into buffer *)
        r.ReadChar(ch);
        WHILE (r.Pos() <= end) & ~r.eot DO
            IF (ch >= "a") & (ch <= "z")
            THEN ch := CAP(ch) END;
            w.WriteChar(ch);
            r.ReadChar(ch);
        END;
        (* copy buffer back into document *)
        c.text.Delete(beg, end);
        c.text.CopyFrom(beg, buf, 0, end-beg);
    END;
END UpCase;
END DickText.
    
```

based on Oberon/F compound documents. In a Show Loaded Modules window, for example, you can highlight any module name in the list and immediately decompile its interface definition; in a debug window, clicking on diamond-shaped markers lets you follow pointers and traverse lists; in the editor, errors are flagged by markers embedded in the text, which expand into error messages when you click on them. *continued*

The Texts Subsystem

The first release of Oberon/F provides just two component subsystems called *Texts* and *Forms*. But an ODBC (Open Database Connectivity) database subsystem is planned for the second release, and Oberon Microsystems says that several U.S. and European consulting firms plan to develop and market additional components. In-place editing of industry-standard graphics and spreadsheet formats won't be available until a later release supports OLE 2.

The Texts subsystem is a word processor with features that are roughly equivalent to Windows Write—it supports fonts, paragraph attributes, and object embedding. Unlike with Write, however, you can extend this editor in any way you like. As a test example, I decided to add the ability to change a selected passage of text into uppercase (see the code in the listing “Extending the Oberon/F Texts Component”). A rather minor achievement, you might think, but consider these points:

- 1 This is not just a WordBasic-style macro but rather a native 486 code extension to the system.
- 2 This new ability is available within any piece of text in Oberon/F and will continue to be available in any future programs that I add.
- 3 I did not need to recompile the text editor and, indeed, have never even seen its source code, only the published programming interface.
- 4 This same code works identically on a Windows PC or on a Mac and automatically displays the proper “look and feel” of either platform.

In Oberon/F, exported parameterless procedures are called *commands*, and they are executable from anywhere in the system. The procedure `UpCase*` (the asterisk indicates that it's to be exported by the module `DickText`) is a command that performs its action on the selection of the window that currently has the focus.

You can program Oberon/F at three levels of complexity, and my example illustrates the simplest command programming that adds new functions to an existing view. The next higher level is the writing of new views, which are visual representations for data types. The third, and hardest level, is the writing of container views that can contain other embedded views. Oberon/F editors are normally container views.

The Forms Component

The Forms component is a simple visual design tool for data-entry forms and dialog boxes. First, you write a code module that defines a record data type with various fields, and then you design the corresponding form by visually dragging control objects around on it as you would in Visual Basic. Thereafter, the Oberon/F run-time system creates and maintains the connections between the screen fields and the underlying data structure without your having to write any further code, automatically updating the field variables whenever you enter data into the form. The reverse process is not automatic, so when your program updates a record field, it must broadcast an update message telling all screen views that they need to change, too.

Oberon/F forms are stored as documents. You can modify their appearance without forcing a recompilation of the application code, a great advantage compared with conventional code generators. You can embed forms in texts and vice versa, recursively to any depth, to construct a variety of user-interface styles.

Models, Views, and Controllers

Oberon/F is designed around a hierarchy of abstractions that isolate modules from the physical hardware (for cross-platform

portability) and from one another (for extensibility). The physical display, printing, and file systems are hidden in abstract object classes and are accessed by creating reader and writer objects for them.

The most fundamental data type is a *Store*, which represents a body of persistent data that knows how to save and retrieve itself from a nonvolatile medium like a hard disk. The module `Stores` supplies readers and writers that can map Oberon 2 data types—such as characters, integers, sets, and other stores—into binary data. Stores can contain other embedded stores and, hence, can represent compound documents. *Store* is an abstract type that is never instantiated directly; instead, Oberon/F supplies three extensions of *Store* called *Models*, *Views*, and *Controllers*. This MVC (Model-View-Controller) paradigm was originally devised by the SmallTalk team at Xerox PARC.

Crudely put, the model is the data, whereas a view is a particular presentation of the data transformed into a rectangular display area. There may be many views onto the same model, and if the model is changed, this fact must be broadcast to all the views by sending messages. A view might directly handle interaction with a user's mouse and keyboard, but in complex applications, this task is usually delegated to a *Controller* object. *Models*, *Views*, and *Controllers* are extensible. In the listing, you'll see the use of a *TextController* object *c* to measure the current text selection, but the actual processing takes place on a *TextModel* called *buf*.

Safety First

Although Oberon/F makes great use of inheritance internally (e.g., `Stores` → `Models` → `TextModels`), it strictly controls external inheritance to preserve extensibility by imposing the classic separation of interface from implementation. Many modules deliberately don't export concrete types used in their interface, which prevents application programmers from extending them directly. Instead, they let you merely create instances of a hidden concrete type, together with an abstract interface type that you can inherit to reimplement extensions of the type. This mechanism retains most—though not all—of the power of inheritance, but it's necessary to guarantee the future extensibility of the program's semantics without running into the so-called fragile base-class problem (see “Extensible Software Systems,” May 1994 *BYTE*).

In the messy world of PC operating systems, Oberon/F's simplicity and austerity could hardly be more at odds with industry practice. C++ programmers like to party and then use industrial-strength debugging tools, like `BoundsChecker` and `Purify`, to clean up the mess afterwards. The Oberon 2 programmer expects to catch 90 percent of the errors at compile time and most of the remainder by careful choice of preconditions. Of course, adapting to changing requirements is the ultimate software challenge, and that's where Oberon/F shines. “If the paradigm of object orientation is promising,” says Wirth, “this is mostly because object-oriented programming allows us to design genuinely extensible modular systems.” ■

Dick Pountain is a BYTE contributing editor based in London. You can reach him on the Internet or BIX at dickp@bix.com.

About the Product

Oberon/F
Commercial version.....\$350
Educational version.....free

Oberon Microsystems, Inc.
Solothurnerstrasse 45
CH-4053 Basel, Switzerland
+41 (0)61 361 3858
fax: +41 (0)61 361 3846
E-mail: oberon@applelink.apple.com
Ftp: [hades.ethz.ch](ftp://hades.ethz.ch)
Circle 1002 on Inquiry Card.

Daisy-Chain Ethernet

How Farallon Computing and Tut Systems make twisted-pair Ethernet wiring as flexible as PhoneNet

STAN MIASTKOWSKI

Conventional wisdom says that you have two types of 10-Mbps Ethernet network wiring choices, depending on the topology you want to use. For bus, or daisy-chain, topology, there's thick RG-8 (10Base-5) coaxial cable or the more common thin RG-58 (10Base-2) coaxial cable. For star topology, you use 10Base-2 UTP (unshielded twisted pair) cable.


But two companies are challenging that wisdom with technologies that offer daisy-chain Ethernet using inexpensive and easier-to-install copper wire instead of coaxial cable. Farallon Computing's (Alameda, CA) EtherWave does the job with two pairs of standard Level 3 or Level 5 UTP. Tut Systems' (Pleasant Hill, CA) Silver Streak stretches the technology further by putting full 10-Mbps Ethernet on a single pair of wires of virtually any type, including the nontwisted "silver satin" flat phone wire that's used to connect telephones and modems to telephone jacks.

Your network wiring is the physical layer, the first and essential layer of the seven-layer ISO OSI (Open Systems Interconnection) LAN model. Coaxial cable has been used for daisy-chain bus topology for the simple reason that its robust electrical characteristics let it easily meet the signal integrity and compatibility standards of daisy-chain connections. But the IEEE 802.3 Ethernet standard doesn't specify that coaxial cable *must* be used for daisy-chain networks.

Integrating Technology

Farallon's EtherWave integrates Level 3 UTP in a daisy-chain topology by combining 10Base-T hub and transceiver technologies into a single proprietary ASIC (application-specific IC) that's designed to handle the precise nanosecond timing needed for Ethernet. The ASIC is included on each network node, either in an ISA, NuBus, or PDS/LC NIC (network interface card) or in external connection boxes for AUI (attachment unit interface)/AAUI-equipped PCs, Mac PB adapters, LocalTalk network printers, or the Apple Newton.

EtherWave devices behave like nonreclocking repeaters, which allow users to add nodes to a 10Base-T network without impacting hop count limitations. Normal star topology 10Base-T networks are limited to four hubs (hops) between nodes, but EtherWave does away with this hop limitation. EtherWave also handles up to eight



GERRY CHARLESKI © 1995

nodes per segment, with a total maximum segment length of 330 feet. However, for network expansion, each eight-node segment can be connected to any standard 10Base-T hub. For example, a 12-port hub can handle a total of 96 EtherWave-equipped nodes.

EtherWave includes auto-termination, which eliminates additional termination resistors at each end of the daisy chain (required with coaxial cabling). This proprietary technology senses impedance changes in the cable and instantly terminates or passes through the network signal. This scheme also allows shutting down or hot-swapping individual network nodes without shutting down the network, largely eliminating a major disadvantage of coaxial-based daisy-chain topology. In addition, EtherWave's ASICs incorporate Auto Crossover, sensing which wires are connected in the UTP and how they should be used. Auto Crossover eliminates keeping track of whether your 10Base-T cables are straight-through or crossover.

Analog Worlds

While Tut's Silver Streak offers nearly all the above advantages of daisy-chain topology without coaxial cable (except for the lack of internal auto-termination), Silver Streak's essential difference is its ability to use nearly any type of wire. In the digital world of computers, it's important to remember that LAN wiring carries analog signals (with the exception of fiber optics, there is no such thing as a digital cable). In fact, the essential part of every network is a transceiver, which translates digital data into RF analog signals for outgoing data and vice versa for incoming signals. Twisted-pair and coaxial networks have their transceivers integrated into the NICs; thick coaxial wiring uses external transceivers "tapped" into the cable run.

One of the major realities of cable—any type of cable—

is that it distorts signals. And because distortion increases with transmission speed (*frequency* in the analog world), pumping a 10-Mbps Ethernet signal through thin wiring is a technical challenge.

There are five distinct types of distortion: attenuation, intersymbol interference, NEXT (near-end cross talk), noise pickup, and radiation. Each causes problems that slow data transmission. Interactions among these types of distortion result in a morass of problems that must be overcome to put full 10-Mbps Ethernet on standard flat telephone cable. Silver Streak uses a variety of approaches to solve these problems.

Attenuation When it comes to high-frequency signals, speed kills. RF signals ride on the surface of a copper wire in what's called the *skin effect*. The thinner the wire, the smaller the circumference, the less surface area, and the greater the amount of signal attenuation. In addition, attenuation increases as the square root of frequency (e.g., quadrupling the frequency doubles the attenuation, cutting the signal level in half). Standard 10Base-T Ethernet using Level 3 or Level 5 (both 24-gauge) UTP is limited to 330-foot segments, because beyond that distance, the signal is attenuated to the point where it no longer meets 802.3 standards. The attenuation problem would seem, at first glance, to be sufficient reason why you normally can't use the 18-gauge wire in standard silver satin telephone cord for Ethernet. But if you control the other aspects of distortion, especially noise (see below), flat telephone wire becomes usable.

Intersymbol Interference After passing through the NIC's transceiver, digital data travels through network wiring as a series of analog DC pulses (each pulse representing a bit of digital data). The nature of DC pulses is that they have (when viewed on an oscilloscope) a fast rise time but a long decay (sometimes called a *tail*) because of the memory inherent in copper wire. At Ethernet speeds, this can cause pulses to interfere with each other, giving rise to errors, retransmissions, and slow network throughput. To combat intersymbol interference, a factor in all copper-wired networks, Silver Streak uses an equalizer circuit. Essentially a simple analog filter circuit that consists of two high-speed Schottky diodes connected back to back, it effectively cuts off the tail of each DC pulse, allowing full-speed Ethernet transfers without the pulses getting in each other's way.

NEXT Unless wire pairs are shielded (which they aren't in UTP), there is always some crossover of signals between the two pairs of wires used in 10Base-T wiring (this is comparable to what happens when you hear another conversation in the background while you are talking on the telephone). Wire pairs that touch each other couple capacitively, and fast-rise time pulses (i.e., Ethernet signals) travel easily through capacitors. This causes noise, collisions, and slow network throughput. The twists in twisted pair minimize cross talk by minimizing the capacitive coupling between wire pairs for two reasons: The distance between pairs is random, and individual conductors are not in constant contact with each other. In Level 3 and Level 5 UTP, this causes null effects that essentially cancel out the cross talk. In standard silver satin phone wire, where pairs are not twisted, NEXT would be unacceptable at Ethernet speeds. However, NEXT is eliminated when only a single pair of wires is used for concurrent transmitting and receiving, instead of the dual pair arrangement used in standard 10Base-T setups. Silver Streak uses this single-pair method.

Putting both signals onto a single wire pair at the same time is trivial. All that's needed is a simple hybrid circuit—essentially the same thing found in any telephone set—letting you talk and listen at the same time. So why isn't a single pair with hybrid circuit used in UTP to eliminate NEXT? Mainly, it's because NEXT is a minor problem compared with noise.

Noise This is by far the biggest and most difficult problem in copper-wired networks. By definition, electrical noise is any unwanted disturbance that interferes with the signal. Any wire is a receiving antenna, and every office environment is rife with noise sources that adversely affect a network. Fluorescent lights, AC power lines, and the RF fields generated by PCs can interfere with network wiring. There are more-serious problems, too. The normal voltage carried in Ethernet wiring is approximately 2 VDC. However, a static shock caused by walking across a carpeted floor can put a 6000-V spike on network wiring. Ringing signals on analog telephone systems use 180 VDC, and network and phone signals are often run together, using the extra pairs in UTP.

The key to Silver Streak's ability to use virtually any wire is a proprietary balun (short for balanced to unbalanced). All networks use baluns, which are transformers that connect the NIC transceiver to the physical wiring. All baluns attenuate noise, and the baluns used in most network hardware attenuate at about a 100-to-1 ratio (40 decibels). Unfortunately, this isn't enough to attenuate serious—yet common—noise sources below the point where they cease to interfere with network transmissions. Tut's proprietary balun is unique, rejecting noise by a ratio of 10,000 to 1 (80 dB). It attenuates virtually all noise, even the most serious, below the point where it affects the network. The balun and lack of noise is also the reason that a Silver Streak segment can extend up to a length of 800 feet with a maximum of 30 nodes per segment. Like Farallon's EtherWave, the total number of nodes in a Silver Streak installation can be extended by using standard 10Base-T hubs.

Radiation This is the other side of the noise coin, because all wires carrying signals are transmitting antennas, which radiate RF energy that can interfere with televisions, radios, and other electronic equipment. But properly done noise reduction also minimizes radiation from wiring, and Silver Streak's balun keeps radiation to a minimum. In fact, Silver Streak is the only network system that meets the stringent FCC Class B standards for consumer-level equipment. All other networking systems meet the less-stringent FCC Class A standards for commercial equipment and applications.

Wiring Choices

Farallon's EtherWave and Tut's Silver Streak open up new horizons for installing new networks and for expanding existing installations without major investments in wiring. Although the details of how each implements daisy-chain Ethernet with copper wiring are different and largely proprietary, the crucial fact is that both systems are 100 percent compatible with all 802.3 Ethernet specifications (10Base-2, 10Base-5, and 10Base-T). ■

Stan Miastkowski is a BYTE consulting editor who has been writing about networking and communications technology for over 16 years. He is the coauthor of Windows for Workgroups Bible (Addison-Wesley, 1993). You can contact him on MC1 Mail at 530-9979 or on the Internet or BIX at stanm@bix.com.

Company Information

EtherWave

Farallon Computing, Inc.
2470 Mariner Square Loop
Alameda, CA 94501
(510) 814-5100
fax: (510) 814-5020
Circle 1007 on Inquiry Card.

Silver Streak

Tut Systems, Inc.
2446 Estand Way
Pleasant Hill, CA 94523
(510) 682-6510
fax: (510) 682-4125
Circle 1008 on Inquiry Card.

JERRY POURNELLE

Communications Issues

Due to a bizarre accident, I'm typing this with one hand while keeping my left hand and arm elevated. It looks silly and does little for my disposition. I suppose I should take it as a lesson in patience.

Before I got my wrist punctured, I went to the Interop Conference in Atlanta. If I hadn't already been convinced that networking is important, that would have done the trick. While Interop wasn't quite as big as Spring Comdex, it wasn't a lot smaller, and it was all devoted to connectivity.

We saw Cisco Systems, which had new additions to their routers (i.e., devices for interconnecting independent networks and sharing WAN resources); Zenith's Z-Stor Personal Server, which painlessly adds peer-to-peer capability to your NetWare client/server system (more later); Microsoft Daytona, also known as Windows NT Server 3.5; a whistle (our own collective noun) of modems from various manufacturers; and all kinds of communications hardware and software. Bell

Atlantic tells me there were over 80 ISDN (56- to 128-KB phone lines—many claim it stands for I Smell Dollars Now) and 500 T1 (1.544-Mbps data pipes) connections brought into the Congress Center for this show. That's a lot of bandwidth.

I put off my decision to go to Interop until all the hotels were full and thus ended up in a cheap motel far from downtown. Of course, this had to be the trip where the local congressman wanted me to show him the Internet. So there I was with Newt Gingrich in the least fancy room in Atlanta. This wouldn't have been remarkable except that the phone lines were ghastly, and we got a line spike that deep-fried my Supra modem just as I was showing off the joys of E-mail and BIX.


I was working with the new Zenith Z-Noteflex portable, a neat color system that's about the size and weight of my old Zenith Mastersport. However, it is faster and has a much larger hard drive, more memory, and color. I've named it Zeno, and I like it. The only complaint I have is that although the keyboard is all right, the old Mastersport keyboard has a better look and feel.

Alas, I had just gotten Zeno, so I had no internal modem installed. I have several PCMCIA-slot modems (the Z-Noteflex has two PCMCIA slots), but I hadn't brought any with me.

Fortunately, because the Z-Noteflex is new, I had brought the Mastersport with its 2400-bps internal modem as a backup. The bad news was that for some reason that machine wouldn't boot, so I couldn't resume my demonstration of networking. Newt went home, and I went to bed.

Next day I lugged my bags to Interop, because that night I was scheduled to go to Washington, D.C. When I got out on the show floor, I ran into Marty Winston and told him my tale of woe. "You shouldn't have any trouble finding a modem," he said. "Just ask." It turns out he was right: I left Interop with three PCMCIA modems. The next day, two more PCMCIA modems and a new SupraFaxModem 288 arrived via Federal Express at my Washington hotel, but by then I had communications well in hand.

One of the modems I received in Atlanta was a Data Race RediCard RC-1496 data/fax modem, which features V.32bis 14.4-Kbps send/receive data and 9600-bps send/receive fax



AMY ETTRA © 1995

A visit to the Interop Conference in Atlanta reinforces Jerry's belief that networking is very important

capabilities. It consisted of a PCMCIA Type II card and a small cable that connects the card to the phone. That's all I got. When I got to the Marriott in Washington, I slipped the card into the Z-Noteflex, plugged the cable into the data port—thank you, Marriott—and turned on the Z-Noteflex. It made a couple of noises on boot-up, flashed a message that it saw a card in slot 3, and went into Windows. I opened Procomm 2 for DOS under Windows, and voilà! Not only did it work, but I could connect to one of the really troublesome Washington phone lines.

I also found out how to boot my Mastersport. For some odd reason, it boots fine on (the newly rebuilt) batteries but not when connected to wall power. Once it's booted, it runs fine with the charger plugged in. I offer no explanation. Other than that glitch, it's as reliable as ever.

Later I experimented with a couple of other PCMCIA cards; apparently they need setup software, because the Z-Noteflex didn't acknowledge they were present. I also tried the replacement SupraFaxModem 288 (working off the serial port), and it worked fine with both Zenith machines. I don't know what that awful line in At-


lanta would have done to the Data Race modem. For that matter, I can't be certain the old Supra modem didn't just choose that moment to die: I've carried it all over the world, it has never been treated gently, and this was the first problem I ever had with it.

In all fairness, I should try some of the other PCMCIA-card modems with their installation software, and I really will do it, but the Data Race RediCard RC-1496 was plug-and-play at a time when I was desperate. It works as well as any portable modem I've ever had. Recommended.

Communications are increasingly important. Item: the new IBM OS/2 will come with access to the Internet and instructions on how to do it, plus local access to the IBM-owned network that carries Prodigy.

Item: Microsoft wants its own local-access network and will need serious network capability to compete with the new Internet capabilities IBM will furnish with OS/2.

Item: there are now secure systems for encryption and source authentication that work on the Internet. The guy who wrote PGP (Pretty Good Privacy) has made a



deal with RSA, and public-key-encryption systems are available to everyone. They can even be used overseas legally. Such encryption and authentication methods can provide communications secure enough to work with banks over the Internet.

Put those together and it's another new world. Banking? Write checks by Internet; then each evening, Quicken goes out to find the daily balance in your accounts.

Wedding and christening pictures? Scan them in—I have a neat new box that claims to be scanner, copier, and fax machine all rolled into one—and distribute them electronically to all the relatives. You can also use this means to distribute political mail.

Everyone will get floods of E-mail, so much that we'll all need intelligent agents to deal with it. One I'd like—I may have to write it myself—would be a daemon that sorts my mail, indexes and files most of it, and shows me the mail from people on the hot list—there are a few PR people who never send me junk mail—and other stuff it considers important. Later, when deadlines loom, I can ask "What's new?" and get a good summary, ask for details,

GREAT THINGS COME IN SMALL PACKAGES

This powerful print server can tackle your biggest network printing problems

- Connects any parallel printer directly to your Ethernet LAN
- Fully Novell Netware 286 and 386 compatible
- Can attach to 8 file servers simultaneously
- Fast and easy to install
- Combines high-speed printing and exceptional printer control
- Supports encrypted passwords, forms, notify, cancel, and others
- Full one-year warranty and unlimited free technical support
- Made in the U.S.A.



Make the Rose Connection



10850 Wilcrest Drive • Houston, Texas 77099 • Phone (713)933-7673 • Fax (713)933-0044

1-800-333-9343

and so forth. Also, with remote-query services like gopher, I could ask someone else's big database about what was new. I could search the Internet's comp.sys.novell group for information on using NetWare with the NetBEUI protocol.

For those new to the Internet, gopher is a program that runs on some Internet computers—the University of Minnesota is one that has a gopher—at your command. Gopher is provided as a public service, and its operation is paid for by the facility where it resides. You tell gopher what you're looking for, and it goes net surfing for you. Eventually, it reports all its findings. Gophers are supposed to be used for serious research, but they're also used to collect digitized pornography. Every now and then, you hear about a scandal when pornographic files are found at some military or university computer facility.

The Internet is billed as an information superhighway, but it isn't that. At the moment, it's an experiment in self-organized anarchy. That's not likely to change for a while, either. It seems to me we're headed for the situation described in Vernor Vinge's fine novel *True Names* (out of print), with a large dash of his *A Fire Upon the Deep* (Tor Books, 1992), but we aren't there yet. If you haven't read those, they're a look at a future we may get to.

The reason I went to Washington was to take part in a big roundtable discussion on the future of NASA and space. More on that another time, but I'm pretty hopeful about the near future. NASA Administrator Dan Goldin made it clear that the old game of leaping to build a "National Transportation System" that excludes everything else is over. The new approach will involve cooperation with industry and development of technologies through X programs, such as Delta Clipper. That, at least, is what I heard, and I like that.

When I got home, Zenith's Z-Stor Personal Server was waiting. This is a small box containing a CPU, SCSI controller, and hard drive loaded with Personal NetWare, the successor to NetWare Lite. Personal NetWare is a peer-to-peer networking system from Novell.

If you already have an Ethernet (or Token Ring) installation, you can add Z-Stor absolutely painlessly; just plug it in and follow directions. It will take about an hour. If you don't have an Ethernet setup, you'll need cards for each of your machines, and you can add about half an hour for each machine in addition to the hour getting Z-Stor going. I'm allowing time

for you to drop screws, plug cables back in, and so forth.


Z-Stor will install alongside your regular NetWare network and add peer-to-peer capabilities to that. It will also work as a stand-alone network, allowing file and printer sharing. It does *not* have the small applications like scheduling that come with Microsoft Windows for Workgroups networks. If I had to choose between barebones Personal NetWare and networking with straight W4WG, I'd generally prefer W4WG unless security were a problem. Novell hasn't built quite as many security features into Personal NetWare as into regular NetWare, but there are plenty of them. Moreover, Personal NetWare has provisions for a systems manager; W4WG does not. Personal NetWare also maintains logs of user activities.

Let me describe a typical installation for Z-Stor. Consider a small business office, say a doctor or an architect. There are several machines, none linked. The owner decides to try networking and buys the Microsoft W4WG starter kit plus enough Intel EtherExpress boards to link all the machines in the office. This is amazingly easy to set up, but then some limits appear, such as an inability to link to the Apple machine down the hall. Printer sharing is possible, but it's slow and no fun at all.

The owner decides to bite the bullet by getting a fancy new server and installing NetWare. That requires bringing in outside help, but it does work—only now W4WG is flaky or doesn't work at all. Meanwhile, the office employees are used to peer-to-peer operations and want them back. (After all, Joe used to let Paul connect to his computer; why can't he now? Sure, Joe's computer crashed without a backup, but it was awfully convenient.)

This is a perfect case for Z-Stor. Buy it, uncrate it, find a place for it to sit, start it up, and link it in; in an hour, you'll have your peer-to-peer operations back. And, because all the data will be in one place, you can actually back it up.

I have not yet got this linked up to the Mac and OS/2, although I believe it is possible. Certainly there are modules for regular NetWare that can link in DOS, Mac, and OS/2 (plus, they say, NT) systems. At the moment we have a hybrid: an Ethernet on which runs OS/2 Advanced Server, NetWare, Personal NetWare, and W4WG. Not all machines are linked by all systems, and sometimes the only way to get from one machine to another is to invoke LapLink for Windows, which also does



Now a Full Line of **American Made Steel Chassis**



- Rugged all-steel construction
- Designed for FCC certification
- Easy assembly and service
- Full line of models and sizes
- Competitive prices
- American made power supplies & removable drive modules available

Call **NOW** for information and **FREE** color catalog

1-800-394-4122

VISA & MasterCard accepted
Same day shipment!

Circle 143 on Inquiry Card.

Designed,
Manufactured,
Guaranteed by:

**CALIFORNIA
PC PRODUCTS**

408-638-9460

205 Apollo Way - Hollister, CA 95023
A division of California Metal Products
manufacturing quality American made products for
25 years

file sharing over the network.

Of course, those multiple networks run on one wire; Ethernet is Ethernet. No matter what protocols might be running on the wire, they all stay out of each other's way. Those protocols can be translated (which NetWare excels at), or one computer can be multilingual.

My goal is to have one (logical) network that encompasses all my machines. It will allow all machines access to both the Pioneer New Media Technologies DE-UH7101 WORM/rewritable and Maxoptix T3-1300 optical drives, Palindrome's backup system with the Fast 2000 DAT (digital audiotape) drive running Network Archivist, Pioneer's DRM-604X Mini-changer CD-ROM drive, the HP LaserJet III printer, Fargo Electronics' Primera color printer, Kyocera's Ecosys printer, and the Fax<HQ fax server for sending and receiving faxes. It will also have convenient ways I can use the little Xircom Pocket Ethernet Adapter III parallel-port box to attach my portables to the system. When it's all done, the little Z-Stor box will be a welcome part of that system. More on this in months to come.

That Fax<HQ system—it's a Windows-

based program, though it needs an Intel Satisfaction board to do the faxing—is quite good. My major complaint is that you can't use it with all your computers. That's damning with faint praise, though—no one builds a single network faxing program that supports Mac, Windows, and OS/2 systems. Right now, anyone with a network of PCs and Macs would need two boxes to support faxing for the whole network. Oh, well.

There is an alternative to NetWare. Windows NT Server 3.5 also provides network services. Moreover, it's possible to set up an NT server that interfaces with a NetWare network in such a way that all your Windows machines see is a Windows software interface. Obviously, W4WG runs on the machines running Windows, so you won't need Z-Stor and Personal NetWare; but you'll have complete access to all the features of NetWare.

And yet another alternative: OS/2 Advanced Server speaks more or less the same network protocols as W4WG, and the two can be interfaced with a certain amount of work. OS/2 Advanced Server is a client/server system comparable in

features and complexities to NetWare. Meanwhile, Artisoft now provides a LAN-tastic for OS/2 peer-to-peer network. You can set up your systems in Windows; change over to OS/2 Warp, which wraps around Windows or W4WG; add LAN-tastic for OS/2; and have both peer-to-peer and client/server capabilities. Whether that would be superior to NT Server 3.5 depends on who you listen to. They both seem to work.

I should make it clear that while I have the software to do all these operations, I haven't tried most of them so far. This is partly due to lack of time, but also because I'm about to get some new server hardware, including a RAID system. Meanwhile, I intend to continue experimenting with what I have.

One of the nice features of LANs is network printing. Pournelle's laws say that sharing CPUs, even with yourself, is undesirable. Any printer attached to your PC steals cycles; big print jobs in Windows steal lots, and it's even more disconcerting when your computer slows down because of someone else's print job.

Network printers hang directly on the

BYTE WEARHOUSE
Official BYTE Merchandise for Technology Experts.

BYTE 20 Years
1975-1995

BALL CAP.
Soft brushed cotton free-form ball cap with adjustable Velcro closure back and 20th Anniversary logo embroidered on front. Black. \$14.75.

SWEATSHIRT.
11 oz. cross grain Lee sweatshirt with 20th Anniversary logo embroidered on left chest, features generous athletic cut and side gussets. 95% cotton, 5% polyester. Ash. Sizes: M, L, X-L. \$31.20.

MOCK TURTLENECK.
Outer Banks 100% cotton mock turtle neck with 20th Anniversary logo embroidered on left chest. White. Sizes: M, L, X-L. \$25.85.

COMPUTER TOOL KIT.
Deluxe computer service tool kit in black vinyl zipper case features: 2 nut drivers, 3 prong parts retriever, tweezers, torx driver, IC Extractor, one Phillips and 2 slotted screwdrivers, and a small parts tube with caps. 1-color 20th Anniversary logo. \$20.10.

PHONE CREDIT CARD ORDERS ONLY TO 1-800-676-HALO.
We accept Visa, Master Card, American Express, and Discover.
Call Monday-Friday, 9:00 am to 5 pm, C.S.T. Shipping is additional.

TRUTH IN HARDWARE

Vendors make performance claims. Compatibility claims. Support promises. As a buyer of PCs and peripherals, you need the TRUTH. Based on objective, head-to-head tests of major competitors in each product category. So you can choose the right products the first time.


Since the dawn of the microcomputer era, buyers making high-stakes purchases have been using National Software Testing Laboratories (NSTL) for authoritative evaluations of standalone and networked systems and peripherals.

NSTL originated the concept of testing PC products. Today our state-of-the-art benchmarks and methodologies set the mark that others imitate.

ACCESS TO NSTL TEST RESULTS

PC Digest gives you direct access to NSTL's test results. So you can make smarter, easier, more confident purchase and upgrade decisions.

No other testing system uncovers core performance, versatility and usability differences. We force products to show their strengths and weaknesses in head-to-head, feature-to-feature competition. In real-world, applications-based environments like the one you work in every day.



PC Digest is published 15 times a year by NSTL, the industry's first and most authoritative independent testing laboratory.

CLEAR-CUT WINNERS


The result: *clear-cut winners that give you the best value for your money.* Concisely and clearly described by expert test technicians — without ads or distractions of any kind.

Every issue focuses on a new technology that you need to know — or features a roundup of established technologies in price-competitive categories.

- Pentium systems
- EISA Ethernet cards
- Pen systems
- Notebooks
- Multimedia upgrades
- Unix servers
- High res monitors
- Network interface adapters
- SCSI disk drives
- PostScript printers
- CD-ROMs
- 9600 V.42 bis modems

PC Digest's features charts are so complete that vendors consult them before designing upgrades. Shouldn't you consult us before buying your next piece of equipment?

FREE BINDER



To help you build your resource library, you get a FREE durable, 3-ring binder upon payment.

ORDER NOW!

YES, please enter my subscription to PC Digest for one year (20 issues) at \$450, and send my free binder with my first issue.

MAIL TO: PC Digest, P.O. Box 551, Hightstown, NJ 085204551

NAME _____

COMPANY NAME _____

COMPANY ADDRESS _____

CITY/STATE/ZIP _____

PHONE _____

PAYMENT INFORMATION:

Payment enclosed

Please bill me P.O. # required _____

Charge my: Visa MasterCard AMEX

ACCOUNT NUMBER _____

EXPIRATION DATE _____

SIGNATURE _____

Orders outside North America: Please add US \$20. for airmail delivery.

SBY4016

PHONE

1-800-257-9402

FAX

609-426-7087

MONEY-BACK GUARANTEE

If at any time you are not completely satisfied, you may cancel and receive a full refund for all issues remaining on your subscription.

Unleash your Pentium!

Microway NDP Fortran & C++ are the only compilers which take full advantage of the Pentium floating point adder-multiplier. The Pentium's numeric performance turns out to be very sensitive to numeric code quality. Our Pentium floating point scheduler makes it possible to take full advantage of the 4 to 1 numeric speed up the Pentium offers over a 486DX. Put our compilers or Pentium/i860/Alpha systems to work for you. Call for our white paper on Pentium Code Generation today!

i860/Pentium/Alpha SuperComputers

BX Series Pentium/Alpha Workstations - our workstations and industrial PC's come configured with DOS, Windows, OS/2, UNIX, NT or OSF from.....\$2195
Gigacube™ - A Gigaflop for less than \$50K! Pentium computational Server runs on an NFS: houses 20 i860's.

Number Smasher®-860 up to 80 mflops: does 1024 FFT in 1 ms, from.....\$2995
QuadPute®-860 320 mflops per card, four 860s and shared memory.....\$11995

ArrayPRO™/XP - 100/200 megaflops, 400 MB/Sec memory. Interfaces - 80 MB/Sec DSP and 33 MB/Sec EISA.....\$8995

NDP Compilers

Microway's NDP 32-bit compilers run on OS/2, NT, UNIX, and DOS generating code for the Intel 386, 486, Pentium, i860 and Alpha.

NDP Fortran™ is a full F77 with F66, VMS, DOD, and MS extensions.

NDP C++™ runs in K&R & ANSI includes C++ - generates the highest quality numeric code of any 32-bit C compiler.

NDP Fortran 90 Extensions to NDP Fortran.....\$395
DOS release includes VCFI, DPMI, VM, NDPLink, NDPub, GREX and MGX - Microway's graphics and plotting packages. The 486/Pentium version adds 486/Pentium code generation plus Clearview symbolic debugger.

386 Version 4.41.....\$695
Pentium/486 Version 4.41.....\$995

OS/2 release includes WorkFrame interface, MGX uses IBM tools

386.....\$595
486/Pentium.....\$895

Alpha NDP compilers start at.....\$795
Call for UNIX, Xenix and NT prices.

Microway®

Kingston, MA 02364 USA (508) 746-7341
U.K., 081-541-5466 USA FAX 746-4678
Call for Germany, Italy, Greece, Poland
Scandinavia, Israel, Russia and Japan

Pournelle

network, so no more sharing CPU cycles or restarting jobs because your computer hung up. Just send a job to the server (at Ethernet speeds, and all at once) and go back to work. The network parcels the work out at print speed.

If you can't hook your printer directly to the server, you want a printer with a built-in network interface (Hewlett-Packard makes excellent plug-in cards for theirs). Older printers like my LaserJet III don't have this slot, so we bought a Digital Products NETPrint/150 network print server to hook up all three of our parallel printers to the Ethernet. They also have some models with a single parallel port, as well as boxes for Token Ring and networks like Banyan Vines.

Now, if I want to print a whole manuscript, I blast it all to the network server and go back to work. The NETPrint/150 is easy to install and use. Digital Products have a BBS with the latest software, and their technical-support people are helpful and patient, should you need them.

Traveling Software does it again. If you don't have LapLink 6.0 for Windows, go get it. It works, and it's worth the expense.

I confess I didn't bother to upgrade from LapLink Pro (which is LapLink 4.0) to LapLink 5.0. LLPro works fine on just about every machine I have. It runs as a DOS program under Windows and comes with the .PIF and .ICON files needed to set it up. Because most of my portables now do Windows, that's how I use it.

LLPro works with W4WG. If the computer you connected your laptop to can see the network, LLPro can, and you can transfer from the laptop to a remote machine. LLPro is hard to beat as a means of putting files on your laptops and peeling them off after a trip. All versions of LapLink from 3.0 and higher have come with a "synchronize directories" feature, making it easier on road warriors.

LapLink 6.0 for Windows adds a number of desirable features to LLPro. For one thing, it works over an Ethernet, so you can use one of Xircom's Pocket Ethernet Adapter III parallel-to-Ethernet boxes to speed things up. For another, it uses a block-by-block file-comparison system. This doesn't speed up the first synchronization of files, but if you synchronize files on two machines very often, the "delta technology" takes over so that only changes in the two files are transmitted, speeding things up something wonderful.

This is especially important if you're doing file transfers over a modem. You can use LapLink 6.0 for Windows to control one machine from another. On the

road, I can use my portable to call my big machine, get in with the proper passwords, and operate my system as if I were at home. Clearly, that can be slow on a 1200-bps modem line, but because of object caching and the delta technology, it's nowhere near as slow as you'd think, because only changes are sent. It's possible to update a large Microsoft Word document on my home machine through a modem from a hotel room. For that matter, I can cause my home system to create and send a fax.

Also, the new LapLink will maintain multiple simultaneous connections—up to eight—over the LAN, modems, AirLink, or the familiar LapLink cables. Mark Eppley, president of Traveling Software, brought three laptops over to show this feature off; Moe, Larry, and Shemp ("Curly is back in Bothell") talked to each other, one via telephone and one through Ethernet. He had two windows open, transferred data from one remote machine to another, and generally looked like a proud papa showing off his new son.

Alex pointed out how wonderful this would be for system administrators—leave the connections "nailed up" but minimized until some user calls with a question. Programs such as PC Anywhere and Carbon Copy can do similar things, but none have LapLink's connectivity and familiar pedigree.

LapLink 6.0 for Windows can be installed on a DOS machine, so it will link DOS and Windows systems. It understands lots of modems, including wireless as well as ISDN. Sometimes it's the only way I can transfer files among the screwy systems on my hybrid network; if LapLink 6.0 for Windows can see the other machine, it sees it by name and knows how to get at all its drives.

Our first attempts to use LapLink 6.0 for Windows did not work, because we were testing Cybermedia's FirstAid for Windows. FirstAid is a good program. It operates like a Mac INIT and watches to see what you're doing; if something goes wrong, it tries to let you know about it. We like FirstAid, and I'll have more on it another time.

I bring it up here because the present version is not compatible with LapLink 6.0 for Windows. This conflict is inherent. Most programs that try to operate Windows remotely do it by changing Windows drivers. LapLink 6.0 for Windows doesn't do that, but instead burrows in under Windows so that Windows doesn't know it's there. Unfortunately, so does FirstAid, and the two clash at a fundamental level. The result is that LapLink

6.0 for Windows thinks it doesn't have enough memory and quits. The two companies are discussing this and will likely have a solution by press time.

We also found some minor problems with W4WG, and indeed made the discovery that W4WG uses up memory in ways that Windows 3.0 and 3.1 do not. Traveling Software has already fixed the installation problem that caused. LapLink 6.0 for Windows is pretty solid, more so than the other remote PC programs; our only problems were with installation.

If you haven't upgraded your LapLink lately, it's probably time. LapLink 6.0 for Windows is seriously good stuff. Recommended.

If you're looking for a world-class correspondence program, I've got it. Accent 1.0 from Accent Software International is a Windows word processor that can write in 34 languages and five alphabets: Western European and Scandinavian, Central and Eastern European, Cyrillic, Turkish, and Greek. It checks spelling in 17 languages. There are plans to add Hebrew and Arabic.

It's not all that bad as a word proces-

sor, either. It looks and feels a lot like Microsoft Word, and it can import and export to Word, WordPerfect, and Ami Pro. It has some Internet features I haven't tried, but for those who must do electronic correspondence in many languages, I'd think this would be a godsend.

Free idea: someone could easily make up fill-in-the-blank template letters for Accent pointed to individual industries. Fill in the English proper names, and out comes an (admittedly idiomatic) equivalent in another language, ready for faxing. I think this "limited automatic" translation could be quite useful, as long as it avoids converting "Coke adds life" to "Our cola revives your ancient ancestors."

BOOTCON 2.1 is a program that lets you set up about 100 CONFIG.SYS and AUTOEXEC.BAT initializations and then choose them from a menu when you reboot the system. I keep it on my experimental machines. Typical installations are the GAME setup (which loads Sound Blaster and the CD-ROM driver and nothing else), WINDOWS FOR WORKGROUPS ONLY, WINDOWS WITH




NOVELL, and so forth. BOOTCON will also let you keep different Windows .INI files and choose among them when you boot up.

I've used BOOTCON on my experimental machines for years. Not only has it always worked, it often saves my bacon by letting me go back to a known workable boot-up combination after I've been experimenting with CONFIG.SYS or WIN.INI. The one gripe I've had with BOOTCON is that every time any controlled file changes after boot-up, at the next boot-up, BOOTCON makes me decide whether I want to keep the new configuration or go back to the old one; but because it doesn't tell me what lines have changed in, say, WIN.INI, I get confused.

The new version of BOOTCON will let you compare the new and old versions of WIN.INI, AUTOEXEC.BAT, and so forth before you decide whether or not to keep the updates. You can also disable BOOTCON to optimize your current boot-up initializations and then add your new CONFIG.SYS and AUTOEXEC.BAT to BOOTCON's list. And the newest version transparently makes up these files each

WITH MULTIVIEW DESKTOP, YOU'LL FLY BETWEEN WINDOWS AND UNIX.



AND MAKE ALL YOUR CONNECTIONS.

Now you can take off between Windows and UNIX applications using a simple mouse and a single user interface. Your users only have to learn one mode of operation. And you only have to support one interface.

Now you can travel on all protocols. With just one user interface.

That's because MultiView Desktop supports more connections than anyone. All serial connections. And all major protocols, including IPX/SPX, DECnet and the widest range of TCP/IP transports. And if you don't have a TCP/IP transport we'll give you one free.



You also get accurate, high-performance terminal emulation of all the major UNIX consoles and terminal types. Plus a floating palette with toolbar, status bar and configurable button bar for simple operation. MultiView Desktop also integrates your PCs and UNIX with Dynamic Data Exchange (DDE) that allows your users to make faster, more informed decisions. And they can cut and paste between Windows and UNIX applications, share printers and customize their desktops in minutes.

So no matter how or where you work, MultiView Desktop provides terminal emulation, multiple platform connectivity and integration in one package. Which is exactly what you would expect from JSB, the company that pioneered Windows Sockets technology.

For more information and a free 30-day evaluation of MultiView Desktop, call 800-359-3408 today. And start flying nonstop to all your applications.



HEADS, IT'S REAL. TAILS, IT'S FAKE.



It's your choice. A little more than 50 percent of all business software in use today is pirated. If you buy it, you could end up with virus-ridden, phony software that has no documentation or product support.

Selling or copying pirated software without authorization is against the law, with severe criminal and civil penalties including imprisonment of up to five years, fines of up to \$250,000, or both. If you suspect the sale or use of pirated software, call the BSA Anti-Piracy hotline:

 (800) 688-BSA1 (2721)



© 1993 Business Software Alliance. All rights reserved.

Pournelle

time instead of putting them in one big file—thus removing my second major complaint. You can now use QEMM's Optimize without defeating BOOTCON.

MS-DOS 6 and higher have a BOOTCON-like feature, but Modular Software Systems' program is much more sophisticated. It can even reconfigure your boot-up depending on the time or day of the week—a pretty secure way of defeating remote access on a dial-up PC on the weekend, for instance.

If you do much tinkering with your system, you definitely need BOOTCON 2.1. Recommended.

Microsoft, having found great success with mice, has brought out an ergonomic keyboard, the Microsoft Natural Keyboard. It sort of humps up in the middle, with a section for each hand; those are separated by an inverted V of blank space at the apex of the bump. Your hands come in at a 45-degree angle to each other to meet up with the keys. This feels unnatural at first, especially if you watch your hands while you type. The thing is about 3 inches tall, so you won't get your slimline keyboard drawer to close on it.

Unlike the Apple Adjustable, the Microsoft Natural Keyboard is all one piece; you can't adjust the two home halves or bring them together like a normal keyboard. For that reason, it will be beloved by typing teachers and cursed by crossover typists—anyone who types *b* with their right hand will hate it. The touch is light and fast, and the plastic construction makes it much lighter and less tough than the Northgate OmniKey Ultra keyboard I use.

The installation disk has control panels for adjusting the keyboard's performance: international and proprietary keyboard layouts, using the numeric pad as a mouse, key repeat rate, and the like. If you'd like to experiment with a Dvorak keyboard layout, you can try that, too.

There are other improvements I'd make. You can't make "keyboard salad"—mix and match the key assignments. I'd want to put the Backspace key up above the Enter key, as on an IBM Selectric typewriter (and on the Pournelle-configuration Northgate keyboards), and swap Caps Lock and Control. Actually, I'd as soon have Caps Lock up on the function-key row so I wouldn't hit it accidentally. If you were heavily into desktop publishing or occasionally used foreign characters, you might want to assign the *ä* and *ö* characters to a particular key cap to avoid the annoying Alt+0145 sequence, but that will take third-party software right now (Gateway's programmable keyboards let you do this).

As a silly bonus, you can cause your computer to make sounds when you hit a key—maracas, scissors, or manual or electric typewriter. The electric typewriter sounds were obviously taken from a Selectric, complete with the "golf ball" spinning when you lean on the Shift key and carriage return when you press Enter. I wonder if IBM will sue them for "sound and feel"?

Speaking of IBM, their former Lexmark division would do well to make a competing keyboard with the built-in trackpoint mouse from the IBM ThinkPad stuck in the middle. ThinkPad portables are so good they scare me.

I haven't made up my mind about the Microsoft Natural Keyboard. I've put it on the machine Larry Niven uses when he works here; he hasn't seen it yet. More on this later.

Pentafluge died the other day. When we turned it on, it gave a series of beeps. Those are the post codes that tell what's wrong. Alas, my Micronics Computers M5Pi motherboard was a late beta version, and I didn't get the full documents with it. Micronics rushed me a replacement motherboard, and I installed it—not difficult—and put in the 60-MHz Pentium chip, complete with its PC Power & Cooling chip fan.

When I turned it on, I got the same series of beeps. This time I had the documents and looked up 3-2-4: it said keyboard encoder failure. I turned over the keyboard and beat on it until some peanut shells fell out, and lo!, all was well. Long-time readers will recall I've had this problem before. Due to a peculiarity in PC design, the keyboard is part of the system, and the encoder is used for certain address handling. The moral of the story is check your keyboard before you replace your motherboard. In my case, the new M5Pi motherboard is a bit more finished than the older test version I had; but I never had any trouble with the old one. The second moral of this story is get your system documents and pay attention to them.

IBM has a neat new system called the Duchess-Blue. It's an integrated multimedia system that reminds me of Tandy's Fantasia. It comes with an integrated video accelerator, full wave-table sound (with the volume control in front), a game port, and a CD-ROM drive. It's very fast: it plays Doom like nothing you have ever seen. It's a small-footprint system with room for five cards (but has sound, video, and CD-ROM on the motherboard). It was simple to put in an Intel network card and

connect it with W4WG.

I haven't had this long, and what with being one-handed, I haven't done much with it. But I intend to install the new OS/2 Warp on it, as well as a bunch of other stuff. You'll certainly hear more about it.

As I write this, the Duchess-Blue isn't available; IBM is negotiating with manufacturers who may bring it out under their product name. I'll let you know about that when I hear more. Meanwhile, if you're looking for an OEM source on a nifty integrated multimedia system, talk to IBM Microelectronics in East Fishkill, New York. This is a neat little machine.

I've had After Dark on most of the Macs and PCs for years, so I was pleased to see version 3.0. Perhaps *amused* would be a better word. After all, modern Energy Star monitors turn themselves off when inactive; After Dark is less a screen saver than an entertainment package. It does that well. For instance, version 3.0 comes with four-slice toasters and bread with jam. One new module, You Bet Your Head, is an oddball automated quiz show Chuck Jones would approve of, and the Bad Dog digs holes in your screen and pulls things

around. Alas, his whining upsets my dog.

I'm as guilty as the next person of enjoying After Dark's antics; we have Boris the Kitten (from More After Dark) romping around on a world clock (from Palo Alto Software's After Dark add-on module) on the Mac Quadra 700. My main writing machine had Mr. Spock examining Hortas (from Star Trek: The Screen Saver) for a year or so. But you could hardly suggest that all this silliness was just to save your screen.

Fair warning: on the Mac, we couldn't get After Dark to install unless we turned off all the INITs, not just the virus-checking software they warn you about. But once done and the system rebooted, we had all the new modules, along with our old ones, available.

There were similar installation problems under Windows, but in both cases, the Berkeley Systems support people were helpful. Sure, Windows 3.0 and later come with a rudimentary screen saver, but can you really live without Bart Simpson skateboarding around your Program Manager?

The book of the month is Hy Bender's *Essential Software for Writers: A Complete*

Guide for Everyone Who Writes with a PC (Writers Digest Books, 1994); it's humorous and well done. It discusses a lot of software of interest to those who use computers to write.

The game of the month is Strategic Simulation's *Dark Sun Shattered Lands*, a rather good fantasy role-playing game with a new game engine. It got me away from XCOM: UFO Defense for a few days. Alas, XCOM has still got me.

Next month, I'll have a lot more on networks and a whole bunch of new software. By then, I'll be able to type with both hands. ■

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. Jerry welcomes readers' comments and opinions. Send a self-addressed, stamped envelope to Jerry Pournelle, c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on the Internet or BIX at jerry@bix.com.

For More Information

For those who must do electronic correspondence in many languages, I'd think **Accent 1.0** (\$379) would be a godsend. Contact **Accent Software International, Ltd.**, Jerusalem, Israel, +972 2 793723; fax +972 2 793731. **Circle 1150 on Inquiry Card.**

After Dark 3.0 (\$49.99) is less a screen saver than an entertainment package, and it does that well. Contact **Berkeley Systems, Inc.**, Berkeley, CA, (800) 877-5535 or (510) 540-5535; fax (510) 540-5115. **Circle 1151.**

If you do much tinkering with your system, you definitely need **BOOTCON 2.1** (\$79). Contact **Modular Software Systems**, Kent, WA, (800) 438-3930 or (206) 631-5781; fax (206) 631-5779. **Circle 1152.**

The game of the month is **Dark Sun Shattered Lands** (on floppy disk, \$60; on CD-ROM, \$65), a rather good fantasy role-playing game with a new game engine. Contact **Strategic Simulations, Inc.**, Sunnyvale, CA, (408) 737-6800; fax (408) 737-6814. **Circle 1153.**

If you're looking for an OEM source on the nifty **Duchess-Blue** (\$2199) integrated multimedia system, contact **IBM Microelectronics**, East Fishkill, NY, (800) 636-2426. **Circle 1154.**

The **Fax-HQ** system (standard package with one copy of Fax-HQ Gateway Fax Server software and 25 copies of the Fax-HQ client module, for a total of 27 users, \$1295; Fax Server software and five copies of the Fax-HQ client module, \$395; Expansion Kits to add 25 users, \$695) is quite good. Contact **Headquarters Software, Inc.**, Pleasant Hill, CA, (510) 284-2877; fax (510) 284-3238. **Circle 1155.**

We like **FirstAid for Windows** (\$49.95). Contact **Cybermedia, Inc.**, Los Angeles, CA, (800) 529-2373 or (310) 843-0800; fax (310) 843-0120. **Circle 1156.**

LapLink 6.0 for Windows (\$199.95) is seriously good stuff. Contact **Traveling Software**, Bothell, WA, (800) 343-8080 or (206) 483-8088; fax (206) 487-1284. **Circle 1157.**

The new **MSPI motherboard** (with a 60-MHz Pentium processor and 256-KB cache, \$895) is a bit more finished than the older test version I had; but I never had any trouble with the old one. Contact **Micronics Computers, Inc.**, Fremont, CA, (800) 577-0977 or (510) 651-2300; fax (510) 651-5612. **Circle 1158.**

The **NETPrint/150** (\$795) is easy to install and use. Contact **Digital Products, Inc.**, Waltham, MA, (800) 243-2333 or (617) 647-1234; fax (617) 647-4474. **Circle 1159.**

OS/2 Advanced Server 4.0 (on floppy disk or CD-ROM, \$2066) is a client/server system comparable in features and complexities to NetWare. Contact **IBM Corp.**, Armonk, NY, (800) 342-6672 or (914) 332-2085; fax (800) 426-4329. **Circle 1160.**

Personal NetWare (\$99) has plenty of security features, provisions for a systems manager, and maintains logs of user activities. Contact **Novell, Inc.**, Provo, UT, (800) 453-1267 or (801) 429-7000; fax (801) 429-5155. **Circle 1161.**

With the **Pocket Ethernet Adapter III** (\$349), I have a convenient way to attach my portables into my network. Contact **Xircom, Inc.**, Calabasas, CA, (800) 438-9472 or (818) 878-7600; fax (818) 878-7630. **Circle 1162.**

The **RediCard RC-1496 data/fax modem** (\$299; RC-1414 with 14.4-Kbps send/receive fax, \$349) was plug-and-play at a time when I was desperate, and it works as well as any portable modem I've ever had. Contact **Data Race, Inc.**, San Antonio, TX, (800) 329-7223 or (210) 558-1900; fax (210) 558-1929. **Circle 1163.**

The **SupraFAXModem 288** (\$269.95) worked fine with both Zenith machines. Contact **Supra Corp.**, Albany, OR, (800) 727-8417 or (503) 967-2400; fax (503) 967-2401. **Circle 1164.**

It's possible to set up a **Windows NT Server 3.5** (server license, \$699; client access license, \$39.95 each) that interfaces with a NetWare network in such a way that all your Windows machines see is a Windows software interface. I'll have more on the **Microsoft Natural Keyboard** (\$99.95) later. Contact **Microsoft Corp.**, Redmond, WA, (800) 426-9400 or (206) 882-8080; fax (206) 883-8101. **Circle 1165.**

The **Z-Noteflex** (\$3222) portable is a neat little color system. I like it. With the Z-Stor Personal Server (\$999), you can have peer-to-peer network operations in about an hour. Contact **Zenith Data Systems Corp.**, Buffalo Grove, IL, (800) 533-0331 or (708) 808-5000; fax (708) 808-4483. **Circle 1166.**

What's New Hardware



A monochrome cartridge can print up to 30 text pages and up to 18 graphics pages; the optional color cartridge can print from three to five color transparencies.

Contact: Citizen America, Santa Monica, CA, (310) 453-0614.

Circle 1271 on Inquiry Card.

POCKET PRINTER?

You wouldn't want to use the 1-pound PN60 portable laser-quality printer while it's in your pocket, but in a pinch you can pop the unit in there to free your hands for some last-minute updating prior to printing your color transparencies. Available for the PC and the Mac, the PN60 (\$429) measures 10 by 1.85 by 2 inches and prints up to 2 ppm. The thermal-fusion-based printer operates at a noise level of less than 46 dBA. It comes with five built-in fonts and also supports TrueType and Adobe fonts.

PORTABLE PRINTING FOR THE MAC

For Mac PowerBooks, the HP DeskWriter 320 printer (\$379) has a resolution of 600 by 300 dpi. The portable 4-pound unit can print more than three pages of black text per minute and a color page in about 4 minutes. From Hewlett-Packard (Santa Clara, CA), the unit includes the company's ColorSmart and Resolution Enhancement technologies. The optional color kit (\$49) consists of a snap-



in cartridge and storage case; the optional cut-sheet feeder (\$99) can automatically feed up to 60 sheets of paper or 20 transparencies.

Phone: (800) 752-0900.

Circle 1274 on Inquiry Card.

COMPUTER-CONTROLLED OUTLETS

A power-control device that can be daisy-chained to provide up to 156 individually controllable outlets, the Pow-R-Bar (\$149.95) connects to your PC via the serial port. From International Micro Electronics Group (Lexington, KY), the devices (up to 26 Pow-R-Bars) can be up to 50 feet

apart, and greater distances are possible when you use them with short-haul or phone-line modems.

Phone: (800) 274-8699 or (606) 271-0017.

Circle 1275 on Inquiry Card.

FOUR PORTS ON A BOARD

Each of the four serial ports on the Model 3PXCC4A serial card (\$209.95) can be independently configured for any I/O address and IRQ, as well as for RS-232, RS-422, or RS-485 data protocols. From B&B Electronics Manufacturing (Ottawa, IL), the card has interrupt-sharing capabilities as well as an interrupt-status register.

Phone: (815) 434-0846.

Circle 1277 on Inquiry Card.

FOR YOUR EYES ONLY ▼

The wraparound design of the PF50 filter (\$119) from 3M Optical Systems (Roseville, MN) preserves the privacy of travelers who use their notebook computers in public places. The screen is legible only when it is viewed from directly in front of the display. An anti-glare feature im-

proves contrast and reduces glare.

Phone: (800) 553-9215 or (612) 733-4403.


Circle 1297 on Inquiry Card.

SAFE DATA TRANSFER ▶

The Datasafe V.Fast-class external data/fax modem is available for both the PC (\$319) and the Mac (\$329). From Logicode Technology (Camarillo, CA), the modem has built-in password protection, callback security, and remote configuration. Automatic fallback and fall forward ensure data transmission at the highest possible speed. The Datasafe automatically runs self-diagnostics when you turn it on.

Phone: (800) 735-6442 or (805) 388-9000.

Circle 1278 on Inquiry Card.



SHARE A PRINTER

Belkin Components' (Compton, CA) ParaShare II printer-sharing device (from \$39.99) lets you select the printer of your choice via a Windows icon or DOS hot key. The ParaShare II uses a six-wire cable system to service four printers on four wires, which lets the device maintain consistent speeds as the printer-sharing network is expanded.

Phone: (800) 223-5546 or (310) 898-1100.

Circle 1279 on Inquiry Card.

TIGHTLY PACKAGED GENIUS

A C-programmable miniature controller board, the Little Genius (\$149) is targeted at control and data-acquisition applications; it can also function as a core module to interface to your custom-designed boards. From Z-World Engineering (Davis, CA), the board has 14 digital inputs and 12 digital outputs (seven of which are high-current). It also has RS-232 and RS-485 interfaces, an EEPROM, and a power-fail interrupt.

Phone: (916) 757-3737.

Circle 1280 on Inquiry Card.

SERVING THE INTERNET

From BBN Internet Services (Cambridge, MA), the turnkey BBN Internet Server (\$9895) uses the company's GUI-based software, which runs on Macs or under Windows. The Unix server supports all Internet-protocol client platforms, including Unix and OS/2, and provides general TCP/IP network transport over Ethernet, accommodating line speeds ranging from 14.4 Kbps to T1. The server provides access to such functions as the WWW and Gopher database servers, E-mail, the FTP file-retrieval server, and Network News BBSes.

Phone: (800) 632-7638 or (617) 873-8730.

Circle 1288 on Inquiry Card.



LAPTOP LIGHT ▶

A reading light for use with portable computers, the NCL—Notebook Computer Light (\$39.98) illuminates the entire keyboard as well as your work. From ASF Associates (Merick, NY), the light ships with four rechargeable nickel-cadmium batteries, three Ektron bulbs, an adapter/charger, and a soft case. *Phone: (800) 771-3600 or (516) 868-3638.*

Circle 1282 on Inquiry Card.



display and capture at resolutions as high as 1280 by 1024 pixels. A shared frame buffer provides access to captured data under either DOS or Windows.

Phone: (508) 256-4624.

Circle 1281 on Inquiry Card.

DUAL-CHANNEL I/O

The DSP-100 (\$249), a dual-channel RS-232 asynchronous serial adapter PCMCIA card, is compliant with the PC Card Specification 2.1. The card plugs into a PCMCIA Type II socket and implements its two serial ports via 16550 UARTs. You can select the I/O address space at which the DSP-100 is to be located. The card is from Quatech (Akron, OH).

Phone: (216) 434-3154.

Circle 1295 on Inquiry Card.

PORTABLE HARD DRIVE ▼

An 11-ounce, pocket-size portable hard drive with a capacity of 170 to 810 MB, the Plugger (from \$499) connects to any parallel printer port on DOS and OS/2 systems. From Computer Connections America (Bedford, MA), the drive has an access time of 12 ms and supports Stacker and DoubleSpace. The Plugger is also EPP compliant and has a printer pass-through, keyboard and mouse power adapters, and an AC wall plug.

Phone: (800) 438-5336 or (617) 271-0444.

Circle 1283 on Inquiry Card.

HAND-HELD CONTROL

The SM-3 Hawk (\$299) provides mouse emulation from up to 40 feet away from your computer



or LCD panel. The Laserex (Scottsdale, AZ) infrared device has a plate that allows 360 degrees of cursor control, and it lets you select menu items, perform click-and-drag operations, and open and close files.

Phone: (800) 225-5503 or (602) 951-6969.

Circle 1285 on Inquiry Card.

GRAB A FRAME

Imascan/Mono (\$1095), from Imagraph (Chelmsford, MA), provides real-time video-in-window display and frame capture of RS-170 and nonstandard composite video formats. For the PCI bus or VL-Bus, the card supports 8-bit gray-scale



V.34 ACCORDING TO ITU

The V.34-based Bullet 100E external fax/modem features a menu-driven LCD panel that displays line conditions and throughput speeds. In conjunction with SmartKeys, the panel lets you easily set and change your modem configurations. As part of its compliance with the ITU V.34 specification, the Bullet 100E is capable of four-dimensional trellis coding. The modem is backward compatible with V.32terbo and lower modems and operates at all conventional line speeds from 300 bps up to 28.8 Kbps. Additionally, it supports two-wire leased lines with auto-dial backup and line restoration and has built-in flash ROM. The Bullet 100E costs \$499.

Contact: E-Tech Research, Santa Clara, CA, (800) 328-5538 or (408) 988-8108.

Circle 1272 on Inquiry Card.



EASY ANNOTATIONS

The Electronic Marker Pad (\$295), from Consumer Technology Northwest (Beaverton, OR), lets you make real-time annotations to computer presentations produced with any Windows or Mac application. You can enter graphical information into your computer using colors, pen widths, and symbols that you can change on the fly. The product, which consists of software and a digitizing tablet and pen, plugs into your computer's serial port and can function as a mouse when the Electronic Marker software is not activated.

Phone: (800) 356-3983 or (503) 643-1662.

Circle 1284 on Inquiry Card.

ALL-IN-ONE STORAGE AND RETRIEVAL

A complete document-image storage-and-retrieval system for the desktop, The Knowledge Builder (\$2995) lets you quickly scan, store, manage, and retrieve documents. From MindWorks (Sunnyvale, CA), the system combines the company's Recollect software with

a gray-scale desktop scanner and the MindBank 270 removable magnetic-cartridge storage device. One 270-MB cartridge and a SCSI kit are included. *Phone: (800) 396-6463 or (408) 730-2100.*

Circle 1286 on Inquiry Card.

SCSI ON TWO CHANNELS

A VESA-based dual-channel SCSI host adapter, the ABP852 (from \$479) supports two 10-MBps SCSI channels. Each channel can have up to seven devices, for a connection capability of 14 peripherals, from a single VESA slot. The adapter is compatible with Windows, Chicago, Windows NT, NetWare, Unix, and OS/2. From AdvanSys (San Jose, CA), the ABP852 can provide data redundancy and mirror data across the two separate SCSI channels. *Phone: (408) 383-9400.*

Circle 1290 on Inquiry Card.



What's New Hardware

SOUND UPGRADE

Ensoniq's (Malvern, PA) Soundscape Daughter Board (\$129) lets you easily upgrade your 16-bit FM sound card via its 26-pin audio-expansion connector. The board features 16 channels, 32 simultaneous voices, 32-note polyphony, and a 1-MB E-wave patch set.

Phone: (610) 647-3930.

Circle 1294

on Inquiry Card.

FAXES ON THE COLOR LASERJET

Designed for the Hewlett-Packard Color LaserJet, Extended Systems' (Boise, ID) FaxConnection MFP (\$1095) brings PC faxing and plain-paper color fax reception to workgroups. With the device, you can send color fax documents from a PC or receive them directly at the HP Color LaserJet printer. The unit, which slides into the printer's MIO slot, allows all users on a Novell Ethernet network to send color documents created with DOS or Windows applications from their workstations. PocketFaxServer software is included.

Phone: (800) 235-7576 or (208) 322-7575.

Circle 1293 on Inquiry Card.



LISTEN TO THIS KEYBOARD

The Maxi Sound multimedia keyboard (\$99) from Maxi Switch (Tucson, AZ) features two specially designed speakers and an audio electronics subsystem from Altec Lansing (Milford, PA). The audio subsystem's dynamic circuitry and special

CROSS-PLATFORM VIDEOCONFERENCING

Whether you're working in Windows or on a Mac, you and your colleagues can use the Eris Personal Video Communications System to share and collaborate on documents from any software application while conferencing in real time with full video and audio. A portable, self-contained SCSI or PCMCIA peripheral, the Eris system has a built-in 28.8-Kbps V.34 modem that's compatible with digital or standard phone lines. You can use the system's color desktop video camera or any NTSC or PAL video device, which allows you to capture video images from a remote site and view them on any standard TV or VCR. The Eris system costs \$4995.

Contact: RSI Systems, Edina, MN, (800) 496-4304 or (612) 896-3020.

Circle 1273 on Inquiry Card.



acoustic-chamber construction are combined with the keyboard's built-in omnidirectional microphone and a master volume-control slide switch.

Phone: (602) 746-9378.

Circle 1289 on Inquiry Card.

PC IN A TABLET

The Stylistic 500 (\$2795) puts a 486DX2/50 CPU in a 2.6-pound tablet that measures 7.2 by 10.7 by 1.5 inches. From Fujitsu Personal Systems (Santa Clara, CA), the tablet PC includes a pair of PCMCIA expansion slots and an infrared serial interface. Its 4 MB of RAM is expandable to 20 MB, and it can support an external VGA monitor. A 105-MB PCMCIA hard drive, DOS 6.2, and Windows for Pen Computing are included with the tablet.

Phone: (800) 831-3183 or (408) 982-9500.

Circle 1292 on Inquiry Card.

MOBILE STORAGE

Able to store as much as 100 GB of data and transfer a 1-MB file in 6 seconds, the 10-ounce Pereos storage product (\$695) runs on two AA batteries. From Data-sonix (Boulder, CO), the Pereos plugs into the parallel port of your PC and uses a standard Windows interface. The unit includes data management tools, such as Fuzzy Find. Each 1.2-GB cartridge (\$28.95) is the size of a postage stamp.

Phone: (800) 328-2779 or (303) 545-9500.

Circle 1296 on Inquiry Card.

MINIATURE HUB

An eight-port palmtop Ethernet hub, the CN8800TPC (\$279) from CNet Technology (San



Jose, CA) lets you expand your network using 10Base-T cabling. The hub includes two LEDs for each port to indicate link/receive and partition status, and it features a switch-selectable AU1/BNC port for backbone or mixed-media connectivity.

Phone: (800) 486-2638 or (408) 954-8000.

Circle 1291

on Inquiry Card.

ETHERNET SWITCHES

Plaintree Systems' (Waltham, MA) Wave-Switch 100 (\$2995) provides connectivity to 100Base-TX and 100VG-AnyLAN standards. The unit includes two option slots, both of which can accept an FDDI, 100Base-TX, 100VG-AnyLAN, or Wave-Bus fast Ethernet interface module. You can install any combination of modules in the unit.

Phone: (800) 370-2724 or (617) 290-5800.

Circle 1287 on Inquiry Card.

GAIN INTERNET ACCESS

ISDN*tek's (San Gregorio, CA) CyberSpace Internet Card (\$395) allows you to digitally connect to the Internet or a Unix host while you're running Windows or OS/2 on your PC. The ISDN-compatible card supports a 56- or 64-KB data call on one B channel and includes interface drivers for your Win-ISDN-compatible TCP/IP software to support such applications as Mosaic and Gopher. In addition, you can use the card for high-speed data transfers directly between ISDN users or between sites that have HDLC and synchronous PPP hardware and software.

Phone: (415) 712-3000.

Circle 1276 on Inquiry Card.

"I oversee a
\$24 million
budget and support
2400 users.

Every month
BYTE
helps me
evaluate
products & technologies that keep
Lincoln National Life
ahead of the
technology/productivity
curve."

Name: Skip Carstensen

Title: VP Product Administration Systems

Company: Lincoln National Life Insurance Company

Annual IT Budget: \$24 million

BYTE Reader: 9+ years




BYTE readers set the agenda for corporate Information Technology purchases. Their recommendations can take your products to the top – or leave them at the door. Why? Because BYTE readers are the *technology experts*. They define the short list. They specify brands. They tell the buyers what to buy. Want to get your product in front of Skip? Advertise in BYTE. And reach more than a half-million technology experts who drive the IT buy.

BYTE Because the *Experts* Decide.

See for Yourself: To find out more about the buying power of BYTE readers, call 603-924-2618 and ask to see our *Information Technology Buying Process* video. BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

What's New Software



A WINDOW OF CALCULATIONS

A calculator program for Windows, CalcPac consists of four calculators, each with a specific function. CalcPac Business emulates Texas Instruments' BA-II Executive Business Analyst, while CalcPac Scientific operates like the TI-36X and has more than 160 functions; both are programmable, have tapes, and can generate graphs of data sets and loan payments in multiple presentation styles. CalcPac Conversions can perform more than 2000 conversions from 23 categories; CalcPac Tape operates like a standard desktop adding machine. The cost of the program is \$59.95.

Contact: System Essentials, Chesterfield, MO,
(800) 335-9733 or (314) 537-9537.

Circle 1298 on Inquiry Card.

DESIGN A GUI

From Annabooks (San Diego, CA), DOS Buttons (\$249) lets you design a GUI that works with any pointing device, such as a mouse, touchscreen, or pen. The program creates a real-time environment in which you can embed your specific function routines. You can use the built-in tool sets to create labeled buttons that can either activate functions or bring up windows containing more buttons.

Phone: (800) 462-1042 or
(619) 673-0870.

Circle 1302 on Inquiry Card.

PROTECTION FROM PROWLERS

LANWatchMan Prowler Detection System NLM 1.0 (from \$299) installs on any LAN file server that lets a LAN administrator configure security watch points. The D&G Infosystems' (Hampstead,

NY) software generates an alarm whenever a given watch point detects prowler activity and/or security breaches.

Phone: (516) 538-1240.

Circle 1319 on Inquiry Card.

A BBS FOR UNIX

The Major BBS for Unix (eight-user license, \$2995) retains the look and feel of its DOS predecessor in its support for the BSD/386 1.1 and Solaris 2.3 operating systems. The Galacticomm (Fort Lauderdale, FL) software supports TCP/IP; it also has built-in Telnet and integrated FTP. UDAs (user-defined applications) integrate any external text-based applications, such as Oracle databases, spreadsheets, shell accounts, and utilities, as a seamless menu option. A windowing interface enables system administrators to perform main-

tenance while the system is running over a network.

Phone: (800) 328-1128 or
(305) 583-5990.

Circle 1305 on Inquiry Card.

COLOR-MATCHING ACCURACY

SwatchPrinter Software for Windows (\$48), from Trumatch (New York, NY), eliminates the guesswork from color matching by letting you exactly match the colors produced by your PostScript-compatible printer. You can print a hard-copy reference guide of more than 2000 color swatches and then use any color you select from within graphics applications from Adobe, Aldus, Corel, Micrografx, and Quark. A Colorfinder fan guide (\$20) ensures color accuracy for materials to be printed on a standard four-color press.

Phone: (800) 878-9100 or
(212) 302-9100.

Circle 1303 on Inquiry Card.

FRONT-OFFICE SUPPORT

Art*Enterprise for OS/2 (\$7995) is an object-oriented development tool for building client/server applications that integrate information contained in databases and on-line documents and that use rules to automate business policies. From Inference (El Segundo, CA), the software lets you develop applications and deploy them without change to both OS/2 and Windows environments, with a native look and feel in each environment.

Phone: (800) 336-9923 or
(310) 322-0200.

Circle 1304 on Inquiry Card.

SUPPORT FOR POWERBASIC

The QuickPak Professional add-on library for PowerBASIC (\$199) contains nearly 600 sub-routines and functions. From Crescent Software (Ridgefield, CT), the li-

brary provides low- and high-level services to help with tasks that BASIC cannot do directly, are difficult to carry out, or are time-consuming to program.

Phone: (800) 352-2742 or
(203) 438-5300.

Circle 1306 on Inquiry Card.

ANTIVIRUS TRANSFER

A file transfer utility, Mobile Protect (\$79) from Trend Micro Devices (Torrance, CA) provides antivirus protection for IBM-compatible notebooks and laptops. Able to detect and destroy all virus types—including Mutation Engine viruses—during data transfers, the utility has a synchronization option that simultaneously copies files between systems; a file-updating option automatically copies only the newest files.

Phone: (310) 782-8190.


Circle 1325 on Inquiry Card.

OLE-COMPATIBLE MORPHING

An intuitive, full-featured morphing and special-effects-creation tool, MorphStudio (\$59) lets you morph images together to produce single-frame effects or video sequences. Special-effects filters include warping, whirlpool, and wind; advanced options let you append multiple morph and special-effects sequences together. You can add your completed sequences to any OLE-compatible program, such as PowerPoint or Harvard Graphics. MorphStudio is from Ulead Systems (Torrance, CA).

Phone: (800) 858-5323 or
(310) 523-9393.

Circle 1307 on Inquiry Card.



Software Update

Adobe Premiere 4.0 for Windows, Adobe Systems (Mountain View, CA), adds frame-accurate device control; batch capture and processing; Edit Decision Lists; titling; motion control; enhanced previewing; multiple audio and video tracks; and custom filters, transitions, and keys. \$495 (introductory price, good through February 15).



Phone: (800) 833-6687 or (415) 961-4400.

Circle 1326 on Inquiry Card.

d-Time 1.1, Ballard Synergy (Silverdale, WA), includes a Windows help program with full-motion video; quick install; support for enhanced IDE hard drives, Novell DOS 7, and 4DOS; automatic Timelog search for the current CD-ROM; and additional Timelogs for recent titles. \$69.95.

Phone: (206) 656-8070.

Circle 1327 on Inquiry Card.

Common Ground 2.0, No Hands Software (Belmont, CA), adds resolution-independent fonts, transparent PostScript support, antialiasing of text, OLE 2.0 automation, E-mail integration, automated conversion of multiple documents, bookmarks and highlighting, a Verity search engine, a split view, an updated MiniViewer, and integrated text compression. \$189.95.

Phone: (800) 598-3821 or (415) 802-5800.

Circle 1328 on Inquiry Card.

Mathematica 2.2, Wolfram Research (Champaign, IL), is available in a native OS/2 version that takes full advantage of the OS/2 preemptive scheduler and threading; it's compatible with OS/2 Warp 3.0. \$995.

Phone: (800) 441-6284 or (217) 398-0700.

Circle 1338 on Inquiry Card.

OS/2 NETWORKS WITH WINDOWS

A 32-bit OS/2 peer-to-peer network operating system, LANtastic for OS/2 (from \$139) lets you easily integrate OS/2 systems into your existing DOS and Windows networks. With the Artisoft (Tucson, AZ) system, you can connect to key

SMB-based network operating-system servers, including those from IBM and Microsoft. The software also coexists with NetWare 3 and 4 and LAN Server network client software on the same machine.

Phone: (800) 233-5564 or (602) 670-7100.

Circle 1309 on Inquiry Card.

VIDEO CONTROL WITH OLE

An integration package that supports OLE 2.0, Video Control 1.0 (\$99) provides the power to capture, edit, and play back video clips in a single Windows application. From Stefra (Milpitas, CA), Video Control features dynamic configuration of the user interface to control VCRs and video laserdisc players through a serial link, as well as video-clip capture, linking and embedding of video clips in documents, drag-and-drop operations, video editing

on a single slide bar, and single-frame capture to graphics formats. Phone: (408) 263-2730.

Circle 1313 on Inquiry Card.

A VERSATILE BOOT UTILITY

Modular Software Systems' (Kent, WA) Wizard of O.S. (\$99) lets you choose whether to boot your PC using DOS, OS/2, Windows 95, Windows NT, or Unix. You can have multiple versions of DOS or OS/2, as well as different configurations of a particular operating system. You can also install multiple operating systems on the same hard disk.

Phone: (800) 438-3930 or (206) 631-5781.

Circle 1310 on Inquiry Card.

SERVE UP WINDOWS NT

NFSware 1.0 for Windows NT (from \$295) provides the ability to easily export multiple file systems from an NT system. The 32-bit, multithreaded NFS server, from Process Software (Framingham, MA), permits a user who is running a Unix, Windows for Workgroups, or other TCP/IP-based system to mount that file system from a local system.

Phone: (800) 722-7770 or (508) 879-6994.

Circle 1312 on Inquiry Card.

THUMBNAIL POWER

With OLE drag and drop, the **Lenel Gallery GUI for Windows** is compatible with virtually any Windows development environment that supports OLE Controls, OLE 2.0 Automation, VBXes, and DLLs. The tool lets you integrate graphical thumbnail galleries, menus, and toolbars directly into your applications. You can create thumbnails for any file, resize them, and link each one with any information you specify. You can display the corresponding file in its entirety with an associated supporting application. The **Lenel Gallery** costs \$299.



Contact: Lenel Systems International, Fairport, NY, (716) 248-9720.


Circle 1299 on Inquiry Card.

ELECTRONIC DOCUMENT APPROVAL

ERA (Electronic Revision and Approval) for Microsoft Word (\$149) lets you electronically approve any Word document by signing your name using a normal ballpoint pen and a pressure-sensitive signature pad. From Silanix Technology (Montreal, Quebec, Canada), ERA provides the electronic signature as a visual clue to let others know that a drawing was approved. AutoCAD, however, does not make the signature part of the drawing, eliminating the threat of someone's copying or altering the signature. ERA can verify a document's integrity by ensuring that it has not changed since a previous approval. Encrypted copy protection shields the signature from tampering.

Phone: (514) 369-4161.

Circle 1308 on Inquiry Card.



What's New Software

OSF/MOTIF FOR STATISTICS

Statware's (Corvallis, OR) Statit statistical and graphical analysis software is now available in an OSF/Motif version (from \$895). Features of the user interface include the ability to display multiple graphics windows (so you can see different views of a data set), continual access to all graphs produced during a work session,



a spreadsheet-style window, on-line hypertext help, pull-down menus, and user-configurable smart buttons.

Phone: (503) 753-5382.

Circle 1311 on Inquiry Card.

COLOR MANAGEMENT

Pantone ColorDrive (\$199), from Pantone (Carlstadt, NJ), lets you use your desktop system to standardize color palettes and output calibrated colors across major design and illustration applications.

This application-independent color-palette management software functions as a central clearinghouse for desktop color data and allows you to select calibrated Pantone color systems and custom colors. You can also import colors previously produced within other programs and export them for use in other applications.

Phone: (201) 935-5500.

Circle 1315 on Inquiry Card.

HELP FOR FINANCIAL DECISION MAKING

Comprising four integrated modules, The Financial ToolKit (\$195) helps you make critical financial decisions. From MoneySoft (Phoenix, AZ), the toolkit guides you in analyzing the performance and value of your company and helps you determine how the decisions that you make today can ultimately impact the future financial position of your company.

Phone: (800) 966-7797 or (602) 266-7710.

Circle 1316 on Inquiry Card.

PROJECT MANAGEMENT

A cross-platform application for planning and managing projects,

Plan & Track for Windows (\$295) includes integrated spreadsheet, graphing, and earned-value features that you use to relate resource and financial data to project tasks and analyze overall project status. From Mainstay (Camarillo, CA), the Gantt-chart-based software can link multiple charts together for hierarchical organization, connecting a job bar on an upper-level chart to an entire lower-level chart. File-level compatibility exists between the Mac and Windows versions.

Phone: (805) 484-9400.

Circle 1317 on Inquiry Card.

SHADOW YOUR FILES

Available for SPARC platforms running SunOS 4.1.x or Solaris 2.x, ZShadow (from \$695) takes periodic snapshots of your workstation's file system, providing easy access to a chronological history of your files. From Zzyzx (San Diego, CA), the file-system-shadowing software maintains multiple versions of a file, automatically saving them at predetermined intervals. Since only the differences among versions are captured, minimal disk space is required.

Phone: (619) 558-7800.

Circle 1318 on Inquiry Card.


MACS GIVE A VOICE TO PCs

A multiline phoneware system, Duet lets you use a Mac to create sophisticated commercial-grade telephony applications. The \$750 package combines Magnum Software's (Chatsworth, CA) TFLX Picture Programming language for the Mac with Ram Research's DAX software, which runs on most multiline PC platforms.

You create your telephony application, such as voice mail, fax on demand, or interactive voice response, on your Mac by writing a script using the iconic programming tools in TFLX. The script, which controls the DAX software on a PC, is then transferred to the PC via an aid such as Apple's PC Exchange. The PC becomes a slave peripheral to the Mac and can handle up to 128 phone lines. The Mac is returned to everyday use but remains ready for making revisions or additions to the script.

Contact: Ram Research, Concord, CA, (510) 603-1122.

Circle 1300 on Inquiry Card.



Software Update

Download Mechanic 1.5, Acquired Knowledge (San Diego, CA), features the ability to generate and print laser proofs, print imagesetter pages in transverse orientation, and add to an existing queue of PostScript files while the queue is being downloaded; an improved ability to automatically download missing fonts; improved PostScript file analysis; and a Windows version. \$249.

Phone: (619) 587-4668.

Circle 1329 on Inquiry Card.

CD Connection 3.1, CBIS (Norcross, GA), adds a Windows interface, transparent disk mirroring, increased CD-ROM-sharing speed and performance, ASPI compliance, easy-to-use installation and configuration, and faster performance-caching algorithms. From \$395.

Phone: (800) 344-8426 or (404) 446-1332.

Circle 1330 on Inquiry Card.

KwikStat 4, TexaSoft (Cedar Hill, TX), adds SmartPoint and supports unbalanced, two-way, analysis-of-variance designs; Pareto charts; Kaplan-Meier Survival Analysis; Dunnett, Tukey, and Scheffé multiple comparisons; numerous comparison-chart types; and a 3-D spin plot. Basic edition, \$99.

Phone: (800) 955-8392 or (214) 291-3151.

Circle 1331 on Inquiry Card.

MediaDeveloper 2.0, Lenel Systems International (Fairport, NY), adds support for OLE 2.0 Controls. \$695.

Phone: (800) 225-3635 or (716) 248-9720.

Circle 1337 on Inquiry Card.



CONTROL YOUR DESIGN DATA



A modular data management software package for design data, Insight lets you build your design-document database from information that exists on your network. You can search the database in different ways for existing designs that meet specific criteria and view high-quality vector images of the designs in a matter of seconds, according to the developer, Process Automation Software and Services. You can peruse hierarchical representations of assemblies and subassemblies, access component parts, view graphical and textual part-classification hierarchies, and access plotters to print CAD drawings and other images. The basic Insight module costs \$4950; other modules cost \$495 each.

Contact: Process Automation Software and Services, Ann Arbor, MI, (313) 668-6611.

Circle 1301 on Inquiry Card.

HELP AUTHORIZING FOR UNIX

ForeHelp for Unix (\$495) allows you to create your WinHelp and HyperHelp files on Windows or Unix platforms. The Bristol Technology (Ridgefield, CT) help-authoring editor features a test mode, a WYSIWYG editing environment, and graphical displays of hot spots and browse relationships among topics.

Phone: (203) 438-6969.

Circle 1314 on Inquiry Card.

SERVER-BASED INTERNET ACCESS

Nov*ix Elite for Internet (five-user license, \$1250) is designed to provide NetWare users with direct access to the TCP/IP-based Internet without the need for additional server or client hardware. The Firefox (San Jose, CA) connectivity system has the components necessary for Internet access and provides centralized

management, ICS (Internet Connect Security), support for popular Internet applications, and configuration flexibility.

Phone: (800) 230-6090 or (408) 321-8344.

Circle 1320 on Inquiry Card.

OFFICE SYNERGY

Designed to work, look, and feel like Microsoft Office applications, ProdeaSynergy for Microsoft Office (\$99) lets you automate similar or repetitive tasks involving Office applications without using macro or programming languages. The Prodea Software (Eden Prairie, MN) package provides seamless interactions with all Office and Office Professional applications. It also provides an easy upgrade path for including non-Office applications in your automated processes.

Phone: (612) 942-1000.

Circle 1322 on Inquiry Card.

MEETING MANAGER

CalScan, a groupware meeting manager for Windows (from \$36 per user), gives you the capability to plan for the short term, provide scheduling for groups and individuals, resolve meeting conflicts, and schedule recurring events. From RBC (Arlington, VA), the cross-platform scheduling software supports Ethernet, LocalTalk, and PhoneNet PC.

Phone: (703) 243-9550.


Circle 1323 on Inquiry Card.

FAX FEATURES FOR UNIX

Designed to support SCO Unix and Interactive Unix, the GammaFax Developers Kit for Unix (\$495) provides the software and utilities needed to support the use of GammaLink fax boards for Unix-based fax applications. The software, from GammaLink (Sunnyvale, CA), supports T.434 binary file transfers and includes the company's T.30 software protocol. Applications include fax on demand, file on demand, fax broadcasting, and computer telephony integration.

Phone: (408) 744-1400.

Circle 1324 on Inquiry Card.



WINDOWS NT SERVER

CrossWind Technologies' (Felton, CA) Synchronize (\$100 per user) adds server support for Windows NT. The enterprise-wide scheduling and task management tool can communicate directly across TCP/IP to provide a fast response time and networking across LANs and WANs.

Phone: (408) 335-4988.

Circle 1321 on Inquiry Card.

Software Update

DeskMan/2 1.51, Development Technologies (Forest Acres, SC), offers an enhanced command-line interface, increased speed, a revised user interface for easier installation, reduced memory consumption, and new options for restoring the Workplace Shell to its original configuration. \$79.95.

Phone: (803) 790-9230.

Circle 1333 on Inquiry Card.

ImageBASIC 2.0, Diamond Head Software (Honolulu, HI), provides support for dBase for Windows, forms processing, color scanning and display, and image annotation. From \$1750.

Phone: (808) 545-2377.

Circle 1334 on Inquiry Card.

FuziCalc 1.5, FuziWare (Knoxville, TN), includes a color presentation-graphics suite, improved DDE capabilities, more than 50 new functions, all-new documentation and on-line help, and more than 25 shortcut keys and convenience features. \$495.

Phone: (615) 588-4144.

Circle 1335 on Inquiry Card.

TSSnet for Macintosh 2.6.1

Thursby Software Systems (Arlington, TX), supports the Power Macintosh and System 7.5 and includes a virtual disk capability that enables you to access a remote file on a DECnet network as if it were a local disk. \$295.

Phone: (817) 478-5070.

Circle 1336 on Inquiry Card.

SPSS 6.1 for the Macintosh


SPSS (Chicago, IL), adds a Mac-style user interface, integrated graphics, more statistics, and Mac-specific features. From \$695.

Phone: (312) 329-2400.

Circle 1332 on Inquiry Card.



The Solution To Your Application Requirements



Quatech, Inc. manufactures a variety of communication, data acquisition, PCMCIA, and control products for the IBM PC/XT, PC/AT, PS/2, notebook and compatible systems. We are committed to providing our customers with quality products, exceptional service and support, and competitive prices.

COMMUNICATION adapters meet asynchronous, synchronous, serial, and parallel communication requirements with protocols such as RS-232, RS-422, RS-485, Current Loop and IEEE-488. Intelligent and coprocessor adapters are also available.

DATA ACQUISITION products add analog to digital, digital to analog conversions and digital I/O capabilities in 8 to 16-bit resolution. Other boards provide the capabilities for digital multimeters, digital frequency synthesizers, arbitrary waveform synthesizers, and IEEE-488 GPIB interfaces.

PCMCIA Internal Interface Adapters support Type I, II and III memory and I/O cards. Quatech's Digital I/O, EPP Parallel Port, FAX/Modem, Serial RS-232, RS-422, and RS-485 I/O cards give you maximum flex-

ibility for your application. The Solid State Memory Card Drive supports Type I PCMCIA FLASH and SRAM memory cards.

Call today for more information and a free catalog on our complete line of Communication, Data Acquisition, PCMCIA, and Industrial I/O products.


800-553-1170

*Foreign Distributor
Inquiries Welcome*



662 Wolf Ledges Parkway, Akron, OH 44311

Quatech, Inc. 216-434-3154. Made in the U.S.A. International: **Australia**/Interworld Electronics & Computer 61-3-563-5011, **Belgium**/Acal NW/SA 32-27-205983, **Brazil** (Sao Paulo)/Intercomp Electronica Ltda 55-11-8532733, **Brazil** (Rio de Janeiro)/Medusa Sistemas e Automacao 55-21-2394955, **Canada**(Western)/Interworld Electronics 800-663-6001 (Toronto office 800-465-0164), **Denmark**/Jes Rasmussen Aps. 45 4281 6838, **England**/Diamond Point International 44-634-722-390, **Finland**/Lab Hi-Tech OY 358-0-682-1255, **France**/Elexo 33-1-69302880, **Germany**/Jupiter Electronic Systems GMBH 49-61-8175041, **Hong Kong**/Brio Technology Ltd. 852-581-1111, **India**/Computaccount 91-11-224-5159, **Israel**/RCM Ltd. 972-3-6487885, **Italy**/N.C.S. Computer Italia 39-331-770016, **Japan**/NICTRIX Corporation (New Jersey) 201-947-2220, **Korea**/Sam Boo Systems 82-2-135-280, **Netherlands**/ACAL Auriema 31-40-502602, **Singapore**/Bliss Services Pte Ltd. 65-338-1300, **Saudi Arabia**/Integrated Computer Operations 966-3-895-1827, **South Africa**/Eagle Technology 27-21-234943, **Spain**/Santa Barbara SA 34-3-418-81-16, **Sweden**/Systec 46-13-1101-40, **Switzerland**/Technosoftware 41-64-519040. IBM PC-XT, PC/AT, and PS/2 are registered trademarks of the IBM Corporation. All other trademarks are of their respective companies.



BUY IT THROUGH BYTE

Mail Order

The latest offerings from vendors supplying products of all leading manufacturers at extremely competitive prices.

250

Hardware/Software Showcase

This *categorized* four-color display section makes it easy to find Hardware and Software products from a wide variety of manufacturers and suppliers.

276

Buyer's Mart

From Accessories to Laptops to Word Processors, you can easily find the dealers you are looking for in this directory of products and services.

285



COMPUTER DISCOUNT WAREHOUSE™



Megahertz
28,800bps PCMCIA
Fax Modem with
XJACK™

- Data: V.34 (28.8K bps) and V.32bis (14.4K bps)
- Fax: 14,400 bps send/receive • Flash ROM field upgradeable • Includes data/fax software for Windows™ • Five-year warranty and unlimited free technical support from Megahertz

28.8K with XJACK.....**\$449.88** CDW 46849
14.4K with XJACK.....**\$229.00** CDW 37757



WHY PAY RETAIL?

CDW® Sells For Less



NEC
Multispin 4X
Quad-speed
CD-ROM drives

- 220ms access, 600KB/sec data transfer rate • 256KB buffer for smooth audio/video playback • Front panel controls and backlit LCD status display • SCSI-2 Interface • Kits include 16-bit SCSI host adapter, Microsoft Encarta

4Xi, Internal.....**\$399.63** CDW 46740
4Xi, Internal kit.....**\$469.39** CDW 46754
4Xe, external.....**\$499.34** CDW 46741
4Xe, external kit.....**\$559.80** CDW 46755



HARDWARE, SOFTWARE & PERIPHERALS AT DISCOUNT PRICES

NETWORKING PRODUCTS

NOVELL

Netware V4.02
5 User CD.....**776.57**
10 User 3.5.....**1769.50**
25 User CD.....**2589.41**
50 User CD.....**3489.78**
100 User CD.....**4764.61**

Netware V3.12

5 User 3.5.....**806.34**
10 User 3.5.....**1349.92**
25 User 3.5.....**1988.46**
50 User 3.5.....**2808.00**
100 User 3.5.....**3559.84**

Call for Pricing on Novell NetWare upgrades!

PERSONAL NETWORK V1.0

1 User.....**99.99**
5 User.....**299.99**

NOVELL PRICING IS SUBJECT TO CHANGE. PLEASE CALL CDW FOR THE MOST CURRENT PRICING.



TC5143 Ethernet coax.....**116.47**
TC5143 Ethernet coax 6pk.....**667.23**
TC5143 Ethernet 10BT.....**89.95**
TC5143 Ethernet 10BT 6pk.....**469.68**
TC6242 ARCNET 9-bit coax.....**66.04**
TC6245 ARCNET coax.....**179.99**
TC6340 ARCNET passive 4 port hub coax.....**38.50**
TC6555 Ethernet 4 port hub 10BT.....**173.74**
TC6405 Token Ring 16/4.....**303.83**

CDW Carries the Complete Line of TCHS Products. Call for Details!



NodeRunner 2000A.....**215.54**
NodeRunner 2000T.....**189.05**
NodeRunner 2000C.....**189.05**
NodeRunner/SI 2000A.....**37.19**
NodeRunner/SI 2000T.....**73.82**
NodeRunner/SI 2000C.....**73.82**
LANhastic V6.0.....**322.90**
LANhastic V6.0 5 user.....**322.90**
LANhastic V6.0 Starter Kit.....**229.13**
Central Station II.....**369.13**
Simply LANhastic 4 port hub.....**163.78**
T-Runner 8 port 10BT.....**187.35**
T-Runner 12 port 10BT.....**206.82**



Ultra16 Ethernet coax.....**96.10**
Ultra16 coax 6pk.....**576.60**
Ultra18 Ethernet 10BT.....**96.10**
Ultra18 10BT 6pk.....**459.23**
Ultra18 10BT 24pk.....**173.71**
Ultra18 Ethernet combo.....**106.99**
Ultra18 combo 6pk.....**588.15**
Ultra18 combo 24pk.....**1977.30**
EtherCard - Elite coax 6pk.....**119.64**
EtherCard - Elite 10BT.....**119.12**
EtherCard - Elite 10BT 6pk.....**618.81**
EtherCard - Elite combo.....**139.57**
360B Ethernet 6 port hub 10BT.....**296.85**
3512 Ethernet 12-2 port hub 10BT.....**544.55**
PC850WS ARCNET 10BT.....**119.92**
PC850WS ARCNET TP.....**119.88**
ARCNET 8 port active hub coax.....**229.41**
TokenCard Elite 16/4.....**249.88**



3C509 Etherlink II coax.....**159.44**
3C509B Etherlink II coax.....**114.14**
3C509 Etherlink III coax 5pk.....**476.65**
3C509 Etherlink III 10BT.....**111.14**
3C509 Etherlink III 10BT 5pk.....**442.36**
3C509 Etherlink III combo.....**123.77**
3C509B Etherlink III combo 5pk.....**526.78**
3C579 Etherlink EISA coax.....**229.91**
3C579 Etherlink EISA 10BT.....**229.91**
3C1627 12 port Linkbuilder 10BT.....**606.94**

OTHER TOP-QUALITY NAME BRANDS

Engle NE2000+ coax.....**76.83**
Engle NE2000+ 10BT.....**99.45**
Engle NE3200 coax w/TPA.....**429.81**
National Semi NE2000.....**73.74**
National Semi NE2000+ 10BT.....**67.46**

If You Don't See What You Are Looking For, Call CDW Carries the Best Networking Selection in the Industry!

NETWORKING PRODUCTS

Xircom

PE3108C pocket Ethernet coax.....**309.99**
PE31092 pocket Ethernet coax.....**267.80**
PE31091 pocket Ethernet 10BT.....**268.21**
PT316CTP pocket Token Ring II.....**355.89**
PPX03 Parallel port multiplexer.....**77.80**

IBM

IBM Token Ring 16/4 ISA.....**309.99**
IBM Token Ring 16/4 ISA.....**398.88**
IBM Token Ring MAU.....**418.74**



EtherExpress PRO/10 Flash 10BT.....**115.07**
EtherExpress PRO/10 Flash 10BT 5pk.....**482.72**
EtherExpress PRO/10 Flash 10BT.....**115.07**
EtherExpress PRO/10 Flash combo.....**505.96**
EtherExpress 16 coax.....**99.33**
EtherExpress 16 coax 5pk.....**454.13**
EtherExpress 16 10BT.....**99.33**
EtherExpress 16 10BT 5pk.....**454.13**
EtherExpress 16 10BT 20pk.....**1808.38**
EtherExpress MCA 10BT.....**188.52**
EtherExpress 16 combo.....**116.77**
EtherExpress 16 combo 5pk.....**549.72**
EtherExpress Flash 10BT.....**111.86**
EtherExpress Flash 10BT 5pk.....**515.82**
EtherExpress Flash combo.....**129.73**
EtherExpress Flash combo 5pk.....**618.73**
NetportExpress 16/4.....**387.07**
NetportExpress II COAX.....**387.07**
NetportExpress II 10BT.....**368.85**



Multiprotocol print server 10BT HF MIO.....**247.76**
Multiprotocol print server 10BT.....**237.23**
Multiprotocol 2 printer server combo.....**306.61**
Multiprotocol 4 printer server combo.....**499.82**
SNAP starter kit-2 computers, 1 printer.....**119.10**
SNAP add-on transmitter.....**49.50**
Fax Authority Solo network fax server.....**499.80**

TAPE & REMOVABLE MEDIA DRIVES

COLORADO MEDIA SYSTEMS INC.

Jumbo 250 internal.....**158.84**
Jumbo 350 internal.....**179.91**
Jumbo 700 internal.....**334.04**
Trakker 250 parallel port.....**295.44**
Trakker 350 parallel port.....**295.44**
Trakker 700 parallel port.....**518.42**
PowerTape 2.4GB SCSI internal.....**137.70**
PowerTape 2.4GB SCSI external.....**1077.99**
PowerDAT 4GB SCSI internal.....**127.29**



Tape 250MB internal.....**164.65**
Bermoull 150MB internal SCSI.....**413.03**
Bermoull 150MB Internal IDE.....**369.71**
Bermoull 150MB PC Powered.....**449.39**
Bermoull 150MB Transportable.....**469.84**
Bermoull 230MB Insider.....**454.44**
Bermoull 230MB Transportable.....**454.44**
150MB cartridge.....**82.60**
230MB cartridge.....**99.81**

MICROSOLUTIONS

Backup 3.5" 1.44MB floppy parallel.....**153.40**
Backup 5.25" 1.2MB floppy parallel.....**165.39**
Backup 3.40MB HD parallel.....**499.76**
Backup 250MB tape backup parallel.....**298.30**



Tape*Stor 250MB internal.....**161.80**
Tape*Stor 420MB internal.....**187.50**
Tape*Stor 420MB parallel port.....**257.29**
Tape*Stor 850MB internal.....**288.71**
Tape*Stor 850MB parallel port.....**429.90**

TAPE & REMOVABLE MEDIA DRIVES



TD-250 250MB IDE internal.....**158.83**
FS8500 305MB IDE internal.....**313.53**
SideCar II 305MB parallel.....**313.53**
1200-4 4GB SCSI external.....**3045.39**

TERMINALS

Wyse 35 amber/green/white.....**299.88**
Wyse 55 amber/green/white.....**223.21**
Wyse 55 amber/green/white.....**223.21**
Wyse 60 amber/green/white.....**279.60**
Wyse 150 amber/green/white.....**266.45**
Wyse 160 amber/green/white.....**329.86**
Wyse 325 color.....**427.40**

MULTIMEDIA AND CD

Creative Labs
Discovery 16 CD 2X kit internal.....**248.95**
Edutainment CD 2X kit internal.....**448.99**
Game Blaster CD 2X kit internal.....**379.80**
Multimedia Office CD 3X kit internal.....**548.95**
Omni CD 3X kit internal.....**349.45**
SoundBlaster 16 ASP MCD.....**179.99**
SoundBlaster 16 ASP SCSI-2.....**198.99**
SoundBlaster 16 AWE32.....**298.95**
SoundBlaster 16 MCD.....**148.95**
SoundBlaster 16 SCSI-2.....**179.99**
SoundBlaster 16 value edition.....**99.89**
SoundBlaster Pro value edition.....**74.85**
SoundBlaster value edition.....**55.85**

Chicon CD535 CD-ROM kit internal.....**248.73**
Chicon CDX335 CD-ROM kit external.....**349.64**
Diamond Quad CD kit internal w/sound.....**514.51**
Ensign Soundcape wavetable.....**188.89**
Logitech SoundMan Wave.....**119.49**
Microsolutions 2X CD parallel.....**329.38**
NEC 2V.....**179.42**
NEC 2V Deluxe.....**298.99**
NEC 3X Plus.....**399.82**
NEC 3X Plus Kit.....**409.29**
NEC 4Xi.....**399.63**
NEC 4Xi Kit.....**409.39**
NEC 4Xe.....**499.34**
NEC 4Xe Kit.....**559.80**
NEC 4X Pro.....**497.99**
Orchid CD 2X kit internal w/sound.....**349.85**
Orchid SoundWave 32 SCSI.....**194.82**
Pioneer DR1604X 4X 16 disc.....**189.00**
Pioneer DR1604X 4X 18 disc.....**189.63**
Plexor 4plex quad external.....**604.07**
Plexor 4plex quad internal.....**436.48**
Signs Designs RealMagic Lite.....**269.83**
Sony CDU-33A 2X internal.....**120.87**
Sony CDU-55S SCSI 2X internal.....**189.50**
Sun Moon Star CD 2X kit internal.....**146.79**
Sun Moon Star CD 2X kit internal w/sound.....**214.93**
Teac SuperQuad 4X internal.....**359.81**
Toshiba 3401 SCSI 2X internal.....**289.74**
Toshiba 3401 SCSI 2X external.....**399.78**
Toshiba 3501 SCSI 4X internal.....**375.41**
Toshiba 3501 SCSI 4X external.....**452.42**
Turtle Beach Monterey sound card.....**349.77**

DIGITIZERS & SCANNERS

XGT 12X12 serial and ADB.....**213.90**
XGT accessories.....**CALL!**

DIGITIZERS & SCANNERS

HURTA
DB III 12X12 4 button.....**348.80**
DB III 12X12 16 button.....**248.99**
DB III 12X12 pressure pen.....**398.89**
Slate 12X12 16 button.....**248.99**



DB III 12X12 4 button.....**348.80**
DB III 12X12 16 button.....**248.99**
DB III 12X12 pressure pen.....**398.89**
Slate 12X12 16 button.....**248.99**

DIGITIZERS & SCANNERS



TX4015 color scanner.....**718.80**
TX 3010 scanner.....**618.80**

Summagraphics

Summasketch III 12 X 12 16 button.....**253.90**
Summasketch III 18 X 12 4 button.....**524.44**



ScanJet 3P.....**509.06**
ScanJet 3P document feeder.....**179.57**
ScanJet IICX WISA interface.....**065.50**
ScanJet IICX document feeder.....**474.72**
ScanJet IICX transparency adapter.....**633.28**



ActionScanner ES600C.....**694.28**
ES-1200-ProPC.....**1237.38**

*after \$100 manufacturer rebate (9/1-12/31/94)

MONITORS

Mag Innovision DX15F.....**344.42**
Mag Innovision MX15F.....**439.91**
Mag Innovision DX17F.....**643.63**
Mag Innovision MX17F.....**799.46**
Mag Innovision MX17FG.....**629.85**
Mag Innovision MX21F.....**1688.52**
Magnavox CM2089 14" 28 NI.....**258.80**
Magnavox CM2015 15" 1024.....**296.80**
Magnavox CM4015 15" 1280.....**366.80**
Magnavox CM4017 17" 31.....**629.85**
Magnavox CM4018 17" 28.....**719.18**
Magnavox 20CM64 20".....**989.80**
Nanao F550W 17".....**877.43**
Nanao F590W 17".....**1234.80**
Nanao T2-17 17".....**1779.88**
NEC 2V 14".....**303.86**

*After \$25 manufacturer rebate (ends 12/31/94)

NEC XE 15".....**848.99**
NEC XE 17".....**988.83**
NEC XE 21".....**1999.82**
NEC XP 15".....**579.79**
NEC XP 17".....**1087.72**
NEC XP 21".....**2479.40**
Sony 155F 15".....**447.82**
Sony 175E 17".....**869.80**
Sony 205E 20".....**1065.00**

VIDEO CARDS

ADS VGA to TV Elite external.....**138.82**
ADS VGA to TV Elite internal.....**198.83**
ATI Graphics Xpression ISA 2MB.....**216.80**
ATI Graphics Xpression VLB 2MB.....**216.80**
ATI Graphics Xpression PCI 2MB.....**216.80**
ATI Graphics Pro Turbo ISA 2MB.....**389.79**
ATI Graphics Pro Turbo PCI 2MB.....**389.79**
ATI Graphics Pro Turbo VLB 2MB.....**389.79**
ATI Graphics Pro Turbo PCI 4MB.....**899.00**
Diamond SpeedStar Pro ISA 1MB.....**65.89**
Diamond SpeedStar Pro ISA 2MB.....**169.00**
Diamond Stealth 64 VLB 2MB VRAM.....**348.88**
Diamond Stealth 64 PCI 2MB VRAM.....**348.88**
Hercules Dynamite Pro ISA 1MB.....**159.88**
Hercules Dynamite Pro ISA 2MB.....**197.46**
Hercules Dynamite Pro VLB 1MB.....**149.34**
Hercules Dynamite Pro VLB 2MB.....**197.44**
Hercules Terminator 64 PCI 2MB.....**379.86**
Hercules Terminator 64 VLB 2MB.....**379.86**
Intel Smart Video Recorder Pro.....**411.99**
Orchid Fahrenheit 64 VLB 2MB.....**197.53**
Orchid Fahrenheit 64 PCI 2MB.....**197.53**
Orchid Fahrenheit Pro 64 VLB 2MB.....**299.47**
Orchid Fahrenheit Pro 64 PCI 2MB.....**299.47**

If You Find a Better Price, Call CDW® Before You Buy (800) 959-4CDW



BUY WITH CONFIDENCE
CDW IS A NASDAQ
TRADED COMPANY
TRC SYSTEMS CORP.
D & B Rated 4A1
Duns 10-762-7952

No Surcharge For Credit Cards



Credit Card charges are not authorized until terms of agreement. Payment is calculated on the current's actual freight charges plus insurance and shipping. Minimum 30 day advance notice is required. CDW does not accept cash. Payment methods will not exceed 60 days. 1% language order or 10% per month. Merchandise returned without receipt. For more information on other rules and regulations, please refer to our website. Non-refundable return subject to restocking fee. Allow 10 business days for shipping after orders to be processed. Check, Discover, and American Express are not authorized. All prices subject to change. *Excludes all out-of-state taxes on this list. Not responsible for transportation fees.

CDW® HOURS

Sales 7:00-9:00 CST Mon-Fri
9:00-5:00 CST Sat.
Tech Support for Customers
8:00-7:00 CST Mon-Fri
9:00-5:00 CST Sat.

MOST ORDERS SHIP THE SAME DAY



Practical Peripherals V.34 Series II modems

- ◆ V.34 (28.8K bps) data, 14.4K bps fax
 - ◆ V.42 and V.42bis error correction and data compression
 - ◆ QuickLink II software for DOS and Windows
 - ◆ Limited lifetime warranty
- V.34 Internal.....**\$196.59** CDW 48142
 V.34 Mini-Tower.....**\$209.64** CDW 48143

7 days-a-week technical support through Practical

WHY SETTLE FOR LESS?

CDW® SERVICES YOU BETTER



ActionLaser 1100

- ◆ 300 dpi, 4 ppm print speed
- ◆ 1MB RAM std., with Image compression technology
- ◆ PCL 5 emulation, optional PostScript™
- ◆ Control panel software for Windows™ and DOS
- ◆ 100 sheet paper tray: letter, legal or envelope
- ◆ Energy Star compliant



ActionLaser 1100 **\$429.79** CDW 48081
 ActionLaser 1400 **\$669.84** CDW 48082

CDW® CARRIES OVER 20,000 PRODUCTS. IF YOU DON'T SEE IT, CALL!

COMPUTERS

TOSHIBA	
T1910 200MB mono	1299.87
T1910CS 200MB dual color	1748.86
T1960CS 200MB dual color	2143.86
T1960CT 320MB dual color	2314.82
T1960CT 200MB act color	2734.81
T1960CT 320MB act color	2899.87
T2400CS 250MB dual color	2734.81
T2400CS 320MB dual color	2859.88
T2400CT 250MB act color	3225.97
T2400CT 320MB act color	3448.83
T3400CT 250MB act color	3225.97
T3600CT 250MB act color	3448.73
T4700CT 320MB act color	3954.80
T4700CT 320MB act color	4208.84
T4800CT 500MB act color	4797.79
T4850CT 475 520MB act color	5134.81
T4900CT P75 772MB act color	6399.00

AST

Ascendia 4/500 340MB pas color	2724.78
Ascendia 4/500 340MB act color	4147.49
Ascendia 4/75 510MB act color	5226.85
Ascendia 4/75 510MB act color	5078.84
Advantage! 6000 4/66 420MB CD	1506.12
Advantage! 8000 4/66 540MB CD	1718.23
Advantage! 8000 5/90 540MB CD	2184.00
Advantage! 8000 5/90 730MB CD	2589.00
Bravo MS 4/66 270MB	1709.28
Bravo LC 4/100 270MB	1889.80
Bravo VS 4/100 540MB	1817.77
Bravo MST 5/90 540MB	2384.44

Canon

Innova SubNB 4/338 170MB pas color	1399.00
Innova SubNB 4/338 200MB pas color	1499.00
WEET Innova desktops	CALL!

EPSON

ActionNote notebooks	
4SLC2-50 260MB mono	1439.96
4SLC2-50 260MB-modem mono	1819.78
500C 4/50 260MB pas color	1461.18
500C 4/50 260MB-modem pas color	1809.79

IBM ThinkPad Portables

5100Cs 4/50SLC2 200MB pas color	1799.00
360 4/335 170MB mono	1099.00
360Cs 4/335 170MB pas color	2749.00
360C 4/335 170MB act color	2799.00
360CSE 4/500 340MB pas color	3049.00
360CSE 4/500 340MB act color	3449.00
360CSE 4/500 340MB act color	3449.00
360CSE 4/500 340MB act color	4199.00

PC300 Series desktops and towers

PC330 DT 4/50 8MB, 384MB	1399.00
PC330 DT 4/66 8MB, 384MB	1689.00
PC330 DT 5/60 16MB, 540MB	2743.00
PC350 MT 4/66 8MB, 540MB	1896.00
PC350 MT 4/100 8MB, 540MB	2476.00
PC350 MT 5/60 8MB, 384MB	2296.00

NEC

VERSA NOTEBOOKS	
Versa V 4/50 250MB dual color	2578.86
Versa V 4/50 250MB act color	3328.49
Versa V 4/50 340MB act color	3489.20
Versa V 4/50 340MB act color	3869.79
Versa S 4/335 210MB mono	1899.83
Versa S 4/335 210MB pas color	1896.87
Versa S 4/50 250MB act color	2306.79
Versa M 4/75 250MB dual cr	2749.78
Versa M 4/75 340MB dual cr	3526.71
Versa M 4/75 340MB act cr	4839.20
Versa M 4/75 340MB true cr	5124.48
Versa M 4/75 340MB true cr	5189.29
Versa M 4/75 340MB hi-res cr	5598.54
Versa M 4/100 340MB act color	5178.88
Versa M 4/100 810MB act color	6069.82
Versa M 4/100 540MB hi-res color	5999.84
Versa M 4/100 540MB true color	5844.80
Versa M 4/100 810MB hi-res cr	6449.88
Ready 4/335 270MB CD	1349.45
Ready 4/66 340MB CD	1869.97
Ready 4/66M 430MB 3X CD	1849.37
Ready 5/60M 430MB 3X CD	2229.74

PACKARD BELL

Force Multimedia 4/255X 210MB	1083.92
Force14 4/50SX 340MB	949.00
Force2 4/50SX 420MB IMM	1442.17
Force5 4/66 420MB IMM	1242.17
Force57 4/66 540MB IMM	1869.84

COMPUTERS

TEXAS INSTRUMENTS	
TM4000M 4/50SX 200MB dual color	2766.29
TM4000M 4/50SX 340MB act color	3139.85
TM4000M 4/75 344MB act color	4958.42
TM4000M 4/75 455MB act color	4477.98
TM4000E 4/50 200MB dual color	2257.00
TM4000E 4/50 200MB act color	2857.23
TM4000E 4/75 455MB act color	4047.35

DOT MATRIX & LASER PRINTERS

OKIDATA		
184 Turbo	219.14 ML590	429.51
ML200	304.45 ML591	4378.88
ML321	427.40 Pacemaker 3410	1219.49
ML380	214.95 OL400E	422.70
ML395C	107.32 OL410E	647.84
ML395C	1039.74 OL410E/PS	
ML520	389.82 4ppm 800dpi	919.15
ML521	495.18 OL610	905.90

*Includes 575 manufacturer rebate (ends 12/31/94)

Canon

BJ105X	344.86	BJ230	388.80
BJ200E	298.44	BJC600 color	499.00
BJC4000 720dpi + color	405.28		
LB1930 300dpi 4ppm laser	878.80		
LB1960 800dpi 8ppm laser	986.83		

EPSON

AP2500	96.55	LQ2550	898.08
AP2500	146.31	DPX5000 Plus	1354.89
AP2600	167.82	DPX8000	2259.45
LX300	165.01	Stylus 300	188.85
FX870	269.48	Stylus 400	190.70
FX1170	359.00	Stylus 800	209.88
AP5000	229.71	Stylus color	509.53
LO1070	385.25	ActionLaser 1100	429.79
LO170	554.44	ActionLaser 1500	528.85
LO1170	597.90	ActionLaser 1600	757.45

IBM LEXMARK LASER PRINTERS

WinWriter 100 inkjet	287.87
WinWriter 200 laser	457.87
WinWriter 400 laser	758.47
ValueWriter 300 (4037 SE SPPM)	989.00
ValueWriter 600 laser	916.87
Opto R 600dpi laser	1428.87
ExpoJet inc	327.80

Digital Corporation

DECwriter 500i inkjet	357.00
Color upgrade for 500i	41.00
DECtaser 1152 4 ppm	659.75
DECtaser 5100 8 ppm	1439.86

Panasonic

1150	133.48	2130*	174.40
1624	385.20	2135 Color*	197.43
2023			182.27
after \$30* or \$50* mail-in rebate (ends 12/31/94)			
2624	498.48	4400 Laser*	399.89
3123	248.00	5400 Laser*	712.90
after \$50* or \$100* mail-in rebate (ends 12/31/94)			

TEXAS INSTRUMENTS

microMatic color inkjet	334.78
microWriter basic	486.61
microWriter PS23	639.85
microLaser Pro 600 PS23	1197.82
microLaser Pro 600 PS65	1306.48
microLaser Pro E	1366.59
microLaser Power Pro 600 PS65	1629.80

HEWLETT PACKARD

DeskJet 500C	299.90
DeskJet 540	299.78
DeskJet 560C	479.89
DeskJet 1200C	1347.31
DeskJet 1200C PS	1898.11
LaserJet 4L	689.56
LaserJet 4P	989.47
LaserJet 4MP	1387.21
LaserJet 4 plus	1478.25
LaserJet 4M plus	1868.72
LaserJet 4SI	2399.89
LaserJet 4SI MX	2999.89

COSTAR

LabelWriter XL DOS/Win	144.40
LabelWriter XL Plus DOS/Win	324.88

HARD DRIVES & CONTROLLERS

Maxtor	
170MB IDE	157.87
270MB IDE	177.90
340MB IDE	199.77

Mikropolis	
2210A 130MB IDE	734.97
2210 1050MB SCSI	734.97
4110A 130MB IDE	639.85
4110 1050MB SCSI	639.85
2217 1.7GB SCSI	1038.46
2217AV 1.050GB SCSI AV	739.89
2217AV 1.7GB SCSI AV	1069.22
1938 3GB SCSI	1899.59

CONNER	
210MB IDE	177.90
425MB IDE	231.43
540MB IDE	302.24

Seagate	
200MB IDE	173.14
261MB IDE	162.37
341MB IDE	205.91

WESTERN DIGITAL	
Caviar 210MB IDE	173.35
Caviar 420MB IDE	223.03
Caviar 540MB IDE	279.99

CONTROLLERS	
Accuglide IDE W/PAR, 2SER, 10GAME	35.06
Accuglide IDE WB/IOS	48.90
Accuglide VLB IDE	69.78
Adaptec AVA1505 SCSI-2 CD KIT	64.95
Adaptec 1542FC SCSI-2	263.45
Adaptec AVA2825 SCSI-2/EIDE VLB	166.87
Adaptec 2842 VLB SCSI-2	257.23
Promise PC300 IDE ISA Cache	84.50
Promise DC4030 IDE VLB Cache	115.29
Promise 2300+ EIDE VLB	59.87

MODEMS & COMMUNICATIONS	
V.34 28.8K internal w/fax	228.14
V.34 28.8K external w/fax	244.32
14.4K internal w/fax	97.48
14.4K external w/fax	114.79

COURIER MODEMS	
V.34 internal w/fax	308.79
V.34 external w/fax	427.84

Hayes	
ACCURA 14.4 internal w/fax	96.83
ACCURA 14.4 external w/fax	116.44
ACCURA 28.8 V.34 internal w/fax	188.13
ACCURA 28.8 V.34 external w/fax	228.44
OPTIMA 14.4 external w/fax	374.30
OPTIMA 14.4 pocket w/fax	296.83
OPTIMA 28.8 V.FC external w/fax	421.84

ROBOTICS	
V.34 28.8K internal w/fax	228.14
V.34 28.8K external w/fax	244.32
14.4K internal w/fax	97.48
14.4K external w/fax	114.79

SPORTSTER MODEMS	
V.34 28.8K internal w/fax	228.14
V.34 28.8K external w/fax	244.32
14.4K internal w/fax	97.48
14.4K external w/fax	114.79

COURIER MODEMS	
V.34 internal w/fax	308.79
V.34 external w/fax	427.84

Hayes	
ACCURA 14.4 internal w/fax	96.83
ACCURA 14.4 external w/fax	116.44
ACCURA 28.8 V.34 internal w/fax	188.13
ACCURA 28.8 V.34 external w/fax	228.44
OPTIMA 14.4 external w/fax	374.30
OPTIMA 14.4 pocket w/fax	296.83
OPTIMA 28.8 V.FC external w/fax	421.84

Practical Peripherals	
14.4 internal w/fax	89.96
14.4 Mini Tower w/fax	109.02
V.34 28.8 internal w/fax	198.59
V.34 28.8 Mini Tower w/fax	209.84
Practical Pro Series	CALL!

intel	
SatisFAXion 200 internal	399.50
SatisFAXion 400 Super Fax Pack	388.83
SatisFAXion 400 external	368.86

BOCA	
Online Express 14.4 internal w/fax	66.83
Online Express 14.4 external w/fax	79.78
V.34 28.8 internal w/fax	168.34
V.34 28.8 external w/fax	234.30

MICROCOM	
Deskpoint ES 14.4	146.39
Deskpoint Fast ES V.FC 28.8	179.84
Deskpoint Fast EP V.FC 28.8	244.30

BATTERY BACKUP AND UPS

American Power Conversion	
BackUPS 280	99.83
BackUPS 400	158.84
BackUPS 600	228.84
BackUPS 800	284.24
BackUPS 900	374.24
BackUPS 1200	498.24
SmartUPS 400	266.80
SmartUPS 600	349.30
SmartUPS 800	514.81
SmartUPS 1200	644.24
SurgeArrest Network	34.97
SurgeArrest Pro	33.58
SurgeArrest Network + Phone	48.85
Line-R 600	119.80

Tripp Lite	
BC250	96.88
BC400	156.89
BC500	188.43

NEW!

The Databrick™

Now with PCMCIA option!

The newest addition to Datalux's family of space-saving computer products! This 1.4kg unit measures only 26x12x5cm (10"x5"x2"), yet is powerful — 486SX to 486 DX2/66 with local bus video. Intended for situations where space saving is most important, it provides a rugged, portable, flexible PC solution, bridging the gap between a laptop and a desktop PC. Databrick drives both VGA and Datalux LCD monitors, making it ideal for industrial control, vehicle, POS, institutional and presentation systems. It can be configured as a diskless unit (booting from PCMCIA devices or from a network) or a stand-alone system with hard disk, powerful enough for today's CAD or desktop publishing programs. Hinged lid is removable.



Orders and Information: **1 800-DATALUX**
24-hour faxed data sheets: **703 662-1675**

Space-Saver Keyboards



The popular 1.0kg desk and .4kg portable flat models save 60% of the normal desk space, with full-travel, tactily responsive keys. Footprint is only 28x16 cm (11x6"), but the 100 keys have standard left-to-right spacing. Both models are XT/AT/PS2 compatible and are available in many languages.



LCD Monitors

Datalux stand-alone monitors are available in both 1.8 kg. desk/wall (which folds for portability) and 2.7 kg mobile/industrial, 64-grey shade, mono or 256 color DUAL SCAN versions. Both are 9.4" diagonal 640 x 480 VGA and can be fitted with optional touch screen with integrated touch controller. The mobile/industrial unit (pictured with swivel mount) is in a rugged aluminum housing with sealed front bezel and controls. All models plug directly into the Databrick or are supplied with a 16-bit ISA bus controller.



Desk/Wall Package

The Databrick combined with our LCD monitor is an ideal solution when you need a complete, compact PC and screen in a single unit. When folded or mounted on a wall, this 4 kg unit measures only 29x24x11 cm (4.5x9.5x11") and is rugged enough to survive as a touch system in harsh environments such as kitchens or factories.


DATALUX

**American Made
Space-Saving Computer Products**

DATALUX Corporation
155 Aviation Drive
Winchester, VA 22602
Phone (703) 662-1500
Fax (703) 662-1682

Circle 165 on Inquiry Card.


Datalux International, LTD
Euro House
Curtis Road, 11 Old Water Yard
Dorking, Surrey, UK RH41EJ
Phone 44 + [0] 306-876718
Fax 44 + [0] 306-876742



BLAZE THROUGH APPLICATIONS AT THE SPEED OF ALPHA ON A NEKOTECH PERSONAL POWER STATION.

ALPHA
GENERATION

No matter your application – from CAD to Multimedia to general business – you can blast into the ionosphere on an Alpha powered Mach Personal Power Station. The award winning Mach family from NekoTech starts with the world's fastest processor – the 64-bit Alpha from Digital Semiconductor, a Digital Equipment Corporation business, and pushes it beyond the envelope. NekoTech's Mach series blazes through Windows NT™



applications with speeds starting at 166Mhz on up to 275Mhz. Which means you're going to spend less time staring at your screen. And more time looking at results. Alpha powered Mach Personal Power Stations run all your favorite Alpha compatible Windows NT, as well as other 16-bit Windows and DOS applications. And best of all, they're priced to compete, starting at just \$4,595. Call NekoTech today to learn more.

NekoTech
Division of  **Tech**
Inventory
Conversions, INC.

Irvine, CA - 714-580-0055 • Hampton, NH - 603-926-0300

© NekoTech 1994. Digital and the AlphaGeneration logo are registered trademarks of Digital Equipment Corporation. Windows NT is a trademark of Microsoft Corporation.

Circle 192 on Inquiry Card.

Call
to find out about
the blizzard of
winter specials at
PCs Compleat!

Before You Buy

**TI ▲ IBM
AST ▲ NEC
COMPAQ
TOSHIBA**

Shop and Compare

Don't Settle for Less

	Supplier 1	Supplier 2	Supplier 3
Guaranteed Lowest Price	YES	YES	YES
The Best Brand Names	YES	YES	YES
30-day Money Back Guarantee	YES	YES	YES
Never a Restocking Fee	YES	YES	YES
30-day Price Protection	YES	YES	YES
PC Computing Five Star Award	YES	YES	YES
Lifetime Toll-Free Technical Support	YES	YES	YES
FREE Hardware Configuration	YES	YES	YES
FREE Software Installation	YES	YES	YES
Same Day Shipment	YES	YES	YES
Pre-Installed Software Discount	YES	YES	YES
All Major Credit Cards Accepted	YES	YES	YES
Never a Hidden Surcharge	YES	YES	YES
\$4.95 Shipping on Most Peripherals	YES	YES	YES
Compaq Authorized for Direct Marketing	YES	YES	YES
Hewlett Packard and IBM Authorized	YES	YES	YES
90 Days Same As Cash	YES	YES	YES
Low Cost Business Leases	YES	YES	YES
Volume Purchase Agreements	YES	YES	YES
Customer Satisfaction Is Top Priority	YES	YES	YES



8YTE-1/85

PCs COMPLEAT
THE BEST: BRANDS · PRICE · DELIVERY · SERVICE
Open 24 Hours
Weekdays
Weekends & Holidays
5 A.M. TO 8 P.M. E.T.

CALL TODAY!

800-298-4727
International (508) 624-6400

Call for
FREE
Product Guide

Toshiba Direct

New Low Prices!

NEW!

T4700, T4800 and T4850

- ▲ Brilliant color display with local bus video
- ▲ 2 PCMCIA slots (Type II, Type III)
- ▲ Microsoft Sound System, built-in microphone, audio out port
- ▲ MS-DOS, UltraFont, Indeo video compression software, Windows for Workgroups 3.11 and Run Time for Windows

as low as
\$3979

Model	Processor	Screen	Hard Drive	Price
T4700	486DX2/50	9.5" Active	200MB	\$3979
T4700	486DX2/50	9.5" Active	320MB	\$4239
T4800	486DX4/75	9.5" Active	500MB	\$4829
T4850	486DX4/75	10.4" Active	520MB	\$5199
T4850	486DX4/75	10.4" Active	810MB	\$5569

Lease for as low as \$97/mo.

Satellite Notebooks (Selected Models)

Model	Processor	Screen	Hard Drive	Price
T1960	486DX2/50	9.5" Dual Scan	320MB	\$2329
T1960	486DX2/50	8.4" Active	320MB	\$2919
T2400	486DX2/50	9.5" Dual Scan	320MB	\$2879
T2400	486DX2/50	8.4" Active	320MB	\$3469

Lease for as low as \$50/mo.

T4900

- ▲ 75MHz Mobile Pentium Processor
- ▲ 8MB RAM expandable to 40MB
- ▲ 810MB hard drive
- ▲ 10.4" active matrix color display
- ▲ 1 Type II and 1 Type III PCMCIA slots
- ▲ Accupoint integrated pointing device
- ▲ MS-DOS 6.21, Windows for Workgroups 3.11, Windows Sound System 2.0, Indeo Video, and Runtime Video for Windows

75MHz Pentium

\$6399

10.4" Active Matrix Color Display



T4900

TOSHIBA

NEC

With FREE Lifetime Technical Support

Versa M

- ▲ 2 Type II or 1 Type III PCMCIA slots
- ▲ Removable hard drive and floppy drive
- ▲ Removable screen
- ▲ Integrated speaker, microphone
- ▲ MS-DOS, Windows 3.1, Windows Sound System, Video for Windows Run Time

NEW!

as low as
\$3739

Processor	Hard Drive	Screen	Price
486DX4/75	250MB	Dual Scan	\$3739
486DX4/75	540MB	Active	\$5199
486DX4/100	810MB	Active	\$6049
486DX4/75	540MB	Enhanced Active	\$5579
486DX4/100	810MB	Enhanced Active	\$6429
486DX4/75	340MB	True Color Active	\$5099

Lease for as low as \$91/mo.



Versa V

- ▲ 4MB expandable to 20MB
- ▲ 2 Type II PCMCIA slots or 1 Type III
- ▲ MS-DOS 6.21, Windows 3.1, built-in trackball
- ▲ Removable floppy - add second battery

as low as
\$2499

Processor	Screen	Hard Drive	Price
486DX2/50	9.5" Dual Scan	250MB	\$2499
486DX2/50	9.5" Dual Scan	340MB	\$2669
486DX2/50	9.5" Active	250MB	\$3249
486DX2/50	9.5" Active	340MB	\$3399
486DX2/50	9.5" Active	540MB	\$3779
486DX4/75	9.5" Active	340MB	\$3879
486DX4/75	9.5" Active	540MB	\$4249

Lease for as low as \$71/mo.

Versa S

- ▲ Upgradable hard drive
- ▲ SurePoint integrated pointing device
- ▲ 2 Type II PCMCIA slots or 1 Type III
- ▲ Only 4.5 lbs.

as low as
\$1699

Processor	Screen	Hard Drive	Price
486SX/33	9.5" Mono	210MB	\$1699
486SX/33	9.5" Dual Scan	210MB	\$1889
486SX/33	9.5" Active	210MB	\$2839
486DX2/50	9.5" Active	260MB	\$3299
486DX2/50	9.5" Active	350MB	\$3499

Lease for as low as \$50/mo.

AST

You Can't Beat Its Value

Ascentia 900N

- ▲ 486DX2/50 or 486DX4/75 processor
- ▲ 4MB/8MB RAM exp. to 32MB
- ▲ 2 Type II or 1 Type III PCMCIA slots

Model	Screen	Hard Drive	Price
4/50 Model 343W	10.3" Dual Scan	340MB	\$2719
4/50 Model 343W	9.5" Active	340MB	\$4149
4/75 Model 343W	10.3" Dual Scan	340MB	\$3219
4/75 Model 513W	10.4" Active	510MB	\$5029

Lease for \$78/mo.

Ascentia 900N
10.4" Active Matrix screen
now available!



Ascentia 900N

Ascentia 800N

- ▲ 486SX/33 or DX2/50 processor
- ▲ 4MB RAM expandable to 20MB
- ▲ 9.5" Dual scan color display
- ▲ 2 Type II or 1 Type III PCMCIA slots

Model	Hard Drive	Price
4/33s Model 253W	250MB	\$2099
4/33s Model 343W	340MB	\$2199
4/50d Model 253W	250MB	\$2349
4/50d Model 343W	340MB	\$2499

Lease for \$60/mo.

HOT
PRODUCT

Ask about our Complete
Advantage Multimedia Bundles!



AST, AST logo are trademarks of
AST Research, Inc. All rights reserved.

Texas Instruments

With Software Installed FREE of Charge

TravelMate 4000E Color

Processor	Screen	Hard Drive	Price
486SX/25	8.2" Enhanced Color	120MB	\$1699
486DX2/40	8.2" Enhanced Color	200MB	\$2069
486DX2/50	9.4" Dual Scan	200MB	\$2319
486DX2/50	8.4" Active	200MB	\$2819
486DX4/75	8.4" Active	340MB	\$3549
486DX4/75	8.4" Active	455MB	\$3599
486DX4/75	9.5" Active	455MB	\$3799



TravelMate 4000M

- ▲ Brilliant color display
- ▲ 16-bit sound card
- ▲ Integrated Pointing device
- ▲ 2 Type II or 1 Type III PCMCIA slot

as low as
\$1879

Processor	Screen	Hard Drive	Price
486SX/25	8.2" Enhanced Color	120MB	\$1879
486SX2/50	9.5" Dual Scan	200MB	\$2759
486SX2/50	8.4" Active	340MB	\$3099
486DX2/50	9.5" Dual Scan	340MB	\$3049
486DX2/50	8.4" Active	455MB	\$3649
486DX4/75	9.5" Dual Scan	455MB	\$3999
486DX4/75	8.4" Active	340MB	\$4889
486DX4/100	9.5" Active	525MB	\$5549



TM 4000M

TravelMate 4000M
Full Multimedia
Mobile Computing

TEXAS
INSTRUMENTS

Compaq

Your Complete Source for COMPAQ Products

LTE Elite

- ▲ 4/8MB RAM exp. to 20/24MB
- ▲ Built-in AC adapter
- ▲ Removable hard drive
- ▲ 2 Type II or 1 Type III PCMCIA slots
- ▲ Integrated trackball
- ▲ MS-DOS 6.2, Windows 3.1, MS Video for Windows Run Time

Processor	Display	Hard Drive	Price
486DX2/40	9.5" Dual Scan	170MB	\$3119
486DX2/40	8.4" Active	170MB	\$3779
486DX2/40	8.4" Active	340MB	\$4159
486DX2/50	9.5" Mono	250MB	\$3299
486DX2/50	9.5" Active	340MB	\$4999
486DX4/75	9.5" Active	340MB	\$5669
486DX4/75	9.5" Active	510MB	\$6139

Lease for as low as \$76/mo.



LTE Elite

Contura 400

- ▲ 486DX2/40 processor
- ▲ 4MB RAM expandable to 20MB
- ▲ 2 Type II or 1 Type III PCMCIA slots
- ▲ Large built-in trackball
- ▲ MS-DOS, Windows 3.1, Tabworks, Lotus Organizer

Display	Hard Drive	Price
9.5" Dual Scan	250MB	\$2459
8.4" Active	250MB	\$3119

Lease for as low as \$70/mo.



Contura 400

COMPAQ

IBM®

Premium Performance and Rock Solid Support

ThinkPad® 510 subnotebook ThinkPad 360® notebooks

- ▲ IBM 486BL2/50 processor
- ▲ 4MB RAM exp. to 20MB
- ▲ 200MB hard drive
- ▲ 7.7" color display
- ▲ Type II PCMCIA slot
- ▲ TrackPoint II integrated pointing device
- ▲ 3.5" external floppy drive
- ▲ Weighs only 4.0 lbs.
- ▲ IBM DOS 6.3, Windows 3.1, Lotus cc:Mail, Organizer, ScreenCam, Official Airline Guide FlightDisk, CoSessions Host, Prodigy, America Online, and FaxWorks 3.0

\$1699

ThinkPad 360E Notebooks

Screen	Hard Drive	Price
9.5" Dual Scan	340MB	\$2889
9.5" Dual Scan	540MB	\$3259
8.4" Active	340MB	\$3589
8.4" Active	540MB	\$3969



Call for our
NEW high-
performance
IBM® desktops.



- ▲ 486SL/33 processor
- ▲ 4MB RAM exp. to 20MB
- ▲ Modular design, removable hard drive & floppy drive
- ▲ Local Bus Graphics with 1MB video RAM
- ▲ 2 Type II or 1 Type III PCMCIA slot
- ▲ TrackPoint II integrated pointing device
- ▲ IBM DOS 6.3, Windows 3.1, Lotus cc:Mail, Organizer, ScreenCam, Official Airline Guide FlightDisk, CoSessions Host, Prodigy, America Online, and FaxWorks 3.0
- ▲ Port Replicator and Docking Station available

Screen	Hard Drive	Price
9.5" Mono	170MB	\$1839
9.5" Mono	340MB	\$2229
9.5" Dual Scan	170MB	\$2199
9.5" Dual Scan	340MB	\$2659
8.4" Active	170MB	\$2699
8.4" Active	340MB	\$3099



ThinkPad 360



If You Want... Guaranteed Lowest Price, Lifetime Warranty* & Nine Years Experience in Serving Computer Mail Order Readers
Call 1-800-982-2925

HARD DRIVES

ALL PRICES REDUCED!
 GUARANTEED LOWEST HARD DRIVE PRICES



MODEL	SIZE	SPEED	TYPE	PRICE
ST3200A	200MB	15MS	IDE 3.5"	\$178
ST3391A	340MB	12MS	IDE 3.5"	\$198
ST3491A	420MB	12MS	IDE 3.5"	\$234
ST3555A	545MB	12MS	IDE 3.5"	\$318
ST3600N	525MB	10MS	SCSI 5.25"	\$478
ST31200N	1000MB	10MS	SCSI 5.25"	\$698
ST12550N	2100MB	9MS	SCSI 5.25"	\$1568



MODEL	SIZE	SPEED	TYPE	PRICE
CFA210A	210MB	15MS	IDE	\$178
CFA340A	340MB	12MS	IDE	\$198
CFA420A	420MB	12MS	IDE	\$228
CTA540A	540MB	12MS	IDE	\$268
CFAB10	810MB	12MS	IDE	\$498
CFA1000A/8	1000MB	10MS	IDE/SCSI	\$568



MODEL	SIZE	SPEED	TYPE	PRICE
7290	290MB	15MS	IDE	\$178
7345A	345MB	14MS	IDE	\$202
7405A	405MB	14MS	IDE	\$228
7546A	546MB	12MS	IDE	\$308



MODEL	SIZE	SPEED	TYPE	PRICE
1210	212MB	13MS	3.5" IDE	\$174
2340	340MB	12MS	3.5" IDE	\$198
2430	423MB	12MS	3.5" IDE	\$218
2540	540MB	12MS	3.5" IDE	\$244



MODEL	SIZE	SPEED	TYPE	PRICE
IP5270A/S	270MB	12MS	IDE/SCSI	\$238
IP340A/S	340MB	12MS	IDE/SCSI	\$278
IP5540A/S	540MB	12MS	IDE/SCSI	\$298
IP51080A/S	1050MB	9MS	IDE/SCSI	\$718
IP51225	1200MB	10MS	SCSI	\$878



MODEL	SIZE	SPEED	TYPE	PRICE
MC1105	1050MB	8.5MS	SCSI/IDE	\$628
MC1210AV	1050MB	10MS	SCSI	\$678
MC1217A	1050MB	10MS	SCSI	\$698
MC1217AV	1050MB	10MS	SCSI	\$718
MC1217S	1750MB	10MS	SCSI	\$998
MC1926	2100MB	11MS	SCSI	\$1378
MC1926	3000MB	11MS	SCSI	\$1968
MC1956AV	3100MB	10MS	SCSI	\$2018
MC1991	9100MB	10MS	SCSI	\$3998

CLOSEOUTS

Case Power Supply (180W)	\$29
IBM PS/2 1200 Modem	\$7
Wordstar 2000	\$38
Toshiba Laptop Modem	\$19
Mano Card Text Only	\$4
NEC Cut Sheet Feeder	\$19
Exec O-10 Meg for AT	\$49
Wangtech (5099) 60MB	\$98
FoxTrax	\$98
Lohus Metro	\$9

COPROCESSORS



MODEL	PRICE	MODEL	PRICE
80386 MACHINES		8087 3.5MHz	\$38
80387 20MHz	\$44	8087 2 BMHz	\$44
80387 25MHz	\$59	8087 1 10MHz	\$78
80387 33MHz	\$69		
80387DX	\$74	80287 0MHz	\$19
80387SX16	\$48	80287 10MHz	\$24
80387 SX20	\$48	80287 10MHz	\$49
80387 SX33	\$54	80287 3X1	\$48
80387SL	\$79	80287 3X1	\$78

Cyrix 80387 33MHz	\$19	80387 25MHz (SR)	\$39
80387 40MHz	\$48	80387 33MHz (SR)	\$44

CPU'S



MODEL	PRICE	MODEL	PRICE
80486 SX/25	\$78	80486 DX/2.66	\$118
80486 SX/33	\$98	80486 DX/4.100	\$148
80486 DX/25	\$138	PENTIUM 60	\$468
80486 DX/33	\$158	PENTIUM 66	\$574
80486 DX/50	\$298	PENTIUM 90	\$698

CPU DOUBLERS

Single Chip Upgrade, Clock Doubling Technology, Compatible with 386DX CPU Socket, DOS, Windows & OS/2 Compatible, Lives Industry Standard Math Chip, Easy To Install - About 15 Minutes



Cx486DX-16/32	\$238
Cx486DX-20/40	\$248
Cx486DX-25/50	\$268
Cx486DX-33/66	\$358
Cx486SX-20/40	\$248
Cx486SX-25/50	\$259

PROCESSOR UPGRADES

Evergreen Technologies

IMPROVE PERFORMANCE UP TO 500%

MACHINE TYPE	UPGRADE	PRICE
286 (6.16 MHz)	(IBM 486SIC2 50MHz)	\$238
386SX 1.6 (20 KHz)	(IT5XIC2 20/40 MHz)	\$198
386SX 25 MHz (K2)	(IBM 486SIC2 50 MHz)	\$318
386SX 33 MHz (K2)	(IBM 486SIC2 33/66 MHz)	\$358
386DX 1.6 & 20 (K2)	(IT5XIC2 20/40 MHz)	\$248
386DX 25 MHz (K2)	(IT5XIC2 25/50 MHz)	\$298
386DX 33 MHz (K2)	(IBM B. LIGHTNING 33/66)	\$478
386SX 1.6 MHz (K3)	(IBM B. LIGHTNING 16/48)	\$418
386SX 20 MHz (K3)	(IBM B. LIGHTNING 20/60)	\$458
386SX 25 MHz (K3)	(IBM B. LIGHTNING 25/75)	\$498
386DX 1.6 & 20 (K3)	(IBM B. LIGHTNING 20/60)	\$398
386DX 25 MHz (K3)	(IBM B. LIGHTNING 25/75)	\$478
386DX 33 MHz (K3)	(IBM B. LIGHTNING 33/99)	\$598

FLOPPY DRIVES

Liquidations

360K 1/2 HT (5-1/4")	\$24
1.2 MB 1/2 HT (5-1/4")	\$39
720K 1/2 HT (3-1/2")	\$19
1.44 (3-1/2")	\$39

D-RAM CHIPS

DESCRIPTION	120MS	100NS	80NS	70NS	60NS
64 X 4	\$2.25	\$2.45	\$2.95		
256 X 1	\$1.85	\$2.40	\$3.00	\$3.15	\$3.20
256 X 4	\$5.45	\$5.95	\$6.45	\$6.95	
1 MEG X 1	\$4.40	\$4.90	\$5.75	\$6.45	\$6.75
1 MEG X 4		\$26.00	\$29.00	\$34.00	
256K X 6 VRAM (WE)			\$49.00	\$59.00	
256K X 6 VRAM (CAS)			\$39.00	\$49.00	

MEMORY BOARDS

MODEL	PRICE
BOCA AT PLUS	
16 BIT MEMORY BOARD FOR 286, 386	
4MEG - \$84.00 2MEG - \$150.00	
4MEG - \$228.00 8MEG - \$398.00	
BOCRAM/2 PLUS	
For PS/2 2 to 8MB (uses 1 MEG SIMMS)	
2MB-\$198 4MB-\$248 8MB-\$348	
2-8 MB FOR PS/2 50 & 60,	
2MB \$119, 4MB \$188, 8MB \$248	

SIMM MODULES

CALL FOR CURRENT PRICES

30 PIN SIMM MODULES

DESCRIPTION	100NS	80NS	70NS	60NS	50NS	40NS
256KB	\$9	\$12	\$15	\$17		
1 MEG X 3	\$35	\$37	\$41	\$49	\$64	
1 MEG X 9	\$34	\$39	\$40	\$46	\$64	\$78
4 MEG X 9	\$129	\$134	\$148			
16 MEG X 9 (36 CHIP)			\$668			

72 PIN SIMM MODULES

512X36 2MEG	\$78	\$84	\$98
1136 4MEG	\$148	\$154	\$198
2136 8MEG	\$302	\$309	\$378
4136 16MEG	\$578	\$588	\$618
8K36 32MEG		\$1175	\$1275
16K36 64MEG		\$2695	\$2795

WE HAVE THE GUARANTEED LOWEST PRICES CALL!

CACHE MEMORY

	12ns	15ns	20ns	25ns
8KX8	4.95	4.45	3.95	
32X8	14.00	7.95	6.75	6.55
64x1		10.95	6.05	5.95
64x4		10.00	5.95	4.95
16x4		6.95	5.45	4.95
128x8			34.00	27.00

MEMORIES FOR THE NEW YEAR

IBM PS/2 Memory

MODEL	MEMORY	PART#/PRICE
AM88A Enterprise II, Model 386, 386SX	2MB	N/A \$92
Sonnet 386 (all models)	2MB	N/A \$328
Amra Enterprise 486, Model 486, Sonnet 486 (all models)	4MB	N/A \$178
	16MB	N/A \$648
PS/1 and 386/SX (2121)	2MB	9299933 \$88
	4MB	9299994 \$78
PS/2 386/286/25/286, AdptrBrd 1497759	312K	205348 \$35
	2MB	3053480 \$80
	4MB	6450509 3473011
34F3077, 502, 555X, 6555X, P70 5515 6555X Station	2MB	6450503 \$74
	2MB	6450504 \$80
PS/2, 502, 555X, 60, 655X	2MB	1497259 \$108
	2.16MB	6450509 \$368
PS/1 Consultant, Essential & Expert models 443, 444 & 65/100/1000	1MB	9092290 \$178
all models except Xc series	16MB	9092291 \$394
PS/2 70/421, A61, B21, B61, PS/1 Consultant, Essential & Expert models 211, 113 & 114. PS/1 Volunteer Xc series	1MB	6450503 \$89
	4MB	3472933 \$168
PS/2 355X, 15, 405X, 555X, 15, 655X	2MB	6450502 \$68
PS/2 90, 95, 97, P75 (Plan) 56, 57 (all PS/1 Consultant, Essential, Expert 11, 113 & 114, PS/1 Pro 2123, 35/6000)	4MB	6450128 \$174
	8MB	6450129 \$338
PS/2 355X, 15, 405X	2MB	6450505 \$72
PS/2 70's and 80's	32 BIT ICARDS	2-14MB 34F3077 \$225
	4-16MB 34F3011 \$318	
PS/2 80/421, A31, A61	4MB	6451160 \$188
PS/2 80/411, 111, 121, 321, 061, 161	2MB	6450379 \$78
AD108C/6000 (4MB) \$78, AD33/324MB \$158, AD36/64MB \$378		

IBM Laptop Memory

MODEL	MEMORY	PRICE
Thinkpad 300, Amra Trek	2MB	3509288 \$128
	8MB	3509289 \$348
Thinkpad 350, 350C, 360, PS/NOTE	8MB	6060378 \$338
	16MB	6060379 \$647
Thinkpad 500, 510CS, 2618	4MB	8180999 \$398
	16MB	8180998 \$848
CL575X	4MB	07G1420 \$208
Thinkpad 700, 700C, 720, 720C, 730C	8MB	07G1421 \$378
	2MB	07G1422 \$397
Thinkpad 710T	4MB	N/A \$188
	8MB	N/A \$318
PS/Note N455L	2MB	9278804 \$108
PS/2, N41, 51C SX	2MB	07C1626 \$188
	4MB	07C1627 \$188
	8MB	07G1628 \$418
Laptop N435S, 1405X & PSNOTE 182	2MB	7969999 \$98
	8MB	7969998 \$358

Laptop & Notebook Toshiba

MODEL	MEMORY	PRICE
T1000 SE/LE/XE	1MB	PAB3110 \$29
T1000 SE/LE/XE	2MB	PAB312U \$37
T1000/1200/55X	4MB	PAB314U \$53
T2000/1100/100E	2MB	PAB315U \$58
T1200XE	2MB	PAB306U \$98
T600	2MB	PAB302U \$98
T2000SX/1220GSX/1180011850, C	2MB	PAC2001 \$78
	4MB	PAC201U \$158
	8MB	PAC202U \$168
T3100	2MB	PA7135E \$108
T3100SX	2MB	PA8341U \$128
T3100SX	2MB	PAB310U \$118
T3200SX	2MB	PAB319U \$118
T3200SXC	2MB	PAB318U \$118
T3200SXC	2MB	PAB319U \$118
T3200SXC	2MB	PA7135U \$114
T3300SX	2MB	PAC205U \$118
T3400CT	16MB	PAC209U \$258
	4MB	PAC201V \$158
	16MB	PAC201V \$178
T4400SX, 32C, 16400 SX, DXC	2MB	PAC203U \$128
	4MB	PAC204U \$138
	16MB	PAC205U \$158
	32MB	PAC201U \$698

EPP Aware
Backpack® does Windows™

THE SIMPLE CONNECTION BEHIND COMPUTERS AND BACKPACK TAPE DRIVES.



It's fast. It's small. It's reliable. It's incredibly compatible.

Backpack is the best selling parallel port tape drive on the market. We'd like to tell you why.

With Backpack, tape backup is quick and simple. Just plug it into your printer port and it's ready to use. No hardware conflicts, no slots required. One model fits all IBM PCs, compatibles and portables, regardless of CPU speed.

Backpack can store up to 250MB on a tape using data compression, is completely QIC80 compatible, and reads QIC40 tapes. With its compact size

and 1Mbps transfer rate, Backpack is the smallest and fastest parallel port tape drive you can buy.

Micro Solutions is dedicated to the perfection of backup technology.

CD-ROM, hard drive, and diskette Backpack drives are also available. Call today for ordering information and a dealer nearest you.

Telephone 815.756.3411 FAX 815.756.2928

MicroSolutions 132 West Lincoln Highway DeKalb, IL 60115

Call toll free: 800-295-1214

Circle 172 on Inquiry Card (RESELLERS: 173).

The One Name Behind 3 Out Of 4 Multiprocessor Computers.

POWERED BY

COROLLARY

Surprised?

You shouldn't be. After all, Corollary built the world's first multiprocessor PC and developed the first shrink-wrapped multiprocessor operating system, SCO MPX. And we invented the C-bus® architecture, the multiprocessor system bus used in 75% of the installed SCO MPX systems.

Now, Corollary is introducing a new multiprocessor standard, C-bus®II. Licensed by over a half-dozen major system manufacturers, C-bus II offers greater performance and memory addressability.

Corollary's multiprocessor Pentium™ chip systems are available from our extensive value-added distributor network. This open systems approach enables you to order systems "custom-built" for your application.

Remember, real multiprocessor computers all have one thing in common — Corollary.

COROLLARY

2802 Kelvin, Irvine, CA 92714

800-338-4020 Fax 714-250-4043 In Europe +32-3-825-37-94



BRAZIL +55-21-445-2727, CZECHOSLOVAKIA +42-2-311-8885, GERMANY +49-6214-108-168, +49-211-50-840, HUNGARY +36-1-116-9450, ITALY +39-75-500-4625, JAMAICA +1-809-929-7395, NORWAY +47-55-299-680, POLAND +48-2-642-5262, RUSSIA +70-95-216-4656, +7-812-218-0450, SAUDI ARABIA +966-1-477-1650, SOUTH AFRICA +27-11-804-3772, SPAIN +34-1-467-8210, TAIWAN +886-2-717-4518, UNITED ARAB EMIRATES +971-4-221-338

©1994 Corollary, Inc. All trademarks and copyrights acknowledged.

Circle 182 on Inquiry Card (RESELLERS: 183).

EPP Aware
New double speed drive available



Printer Port Connections Are The New Tools Of The Trade.



Once you discover just how easy it is to install a backpack CD-ROM drive to your computer, you'll never be inconvenienced by conventional installation methods again. Just plug backpack into your computer and you're ready to go. No interface cards, hardware conflicts or expansion slots required. Because of its unique printer port interface, backpack fits all IBM PC compatibles and portables regardless of CPU speed. In addition, a built-in audio circuit with both headphone and line output jacks allows for connection of sound cards or Hi-Fi. You can run thousands of your favorite multimedia

programs and view Kodak™ Photo CDs too, with CD-ROM backpack. Compact and versatile, you can expect backpack to go wherever you go, bringing with you the wealth of information CD-ROM storage makes possible. Printer pass-through is included. Tape drive, hard drive and diskette backpack drives are also available. Call today for ordering information and a dealer nearest you.



backpack
CD-ROM Drive

MicroSolutions

132 W. Lincoln Hwy. DeKalb, Illinois 60115 Telephone 815.756.3411 Fax 815.756.2928
Call Toll Free 800.295.1214

Circle 174 on Inquiry Card (RESELLERS: 175).





Photo CD symbol
is a trademark used
under license.

AutoBoot Commander™

**Control up to 96 file servers with just 1
keyboard, monitor and mouse!**

- Supports all 100% IBM compatible computers
- New KeyScan™ feature for keyboard-controlled scanning
- Built-in support for both PS/2-style and serial mice
- Add a second control center up to 150 feet away
- AutoBoot™ feature boots computers without operator intervention
- Each unit controls from 2 to 8 PCs;
cascade up to 12 units



**For Macintosh support, ask
about our new Mediator™ for Macintosh!**

Cybex Corporation
4912 Research Drive • Huntsville, AL 35805 USA
(205) 430-4000 • FAX (205) 430-4030



Industrial-Strength RAID

from **DPT**

► Award-winning, fully-integrated RAID controllers and storage subsystems ready to run out of the box.

SmartRAID Controllers

Three high-performance models to choose from.

- ISA, EISA and PCI
- Use with your drives, or with DPT's SmartRAID subsystem
- Temperature and voltage monitor of server cabinet
- Add-on modules for support of up to 21 SCSI devices


Storage Subsystems

Flexible storage options.

- Up to 12.6 GB per cabinet
- Choose from Tower or Personal Storage Cabinet
- Hot swap drives, power supplies and fans
- Temperature and voltage monitoring
- Arrays can span any number of cabinets

Tower Storage Cabinet

SmartRAID Controller



► Storage Manager software sets a new standard for storage management!

- Easy RAID setup and maintenance
- On-line diagnostics and I/O load analysis
- Device discovery and inventory
- Optional communications package for remote monitoring and maintenance
- Event logging and broadcasting, via terminal, pager or fax

Personal Storage Cabinet

"Hot-Swap" Hard Drives

The leader in high-performance SCSI technology introduces a new line of powerful RAID controllers and subsystems — SmartRAID from DPT. Start with DPT's award-winning caching and RAID capabilities built into our SmartRAID controllers. Use them with any hard drive to build RAID 0, 1 and 5 arrays, or use them with fully ECC-protected SmartRAID cabinets and drives for increased fault-tolerance and ease-of-use. DPT Storage Manager software, included with all controllers, makes RAID setup and maintenance as simple as point-and-click.

1-800-322-4378

Call today for more information about SmartRAID and other high-performance SCSI products from DPT.



Circle 166 on Inquiry Card (RESELLERS: 167).

MEMORY DISCOUNT HARD DRIVE WAREHOUSE

1-800-636-6792

HOURS: 9:00-9:00 E.S.T.

GOVERNMENT, EDUCATIONAL, CORPORATE & INTERNATIONAL ORDER SPECIALISTS

215-822-0050 EXPRESS International Order Line
 215-822-0050 EXPRESS Technical Support
 215-822-0050 EXPRESS FAX Government/International
 800-636-6792 EXPRESS Order Line - TOLL FREE

Dedicated to serving Purchasing Agents Worldwide
 Pre-Approved Open Accounts for All Fortune 200
 Government/Universities and Educational Institutions

MASTERCARD VISA DISCOVER AMERICAN EXPRESS

NO SURCHARGE

Seagate

FACTORY NEW- 1.5 YEAR WARRANTY

ST3242A	250MB	15MS	3.5"	IDE	1189
ST3281A	253MB	15MS	3.5"	IDE	1184
ST3301A	341MB	15MS	3.5"	IDE	1194
ST3491A	420MB	15MS	3.5"	IDE	1202
ST3560A	545MB	15MS	3.5"	IDE	1200
ST3120A	1.05GB	9MS	3.5"	IDE	1190
ST3140A	1.35GB	9MS	3.5"	IDE	1190
ST3170A	1.65GB	9MS	3.5"	IDE	1190
ST3195A	1.95GB	9MS	3.5"	IDE	1190
ST3255A	2.14GB	9MS	3.5"	IDE	1210
ST3195A	1.95GB	9MS	3.5"	IDE	1190
ST3120A	1.05GB	9MS	3.5"	IDE	1190
ST3150A	1.35GB	9MS	3.5"	IDE	1190
ST3170A	1.65GB	9MS	3.5"	IDE	1190
ST3195A	1.95GB	9MS	3.5"	IDE	1190
ST4100A	3.0GB	11MS	3.5"	IDE	1200

SCSI-BARRACUDA

7200RPM AND 128KB BUFFER MAKES THESE THE FASTEST NON WIDE SCSI DRIVES ON THE MARKET

ST1190A	1.65GB	9MS	3.5"	Fast SCSI-2	1190
ST1250A	2.1GB	9MS	3.5"	Fast SCSI-2	1210
ST1150A	1.35GB	9MS	3.5"	Fast SCSI-2	1190

IBM PS1 PS2

PS/2 50, 80, 100, 20, 70, 60, P70, 55SX

1250MB	15MS	IDE	1189
250MB	15MS	IDE	1184
420MB	15MS	IDE	1194
540MB	15MS	IDE	1200
540MB	15MS	SCSI	1190
1.2GB	12MS	SCSI	1190

IBM INTERNAL SCSI DRIVES/AD 5150 MICROCHANNEL CONTROLLER

165 SCSI-2 6178

PS/2 INTERNAL DRIVE KITS

30-8086/30-785/25-8086/25-286

210MB	12MS	IDE	1180
420MB	12MS	IDE	1180
400MB	9MS	IDE	1180

SIMMS

LIFETIME WARRANTY/MONEY BACK GUARANTEE

BUY WITH CONFIDENCE FROM THE MEMORY UPGRADE EXPERTS

PERSONAL COMPUTERS, WORK STATIONS, NOTEBOOKS, LASER PRINTERS

FAST DELIVERY, SUPER SELECTION, BIG SAVINGS

GET IT EXPRESS FROM THE MEMORY SUPER SOURCE

4MB X 9-8ONS SIMM	140	256K X 9-8ONS SIMM	14	256K X 9-7ONS SIPP	20
4MB X 9-7ONS SIMM	145	256K X 9-7ONS SIMM	15	256K X 1MB-7ONS	55
4MB X 9-6ONS SIMM	150	256K X 9-6ONS SIMM	18	512K X 2MB-7ONS	95
1MB X 9-10ONS 9 CHIP SIMM	38	1MB X 8-8ONS SIMM	40	1K36-4MB-7ONS/6ONS	179/189
1MB X 9-8ONS 3 CHIP SIMM	39	1MB X 8-7ONS SIMM	42	2K36-8MB-7ONS/6ONS	348/358
1MB X 9-7ONS 3 CHIP SIMM	44	4MB X 8-8ONS SIMM	135	4K36-16MB-7ONS/6ONS	595/615
1MB X 9-7ONS 3 CHIP SIMM	40	4MB X 8-7ONS SIMM	140	8K36-32MB-7ONS/6ONS	1295/1335
1MB X 9-6ONS 3 CHIP SIMM	45	1MB X 9-10ONS SIPP	43	16K36-64MB-7ONS/6ONS	2395/2435
1MB X 9-6ONS 3 CHIP SIMM	42	1MB X 9-8ONS SIPP	49	1K32-4MB-7ONS/6ONS	185/165
1MB X 9-6ONS 3 CHIP SIMM	46	1MB X 9-7ONS SIPP	50	2K32-8MB-7ONS/6ONS	310/330
16MB X 9-7ONS SIMM	595	1MB X 9-6ONS SIPP	51	4K32-16MB-7ONS/6ONS	550/525
16MB X 9-6ONS SIMM	635	256K X 9-10ONS SIPP	18	8K32-32MB-7ONS/6ONS	1195/1235
256K X 9-10ONS SIMM	13	256K X 9-8ONS SIPP	19	16K32-64MB-7ONS/6ONS	2295/2335

WESTERN DIGITAL

FACTORY NEW- 3 YEAR WARRANTY

AC2340	340MB	12MS	3.5"	IDE	1190
AC2420	425MB	12MS	3.5"	IDE	1200
AC2540	540MB	12MS	3.5"	IDE	1205
AC2700	720MB	10MS	3.5"	IDE	1210
AC3100	1034MB	10MS	3.5"	IDE	1215

IBM

364MB	12MS	SCSI	1220
527MB	12MS	SCSI	1220
720MB	12MS	SCSI	1220
1052MB	6.8MS	SCSI	1220
2040MB	9.2MS	SCSI	1220
4250MB	11MS	SCSI	1220
270MB	12MS	IDE	1180
364MB	12MS	IDE	1180
527MB	12MS	IDE	1180
720MB	12MS	IDE	1180
1052MB	6.8MS	IDE	1180

DYNAMIC RAMS

108 X 1-10ONS 30.90	358 X 1-12ONS 3.25	8 X 8-15 55.40	18 X 8-25 4.00	64 X 4-25 18.00	4096 X 0.5-25 5183
108 X 1-8ONS 8.25	256K X 1-10ONS 3.25	8 X 8-25 4.00	32 X 8-15 10.00	64 X 4-25 18.00	4096 X 0.5-25 5183
108 X 1-7ONS 8.50	256K X 1-9ONS 3.75	8 X 8-25 4.00	32 X 8-15 10.00	64 X 4-25 18.00	4096 X 0.5-25 5183
108 X 1-6ONS 8.75	256K X 1-7ONS 3.75	8 X 8-25 4.00	32 X 8-15 10.00	64 X 4-25 18.00	4096 X 0.5-25 5183
256K X 1-15ONS 3.00	256K X 1-10ONS 3.75	18 X 8-25 4.00	128 X 8-25 30.00	128 X 8-25 30.00	16K X 0.5-25 236
		18 X 8-25 4.00	128 X 8-25 30.00	128 X 8-25 30.00	16K X 0.5-25 236
		18 X 8-25 4.00	128 X 8-25 30.00	128 X 8-25 30.00	16K X 0.5-25 236

CACHE MEMORY

8 X 8-15 55.40	18 X 8-25 4.00	64 X 4-25 18.00	4096 X 0.5-25 5183
8 X 8-25 4.00	32 X 8-15 10.00	64 X 4-25 18.00	4096 X 0.5-25 5183
8 X 8-25 4.00	32 X 8-15 10.00	64 X 4-25 18.00	4096 X 0.5-25 5183
8 X 8-25 4.00	32 X 8-15 10.00	64 X 4-25 18.00	4096 X 0.5-25 5183

INTEL CPU'S

4086 03 25 5183	4086 03 25 5183	4086 03 25 5183	4086 03 25 5183
4086 03 25 5183	4086 03 25 5183	4086 03 25 5183	4086 03 25 5183
4086 03 25 5183	4086 03 25 5183	4086 03 25 5183	4086 03 25 5183
4086 03 25 5183	4086 03 25 5183	4086 03 25 5183	4086 03 25 5183

MICROPLIS

FACTORY NEW- 5 YEAR WARRANTY

4115	1.0GB	10MS	3.5"	IDE	1190
4115	1.0GB	10MS	3.5"	IDE	1190
4115	1.0GB	10MS	3.5"	IDE	1190
4115	1.0GB	10MS	3.5"	IDE	1190

HP HEWLETT PACKARD

FACTORY NEW- 5 YEAR WARRANTY

1.0GB	10MS	3.5"	SCSI	1094
2.1GB	8MS	3.5"	SCSI	1340

FLOPPY DRIVES

TEAC

1.44MB

1.2MB

DUAL FLOPPY 1.44 & 1.2

Gladiatec

1505 CD ROM 16-Bit SCSI Card Kit \$75

1512 16 Bit SCSI-2 KIT \$114

1513 Bus Master Complete Kit \$142CF

1542C Bus Mtr. Complete Kit w/Control SCSI \$141

1543 ISA-SCSI ADAPTER KIT \$285

2940 PCI-Fast SCSI Adapter \$134

2742 ISA KIT 14MB \$114

2742W FAST WIDE SCSI CARD \$134

2842-LV Fast SCSI-II VESA \$134

APA-469 Slim SCSI FC/MCA SCSI Card \$289

EXABYTE

FS10 1.5GB TAPE INT/EXT \$799/949

4200 2GB TAPE INT/EXT \$1049/1054

4200C 4GB TAPE INT/EXT \$1919/1924

8200 2.5GB TAPE INT/EXT \$1393/1419

8200 5GB TAPE INT/EXT \$1793/1799

8200 10GB TAPE INT/EXT \$2434/2465

AUTOCHARGER 4GB TAPE EXT \$1495

5 PACK TAPES FOR FS10 \$109

5 PACK TAPES FOR FS10C \$99

CONNER

FACTORY NEW- 1 YEAR WARRANTY

CPA210A	210MB	12MS	3.5"	IDE	1184
CPA220A	420MB	12MS	3.5"	IDE	1189
CPA540A	540MB	12MS	3.5"	IDE	1194
CPA940A	940MB	12MS	3.5"	IDE	1204
CPA1040A	1040MB	12MS	3.5"	IDE	1209
CPA1240A	1240MB	12MS	3.5"	IDE	1214
CPA1440A	1440MB	12MS	3.5"	IDE	1219
CPA1640A	1640MB	12MS	3.5"	IDE	1224
CPA1840A	1840MB	12MS	3.5"	IDE	1229
CPA2040A	2040MB	12MS	3.5"	IDE	1234

FUJITSU

FACTORY NEW- 5 YEAR WARRANTY

M205A	320MB	13MS	3.5"	IDE	1184
M205A	320MB	13MS	3.5"	IDE	1184
M205A	320MB	13MS	3.5"	IDE	1184
M205A	320MB	13MS	3.5"	IDE	1184

CD ROM BUNDLES

NEC

303 PERSONAL EXTERNAL \$379

303 INTERNAL EXTERNAL \$279/375

4X CD QUAD SPEED \$499

BUSLOGIC

KT4455 VESA Local Bus Kit \$229

KT4501 BusMaster Fast SCSI \$299

KT474K SCSI Adapter \$299

KT4757 DESAWARE SCSI DIFFERENTIAL \$299

KT4758 SSIWIDE SCSI (SINGLE 5) \$299

KT4800PCI Fast SCSI \$299

OMEGA

longage Tap250 Internal Base \$109

longage Tap250 External Base \$109

BERNOLLI POWERED 90 DR. WCART \$114

BERNOLLI POWERED MULTIOSK 150 DR. \$114

Quantum

FACTORY NEW- 2 YEAR WARRANTY

GLS256AT	256MB	6MS	3.5"	IDE	1184
GLS266AT	256MB	6MS	3.5"	IDE	1184

IBM

250MB	IDE	1184
500MB	IDE	1184
1GB	IDE	1184

PLEXTOR

3032B INTERNAL \$259

502B INT/EXT QUAD SPEED \$499

TRANTOR

T130 8-Bit W/SCSI WORKS \$45

T348 Parallel Port to SCSI Plus \$109

T358 Parallel Port to SCSI Plus \$109

HEWLETT PACKARD

35477A 2.0GB TAPE INT/EXT \$99/126

35486A 4.0GB TAPE INT/EXT \$199/215

C1533A 1.6GB TAPE INT/EXT \$99/126

35477A 2.0GB TAPE INT/EXT \$99/126

3.5" - 2.5" CONVERSION KIT \$18

MicroSolutions

BACKPACK 420MB PARALLEL PORT INTERFACE \$68

Seagate

ST9145AG	128MB	16MS	3.5"	IDE	1184
ST9150AG	128MB	16MS	3.5"	IDE	1184
ST9235AG	210MB	16MS	3.5"	IDE	1184
ST9335AG	340MB	16MS	3.5"	IDE	1184
ST9535AG	540MB	16MS	3.5"	IDE	1184
ST9555AG	540MB	16MS	3.5"	IDE	1184

WIDE SCSI

IBM

0662S12W	1.05GB	6.6MS	LP3.5	SCSI	1784
0664W	2.04GB	6MS	3.5"	SCSI	2434
0664ESH	4.25GB	11MS	3.5"	SCSI	2434

DTC

2278LV IDE/ADP/P1/S1/G \$26

2277LV VL-Bus Cacheing IDE (Up to 16 MB) \$29

2130PC PCI SCSI Adapter \$29

2280 IDE/DFI P2/S1/G \$29

2290 ISA IDE 32-Bit \$19

3270LV SCSI-2 VL-Bus FDD/HDD \$11

3280AS SCSI-2A/FDD \$11

3290AS ISA SCSI-2A/FDD \$11

6282-2 ESD 24MBPS \$39

CD-ROM Kit SCSI-2 \$47

VIDEO BOARDS

Accuglogic

20 PCI SCSI Host Adpt. Sup. Wide SCSI-3, SCSI-2

Fast SCSI EISA \$129

Fast SCSI ISA \$129

Fast SCSI VESA Local Bus \$129

Fast SCSI PCI \$129

Quantum

FACTORY NEW- 2 YEAR WARRANTY

5 YEAR ON P DRIVES / 3 YEAR ON 2.5" DRIVES

LP5270	270MB	15MS	3.5"	IDE	1184
LP5400	340MB	12MS	3.5"	IDE	1184
LP5440	540MB	12MS	3.5"	IDE	1184
LP5700	700MB	12MS	3.5"	IDE	1184
LP5940	940MB	12MS	3.5"	IDE	1184
LP5980	940MB	12MS	3.5"	IDE	1184
LP6080	1060MB	12MS	3.5"	IDE	1184
LP6180	1180MB	12MS	3.5"	IDE	1184
LP6280	1300MB	12MS	3.5"	IDE	1184
LP6380	1420MB	12MS	3.5"	IDE	1184

REMOVABLES/OPTICALS

SYQUEST

REMOVABLE CARTRIDGE DRIVES

SO555 44MB INTERNAL/EXTERNAL \$109/139

SO51100 88MB C INTERNAL/EXTERNAL \$109/139

88MB C INTERNAL/EXTERNAL \$109/139

SO5105A 105MB INTERNAL & CABLES \$109/139

SO5105S 105MB SCFI \$109/139

190MS EXTERNAL W/CART \$109/139

270MS INTERNAL/EXTERNAL FOR PC \$109/139

270MS EXT FOR MACINTOSH \$109/139

270MS CART SINGLE'S PACK \$109/139

CARTS 44MB/88MB/105MB \$109/139

5200 200MB INTERNAL \$109/139

5200 200MB EXTERNAL W/CART \$109/139

SCSI ACCESSORIES

HARD DRIVE EXTERNAL CABLES

CENTRONICS 50 TO SCSI-4 \$109

CENTRONICS 50 TO MAC 25-PIN \$109

CENTRONICS 50 TO CENTRONICS 50 \$109

CENTRONICS 50 TO CENTRONICS 50 \$109

CENTRONICS TO DB-50 \$109

DB-50 TO SCSI-4 \$109

DB-50 TO DB-50 \$109

SCSI TO SCSI-4 \$109

FAST WIDE SCSI-4 CENTRONICS \$109

HARD DRIVE INTERNAL CABLES

SCSI 50-PIN RIBBON 3 CONDS 2 DEVICE \$109

SCSI 50-PIN RIBBON 4 CONDS 3 DEVICE \$109

SCSI 50-PIN RIBBON 5 CONDS 4 DEVICE \$109

SCSI 50-PIN RIBBON 6 CONDS 5 DEVICE \$109

IDE 40-PIN RIBBON 3 CONDS \$109

FLOPPY 8 IDE CABLE SET \$109

TAPE BACKUPS

COLORADO MEMORY SYSTEMS

250MB COLUMBO 250 \$129

Tekrar 250MB C0120 \$129

2120 CARTS SNG/SPK \$129

2120 CARTS G00 SNG/SPK \$129

DIAMOND

Sheath 24 VLB 1MB \$219

Sheath Pro VLB 2MB \$219

Viper VLB 2MB \$219

Speedster Pro VLB \$219

Sheath 32 VLB 2MB \$219

Sheath 64 VLB 2MB \$219

Sheath 64 PCI 2MB \$219

Viper PCI 2MB \$219

Maxtor

FACTORY NEW- 2 FULL WARRANTY

DISK DRIVES FOR POWER USERS

DSP1071	1.0GB	9MS	3.5"	SCSI-II	1080
DSP3210	2.1GB	9MS	3.5"	SCSI-II	1200
DSP3500	3.5GB	12MS	3.5"	SCSI-II	1800
DSP3550	3.5GB	12MS	3.5"	SCSI-II	2200

MAXOPTIX

1-6B & 1.36B REWRITABLE OPTICAL DRIVES

TARTI 1MB INTERNAL/EXTERNAL \$109/139

TARTI 1MB 4MB INTERNAL/EXTERNAL \$109/139

2000 200MB INTERNAL \$109/139

5200 200MB EXTERNAL W/CART \$109/139

SCSI-IDE CONTROLLERS

FUTURE DOMAIN

TMC-1605VW SCSI-2 w/Cable & Drivers \$110

TMC-1605VSP SCSI-2/FDD Cable/Drivers \$110

TMC-7009EX SVP Fast SCSI-2 EISA \$110

VM/386™



Watch your productivity **SOAR!**

With VM/386 version 3.1 you will reach new heights in productivity. VM/386 is an multiple award winning Multiuser/Multitasking DOS product that allows a single host 386/486/Pentium PC host to act as a true MultiUser and/or MultiTasking server. The SingleUser version allows the host PC to run multiple applications at the same time. The user has complete control over their operating environment. Since VM/386 version 3.1 supports Windows 3.1 and DPMS programs it also supports standard DOS applications. You may run windows in one session while running a DOS communications program in another session.

Included free with all versions of VM/386 is Netpak which allows all sessions access to Novell, other networks, CD-ROMs, and other devices.

The MultiUser version includes all of the capabilities of Single User and enables up to 32 users to share a single host PC. The users can be local or remote, serial terminals, graphic stations, or PC's all sharing the processing power and peripherals of the host computer. Applications can run up to 10 times faster than on a Local Area Network. Other features include:

- Remote Management
- True MultiTasking for all users
- No hard disk reformatting
- Simple Installation
- Local or Remote capabilities
- Uses MS/PC DOS
- Free Terminal Emulator with multiuser version
- Increased performance
- Connectivity support
- Low Maintenance
- Low Cost
- Printer Sharing
- Hard Disk Sharing
- Modem/Fax Sharing
- CD-ROM Sharing
- Other Peripheral Sharing

With more than tens of thousands of installations world wide VM/386 has become a market leader in Multitasking/Multiuser solutions. Applications include: process control, manufacturing control, Retail Point of Sale, Accounting, Wordprocessing, Database, Bulletin Boards, Automotive, Video Store, Restaurant, Software Development, Insurance, Medical, Dental Office, General Business, Remote Access, and many more. For more information on VM/386 or the dealer nearest you please contact us at:



IGC, Inc.
180 Crossen Avenue
Elk Grove Village, IL 60007
U.S.A.

Phone (708) 364-9200
U.S. Sales (800) 866-5597
Fax (708) 593-2790
BBS (708) 593-2789

IBM

NEW RELEASE

IBM PC 300 SERIES CALL
500MHz-100MHz PROCESSORS, vlb pci 64-bit video, multimedia models.

IBM PC 700 SERIES CALL
90MHz-100MHz processors, with ISA OR PCI OR MCA architecture, 2mb 64-bit Video card, Business Audio, Plug & Play.

IBM PCI SERVER 500 CALL
90MHz processors, non array or array models, Wide SCSI or Wide Array SCSI controllers, CD rom drives, 22 drive bays!

THINKPAD 755C CALL
THINKPAD 755CS CALL
THINKPAD 755CF CALL
THINKPAD 755CD CALL

ALL PS/2 COMPUTERS & PS/2 SERVER are also available

THINKPAD 360CS
4MB, 1.44 mb floppy
passive display
170MB \$2499

THINKPAD 510CS
4MB passive display
\$1690

HEWLETT PACKARD NETBOOK

OMNIBOOK 600 C 50MHz 4/250MB \$2699
OMNIBOOK 600 C 75MHz save

MEMORY & DRIVES

FOR IBM, COMPAQ, TOSHA, HP

Desktop/tower
4MB/8MB/16MB 65/399/645

Notebooks
4MB/8MB/16MB 220/420/640

HARD DRIVE FOR NOTEBOOKS
4MB/8MB/16MB 299/399/552

PENTIUM 90 MHZ

90 MHZ INTEL BOARD & CPU, 1.44MB floppy drive, Orchid 64-BIT PCI 2MB Video card, double speed cd rom sound card, speakers, 540 MB HARD DISK, DOS, WINDOWS, MOUSE.

\$2199

BRAND NAMES
LOW PRICES
LEADER
SINCE 1983

We export with International Warranty

HEWLETT PACKARD

HP DeskJet 320.....	290	HP 1200C.....	1299
HP 4+/.....	1360	HP 1200 C/ps.....	call
HP4M+.....	1840	ScanJet Ilex.....	889
DESKJET 560C.....	455	HP 4L.....	639
DESKJET 540.....	285	HP 4P/.....	915
HP 4SIMX.....	4140	HP COLOR LASER	
HP 4SI.....	2799	PRINTER.....	CALL
HP 4V/4MV.....	NEW	* qty discounts	

NOTEBOOK

Toshiba

1910C 486SX/4/200MB stock
T1960CT 486DX2/50 4/200MB/340MB save
T2400 series special
T4800 SERIES 75MHz SYSTEMS call
T4900 SERIESL call

Also carry NEC, Epson, AST, ALR

COMPAQ CONTURA

400c & 400cx

DX2/40MHz, 4MB, 250 MB disk RAM, DOS, WINDOWS, pcmcia, TABWORKS, built in mouse

Passive color . . . \$2450
Active color . . . \$3150

COMPAQ PROSIGNIA SERVER

60MHz 32-bit netflex controller, 32-bit fast scsi controller, compaq fast double speed cd rom drive

\$4150

COMPAQ PROLINEA

4/33s

4MB RAM, DOS, WINDOWS, MOUSE, TAB WORK

270MB \$1099
420MB \$1199

COMPAQ PROLINEA 4/66

4MB RAM, 420MB HARD DISK, DOS, WINDOWS, MOUSE, TAB WORK

\$1499

COMPAQ

Notebooks

LTE Lite 4/40C & 4/170MB 2999
LTE Lite 4/40CX MHz 170/340MB 3650
LTE Lite 4/75 MHz with 340MB DISK 5399
LTE Lite 4/75 MHz with 510MB DISK 5899

Prolinea Mini Tower Series

Prolinea DX2/50 4/340MB/525MB call
Prolinea DX2/66 4/340MB/525MB call

COMPAQ DESKPRO Series

Deskpro XL 4/50M 8/270MB call
Deskpro XL 4/66M 8/535MB call
Deskpro XL 5/60M 8/566 8/525MB call

COST EFFECTIVE SERVERS

Prosignia VS DX2/66 Model 1 call
Prosignia VS DX2/66scsi 535MB/1GB call
Prosignia VS DX2/66 scsi 535MB/1GB call

Powerful Servers

Proliant 1000 call
Proliant 2000 call
Proliant 400C call
PROLIANTTRACK MOUNT SERIES SPECIAL

Upgrade available for old Compaq models

COMPAQ PROLINEA DX2/66 CDS

MID TOWER CASE, 4MB RAM, 420MB HARD DISK, 1.44MB FLOPPY DRIVE, DOS, WINDOWS, MOUSE TAB WORKS, DOUBLE SPEED CD ROM DRIVE, SPEAKERS, MICROPHONE, CD ROM SOFTWARE TITLES, 14.4 FAX MODEM, COMPAQ 14" SVGA MONITOR .28 1024X768, THREE YEAR WARRANTY

\$1899

WE STOCK:	ADAPTEC BOCA	CALCOMP CITIZEN	INTEL	CREATIVE LABS EPSOM	HAYES MAYNARD	MOUNTAIN KINGSTON	LOGITECH HOUSTON	EXABYTE KODAK	PINNACLE FUJITSU	AST NEC
------------------	-----------------	--------------------	-------	------------------------	------------------	----------------------	---------------------	------------------	---------------------	------------

MODEMS

14.4 FAX MODEM 75
28.8 FAX MODEM (INT) save
U.S. ROBOTICS 14.4 FAX MODEM . . . 125
U.S. ROBOTICS 28.8 INT FAX MODEM . 235
Megahertz 14.4 pcmcia 220

HP TONER

4P/4 95/102
4I/4p 63/63
Deskjet color 27

CARTRIDGE

3SL/4SL 115
Deskjet black 22

HP NETSERVER

NETSERVER LC 5/60 MLD 1 . . . \$3850
NETSERVER LF 5/60 MDL 1 . . . \$4299
NETSERVER LM 5/60 MDL 1 . . . \$4799
HP VECTRA 5/90 8/540MB . . . \$3599

APPLE

POWER PC 6100/60MHz.....call
POWER PC 7100/66MHz.....call
POWER PC 8100/80MHz.....call

MISCELLANIES

MULTIMEDIA ITEMS

DIGITAL 3X (kit) \$670
Fusion cCD kit \$210
Edutainment kit \$422
(42 Ssoftware titles)

MV-KIT \$325
S Blaster 16 PRO value \$75
S Blaster 16 scsi \$159
PRO Audio spectrum \$75

CD-ROM DRIVES

2X CD SONY 33A \$155
2X CD SONY 55s scsi \$225
NEC 4X special
PLEXTOR 4X \$445

VIDEO CARD

Diamond Viper 2MB PCI \$345
Diamond Viper VLB \$330
Sealth64 2MB vlb \$249
ATI Turbo 2MB pci \$390

Tape Back-Up Drives

Colorado
Jumbo 120/250 \$99/165
Trakker 120/250 \$220/354
Power Tape 2GB \$985
Wangtek 525/1GB (int) \$560/720
Wangtek 4GB \$1099

PRINTERS

OKI ML320/321 \$305/425
OKI ML590/591 \$440/585
OKI OL410e/410 \$645/520
OKI 810/830 \$699/1075

MONITORS

NEC6FGP \$1999
NEW NEC15XP \$650
NEW NEC17XP \$1240
NEW NEC21XP \$2399
VIEWSONIC 17E \$725
VIEWSONIC 15E \$399
VIEWSONIC 20 best deal

NETWARE 3.12

5 USER special
10 USER special
25 USER special
50 USER special
100 USER special

NETWARE 4.01

5 USER special
10 USER special
25 USER special
50 USER special
100 USER special

Special upgrade Pricing to 3.12 or 4.01+ free software \$4700.00.

SPECIAL DEAL

IBM SLC2/66 + math co 180
IBM BLC3/75+ math co 225
INTEL 90MHzcpu+ board 945
INTEL DX2/66cpu+ board 325
420MB DISK 209
540MB DISK 250
1GB FAST IDE 505
1GB FAST SCSI 670
call for quantity discounts

WE WILL TRY TO BEAT ANY PRICE.

Computerlane Inc.

Corporate Accounts
Volume Discounts
Welcome

Outside California: 1-800-526-3482
Inside California: 818-884-8644 • FAX: 818-884-8253
7500 Topanga Canyon Boulevard, Canoga Park, CA 91303
Hours: Monday - Friday 9 - 6, Saturday 10 - 5

Compaq is a Registered Trademark of Compaq. IBM is a Registered Trademark of International Business Machines. All quoted prices reflect a 5% cash discount Visa, MasterCard and American Express Wire Transfer Also Accepted Prices subject to change without notice.

Jameco Motherboards



- Motherboards also available without CPU! Call for details
- Diagnostic and operating system software available
- One-year warranty

105321	80286 16MHz w/CPU	\$69.95
115941	80386SX 40MHz w/CPU	89.95
117401	80386DX 40MHz w/CPU	149.95
79214	80486SX 25MHz w/CPU	199.95
116118	80486SLC 66MHz w/CPU	249.95
95222	80486DX 33MHz w/CPU	399.95
95159	80486DX 50MHz w/out CPU	149.95
95231	80486DX 50MHz w/CPU	449.95

Complete Line of IC's

RAM Memory

41371	41256-100	256KBx1	\$1.85
41398	41256-120	256KBx1	1.75
42251	511000P-80	1MBx1	6.25
42219	511000P-10	1MBx1	5.95

SIPPS

41451	41256A9A-10	256KBx9	\$12.95
41700	421000A9A-70	1MBx9	47.95
41718	421000A9A-80	1MBx9	46.95

SIMMS

41523	41256A9B-80	256KBx9	\$14.95
41486	41256A9B-10	256KBx9	11.95
41689	421000A9B-80	1MBx8	44.95
41742	421000A9B-60	1MBx9	49.95
41751	421000A9B-70	1MBx9	46.95
41769	421000A9B-80	1MBx9	45.95

Instant Printing Network

- PC/XT/AT/386/486 & compatibles
 - Supports up to 16 Computers and one parallel printer
 - Receiver connectors: Centronics male, RJ11 female
 - Transmitter connectors: DB25 male, RJ11 female
 - Easy to install: uses telephone type cable
- | | | |
|--------|--------------------------|---------|
| 111835 | Receiver, 36 pin male | \$49.95 |
| 111843 | Transmitter, 25 pin male | 49.95 |

Keyboards & Keypad



VALUE

78271	32-key keypad -RS-232 interface	\$59.95
67432	101-key enhanced	39.95
17128	101-key computer (Fujitsu)	69.95

Computer Power Supplies

- Fits most popular desktop, mini vertical and vertical cases
 - One-year warranty
 - 8088/80286/80386 and compatible
 - Built-in fan
- | | | |
|-------|-----------------------|---------|
| 19465 | 150 Watt (8088) | \$59.95 |
| 67467 | 200 Watt (8088/80286) | 69.95 |
| 19545 | 200 Watt | 79.95 |
| 19529 | 200 Watt mini | 69.95 |
| 65728 | 300 Watt | 119.95 |

Graphics/Memory Cards

- 8088/80286/80386 and compatible
 - One-year warranty
 - Expand your memory or enhance your graphics capabilities
- | | | |
|--------|---------------------------|---------|
| 67459 | VGA card | \$49.95 |
| 104660 | Super VGA card | 89.95 |
| 91230 | Monochrome graphics | 39.95 |
| 101688 | VESA graphics accelerator | 139.95 |
| 112141 | 8MB memory card | 129.95 |

Parallel Printer Cables and Adapter

26695	PPC Adapter	\$5.95
28716	PPC6 6' - straight cable	3.95
28708	PPC12 12' - straight cable	7.95
28741	PPR6 6' - right angle cable	5.95

9-Pin Serial Cable

31721	SAT6 9-pin serial cable	3.95
-------	-------------------------	------

DB25-Pin Extension Cable

38538	25M10M Male to male	8.95
-------	---------------------	------

Portable Message Recorder

Stores up to 20 seconds of messages for easy retrieval. Records messages, thoughts, schedules, addresses or any other notes anywhere without paper and pen!



NEW

- Instant playback - no "rewinding"
 - Includes four AAA batteries; optional external wall transformer lengthens battery life. (P/N 116492)
- | | | |
|--------|------------------|---------|
| 116484 | Voice Recorder | \$79.95 |
| 116492 | Wall Transformer | 9.95 |

Floppy Disk Drives

- 8088/80286/80386 and compatible
 - Additional accessories available
- | | | |
|--------|------------------------|----------|
| 115810 | SD800 3.5"/5.25" Combo | \$119.95 |
| 74384 | F0235J 2.88MB 3.5" | 114.95 |
| 40774 | 356KU 1.44MB 3.5" | 79.95 |
| 17099 | F055B 360KB 5.25" | 69.95 |
| 17101 | F055G 1.2MB 5.25" | 89.95 |
| 79396 | S0540 360KB 5.25" | 39.95 |

Floppy Controllers and I/O Cards

- One-year warranty
 - 8088/80286/80386 and compatible
- | | | |
|--------|-----------------------------------|---------|
| 19895 | 8088 Multi I/O w/ floppy cntr. | \$69.95 |
| 19908 | 286/386 Multi I/O w/ floppy cntr. | 59.95 |
| 19596 | 8088 Floppy controller | 19.95 |
| 19617 | Floppy Disk Two-drive controller | 34.95 |
| 19668 | Floppy Disk Four-drive controller | 44.95 |
| 87113 | Serial card 16450 UART | 29.95 |
| 67053 | Serial card 16550 UART | 39.95 |
| 104678 | Serial card - 4 serial port UNIX | 69.95 |
| 104109 | I/O Card 4 serial, 3 parallel | 69.95 |
| 105611 | I/O Card | 29.95 |
| 105072 | VESA IDE super I/O card | 29.95 |

Conner IDE Hard Drives

- One-year warranty
- | | | |
|--------|---------------|----------|
| 113751 | CFS210A 210MB | \$199.95 |
| 115764 | CFA20A 426MB | 259.95 |
| 93307 | CFA50A 545MB | 369.95 |

Silicon Valley IDE Disk Drive Adapter Cards

- One-year warranty
- | | | |
|--------|--|---------|
| 10233 | ADP20 16-bit hard | \$22.95 |
| 10250 | ADP20F 16-bit hard/floppy | 24.95 |
| 10268 | ADP50 8-bit hard | 54.95 |
| 10276 | ADP60 16-bit hard w/ BIOS | 59.95 |
| 10284 | ADP60F 16-bit hard/floppy w/ BIOS | 69.95 |
| 74114 | ADP65F 16-bit hard/quad floppy drive adapter | 89.95 |
| 101670 | ADP90VL Super I/O card (VESA) | 99.95 |

Input Devices & Accessories

- PC/XT/386/486/PS2 and compatible computers
 - Microsoft® Mouse compatible
 - One-year warranty
 - Weight: 1 lb.
- | | | |
|--------|----------------------------|---------|
| 104441 | 3 Button serial mouse | \$13.95 |
| 111860 | Microsoft two-button mouse | 49.95 |
| 105515 | Dual port game card | 19.95 |
| 110015 | Trackball (serial) | 29.95 |
| 94641 | Pocket auto printer switch | 17.95 |



1355 Shoreway Road
Belmont, CA 94002-4100
FAX: 1-800-237-6948 (Domestic)
FAX: 415-592-2503 (International)

Everything from Electronic Consumer Products to one of the Largest IC Selections Available!

Call 1-800-831-4242 to order today! New Hours: 6AM - 5PM PST

Circle 170 on Inquiry Card.

Mitsumi Internal CD-ROM Drive

- For use with AT/compatibles with minimum 640K RAM
 - Disk capacity: 630MB
 - Data transfer rate: 150 KB/second
 - Access time: 350 ms
 - Includes: CD-ROM drive, interface card, 40-pin interface cable, 4-pin audio cable, CD-ROM software and instruction manual
- | | | |
|--------|--------------|---------|
| 101311 | CD-ROM Drive | \$79.95 |
|--------|--------------|---------|

External 250MB Tape Back-up

- DDS environment supports QIC-40, QIC-80 and PC-36
 - P/N 117786 can be used with Norton Back-up or PC Tools Back-up
 - P/N 117751 includes easy to use software
- | | | |
|--------|------------------------------|----------|
| 117786 | Tape backup without software | \$149.95 |
| 117751 | Tape backup with software | 199.95 |

Over 6000 Products Stocked

HOT SPECIALS!

Part #	Description	Price
106569	2400 Baud internal modem	\$29.95
106577	2400 Baud external modem	39.95
114905	9600 FAX/2400 bps modem	59.95
115490	Teac 1.44MB 3.5" drive	59.95
114884	XT/AT parallel card	24.95
116054	XT/AT 2MB memory card	99.95
114585	AT 4MB memory card	109.95
116062	XT/AT 32MB memory card	149.95
112580	Latin 101-key keyboard	39.95
116038	140 Watt power inverter	79.95
116046	300 Watt power inverter	149.95

Portable IC Tester

- Our hand-held IC tester is a easy-to-operate, cost effective unit that includes excellent functions.
 - Supports TTL, CMOS, DRAM 41, and DRAM 44 series
 - Size: 7" x 3.625"
 - One year warranty
- | | | |
|-------|--------------------|----------|
| 73525 | Portable IC tester | \$139.95 |
|-------|--------------------|----------|

1 Socket 16K-2MB (E)EPROM Programmer

- Programs EPROM's, EEPROM's, and flash memories
 - Programs 16KB to 2MB EPROM's
 - Menu driven software
 - Full screen buffer editor
 - File formats supported: Intel Hex, Motorola S Hex, Tektronix Hex, and Binary
 - 2 & 4-way Binary file splitting programs
 - 2 & 4-way Binary file shuffler programs
 - Includes adapter card, software and manual
 - Size: 7" L x 5.5" W x 1.75" H • One-year warranty
- | | | |
|--------|-----------------------------|----------|
| 101400 | 1 Socket 16K-512KB | \$129.95 |
| 78457 | 1 Socket 16K-2MB (above) | 199.95 |
| 76465 | 4 Socket 16K-2MB Programmer | 269.95 |
| 104651 | 1 Socket 16K-8MB Universal | 699.95 |

286 12MHz Bare-bones System

- Includes motherboard, computer case, power supply & keyboard
 - Intel 286 12MHz processor
 - 1MB RAM
 - 1.2MB (5.25") floppy disk drive
 - IDE hard/floppy controller
 - Five expansion slots
 - Two serial & one parallel port
- | | | |
|--------|-----------|----------|
| 115705 | 286 12MHz | \$149.95 |
|--------|-----------|----------|

386 40MHz Bare-bones System

- Includes motherboard, computer case and power supply
 - 386DX 40MHz processor
 - 128KB cache memory
 - Memory expandable to 64MB
 - One-year warranty
- | | | |
|--------|-------------|----------|
| 114471 | 386DX 40MHz | \$249.95 |
|--------|-------------|----------|

486SX 25MHz Bare-bones System

- Includes motherboard, case, power supply & keyboard
 - Intel 80486SX-25 CPU
 - Memory expandable to 32MB
 - 256KB cache memory
 - One-year warranty
 - 1 parallel, 2 serial & 2 game ports
- | | | |
|--------|-------------|----------|
| 115959 | 486SX 25MHz | \$349.95 |
|--------|-------------|----------|

Info. Super Highway Accessories

- | | | |
|--------|---------------------------------------|---------|
| 67598 | 9600 baud FAX/2400 bps internal modem | \$59.95 |
| 112061 | SAMS Navigating the Internet Book | 24.95 |

Monitors

- | | | |
|--------|--|----------|
| 78676: | 0.39 mm dot pitch | |
| | Max. resolution: 1024 x 768 | |
| 66122: | Low radiation | |
| | 0.28 mm dot pitch | |
| | Max. resolution: 1024 x 768 (interlaced) | |
| 87978 | 14" Amber monochrome | \$109.95 |
| 78676 | 14" Super VGA | 269.95 |
| 66122 | 14" Super VGA (Low radiation) | 349.95 |

Cable Testers

- Why use expensive on-line system time to trouble shoot cable problems? Try these easy-to-use testers!
 - 115879 does not require 9V battery; all others require 9VDC battery
 - Comes with zipper case
- | | | |
|---------|--|---------|
| 115916: | RJ11 6P6C connector. Use w/straight, reverse wiring systems. Tests: miswire, open, short | \$29.95 |
| 115908: | RJ45 8P8C connector. Use w/straight, reverse wiring systems. Tests: miswire, open, short | 29.95 |
| 115895: | RJ45 8P8C connector. Use w/258A, 356A AT&T/Ethernet 10-base-T wiring systems. Tests: miswire, open, short | 49.95 |
| 115879: | RJ45 8P8C connector. Use w/Ethernet 10-base-T, IBM token ring, EIA/TIA(T568A), AT&T(T568B) wiring systems. Tests: transmission signal, status access | 49.95 |
| 115887: | BNC or TNC, Coax/TNC connected systems. Tests: open, short | 39.95 |



Call 1-800-831-4242 to order today! New Hours: 6AM - 5PM PST

Circle 170 on Inquiry Card.

Own a PC? What would happen if you lost all your data?




Death, Taxes and Data Corruption

◆ Eventually your hard disc will crash. The floppy disc with your *only* copy of that vital contract will become corrupted. We live in an imperfect world and data loss is one of the dangers we all face. ◆ The wrong thing to do is worry about your data—the right thing to do is to protect yourself from the inevitable. Introducing a way to cheat fate—911-Recover.

Automatic Data Recovery

◆ 911-Recover will automatically repair any software structure problems on hard or floppy discs even if the disc is not accessible from the operating system. ◆ 911-Recover has a unique **Disc Analyzer** which is capable of determining the exact nature of any problem in your disc's partitions, master boot sector, volume boot sector, root directories, sub directories, 1st and 2nd File Allocation Tables (FATs) and the file structures themselves. ◆ You don't have to know all that technical stuff—but if you're a more advanced user, 911-Recover offers some unique and extremely powerful features.



Repairs Files Damaged by Other "Recovery" Software

◆ Some competing data recovery programs can damage files that *could actually be recovered*. Don't worry—if your data is still on the disc, 911-Recover can get it back! ◆ It's like having your own Data Recovery House in a box, except that you can do it yourself, and get your data back **RIGHT NOW!**

Be Prepared When Catastrophe Strikes...Order your copy now! Don't wait for your hard drive or floppies to crash.

Call: **800/864-8008**
or **818/547-0125**
Fax **818/547-0397**

System Independent - Works with MS DOS, Windows, Novell and O/S2.

MICRO 2000, Inc.
1100 E. Broadway, Suite 301
Glendale, CA 91205



HARD DRIVES

Maxtor 540MB IDE Drive.....	\$229
Maxtor 546MB IDE Drive.....	\$249
Maxtor 420MB IDE Drive.....	\$189
Maxtor 340MB IDE Drive.....	\$169
Western Digital 420MB IDE Drive.....	\$209
Western Digital 540MB IDE Drive.....	\$249
Western Digital 730MB IDE Drive.....	\$359
Western Digital 1.0GIG IDE Drive.....	\$459
Micropolis 1.05GIG IDE or SCSI.....	\$539
Micropolis 1.7GIG SCSI Drive.....	\$899
Jumbo 350MB Tape Drive.....	\$169
Jumbo 700MB Tape Drive.....	\$299

CD-ROM DRIVES

Sony Double Speed Drive.....	\$109
Mitsumi Double Speed Drive.....	\$119
Panasonic Double Speed Drive.....	\$129
TEAC Quad (4x) Speed Drive.....	\$309
Toshiba 200ms Double Speed Drive.....	\$259
Toshiba 120ms Quad Speed Drive.....	\$349
Texel Double Speed SCSI Drive.....	\$249
Chinon Double Speed SCSI Drive.....	\$259

SOUND CARDS

Sound Blaster Pro Deluxe.....	\$69
Sound Blaster 16 Basic.....	\$99
Sound Blaster AWE-32.....	\$239
Rock Magic 16bit Sound (SB Pro Compat).....	\$69
Sound Plus 16bit Sound (SB Compat).....	\$69

MULTIMEDIA

Sound Blaster Discovery 16 Multimedia Kit.....	\$239
<i>Includes SB 16, DS CD-ROM Drive, Stereo Speakers, CD-ROM Software</i>	
TEAC Quad Multimedia Kit.....	\$389
<i>Includes SB16, TEAC 4x CD Drive, Stereo Speakers, CD Software</i>	

**540MB IDE HD
\$229!!!**

MOTHER BOARDS

All Mother Boards 256k Cache & ZIF Socket	
TYPHON 486DX/DX2 3VL/7 ISA AMI-BIOS.....	\$89
ASUS 486DX2/DX4 3VL/7 ISA 30/72pin ram slots.....	\$99
OPTI 486DX/P-5 3VL/7 ISA 30/72pin ram slots.....	\$259
OPTI P5 60/66Mhz 2VL/4 PCI/3 ISA AMI-BIOS.....	\$289
INTEL P5 60/66Mhz 3PCI/4 ISA AMI-BIOS.....	\$289
ASUS P54C 90Mhz 2VL/4 PCI/3 ISA AMI-BIOS.....	\$289
OPTI P54C 90Mhz 2VL/4 PCI/3 ISA AMI or AWARD.....	\$329
INTEL Platinum P54C 90Mhz 3 PCI/4 ISA.....	\$329

PROCESSORS

AMD 486-40DX.....	\$169	Intel 486-66DX2.....	\$219
AMD 486-66DX2.....	\$199	Intel 486-100DX4.....	\$499
AMD 486-80DX2.....	\$239	Pentium P5 60Mhz.....	\$399
Pentium P5 66Mhz.....	\$449	Pentium P54C 90Mhz.....	\$599

GRAPHIC CARDS

<i>"Win Turbo / Win Boost" ATI Mach-64</i>	
ATI Mach-64 VLB or PCI 2MB VRAM.....	\$279
Diamond Stealth-64 VLB/PCI 1MB/2MB VRAM.....	\$189/\$299
Diamond Stealth-24 VLB 1MB DRAM.....	\$129
Orchid Kelvin-64 VLB/PCI 1MB/2MB RAM.....	\$159/\$199
Trident 9400Cxi VLB 1MB DRAM.....	\$69
S-3 Chipset VLB 1MB DRAM.....	\$69

MEMORY

1X9 (3-Chip) 1MB 30pin SIMM.....	\$39
4X9 4MB 30pin SIMM.....	\$149
4MB 72pin SIMM.....	\$149
8MB 72pin SIMM.....	\$299
16MB 72pin SIMM.....	\$499

(800)-369-5411

Visa/MC Accepted

Sales: 718-853-7888 Fax: 718-854-1820
Monday Thru Sunday 10am-10pm

Compustar Computers

61A Church Ave. Brooklyn, NY 11218

MODEMS

<i>All Modems Listed Are Internal</i>	
28.8k VFC/v.32 Data/Fax Modem.....	\$119
14.4k v.32 Data/Fax Modem.....	\$69
US Robotics Sportster 28.8k VFC Data/Fax Modem.....	\$199
ZOOM 14.4k v.32 Data/Fax Modem.....	\$79
"MultiMedia" 14.4k v.32 Data/Fax/Voice mail Modem.....	\$89

MONITORS

Arche 14" .28 dot pitch SVGA..NI.....	\$219
Arche 15" .28 dot pitch SVGA..NI.....	\$319
Oasis 14" .28 dot pitch SVGA.. NI.....	\$209
ViewSonic 15E 15" .28 dot pitch SVGA..NI.....	\$369
ViewSonic 15 15" .28 dot pitch SVGA..NI.....	\$459

CONTROLLERS

VLB 2 IDE Drive Multi I/O Controller.....	\$19
VLB 4 IDE Drive Multi I/O Controller.....	\$39
Super VLB Enhanced IDE Multi I/O Controller.....	\$69
VLB SCSI2, IDE, Multi I/O.....	\$149
Future Domain 8 bit SCSI2 Controller.....	\$49

ACCESSORIES

1.44MB/1.2MB Combo Floppy Drive.....	\$99
1.44MB 3.5" Floppy Drive.....	\$39
1.2MB 5.25" Floppy Drive.....	\$49
101-key Enhanced Soft Click Keyboard.....	\$19
Ergo Serial Mouse.....	\$13
MicroSoft Ergo Mouse.....	\$39

NETWORK

<i>NetWare Tested & Approved</i>	
NE2000 EtherNet Combo Card (10Base-T & 10Base-2).....	\$35
NE2000 EtherNet 10-Base-T Card.....	\$29


**28.8k Modem
\$119!!!**

SciTech

SOFTWARE FOR SCIENCE

Best Sellers

at great prices!




MICROSOFT® FORTRAN POWERSTATION

Develop & run Fortran programs of virtually any size & complexity with Microsoft FORTRAN PowerStation family of 32-bit development systems! Migrate Fortran code from other platforms with little or no modification! Get unparalleled price/performance!

Save time in code development and maintenance using the Windows integrated development environment. Call NOW to order or request a FREE Test Drive Kit!

DOS & Windows price\$339
Windows NT price\$519



MICROSOFT® IMSL® MATH & STATS LIBRARIES

Complement Microsoft FORTRAN PowerStation with Microsoft IMSL mathematical and statistical libraries! Seamless interface with FORTRAN PowerStation allows you to port Fortran code developed on other platforms — including calls to the IMSL libraries — to the PC. 1,000 precoded, tested, robust routines. Reduce application development time by using the extensive online Help.


DOS & Windows price\$495
Windows NT price\$495

IMSL C NUMERICAL AND GRAPHICAL LIBRARIES from Visual Numerics™

Optimized for Microsoft Visual C++ Compilers

Save 75-95% of source code development. Mathematical, statistical, 2D and 3D graphical subroutines written in C. Includes full online documentation with hundreds of copy-and-paste code examples. FORTRAN libraries also available.


Windows NT price\$1,149



PV-WAVE

Effectively manage, analyze, explore, interpret, and visualize your most complex equations and largest data sets. Solve problems, uncover and convey more knowledge using integrated numerics, statistics, mathematics and advanced graphics, including 2D, 3D, 4D, animation, contours, meshes, surfaces, overlaid plots and much, much more.

Windows price\$969



RESEARCH STATION™ FOR WINDOWS™

A single framework for all types of electronic data-text, graphics, images, video and voice. Access, combine, view and manage data from many sources; automate routine tasks; track, exchange and present information in one integrated environment.

Windows price\$995

STATlab

Explore and analyze your data graphically with STATlab, a powerful statistical tool for data analysis with user-friendly point-and-click analysis and interactive exploratory graphics. STATlab includes descriptive statistics, factor analysis, multiple regression, clustering, powerful statistical mapping, an integrated data dictionary, flexible import/export (Q+E, ODBC) and more.

Windows price\$595




NEW Version 2.0

Question

Easy-to-use survey software for Windows that makes it easy to design, administer and analyze survey data. Questionnaire design automatically creates validated data entry screens. Includes comprehensive descriptive and multivariate statistics including correspondence analysis, t tests, multiple regression and easy-to-customize graphics. Lexical analysis lets you process open-ended questions. Disponible en version française.

Our price\$595



To order or for more information call 1.800.622.3345

ask for our free 116-page catalog with more than 1,750 products!

Resellers call 1.800.622.3340

SciTech

Tel: 312-486-9191 Fax: 312-486-9234

SciTech International, Inc. 2525 N. Elston Avenue, Chicago, IL 60647-2003

Circle 184 on Inquiry Card (RESELLERS: 185).

call 1-800-622-3345

FAST, FOCUSED ANSWERS TO YOUR IT QUESTIONS DELIVERED TO YOUR FAX MACHINE . . . 24 HOURS A DAY, 7 DAYS A WEEK

Instant access to Datapro's product and technology reports is just a phone call away. Whether you're working on a product plan or trying to stretch every dollar in a proposal to purchase, smart decisions depend on getting the right answers at the right time. *Datapro on Fax* is what you need.

Find out how *Datapro on Fax* can help you work faster and smarter. Call today for your free *Datapro on Fax* catalog.

Here are some of the topics covered of special interest to BYTE readers:

- > 486-based portables
- > CD-ROM drives
 - > Integrated desktop applications
 - > Storage subsystems
 - > Client/Server technology and architecture

**DATAPRO
ON
FAX**
WHEN YOU NEED IT

800-329-8398 (800-FAX-TEXT) or 609-764-2840



**Mc
Graw
Hill**

6105

RACK MOUNT COMPUTER SYSTEMS



MONITORS

- 9" to 20" Diagonal Sizes
- Monitor Kit for Desktop Monitors Available



ENCLOSURES

- 20 Different Models
- Designed for 8, 12, 14, 20 Slot Board
- Redundant Power Supply (Optional)



101 KEYBOARD

- Full travel drawer mounted 101 keyboard with mouse holder & 22" rail

RACK MOUNT SERVER SYSTEM

Available as parts or complete system



RACK MOUNT ANYONE? With so many look-alikes, whom do you choose? Choose a company which manufactures its own product lines backed by quality and experience! APPRO builds a complete line of rack mount products and custom-built systems up to 20 slots in ISA/EISA/VESA configurations. As a manufacturer, we guarantee our customers quick turnaround and provide superior service along with quality at unbeatable prices.




17" MONITOR ENCLOSURE

- Adjusts to most 15" to 17" desktop monitors
- Lexan face plate



RACK MOUNT SYSTEMS

- 19" Rugged chassis with up to 600 watt P/S
- Motherboard or Backplane up to 20 slots
- 286, 386, 486, or Pentium systems
- Rack mount SVGA monitor
- Fully Assembled with 48-hour burn-in



486DX4-100MHZ CPU CARD

- 486DX4 up to 100MHZ
- On-board VESA-VL Bus True Color VGA
- Passive backplane - 3 slots to 20 slots
- Also available 386, 486, ISA/EISA/VESA CPU card

INDUSTRIAL RACK MOUNT SYSTEMS



- 286, 386, 486 ISA/EISA/VESA System
- 9" Monochrome or 10" Color SVGA monitor
- 3 External & 2 Internal drives
- Membrane 101 Keyboard



APPRO INTERNATIONAL, INC.
2032 Bering Drive, San Jose, CA 95131 TEL 408•452•9200
800-927-5464 FAX 408•452•9210

Circle 178 on Inquiry Card.

Get the Best ^{Award Winning} Universal Diagnostics Toolkit on the market!

Winners of these awards:



"You name it, this tests it. If you maintain PC's, you'll love it."
—Jerry Pournelle, BYTE Magazine, May 94



Works on any PC!

Featuring these two top-rated, award-winning diagnostic tools from MICRO 2000, Inc.:

Micro-Scope™ UNIVERSAL DIAGNOSTICS SOFTWARE Ver. 5.0

Fully O/S Independent diagnostic software...

MICRO-SCOPE Universal Computer Diagnostics was developed to satisfy the expanding need for accurate system diagnosis in the rapidly growing desktop computer market. Patterned after super-mini and mainframe diagnostic routines, MICRO-SCOPE runs independently of any standard operating system, and is therefore at home on any machine in the Intel world. Speed, ease-of-use, and razor sharp accuracy are a few of the advantages that arise from this system independence, together with an impressive list of functions including the ability to perform low level formatting on every drive currently manufactured, including all IDE drives.

- LOW-LEVEL FORMAT — Performs Low-level format on all drive types including IDE drives. This function cannot hurt IDE drives.
- USE CONTROLLER BIOS — Program will access BIOS format built into any hard disk controller—even Controllers yet to be invented.
- O/S INDEPENDENT — Does not rely on O/S for diagnostics. Talks to PC on hardware level. All tests are full function regardless of O/S (i.e. Novell, UNIX, OS/2).
- TRUE HARDWARE DIAGNOSTICS — Accurate testing of CPU, IRQ's, DMA's, memory, hard drives, floppy

- drives, video cards, etc.
- BATCH CONTROL — All tests, even destructive, may be selected for testing.
- ERROR LOGGING — Automatically inputs errors during testing to an error log.
- AUTOMAPPING — Automatically bad sector maps errors found on hard disks.
- IRQ DISPLAY — Show bits enabled in IRQ chip for finding cards that are software driven. (Network, Tape Backup, etc.)
- IRQ CHECK — Talks directly to hardware and shows I/O address and IRQ of devices that respond.
- MEMORY EXAMINE — Displays any physical bit of memory under 1 Meg. Very useful for determining memory conflicts. Very useful for determining available memory space.
- SECTOR EDITOR — Allows the editing of any sector of floppy or hard disk media (even track 0).
- AND MUCH MORE... We don't have enough space here for everything this software can do!

POST-PROBE™ 1ST EVER UNIVERSAL POST CARD FOR ALL PC!

The only Power-On Self-Test card you need to debug any "dead" PC...

"This is the only card that will function in every system on the market. The documentation is extensive, and not only covers the expected POST Codes for different BIOS versions, but also includes a detailed reference to the bus signals monitored

by the card." —Scott Mueller from his globally recognized book, 'Upgrading & Repairing PCs, Second Edition'

- Includes pads for voltmeter to attach for actual voltage testing under load.
- 4 LEDs monitor +5vdc -5vdc +12vdc -12vdc.
- Monitors Hi & Lo clock and OSC cycles to distinguish between clock chip or crystal failure.
- Monitors I/O Write and I/O Read to distinguish between write and read errors.
- Monitors memory write/ read to distinguish between address line failures and memory chip failures.
- Monitors ALE for proper CPU/DMA operation.
- Monitors Reset to determine if reset is occurring during POST, indicating short.
- Monitors progress of POST without POST codes.
- Reads POST codes from any IBM or compatible that emits POST codes. ISA/EISA/MCA.
- Compatible with Micro Channel computers.
- Dip switch allows easy selection of I/O ports to read.
- Includes tristate LOGIC PROBE to determine actual chip failures.
- Manual includes chip layouts and detailed POST procedures for all major BIOS's.
- AND MUCH MORE...

Also ask about our other Universal Products—**Micro-Scope CLIENT:** The practical answer to remote diagnostics (no modem required).

THE COMPUTER CONSULTANT: 100% accurate realtime benchmarking tool.

Micro-Scope CENSUS: Inventory software to see and record what's inside all of your PCs.



Call Now for Special Pricing: **1-800-864-8008** or Fax (818) 547-0397

1100 East Broadway, Suite 301, Glendale, California • Phone 818/547-0125 • Fax 818/547-0397

International Orders please call: MICRO 2000 Australia: 61-42-574144 • MICRO 2000 Europe (UK): 44-462-483-483

Circle 181 on Inquiry Card.

It's easy to get attached to your notebook.



Notebook to SCSI instantly.

Now notebook PC users won't have to give up their favorite desktop peripherals. Adaptec connects virtually any notebook to virtually any SCSI peripheral including CD-ROM, hard drives and tape drives. It's the quickest way to tap into your database or access high quality graphics from anywhere. The MiniSCSI™ Plus kit and the MiniSCSI EPP kit connect SCSI to your parallel port. The SlimSCSI™ kit is for PCMCIA connectivity. All three include software that is fully compatible with Windows and DOS. See your dealer or call **1-800-934-2766**.



I/O. NOW MORE IMPORTANT THAN EVER.

©1994 Adaptec, Inc. All rights reserved. Adaptec, the Adaptec logo, IOWare and SlimSCSI are trademarks of Adaptec, Inc. which may be registered in some jurisdictions. MiniSCSI is a trademark of Trantor Systems Limited, an Adaptec company. All other trademarks belong to their respective owners.

POWER PRINTING - 150,000 cps



Plug the BuffPort™ into your PC and print to any parallel printer or device. Transfer data from your PC as fast as the printer can accept it, up to 150,000 cps. (A standard PC parallel port is typically limited to about 10,000 cps.) Use the BuffPort with the HWP for a 150,000 cps printer sharing system!

If you have an older printer that does not have a high-speed interface, then connect a CPR buffer to the end of your printer cable and send from the BuffPort at 100,000 cps. The CPR also works as a printer buffer with a standard PC parallel port, but would be limited to the PC port's speed.




BUFFALO is a registered trademark of Meiko, Inc. BuffPort is a trademark of Buffalo, Inc.

SIMMs:

- 1 x 36 & 32
- 2 x 36 & 32
- 4 x 36
- 4 x 8, 1 x 3

PCMCIA



Printer Sharing:

- SL 6 ser. & 4 par.
- SLP 2 ser. & 8 par.
- HWP 5 parallel ports
- HXM 2 ser. & 2 par.
- HXS 4 serial ports
- ASB 5 parallel ports



2805 19th St. SE, Salem, OR 97302-1520 FAX: (503) 585-4505

(800) 345-2356

RACK MOUNT PC SYSTEMS & ENCLOSURES

MULTIPLE DRIVE COMPUTER SYSTEMS AND ENCLOSURES



- ◆ Computers available with '386, '486, or Pentium processors
- ◆ 8 or 12 slots for Motherboards or passive backplanes
- ◆ All drive bays are shock mounted
- ◆ Accommodates full height & full length cards
- ◆ Card retainer to firmly hold plug-in cards
- ◆ 250W power supply w/ front panel on/off switch
- ◆ Front panel keylock/reset switches & LED status displays



DC 24V and 48V power supplies available for systems & enclosures

SYSTEMS WITH 9" MONO & 10" SVGA COLOR MONITORS

- ◆ Computers available with '386, '486, or Pentium processors
- ◆ 8 or 12 slots for motherboards or passive backplanes
- ◆ Shock Mounted cage for three half-height front panel drives
- ◆ Internal hard drive bracket holds two half-height drives
- ◆ 9" MONO or 10" SVGA color monitors with front panel controls
- ◆ 250W power supply with front panel ON/OFF switch
- ◆ Front panel keylock/reset switches and LED status displays



Available in both 20" and 24" deep models

**TFT COLOR
& EL VGA
models available!**
Connects directly
to standard
VGA output!

RACK MOUNT MONITORS



- ◆ 9" MONO & 10" SVGA color monitors
- ◆ Tinted Lexan shield for screen protection
- ◆ Power, Contrast & Brightness controls in front



- ◆ 14" SVGA & Multi-Sync color monitors
- ◆ Automatic degaussing
- ◆ Standard 15-pin input connector



- ◆ 17" Ultra VGA 0.26 dot pitch color monitor
- ◆ Microprocessor controlled digital adjustments
- ◆ Energy-Star & MPR-II compliant



Call us for quotes on custom rack mount systems!
Ask us about Passive Backplanes and open-frame monitors!

RACK MOUNT KEYBOARDS AND ENCLOSURES



- ◆ Vertical rack mount or desktop
- ◆ Sealed membrane 101 keys
- ◆ Selectable on/off audible tone
- ◆ XT or AT operation



- ◆ 101 K/B with mouse holder
- ◆ Full travel (4mm) keys
- ◆ Optional protective cover



- ◆ Standard 101 keyboard enclosure
- ◆ Storage space for K/B and mouse
- ◆ Slides for rack included

RACK MOUNT PRINTER



- ◆ Microline 184T dot matrix printer
- ◆ IBM compatible graphics characters
- ◆ All operator controls easily accessible
- ◆ Large storage for roll or fanfold paper
- ◆ Standard IBM parallel printer interface
- ◆ Serial printer interface also available
- ◆ Slides, power & signal cables included

UniMod™ MODULAR COMPUTER SYSTEMS



- ◆ Independent self-contained 4 or 8 slot computer modules
- ◆ Individual module power supply and filtered cooling fan
- ◆ Available with '386 or '486 CPU's & various memory & hard drive sizes
- ◆ 7" TTL Mono or 7" VGA color or mono monitors available for further flexibility
- ◆ Multiple configurations can be combined in 7 inches of vertical rack space
- ◆ Available with either AC or DC power supplies

**NOW
in both
4 & 8 Slots**



Call us for UniMod™ combinations and quotes

RECORTEC, INC.

1290 Lawrence Station Road, Sunnyvale CA 94089
Tel: (408) 734-1290 Fax: (408) 734-2140

RACKFAX™
(408) 734-9374
Fax-On-Demand System

800-729-7654

Call for free catalog



Circle 177 on Inquiry Card.

WE WILL BEAT ANY ADVERTISED PRICE!

Lifetime Warranty
on all
MEMORY PRODUCTS

4901 Morena Blvd.
Suite 1111
San Diego, CA 92117

Fax (619) 681-0125
Customer Service
(619) 581-1439

TOLL FREE 800-581-6040

PACIFIC COAST MICRO INCORPORATED

No surcharge on credit cards
P.O.s accepted from Universities and Qualified Firms.

WE WANT YOUR BUSINESS!

At Pacific Coast Micro we guarantee to beat any advertised price.

Call us for the lowest price & fastest service on quality products you can depend on. And remember, all of our memory products have a Lifetime Warranty.

IDE HARD DRIVES

Pacific Coast Micro specializes in all your storage needs...If you see it advertised at a lower price, we will BEAT IT!

Maxtor

MODEL	SIZE	SPEED	TYPE	PRICE
7345A	345MB	14MS	3.5" IDE	\$175
7405	405MB	10MS	3.5" IDE	199
7540	540MB	11MS	3.5" IDE	239

Conner

MODEL	SIZE	SPEED	TYPE	PRICE
CFA210A	210MB	13MS	3.5" IDE	\$159
CFA340A	340MB	13MS	3.5" IDE	179
CFA420A	420MB	12MS	3.5" IDE	189
CFA540A	540MB	10MS	3.5" IDE	255
CFA1080A	1.8GB	10MS	3.5" IDE	509

Seagate

MODEL	SIZE	SPEED	TYPE	PRICE
ST3491A	428MB	11MS	3.5" IDE	\$189
ST3660	545MB	12MS	3.5" IDE	306
ST314546	120MB	11MS	2.5" IDE	219

WESTERN DIGITAL

MODEL	SIZE	SPEED	TYPE	PRICE
1219	212MB	13MS	3.5" IDE	\$159
2349	340MB	12MS	3.5" IDE	199
2429	425MB	12MS	3.5" IDE	199
2640	540MB	12MS	3.5" IDE	255
2700	730MB	10MS	3.5" IDE	345
AC3100	1.6Gb	10MS	3.5" IDE	505

Quantum

LPS 540A	540MB	10MS	3.5" IDE	\$245
----------	-------	------	----------	-------

SCSI DRIVES

MAXTOR	MXT340SL	540mg	9MS	\$379
CONNER	CFA340S	340mg	12MS	259
CONNER	CFP1000S	1.06gb	9MS	699
SEAGATE BARRACUDA 1 MB CACHE, 7200 RPM, SCSI 2 FAST				
ST12550N	2.1gb	8MS		\$1329
ST31200N	1gb	9MS		699

SPECIALS

Maxtor
540 mg IDE \$239

Conner
CFS420A 420 mg IDE \$189

MOTHERBOARDS



SUPER MICRO P90 PCI


Byte Magazine - "Best Overall" and PC Magazine - "Editor's Choice Award"

\$1059

2mg to 128mg, 4-72 pin Simms, 512K Cache, 4 PCI, 2 Vesa, 5 ISA, 75, 90, 100 Selectable 8 1/2"x13

CYRIX 486 VLB

3VL, 5 ISA Slots, Ami Bios, Opti Chip Set, 256 K-Cache, upgradeable to 486 DX CPU, 486 DLC 40 VLB.....\$185



INTEL 486 VLB

3VL, 5 ISA Slots, Ami Bios, Opti Chip Set, Ziffsocket, 256 K-Cache

486 DX 33	\$239
486 DX2-66	339
486 DX4-100	659
486 DX W/O CPU	105

PENTIUM PCI

3 PCI-5 ISA Slots, Intel Mercury Chip Set, Phoenix Bios, Ziffsocket

586 P60	\$689
586 P66	809
Pentium Board w/o CPU	219



SIMMS

ALL SPEEDS AVAILABLE

1X3-70	\$40	1X36-70	\$154
1X9-70	\$42	2X36-70	\$349
4X9-70	\$132	4X36-70	\$559
16X9-70	\$589	8X36-70	\$1159

PRICE ON 70 NS

VIDEO cards...

Cirrus Logic	SVGA VLB 1-2, 1MB Upgradeable to 2MB	\$95
SpeedStar24x	DIAMOND PRODUCTS ISA, max. 1024x768 NI, 72MHz, 24-bit, 16.7 mil. colors	\$119
SpeedStarVL	VL-Bus, 16 mil. WinMark, 1MB, 16.7 Mil. Colors, 72MHz	119
ViperVLB	VL-Bus, 74MHz, 2MG VRAM, Wei-teck P9000, 60 Million WinMark, 2MB	299
Stealth 64 PCI or VLB	2MB	209
Stealth 64 PCI or VLB	4MB	459

CD ROMS

MITSUMI

FX001D Int., double speed, 250MS, 16 bit card.....\$134

MATH COs

83D8733\$25
83D874033
83S873329

TEAC

CD-55A, QUADSPIN, 195MS, 600KB
Transfer rate.....\$299

NEC

NEC 3XCDR-510 95MS
Triple Spin.....\$339

CPUs

I486DX2-66\$245
I486DX33139
CX486DLC-4069
CX486DLC-3359
586 P60Call
586 P66Call
586 P90665
486 DX4100Call

TAPE DRIVES

Conner 250\$145
Colorado Jumbo 250149
DC2120 Tapes15

Call for ALL PRODUCTS MEMORY UPGRADES

UPGRADES FOR THOUSANDS OF COMPUTERS & PRINTERS

100% GUARANTEED

CACHE RAM

32K x 8-20	\$ 6.95
32K x 8-15	7.25
32K x 8-12	12.75

D RAM

256x1-80\$2.00
256x4-805.00
256x4-705.75
1x1-705.75
1x1-805.00

CREATIVE

DISCOVERY 16


Soundblaster 16,
2 Labtec Speakers,
Double Speed
CD ROM,
Aldus Photostyler,
The New Grolier
MultiMedia Encyclopedia
100% CD Bonus Pack

\$255

CONTROLLER BOARDS

Promise DC4030VL-VLB, IDE Caching Controller\$119
Adaptec 1542CK-ISA, SCSI Controller189
Adaptec 2742T-EISA, SCSI Controller289
IDE/IO card, 2s/1p/1g27
IDE/IO-VLB, 2s/1p/1g15
IDE/IO VLB Enhanced35
IDE/IO VLB High Speed45

SAME DAY SHIPPING AVAILABLE IF ORDER PLACED BY 2:30 P.M. P.S.T. HOURS: MON-FRI 7AM-5:30PM P.S.T. SAT. 9AM-2PM P.S.T.
Shipping is non-refundable • No cancellations on special order items • 20% Restocking fee on refunds within 30 days • No refunds after 30 days • Warranty replacement only • All prices final • Prices subject to change
Circle 191 on Inquiry Card.



Serving you since 1979

JDR Microdevices®

1850 SOUTH 10TH STREET, SAN JOSE CA 95112-4108



Special Prices for Byte Buyers!
Good Through 2/28/95

To receive these special prices, you must mention key code #1061

Seagate IDE Hard Drives

Upgrade to a new high-quality, high-capacity Seagate drive. These 3-1/2" drives are designed for general purpose, medium performance applications.

ST-3250A	214Mb, 16ms, IDE, Fast ATA	\$169.95
ST-3290A	263Mb, 16ms, IDE	\$189.95
ST-3491A	428Mb, 14ms, IDE, Fast ATA	\$209.95
SPECIAL FOR BYTE CUSTOMERS ONLY!		
ST-3660A	545Mb, 14ms, IDE, Fast ATA	\$299.95
ST-3780A	722Mb, 12ms, IDE, Fast ATA	\$389.95
ST-31220A	1.08Gb, 12ms, IDE, Fast ATA	\$629.00
ST-5660N	545Mb, 12ms, Fast SCSI-2	\$339.95
ST-31200N	1.05Gb, 10ms, Fast SCSI-2	\$599.00
ST-12400N	2.1Gb, 10ms, Fast SCSI-2	\$1199.00
ST-12550N	2.1Gb, 9ms, Fast SCSI-2	\$1359.00
ST-15150N	4.2Gb, 9ms, Fast SCSI-2	\$2399.00



428MB DRIVE
\$209.95
BYTE Special

Note: Please order HD-MHW slot adaptor (\$9.95) to mount 3-1/2" drive in 5-1/4" slot.



Low Cost CD-ROM

Low-cost 5-1/4" Philips CD-ROM drive provides access to a wealth of titles and reference material!

- 8-bit PC compatible ISA card
- Uses IRO 3, 4, 5 or 6 and I/O port 300x, 310x, 330x or 340x
- 150Kb per second transfer rate; 375ms average access time
- Automated setup software, drivers & CD-ROM extensions



\$89.95
BYTE Special

CM-205 \$89.95

Network Starter System

This easy-to-install LANtastic network starter system is ideal for small LANs!

- Ideal for small peer-to-peer LANs
- Includes 2 network adaptors, software, 25-ft. thin Ethernet cable and terminators



\$319.95
BYTE Special

NR2000SKC \$319.95

250Mb Tape Drive

Store up to 250Mb on a single DC2120 mini-cartridge tape, using data compression.

- PC, QIC-40 read & QIC-80 read/write compatible
- Up to 6.7Mb/min. transfer rate; 5-1/4" half-height drive with DOS backup software and manual



\$159.95
BYTE Special

DJ-20 \$159.95
QIC80-BULK 5 preformatted tapes (250Mb in QIC-80) \$99.95

OverDrive™ Processors


- BOXDX20DP-66** \$229.95
Plugs into 33MHz 486SX or 486DX OverDrive socket
- BOXDX20DP-66** \$229.95
Replaces 33MHz 486SX or 486DX CPU
- BOXDX20DP-50** \$169.95
Plugs into 25MHz 486SX or 486DX OverDrive socket
- BOXDX20DP-50** \$169.95
Replaces 25MHz 486SX or 488DX CPU
- BOXSX20DP-50** \$119.95
Replaces existing 25MHz 486SX with 50MHz 486SX2



1280 x 1024 Accelerator

This accelerator card uses Cirrus Logic's chipset to speed your Windows applications.

- 16-bit PC compatible ISA card
- 1Mb DRAM installed
- Supports analog or multisynch monitors



MCT-VGA-5000 \$99.95

MCT Network Cards

These Novell approved cards feature a jumperless design, so software can configure the card.

- 16-bit PC compatible ISA card
- NE-2000 compatible adaptor; thin net version includes BNC connector with T-adaptor; 10BaseT version uses RJ45 connector



MCT-10B2 Card with Thin Net BNC connector \$49.95
MCT-10BT Card with 10BaseT RJ45 connector \$49.95

JDR Price Guarantee

If you purchased any item from JDR Microdevices in the last 30 days and we've lowered our price, call us with the details and we'll promptly refund the difference

IDE F/H Controllers

Combine your most frequently used I/O ports in one card! This card integrates serial, parallel and game ports with an IDE hard disk interface & floppy controller.

- MODULAR CIRCUIT TECHNOLOGY
- MCT-IDEIO+ \$99.95
- MCT-IDEII Multi-I/O IDE controller \$49.95
- MCT-IDEFH IDE Floppy/Hard controller \$29.95
- MCT-AIO+ NS16550 Serial I/O card \$89.95
- MCT-AMS+ NS16550 4-port Serial I/O card \$129.95



14,400 Fax/Modem

This MCT modem includes V.42bis and MNP5 data compression plus V.42 error control.

- 14,400/12,000/9600/4800/2400 baud modem and fax
- 8-bit PC compatible ISA card
- Uses serial port COM1-COM4



\$79.95
BYTE Special

MCT-144IF+ \$79.95

90MHz PCI Motherboard

This motherboard supports both VESA Local Bus and PCI Local Bus.

- 90MHz Pentium™ processor with 16Kb internal cache memory



\$1195
BYTE Special

MCT-M586-90 \$1195.00
MCT-M486VL-66 66MHz 486DX2 CPU \$399.95
MCT-M486VL-33 33MHz 486DX CPU \$329.95
MCT-M386SX-33 33MHz 386SX CPU \$129.95

FREE JDR CATALOGS!



PC PRODUCTS AND ELECTRONIC COMPONENTS

CALL TOLL-FREE

800-538-5000

Digitizing Tablet

The Acecat II digitizing tablet features WINTAB compatibility, allowing co-existence with a mouse or trackball in Windows applications.

- PC compatible tablet
- 5"x5" adjustable active area; 2000 LPI resolution
- Uses serial port COM1-2



\$84.95
BYTE Special

ACECAT \$84.95

Dynamic RAM

DUE TO CURRENT MARKET CONDITIONS, CALL FOR CURRENT BIRAM PRICES!

Part #	Size	Speed	Type	Price
1MX9-80X3	1M x 9	80ns	SIMM	44.95
1MX9-60X3	1M x 9	60ns	SIMM	46.95
4MX9-80X9	4M x 9	80ns	SIMM	184.95
16MX9-70X9	16M x 9	70ns	SIMM	699.00
1MX30-70	1M x 36	70ns	SIMM	159.95
SPECIAL FOR BYTE CUSTOMERS ONLY!				
2MX36-70	2M x 36	70ns	SIMM	379.95
4MX36-70	4M x 36	70ns	SIMM	699.00



Sales 800-538-5000

Toll-Free Fax Ordering 800-538-5005

Local/International 408-494-1400

Order 24-Hours-A-Day By Phone or Fax



TERMS: For shipping & handling include \$5.00 for ground & \$7.50 for air. Orders over 1 lb. and foreign orders may require additional shipping charges—contact our Sales Dept. for the amount. CA residents must include applicable sales tax. Prices subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sales. A full copy of our terms is available upon request. Items pictured may only be representative. JDR, the JDR logo, JDR Microdevices, and the MCT logo are registered trademarks of JDR Microdevices. Modular Circuit Technology is a trademark of JDR Microdevices. Copyright 1995 JDR MICRODEVICES. Other trademarks are the property of their respective owners.

Add-In Boards



Practical Enhanced LOGIC
Logic, Corp.

FREE COREL CD ROM DRIVER KIT
With Purchase Of Any Item

HIGH PERFORMANCE 8-BIT/16-BIT ISA-SCSI Adapters



SCSI WHAT IT CAN DO...

- Disk** ▲ Connects up to 7 SCSI devices using 1 controller card
- CD-ROM** ▲ Coexists with existing IDE drives
- Tape** ▲ Connect Internal and external SCSI devices
- DAT** ▲ Provides optimum performance from your SCSI device
- Optical** ▲ Kits available to support any SCSI device
- Scanner**
- Printer**

PEL 1640 16-BIT SCSI adapter, internal 50-pin & floppy ribbon cable, adds a BIOS and support for up to two 3.5 and/or 5.25 floppy drives. **\$132.00**

PEL 1620 16-BIT SCSI adapter, internal 50-pin ribbon cable, adds a BIOS allowing the P.C. to boot from a SCSI disk drive **\$97.00**

PEL 1600 16-BIT SCSI adapter, internal 50-pin ribbon cable **\$83.00**

V.A.R. Bulk Packs of PEL-1600 Series Available
Resellers Urged to Inquire

5 YEAR WARRANTY

Same Day Shipping

Mfg. In U.S.A. 

P.E. Logic, Corp. designs, manufactures and supports the hardware and software for all its products - Se Habla Español

P.E. Logic Corp. • 22695 Old Canal Road • Yorba Linda, California 92687

To Order or for more information **(800) 345-SCSI**

Circle 236 on Inquiry Card.

Accessories/Supplies • Bar Coding • Communications/Networking

VGA Splitters



H & R TECHNOLOGY
Santa Ana, CA
800-959-6439
ph: 714-641-6607 fax: 6698

Celebrating Our 10th year!

Toll-Free Support
One Year Warranty
Quantity Discounts

- Display your PC's screen on 2, 4, or 8 monitors simultaneously
- Access one PC from two keyboards automatically
- Compatibility with all monitors: SVGA, RGBS, RGB, etc.
- 200 MHZ Video buffer assures bright and crisp image - GUARANTEED!
- Monitor & keyboard EXTENSION CABLES available to 250 feet
- Video Switch Matrix and other special / custom products available

Circle 228 on Inquiry Card.

The Videx OmniWand®



The OmniWand is a hand-held DOS computer housed inside a cast-metal case.

With modules that attach to either side of the OmniWand, you create a data collector to fit any application.

This powerful data collection computer boasts internal memory of 1 megabyte of RAM and 256K of flash ROM. It not only runs DOS 5.0, we installed it in the flash ROM for you! Need more power? The OmniWand is compatible with PCMCIA cards, offering you all the memory capacity the most demanding job requires.

Call for a free information kit today!

1105 N.E. Circle Blvd., Corvallis, OR 97330
503-758-0521 • Fax 503-752-5285



Videx and OmniWand are registered trademarks of Videx, Inc. GC0504b

Circle 211 on Inquiry Card.

SILICON WAREHOUSE HARD DRIVES

CONNER

420 MB CFS420A 14MS 3.5" HH IDE \$197
540 MB CFA540A 12MS 3.5" HH IDE \$259
1060 MB CFP1060S 9MS 3.5" HH SCSI \$594
1080 MB CFA1080A 12MS 3.5" HH IDE \$535
1080 MB CFA1080S 12MS 3.5" HH SCSI \$594

Maxtor

345 MB 7345A 14MS 3.5" HH IDE \$183
345 MB 7345S 14MS 3.5" HH SCSI \$229
546 MB 7546A 12MS 3.5" HH IDE \$244

MICROPOLIS

1050 MB 4110 8.5MS 3.5" HH SCSI \$557
1050 MB 4110A 8.5MS 3.5" HH IDE \$567
1600 MB 2217A 9MS 3.5" HH IDE \$898
1800 MB 2217 9MS 3.5" HH SCSI \$898

Seagate

428 MB 3491A 12MS 3.5" HH IDE \$209
545 MB 5660A 12MS 3.5" HH IDE \$278
545 MB 5660N 12MS 3.5" HH SCSI \$335
2150 MB 12550N 8MS 3.5" HH SCSI \$1228

WESTERN DIGITAL

425 MB AC2420 12MS 3.5" HH IDE \$209
540 MB AC2540 11MS 3.5" HH IDE \$247
730 MB AC2700 10MS 3.5" HH IDE \$305

Chicony **Genoa**
SYSTEMS CORPORATION

MAGITRONIC Motherboards

486DX2 66 3 VLB AMD CPU AMI BIOS 256K \$339
PENTIUM 60 3 PCI 3 VLB 3 ISA INTEL CPU 256K \$679
PENTIUM 66 3 PCI 3 VLB 3 ISA INTEL CPU 256K \$799
PENTIUM 90 4 PCI 2 VLB 3 ISA INTEL CPU 256K \$989

Call for Memory, CD-ROMs, and All Other Pricing

(800) 347-4887






Government / University P.O.'s Accepted

Circle 240 on Inquiry Card (RESELLERS: 241).

RISC BASED MULTIPOINT CARDS

MS-DOS, LINUX, SCO UNIX, UNIXWARE-SVR4, XENIX

PROMOTION
Resellers Endorse
\$184 \$249 RU 11/92
\$219 \$299 DB 75

APPLICATION

On MS-DOS: Use to connect pool of modems, serial devices (POS). Software based on INT14 interface and communication library.

On UNIX: Connect terminals, modems, printers, serial devices



• 115 Kbps
• Full Modem (RS232)

RESELLERS WANTED

Cyclades Corporation • Fremont, CA (USA)
TEL 800.347.6601 or 510.770.9727 FAX 510.770.0355 e-mail cyclades@netcom.com

Visa & Mastercard welcome
30 days money back guarantee

Circle 244 on Inquiry Card (RESELLERS: 245).

Thinking of Bar Codes



Think Videx!!

If you need a quality bar code reader small enough to fit in the palm of your hand, Videx has a bar code reader for you.

The TimeWand I offers credit-card sized portability, ideal in time and document tracking applications. The rugged DuraWand can take the punishment typically found in

delivery and security applications. The TimeWand II offers the durability and computing power necessary in applications ranging from hospital patient care to warehouse inventory.

Call today to receive a free information kit on Videx portable bar code readers.

1105 N.E. Circle Blvd., Corvallis, OR 97330
503-758-0521 • Fax 503-752-5285



Videx, TimeWand, and DuraWand are registered trademarks of Videx, Inc. GCO462B

Circle 212 on Inquiry Card.

Voice Boards from New Voice. Now the others are obsolete. (Scary, isn't it?)



Computer Telephony Integration (CTI) is one of the fastest growing markets. Pick the voice board with performance that screams. Our sophisticated 2, 4, or 8 port models provide the best building blocks for success. Used in applications such as:

- Int'l Callback/Debit Card
- Interactive Voice Response
- Voice Mail/Messaging
- Automated Attendant
- Fax Back/On-Demand
- Tele-conferencing
- 800/900 Services
- Telemarketing
- Audiotech
- Talking Yellow Pages
- T1 Interface Support

1893 Preston White Drive
Suite #120
Reston, VA 22091

Tel (703) 648-0585
Fax (703) 648-9430

New
oice

Circle 233 on Inquiry Card.

CONTROL ALL YOUR PC SERVERS

FROM ONE KEYBOARD, MONITOR AND MOUSE

with *MasterConsole*®

COMPARE QUALITY AND PRICE PERFORMANCE!

- Save Space, Cut Costs & Centralize Control with 100% Reliability
- "Plug and Play" Any Mix of ATs & PS/2s; Supports PS/2 & Serial Mouse & All Video
- Desktop or 19" Rackmount Models for 2, 4, 8, 16 PCs, Expand to 64
- Keyboard & Mouse Emulators for Error Free PC Operation and Autoboot
- AUTOSCAN™ to Monitor All PCs
- Remote Access up to 150 Feet
- Thousands in Use Worldwide GSA Schedule for US Fed. Govt.



NEW P Models shipping

"No other solution stacks up."

**CALL TODAY!
(908) 874-4072 X 71**



RARITAN COMPUTER, INC. 10-1 Ilene Court, Belle Mead, NJ 08502 Fax (908) 874-5274

30-DAY MONEY BACK GUARANTEE FULL 1-YEAR WARRANTY

INTERNATIONAL:
 France: (33) 1-64 67 64 67
 Germany: (49) 180-522-8222
 Ireland: (353) 1-454-0589
 Italy: (39) 2-66800548
 Japan: (81) 3-3255-1517
 Korea: (82) 2-412-5775
 Netherlands: (31) 10-4423313
 Sweden: (46) 020-788850
 Switzerland: (41) 22-7532200
 Taiwan: (886) 2-218-1117
 United Kingdom: (44) 244-520222
INTERNATIONAL RESELLERS INQUIRIES WELCOME — CONTACT RCI (908) 874-4072

Circle 229 on Inquiry Card (RESELLERS: 230).

Rhetorex Voice Processing boards make CTI a reality.

If you're asking "what's CTI," you're missing one of the hottest new technologies going.

Computer Telephony Integration links PC-based computer applications to the telephone network, providing voice/fax mail, interactive voice response, voice/fax servers and more.



Interested? Maybe you're already developing a CTI application. Then it's time to discover Rhetorex.™

For the best value in CTI technology—from our 2 and 4 port DSP-based voice and fax processing boards, to our 24-port platform—give Rhetorex a call. And start making CTI a reality today.



RHETOREX

Rhetorex, Inc., 200 E. Hacienda Ave., Campbell, CA 95008-6617
Tel. (408) 370-0881; Fax (408) 370-1171

All trademarks identified by the ™ symbol are trademarks of Rhetorex, Inc. All other trademarks belong to their respective owners. © 1993 Rhetorex, Inc.

Circle 207 on Inquiry Card.

Communications/Networking • Computer Systems

LET YOUR COMPUTER DO THE TALKING!

Integrated Voice/Fax Mail

Integrates major voice/fax applications plus program control into one full-featured high performance software. PC-AT/386/486 based. Menu driven. Easy to use. Full support for Rhetorex, New Voice, Dialogic, Bicom, Pika, TTI and Intel voice and fax hardware. Supports up to 32 voice lines and up to 8 fax lines.

Hardware + Software Kits
2 voice lines kit starts at **\$595**
Fax-on-Demand lines: 818-368-4566 or 818-368-8848

SigmaTech Software
Tel: (818) 368-6132 Fax: (818) 368-7859
10801 Bismarck Ave., Northridge, CA 91326 USA
(Resellers/Dealers/OEMs/Private labels are welcome)

- Automated Attendant
- Unlimited Audiotex
- Voice Mail
- Talking Yellow pages
- Telemarketing
- Fax Mail
- Fax-on-Demand
- Fax Broadcasting
- Date/Party lines
- Int'l Call Back

Circle 218 on Inquiry Card (RESELLERS: 219).

TARGET YOUR PREY!



Bag Your Voice Processing Objective

- ◆ VOICE MAIL
- ◆ AUTO-TRANSFER
- ◆ FAX-ON-DEMAND

Complete your mission for as little as \$295.

CALL 1-800-685-4884

510-522-3800 • FAX 510-522-5556
We target developers/OEMs

TALKING TECHNOLOGY, INC.
1125 Atlantic Ave. • Alameda, CA 94501



Circle 210 on Inquiry Card.

Computer Systems • Data Acquisition

Rackmount Solutions

RACKMOUNT COMPONENTS - QTY 25 PRICING

Rackmount Chassis 19"x7"x17"	\$131
Rackmount VGA Monitor	\$531
Rackmount Monitor Shelf	\$113
Rackmount Cherry Keyboard Drawer	\$200

RACKMOUNT PLATFORMS - Qty 1 Pricing

RMS486DX2-66 EISA	\$1593	RMS486SX-33	\$915
RMS486DX-33	\$1136	RMS386SX-33	\$665

RACKMOUNT CHASSIS - 15 Models up to 20 Board Slots
SLOT CPU BOARDS - EISA/ISA 486, 486SX, 386, 386SX
RACKMOUNT MONITORS - Super VGA & Monochrome
RACKMOUNT KEYBOARDS - High Quality Cherry KB
RACKMOUNT SWITCH - Video/KB up to 12 CPUs
RACKMOUNT CABINET - Modular from 21" to 96" high
Exclusive International Distributor Program now Available



2468 Armstrong Street, Livermore CA 94550
(510) 447-2030 FAX: (510) 447-4559



Circle 215 on Inquiry Card.

PC-based Solutions for Industrial Automation

- Industrial PCs & Workstations
- Enclosures and Card Cages
- 486/386/286 CPU Cards
- RAM/ROM Disks
- Industrial I/O Cards
- RS-232/422/485

1-800-800-6889
1-408-245-6678 in CA
Fax: 408-245-8268

ADVANTECH.
750 East Arques Ave.
Sunnyvale, CA 94086



New 88-page Solution Guide **FREE!**

Circle 195 on Inquiry Card.



PC-in-a-Box

\$499
q100

PC-in-a-Box Portable OEM system that provides core functions of a PC. DOS applications run from ROM with no change. Development Support is provided.
192x128 LCD, 52 keys, uses KS-9 CPU card with 256K SRAM, DOS, PCMCIA, 1 srl, 4 hr batt. \$599 q1

CPU Cards
KS-9: Low power CPU card with C&T F8680. (286 eq.) Options: 2M SRAM, 1M ROM, flash, 3 serial, 2 parallel, PCMCIA, modem. \$249 q100
KS-2: NEC 40, 256K DRAM, 1 serial. Options: 3 serial, par, PCMCIA, modem, A/D \$129 q100
KS6: V-53 CPU, 512K DRAM, 1 srl. Options: 2M ROM/SRAM, 4 srl, 2 parallel, printer \$229 q100

KILA
Boulder, CO 80301-2842 USA

Call
Tel: 303-444-7737
Fax: 303-786-9983

Circle 201 on Inquiry Card.

World's Fastest A/D Cards



- ✓ 12 bit, 60 MSPS
 - ✓ 8 bit 40 and 100 MSPS
 - ✓ Very Deep Buffers
- Drivers in C, BASIC, Windows DLL, LabVIEW, LabWindows CVI

CSLITE	8 bit, 40MSPS	\$595
CS250	8 bit, 100MSPS	\$3500
CS1012	12 bit, 20MSPS	\$4895
CS8012	12 bit, 80MSPS	\$8985

GaGe
1-800-567-GAGE

Gage Applied Sciences Inc.
5465 Vanden Abeele, Montreal, QC, Canada H4S 1S1
From outside North America, call +1-514-337-6893
Fax: (514) 337-8411, BBS: (514) 337-4317

Circle 198 on Inquiry Card.



Data Acquisition for Notebook PCs

- High-speed, PC parallel-port connection
- 2-ch D/A & 16-ch, 100-kHz A/D
- 32 digital I/O
- 16 high-speed digital inputs
- 5 counter/timer channels
- AC or battery operable
- MS Windows graphical software

IOtech
the smart approach to instrumentation™
IOtech, Inc. • 25971 Cannon Rd • Cleveland, OH 44146
(216) 439-4091 • Fax (216) 439-4093

DaqBook/100™

Circle 200 on Inquiry Card.

FREE, 288 PAGE

DATA ACQUISITION CATALOG AND REFERENCE GUIDE

FOR IBM PC/XT/AT, MICROCHANNEL COMPUTERS AND COMPATIBLES



- A/D Boards
- Signal Conditioning
- Communication
- PC Instruments
- Scientific Software

KEITHLEY METRABYTE

SEND TODAY FOR YOUR FREE CATALOG OR CALL 1-800-348-0033, FAX: 508-880-0179

Circle 204 on Inquiry Card.

24-BIT A/D CONVERTER



\$495

Money back guarantee

800-321-5355

Lawson Labs, Inc.

74 4th Ave. NW
Kalispell, MT 59901

406 257-5355 or FAX 257-5572

We manufacture a broad line of data acquisition products.

Circle 203 on Inquiry Card.

The Intelligent Solution For Data Acquisition



DAP 3200e™ Data Acquisition Processor™

Analog I/O to 769K samples per second
Digital I/O to 1.6M samples per second
Up to 512 analog inputs on one DAP™
Up to 128 digital inputs on one DAP™
Up to 66 analog outputs on one DAP™
Up to 1024 digital outputs on one DAP™

On-board 486: SX, SX2, DX2, or DX4
Real-Time Data Acquisition—Windows or OS/2
Real-Time Process Control—Windows or OS/2
On-board FFT, FIR, PID,
and more
VBX Custom Control

MICROSTAR LABORATORIES™

2265 116th Avenue NE
Bellevue, WA 98004

Ask for FREE catalog and demo diskette.
206-453-2345 / fax 206-453-3199

PORTABLE HARD DRIVE



C.O.D.

BARE KIT WITHOUT HD
\$199 (requires IDE HD)
Complete Kit With HD

210MB	\$394
400MB	\$485
540MB	\$595
1GB	\$950

- Keep the current HD in the system
- Connect to the printer/parallel port
- Configure as primary or secondary HD
- DOS & Windows OK
- Made in U.S.A.

CARROT COMPUTER
4911 Sepulveda Blvd.
Culver City, CA 90230
Tel 310-313-4540
Fax 310-313-4542
BBS 310-313-4543

Circle 238 on Inquiry Card.

• 24 hours info and on-line purchase BBS service 9600bps •

Terminate SCSI Problems!

SCSI Vue™ Terminator



\$59 Retail

Features:

- Active Regulation
 - Status Indicators
 - Gold Contacts
- Benefits:**
- Improves SCSI Bus Performance
 - Less Errors; More Reliable Data Transfer



- Diagnoses Problems
- Analyzes Signal Quality

High-Performance Active Diagnostic

• DOS • MAC • UNIX •



SCSI Vue™ Gold Cables



From **\$39**



Diagnostic Indicator

The Ultimate SCSI Cables

Granite D•I•G•I•T•A•L

3101 Whipple Rd., Union City, CA. 94587
Ph: 510-471-6442 Fax 510-471-6267

Circle 222 on Inquiry Card (RESELLERS: 223).

REMOVABLE STORAGE MODULES



FEATURES & OPTIONS:

- Supports most 3.5" hard drives
- IDE, or SCSI interfaces
- Hot removability
- Key lock ON/OFF security
- Fan cooling option
- Built-in SCSI ID selector switch option
- Ruggedized aluminum or low-cost plastic version
- Power/Drive activity LEDs
- Patent protected

RUGGED RACKMOUNT KEYBOARDS



- 19" rackmount keyboards
- 1U or 1.75" space
- 25 models
- Full travel and membrane types
- IBM PC XT/AT, PS2 compatible
- US and Intl. versions
- Spring-lock front panel
- Serial output 16mm, 2 button trackball

Call Elma at **510-656-3400**

ELMA

ELMA Electronic Inc.
44350 Grimmer Blvd.
Fremont, CA 94538
Tel. (510) 656-3400
Fax. (510) 656-3783

Circle 231 on Inquiry Card (RESELLERS: 232).

CUSTOMIZE YOUR KEYBOARD

- Custom Key Imprinting - all brands!
- Custom Colored keys for IBM®, DEC®, Wyse®, Key Tronic®, Cherry®, and more!
- Custom and stock keytop label kits for software support & languages.
- Full color keyboard templates made to your exact specifications.
- Word Perfect Keyboards.
- Cyrillic, Arabic, Hebrew, etc. Keyboards



CUSTOM HOTLINE 800 937-1337

from the leader in Keytop Innovations™ Dept. BYTE, 260 Justin Dr.
Cottonwood, AZ 86326
Hooleon CORPORATION 602 634-7515
FAX 602 634-4620

Circle 199 on Inquiry Card.

Fast & Friendly

The handheld programmer/emulator for demanding engineers.

\$4 programs EPROMs, EEPROMs, FLASH, PICs, 8751 micros. It emulates RAM and ROM too!

To get \$4 on your desk tomorrow, or to simply request literature, call:

US: **407-649-3335**
INT'L: **(+44) 300 320719**
US Fax: **407-649-3310**
INT'L Fax: **(+44) 300 321012**



Dataman
Dataman Programmers Inc

US: Dataman Programmers Inc., 22 Lake Beauty Drive, Suite 101, Orlando, FL 32806, USA.
UK: Dataman Programmers Ltd, Station Road, Malden Newton, Dorset DT2 0AE, U.K.

15 years of innovative solutions in the palm of your hand.

Circle 197 on Inquiry Card.

INTRODUCING

THE RENEGADE SERIES

It's Expandable,
It's Reliable, and It's Affordable.



AMREL TECHNOLOGIES INC. 1-800-88-AMREL
(818)303-6688 • Fax: (818)358-3838 • 11801 Goldring Road, Arcadia, CA 91006

Circle 214 on Inquiry Card.

1 800 668-2707 Voice: 519 850-0637 Fax: 519 660-1602

From DWC µPLC ...

Our Hottest New Product!!

Smart Input, Output Devices for the PC
Plugs into Your Serial Port

Read or write to inputs or outputs. Program events to occur based on time of day or any event. Sequence events based on input conditions or time. Transmit data based on event or time. ASCII communications. Pre-process acquired data.
Optional Opto22 compatible.

Digital IO - 8 in 8-24V 8 out 120VAC 3A \$198
Analog IO - 8 10 bit 30uS in 4 out \$291
Network Manager: R8232/RS485 Smart \$299



1 800 668 2707 (519) 850 0637 FAX (519) 660 1602

DAVISON ■ WORTH CORPORATION

631 Greenfield Drive London, Ontario Canada N5X 2N2

Circle 220 on Inquiry Card (RESELLERS: 221).

Let your
"true colors shine through"
when you advertise your
computer products in the

BYTE

HARDWARE/SOFTWARE
SHOWCASE

our newest, affordable,
4-color advertising section!

Call for more details:
(603) 924-2695
or (603) 924-2598

12 bit SWITCHING TECHNOLOGY including **DOLL™** (Stereo Amplifier for MULTIMEDIA Applications) 12 MONTHS PART AND LABOR WARRANTY

2x10 Watt Digital Controlled PC Stereo Amplifier for Multimedia

CD-ROM AUDIO INPUT

- 2x10 Watt SPEAKER OUTPUT incl. Butterfly Waltz for Windows
- 4 LINE AUDIO INPUT from CD, Tuner, Soundcard etc.
- 12-bit DOLL™ (Digital One Line Link) Interface for 5, 12, 110 or 220 volt switching technique

Distributors worldwide wanted. Switch boxes are available from \$49. Manufactured in Europe by: **HUNGARY** +\$15 S+H worldwide

DTC Electronics Hungary CALL or FAX us today **\$110**
Sport u. 2; P.o. Box 14. 2112 Veresegyhaz - HUNGARY +36 27 387292

DTC Electronics Hungary

Circle 247 on Inquiry Card (RESELLERS: 248).

Smart Controller



Little Genius™
Starting at \$119, Qty 1

Z-World's C-programmable controllers are ideal as the brains for control and data acquisition applications. Features include digital I/O to 400 lines, ADCs, DACs, relays, solenoid drivers, RS232/RS485, battery-backed RAM, clock, watchdog, LCDs, keypads, enclosures and more. Use our simple, yet powerful, Dynamic C™ development system (\$195 integrated editor, compiler and debugger) for quick project completion!

1724 Picasso Avenue 24-Hour AutoFAX
Davis, CA 95616 916.753.0618.
916.757.3737 Call from your FAX.
916.753.5141 FAX Request catalog #18.

ZWORLD ENGINEERING

Circle 213 on Inquiry Card.

3480 & 9-Track Optical CD ROM Maker

Windows NT, OS2, Novell Software

- 3480 from \$5995
- CD ROM Maker \$3795
- Optical Storage from \$995
- 9-Track \$995 Complete

CALL 1-800-938-TAPE
Get The Very Best For Less



Laguna Data Systems
7340 Smoke Ranch Road, Suite C, Las Vegas, NV 89128
Tel: (702) 254-2648 • Fax: (702) 254-0910

Circle 202 on Inquiry Card.

Tape Solutions

QUALSTAR*

...The Tape Experts

- Top Quality
- High Performance
- Proven Reliability
- Easy to Use
- Best Price
- Total Support
- Factory Direct
- Made in the U.S.A.

9-TRACK # 3480/3490

Data Interchange for
DOS, NOVELL, UNIX,
WINDOWS AND OS/2

6709 Independence Ave.
Canoga Park, CA 91303
FAX (818) 592-0116
Tel (818) 592-0061
Tel (800) 468-0680

Circle 206 on Inquiry Card.



PC/Mainframe/Mini Information Exchange

- Tape Transfer and Format Conversion
- EBCDIC ↔ ASCII Data Manipulation
- AS/400, TK50, and M™ QIC Drives
- UNIX Tar and DEC Save Set Options
- Reseller Inquiries Invited

QuickCopy™ Tape Duplication
READ/WRITE 9-TRACK
3480 • 8MM • DAT on
YOUR PC NOW!

Call Us ... (317) 848-2077 on
1-800-248-3475

SHAFFSTALL CORPORATION
FAX: (317) 842-8294
Media Conversion Systems Since 1973

Circle 226 on Inquiry Card (RESELLERS: 227).

COMPUTER CHECKS

CONTINUOUS AND LASER

AS LOW AS \$24.95

CALL: 1-800-239-4087
FAX: 1-800-774-1118
ORDERS: 1-800-774-1118
(PLEASE FAX COPY OF VOIDED CHECK)


- ✓ QUICKEN
- ✓ MICROSOFT MONEY
- ✓ SIMPLY MONEY
- ✓ MANY MORE

MC & VISA ACCEPTED



Designer CHECKS
P.O. Box 13387 • Birmingham • AL 35202

Circle 234 on Inquiry Card.



Free Instrumentation Reference and Catalog

National Instruments is providing a 1995 catalog detailing computer-based data acquisition, instrument control and data analysis products. Includes information on exciting new products and technologies such as Plug and Play boards, Power Macintosh software, Test Executives, SPC and SQL add-ons, HP-UX instrument control, PCMCIA interfaces and VXIplug&play. There is also information on customer education classes. Includes tutorials and glossary.

National Instruments
6504 Bridge Point Parkway, Austin, TX 78730
(512) 794-0100
(800) 433-3488 (U.S. and Canada)
Fax (512) 794-8411

Circle 205 on Inquiry Card.

Factory Data Collection



The TransTerm 5 is a work station data entry/display terminal for on-line shop floor data collection into PC/AT/PS-2 systems. The unit is one of a family of such terminals which feature LC displays for operator prompting and data entry via sealed touch keys or an optional barcode scanner or badge reader (Code39, UPC+). A multi-terminal network controller (up to 250 stations) and a dBASE IV compatible software package are also available. System costs start below \$300 per station. Options include display backlighting, barcode scanning, counter inputs, control output.

COMPUTERWISE®

302 N. Winchester • Olathe, KS 66062
913-829-0600 • 800-255-3739 • FAX 913-829-0810

Circle 196 on Inquiry Card.

GSS*GKS

Graphical Kernel System for MS Windows

GSS*GKS, a C and Fortran function library based on the ISO/ANSI GKS-standard, enables you to develop portable graphics applications including user interaction, coordinate transformation and object segmentation. GSS*GKS, which is well established as a DOS version, is now available for MS Windows. Take your existing GKS code, recompile and link it with the GSS*GKS libraries and get a real MS Windows application with access to the Windows print manager. When developing a new application you experience a powerful graphics functionality that can easily be integrated into the windowing environment. You may even add Windows elements such as menus or pushbuttons. Supported compilers are: MS C and Fortran, MS Visual C, Borland C, Watcom C and Fortran. In addition GSS*GKS libraries are available for Windows NT, OS/2, SCO UNIX, Interactive UNIX, Solaris and Onsite UNIX SVR 4.2, thus offering portable graphics functionality on all platforms.



EMATEK

GKS-Standard

EMATEK GmbH
Subbelrather Straße 17
D-50823 Cologne, Germany
Phone: +49-221-512074
Fax: +49-221-529666
Email: gsscgi@ematek.de

Circle 235 on Inquiry Card.

Publication Quality
Graphic
Scientific Graphics

New! Version 7.0
Available for DOS, OS/2, Windows and Windows NT

- High-resolution vector graphics
- Log plots to any base
- 3-D surfaces shaded to level contours
- Printer output limited only by size of output medium (DOS)
- New — patch plots, bar and whisker plots, staircase plots
- PostScript Level 2 support
- All elements in 216 colors

Graphic is a C-library that allows you to create every sort of scientific and engineering plot. No special knowledge is required to program in GUI environments.

Scientific Endeavors Corporation
508 N. Kentucky St., Kingston, TN 37763
(800) 998-1571 FAX: (615) 376-1571

Graphic is licensed for personal use only. Reasonable license terms are available.

Circle 208 on Inquiry Card.

**A Complete 32bit
Multi-user, Multi-tasking
OS for the PC. Including:
C, C++, Ada, Pascal, and
Smalltalk Compilers.
TCP/IP, Slip and PPP.
With complete sources.
And 600 pages of
printed docs. All for
only \$57.95?**

Yup.

Slackware Professional Linux 2.1

(800)546-7274 ACC Corp., Inc.
Tel: (203) 454-5500 Fax: 454-2582

Circle 242 on Inquiry Card (RESELLERS: 243).

A very stable,
easy to use 2 CD
distribution of
the Linux OS
(a Unix clone)
including the
X windows GUI.

**Learn C++ & Windows™-Based Programming...
Simply, Quickly!**

With the OML Learning Series™ you can learn C/C++, object technology and Windows™-Based programming quickly and conveniently in the privacy of your home or office. The OML Learning Series features:

Visual Series™,
C/C++ Series™,
OOA/OOD Series™,
OLE Series™



Each series: \$249* (reg. \$400)
Any 2 series: \$399* (reg. \$750)
Any 3 series: \$549* (reg. \$1050)
All 4 series: \$649* (reg. \$1300)
LAN version: Call
* Limited Time Offer

800-6789-OML

Call us for information, and FREE Demo Software

30-DAY
MONEY-BACK
GUARANTEE



OBJECT
MANAGEMENT
LABORATORY
TEL: 805-373-8111
FAX: 805-373-8116

Circle 246 on Inquiry Card.



Now You Can Have It All

Introductory Price
\$49

To order your copy of Lenny Link call 800-737-8763

Now Lenny Link gives the PC user full access to the data on any hard drive including hidden, system and encrypted files. With Lenny Link you can copy, cut, move, slide and delete files, directories and subdirectories regardless of the attributes. All data can be copied from any PC including laptops and notebooks to any other PC with the included cable right through the serial port or parallel ports. The user friendly interface makes Lenny Link the easiest to use data transfer program available.

CSP Consolidated Software Products, Inc.

Circle 237 on Inquiry Card.

Got Fuzzy Numbers?

NEW!

Conventional spreadsheets can't cope with uncertain or fuzzy numbers.

But now there's FuziCalc. It was designed from the ground up using revolutionary fuzzy math technology to achieve breakthrough performance.

FuziCalc is perfect for projections, planning, and estimating. See for yourself. Call now for FREE info kit.

FuziCalc
The Fuzzy Spreadsheet™

Call 800-472-6183

Circle 239 on Inquiry Card.

PCBoard BBS Software

Call 800.356.1686 for a free, fully operational 2-line demo copy!

Dial-up and Local/Network Access Included • Built-in Internet-UUCP, FIDO & .QWK based Netmail • Bulletins, Files, Surveys, Private & Group Chat • E-Mail, plus Public & Private Message Bases • ASCII, ANSI and RIP Graphics Supported • Includes a FREE Microsoft Windows E-Mail Client



Call our Support BBS at 801.261.8976 for a live demo!

PCBoard
Clark Development Company, Inc.

3950 South 700 East, Suite 303, Murray, Utah 84107-2173
Tel. 801.261.1686 • Fax. 801.261.8987 • BBS 801.261.8976
E-Mail: sales@clarkdev.com • tech.support@clarkdev.com

Circle 288 on Inquiry Card.


Imagine this: Your development team easily extracting legacy data into a generic object format—any size, any type, any relationship, any reference—all capable of annotation. Imagine compilable specifications, interactive testing and automated documentation. Imagine transaction management, logical navigation and readable code. Now think of how this would shorten your time to completion of software projects.

Think of Gamelon, the royalty-free, full cycle development toolkit that combines significant database features with a persistent store class library. Licenses for Windows, OS/2 and NT. For C and C++. But don't just think of Gamelon, call 1.800.GAMELON for a free evaluation disk.

gamelon

Menai Corporation, Menlo Park, California, info@menai.com, FAX 415.853.6433

Circle 249 on Inquiry Card (RESELLERS: 250).



NEW VOICE/FAX SOFTWARE FOR WINDOWS!

Voice Window is the premier "Open Architecture" Voice/Fax processing software for windows!

Voice Window

The *Basic Toolkit* allows you to create sophisticated Voice/Fax processing applications with dBASE III or IV.

VOICE WINDOW FEATURES

- 10,000 Voice Mail boxes
- Complete Auto-Attendant
- Full Fax-On-Demand functionality
- Expandable to 16 telephone lines
- Windows 3.1 compatible!

BASIC TOOLKIT APPLICATIONS

- Credit Card Authorization
- "900" Number Services
- Bank Account Management
- Sell Audio Advertising
- Automatic Billing... & much more!

Voice Window Software \$295.00 The Basic Toolkit \$249.00

Voice Window and the *Basic Toolkit* supports Talking Technology and New Voice Hardware. Voice Window runs on a PC/286/386/486. For Sales and Technical information call:

mystic software inc. 1-800-697-8426

1504 ENCINAL AVENUE, SUITE D, ALAMEDA, CALIFORNIA 94501
TEL 1-510-865-9189 FAX 1-510-865-9563 BBS 1-510-865-3858

Circle 224 on Inquiry Card (RESELLERS: 225).

PROFIT
by making your small office sound **BIGGER**

Viva la Office!

Better than Voice Mail

SiliconSoft Ph: 408-446-4521 Fax: 408-446-5196
4760 Castlewood Drive, San Jose, CA 95129
Hot Line: 800-969-4411 Ask for FREE Product Info

Circle 209 on Inquiry Card.

JANUARY 1995 BYTE 283

Are you looking for service, quality and dependability when it comes to your LAN products?



ALTA RESEARCH CORPORATION



It runs with NetWare



It runs with UnixWare



Look no further. Alta Research, manufacturer of the Award-winning EtherCombo-16+ T/C, has adapters for all your Local Area Network needs:

- 16 bit Ethernet
- 32 bit Ethernet
- 16 Bit Token Ring
- MCA Token Ring
- Internal Concentrators
- PCMCIA Ethernet
- Low Cost Ethernet Solutions
- Network Operating System Bundles

Call Alta Research today for details on our Authorized Reseller Program

1-800-423-8535

Alta Research Corporation

614 South Federal Highway, Deerfield Beach FL 33441

Phone (305) 428-8535 Fax (305) 428-8678

Or contact a reseller near you:

Mainstreet Computer 1-800-333-9899 DataComm Warehouse 1-800-328-2261

Circle 190 on Inquiry Card.

Novell and BYTE Yes Partners

You know the value of Novell's Yes program logo: it tells your customers at a glance that your hardware and software products are compatible with NetWare. There's no guesswork for your customers, no fussing with products that aren't right. The Yes logo is an easy way to tell which products will work on a NetWare network.

For information about advertising your product in the BYTE YES PAGES

The best way to have your customers say "Yes!" to buying your products is to say "Yes!" to BYTE YES PAGES. Just contact your McGraw-Hill representative to get started.

Ellen Perham
603-924-2598
Southern U.S.

Mark Stone
603-924-2695
Northern U.S.

SIMPLY THE BEST RESOURCE FOR DIRECT BUYERS!

Use BYTE's fast, convenient card deck to find the best deals on computer products and services. Each mailing is loaded with essential hardware and software product information for making purchases direct from the manufacturer – *and it's absolutely free!*

The BYTE Deck is your #1 resource for:

- CD-ROM
 - Networking
 - Multimedia
 - Windows
- and More!*

The next edition of the BYTE Deck mailing will arrive in your mailbox soon.

Don't miss it!

Advertisers:

Call Susan Rastellini today at (603) 924-2596 or fax your order to (603) 924-2683

BYTE DECK

THE BUYER'S MART

A DIRECTORY OF PRODUCTS AND SERVICES

THE BUYER'S MART is a unique classified section organized by product category to help readers locate suppliers. Each ad has Inquiry numbers to aid readers requesting information from advertisers.

AD FORMAT: Each ad will be designed and typeset by BYTE. Do NOT send logos or camera-ready artwork. Advertisers should furnish typewritten copy. 2"x1 1/4" ads can include headline (23 characters maximum), descriptive text (300 characters is the maximum recommended) plus company name, address, tele-

phone and fax number. 2"x2 1/2" ad has more space for descriptive text (850 characters is the maximum recommended).

DEADLINE: Ad copy is due approximately 2 months prior to issue date. For example: November issue closes on September 8. Send your copy and payment to: **THE BUYER'S MART**, BYTE Magazine, 1 Phoenix Mill Lane, Peterborough, NH 03458. For more information call: **Margot Swanson at 603-924-2656**. **FAX: 603-924-2683**.

RATES (Jan. 1995)

	3-5 Issues	6-11 Issues	12 Issues
1 ad	\$731	\$701	\$614
2 ads/issue	-	-	584
3 ads/issue	-	-	556
1 ad	\$1,462	\$1,402	\$1,228
2 ads/issue	-	-	1,169
3 ads/issue	-	-	1,111

*****COLOR - Add \$100*****

ACCESSORIES

KEYBOARD, VIDEO, MOUSE, AUDIO

Extend signals from PC with **EXTENDER**
Split signals with **COMPANION/PC EXPANDER**
Switch signals among PCs with **COMMANDER**
Boosts signals up to 600 feet. Control up to 96 PCs with one keyboard, monitor and mouse.

CYBEX CORPORATION

4912 Research Dr., Huntville, AL 35805

Phone: 205-430-4000 Fax: 205-430-4030

Inquiry 651.

STABILANT 22 CONTACT ENHANCER

"Highly recommended..." Jerry Pournelle

A long-term environmentally-safe, resident contact treatment; Stabilant 22 substantially improves the reliability of connectors and contacts for computers, bio-medical electronics, telecom, avionics, process control, CATV, video, audio, and automotive equipment.

D.W. Electrochemicals Ltd.

97 Newkirk Road (North) Unit 3, Richmond Hill, Ontario L4C 3G4, Canada (905) 508-7500

Inquiry 652.

BAR CODE

Bar Code Readers

For PC, XT, AT, PS/2, Macintosh and Serial Terminals

- ★ Attaches as 2nd Keyboard or to any ADB port
- ★ Reads 2of5, 128, UPC/EAN, Code 39, etc.
- ★ External or internal attachment on PC
- ★ Wand, CCD, Slot Badge, Magstripe or Laser
- ★ Two Scanners per Reader
- ★ 100+ Configurable Options
- ★ 2 Year Warranty, 30 Day \$ Back Guarantee
- ★ Direct From Manufacturer
- ★ Top Rated by Independent Review
- ★ Complete with CCD Scanner - \$624
- ★ Complete with Laser Scanner - \$1250
- ★ Complete Wand only Reader - \$329

Worthington Data Solutions

3004 Mission Street
Santa Cruz, CA 95060
408-458-9938

800-345-4220

Labeling Software

On EPSON, IBM, OKI, or LaserJet. Easy WYSIWYG design. Any format/size. Up to 120 fields per label. 18 text sizes to 3" - readable at 100', AIAG, KMart, Sears, MIL-STD, Pennys, 2of5, 128, UPC/EAN, Code 39. File Input & Scanned PCX graphics - \$279. Other programs from \$129.

Worthington Data Solutions

(408) 458-9938

800-345-4220

BAR CODE

Portable Reader

- ★ AA Battery Operated, 64K or 256K
- ★ Display messages and optional voice messages tell operator what to do. Messages are easily recorded (like answering machine) in any language. This unit is EASY!
- ★ Double duty as Non-portable Reader
- ★ 4x20 Supertwist LCD Display, 35 Rubber Keys
- ★ 2 Built-In Inventory Programs
- ★ Download tables and Pick Lists
- ★ Wand, CCD, or Laser Scanner Input
- ★ Serial Interface and Keyboard Interface
- ★ Reads 2of5, UPC/EAN, 128, Code 39, etc.
- ★ 2 year Warranty on Reader & Wand
- ★ 30 Day Money Back Guarantee
- ★ 64K Complete with Steel Wand - \$799
- ★ New Smaller Size - weighs only 12.5 oz.

Worthington Data Solutions

3004 Mission Street • Santa Cruz, CA 95060

408-458-9938 FAX 408-458-9964 800-345-4220

Cordless RF Bar Code Wand

A cordless RF bar code wand or laser with a range of 100 feet. Plug-N-Play. No software needed. Attaches as 2nd keyboard. For IBM and Macintosh or any serial device.

Complete Cordless Wand - \$695. Complete Cordless Laser - \$1775. Optional Range Extenders \$200 per 100' added.

Worthington Data Solutions

(408) 458-9938

(800) 345-4220

Windows Bar Code Fonts

Add bar codes to any font based Windows program. Fonts designed for dot matrix, DeskJet and LaserJet. Print Codabar, 2 of 5, Code 128, UPC/EAN and Code 39 inside your Windows program. TrueType fonts, bitmaps and metafile support included. Only \$199.

Worthington Data Solutions

(408) 458-9938

(800) 345-4220

BAR CODE

Portable Bar Code Reader

- Use as a PORTABLE, WEDGE, or SERIAL
- 9V Battery Operation with Lithium Backup
- 2x16 Supertwist LCD Display
- 54 Key Keyboard with Separate Numeric Keys
- Real-time Clock Supports Date & Time Stamps
- Reads all Popular Bar Codes (16 types)
- Wand, CCD, Laser, or Serial Input Devices
- Built-In Program Generator
- Create Your Own Custom Programs
- 6 Built-In Inventory Programs
- Up to 250 Programs Can Reside in Memory
- Create up to 250 Data Files per Program
- Up to 250 Lock-Up Files in Memory
- Built-In Calculator
- Supports HAYES Compatible Modems
- 64K Memory with Data Compression
- 30-day \$\$ Back Guarantee - 1 Year Warranty
- Complete Unit with WAND Scanner - \$795

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040

(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

BAR CODE READERS

For PC, XT, AT, PS/2, & Serial Terminals

- Emulates Keyboard: Works With Any Software
- Data Appears as Keyboard Input
- Uses Enhanced Decoding Algorithms
- Accepts Wand, Slot/Badge, CCD, Laser, Magnetic Stripe Reader, & RS232 Serial Input
- Reads All Popular Bar Codes (16 types)
- Reads HIGH, MEDIUM, & LOW density codes
- Auto-Discriminates Between Bar Code Types
- Easily Programmed with a Bar Code Menu
- Over 140 User Configurable Options
- Daisy Chain Up to 96 Readers
- Supports NOVELL Networks
- Supports US & INTERNATIONAL Keyboards
- Direct From Manufacturer
- 30-day \$\$ Back Guarantee, 1 Year Warranty
- Complete Unit with LASER Scanner - \$1095
- Complete Unit with WAND Scanner - \$395

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040

(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

CAD

Circuit Design Software for Windows

Easy-to-use schematic entry, PCB design, and simulation software, starting at \$149 each. Complete PCB package with schematics, autorouter, and layout for 2-layer circuit boards, \$399. Enhanced version with autoplacement, more symbol libraries, and up to 16 layers, \$649. CAM file outputs.

Mental Automation, Inc.

5415 136th Place, SE-Bellevue WA 98006

(206) 641-2141 FAX (206) 648-0767 BBS (206) 641-2846

Inquiry 654.

NEW FOR 1995

COLOR IN THE BUYER'S MART!!

Attract the attention of your customers with the addition of color to your ad.

Call MARGOT SWANSON for Details
603-924-2656 * Fax 603-924-2683

Inquiry 653.

THE BUYER'S MART

BAR CODE

Bar Code Printing Software LabelWorks for Windows

- ▶ Prints all Popular Bar Code Types (18 Types)
- ▶ Desktop Publishing Features: WYSIWYG, Scalable Fonts, Rulers, Guides, Lines, Shapes, Page Zooms (25%-400%), Templates
- ▶ Rotates Text, Bar Codes, and Graphics
- ▶ Supports Windows Compatible Fonts
- ▶ Choose From Over One Hundred Popular Label Formats or Design Your Own
- ▶ Rich Text Support: Mix Styles, Types, & Sizes
- ▶ Automatically Prints Serial Numbers
- ▶ Imports & Exports Graphic Files: TIFF, GIF, BMP, PCX, WPG, WMF, TARGA
- ▶ Supports Virtually all Windows Compatible Printers (PostScript, Laser, & Dot Matrix)
- ▶ 30-day Money-Back Guarantee, \$295

*** CALL FOR FREE DEMO SOFTWARE ***
AMERICAN MICROSYSTEMS
 2190 Regal Parkway, Euless, TX 76040
 (800) 648-4452 (817) 571-9015 FAX (817) 685-6232

BARCODE & MAG. STRIPE SYSTEMS

MADE IN THE USA

- **Keyboard Wedge with HP**
Stainless Steel Wand **\$249**
- **Keyboard Wedge with SYMBOL**
LS2000 Laser **\$849**
- **Keyboard Wedge with SYMBOL**
LT1700 Laser **\$562**
- **Software Wedge Decoder with HP** Stainless
Steel Wand or Laser Scanner (DOS & WIN) **\$149 +**
- **Mag. Stripe Encoder/Reader** (3 Trks)
w/Software **\$1099**
- **Printing Software** (DOS, WIN, UNIX...) **\$149 +**
- **Portable Data Terminals** (64K-4.2MB) **\$599 +**
- **Complete POS System:** 486 40MHz,
4MB RAM, monitor, POS Software, SP212 Receipt Printer,
M-S Cash Drawer, pole display, HP stainless steel wand and
magnetic stripe reader with decoder **\$1999**
- **Application Software:** Inven, Asset, Tools, Time & Attend.
- **Radio Frequency Terminals** (spread spectrum/narrow band)
- **FREE** Printing Software, Wand Holder/Laser
Stand, 30 Day \$\$ Back • Spanish Dept. Avail.
• Direct from Mfg.

BARCODE INTERNATIONAL SYSTEMS (BIS)
 12140 Severn Way, Riverside, CA 92503 (805) 270-0018 Int'l
 (800) 653-4252 US • (800) 219-5178 CAN • FAX (909) 270-9920

Inquiry 655.

CD-RECORDABLE

Geared to CD-R technology GEAR, the ultimate CD-Recordable tool for any CD-Standard

If you demand a simple, easy-to-use solution to create CDs, GEAR is everything you need. GEAR supports all major CD-Recorders:

JVC	High Technology
Kodak	Philips
Ricoh	Plasmon/Reflection
Sony	Yamaha

GEAR is available for

- Windows/DOS • Apple Macintosh
- Sun Unix • Hewlett Packard Unix

Elektrotron
USA

10 Presidential Boulevard, Bala Cynwyd, PA 19004, USA
 tel 610-617-0850 fax 610-617-0856

Europe, Asia, Rest of the World

P.O. Box 2436, 5600 CK Eindhoven, The Netherlands
 tel 31-(0) 40-515065 fax 31-(0) 40-514920
 E-mail Elektro@sci.kun.nl

Inquiry 656.

CAD/CAM

CONTOURING MOTION CONTROL

FROM A PRINTER PORT!

NEW INDEXER LPT™ software **\$249**
 VERSION 3 VISA/MC
 • Controls up to six step motors simultaneously.
 • Linear and Circular Interpolation.
 • New features to accommodate machine control.
 • Easy-to-use DOS device driver. Super Manual.
 • CAD-CAM interface available.

Ability Systems

Corporation, 1422 Arnold Ave
 Roslyn, PA 19001 (215) 657-4338
 FAX: (215) 657-7815

Inquiry 657.

CD-ROM

The Official ASP CD-ROM

By The Association of Shareware Professionals
 Freshly Updated Every Quarter

Over 1100 Great Programs

Family, Games, Business, Graphics, Windows + More!
Only \$24.95 + \$2.00 S&H

Order From ASP Approved Vendor FREE Catalog VISA/MC

ABC SOFTWARE SOLUTIONS

123 Grand Avenue, Billings, MT 59101-6020
 406-256-5656 FAX 406-248-7548

Shareware programs require separate payment to authors if found useful.

Inquiry 658.

- * CD-ROM DRIVES *
- * SCSI ADAPTERS *
- * SOUND BOARDS *

* CD-ROM TITLES, MAG & DOS

* CD-ROM CADDIES & ACCESSORIES

Computers at Large

Saratoga, CA

Dedicated to CD-ROM technology.

PLEASE CALL FOR OUR PRICE LIST

800-642-4194 • 408-255-1081

Fax 408-255-2388 VISA & MasterCard accepted

Inquiry 659.

We Buy, Sell & Trade

CD-ROMS & MEMORY CHIPS

Resellers Wanted

Call or write for a free product update

Consolidated CDROM, Inc.

515 67th Ave Philadelphia PA 19126 USA

+1-215-276-3657 / +1-215-276-3854 fax

1-800-8-CDROMS

Inquiry 660.

Language/OS

100s of COMPILERS

INTERPRETERS with SOURCE

for compilers, function libraries, and

docs for standard and research

languages & OS.

Language/OS II

The **LARGEST COLLECTION** of source

just got **BIGGER!!!** A perfect companion for

Language/OS, Additional source for

compilers, function libraries, and docs.

\$34.95 each / \$60.00 for both

To order these or other titles, contact:

KNOWLEDGE MEDIA

436 Nunneley, Paradise, CA 95969

(800) 78 CD ROM (916) 872-7487

FAX (916) 872-3826, VISA/MC accepted

Inquiry 661.

CD-ROM

CD ROM TOWERS & JUKEBOX SERVERS FOR ALL OPERATING SYSTEMS!

No Device Drivers/ MSCDEX needed,
 Complete Kit Networks CD Roms,
 unlimited user license, DISCPORT.

"JES, NONE BETTER AT ANY PRICE"

Call NOW: 1 (800) 482-1866 305-271-0076

Inquiry 662.

New and Updated CDROM Titles

Cica MS Windows CDROM, Thousands of Windows prgrms..\$29.95
 Giga Games CDROM, Games for DOS/Windows.....\$39.95
 Space and Astronomy, Thousands NASA Images/data.....\$39.95
 C User Group Library, C source code Dec 93.....\$49.95
 Sirtel MSDOS CDROM, DOS Shareware/Freeware.....\$29.95
 ORZ Ham Radio CDROM, FCC Callsign Db & Shrw.\$29.95
 Hobbes OS/2 CDROM, OS/2 Shareware/Freeware.....\$29.95
 Source Code CDROM, 650 Mb source, DOS/Unix.....\$39.95
 Gutenberg Project, Literature and docs.....\$39.95
 Linux Operating Sys, 386/486 OS, X11, full src.....\$49.95
 FreeBSD Operating Sys, Ver 1.0, kernel src, X/GNU.....\$39.95
 Litoris Britannia, MSDOS Tech/Sci/Engineer.....\$69.95
 X11R5/Gnu CDROM, Full src, SPARC binaries.....\$39.95
 Nebula for NeXTSTEP, Prgrms for Intel NeXTSTEP.....\$59.95
 Ada Programming CDROM, Compilers, source, docs.....\$39.95
 Amintet CDROM, Amiga Shareware/Freeware.....\$29.95
 CDROM Caddies, Lifetime Guarantee.....\$4.95

Top quality CDROMs. 100% satisfied or full refund.

WALNUT CREEK CDROM

4041 Pike Lane, Ste D-212, Concord, CA 94520

1-800-786-9907 Visa/MC AMEX, Fax: 1-510-674-0821

Inquiry 663.

COMMUNICATIONS

Frame Relay, x.25, BSC, HDLC, SDLC

Use our rock solid, compliant, inexpensive and robust synchronous products for your PC project. On board protocol support reduces PC overhead.

- Support for MS-DOS, Windows, Unix, OS/2, Netware and others.
- CCITT and ISO compliant X.25, HDLC.
- Frame Relay blanket certified for any application.
- Test and datascopie programs for easy debugging.

Sangoma Technologies Inc.

Tel 1-800-388-2475 905-474-1990

Fax 905-474-9223

Inquiry 664.

COMPUTER BOOKS

COMPUTER BOOK STORE

Now, on the Internet! 15% discount off most books from 140 publishers. UNIX, CD-ROMs, Windows, Internet, Macintosh. Electronic catalogs available by anonymous FTP from ftp.computobooks.com. Download catalog from CompuServe (GO CBK). Personal, technical service. Worldwide shipping. All major cards.

CompuBooks

RR1 Box 271D 512-321-9652

Cedar Creek TX 78612 USA Fax 512-321-4525

Orders only 800-880-6818

COMPUTER INSURANCE

INSURE YOUR COMPUTER

SAFWARE Computerowner's coverage provides replacement of hardware, media and purchased software. As little as \$49 a year covers accidents, theft, power surges and more. One call does it all.

1-800-800-1492

SAFWARE, The Insurance Agency Inc.

PO Box 02211, 2929 N. High St., Columbus, OH 43202

Now available in Ontario!!!

Inquiry 665.

COMPUTER MEMORY

MEMORY SIMM MODULES

Wholesale Prices-Domestic and Overseas
Absolutely The Lowest Prices on 30 and 72 Pin Simms

** 1x9-70 \$31.50
** 4x9-70 \$127.50

Lifetime Warranty on all Memory.

We have been The Leaders in Low Prices Since 1986.

Please Call or Fax. • BUY • SELL • TRADE

Windows Memory Corp.

920 Kline St., Suite 302, La Jolla, CA 92037
800-454-9701 Fax (619) 454-9703

Inquiry 666.

COMPUTER TELEPHONY

Write your own Voice Mail software

Create advanced, multi-line voice/fax mail systems with VOS™, the Editors' Choice. Complete language for computer/telephone integration. VOS supports databases, LANs, voice recognition, text-to-speech, conferencing, switching and more.

Call for free booklet *Get into Interactive Voice.*

Parity Software

US: 415-989-0330 fax: 415-989-0441
Europe: +45-3940.8803 fax: +45-3940-7803

CROSS ASSEMBLERS

Cross Assemblers
Simulators
Disassemblers

New
Advanced
Release!

PseudoCorp

921 Country Club Road, Suite 200
Eugene, OR 97401

(503) 683-9173 Fax (503) 683-9186
BBS (503) 683-9076

Inquiry 667.

DATA RECOVERY

We Can Save It!

All Platforms - All Storage Devices
Proprietary techniques so advanced we
rescue data others simply abandon.

DRIVE SAVERS

Restoring data since 1985

1-800-440-1904

415-883-4232

Inquiry 668.

Ontrack DATA RECOVERY

• Professional service recommended by major hard
drive manufacturers • Expertise in virtually every
operating system & media storage device • 24-hour
support with weekend, priority, & on-site service
available • For fast, successful results, call:

MN: 1-800-872-2599 • CA: 1-800-752-7557
UK: 44-81-974-5522 • GERMANY: 0130-815-198

Corp. Headquarters: 6321 Bury Drive, Eden Prairie, MN 55346

Inquiry 669.

DATA/DISK CONVERSION

THE #1 CHOICE in disk & tape conversion

for many leading corporations, government agencies,
law firms, and companies in every industry-world-wide.

Free test • Satisfaction guaranteed

Graphics Unlimited Inc.

3000 Second St. North, Minneapolis, MN 55411
(612) 588-7571 FAX: (612) 588-8783
1-800-745-7571

Inquiry 670.

DATA/DISK CONVERSION

CONVERSION SERVICES

Convert any 9-track magnetic tape to or from
over 5000 formats including 3 $\frac{1}{2}$ ", 5 $\frac{1}{4}$ ", 8" disk
formats & word processors. Disk-to-disk con-
versions also available. Introducing CD-ROM
conversions. Call for more info.

Pivar Computing Services, Inc.

165 Arlington Hgts. Rd., Dept. #B, Buffalo Grove, IL 60089
(800) Convert (708) 459-6010

Attention DOS and Windows users... now you can have file compatibility with all your Macintosh friends!

With MacSEE you can...

- copy files between DOS and Macintosh disks
- rename, delete, and make/remove folders on Macintosh disks
- format Macintosh disks (including hard disks)

But ONLY MacSEE features...

- support for almost any disk including 1.44/2.88 Mb floppy, BIOS compatible hard disks, ASPI SCSI hard disks (SyQuest, Bemoullis, MOs), and CD-ROMs
- file translation for MacBinary and BinHex files, and most common data files including EPS, TIFF, Text, Excel, Photoshop, Quicktime Movies, ...etc.
- includes BOTH DOS and Windows versions in ONE package!

MacSEE is clearly a better deal than buying a whole, new Macintosh and MacSEE is also cheaper than competitors that are unable to live up to half of these features. Try MacSEE under our 30 day money back guarantee!

MacSEE is only \$79.95 and can be ordered direct via check, money order, COD, or corporate PO from:

REEVESoft

P.O. Box 1884 • Clemson, SC 29633
(803) 654-7378 • (803) 654-8130 FAX • 71521, 2200 CompuServe
or via credit card from Public Software Library at 1-800-242-4775
or 713-524-8394 (713-524-8398 FAX). Mention MacSEE (item #11512) when ordering via credit card. Orders will be shipped within 48 hours. Inquiries should be directed to REEVESoft.

Inquiry 671.

WE WROTE THE BOOK!

Deal *direct* with the company who developed the systems that most others use...
SHAFSTALL! Tape/Diskette Transfer/Conversion/Duplication. PC/Mini/Mainframe/Workstation Tape Transfer. WP to WP Document Conversion Services.

1-800-357-6250

317-842-2077

Shaffstall Corporation (Fax) 317-842-8294

Inquiry 672.

DISK DUPLICATION

FULL SERVICE DISKETTE & CD REPLICATION

- Complete Packaging, Assembly & Printing
- Custom Labels & Silkscreening
- Available in all disk formats
- 100% virus checked & copy-verified

MANUFACTURING DISKETTES IN THE U.S. SINCE 1978

SYNCOM TECHNOLOGIES INC.

1000 SYNCOM DRIVE, MITCHELL, SD 57301

1-800-843-9862

Inquiry 673.

EDUCATION

B.S. & M.S. in COMPUTER SCIENCE

The American Institute For Computer Science offers an in-depth home study program to earn your Bachelor of Science at home. B.S. subjects covered are: MS/DOS, BASIC, PASCAL, C, C++, Data File Processing, Data Structures & Operating Systems. M.S. program includes subjects in Software Engineering and Artificial Intelligence. Ada and Using Windows courses also available. Accredited Member: World Association of Universities and Colleges

AMERICAN INST. FOR COMPUTER SCIENCES

2101-BY Magnolia Ave., Suite 200, Birmingham, AL 35205
1-800-787-2427 • 1-205-323-6191

Inquiry 670.

EDUCATION

COMPUTER SCIENCE B.S. DEGREE

B.S. degrees in computer science and other fields offered through home study. Grantham lesson materials. Personal help by mail, phone, fax, BBS. Emphasis on teaching and guiding you to professional competence. Our 44th year. Accredited member DETC.

Free Catalog: 1 (800) 955-2527

Grantham College of Engineering
Grantham College Road, Sisdell, LA 70469-5700

Inquiry 674.

EMBEDDED FONTS

SwellFont™

A scaleable font from 6 ptx & up. All sizes well formed.

Compile ANSI C code (4K) with ppm. For C programmers that supply graphics primitives for CRT or printer. \$50.

FAX 1-800-720-7974 for info.

Schneider Software Systems
Corporation.

3430 List Pl #1006, Minneapolis, MN 55416

Inquiry 675.

FLOPPY DISKETTE

3.5" FLOPPY DISK RELIABLE & DURABLE

- We are a manufacturer licensed by Sony Corporation.
- Our disks are all 100% Tested and Certified Error Free with guaranteed Clipping Level.
- Available products: 2HD, 2DD, video tape, CD jewelry box.
- Our own brand MEGA, OEM or bulk pack are also available.
- Duplicators & wholesalers are welcome

YHC Cassette Ind. Ltd

75 Saintsbury Square
Scarborough, Ont.
Canada M1V 3K1

Tel: (416) 321-1179
Fax: (416) 321-8451

INMARK IND. LTD.

1A Man Fong Industrial Bldg
7 Cheung Lee Street, Chai Wan,
Hong Kong

Tel: (852) 558-2203
Fax: (852) 897-3700

Inquiry 676.

FLOW CHARTS

COBOL STRUCTURE CHARTS

The new PowerStructure for Windows generates incredible structure charts **DIRECTLY** from your COBOL source - **STRUCTURED or NOT!** Forget manual flowcharting. PowerStructure will diagram your spaghetti code, do it in seconds, and free programmers for more important work. Now just \$149.

CyberMetrics

5541 S. Marine Drive., Tempe, AZ 85283
(602) 838-3310

Inquiry 677.

WINDOWS FLOWCHARTER \$129

RFFlow 3.0 is a professional drawing tool for flowcharts & org. charts. Requires Microsoft Windows; 200 shapes auto adjust in size; diagonal lines and curves; auto line routing and re-routing; OLE server; click on a shape to bring up a sub-chart; import/export bitmaps and metafiles; Call for free trial disk.

RFF ELECTRONICS

1053 Banyan Court, Loveland, CO 80538
Phone: (303) 663-5767 FAX: (303) 669-4889

FOREIGN LANGUAGES

OVER 150 LANGUAGES

Translation, Language Learning
Tutorials, Fonts, Dictionaries and
Language Systems for DOS, Mac and Windows.
Japanese, Chinese, Spanish speaking staff.
Call us first for best prices and expert support.
Character Language Resources
2130 Sawtelle Blvd. 304A, Los Angeles, CA 90025
800-569-2099 FAX 310-996-2303

Inquiry 678.

THE BUYER'S MART

FREE COMMUNICATIONS

Cost-Free Communications

Operate dial-up equipment with NO call or cabling costs: develop, demonstrate, test or teach anywhere - instantly! (Also ideal for programming voice systems)

PORTABLE PHONE-LINE SIMULATORS
 Fax Scanner (9 or 18 volts) £28 (\$49)
 One-way Dial-up ("Lite") £79 (\$135)
 Two-way Dial-up ("Demo") £119 (\$199)
 6-channel ISDN ("K384") £2850 (\$4850)

QUANTITY DISCOUNTS - DEALERS WANTED
FREELINK by GoodThinking (UK)
 Access +44(0) 1844 291803 Fax: 292803 Visa

Inquiry 679.

HARDWARE

Pre-Owned Electronics, Inc™

THE Independent Provider, serving the Dealer, Professional, Corporate, Government, and Educational Buyer since 1985

APPLE II® & MACINTOSH® SYSTEMS • PARTS • EXCHANGE REPAIRS

Call for a Catalog... **800-274-5343**
INTL: 617-275-4600 • FAX: 617-275-4848
 205 BURLINGTON ROAD • BEDFORD, MA 01730

Inquiry 680.

HEWLETT-PACKARD

Buy - Sell - Trade

LaserJet ColorPro
 DeskJet DraftPro
 RuggedWriter DraftMaster
 Electrostatic Plotters DesignJet

HP 9000 Workstations and Vectras also available.

Ted Dasher & Associates

4117 Second Ave., S Birmingham, AL 35222
 Phone: (205) 591-4747 Fax: (205) 591-1108
 (800) 638-4833

Inquiry 681.

JAPAN MARKET

Japan's Computer Industry - in English!

Are you missing out on one of the fastest growing software markets in the world? Learn how to get in by subscribing to Japan's only English-language computer magazine - **Computing Japan**. Fax or call for a FREE TRIAL COPY. Subscriptions only US\$93 in North America and ¥9,000 per year elsewhere.

Computing Japan Magazine

USA and Canada: 111 Cedar St. Sandpoint, ID 83864 USA Ph: 208-263-8178 Fax: 208-263-6310
 Elsewhere: Hiroo AK Bldg. 4F 5-25-2, Hiroo, Shibuya-ku, Tokyo 150, Japan Ph: +81-3-3445-2616 Fax: +81-3-3447-4925

Inquiry 682.

LANS

Little Big LAN

The most flexible network

- Peer to Peer LAN to 250 nodes
- \$75 total software cost, net per node!
- Link via serial, parallel, or Modems
- Also via Ethernet or Arcnet, or mix!
- Typically only 40k of RAM

Information Modes

817-387-3339 / P.O. Drawer F, Denton TX 76202
 Fax 817-382-7407 Orders 800-628-7992

Inquiry 683.

NOTEBOOK PERIPHERALS

Second Serial Ports

PCMCIA - RS422/RS485 Interfaces detachable DB9M connector \$249

Toshiba, TI TravelMate, Everex/Sanyo
 • RS232 • RS422/485
 • 16C550 UART • \$179 to \$249
 Custom design capability. Also auto and aircraft power adapters for portable computers, and printers.
 Designed and made in USA!!!

Empire Engineering

California USA tel 805/543-2816 fax 805/543-2820

Inquiry 684.

PROGRAMMERS TOOLS

DON'T DEVELOP NETWORK APPLICATIONS

without NPPC, a powerful library subroutine package with the simplest API available anywhere! Window and DOS, IPX or NetBIOS. Use with any language supporting C subroutine calls: C, C++, Visual Basic, FoxPro, etc. 30 day \$ back guarantee. Download a free demo from our BBS. NPPC for Windows or DOS - \$195 w/source \$395.

SYNERGY SOLUTIONS, INC.

2150 South Country Club, Suite 1, Mesa, AZ 85210
 (602) 545-9797 FAX (602) 545-9827 BBS (602) 545-0232

Inquiry 685.

SECURITY

EVERLOCK - EVERKEY

Software and hardware based copy protection. Features include - encryption, serialization, compression, remotely resettable date and execution limits, user data flags and more!
 Call today and ask about our low cost Trial Kits and free demo disk.

Az-Tech Software, Inc.

201 East Franklin St., Richmond, MO 64085
 (800) 227-0644 (816) 776-2700 FAX (816) 776-8398

Inquiry 686.

THE ULTIMATE SOFTWARE SECURITY

- STOPCOPY family - UNCOPIABLE copy protection
- STOPVIEW software encryption
- NETLIMIT network license metering
- DOS, Windows, Macintosh, OS/2, support
- No source code changes required - for ANY of our products in ANY environment
- Our products destroy ALL of our competition
- Call for FREE demo disk, or to discuss our products' MANY options

BBI Computer Systems, Inc.

14105 Heritage Lane, Silver Spring, MD 20906
 800/TRY-ABBI • 800/878-2224 • 301/871-1094 • FAX:301/460-7545

Inquiry 687.

CRYPKEY SOFTWARE LICENSING SYSTEM

"Hardware key protection without the hardware key"

- CrypKey is a software protection tool, offering
- complete security from any disk copy program
 - complete compatibility with any MS-DOS or MS WINDOWS based machine
 - complete invisibility - no disk key, no hardware key, less support calls
 - instant disaster recovery
 - protect programs distributed on CD-ROM, BBS, or Internet!

CrypKey is a sales tool, allowing you to sell your program

- by increments - enable the options the customer purchased
- by number of runs - e.g., sell 100 calculations for \$100.00
- by time period - e.g., lease or demo your program for 60 days

CrypKey uses a numeric key that can be transmitted by phone, fax, or email. Sell your customers more options, more copies, more time or more runs instantly, just by making a telephone call. (great for overseas customers or distributors) CrypKey is produced by Kenonic Controls Ltd. - engineering and software since 1972.

Kenonic Controls Limited

7175-12th Street South East
 Calgary, Alberta, Canada T2H 2S6
 (403) 258-6200 • fax: (403) 258-6201

Inquiry 688.

KEY-LOK™ SECURITY

Piracy survival 11 years proves effectiveness of powerful multilayered security. Algorithmic response. Programmable memory. Economical. Transparent to PARALLEL/SERIAL port, Counters/Real-Time-Clock. Multi-product/feature licensing. DOS/NT/UNIX/OS2. Access control systems and disk drive locks.

MICROCOMPUTER APPLICATIONS

3167 E. Otero Circle, Littleton, CO 80122
 1-800-4KEYLOK (303) 770-1917 FAX: (303) 770-1863

Inquiry 689.

SOFTWARE PACKAGING

FREE SOFTWARE PACKAGING CATALOG

Everything you will need to Package, Distribute, and Ship Your Software! From manuals and binders to mailers and shippers

LABELS • LABELS • LABELS

For your diskettes, plain or custom printed dot matrix or laser printer... free samples

•••FREE CATALOG•••

Hice & Associates

8586 Monticello Dr., West Chester, OH 45069

Phone/Fax: 513-779-7977

Inquiry 690.

SOFTWARE/BUSINESS

DATA ENTRY SOFTWARE

Full featured, heads-down data entry with two-pass verification, edit language, operator stats, much more! Designed for the PS/2®, PC, XT, AT or compatibles.

PCs from \$395 LAN version available

FREE 30 day trial

Computer Keyes Tel: 206/776/6443
 21929 Makah Rd., Fax: 206/776-7210
 Woodway, WA 98020 USA: 800/356-0203

Inquiry 691.

SOFTWARE/EDUCATION

DERIVE® NEW VERSION 3!

DERIVE, A Mathematical Assistant combines the power of computer algebra with the ease of a menu-driven interface. It solves symbolic & numeric equations, and does calculus, trig, vector & matrix algebra and more. It is programmable, & plots in 2 & 3D. Suggested List Price now only \$125!

Req: MS-DOS PC compatible & 512K.

SOFT WAREHOUSE, INC.

3660 Waiialae Ave. Ste. 304, Honolulu, HI 96816
 Ph: (808) 734-5801 Fax: (808) 735-1105

Inquiry 691.

SOFTWARE/ENGINEERING

Circuit Simulation New LOW COST SPICE Tools

Introducing ICAP/4Lite Affordable SPICE

Experience Analog and Mixed signal simulation like you've never seen before

"Just like being at the Bench."

includes:

- New IsSpice4; Real Time Interactive Display
- UNLIMITED Circuit Size!
- Integrated Schematic Editor
- Model Libraries, more than 5000 Parts
- Windows, Windows NT

Full SPICE programs starting at \$95. Complete systems with schematic entry, IsSpice4, and waveform graphics only \$595.

Call or Fax for your Free Demo kit

P.O. Box 710, San Pedro, Ca 90733-0710

Tel (310) 833-0710

FAX (310) 833-9658

intusoft

Inquiry 692.

SAUNA: 3D THERMAL ANALYSIS

- Models: PCBs, stacked plates, heatsinks, multiboard enclosures.
- All heat transfer modes: convection, radiation, conduction
- Interactive menu-driven
- Thermal parameters library • Fast "What if": dimension, mat'l, finish, analyses • Easy to learn & use
- IBM PC & Macintosh II

Call or FAX for free evaluation program

Tatum Labs, Inc.

1287 N. Silo Ridge Drive, Ann Arbor, MI 48108
 313-663-8810 FAX 313-663-3640

Inquiry 693.

SOFTWARE/GRAPHICS

New Version! AccuSoft Image Format Library 5.0

Programmers: Add support for 36 raster file formats instantly!

TIFF, JPEG, PCX, TARGA, DIB, DCX, GIF, BMP, WMF, PICT, WPG, EPS, Group 3, Group 4
New Formats: Photo CD, PhotoShop, ASCII, KoFax, RLE, LaserData, CALS, ATT, CLP, XWD, IMG, IFF, SUN, XBM, ICO, IOCA, CX2, XPM, CUT, Brooktrout, MAC, MSP.

Guaranteed to read all raster images in existence in the listed formats!

- * Import, export, scanning, conversion, compression
- * Printing, display, image processing
- * Supports all languages
- * Fax formats and multi-page images
- * Rotate, zoom, scale, color reduction
- * Thumbnails, sharpen, special-effects
- * Windows, NT, WinPro Gold 32, VBX, VBX32
- * Watcom, OS/2, MAC, UNIX, Clipper, FoxPro

AccuSoft Corp. Call 800-525-3577
Two Westboro Business Park Westboro, MA 01581 USA
TEL (508) 898-2770 FAX (508) 898-9662

Inquiry 694.

CAD Developers Kit

TG-CAD Professional 5.0, a C/C++ Win/DOS SDK. Read/Write/View PCX/GIF files & DXF to R12. Create fonts & text. Ray Tracing/Shading. Hundreds of 2D & 3D routines. Comes as DOS Lib., Win Lib. & Win DLL. Source available. 30 day limited guarantee. Free Technical White Paper available. Call or write today.
Disk Software, Inc., Box 941152, Plano, TX 75094
1-800-635-7760, Phone/Fax 214-423-7288

Inquiry 695.

FREE IMAGING SOFTWARE

Programmers, call now to get a free copy of LEAD's image management and compression utility. LEAD-TOOLS 4.0 Imagehandler™ for Windows. It's the only tool you'll ever need to handle images and a great way to evaluate our new LEADTOOLS 4.0 toolkit. (WIN32, DLL, DOS, VEX available)

FASTEST IMAGING TOOLKIT GUARANTEED!

LEADTOOLS compression, decompression, converts and processes raster images faster than any toolkit on the market. 30% to 50% faster!
Compare LEADTOOLS with any of our competitors - RISK FREE - and see for yourself.

30 DAY RISK FREE TRIAL!

Call for complete info and FREE demo disk!

800-637-1835

LEAD TECHNOLOGIES INCORPORATED

900 Baxter Street, Charlotte, NC 28204 704-332-5532 (Fax) 704-372-8161

Inquiry 696.

Sirlin's CAD ++ ENGINE™

- Programmers Toolkit supports Read/Write of AutoCAD DWG & DXF Files.
- Object oriented, modular, database-like access to CAD data.
- View, Print, Plot, and Pick modules.
- Available for C/C++ for DOS, Extended DOS, Windows, Sun, Macintosh and other Unix systems.

Sirlin Corporation

25 Orchard View Dr., Londonderry, NH 03053 USA
Phone: (603) 437-0727 • Fax: (603) 437-0737

Inquiry 697.

SOFTWARE/MATHEMATICS

ORSYS - \$299

OPERATIONS RESEARCH SYSTEM

- Linear programs up to 3000 by 15000
- Mixed-integer and discrete linear programs
- Nonlinear objective and quadratic programs
- Transportation and Transshipment models

Eastern Software Products, Inc.

P.O. Box 15328, Alexandria, VA 22309

(703) 360-7600 Fax (703) 360-7654

Inquiry 698.

SOFTWARE/SCIENTIFIC

TEX Scientific Desktop Publishing

- Scalable Fonts • Font effects • Typeface customization
- Equations • Tables • Graphics • Foreign languages
- Multi-lingual spell & hyphenation • IDE • On-line help
- Dos, Dos-32 and Windows versions • From \$199

"TEX of Tomorrow"-Notices of AMS, March 1991

Call now for a **FREE DEMO DISK**

MicroPress, Inc.

66-30 Harrow Street, Forest Hills, NY 11375

Tel (718) 575-1816 Fax (718) 575-8038

Inquiry 699.

SCIENTIST®

SOFTWARE DEDICATED TO EXPERIMENTAL DATA FITTING

User-transparent symbolic algebra enhances numerical performance and robustness. Fit combinations of user-defined

- nonlinear algebraic equations
- implicit algebraic equations
- ordinary differential equations
- Laplace transforms
- least squares splines/polynomials
- interpolating splines/polynomials

Also includes data smoothing routines, 2D and 3D plotting, and a scientific worksheet that allows error propagation and dimensional analysis. Requires Microsoft Windows. \$295. Model Libraries are also available.

MicroMath Scientific Software

1-800-942-6284 Fax (801) 943-0299

Inquiry 700.

FREE CATALOG! AFFORDABLE EARTH SCIENCE SOFTWARE

Over 350 programs for Windows, DOS, Mac, Amiga, UNIX

800-775-6745

RockWare

Scientific Software

2221 East Street, Ste. 595
Golden, CO 80401

(303) 423-5645 • FAX (303) 423-6171

SOFTWARE/TYPESSETTING

MicroTeX

Includes LaTeX 2e

For documents as effective as your words!

Publish elegant documents - even with complex mathematical/scientific equations or in foreign languages.

- Exclusive Integrated Quick-Previewer

• FREE demo disk • FREE shipping

Micro Programs Inc.

251 Jackson Ave., Syosset, NY 11791

Tel: (516) 921-1351 800-Tex4ALL Fax: (516) 921-1004

Inquiry 701.

SOFTWARE/VOICE/FAX

HIGH LEVEL C LIBRARIES

Multi-Voice and Multi-Fax are complete development C toolkits to access all the features for most voice and fax processing boards available today. It helps you write MULTI-LINE VOICE (and/or) FAX APPLICATION in minutes. Many example programs and libraries are delivered with fully commented source code. VISA/MC Accepted.

Multi-Voice for Dialogic, Rhetorex, or Powerline II: \$599

Multi-Voice for Single Line Watson Board: \$399

Multi-Fax for CAS (Intel Safefax)™: \$199

ITI SOFTWARE

Fax-On-Demand for information: (514) 835-2216

Tel: 514-597-1692 Fax: 514-526-2362 BBS: 514-835-5945

UTILITIES

PEN PLOTTER EMULATOR

PLOT turns your printer into an HP pen plotter. Fast hi-res, no jagged lines. Vary line width, color. Screen preview - zoom, pan. Works with most CAD programs. Supports most printers. Requires DOS 2.1 or higher. \$119+\$3 S&H. VISA/MC/Cnk/MO.

FPLot Corporation

24-16 Steinway St., Suite 605, Astoria, NY 11103

718-545-3505

Inquiry 702.

VAX TO PC TRANSLATION

Vax Basic to Visual Basic

Over 300 tests on every Vax line. Problem code is commented and a solutions manual included. Also Visual Basic example step by step. \$395 cheque or draft or wire. Compuserve delivery available.

Mikado Computing Ltd.

309 Regent St, London W1R 8AL, UK

• Call +44 171 323 5423 (24hrs messaging)

• Fax +44 171 911 5104

Inquiry 703.

WINDOWS

* FREE INTERNET

217-322-1111

Full Access 14.4K 8/N/1 All Nodes
Service is FREE *You Pay L.D. Charge
Voice Help 1-217-322-1212

Inquiry 704.

MARKET TO EUROPE!

The **BYTE EURODECK** offers you a unique opportunity to sell your computer products to BYTE's 50,000 European Subscribers!

Call Joseph for more info!

(603) 924-2533

Inquiry 705.

The Best Resource for Direct Buyers

BYTE's jumbo deck is a fast, convenient way to find great deals on computer products and services. Each mailing is loaded with essential hardware and software product information for purchasing direct from the manufacturer - and it's absolutely free! The next edition of the Jumbo BYTE Deck will arrive in your mailbox soon. Don't miss it!

Advertisers: Call Susan Rastellini today at
(603) 924-2596 or fax your order to (603) 924-2683

BYTE DECK

Inquiry 706.

ADVERTISER CONTACT INFORMATION

To order products or request FREE information, call advertisers directly or send in the response card by mail or fax! Let them know you saw it in **BYTE!**

Inquiry No.	Page No.	Phone No.	Inquiry No.	Page No.	Phone No.	Inquiry No.	Page No.	Phone No.
A								
242-243	ACC CORP	282 800-546-7274	505	COMPUTER QUICK	48IS 8 415-861-8330	84	INTEGRAND RESEARCH	116 209-651-1203
159	ADAPTEC	272 408-945-8600	162	COMPUTERLANE UNLTD	266 800-526-3482	551	INTEGRIX INC	48IS 29 805-375-1055
267-268	AER ENERGY RESOURCES INC	144 800-769-3720	196	COMPUTERWISE	282 800-255-3739	*	INTEL CORP	12-13 800-538-3373
61	ALADDIN KNOWLEDGE SYSTEMS	74 800-223-4277	237	CONSOLIDATED S/W PROD	283 800-737-8763	85-86	INTERGRAPH	97 800-763-0242
190	ALTA RESEARCH CORP	284 800-423-8535	*	COPIA INTERNATIONAL LTD	48 708-682-8898	537	INTER S AUTOMACAO	48IS 22 +351 441 2247
543	ALTEX ELECTRONICS	260NE 2-3 800-531-5369	252	COREL DRAW	139 613-728-3733 ext.28	200	IO TECH	278 216-439-4091
544	ALTEX ELECTRONICS	260SO 2-3 800-531-5369	72	COREL FLOW	35 613-728-3733 ext.28	127-128	ITERATED SYSTEMS	198 800-437-2285
*	AMERICA ONLINE INC (N.A.)	48A-B 800-827-6364 ext 10258	182-183	COROLLARY	258 714-250-4040	J		
195	AMERICAN ADVANTECH	278 800-800-6889	129	CREATIVE LABS INC	11 800-998-5227	170	JAMECO ELECTRONICS	267 800-831-4242
*	AMERICAN LUNG ASSOC	260NE 4 800-LUNG-USA	73-74	CTX INTERNATIONAL INC	207 809-595-6293**	*	JDR MICRODEVICES	275 800-538-5000
*	AMERICAN LUNG ASSOC	260SO 4 800-LUNG-USA	75-78	CURTIS INC	100 612-631-9512	146-147	JSB	237 800-359-3408
*	AMERICAN POWER CONV	32A-B	269-270	CYBEX CORP	159 205-430-4030**	144-145	JVC INFORMATION	92 714-261-1292
62	AMERICAN POWER CONV	32-33 800-800-4APC dpt A2	163-164	CYBEX CORP	261 205-430-4030**	K		
214	AMREL TECHNOLOGY INC	280 800-88AMREL	506-507	CYBEX CORP (INTL)	CIH 205-430-4030**	204	KEITHLEY METRABYTE	479 800-348-0033
135-136	ANTEX ELECTRONICS	178 310-532-3092	244-245	CYCLADES CORP	278 800-347-6601	201	KILA	278 303-444-7737
*	APPLE COMPUTER INC	2-3 800-732-3131 ext 750	D			257-258	KINGSTON TECHNOLOGY	147 714-435-2800
178	APPRO INTERNATIONAL INC	270 800-927-5464	524-525	DAEWOO	48IS 5 +31-2503-37214**	552	KUO FENG CORP (INTL)	211 +886-2-754-8488**
536	ARTEK SRL	48IS 15 39 573 934745	157-158	DATADISC	83 800-DATADISC	L		
*	ASPEN SYSTEMS	51 303-431-4606	165	DATALUX CORP	252 800-DATALUX	188-189	L A TRADE	260 800-433-3726
263-264	AT&T MULTIMEDIA S/W SOLTNS	153 800-896-6544	197	DATAMAN LTD	280 407-649-3335	529	LAGUNA DATA SYSTEMS	281 800-938-TAPE
526	AXIS COMMUNICATIONS (INTL)	21 +46-48136130**	271-272	DATAPRODUCTS	160 800-980-0374	202	LANSOURCE	48IS 27 +44 954 782799
B			253	DATASTORM TECHNOLOGIES	137 800-315-3282	203	LAWSON LABS INC	279 800-321-5355
63-64	BEST POWER TECHNOLOGY	87 800-356-5794 ext 9062	220-221	DAVISON-WORTH CORP	280 800-668-2707	513	LOGIC PROGRAMMING ASSOC	48IS 22 800-849-7567
450	BIX	295 800-695-4775	*	DELL COMPUTER CORP (N.A.)	CIH 800-626-8260	140	LOGICIELS ET SERVICES DUHEM	190 +33149700455
154	BOOKLINK TECHNOLOGIES-INTERNETWORKS (N.A.)	85 800-453-SURF	*	DELL COMPUTER CORP (N.A.)	CIV 800-626-8260	M		
284-285	BORLAND INTERNATIONAL	15 800-336-6464 ext 9644	281	DELPHI INTERNET SERVICES	157 800-695-4005	133-134	MAG INNOVISION	107 800-827-3998
65-66	BORLAND INTERNATIONAL	CIH,1 800-336-6464 ext 8918	254-255	DELTEC / NSSI	156 800-335-8321	527	MANNEMANN TALLY	48IS 21 +44 734 788711
538-539	BTRIEVE TECHNOLOGIES	48IS 30-31 512-794-1719	274	DESIGN TECHNOLOGY	162 619-448-2888	296-297	MARX DATENTECHNIK GMBH	164 +49-8403-1555
180	BUFFALO PRODUCTS	272 800-345-2356	234	DESIGNER CHECKS	281 800-239-4087	*	MCGRW-HILL ONLINE (INTL)	59
*	BUSINESS WEEK (INTL)	131 +41-21-617-44-11	79	DIGITAL ALPHASTATION	42-43 800-DIGITAL	282-283	MEDIA ON (N.A.)	31 800-552-7835
*	BYTE BACK ISSUES	48IS 10 603-924-2607	166-167	DISTRIBUTED PROCESSING TECH	263 800-322-4378	249-250	MENAI CORP	283 800-GAMELON
*	BYTE CARD DECK	284 603-924-2596	247-248	DTC ELECTRONICS HUNGARY	280 +36-27-387-292**	180	MICRO 2000	268 800-864-8008
*	BYTE EDITORIAL SURVEY	140	E			181	MICRO 2000	271 800-864-8008
*	BYTE EURODECK	48IS 14 603-924-2533	231-232	ELMA ELECTRONIC	279 510-656-3400	172-173	MICRO SOLUTIONS COMP PROD	257 800-295-1214
291	BYTE ON CD ROM	189	235	EMATEK GMBH	282 +49-221-529666**	174-175	MICRO SOLUTIONS COMP PROD	259 800-295-1214
*	BYTE READER	243	533-534	ERGOTRON EUROPE	48IS 13 +31 20 696-66-65	273	MICRO-INTERNATIONAL INC	181 800-867-5667
*	BYTE REPRINTS	260NE 1 603-924-2618	508-509	EUTRON	48IS 28 +39 35 201003	*	MICROSTAR LABORATORIES	279 208-453-2345
*	BYTE REPRINTS	260SO 1 603-924-2618	80	EXABYTE CORP	71 800-EXABYTE	89	MICROWAY	236 508-746-7341
*	BYTE REPRINTS (INTL)	85 603-924-2618	F			126	MINICOM / CLASSNET VIDEO	84 +972-2-637576**
*	BYTE SUB MESSAGE	190	510-511	FAST HARDLOCK (INTL)	31 +49-89-539800-20	518-519	MINUTEMAN	48IS 11 214-448-7363
*	BYTE SUB MESSAGE	48IS 26	522	FIRST INTERNATIONAL COMP	48IS 2 +886-2-717-4500**	224-225	MYSTIC SOFTWARE	283 800-697-8426
*	BYTE WAREHOUSE	234 800-676-HALO	168-169	FIRST SOURCE INTL	282 714-448-7750	N		
143	CALIFORNIA PC PRODUCTS INC	233 800-394-4122	542	FLUKE EUROPE B.V.	48IS 32 +31-40-644210**	92-93	NANAO USA CORP (N.A.)	99 310-325-5202
*	CANON	128-129 800-848-4123	81	FRAME TECHNOLOGY (N.A.)	21 800-U4FRAME ext 618	90-91	NANAO USA CORP (N.A.)	213 310-325-5202
238	CARROT COMPUTER	279 310-313-4540	239	FUZICALC	283 800-472-6183	205	NATIONAL INSTRUMENTS	281 512-794-0100
501	CHERRY		G			514-515	NATIONAL INSTRUMENTS	48IS 12 512-794-0100
	MIKROSCHALTER GMBH	48IS 6-7 +49-9643-18-206	198	GAGE APPLIED SCIENCES INC	278 514-337-6893	*	NEC	38-39
288	CLARK DEVELOPMENT CO INC	283 800-356-1686	*	GATEWAY 2000	80A-J 800-846-2058	*	NEKOTECH	253 714-590-0055
293	COMPAQ LTE ELITE PORT (N.A.)	8-9 800-345-1518	*	GATEWAY 2000	80-61 800-846-2058	*	NETWORK COMPUTING DEVICES (N.A.)	59 800-793-7638
502-503	COMPLEX INC	48IS 23 714-630-7302	82-83	GLENCO ENGINEERING	115 800-562-2543	*	NETWORKS SHOW '94	48IS 24
251	COMPUSERVE (CANADA)	135 800-487-0952	222-223	GRANITE DIGITAL	279 510-471-6442	171	NEVADA COMPUTER	256 800-982-2925
251	COMPUSERVE (INTL)	135 614-529-1349	67-68	GREENVIEW DATA	57 800-458-3348	233	NEWVOICE	277 703-648-0585
*	COMPUSERVE (NAM)	134A-B	512	GREY MATTER LTD	48IS 18 +44-(0)364-53071**	95	NSTL	181 610-941-9600
251	COMPUSERVE (U.S.)	135 800-848-8199	535	GVC CORP (INTL)	213 +886-2-704-0333**	94	NSTL / PC DIGEST	235 800-257-9402
194	COMPUSTAR COMPUTERS	268 718-854-1820**	H			O		
69	COMPUTER ASSOC SUPERPROJECT	44 800-225-5224 dpt 62500	228	H & R TECHNOLOGY	276 800-959-6439	246	OBJECT MANAGEMENT LAB	282 800-6789-OML
70	COMPUTER ASSOC VISUAL EXPRESS	67 800-225-5224 dpt 27500	*	HEWLETT-PACKARD	26-27	523	ON TIME MARKETING	48IS 24 +49-40-437472
71	COMPUTER ASSOC VISUAL OBJECTS	79 800-225-5224 dpt 14500	*	HEWLETT-PACKARD	37 800-533-1333 ext 8464	*	OSBORNE MCGRAW-HILL	177 800-822-8158
*	COMPUTER BOOK CLUB (N.A.)	72A-B	*	HEWLETT-PACKARD	62-63 800-821-8440 ext 8574	*	OSBORNE MCGRAW-HILL	168-169 800-822-8158
*	COMPUTER BOOK CLUB (N.A.)	73 717-794-2191	*	HEWLETT-PACKARD	90-91 800-LASERJET ext 8549	P		
289-290	COMPUTER CONNECTIONS INT BV	60 800-438-5336	199	HOOLEON CORP	280 602-634-7515	191	PACIFIC COAST MICRO	274 619-581-6040
161	COMPUTER DISC WARESE	250-251 800-959-4CDW	256	IBM OS/2 WARP	118-119 800-3 IBM-OS2	98	PANASONIC OFFICE AUTOMATION	214 800-742-8088
504	COMPUTER FRIENDS	48IS 16 503-626-2291	152-153	ICONOVEX INC	48 800-943-0292	99-100	PC POWER & COOLING	53 800-722-6555
			186-187	IGC INC	285 800-866-5597	193	PC'S COMPLETE	254-255 508-824-6400

ADVERTISER CONTACT INFORMATION

Inquiry No.	Page No.	Phone No.	Inquiry No.	Page No.	Phone No.	Inquiry No.	Page No.	Phone No.
105		PKWARE INC 86 414-354-8699	138-139		SCEPTRE TECHNOLOGIES 208 800-788-2878	215		TRI VALLEY TECHNOLOGY INC 278 510-447-2030
106		PKWARE INC 98 414-354-8699	208		SCIENTIFIC ENDEAVORS 282 800-998-1571	546		TYPHOON SOFTWARE (PC) 284 805-966-7833
141-142		PLEXTOR 81 800-886-2683	184-185		SCITECH INTERNATIONAL 269 800-622-3345			V
148-149		POLYCON GMBH DATA SYS 111 +49-521-9861322**	115		SEQUIER SOFTWARE INC 185 403-437-2410	211		VIDEX INC 276 503-758-0521
236		PRACTICAL ENHANCED LOGIC 276 800-345-SCSI	132		SERIF INC 69 800-697-3743 code BY015	212		VIDEX INC 277 503-758-0521
130-131		PROXIMA CORP 108 800-447-7694	226-227		SHAFFSTALL CORP 281 800-248-3475	122-123		VIEWSONIC 103 809-869-7976
		Q	218-219		SIGMA TECH SOFTWARE 278 818-368-6132			W
107		QNX SOFTWARE SYSTEMS LTD 195 800-676-0566 ext 1001	240-241		SILICON WAREHOUSE 276 800-347-4887	521		WALKER, RICHER & QUINN 4815 9 206-324-0407
275-276		QUALCOMM 160 800-2EUDORA	209		SILICONSOFT INC 283 800-969-4411	124		WATCOM C/C++ 10.0 29 519-886-3700
206		QUALSTAR CORP 281 800-468-0680	292		SMC / STANDARD MICROSYSTEMS CORP 141 800-SMC-4-YOU dept EZ33	277-278		WIBU (INT'L) 162 +49-721-83172-22
259-260		QUARTERDECK OFFICE SYS 124 310-392-9851	87-88		SMILE INTERNATIONAL INC (N.A.) 105 800-253-2872	277-278		WIBU (U.S.) 162 301-570-3497
298-299		QUARTERDECK OFFICE SYS 173 310-392-9851	266		SOFTBLOX INC (INT'L) 163 404-892-0202	282		WINBOOK COMPUTER CORP (N.A.) 131 800-468-0712
150-151		QUARTON USA 200 800-520-8435	265		SOFTBLOX INC (N.A.) 163 800-434-0202	179		WORLDWIDE TECHNOLOGIES 284 215-922-0116**
108-109		QUATECH INC 248 800-553-1170	116		SOFTWARE SECURITY 48 203-656-3932**			X
		R	549-550		SOLID COMPUTER GMBH 4815 25 +49-89-3159146**	125		XEROX OFFICE DOCUMENT SYS 142-143 800 ASK XEROX ext 965
530-531		RAIDTEC CORP 4815 17 +353 21 821 454	117-118		SPSS INC 113 800-543-5835			Z
110		RAINBOW TECHNOLOGIES 55 800-852-8569	516-517		STAC STORAGE & COMM CIV 800-677-6232	261		ZEOS INTERNATIONAL 122-123 800-554-5226
229-230		RCI 277 908-874-4072 ext 71	96-97		STAC STORAGE & COMM 47 800-677-6232 ext 214	213		Z-WORLD ENGINEERING 281 918-757-3737
547-548		RECOGNITA (INT'L) 99 +36-1-2018925	119		STATSOFT 95 918-583-4149			
177		RECORTEC INC 273 800-729-7654	*		SUPRA CORP 17 800-727-8647			
207		RHETOREX, INC. 277 408-370-0881			T			
111-112		ROSE ELECTRONICS 232 800-333-9343	210		TALKING TECHNOLOGY INC 278 800-685-4884			
		S	120		TEKTRONIX 77 800-835-6100 ext 1066			
155		SAMSUNG ELECTRONICS 217 201-229-4053	*		TEXAS INSTRUMENTS 19 800-TI-TEXAS			
113-114		SAMTRON DISPLAYS INC (N.A.) 211 310-802-8425	121		TOSHIBA AMERICA INC 22-23 800-457-7777			
532		SAMTRON (INT'L) 105 +49 6196 74001	528		TRAVELING SOFTWARE (INT'L) 73 +44-(0)1734 826830			

* Correspond directly with company. ** Indicates FAX Number

Regional Edition Definitions

N.A. - Ads only appear in North America Edition
IS/INTL - Ads only appear in International Edition
MW - Ads only appear in Midwest Region Edition
PC - Ads only appear in Pacific Coast Region Edition
SO - Ads only appear in Southern Region Edition
NE - Ads only appear in Northeast Region Edition

BYTE ADVERTISING SALES STAFF

William M. Dwyer, Vice President of Sales, 1900 O'Farrell Street, Suite 200, San Mateo, CA 94403, Tel. (415) 513-6864, Fax: (415) 513-6867
Diane Lieberman, Director, Sales Operations, One Phoenix Mill Lane, Peterborough, NH 03458, Tel. (603) 924-2518, Fax: (603) 924-2683

NEW ENGLAND

ME, NH, VT, MA, RI, CT, ONTARIO
CANADA & EASTERN CANADA
Sanford L. Fish (617) 860-8344
McGraw-Hill Publications
24 Hawthorn Avenue
Lexington, MA 02173
FAX: (617) 860-6889

EAST COAST

NY, NYC, NJ, DE, PA
Kim Norris (212) 512-2845
Jonathan Sawyer (603) 924-2685
McGraw-Hill Publications
1221 Avenue of Americas—28th Floor
New York, NY 10020
FAX: (212) 512-2075

SOUTHEAST

NC, SC, GA, FL, AL, TN, MS, AR, LA,
KY, DC, MD, VA, WV
MaryAnn Gouling (404) 843-4782
Brian Higgins (603) 924-2651
McGraw-Hill Publications
4170 Ashford-Dunwoody Rd., Suite 520
Atlanta, GA 30319
FAX: (404) 252-4056

MIDWEST

IL, MO, KS, IA, ND, SD, MN,
WI, NE, IN, MI, OH
Lori Silverstein (614) 899-4908
Kim Sneyary (614) 899-4909
Ed Ware (603) 924-2664
McGraw-Hill Publications
921 Eastwind Drive, Suite 118
Westerville, OH 43081
FAX: (614) 899-4999

SOUTHWEST

ROCKY MOUNTAIN
CO, OK, TX
Jennifer Walker (214) 701-8496
Kevin Lary (603) 924-2527
McGraw-Hill Publications
14850 Quorum Dr., Suite 380
Dallas, TX 75240
FAX: (214) 991-6208

NORTH PACIFIC

NORTHERN CA, OR, ID, MT, WY, UT
Roy J. Kops (415) 513-6861
James Ball (603) 924-2662
SILICON VALLEY, HI, WA, AK,
W, CANADA
Susan Werner (415) 513-6862
James Ball (603) 924-2662
McGraw-Hill Publications
1900 O'Farrell Street, Suite 200
San Mateo, CA 94403
FAX: (415) 513-6867

SOUTH PACIFIC

ORANGE COUNTY
SAN DIEGO COUNTY
Belh Dudas (714) 753-8140
Mark Speros (714) 753-8140
Brad Dixon (603) 924-2574
McGraw-Hill Publications
15635 Alton Pkwy., Suite 290
Irvine, CA 92718
FAX: (714) 753-8147

Peterborough, NH Office: Inside Sales FAX: 603-924-2683

Advertising FAX: 603-924-7507

Hardware/Software Showcase
Mark Stone (603) 924-2695
Ellen Perham (603) 924-2598
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

The Buyer's Mart/Classifieds
Margot L. Swanson (603) 924-2656
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

BYTE Desk
Susan Rastellini (603) 924-2596
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

EURO-DECK
Joseph Mabe (603) 924-2533
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

Regional Advertising Sections
Ed Ware (603) 924-2664
Fax: (603) 924-2683

INTERNATIONAL ADVERTISING SALES STAFF

Gary Lucas, European Sales Director, 34 Dover Street, London W1X 4BR, England, Tel. +44 71 4956780, Fax: +44 71 4956734

UNITED KINGDOM, BENELUX
Gary Lucas (+44 71 495 6780)
Jonathan McGowan
(+44 71 495 6781)
McGraw-Hill Inc.
34 Dover St.
London W1X 4BR
England
FAX: +44 71 4956734

GERMANY, SWITZERLAND,
AUSTRIA
Jürgen Heise
McGraw-Hill Inc.
Liebigstrasse 19
D-60323 Frankfurt
Germany
Tel: +49 69 7140 7140
FAX: +49 69 7140 7146

ITALY, FRANCE, SPAIN,
PORTUGAL, SCANDINAVIA
Zena Coupé, Amarda Blaskett
A-Z International Sales Ltd.
70 Chalk Farm Road
London NW1 8AN
England
Tel: +44 71 2843171
FAX: +44 71 2843174

TAIWAN
Janet Wang
Third Wave Publishing Corp.
2nd Fl., No. 19-2, Lane 231
Fu Hsing North Road
Taipei 105
Taiwan R.O.C.
Tel: +886 2 7138959
FAX: +886 2 7189487

JAPAN
Masaki Mori
Transworld Media Inc.
702, 2-26-3 Nishigotanda
Shinagawa-ku,
Tokyo 141
Japan
Tel: +81 3 33887466
FAX: +81 3 37860674

SINGAPORE, INDIA,
INDONESIA, PAKISTAN,
PHILIPPINES, OTHER ASIAN
AND PACIFIC COUNTRIES
Jenny Kao
Third Wave Publishing Corp.
2nd Fl., No. 19-1, Lane 231
Fu Hsing North Road
Taipei 105, Taiwan
R.O.C.
Tel: +886 2 7138959 ext. 228
FAX: +886 2 7189487

ISRAEL
Dan Ehrlich
Ehrlich Communications Intl.
P.O. Box 89
Herzliya 46101
Israel
Tel: +972 9 586245
Tel: +972 9 586246
FAX: +972 9 586585

HONG KONG
Zoe Yen
Third Wave Publishing Corp.
Unit 2, 8F Hing Wah Center
82-84 To Kwa Wan Road
Kowloon, Hong Kong
Tel: +852 764 3830
FAX: +852 764 3857

A. Suzuki
Narus, Inc.
2-35-8, Unoki, Ota-ku
Tokyo 146
Japan
Tel: +81 3 37573721
FAX: +81 3 37572266

MALAYSIA
H.K. Lim
Senxex (Malaysia) Sdn. Bhd.
5th Floor, Bena Tower
160, Jalan Ampang
50450 Kuala Lumpur
Malaysia
Tel: +60 3 2624592
FAX: +60 3 2624591

AUSTRALIA
Phil Bush
National Advertising Services
7-13 Parraween Street
Cremorne NSW 2090,
Australia
Tel: +61 2 908 9329
FAX: +61 2 953 8274

KOREA
Young-Seoh Chinn
JES Media International
6th Fl., Donghye Bldg.
47-18, Myungil-Dong
Kangdong-Gu
Seoul 134-070, Korea
Tel: +82 2 4813411
FAX: +82 2 4813414

Subscription Customer Service
U.S. 1-800-232-2983
Outside U.S. +1-609-426-7676

For a New Subscription
U.S. 1-800-257-9402
Outside U.S. +1-609-426-5526

INDEX TO ADVERTISED PRODUCTS

For FREE product information from individual advertisers, circle the corresponding inquiry numbers on the response card!

To receive information for an entire product category, circle the category number on the response card!

Category No. Inquiry No.	Page No.	Category No. Inquiry No.	Page No.	Category No. Inquiry No.	Page No.
HARDWARE					
1 ACCESSORIES/SUPPLIES					
267-268	AER ENERGY RESOURCES INC	144			
135-136	ANTEX ELECTRONICS	178			
228	H & R TECHNOLOGY	276			
150-151	QUARTON USA	200			
2 ADD-IN BOARDS					
159	ADAPTEC	272			
135-136	ANTEX ELECTRONICS	178			
75-76	CURTIS INC	100			
186-167	DISTRIBUTED PROCESSING TECH	263			
247-248	DTC ELECTRONICS HUNGARY	280			
170	JAMECO ELECTRONICS	267			
236	PRACTICAL ENHANCED LOGIC	276			
108-109	QUATECH INC	248			
240-241	SILICON WAREHOUSE	276			
210	TALKING TECHNOLOGY INC	278			
3 BAR CODING					
186-187	IGC INC	265			
211	VIDEX INC	276			
212	VIDEX INC	277			
4 COMMUNICATIONS/NETWORKING					
190	ALTA RESEARCH CORP	284			
543	ALTEX ELECTRONICS	260NE 2-3			
544	ALTEX ELECTRONICS	260SO 2-3			
526	AXIS COMMUNICATIONS (INT'L)	21			
182-183	COROLLARY	258			
244-245	CYCLADES CORP	276			
247-248	DTC ELECTRONICS HUNGARY	280			
533-534	ERGOTRON EUROPE	48IS 13			
542	FLUKE EUROPE B.V.	48IS 32			
*	HEWLETT-PACKARD	37			
126	MINICOM / CLASSNET VIDEO	84			
233	NEWVOICE	277			
148-149	POLYCON GMBH DATA SYSTEMS	111			
229-230	RCI	277			
207	RHETOREX INC	277			
111-112	ROSE ELECTRONICS	232			
218-219	SIGMA TECH SOFTWARE	278			
549-550	SOLID COMPUTER GMBH	48IS 25			
210	TALKING TECHNOLOGY INC	278			
5 COMPUTER SYSTEMS					
*	APPLE COMPUTER INC	2-3			
178	APPRO INTERNATIONAL INC	270			
*	ASPEN SYSTEMS	51			
165	DATALUX CORP	252			
*	DELL COMPUTER CORP (N.A.)	CIII			
*	DELL COMPUTER CORP (N.A.)	CIV			
79	DIGITAL ALPHASTATION	42-43			
*	GATEWAY 2000	80A-J			
*	GATEWAY 2000	80-81			
551	INTEGRIX INC	48IS 29			
*	INTEL CORP	12-13			
85-86	INTERGRAPH	97			
201	KILA	278			
282-283	MEDIA ON (N.A.)	31			
*	NEKOTECH	253			
95	NSTL	181			
94	NSTL / PC DIGEST	235			
191	PACIFIC COAST MICRO	274			
193	PC'S COMPLEAT	254-255			
177	RECORTEC INC	273			
549-550	SOLID COMPUTER GMBH	48IS 25			
215	TRI VALLEY TECHNOLOGY INC	278			
261	ZEOS INTERNATIONAL	122-123			
6 DATA ACQUISITION					
195	AMERICAN ADVANTECH	278			
198	GAGE APPLIED SCIENCES, INC.	278			
200	IO TECH	278			
204	KEITHLEY METRABYTE	279			
203	LAWSON LABS INCORPORATED	279			
*	MICROSTAR LABORATORIES	279			
108-109	QUATECH INC	248			
53 DIAGNOSTIC EQUIPMENT					
542	FLUKE EUROPE B.V.	48IS 32			
7 DISKS & OPTICAL DRIVES					
238	CARROT COMPUTER	279			
75-76	CURTIS INC	100			
222-223	GRANITE DIGITAL	279			
172-173	MICRO SOLUTIONS COMP PROD	257			
174-175	MICRO SOLUTIONS COMP PROD	259			
103-104	PINNACLE MICRO	7			
141-142	PLEXTOR	61			
530-531	RAIDTEC CORP	48IS 17			
9 FAX BOARDS/MACHINES					
*	SUPRA CORP	17			
10 GRAPHICS TABLETS/MICE/PEN INPUT					
274	DESIGN TECHNOLOGY	162			
11 KEYBOARDS					
501	CHERRY MIKROSCHALTER GMBH	48IS 6-7			
165	DATALUX CORP	252			
231-232	ELMA ELECTRONIC	279			
199	HOOLEON CORP	280			
12 LAN HARDWARE					
502-503	COMPEX INC	48IS 23			
269-270	CYBEX CORP	159			
163-164	CYBEX CORP	261			
506-507	CYBEX CORP (INT'L)	CIII			
533-534	ERGOTRON EUROPE	48IS 13			
168-169	FIRST SOURCE INTL	262			
542	FLUKE EUROPE B.V.	48IS 32			
99-100	PC POWER & COOLING	53			
148-149	POLYCON GMBH DATA SYSTEMS	111			
13 LAPTOPS & NOTEBOOKS					
267-268	AER ENERGY RESOURCES INC	144			
214	AMREL TECHNOLOGY INC	280			
293	COMPAQ LTE ELITE PORTABLE (N.A.)	8-9			
522	FIRST INTERNATIONAL COMPUTER	48IS 2			
*	JDR MICRODEVICES	275			
273	MICRO-INTERNATIONAL INC	161			
193	PC'S COMPLEAT	254-255			
121	TOSHIBA AMERICA INC	22-23			
262	WINBOOK COMPUTER CORP (N.A.)	131			
179	WORLDWIDE TECHNOLOGIES	264			
261	ZEOS INTERNATIONAL	122-123			
14 MAIL ORDER					
543	ALTEX ELECTRONICS	260NE 2-3			
544	ALTEX ELECTRONICS	260SO 2-3			
*	AMERICAN LUNG ASSOCIATION	260NE 4			
*	AMERICAN LUNG ASSOCIATION	260SO 4			
*	BYTE SUB MESSAGE	48IS 26			
194	COMPUSTAR COMPUTERS	268			
161	COMPUTER DISCOUNT WAREHOUSE	250-251			
162	COMPUTERLANE UNLTD	266			
170	JAMECO ELECTRONICS	267			
171	NEVADA COMPUTER	256			
193	PC'S COMPLEAT	254-255			
15 MEMORY/CHIPS/UPGRADES					
168-169	FIRST SOURCE INTL	262			
*	INTEL CORP	12-13			
170	JAMECO ELECTRONICS	267			
257-258	KINGSTON TECHNOLOGY	147			
188-189	L A TRADE	260			
*	TEXAS INSTRUMENTS	19			
179	WORLDWIDE TECHNOLOGIES	264			
16 MISCELLANEOUS HARDWARE					
143	CALIFORNIA PC PRODUCTS INC	233			
84	INTEGRAND RESEARCH	116			
191	PACIFIC COAST MICRO	274			
99-100	PC POWER & COOLING	53			
17 MODEMS/MULTIPLEXORS					
*	JDR MICRODEVICES	276			
*	SUPRA CORP	17			
18 MONITORS & TERMINALS					
73-74	CTX INTERNATIONAL INC	207			
524-525	DAEWOO	48IS 5			
165	DATALUX CORP	252			
535	GVC CORP (INT'L)	213			
552	KUD FENG CORP (INT'L)	211			
133-134	MAG INNOVISION	107			
92-93	NAVAO USA CORP (N.A.)	99			
90-91	NAVAO USA CORP (N.A.)	213			
520	PHILIPS MONITORS (INT'L)	8-9			
148-149	POLYCON GMBH DATA SYSTEMS	111			
155	SAMSUNG ELECTRONICS	217			
113-114	SAMTRON DISPLAYS INC (N.A.)	211			
532	SAMTRON (INT'L)	105			
138-139	SCEPTRE TECHNOLOGIES	208			
87-88	SMILE INTERNATIONAL INC (N.A.)	105			
122-123	VIEWSONIC	103			
19 MULTIMEDIA/CD-ROM					
159	ADAPTEC	272			
135-136	ANTEX ELECTRONICS	178			
129	CREATIVE LABS INC	11			
247-248	DTC ELECTRONICS HUNGARY	280			
144-145	JVC INFORMATION	92			
*	NEKOTECH	253			
130-131	PROXIMA CORP	108			
20 PRINTERS/PLOTTERS					
526	AXIS COMMUNICATIONS (INT'L)	21			
*	CANON	128-129			
504	COMPUTER FRIENDS	48IS 18			
271-272	DATAPRODUCTS	160			
*	HEWLETT-PACKARD	37			
*	HEWLETT-PACKARD	26-27			

INDEX TO ADVERTISED PRODUCTS

Category No. Inquiry No.		Page No.
*	HEWLETT-PACKARD	62-63
*	HEWLETT-PACKARD	90-91
527	MANNESMANN TALLY	48IS 21
120	TEKTRONIX	77
125	XEROX OFFICE DOCUMENT SYSTEMS	142-143
21	PROGRAMMABLE HARDWARE	
160	BUFFALO PRODUCTS	272
197	DATAMAN LTD	280
220-221	DAVISON-WORTH CORP	280
510-511	FAST HARDLOCK (INT'L)	31
*	JDR MICRODEVICES	275
296-297	MARX DATENTECHNIK GMBH	164
110	RAINBOW TECHNOLOGIES	55
277-278	WIBU	162
213	Z-WORLD ENGINEERING	281
22	SCANNERS/OCR/DIGITIZERS	
547-548	RECOGNITA (INT'L)	99
52	SECURITY	
501	CHERRY MIKROSCHALTER GMBH	48IS 6-7
296-297	MARX DATENTECHNIK GMBH	164
110	RAINBOW TECHNOLOGIES	55
277-278	WIBU	162
23	TAPE DRIVES	
289-290	COMPUTER CONNECTIONS INT BV	60
80	EXABYTE CORP	71
202	LAGUNA DATA SYSTEMS	281
172-173	MICRO SOLUTIONS COMP PROD	257
174-175	MICRO SOLUTIONS COMP PROD	259
206	QUALSTAR CORP	281
228-227	SHAFFSTALL CORP	281
24	UPS/POWERMANAGEMENT	
82	AMERICAN POWER CONVERSION	32-33
63-64	BEST POWER TECHNOLOGY	87
254-255	DELTEC / NSSI	156
518-519	MINUTEMAN	48IS 11
99-100	PC POWER & COOLING	53

SOFTWARE

25	BUSINESS	
89	COMPUTER ASSOC SUPERPROJECT	44
234	DESIGNER CHECKS	281
130-131	PROXIMA CORP	108
26	CAD/CAM	
536	ARTEK SRL	48IS 15
85-86	INTERGRAPH	97
27	COMMUNICATIONS/ NETWORKING	
154	BOOKLINK TECHNOLOGIES INTERNETWORKS (N.A.)	85
538-539	BTRIEVE TECHNOLOGIES	48IS 30-31
288	CLARK DEVELOPMENT CO INC	283
502-503	COMPEX INC	48IS 23
253	DATASTORM TECHNOLOGIES	137
168-169	FIRST SOURCE INT'L	282
146-147	JSB	237
529	LANSOURCE	48IS 27
224-225	MYSTIC SOFTWARE	283
101	PERSOFT INC	199
275-276	QUALCOMM	160
292	SMC / STANDARD MICROSYSTEMS CORP	141
117-118	SPSS INC	113
516-517	STAC STORAGE & COMMUNICATIONS	CIV
96-97	STAC STORAGE & COMMUNICATIONS	47
528	TRAVELING SOFTWARE (INT'L)	73
521	WALKER, RICHER & QUINN	48IS 9

Category No. Inquiry No.		Page No.
28	DATA ACQUISITION	
205	NATIONAL INSTRUMENTS	281
514-515	NATIONAL INSTRUMENTS	48IS 12
29	DATABASE	
65-66	BORLAND INTERNATIONAL	CII-1
284-285	BORLAND INTERNATIONAL	15
538-539	BTRIEVE TECHNOLOGIES	48IS 30-31
196	COMPUTERWISE	282
275-276	QUALCOMM	160
31	ENGINEERING/SCIENTIFIC	
69	COMPUTER ASSOC SUPERPROJECT	44
85-86	INTERGRAPH	97
537	INTERSIS AUTOMACAO	48IS 22
127-128	ITERATED SYSTEMS	198
205	NATIONAL INSTRUMENTS	281
184-185	SCITECH INTERNATIONAL	269
33	GRAPHICS	
263-264	AT&T MULTIMEDIA S/W SOLUTIONS	153
252	COREL DRAW	139
72	COREL FLOW	35
235	EMATEK GMBH	282
92-93	NANAO USA CORP (N.A.)	99
90-91	NANAO USA CORP (N.A.)	213
130-131	PROXIMA CORP	108
208	SCIENTIFIC ENDEAVORS	282
34	MACINTOSH	
513	LOGIC PROGRAMMING ASSOCIATES	48IS 22
35	MAIL ORDER	
161	COMPUTER DISCOUNT WAREHOUSE	250-251
505	COMPUTER QUICK	48IS 8
512	GREY MATTER LTD	48IS 18
36	MATHEMATICAL/STATISTICAL	
119	STATSOFT	95
37	MISCELLANEOUS SOFTWARE	
523	ON TIME MARKETING	48IS 24
38	ON-LINE SERVICES	
*	AMERICA ONLINE INC (N.A.)	48A-B
450	BIX	295
251	COMPUSERVE	135
281	DELPHI INTERNET SERVICES	157
39	OPERATING SYSTEMS	
242-243	ACC CORP	282
256	IBM OS/2 WARP	118-119
186-187	IGC INC	265
*	NETWORK COMPUTING DEVICES (N.A.)	59
259-260	QUARTERDECK OFFICE SYSTEMS	124
288-289	QUARTERDECK OFFICE SYSTEMS	173
40	PROGRAMMING LANGUAGES/ TOOLS	
65-66	BORLAND INTERNATIONAL	CII-1
284-285	BORLAND INTERNATIONAL	15
70	COMPUTER ASSOC VISUAL EXPRESS	67
71	COMPUTER ASSOC VISUAL OBJECTS	79
*	COPIA INTERNATIONAL LTD	48
235	EMATEK GMBH	282
67-68	GREENVIEW DATA	57
513	LOGIC PROGRAMMING ASSOCIATES	48IS 22
89	MICROWAY	236
246	OBJECT MANAGEMENT LABORATORY	282
523	ON TIME MARKETING	48IS 24
102	PHAR LAP SOFTWARE INC	170
115	SEQUITER SOFTWARE INC	185
266	SOFTBLOX INC (INT'L)	163
265	SOFTBLOX INC (N.A.)	163


Category No. Inquiry No.		Page No.
546	TYPHOON SOFTWARE (P.C.)	284
124	WATCOM C/C++ 10.0	29
41	SECURITY	
61	ALADDIN KNOWLEDGE SYSTEMS	74
508-509	EUTRON	48IS 28
510-511	FAST HARDLOCK (INT'L)	31
82-83	GLENCO ENGINEERING	115
296-297	MARX DATENTECHNIK GmbH	164
110	RAINBOW TECHNOLOGIES	55
116	SOFTWARE SECURITY	48
277-278	WIBU	182
45	UNIX	
*	COPIA INTERNATIONAL LTD	48
81	FRAME TECHNOLOGY (N.A.)	21
67-68	GREENVIEW DATA	57
*	NETWORK COMPUTING DEVICES (N.A.)	59
107	QNX SOFTWARE SYSTEMS LTD	195
46	UTILITIES	
61	ALADDIN KNOWLEDGE SYSTEMS	74
237	CONSOLIDATED SOFTWARE PRODUCTS	283
140	LOGICIELS ET SERVICES DUHEM	190
180	MICRO 2000	268
181	MICRO 2000	271
105	PKWARE INC	88
106	PKWARE INC	88
47	WINDOWS	
*	COPIA INTERNATIONAL LTD	48
253	DATASTORM TECHNOLOGIES	137
239	FUZICALC	283
152-153	ICONOVEX INC	48
513	LOGIC PROGRAMMING ASSOCIATES	48IS 22
249-250	MENAI CORP	283
224-225	MYSTIC SOFTWARE	283
92-93	NANAO USA CORP (N.A.)	99
90-91	NANAO USA CORP (N.A.)	213
101	PERSOFT INC	199
209	SILICONSOFIT INC	283
262	WINBOOK COMPUTER CORP (N.A.)	131
48	WORD PROCESSING/DTP	
81	FRAME TECHNOLOGY (N.A.)	21
152-153	ICONOVEX INC	48
132	SERIF INC	89
GENERAL		
49	BOOKS/PUBLICATIONS	
*	BUSINESS WEEK (INT'L)	131
*	BYTE READER	243
*	COMPUTER BOOK CLUB (N.A.)	73
*	OSBORNE MCGRAW-HILL	168-189
*	OSBORNE MCGRAW-HILL	177
98	PANASONIC OFFICE AUTOMATION	214
51	MISCELLANEOUS	
*	BYTE BACK ISSUES	48IS 10
*	BYTE CARD DECK	284
*	BYTE EDITORIAL SURVEY	140
*	BYTE EURODECK	48IS 14
291	BYTE ON CD ROM	189
*	BYTE REPRINTS	260NE 1
*	BYTE REPRINTS	260SO 1
*	BYTE REPRINTS (INT'L)	85
*	BYTE SUB MESSAGE	190
*	BYTE WAREHOUSE	234
288	CLARK DEVELOPMENT CO INC	283
*	MCGRAW-HILL ON-LINE (INT'L)	59
*	NEC	38-39
*	NETWORKS SHOW '94	48IS 24

EDITORIAL INDEX

For more information on any of the companies covered in articles, columns, or news stories in this issue, circle the appropriate inquiry number on the response card. Each page number refers to the first page of the article or section in which the company name appears. IS pages appear only in the International edition.

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
A							
1150	Accent Software International	231					
1435	Acer	48IS 7					
1329	Acquired Knowledge	246					
1437	Adept Scientific Micro Systems	48IS 8					
1105	ADI Systems	204					
1106							
1326	Adobe Systems	49, 93, 101, 245					
1290	AdvanSys	241					
1460	AFP Solutions	48IS 19					
1022	AlmTech	48IS 28					
1107	Amdek	204					
	America Online	40					
1302	Annabooks	244					
1011	Apple Computer	41, 49, 64, 75, 93, 106, 175					
1309	Artisoft	46, 245					
1467	Artisoft Europe	48IS 22					
1282	ASF Associates	241					
	AT&T	25, 49, 64, 75, 125, 149					
1000	Autodesk	201					
	Automatic Data Processing	155					
	Avid Technology	34					
B							
1277	B&B Electronics Manufacturing	240					
1425	Bakker Electronics	48IS 3					
1327	Ballard Synergy	245					
1288	BBN Internet Services	125, 240					
1279	Belkin Components	240					
	Bell Atlantic	149					
	Bellcore	64					
	BellSouth	149					
1151	Berkeley Systems	231					
1146	Boca Research	133					
1010	Borland International	133, 193					
	Brainstorm Technologies	25					
1314	Bristol Technology	247					
C							
1330	Canon	49, 109					
	CBIS	246					
1431	Cellware Breitband Technologie	48IS 7					
1450	Chase Research	48IS 14					
1439	CIC Computers	48IS 10					
1271	Citizen America	240					
1291	CNet Technology	242					
	Collabra Software	49					
1443	Colortrac	48IS 12					
	Compaq Computer	49					
	Component Integration Laboratories	49					
	CompuServe	40					
1283	Computer Connections America	241					
1438	Computers Unlimited	48IS 8, 48IS 12					
1444, 1480	Computer Telephony Expo	145					
	ComTel Telecommunications	149					
1458	Comunycarse Network Consultants	48IS 19					
	Connectix	49					
1284	Consumer Technology Northwest	241					
1023	Contemporary Software	48IS 30					
	Corel	49					
	Creative Labs	145					
1306	Crescent Software	244					
1321	Cross Wind Technologies	247					
1478	C2C Systems	48IS 30					
1108, 1109	CTX International	204					
	Cyberia Communications	36					
1158	Cybermedia	231					
D							
1319	D&G Infosystems	244					
1441	Dassault Automatismes et Telecommunications	48IS 12					
1477	Data Access	48IS 26					
	Dataquest	145					
1163	Data Race	231					
1296	Datasonix	242					
	Data Translation	34					
	Davis Associates	149					
	D-Cubed	201					
	DEC	30, 49, 64, 109, 296					
	Dell Computer	133					
	Delphi	40					
	Delphi Consulting	36					
1333	Development Technologies	247					
1334	Diamond Head Software	247					
1147	DigiBoard	133					
	DigiCash	125					
1159	Digital Products	231					
1447	Discworld	48IS 18					
	Dragon Systems	49					
1110	Dyna Micro	204					
E							
	Eastman Kodak	93, 109					
1472	EDM Consultants	48IS 28					
1462	Elektroson	48IS 20					
1294	Ensoniq	242					
	Enterprise Integration Technologies	75					
	Epson America	49, 109					
1111, 1112	ETC Computer	204					
1272	E-Tech Research	241					
	Ex Machina	64					
1293	Extended Systems	242					
F							
1007	Farallon Computing	75, 229					
	Fargo Electronics	109					
1445	Fast Electronics	48IS 16					
1320	Firefox	247					
	Fluke	49					
	Folio	49					
	Fuji	48IS 12					
1292	Fujitsu Personal Systems	242					
1335	FuziWare	247					
G							
1305	Galacticomm	244					
1324	GammaLink	247					
	Gateway 2000	133					
	General Magic	49, 64					
	Global SchoolNet Foundation	75					
	Global Village	49					
1113	Goldstar USA	204					
1471	Grey Matter	48IS 26					
	GTE	64					
H							
	Hasselbad	48IS 12					
1148	Hayes Microcomputer Products	133					
1155	Headquarters Software	231					
1274	Hewlett-Packard	49, 93, 109, 120, 133, 240					
1470	Hi Resolution	48IS 19					
1367	Hitachi America	204					
1423	Hitachi New Media	48IS 7					
1012	HSC Software	49, 171					
I							
1160	IBM	30, 41, 49, 133, 231					
	IBM/Bell South	49					
1154	IBM Microelectronics	231					
1114, 1368	IBM PC	204					
	Iconovex	36					
1115, 1369, 1370, 1371	Idek/Liyama	204					
	Imagraph	241					
1422	IMC	48IS 4					
1304	Inference	244					
	Intergraph	49, 201					
1427	Interlink Communications	48IS 3					
1426	Intermec	48IS 4					
	International Meta Systems	36					
1275	International Micro Electronics Group	240					
	InText Systems	36					
	Intuit	49, 155					
1276	ISDN'tek	242					
J							
1455	Jandel Scientific	48IS 19					
	Jasik Designs	49					
K							
1461	KT Distribution	48IS 20					
L							
1479	Laiden University	48IS 28					
1285	Laserex	241					
1299	Lenel Systems International	245, 246					
1337							
	Lexmark	109					
	Light Source Computer Images	93					
1278	Logiccode Technology	240					
1005	Lotus Development	24, 183					
M							
1475	Magic Computer Services	48IS 27					
1116, 1372	MAG Innovision	204					
1317	Mainstay	246					
1289	Maxi Switch	242					
1118	Megatron	204					
1436	Memorex Telex	48IS 10					
	Menai	40					
	Metrowerks	49					
	Microfield Graphics	49					
1003	Micrografix	183					
1157	Micronics Computers	231					
1006, 1165	Microsoft	28, 41, 49, 93, 145, 149, 155, 165, 183, 231					
1286	MindWorks	241					
1440	Mitsubishi Electric	48IS 10					
1119, 1373	Mitsubishi Electronics America	204					
1451	M. L. Electro-Optics	48IS 14					
1424	Modranska	48IS 3					
1152, 1310	Modular Software Systems	231, 245					
1465	Mondas Information Technology	48IS 22					
1316	MoneySoft	246					
	Motorola	49					
1454	MultiTech Systems	48IS 8					
N							
1120, 1121, 1374	Nanoo USA	101, 204					
	The National Center for Supercomputing Applications	75					
	National Institute of Standards and Technology	75					
1463	National Instruments	48IS 20					
	National Payment Clearinghouse	155					
	National Science Foundation	75					
	National Semiconductor	75					
1013, 1122	NEC Technologies	165, 204					
1167	Netscape Communications	197					
	NexGen	49					
	Next	41					
1328	No Hands Software	245					
1123, 1124, 1375	Nokia Display Products	204					
1161	Novell	149, 231					
1125, 1126, 1376, 1377	NSA Hitachi	204					
O							
1002	Oberon Microsystems	227					
1433	Océ-Engineering Systems	48IS 16					
	Ohio Supercomputer User Services	75					
1428	Olivetti	48IS 3					
1127	Optiquet	204					
	Oracle	36					
1128, 1129	Orchestra Multisystems	204					
1474	Oxford University Press	48IS 27					
P							
	Pacific Bell	64					
1149	Pacific CommWare	133					
1130	Panasonic Communications & Systems	204					
	Pantone	93, 246					

BIX: Your Coach to the Internet!



The Internet connects you with more than 10 million people, at universities, companies, and other online services. Now, get full access to the Internet free of charge when you subscribe to BIX! You'll also get expert assistance from BIX moderators who can help you find your way around the Internet.

These experts can guide you through the many services and features available, and help you find the information you're looking for. Anytime you need help, just join our special 'internet' conference and get fast answers to your questions.

As you become more familiar with the Internet, you'll be able to download files from all over the world using FTP, connect to other sites and services through telnet, read and reply to Usenet Newsgroups, access utilities like finger and whois, and much more! BIX and the Internet together provide the largest and most effective technical resource for computing professionals.

And with over 600 local access numbers in the U.S., plus telnet access via the Internet, BIX makes it easy to connect. Try BIX today through our special 5 for Free offer - and become part of the top technical team!

New Member
5 hours for Free
Introductory Offer

Give BIX a try with our new 5 for Free Offer! Join BIX today and get 5 hours of evening and weekend access for free! Take the rest of the calendar month to explore BIX, and then continue for our standard \$13 monthly membership fee. Further details and complete rate information are provided during registration. Using any communications program, dial 1-800-695-4882. At the "logon" prompt enter bix. Then at the "name?" prompt enter bix.byte39. If you have any questions, call us at 1-800-695-4775 (voice). Or fax us at 617-491-6642.

Send Internet mail to info@bix.com. Windows users can order BIXnav, our graphical interface for BIX, for easy point and click access. Details are available during registration.

BIX

If you can hack it

Under the 5 for Free plan, daytime rates (\$9/hr) apply for access during prime time hours. The 5 for Free offer is valid for first-time members only.

Circle 450 on Inquiry Card.

Who Needs the Internet?

A net vet explains why he no longer needs FTP, newsgroups, or other obsolete features

The Internet is obsolete. Everything I used to do on it I can do now with more modern technology. I would rather we have a telephone infrastructure that supports 28.8-Kbps modems—to speed up communications—and a national caller-ID service—to screen out the communications I don't want.

In my defense, I have been a reasonably active Internet user for the past 16 years. My original terminal was a 24-row by 80-column VDT, which was connected to a DEC PDP-10. It in turn had a direct connection, via an impish Interface Message Processor, to the Internet. My communications network, free to me, consisted of everything between the PDP-10 and the service provider. I reached out for three basic services: mail, file transfer (FTP), and remote log-in (Telnet).

Back then, I used Telnet to access, for example, a symbolic mathematical program (Macsyma, hosted on a PDP-20 at MIT) and the Network Information Center data servers. These servers contained databases of phone numbers of people in the government and all kinds of technical reports about the standards implementing the Internet.

Today, Mathematica (far superior to Macsyma) resides happily on my notebook. My CD-ROM drive accesses databases that can print a map of your neighborhood. The technical reports are available on an inexpensive CD-ROM.

I used the Internet to share documents by logging in to remote systems to print remotely all over the country. Now my word processor prints to any fax machine in the world just as easily as it prints to my laser printer. After hours, it costs me about 10 cents a page in the U.S. The cost of faxing outside the country has also come down.

I used FTP to move files from repositories on university- or Department of Defense-supported hosts to local hosts. For example, I moved programs to format documents (Scribe), transfer files (Kermit), learn Lisp (XLisp), and format mathematical equations (TeX). No commercial equivalents to these programs existed at that time.

I also used the Internet to grab files from various archives, look at them, and then delete them to make space for the next batch. Now the data, especially images, is compressed (by a factor of up to 800) and is quickly accessible off my shelf in the form of personal CD-ROMs. Today, I can get more information on a CD-ROM than I can read in a year.

I used Internet mail to reach people who were always on the road, in the air, in meetings, or in their office with the phone disconnected "working" on their computers.



JON FOX © 1995

Most of these people have cellular phones now.

I also subscribed to several newsgroups, which used to swamp our local hosts. Information contained in these newsgroups was critical to getting hardware and software from different vendors to work together and to keeping the resulting system operational.

But today, CD-ROMs, with software to help me find just the right bits of information, coupled with vendors' fax-back systems and BBSes for late-breaking insights give me the information that I previously acquired by prospecting the newsgroups. I do not need more information now. I do need time to digest it.

Newsgroups also provided interesting, if not always work-related, information (e.g., net.singles and net.bicycles). Sorting through all the electronic data available, even 10 years ago, took a lot of time. Today, I am willing to pay an accountable expert to winnow away the chaff, packaging and distributing the useful kernels to me in a form I can quickly absorb—a magazine or a newsletter.

It is important to acknowledge the contributions of federal managers to the Internet. When I was a government employee, any letter I wrote went through countless reviews. If I made a long-distance phone call, it was logged in. The Internet was an expressway bypassing the bureaucracy.

There was a time when the Internet did fill a void. That void has been filled with other products and services that now render the Internet obsolete. The clamor to revive the Internet with a massive and continuing government subsidy is without any sound support grounded in economic arguments.

To enable their computers to reach out to touch other computers, many people may need to believe in an Internet-like entity. I don't. I believe in a modem and a quality phone line. ■

Richard Jennings is a retired Air Force Major living in Norwich, Vermont. If you want to reach him on the Internet, you'll have to send E-mail to editors@bix.com.

OUR NEWEST, MOST POWERFUL 8-HOUR** NOTEBOOK.

(*Actual battery life will vary depending on nature and frequency of use and configuration.)

INTRODUCTORY OFFER

\$3499

Dell® Latitude™ XP
Intel® DX4™ 100MHz System
Business Lease: \$130/MO.

SYSTEM SPECS:

- 9.5" Dual Scan STN Color
- 8MB RAM (36MB Max RAM)
- 340MB Hard Drive
- New Smart Lithium Ion Battery
- 5.9 pounds
- 3-year Limited Warranty†
- 30-day Money-back Guarantee*

Order Code #600025

COOL FACTS:

- Most tested product in Dell history.
- Each port door has been opened and closed 5,000 times.
- The trackball has been rolled the equivalent of 50 miles.
- Each mouse button has been pressed 5 million times.




TO ORDER, CALL NOW.

800-247-4709

Mon-Fri 7am-9pm CT • Sat 10am-6pm CT • Sun 12pm-5pm CT
In Canada, Call 800-668-3021

Keycode #01002

DELL™



Dell's featured computer artist is Glen Mitsui of Studio MD, Seattle.

INTRODUCING OUR NEW 100MHz NOTEBOOK.

Just the latest addition to our 8-hour** notebook line. A line that's been getting great reviews. Here's what the experts are saying:

"Latitude XP [is] the fastest, longest-lasting 486 notebook our lab has ever seen... enough [battery life] to get you from New York to London (and back, if you catch the Concorde) without a hiccup."

—PC Computing, October 1994

"Dell's new notebook line is boasting some extraordinary new measurements in battery life... Some of the test results were so astonishing that VeriTest repeated the tests several times to confirm the extraordinary performance results."

—Mobile Office, October 1994

"We'd be hard-pressed not to love the Latitude XP. Its myriad features were well-chosen and designed for the serious laptop user, and its power management system and battery life are second to none."

—Laptop Buyers Guide, September 1994

Just turn the page to continue seeing the hottest technology at the hottest prices.

FOR A DEAL LIKE THIS YOU HAVEN'T HAD TO SIT ON SO

DELL SPECS

- ▶ Dell is a member of the Global FORTUNE 500[®] and was the fastest growing company in 1993.
- ▶ Superior 7 day a week, 24 hour a day customer service including guaranteed,[†] next-business-day, on-site service[‡]
- ▶ Dell reached nearly \$3 billion in sales in fiscal year 1994.
- ▶ 100% money-back guarantee.* If you're not fully satisfied, return within 30 days for a full refund of purchase price.
- ▶ Dell offers the broadest line of Pentium™ processor-based systems of all PC manufacturers.
- ▶ As a truly global company, we've sold over 3 million systems in over 120 countries. And worldwide, Dell handles an average of 50,000 customer calls each day.

NEW XPS P100

Dell Dimension XPS P100 A Pentium Processor-based 100MHz System

- Mini Tower Model
- 8MB RAM
- 1GB Enhanced IDE Hard Drive (10ms)
- VS15 Monitor (15" CRT, NI)
- Imagine 128 Graphics Accelerator with 4MB VRAM
- NEC 3X CD-ROM Drive
- 256KB Writeback Cache
- #9 HawkEye Video Software
- One Diskette Drive (3.5")
- Spacesaver Keyboard
- MS-DOS 6.2/Microsoft Windows 3.1/Mouse

Pictured System

\$3899

Business Lease: \$140/MO.
Order Code #500034

XPS P90 LOADED

Dell Dimension XPS P90 A Pentium Processor-based 90MHz System

- Mini Tower Model
- 16MB RAM
- 1GB Enhanced IDE Hard Drive (10ms)
- VS15 Monitor (15" CRT, NI)
- Imagine 128 Graphics Accelerator with 4MB VRAM
- NEC 3X CD-ROM Drive
- 256KB Writeback Cache
- #9 HawkEye Video Software
- One Diskette Drive (3.5")
- Spacesaver Keyboard
- MS-DOS 6.2/Microsoft Windows 3.1/Mouse

\$3599

Business Lease: \$130/MO.
Order Code #500036

XPS P75 MULTIMEDIA

Dell Dimension XPS P75 A Pentium Processor-based 75MHz System

- Mini Tower Model
- 8MB RAM
- 1GB Enhanced IDE Hard Drive (10ms)
- VS15 Monitor (15" CRT, NI)
- 64-bit PCI 2MB DRAM Video Card
- 2X Multi-session EIDE CD-ROM Drive
- 256KB Writeback Cache
- Soundblaster 16 Sound Card
- Peavey® 200 Speakers
- One Diskette Drive (3.5")
- Spacesaver Keyboard
- MS-DOS 6.2/Microsoft Windows 3.1/Mouse

\$2599

Business Lease: \$96/MO.
Order Code #500035

P90 ONLY \$2349

Dell Dimension XPS P90 A Pentium Processor-based 90MHz System

- Mini Tower Model
- 8MB RAM
- 540MB Hard Drive (13ms)
- VS15 Monitor (15" CRT, NI)
- 64-bit PCI 1MB DRAM Video Card
- 2X Multi-session EIDE CD-ROM Drive
- 256KB Writeback Cache
- One Diskette Drive (3.5")
- Spacesaver Keyboard
- MS-DOS 6.2/Microsoft Windows 3.1/Mouse

\$2349

Business Lease: \$87/MO.
Order Code #500024

P75 UNDER \$2000

Dell Dimension XPS P75 A Pentium Processor-based 75MHz System

- Mini Tower Model
- 8MB RAM
- 340MB Hard Drive (13ms)
- VS15 Monitor (15" CRT, NI)
- 64-bit PCI 1MB DRAM Video Card
- 256KB Writeback Cache
- #9 HawkEye Video Software
- One Diskette Drive (3.5")
- Spacesaver Keyboard
- MS-DOS 6.2/Microsoft Windows 3.1/Mouse

\$1999

Business Lease: \$74/MO.
Order Code #500033

MULTIMEDIA 466DM

Dell Dimension 466D IntelDX2™ 66MHz System

- 8MB RAM
- 540MB Hard Drive (13ms)
- VS15 Monitor (15" CRT, NI)
- Accelerated Local Bus Video with 1MB DRAM
- 2X Multi-session EIDE CD-ROM Drive
- Soundblaster 16 Sound Card
- Peavey 200 Speakers
- 128KB Cache
- One Diskette Drive (3.5")
- Spacesaver Keyboard
- MS-DOS 6.2/Microsoft Windows 3.1/Mouse

\$1899

Business Lease: \$70/MO.
Order Code #300048

466DM BEST BUY

Dell Dimension 466D IntelDX2 66MHz System

- 8MB RAM
- 540MB Hard Drive (13ms)
- VS15 Monitor (15" CRT, NI)
- Accelerated Local Bus Video with 1MB DRAM
- 128KB Cache
- One Diskette Drive (3.5")
- Spacesaver Keyboard
- MS-DOS 6.2/Microsoft Windows 3.1/Mouse

\$1599

Business Lease: \$59/MO.
Order Code #300045

433D WORKSTATION

Dell Dimension 433SD i486™ DX 33MHz System

- 4MB RAM
- 340MB Hard Drive (13ms)
- SVGA Monitor (14" CRT)
- Accelerated Local Bus Video with 1MB DRAM
- One Diskette Drive (3.5")
- Spacesaver Keyboard
- MS-DOS 6.2/Microsoft Windows 3.1/Mouse

\$1199

Business Lease: \$44/MO.
Order Code #300049

[†]Promotional pricing expires 1/31/95. Promotional pricing is not discountable. *Guarantees available in the U.S. only for registered owners of Dell Dimension systems purchased after 8/1/93 and Dell Latitude systems. ‡Service provided by BancTec Service Corp. On-site service may not be available in certain remote locations. †Business leasing arranged by Leasing Group, Inc. *Prices and specifications valid in the U.S. only and subject to change without notice. ©1994 Dell Computer Corporation. Intel, IntelDX2, and i486 are registered trademarks and Windows is a trademark of Microsoft Corporation. Peavey is a registered trademark of Peavey Electronics Corporation. HawkEye is a registered trademark of #9 Computer Corp. FORTUNE 500 is a registered trademark of Time Inc. Magazine.

THIS, YOU USUALLY COME FAT GUY'S LAP.



Dell's featured computer artist is Tom Cushwa of NY, NY.

50MHz POWER

\$3499 INTRODUCTORY OFFER



Dell® Latitude™

IntelDX2 50MHz System

- 9.5" Dual Scan STN Color
- 4MB RAM
- 200MB Hard Drive
- 6 pounds

\$2299

Business Lease: \$85/MO.

Order Code #600022

Dell Latitude XP

IntelDX4™ 100MHz System

- 9.5" Dual Scan STN Color
- 8MB RAM
- 340MB Hard Drive
- 5.9 pounds

\$3499*

Business Lease: \$130/MO.

Order Code #600025

TO ORDER, CALL NOW.

800-225-4898

Mon-Fri 7am-9pm CT • Sat 10am-6pm CT • Sun 12pm-5pm CT

In Canada, Call 800-668-3021

Keycode #01003

DELL™



urchased after 8/8/94. *For a complete copy of our Guarantees or Limited Warranties, please write Dell Computer Corp., 2214 W. Braker Lane, Building 3, Austin, TX 78758. *On-site to change without notice. The Intel Inside logo is a registered trademark and Pentium, IntelDX2, IntelDX4 and i486 are trademarks of Intel Corporation. MS-DOS and Microsoft are a registered trademark of the Time Inc. Magazine Corp. Dell disclaims proprietary interest in the marks and names of others. ©1994 Dell Computer Corporation. All rights reserved.

**NEW
75MHz
PENTIUM
PROCESSOR-
BASED
SYSTEM
ONLY
\$1999**

Dell Dimension™ XPS P75
A Pentium™ Processor-based
75MHz System

Business Lease*: \$74/Mo.

SYSTEM SPECS:

- Mini Tower Model
- 8MB RAM
- 340MB Hard Drive (13ms)
- VS15 Monitor (15" CRT, NI)
- NEW 64-bit #9 PCI 1MB DRAM
Video Card
- 256KB Writeback Cache
- One Diskette Drive (3.5")
- Spacesaver Keyboard
- MS-DOS® 6.2/Microsoft®
Windows™ 3.1/Mouse

Order Code #500033

WHY CRUISE AT 60 WHEN YOU CAN SPEED AT 75?

Introducing the new Dell Dimension 75MHz Pentium-chip based system. The perfect desktop for those of you with a lead foot and a light wallet.

You get 15% more processing power than a 60MHz system. That's one heck of a machine for under \$2000. What's more, it's all backed by the stability of Dell, a Global FORTUNE 500® company.

Call today to take advantage of this great deal. And then throw caution to the open road.

TO ORDER, CALL NOW.

DELL™

To Order, Call

800-247-4052

Mon-Fri 7am-9pm CT • Sat 10am-6pm CT • Sun 12pm-5pm CT
In Canada? Call 800-668-3021

Keycode #01001



Dell's featured computer artist
is Tom Cushwa of NY, NY.



Just turn the page to continue seeing the hottest technology at the hottest prices.