

Applications
Development Extra
Begins after page 208

SPECIAL REPORT: OPERATING SYSTEMS

NOVEMBER 1995

BYTE

THE MAGAZINE OF TECHNOLOGY INTEGRATION

Tested: NT on PowerPC

Cracked! Citibank admits massive security breach

Lotus Notes vs. the Web: What's best for groupware?

SUPER CHIPS

- ★ **3 Hot INTEL challengers**
- ★ **Split-personality POWERPC 615**
- ★ **Eye-Popping MULTIMEDIA processors**



PLUS

System Vendors Unveil P6 Plans



\$3.95 U.S.A./\$4.95 IN CANADA

A Publication of the McGraw-Hill Companies/0360-5280



MICRON POWERSTATION

If speed's your thing, the PowerStation really cooks—just ask the experts! In a recent *PC Magazine* First Look, as well as a *PC World* Test Drive, the PowerStation outperformed the competition, including systems from both Dell and Gateway, setting new records for Pentium® processor-based systems. This super-powered workstation is capable of zipping effortlessly through complex applications. Power-packed video, plenty of RAM, and your choice of Pentium processors push this lean, mean machine way past the competition. And features like superior upgradability and sophisticated mass storage options mean the PowerStation will grow with you.



P75 POWERSTATION

- Intel 75MHz Pentium® processor
- 256K write-back cache, Flash BIOS
- 4X EIDE CD-ROM drive, 3.5" floppy drive
- SoundBlaster™ 16 stereo sound & speakers
- PCI 64-bit graphics accelerator (2MB)
- Tool-Free mini-tower or desktop
- Microsoft® Mouse, 101-key keyboard
- Microsoft Windows® 95 CD

A • 8MB RAM, 850MB EIDE hard drive
 • 15" Micron 15FGx, 1280NI, .28mm
 • Microsoft Works 95 CD
\$1,899 (Business Lease \$71/month)

B • 16MB RAM, 1.2GB EIDE hard drive
 • 15" Micron 15FGx, 1280NI, .28mm
 • Microsoft Office Pro 95 CD
\$2,399 (Business Lease \$85/month)

C • 32MB RAM, 1.6GB EIDE hard drive
 • 17" Micron 17FGx, 1280NI, .28mm
 • Microsoft Office Pro 95 CD
\$3,499 (Business Lease \$119/month)

• With 90MHz Pentium processor.....add \$100

AWARD-WINNING SERVICE & RELIABILITY

In *PC Magazine's* latest Service and Reliability survey, Micron received the highest scores in all four categories: Satisfaction with



Reliability, Satisfaction with Repair Experience, Satisfaction with Technical Support, and Future Likelihood of Buying again.



P100 POWERSTATION

- Intel 100MHz Pentium processor
- 256K write-back cache, Flash BIOS
- 4X EIDE CD-ROM drive, 3.5" floppy drive
- SoundBlaster™ 16 stereo sound & speakers
- PCI 64-bit graphics accelerator (2MB)
- Tool-Free mini-tower or desktop
- Microsoft Mouse, 101-key keyboard
- Microsoft Windows 95 CD


A • 8MB RAM, 850MB EIDE hard drive
 • 15" Micron 15FGx, 1280NI, .28mm
 • Microsoft Works 95 CD
\$2,099 (Business Lease \$75/month)

B • 16MB RAM, 1.2GB EIDE hard drive
 • 15" Micron 15FGx, 1280NI, .28mm
 • Microsoft Office Pro 95 CD
\$2,599 (Business Lease \$93/month)

C • 32MB RAM, 1.6GB EIDE hard drive
 • 17" Micron 17FGx, 1280NI, .28mm
 • Microsoft Office Pro 95 CD
\$3,699 (Business Lease \$126/month)

• With 90MHz Pentium processor...subtract \$100

When
your
486 just
doesn't
cut it.



P133 HOME MPC PRO

The Ultimate Home Office Performance System

P133 HOME MPC PRO

- Intel 133MHz Pentium® processor
- 256K Micron SyncBurst™ cache, Flash BIOS
- 16MB EDO RAM, 1.2GB EIDE hard drive
- 4X EIDE CD-ROM drive, 3.5" floppy
- SoundBlaster™ 16 stereo sound & speakers
- 14.4 Fax/Modem, speakerphone, voice mail
- PCI 64-bit graphics accelerator (2MB)
- 17" Micron 17FGx, 1280NI, .28mm
- Tool-Free mini-tower or desktop
- Microsoft® Mouse, 101-key keyboard
- Microsoft Windows® 95
- Microsoft Office Pro 95 CD
- Microsoft Scenes: Sports Extremes; Microsoft Bob™ CD; Microsoft Encarta™ 95 CD; Quicken® Deluxe Edition CD; Microsoft Dangerous Creatures CD; Microsoft Golf Multimedia CD; Trial Subscriptions for CompuServe™, America OnLine™ & Prodigy™.

\$3,499



May 16, 1995
P90 HOME MPC



July 1995
P90 HOME MPC



P75 HOME MPC

- Intel 75MHz Pentium processor
- 256K write-back cache, Flash BIOS
- 8MB EDO RAM, 850MB EIDE hard drive
- 4X EIDE CD-ROM drive, 3.5" floppy
- SoundBlaster™ 16 stereo sound & speakers
- 14.4 Fax/Modem, speakerphone, voice mail
- PCI 64-bit graphics accelerator (2MB)
- 15" Micron 15FGx, 1280NI, .28mm
- Tool-Free mini-tower or desktop
- Microsoft Mouse, 101-key keyboard
- Microsoft Windows 95 CD
- Microsoft Works 95 CD
- Microsoft Scenes: Sports Extremes; Microsoft Bob CD; Microsoft Encarta 95 CD; Quicken Deluxe Edition CD; Microsoft Dangerous Creatures CD; Microsoft Golf Multimedia CD; Trial Subscriptions for CompuServe, America OnLine & Prodigy.

\$1,999

- With 90MHz Pentium processor.....add \$100
- With 100MHz Pentium processor.....add \$200



September 1995
P75 HOME MPC

Micron Electronics, Inc., 900 E. Karcher Road, Nampa, ID 83687 • Mon-Fri 7AM-8PM Sat 8AM-5PM (MT)
208-463-3434 • FAX 208-463-3424 • Purchase Order FAX 208-467-5384
Internet information: <http://www.mei.micron.com>

International Sales
208-465-8970



International FAX
208-465-8993



From Mexico Call
95-800-708-1755



From Puerto Rico Call
800-708-1756



From Canada Call
800-708-1758

© 1995 Micron Electronics, Inc. All rights reserved. All prices and specifications subject to change without notice. Micron Electronics, Inc. cannot be responsible for omissions and/or errors in typography or photography. "Mark Your Place With The Leader" is a service mark of Micron Electronics, Inc. Intel, Intel Inside, and Pentium are registered trademarks of the Intel Corporation. Microsoft is a registered trademark and Windows, Windows NT and the Windows logos are trademarks of Microsoft Corporation. All other company trademarks are trade names of each respective company. Prices do not include shipping and handling. 30-day risk-free money back guarantee does not include return freight and original shipping/handling charges, applies only to Micron brand products, and begins from date of shipment. All returns require RMA numbers and must be shipped in the original condition pre-paid and insured. These prices based on 30-month lease.

It's Your Call!

800-233-7027

MICRON
ELECTRONICS, INC.

SETTING THE STANDARD



MICRON
ELECTRONICS, INC.



THE MICRON MILLENNIA™

"Buyers looking for the fastest system money can buy will find it in the Micron Millennium."

PC Week, May, 1995

And the reason for the Micron P120 Millennium's amazing ability to far outperform the competition? It's exclusive dynamic combination of Micron's EDO (Extended Data Out)

Memory and SyncBurst™ cache, providing significant performance gains over previous memory designs. Once again, another major breakthrough in computing performance innovation from Micron, the technology leader.

P120 MILLENNIA

- Intel 120MHz Pentium® processor
- 256K Micron SyncBurst™ cache, Flash BIOS
- 4X EIDE CD-ROM drive, 3.5" floppy drive
- SoundBlaster™ 16 stereo sound & speakers
- PCI 64-bit graphics accelerator (2MB)
- Tool-free mini-tower or desktop
- Microsoft® Mouse, 101-key keyboard
- Microsoft Windows® 95 CD

- A**
- 8MB EDO RAM, 850MB EIDE hard drive
 - 15" Micron 15FGx, 1280NI, .28mm
 - Microsoft Works Multimedia CD

\$2,499 (Business Lease \$89/month)

- B**
- 16MB EDO RAM, 1.2GB EIDE hard drive
 - 15" Micron 15FGx, 1280NI, .28mm
 - Microsoft Office Pro 95 CD

\$2,999 (Business Lease \$107/month)

- C**
- 32MB EDO RAM, 1.6GB EIDE hard drive
 - 17" Micron 17FGx, 1280NI, .28mm
 - Microsoft Office Pro 95 CD

\$4,099 (Business Lease \$140/month)

- P133 MILLENNIA.....add \$100

"The Millennium is nothing short of the best all-around PC available on the Market today."

PC Magazine, April 25, 1995



According to PC Magazine's most recent Windows based tests, the Micron P120 Millennium is a "star performer." The Millennium garnered the


highest Graphics WinMark score ever seen, in addition to a top-notch Winstone score.



MICRON
ELECTRONICS, INC.

800-233-7027

Circle 107 on Inquiry Card.



This **wide-open**
road brought to you by new Microsoft Office



Now fewer things will get between you and the way you want to work.



Introducing new **Microsoft Office** for Windows 95

**Software that reveals itself, removes the barriers between you and capabilities old and new.
Software that doesn't get in your way when you're trying to work.**



Features that can streamline the way you work now reveal themselves as you work. Everyday tasks as basic as entering text are easier. Spell-checking and formatting happen automatically, on the fly. Applications that you once used in a limited fashion now offer you new and easier ways to use them, to do more with them. One of those ways is the Answer Wizard. When you have a question you simply type it in. "How do I get this page to print sideways?" It will show you how. Other wizards are built into individual programs to walk you through complex tasks. To create a customer database from scratch, you simply ask the Database Wizard to show you how. This is called IntelliSense™ technology, and it senses what you are doing, and helps you do it with fewer steps. It lets you focus on your work, not on making your software work.

**Now applications work together, work alike,
work the way you always hoped they would.**

New Microsoft® Excel, Word, PowerPoint®, Microsoft Access, and Schedule+. Use them to work more effectively, to access and share information throughout your company, to conduct more in-depth analysis. Pull information from one application



into another seamlessly. Manage your key contacts in Schedule+ and drop addresses into Word when you write them letters. Use PowerPoint's Meeting Minder to take notes of your meeting, and then export them to Word to summarize. Use the new Office Binder to create a single document that uses components from all five programs.

Combine a cover letter, financial projections, and professional-looking charts and graphs seamlessly into one document. Save and print it as one. Open it and have all the applications it uses launch at once. You spend less time going back and forth between programs. Less time working around obstacles. More time focusing on the task at hand.

Microsoft


WHERE DO YOU WANT TO GO TODAY?™



To see an autodemo and more, go to <http://www.microsoft.com/msoffice>. Or call 800-426-9400.
©1995 Microsoft Corporation. All rights reserved. Microsoft, PowerPoint, Windows, and the Windows logo are registered trademarks and IntelliSense, the Windows Start logo and Where Do You Want To Go Today? are trademarks of Microsoft Corporation. *This add-on is available at no charge (does not include shipping and handling).

**Together, the programs break down the barriers between you and other people.
You find new ways to communicate, to share information, to collaborate.**

Now you can use Microsoft Word as your e-mail editor with the Microsoft Exchange Inbox in Windows 95. Create your messages in Word, and use all of its functionality, its formatting options, to communicate more clearly, more convincingly. With Word's Internet Assistant, you can browse the World Wide Web and publish your own documents there. If you subscribe to The Microsoft Network, you can access it directly from Office. FindFast lets you search company servers and individual desktops for information you need by typing a phrase or key word. Even finding the information you need to schedule a meeting is made simpler with the Meeting Wizard in Schedule+. It can find a time when your list of people can meet, locate a conference room, and notify everyone of the time and place.



Now you can take full advantage of Windows 95.

New Microsoft Office was designed to work hand-in-hand with the Windows® 95 operating system and its simplified user interface. To make the most of 32-bit performance, long filenames, shortcuts, multitasking, and the Windows Explorer. Together, they make computing fundamentally easier and faster. They make it possible for you to spend less time computing, more time working effectively.

Cover Story:

State of the Art

SUPER CHIPS



Heartthrobs

BY ALAN JOCH 169

The next generation of processors are guaranteed to get your heart, and your computer, pumping.

Chip Fashion

BY TOM R. HALFHILL AND JOHN MONTGOMERY 171

You ain't seen nothing yet. New multimedia chips, appearing in products next year, will power eye-popping graphics.

CPU Scorecards

BY DICK POUNTAIN AND TOM R. HALFHILL 179

Technical details on nine next-generation chips, including three Intel challengers from AMD, Cyrix, and NexGen.

Why the 615 Matters

BY LINLEY GWENNAP 198

Here's our design for how IBM could build a PowerPC chip that runs x86 software.

Alternate Views of the 615—200

Features

HIGH-TECH SLEUTHING

Kaboom, Inc. 48NA 1

BY CAREN D. POTTER

Whether it's a factory explosion or James Dean's fatal car crash, the computer-toting detectives from Failure Analysis find out what went wrong.

NETWORK MANAGEMENT

Needle Hunting 51

BY PAUL KORZENIOWSKI

You can't tell the baseball players without a scorecard. And you can't find network users without a directory.

X.500: The Once and Future Answer—52



GLOBAL COMMUNICATIONS

Hyper-G Organizes the Web. 59

BY UDO FLOHR

This could be the next big thing on the Web: a new hypermedia architecture that makes it easier to find what you're looking for.

Why the Web Won't Work—60

SIMULATION

Faking It, Then Making It 66

BY JOHN R. VACCA

Simulation software helped design production flow in Siemens Solar's new clean room.

Learn by Doing—72

SPECIAL REPORT

OPERATING SYSTEMS

Hot new developments in the software that runs the software

Begins on page 77

Smooth Operators 77

OS Paradise 81

Filling in Windows Blanks 103

Not That DOS 113

Sincere OS Flattery 119

OO Meets OS 123

And One for All 131

Crashing the Party 137



News & Views

PC PROCESSORS

P6 Expands PC Spectrum 28

Thought the first P6 systems would be big servers, did you? Many companies are actually preparing to ship desktop boxes first, some for less than \$4000.

NETWORK MANAGEMENT

End Migration Headaches 30

Upgrading from NetWare 3.x to NetWare 4.x can be less painful with these NDS migration utilities.

WINDOWS 95 AND NETWORKS

Still a Work in Progress 34

Windows 95 brings benefits to network managers, but some of the best stuff is yet to come.

DISPLAY TRENDS

Flat Displays Squeeze

Bulky CRTs 38

Big screens, small space—coming soon to a desktop near you.

COMMUNICATIONS

Phone Lines Stymie

V.34 Modems 40

That spiffy new V.34 modem may feel like a station wagon instead of a turbocharged racer. Here's why.

OPERATING SYSTEMS

Vendors Rally for 64-Bit Unix 47

The list of backers is impressive, but we might not see the results of a new 64-bit Unix initiative for a couple years.

SECURITY

Bank Robbers Go Electronic 48

Citibank admits it's been robbed. But the alleged crooks use PCs, not shotguns.

PROGRAMMING

CodeTalk: Watcom C/C++ Gets Visual 47

The new version of one of Rick Grehan's favorite compilers offers a much more visual development environment.



THE BYTE NETWORK PROJECT



Global Groupware

BY JON UDELL 203

BYTE implements the virtual press room, a Web archive where companies can publish press releases and users can find out about the latest products.

RFC 1597 Revisited—203

POWERPC SYSTEMS

NT Roars on the 604.....209

BY DAVE ROWELL

Our tests of new systems from Austin Direct, IBM, and Motorola show that the PowerPC 604 chip makes for a mean Windows NT workstation.



Alpha Stays Ahead—210

BUSINESS TOOLS

Enterprise Database Managers.....213

BY BARRY NANCE

The latest versions of DB2/2, Oracle, and SQL Server are strong enough to support a business, but they differ in reliability and scalability.

PERSONAL INFORMATION MANAGERS

Organization Made Loud and Clear.....217

BY JOHN MONTGOMERY

NetManage's ECCO Pro 3.0 offers clever OLE 2.0 integration and a compelling outline metaphor for the organizationally challenged.

PROGRAMMING TOOLS

Storming the Enterprise.....219

BY STEVE GILLMOR

Microsoft bolsters Visual Basic 4.0 with distributed-object technology and enhanced OLE automation. But, as our reviewer explains, not all objects are alike.

POWER PROTECTION

Sudden Darkness.....227

BY REX BALDAZO, RICK GREHAN, AND DAVE ROWELL

When the lights go out, which uninterruptible power supply is going to keep your network running? We test 31 UPS models to find the best.



WORKGROUP SOFTWARE

Software Roundup: Virtual Whiteboards233

BY DAVID SEACHRIST

Desktop-conferencing—whiteboarding—software is often a more viable solution than videoconferencing. BYTE and NSTL pick the best from seven Windows programs.

Core Technologies

CPUS

PixelFlow: Scalable Image Processing.....249

BY DICK POUNTAIN

This new chip architecture takes an innovative approach to generating photo-realistic images. Here's how this rapid renderer works.

OPERATING SYSTEMS

Open(ing) VMS to Win32.....251

BY MARK FENIELLO

Adding Win32 support to Digital's OS means good news for developers: They can build for both OpenVMS and NT machines.

PROGRAMMING

Windows NT Threads.....253

BY SHASHI PRASAD

A multithreaded application may actually run slower on an SMP machine than on its single-threaded equivalent. Here's how to avoid that.

NETWORKS

ATM with a Twist of LAN255

BY REX BALDAZO

ATM must interoperate with legacy systems, especially LANs. LAN Emulation might do the trick.



WORKGROUP PRINTERS

Lab Report: 12 Network Printers Set the Pace238

We test networked laser printers with fast engines, built-in Ethernet, large paper capacities, long life, and security features.

16- to 20-ppm Printers—241
30- to 32-ppm Printers—243
Network-Printer-Management Software—244
Honorable Mentions/Dubious Achievement—244
How We Tested—245
Roll Call—246

Applications Development 208DM 1

READER SERVICE

Editorial Index by Company 310
Alphabetical Index to Advertisers 306

Index to Advertisers by

Product Category 308
Inquiry Reply Cards: 122A, 304A

BUYER'S GUIDE

271

Mail Order
Hardware/Software Showcase
Buyer's Mart

PROGRAM LISTINGS

FTP: ftp.byte.com
From BIX: Join "listings/frombyte95" and select the appropriate subarea (i.e., "nov95.")

From the BYTE BBS at 1200-9600 bps: Dial (603) 924-9820 and follow the instructions at the prompt.

THE BYTE WEB SITE

http://www.byte.com

Opinions

Pournelle: Digital Models.....257

BY JERRY POURNELLE

Jerry returns from SIGGRAPH, explores mountains of CD-ROMs and, yes, manages to find one more problem with Windows 95.



Books and CD-ROMs: Battle of the Sexes, Part II.....49

BY JOHN MONTGOMERY, EDMUND X. DEJESUS, AND JEFF MACCLAY

The confusion of a digital culture, computer "minds," and two CD-ROMs on getting back to nature.

Commentary: Things to Come312

BY TED NELSON

The inventor of hypertext makes his forecasts on the future of computing and the human race.

Editorial.....12

BY RAPHAEL NEEDLEMAN

Letters20
Readers write about our anniversary edition, OS/2, RAD, the BYTE Web site, and more.



NEW PRODUCTS

What's New262

Intel's newest OverDrive, which is faster and less expensive than the company's first Pentium OverDrive, is a bargain upgrade; askSam is now faster (thanks to new full-text indexing) and fuzzier; plus, a new Indigo 3-D workstation, reference works for OS/2 and Unix users, a router manager for WANs, and more new hardware and software.



This page presents the articles in this issue according to computing platform.

DOS/WINDOWS

P6 Closes in on RISC.....28
PC makers reveal their P6 plans. Some of the first systems based on Intel's new CPU will be workstation-class machines with desktop-PC prices.

Microsoft Strengthens Windows Directory Services.....30
Open Directory Services Interface will enable NT to interoperate with the directories of NetWare and other systems.

Still a Work in Progress34
Windows 95 has some good network-management capabilities, but there's more to come.

Code Talk: Watcom C/C++ 10.5 Gets Visual.....47
DOS and Windows developers who like Watcom's tools will probably like this latest version even more. It now has visual application-building capabilities.

Filling in Windows Blanks.....103
Windows 95 has some missing panes. Utilities cover those holes.

Sincere OS Flattery119
You do most of your work under Windows, but sometimes you need to run that Mac graphics package. Do you need two computers? Not if you have a good emulator.

OO Meets OS123
An object-oriented operating system could mean data integration that makes today's dragging-and-dropping look downright barbaric.

And One for All131
If you're looking to build for platforms besides DOS and Windows, here's some good advice about techniques and tools.

Why the 615 Matters.....198
IBM won't say how this future PowerPC chip will run x86 software. So we come up with our own design.

NT Roars on the 604209
Our tests of three new PowerPC systems prove that the 604 CPU makes for a screaming NT machine.

Enterprise Database Managers.....213
What's the best relational database manager for your business—DB2/2, Oracle, or SQL Server?

Organization Made Loud and Clear217
Using OLE 2.0 to link with other Windows applications, NetManage's ECCO Pro 3.0 goes beyond the PIM concept: to become a complete desktop environment.

Storming the Enterprise.....219
Visual Basic 4.0 comes with tools for developing three-tier client/server applications.

Software Roundup: Virtual Whiteboards.....233
Desktop-conferencing programs let networked and remote users edit shared documents, often from within Windows applications. We sort out seven.

Open(ing) VMS to Win32.....251
No, it doesn't mean Word will soon be running under OpenVMS. It means OpenVMS developers can also target NT machines.

Poumelle: Digital Models257
Jerry tries to get through a column without having to chronicle another Win 95 problem, but alas...

OS/2

Code Talk: Watcom C/C++ 10.5 Gets Visual.....47
You can use Watcom's development kit to build OS/2 applications. The job should be easier now that it has Visual Basic-like programming tools.

OS Paradise.....81
How OS/2 stacks up against the other 32-bit systems.

Sincere OS Flattery119
How does IBM get OS/2 to show a Windows program running on the OS/2 desktop? Tricks of emulation.

OO Meets OS123
You can think of OS/2 Warp as object-oriented, but it could really be an OO operating system if it inherits qualities from Taligent's CommonPoint.

Enterprise Database Managers.....213
We stress-test IBM's DB2/2 for OS/2. When it dies, it dies gracefully.

MACINTOSH

CPU Scorecards.....179
Wonder what the PowerMacs of next year will be like? For one thing, they'll have a 64-bit CPU. See the technical description of the PowerPC620 chip for a glimpse into the Macs of '96.

Sincere OS Flattery119
Sometimes you might have to run Windows software. Do you need a Windows PC? No way. You've got emulation.

And One for All131
Tools and techniques for developing software for the Mac, Windows, NT, and Unix.

UNIX

Vendors Rally for 64-bit Unix...47
A grand group of vendors has endorsed a common 64-bit Unix API. But that's the easy part.

Not That DOS113
Think of these distributed operating systems as Unix++. They're gradually emerging from the labs. Plan 9 and Spring are here now.

Sincere OS Flattery119
SunSoft's Wabi—which lets Unix machines run Windows programs—is a prime example of emulation technology.

CPU Scorecards.....179
SPECint-burning chips from Hewlett-Packard, Digital, Sun, and others could be the brains of your next workstation. Here are the details on next-generation CPUs.

NETWORKS

End Migration Headaches30
Upgrading from NetWare 3.x to 4.1 can induce migraines. A dose of these new migration tools can stop the pain.

Still a Work in Progress34
Windows 95 comes with some decent network-management capabilities. But you might want to hold off on upgrading because some important pieces are missing.

Needle Hunting51
A network is like a haystack. Directory services are supposed to help you find the needles. But do they?

Hyper-G Organizes the Web59
A new hypermedia-saavy architecture could help make the Web a better place for information publishing and finding.

Not That DOS113
Researchers are making progress on distributed operating systems, designed to take advantage of today's networking infrastructure.

OO Meets OS123
Imagine being able to reach across the wires and snag that chart you need from Sally's system a thousand miles away.

The BYTE Network Project: Global Groupware.....203
We build two Web applications that showcase both public and private networking. Read all about BYTE's virtual press room.


Sudden Darkness227
When lightning strikes, you'd better have juice. We test 31 uninterruptible power supplies designed to keep your network running.

Lab Report: 12 Network Printers Set the Pace.....238
Looking to hang some faster printers off your network? Check the results of our testing to find out which one is right for your LAN.

Agents.....103
ATM.....255
C/C++.....47, 131
CD-ROM.....49, 257
Chips.....28, 169, 171, 179, 198, 200, 209, 249
Conferencing.....233
Databases.....113, 213, 217
Display technology.....38
Emulation.....119, 198, 255
Graphics.....59, 171, 249
Groupware.....203, 233
HTML.....59, 203
Internet.....38, 59, 203
ISDN.....40
Modems.....40
Multimedia.....171, 192
Multiplatform development....47, 131, 251
Multiprocessing.....113, 209, 249, 253
Networks.....30, 34, 51, 59, 81, 113, 203, 213, 227, 238, 255
OLE.....123, 219
Operating systems..12, 47, 77, 81, 103, 113, 119, 123, 131, 137, 251, 257
PCI.....28, 209
Plan 9.....81, 113.
P6.....28, 180, 209
PowerPC.....196, 198, 209
Power supplies.....227
Printers.....238
Programming.....47, 131, 203, 219, 253
RISC.....28, 179, 188, 192, 194, 196,198
Security.....48, 203
Simulation.....66
3-D.....171, 249, 257
Utilities.....103
World Wide Web.....59, 203
X.500.....51

Put a fork in it.

The hard drive is done.



Optical's Cookin'

INTRODUCING THE PINNACLE APEX 4.6 GB™ OPTICAL HARD DRIVE

THE BIGGEST BREAKTHROUGH IN STORAGE

The only two advantages magnetic hard drives held over optical drives have now been eliminated. In both price and performance, the new Pinnacle Apex 4.6 GB is the first optical drive to totally cook magnetic hard drives.

- Faster than average hard drive (throughput 6 MB/sec max)
- Less expensive than hard drives of equal size
- Enormous 4.6 Gigabyte capacity per disk
- Unlimited capacity - just add another disk
- Direct Overwrite media (one-pass write)
- Greater reliability and durability than hard drives
- Removable disks allow easy portability and security

THE CROSSOVER IN STORAGE TECHNOLOGY

We've always known that some day optical drives would replace magnetic hard drive technology in the computer industry. Simply put: optics are superior to magnetics. The numerous limitations of hard drives make this fact obvious. Hard drives crash, they're a pain to move around, they fill up too quickly, and you constantly have to back them up.... So why do we buy

these things? Because up until now, we've never had an alternative that offered the speed, price and capacity of the Pinnacle Apex 4.6 GB optical drive. The Apex signals the dawn of a new era in computer storage.



Internal PC version • 5.25" half-height

DESIGNED FOR ALL YOUR STORAGE NEEDS

The Apex's combination of high capacity, impressive speed and removable/portable media make it the ideal storage device for a broad range of applications:

- General Data Storage • Graphics/Desktop Publishing
- Digital Video • Digital Audio • Data Archiving

No matter what your application, the Apex's recipe of price-performance, removability, and reliability make it the obvious choice over magnetic hard drives. With its removable disks, it's the last storage system you'll ever need to buy - the revolutionary Pinnacle Apex 4.6 GB optical hard drive. Now that we've whetted your appetite, satisfy your hunger for storage with the hottest drive ever.



APEX 4.6 GB™
OPTICAL HARD DRIVE

\$1695

INCLUDES 1 PIECE OF MEDIA



5.25" 4.6 GB
REWRITABLE OPTICAL MEDIA

\$199

Circle 86 on Inquiry Card (RESELLERS: 87)



PINNACLE'S
COOKIN'

"Barbecue Bill" Blum
President & CEO

To order or for a dealer near you call:

1-800-553-7070


PINNACLE MICRO
THE OPTICAL STORAGE COMPANY

Tel: 714-789-3000 Fax: 714-789-3150


CompuServe: 70534,3026



“I could make better decisions if information were presented in a more stimulating way.”



Introducing the first
RISC-based PCs with the power
to bring data to life – so you can
make better decisions faster.



a.k.a. The IBM Personal Computer Power Series

Super Client

Having the right information is one thing. Being able to make the most sense of it is quite another.

Enter the new Personal Computer Power Series™ Super Clients, performing with the fast and powerful PowerPC™ 604 RISC processor and Sensory Suite™ software. These new systems are designed to optimize multimedia applications that give information more impact and more drama.

Power Series systems also offer

- PowerPC 604 processor (100, 120 or 133MHz)
- Choice of 32-bit operating systems
- 16MB – 192MB RAM • Up to 5GB storage
- Multimedia – SoftMPEG and SoftMIDI
- Quad-speed CD-ROM • 3-year warranty¹
- New sharper, brighter color monitor

you a choice of advanced 32-bit operating systems, such as OS/2® Warp Connect,¹ AIX,² Windows NT™ and Solaris.³ So they can do more than help you just exist in a client/server world. They can help you thrive.

To find out more about the new Personal Computer Power Series, visit our web site at <http://www.austin.ibm.com/powrinfo.html> or give us a call at 1 800 IBM-4FAX² and enter #8143643.

We'll show you one more reason why there is a difference.™



The Ultimate Operating System?



It takes more than a zillion-dollar marketing budget to build the perfect operating system

I spent August 24 at the beautiful Microsoft campus in Redmond, Washington. The weather was ideal for the launch of Windows 95; the clouds did a perfect imitation of the background graphic on the Windows 95 carton. Five hundred journalists and I gave up our smug attitude for a few hours to sit in the de facto cheering section at an event that reminded many of us more of a fashion show than a computer product launch.

At one point, I had to restrain myself from leaping up in the middle of the hype and screaming, "Listen to me! It's just an OS upgrade! GET A LIFE!" Later, however, I found myself strangely caught up in the act, laughing at Jay Leno's faux-Luddite act and actually applauding when the big tent wall was dropped to reveal the bleachers full of color-coordinated Windows programmers.

It didn't take me long to come to my senses again, fortunately. All the fancy positioning and expensive marketing can't mask the more important question of the Windows 95 release: How will it really impact the way people work? Because it's the product, not the posture, that will ultimately make the difference.

Will Win 95 take the world by storm, bringing a new class of users to technology? Or will the remnants of DOS that remain in the product push people to more carefully consider the Mac, which has had, as Apple is happy to remind us, a Trashcan icon for 10 years already? Or worse, will the Win 95 hoopla and the emasculated Rolling Stones "Start Me Up" commercial (the words "You make a grown man cry" having been removed from the lyrics) backfire on Microsoft the way the nuns-with-beepers ads submarined OS/2?

I have to admit that I like Win 95. I've been using it for several months, and it's pretty good for a major upgrade. But there's a lot of stuff I miss in this OS. I wish I could take the elements I like from all the OSes available and build my own. Component technology doesn't quite offer me that flexibility yet. But if it did, here's what I'd do:

The kernel. Oh please, let me dump this ancient half-DOS system and build something more tight, more cross-

platform, more robust. Like Windows NT.

User interface. People think I'm a Windows bigot, but that's just because I like to use a lot of different applications, and Windows has more than anybody else. Actually, I'd trade it in for parts of the Mac OS in a heartbeat. The Mac's user interface is better integrated into the OS itself, more consistent, and easier to teach.

Size. Why do I need 40 MB of hard disk space and 16 MB of RAM for a single-processor, single-user OS? I've seen faster, smaller, and equally graphical OSes that, theoretically, could do everything I need. GeoWorks and QNX come to mind.

Networkability. My OS should be able to easily hop onto and off the Internet, a Novell LAN, and wireless services. I like Win 95's capabilities in this arena, but the Mac and OS/2 also do well here.

Multi-everything. I want flexibility. That means an OS architecture that scales from the address book on my personal digital assistant (PDA) up to a big database server. I want my OS to support multiple processors (which NT and big-iron systems like VMS do). I want it to be multithreaded and multitasking (NT, OS/2, Win 95), so background processes don't bottleneck my whole system. I want it multiuser (Unix), so I can distribute some of my applications without requiring a full-power computer at each seat. Finally, it has to be multiplatform, so I'm not locked into Intel, Motorola, or any other chip architecture.

Object-oriented. Object-oriented OSes (OOOSes; great acronym, isn't it?) make for better data sharing among applications and, thanks to reusable components, easier applications development. This last bit is important because it makes programming less expensive, and when you spend less money on that, you can spend more on testing and reliability. The best OOOS we've seen here is NextStep, although the Newton's OS also scores well.

The ideal OS, of course, doesn't exist. But to see how close we are to OS nirvana, check out our Special Report, which begins on page 73.


And in the meantime, be thankful that there is no perfect OS. It means your job as a technologist is safe, as is mine. For now, at least. ■

RAPHAEL NEEDLEMAN, EDITOR IN CHIEF
(rafe@well.com)

PENTIUM, LITHIUM, 16MB, ACTIVE MATRIX

PLUS:

- 810MB HDD
- 256K CACHE
- 14.4 FAX/MODEM
- WINDOWS® 95
- 1MB VIDEO MEMORY
- TWO TYPE II OR ONE TYPE III PCMCIA SLOTS
- EMBEDDED TRACK-POINT POINTING DEVICE (OPTIONAL TRACKBALL OR TOUCHPAD)
- PARALLEL, SERIAL AND PS/2 PORTS



WinBook XP5

\$2999!

OTHER MODELS AVAILABLE

The 17-award-winning WinBook XP goes Pentium! Introducing the WinBook XP5—with the features you want in the highest quality, best value notebook. At \$2999, you get an amazing list of standard features including: 75MHz Intel® Pentium processor, lithium batteries, 10.4" TFT active matrix screen, 16MB RAM, an 810 MB hard drive, and more.

Great values on options begin with a quad-speed CD-ROM docking station, external CD-ROM drive, stereo sound, integrated touchpad or trackball, and 3-year extended limited warranty package. Call today about our \$2999 offer or for information on our other models.

CD-ROM VALUES



**DOCKING STATION
with 4x CD-ROM**

\$399

- INCLUDES QUAD-SPEED CD-ROM DRIVE, TWO EXPANSION SLOTS AND DRIVE BAY REMAINING WITH CD-ROM INSTALLED!
- BUILT-IN PARALLEL, SERIAL, PS/2 MOUSE, KEYBOARD AND VGA PORTS

EXTERNAL CD-ROM with SCSI adapter



\$199

- INCLUDES HEADPHONES, SCSI ADAPTER, AC ADAPTER, PCMCIA CARD AND CARRYING CASE

WinBook
COMPUTER CORPORATION
a subsidiary of Micro Electronics, Inc.

**CALL US TODAY, TOLL-FREE
1-800-293-1639**

Monday-Friday, 8am-9pm EST • Saturday, 9am-4pm

Use your VISA, Discover Card, MasterCard, personal check or P.O. with credit approval. U.S. sales only. 30-day unconditional money-back guarantee from date of purchase.

©1995 WinBook Computer Corporation. All rights reserved. WinBook is a registered trademark of Micro Electronics, Inc. Pentium is a trademark of the Intel Corporation. Windows® 95 is a registered trademark of Microsoft Corporation. All other trademarks and registered trademarks are property of their respective corporations. All prices and specifications are subject to change without notice or obligation. Prices do not include shipping.

Circle 110 on Inquiry Card.



What If You'd Had A Tip To Bet It All On Secretariat?


The Kentucky Derby. The Preakness. The Belmont Stakes. The first horse

in 25 years to sweep the Triple Crown. If you'd only known. Well, know

this: Advanced Micro Devices is the world's second-largest producer of

microprocessors. For 26 years, we've delivered premium performance

without a premium price. And now AMD is launching the next generation

K86 Superscalar™  family of Microsoft Windows® compatible micro-

processors. This technology will dramatically change the nature of competition

in the PC industry. Innovation like that could bring you quite a payoff.

If it's a good idea. If it makes a difference. Run with it.

AMD 
Run with it.

1-800-222-9323 Internet: <http://www.amd.com>

EDITOR IN CHIEF

Raphael Needleman

Editor in Chief's Assistant:
Linda Higgins

EXECUTIVE EDITORS

Rich Friedman, Jon Udell

MANAGING EDITOR

Lauren Sticker Thompson

NEWS

Peterborough:

News Editor: David L. Andrews,
Martha Hicks

New York:

News Editor: Salvatore Salamone

San Mateo/West Coast:

Senior Editor: Tom Halfhill

Frankfurt:

Senior Editor: Rainer Mauth

PRODUCT REVIEWS

Director: Stanford Diehl

Senior Technical Editor: Rick Grehan

Technical Editors: Rex Baldazo,
Susan Colwell, David Essex,
Dave Rowell

STATE OF THE ART/FEATURES

San Mateo:

Features Editor: John Montgomery

Peterborough:

Senior Editor: Alan Joch

Technical Editor: Russell Kay

Lexington:

Senior Editor: Edmund X. DeJesus

SENIOR TECHNICAL EDITOR

At Large: Tom Thompson

SENIOR RESEARCHER

Rowland Aertker

ASSOCIATE TECHNICAL EDITORS

Dennis Barker, Cathy Kingery,
Warren Williamson

SENIOR CONTRIBUTING EDITOR

Jerry Pournelle

CONTRIBUTING EDITORS

Stephen Apikl, Dick Pountain

CONSULTING EDITORS

Nicholas Baran, Raymond GA Côté,
Trevor Marshall, Stan Miasikowski,
Bary Nance, Roberta Pournelle,
Ellen Ullman, Peter Wayner

EDITORIAL ASSISTANTS

Tammy Grenier, June Sheldon

EDITORIAL INTERN

Jeff MacClay

PUBLISHER

David B. Egan

Publisher's Assistant: Donna Nordlund

ADVERTISING SALES

VP/Sales:

John M. Griffin (212) 512-2367
Peterborough, NH (603) 924-2663
Administrative Assistant:
Terry Ouellette (603) 924-2635

NEW ENGLAND

Sanford L. Fibish (617) 860-6344
Merle Model (617) 860-6221

MID-ATLANTIC

Michael Feinberg (212) 512-4811
Margot Swanson (603) 924-2651

CENTRAL U.S.

Lori Silverstein (814) 899-4808
Kevin Lary (603) 924-2527
Jeanne Beeson (617) 860-6265

SOUTHWEST, ROCKY MOUNTAIN,

SOUTHEAST

Jennifer Walker (214) 701-8496
Kevin Lary (603) 924-2527
Jeanne Beeson (617) 860-6265

SOUTH PACIFIC

Beth Dudas (714) 753-8140
Mark Seros (714) 753-8140

NORTH PACIFIC

Roy J. Kops (415) 513-6861
Susan Rastellini (415) 513-6951
Lisa Farrell (415) 513-6862

NEW MEDIA/ON-LINE PRODUCTS

Brad Dixon (603) 924-2574

INSIDE ADVERTISING SALES

Advertising Director:

Diana Lieberman
Assistants: Susan Monkton,
Vivian Bernier

REGIONAL

Brian Higgins (603) 924-2596

BYTE DECK

Brian Higgins (603) 924-2596

EURO-DECK

Joseph Mabe (603) 924-2533

REPRINT SALES

Susan Monkton (603) 924-2618

INTERNATIONAL ADVERTISING

SALES STAFF

Director: L. Bradley Browne:

(603) 924-2501

Administrative Assistant:

Arja Neukam (603) 924-2638

See listing on page 307.

How to Contact the Editors

We welcome your questions, comments, complaints, kudos, and submissions.

MAIN OFFICE: One Phoenix Mill Lane, Peterborough, NH 03458, (603) 924-9281.

San Mateo: 1900 O'Farrell St. #200, San Mateo, CA 94403, (415) 513-6912.

New York: 1221 Avenue of the Americas, New York, NY 10020, (212) 512-3588.

Lexington: 24 Hartwell Ave., Lexington, MA 02173, (617) 863-5100.

GERMANY/EUROPE: Liebigstrasse No. 19, 60323 Frankfurt, Germany, +49 69 7140 7123.

ELECTRONIC MAIL: On BIX, send to "editors." All BYTE editors and columnists also have individual mailboxes on BIX for easy access.

MCI: 250-0135 BYTE Magazine. Many editors also have individual MCI addresses in their own name.

OTHERS: Many editors also are reachable through unefit, AppleLink, CompuServe, and numerous other services.

WEB: <http://www.byte.com>

U.S. fax: Editorial: (603) 924-2550
Advertising: (603) 924-7507

U.K. fax: +44 171 495 6734

SUBMISSIONS:

Authors: We welcome article proposals and submissions. Unacceptable manuscripts will be returned if accompanied by sufficient return postage. Not responsible for lost manuscripts or photos.

Vendors: We welcome news of your new products; please call the News department or the BYTE Lab at the earliest possible date. We cannot be responsible for unsolicited product samples.

ARTICLE REPRINTS: For price quotations on customized reprints of BYTE articles, contact Susan Monkton, reprints manager, at (603) 924-2618. (Minimum quantity: 500.)

Subscription Customer Service

Inside U.S. (800) 232-BYTE; outside U.S. +609 426 7676. E-mail-based customer service: mpcstsvc@mcgraw-hill.com. Web-based customer service: <http://www.mcgraw-hill.com/multipub>. International subscribers may also contact our international customer service facility in Galway, Ireland, by calling +353 91 752792 or via fax: +353 91 752 793.

For a new subscription, (800) 257-9402 U.S. only. E-mail: mporders@mcgraw-hill.com or write to BYTE Subscription Dept., P.O. Box 555, Hightstown, NJ 08520. Subscriptions are \$29.95 for one year, \$54.95 for two years, and \$74.95 for three years in the U.S. and its possessions. In Canada and Mexico, \$34.95 for one year, \$64.95 for two years, \$87.95 for three years. In Europe, £42 (US\$60) for fast surface delivery, £55 (US\$80) for air delivery. Non-European countries US\$60 for surface mail, or US\$85 for air mail. Single copy price is \$3.95 in the U.S. and its possessions, \$4.95 in Canada. Foreign subscriptions and sales should be remitted in U.S. funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue.

PHOTOCOPY PERMISSION: Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc. is prohibited. Requests for special permission or bulk orders should be addressed to Faith Klutz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

PHOTOCOPY PERMISSION: Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc. is prohibited. Requests for special permission or bulk orders should be addressed to Faith Klutz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

PHOTOCOPY PERMISSION: Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc. is prohibited. Requests for special permission or bulk orders should be addressed to Faith Klutz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

PHOTOCOPY PERMISSION: Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc. is prohibited. Requests for special permission or bulk orders should be addressed to Faith Klutz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

PHOTOCOPY PERMISSION: Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc. is prohibited. Requests for special permission or bulk orders should be addressed to Faith Klutz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

PHOTOCOPY PERMISSION: Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc. is prohibited. Requests for special permission or bulk orders should be addressed to Faith Klutz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

PHOTOCOPY PERMISSION: Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc. is prohibited. Requests for special permission or bulk orders should be addressed to Faith Klutz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

PHOTOCOPY PERMISSION: Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc. is prohibited. Requests for special permission or bulk orders should be addressed to Faith Klutz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

PHOTOCOPY PERMISSION: Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc. is prohibited. Requests for special permission or bulk orders should be addressed to Faith Klutz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

PHOTOCOPY PERMISSION: Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc. is prohibited. Requests for special permission or bulk orders should be addressed to Faith Klutz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

PHOTOCOPY PERMISSION: Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc. is prohibited. Requests for special permission or bulk orders should be addressed to Faith Klutz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

PHOTOCOPY PERMISSION: Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc. is prohibited. Requests for special permission or bulk orders should be addressed to Faith Klutz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

PHOTOCOPY PERMISSION: Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc. is prohibited. Requests for special permission or bulk orders should be addressed to Faith Klutz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

PHOTOCOPY PERMISSION: Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc. is prohibited. Requests for special permission or bulk orders should be addressed to Faith Klutz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

PHOTOCOPY PERMISSION: Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc. is prohibited. Requests for special permission or bulk orders should be addressed to Faith Klutz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

PHOTOCOPY PERMISSION: Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc. is prohibited. Requests for special permission or bulk orders should be addressed to Faith Klutz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

PHOTOCOPY PERMISSION: Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc. is prohibited. Requests for special permission or bulk orders should be addressed to Faith Klutz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

BIX Interactive On-line Service

MANAGING EDITOR

Christine Taylor

EXCHANGE EDITORS

Amiga Exchange: Joanne Dow
Entertainment and Leisure Exchange:
Rich Taylor

IBM Exchange: Barry Nance

Programmers Exchange: Bill Nicholls
Professionals Exchange: David Reed

Tojerry Exchange: Jerry Pournelle

WIX Exchange: Karen Kenworthy

Writers Exchange: Wayne Rash Jr.

TECHNICAL ASSOCIATE

Mark Lavi

BIX, owned and operated by Delphi Internet Services Corporation, is a worldwide, low-cost, on-line information service featuring industry news, downloadable software, powerful electronic mail, previews of upcoming BYTE articles, the full text of published issues of BYTE, and source and/or executable code for BYTE benchmarks and noncommercial software mentioned in feature articles. BIX also offers unmatched "conferences" on virtually every computer-related topic imaginable, where you can share information with thousands of other computer pros. To subscribe via modem, set your communications software to full duplex, 7 bits, even parity, 1 stop bit, and then call (800) 695-4882 or (617) 491-5410, or telnet to x25.bix.com and type "bix" at the USERNAME prompt. At the Name? prompt, type bix.ville. For more information, call (800) 695-4775 or (617) 354-4137 (voice); send a fax to (617) 491-6642; or send Internet mail to info@bix.com.

MEMBER SERVICES MANAGER

Kevin Plankey

OFFICERS OF THE MCGRAW-HILL COMPANIES, INC.:

Chairman and Chief Executive Officer: Joseph L. Dionne; *President and Chief Operating Officer:* Harold W. McGraw III; *Senior Executive Vice President, and Secretary:* Robert N. Landes; *Senior Vice President and General Counsel:* Kenneth M. Vittor; *Executive Vice President and Chief Financial Officer:* Robert J. Bahash; *Senior Vice President, Treasury Operations:* Frank D. Penglase; *President, Information Services Group:* Michael K. Hehir; *Executive Vice President, Publication Services:* Norbert Schumacher.

Founder: James H. McGraw (1860-1948).



SAMTRON

Low Radiation

Window To Your Mind's Eye

Samtron's 17" monitors offer pictures so crisp, so clear, they truly provide a window to your mind's eye. Winner of *Byte Magazine's* Best Monitor Overall for Image Quality award, praised by *Windows Magazine* ("You'll Like What You See") and highly recommended by *PC Digest & Ratings Report*, Samtron's 17" monitors offer flicker-free resolution, sharp edge-to-edge focus and energy-saving features perfect for the home or office.

And they just got better. Our next generation of 17" monitors, the SC-728FXL and SC-726GXL, feature digital on-screen controls, ergonomics and 15.7" viewable, flat-square screen

displays with fine dot pitch. Plus, they're both Plug & Play compatible making them ideal for use with Windows 95. In addition, both models offer Dynamic Focus for maximum clarity, INVAR Shadow Masking for increased brightness with less distortion and a ClearScreen Coating™ which reduces screen glare, eyestrain and fatigue. All this, and a limited 3-year warranty, at pleasantly competitive prices.


For more information on these models and our full line of 14," 15" and 20" high-quality monitors, contact Samtron today. We'll open up a window of possibilities, and give your mind's eye a better view.

SAMTRON, 18600 Broadwick Street, Rancho Dominguez, CA 90220
PHONE: (310) 537-7000, FAX: (310) 537-1055, TECHNICAL SUPPORT: (800) SAMTRON
The EPA Energy Star emblem does not represent EPA endorsement of any product or service. All product names are trademarks of their respective companies. ©1995 SAMTRON. ClearScreen Coating is a trademark of Samtron. Floorplan image courtesy of BAGH Technologies



Circle 94 on Inquiry Card (RESELLERS: 95).

Introducing The Gateway 2000 Solo Portable Multimedia PC!



GATEWAY2000
S O L O™

Life is an adventure. Packed with twists and turns because you never take the beaten path. You need a computer that's up for the ride, but won't weigh you down. It's time to go solo.

The Gateway 2000 Solo™ PC is your ultimate Microsoft® Windows® 95 portable. Priced from \$3,499, this Pentium® processor-based multimedia portable melds our famous values with cutting-edge technology. The Gateway 2000 Solo PC is outfitted to be your primary computer, and starting at only 5.6-pounds,* ready to roll through even the most rugged computer terrain.

It's full-featured and will be your companion on every junket, from the rugged outback to the urban jungle. Choose your model with a 75MHz or 90MHz Pentium processor. All Gateway Solo models have a removable hard drive, minimum 8MB RAM, modular bay for 3.5-inch floppy or CD-ROM drive, full-sized keyboard with Windows 95 keys, and either MS Office 95, Professional Edition or MS Works 95.

And because the most scenic panoramas don't include outlets, you'll get a high-capacity lithium battery for hours of computing power. It'll just be you and your Gateway Solo portable PC traversing the globe. Everything you need, right at your fingertips. And when you're called back to home base, its optional docking bar allows easy connection to a host of external gear including a monitor, keyboard and printer.

What's keeping you tied to the office? Multimedia is no longer relegated to desktop computers. With this portable's large active matrix color display, modular CD-ROM drive, integrated stereo speakers and microphone you get multimedia wherever your travels take you.

All portables from Gateway 2000® are built rock-solid with quality in mind. We know that occasionally a pothole appears on life's highway, so every Gateway portable comes with 24-hour, seven-day-a-week technical support.

So the next time you hear the call of the wild, go solo! Call Gateway 2000 today for more information!

*Configuration includes: 540MB Hard Drive, SVGA Active Matrix Color Display and Option Bay Cover.




8 0 0 - 8 4 6 - 2 0 1 0

610 Gateway Drive • P.O. Box 2000 • N. Sioux City, SD 57049-2000 • Phone 605-232-2000 • TDD 800-846-1778 • Fax 605-232-2023 • FaxBack 800-846-4526 Component Add-On Sales 800-846-2080 • Sales Hours: 7am-10pm Weekdays.

This device has not been approved by the Federal Communications Commission. This device is not, and may not be, offered for sale or lease, or sold or leased until the approval of the FCC has been obtained.

©1995 Gateway 2000, Inc. Gateway 2000, black-and-white spot design, "G" logo and "You've got a friend in the business" slogan are registered trademarks, and EZ Pad and Gateway 2000 Solo is a trademark of Gateway 2000, Inc. The Intel Inside Logo, Intel and Pentium are registered trademarks of Intel Corporation. All other brands and product names are trademarks or registered trademarks of their respective companies. All prices and configurations are subject to change without notice or obligation. Prices do not include shipping or applicable sales tax.



Microsoft Word

Microsoft Excel - Regional Sales Numbers

1995 Regional Guitar Sales

	A	B	C	D	E	F	G	H
1								
2								
3								
4								
5								
6								

■ N. West

■ East

■ Midwest

Goodtime

Start | Taskbar | Microsoft Word | Microsoft Excel - R | Goodtime | 3:45 PM

Happy Anniversary

Being a BYTE reader since way back 20 years ago, I had a sort of special feeling going over your anniversary edition (September)—not the least of which was noticing I'm 20 years older and still banging away on a computer keyboard. Twenty years is a heck of a long time. Far more than any other magazine, you have pioneered this industry. BYTE has a place of its own somewhere along with the Apple II and Turbo Pascal.

Gus J. Grubba
gus@sgi.grubba.com

Reading your anniversary articles was a trip down memory lane. I have used or owned many of the computers you mentioned. I have special praise for the Radio Shack Model 100, since it is now the heart and brain of my lawn-watering system. However, it does not use the Z80 CPU as mentioned in your article "Top 20 Small Systems." Many other Tandy machines were driven by the Z80, but the soul of the Model 100 was the 80C85.

Richard Poitras
Missoula, Montana
poitras@montana.com

The Model 100 did indeed use an 80C85, clocked at a blazing 2.4 MHz. We regret the error.—Eds.

The "20 Spectacular Failures" piece lacked one product worthy of inclusion—Microsoft Bob. What an oversized piece of dreck. I also expected to see somewhere in the section at least one entry regarding the Heathkit computers. A lot of us cut our eyeteeth on H-8s. You guys really seem to have a blind spot regarding the Heath company, as I pointed out the last time you did this type of historic review. Put a big pop-up reminder in your database so you don't leave them out again!

Welbrey A. Hill
hillw@freenet.fsu.edu

I am dismayed at the complete avoidance in your anniversary issue of any mention of OS/2, either in the "Most Important Software Products" article or in "The 10 Most Important Programs of Today" sidebar.

OS/2 2.1 was a revolutionary milestone in personal computing. The first real alternative to the MS-DOS/Windows 3.x combination, IBM's OS offered unparalleled backward compatibility. The DOS sessions were fast, protected, and individ-

ually customizable without having to reboot. OS/2 ran Windows software as well as native Windows seamlessly on the OS/2 desktop—an accomplishment Microsoft felt was impossible. Flat memory model, true preemptive multitasking (even with legacy software), unheard-of backward compatibility, object-oriented desktop, and a vision for the future make OS/2 a revolutionary product.

As Windows 95 falters from over-marketing and the usual bugs, OS/2 Warp becomes even more attractive as an alternative to Microsoft's offerings.

Tom Robeson
drtom@infi.net

Thanks for your stimulating list of error messages in the twentieth-anniversary issue. From 1983 to 1990, I worked as a



freelance writer and used Acorn Computers (6502-based). The last of these machines died with a single intelligible phrase amongst all the garbage on the screen: "Klaatu Barada Nikto," which you may re-

member from the science-fiction classic *The Day the Earth Stood Still*.

Grant Nightingale
Oxford, England.

100256.1361@compuserve.com

Congratulations on the September issue. I can't, however, understand why you place three versions of the Apple Macintosh among the top 20 small systems and leave out the Commodore 64. The C-64 was a quantum leap when it appeared and was probably the best-selling computer of all time.

On another note, I have every BYTE since the January 1982 edition. Any chance these will ever come out on CD-ROM?

Eduardo Chaves
Campinas, Sao Paolo, Brazil
chaves@turing.unicamp.br

We will add your votes for Commodore's 64 and Amiga in the growing bin of "How could you leave out such-and-such?" letters. Regarding back issues, we do have a BYTE CD-ROM that goes back five years. You can order one by calling (800) 924-6621 or faxing (609)

426-5592. You can also scan our archives on our Web page (<http://www.byte.com>) or our FTP site (<ftp.byte.com>).—Eds.

RADical Approach

I just finished reading "The End of Programming" (August). The main problem I've experienced in using rapid application development (RAD) is getting all the necessary design specifications from the full spectrum of clients who will use the new system. We solicited client input from the very start of our project, but as more and more clients use the actual production system, we're finding many needed refinements. And we've been getting feedback from some clients who say they have trouble adjusting to these constant refinements. In order for RAD to work, you need a client base that is willing to provide developers with feedback on the system and be flexible enough to use a continually refined system. Without this client participation, RAD isn't very effective.

Anthony W. Hanson
ahanson@halcyon.com

BYTE Network Project

In his "Web Search" article (September), Jon Udell talks about freeWAIS (the NT port of it) and says that "since multiple search terms combine with OR . . . you depend on the selective power of a single term." This is only partly right: WAIS produces a ranking of result documents where the first entries fit the query better and the later entries don't fit it as well. Thus, you will find documents containing all search terms near the beginning of the ranking list, and documents containing few search terms near the end. In fact, if you access a WAIS server using a WAIS client, you will find that, in addition to the document title, you get a score indicating the match between the document and the query.

I would also like to direct your attention to freeWAIS-sf (sf = structured fields). It improves somewhat upon the standard indexing and retrieval functions of freeWAIS. A very important improvement of

We want to hear from you. Address correspondence to Letters Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458; or you can send E-mail via the Internet or BIX to editors@bix.com. Letters may be edited.

FIRST YOU
**RAN OUT OF
CAPACITY.**
THEN YOU RAN OUT
OF **PATIENCE.**
NOW, YOU'VE RUN
OUT OF **TIME.**

**SHOULDN'T
YOU BE RUNNING
ON 8MM TAPE?**



*Introducing the
EXB-8700, the complete
and affordable high-capacity
alternative to DDS-2.*

Each day, an irreplaceable data stream flows through your company. And each night it's backed up. Until your storage system runs out of room. And you begin a life of quiet desperation. • Never again, you say. And if you choose Exabyte's new EXB-8700, you'll be right. Because it's more than just an 8mm tape drive; it's now an affordable alternative to DDS-2 for the smaller PC LAN environment. The EXB-8700 holds 14 gigabytes of data with a transfer rate of 60 megabytes per minute.* Compatibility with over one million existing 8mm devices and ease of upward migration instill confidence that competitive technologies can't equal. • Beyond its superior technology, the EXB-8700 comes with an unprecedented bundle of hardware, software and accessories. In fact, it's a turnkey system with everything you need, including a host adapter, SCSI utilities, and our CD-ROM with popular software from Arcada, Cheyenne and Palindrome. Your choice. And all at no additional cost, an industry first. • So call us at 1-800-EXABYTE. We'll show you how 8mm technology can increase your storage capacity, as well as your peace of mind.

EXABYTE® 


WHEN IT COMES TO CD-ROM.. WE WROTE THE BOOK

BYTE Guide to CD-ROM, Second Edition
by Michael Nadeau
Includes One CD-ROM Disc
\$39.95 USA
ISBN: 0-07-882104-5


Now Fully Revised & Expanded!

- This Exclusive Book/CD-ROM Package Includes
- CD-ROM Buyer's Guide with Over 400 Reviews of CD-ROM Titles
 - Demos & Samples of CD-ROM Applications


Part buyer's guide, part standards guide, and part trouble-shooter, the *BYTE Guide to CD-ROM, Second Edition* discusses all aspects of this burgeoning technology so you can take full advantage.



Visual Basic Nuts & Bolts: For Experienced Programmers
by Gary Cornell and Troy Strain
\$24.95 USA
ISBN: 0-07-882141-X



Visual FoxPro Programming Basics
by Tom Stearns and Leonard Stearns
\$24.95 USA
ISBN: 0-07-882092-8



The Programmer's Job Handbook: The Skills You Need to Stay Ahead in the '90s
by Eugene Wang
\$24.95 USA
ISBN: 0-07-882137-1

OSBORNE 

Available now at your local book and computer stores or call 1-800-822-8158.
Use your American Express, VISA, Discover, or MasterCard.

AT NATIONWIDE STORES

BARNES & NOBLE

BEST BUY

BOOKSTAR

BORDERS

COMP USA

ELEK-TEK

MEDIA PLAY

MICRO CENTER

SOFTWARE, ETC

SUPER CROWN

TAYLORS

WALDENBOOKS

BYTE/OSBORNE BOOKS ARE AVAILABLE AT THE FOLLOWING LOCATIONS

ARIZONA

Tempe
Computer Library
PH: 602-820-0458

CALIFORNIA

Capitola
Capitola Book Cafe
PH: 408-462-4415
FAX: 408-462-2536

Cupertino

A Clean Well Lighted Place
PH: 408-255-7600

Stacey's Professional
Bookstore
PH: 408-253-7521
FAX: 408-253-5861

Irvine

Irvine Sci-Tech Books
PH: 714-733-1002
FAX: 714-733-0122

Los Angeles

OPAMP Technical Books
PH: 800-464-4322
FAX: 213-464-0977

Menlo Park

Kepler's Books &
Magazines
PH: 415-324-4321

Mountain View

Tower Books
PH: 415-941-7300

Palo Alto

Stacey's Professional
Bookstore
PH: 415-326-0681
FAX: 415-326-0693

Sacramento

Tower Books
2538 Watt Avenue
PH: 916-481-6600

San Diego

San Diego Technical
Book, Inc.
PH: 800-346-0071
FAX: 619-279-5088

San Jose

Computer Literacy
Bookshops
PH: 408-435-1118
EMAIL: info@clbooks.com

San Luis Obispo

El Corral Bookstore
CAL Poly SLO
PH: 805-756-1101
FAX: 805-756-5351

Santa Barbara

Earthling Bookshop
PH: 805-965-0926

Stanford

Stanford Bookstore
Stanford University
PH: 800-533-2670

COLORADO

Boulder
Biblio Tek
PH: 303-443-7037

Colorado Springs

McKinze-White
Booksellers
PH: 719-590-1700
FAX: 719-531-7631

Denver

Auraria Book Center
PH: 303-556-3230

Tattered Cover Bookstore
PH: 303-322-7727

Englewood

Softpro Books
PH: 303-740-7751
FAX: 303-740-8152

DELAWARE

Newark
University Bookstore
University of Delaware
PH: 302-831-2637

GEORGIA

Atlanta
Engineers Bookstore
PH: 404-221-1669
FAX: 404-221-1119

HAWAII

Honolulu
Honolulu Book Shops
PH: 808-536-9512
FAX: 808-538-7580

IDAHO

Moscow
University of Idaho
Bookstore
University of Idaho
PH: 208-885-6469

IOWA

Ames
Iowa State University
Book Store
PH: 515-294-5684
FAX: 515-294-5669

MARYLAND

College Park
University Book Center
University of Maryland
PH: 301-314-7855
FAX: 301-403-8326

MASSACHUSETTS

Boston
Waterstone's Booksellers
PH: 617-859-7300
FAX: 617-437-0997

Cambridge

Harvard/Co-Operative
Society
PH: 617-499-2000
FAX: 617-868-7038

Wordsworth Books

PH: 617-498-0080
FAX: 617-354-4674

Worcester

Tatnuck Bookseller/
Databooks
PH: 800-642-6657
FAX: 508-756-9425

MINNESOTA

Minneapolis
Baxter's Books
PH: 612-339-4922
PH: 800-626-1049
FAX: 612-339-6134
EMAIL: tombaxter@aol.com

NEBRASKA

Lincoln
Nebraska Bookstore
PH: 402-476-0111
FAX: 402-476-0111

NEW JERSEY

Newark
Newark Book Center
PH: 201-642-7956
FAX: 201-642-3345

Princeton

Princeton University Store
PH: 609-921-8500
FAX: 609-924-9651

NEW YORK

Blasdell
Village Green Bookstore
PH: 716-827-5895
FAX: 716-827-5898

Fairport

Village Green Bookstore
PH: 716-425-7950
FAX: 716-425-4968

New York

Barnes & Noble #200
PH: 212-807-0099

Classic Bookstore

PH: 212-466-0668
FAX: 212-466-0363

Computer Book Works

PH: 212-385-1616
FAX: 212-385-8193

McGraw-Hill Bookstore

PH: 212-512-4100
FAX: 212-512-4105

Tower Books

PH: 212-228-5100
FAX: 212-228-5338

Rochester

Total Information, Inc.
PH: 716-254-0628
FAX: 716-254-0153

World Wide News

PH: 716-546-7146

NORTH CAROLINA

Chapel Hill
Bull's Head Bookshop
PH: 919-962-5060
FAX: 919-962-7392

OHIO

Cincinnati
University of Cincinnati
Bookstore
PH: 513-556-1800
FAX: 513-556-5555

Dayton

Books & Co.
PH: 513-298-6540
FAX: 513-298-7895

Wilkie's South

PH: 513-434-8821

Kent

Kent State University
Bookstore
PH: 216-672-2762
FAX: 216-672-3758

Lima

Readmore's Hallmark
2100 Harding Hwy
PH: 419-229-2601

OREGON

Beaverton
Book Vault
PH: 503-646-8119
FAX: 503-646-4459

Corvallis

Oregon State University
Bookstore
PH: 503-737-4323
FAX: 503-737-3395

Portland

Portland State Bookstore
PH: 503-226-2631
FAX: 503-725-3800

Tower Books

PH: 503-253-3116
FAX: 503-253-4189

PENNSYLVANIA

Edwardsville
Village Green Bookstore
PH: 717-283-9340
FAX: 717-283-9367

King of Prussia

Gene's Books, Inc.
PH: 610-265-6210
FAX: 610-265-6260
EMAIL: genes1@netaxs.com

Philadelphia

Tower Books
PH: 215-925-9909
FAX: 215-923-5969

Pittsburgh

Carnegie Mellon
University Shoppe
PH: 412-268-2966
FAX: 412-268-5592

West Chester

Chester County Book
Company
PH: 610-696-1661
FAX: 610-429-9006

TENNESSEE

Knoxville
University Book &
Supply Store
University of Tennessee
PH: 615-974-1049

TEXAS

Arlington
University Bookstore
University of Texas
Arlington
PH: 817-273-2785

Dallas

Major's Scientific Books
PH: 214-631-4478

Denton

University Bookstore
University of North Texas
PH: 817-565-2592

Houston

Major's Scientific Books
PH: 713-522-1361
FAX: 713-524-5860

VIRGINIA

Blacksburg
Volume II Bookstore,
Virginia Tech
PH: 703-231-5991
FAX: 703-231-7786

WASHINGTON

Bellevue
Tower Books
PH: 206-451-1110
FAX: 206-454-0453

Bellingham

Students Cooperative
PH: 206-650-3958

Seattle

Elliott Bay Book Co.
PH: 206-624-6600
FAX: 206-343-9558

University Bookstore

PH: 206-634-3400
FAX: 206-634-0810

WASHINGTON DC

Washington DC
Reiter's Scientific &
Professional Books
PH: 800-537-4314
FAX: 202-296-9103

WISCONSIN

Milwaukee
Harry W. Schwartz
Bookshop
PH: 414-274-6400
PH: 800-236-7323
FAX: 414-274-6408

freeWAIS-sf is the ability to process structured fields. A document is separated into fields specified at run time (based on regular expressions), so there is no hard-wired restriction on what fields there are and how to recognize them. Here's where to find freeWAIS-sf: <http://ls6-www.informatik.uni-dortmund.de/freeWAIS-sf/freeWAIS-sf.html>

Kai Grossjohann
grossjoh@dusty.informatik.uni-dortmund.de

The arbitrary fielded capability of freeWAIS-sf sounds particularly handy. I like the fact that the Simple Web Indexing System for Humans (SWISH) can look within HTML tags, but it only knows about certain of these kinds of "fields." I, in fact, have an application that wants more specific fielded capability, so I will give freeWAIS-sf a try. Your clarification of the behavior of freeWAIS is also very helpful.

—Jon Udell, executive editor

The BYTE Web Site


Great job on the new navigational layout for your Web site. The new style really helps, especially when a 14.4 connection is the best you can hope for. And thanks for the optional graphics. I hate having to wait on fancy graphics that don't help clarify the page's message. I've found nothing worse on the Web than waiting for graphics that mean nothing after they've finally loaded.

John Alexander
Tuscaloosa, AL
76762.3310@compuserve.com

Letters to the Editor (in Chief)

Once again you have written so biased and inaccurate an editorial that I am compelled to write ("Why I Love/Hate Microsoft," August). You assert that Microsoft deserves credit for Word, Excel, and PowerPoint. Yet none of these products is the premier product in its respective field. You praise Microsoft for its vision of a GUI. That may be praiseworthy, but people spend most of their time working within an application, not the GUI. And Microsoft's "vision" costs untold millions in graphics accelerators just to get decent performance.

Joseph D. Moreno
San Diego, CA



Microsoft's business productivity applications, especially as bundled in the Office suite, control a huge portion of the market. Like it or not, it is these applications, in conjunction with the Windows OS, that have made Microsoft a dominant force. It is not a question of technology. It is an issue of consistency, vision, and aggressive (perhaps too aggressive) exploitation of each fraction of a point of market share.

—Rafe Needleman, editor in chief

I was prompted to respond to Rafe Needleman's statement that "Computers don't cost jobs" ("Old Enough to Know Better,"

September). As you point out, computers have indeed cost jobs in certain industries and created jobs in others. But counting jobs just doesn't tell the story. You need to look at income distribution. Computers have resulted in a widening of the income gap between the well-educated and the poorly educated. Computers have greatly benefited a well-educated minority and have tended to harm the economic well being of the rest of society. Given the current political climate, it's likely this trend will continue.

Alan Kushnir
72500.2232@compuserve.com

I try to avoid political commentary in BYTE, although as computer technology pervades society, it gets more difficult.

—Rafe Needleman, editor in chief

Image Problems

David Seachrist's NSTL Software Roundup review "Document Image Managers" (May) contained inaccurate conclusions and omissions about our product, PaperClip for Windows. The review overlooked PaperClip's unique Visual Context Processor (VCP) technology, which lets the program integrate with existing applications without special programming. Somehow, Seachrist missed this feature, incorrectly relating it to OCR output and file conversion. In fact, thanks to VCP, PaperClip's folders can be pointed to from numerous other contexts and applications without DDE or OLE.

The other products are islands of technology that will exist outside users' daily application environments without a large investment in systems integration. PaperClip's unique approach obviates that need.

Sol Rosenberg
President and Chief Technology Officer
PaperClip Imaging Software Inc.
Hackensack, NJ

I agree that the scope of the roundup was broad. This is endemic to any new software category. It is true that I misstated the reason for PaperClip's inability to maintain text formatting. It was the OCR engine, and not PaperClip's linking technology, that was the cause. But I continue to question the wisdom of employing VCP technology at the complete exclusion of OLE, a technology that is now well established. ■

—David Seachrist,
NSTL

COMING UP IN DECEMBER

• ENTERTAINMENT TECHNOLOGY

BYTE's editors make the ultimate sacrifice, spending countless hours with the latest generation of games. We tell you how the developers got these innovative games to do the things they do.

• YOU ARE A BETA TESTER

An insider's guide to the design constraints, programming shortcuts, and commercial pressures that lead to software that's buggy, difficult to use, and prone to crashing. What sophisticated computer users can do to avoid and overcome these problems.

• OFFICE 95

You've bought the OS—so now what do you do with it? We take a look at Microsoft Office 95.

• HTML TO THE METAL

We test Hypertext Markup Language authoring and editing tools, including SoftQuad's HoTMetaL and Interleaf's Cyberleaf.

• DOWN TO THE WIRE

Unplugging your computer while staying connected is becoming easier. We look at the latest wireless technologies to see where they're going and what's ready now.

You're about to plunge into client/server.

You've got a few butterflies, and plenty of questions.


Fortunately, thousands have done it before.

And we can show you their blueprints.

The challenges of moving to client/server are well documented. But so are the secrets of success.

IBM has helped companies all over the world design multivendor client/server systems to help them gain a competitive advantage, adapt to change and get closer to their customers. And we're eager to share our knowledge.

We've documented the experiences of many companies in our Client/Server Advisor. It's a vast Lotus Notes[®]-based library of proven solutions that demonstrates how others have solved many of the problems you face, and illuminates the potential pitfalls. It lets you look at the challenge from



Can your computer company do this?

every angle, to find real solutions that truly enhance your business.

We're prepared to dive in with you, putting knowledge into action.

IBM is committed to open standards, so we can help maximize current investments and integrate whatever new technology you might need. Whether it's made by IBM or anyone else. If you'd like to exploit our experience, call 1 800 IBM-3333, ext. JA110. Or visit our web site at <http://www.es.c.ibm.com> to find out how we've helped others meet the challenge. Before you make the leap.



Solutions for a small planet[™]



Pentium® OverDrive® processor up

**Pentium OverDrive processor
now available.**



Is your PC
stuck in the slow
lane? A Pentium®

OverDrive® processor can dramatically
boost your current CPU's performance
and get your software really moving.
So, if you're not planning to move up to
a Pentium processor-based PC just yet,

this is a good alternative.

As our fastest single-chip processor
upgrade, the Pentium OverDrive proces-
sor is a very affordable way to upgrade
many Intel486™ processor-based PCs.

NEWS & VIEWS

P6 Expands PC Spectrum

The first P6-based computers will range from affordable (under \$4000) PCs to systems selling for more than \$10,000

DAVE ANDREWS (WITH ADDITIONAL REPORTING BY MARK REYNOLDS)

Surprise. The first PCs based on Intel's next-generation P6 processor won't be limited to big honking application servers designed to run massive database management systems. Over the next two months, vendors will release a variety of PCs ranging from moderately expandable, low-end (for P6) desktop systems selling for under \$4000 to high-end servers. Vendors will also release powerful multiprocessing PC workstations suitable for 3-D modeling, CAD, and visualization.

At presstime, most companies that BYTE surveyed declined to release specific information on their P6 plans. However, sources report that many manufacturers, including Gateway, Dell, and IBM, will use—in at least some of their desktop systems—the Aurora motherboard that's manufactured by Intel. The Aurora board is reportedly designed for P6 systems that will fall into the mass market. The Aurora's intended audience explains its feature set: three open PCI slots, enhanced IDE instead of SCSI on the motherboard, no integrated sound or networking, and support for one P6 processor only. Because the motherboard lacks integrated networking and video acceleration, users will likely fill the system's first two PCI slots quickly.

Intel's position as a supplier of P6 motherboards for desktops and servers could mean good news and bad news for PC vendors. The good news is that in today's highly competitive market with tight profit margins, a vendor using an Intel motherboard can bring a P6 system to market more quickly than if they designed and debugged the motherboard themselves. Companies such as Gateway 2000 (North Sioux City, SD) thrive by integrating readily accessible, standard components into relatively inexpensive bundles that appeal to

mainstream consumers. "We were able to take the Pentium and put it in a product that appealed to the mass market," says Rus Graham, Gateway 2000's marketing communications manager for desktop products. Although Graham wouldn't comment specifically on Gateway's P6 product plans, he says that the company's PC strategy would remain the same with the P6.

The bad news, at least for vendors designing their own motherboards, is that Intel's motherboard operation could commoditize the market. Some vendors aren't satisfied with the Aurora's feature set and will provide more add-on slots and integrated components on their motherboards. But vendors have also learned that differentiation achieved through independent motherboard design is more complex with Intel's newest processor: The P6 has about 100 more pins than the Pentium, requires more control signals to handle multiprocessing, and has lower noise margins due to the P6 bus's use of modified Gunning transceiver logic running at 1.5 volts, compared to some Pentiums that run at 3.3 volts (lower voltage means lower noise margins). Some vendors feel Intel's motherboards give their competitors an unfair advantage. "Intel's motherboards allow Compaq wanna-bes," says Mike Lambert, Compaq vice president of product marketing in North America. But Intel's policy also means more vendors will make P6 desktops and servers, which should drive prices down more quickly. Several vendors predict prices for fully loaded desktop P6 systems will drop below \$2000 within 24 months of the chip's initial release.


Two computer makers—Intergraph and Hewlett-Packard—have released preliminary information on their own P6 motherboards and systems. "The P6 will be excellent for Windows NT users," according to Jeff Schnabel, product manager of desktop personal computers at HP



(Santa Clara, CA). "We designed our motherboard to better serve those users." HP's high-end P6-based Vectra, which is expected to extend HP's XU line of PCs, will offer features that power users expect, such as Ultra SCSI and a 16-bit Sound Blaster chipset integrated on the motherboard. The high-end Vectra will also support ECC memory and symmetric multiprocessing (through a socket that accepts a second P6). It will also have four open PCI slots, compared to the Aurora's three, though HP says separate network and video cards will fill the first two slots.

HP's entry-level system is based on a modified version of its P6 motherboard. The low-end Vectra will be a single-CPU machine that doesn't offer ECC memory, SCSI, or integrated networking. Prices were not final at presstime, but HP says the less expensive Vectra will sell for a price that's at or slightly above current prices for a high-end 133-MHz Pentium-based Vectra XU.

The P6 also lets vendors like Intergraph (Huntsville, AL) that develop high-end systems for 3-D CAD and graphics compete more readily with midrange RISC processors such as Digital Equipment's 266-MHz 21064A. Intergraph's TDZ Interactive line of 3-D workstations (dual-P6



motherboard shown above), which will range in price from \$10,000 to \$38,000, will be available with one to four P6s and Intergraph's GLZ OpenGL 3-D accelerator cards.

"We believe that a P6-based system will deliver performance that's equal to or better than RISC processors like Mips' 250-MHz R4400 and the 21064A," says Chandler Hall, Intergraph's product market-

ing manager. "But at a lower price and with binary compatibility with x86 applications and the underlying hardware drivers for networking and graphics cards."

Although BYTE tests show that the P6's performance drops to Pentium-level performance when running 16-bit operating systems such as Windows 3.1, Intergraph says that still beats the 486-level or low-

er performance you get from a RISC workstation running an x86 application in emulation.

Head-to-head comparisons between these first P6 systems and competing RISC workstations were not possible before we went to press, as P6 system vendors were still optimizing performance. Andrew Allison, a consultant and the editor of *Inside the New Computer Industry* (Carmel, CA), estimates that the most powerful RISC processors, such as Digital's 21164 Alpha CPU, will offer better integer and superior floating-point performance to the P6. And RISC vendors are not standing still as Intel prepares to formally announce P6 pricing in November. Digital, for example, was expected to announce in late September a line of Windows NT workstations, based on 233- and 266-MHz 21064A Alpha processors, that will sell in the \$4000 to \$6000 range. But Allison says the P6 puts the x86 camp within striking range of midrange RISC workstations. Says Allison, "The P6 clearly represents a threat to the [RISC] workstation and server markets."

VENDORS READY FOR P6

Companies were somewhat vague about their plans for new P6 systems at presstime. However, our surveys of select vendors indicate that most desktop systems will ship with at least 16 MB of RAM and a 1-GB hard drive. Look for the earliest units, such as those from Intergraph, to hit the streets in November.

AST Computer (Irvine, CA)	Manhattan series of dual-processor application/database servers
Compaq (Houston, TX)	Will announce servers and desktop systems when Intel officially announces the P6 chip
Digital Equipment (Acton, MA)	Single- and dual-processor Celebris XL desktop systems, featuring 64-bit PCI and upgrade path to Alpha processor; and the single- and dual-processor Prioris server systems; with 64-bit PCI
Hewlett-Packard (Santa Clara, CA)	Single-processor Vectra VT desktop system; and the single- or dual-processor Vectra high-end system, along with P6 servers
IBM PC Company (Somers, NY)	Single-processor PC 300 desktop system, with 16 or 32 MB of RAM, 1.2- or 2-GB hard drive, Matrox Millennium graphics accelerator, and Ultra SCSI adapter
Intergraph (Huntsville, AL)	Single- and dual-processor TDZ Interactive workstations (quad-processor model will come later); single-processor systems are upgradeable to dual processors, and the dual-CPU systems are upgradeable to quad processors
Dell (Austin, TX)	150-MHz P6 in Dimension XPS system; P6 version of OptiPlex in spring of '96
Siemens-Nixdorf (Augsburg, Germany)	P6 version of Scenic PC line

End Migration Headaches

Upgrading from NetWare 3.x to 4.1 is a time-consuming, labor-intensive task. New management tools that help speed the migration have arrived.

Network administration consumes the largest portion of a LAN staff's time (see graph). Over a three- to five-year period, administration costs can be five times more expensive than the purchase price of all networking hardware and software, says Forrester Research (Cambridge, MA).

Novell's NetWare Directory Service (NDS) helps reduce administration costs in a number of ways. NDS's single log-on to multiple servers and virtualization of network resources eliminate the need for users (or applications) to know the exact physical location of these resources. Instead of specifying a server name, volume name, and directory path, a LAN administrator using NDS assigns a unique alias to a directory for users and applications to use. This saves costs when a network resource, such as a printer or an application, gets relocated. Additionally, when using NDS, administrators can more easily handle frequently occurring, time-consuming tasks, such as adding new users and changing existing users' access rights.


To help people upgrade to NDS more

easily, several companies have released migration utilities. Some of the more interesting tools include MIGRATE.EXE from Novell (Provo, UT; 801 429-7000), Double-Take from Network Specialists Inc. (Lyndhurst, NJ; 201 804-8400), DS Standard from Preferred Systems (West Haven, CT; 203 937-3000), and the REXXWare Migration Toolkit from SimWare (Ottawa, Canada; 613 727-1779). Each tool performs a different type of function, and some complement one another when used at the same time.

Novell's MIGRATE.EXE, a utility bundled with NetWare 4.1, lets you map all bindery objects on NetWare 2.x, 3.x, and 4.x servers into a single NDS container. The program also migrates system log-in scripts to help make the transition from 3.x to 4.x easier.

Preferred Systems' DS Standard is a Windows-based tool that helps an organization plan and administer NDS. Such tools let companies, when they move to an enterprise-wide directory service, also reexamine their corporate networking structure. This reexamination is necessary because many LANs have been thrown together haphazardly. NDS allows organizations to design a corporate LAN hier-

Why Move to NDS?



The bulk of the annual network-support cost per user are recurring LAN-administration costs, says Forrester Research (Cambridge, MA). NetWare Directory Service simplifies NetWare management, and NDS migration tools can make the transition to Netware 4.1 easier.

archy that more closely matches the company's business units and their functions. DS Standard helps in this type of planning by discovering NetWare 2.x and 3.x bindery-based servers, as well as NetWare 4.x servers, and letting you merge separately created directory trees into one directory structure.

Another migration tool, which can be used as a stand-alone utility or in conjunction with DS Standard, is NSI's Double-Take. The Double-Take data-replication tool (designed for data backup) has many uses in server migration. With Double-Take, a LAN manager can migrate user and file information from NetWare 3.x servers to 4.1 servers. A manager can also use Double-Take to keep existing 3.x servers operational while moving to 4.x. In this scenario, any changes, such as adding a user to a 3.x server or modifying access rights, will be replicated to the 4.x server in real time.

SimWare's REXXWare Migration Toolkit automates many of the repetitive steps required during migration. The tool is based on REXXWare, an automation scripting tool for the NetWare environment. One of this toolkit's strengths is that it automates tasks in an intelligent way. For example, in many organizations, a user may have separate accounts on a handful of NetWare 3.x servers. Ideally, when all 3.x servers have been upgraded to 4.1, you'd want the user to have a single account. With the REXXWare Migration Toolkit, duplicate files and objects are flagged when they're being migrated so that a LAN manager can identify redundancies and decide how to handle each situation as it arises. —Salvatore Salamone

MICROSOFT STRENGTHENS WINDOWS DIRECTORY SERVICES


Microsoft's Windows dominates the business desktop environment, and now the company is targeting the enterprise with its Windows NT, SQL Server, and other Back Office products. However, network managers can encounter and must often manage several different directory services in an enterprise. To simplify this management, Microsoft is promoting new Open Directory Service Interfaces (ODSI), a set of APIs that will let Windows NT Interoperate with the directories of other systems, including Novell's NetWare Directory Service, Banyan Systems' StreetTalk, Lotus' Notes, X.500, or any other directory for which someone writes a service provider.

With ODSI-enabled applications and operating systems, network administrators will be able to manage different directories from a single management console. Thus, a network-management program such as Microsoft's Systems Management Server could handle multiple back-end directory services.

Microsoft has already developed two ODSI interfaces. One, the Network Provider Interface, allows for a single log-in to multiple directories. The other, called WinSock Resolution and Registration, provides a way to register an application with multiple directories.

The company plans two other interfaces: An OLE Database interface that allows access to databases, and an OLE Directory Services interface that allows for the management of common directory objects. The first versions of network OSes and management applications that support ODSI will probably appear in 1996.

Jamie Lewis, president of networking consultancy The Burton Group (Salt Lake City, UT), says ODSI is a significant step forward. "It will give Windows applications access to directory services via native Windows interfaces," says Lewis. "ODSI could also help Banyan and Novell make StreetTalk and NDS more successful because more applications will use directory services." —S.S.



A Database Server Should Expand Your Horizons, Not Your Budget.

Presenting Watcom SQL, the industrial strength database server for simple and affordable widespread deployment of PC client/server applications. Watcom SQL's advanced technology offers unparalleled simplicity of operation and performance, making it ideal for workgroup, desktop and mobile applications — from headquarter's departments to remote branch offices to mobile field personnel on the go.

Installed and Running in Minutes. Setting up Watcom SQL is quick and easy, taking only a few minutes. But for real convenience, many users build it right in to the installation process of their applications. Imagine, real SQL database deployment so easy that end-users don't even know it's there!

High Performance Right Out of the Box. The self-tuning query optimizer is the key to Watcom SQL's blazing performance. Not only does it tune each individual query, it delivers high speed performance without administrator attention. Better still, it comes as standard equipment in every box.

Big Performance. Small Footprint. Not only is Watcom SQL powerful, it's incredibly efficient as well. Because it was designed for PC environments, it minimizes its use of disk and memory — just 4 MB

of disk and less than 1 MB of memory. And Watcom SQL also runs quite comfortably on the same machine as an application — particularly important in mobile, standalone and peer-to-peer networks. Of course, on advanced servers, Watcom SQL shines by taking full advantage of both increased memory and RAID storage.

Yes, The Price Really is That Low. Watcom SQL is priced to make widespread deployment affordable. A 6-user server is only \$795*. And for volume deployments, our "Gold Disk" licenses offer significant savings.

So, though your budget may not be limitless, your horizons are with Watcom SQL — from one server to thousands on Windows, Windows 95, Windows NT, NetWare or OS/2. With hundreds of thousands of servers already installed, Watcom SQL is the proven choice for widespread, industrial strength deployment.

Expand your horizons. Call us today for the opportunity to try Watcom SQL 4.0 free for 30 days, or to reserve your seat at a free half day seminar on "Cost-effective Widespread Deployment of Client/Server Solutions" in a city near you.


1-800-265-4555

Powersoft
Watcom Products Division

It's pretty clear who's in charge here, at least from where you're standing. And the LTE 5000® could help you stay there.

It's a Pentium® powered notebook featuring interchangeable devices — and the remarkable ability to invoke superhuman powers upon its user. Its unique, front-loading MultiBay makes it completely modular, so you can show up at any meeting with a notebook customized for the agenda. Choose from a second hard drive (up to 1.35 gigabytes), a CD-ROM drive, a second battery, or a floppy drive to create the notebook that's right for the task at hand. An expansion base also features two additional MultiBays (and looks great on a giant glass desk). Interested? Call 1-800-345-1518 (select PaqFax) or visit our Web site at www.compaq.com.

THE COMPAQ LTE 5000. THE ULTIMATE NO



cd-rom drive


dual hard drive

dual battery

floppy drive

expansion base





collector workhorse nomad hotshot

NOTEBOOK FOR WHOEVER YOU HAPPEN TO BE.



That's Ms. Hot Shot to you.
When they said you couldn't
have a CD-ROM drive and
MPEG video in a notebook,
you replied coolly: Yes, I can.

COMPAQ

Has It Changed Your Life Yet?

WINDOWS 95 AND NETWORK MANAGEMENT

Still a Work in Progress

Windows 95 has many enhancements that should improve its network manageability compared to previous versions of Windows. However, network managers moving to Win 95 will have to wait for a few important components. Other features will require an upgrade to NT.

Win 95's improved networking capabilities include built-in support for network protocols TCP/IP, NetBEUI, IPX/SPX, and PPP; easier configuration when used with Plug and Play-compliant hardware; and protected-mode, 32-bit clients for NetWare and Microsoft networks. But work progresses in other areas.

One area of Win 95 that should improve soon is its support for non-Microsoft networks and NetWare 4.x. Although Win 95 supports

NetWare 3.x (and NetWare 4.x through bindery emulation), neither Microsoft nor Novell currently have Win 95 clients that support NetWare Directory Services (NDS). Microsoft and Novell are both addressing this by developing separate NetWare clients that support NDS. Network OS vendors Banyan Systems and Digital Equipment also say they will release 32-bit clients for Vines and PathWorks this fall.

Other developers are addressing programming interfaces for desktop management. Although Microsoft is a member of the Desktop Management Task Force (DMTF), the company is reportedly developing its own interfaces for collecting and reporting information about PCs on a network. The DMTF, which also includes Hewlett-Packard, Intel,

Novell, Digital Equipment, and IBM, has defined standards for several groups of components, including software, PC, and network interface cards. Specifications for other types of hardware are still in progress.

Sources report that Microsoft is encouraging network management vendors to write to OLE interfaces that will pull information about PCs from the Win 95 registry.

Although this effort could compete directly with the DMI, it appears that Microsoft will support other management techniques through a foreign name space that will map the DMTF's Management Interface calls as well as those made by SNMP-based programs into OLE calls.

Programs such as Site Inventory 4.0 from McAfee Associates (Santa Clara, CA) or CA-Paradigm Problem Manager from Computer Associates (Islandia, NY) currently have to resort to a combination of querying the Win 95 registry and low-level "sleuthing" to discover what software and hardware components are on any given PC. These vendors say it would be easier if they could query PCs in a standard way. But there are many standards, including the DMTF's, Microsoft's, and another one from Compaq.

"Microsoft's not supporting DMI is not a big thing, because we've had to build the discovery service [of CA-Paradigm Problem Manager] outside of the DMI anyway," says Yogesh Gupta, CA senior vice president of product strategy. "But as DMI becomes a viable standard, we'll support it." For other companies, the lack of DMI support in Windows 95 is a big deal.

The DMI specification calls for a service layer to be present on a PC. This service layer, which DMI proponents feel should be integrated into all OSes, is a small program that resides locally on a PC and collects information about products, manages the information in the local PC's Management Information Format (MIF) database, and passes it to management applications when requested. DMI advocates had hoped Microsoft would include a DMI service layer in Windows 95, but that didn't happen. "That leaves us with a short-term problem—how to deliver those management capabilities," says Ed Arrington, chairman of the DMTF.


One solution is for PC vendors to add the service layer themselves, as Digital Equipment (Maynard, MA) did with its new line of Celebris GL PCs for Win 95. But not all PC vendors are supporting DMI.

Other more robust management features available now in NT, such as support for event logging, are not planned for Win 95, say Microsoft officials. The event log provides a way for device drivers, applications, and the OS to record useful data for administrators.

Jamie Lewis, president of the Burton Group (Salt Lake City, UT), a network consulting firm, says it would have been helpful if Microsoft had put event logging into Win 95. But, he says, "Windows 95 is an interim step toward Windows NT. NT was built to be that kind of robust environment." Lewis says event logging is just one example of how, in the long term, Microsoft will target consumers with Win 95 and businesses with NT.

—DLA

Windows NT Gets a Windows 95 Facelift



Microsoft has begun testing a very early version of the Windows NT Advanced Workstation Shell Update Release (SUR) that adds the Win 95 interface to NT. Microsoft says it was going to wait until the next major upgrade of NT—code-named Cairo—to add the Win 95 interface but decided to accelerate that effort when customers said they wanted a consistent user interface between NT and Win 95. The company is not saying exactly when it will release the SUR. Support for Plug and Play is currently slated for the Cairo release of NT.

COREL DRAW!™

The Award Winning
Graphics and Publishing Team!



Ideal Entry-Level Graphics

CorelDRAW 3 is so easy to use! With precision type control, amazing special effects and powerful illustration tools, CorelDRAW 3 is the ideal entry-level graphics package. CorelDRAW 3 includes CorelCHART, Corel PHOTO-PAINT, CorelSHOW, CorelTRACE and Corel MOSAIC.

- 250 Fonts
- 14,000 Clipart Images & Symbols



\$65.00*
CD-ROM VERSION

Powerhouse Graphics

CorelDRAW 4 is the complete graphics solution. With all the power and modules of CorelDRAW 3, CorelDRAW 4 also includes dozens of new artistic and technical enhancements, an object-oriented animation module, OCR capabilities and multi-page layout.

- 750 Fonts
- 18,000 Clipart Images & Symbols



\$129.00*
CD-ROM VERSION

Complete Graphics & Publishing Solution

CorelDRAW 5 combines the graphics power of CorelDRAW and the advanced publishing capabilities of Corel VENTURA 5 within an integrated user interface. CorelDRAW 5 has all the modules of CorelDRAW 4 plus a revolutionary color management system, major gains in speed and performance, and hundreds of improvements.

- 825 Fonts
- 22,000 Clipart Images & Symbols



\$429.00*
CD-ROM VERSION



Insight

We ship FedEx standard overnight shipping

1-800-558-6592

Call 24-hours a day
Or order via Internet!

INFO@INSIGHTD.COM

*US\$ plus applicable taxes and shipping.

1031-0070

 **COREL**
http://www.corel.com
Call now for faxed literature!
1-613-728-0826 ext. 3080

Circle 69 on Inquiry Card.



You're on the road. With a client.



You need to locate a bottle design.



HQ's database has 40,000 bottles.




And all you know is the shape.



Sort of.





Perfect.

Your mind recalls information visually. But can a client/server database advance that far?

Well, IBM's exclusive Query By Image Content (QBIC) technology for DB2® should open your eyes. It actually lets you locate a range of records based on shape. Or color. Or even texture. Which can translate directly into faster access to data—including multimedia – to help you make better business decisions.

Not that such advances should surprise you. IBM has led the way in databases as long as there have been databases. (Indeed, DB2 is at work in over 90% of the *FORTUNE 500*®)

And DB2 has a long history of offering useful innovations for information management, such as tools to manage your database remotely, pull information from disparate databases, and replicate corporate

data across a number of different locations.

DB2 meets open industry standards too, working seamlessly on OS/2®, AIX®, HP-UX®, Sun Solaris®, OS/400®, MVS, VM and VSE—and soon on Windows NT™ and Siemens Nixdorf SINIX®. Its broad scalability ensures that your database will deliver speed and efficiency from any size server.


Can your software do this?

From two users to over 100,000.

From megabytes of information to terabytes.

To make your business information more accessible—and more usable—just contact us at 1 800 IBM-3333, ext. GA 061, or come visit our web site at <http://www.software.ibm.com>.

You'll find out why, for so many of the world's leading companies, DB2 is the shape of things to come.



Solutions for a small planet™

DESKTOP DISPLAY TRENDS

Flat Displays Squeeze Bulky CRTs



When it's time to make a computer-based presentation on a screen, most people turn to projection systems that display images in the 20- to 40-inch-diagonal range. Users who want this size of a picture at their desktop computers have to use a big and bulky CRT display. But soon, a new breed of large-area flat displays will be available, and you can have some of your desk space back.

Three major Japanese companies recently announced they will spend billions of yen to begin large-volume production of plasma-based displays by 1996. The primary market for these displays will be high-end televisions. But computer users should benefit, too, as volume production will drive prices down and let flat displays replace CRTs. Already, bulky displays of more than 20 inches are used for engineering and desktop publishing applications that require large viewing areas. Flat displays will free up desktop space, which is at a premium in Japan and in many U.S. offices.

Plasma displays are manufactured with low-cost/high-yield printing techniques instead of the expensive photolithographic methods used to make LCDs. These electrode printing techniques can be readily scaled to larger-size displays. Fujitsu (Tokyo, Japan) already sells a 21-inch display and recently announced it would soon have a 42-inch variety. NEC and Fujitsu recently announced they both plan to build new production facilities to manufacture AC-driven plasma displays.

These devices work in a way that's similar to fluorescent light bulbs; they use voltage to ignite a gas, forming a plasma. To make a plasma display, manufacturers segment gas pockets into pixels, which are individually addressed. To form a full-color

display, colored phosphors are deposited at each pixel site. Says Larry Tannas, an analyst who covers the flat-panel-display industry, "Most users would be happy with the picture quality of these flat displays, and they are brighter than standard TVs."

A third major player, Sony (Tokyo, Japan), announced it will commercialize another technology: plasma-addressed liquid crystal displays (PALCDs). Sony has licensed the technology from Tektronix (Beaverton, OR) and is working with Technical Visions (Beaverton, OR). According to Tom Buzak, president of Technical Visions, PALCDs are not plasma displays but active-matrix LCDs that use a different type of transistor. "The difference is that you replace the silicon transistor with a gas, or plasma switch," Buzak says. PALCDs use the same polarizers, backlights, and color filters as active-matrix LCDs.

Today's 21-inch display from Fujitsu is still expensive: about \$8000. But with high-volume production, prices should drop. Fujitsu, for example, expects its 42-inch display to initially cost about 1M yen (roughly \$10,000) in 1996, then fall to half that as they reach full production.

—Chris Chincock

THIN-DISPLAY FUTURE LOOKING ROBUST

COMPANY	PRODUCTS/PROTOTYPE STATUS	MANUFACTURING PLANS
Sony	25-inch plasma-addressed LCD in prototype 40-inch prototype rumored Plasatron TV in Japan in late '96	10,000 units in first year; no mass-production plans announced
NEC	20-inch AC plasma TV in '96 29-inch prototype 40-inch prototype	Investing 10 billion yen to produce 10,000 plasma displays per month Plans to spend 80 billion yen to produce 150,000 units per month by 2000
Fujitsu	21-inch AC plasma monitor/TV in production 42-inch prototype; production expected in '96 55-inch display in '97 or '98	Investing 60 billion yen in plasma-display manufacturing; expects to produce 10,000 units per month in '96 and 100,000 units per month by 2000
Matsushita	26-inch DC plasma display in prototype; production planned for Q2 '96 40-inch DC plasma display in prototype	No decision announced yet
Mitsubishi Electric	20-inch AC plasma display in prototype 40-inch prototype soon	No decision announced yet

COOL INTERNET SITES

Top Ten Web Sites for Small Business

- 1** <http://www.sbanet.uca.edu/>
The Small Business Advancement National Center provides research, training, consulting, and other information.
- 2** <http://kcilink.com>
Dozens of articles by business columnist Raj Khera and other business-related information.
- 3** <http://www.webcom.com/~seaqest/>
A "how to" information resource center for small businesses.
- 4** <http://www.yellow.com>
A World Wide Web version of the Yellow Pages.

- 5** <http://www.govcon.com>
Resource center for government contractors.
- 6** <http://www.sbaonline.sba.gov/>
The Small Business Administration's Web hangout.
- 7** <http://www.directory.net/lexis-nexis/sba>
Search here for small-business-related articles or read articles already cataloged in subtopics.
- 8** <http://ptolemy.gis.virginia.edu:1080/reis1.html>
The Regional Economic Information System database provides local economic data (1969 to 1992)

- 9** <http://trinet.com/ucan/>
Info for a small business that wants to be the next Netscape and go public.
- 10** <http://dbisna.com/>
Financial and demographic data from Dun & Bradstreet.

Source: The First American Group Purchasing Association (New Orleans, LA; 504 529-2030), a group that provides purchasing and information resources to small businesses. List based on member survey and comments.

Sales-O-Gram

To: All Sales Representatives
From: Kenton O'Keefe
Sales Manager
Subject: Persuasive power of color presentation

- Color increases ad readership
- Color ad increases sales 42%
- Color documents provide 25% more information
- Color improves attention span



proves
on pe
nch

- System
- Agreement
- Comprehension
- Attention
- Perception

(1) CAIR Report No. 179.34 "Does Color Help?", Colvers Publishing Co.
(2) "Update on split run tests on color vs. black and white", internal report of color services per Association of America.

COST CONTAINMENT REPORT



Business Color Printer

COLOR PPM



COST PER PAGE



PRINTER PRICE



Source: PC Magazine
November 27, 1994 Issue of
Printer Review

Tektronix

Color is color, unless it's brilliantly practical.

It's the business printer you've been waiting for. Professional color so reliable, inexpensive and easy to use, it's a practical office tool. Speed? It's the world's fastest desktop color printer at 4 color pages per minute. Cost? Full text pages on plain paper at 3¢ each. Color for 11¢ on office papers. Simplicity? If you can load a stapler, you've mastered this machine. Reliability? Add 700 sheets and let

it run overnight. That's robust. Price? At \$4,995, nothing in its performance range even comes close. Best of all, it's from Tektronix, an industry leader, making world-class color printers for 13 years. **The Phaser 340 Color Printer.** So practical, it's brilliant.



Call 800/835-6100, Ext. 1037.
<http://www.tek.com/CPad?1037>

© 1995 Tektronix, Inc. All rights reserved

Tektronix

Circle 98 on Inquiry Card.

TELECOMMUNICATIONS

Phone Lines Stymie V.34 Modems

Today's advanced modems push the telephone system to the limit, and users are finding to their woe that in many cases, 28.8-Kbps modems won't deliver their advertised throughput. The result: That blazingly fast 28.8 V.34 modem you bought won't deliver better than 26.8 Kbps except under prime conditions. In fact, performance could be much worse.

Even the newest modems with the amended V.34 standard, which allows for speeds up to 33,600 bits per second, won't solve your speed problem. These advanced V.34 modems, from companies such as U.S. Robotics, AT&T Paradyne, and Racal-Datacom, still have to contend with a telephone system that was never meant to handle such high-speed data communications.

Stephen Satchel, president of Satchel Evaluations (Incline Village, NV), an independent modem-testing firm, says the trouble usually isn't the quality of the copper in the phone system's local loops. He says the problems are due to trunk components and switches. "Their soakers, designed to cut down on static, artificially limit the bandwidth that V.34 needs to operate effectively," Satchel says. "Interoffice phone systems also often have artificially narrow channels that introduce distortion in the data channel." This means that even the best V.34 modem talking to the same brand of modem will often top out at 26,600 bps.

Another growing problem, Satchel says, is that the phone companies, in their changeover from analog to digital circuits, are using digital speech compression to get the most voice service from existing lines. That's fine for voice, but it's a disaster for modem users because it closes your effective bandwidth window down to a maximum of 9600 bps. "Entire neighborhoods are being changed over," Satchel says. "Modem users don't have a way out."

Indeed, for many of us, the first thing you'll know about the arrival of digital voice compression on your block is when your data communication slows to a fat baby's crawl.

data connection is through ISDN. The problem with ISDN, which can push your data connection up to 128,000 bps, is twofold. First, you can't get ISDN services everywhere. Some Baby Bells, such as Bell Atlantic, are very ISDN-friendly; others, such as Nynex, are not. The second problem is that local regulators are very inconsistent in their treatment of ISDN. In some states, ISDN is so heavily taxed that it is utterly impractical for private use. In other states, ISDN may be no more expensive than an ordinary additional phone line.

If you can't get ISDN, you may want to investigate a tele-

phone line conditioner. NAI Datacomm (Roswell, GA, 800 778-4479 or <http://naidata.com> on the Web) has its VFast Modem family of superchargers (about \$600 or less), which can optimize modem performance. However, as company officials point out, these products address only problems at the local loop.

For now, we're stuck with less-than-perfect analog modems in an environment that will grow increasingly more hostile to high-speed performance. This should not prevent buyers from flocking to V.34 modems, however (see the graph). "Some users, especially when accessing the Internet, will take any speed improvement they can get," says Ernie Raper, market analyst for VisionQuest 2000 Associates (Moorpark, CA). "Even if the V.34 modem delivers 26 Kbps or 24 Kbps, that's a lot more data being transmitted than 14.4 Kbps." Raper predicts that prices for V.34 modems will drop steadily, which will result in a minor price difference between 14.4- and 28.8-Kbps modems.

In the long term, ISDN, clearly the optimal technical solution, will be the future of end-user data communications. For the next few years, though, take all claims of modem speed with a dose of salt.

—Steven J. Vaughan-Nichols



The need for speed to access the Internet or a private remote network will fuel U.S. aftermarket retail sales of 28.8-Kbps V.34 modems, despite the inconsistency of data throughput.

Many other factors determine how fast your modem can pump out data. Some of these, like the UART (universal asynchronous receiver/transmitter) chip, are under your control. But other vital elements are outside your control. For example, early-model U.S. Robotics Sportster modems—those with ROMs older than April 18, 1995—suffer from the spiraling death syndrome. The modem will blithely try to optimize the V.34 connection, but it ends up corrupting the connection so that speeds drop slowly but surely to a horrific 4800 bps. If you think you're running into this problem, you can check your ROM with the modem command ATI7. If you have one of the older ROMs, U.S. Robotics will replace it for free; call them at (703) 982-5151.


A far more common and annoying problem, since it has no solution, is that modems built around the Rockwell chip set do not show consistent speed results, even under laboratory conditions. Satchel says he's seen results ranging from 21,600 bps to 28,800 bps using Rockwell-based modems from such popular vendors as Cardinal, Global Village, Hayes, Supra, and Practical Peripherals, with absolutely no change in the testbed configuration.

A better way to get a consistently fast

Imagine roaring through the development process in a fraction of the time it takes with Microsoft Visual C++ or Borland C++. All you need is new Symantec C++ 7.0 with full support for Windows 95 Preview Program, Windows NT 3.5, Windows 3.1 and DOS.

THE FIRST TRULY OBJECT-ORIENTED C++ ENVIRONMENT.

Symantec C++ 7.0 is the only C++ that lets you architect and navigate your application with a dynamic Class Editor and graphical Hierarchy Editor. This



6.0 – the world's fastest linker.

For building great Windows

and Debugging Environment (IDDE)

provides the most powerful debugging

ARCHITECT. NAVIGATE. BUILD. DEBUG. NEW SYMANTEC C++ 7.0 IS THE FASTEST WAY TO DO IT ALL.

great new system incrementally parses your C and C++ code and displays an up-to-date structural model of your program without compiling. But that's only the beginning. It also lets you modify any class's inheritance graphically. Plus it automatically locates any class implementation, and much more!

THE NETBUILD REVOLUTION.

Now you can build applications faster than you've ever imagined. With the new NetBuild™, you can automatically distribute the build process over multiple computers on your LAN, dramatically reducing build times.

In addition, AppExpress™, ClassExpress™ and ProjectExpress™ give you Wizard-like functionality to boost your productivity.

And to make your link-cycle lightning-fast, there's new 32-bit OPTLINK®

resources easily, we've added ResourceStudio – the new OLE 2.0-based resource editor that supports the widest range of Windows resources including Windows 95.

POWER DEBUGGING FOR WINDOWS 3.1 AND NT.

Symantec's Integrated Development

CLASS EDITOR AND HIERARCHY EDITOR

dramatically increase your productivity.

NETBUILD

distributes the build process across networked resources for the fastest build times.

SUPPORT FOR WINDOWS 95

Preview as well as Windows NT 3.5, Windows 3.1 and DOS.

APP EXPRESS, CLASS EXPRESS AND PROJECT EXPRESS

automate time-consuming tasks.

OPTLINK® 6.0

is the fastest linker in the world.

IDDE WITH 16 AND 32-BIT DEBUGGING

for Windows 95 beta, NT 3.5 & Windows 3.1

features including Thread View, Inspector View, hardware watchpoints and low-level debugging.

Of course, all of these productivity-boosting tools are integrated with a language that supports key standards like ANSI C++ (exception handling, templates and RTTI) and NT structured exception handling. And unlike Borland, Symantec supports MFC and includes it free.

In short, no other C++ lets you do it all this fast. Call the toll-free number below and see for yourself.

FREE DEMO CD

See how Symantec C++ 7.0 architects, navigates, builds and debugs faster than any other C++.

Call 1-800-628-4777 and ask for Extension 9AP13 now for your free demo CD and the name of the Symantec dealer nearest you.



SYMANTEC®

Offer valid in U.S.A. only. For more information in Canada, call 1-800-667-8661, ext. 5513. In Australia, call 2-879-6577. In Europe, call 31-71-353111. Symantec, NetBuild and OPTLINK are trademarks and registered trademarks of Symantec Corporation. All other trademarks are the property of their respective holders. All rights reserved. Developers wishing to use Windows 95 Preview Program files must sign a beta agreement with restrictions for the use of those files. © 1995 Symantec Corporation.

Circle 105 on Inquiry Card.

We are Gateway 2000.



August 1985
"Hey, Mike ... call me crazy but I've had this craving all day to start a computer company!"
 Ted Waitt

September 5, 1985
 Congratulations, it's a computer company! Gateway 2000 is born at the Waitt Family Cattle Farm outside of Sioux City, Iowa.



August 1985
 Ted's grandma, "Momo," takes a leap of faith and becomes Gateway's first principal investor securing a \$10,000 loan.



April 2, 1986
 The Livestock Exchange Building at the Sioux City Stockyards: Gateway's first home away from home.

February 1988
 25 systems built and shipped in one day! All 10 phones ringing off the hook from Gateway's first major ad in *Computer Shopper*, "Computers from Iowa?"



1985 Sales: \$100,000
 Employees: 2



1986 Sales: \$1 million
 Employees: 4



1988 Sales: \$11.7 million
 Employees: 33

November 1985
 Ted springs for Thanksgiving dinner for entire Gateway workforce (Mike Hammond).



1986
 Gateway 2000 ships its first PC.

August 3, 1986
 Shipping clerk covers for Ted over lunch and becomes Gateway's first sales rep.



1987
 Texas Instruments PC customers exchange TI PCs for Gateway 2000 IBM compatibles.

February 1987
 Ted and Mike get sick of looking at each other. Up go the first cubicle walls!

1987
 Shipping clerk/Sales Rep can't pronounce "peripherals." So we focus on systems and ship our first 286 PC for \$2,295.

September 1988
 Gateway sells 386-20 PC for \$2,995, receives *Byte* magazine's Award of Distinction.

September 1988
 Gateway herd finds greener pastures in Sergeant Bluff, Iowa (we moved there).

1988
Industry First!
 EGA color monitors standard on all systems.

We will always be happy, but we will never be satisfied.

It started as a dream, born on an Iowa farm. Today,

10 years later, the same company that once clocked

in by a rooster crow is recognized

as the nation's PC industry leader.

The Gateway 2000® secret? Give

PC buyers a quality product, the

latest technology, and incompa-

rable service — all at an unparal-


leled value. Our hard-working

employees know what it takes to

get the job done right. And we're

ready to outdo ourselves in the

next decade and beyond.




**BORN IN A BARN?
ACTUALLY, YES.**



ia


r

Industry First!
is a
for



May 1995
Gateway's P5-120
is named the
"fastest PC in the
world," by
PC/Computing.

March 1995
Premiere issue of
GW2k: Gateway Magazine.



May 1995
Technical support completes
12,046 calls in one day! All techs
treated to sparkling cider in plastic
champagne glasses.

July 1995
Gateway ranks first among
Intel/Windows PC manufacturers
in brand loyalty.



1993 Sales: \$1.7 billion
Employees: 3,500

1994 Sales: \$2.7 billion
Employees: 4,500

10th ANNIVERSARY SYSTEM

- Intel® 133MHz Pentium® Processor
- 16MB EDO Performance-Enhanced Memory
- 256K Pipelined Burst Cache
- 1.62GB 9ms EIDE DMA Mode 2 Hard Drive
- PCI Enhanced IDE Interface
- Matrox® MGA™ Millennium™ 2MB WRAM Graphics Accelerator
- 6X EIDE CD-ROM
- 16-Bit Ensoniq® Wavetable Sound Card & Altec™ Lansing Surround Sound Speakers w/ Subwoofer
- TelePath® 28.8 Fax/Modem Communication Center
- 3.5" Diskette Drive
- 17" .26dp Vivitron™ Color Monitor
- 9-Bay Tower Case
- AnyKey®+ Windows
- MS Mouse 2.0
- Microsoft® Windows® 95
- 10th Anniversary System Software Collection: MS Office 95, Professional Edition and Generations
- Gateway Gold™ Premium Service

\$3999



Designed for



Microsoft
Windows 95

ts

Industry First!

November 1994
New Gateway
facility opens in
Kansas City.



December 1994
The Liberty small
notebook makes
its debut.

June 16, 1995
Gateway is first to offer
Windows 95 as a free
upgrade on all standard
configurations.

Industry First!

July 28, 1995
Gateway goes
"down under"
to Australia.

August 1, 1995
Gateway Gold
Service and
Support program
unveiled.



"You've got a friend in the business."™

800-846-2061

610 Gateway Drive • P.O. Box 2000 • N. Sioux City, SD 57049-2000 • Phone 605-232-2000 • TDD 800-846-1778 • Fax 605-232-2023 • FaxBack 800-846-4526
International FaxBack Access 605-232-2561 • Component Add-On Sales 800-846-2080 • Sales Hours: 7am-10pm Weekdays, 9am-4pm Saturdays (CDT)

© 1995 Gateway 2000, Inc. Gateway 2000, black-and-white spot design, "G" logo, "You've got a friend in the business" slogan and HandBook are registered trademarks, and Gateway Gold, ColorBook and Liberty are trademarks of Gateway 2000, Inc. The Intel Inside Logo, Intel and Pentium are registered trademarks of Intel Corporation. All other brands and product names are trademarks or registered trademarks of their respective companies. Monitors' diagonal measurements indicate the size of the cathode-ray tube. All prices and configurations are subject to change without notice or obligation. Prices do not include shipping or applicable sales tax.

We share the vision of being our customers' only logical choice.

Industry First!

1989
It doesn't get any better than this — standard VGA monitors!

June 1989
Gateway goes online with GW2k BBS.

December 1989
McGraw-Hill purchases 386-20s and achieves immortality as Gateway's first major Fortune 500 customer.



1991
Gateway becomes first company to win all four Computer Shopper Best Buy desktop awards.

February 1991
Gateway is first to introduce non-interlaced monitors on all systems.

Industry First!

April 1991
Gateway introduces cow-spotted boxes.



Industry First!

February 1992
Customers rejoice! Gateway begins offering choice of application software with new systems at no extra charge.

1992
Barely seven years old and already Microsoft PC Manufacturer of the Year.

1993
Gateway offers first Family PC multimed system for \$1995.

August 1993
The ColorBook and HandBook 486 enter Gateway's stellar product lineup.

May 1994
Gateway announces three-year warranty on all desktop PCs and monitors.

July 1, 1994
Gateway opens a showroom in Paris, France.



1990
The population of North Sioux City reaches a whopping 2,019.

May 1990
Microsoft Windows is now standard on all Gateway systems.

Industry First!

October 1990
Gateway's first 486 system hits the market value-priced at \$5,295.

April 1991
Technical support completes a record number of 2,800 calls in one day!



March 1992
Technical support holding queue is empty for the first time in company history.

May 1992
Going mobile with our first portable computers, including the HandBook, the industry's first subnotebook.

Industry First!



October 1993
Holy leprechauns! Gateway Europe sets up shop in Dublin, Ireland.

September 1993
Gateway introduces first VESA system.

October 1993
Gateway offers our first Pentium system, the P5-60, for \$359 and sweeps Computer Shopper's Best Buy awards for third consecutive year.

You've got a friend in the business.

P5-75 FAMILY PC

- Intel® 75MHz Pentium® Processor
- 8MB DRAM
- 850MB 10ms DMA Mode 1 EIDE Hard Drive
- PCI Enhanced IDE Interface
- 32-Bit PCI Graphics Accelerator w/ 1MB DRAM
- 4X EIDE CD-ROM, 16-Bit Sound Card & Altec™ ACS-40 Speakers
- TelePath® 14.4 Fax/Modem Communication Center
- 3.5" Diskette Drive
- 15" .28dp CrystalScan® Monitor
- 7-Bay Desktop Case
- 104* Keyboard & MS Mouse 2.0
- Microsoft® Windows® 95
- Generations Software Collection
- Gateway Gold™ Service & Support

\$1899

P5-100 FAMILY PC

- Intel 100MHz Pentium Processor
- 8MB EDO Performance-Enhanced Memory
- 1GB 9ms DMA Mode 2 EIDE Hard Drive
- PCI Enhanced IDE Interface
- 64-Bit PCI Graphics Accelerator w/ 2MB DRAM
- 4X EIDE CD ROM, 16-Bit Sound Card & Altec ACS-40 Speakers
- TelePath 28.8 Fax/Modem Communication Center
- 3.5" Diskette Drive
- 15" .26dp Vivitron™ Color Monitor
- 7-Bay Desktop Case
- 104* Keyboard & MS Mouse 2.0
- MS Windows 95
- Generations Software Collection
- Gateway Gold Service & Support

\$2399

P5-120 FAMILY PC

- Intel 120MHz Pentium Processor
- 8MB EDO Performance-Enhanced Memory
- 256K Pipelined Burst Cache
- 1GB 9ms DMA Mode 2 EIDE Hard Drive
- PCI Enhanced IDE Interface
- 64-Bit PCI Graphics Accelerator w/ 2MB DRAM
- 4X EIDE CD-ROM, 16-Bit Sound Card & Altec ACS-40 Speakers
- TelePath 28.8 Fax/Modem Communication Center
- 3.5" Diskette Drive
- 17" .28 CrystalScan® Color Monitor
- 7-Bay Desktop Case
- 104* Keyboard & MS Mouse 2.0
- MS Windows 95
- Generations Software Collection
- Gateway Gold Service & Support

\$2899



SOFTWARE COLLECTION

- Microsoft® Encarta® 95 • MS Bob™
- MS Money 3.0 • MS Works 3.0 • MS Publisher 2.0 • MS Publisher Design Pack • MS Cinemania® 95 • MS Bookshelf® 95 • MS Composer Collection: Beethoven, Mozart and Schubert • MS Wine • MS Arcade: Missile Command™, Asteroids, Tempest™, Centipede® and Battlezone™ • MS Dinosaurs • Mayo Clinic® Family Health Book • and Mayo Clinic Family Pharmacist • plus 31 popular MS entertainment games.



Gateway 2000 Manufacturing, North Sioux City, South Dakota, is ISO 9002 Certified.

Professional Systems

P5-75

- Intel 75MHz Pentium Processor
- 8MB DRAM
- 850MB 10ms DMA Mode 1 EIDE Hard Drive
- PCI Enhanced IDE Interface
- 32-Bit PCI Graphics Accelerator w/ 1MB DRAM
- 4X EIDE CD-ROM Drive
- 3.5" Diskette Drive
- 14" .28dp CrystalScan Color Monitor
- 7-Bay Desktop Case
- 104* Keyboard & MS Mouse 2.0
- MS Windows 95
- MS Works 95
- Gateway Gold Service & Support

\$1599

P5-100

- Intel 100MHz Pentium Processor
- 8MB EDO Performance-Enhanced Memory
- 850MB 10ms DMA Mode 1 EIDE Hard Drive
- PCI Enhanced IDE Interface
- 32-Bit PCI Graphics Accelerator w/ 1MB DRAM
- 4X EIDE CD-ROM Drive
- 3.5" Diskette Drive
- 15" .28dp CrystalScan Color Monitor
- 7-Bay Desktop Case
- 104* Keyboard & MS Mouse 2.0
- MS Windows 95
- MS Office 95, Professional Edition* with Bookshelf 95
- Gateway Gold Service & Support

\$1999

P5-120

- Intel 120MHz Pentium Processor
- 16MB EDO Performance-Enhanced Memory
- 256K Pipelined Burst Cache
- 1GB 9ms DMA Mode 2 EIDE Hard Drive
- PCI Enhanced IDE Interface
- 32-Bit PCI Graphics Accelerator w/ 1MB DRAM
- 4X EIDE CD-ROM Drive
- 3.5" Diskette Drive
- 15" .28dp CrystalScan Color Monitor
- 7-Bay Desktop Case
- 104* Keyboard & MS Mouse 2.0
- MS Windows 95
- MS Office 95, Professional Edition* with Bookshelf 95
- Gateway Gold Service & Support

\$2699

P5-133

- Intel 133MHz Pentium Processor
- 16MB EDO Performance-Enhanced Memory
- 256K Pipelined Burst Cache
- 1GB 9ms DMA Mode 2 EIDE Hard Drive
- PCI Enhanced IDE Interface
- 64-Bit PCI Graphics Accelerator w/ 2MB DRAM
- 4X EIDE CD-ROM Drive
- 3.5" Diskette Drive
- 15" .26dp Vivitron Color Monitor
- 9-Bay Tower Case
- 104* Keyboard & MS Mouse 2.0
- MS Windows 95
- MS Office 95, Professional Edition* with Bookshelf 95
- Gateway Gold Service & Support

\$2999

While supplies last!

10th ANNIVERSARY SYSTEM

- Intel 133MHz Pentium Processor
- 16MB EDO Performance-Enhanced Memory
- 256K Pipelined Burst Cache
- 1.62GB 9ms DMA Mode 2 EIDE Hard Drive
- PCI Enhanced IDE Interface
- Matrox® MGA™ Millennium™ 2MB WRAM Graphics Accelerator
- 6X EIDE CD-ROM Drive
- 16-Bit Ensoniq® Wavetable Sound Card
- Altec Lansing Surround Sound Speakers w/ Subwoofer
- TelePath 28.8 Fax/Modem Communication Center
- 3.5" Diskette Drive
- 17" .26dp Vivitron Color Monitor
- 9-Bay 10th Anniversary Tower Case
- AnyKey® Keyboard
- MS Mouse 2.0
- MS Windows 95
- 10th Anniversary System Software Collection: MS Office 95, Professional Edition* with Bookshelf 95 and Generations.
- Gateway Gold Premium Service

\$3999

GATEWAY GOLD™ SERVICE & SUPPORT

- Service When You Need It**
- Toll-Free Technical Support 24 Hours A Day, 7 Days A Week
- Free Software Technical Support for all Gateway-provided operating systems & applications (includes Windows 95 Support)
- Industry-Leading Response Times For Toll-Free Support
- 1-Year On-Site Service Agreement
- Next Business Day Response On-Site Service†
- Extended On-Site Service Hours (6a.m.-10p.m. Monday-Friday, 8a.m.-5p.m. Saturdays)
- Scheduled On-Site Service (2-hour appointment window)
- 3-Year Limited Warranty
- Express Replacement Parts Delivery
- Club Gateway™ Membership
- GW2k™: Gateway Magazine
- Gateway Bulletin Board (BBS) Service
- Automated FaxBack Service

†Pending parts delivery.

*MS Office 95 Professional includes MS Word, Excel, PowerPoint® presentation graphics program, and Access® database (\$10 shipping charge).

GSA Schedule # GS-00K-94-AGS-5150-PS01



Toll free from Canada 800-846-3609



Toll free from Puerto Rico 800-846-3613



Printed on recycled paper with soy inks.



"You've got a friend in the business.™"

8 0 0 - 8 4 6 - 2 0 6 1

*All Pentium PCs feature the ultra-fast Triton chip set and Plug and Play BIOS.



CODE TALK

RICK GREHAN



Watcom C/C++ 10.5 Gets Visual

Watcom C/C++ has many things programmers will like. But its integrated development environment is best described as spartan. Version 10.5 changes that with the addition of Blue Sky's Visual Programmer.

Watcom C/C++ 10.5 continues the compiler's tradition of multiplatform development support. Although it is still Intel-CPU-specific, Watcom C/C++ can create 16- and 32-bit applications for Windows, DOS, and OS/2. It can also create 32-bit AutoCAD applications and NetWare NLMs.

With 10.5, Watcom links the Visual Programmer into the compiler's integrated development environment. Visual Programmer provides rapid application-building capabilities, similar to those in Visual Basic, to C++. You build an application by defining windows, populating the windows with pushbuttons, scrollbars, and other elements, and attaching attributes and actions to the various objects. Visual Builder then generates MFC-based source code. As you build your application in Visual Programmer, it "back fills" the Watcom project with the appropriate files.

Watcom's previous version allowed you to regulate consumption of disk space by optionally keeping the help files on the CD; all other files had to go on your hard disk. With version 10.5, you can run most everything from the CD, freeing up lots of disk space at the expense of slightly slower execution. I opted for the "run from CD" choice at installation time (freeing up more

than 30 MB) and collided with one of the few bugs in the system. Apparently, the executable copy of the 32-bit C compiler is corrupted on some copies of the CD-ROM. A small batch file that I downloaded from Watcom's BBS fixed the problem. Watcom says that release 10.6 (which will be out by the time you read this) will correct that problem. It will be available to version 10.5 owners at no charge.

Watcom has also added the Watcom Infobase CD. It contains (among other things) technical tips from Watcom's support hotline, faxline, and CompuServe forum. This enormous frequently-asked-questions file is basically a core dump of Watcom's Technical Support communications. Consequently, there's lots of non-C/C++ information on the CD. Performance of generated executables (which is among the best) appears unchanged. I recompiled the BYTEmark benchmark using version 10.5 and ran the program on our baseline 90-MHz Pentium machine. The results varied by less than 5 percent from scores I obtained using a version 10.0-generated executable on the same machine.

Watcom C/C++ 10.5 is priced at \$350; owners of previous versions can upgrade for \$129; a competitive upgrade is \$199. Contact Watcom (Waterloo, Ontario) at (800) 265-4555 or (519) 886-3700; fax (519) 747-4971; on the Web, <http://www.watcom.com>.



The major new feature in Watcom's latest C/C++ is the addition of visual programming tools.

OPERATING SYSTEMS

Vendors Rally for 64-bit Unix

An impressive list of vendors has endorsed an initiative to develop a common 64-bit Unix API, but it may be two or three years before some vendors release compliant products. The list includes Intel, Hewlett-Packard, Silicon Graphics, Digital Equipment, Compaq, IBM, Novell, Oracle, SunSoft, and practically every-

one else except Microsoft (which has Windows NT). Microsoft officials say that the NT file system is 64-bit for improved performance, but the company has not announced a 64-bit version of NT.

Unix vendors hope to define a set of interfaces and a 64-bit C programming model for data representation to reduce the variability that developers face today in writing an application for several versions of Unix. "The real benefactors will be the independent software developers," says Mark Silverberg, group manager, Unix product marketing for Digital Equipment (Maynard, MA). "If developers have a single specification they can program to, they won't have to develop or maintain different 64-bit implementations." Databases and other data-intensive applications will benefit the most from 64-bit operation.

The group says it will publish the 64-bit specification by the end of this year; it also intends to build from existing 32-bit APIs so that today's pro-

grams will run on future 64-bit operating systems. The API will also comply with existing standards such as XPG 4.2 (also known as the X/Open Spec 1170), POSIX, the System V Interface Definition (SVID), the Common Desktop Environment (CDE), and the X Window System.

The 64-bit effort follows another attempt to unify Unix around the Common Operating System Environment, an initiative that achieved mixed results. "COSE was going to unify systems management and networking, and it didn't quite succeed in that," says Scott McGregor, senior vice president of products at the Santa Cruz Operation (Santa Cruz, CA). "But COSE succeeded in getting the Unix world, including Sun, to agree on Motif as the basis for the Common Desktop Environment. That alone is a tremendous success of COSE, and it's often forgotten."

The delivery of products that comply with the spec is up to each vendor. Companies such as Silicon Graphics, Digital, and HAL Computer already have 64-bit versions of Unix, and the amount of work needed for them to comply with the specification depends on how closely it matches current products. Others, such as SCO, don't currently have a 64-bit version of Unix. "SCO plans to ship a 64-bit OS coincident with Intel shipping the P7, which will be a 64-bit processor," McGregor says. "That's probably two to three years away from happening."

—Dave Andrews

SECURITY

Bank Robbers Go Electronic

Bank robbers are trading in their firearms for a new weapon: computers. And although companies are usually reluctant to admit embarrassing rips in security, Citibank (New York, NY), the banking division of Citicorp, has upgraded all security procedures following a breach of the bank's cash management system. In a series of break-ins, the bank's payment system was compromised (perhaps with inside help) for no less than the hack of the century: more than \$10 million. (The bank says it eventually recovered most of that sum.)

Citibank is not the only bank to suffer from electronic burglary: Security expert Arnaud de Borchgrave estimates that in just two months this year, about \$300 million dollars has disappeared, electronically, from U.S. banks.

In July 1994, Vladimir Levin, a mathematician in St. Petersburg, Russia, befriended a former St. Petersburg bus driver who had turned entrepreneur in San Francisco, according to recently unsealed court documents. Levin allegedly told his new friend he had found out how to wire-transfer money out of Citibank's computer system. Twice already, he allegedly bragged, he had squirreled substantial amounts into his own account in Finland. Court documents say Levin's colleague became a partner in what would become a multinational hacker ring.

Just a few weeks later, transfers were made to BankAmerica accounts held by Primorye (roughly translated as "Shoreland" in Russian) Corp. and Shore Corp., both of San Francisco. The companies were owned by Levin's friend Jevgenij Korolkov.

By this time, Citicorp officials had begun to suspect foul play and started questioning Korolkov. Korolkov left the country but apparently was not deterred. Instead, the two pressed on and recruited new partners around the globe, authorities say. By October 1994, 40 more transfers were made to California, Israel, Germany, Holland, and Switzerland.

Levin, who was system administrator at AO Saturn, a St. Petersburg software house, has been advised by his attorney not to speak to the press. But court documents allege he accomplished the illegal transfers by dialing into



Most acts against a corporation are committed with help from the inside, including employees, vendors, and contractors. That's according to the American Society for Security's (Arlington, VA) 1995 Intellectual Property Loss Survey.

Citibank's cash management system. The system allows Citibank customers to initiate their own fund transfers to other banks; daily turnover is about \$500 billion. Authorities say that to avoid causing suspicion, Levin dialed in from his house in Russia late at night.

Conducting transactions during New York business hours would less likely raise alarms.

Levin apparently used valid user IDs and passwords of other banks, among them Banco del Sud in Argentina and Bank Artha Graha in Indonesia. How he got those passwords, given Citibank's extensive security, is unclear. Inside help seems likely, but Citibank claims that no employees were involved. Citibank officials declined to discuss their security procedures with BYTE, but a spokeswoman said that the bank continuously evaluates and improves its security measures.

According to Citibank, its security system flagged two August 1994 transfers, \$26,800 and \$304,000, as "strange." Bank officials called the FBI, who observed the electronic interlopers as they made their illegal transfers. U.S. officials were also assisted by telecommunications employees in Russia who helped track the illegal fund transfers to St. Petersburg, according to published reports.

Citibank claims it recovered most of the approximately \$10 million in illegal transfers but says perpetrators were able to withdraw "less than \$400,000" before other banks were notified and able to stop the transactions. Officials also say that no time were any client funds at risk.

In March, Levin was arrested in transit at London's Heathrow airport. At presstime, he was fighting extradition to the U.S. from England. U.S. authorities want to try Levin on charges of theft, forgery, and computer fraud. Levin's attorney, Colin Reynolds, told BYTE that Levin wants to return to Russia. Five alleged accomplices in other countries, including Israel, the Netherlands, and the U.S., have been arrested.

—Udo Flohr



WEB Technologies' Amazing Compression? (see "Instant Gigabytes," June 1992, page 45)

In an announcement that sounded too good to be true, WEB Technologies (Smyrna, GA) claimed it had developed a compression algorithm that could squeeze almost any amount of data to less than 1024 bytes. The company claimed that its DataFiles/16 program could compress files larger than 64 KB to about one-sixteenth their original size. Skeptics said what WEB claimed was impossible, yet BYTE received numerous inquiries from readers, many of whom said they felt obliged to investigate WEB's claims, however implausible.

BYTE contacted WEB for a beta version of the software so that we could evaluate it. WEB at first declined to give us the beta, but we said we couldn't write a story about the product without one. WEB relented and sent us the beta version, which we tested and wrote about in the June 1992 issue.

Not surprisingly, the beta version of DataFiles/16 that reporter Russ Schnapp tested didn't work. DataFiles/16 compressed files, but when decompressed, those files bore no resemblance to their originals. WEB said it would send us a version of the program that worked, but we never received it.

When we attempted to follow up on the story about three months later, the company's phone had been disconnected. Attempts to reach company officers were also unsuccessful. WEB appears to have compressed itself right off the computing radar screen.

Kaboom, Inc.

CAREN D. POTTER


So, one of your supertankers bellied-up on a reef and is now sliming Alaska? Or maybe another in a series of California earthquakes nuked your parking garage? Perhaps a network news show is dissing the trucks you make for inconveniently exploding on impact? Who ya gonna call? Failure Analysis.

Failure Analysis Associates answers nasty questions about nastier failures—by machines, buildings, and humans. Walk into their Menlo Park, California, headquarters (one of 11 facilities nationwide) and you'll be tripping over scientists and engineers brandishing Ph.Ds from MIT and Stanford. Computers are everywhere. More than 1000 personal computers (laptops, Macs, and PC clones) and Silicon Graphics workstations help slake the processing needs of the 400-plus employees. Digital Equipment minis and IBM maxis hold more than 60 databases containing such tidbits as 350 million accident and incident records, as well as handy items such as a copy of every U.S. death certificate since 1975.

The company acquires software by the "one of each" method: If there are five programs, each a little better than the others for a certain type of problem, Failure Analysis probably has them all. Perusing the typical office bookshelf turns up numerous software manuals, and not just for word processing and running spreadsheets—structural stress-analysis packages and human body-modeling programs are just as likely.

The firm's Phoenix, Arizona, desert test facility is a Disneyland of disaster that includes a two-mile road track (festooned with your basic potholes, railroad crossings, and water-filled ditches), a 1200-foot crash rail that can send a vehicle smashing into a wall (or another vehicle—your choice) at up to 90 mph, a 90-foot drop tower, and a ballistics range just right for blowing things up. What more could a catastrophe-minded techie ask for?

Failure Analysis CEO Roger McCarthy estimates that the company has invested nearly \$30 million in technology, and the com-



BILL FRAMPTON © 1995

When technology goes splat, Failure Analysis sends in a squad of detective engineers wielding heavy-duty computer wizardry

time, the site may have changed, vehicles may not be available. We collect all the evidence we can, then use technology to fill in the gaps in our knowledge."

Calamities of the Rich and Famous

Failure Analysis has been called in on many high-profile cases. When *Dateline NBC* showed a car plowing into the side of a GMC truck with side-saddle gas tanks, a made-for-TV collision that produced a dramatic fireball. General Motors got suspicious. GM scored a major PR body-slam when Failure Analysis showed, using computerized video enhancement (and searching dozens of

pany spends some \$3 million annually keeping it all up-to-date.

Why the tech-fest? Technology helps supply the missing (or disintegrated) pieces. "We're often called in years after an accident has happened," explains Garrison Kost, head of vehicle accident reconstruction. "By that

Kaboom, Inc.

junkyards to find the actual vehicles), that puffs of smoke appeared a fraction of a second *before* the collision. NBC had rigged the truck with rocket motors to ensure it exploded telegenically. The network wound up eating on-air crow to forestall the libel case of the century.

Conspiracy fans were paying avid attention when Failure Analysis reexamined

some of the JFK assassination evidence for the American Bar Association's mock trial presentation, "The United States v. Lee Harvey Oswald." The company showed that an assassin on the sixth floor of the Texas School Book Depository could have committed the murder alone.

Owners (and insurers) of property damaged in the 1994 Los Angeles earthquake

hired Failure Analysis to determine the extent of the damage. Following extensive and hazardous field work, and computer simulation of building behavior, the company could make useful recommendations about whether buildings should be repaired or trashed.

How James Dean Died

Failure Analysis's re-creation (commissioned by the TV show *What Happened?*) of James Dean's fatal car crash 40 years ago is a good example of the puzzles the company pieces together. Without much to go on, Failure Analysis used computers to reconstruct the event as a three-dimensional animation and eventually fingered the driver at fault and showed how fast each car was going when they collided.


Dean, accompanied by his mechanic, was driving his Porsche Spyder from Bakersfield toward Monterey, where he was going to race the car. It was a clear day. At 5:45 p.m., on a straight stretch of two-lane asphalt road, where U.S. 41 and U.S. 46 intersect, Dean's westbound car collided with an eastbound Ford. Dean was killed and his passenger suffered broken bones, but the driver of the Ford had only minor injuries. What happened?

James Dean's live-fast, die-young reputation suggested an open-and-shut case: His speeding and recklessness must have been to blame. But strangely, as Failure Analysis started scrutinizing the accident, this hypothesis didn't hold together. "Damage to the vehicles didn't indicate an extremely high-speed collision," says Kost.

The steps in reconstructing this accident are typical of Failure Analysis investigations, according to Kost. (An investigation can cost anywhere from \$5000 to \$50,000, depending on the complexity of the accident—double that if you want computer animations. The Dean case cost an estimated \$50,000, but those findings were intended for a TV audience, not a courtroom.) First, the analysts collected whatever information they could: the original California Highway Patrol report, statements from two people in a car following the Ford, a few photos of the road and vehicles after the accident, roadway "as built" drawings, and three aerial photos of the site taken the same year as the accident. Not much to puzzle out the truth.

The next step was creating computer models of the vehicles, their paths, the scene, and the surrounding terrain. Lacking the actual vehicles, Failure Analysis digitized two "exemplar" vehicles—twins of those mangled in the accident—using a theodolite, a computerized surveying tool that automatically records *x*, *y*, *z* coordi-

Using flight data and the cockpit voice recorder, Failure Analysis recreated the approach of a 1981 World Airways flight into Boston's Logan Airport (below). The plane slid into Boston harbor (right).



In 1988, a series of explosions, the largest one exceeding the equivalent of 1.5 million pounds of TNT, destroyed a chemical plant in Henderson, Nevada. Two people died, and the surrounding community suffered more than \$70 million in damages. Failure Analysis determined that the explosion was due to a leak in a natural-gas line under the plant.

On January 17, 1994, an earthquake measuring 6.6 struck the Los Angeles area, causing more property damage than any earthquake in U.S. history. This parking structure was one of the more artistic casualties Failure Analysis investigated.



The first modems

to install

themselves



Plug and Play faxmodems for Windows 3.1 and Windows 95

Supra's new Plug and Play modems are so simple to install, they virtually install themselves. Best of all, they bring Plug and Play ease to both Windows 3.1 and Windows 95!




So you'll experience quick-and-easy installation in your system today, and again when you upgrade to Windows 95! Just plug in your modem, install the

accompanying software, and you're ready to go. No more jumper hassles, device conflicts, or time-

consuming diagnostics. Configuration is automatic - just

Plug and Play! And there's a Supra Plug and Play modem designed especially for you. Choose from either the SupraExpress 144i PnP (14,400 bps) or the SupraFAXModem 288i PnP (28,800 bps).

Call 1-800-727-8647 today for the Supra reseller nearest you.



Installs in minutes

	Windows 3.1 DOS 5.0 or higher	Windows 95
1	"PLUG" in faxmodem	"PLUG" in faxmodem
2	Run Supra install program	Start up Windows 95
3	Select available COMport "and PLAY"	"And PLAY"



Supra Corporation


Communications Made Simple™

Check out Supra's World Wide Web site

<http://www.supra.com>

DELL LATITUDE
Dependable Notebooks
With Superior Battery Life

**IT'S LIKE
GETTING
THIS MUCH
BATTERY LIFE
IN YOUR
NOTEBOOK.**



INTRODUCING OUR PENTIUM PROCESSOR NOTEBOOK.



DELL® LATITUDE™ XPi P90ST 90MHz PENTIUM® PROCESSOR

- 10.4" SVGA Active Matrix Display
 - 8MB RAM (40MB Max RAM)
 - 256KB L2 Cache
 - 420MB Removable Hard Drive (1.2GB Max)
 - Smart Lithium Ion Battery with Advanced Power Management
 - 32-bit Local-bus Video, 1MB Video RAM
 - 2 Type II/1 Type III PCMCIA Slots
 - 6.2 Pounds
 - Optional Dell Latitude DeskDock™ Available
 - 3 Year Extended Warranty*
- * Add a 1.2GB hard drive for \$800 more.

\$4299

Business Lease*: \$155/Mo.
Order Code #800035

DELL LATITUDE XPi P90D 90MHz PENTIUM PROCESSOR

- 10.4" Dual Scan Color Display
 - 8MB RAM (40MB Max RAM)
 - 256KB L2 Cache
 - 420MB Removable Hard Drive (1.2GB Max)
 - Smart Lithium Ion Battery with Advanced Power Management
 - 32-bit Local-bus Video, 1MB Video RAM
 - 2 Type II/1 Type III PCMCIA Slots
 - 6.2 Pounds
 - Optional Dell Latitude DeskDock™ Available
 - 3 Year Extended Warranty
- * Add a 28.8 PCMCIA X-Jack modem for \$299 more.

\$3499

Business Lease: \$129/Mo.
Order Code #800027

DELL LATITUDE XPi P75D 75MHz PENTIUM PROCESSOR

- 10.4" Dual Scan Color Display
 - 8MB RAM (40MB Max RAM)
 - 256KB L2 Cache
 - 420MB Removable Hard Drive (1.2GB Max)
 - Smart Lithium Ion Battery with Advanced Power Management
 - 32-bit Local-bus Video, 1MB Video RAM
 - 2 Type II/1 Type III PCMCIA Slots
 - 6.2 Pounds
 - Optional Dell Latitude DeskDock™ Available
 - 1 Year Warranty*
- * Order an additional smart Lithium ion battery for only \$199 more.

\$2599

Business Lease: \$96/Mo.
Order Code #800025

DELL LATITUDE LX 4100D 100MHz INTEL® DX4™ PROCESSOR

- 10.4" Dual Scan Color Display
 - 8MB RAM (24MB Max RAM)
 - 128KB L2 Cache
 - 420MB Upgradeable Hard Drive (810MB Max)
 - \$99 More for 2nd NiMH Battery (Slides into floppy drive to achieve extended battery life)
 - 32-bit Local-bus Video, 1MB Video RAM
 - 2 Type II/1 Type III PCMCIA Slots
 - 6.2 Pounds
 - 1 Year Warranty
- * Upgrade to an Active Matrix color display for only \$300 more.

System Not Pictured

\$1999

Business Lease: \$74/Mo.
Order Code #800020

Unlike most Pentium processor notebooks, Dell's Latitude XPi gives you battery life that's actually "big."

That's not just an idle boast, either. In the independent VeriTest™ "Cross Country"™ test, the Dell Latitude XPi P75D notebook lasted an average of four hours and forty minutes.

So pick up the Dell Latitude XPi notebook. And get big battery life without the obligatory big battery.



DELL®

TO ORDER, CALL

800-822-2870

In Canada,* call 800-668-3021

Mon-Fri 7am-9pm CT • Sat 10am-6pm CT

Sun 12pm-5pm CT • <http://www.us.dell.com/>

Keycode #01060

Promotional pricing is not discountable. **The VeriTest Cross-Country v2.0 test simulates typical executive use of Microsoft Office® applications in Microsoft Windows® 3.11 during an airplane flight. Power management was enabled and 8MB RAM was installed. VeriTest, Inc. is located in Santa Monica, CA. For a complete copy of our Guarantees or Limited Warranties, please write Dell USA L.P., 2214 W. Braker Lane, Building 3, Austin, TX 78758. *Business leasing arranged by Leasing Group, Inc. *Prices and specifications valid in the U.S. only and subject to change without notice. Microsoft, Windows and the Windows logo are registered trademarks of Microsoft Corporation. The Intel Inside logo and Pentium are registered trademarks and IntelDX4 is a trademark of Intel Corporation. ©1995 Dell Computer Corporation. All rights reserved.



nates of an object in AutoCAD-standard DXF format. The company's theodolite gets a lot of exercise, as does the publication *Auto Trader*: It's a good way to find exemplar vehicles, which Failure Analysis buys whether they run or not.

Wavefront's Advanced Visualizer high-end visualization software, which Failure Analysis runs on Silicon Graphics workstations, imported the sketchy vehicle information in the DXF file. Applying surfaces, textures, and colors to the digitized points resulted in photo-realistic 3-D computer models of the Ford and the Porsche in the accident, right down to details such as the race numbers on Dean's car.

Collisions by Computer

Failure Analysis pored over vehicle publications of the time, gleaning particulars such as: The Ford weighed 3000 pounds, significantly outweighing the 1400-pound Porsche. This news, along with vehicle esoterica (such as tire properties and crush stiffnesses), descriptions of the road surface, apparent point of contact, and the final resting positions of the two vehicles, was dumped into the hopper of Engineering Dynamics Corp.'s Simulation Model of Automobile Collisions program (EDSMAC). Using principles of mechanics, this PC-based package could determine the trajectories of the vehicles after the collision, as well as the damage to each vehicle. The laws of physics, after all, apply even in California, and even to James Dean.

The engineer tried out different combinations of speeds and angles, allowing the vehicles to crash on-screen many times, until the vehicles ended up in just the right positions and the simulated damage matched that of the actual cars (as preserved in photos). Guessing high speeds for Dean's car caused the simulated vehicle to overshoot its actual point of rest. (See the figure "Post-Impact Trajectory—V1 Porsche" at right.) When the simulation best duplicated the actual events, Dean's car turned out to be going only a modest 57 mph, while the Ford's speed was 55 mph. So much for the speed-demon theory.

With the right vehicle speeds, EDSMAC can spit out position and velocity for each time step in the simulation: just the data Wavefront software needs to generate motion paths for an animation.


They also re-created the accident scene, using Wavefront, to make the presentation look more realistic. Theodolite measurements again marked the exact 3-D locations of the two intersecting roads, their center lines, telephone poles, and other landmarks, which were fed into AutoCAD as the basis for creating a 3-D plot of the

Simulation of James Dean's Fatal Crash




UPI/BETTMANN

Post-Accident Point of Rest




Post-Impact Trajectory — V1 Porsche



Vehicle No. 1




Vehicle No. 2



EDSMAC Damage Profiles

PSIM (degrees)	
Veh #1	278.0
Veh #2	339.3
Delta-V (mph)	
Veh #1	32.9
Veh #2	17.9

In an EDSMAC damage profile, vehicle damage is represented by darkened areas. (Dean's Porsche is Vehicle No. 1.) PSIM refers to the orientation of the midpoint of vehicle damage. Delta-V is the change in velocity at the point of impact. While EDSMAC's graphics lack flash, its calculation capabilities were critical to this investigation.



Wavefront software generated this image of the two cars about to collide. Above, a photo of Dean's Porsche.

UPI/BETTMANN

Performance by Conner.



Conner's Filepro Performance 3.5-inch disk drives deliver superior capacity and performance for today's most demanding applications.



Up to 4 GB!

Loaded with all the latest applications and graphics programs, your system is pushed to the limit. Your high-end workstation, server or RAID storage sub-system needs high capacity and superior performance—but your current disk drive can't handle the demands.

Fortunately there's the Conner 3.5-inch Filepro Performance 1, 2 and 4 GB disk drives. With an industry-leading data transfer rate of 87.2 Mb/sec and an average seek time as low as 8.5 msec, the Filepro Performance family satisfies even the most rigorous performance

requirements. Plus, with up to 4 GB of capacity the Filepro Performance drives are perfect for storing high-capacity applications such as digital video, quad-speed CD-ROM recording and graphics.

In fact, *New Media* magazine was so impressed with the Filepro Performance 4207 that they voted it the top A/V disk drive performer in the 4 GB category.

Conner disk drives feature up to 1,000,000 hours MTBF and are available in FAST SCSI-2 and FAST-WIDE SCSI-2 interfaces—backed by our extensive five-year warranty. And we're continually expanding the Filepro family of cost-effective, high-capacity disk drives to meet your growing system needs.

So if all those high performance needs are making your head spin, call Conner today at 1-800-626-6637. We guarantee that performance by Conner will put your mind at ease.

CONNER
The Storage Answer.


Conner Filepro Performance Disk Drives

Model:	CFP1080	CFP2105/2107	CFP4207
Capacity:	1.1 GB	2.1 GB	4.3 GB
Average Seek Time:	11.0 msec.	8.5 msec.	9.0 msec.
Data Transfer Rate:	55.7 Mb/s	68.7/87.2 Mb/s	87.2 Mb/s
RPM:	3400	5400/7200	7200
Interface:	FAST SCSI-2 FAST-WIDE SCSI-2	FAST SCSI-2 FAST-WIDE SCSI-2	FAST SCSI-2 FAST-WIDE SCSI-2
Warranty:	5 years	5 years	5 years

requirements. Plus, with up to 4 GB of capacity the Filepro Performance drives are

Conner ConFax (West) 408.456.4903, (East) 407.262.4755. CFP1080 #5512, CFP2105 #5513, CFP2107 #5516 (A/V #5407), CFP4207 #5406 (A/V #5408).
Conner Peripherals World Headquarters, 3081 Zanker Road, San Jose, CA 95134. Tel: 408.456.4500. ©1995 Conner Peripherals, Inc. All trademarks or registered trademarks are the property of their respective owners.

Circle 114 on Inquiry Card.



◀ Data obtained from instrumented anthropometric dummies is used to assess injuries and compare different accident situations.

▼ Engineers at Failure Analysis's Test & Engineering Center in Phoenix use this static roll-over device to turn a car 90 degrees for evaluations of fuel-system integrity. The device can also turn a car completely over for studies of occupants during rollovers.



scene. This plot ensured that the animation was scaled precisely. A photograph of the scene was applied as a texture map to give a near photo-realistic look.

Better Than Film at 11

The fruit of all Failure Analysis's labor was a 45-second 3-D animation of the accident, from many points of view. (See the still image on page 48NA 6.) One of the many benefits of using computer animation, as opposed to a video re-creation, for instance, is that the "camera" can be placed anywhere: in the car following the Ford, in the Ford's driver's seat, even showing what

Dean himself might have seen. While the spectacle isn't gory—no cars crumpling or glass flying into the air—it certainly does make clear what actually happened. Dean wasn't speeding excessively. Neither was the driver of the Ford. That driver made a bad judgment and turned left in front of Dean.

The Science of Uh-Oh

Far more of Failure Analysis's work appears on the witness stand than on the TV screen. Typically, a company being sued, or its insurance carrier, hires Failure Analysis to perform its own independent investigation and testify as an expert witness. The analysts usually bring some supporting visual aids: a graph of a computer analysis, or, as in the Dean case, a full-blown computer animation.

Computer animations are so convincing that a judge might disallow them, thinking their realism could confuse the jury into thinking they portray actual events. Nonetheless, they are usually admitted as evidence since part of the job of the Failure Analysis witness is to convey the science that went into making the animation accurate. "We only use computer animation when we need to get across a sense of the time or a complicated sequence of events," says Kost. "Or, to show the point of view of the driver, to illustrate what he could or could not see."

Because accidents often tragically involve human injury or death, Failure Analysis also has biomechanical engineers who specialize in assessing injuries. These

engineers use simulation software running on Silicon Graphics workstations to evaluate injury-producing forces acting on the body. Packages such as TNO's MADYMO (Mathematical Dynamic Modeling) estimate loads on the human body using vehicle motion and the geometry of a vehicle's interior. They can, for instance, calculate if the force in a collision is enough to justify claims of whiplash.

Ironically, the same sophisticated technology that helps make the world safer will almost certainly be misused by the luckless and the clueless. "Technological sophistication has the potential to make failures and accidents less likely, because the computer can second-guess you," CEO McCarthy says. "But at the same time, there will be an increasing number of people who don't understand the total system implications of what they're doing. In 20 years, Failure Analysis will be in the business of solving increasingly technological and system-related issues, such as Three Mile Island and similar control failures caused by people who didn't understand technology."

And that's why their business will probably continue booming. ■

Caren D. Potter is a freelance writer who lives in McKinleyville, California. You can reach her on the Internet by sending E-mail to cpotter@northcoast.com.

Where to Find

Autodesk
Sausalito, CA
(800) 879-4233
(415) 332-2344

Engineering Dynamics Corp.
Beaverton, OR
(503) 644-4500

Failure Analysis Associates
Menlo Park, CA
(415) 326-9400

Silicon Graphics
Mountain View, CA
(800) 800-7441
(415) 960-1980

TNO (The Netherlands Organization)
Delft, The Netherlands
+ 31 15 143 416
+ 31 15 572 104

Wavefront Technologies
Santa Barbara, CA
(800) 545-WAVE
(805) 962-8117

Battle of the Sexes, Part II

JOHN MONTGOMERY

The *War of Desire and Technology at the Close of the Mechanical Age* by Allucquère Rosanne Stone is exactly the kind of book you'd expect to find the word *hermeneutics* in. It's also the kind of book in which you'll find the word *s***head*. Between strings of obscure words and captivating stories, you'll discover a philosophical analysis of what it is to interact with other people in our increasingly digital world.

Stone employs several writing styles, ostensibly in an attempt to echo the confusion of a digital culture. It's a little like reading an article from *Esquire* right after one from the *Journal of Sociology Nerds*: a bit startling but invigorating. But Stone is at her best when telling stories. Her recounting of the trial of a man accused of raping one of the personas of a woman with multiple personality disorder is interesting, enlightening, and dramatic.

Throughout the book, though, she resorts to academic prose. One example is in her description of how a customer of a phone-sex service will supply missing information (e.g., how a partner looks) with idealized fantasy. Her explanation goes on for nearly two pages and says nothing more than that people who listen to phone sex use their imaginations. Surprise.

The book concludes with an attempt to draw together these diverse styles: "In this brief time of upheaval and promise that always accompanies the transition between modes of experience and thought... there is a window of opportunity to transform the way academic discourse in the humanities and social sciences works." After making this point, Stone goes off on a peculiar extended metaphor— that of the vampire Lestat as anthropologist. Hmm.

There are a few wonderful stories in *The War*, but there are too many places, particularly in the beginning, where it's just too easy to put it down and reach for your worn copy of *Neuromancer* or *Snow Crash*. These pieces of fiction relate most of what Stone is trying to convey far more effectively and memorably.

John Montgomery, who is located in BYTE's San Mateo office, heads the features department. He can be reached on the Internet or BIX at jmontgomery@bix.com.

THE WAR OF DESIRE AND
TECHNOLOGY AT THE CLOSE
OF THE MECHANICAL AGE

Allucquère Rosanne Stone
MIT Press

ISBN 0-262-19362-0

\$22.50


YES, YOUR PC HAS A MIND

ARTIFICIAL MINDS by Stan Franklin MIT Press, ISBN 0-262-06178-3, \$35

Will your computer ever have a mind? After reading *Artificial Minds* by Stan Franklin, I believe the answer is clearly: You're asking the wrong question. At the very beginning of Franklin's genial "tour," he sets out seven propositions he intends to illustrate. Because these include "mind is better viewed as a continuum rather than a Boolean notion" and "mind, to some degree, is implementable on machines," the outcome of the story is never in doubt. However, as a good storyteller, Franklin makes the journey both entertaining and educational.

He's prepared a hearty smorgasbord, with dishes drawn from many fields. I went light on the neurons and ganglia, merely sampled the semantics, but I took large helpings of mathematics, physics, and robotics. You'll also encounter AI, Turing machines, Schrödinger's cat, Gödel's theorem, genetic algorithms, artificial life, chaos theory, and legions of robots. Although it's written for the nonexpert, there's plenty to interest professional researchers. ■

—Edmund X. DeJesus



ANIMAL BEHAVIOR

EYEWITNESS ENCYCLOPEDIA OF NATURE

Dorling Kindersley Multimedia, 95 Madison Ave.,
New York, NY 10016, (212) 213-4800, \$54.95

HOW ANIMALS MOVE Maris Multimedia/The

Discovery Channel, 100 Smith Ranch Rd., Suite 301,
San Rafael, CA 94903, (415) 492-2819, \$49.95

For most people, getting back to nature means cutting the lawn. These CD-ROMs offer an alternative for those of us who want a little more adventure yet are not inclined to desert safaris or underwater diving expeditions.

Eyewitness Encyclopedia of Nature requires Windows 3.1. It transports you to a virtual biological library, where you can explore everything from the savannas of Africa to the world beneath a microscope. The interface consists of books, posters, and specimen drawers that offer links to a number of organisms. By selecting a direction on a compass or coordinates on a sextant, you can explore the habitats and environments in which these animals live. The CD-ROM also includes a detailed time line, an extensive search tool, a useful help section, and a quiz that asks related questions at various difficulty levels.

How Animals Move requires Windows 3.1 or Mac System 7.0. This CD-ROM is meant for a preteen audience. It offers 11 guided tours through various methods of animal motion, including running/walking, burrowing, swimming, and gliding. Tours include short video examples of animals moving by land, air, or sea.

The simple-to-use interface also links to a game page, where you can choose from four categories: interactive graphs, experiments, simulations, and games. One interactive graph lets you control the jump of a kangaroo by adjusting air density and slope. A walking-and-running experiment calculates times and the energy used by runners over various distances. An interesting simulation lets you control the swing of a gibbon monkey.

If you're daring enough to go beyond the outdoor mowing experience, these two CD-ROM titles might provide just the thrill you're looking for.

—Jeff MacClay

MOUNT VESUVIUS ERUPTING BEFORE SOUND BLASTER 32.



AND AFTER.



What happens
when awesome geo-
thermal forces vent
through a typical sound card?



Not nearly enough.

What happens when the
same forces vent through a
next generation Sound
Blaster®?

You mop up the magma
and start over.

The profession-
al, affordable

Sound Blaster 32™ from
Creative Labs. Genuine Sound
Blaster with next generation
wave-table synthesis, CD-
quality digital audio, upgrade-
ability and some of the hottest
new games on the planet.

And, because it's a Sound
Blaster, you know it works
with all your favorite games
and multimedia applications.

Sound Blaster 32 is the
right choice. To experience
Sound Blaster 32 for yourself,
see your local Creative Labs
dealer today.

PLUG AND PLAY NOW AVAILABLE

THE NEXT GENERATION SOUND BLASTER

Circle 106 on Inquiry Card.



REAL INSTRUMENTS.
REAL SOUNDS. REAL VALUE.

CREATIVE™
CREATIVE LABS, INC.

multimedia iSSs. Creative

Needle Hunting

PAUL KORZENIOWSKI

A network is a haystack. The printer you want to send your file to is a needle. If the haystack has two or three straws, no problem. But have you ever seen a pint-size haystack?

The key to needle hunting lies in an effective directory system that can locate and identify users, servers, files, and other resources. But it's not simple—the problems with administration and synchronization alone often appear insurmountable, and competing standards form another haystack as nightmarish as your network. The solution may lie with the ISO's X.500 specification. But until X.500 gains more acceptance, you're left with directory systems that often weren't designed to handle the load they carry.

The Administrative Nightmare

Many users never get beyond their own network's neighborhood and don't realize there's a problem. For them, everything works fine. Not so for the network administrators, who maintain the directories that store user names and addresses in flat-file structures or DBMSes. As users join, leave, or move, each change requires a directory update.

With networks growing, the number of directories has also skyrocketed, and manually monitoring a dozen or more directories is time-consuming, impractical, and prone to error. There's also a time lag. In many organizations, technicians enter new information only weekly or monthly. Until the next update, the network is vulnerable to security breaches.

Most companies want to automate the updating process, but automation raises complex technical problems and trade-offs. "Directories are one of the most difficult issues to solve because they touch applications, networks, and users," notes Aaron Con, a product manager for Microsoft Exchange (Bellevue, WA).

What's in a Name? Or a Directory?

Most companies want at least one global directory of all users, plus smaller directories throughout the network. How much global information should be stationed in the remote directories? As more



RICHARD STEADHAM © 1995

With directory services, you're supposed to be able to find anything, anywhere. Do they work?

information is stored, response times slow. For vendors, the challenge is to create a structure that's flexible but fast.

Also, vendors have to include mechanisms to ensure that each directory is aware of any change; this process is called *directory synchronization*. As networks

grow, so do synchronization problems. Maintaining changes on a network with two dozen directories and 10,000 users can bring the system to its knees.

What's worse, today we rely on directories for sophisticated tasks such as network security. Consequently, they need to be flexible enough to support a wide range of uses.

"The major issue companies face with networks is cost of ownership," says David Eckert, the NetWare Directory Service (NDS) product manager at Novell. "Without robust directory services, a technician can service only 100 or so users. With robust services, he can handle 500."

The Gallup Organization (Lincoln, NE) supports 2000 users worldwide. In 1992, the company began to build a WAN. Tim

X.500: THE ONCE AND FUTURE ANSWER

In the mid-1980s, the ISO began outlining X.500, a standard that builds directories on distributed databases so that companies can divide their networks into distinct domains. Information is passed between domain servers in a hierarchical manner.

The first standard, completed in 1988, lacked needed features, such as replication. Also, X.500 was rigid, requiring addresses defined in a fixed manner: country, company, organizational unit, and locality information. By the time X.500 came into existence, many firms were reluctant to discard existing addressing schemes.

Also, the standard was designed to work with X.400, a lower-level E-mail standard, and it didn't work easily with other types of mail systems.

A 1992 version of X.500 includes replication facilities, so multiple copies of a global directory can be kept on different machines. Users now have the flexibility to customize addresses.

Problems may arise because the current

specifications are broad and vendors have a lot of latitude. There are no accepted APIs that outline how to move information from one X.500 system to a second.

A directory system includes a list of such mailing addresses as well as the software needed to move it from one location to the next. X.500 has a hierarchical directory structure and global information; instructions are stored in a global Directory Information Tree (DIT). This information is then broken up and spread to different directories, dubbed Directory System Agents (DSAs), through a network via a Directory System Protocol, which lets directories exchange information.

The Directory User Agent (DUA) is client software that presents directory options to a user. A DUA then accesses the nearest DSA via a Directory Access Protocol (DAP), which connects a user to a directory system. DSAs then exchange information so the user can either transmit a message or locate a mailing address.

Gilkerson, Gallup's director of worldwide network operations, says the organization examined Banyan Systems' Vines and NetWare. "We determined that Vines was easier to maintain and required fewer technicians than NetWare."

Then, NetWare supported only simple directory services with its bindery, which stored addressing information on one stand-alone server. A technician had to relay each change to all network directories. Banyan's StreetTalk directory service automatically transmits changes to servers.

With distributed directories, a user can walk up to any machine on a network, enter a password, and begin working. With stand-alone directories, users can access information only when they are connected to a particular server. "Many employees travel, so we wanted to make it easy for them to work on the road," Gilkerson says.

Banyan is offering directory services to NetWare users, and Novell is trying to catch up. With NetWare 4.0, the company added a robust global-naming service. Novell's Eckert notes that the service lets technicians divide directories however they wish.

Microsoft has been well behind the other network OS (NOS) vendors in terms of directory services. It offers a rudimentary directory with Windows and plans to add global capabilities with the Cairo release of Windows NT, scheduled for next year.

Directing E-Mail

E-mail suppliers have developed sophisticated directories. Gallup users work with Lotus's cc:Mail and its directory services as well as with StreetTalk. "When we installed our network, cc:Mail was the only robust mail package running on Vines," Gilkerson explains.

The Lotus product features Automatic Directory Exchange (ADE), which automatically updates all cc:Mail user addresses. Two years ago, Pathfinder (Waltham, MA) migrated from stand-alone PCs to a NetWare LAN and selected cc:Mail. "Many employees work in third-world countries, so we needed a mail system that supported a variety of transmission types," notes John Talbot, systems manager at Pathfinder. Managing updates to 15 remote directories is simple; ADE automatically transmits each new entry to all locations.

Microsoft Mail 3.0 got distributed-directory capabilities in 1992. It updates E-mail systems, gateways, and personal directories at programmable time intervals.

Multivendor, Multiproblem

The Lotus and Microsoft products keep their own directories in sync. But many companies have multi-

ple E-mail systems to synchronize. Unfortunately, many vendors designed incompatibilities into their directory services. One product may support addresses with three fields of eight characters each, while a second works with four 10-character fields.


One way to solve this problem is open APIs, as with cc:Mail and Microsoft Mail. Users and third parties can then design translation programs. But few corporations are willing to take on this job. "A company we work with supports 23 different mail systems, so it's looking for ways to minimize directory management rather than take on new chores," notes Con.

These companies turn to third-party tools. For example, Soft*Switch's (a division of Lotus) Directory Synchronization Protocol (DS/P) translates directory information among Banyan, Digital Equipment, IBM, Lotus, Microsoft, Verimotion, and Wang Laboratories mail systems.

Most directory-exchange programs offer only the least-common-denominator function set. For instance, one directory system may support authentication, but the synchronizing software doesn't. The result? Good-bye security.

At Prudential Insurance (Roseland, NJ), 50,000 users work with Digital's All-in-1, IBM's OfficeVision, Lotus's cc:Mail and Notes, Microsoft Mail, and Novell's MHS mail systems. Prudential had been seeking a directory-synchronization system since the early 1990s, says Randi Mather, an associate systems manager. In 1993, Prudential began testing Lotus's Enterprise Messaging Exchange (EMX). The company found it flexible enough to synchronize Prudential's many mail systems and put it into service in 1994. EMX sends between 100 and 500 administrative and address changes through the system each day. "Since EMX was introduced, Lotus has delivered add-on modules, which have made management of our mail systems simpler," Mather notes.

continued



Banyan's StreetTalk is a widely used, flexible directory service that's also easy to administer.

DELL LATITUDE
Dependable Notebooks
With Superior Battery Life



DELL LATITUDE™ LX 4100D
100MHz INTEL®DX4™ PROCESSOR


- 10.4" Dual Scan Color Display
- ★ Upgrade to an Active Matrix Color Display for only \$300 more
- ★ New – 8MB RAM (24MB Max RAM)
- 128KB L2 Cache
- 420MB Upgradeable Hard Drive (810MB Max)
- 32-bit Local-bus Video, 1MB Video RAM

- ★ \$99 More for 2nd NiMH Battery (Slides into floppy drive to achieve extended battery life)
 - 2 Type II/1 Type III PCMCIA Slots
 - Preloaded Communications Software
 - 6.2 Pounds
 - 1 Year Warranty¹
- Business Lease²: \$74/Mo.
Order Code #800020

Our New
100MHz Latitude LX
Notebook

\$1999

FITS IN SMALL BUDGETS AS WELL AS SMALL BRIEFCASES.



Sure it's small, but we've managed to add even more features to our Latitude LX notebook and still keep it under \$2000.

You'll get all our usual good stuff – a 100MHz processor, L2 cache built-in, plus **only \$300 more**  now we've boosted the RAM to 8MB and pre-installed Microsoft® Windows® 95 software. And incredibly, for only \$300 extra, you can add all the sharpness and brilliance of an Active Matrix color display. What more could you want?

You can get double the battery life as well, because the LX's floppy drive bay accepts a second battery.

So, if you don't get the Dell Latitude LX now, you better have something examined. And we don't mean your briefcase.

DELL®

TO ORDER, CALL

800-822-8974

In Canada,* call 800-668-3021

Mon-Fri 7am-9pm CT • Sat 10am-6pm CT

Sun 12pm-5pm CT • <http://www.us.dell.com/>

Keycode #01058



Designed for

Microsoft®
Windows®95

Promotional pricing is not discountable. ¹Guarantees available in the U.S. only for registered owners of Dell Latitude systems purchased after 8/8/94. ²For a complete copy of our Guarantees or Limited Warranties, please write Dell USA L.P., 2214 W. Braker Lane, Building 3, Austin, TX 78758. ³Business leasing arranged by Leasing Group, Inc. *Prices and specifications valid in the U.S. only and subject to change without notice. Microsoft, Windows and the Windows logo are registered trademarks of Microsoft Corporation. The Intel Inside logo is a registered trademark and IntelDX4 is a trademark of Intel Corporation. ©1995 Dell Computer Corporation. All rights reserved.

111 reasons why we changed our name and logo.

Business Week
Business Week International
Business Week Online
Business Week Strategic Programs
Schaum
College Publishing
Shepard's/McGraw-Hill
CTB (California Test Bureau)/McGraw-Hill
Glencoe/McGraw-Hill
London House
Macmillan/McGraw-Hill School Division
McGraw-Hill School Systems
SRA (Science Research Associates)/McGraw-Hill
SRA Technology Training
McGraw-Hill Home Interactive Software
McGraw-Hill Continuing Education Center
McGraw-Hill Grupo Iberoamericano
McGraw-Hill Interamericana de España
McGraw-Hill Interamericana de Mexico
McGraw-Hill Health Professions Division
McGraw-Hill Healthcare International
Osborne Books
McGraw-Hill Professional & Reference Books
Tab Books
McGraw-Hill Ryerson Limited Canada
DRJ/McGraw-Hill
Standard & Poor's
S&P Equity Investor Services
S&P 500 Index
S&P MidCap 400 Index
S&P SmallCap 600 Index
S&P Municipal One Million Index
S&P MarketScope
S&P Stock Guides
S&P Corporation Records
S&P Stock Reports
S&P Research Reports

S&P Outlook
S&P Trendline
S&P ComStock
S&P Compustat
GLOBAL Vantage
J.J. Kenny Drake
McGraw-Hill Municipal Screen
Kenny S&P Information Services
Blue List
KENNYBASE
KENNYCONNECTS
Standard & Poor's CUSIP Service Bureau
Kenny S&P Evaluation Services
MMS International
MMS FOREX Express
S&P Securities, Inc.
Primis Custom Publishing
Platt's
Standard & Poor's Ratings Services
Corporate Ratings
Financial Institutions Ratings
Public Finance Ratings
International Ratings
Insurance Ratings
Structured Finance Ratings
S&P Publishing Services
CreditWeek
KERO-TV (Bakersfield)
KGTV (San Diego)
KMGH (Denver)
WRTV (Indianapolis)
Architectural Record
Construction News Publishing Network
Engineering News-Record
F.W. Dodge
Dodge Reports
Dodge Bulletins

Dodge DataLine²
Dodge Market Leader
Dodge LeadTime
Sweet's Group
Sweet's Catalog Files
SweetSource
Aviation Week & Space Technology
Aviation Week Group Newsletters
BICA & A/C Flyer
World Aviation Directory
BYTE
Data Communications
Data Communications International
Datapro Information Services
National Software Testing Laboratories
Northern Business Information
LAN Times
Open Computing
The Physician & Sportsmedicine
Postgraduate Medicine
Hospital Practice
Chemical Engineering
Electrical Power International
Electrical World
Energy & Business Newsletters
Environmental Engineering World
Modern Plastics
Modern Plastics International
Power
Utility Data Institute
Tower Group International
TowerNet
Tower Group International Canada Inc.
UCB Canada Inc.
TransGlobal Logistics
TradeRef
Global Finance

PRESENTING



The McGraw-Hill Companies

If you're surprised by the extent of the McGraw-Hill brands and companies listed above, then you'll understand why we've included them in our name. The change reflects the breadth of our respected businesses and our growing commitment to the diverse strengths of our people. It also expresses our pride in being a leading information

services organization, offering valuable analysis and knowledge to worldwide markets through a broad range of traditional and electronic media. While we will always embrace the McGraw-Hill values of high quality and editorial integrity, our new name serves as a reminder that we are equally dedicated to looking ahead.

Financial Services • Information and Media Services • Educational and Professional Publishing

The BYTE Site brings you today's hottest technologies with extended product and technology coverage that's the perfect complement to BYTE magazine.



THE **BYTE** SITE

<http://www.byte.com>

The World's Technology Authority at Your Fingertips.

■ Search the **BYTE Archive**

BYTE's fully indexed on-line archive features two years of BYTE, including more than 3,000 articles, and over 500 screen shots, photos, illustrations, and other images.

■ Find the **Product Information You Need—FAST**

Receive free product information from BYTE advertisers.

■ Visit **BYTE's Virtual Press Room**

Get instant access to the latest product developments direct from vendors as soon as the news breaks, with hot links to vendor web sites for more information.

■ Download **"BYTE's Benchmarks"**

BYTE's benchmarks have earned the respect of systems designers worldwide. Download your FREE copy and see how your systems stack up.

■ Look Under the Hood

Jon Udell, BYTE's Executive Editor, New Media, shows you how products are used to add new features to *The BYTE Site*.

■ Check Out Our Advertisers' Web Sites

Contact BYTE advertisers directly through the on-line Advertiser Index.

Look for exciting new developments at *The BYTE Site* soon!



BYTE

The BYTE Site. Your On-Line Technology Resource.

A Division of the McGraw-Hill Companies



What Kind of Directory?

EMX is geared only to E-mail systems, so users must maintain other directories. "A LAN OS houses one directory, a mail system has a second, and the phone system operates a third," says Rapport Communications' Dan Blum. "They're all growing, so management is becoming more difficult. Long term, companies want to consolidate all their directories into a single system."

Consolidation would ease software development as well as user administration. Applications developers often have to build their own directory services. "Developers would prefer to focus on applications features, not basic networking items such as directories," notes Michael Wixon, who is Banyan's director of partnerships.

In April, Banyan unveiled Universal StreetTalk, which is a directory service available free of charge to software and hardware suppliers. Cisco Systems, Colabra Software, Oracle, and SAP AG have all indicated they will incorporate it in their products.

While such work represents a step in the right direction, Universal StreetTalk is still proprietary and requires at least one Vines server. Users would prefer a standards-based solution, such as X.500 (see the text box "X.500: The Once and Future Answer" on page 52). But standards-based technology can be painfully slow. X.500 work was begun in the mid-1980s, and there's still no fully compliant product on the market.

Another directory service vying for contention is Network Information Services Plus (NIS+), from SunSoft (Mountain View, CA), which is also bundled with Unix OSes from Hewlett-Packard, IBM, Novell, and The Santa Cruz Operation (SCO). NIS+ is built on Sun's earlier NIS (also known as Yellow Pages), which was eventually licensed by all OEM Unix vendors and became the de facto standard for

Tips for Managing Multiple Directories

- **Identify how many directories there are in your organization.**
- **Determine how much addressing information is duplicated in the directories.**
- **In the short term, identify the vendor that has the most directory links with your current configuration and begin using its tools to consolidate directories.**
- **For the long term, start learning about X.500 and ask vendors their X.500 support plans.**

directory services. NIS was itself designed to attack the shortcomings of Domain Name Service (DNS), notably in the areas of database synchronization and security. NIS+ works with Sun's SolarNet and management tools for Microsoft's LAN Manager and NetWare.

Like DNS, NIS+ uses tree-structured hierarchical directories. DNS provided central control of the directory space but also allowed administrative responsibility to be distributed. NIS+ builds on this by giving every organization control over its domain namespace. NIS+ keeps directories synchronized between name servers by transmitting only changes; its predecessor had to send the entire directory map.

The Users Revolt

Historically, vendors developed separate proprietary solutions to network directory problems and then marketed the differences as advantages. Users had to evaluate competing standards and systems, often trading one feature for another.

After a while, big users realized that vendors might not come up with the solutions they wanted. A number of organizations formed the Network Applications Consortium (NAC), which today has 26 members, including Compaq, Nike, Texaco, and the U.S. Marine Corps. During the past few years, the group has met with key suppliers, issued position papers, and tried to forge consensus early in the development cycle.

In April, NAC met with Banyan, IBM, Lotus, Microsoft, and Novell to discuss directory issues. Larry Gauthier, director of network services at the University of Michigan and current NAC chairman, says, "We don't want to end up with another situation like we had a few years ago, when Lotus was pushing Vendor-Independent Messaging (VIM) and Microsoft was backing MAPI."

The University of Michigan outlined a solution to a critical

problem: X.500 is too complicated to run on PCs. The university slimmed down the X.500 client protocol, calling its new protocol Lightweight DAP (LDAP). Lotus's Greg Loux was impressed with the work and said LDAP could become the dominant way for client systems to access X.500 services. However, no vendor now offers LDAP support.

"A lot of users think X.500 will emerge as *the* solution, but I'm not sure they fully understand the problem yet," notes Novell's Eckert. "There just hasn't been enough customer experience to determine how practical it is to implement and what benefits customers receive from it."

A Series of Compromises

Directory services are generally so entrenched that a company rarely eliminates one, even for a better solution. Instead of trying to cut administrative chores, organizations are more interested in causing the least disruption for users. Gallup's Gilkerson is interested in using Banyan's Intelligent Messaging but notes the company has a large investment in cc:Mail.

The local installed base—whatever it is—exerts a tremendous braking force on efforts to change, to simplify, to standardize. Although the benefits of centralizing directory services are quite clear, achieving and implementing the changes is profoundly difficult and moves with glacial speed. Still, we can do a number of things to deal more effectively with the directory systems we have right now (see the text box "Tips for Managing Multiple Directories" above).

And there's a new factor. Internet access and the World Wide Web are growing at incredible rates, and they don't use X.500 or LDAP. The Internet IP addressing scheme and the Web's complex but widely used uniform resource locators (URLs) are primarily addressing conventions, not directory systems. Still, they're based on the Unix world's DNS. And clearly, they'll have a big impact on the future of network addressing.

So where will we go with network directories? How will we find out how to address a message to Joe in our Podunk office? For now, the most practical solution is sometimes to call up Joe on the telephone and ask for his E-mail address. ■

Paul Korzeniowski is a freelance writer in Malden, Massachusetts, who specializes in networking issues. You can reach him on the Internet at 6841944@mcimail.com or on BIX c/o "editors."

Where to Find

- | | |
|---|---|
| Banyan Systems, Inc.
Westborough, MA
(800) 222-6926
(508) 898-1000
fax: (508) 898-1755
http://www.banyan.com | (206) 882-8080
fax: (206) 936-7329
http://www.microsoft.com |
| Lotus Development Corp.
Mountain View, CA
(800) 448-2500
(415) 961-8800
fax: (415) 961-0840
http://www.lotus.com | Novell, Inc.
Provo, UT
(800) 453-1267
(801) 429-7000
fax: (801) 429-5155
http://www.novell.com |
| Microsoft Corp.
Redmond, WA
(800) 426-9400 | SunSoft, Inc.
Mountain View, CA
(800) 786-7638
(415) 960-3200
fax: (415) 336-2473
http://www.sun.com |



To Get a Clear Picture of What Windows® 95 Can Do,



Use One of These Monitors.

Maximize the power and promise of Windows 95 with a ViewSonic high-performance color monitor. Make an impact with these *Plug & Play*™ ViewSonic monitors which automatically configure the graphics controller to produce optimal viewing characteristics, such as refresh rates and resolutions. Windows 95 has never looked better and installing a monitor has never been easier.

The ViewSonic family of monitors delivers brighter, sharper, more accurate images for the best display of all your Windows 95 applications. Available in 15" through 21" (13.7" to 19.7" diagonal viewable areas), these superior monitors offer superb color, high refresh rates and a wide array of features for increased performance, even for the most demanding user. Combined with eye-pleasing image quality, our multimedia models feature bezel integrated speakers which

provide crisp, clear audio.

Besides being compatible with Windows 95, it's no surprise ViewSonic monitors are compatible with your budget.

Call us at (800) 888-8583; Product Code 408 - we'll make everything perfectly clear.

Plug & Play™ Monitors

	ViewSonic 156S	ViewSonic 156A	ViewSonic 176A	ViewSonic 176S	ViewSonic 17PS	ViewSonic 21PS
CRT Size	15"	15"	17"	17"	17"	21"
Viewable Area	13.7"	14.0"	16.0"	15.7"	15.7"	19.7"
Dot Pitch	0.28mm	0.27mm	0.27mm	0.27mm	0.25mm	0.25mm
Recommended Resolution	1,024 x 768 @ 85Hz	1,280 x 1,024 @ 77Hz	1,280 x 1,024 @ 77Hz			
TCO Certified	Yes*	Yes	Yes	Yes	Yes	Yes**
Speakers	--	Bezel Integrated	Bezel Integrated	--	--	--

*Model 1566S & only
**Model 2122P & only

All monitors are EPA Energy Star™ and MPR II certified.



ViewSonic®
*See The Difference!™
and Hear*



Tel: (800) 888-8583; Product Code 408 or (909) 869-7976 • Fax: (909) 869-7958
Call FaxSonic at (909) 869-7318 (fax-on-demand) • Internet: <http://www.viewsonic.com>

* Requires a DDC compatible video card. Product or corporate names may be trademarks or registered trademarks of other companies and are used herein for identification and to the owner's benefit, without intent to infringe.
The three bird logo is a registered trademark of ViewSonic Corporation. Specifications subject to change without notice.

Circle 101 on Inquiry Card (RESELLERS: 102).

Software Developers: Software Piracy Burns Your Profits.



VISIT OUR WEB SITE!
<http://www.hasp.com/>

SEE US AT
COMDEX/Fall '95
Booth: S-7422

PC: DOS, Windows, NT, Win 32s, OS/2, Unix,

Xenix, AIX, AutoCAD, DOS Extenders, LANs MAC: Macintosh, Power Mac, LANs WORKSTATIONS: Sun, HP, IBM, DEC, SG AMIGA

Each year, the illegal use of software consumes nearly 50% of your potential revenues. With the flames of piracy eating away at your profits, can you afford not to protect your software?

Software Obtained Illegally, by region, 1993 vs. 1994

Africa/Middle East	\$685,448,105 392,687,055
Asia	\$3,963,527,364 4,350,961,640
Europe	\$4,801,852,460 6,002,681,285
Latin America	\$621,552,700 1,334,894,305
U.S./Canada	\$2,487,581,940 3,151,455,600
Total for 1993:	\$12,840,204,124
Total for 1994:	\$15,212,700,215

Source: BSA

HASP® is widely acclaimed as the world's most advanced software protection solution. Since 1984, thousands of leading developers have used over one million HASP keys to protect billions of dollars worth of software. Why? Because HASP's security, reliability, and ease-of-use led them to a simple conclusion: HASP is the most effective software protection system available.



Today, more developers are choosing HASP than any other software protection method. To learn why, and to see how easily you can increase your revenues, call now to order your HASP Developer's Kit.

1-800-223-4277



ALADDIN®
The Professional's Choice

North America

Aladdin Software Security Inc.
Tel: (800) 223 4277, 212-564 5678
Fax: 212-564 3377
E-mail: sales@hasp.com
WWW: <http://www.hasp.com/>

Intl Office

Aladdin Knowledge Systems Ltd.
Tel: 972-3-537 5795, Fax: 972-3-537 5796
E-mail: aladdin@aladdin.co.il

United Kingdom

Aladdin Knowledge Systems UK Ltd.
Tel: 01753-622266, Fax: 01753-622262

France

Aladdin France SA
Tel: 1 40 85 98 85, Fax: 1 41 21 90 56



■ Aladdin Benelux 06894 19777 ■ Aladdin Japan 0426 60 7191 ■ Aladdin Russia 095 9230588 ■ Australia Conlab 3 98985685 ■ Czech Atlas 2 766085
 ■ Chile Micrologica 2 222 1388 ■ Denmark Berendsen 39 577300 ■ Egypt Zeneldeen 2 3604632 ■ Finland ID-Systems 0 870 3520 ■ Germany CSS 201 278804
 ■ Greece Unibrain 1 6856320 ■ India Solutions 11 2218254 ■ Italy Partner Data 2 26147380 ■ Korea Dae-A 2 848 4481 ■ Mexico SSoft 5 5439770
 ■ New Zealand Training 4 5666014 ■ Poland System 61 480273 ■ Portugal Futurmatca 1 4116269 ■ Romania Interactiv 64 153112
 ■ South Africa D Le Roux 11 886 4704 ■ Spain PC Hardware 3 4493193 ■ Switzerland Opag 61 7169222 ■ Taiwan Tezo 2 555 9676 ■ Turkey Mikrobeta 312 467 7504

Circle 61 on Inquiry Card (RESELLERS: 62).

© Aladdin Knowledge Systems Ltd 1985-1995. BSA HASP® is a registered trademark of Aladdin Knowledge Systems Ltd. All other product names are trademarks of their respective manufacturers. Mac & the Mac OS logos are trademarks of Apple Computer, Inc., used under license.

Hyper-G Organizes the Web

UDO FLOHR

Hypertext and hyperlinks sounded like magic when Ted Nelson proposed them in his 1974 book *Computer Lib*. When the World Wide Web brought real hyperlinking to the Internet in 1991, it seemed to be fulfilling that promise of near-universal access to disparate data.


But then the reality hit. An avalanche of servers, documents, and hyperlinks, compounded by the exponential growth in Web usage, has all but buried its usefulness for real work by any but the most determined. And the work needed to maintain a thriving Web site can become a nightmare, too. But that's nothing compared to the problems of organizing massive amounts of unstructured data on the Web. This calls for a new approach.

The answer may be Hyper-G, a second-generation hypermedia information system that tries to combine the advantages of the Web, WAIS (Wide Area Information Service), and Gopher while minimizing their disadvantages. Hyper-G offers a number of direct advantages: a consistent search interface over a number of servers and services; the ability to know where you are in cyberspace; the power to not only access but contribute information; and the assurance of referential integrity (no dangling hyperlinks) and reliable links. Existing Web browsers can be clients of Hyper-G servers (they just won't get all the features), and Hyper-G browsers can be full-featured clients of normal Web servers.

Hyper-G was conceived at the Graz University of Technology, in Austria, by a team headed by Hermann Maurer and Frank Kappe; most development is still being done there. Some organizations with large Web servers are switching to Hyper-G, the best-known being the European Space Agency (ESA).

A New Way to Manage Web Documents

Hyper-G represents an advance over the Web as we've known it because it provides real hypermedia. It supports tools for structuring, maintaining, and serving heterogeneous multimedia data.



DAVE CUTLER © 1995

Finding what you want on the tangled Web could be much easier with this new, powerful data architecture

Hyper-G guarantees automatic hyperlink consistency, and it supports hyperlinks among multimedia documents, full-text retrieval, a Unix-like security system, and client gateways to Gopher and Web browsers such as Netscape, Mosaic, and MacWeb. Similarly, it includes seamless access to popular Internet server technologies, such as WAIS and Gopher.



Hyper-G clients access Hyper-G servers across the Internet, allowing users to view and to manipulate information in multiple ways. Advanced navigation tools help keep surfers from getting lost in hyperspace.

Links to More Data Types

In the Web, links are restricted to anchors in text and, to a lesser extent, in graphics. Hyper-G, however, supports anchors in many data types: graphics, sounds, 3-D objects, PostScript documents, or video clips. Links in Hyper-G are bidirectional. Contrary to normal Web practice, links aren't stored in documents; they're stored

Hyper-G Organizes the Web

Harmony, the client for Unix/X Window systems, shows off Hyper-G's impressive navigation features. In the multiwindow screen below, the window at bottom right shows a search for "what's new," with a list of found objects of different types. Top right shows an object from that list, a text with anchors. Top left is the Harmony session manager, which pinpoints the position of the found object relative to the collection hierarchy. Behind it is the local map; it shows the link structure around the current document, which is highlighted in all views.



With its native clients, Hyper-G supports an even greater variety of document types than Mosaic does. Here we can see the different types: a film (bottom right window), a PostScript document (bottom left), and a 3-D object in Virtual Reality Markup Language (top right). Note the hypermedia links in the PostScript and 3-D objects. Links in films, images, and sounds are also possible (but not shown here).

in separate databases. This means links can be attached to any type of document, such as an MPEG file, and the document format doesn't have to know about the link or how it operates. For Web links, however, you would have to change the document itself to put a link from it to another. One more advantage is that links can be attached to read-only documents—on CD-ROM, for example. Here are some other significant features:

- Support for multilanguage documents allows users to choose the language in which documents are presented.
- Information Landscape offers an interactive, 3-D representation of the database structure. Users can "fly" over the information hierarchy, represented as a virtual landscape. (See the screen on page 62.) The color and height of specific landmarks, for example, represent document type and size. Two-dimensional maps are also standard. Any changes made to documents and databases are immediately reflected in both representations.
- Documents have attributes—for example, author, keywords, and creation date—that can be used in searches.
- An underlying object-oriented database ensures data consistency and integrity.

You can appreciate some of Hyper-G's features only if you use a generic Hyper-G browser. Currently, two are available: Amadeus for Microsoft Windows and Harmony for the X Window system (see the screens above). A client application for the Macintosh will be available soon. Generic clients are not really meant to compete with Web clients; besides the advanced navigation features, the main reason for using a generic client is authoring capability, so you can modify documents.

Similar to a Web browser, a Hyper-G client contains a component that communicates with the server plus a number of internal viewers for various document types. In Harmony, these include text, image formats, video, audio, and PostScript. It can also handle highly complex 3-D scenes and models specified in a description format such as Virtual Reality Markup Language (VRML). External viewers can replace the native viewers.

A central component of Harmony's navigation aids is the session manager. It provides location feedback at all times, regardless of whether you reached an object by following a hyperlink, through a search, or by clicking on the local map.

For video, Hyper-G allows the definition of a link anchor that follows an object of interest in the video. In Harmony, these may be activated both during playback and when the video is paused.

Searches in the native clients, as well

Why the Web Won't Work

There's only one structuring mechanism to handle all the different types of data and documents on the World Wide Web—hypertext anchors that link to other documents. Although this approach can be used to create menu-like hierarchical structures, Web databases are basically flat-file collections of documents with pointers.

The Web's limitations become apparent when you begin to maintain more than a few hundred Web pages. Here are some major weaknesses:

- No full-text search mechanism is built into the Web server, let alone the possibility to search across boundaries of Web servers.
- Because the Web currently lacks authorization features, servers are often implemented as islands, even within the same organization, to prevent access by unauthorized parties. This defeats the Web's underlying principle of tying information together, and it makes global searches even more difficult.
- The way hypertext transport protocol (HTTP) operates on the Web, an object that's located with a given URL may not be accessible at a later time. Moving an object to a different location changes the URL needed to access it. Even worse, a given URL can point to one object at one time and to a different object at another.
- You can't follow links backward. This makes it impossible to determine what other documents, even within a single server or Web site, refer to the one that you're about to move or delete. The inevitable result is dangling links.

New NetShark.

If you really want to rip into the Internet.

Don't just sit there, rip into the latest and best net-chomper you can get - NetShark™

The totally integrated, utterly multi-tasking Internet tool.

Multimedia Email. High speed Web browser. Realtime sound, graphics, and movies. And more.

All in one easy-to-use package.

Download your free copy of NetShark Lite at <http://netshark.inter.net/netshark/is/hungry>.

Or pick up the fullbore badboy at your local computer store.

Or call 1-800-255-6227 (Mac version) | 1-800-367-7080 (PC version).



NETSHARK

Please. Don't
call it a browser.

InterCon
A PSINet Company.

Circle 12 on Inquiry Card.

Hyper-G Organizes the Web

as from a Web or Gopher client, provide a full range of query refinement. You can do Boolean or fuzzy searches, as well as searches by attribute or content, and you can specify the scope. Results are provided as a list, ranked by the server's estimate of each document's relevance.


Document Structure and Server Interaction

When we talk about Hyper-G's architecture, we really have to consider two separate architectures: the structure of the documents, and the way in which servers interact with one another. These are related, of course, because data can be distributed across multiple servers.

Hyper-G structures data hierarchically. The basic item of a Hyper-G database is a document cluster rather than a single document. (See the figure "The Hyper-G Data Model" below.) This simplifies the implementation of such features as multiple languages or multiple graphic representations (a picture stored in different resolutions, for example).

Document clusters in Hyper-G are combined into collections. A collection can be part of one or more parent collections. This provides a big advantage: You can insert a document into a collection without having to first define the links. This is impossible in the Web, where a document with no link is inaccessible; in Hyper-G, it's simply part of the collection structure.

Collections (and document clusters) can have attributes, which are searchable. Collections can span multiple Hyper-G servers, providing a unified view of dis-



Caution: low-flying searches. Harmony has 3-D navigation features, which the inventors of Hyper-G call Information Visualization. The Information Landscape is at bottom left. The low blocks in the front are collections; behind them are the subcollections, with their documents on top of the corresponding block. Color indicates document type; height indicates size. Above it is a 2-D overview. At top right is the selected text, while bottom right shows video with a clickable hypermedia anchor. The Information Landscape can also be enhanced with textures and patterns.

tributed resources. All servers worldwide are members of a virtual "root collection" called Hyper Root.

A Hyper-G server keeps track of object attributes, arranges collections, and connects clients with the link database. It also encompasses three separate server components: the full-text server indexes text documents, the document Server manages documents, and the link server stores hyperlinks and ensures consistent link references. (See the figure "The Client/Server Architecture of Hyper-G" on page 64.)

Hyper-G uses an efficient, connection-oriented protocol. Unlike Web or Gopher clients, which usually talk to many different servers during a session, a Hyper-G client connects to a single server.

If documents from a remote server are needed, the local server fetches them and passes them along to the client. This approach has advantages: Users have to identify themselves to only one server, where accounts and access rights are maintained; the Hyper-G server, not the client, handles external protocols; and remote information can be cached in the local server. Users of commercial on-line services, such as America On-Line, get some of these benefits when they access the Web through their service, but only because the service has chosen to work that way. Hyper-G is completely decentralized and does its job regardless of which ser-

vice provider the user has.

A server/server protocol ensures consistency across server boundaries in a distributed Hyper-G database, and a client/client protocol allows local Hyper-G browsers to communicate with one another via the server.

Hyper-G servers can store pointers to remote objects on Gopher and Web servers. Documents from those worlds are transformed into Hyper-G representations—Gopher menus become collections. Similar gateways to WAIS and FTP will be added soon.


When Web clients access Hyper-G servers, specified levels of the collection hierarchy and documents are converted into Hypertext Markup Language (HTML) documents on the fly, complete with links. Most other Hyper-G functions, such as identification, language selection, and searching, are also made available to the Web user. Advanced features, such as 3-D navigation or modifying documents from within the browser, do not map to the Web; they require a Hyper-G client.

Security Measures

Hyper-G has a sophisticated authorization mechanism. It specifies for each user the rights to read, link, modify, and annotate documents, and it supports anonymous users ("guests"). An administrator can assign access rights on a per-document or a per-collection basis. Each user has a home collection for storing pointers to resources and personal documents.

Hyper-G uses a hierarchical access scheme. Authors may grant individuals or groups the right to read, write, link, or delete documents. Some Web browsers allow users to make annotations, but these are implemented in the browser software

The Hyper-G Data Model



In Hyper-G, documents can stand alone but are most often considered as document clusters, which can group different representations or versions of the same document. Clusters are themselves organized in collections managed by the server. Searches can locate and access documents in the same collection, in parent collections, and in unconnected collections.



Thanks to Sprint Business,
Rail Europe increased its speed
to 256 kilobits per second.

Real Problem. Rail Europe, the exclusive sales agent for most European railways, needed a way to offer their huge database of schedule and fare information to travel agents all over the world.

Real Solution. Sprint Business put them on track with SprintNet[®], the world's largest public data network, with access from 45 countries. What's more, with X .25 packet switching and highly reliable access at up to 256kbps, Rail Europe has quickly become the only stop for thousands of travel agents in the U.S., and as far away as Japan and Australia. All they need is a PC and the price of a local call to book virtually any train in Europe and the former Soviet Union. 24 hours a day. Sprint Business technology helped Rail Europe. Let us help *your* business do *more* business.




1-800-669-4700

©1995 Sprint Communications Company, L.P.

Circle 181 on Inquiry Card.

The Client/Server Architecture of Hyper-G



Hyper-G's efficiency stems in part from its division of labor among servers. The Hyper-G server keeps track of object attributes, arranges collections, and connects clients with the link database. The full-text server indexes text documents, the document server manages documents, and the link server stores hyperlinks and ensures consistent link references. Clients and outside services, such as the Web and WAIS, see only the single Hyper-G server.

and stored locally. In Hyper-G, you can set up authorization classes for annotations, permitting private, group, or public annotations to the primary document.

No secure payment mechanism—for transmitting credit card information, for example—is available within Hyper-G yet, but the European Union is about to start a project that will bring high security standards to Hyper-G. This is a prerequisite for commercial applications.

Compatibility and Conversion

One of the really big questions about a project like Hyper-G is this: Can the Web as we know it, whatever its shortcomings, be successfully challenged by a newcomer? Compatibility is crucial, and Hyper-G's developers have gone to great lengths to ensure compatibility between Hyper-G and the Web. In fact, you might never notice that your Web browser is accessing a Hyper-G server rather than a Web site.

To convert an existing Web system with a number of servers into a Hyper-G system, the migration path is straightforward enough. For example, an organization that maintains five different Web servers, each belonging to a different department, could convert them into five Hyper-G collections, which in turn would belong to a single collection for the organization as a whole. Using Hyper-G's authorization structure, modification rights would still remain with the individual departments, but users could now search for a particular piece of information across the database as a whole. No modifications to the original HTML documents would be required. People could still use their Web browsers to access the system, but they might eventually want to switch to Hyper-G client software to take advantage of Hyper-G's additional features.

Hyper-G's developers have used their

experience from the Web and other large-scale networked multimedia systems, incorporating into the basic Hyper-G all those features that have been recognized as indispensable but cannot be easily implemented on the Web. Hyper-G provides a uniform and controlled environment; while similar features might be implemented on top of the Web using external applications, this approach would eventually lead to differences between sites.

High Performance, Low Overhead

Not much hard data on Hyper-G's performance is available yet, but experience suggests that database size is almost irrelevant to the speed of searches, since pre-indexing is used. The campus server at Graz manages about 85,000 documents and 130,000 sessions per month, with an average of 300 simultaneous users. This server is a rather ordinary SparcStation 10/40 with 64 MB of RAM. The server runs at about the same speed on a Linux PC with a 100-MHz Pentium processor and 32 MB of RAM.

Until this fall, native Hyper-G documents had to be encoded in Hyper-G Text Format (HTF). Now you can use version 3.0 of HTML, the Web's native formatting language. HTML will probably supercede HTF. Overhead for non-native clients (i.e., Web browsers) doesn't seem significant now and will become negligible as HTML 3.0 comes into use. It will also soon be possible to annotate documents from within a Web client.

The Hyper-G standard components are written in C++ and were partly developed

using the Interviews toolkit library. Hyper-G runs on most flavors of Unix, and the development team plans a port to Windows NT. According to Frank Kappe, the Hyper-G code is copyrighted but freely available to all, just as Mosaic is.

It takes only a few hours to set up a Hyper-G server. The standard distribution package includes a semiautomatic installation procedure, as well as tools for inserting, modifying, and deleting objects in the database. These are most often used in scripts (e.g., using the Perl language) for mass insertion of data. One utility, called hifimport, can be used to create stand-alone versions of a Hyper-G Interchange Format (HIF) file; this could, for example, be used for CD-ROM production. Another utility, called haradmin, helps maintain the user database.

The Future

The Gopher gateway (which makes Hyper-G accessible from Gopher clients such as GopherVR) will be enhanced to offer Gopher server administrators a migration path to Hyper-G. Also, there's a tool to import a Gopher server's data to a Hyper-G server. The University of Minnesota has embraced Hyper-G for the next generation of its Gopher information system and is working on a native Hyper-G client for the Macintosh.

Hyper-G isn't perfect. One of the problems seen so far is that clients like Harmony or Amadeus do not handle defective (or syntactically incorrect) HTML documents very well. In these cases, there can be problems getting a document up on the screen, and people would have more luck using a normal Web client.

Hyper-G is a stable, powerful, and,

TAKE A TEST DRIVE

You can test-drive the Hyper-G system using a Web browser such as Netscape or MacWeb. A good starting point is the Hyper-G server at the Graz University of Technology: <http://hgiiicm.tu-graz.ac.at>. Consult the doc directory at the Graz site, or FTP to: <ftp://ftp.utdallas.edu/pub/Hyper-G>. You can subscribe to a Hyper-G mailing list by sending an E-mail message with the line "subscribe hyper-g" to listproc@iicm.tu-graz.ac.at.

above all, available alternative to the World Wide Web that offers something no other Web-based technology does. It can organize the mass of unstructured data and unmanageable hyperlinks. Whether Hyper-G has a chance to make an impact in the decentralized and frankly anarchic environment of the Internet remains to be seen. But it's also possible that it could supersede the Web and we users won't even notice. ■

Udo Flohr is a science and technology journalist based in Hannover, Germany. He can be reached on the Internet by sending E-mail to flohr@dfn.de.

WHAT A CHARMING HODGEPODGE OF SERVERS, PC'S AND MAINFRAMES YOU'VE GOT THERE.

(MAY WE SUGGEST THE UNIX® SYSTEM
THAT'S BEEN SHOWN TO MANAGE
MULTIVENDOR ENVIRONMENTS BEST?)

It's as if you've inherited computers from at least three different dynasties. They're all different sizes, shapes and capacities, and sometimes they don't seem to like each other very much. On the other hand, you really need them to get along.

Which is why the recent Enterprise Management Summit put the RISC System/6000® and other UNIX systems through 14 grueling tests on managing complex multivendor systems.

When the dust settled, only one company was able to outperform HP,® Groupe Bull,® Computer Associates® and Digital.® And that company is IBM.

According to D.H. Brown, an independent

computer consultant, IBM's AIX® is the best-rated UNIX operating system.* And when you have SystemView® for AIX monitoring and managing complex networks, your system can grow right along with your business without increasing your staff.

It will also be possible for you to keep track of your network without leaving your desk, because SystemView for AIX provides all the systems management functions under one easy-to-use interface.

For more information on how to turn a legacy of other people's computers into a very big asset for you, give us a call at 1 800 IBM-3333, ext. FA 179. Of course, if you're on the Net, you can pay a visit to our home page at <http://www.austin.ibm.com>



Solutions for a small planet™

*10/94 D.H. Brown Report "UNIX Matures" - IBM AIX 4.1.1994 Enterprise Management Summit - IBM NetView® for AIX which is a part of SystemView. IBM, RISC System/6000, AIX, SystemView and NetView are registered trademarks and Solutions for a small planet is a trademark of International Business Machines Corporation. UNIX

is a registered trademark in the U.S. and other countries, licensed exclusively through X/Open Company Limited. All other company and/or product names are trademarks or registered trademarks of their respective companies. The IBM home page can be found at <http://www.ibm.com> © 1995 IBM Corporation.

Circle 113 on Inquiry Card.

Faking It, Then Making It

JOHN R. VACCA

If at first you don't succeed, you probably didn't run enough simulations. Take Siemens Solar Industries. It succeeded. How? Before committing its photovoltaic production to a new-to-the-industry clean room, SSI took advantage of simulation software and a nearby university to fine-tune the processes and work-flow procedures it would use. The results were dramatic. The Camarillo, California, company saved over \$10,000 in consulting fees. And because it could clear up production bottlenecks in advance, the new clean room is saving the cell-fabrication department roughly \$7.5 million annually.

The key was simulation. No longer just computer games for the intellectually curious or exercises in the computer-science curriculum, today's simulation software has come down from the world of FORTRAN subroutines and is appearing on desktop computers.

Now simulation is making its

It's always better to make mistakes on a model than to screw up in production. That's why the solar industry's first clean room started life as a simulation.

tems to utility-scale solar electric plants uses its cells and modules. Your lawn might even be an SSI customer: The company also produces solar panels and solar-powered outdoor lighting. It's part of the worldwide Siemens Solar Group, which has locations in Germany, Japan, Singapore, and the U.S.

SSI decided to introduce clean-room contamination-control technology into its photovoltaic fabrication. That spells money—to upgrade equipment and to create a new facility.

A clean room provides a controlled environment that filters incoming air and water to high standards of purity. It also controls temperature, humidity, and air pressure, but the key element is air filtration. Clean-room personnel wear special coveralls, hair covers, shoe covers, face masks, and gloves. Clean rooms are standard practice for fabricators in the semiconductor business—you couldn't make a CPU without them—but the solar industry had never used them before SSI decided to take the plunge.


There was a lot at stake. And there were high hopes. "This new facility would enable Siemens to attain higher levels of quality in the cell-fabrication process," says Mike Fahner, the SSI project manager responsible for improving information accuracy and implementing logistics systems to enhance supply-chain performance. "This was also an opportunity to improve productivity by redesigning the facility layout and material flows to increase throughput, decrease the work-in-process levels, and reduce cycle times," he adds.

Efficiency Is the Name of the Game

World-class manufacturing organizations strive to minimize the level of what is called *work-in-process*—that is, the inventory of unfinished goods on the shop floor that are waiting for the next processing step. Work in process represents a capital asset that's tied up—money that could be better invested in things such as plant upgrades.

High inventory levels can be costly. If things move slowly enough, there can even be a cost of obsolescence. If the products are technology-driven where changes occur rapidly, then the administrative costs of managing engineering changes for partially finished goods can be cumbersome.

"At SSI, we considered that computer simulation was an ideal tool to help improve the productivity and quality of the cell-fabrication process," explains Fahner. "Computer simulation provides a virtual laboratory where an engineer can experiment with effects



Mike Fahner, project manager at Siemens Solar Industries, in the new clean-room fabrication facility.

AMY ETRA © 1995

way into the world of business and industry. It was important in an earlier business-process reengineering effort at SSI, and during the past year simulation helped fine-tune the planning and operation of a new production process and fabrication facility.

Making a Clean Start

SSI is the world's largest volume maker of solar electric products. Everything from power supplies for telecommunications sys-

such as adding machines or changing their configuration without the time and expense of making the physical changes."

Computer simulation also allowed SSI to compare numerous alternatives quickly. "We believed that simulation models could predict the effects of proposed equipment investments or modifications with minimal risk," Fahner adds. "We also believed that the primary benefit of the simulation-modeling process was the knowledge and insight we would gain in understanding the interactions within the systems we were designing and studying."

According to Fahner, SSI's primary goals were to model the proposed production process, concentrating on the wafer-diffusion, oxidation, and plasma-etch processes for the new cell-fabrication room. The company also wanted to identify and remove system constraints and evaluate alternative scheduling, delivery rules, and material flow with respect to queue levels, throughput, cycle time, machine utilization, and work-in-progress levels.

Partnering with Poly

Dr. Sema Alptekin, professor of industrial and manufacturing engineering at California Polytechnic State University in San Luis Obispo, California (generally known as Cal Poly), wanted to get her students involved in a real industrial problem using simulation techniques. She approached Fahner after a mutual contact suggested she consider SSI.

Fahner was interested in a partnership with Cal Poly because he's always looking for efficient ways to solve problems with limited resources. Siemens keeps a core group of highly skilled and focused individuals who manage projects using external resources on an ad hoc basis. This approach has allowed Siemens greater flexibility by accessing a specialized knowledge base only when needed, and without carrying costly overhead. (See the text box "Learn by Doing" on page 72.)

The project began on September 23, 1994. Alptekin visited SSI to tour the plant and discuss the project's objectives. Fahner visited Cal Poly twice during the 10-week project, defining project objectives for the students, providing data, and answering questions whenever industrial expertise was needed.

Alptekin's students were excited and willing to visit SSI to learn more about the problem. They also felt greater-than-normal pressure, since the projects weren't hypothetical exercises created by an instructor and ultimately destined for the trash can; their work would be evaluated by industry, and their recommendations might actually be implemented within a few months.

Picking the Right Simulation Tool

Alptekin notes that simulation software has been around for a long time. "It was part of my Ph.D. dissertation in 1981 to write code in FORTRAN as a simple simulation tool to solve a simple problem. With advances in computer technology and software, solving the same problem, which took several years in the 1970s, could be accomplished in several days today," she observes.

After numerous meetings and discussions, the Cal Poly students, with Alptekin's help, selected ProModel from ProModel Corp. (Orem, UT) as the software they would use for the SSI computer simulations. "ProModel is just one of the simulation tools we use," says Alptekin. "We picked ProModel because it was the only available simulation product that was developed as a Windows application," she adds. "It offers the advantages of a true Windows-based product." (See the text box "What ProModel Can Do" on page 68.)

SIMULATING SIEMENS'S CLEAN ROOM

The Problems

- Poor material flow.
- Unbalanced resource utilization.
- Bottlenecks in throughput.
- Schedule delays.

The Solution

- Model alternative scenarios and select the best attributes from each.
- Study the interactions between machines to eliminate bottlenecks.
- Improve material flow and reduce work-in-process levels by implementing a "pull system" based on consumption replenishment.



The Benefits

- Validated process capabilities prior to implementation and met budget and capacities.
- Modified scheduling rules and operating procedures to improve process performance.
- Gained a better understanding of the process, reducing the risks involved in decision-making.
- Developed an analytical tool that can be used for continuous process improvement.

The package's relatively gentle learning curve was critical, according to Alptekin. "Since this was a class project, the simulation tool had to be easy enough to learn and apply in a short time," she explains. "Anybody who's using Windows could learn to use ProModel in a short time." The user does not have to learn a simulation language. It's a point-and-click development tool through its library of tools, icons, and constructs. The package's on-line help and on-line training were also important factors.

In addition, ProModel was well suited for this project-work-group situation because different members of the group could develop submodels and integrate them into a final model. "It allows the user to start with a small model and develop it to a larger model through the use of submodel and model-merge capabilities," Alptekin continues. "ProModel is also well suited for fast what-if analysis because of its flexibility to accommodate changes and its fast running speed."

The Windows underpinning of ProModel offered other advantages. The students found ProModel's output charts and graphs superior to those of other simulation products, and they could easily paste them into other Windows applications for reporting purposes. Finally, ProModel's animation capabilities were a definite plus. "Animation helped SSI managers validate the baseline model and provided them with a better understanding of their proposed system," says Alptekin.

How the Students Used ProModel

The students used ProModel to develop a baseline that defined the model's scope and objectives based on real data. They also used it to make assumptions to simplify the model, as well as to create

WHAT PROMODEL CAN DO

ProModel is a Windows-based simulation package that you can use to model just about any system of discrete events, such as manufacturing systems, business processes, and service systems.

ProModel schedules simulation events based on predefined parameters. You tell ProModel how and when the entities (in this case, silicon wafers) arrive at each machine, how long each machine takes to service them, and under what conditions. When you run the simulation, the computer processes each event and keeps track of the system's vital statistics as the model changes state.

ProModel provides several standardized reports, graphs, and animations that summarize the results of the system over time. These are valuable in comparing alternative scenarios. Important statistics include system throughput, machine utilization, and average queuing times in the machine buffers.

a model of the network of resources in the system by defining the machines, their capacities, and the probability-distribution functions of their stochastic service times and interarrival rates of incoming parts. Some of the resources in this model included chemical-etching baths, spin-rinse dryers, wafer-transfer stations, diffusion tubes, oxidation tubes, and plasma-etch ovens.


Also, the students used ProModel to define the routines used for producing wafers. There were two product lines in the Siemens model, plus a sequence of operations, batch sizes, and logical rules that determined which machines could be used under specific conditions.

Furthermore, they used ProModel to validate the baseline model, which handled iterative simulation runs, comparison of simulation runs to real performance, and baseline-model validation when the simulation-generated statistics matched the actual performance to the given assumptions. Finally, they used ProModel to develop alternative scenarios to design enhanced systems that met the modeling objectives.

Simulating the Processes

The actual project modeled the wafer-diffusion, oxidation, and plasma-etch processes. The simulation involved the machines, equipment, workstations, storage-and-handling devices, operators, and material and information flows necessary to support the process. SSI and the students developed a baseline model of the proposed system and validated the baseline results from the simulation with actual process data.

Also, SSI and the students developed and evaluated alternative scenarios. Many involved the problems of producing two different models of solar cells that called for different machine setups and process times. The students considered adding extra spin-rinse dryers, diffusion and oxidation tubes, and/or plasma-etch ovens to the system; modifying machine-setup times; and using a different type of dryer that required no setup or changeover. Other potential changes included a variety of scheduling options for both production and parts arrival, modifying batch sizes according to cell model, and changing the distribution of diffusion and oxidation tubes within the facility. *continued*



the best simulation package in the world!


- BUSINESS PROCESS RE-ENGINEERING
- MANUFACTURING & DISTRIBUTION MODELING
- SERVICE DELIVERY MANAGEMENT

The power of a full, professional simulation package, direct interface to EXCEL5 and Visual Basic, the ease of a designed-for-WINDOWS interface, a comprehensive manual including guidance on simulation statistics and techniques, On-line Q cards, HELP and a tutorial with many example simulation models. All at a fraction of the cost of other simulation packages.

Introductory Price \$395
To Order Call 1-800-878-3373



North American Office: Fax: 1-905-896-0688
 Internet/E-mail 102230,342@compuserve.com
 UK Office: Fax: +44(0)141-552-3886
 Internet/E-mail 100031.2467@compuserve.com



THE
ENGINEER'S
WORLD.

Complex.


Fragile.

Interdependent.

SDRC

There was a time when **CAD/CAM/CAE software** like ours simply didn't exist. When brains, common sense, and interaction were enough. Today, **I-DEAS Master Series™** software gives you the power to **automate** mechanical design in a way that is **transparent** to the intricacies of your organization. **Power** to do your **whole job**. Better. Faster. And best of all, in **perfect tandem** with your *entire engineering team*. Get your hands on the industry's most **fully integrated** suite of design, test, simulation, and manufacturing tools.

Call 1-800-848-7372
and ask about I-DEAS today.



I-DEAS
Master Series™

SDRC is a registered trademark and I-DEAS Master Series is a trademark of Structural Dynamics Research Corporation.
Circle 124 on Inquiry Card.

Recommendations

The Cal Poly students delivered their final report and presentation on December 2, 1994. They proposed specific recommendations on given criteria and objectives, as well as on new operations and organizations. As a result of this project, SSI was able to make significant changes that improved the efficiency of the clean-room facility and plan for further changes that would allow even more productivity.

For example, SSI's solar-cell line in-

cludes two types of photocells, called the M-line (which accounts for 62 percent of production) and the PC-line (38 percent), that require different machine setups and production times. The facility's four spin dryers were initially set up so that three handled M-line cells and one handled PC-line cells. Simulation showed that changing the setup to two machines for each model would improve throughput and cut-queuing times.

Another change that grew out of the

spin-dryer study involved scheduling dedicated shifts for each model type. By running M-line product for 13 consecutive 8-hour shifts and then changing over to PC-line product for eight consecutive shifts, SSI could realize a significant increase in throughput, a reduction in waiting times, and a minimization of time devoted to equipment setup and change-over.

But SSI and the students acknowledged that a radical change in scheduling like this could significantly impact—either positively or negatively—other SSI operations that weren't studied in the simulation project. Thus, SSI needed to do further investigation before implementation.

Simulation showed that, once the spin-dryer constraints were removed, the next bottleneck in the system was diffusion. The students recommended an increase in diffusion capacity by converting a bank of four oxidation tubes to diffusion or, budget permitting, adding another bank of four tubes. They determined that converting tubes would lead to an increase in the overall system throughput and utilization as compared to the baseline model. This finding, coupled with the importance of flexibility in balancing the diffusion/oxidation mix, pointed up the need to find simple and expeditious techniques for tube conversion.

In Production

In February, SSI's Cell Fab I clean room commenced operations. The processes of diffusion, oxidation, and plasma etching for silicon wafers are all done within the 2500-square-foot clean room. Approximately 50,000 wafers per day can be processed through the new \$1 million clean-room facility.

The improved capabilities of the new facility, fine-tuned by simulation, have enabled SSI to realize significant production improvements. Also, the simulation project validated the capabilities of the proposed system, and this helped SSI meet its cost and capacity expectations. Finally, the simulations gave SSI a much better insight into the interactions among various elements within the production process, which has led directly to better-defined scheduling rules and operating procedures.

Product yield, which is defined as the ratio of quantity output to quantity input in the cell-fabrication process, has improved from a baseline of 83 percent to its current level of nearly 98 percent. The reduction in scrap loss is primarily the result of better material flow and contamination control in the process.

continued

Just Protect It!

Award-Winning UPS Products Double Battery Life, Assure Data Integrity & More

With double the battery life for enhanced reliability and proprietary voltage control for best performance, protecting Servers, PCs, and LANs against faulty power has never been easier or more affordable. Combine this with our unmatched quality (backed by ISO 9000 Certification), service, and Exclusive Triple Power Warranties™ — you are guaranteed unsurpassed UPS protection.

And with our full-featured Power Management Software, users can leave systems unattended knowing that, when a power problem strikes a single PC or an entire network — all will be saved and fully protected — automatically, with complete data integrity!



For ultimate protection on the information superhighway — Deltec's UPS families incorporate patent pending Advanced Battery Management (ABM™) that doubles battery life and assures system uptime!

Not just a limited-function Win95 driver, Deltec's full-featured FailSafe and LanSafe III software automatically save files and conduct an orderly system shutdown during extended blackouts. Available for all popular networks and operating systems, the software also provides extensive monitoring and power management — even for other manufacturers UPSs. Our exclusive "UPS Groups" feature makes network power management a breeze by allowing sequential control of multiple servers, nodes, and UPSs from a central or remote location.

NEW v.3
Full Win95 Support
Pager Notification
Custom Alerts
and More!

DELTEC
A Fiskars Company

Call Now! 1-800-DELTEC-1
Don't Risk It — Just Protect It!



PC
MAGAZINE
EDITORS'
CHOICE
September 14, 1993
Favorite PC PERFORM



ISO
9000
Certified
Quality System



Reader's
News
TEST CENTER
APPROVED 1994



MICROSOFT
WINDOWS
COMPATIBLE



Mac OS



Ready!
for OS/2



yes
It runs with
NetWare



SOLO
OK



Solaris
It runs with
Solaris



yes
It runs with
UnixWare

THE LEADING SOFTWARE FOR DESIGN AND OPTIMIZATION IN BUSINESS AND ENGINEERING

"It is with great satisfaction that I can recommend Taylor II to potential users of simulation software. We have recently purchased this excellent package and believe it to be a powerful productivity tool for the industrial engineer. The package features are superb, and the entry price for the software is reasonable. We look forward to many years of benefit from this package: Taylor II is a major development for industrial engineers. The package is good, the support service and the training courses are first class. Taylor II is simply the best."

Jim O'Neill
Industrial Engineering Manager
Waterford Crystal Limited, Ireland

"There is only one thing I regret about owning Taylor II: I wish I had owned it sooner."

G. Molloy
Conner Peripherals
USA

"The product is as pragmatical as the service, which makes Taylor II an excellent business tool."

T. Veltman
KLM Royal Dutch Airlines



"In our search for a simulation software, we found Taylor II to be the most complete package at the best price. The sales person presented us with an inhouse demonstration that was far more interesting and informative than any of the others given to us. Most importantly, their customer service clinched the sale. Their technical support, users conferences and newsletters are all superior to those of their competitors!"

Edward Nisbet,
Senior Industrial Engineer
Philips Consumer Electronics




At this year's Cebit, the editors of Byte Magazine awarded Taylor II as 'Best application software of Cebit 1995'.


TAYLOR II SIMULATION



...Taylor II offers pop-up menu modeling and editing...



...500 pages of on-line help...




...curve-fitting for input analysis...



...simulation with schematic 2D animation...



...or (with a click of the mouse) 2 1/2 D...



...or true 3D shaded animations...



...design of experiments with confidence intervals...



...result analysis in reports and graphs...



...self-running presentations. And much more.

F&H Simulations: Software, Training and Consultancy - For more information, in-company presentations or the free demo disk, call F&H Simulations.
U.S.A.: F&H Simulations Inc. - P.O. Box 658 - Orem 84059, Utah - Phone: (801) 224-6914 - Fax: (801) 224-6984 Europe: F&H Simulations B.V. - Spoorlaan 424 - 5038 CG Tilburg - The Netherlands - Phone: +31 13 5366344 - Fax +31 13 5427516 Germany: Phone: +49 211 322151 - Fax: +49 211 322897 - U.K.: Phone +44 71 4300945 - Fax: +44 71 4051689

Circle 111 on Inquiry Card.

In addition, process variability, as determined by the wafers' surface resistivity (called *sheet rho*), has been reduced. As the variation in surface resistivity decreases, the fabrication process becomes more repeatable and yields more consistent electrical properties.

As a result of the clean-room implementation, the bottleneck in the process has moved from the diffusion and oxidation processes (which are done in the clean room) to downstream operations. Most of the improvement was due to the installation of additional equipment to increase capacity. However, SSI designed the facility to get more throughput with the same number of operators, and thus the cost per unit has been reduced. Also, improved material flow has resulted in lower inventory levels and reduced cycle times. This allows SSI to be more flexible in responding to customer demands.

Lessons Learned

While SSI's new fabrication process operates effectively, thanks in part to the simulations that went into the planning, there's still room for improvement. In particular, Fahner says that if SSI were to do the simulation project all over again, he would make some important changes.

First, he would involve manufacturing personnel to a greater degree during the what-if discussions when deciding what options and alternatives to explore. Second, he would work harder to develop a stronger in-house simulation capability. This would allow SSI to take better advantage of the model and to use it as a tool for continuing improvement. Finally, he would develop run-time models so that users not familiar with programming could still run the simulations and explore new alternatives with new data.

At the moment, primarily due to cost and time constraints, SSI has no further major simulation projects on the docket, although SSI engineers use in-house simulation tools to create simple models as the need arises. While simulation languages and software applications are improving at an accelerated rate, Fahner acknowledges that simulating a complex process still requires highly skilled engineers, a clear focus, and dedicated time for modeling.

Joint projects, like this one with Cal

LEARN BY DOING

When Dr. Sema Alptekin began planning how to teach a graduate course, "Advanced Topics in Simulation," for California Polytechnic State University's industrial and manufacturing engineering program, she wanted to design the course to fit the school's "learn by doing" principle. Cal Poly claims its students take more laboratory courses than students at any other engineering school in the nation. In other words, they not only learn theory, they practice it on numerous engineering management applications. She wanted to give her students a real problem and real data.



Dr. Sema Alptekin

Because she was new both at Cal Poly and in California, Alptekin contacted an old colleague, Dr. Ali Kiran, president of Kiran & Associates (San Diego, CA), who consults with California industry on simulation and scheduling issues. Kiran pointed her to Mike Fahner at Siemens Solar Industries.

Fahner, as it turned out, was enthusiastic about collaborating with Cal Poly on this project, because its students and faculty could buy him resources and expertise that he couldn't otherwise muster. He was also eager to work with Cal Poly because of the reputation of its accredited engineering and business programs. SSI was committed to sustaining a relationship with a local university with talented faculty and students.

No money or compensation was exchanged. SSI would provide technical information and project management, while Cal Poly graduate students would contribute the systems-analysis expertise and put in the time needed to set up and perform the actual computer simulations. The relationship was a cooperative exchange of information and experiences from which both parties benefited.

The two parties decided to hold weekly teleconference meetings, and the students would have to produce periodic progress reports. The 16 students were divided into four project groups, each focusing on one specific part of the system.

The students accomplished a lot in a 10-week quarter. In fact, SSI's experience contradicts the common wisdom, widely believed in industry, that students take longer than professionals to complete projects. Everyone was happy at the end of the clean-room project. The students gained confidence in using simulation as a tool to solve real problems. Fahner and SSI obtained a number of helpful simulation results that would otherwise have taken longer to achieve. And Alptekin had succeeded in making her course more interesting and more meaningful by including industrial projects in an academic setting.

Poly, can be an effective way of leveraging resources, but this type of cooperative effort requires a significant amount of project management effort. It's an effort Fahner thinks was worth making.

"Overall, it went fairly well," he says. "The Cal Poly students did an excellent job in performing simulation modeling of Siemens's new cell-fabrication clean room. Their analysis was thorough and insightful. In addition to learning about Siemens's processes, they were concurrently learning how to use ProModel simulation software. It was evident that they quickly grasped the fundamentals of analyzing system constraints and applied these methods to Siemens's case study."

In sum, he says, "Their conclusions and recommendations were sound and reasonable, having direct applications to improving Siemens's processes. The presentations were very professional, and the interactive discussions were even more helpful. The real value of this project came from their fresh perspective and insight. The knowledge that they have gained can greatly improve our understanding of the cell-fabrication clean-room process." ■

John R. Vacca is a freelance information-technology and air-and-space contract writer based in Houston, Texas. He can be reached on the Internet at 74044.164@compuserve.com or on BIX c/o "editors."

Where to Find

ProModel Corp.
Orem, UT
(801) 223-4600
fax: (801) 226-6046
<http://www.promodel.com>

AND HERE

FULL-LENGTH PCI/ISA SLOTS.

Super-fast PCI card capabilities are now possible with a docking system. And you also get to keep and use your existing ISA cards in the same unit.

WINDOWS® 95 OPTIMIZED. The DeskStation V was designed from the bottom up to take advantage of all Windows® 95 Plug and Play features, like hot docking.

AMPLIFIED STEREO SPEAKERS. They're built-in and perfect for multimedia applications.

SELECTBAY™ FOR DRIVE MODULES. Conveniently interchange the optional Quad-Speed CD-ROM drive with the floppy disk drive from your Tecra 700.

BUILT-IN SCSI-II PORT. Your existing and future peripherals easily link to your portable's desktop homebase through the built-in SCSI-II connector.

TWO TYPE III PC CARD (PCMCIA) SLOTS. This machine is all about connections – and making them easy. Effortlessly connect to networks, fax/modems, additional storage and more.

5¼" DRIVE BAY. Allows you to install any half-height peripheral like desktop tape backup, SCSI hard disk drive, optical storage, you name it.

OPTIONAL DESK STATION V. Who needs a desktop computer? This is the ultimate in desktop displacement. With a host of connections for an external monitor, keyboard, drives, PC Cards, multimedia and more, you'll always come home to just the right gear – with more expandability and high-performance options than ordinary desktops.

Call 1-800-457-7777 for more information or a dealer near you.

TECRA™

700CT AND 700CS:

- 11.3" dia. color display in your choice of active matrix (CT) or DSTN dual scan (CS)
- 120MHz Intel Pentium® Processor (2.9v)
- 800 x 600 screen resolution
- 24-bit true color support at 640 x 480 externally
- High-speed synchronous DRAM memory (16MB expandable to 48MB on 700CT, 8MB expandable to 40MB on 700CS)

- PCI local-bus architecture
- 1.2 Billion Byte (=1.13GB) removable HDD
- SelectBay for modular 3.5" floppy disk drive or optional modular quad-speed CD-ROM drive
- Lithium Ion battery (up to 5 hour battery life)
- 16-bit Sound Blaster® Pro compatible sound system with .WAV and MIDI sound support
- Built-in stereo speakers
- Audio jacks: headphone/speaker, microphone
- Two PC Card (PCMCIA) slots (two Type II or one Type III)
- Infrared data port (IrDA-compliant)

- Under 7 lbs.
- Pre-installed software: Windows® 95 or MS-DOS® with Windows® for Workgroups, Run Time Video for Windows® Fin-esse™ software and Indeo™ video
- 3-year limited warranty
- Toll-free Technical Support – 7 days a week, 24 hours a day



In Touch with Tomorrow
TOSHIBA

Toshiba. The World's Best Selling Portable Computers.

*700CT comes standard with 16MB expandable to 48MB, 700CS comes standard with 8MB expandable to 40MB. All specifications and availability are subject to change. © 1995 Toshiba America Information Systems, Inc. The Intel Inside® Pentium® Processor logo is a registered trademark of Intel Corporation. All products indicated by trademark symbols are trademarked and/or registered by their respective companies.

AND HERE

120MHz PENTIUM® PROCESSOR.

Fly through even the most complex applications with ease. At only 2.9v, this processor gives you the power you need without sacrificing precious battery life. It's also coupled with 16MB of high-speed synchronous DRAM memory* to maximize the performance of the Pentium® processor.



AND HERE

HUGE 11.3" DIAGONAL COLOR DISPLAY.

The awe-inspiring size and 800 x 600 resolution of this display set a new standard in screen quality. PCI local-bus video delivers spectacular full-motion video and phenomenal graphics acceleration.

AND HERE

PCI LOCAL BUS ARCHITECTURE.

Unlock the true potential of the Pentium® Processor. PCI's 32-bit architecture offers the fastest levels of video performance and data throughput. Plus, it allows you to take full advantage of all Windows® 95 Plug and Play capabilities.

AND HERE

LITHIUM ION BATTERY.

Get the ultimate in long life with up to 5 hours per charge. No other battery technology comes close.

AND HERE

MODULAR QUAD-SPEED CD-ROM DRIVE.

Conduct interactive multimedia presentations, access huge databases and more. The new SelectBay architecture makes swapping this ultra-fast, optional, Quad-Speed CD-ROM drive with the modular floppy drive as easy as changing a disk!

TECRA™ IS HERE.

Introducing a portable computer so advanced, we gave it an entirely new name: Tecra™. From the modular design to the uncompromising power of the Pentium® processor and PCI, Tecra embodies Toshiba engineering at its best. Ready for the next revolution? Call 1-800-457-7777 for more information or a dealer near you.



AND HERE WINDOWS® 95.

A host of new features comes to PC users – 32-bit speed, Plug and Play, true preemptive multitasking, an easier user interface, hot docking and more. Tecra 700 has been designed from the start to take full advantage of every one of them.

AND HERE

INFRARED PORT. Send and receive data without wires. Beam documents conveniently through the air to infrared-equipped printers, and transfer files to any other IrDA-compliant PC.

AND HERE

STEREO SOUND. Pump up your presentations. The Tecra 700 is Sound Blaster™ Pro compatible and plays .WAV and MIDI sound files. A built-in microphone, stereo speakers and integrated headphone/speaker and microphone jacks complete your mobile audio system.

AND HERE

TWO TYPE II OR ONE TYPE III PC CARD (PCMCIA) SLOTS.

Add fax/modems, hard drives and more in a snap. This machine-of-the-moment can be customized every few seconds.

AND HERE

1.2 BILLION BYTE (=1.13GB) REMOVABLE HARD DISK DRIVE.

Here's some massive storage capacity. Even with all your applications loaded, you'll still have lots of room for graphics, video and large database files. Plus, it's easily removable for safe-keeping or upgrading later.

In Touch with Tomorrow
TOSHIBA




**THE NEXT
REVOLUTION
IN COMPUTING
IS HERE.**



OPERATING SYSTEMS

Hot new developments in the software that runs the software



Smooth Operators..... 77

What's changing and what matters in the realm of operating systems.

OS Paradise..... 81

You need our scorecard to sort out the 32-bit players.

Filling in Windows Blanks..... 103

Windows 95: It's not all there. These utilities fill in for what's missing.

Not *That* DOS..... 113

New distributed operating systems are hatching in the lab, but you can install systems like Plan 9 and Spring today.

Sincere OS Flattery..... 119

Emulation lets you run an application written for one OS on a computer running another.

OO Meets OS..... 123

These systems offer a peek at the future of operating systems, when everything will be an object.

And One for All..... 131

One tool, many operating systems: How to develop cross-platform applications in the quickest, most efficient manner.

Crashing the Party..... 137


You can learn a lot about an OS by studying what it takes to crash it.

BONUS / Reconcilable Differences

How well has Microsoft met its own goals for backward compatibility in Windows 95? You'll find this article on the BYTE Web site—<http://www.byte.com>



2803 Stackable Ethernet Workgroup Hub.



2813 Stackable Ethernet Workgroup Hub.

YOU DON'T HAVE TO BE RICH TO BE WELL CONNECTED.

**CALL ABOUT
OUR STACKABLE
ETHERNET
WORKGROUP
HUBS.**

**1-800-8-BAYNET
EXTENSION 013**

Actually, being well-connected is very affordable. Because now you can get high-quality Bay Networks Ethernet workgroup hubs for less than you expect. ➤ In other words, you can afford hubs from the company that pioneered 10BASE-T technology and has over 15 million nodes installed. ➤ There's a Bay Networks workgroup hub to meet almost any need—from the most simple connections to the

most complex. So any solution you choose will grow with your business—including our network management options. ➤ It's one more way we give you choices for your network. So call 1-800-8-BAYNET ext. 013 to receive "A Practical Guide to Plug & Play Ethernet Networks" and

find out how affordable our workgroup hubs really are. The numbers may surprise you. The quality won't.

800 Ethernet Workgroup Hub.



Visit our Web site: <http://www.baynetworks.com>



Bay Networks

The Merged Company of SynOptics and Wellfleet

Circle 126 on Inquiry Card.



You're finishing a presentation on

Lotus Freelance Graphics, printing a report



on your boss' desk, and browsing



the Internet all at the same time.

Is it the espresso or OS/2 Warp Connect?

While OS/2® Warp Connect may not come with a twist of lemon, it will let you access multiple servers on multiple networks at the same time, from anywhere.

With just one phonecall and one password, you can dial directly into Internet, UNIX®, NT®, Windows® for Workgroup, NetWare® as well as IBM servers. That's all it takes to share graphics files and databases, drives and printers. Even applications.

And because there are separate memory address spaces, it's crash-protected. So a problem on one program won't crash everything you're working on.

You can create Person to Person™ connections with up to eight other people no matter where they are, whether they're four floors away or four time zones. Conference by video. Collaborate by chalkboard. Communicate.

Can your software do this?



So if you're looking for network connectivity, compatibility and true multitasking, call us at 1 800 IBM-3333, ext. EA100. Or visit our web site at <http://www.austin.ibm.com/pspinfo/os2.html> for additional information about

OS/2 Warp Connect. You'll find it quite stimulating.



Solutions for a small planet™

Smooth Operators

New developments with today's—and tomorrow's—OSes

No one ever bought a computer to run the operating system. And yet, OSes often inspire a “rather-fight-than-switch” loyalty among their users. Many users have been caught up in religious wars.

Expectations of OSes are constantly changing. We used to be pretty happy if it simply ran our application and let us manually configure the system with arcane and undebuggable commands. Now, we're miffed unless these software servants can automatically recognize and use all equipment (even on-the-fly modifications); wring the utmost performance out of the CPU, memory, hard drive, monitor, and all the peripherals; network effortlessly with practically any other machine; provide a stable, crash-proof platform for applications to run on; support a simple but rich applications development environment; and clothe the whole shebang in a snazzy designer interface—which users can customize to their heart's content. Not much to ask.

Our lead article (“OS Paradise” by Tom Yager) shows how OS vendors are meeting the challenge with 32-bit desktop OSes possessing some heaven-sent features. Text boxes look at Linux, a public domain superstar (“The Linux Phenomenon”); some behind-the-screens considerations of user-interface (UI) design (“What You See: What You Want?”); and two OS architects who have each gotten a second shot at designing a new OS (“Doing It Over”).

Utility programs provide a welcome and necessary adjunct to the powers of the OS. Historically, pioneering features have appeared in utilities first and in OSes later. While Windows 95 has numerous features that were previously offered by third-party utilities, it also opens the door to new possibilities. In “Filling in Windows Blanks,” Peter D. Varhol details some fresh opportunities for utilities in Windows 95,

as well as some classic utilities for other OSes.

In “Not *That* DOS,” Paul Korzeniowski discusses new distributed OSes, many of which exist only in university research labs—but perhaps not for long. Systems such as Plan 9 (from AT&T) and Spring (from SunSoft) have features valuable in the networked world, while Exokernel, Spin, Scout, and Flux explore the outer reaches of OSdom.

Barry Nance (“Sincere OS Flattery”) shows how one OS can be made to run applications intended for another, thanks to third-party emulation software. In today's multiplatform of-fice, that flexibility becomes essential.

Object-oriented OSes promise to simplify applications development. But where are they? Dick Pountain explores their nature—and why they don't seem to be moving off the horizon—in “OO Meets OS.” The good news is that they really are getting closer.

Developers writing applications today must often pay attention to more than one OS platform. David Linthicum leads a tour of development tools (“And One for All”) that may simplify cross-platform development chores.

No discussion of OSes would be complete without mentioning crashes. BugNet's Bruce Brown (“Crashing the Party”) examines these daily cataclysms from his unique perspective, giving helpful recipes for crashing all the major desktop OSes—and insights into what they reveal about the inner workings of each one.

Available only on BYTE's World Wide Web site (<http://www.byte.com>), Edmund X. DeJesus's “Reconcilable Differences” examines Microsoft's struggle to maximize Windows 95's compatibility with existing DOS and Windows applications. The programs that still won't work exactly right seem to fall into distinct categories.

Unless you're still running programs by rewiring circuit boards, you're dealing with an OS every day. Our lineup will keep you up on what's new and decidedly different in the software we love to hate. ■

—Edmund X. DeJesus, Senior Editor



AFTER A BRIEF ENGAGEMENT, YOU'LL BE
READY FOR A LONG-TERM COMMITMENT.

GALANT

*Designed to supplement the three-point shoulder/lap safety belt. †Comparison based on most current information for comparably equipped models.
**Mitsubishi HomeLink® System is exclusive to Galant in import midsize sedan segment and standard on both the ES and LS models. House lights
operable with HomeLink's optional lighting system. ††ES Premium Package as shown above includes power sunroof, fog lamps, alloy wheels, upgraded
interior trim and audio system. Prices exclude taxes, title, license, registration fee, freight, dealer options and charges.

From your first moment in a Galant, you'll sense the start of an enduring relationship. After

THE GALANT

all, it protects you with standard dual air bags,* front and rear crumple zones and available

FOR 1996.

anti-lock brakes. It recognizes your need for space by giving you more interior room than

THE START OF

the Accord or Altima.† And it provides reassurance with the exclusive Mitsubishi HomeLink®

A STIMULATING

System, which lets you control the lights in your home from the safety of the driver's seat.**

RELATIONSHIP.

But perhaps the Galant's strongest trait of all is its dependability. A trait we back with a

powertrain warranty that can carry you into the next century. As always, in any relationship,




financial compatibility is a must. The Galant S starts at \$14,920, while the ES with Premium

Package is \$21,454.†† Call 1-800-55MITSU for the Mitsubishi Motors Dealer nearest you, and

for what's bound to be an engaging test drive. Mitsubishi. The New Thinking in Automobiles.™

SERVERS • RAID • STORAGE



THE SAG TOWER OF POWER

BUILT TO ORDER

High Quality Custom-Configured Systems At Off-The-Shelf Prices

Precision Engineered Power Systems!—SAG file servers are built with precision and offer features like multiple processing, disk mirroring, RAID 5 fault tolerance—plus more storage capacity at prices the competition just can't beat. Affordable Disk Arrays, Tape Backup Solutions and RAID 5 Technology from SAG Electronics "The High-End Solutions Company."


We've Outclassed the Competition!—SAG incorporates the highest quality components in all its systems like MICRONICS motherboards, ADAPTEC controllers and Seagate, Quantum & Micropolis hard drives. Performance, reliability and customer satisfaction is what we're all about. We are the only vendor to offer fully configured custom engineered servers and storage solutions.

Compatibility Guaranteed! Expert Software Services Available!—All our systems are guaranteed to work with your operating software. We provide expert services on OS/2, SCO, Novell, and Windows NT operating systems.


Buy Direct from SAG Expert Technicians!—SAG expert technicians and knowledgeable sales personnel can configure a custom solution to meet both your technical and financial requirements. We have been satisfying the technical demands and needs of our customers since 1987.




Top Honors
Internet File Server



SAG TERABYTE



PC RACK MOUNT SOLUTIONS



STACKABLE MODULAR DRIVE SOLUTION



DUAL MOTHERBOARD 16-BAY 400 WATT REDUNDANT POWER

ALPHA 275MHZ

- 2MB CACHE
- 1 DEC 275 ALPHA CPU
- 64MB RAM EXPANDABLE TO 512MB
- 4x CD ROM SCSI
- 4GB 7200 RPM DRIVE SCSI WIDE
- 4MB PCI VIDEO
- 12 BAY 300 WATT POWER
- WINDOWS NT

\$8399

DUAL 133 MHZ SMP MULTIPROCESSING FILE SERVER

- DUAL 100MHZ & 90 AVAILABLE
- 2 INTEL 133MHZ PROCESSORS
- 512K CACHE
- 32MB RAM EXPANDABLE TO 512K
- 4GB 7200 SCSI WIDE
- SLOTS: (3) PCI, (5) EISA
- SONY 4X CD ROM SCSI
- ADAPTEC 2940W
- #9 2MB PCI VIDEO
- KEYBOARD, FLOPPY, MS MOUSE
- TOWER CASE 300 WATT

\$4899

GRAPHICS POWER STATION 133 MHZ

- IMAGINE 128, FASTEST, GRAPHICS, DRIVE, AND MOTHERBOARD
- 90 • 100 • 120 • 150 • 166 • 200 PENTIUM SUPPORT AVAILABLE
- 1 INTEL 133MHZ PENTIUM 512K PIPELINE SRAM CACHE
- TRINITY CHIPSET "EDO MEMORY OPTION"
- 16MB RAM EXPANDABLE TO 128 MB
- SLOTS: (4) PCI, (5) ISA
- ADAPTEC 2940W, SONY 4X CD ROM
- #9 IMAGINE 128 BIT GRAPHICS 4 MB VRAM
- 4 GB 7200 RPM SCSI WIDE
- MICROSOFT MOUSE, 101 KEYBOARD
- MS-DOS & WINDOWS FOR WORKGROUPS
- MINITOWER

\$3889

QUAD 150 MHZ SMP 12GB RAID 5

- SUPPORTS PENTIUM 90-100-120-150-180
- TRUE 128 BIT MEMORY BUS ZERO WAIT STATE INTERLEAVED 256 BIT BUS
- 64 BIT CPU BUS OPERATES AT 60MHZ WITH TRANSFER RATE OF 480MB/SEC
- 1 INTEL PENTIUM 150MHZ CPU EXPANDABLE TO 4
- 512K CACHE ON EACH CPU MODULE
- 32MB OF ECC MEMORY EXPANDABLE TO 1.7GB
- SLOTS: (4) PCI, (4) EISA, (1) ISA
- 3 4GB 7200 RPM SCSI WIDE REMOVABLE DRIVES
- PCI RAID 5 CONTROLLER
- 4x CD ROM
- KEYBOARD, FLOPPY, MS MOUSE
- 14 BAY TOWER REDUNDANT 300 WATT POWER SUPPLY

\$17499

RAID 5 SOLUTIONS
REDUNDANT POWER SUPPLIES
HOT SWAPPABLE DRIVES
ALL SOLUTIONS UPGRADABLE

6GB	7200RPM	SCSI	\$5502
12GB	7200RPM	SCSI	\$8300
12GB	7200RPM	SCSI-WIDE	\$8525
63GB	5400RPM	SCSI	\$20442

WE ONLY BUILD CUSTOM SOLUTIONS! CALL FOR PRICING.

1.800.989.3475

SAG ELECTRONICS • 451 ANDOVER STREET • NORTH ANDOVER, MA 01845 • 508-682-0055 • FAX 508-689-0180
HOURS: 8:30AM-8:00PM, MONDAY-FRIDAY

GSA SCHEDULE PENDING

PRICES CHANGE - PLEASE CALL

SAG ELECTRONICS

AT&T on-site and 4 year extended warranties are available. Lease options available. Returns may be subject to restocking fee. RMA# must be acquired.



SAGBT91495

OS Paradise

TOM YAGER

Shall I take the Ferrari or the Jaguar to the restaurant? Shall I have the lobster or the linguine calimari? Shall I go to the beach house or the mountain chalet this weekend?

No doubt about it, some types of problems are more fun than others. And the problem of choosing a desktop operating system has gotten a lot more fun lately.

Today, there's so much overlap in OS capabilities—at least each vendor's *stated* capabilities—that we're cursed with an embarrassment of riches. For any problem we must solve, several OSes promise a uniquely capable solution. And with the bundling that has become commonplace, OSes sometimes *are* a self-contained solution, applications and all.

So let's look at some operating systems to see what they're good at and not so good at. For this evaluation, we chose a common base—a PC with an Intel or compatible CPU—and five commercial PC OSes: Microsoft's Windows 95 and Windows NT Server, IBM's OS/2 Warp, Novell's UnixWare, and SunSoft's Solaris.

Using Windows 95

A user interface isn't simply a matter of drawing colored dots on a screen. Broader behavioral issues, commonly referred to as "look and feel," shape a user's feelings about his or her computer. We've seen that it can help make the difference between a productive worker and a disgruntled one.

On the benevolent-dictatorship theory alone, Windows 95 has a leg up. Microsoft is not only the sole supplier of the OS, it also sells the platform's most popular development tool (Visual C++) and the most popular suite of applications (Office).


There are passing similarities to OS/2 as well, but key features of both the layout and the behavior of Windows 95 are strikingly NextStep-like. A totem-pole stack of icons for frequently accessed applications sits glued to the desktop. Across the bottom of the screen is a list of running applications with a graphical representation for each. Both graphical and text-based applications can be launched from the command line.

Critics have taken Microsoft to task for its continued depen-

dence on 16-bit and DOS code. These same critics would have had even more to complain about had Microsoft abandoned so-called legacy applications and devices, those programs and peripherals supported under Windows 3.x but which have no 32-bit native equivalent.

A user of Windows 3.1 should quickly feel comfortable with 95's interface. Every aspect, from installation to application launching, is easier than under old Windows. The famous Start button unravels a cascade of menus which, depending on your preference, will either catch your fancy or annoy the daylights out of you. For the latter group, Microsoft has included a version of the much-maligned (and deservedly so) Program Manager called the Explorer.

The Windows user interface has gotten more than a cursory overhaul. (Some of the interface enhancements have been split out into a product called the Plus Pack, a \$55 add-on.) The entire



JOSEF GAST © 1995

The lowdown on the latest 32-bit PC operating systems


look is different, from window borders to mouse cursors. Font-smoothing drastically improves the appearance of larger text. When you resize a window, the window changes shape in real time. You can do a slow double-click on icon captions to change their names. Look-and-feel preferences now let you customize minute aspects such as the font used in title bars. Desktop Themes, including background images, colors, and font selections, can follow you around a network to make any machine feel like home. Even 16-bit Windows applications inherit Windows 95's look with regard to borders and common dialog boxes (e.g., "File Open").

TCP/IP support is standard, so if you're connected, you can use Windows 95 to run built-in apps and other Winsock (Windows sockets) software. Windows 95 also lets you connect to Windows for Workgroups and other NetBEUI LANs, as well as NetWare servers.

Using OS/2 Warp

OS/2 Warp Connect has become a popular choice for the desktop. Before Windows 95 came along, OS/2 Warp was the best way to coax 16-bit Windows programs into multitasking more efficiently. You can run a high-speed modem session with a native Warp application (included in the Connect bundle) and support several Windows programs in the background without bogging down file transfers.

Most of these benefits pale in a field that includes Windows 95. OS/2 Warp can't run Windows NT or Windows 95 applications, and its user interface, while perfectly functional, looks industrial compared to the sleekness of Windows 95. That's sizzle, not steak, and so it may not figure into your consideration. Like Windows 95's Start button, Warp's Launchpad eases access to common functions by placing them a couple of clicks away. You may prefer the Launchpad to the Start button's incessantly cascading menu: Launchpad isn't quite as customizable, but it can save you digging through the Workplace Shell's deep hierarchies of icons for common functions.



Windows 95 is an operating system that's pretty easy to use and fairly powerful. But don't expect it to jump through all the hoops you expect Unix to go through.

Using OS/2 Warp to multitask Windows applications probably holds no appeal now that Windows 95 is out. It is worth running if you have even one critical native application. Warp also performs well as a nondedicated server for a Windows for Workgroups LAN; the demands of LAN print and file serving will take a lesser toll on a Warp machine than on Windows for Workgroups, and Warp's reliability is generally much higher.

The Warp Connect bundle, which includes many extra applications (a Web browser, for example), doesn't strike a decisive blow for OS/2 relative to Windows 95. Since most users have 16-bit Windows applications, they'll continue to run on whatever 32-bit OS they choose. IBM's bundling of personal productivity applications probably won't make a clear difference. IBM's anticipated shift to emphasize servers and vertical applications, areas where Big Blue has proven strength, should gain OS/2 more ground.

Using Unix

Unix is an odd market, primarily because it means so many different things. We chose to evaluate two System V Release 4 Unix products: Novell's UnixWare and SunSoft's Solaris x86. UnixWare went through some serious changes in release 2.0, gaining considerable maturity and stability in the process. Similarly, Solaris x86

version 2.4 cast off the yoke of prior releases, which were roundly criticized as buggy.

As with OS/2, Unix suffers a lack of major-label commercial applications. That has never been Unix's strong suit. Sites looking to put themselves on the Internet should think of Unix first. Most of the tools you need are free, and there's plenty of good help available when you get in a jam. Unix is also a mature and highly functional choice for application servers. Everything from accessing remote databases to executing remote applications can be handled by commercial Unixes.

Solaris and UnixWare rely on the X Window System for a graphical user interface. SunSoft and Novell each created their own file-manager shells that implement drag-and-drop capability and otherwise approximate the behavior of other popular GUIs. You can run graphical applications remotely: The remote machine, even hundreds of miles away, runs the software, but the interface is presented to you at your desk. Any PC or Mac running a popular OS can be adapted to work as an X Window terminal. In this regard, Unix offers the widest latitude of remote access as a standard feature.

UnixWare is a strong system with a workable graphical shell and a suite of well-designed graphical administration tools. As an application platform, UnixWare is a good distance behind Solaris, but only when you compare UnixWare with Solaris' implementation

Samsung monitors. Designed from your point of view.



SyncMaster™ 17GLi.

Today's applications demand more from your monitor. That's why Samsung created the GLi Series monitors. They work the way you do.

Performance is only part of the reason to buy a new 17-inch SyncMaster monitor. It has big, bright, crisp, clear images that you can depend on year after year.

Simplicity is also important. The GLi Series offers Plug and Play* compatibility, so you can get right to work. Its intuitive controls and on-screen programming keep concentration where it belongs – on the job.


Plus, Samsung delivers outstanding **Value** – in the comfort of a three-year warranty, and the satisfaction of a competitive price.

If you take your work seriously, think about an exceptional monitor. Think about the SyncMaster 17GLi. After all, it's your point of view.

Call 1-800-933-4110 or use fax-on-demand at 1-800-229-2239 for more information.

SyncMaster	15GLi	17GLi	17GLi
Flat Square CRT	15"	17"	17"
Dot Pitch	.28	.28	.28
PC Compatibility	1280x1024@60Hz	1280x1024@60Hz	1280x1024@80Hz
Max. Compatibility	1024x768@75Hz	1024x768@75Hz	1152x870@75Hz
Color Temp. Selection	•	•	•
UltraClear Coating™	•	•	•
Limited Warranty	3 Years	3 Years	3 Years

Actual viewable areas are 14.0" (15GLi) and 16.0" (17GLi and 17GLi).



© 1995 Samsung Electronics America, Inc. SyncMaster™ and UltraClear Coating™ are trademarks of Samsung Electronics. *When used with Windows 95™ or a Plug and Play operating system conforming to VESA guidelines. Use of the Energy Star logo is not intended to be a product endorsement.




Circle 180 on Inquiry Card.

of the Motif Common Desktop Environment (CDE). CDE's front panel (see the screen shot below) nearly matches OS/2's Launchpad, but the front panel supports multiple workspaces. Each workspace is a full virtual screen, and you can switch from one screen to the next with the mouse or the keyboard. Solaris' CDE brings the X Window System up to consumer standards with enhanced E-mail, text editor, calendar, image editor, and other tools. CDE's new help facility compares well with Windows and offers hope that Unix developers may take advantage of this powerful standard.

CDE's worth goes deeper than its glossy surface, and it isn't peculiar to Solaris. It's the product of the collaboration of Sun, Digital, IBM, Hewlett-Packard, and Novell. Solaris is the first CDE implementation we've seen.

Solaris has two unmatched features: Display PostScript (DPS) and Wabi. DPS enhances Solaris' OpenWindows X Window software with a full PostScript interpreter. You can view PostScript documents on-screen and even embed PostScript functions in your X Window programs. Solaris' documentation comes on CD-ROM in "AnswerBooks"—PostScript with embedded hypertext links. It's an effective combination, and it makes a good source for printing, too. And when it comes to running Windows applications on your Unix system, Wabi does quite well. Even enhanced-mode Windows applications run under Wabi, and SunSoft has done a good job of simplifying the work of installation. Wabi supports many popular mainstream software applications, but before adopting Wabi, first check the compatibility list



UnixWare is Unix with a fairly attractive face. Front ends to the Unix file system, the system administration tools, and mail are built in. You will find yourself at a command line once in a while, though.

to make sure that the programs you use are on there.

Administering Windows 95

Testing is the key to deploying a fleet of machines with a new OS. You may find that devices you favor aren't supported by your new OS. In our tests, an Orchid SoundWave 32 sound card was not supported by any of the tested OSes. A Sound Blaster 16 ASP card proved problematic in Windows 95 (reportedly fixed now), and even Microsoft's own Windows Sound System card produced no MIDI music.


Running a 32-bit OS requires a powerful system. Vendor recommendations can

be used only as an optimistic baseline. One Microsoft spokesman referred to the claimed 4-MB memory minimum for Windows 95 as sufficient "unless you want to run real applications." A more realistic minimum is 8 MB. Our testing proved that 16 MB offers enough slack to minimize swapping in a networked environment with typical applications.

Microsoft's DriveSpace compression utility that can about quadruple the capacity of your hard disk. It's also flexible, letting you apply varying levels of compression to individual files or groups of files rather than to entire drives. Windows 95 takes advantage of multitasking by introducing agents, programs that run in the background. With Plus installed, standard agents watch disk space, defragment your drives during off-hours, and implement DriveSpace's higher compression levels. The DriveSpace agent will also look for files that haven't been accessed in a specified number of days and compress them for you.

For administrators, an unpleasant aspect of Windows 95 is the VFAT file system. It gives you long filenames, but in most other ways, it's still the dumpty old FAT. Until native backup applications appear, you must resort to kludgy workarounds to reattach severed long filenames to their 8.3 DOS equivalents after a restoration from tape. VFAT also has no notion of file ownership or file-level access control, so real security is impossible to implement. If a user can get at a drive, local or remote, he or she can access every file on that drive. In our opinion, that puts Windows 95 completely out of contention as anything but a casual, completely open workgroup server.

Microsoft did itself proud, though, in redesigning the administrative side of Windows 95. You need to grab a copy of the Windows 95 Resource Kit. This chubby package explains everything the scant Windows 95 manuals don't, and the kit



Solaris includes the AnswerBook, a very souped-up version of the man pages. It also features the Common Desktop Environment (CDE), which is the "new" look and feel of Unix.



Unleash your laptop.

[At last. Connectivity without the cord.]

Stop hunting for phone jacks! Make your laptop really portable with the Personal Messenger™ 100 Wireless Modem Card from Motorola. With this compact, easy-to-use card, you can send/receive E-mail from your office network or the Internet, send faxes, or access corporate databases, and more— free of phone lines. With the modem card and Motorola's AirMobile™ wireless software, laptop users with Lotus® cc:Mail™ Mobile for Windows® can directly access their corporate E-mail server to exchange messages and files over the ARDIS™ nationwide wireless data network. It's a single mailbox solution to support mobile workforces, traveling executives and others who want to keep in contact from just about anywhere.* And, using the ARDIS network, there are no roaming or long-distance charges. To untether your laptop from phone lines forever, call for your nearest dealer and an information kit. And, for a limited time, take advantage of a special introductory rebate offer. Call our toll-free number for details.

\$100 Motorola Rebate on purchase of the Personal Messenger™ 100 modem card.

Personal Messenger™ 100



Wireless Modem Card slips into most laptops, palmtops or PDAs with a Type II or III PCMCIA slot. This all-in-one peripheral features a built-in battery for stand alone operation, 8K message memory and fold-away antenna.

1-800-8-wireless
1 - 8 0 0 - 8 - 9 4 7 3 5 3

No Wires. No Limits.™

Ideal for Lotus® cc:Mail™ Mobile users.
Lotus.



*The Personal Messenger™ modem card operates on the ARDIS nationwide, two-way wireless data network that covers over 90% of the U.S. business centers. ® and Motorola are registered trademarks and Personal Messenger and AirMobile are trademarks of Motorola, Inc. All other trademarks are the property of their respective owners. © 1995 Motorola, Inc. All rights reserved.

Circle 162 on Inquiry Card.

THE LINUX PHENOMENON

Linux is an amazing work: a robust operating system designed and written by far-flung groups of engineers, working for free. Recent attempts at commercialization notwithstanding, Linux is clearly the best 32-bit OS you can get for \$25. Somewhat oddly, it seems to be attracting more development than commercial PC Unix systems, at least among those developers who contribute their wares to the public. And Netscape, that mother of all Web browsers, eschews all other PC Unix versions to run on Linux.

How good is Linux (and its counterparts FreeBSD and NetBSD)? Good enough, some think, to deserve use in critical applications. For example, Internet provider FastLane Communications operates on PCs running NetBSD. Like FreeBSD, NetBSD has its roots in code developed at U.C. Berkeley—code that is commonly used in commercial Unix releases, including System V Release 4. Linux borrows its networking innards from BSD, so in that regard, at least, it earns the right to be taken seriously.

For the Unix faithful, Linux and its BSD cousins have relit the flame that commercial software giants nearly extinguished. While purveyors of pricier Unices for Intel-based PCs have failed to deliver a binary application standard, Linux has become a standard of its own. Big-name applications (except for Netscape) are lacking, but the Internet offers an abundant selection of tantalizing free applications. You may be frustrated by the lack of precompiled public applications for UnixWare or Solaris. Linux users suffer no such frustration. Indeed, most typical Linux distributions include four CD-ROMs packed full of software. And let's not forget the always-standard complete

source code, which is at least educational and, for some, a glorious road to self-sufficiency.

Devotion Required

Defenders of Linux and FreeBSD/NetBSD reserve their most potent venom for those who suggest a noncommercial OS shouldn't be trusted for critical applications. Linux users in particular seem united in the belief that all commercial OSes are junk. Linux, they say, has gotten a raw deal in the Microsoft-cowed press. That's certainly true, but only to a limited extent. Linux and its BSD cousins still have some very rough edges. Getting the software installed isn't hard now that interactive install scripts are standard. Getting *past* that point, however, often calls for a hobbyist's devotion and love for long hours. Nearly all the Linux faithful are people who, if they couldn't rewrite the kernel in their sleep, could at least tell you where every key configuration file is squirreled away. That kind of skill takes time to acquire, and for Linux and FreeBSD and NetBSD, it is the minimum price of admission.

Perhaps that's as it should be. As one Linux aficionado put it, "If you don't understand how it works, and how to fix it when it's broken, you have no business using a computer."



includes three disks with management tools. Some tools, like the registry and policy editors, are included with Windows 95, but they're hidden away. Policies limit a user's access to resources and applications. You can restrict a user from accessing his or her Control Panel applets or modifying desktop settings. These policies can follow a user around a network, or you can create policies that keep all users of a shared machine from messing up the configuration.

Windows 95 connects, out of the box, to NetBEUI (Windows NT, Windows for Workgroups, LAN Manager, IBM OS/2 LAN Server), TCP/IP (including PPP and SLIP), and IPX/SPX (NetWare) networks. E-mail support is standard, and a unified in-box for fax, Microsoft Mail, Internet mail, and Microsoft Network mail is provided through an application called Exchange. The Plus package adds the Internet mail capability. Exchange's decision to reach into our UnixWare E-mail gateway and move (transfer and delete) all of the test user's E-mail was unexpected and unwelcome.

Windows 95 supports dial-up networking through Remote Access Server (RAS). The OS supports one dial-up client, so

your users can set up their own modems to call their desktop systems for E-mail and remote networking.

Administering a network of Windows 95 systems is aided by the tools both in the OS and in the Resource Kit. It's made comparatively more difficult, however, because Windows 95 lacks both a competent shell language (for custom tools) and remote shell access. You can't easily send remote system commands through a network or dial-up connection. For that, you'll have to create your own tools, live with the limited access provided by Microsoft's standard tools, or buy Microsoft's System Management Server. Until native remote-access tools become available, managing a fleet of Windows 95 systems will be a hassle compared to OS/2 or Unix.

Administering OS/2

From a feature standpoint, OS/2 has most everything Windows 95 has except the ability to run the latest 32-bit Windows applications. Warp supports NetBEUI, TCP/IP, and NetWare networks. PPP and SLIP are standard. Tools for fax, Internet E-mail, and TCP/IP are standard. Network installation is supported. To its credit, OS/2 Warp also includes both a credible shell

language (REXX) and the ability to run an OS/2 shell remotely through Telnet.

Unfortunately, OS/2's administrative interface starts to unravel when you set about configuring its many options. While Windows 95 keeps all its vital controls organized under the Control Panel, OS/2 spreads its administrative tools around. You must do quite a bit of hunting to bring together all the applications you need to get the system configured.

OS/2's implementation of TCP/IP is more complete than that in Windows 95, nearly rivaling Unix. Command-line tools, including essentials such as `nslookup` (name server lookup), are standard. If you have other TCP/IP applications you'd like to run, all of OS/2's supported modes (DOS, Windows, and OS/2) have network socket support. IBM includes code that adds socket support to the REXX shell language. Also, you can use OS/2 as a router or a gateway. IP forwarding is supported (unlike in Windows 95), and the OS handles up to seven network interfaces.

continued



You get the mouse. Head up the screen.



Pull in a database server. FIVE seconds to lunch.



You distribute a transaction. FOUR. Put a move
on multimedia. THREE. Drag. TWO. Drop. ONE...



Yeeesssss. It's all over, baby.

It's easy to see why nothing propels you into the big leagues of object-oriented programming like our new VisualAge™ C++ version 3.0.

It transcends mere GUI builders. *Can your software do this?* This fully integrated development environment lets you generate tight, fast client/server applications with point-and-click ease and efficiency.

A simple drag-and-drop incorporates the truly scalable capabilities of a vast library of pre-built Open Class objects, which means you can create distributed client/server apps



quickly. And with Open Class and C++ compilers for OS/2*, Sun™ Solaris™, OS/400®, AIX®, and MVS, deploying your new object-oriented apps across multiple platforms is really easy. We thought that new features like these would excite you. *Infoworld* agreed, and has called our new VisualAge C++ “object reusability at its finest” and “a masterpiece of visual programming.”†

True OO client/server development with VisualAge C++ for OS/2. It could be the best move you make.

Get a Developer's Kit including OS/2 Warp and a CD featuring an evaluation copy of DB2® v2 when you buy VisualAge C++ for OS/2.* Call your authorized IBM reseller or 1 800 3IBM-OS2, Dept. SA034.


Solutions for a small planet.™

*This is a limited-time offer. To receive your Developer's Kit, simply complete and return the VisualAge C++ registration card by December 29, 1995. OS/2 Warp will be shipped on CD ROM only. In Canada, please call 1 800 IBM-CALL, ext. 8012. Outside North America, please contact your local IBM office. VisualAge C++ for OS/400 will be available in 4th Qtr., 1995. The IBM software home page is located at <http://www.software.ibm.com>. IBM, OS/2, DB2, OS/400 and AIX are registered trademarks and VisualAge is a trademark of International Business Machines Corporation. All other trademarks are the property of their respective owners. †Infoworld review, 5/8/95. © 1995 IBM Corporation. All rights reserved.

What You See: What You Want?

User interfaces are in your face all day. What decisions go into—or should go into—their design?

DINAH MCNUTT

To read E-mail in one Windows application, you press Alt+M G. In another application, it's Alt+U R. And, in a third, Alt+B N. All pretty intuitive, right? Who thinks up these things, anyhow?

Graphical user interface (GUI) design is one of the most controversial aspects of software development. While few people might care how the application itself is programmed or what language is used, everyone has an opinion on the UI of an application. As a software developer trying to design a product, or as a customer trying to use what developers hand us, we all have been involved in interface design. And we have the mouse-scars to prove it.

Icons Rampant

The process of designing a UI varies depending on the size of the organization. At a small software company, it is all too common for the software engineers to design the interface themselves (usually on the fly), with predictable results. One example of this is a call-tracking system that had a call-logging option. When the user minimized the logging window, a crude bit map of a wooden log was displayed in the iconified window. One suspects an engineer quickly drew this icon to use during development, but it was never replaced with a production-quality icon in the actual product.

Other fingerprints that indicate engineers have had their fingers in the UI design are arcane technical terms used in the interface menus or commands. Often the display shows raw data instead of data in some format that might actually make sense to someone not already familiar with the information. For example, most Unix system administrators can easily recognize and parse the following data:

```
student:c0YWzzCDUrNP6:202:20:
```

```
Test Account:/users/student:  
/bin/sh
```

This is a user entry from the system password file. But to the uninitiated, it makes more sense to display the information in the following way:

```
Login Name: student  
Encoded Password:  
c0YWzzCDUrNP6  
User ID: 202  
Group ID: 20  
User Name: Test Account  
Home Directory: /users/student  
Interactive Shell: /bin/sh
```

Note that none of the information has been lost, but it is now displayed in a manner that both the seasoned system administrator and the novice user can understand.

Conversely, having someone who understands nothing about what the product does design the UI can be just as disastrous as the programmer-turned-interface-builder. Imagine a software package for accountants that does not use common accounting terms. No one with any accounting training would be able to use such a package. Novice users are probably going to have to learn the standard terminology anyway, so why invent terms no one knows just to make the product "friendlier"? Instead, the focus should be on the interaction of the user with the product.

Feast of the Unwarranted Assumptions

Never make assumptions about how your product will be used. People will always find new ways to use—and misuse, and abuse—your product. Search for beta testers who will stress your software in new ways and find out which parts of the interface work and which parts don't. These testers can also help you find new potential markets for your software. When they say, "What if when you clicked here it

did this?" you may discover a whole new niche.

Another example: One product allowed users to schedule jobs off-hours. However, the designer built in assumptions about what a "normal" work schedule is and which hours are "off-hours." There was no technical reason for this limitation, so why impose one? Who needs a user interface to dictate their work schedule?

The Menu That Ate Cincinnati

Scalability is a prime area to focus on when evaluating an interface for usability. If a word processing package scrolls nicely for a 10-page document, how does it work for a 100-page, multidocument book? Vendors should design software that works well for both the low-end and the high-end user. A menu with 10 items is quite manageable, but what if there are 1000?

Try this, user interface designers: Multiply the number of items by 10 and then 100. Is the concept still usable? If not, see if you can come up with a different paradigm. For example, the interface of a checkbook program might work fine when the user is entering one or two transactions at a time. But some people, especially with joint accounts, write lots of checks. The software has to deal smoothly with a few checks or many checks each month. We would rather change our software than our way of life.

Understanding the Audience

Before the design process ever begins, identify an audience for the software. Keep in mind the level of expertise of the audience—and especially their expectations of the product. If the audience is diverse, you may need to decide which subset of the audience you are going to target. Then you need to rethink your marketing strategy to see if the product is still viable. Most operating systems, of course, have a "one-size-fits-all" interface.

Many system-administration

products offer only a GUI. This type of interface is great for novice administrators but tends to hamper more experienced administrators, who are used to command-line interfaces. In this particular market, it does not make sense to satisfy the requirements of only the senior system administrator, since one of the motivating factors for buying administration software at all is the ability to delegate tasks to more junior administrators. However, by *ignoring* the senior administrators and developing only the slick GUI for the novices, you may not be able to sell your product at all.

Wheels Reinvented Here

Many people come from backgrounds, such as Unix, where reinventing the wheel is frowned upon and reusing ideas is encouraged. But that philosophy should not apply to user interfaces. Even unimaginative implementors can appreciate good ideas. Only through innovative UIs can ubiquitous computing ever be achieved. What these interfaces will look like we perhaps cannot imagine, but we can imagine the useful things computers could do if they were more deeply integrated into our day-to-day activities.

Software and hardware design will both play factors in the role of UIs. The venerable keyboard-and-mouse combo is not always a practical way to use a computer. Both hardware technology and user demands for better interface designs should drive each other to improve the computing environment.

There was a time when it was unimaginable that anyone would need more than one window on a terminal. (When sharing a VAX 11/750 with 20 other people, this is probably true.) Now we may need several computers with many windows to do our jobs. In the same way, why should our computer interaction be limited by how fast we can type? Someday those limitations, and others we don't even recognize yet, will be removed. Now what will *that* interface look like?



In this and many other regards, OS/2 Warp combines the requirements of both desktop and server. Expect the coming Warp Server product to strengthen the server side with features such as disk mirroring and remote administration.

RAM requirements for OS/2 Warp start at 8 MB. Plan on 16 MB for a "power desktop" configuration, 32 MB if you're setting up a shared server. OS/2's device support is dated. It worked with the ET4000/W32 display card in our test machine, but only in interlaced mode with no manual override. You can override the system's modem selections, but that device list showed its age by leaving out V.34 models. Very few sound cards are supported, and the NE2000-compatible network card we used for testing required a driver from the vendor. It's essential you check the latest list of supported devices.

For supported devices, OS/2 seems smarter than Windows 95. When we changed the parameters for the network card, OS/2 queried the card and adjusted to the new parameters automatically. Windows 95 did not.

There are two more reasons to consider OS/2: its multiprocessor version and its coming support for the Power PC chip.

Administering Unix

It may take longer to learn to administer Unix systems, but once you've achieved the skills, you'll find the tools and capabilities of Unix unrivaled for many server applications. As we've mentioned, every variety of executable—line-mode text, full-screen text, and graphical—can be executed on any LAN, WAN, or dial-up node. UnixWare includes support for TCP/IP (with SLIP and PPP) and NetWare LANs. Solaris matches this, but it makes NetWare client support optional. NetBEUI support isn't standard, but a public-domain server called Samba runs on both UnixWare and Solaris. Clients must support NetBIOS over TCP/IP; check your clients' software.

Don't be misled by all the talk about Novell merging UnixWare and NetWare: Novell currently has no NetWare

server software that runs under UnixWare. Only client access is supported. Both UnixWare and Solaris do include NFS (the Network File System), and Solaris 2.4 (from Sun, which invented NFS) reportedly includes enhancements to NFS to improve performance. NFS has never been a top performer as a file-sharing system, but it is cheap to implement and easy to manage, and you can get NFS client software for all types of machines and operating systems.

UnixWare simplifies administration with a decent set of menu-driven tools. These tools are split between textual and graphical, but the most important functions are found in `sysadm`. This program's windowed textual interface makes fairly quick work of adding users, configuring dial-up lines, and other essentials. Solaris, inexplicably, discards this System V Release 4 standard in favor of its own graphical administrative tools. These tools, while prettier, don't cover the range of facilities covered by `sysadm`. Solaris administrators must navigate the jungle of command-line tools to do the work `sysadm` does for you in UnixWare.

UnixWare ships standard with a journaling file system from Veritas. Journaling limits loss of data on system failures and makes recovery after a power outage or other hard failure much quicker. You can purchase advanced file-system software for both Solaris and UnixWare to add support for striping, mirroring, spanning, and other server requirements. Unix has support for several installable file systems, all of which support ownership and detailed permissions. Most let you have long filenames and hard and symbolic links, or aliases for files and directories. Some Unix file systems support quotas, which track and limit each user's disk usage.

Machine requirements for PC Unix systems are comparatively steep, a strike against Unix as a desktop environment. We tested both Solaris and UnixWare on a Pentium 90 with 32 MB of RAM; amazingly, both suffered marked performance degradation when running a short stack of applications in a graphical environment. Solaris' performance hit was worse, but the CDE software was still in beta. If you plan to deploy PC Unix systems as servers, consider whether you really need to run the X Window interface. X eats RAM like crazy. Also, both UnixWare and Solaris automatically start NFS at boot time. You can save resources by turning NFS off if you won't use it.

Without the graphical environment, you



**Advanced
Micro
Devices**

Am486[®] DX4-100

Designed for



Microsoft
Windows 95

One Look At Our Microprocessors, And Microsoft Was All Over Us.

Microsoft® couldn't have made it any clearer. Our Am486® microprocessors were born to run Windows® 95. And at 100MHz, they let you scream through your Windows 95 applications.

All at a price that screams value. ➤ And soon, AMD will be offering even faster 486 devices. Each designed to let

"AMD's high-performance Am486 microprocessors, combined with Windows 95, provide a powerful combination for any PC user."

*— Carl Stork
Director of Microsoft's
Windows Hardware Programs*

you get the absolute most out of Windows 95. And each is, in Microsoft's own words, "Designed for Windows 95!" So call AMD today, and get premium performance without the premium price.

AMD 
Run with it.

1-800-222-9323 Internet: <http://www.amd.com>

should give both UnixWare and Solaris a minimum of 16 MB to 24 MB of RAM. With X Windows running, 32 MB becomes the minimum. If you don't often use the display, as with an unattended server, Unix will reclaim the memory occupied by unused graphical applications. Performance will be slower at launch, but it will improve as idle data gets swapped out of RAM.


Everything you need to put your site on the Internet, as a client or a server, is provided or freely available. Both UnixWare and Solaris work as gateways and routers if you have multiple network interfaces running. Both support demand-dialed PPP and SLIP for modem Internet connections, and both allow you to set up your modems to accept user log-ins, PPP sessions, and UUCP (Unix-to-Unix copy, a modem WAN variant). You can even pick up free fax software from several sites on the Internet. These Unixes work as DNS servers, and both support Sun's Network Information Service (NIS) for distributing user and network configuration databases among groups of systems.

Both UnixWare and Solaris have symmetric-multiprocessing support built-in.

Administering Windows NT

Windows NT Server 3.51 seems to have everything. While we're all bored to death with NT's user interface, which Microsoft plans to update with the Windows 95 look and feel, the services provided out of the box by Windows NT Server have no equal. TCP/IP, NetBEUI, and even AppleTalk are all standard. NT will act as a gateway to NetWare files and printers, and it will link multiple NetBEUI and TCP/IP networks as well. The administrative interface is clean and centralized, and the three-volume Windows NT Resource Kit gives administrators not only the essentials but a well-rounded schooling in the OS's internal structure as well.

Microsoft's NTFS file system delivers the advantages of UnixWare's journaling Veritas file system. It provides long file-names and POSIX-compatible links, as well as ownership and extensive permissions. Mirroring and striping are standard components of NTFS, with a simple, ca-



OS/2 Warp Connect comes with many useful network services—more, in fact, than rival Windows 95. But the user interface can sometimes be somewhat confusing.

pable volume manager easing management of even huge numbers of drives. NTFS permits mirroring at the partition level, so mirrored pairs don't have to be of equal size. NTFS still uses backward FAT drive lettering, but striping makes it possible to combine multiple drives into a single lettered volume. Microsoft thoughtfully allows several versions of each file. This clears the way for uncomplicated handling of the Macintosh file system's resource and data forks, and it also lets you use the file system for versioning and on-disk archiving. Microsoft throws in a graphical backup utility that captures all this extra data.

Windows NT Server's power comes at a price: RAM. On our 32-MB test system, running TCP/IP, NetBEUI, and AppleTalk services together left only 6 MB of RAM free. If you run additional software, 32 MB might prove insufficient. However, if your machine is operating solely as a file and print server, 32 MB should be adequate. Once you start leaning on Windows NT's Unix-like strengths as an application server, plan to raise the bar to 48 MB or higher. While you might rely on virtual memory to provide headroom on a desktop system, it's a bad substitute for real RAM on a server.

We Live in a Political World

With all the hype and legal controversy swirling around Windows 95 at the time of its release, no one can deny that politics


and marketing play as pivotal a role as technology in the OS market.

Microsoft hopes to secure more than just every desktop PC in the universe. The Redmond giant is aggressively pitching Windows NT as the premier server environment. The NetBEUI network protocol, now most often identified with Windows for Workgroups, can serve up files inside, while TCP/IP and SPX/IPX set up hooks to the outside. Meanwhile, Windows NT's user interface gets more Windows 95-like, showing Microsoft's intent to position NT for power desktop users as well.

Whether by luck or by design, Microsoft's strategy locks out other OS players. Commercial software developers must now target three systems—Windows for Workgroups, Windows 95, and Windows NT—each with its own foibles and strengths. Why write a compute-intensive application, for example, that doesn't take advantage of threads as supported by NT and 95? Meanwhile, can you afford to neglect the millions of Windows for Workgroups users who can't or won't upgrade? Developers wind up crafting specially tuned editions of the same code to run on two or more flavors of Windows. Then it all needs to be tested. Who has time for OS/2 or UnixWare?

IBM's OS/2 is, by the standards of most industries, a success. With some nine million copies sold worldwide (according to IBM), there are more machines running OS/2 than any other 32-bit OS. And IBM's OS/2 LAN Server is the second-most-used

Visual Basic




**26 LINES OF CODE.
AND STILL NO INSERTS.
NO DELETES. NO QUERIES.**

```

Sub PubPubID_Change ()
Dim SavePlace As Variant
Dim SQL As String
If Loading Then Exit Sub
PubsTitles.Clear
PubsAuthors.Clear
SQL = "Select distinct Title from Titles"
SQL = SQL + " where titles.PubID = " &
    PubPubID.Text
DataCtl(PubsList).RecordSource = SQL
DataCtl(PubsList).Refresh
Do While Not DataCtl(PubsList).Recordset.EOF
    PubsTitles.AddItem
    DataCtl(PubsList).Recordset(0)
DataCtl(PubsList).Recordset.MoveNext
Loop
If PubsTitles.ListCount > 0 Then
    PubsTitles.ListIndex = 0
SQL = "Select distinct Author from Titles,
    Authors"
SQL = SQL & " where Titles.AU_ID =
    Authors.AU_ID and "
SQL = SQL & " titles.PubID = " & PubPubID.Text
DataCtl(PubsList).RecordSource = SQL
DataCtl(PubsList).Refresh
Do While Not DataCtl(PubsList).Recordset.EOF
    PubsAuthors.AddItem
    DataCtl(PubsList).Recordset(0)
DataCtl(PubsList).Recordset.MoveNext
Loop
If PubsAuthors.ListCount > 0 Then
    PubsAuthors.ListIndex = 0
End Sub
    
```

Oracle Power Objects



3 DRAG AND DROPS

These two programs do exactly the same thing. But Oracle Power Objects automatically generates the application in less than a minute with three simple drag and drops. Without writing a single line of code.

With Oracle Power Objects you can insert and delete data located on a server database without any modifications whatsoever. To do the same thing, the Visual Basic application would require hundreds of lines of code to be written, tested and debugged.

InfoWorld (8/7/95) confirms: "Unlike Microsoft's Visual Basic (VB), Power Objects is truly object-oriented. And Power Objects boasts cross-platform support that VB can't match." In fact, it lets you run Windows applications unmodified on the Macintosh.

Experience the productivity benefits of a state-of-the-market, object-oriented client/server tool. For a limited time, upgrade from your current general-purpose development tool to Oracle Power Objects for just \$99. Offer expires 11/27/95. To order, call: **1-800-633-0586, ext. 4995**



\$99
Competitive Upgrade

Buy III InfoWorld 8/7/95

ORACLE®
Enabling the Information Age

DOING IT OVER

What happens when designers get a chance to build a second OS?

DINAH MCNUTT

Dave Cutler was the lead architect on Digital Equipment Corp.'s VMS, the operating system for minicomputers. Microsoft asked him to create Windows NT. Dennis Ritchie created Unix. Bell Labs put him in charge of Plan 9. Windows NT and Plan 9 are second children. Don't you wonder what it's like to get to design two major OSes? What do you learn? What do you do differently?

A Man with Nine Plans

To most Unix users or C programmers, Dennis Ritchie requires no introduction. He was one of the key developers of the first version of Unix 26 years ago at Bell Labs. He is the "R" in K&R C. Right now, he's head of Bell Labs Computing Techniques Research in Murray Hill, New Jersey, and for more than five years, he has been working with a team of nine programmers on a new OS.

The result is Plan 9. It was originally the brainchild of Ken Thompson and Rob Pike, but Ritchie played an active role by supporting the effort and helping to get Plan 9 out the door. The first version of Plan 9 was released last June.

According to Ritchie, Plan 9 takes many of the ideas from Unix and exploits them more fully. "Everything in Plan 9 is a file," he says. "Plan 9 encourages portability and machine-independent interfaces. Applications cannot tell whether they are running in a small personal computer or a large multiprocessor computer."

When asked about the biggest technical challenges in developing Unix versus Plan 9, Ritchie says, "On one level the technical challenge was the same—to find out how the machines really worked. That is, to get from the manufacturers a correct description of their hardware. Manufacturers really


want to sell you a box with software and don't want you to write your own operating system. At a much higher level, the challenge is to create interesting abstractions and generalizations, like the notions of *file* in Unix and Plan 9."

Looking back, Ritchie notes that software development has changed a lot over the past 26 years. If he had to pick from the tools that he has now that he wished he had 26 years ago, they would be: "A windowing system. Fast communications. I won't ask for three wishes."

Besides the obvious changes in lower costs and increased computing power, Ritchie also cites the advent of networking, distributed computing, and good graphics as the biggest technical changes in software development. He also thinks the appearance of large independent software companies is the most significant nontechnical change.

Amazingly, Ritchie has few regrets about features that didn't make it into Unix and Plan 9. He says the more important release of Unix from his research group was the Seventh Edition, which strongly influenced AT&T's System III and V and BSD, but there aren't any features that they wanted to include and couldn't. His lab was doing work in networking and communications, and their research gradually influenced both flavors of Unix.

Ritchie's only regret regarding Plan 9 was that they could not include music on the Plan 9 CD-ROM. AT&T developed some proprietary algorithms for compressing digital music. Ritchie's group helped make these algorithms work on available hardware. They wanted to include the OS and several hours of music on the CD. The music would "sound like it came from an ordinary CD." Unfortunately, issues regarding the proprietary algorithms



Plan 9 did not come from outer space. It came from Bell Labs, with help from this man, Dennis Ritchie, one of the brains behind Unix.

and the music itself prevented this from happening. "This had nothing to do with the Plan 9 system, but we thought it would be a lot of fun," he says.

Looking back, Ritchie is rightfully proud of Unix and what it's done. "The creation of a portable operating system and the consequent notion of open systems," he says, "I think this helped build an industry."

Asked what his expectations are for Plan 9, Ritchie responds, "They are modest. The ecological niche that Unix occupied is fully colonized and is now being overgrown by Windows of several varieties. The way we [in our research group] use Plan 9 is similar to the way that others use Unix or Microsoft's products, namely as a distributed development system with desktop machines and specialized servers. Whatever Plan 9's technological advantages, we don't have the resources to compete directly in this arena. On the other hand, there are plenty of more specialized areas involving embedded systems in which Plan 9's small size, portability, and technology might do well."

His expectations for Unix are just as modest: "As a product, it's certainly lost any chance to take over the mass market. As a standard, it will live for a long time."

Cutlery Edge

Dave Cutler is the head of the NT Development team at Microsoft. Before joining Microsoft, he played key roles in the development of RSX-11 and VMS at Digital Equipment Corp. In a rare interview, Cutler and his NT team answered questions on the past, present, and future of their OS.

NT and VMS are two very different systems, but they share similar technical challenges. "Both operating systems had rigorous compatibility requirements," the Cutler team says. "In the case of VMS, it was 16-bit programs that ran on RSX-11. In the case of NT, it was 16-bit Windows programs. The number of applications, the complexity of the programming environment, and the less-rigorously defined world of PC applications made NT's compatibility work orders of magnitude more difficult."

Technological changes have helped make NT possible. Faster processors have allowed for more sophisticated systems. "The time to rebuild the system after changes has dropped dramatically, allowing us to make changes and fix problems much more quickly."

In addition to faster processors, software tools are much different than they were 20 years ago. Given a choice of tools from the '90s to take back to the '70s, the team would choose the modern compilers. "They are far better at reliably generating good, solid, optimized code."

Despite the lack of robust tools, the initial release of VMS met the goals the team set out with. Multiprocessor support was on the wish list, but it was not a "killer" feature.

Cutler and his team used the experience with VMS to help make NT a successful project. With VMS, they learned on a similar but smaller-scale project what was essential to the process of building a system. They learned the requirements for applications, and how to design systems so they can be built incrementally. They also learned "why it's important to keep the system

running throughout the process, from beginning to end. And how incredibly hard you need to work to make it happen."

The first release of NT was too slow and consumed more system resources than desired. NT 3.5 demonstrated a dramatic improvement in both areas. The team's goal is for NT to be an OS for desktops as well as servers. "When people use NT, they are consistently impressed by its robustness," according to Cutler's team. "Size and performance are critical areas that we constantly strive to improve."

The aspect of VMS for which Cutler is the proudest is the quality. "Mini-computers were used, from early on, by businesses to run their business. The systems had to run all the time, the applications protected from other applications' faults."

Despite all the technical challenges, one of the team's biggest problems may be the industry press. Media hype and criticism can cause additional stress on an already overworked team.

"It's difficult to predict when a system development will be complete. To begin with, the design is complicated; the problems are problems that are often new to the developers. Add to that a competitive environment that, at times, means changing the definition of the product during the development. Then the media apparently relishes announcing that a project is 'late' while the engineers are working as hard as they can to finish. It adds pressure to an already high-pressure situation. Then come the inevitable cycles of successive praise and condemnation of the product. That can often affect the morale of the team, particularly those who have not seen the cycles before."

The NT team is not done. Nor is NT: "When [NT's] the predominant system on desktops and in networks, then we'll worry about the next project."

Dinah McNutt writes and teaches about system administration. She is a founder of Zilker Internet Park Inc. You can reach her at dinah@zilker.net.

network OS in the PC market. That's all according to IBM, but it makes sense: OS/2 was there when Windows 95 was not. Each slip in Microsoft's schedule signaled a predictable burst in sales of OS/2. Many IS managers got tired of waiting for an environment competent to drive the 100-MHz 486 and Pentium systems landing on desks.

While not conceding defeat on the desktop, IBM is busy remaking OS/2 Warp into a competitor of Windows NT. The dearth of native OS/2 applications would have eventually been OS/2's undoing in the broad commercial market. So IBM will focus on OS/2 Warp Server, a new product slated for release in the first quarter of 1996.

Commercial Unix and Unix variants have always been around to take up the slack. Failing (so far) to reach agreement on source-code compatibility, each Unix vendor still sells its special recipe. As it's impossible to write one piece of code that runs well on all Unix systems, most commercial developers choose not to bother. Interestingly, this problem doesn't exist on non-Intel Unix platforms, such as Sparc/Solaris, where the manufacturer (Sun) exercises tight control. We've seen something comparable with the Macintosh: Apple helps developers by imposing and enforcing standards on its systems. (There is such a thing as a benevolent dictatorship.) So most mainstream Unix applications, such as FrameMaker, are targeted for vendor-specific workstations (e.g., Sun) instead of PCs running Unix. That's not likely to change.

Commentators have frequently predicted the death of Unix, then marveled as it survives one seemingly fatal blow after another. A fanatical following is often credited, but other, more interesting factors are in evidence. Most of the better universities teach part, or all, of their computer curriculum with Unix as a foundation of study. It's easy to find skilled programmers and administrators among the ranks of college graduates.

Also helping Unix along is the Internet. All the information servers—FTP, Gopher, Archie, and the Web's Hypertext Transport Protocol (HTTP) among them—were born on Unix. In most cases, their most advanced implementations exist on Unix. TCP/IP, the unifying protocol that ties thousands of sites together via the Internet, started with Unix, and most TCP/IP networks have a Unix core. Being first doesn't ensure victory, but Unix made a name for itself as a server for everything

from dumb terminal sessions to distributed objects. Even Bill Gates has admitted that Unix is a primary target for Windows NT development.

Where It Leads

Windows 95 blends a picture-postcard graphical interface with a fairly brainy OS. It provides good, but not foolproof, compatibility with 16-bit applications. Resources, while still limited, have been raised well above the limits imposed by 16-bit Windows. In short, Windows 95 is a good compromise: It fixes many of the things we hated about Windows, maintains reasonable compatibility with older applications, and, with the Plus option, adds worthwhile new functionality. It will certainly replace Windows 3.11 as the most popular PC desktop environment, and it just as certainly will maintain a solid lead in the quantity of available applications. Whether you think that lead is fairly won or not, Windows 95 is a safe bet for both users and developers. Administrators should arm themselves with the Windows 95 Resource Kit.

OS/2 Warp has grown to be the only

credible competitor of Windows for Workgroups, even though IBM didn't add peer networking until the recent Connect bundle. It still has some clout, being a full 32-bit implementation and having a file system superior to Windows 95's FAT. If you're running any native OS/2 applications, or if you're developing your own code for in-house use, OS/2 Warp is worth a look. Until vendors get their Windows 95-certified applications out, Warp may still be a good way to mix 32-bit and 16-bit software. But that window is closing, and IBM is opening another one. OS/2 Warp, as it exists today, makes a great host for Lotus Notes, a BBS, or a small department server. The server edition of Warp, when it's released, should boost




OS/2's file-serving power.

Windows NT Server presents administrators with a rare treat: a robust, self-contained server environment. It installs effortlessly; features central, graphical administration; and serves Mac, PC, and TCP/IP networks out of the box. NTFS is based on a marvelous file-system design, and the standard graphical volume manager simplifies management of complex array techniques, including striping and mirroring. Its weaknesses are the FAT-like drive-letter structure for disks and near-absolute dependence on graphical tools that make remote administration more challenging. Some POSIX (Unix-like) command-line tools are standard, and others are included in the Resource Kit, which, again, is a necessity for administrators. The re-made Windows 95 interface may help push Windows NT into Unix's accustomed niches.

That's assuming, of course, that Unix

E-Mail Made E-asy.



E-conomical too.

For just \$49 you can step up from the "beginners" software provided with your Internet account to our feature-rich EMBLA Lite.

Email couldn't be made easier.

- It's Windows "drag & drop" simple
- Provides automatic MIME encoding (or select UUENCODE)
- "Prep" folder for draft messages
- Supports SMTP, POP3 and standard Winsock API.
- IMAP version available

Try EMBLA Lite for Free. Download a free evaluation copy from our Web site at: <http://www.pro.icl.se>

Or for more information email ICL ProSystems at: marcomms@pro.icl.se

To order, contact the resellers listed below.



EMBLA™

UniDirect
800-755-8649
sales@unidirect.com

software.net
800-617-SOFT
<http://www.software.net>

J.P. Brown (In Canada)
416-494-0472
jacks@jpbrown.com

RAIDION[®]

Fault-Tolerant Disk Arrays

RAIDION's modularity makes fault tolerance affordable for any size network. Configure RAIDION using RAIDWARE[™] for cost effectiveness or add the optional LTX array hardware controller for super-performance and platform independence.

Expandable.

Start with only 2 modules for mirrored fault tolerance of up to 9 GB and add one more module to convert to RAID 5 fault tolerance. In this way, a single subsystem can grow to 42 modules under NetWare[™], providing a maximum storage capacity of 378 GB (utilizing 9 GB modules).

Hot-Swap

and Hot Replacement features allow RAIDION to be serviced while your network remains up and running. For even more data protection, configure RAIDION with an on-line spare module which activates automatically in the event of a drive failure. This ensures fault tolerant operation will continue without human intervention.

RAIDION is available for both desktop and rackmount applications. All Micropolis drives feature a full 5 year warranty.

For more information and the name of the authorized RAIDION reseller nearest you, call **1-800-395-3748**

WORLD WIDE WEB: <http://www.micropolis.com>.




See us at
COMDEX
BOOTH #L217

MICROPOLIS[®]

All logos and names are the property of their respective owners.

Circle 159 on Inquiry Card (RESELLERS: 160).



MODULE #	CAPACITY	DRIVE FORM
*LM 2100	2.1 GB	LT 3.5"
*LM 4300	4.3 GB	LT 3.5"
LS 9000	9.1 GB	LS 5.25"
**RS 9000	9.1 GB	RS 5.25"
LTX	Array Controller	LT 3.5"
**RTX	Array Controller	LT 3.5"/RS 5.25"

* Also available for rackmount configuration.
** Rackmount configuration only.

NextStep: Pretty, Limited

The futuristic NextStep is a lovable mutt: a Carnegie-Mellon Mach kernel, BSD commands and libraries atop that, and a proprietary GUI that broke new ground at the time of its introduction. NextStep still has a unique look that's best summed up in one word: gorgeous. It's handily the most visually appealing OS

for Intel-based PCs, thanks partly to the big, artistic icons. Unfortunately, NextStep hurts its appeal with limited device support and a decidedly proprietary approach. NextStep's fans hail mostly from those shops that can afford to create and maintain their own applications. Like Solaris, NextStep has a built-in

PostScript interpreter. It also includes other goodies like a lightning-quick 3-D rendering engine that you have to need to appreciate. Given a suite of custom applications, NextStep is an operating system you could sit in front of all day without going bug-eyed. X Window can't quite make that claim, but it is a standard.

tration in ways no other server environment can match.

The Common Desktop Environment look-and-feel you get with SunSoft's Solaris adds some sparkle to what was becoming a millstone around Unix's neck, the comparatively ugly X Window System. Ugly though it is, X Window's standard ability to run all classes of applications remotely, even through WAN links, endears X and Unix to builders of enterprise networks.

One of life's certainties is the inevitability of change. Maybe what you're running now is doing the job for you. But in time, perhaps soon, you'll find yourself forced to choose from among the field's 32-bit players. We hope we've given you a healthy head start on the homework you should do before settling on the OS you'll run for the next several years. ■

Tom Yager used to be a BYTE technical editor covering Unix and multimedia. Now he's a freelance writer and consultant who runs his own research lab in North Texas. You can E-mail him at tyager@maxx.net.


doesn't advance just as quickly.

After working with UnixWare 2.01 and Solaris x86 2.4, we find that Unix is still just as worthwhile for that which Unix has always done well: If you want to put data—terminal sessions, files, objects, you name it—on a network, Unix remains an

obvious choice. But it's still not for the faint of heart. An administrator with scant knowledge of Unix will find OS/2 Warp and Windows NT easier to install and maintain. However, once learned, Unix's standard tools and quaint (but effective) ASCII configuration files ease adminis-

RETRIEVER HUNTS DATA!

Windows Friendly Access To UNIX Databases



SQL-Retrieve offers best-of-breed access to UNIX databases, so you don't have to worry about the pedigree of proprietary interfaces.

SQL-Retrieve is man's best friend when you want to retrieve and update critical business information in UNIX databases from Windows applications, such as Microsoft Excel or Access. Point-and-click access to Oracle, Informix, Ingres, Interbase, and Sybase databases means no more learning each vendor's proprietary interface. Just fast and easy desktop-to-database power that works right out of the box with virtually every Windows TCP/IP product.

SPECIAL!
ONLY \$150
thru Nov. 30, 1995
NEEDS HOST SOFTWARE



- Access Oracle, Informix, Ingres, Interbase, and Sybase databases without having to learn proprietary interfaces
- ODBC support for Microsoft Excel and Access
- Supports Windows 95, Windows 3.11, Windows NT and Windows for Workgroups



GET YOUR FREE UNIDIRECT CATALOG TODAY TO HUNT DOWN OVER 90 PC-TO-UNIX CONNECTIVITY PRODUCTS!

1-800-613-1683

WebSite: <http://www.unidirect.com> • fax 408-461-5055 • Unifax faxback 714-453-4755 Doc#19160 • ph 408-461-4799 • Dept. AD9005

UniDirect
Where the Corporate World
Connects to UNIX

Now Everyone Can Have The Superior Monitor.



If you've always wanted a top performing monitor, now is the time.

Even the coolest dudes find Nanao's new 17" monitors way cool. The new F2-17EX and T2-17TS models can't be beat for the ultimate

in text and graphics performance. Which is why they're setting sales records at savvy computer stores. Another reason is Nanao's Windows 95 Plug & Play* compatibility. Complicated user set-up adjustments at the time of installation are virtually eliminated. And switching resolutions on-the-fly is a snap. Users are also drawn by Nanao's reputation for outstanding long-term reliability plus the stunning array of new advanced technical features that are ideally suited for graphical environments. Nanao even offers a choice of four 17" models to satisfy your budget,

3-year warranty**



CALL OUR FLEXFAX FAX ON DEMAND 1-800-416-FLEX

*Requires a DDC compatible video card. **3 year on P & L and CRT. Superior In Every Detail is a registered trademark of Nanao Corporation. All product names are trademarks of their respective companies. ©1995 Nanao USA Corporation.

application requirements and tube preference. The F2-17EX features an ultra fine dot pitch Invar shadow mask flat-square tube, while the T2-17TS features the new hybrid technology aperture grill tube. Both monitors provide the power you need to achieve true-to-life colors, crisp typography and a stable screen image. Flicker-free resolutions up to 1280 x 1024 @ 82Hz refresh rate, Colorific™ screen/printer color matching software and on-screen image controls deliver previously unheard of levels of performance. For added safety against emissions, TCO compliance is now available as a standard feature.

If you're wondering why this dude looks so satisfied, it's easy to figure out. He just caught the perfect wave. And the perfect 17" monitor.

F2-17EX	
Dot Pitch	0.26mm
Actual Viewing Diag.	16.1"
Scan Freq.	H:30-86kHz, V:55-160Hz
Rec. Resol.	1280 x 1024 @ up to 82Hz
Max Resol.	1600 x 1200 @ up to 66Hz
On Screen Control	ScreenManager™ and ScreenManager™ Pro
Standards	MPR-II, TCO, FCC B

T2-17TS	
Grill Pitch	0.25mm
Actual Viewing Diag.	16.0"
Scan Freq.	H:30-86kHz, V:55-160Hz
Rec. Resol.	1280 x 1024 @ up to 82Hz
Max Resol.	1600 x 1200 @ up to 66Hz
On Screen Control	ScreenManager™ and ScreenManager™ Pro
Standards	MPR-II, TCO, FCC B

NANAO®

Superior In Every Detail
 NANAO USA CORPORATION
 23535 Telo Avenue, Torrance, CA 90505
 (310) 325-5202 Fax: (310) 530-1679
1-800-800-5202

Circle 163 on Inquiry Card (RESELLERS: 164).

**YOU'LL GET
SERVICE WITH
MOST PCs. THE
QUESTION IS,
HOW MUCH?**

**GUARANTEED AT-YOUR-DESK
NEXT-BUSINESS-DAY**

**NEXT DAY...OR
MAYBE THE
DAY AFTER**

**CALL US
TIMES
FIFTEEN
FIRST**

**YOU CAN'T
OUT YOU
FIGURE IT
YOURSELF??**

**THE BAR
IN THE
IS ARE
MAIL**

**GOT A VOL
METER??**



DELL DIMENSION
Reliable PCs For High
Performance Computing



At Dell, we guarantee* if there's a problem with your Dell Dimension PC, a certified technician will be at your desk the next business day, servicing your PC.^A

We're the only PC company that guarantees this level of service for a full year. You can extend this service on any Dell Dimension



system for an extra two years for only \$199. Looks like our dedication to service is paying off. Dell recently took top honors in the *PC World* Reliability and Service report.

So if Dell is the only PC maker that guarantees next-business-day deskside service, there's only one thing left for you to do.

Step right up.



TO ORDER, CALL

800-822-8972

In Canada* call 800-668-3021

Mon-Fri 7am-9pm CT • Sat 10am-6pm CT

Sun 12pm-5pm CT • <http://www.us.dell.com/>

Keycode #01059

DELL DIMENSION™ XPS P133c
133MHz PENTIUM® PROCESSOR

- Mini Tower Model
- 8MB EDO Memory (128MB Max RAM)
- 256KB Pipeline Burst Cache
- 1GB Hard Drive [10ms, Mode 4] (1.6GB Max)
- 15LS Monitor (15" CRT, NI)
- 64-bit PCI 1MB DRAM Video (128-bit 4MB VRAM Max)
- 4X Multi-session EIDE CD-ROM Drive
- Sound Blaster 16 Sound Card
- Altec Lansing ACS-31 Speakers
- Microsoft® Windows® 95 / 30 Days Free Support

★ Upgrade to 3 years of guaranteed next-business-day, at-your-desk service for only \$199 more.

\$2399

Business Lease⁰: \$89/Mo.
Order Code #500143

DELL DIMENSION P100i
100MHz PENTIUM PROCESSOR

- Mini Tower Model
- 8MB EDO Memory (128MB Max RAM)
- 540MB Hard Drive [12ms] (1.6GB Max)
- 15LS Monitor (15" CRT, NI)
- 64-bit PCI 2MB DRAM Video
- 4X Multi-session EIDE CD-ROM Drive
- Microsoft Windows 95 / 30 Days Free Support

★ Add a 3COM ELink III Combo Network Interface Card for only \$109 more.

\$1799

Business Lease: \$67/Mo.
Order Code #500148

DELL DIMENSION XPS P120c
120MHz PENTIUM PROCESSOR

- Mini Tower Model
- 8MB EDO Memory (128MB Max RAM)
- 256KB Pipeline Burst Cache
- 1GB Hard Drive [10ms, Mode 4] (1.6GB Max)
- 15LS Monitor (15" CRT, NI)
- 64-bit PCI 1MB DRAM Video (128-bit 4MB VRAM Max)
- Microsoft Windows 95 / 30 Days Free Support

★ Add the HP Deskjet 660C color printer for only \$389 more.

\$1999

Business Lease: \$74/Mo.
Order Code #500144

DELL DIMENSION P75i
75MHz PENTIUM PROCESSOR

- Mini Tower Model
- 8MB EDO Memory (128MB Max RAM)
- 540MB Hard Drive [12ms] (1.6GB Max)
- 14XE Monitor (14" CRT, NI)
- 64-bit PCI 1MB DRAM Video (2MB DRAM Max)
- Microsoft Windows 95 / 30 Days Free Support

★ Upgrade to the 15LS 15" color monitor for only \$30 more.

\$1399

Business Lease: \$52/Mo.
Order Code #500141

*Guarantees available in the U.S. only for registered owners of Dell Dimension systems purchased after 8/1/93. For a complete copy of our Guarantees or Limited Warranties, please write Dell USA L.P., 2214 W. Braker Lane, Building 3, Austin, TX 78758. ΔOn-site service provided by BancTec Service Corp. On-site service may not be available in certain remote locations. 0Business leasing arranged by Leasing Group, Inc. *Prices and specifications valid in the U.S. only and subject to change without notice. The Intel Inside logo and Pentium are registered trademarks of Intel Corporation. MS, Microsoft, Windows and the Windows logo are registered trademarks of Microsoft Corporation. ©1995 Dell Computer Corporation. All rights reserved.

Dell's featured computer artist is Max Seabaugh of San Francisco.



COREL DRAW!™ 6

The Best in 32-Bit Graphics!



Corel MOTION 3D 6 - Add a third dimension to text and objects quickly and easily



Corel PRESENTS 6 - Create dynamic presentations with powerful charting, mapping and animation tools



CorelDRAW 6 - Multiple Document Interface, increased speed, power and precision



CorelDREAM 3D 6 - Powerful 3D modeling and rendering software with an easy-to-use interface

Corel PHOTO-PAINT 6 - Exciting new filters, natural media brush styles, unlimited file size

CorelDRAW 6 is here!!! With awesome speed, power and accuracy plus hundreds of enhancements, CorelDRAW 6 is the most robust graphics software suite available.

CorelDRAW 6 offers fully-featured software applications for illustration, photo-editing and bitmap creation, business and multimedia presentations, 3D rendering and animation. Also includes eight great utilities and incredible libraries.



Includes

- CorelDRAW™ 6
- Corel PHOTO-PAINT™ 6
- CorelDREAM 3D 6
- Corel MOTION 3D 6
- Corel PRESENTS™ 6

Plus

- 25,000 clipart images and symbols
- 1,000 photos
- 1,000 TrueType® and Type 1 fonts
- Over 750 3D models



Microsoft, Windows and the Windows logo are either registered trademarks or trademarks of Microsoft in the United States and/or other countries.



We ship FedEx standard overnight shipping

1-800-503-8938

Call 24-hours a day
Or order via Internet!

INFO@INSIGHTD.COM

CorelDRAW 6
\$449*
CD-ROM Version
CorelDRAW 5 to CorelDRAW 6 upgrade \$229*
CD-ROM Vols on
CorelDRAW 3.1 to CorelDRAW 6 upgrade \$159*
CD-ROM Version



http://www.corel.com
Call now for faxed literature!
1-613-728-0826 ext. 3080
Document #1082

Circle 151 on Inquiry Card.

*US\$ plus applicable taxes and shipping.

KUP-0166

Filling in Windows Blanks

PETER D. VARHOL

No desktop operating system is ever complete, and Windows 95 is no exception. Utilities, whether an OS vendor ships them in the operating system or an independent software vendor develops them, play a primary role in the growing and changing expectations we have of operating systems. Some make more efficient use of hardware, such as memory and storage, while others improve (or at least change) the user interface. Utilities may help the system as a whole run faster, or add features that were left out of the OS itself.

The first DOS utilities, packaged with the OS, were simple tools. Two of the most important were Format and Edlin, essential for formatting a disk and editing a (small) file. Even then, however, third-party developers were producing extensions. PC Tools let you recover damaged disks or examine and modify the contents of physical disk locations. Norton Utilities let you unerase an inadvertently deleted file. Quarterdeck Office Systems, with Desqview, added one of the first multitasking shells to DOS, taking advantage of the 386 processor. Norton Commander was for many years a popular way to navigate the directory structure of DOS.

Why Utilities?

The obvious question about OS utilities is why they exist at all. If they are as useful as they seem, why aren't they included as part of the operating system? The answer varies depending on the utility, the OS, and their vendors.

First, utilities may fill a hole in the OS that no one knew existed until the OS got widespread use. One example is DOS 6.2's ScanDisk utility, which examines the structure of a compressed disk: Without disk compression itself, there was not much demand for ScanDisk.

Second, most users might not need the utility. If only 5 percent of all users would need a utility (such as the system-usage monitor provided by Norton Utilities' System Watch), it makes little sense to invest the development time to build it into the OS and



MARK FISHER © 1995

Utility programs provide functions left out of an OS, and the best ones become part of it

then require the additional computer resources to run it.

Utilities are a test bed for new OS technologies. If they are popular enough, they or similar tools may appear in the next major release of the OS, or in an entirely new OS. Microsoft incorporated many third-party utilities—ones for managing memory, for example, or for undeleting files—into DOS 5.0. Qualitas, Quarterdeck, and Norton (subsequently acquired by another utility giant, Symantec) had these utilities long before Microsoft.

Utilities for Windows 95

What has Microsoft included in Windows 95 that was not a part of its previous OS, and why? And an important follow-up question: What is left for utilities vendors to build?


The initial cynical response to that last question might be “not as much as there used to be.” Windows 95 includes a better user interface and a better file manager/navigator, which can make

interface shells such as Norton Desktop redundant. However, the increasing complexity of OSes brings out the need for more and different utilities.

Microsoft itself is shipping a companion set of utilities to Windows 95, called Microsoft Plus for Windows 95. Microsoft designed Plus to do two things: make the PC run better and make the user interface look better. In the "run better" category, the package provides utilities for system and disk maintenance, such as compression and defragmentation. The "look better" tools include Desktop Themes, which lets you load special background wallpapers and accompanying sounds, mouse pointers, colors, and other cosmetic changes, plus font smoothing and wallpaper stretching. There's also an Internet navigator, which provides graphical access to World Wide Web sites. For all-important leisure activities, Microsoft Plus includes a new 3-D pinball game.

So why aren't these same features in the base OS itself? Well, they are, but not to the same extent as provided by the Plus package of utilities.


According to Alec Saunders, Microsoft



Microsoft's own Internet Explorer utility, included in Microsoft Plus for Windows 95, provides GUI access to the Internet and the World Wide Web.

Plus product manager, the first goal of these utilities is to make Microsoft money.

Fair enough. However, in differentiating these particular utilities from Win 95 it-



PICTURED BY VISIONARIES.

What the Other OSes Forgot

DOS, which for many years provided basic operating system services with few extras, bred hundreds of successful utilities. Norton Utilities and PC Tools offered suites combining several utilities that gave users finer control over their computers. Quarterdeck and Qualitas provided better memory management, especially once the 386 made memory more accessible.

Windows 3.0 and 3.1 opened up more possibilities for utilities. With large Windows files—and disk space at a premium—Stac Electronics' DoubleSpace utility quickly became a standard for disk compression (which almost as quickly got integrated into DOS 6.x). Windows 3 was not the best at managing memory. Quarterdeck jumped in and adapted QEMM to handle memory under Windows. Windows' adequate but uninspired Program Manager spawned an industry of Windows shells, with Norton Desktop the leading alternative.

The Macintosh OS has also been a fertile breeding ground for utilities. Many began their existence as desk accessories, enabling users to search for files (Norton File

Find), defragment the disk (Norton Disk Defragment), and recover damaged disks (Central Point's Mac Tools). Norton Utilities and Mac Tools made many PC-type utilities available for the Macintosh.

Few utilities have tampered with the look and feel of the Mac OS, however, primarily because Apple has always published and enforced user interface standards that have precluded alternative desktop managers or shells. Mac utilities have largely focused on providing the users with better access to hardware or OS internals.


Running Multiple OSes

For those who run multiple operating systems from the same PC, V Communications' System Commander is an indispensable utility. System Commander lets you load and boot from any of several OSes, such as DOS, Windows 3.1, Windows NT, Windows 95, and OS/2—on different disk partitions or on the same partition. It will even work with an OS, such as Win 95, that requires installation on the boot sector of the disk. Boot-management utilities such as this are, in effect, OS-independent, giv-

ing the user ready access to any PC operating system.

And NOSes Too

Even network OSes use utilities. For example, Novell's NetWare has a companion product called LAN WorkPlace. LAN WorkPlace, like part of Microsoft Plus, is an Internet access facility that includes the Netscape Navigator for graphical browsing. This points out the growing need for a class of utilities that operate with the NOS, just as most of the popular utilities work with the desktop OS.



POWERED BY MOTOROLA.



WITH CANON'S NEW ES5000, WHAT YOU SEE IS WHAT YOU GET. LITERALLY. ITS AUTOFOCUS IS CONTROLLED BY YOUR EYE! PLUS, IT HAS AUTOEXPOSURE AND DIGITAL IMAGING FOR UNMATCHED COLOR CLARITY. YET, THANKS TO ITS MOTOROLA 68HC16 MICROCONTROLLER, IT'S CANON'S MOST COMPACT CAMCORDER. FROM

PICTURE-PERFECT VIDEO TO LETTER-PERFECT PRINTING, PRODUCTS POWERED BY MOTOROLA ARE FAST BECOMING A WAY OF LIFE.

FOR INFORMATION CALL 1-800-521-6274



MOTOROLA
Semiconductor Products Sector

self, Microsoft used performance and system resources as the deciding factor. For instance, the base Windows 95 is advertised to run on a 386 PC with 4 MB of memory, thus fulfilling a Microsoft promise to make the new OS work on many older systems. For more powerful systems, Plus enhances both operation and appearance. As an example, Saunders cites the Plus disk compression algorithm; it's optimized to run on the Pentium processor. Likewise, the wallpaper used in Desktop Themes looks and performs best with high-end graphics adapters and graphics acceleration. All these utilities *will* run reasonably well on slower systems (such as the 33-MHz 486 used to test Win 95 and Microsoft Plus for this article). However, power users running a Pentium PC with a graphics accelerator will find that the Plus utilities improve many aspects of system use without degrading performance.

System Agent, Man


An important feature of Microsoft Plus is the System Agent, along with other affiliated agents. According to Saunders, Microsoft developed the System Agent to im-




Norton's System Information tells you all about your PC, including BIOS, memory, and video.

prove disk compression. The agent uses a "lazy compression" algorithm, meaning that it waits for idle system time and then

compresses files. To do this, Microsoft needed a way of determining when the system is idle, and the System Agent was



TOUCHED BY INGENUITY.



Windows 95's System Agent allows you to schedule actions, alerts, and program launches by time and other conditions. System Agent may represent a whole new area of smart Windows utilities.

born. It uses preprogrammed rules to detect when the system is not doing anything and

cues the disk-compression utility to start squeezing uncompressed files.

The System Agent uses the same criteria to schedule defragmentation, backup, and scan-disk activities. Agents can also control the launching and running of applications. If an application requires little or no user interaction, the System Agent can schedule the application launch and make sure it completes properly. Applications have to be "System Agent-aware" to receive this kind of service, and Microsoft includes an API that applications can call to do just that.

Third-Party Survival Tactics

Microsoft has a business group for working with third-party developers—including utilities developers—for Windows 95. According to Deborah Epstein-Celis, a product manager with Microsoft's third-party software group, Microsoft attempts to build a base level of features into the OS and then counts on utilities to round out the less basic needs of diverse groups of users. Many of these utilities are pioneered and marketed by other vendors, some in direct competition with Microsoft.

Symantec's Norton division released Norton Utilities for Windows 95 concur-

POWERED BY MOTOROLA.



THE NORTEL MERIDIAN 9516 IS MORE THAN A PHONE; IT'S THE ULTIMATE ANSWERING MACHINE. THE WORLD'S FIRST CALLER ID TELEPHONE WITH A DIGITAL ANSWERING MACHINE, THE M9516 CALLS ON ITS MOTOROLA DSP56166 CHIP TO DELIVER SOPHISTICATED FEATURES LIKE NINE MAILBOXES, VOICE ANNOUNCE OF INCOMING CALLERS, PERSONAL DIRECTORY

AND SPEAKERPHONE. FROM SMART PHONES TO PERSONAL COMPUTERS, PRODUCTS POWERED BY MOTOROLA ARE FAST BECOMING A WAY OF LIFE.

FOR INFORMATION CALL 1-800-521-6274.



MOTOROLA

Semiconductor Products Sector

rently with Microsoft's release of the OS. Norton Utilities includes tools, such as Disk Doctor and Disk Edit, that have become standard fare for power users trying to get the most from their PCs. The Norton Utilities for Windows 95 contains many of the same utilities found in previous versions, including a "safe" format and a system information reader. These are supplemented by Space Wizard, a system diagnostics utility, and the System Doctor. The System Doctor monitors system resources, including CPU, virtual memory, and unfragmented disk space.

Norton Navigator, a companion product for Norton Utilities, is an enhancement of the Windows 95 Explorer. Navigator lets you set up "multiple virtual desktops," different looks and configurations that you can quickly load and switch between. Navigator also incorporates tools for preparing files to move to other systems, such as a way to create self-extracting archives and a uuencode/uudecode utility for sending binary files across the Internet.


Quarterdeck's QEMM memory manager, in the old days of DOS, made parts of the upper memory area available to store drivers. Today, it enables Windows 95 to compress data in memory and make it appear as though the system has more memory available.

For diagnostics, Cybermedia's First Aid 2.0 will examine error messages and other system problems and recommend solutions. Mastersoft's Viewer95 supplements Win 95's existing image viewer by supporting Hypertext Markup Language (HTML) images.

Evolving with the OS

While new versions of utilities may often do the same tasks as their older versions, the new ones don't always work the same. Like the OS itself, they change, offering new capabilities and finding better ways of doing old things. For example, Norton SysInfo originally obtained much of its system-configuration data by reading the CMOS memory that maintained the information used to boot the PC and recognize devices such as hard disks. However, CMOS memory is static. Under most circumstances, it cannot automatically recognize and adapt to changes in the system hardware. It's possible that information in CMOS, and therefore the information reported by Norton SysInfo (and other similar utilities), could be incorrect.

But an industry consortium led by Intel is in the process of developing the Desktop Management Interface (DMI), part of whose role is to dynamically determine



Norton's nifty Space Wizard helps free up room on your hard disk and clear up clutter in the process.

the system configuration and status, prepare and execute queries of system resources, and perform fault diagnosis. The PC updates the DMI data whenever the configuration changes, so the information provided to network administrators is always up to date.

Future iterations of utility software will make use of the DMI, and other new capabilities of the PC architecture, to read system information. This will ensure that system information is accurate and up to date: accomplishing the same task as before, but in a different and better way.

Agents of the Future

Microsoft's introduction of the System Agent—and its OS hook—portends a new way of thinking about utilities. Developers can adapt an agent to many tasks besides detecting system idle time and launching other utilities. The system agent of the future might be able to detect unstable conditions and warn the user before a failure occurs, or perform housekeeping chores such as backing up files.

A preview of what you can use a system agent for comes from Charles River Analytics (Cambridge, Massachusetts), the developer of Open Sesame. Open Sesame uses system agents, along with a neural network, to "learn" your normal pattern of actions and then assist in performing common activities. For example, if you routinely open a word processor and resize and reposition the document window in the same way every time, Open Sesame will "observe" this behavior and ask if you

want it done automatically. Open Sesame has been so useful as a Macintosh utility that Apple is incorporating some of its functions into its next-generation Copland operating system.


An agent itself may be an OS utility. Agents can be used to perform many tasks behind the scenes, either by themselves or in conjunction with other utilities. An agent can change the scheduling algorithm to allocate CPU time between running processes or change the priority of the processes. These types of agents need artificial intelligence, such as the neural network used by Open Sesame, to detect complex patterns of operation and behavior and then use that information to tune the OS.

A Future for Utilities?

The relationship between an OS and a utility is symbiotic. The OS provides the "host," without which the utility cannot survive. The utility, on the other hand, can actually help the OS perform better or behave more reliably. If a utility is incorporated into the OS, it can improve its overall capability, just like beneficial microorganisms in the human body.

A smart developer will make sure a utility evolves into something completely different, yet just as useful, as its predecessor, and begin the symbiotic process all over again. ■

Peter D. Varhol is chair of the graduate computer science department at Rivier College in New Hampshire. He can be reached at pvarhol@mighty.riv.edu.



INTRODUCING THE \$300 BOX THAT'S SAVING JOHNSON CONTROLS MILLIONS.



You can print your drawings in any standard size including ANSI A-E and ISO A4-A0.


If you're looking for a fast, easy and flexible way to do technical drawings at your office or in the field, you have two choices. You could try to make CAD software fit your needs. Or, you can draw from Johnson

Controls' experience and use new Visio® Technical 4.0.

A SIMPLE SOLUTION TO A COMPLEX PROBLEM.

Johnson Controls® discovered that by standardizing on Visio Technical as part of their Windows® desktop, they could save millions per year in engineering costs.

With Visio Technical, engineers went from using 4,000 CAD symbols to just 200 Visio SmartShapes® — greatly simplifying the drawing process and dramatically increasing productivity. Visio Technical also enabled Johnson Controls' sales force to create and modify technical drawings on-site with their



Visio Technical includes over 2,000 SmartShapes for engineering, architecture, and design. Simply drag SmartShapes from stencil to page. It's that easy.


laptops — something they couldn't do with CAD.

FULLY INTEGRATED FOR THE WINDOWS DESKTOP.

Johnson Controls' engineers found Visio's OLE 2.0 connectivity makes it easy to integrate Visio Technical drawings into their documents, presentations and proposals. The capability to import and export DWG and DXF formats allows them to work with existing CAD files. Plus, Visio Technical 4.0 offers Windows 95, Windows NT, and Windows 3.1 versions in one box.



With Visio Technical 4.0, Johnson Controls' engineers can create on-site engineering drawings on their laptops.



EXPERIENCE VISIO TECHNICAL 4.0 FOR YOURSELF.

Visio Technical 4.0 also comes with a 60-day money-back guarantee, so you have nothing to lose. Need more convincing? Call for the Johnson Controls study. Or, order Visio Technical for \$299 by contacting your local reseller or calling 800-24-VISIO ext. E23. Then, visit us on the web at <http://www.visio.com>.

INTRODUCING IT'S MORE MACHINE



Extensa 550CD comes with integrated CD-ROM and 16-bit stereo sound for full multimedia capability.



Extensa 550's PCI Bus architecture enables optimal Pentium performance.



TI EXTENSA. FOR THE MONEY.



EXTENSA

EXTENSA 450

- Weight: 5.0 lbs.
- DX4/75 processor
- 10.4" Dual Scan or 9.4" Active Matrix (TFT) display
- 4MB RAM, upgradeable to 32MB
- Serial infrared port

EXTENSA 550

- Pentium 75MHz
- 10.4" Dual Scan display
- 8MB RAM, upgradeable to 40MB
- Serial infrared port

EXTENSA 550CD

- Pentium 75MHz
- Integrated CD-ROM and 16-bit sound
- 10.4" Active Matrix (TFT) or 10.4" Dual Scan display
- 8MB RAM, upgradeable to 40MB
- Serial infrared port

Today, the pressure is on you to do something extraordinary. To squeeze out more productivity than ever before from the same 24 hour day.

That's why we made Extensa™, the new line of affordable portable computers.

The new TI Extensa 450 is the most extraordinary combination of light weight, power, and affordability.

The new TI Extensa 550 gives you the power of a Pentium® processor for the price of a 486.

And the new TI Extensa 550CD multimedia portable computer gives you CD-ROM and plenty of Pentium technology to enjoy it. In fact, at its price the only thing this powerhouse doesn't have is competition.

So now you can start working faster, start working better, start expanding your capabilities, start extending the power of a Pentium processor, start using multimedia and, most important of all, start making your money work harder.

In short, you can start doing extraordinary things. And it all starts with a phone call. 1-800-TI-TEXAS. E-mail: 2ti@msg.ti.com. Internet: (www.ti.com).


**START
DOING
EXTRAORDINARY
THINGS™**

Extensa 450 is just 5.0 lbs. — subnotebook weight.



 **TEXAS
INSTRUMENTS**

HOW TO KEEP YOUR AUDI- ENCE



WIRED

PLUG INTO PROXIMA®

Want a better way to connect with your audience? Discover the power of Proxima.

With a Proxima Desktop Projector™ you can make a bigger impact with your presentations. Communicate your ideas more



The Proxima DP5100 and the best-selling DP2810 lead the way in brightness, image quality, and price/performance.

clearly. And be more productive. Without the limitations of slides and transparencies.

Just plug a Proxima Desktop Projector into your PC or Mac, and you'll be able to project images from your computer screen onto a large screen or wall. It's that simple.

Want to add audio and video to your presentations? Make last-minute changes on the fly? No problem. Proxima gives you the flexibility and performance to take your multimedia presentations to a higher level.

FIND OUT MORE
about Proxima today. And keep your audience wired.

FREE

"Get Wired With Proxima" Kit!
Get the facts on the latest Proxima products. Call for your free "Get Wired With Proxima" Kit today!

1-800-655-5155 ext. 102

PROXIMA®
THE DESKTOP PROJECTION COMPANY

Main Office: 9440 Carroll Park Drive, San Diego, CA 92121-2298. (619) 457-5500. FAX: (619) 457-9647. European Office: Horsteneeg 24, 6191 FX Beek, The Netherlands. +31-43-3650 243. FAX: +31-43-3649 220. Proxima and Cyclops are registered trademarks of Proxima Corporation. Desktop Projector and Desktop Projection are trademarks of Proxima Corporation. Other trademarks are the property of their respective owners. U.S. and foreign patents are pending. Copyright 1995 Proxima Corporation. All rights reserved. Specifications subject to change without notice.

Circle 170 on Inquiry Card (RESELLERS: 171).

Not *That* DOS

PAUL KORZENIOWSKI

The OS market, being the cut-throat and competitive beast it is, gives vendors few opportunities to experiment with new approaches to distributed computing. However, a few vendors—AT&T and Sun Microsystems, for example—and some research universities are taking a shot at developing distributed OSes. They claim these OSes will do a better job of exploiting today's ubiquitous networking infrastructures and the processing power distributed throughout organizations.

Until recently, most of the work in this area centered around OSes that required large amounts of memory and suffered from kludgy network connections. (In other words, they were variations of Unix.) Additionally, many distributed OSes (especially those for embedded systems) were proprietary and lacked ways for third-party developers to easily access the services of the OS.

Now, however, a handful of researchers are tinkering with ways to overcome some of the difficulties involved in making OSes work in distributed environments. Companies and universities are attacking the present problems in several ways. For example, some are focusing on improving network connections, others are developing OSes capable of supporting add-on modules, and still others are looking at ways to shrink the OS microkernel.

Plan 9 = Unix++

One effort to develop a distributed OS is being carried out by the Computing Science Research Center of AT&T Bell Laboratories (Murray Hill, NJ). The group is trying to build on a previously successful project—Unix, which it developed a quarter of a century ago.

At that time, Unix was at the forefront of several emerging ideas: applications portability, desktop processing, and multi-processor design. As Unix weaved its way onto corporate desktops during the 1980s, researchers asked the question: "If we could develop Unix now, what would we do differently?"

While Unix possessed many strengths, one weak area was its

networking capabilities. "Connecting different Unix computers on a network requires a great deal of administrative overhead," notes Robert Pike, a member of the technical staff at AT&T Bell Laboratories.

Thus, in 1987, the Computing Science Research Center began work on a new OS dubbed Plan 9. The name is in honor of Ed Wood's campy science fiction thriller *Plan 9 from Outer Space*, which is considered by many to be the worst movie of all time.

Plan 9 is a distributed OS comprised of three components. They are a client part that runs on terminals residing on a user's desk, file servers that store data, and other servers (sometimes called applications servers) that provide faster CPUs (which are on the user's desktop), user authentication, and network gateways.

The components can be connected over a wide variety of LANs and WANs—including Ethernet, custom-built fiber networks,



MARK FISHER © 1995

Distributed OSes, slowly emerging from research, cure a multitude of ills

and dial-up modem connections—as well as over ISDN. Typically, a user interacts with applications running on either a terminal or a CPU server, and the applications pull their data from the file servers (see the figure “Plan 9’s Down-to-Earth Architecture” on page 118).

Plan 9 exploits three general technical concepts. First, all system objects present themselves as named files that are manipulated by read/write operations. Second, all such files may reside either locally or on another device. Third, the file system namespace (i.e., the set of objects visible to a program) is dynamically adjustable for each program running on a particular machine.

The first two concepts, in the opinion of Plan 9’s developers, were ideas foreshadowed in Unix. The third concept, however, allows a new approach to distributed computing. The construction of an application is not dependent on where the application will run or on what machine it will run on. Thus, Plan 9 allows for a modular design of applications.

Because applications and data may reside in many locations, security is a key component of Plan 9. It uses an authentication scheme similar to Kerberos, where passwords are never sent over networks. Instead, it uses encrypted tickets issued from an authentication server. Plan 9 has

additional security features. For instance, applications never run on the file servers (the place data is stored under Plan 9). This makes data stored on those servers safe from security threats such as computer viruses.

Another strength of Plan 9 is that its flexibility eases administration. “Plan 9 users can access information stored on computers with different microprocessors as if the data were stored on their own system,” says Pike.

AT&T Bell Laboratories has ported Plan 9 to several types of CPUs, including Intel’s x86 (including the Pentium), Motorola’s 680x0, Sun’s SPARC, and Mips Technologies’ microprocessors. In addition, the Computing Science Research Center has developed compilers and debuggers for the new OS.


In July, AT&T announced that Plan 9 was available for educational and research use. The product with source code sells for \$350; a kit with only the manuals is available for \$125. The company said 200 universities are working with Plan 9, and

Pike expects them to develop new applications and programming tools.

Spring Is in the Air

Also focusing on Unix’s limitations, SunSoft (Mountain View, CA) began to work on Spring, its next-generation object-oriented OS, in the early part of 1989 (see “Springtime at Sun,” September BYTE). Jim Mitchell, a Sun fellow and leader of the Spring R&D team, said the project team established three goals for the OS. First, it had to be easy to evolve and extend. Second, it had to work well on networks. Third, it had to include strong security features.

The company as-



Part of a Plan 9 screen using the Acme user interface (UI). The left column holds a few source files, and a debugger window displaying a stack trace and a third source file. The right column contains some guide files, a mailbox presented by Acme’s mail program, the columnar display of files in Acme’s own source directory, a few windows from the OED browser, a debugger window, and an error window showing diagnostics from a compilation.


signed a team of its top 15 programmers to reach those goals. In 1991, the team delivered a prototype of Spring that featured a distributed-directory service, fast inter-processor communication, security services, and a new interface definition language (IDL). The IDL bound its objects at run time, outside the microkernel. This improves the OS’s performance by 50 percent, according to SunSoft.

The company has taken a multifaceted approach for spreading the Spring doctrine. SunSoft convinced the Object Management Group (OMG), a Framingham, Massachusetts, consortium, to incorporate Spring’s directory service, IDL, and security features in the Common Object Request Broker Architecture (CORBA) 2.0

KEY FEATURES OF SPRING

- Object-oriented to the core.
- System designed with security, symmetrical multiprocessing, and distributed-directory services in mind.
- One key component, the interface definition language, has already been adopted by and incorporated into the Object Management Group’s object-broker standard.

specifications. In March, SunSoft offered Spring to universities and commercial research institutions. It sells the Spring Research Distribution technology on a CD, which





CLEANSWEEP 95™ FOR WINDOWS 95™ WILL UNINSTALL ALL YOUR OBSOLETE PROGRAMS. (LIKE, OH FOR INSTANCE, UNINSTALLER.®)

Sorry Uninstaller, but the new Quarterdeck® CleanSweep 95 just swept you under the carpet. While you may be excellent at uninstalling those bitty 16-bit programs, that skill won't get you very far in Windows 95.

Windows 95 is big, with big 32-bit programs. CleanSweep 95 is smart and powerful, with native 32-bit power to remove any program in the Windows 95 world – both 16- and 32-bit.

And it does it much faster than other (uh-hmmm) uninstallers, so you don't have to twiddle your thumbs for hours every time you uninstall something, archive it or



go searching for leftover bits of unwanted files.

Quarterdeck CleanSweep 95 is also much safer to use than other uninstallers. Much easier, too. Wizards do most of the work for you – all that's left to do is simply click.

To see for yourself everything CleanSweep 95 can do, call 1-800-683-6696 for your free trial edition. Or you can download a copy from our website at www.qdeck.com.

Even better, pick up the real thing at your computer store. You'll get ten dollars off just for bringing in any old uninstaller.* Don't worry, we'll find a good home for it.


*Special competitive upgrade offer applies to registered users of Microhelp Uninstaller, Vertisoft Remove-It, Landmark Uninstall-It, IMSI Windexite, and, of course, Quarterdeck CleanSweep. Dealer prices may vary. ©1995 Quarterdeck Corporation, 13160 Miranda Way, Marina Del Rey, CA 90292. Quarterdeck is a registered trademark and Quarterdeck CleanSweep 95 is a trademark of Quarterdeck Corporation. All other trademarks are properties of their respective owners.

Circle 166 on Inquiry Card (RESELLERS: 167).

includes software, documentation, and instructional materials. Universities can purchase the package for \$75; corporate research groups pay \$750.

In addition, SunSoft plans to incorporate Spring into its commercial products. Mitchell says Spring will be the foundation for the company's Distributed Objects Everywhere (DOE) architecture. SunSoft is also incorporating Spring components into Solaris. The company began

beta-testing these capabilities during the summer, and it expects to deliver production wares over the next two years.



Other Efforts Worth Watching

In addition to AT&T and SunSoft, QNX Software has developed an OS called QNX. It overcomes some of the problems with distributed OSes. QNX, which was developed for process-control and embedded-OS applications, is a 32-bit, Posix-compliant, real-time, message-passing microkernel OS for Intel x86 machines. Its core is only 8 KB in size. It supports four functions: process scheduling, interrupt dispatch, interprocessor communication, and network communication.

Outside the commercial world, several notable distributed-OS efforts are now taking place in the academic community. For

OPERATING-SYSTEM RESEARCH: DIM OR BRIGHT FUTURE?

Operating-system research became passé during the early 1990s, and there is fear it will remain that way. "Recently, there has been little research of interest in the operating-system area," notes Jim Mitchell, a Sun fellow at SunSoft. "Most projects have focused only on improving Unix performance. No one was taking any real risks and trying something radically different."

There are many reasons for this malaise. One main reason is that funds for research projects

are limited. The two main suppliers, ARPA and the National Science Foundation, have seen their budgets cut as elected officials tighten government spending.

The cuts come just when the competition for R&D dollars has greatly increased. New technologies, GUIs, multimedia applications, networking, and videoconferencing are all vying for limited funding with operating-system projects.

Despite the problem, there is hope. Frans Kaashoek, a professor of computer science at MIT, said researchers focused on filling holes in mi-

crokernel technology for several years because the technology was new and limited. A few years ago, researchers realized that they had pushed that technology as far as they could.

Therefore, a handful of projects focusing on new technology have sprouted during the past two years. "Several projects represent the beginning of the next wave of operating-system research," Kaashoek said. "I am confident they will result in design breakthroughs and there will be plenty of areas of interesting research in a couple of years."

instance, projects to develop distributed OSes are under way at four universities: MIT, the University of Washington, the University of Arizona, and the University of Utah. The projects are all trying to improve OS performance. All four groups are focusing on different ways to reach that goal.

MIT began work on its distributed OS, called Exokernel, in the fall of 1993. Frans Kaashoek, a professor of computer science, said the project is trying to push OS functions into the user space.

The base OS does not include page-table management, a file system, interprocessor communication, or process management. Instead, it offers only a set of bare-bone features. As a result, it should operate faster than systems now available. Initial tests indicate that Exokernel works 10 to 100 times faster than Digital Equipment's Ultrix.

In addition to faster processing speeds, the new design offers programmers more flexibility, according to Kaashoek. Currently, OSes offer all applications one set

of services. Yet, there are different requirements for different functions in a distributed operating environment. For example, a file system needs different buffering and disk management features than a database management system.

continued

KEY FEATURES OF PLAN 9

- Small size (a single self-booting disk can hold the kernel, a window system, an editor, and a basic Ethernet/Internet interface).
- Modular approach that includes a client, CPU server, and file-server components.
- Runs on many CPUs, including Intel's x86 (including Pentiums), Motorola's 680x0, Sun Microsystems' SPARC, and Mips Technologies' Mips microprocessors.
- Strong security features, including an authentication scheme that's similar to Kerberos.


AVAILABLE NEAR YOU

AZ Tucson The Book Mark 520 881 6350 ASUA Book Store 520 621 5601 CA San Francisco Stacey's 800 926 6511 Pasadena California Institute of Technology Bookstore 800 514 BOOK Berkeley ASUC Store University of California 510 642 7010 Cody's Books 510 845 9095 Cupertino Computer Literacy Bookshop Inc. http://www.clbooks.com/ Stacey's 800 926 6511 Palo Alto Stacey's #3 800 926 6511 Stanford Bookstore Palo Alto 800 673 2348 Irvine The UCI Bookstore 714 824 7887 Irvine Sci Tech 800 229 9514 Santa Monica Midnight Special 310 393 2923 Long Beach Lou's Books 800 928 5002 San Diego San Diego Tech Books Inc. 800 346 0071 Los Angeles OPAMP Tech Books 800 468 4322 UCLA Bookstore - Los Angeles 800 456 0019/310 206 4041 Stanford Stanford Bookstore 800 533 2670 Tustin Micro Center San Jose Computer Literacy Bookshop Inc. info@clbooks.com Sunnyvale Computer Literacy Bookshop Inc. http://www.clbooks.com/ La Jolla UCSD Bookstore 800 520 READ CO Denver Auraria Book Center 303 556 3230 Tattered Cover 303 322 7727 Englewood Softpro 303 740 7751 DC Washington Reiters Scientific Books 202 463 0713 FL Gainesville University of Florida Book Store 904 392 0194 GA Atlanta Engineers Bookstore 800 635 5919 Oxford Books 800 476 3311 Marietta Micro Center Decatur E-Land 404 633 4275 IL Naperville Books & Bytes 708 416 0163 IA Davenport Interstate Booksellers Inc. Phone: 800 747 2665 KS Wichita University Bookstore 316 689 3490 KY Lexington Kennedy Bookstore 606 252 0331 LA New Orleans University of New Orleans Book Store 504 286 6373 Baton Rouge Louisiana State University Book Store 504 388 5137 MA Boston Barnes & Noble at Boston University 617 236 7415 Waterstones 617 859 7300 Cambridge Micro Center MD Baltimore John Hopkins University Book Center 410 516 8317 College Park Maryland Book Exchange 301 927 2510 MI Big Rapids James Lundberg University Bookstore 616 592 2621 MO Clayton Library Ltd. Bookstore 800 927 8834 Rolla B&N University of Missouri/Rolla 314 464 3710 Columbia University Book Store 314 882 7611 NJ Brunswick Rutgers University Book Store 800 240 6240 NY New York McGraw-Hill Bookstore 212 512 4100 NYU Computer Store 212 998 4591 Tower Books 17-325 212 228 5100 Rochester Campus Connections 716 475 2504 Buffalo Follett's #405 - University Bookstore @ Buffalo 716 645 3131 Ithaca Cornell Campus Store 607 255 2934 NC Durham Gothic Book Shop 919 684 3686 OH Columbus Longs Book Store 614 294 4674 Micro Center Ohio State University Bookstore 614 292 2991 Cincinnati University of Cincinnati Bookstores 513 556 1800 Cleveland Cleveland State University Book Store 216 861 6464 Westerville Micro Center Mayfield Hts Micro Center Sharonville Micro Center OK Stillwater Student Union Book Store 405 744 5237 OR Portland Portland State Bookstore 503 226 2631 Beaverton Powells Bookstore 503 643 3131 PA Philadelphia University of Pennsylvania Bookstore 215 898 4900 Drexel University Bookstore 215 895 2860 St Davids Micro Center TN Knoxville University of Tennessee Book & Supply Store 615 974 1049 Nashville Professional Booksellers 615 383 0044 TX Dallas Protech Ltd. c/o Taylors Ltd. 214 357 1700 PRNT Bookstore 214 746 3625 Majors Scientific Books 214 631 4478 Houston Brown Bookshop 713 652 3937 Micro Center College Station Barnes & Noble 572 409 845 8681 Cedar Creek CompuBooks 800 880 6818 UT Salt Lake City Sam Wellers 801 328 2586 VA Fairfax Micro Center Blacksburg Volume II 540 231 9674 Vienna Computer Literacy http://www.clbooks.com/ WA Seattle University Bookstore 206 633 6441 Bellevue Tower Books 206 451 1110 Pullman Student Book Corp. 800 937 4978 WI Madison University Bookstore 608 257 3784 Milwaukee Schwartz Business Books 800 236 7323

COME AND BROWSE


through the best books on the market from

INTERNATIONAL THOMSON COMPUTER PRESS





The WorldWideWeb Handbook
An HTML Guide for Users, Authors and Publishers
Peter Flynn

The Multimedia Casebook
Mary Fallenstein Hellman & W R James
Discover the creative process behind exciting multimedia projects. CD-ROM included.



The Virtual Reality Casebook
Carl Loeffler & Tim Anderson
Unleash the power of this cutting edge technology.

Oracle7
A User's and Developer's Guide Including Version 7.1
Gunther Stürner



Internet Made Easy
A Guide to the Internet for CompuServe Members.
Roelf Sluman
Disk included.

CompuServe Quick Tour Guide to WinCIM - Roelf Sluman
Includes Windows version of the CompuServe Information Manager, an access program that offers pull-down menus and useful dialog windows.

and
WIN! WIN! WIN!

Bring the coupon below to a participating store near you to be eligible to win a set of interactive CD-ROM's available from MentorM Multimedia™, retail value \$400.* This exciting package includes - World War II (Global Conflict), Religions of the World, Land & Air and Science Materials. Your local bookstore will be drawing the prize raffle during the month of November 1995! (*no purchase required.)



Name: _____
Address: _____
City: _____ State: _____
Zip: _____ Tel: _____


Kaashoek says Exokernel enables programmers to address these differences by letting them build subsystems for different types of applications.

The University of Washington is taking a similar approach with its Spin project, which began in early 1994. Brian Bershad, an assistant professor of computer science, said current OSes have to be trimmed. "Just to load Windows NT requires at least 16 MB of storage," he explains. "And various OS functions take up processing power even if they are not used." For instance, 30 percent of current OS overhead comes from memory management and networking functions.

Spin replaces functions now found in the user address space with downloadable OS extensions. This modification lets programmers extend the microkernel and control OS functions.

The new design could produce an interesting side effect. Currently, OS designers determine all system functions. "We need to loosen the grasp OS vendors have on determining their systems' APIs," Bershad said. With Spin's approach, the

Plan 9's Down-to-Earth Architecture



Scout project. "With client/server applications, a process could be completed in one of many different locations," Petersen says. "Current OSes do not easily enable this to take place."

Thus, the university's new OS relies on something called paths (i.e., considered roads that show how functions are completed) rather than processes, which focus on what an OS does. The university is developing a version of Scout for Digital's Alpha computers.

Rounding out the academic efforts is the University of Utah's project, dubbed Flux, to enhance the Mach OS. One result of Flux was the development of a new IDL called Flexible Interface Definition (FLICK) and a series of shared libraries. "Our goal was to address inefficiencies that stemmed from Mach's underlying language," explains Jay LePreau, who is a professor in the university's computer science department.

The new OS is designed to run on Intel and Hewlett-Packard PA-RISC microprocessors. In addition, the OS's distributed shared-memory system is available on five architectures—Digital's Alpha, HP's PA-RISC, Mips, Motorola 68000, and Sun's SPARC—and five OSes, including Digital's OSF/1, HP's HP-UX, Silicon Graphic's IRIX, Sun's SunOS, and Unix 4.3 BSD.

SuperNOS = NetWare + UnixWare

The university research projects may compete with corporate development that's under way at Novell (Provo, UT). After purchasing Unix Systems Laboratories (USL) at the end of 1992, Novell found itself with two OSes: NetWare and UnixWare. The company's long-term goal has been to consolidate them into a single

system, which has been dubbed SuperNOS.

Toby Corey, vice president of marketing for Novell's Operating Systems Division, says the company plans to meld the strengths of each OS. It will blend NetWare's fast file and print services with UnixWare's support for symmetrical multiprocessing, its ability to scale well, and its support for large, complex servers.

Novell has been talking about the SuperNOS concept for a

while. However, a real OS that combines the strengths of NetWare and UnixWare is still a long way from delivery. Corey says the system is being designed for machines that support Intel's P7 64-bit microprocessors, which should arrive in late 1997 or early 1998.

Time Will Tell

Such long lead times are typical with these projects. The R&D work for distributed OSes is in a nascent stage, and, for the most part, there is no clear path from the laboratories to the desktop.

Researchers are not sure if their work will make its way into the mainstream. For instance, AT&T has downplayed comparisons between Plan 9 and Unix. It does not view the new OS as a Unix replacement. "Plan 9 was designed to solve specific problems experienced by users working with large, complex, multiprocessor systems," Pike says. "Consequently, there has been a great deal of interest in it among members of the university community. We are not sure if it will evolve into anything but a niche solution for a specific type of user."

To gauge the impact of today's projects, one might need to take a look back. "Research work on microkernel technology began in the early 1980s, winners emerged in the middle of the decade, and users began to realize the benefits of this work as the decade closed," notes Bershad at the University of Washington. "I see no reason why work from current projects should emerge any differently." ■

Paul Korzeniowski is a freelance writer based in Malden, Massachusetts. You can reach him on the Internet at 6841944@mcimail.com or on BIX c/o "editors."

PORTS

Plan 9 has been ported to these compilers:

Motorola	SGI Power Series
MC68020	SGI Indigo
Mips	SGI Challenge M
SPARC	SparcStation
Intel 386	IBM PC
Intel 960	
AT&T 3210	...and file servers:
	SGI
...OSes:	Mips 6280
Gnot	Mips Magnum
Nextstation	SparcStation
Mips Magnum	IBM PC

OS becomes a foundation that third parties can build on.

The University of Arizona has tinkered with OSes since the late 1980s. "New networking techniques that promised to support speeds of 500 Mbps were emerging, so new OSes were needed to keep pace," notes Larry Petersen, a fellow in the computer science department.

The university has been working on the

Sincere OS Flattery

BARRY NANCE

You do your engineering under Unix, you do graphics on a Mac, and you use a Windows-based word processor. Do you need three computers? Maybe not. Maybe you just need a good emulator.

Emulating an OS goes beyond recognizing one CPU's instructions and translating them to another CPU's architecture. Emulators need to provide an environment in which specific hardware devices (e.g., video adapters and parallel ports) appear to be present. They also need to compensate for the differences between the native file system and the emulated file system, as well as provide networking support, file sharing, and record locking.


Despite these challenges, several companies offer OS-emulation products, including Insignia Solutions (SoftPC and SoftWindows), Locus Computing (DOS Merge), and SunSelect (Wabi). In Windows NT, Microsoft's emulation of 16-bit Windows is a version of SoftWindows. IBM is the hands-down winner, though. Over the years, IBM has emulated many CPUs and OSes, ranging from second-generation 1401 and 7074 I/O Control Systems (IOCSes) hosted on mainframes (i.e., 370 architecture) to IBM PC-DOS hosted on an RS/6000.

Some of these emulators, such as the DOS-on-RS/6000 product (called PC Simulator), are no longer on the market. IBM's two most popular emulators run DOS and Windows programs in the OS/2 environment. The programs run directly on the Intel CPU in virtual-8086 mode, yet they can access files on a High Performance File System (HPFS) drive and perform port-level I/O through OS/2's serial, parallel, DMA, and other virtual device drivers (VDDs).

Differences Exist

Emulators take different approaches. The one chosen depends on whether the target CPU can execute the emulated OS's instructions and whether the emulator developers have access to the OS's source code.

Insignia Solutions' SoftWindows can run x86-based Windows programs on RISC or 680x0 CPUs, hosted by either Unix or



MARK FISHER © 1995

Emulators help you run existing applications on a wider variety of OSes

Macintosh System 7. Insignia Solutions licenses Windows source code from Microsoft. DOS Merge, from Locus, runs DOS and Windows programs on Unix-based Intel CPUs (e.g., running SCO Unix). Like Insignia Solutions, Locus has licensed Windows source code from Microsoft. SunSelect's Windows Application Binary Interface (Wabi) can run some but not all Windows programs on Unix-based non-Intel machines. Instead of licensing Windows source code, SunSelect chose to use the published Windows API to engineer its emulator.

PC video hardware presents special problems for the emulator. To run Windows programs, most emulators provide Windows video drivers that act as a liaison between the host (native) video system and Windows. Often, the emulator offers both a full-screen and a windowed (seamless) video driver.

Under Unix, for example, a Windows application can appear in its own X Window System window. Similarly, OS/2 can show

a Windows program running on the OS/2 desktop. On Macs, SoftWindows contains a Windows video driver that translates screen updates into QuickDraw calls. So complete is the video support that emulators on Unix, OS/2, and Mac System 7 can properly process an application's changes to the Windows color palette as well as changes to the mouse-cursor shape. In the latter case, the emulator changes the mouse cursor to the appropriate shape depending on whether it's in the emulated Windows screen region.

The emulator might allocate a portion of the host OS's file system for use by the emulated OS, or it might go a step further to translate the emulated OS's file information into host file information. Translated file information lets both the host OS and the emulated OS share the same files and directories (or Mac folders). Because products such as Microsoft Word and

WordPerfect use the same file layout on the Mac and the PC (depending on the version of the product), the result is transparent file sharing between different operating environments.

Emulators usually allow cut, copy, and paste operations between the host OS and the emulated OS. In the Win-OS/2 environment, IBM uses a technique called *deferred rendering* to speed up Clipboard access. Win-OS/2 renders the Clipboard in an application's desired format (e.g., CF_TEXT) when the application asks for the data. OS/2 thus avoids having to render the data in all possible formats at the time the data is placed on the Clipboard.

The Insignia Solutions products inter-

Elements of Emulation

- VGA or SVGA video adapter
- serial (COM) ports
- parallel ports
- Ethernet or Token Ring network adapter
- file system (directories, filenames, and file contents)
- floppy drive
- extended, expanded, and conventional memory
- ROM BIOS
- CMOS configuration data

An OS-emulation product must not only translate CPU instructions but also establish an environment in which these hardware elements appear to be present and functioning.

leave Clipboard translations with window redrawing. When you switch from one window to another, SoftWindows uses a small amount of time to process the Clipboard data. SoftWindows implements Clipboard sharing with a pair of programs called Smart Copy, one a Windows application and one a native-OS application.

You can configure printer emulation in a variety of ways. In Win-OS/2, you can print to a printer port named LPTx.OS2, a serial COM port, or a file. In SoftWindows running in a Unix environment, you can choose to send LPTx data to a Unix file, to /dev/lp, or through a pipe to the Unix lp utility. On the Mac, SoftWindows simply sends print data to the System 7 print manager.

Speed It Up!
When you leave the world of x86, things get really complicated. RISC and 680x0 CPUs don't understand x86 instructions,

of course. The emulator parses each x86 instruction, decodes it to determine its intended effect, and executes RISC or 680x0 instructions to produce the same result an Intel CPU would have produced. Along the way, the emulator faithfully imitates the registers, flags, internal arithmetic, and logic states of the Intel CPU.

A GUI application, especially one that's highly interactive, spends much of its time inside OS service routines. Emulators take advantage of the application's loitering inside the OS to make the application run faster. For example, SoftWindows contains precompiled ("static") functions that




Bridging the Gap

Desktop platform and OS

"The Glue"


OS to emulate



Emulation programs let DOS and Windows programs run on many platforms and OSes.

ABC GRAPHICS SUITE™ OPENS WINDOWS® 95 TO THE GRAPHICS WORLD.

(Enjoy the view.)



Designed for
Windows 95

It will arm you with market-proven, award-winning applications for diagramming, drawing, painting, image editing and management of vast visual media libraries. You'll get the new "6.0" versions of ABC FlowCharter®, Picture Publisher®, Micrografx Designer™, and the revolutionary ABC Media Manager™ for use with any Windows 95 application. And with drag and drop automation and a Microsoft® Office Compatible™ interface, it's as intuitive as it is powerful. All for an introductory price of just \$149.95*. ABC Graphics Suite. It will change the view from your Windows® for good.



To get the whole picture, to order ABC Graphics Suite,
or for a \$9.95** Preview CD, call 1-800-376-5119.



MICROGRAFX®

*Upgrade price for owners of Micrografx or competitive graphics software and/or Microsoft Office 95. E.R.P. for first-time buyers is \$299.95.**The \$9.95 charge for shipping and handling is non-refundable. Offer expires 12/31/95, applies to the U.S. and Canada only. The preview CD ROM is time-limited to 12/31/95. Copyright ©1995 Micrografx, Inc. All rights reserved. All product names are trademarks of their respective companies.

Circle 293 on Inquiry Card (RESELLERS: 294).

implement often-used Windows API and DOS functions. The emulator can quickly execute some native code that achieves the same result as if it had examined and translated each system instruction in the API library. Also, SoftWindows contains an optimizing compiler that dynamically evaluates the code it's emulating, looking for ways to speed up program execution.

Wabi uses the workstation's native X display protocols to manage the appearance of Windows applications on Unix workstations. Wabi translates DOS I/O into Unix I/O, and it similarly manages memory allocations and other resources.

Using technology from Praxsys Technologies, Wabi decodes and imitates individual x86 instructions that are not inside a Windows API or DOS function call. Within such a system call, Wabi switches to native mode to perform the DOS or Windows function in terms of equivalent X or Unix system calls.

SunSelect engineered Wabi not by acquiring a Windows source code license, but rather by establishing an environment in which each published, well-known Windows API call or DOS function call is available as a Wabi library routine. SunSelect publishes a list of 24 applications that it guarantees Wabi will run. Wabi can't run all Windows programs, especially those that have intimate knowledge of the Windows environment.

Windows applications running under Wabi have the look and feel of an X-based Unix GUI such as Motif or OpenLook, rather than that of Windows. And instead of running the entire Windows desktop environment within a single window, as SoftWindows does, Wabi opens a new window on the Unix desktop for each Windows-based application.

Wabi runs Windows programs fairly quickly because it contains precompiled equivalents for each Windows API function. Wabi doesn't have to translate instructions in Windows system files (e.g., USER.EXE and GDI.EXE).

The Same CPU Issues

Just as OS/2 gives DOS and Windows programs partial control of the CPU yet retains sufficient ownership to virtualize I/O ports and the file system, SCO Unix uses DOS Merge to run DOS and Windows programs directly on the Intel CPU. DOS Merge runs DOS and Windows programs full-screen or within an X Window System 11 window at VGA or higher resolution. DOS Merge consists of three levels of emulation: DOS, ROM BIOS, and direct-to-

hardware screen memory. Besides offering a bridge between DOS and Unix resources, DOS Merge also supports direct exclusive access to hardware devices (e.g., scanners) with no equivalent Unix device driver.

The Mac 6100 can run DOS programs on a 486 coprocessor, without the need to emulate Intel instructions on the RISC CPU. Apple placed a 25-MHz 486SX processor, a Chips & Technologies BIOS, a VGA chip set, and some of its custom ASICs on a 68040 Processor Direct Slot plug-in board. The DOS card can have up to 32 MB of RAM on it, or it can share memory on the Mac's main logic board. At

grams can access CD-ROMs.

The DOS coprocessor board operates independently of the Mac's CPU, which means that DOS/Windows applications can run concurrently with the Mac OS. You hot-key between the two environments. And selecting a printer via the Mac Chooser selects the same printer for the DOS environment. The emulation software routes DOS print streams to the selected printer. The coprocessor approach has a huge edge over CPU instruction translation—DOS programs run full-speed on the 486 and actually multitask with programs running on the Mac's CPU.

Required Support

- Windows 95
- Windows 3.1 and 3.11, and Windows for Workgroups
- various versions of DOS
- 486 and Pentium instruction sets
- file compressors, disk defragmenters, and other file system utilities

The developers of an OS emulator must provide support for a wide range of software, including different versions of the OS itself.

boot-up time, the Mac scans the board for RAM. If none is found, the emulator dedicates a user-configurable amount of RAM on the main logic board to the DOS environment.

Hardware transceivers in a custom ASIC on the DOS card do the byte swapping required by the different processor architectures (Intel CPUs store integers low byte first). Memory-controller hardware keeps the address spaces of the two environments separate. The DOS-emulation environment maps the Mac's floppy drive as DOS drive A. Apple even provides an MSCDEX extension; on a Mac with a built-in CD-ROM drive, DOS pro-

Taking Care of Windows 95

The biggest challenge for emulators isn't running an oddly written device driver or virtualizing an unusual adapter. It's Windows 95. Emulator developers are hard at work exploring the instructions that make up the new version of Windows. Insignia Solutions and Locus are arranging to acquire Windows 95 source code from Microsoft, which will make the

job much easier. But even with source code at hand, emulating Windows 95 is a formidable task. A Windows 95 emulator has to manage Win32 API functions, frequent switches between protected and real mode, virtual device driver (VxD)—ring 0—CPU operation, and a minefield of combined 32- and 16-bit memory accesses.

Locus and Insignia Solutions have announced they'll support Windows 95 in future versions of their products. To date, IBM has said only that it will supply an OS/2 library of Win32 functions that OS/2 programs can use (thus easing the chore of porting Win32 programs to OS/2). Rumors abound, however, that IBM may eventually provide a full Windows 95 emulator in OS/2 Warp.

Emulation for Windows 95 will be an important issue for the field of OS emulation. However, Windows 95 is just one of many OSes that users will want supported.

The range of CPUs and OSes that must be supported is growing all the time. Users will increasingly demand that they be able to run existing applications on whatever platform and OS they choose. And, as time goes by, that will only serve to elevate the role of OS emulators in organizations. ■

Barry Nance is a BYTE consulting editor. He is the author of Using OS/2 Warp (Que, 1994) and Introduction to Networking (Que, 1994). You can reach him on the Internet or BIX at barryn@bix.com.

Product Information

DOS Merge.....bundled with many OSes
Locus Computing Corp.
Inglewood, CA
(800) 955-6287
(310) 670-6500
fax: (310) 670-2980
Circle 1228 on Inquiry Card.

SoftPC.....\$249
SoftWindows.....\$499
Insignia Solutions, Inc.
Mountain View, CA
(800) 848-7677
(415) 335-7100
fax: (415) 335-7105
Circle 1229 on Inquiry Card.

Wabi.....\$225
SunSoft, Inc.
Mountain View, CA
(800) 786-7638
(415) 960-3200
fax: (415) 336-2473
Circle 1230 on Inquiry Card.

OO Meets OS

DICK POUNTAIN


How hard do you laugh when you hear that “there is an object-oriented OS in your future”? It’s not that the words are *necessarily* untrue. Unfortunately, however, OOOSes remain stubbornly stuck in your future, not your present.

Why should you care? How about better integration. Microsoft Office users already take for granted the ability to drag an Excel graph into a Word document. Now picture this: You need a widget diagram for your monthly report. Click on the search button and ask for widgets. Soon the search returns an icon for the report “Widgets in the 1990s” by Fred Smith in the Manchester office. You open it, drag his diagram into your document window, and attach an electronic Post-It note to his report, thanking him for the loan. Computer users now only dream of this seamless, content-addressable data access, but an OOOS is the way there.

Which OOOS aspects are in this fantasy? Well, the reason you could locate that widget diagram is that Fred’s report is a compound document—a collection of objects whose multiple attributes are made visible to the search software—rather than a file that is just a named bag of bits and makes sense only to the application that created it.

Your search could reach Manchester because Fred’s compound document is stored in a distributed object store encompassing not just his own hard disk, nor even just his office LAN, but the whole company’s WAN. It doesn’t matter whether he’s running the same hardware (or even OS) as you because a Common Object Request Broker Architecture-compliant (CORBA) ORB broadcast your search in a platform-neutral format. You didn’t need to explicitly log on to any network or run a communications program because in this *persistent object store*, you access objects by specifying their names or attributes, neither knowing nor caring where they are physically stored.

Finally, you could drag the diagram from his document into yours because both documents conform to the same object-embedding interface. This might be OpenDoc or Microsoft’s OLE (see the text box “Signs to Cairo” on page 126). By the time this scenario is realized, maybe they’ll have stopped squabbling and be compatible with one another.



JOSEF GAST © 1995

Object-oriented OSes are almost here—as always

Portrait of an OOOS

The purest form of an OOOS could hardly be simpler in concept: A small microkernel talks to the computer hardware, and the rest of the OS consists of replaceable modules, or objects. Outside the kernel code, there’s no distinction between the OS, utilities, and applications. Everything is an object. A generic architecture for such an OOOS might look like the figure on page 124.

Objects are bundles of data with associated code that can act on the data. Anything from a business letter to the word processor that edits it can be structured like this. Program execution occurs when objects exchange messages, causing the kernel to execute their code. The kernel provides such low-level hardware-dependent services as memory allocation and protection, task scheduling, and communication (both process-to-process and remote). The kernel of an OOOS should be multitasking so that many objects can execute simultaneously. It should support automatic garbage collection of dead objects to avoid memory leaks.

An object manager uses kernel services to dynamically create

and destroy transient objects and to preserve objects that will be needed in the future (e.g., user documents) in the persistent object store, a repository of objects available to all applications. When a program invokes an object's unique object identifier (OID), the object manager fetches it from the store into RAM.

In a fully distributed OOOS, an ORB translates requests for OIDs into network messages that find objects and transparently relocates them onto the local system. ORBs maintain indexes of various object attributes, so they're closer to a database manager than a conventional file system. An OOOS will update objects using transaction-based semantics, with commit and rollback so that any action can be undone. Remote communication will operate on a fault-tolerant store-and-forward basis, transmitting data when a link can be established and hiding delays from the user.

OOOS support for inheritance—creating new objects by modifying old ones—can save programmers from reinventing the wheel and users from wasting storage space. For the designers of OOOSes, however, inheritance is a headache. Child objects frequently execute code belonging to their parent, but that parent may live

elsewhere on the network.

The most difficult technical challenge for an OOOS is to avoid massive and unpredictable network overload due to tangled inheritance webs. The solution may lie in message-optimization schemes that group interdependent objects close to one another, dynamically migrating them where necessary.


Program objects under an OOOS will be finer-grained. A word processor would not be a single object, but a spelling checker or a search engine might be. The same spelling-checker object would check reports, presentations, or spreadsheets.

Real OOOS

The most pure OOOSes thus far are on personal digital assistants (PDAs), where engineers started from scratch with little legacy code. RAM-based persistent object storage (eliminating battery-powered rotating magnetic storage media—and the

conventional file system) is a feature of Apple's Newton and General Magic's Magic Cap. The code reuse under a properly designed inheritance hierarchy reduces the size of software—a major consideration for PDA vendors when everything has to fit into 4 MB of ROM.

On the desktop, going to a full OOOS means making compromises to preserve legacy code and data, especially over the file system. Because all our existing data is in conventional files on conventional magnetic media, it has made commercial sense to continue supporting these rather than



Object Babel

The biggest obstacle to the wider adoption of object-based systems is their lack of interoperability: You can't transport objects from one OS to another without some conversion process. The only way to demolish this Tower of Babel is to adopt standards for object interoperation at three levels: for object creators, object users, and interobject communication.

For object creators (i.e., vendors), we need a standard object model that specifies the binary formats for storing object data and sending messages. This model should also dictate the means of inheritance. The two contenders on the desktop are Microsoft's Common Object Model (COM) and IBM's System Object Model (SOM). Naturally, they're incompatible. In the wider computing world, several competing object models further muddy the water, including SQL3, the next major version of the query-language standard.

At the second level, object users need a standard way to embed objects into compound documents. The two competitors are Microsoft's OLE 2.0 and OpenDoc (supported by a consortium including Apple, IBM, Novell/WordPerfect, and Sun). A com-

ound document that is stored using either technology is more like a whole mountable volume than a single file, with its own internal "directories" to store the pieces.

OLE 2.0 implements structured storage via a file format called a *docfile* (common to Word, PowerPoint, and Excel), which organizes objects into internal *streams*. One application can drive another through an automation interface by calling object methods that all OLE 2.0-compliant applications must make visible.

OpenDoc, too, defines a compound-document format (Bento) in which document components (parts) are stored in directory-like streams (storage units). OpenDoc goes beyond OLE 2.0 by offering built-in version management. You can reconstruct any earlier version at will using stored changes. Also, while OLE 2.0 is proprietary and confined to Windows and NT, OpenDoc will work on Mac, OS/2, and Unix platforms.

OLE 2.0 appears to have the edge over OpenDoc in the reusable software component market. OLE 2.0 enhances Visual Basic's very successful Visual Basic custom

control (VBX) file standard into the more fully object-oriented OLE custom control (OCX) format (which supports inheritance), for which success is also assured. OpenDoc supports end-user programming only via Apple's rather old-fashioned HyperCard and AppleScript, and it badly needs some answer to Visual Basic.

The final standard needed would let heterogeneous object systems cooperate across a network. The cross-industry Object Management Group (OMG) has produced a standard for a Common Object Request Broker Architecture (CORBA)—the software layer that mediates requests between one object world and another.

IBM's Distributed System Object Model (DSOM), which underlies OpenDoc, is CORBA-compliant.

While the first version of CORBA was severely limited in that it allowed communication only between systems using the same object model, CORBA 2 supports cooperation between any CORBA-compliant systems. However, Microsoft has indicated that Cairo's OLE 2.0 will not be CORBA-compliant, dealing a heavy blow to the standard.



Where Does Your Passport Take You?


"I've been entering musical composition contests since I was 14. I love writing all kinds of music but I especially like classical arranging and writing for marching bands.

"Passport's music software Rules! It's fast, easy to use and my scores always look great. When I'm submitting one of my pieces the way it looks means a lot. Passport's software gives me the winning edge, *and I like to win!*"

Jennifer Lane is a 17 year old high school student from southern California. She has placed fourth in the prestigious nationwide Composer's Guild Composition Contest, as well as winning three separate awards from the Disneyland Creativity Challenge™ Contests.

With Passport's MusicTime,

every note you play on your MIDI or PC keyboard is turned magically into notation. Print it out and see your songs as beautiful sheet music. It's that easy!



Get MusicTime today at

CompUSA, Egghead Software, Software Etc., Babbages, Electronics Boutique, Media Play, Guitar Center and wherever fine software is sold. or call

(415) 726-0280
for a dealer near you.

**Passport Brings Out
The Musician In You.**

Circle 84 on Inquiry Card.



Photo by Jeanne Corvis

PASSPORT

100 Stone Pine Road, Half Moon Bay, CA 94019

Signs to Cairo

Cairo, Microsoft's object-oriented successor to Windows NT, will begin beta testing in early 1996 for release in 1997. Although Microsoft is not revealing the full details of Cairo yet, there are enough clues within current Microsoft OSes to yield a good idea of how it might work.

The OLE 2.0 embedding model that integrates the components of Microsoft Office already contains the seeds of a future object-oriented file store in its structured-storage technology. Word DOC files, Excel XLS files, and PowerPoint MPP files share a common internal *docfile* format. The screen below shows the internal structure of a Word document that's embedded in a PowerPoint presentation. The internal stream structure of the combined file has taken on a tree structure, just like a disk directory, re-

flecting the embedding of its components.

If you open the document in PowerPoint and double-click on the embedded Word document, PowerPoint finds out what application owns it from the Windows Registry. The OLE engine then negotiates between PowerPoint and Word, and PowerPoint's toolbar morphs into Word's formatting toolbar so you can edit the Word document.

Now peek into the future. The top level will no longer be a separate application such as PowerPoint, but the Cairo desktop itself. The streams comprising the compound document will no longer be inside a DOS file allocation table (FAT) file system. Cairo's Object File System (OFS) makes the whole hard disk a single huge docfile that exposes its internal objects to the user.

The groundwork for a distributed object store is present, too, in the shape of Microsoft Exchange Server (MXS) and the OLE-automatable Jet 3 database engine. If you drop any structured-storage object (e.g., a Word file) into an Exchange folder, any custom properties you've defined become available as values to sort on or filter by. MSX is based on the ISO X.400 message transport and X.500 directory services, which, combined with Cairo's OFS, should be able to locate remote objects across a network. By the time Cairo is released, MXS might be absorbed into the OS.

In short, the migration from Windows to Cairo could be less drastic than expected, given that all your Office data files are

already in a structured format that Cairo will understand. The much greater challenge for Microsoft is how to decompose monolithic applications such as Excel into collections of discrete lightweight objects. The OLE automation interface

already requires that applications make some of their internal organs visible as objects, but that is not at all the same as delivering them as separate pieces. It could turn out that Microsoft will encounter stiff competition from Visual Basic custom control/OLE custom control (VBX/OCX) vendors such as Sheridan and MicroHelp, who have a head start because their products are already in bits.




taking the radical step to a persistent object store.

For example, NextStep, the nearest thing to an OOOS in widespread use, is built on the Mach microkernel and employs a conventional Unix file system. However, the rest of the superstructure of NextStep is a hierarchy of Objective-C objects, fully available to the applications programmer.


IBM's OS/2 Warp is object-oriented to a much shallower degree. The Workplace Shell user interface (UI) is a programmer-accessible object hierarchy, but the lower levels of the OS are quite conventional.

In 1992, IBM, Apple, and Hewlett-Packard set up Taligent to develop a new OOOS from the four years of research Apple had put into Pink. Last May, Taligent announced it had abandoned producing a whole OS and would instead release a cross-platform object-oriented *framework* (containing prefabricated application parts) called CommonPoint. In July, Taligent shipped CommonPoint source code to its sponsors to start porting to their own OSes (IBM's AIX and OS/2, Apple's Copland, and HP's HP-UX; versions for Windows 95 and NT will follow).

CommonPoint contains 100 such frameworks (including complete working and ex-



The structured storage of Microsoft's docfile format represents a collection of objects just waiting to be set free. Word, Excel, and PowerPoint files all have the same internal structure, so embedding one in the other is easy.



Custom properties in the main Office applications point the way to an object-retrieval system in which filenames cease to be of importance.

tensible text and graphics editors and presentation and communications programs), built

from thousands of object classes. Taligent also has an interactive, drag-and-drop GUI building tool called cp-Constructor and plans for a highly sophisticated development environment.

CommonPoint may score over OLE 2.0/Visual Basic in its persistent object store (built on the native OS file system), so that applications objects remain alive at run time rather than being frozen at compile time: Programmers maintaining a delivered application can extend it using inheritance. On the downside, CommonPoint is very expensive and very, very large.

It's the long wait for Taligent that has caused a widespread feeling that object technology has failed to catch on. The fact is, OOOSes are just around the corner.

Isn't this where we came in? ■

Dick Pountain is a BYTE contributing editor based in London. You can reach him on the Internet or BIX at dickp@bix.com.

The Optimal Choice

AP PROFESSIONAL Books & CD-ROMs

WebMaster Macintosh® WebMaster Windows™

How to Build Your Own World-Wide Web
Server Without Really Trying

Bob LeVitus & Jeff Evans

Paperback, 299 pp., \$29.95

WebMaster Macintosh

ISBN: 0-12-445574-3

Includes one CD-ROM.

WebMaster Windows

In Bookstores September 1995

ISBN: 0-12-445572-7

Includes one CD-ROM.



New and Improved Stupid Mac Tricks

Bob LeVitus

New and Improved Stupid Windows Tricks

Bob LeVitus & Ed Tittel

Paperback, c. 128 pp., \$19.95

Macintosh Version

In Bookstores September 1995

ISBN: 0-12-445578-6

Includes one 3.5" disk.

Windows Version

In Bookstores October 1995

ISBN: 0-12-445576-X

Includes one 3.5" disk.



17 Stupid
Tricks Included

Publish It on the Web

Bryan Pfaffenberger

In Bookstores October 1995

Paperback, c. 350 pp., \$34.95

Windows Version

ISBN: 0-12-553140-0

Includes one CD-ROM.

Macintosh Version

ISBN: 0-12-553143-5

Includes one CD-ROM.



Netscape Navigator

Surfing the Web and Exploring the Internet

Bryan Pfaffenberger

Now in Bookstores!

Paperback, 314 pp., \$29.95

Windows Version


ISBN: 0-12-553132-X

Includes one CD-ROM.

Macintosh Version

ISBN: 0-12-553130-3

Includes one CD-ROM.





Person-to-Person on the Internet

Diane M. Reiner
Keith A. Blanton

In Bookstores November 1995

Paperback, c. 350 pp., \$19.95

ISBN: 0-12-104245-6



Available From Your
Local Bookseller.

The Internet Edge In Business


Christopher D. Watkins &
Stephen R. Marenka

In Bookstores September 1995

Paperback, c. 300 pp., \$26.95

ISBN: 0-12-737840-5

Includes one CD-ROM.



In Europe please contact:
tel: +44 (0)171 267 4466
tel: +44 (0)171 485 4752
e-mail: app@apuk.co.uk

FREE
CATALOG
ISBN: 0-12-000001-8



1-800-3131-APP
Fax: 1-800-874-6418
For International Callers 1-407-345-3800
e-mail: app@acad.com

Prices are subject to change without notice. © 1995 by AP PROFESSIONAL. All Rights Reserved. RYAN/JM/ST/APP 06115 9/95

Circle 178 on Inquiry Card (RESELLERS: 179).



DM 26916

ZEOS® Pantera™ ...

The Right Tool For Your Job.



The ZEOS Pantera. Now with more speed, more memory, bigger hard drives, your choice of operating systems and new lower prices. It's today's modern solution to getting your job done right.

Step Up To The Best

At ZEOS, our philosophy is to make sure that you, our customer, get the best of everything. And that starts with performance. The heart of the Pantera is an award-winning ZEOS-designed motherboard. Already called "Overall performance leaders" by *PC Magazine*, the Pentium® processor-based Pantera line is now boosted even further with the addition of EDO DRAM, synchronous burst SRAM cache options and CPU choices all the way to the new 133MHz Pentium processor. In plain English, we've turned on the afterburners—giving you performance unlike anything you've seen before!

Beyond great performance, we also protect your investment. To ensure that your new ZEOS Pantera will serve you well for years to come, we build in more reliability, expandability and upgradability than anyone else.

For starters, all Pantera systems provide you with CPU upgradability—Pantera Pentium processor-based systems can be upgraded to a future OverDrive® Processor. Pentium processor-based Panteras include *six* memory sockets instead of the usual four. That means more room to grow—without

having to throw away perfectly good memory when it's time to upgrade.

Panteras with Pentium processors also include on-board

PCI local bus SCSI and Ethernet options and the power

to run all these goodies. Believe it or not, most compa-

nies are now building in small power supplies of 150

watts or less! That's great for reducing *their* costs, but it

sure doesn't do much for *you*. Pantera power supplies

are 200 watts *standard* and they're energy efficient—Panteras are EPA Energy Star compliant, meaning they can power down and use less energy.

The bottom line is that virtually no one else gives you any of these features to protect your investment. At ZEOS we give you them *all!*



More Than Great Hardware



In addition to the latest features, you need your new system to arrive promptly and you need it to work in *your* environment when you get it. That is why ZEOS Pantera systems include your choice of Windows® for Workgroups or the new Windows® 95, and that is why you also get

compatibility with every major operating system on the market including Win NT®, Netware®, Unix® and OS/2®. That is also why we pioneered our *Computers Now*® program—many of our most popular configurations can be shipped the *very day you order* (even custom-built systems can be shipped in about a week). You could be taking delivery of your new Pantera tomorrow!

And after your purchase, we'll be here. ZEOS was the first to provide 24 hour-per-day, 365 day-per-year toll-free technical assistance, and it's the best there is. Add to that our easy accessibility through the major on-line services and through our automated fax-back system, and you can see that we support you like no one else.



Unbeatable Value

The hottest performance for today and for tomorrow, compatibility, reliability, bundled software, the best service in the industry and incredible prices that'll leave you amazed at how much you get for so little. As *PC/Computing* said, the Pantera "... is a deal you simply can't pass up." So call your ZEOS Systems Consultant now at 800-554-5226. It's the best purchase decision you'll ever make.



Pentium-66
April 12, 1994
DX4-100
June 28, 1994



Pentium-60
April 1994
Pentium-90
August 1994



486DX2-66
January 1994
February 1994
March 1994
June 1994
December 1994
January 1995
February 1995
March 1995
April 1995

DX4-100
October 1994
November 1994
December 1994
Pentium-60
December 1994
January 1995
February 1995
April 1995

Pentium-66
June 1994
July 1994
August 1994
September 1994
Pentium-90
August 1994
September 1994
October 1994
November 1994
January 1995
February 1995



Pentium-66
May 1994
Pentium-90
February 1995



Pentium-66
June 1994
Pentium-90
August 1994



Pentium-90
November 1994



Pentium-90
May 1995

Package 1		Package 2		Package 3		Hottest	
486 & DX4 Processor-based Panteras							
486DX2-66	\$1495	486DX2-66	CN! \$2095	486DX2-66	CN! \$2495	Pentium® Processors	
DX4-100	\$1595	DX4-100	\$2195	DX4-100	\$2595	90MHz	CN! \$2745
Pentium® Processor-based Panteras							
75MHz	\$1695	75MHz	CN! \$2295	75MHz	CN! \$2695	100MHz	CN! \$2895
90MHz	\$1795	90MHz	\$2395	90MHz	CN! \$2795	120MHz	CN! \$3095
100MHz	\$1945	100MHz	\$2545	100MHz	\$2945	<ul style="list-style-type: none"> ➤ 16MB EDO RAM, 256K synchronous SRAM cache ➤ 1.2GB local bus EIDE hard drive, 10ms ➤ 4X CD-ROM drive and 3.5" 1.44MB floppy drive ➤ Diamond Stealth 64 PCI local bus SVGA color graphics card with 2MB VRAM ➤ ZEOS 15" 1024 x 768 NI SVGA color monitor, .28mm dot pitch ➤ Ten-bay vertical case with two cooling fans ➤ Microsoft Mouse ➤ MS Windows 95, or MS-DOS 6.2 & Windows for Workgroups 3.11 ➤ MS Office Pro 95 & Bookshelf 95 CD, or MS Office Pro & Bookshelf 	
120MHz	\$2145	120MHz	\$2745	120MHz	\$3145	<ul style="list-style-type: none"> ➤ 24MB RAM (Pentium processor-based Panteras include EDO RAM) ➤ 1.2GB local bus EIDE hard drive, 10ms ➤ 4X CD-ROM drive and 3.5" 1.44MB floppy drive ➤ Diamond Stealth 64 PCI local bus SVGA color graphics card with 1MB DRAM ➤ ZEOS 15" 1024 x 768 NI SVGA color monitor, .28mm dot pitch ➤ Six-bay desktop case with two cooling fans ➤ Microsoft Mouse ➤ MS Windows 95, or MS-DOS 6.2 & Windows for Workgroups 3.11 ➤ MS Office Pro 95 & Bookshelf 95 CD, or MS Office Pro & Bookshelf 	
133MHz	\$2295	133MHz	\$2895	133MHz	\$3295	<ul style="list-style-type: none"> ➤ 8MB RAM (Pentium processor-based Panteras include EDO RAM) ➤ 528MB local bus EIDE hard drive, 14ms ➤ 3.5" 1.44MB floppy disk drive ➤ Diamond Stealth 64 PCI local bus SVGA color graphics card with 1MB DRAM ➤ ZEOS 14" 1024 x 768 NI SVGA color monitor, .28mm dot pitch ➤ Six-bay desktop case with two cooling fans ➤ Microsoft Mouse ➤ MS Windows 95, or MS-DOS 6.2 & Windows for Workgroups 3.11 ➤ MS Works 95 or MS Works 	
Included With Every ZEOS Pantera:							
<ul style="list-style-type: none"> ➤ Genuine Intel® Processor. ZIF socket for easy upgrading. ➤ Diamond Stealth PCI local bus SVGA color graphics card with 1MB DRAM, upgradable to 2MB DRAM. ➤ Flash BIOS for easy upgrading. ➤ Two high-speed serial ports and 		<ul style="list-style-type: none"> ➤ one enhanced parallel port on the motherboard. ➤ Slots: Three PCI & 4 ISA (486 processor), 3 PCI & 5 ISA (Pentium processor). ➤ ZEOS 101-key space-saving keyboard. 		<ul style="list-style-type: none"> ➤ 200 watt power supply with built-in surge suppressor. Switchable between 115/230V. ➤ EPA Energy Star compliant. ➤ FCC Certified Class B; UL Listed. ➤ Complete ZEOS Customer Satisfaction Package. 		<ul style="list-style-type: none"> ➤ 32MB EDO RAM, 256K synchronous SRAM cache ➤ 1.6GB local bus EIDE hard drive, 10ms ➤ Sound Blaster® 16 sound card, high-power speakers w/ subwoofer ➤ ZEOS 17" 1024 x 768 NI SVGA color monitor, .28mm dot pitch 	
486 & DX4 Processors:		Pentium® Processors:				Best MM Supreme	
<ul style="list-style-type: none"> ➤ Upgradable to Pentium® OverDrive® CPU. ➤ RAM expandable to 128MB. 		<ul style="list-style-type: none"> ➤ Upgradable to a future OverDrive® Processor. ➤ 6 SIMM slots for low-cost memory upgrading. EDO RAM expandable to 384MB. ➤ On-board PCI local bus Fast SCSI-2 and Ethernet LAN options. 				Pentium® Processors	
						100MHz	CN! \$4245
						120MHz	CN! \$4445
						133MHz	CN! \$4595

Favorite Options

7-Bay Mini-tower Case Upgrade..Free
10-Bay Vertical Case Upgrade.....\$95
528MB to 1.2GB HDD Upgrade\$195
1.2GB to 1.6GB HDD Upgrade\$250
1MB to 2MB Video DRAM Upgrade\$59
Diamond Stealth 64 Video PCI Graphics Card with 2MB VRAM
 Fastest 64-bit accelerated video\$249
Upgrade from a 14" to a 15" Monitor
 ZEOS SVGA NI, 1024 x 768, flat screen\$95

Upgrade from a 15" to a 17" Monitor
 ZEOS SVGA NI, 1280 x 1024, flat screen.....\$295
Internal 14,000 bps V.32 bis Modem with 14,400 bps Send/Receive Fax\$79
Internal 28,800 bps V.34 bis Modem with 14,400 bps Send/Receive Fax\$199
SCSI Controller Chip
 For on-board SCSI. Includes drivers.....\$49

ZNYX EtherAction™ 32
 32-bit PCI Ethernet LAN adapter. Includes 10Base5, 10Base2 and 10BaseT connections.....\$139
Front Drive Bay PCMCIA SwapBox
 Installs into 3.5" drive bay. 2 Type II, or 1 Type III and 1 Type I\$179
T1000 Internal Tape Backup
 400 to 800MB (with compression), includes backup software.....\$199
Multimedia Upgrade
 Sound Blaster 16® sound card, stereo speakers...\$128

Many other affordable upgrades and options available. Call for details!

Microsoft® Applications Included!



All Pantera packages include your choice of Microsoft® Windows® 95 or MS-DOS 6.22 and Windows® for Workgroups 3.11, and Microsoft® Office Pro & Bookshelf® or Microsoft® Works.

800-554-5226

24 Hours a Day • 365 Days a Year

CN! - We can ship today! Call for details.



Fax Orders: 800-362-1205 or 612-362-1205. Phone Orders: Outside U.S. and Canada: 612-362-1212, Government: 800-245-2449, ZEOS Information Systems, Inc. GSA #GS00K94AGS517PS01. Purchase Orders, MasterCard, VISA, Am Ex, Discover, Z-Card, COD and affordable leasing programs.



Purchase orders are subject to approval. Business leasing programs available. All prices, specifications and availability are subject to change without notice; call to confirm these and warranty details. Prices do not include shipping. Novel's compatibility is Developer Tested Only. Novel makes no warranties with respect to this product. All products and company names are trademarks or registered trademarks of their respective holders. Intel Inside and Pentium Processor Logos are trademarks of Intel Corporation. Windows is a registered trademark of Microsoft Corporation in the U.S. and other countries. ZEOS is a registered trademark. Computers Now! is a registered service mark. Z-Card is a service mark. Pantera is a trademark of Micron Electronics, Inc. ©1995 MEI. ZEOS, 1301 Industrial Blvd., Minneapolis, MN 55413. Micron Electronics, Inc. is a publicly traded company (NASDAQ symbol: MCEI).

Circle 104 on Inquiry Card.

Our storage devices can endure long hours, natural disasters, and other forms of abuse.



[Not unlike a day at the office.]

The DE100™ is a removable disk/tape subsystem that allows you to easily remove, transfer, and store data. It's compatible with an extensive variety of standard SCSI or IDE/EIDE drives.

With room for three 1" SCSI disk or tape drives, the DS300 model is the most compact removable storage subsystem available on the market today.

The DS500™ is an external rack mount that houses nine half-height bays, allows users to integrate any SCSI peripheral combination, and includes up to two 300-watt power supplies.

An ideal storage chassis for workstations, network servers, and PCs, the DS100 provides flexibility for users to mix and match up to four SCSI peripherals.



When it comes to protecting valuable data, only Kingston's rugged storage devices have shown they can brave the elements. Though they were designed to perform in the most demanding commercial environments, they're also tough enough to survive in army bunkers, submarines, and even in spacecraft. Our Data Silo® enclosures and Data Express™ removables are constructed of rugged steel with a carefully designed and tested



ventilation system for cooling today's high-performance drives. Used in computer rooms, workstations, and network servers, they support more SCSI connections and have more options than any other storage subsystem on the market. If that doesn't impress you, our unbeatable five-year warranty will. So call Kingston or your nearest dealer for more information. Because in the world of storage systems, only the strong survive.

Kingston
TECHNOLOGY CORPORATION

Call (800) 435-0670 or find us at <http://www.kingston.com>

Kingston Technology Corporation, 17600 Newhope Street, Fountain Valley, CA 92708 USA, (714) 438-1850, Fax (714) 438-1847.
© 1995 Kingston Technology Corporation. Kingston Technology is a registered trademark of Kingston Technology Corporation. All rights reserved.

Circle 153 on Inquiry Card (RESELLERS: 154).

And One for All

DAVID S. LINTHICUM

The four programmers draw their épées and simultaneously raise them to the sky. "All for one," they exclaim, "and one for all!" Such is the way of multiplatform development.


The ability to move an application from OS to OS, from GUI to GUI, and from processor to processor is a desirable, if elusive, goal. But the various environments in which we deploy applications have little in common, and environment-neutral development tools must create an additional layer to accommodate their differences. With this kind of architecture, it's difficult to expect excellence from a multiplatform application in all environments. Multiplatform applications are never a native, always a tourist.

"The problem with portable tools is that they never look native in any environment," says Robert Holmes, computer technology research analyst with the Southern California Gas Company (Los Angeles, CA). "They [tools vendors] simply can't be all things to all environments." Simply put, you pay your money and you make your choice: separate development for each platform, or multiplatform development only once.

As the cost of applications development rises, it makes sense to develop applications that run on a multitude of platforms. This allows companies to leverage their investment in code and more easily adjust to the inevitable technological changes. In addition, if you're marketing your applications, the more platforms they run on, the merrier your accountants will be.

Many tools vendors, including Compuware, Intersolv, Neuron Data, Unify, and Zinc Software, provide facilities for multiplatform development. When using these tools, developers can write an application once and then deploy it into many environments without modifying the programming code.

The trick for the developer is to find a tool that makes the application look at home no matter where it is. Some of the issues surrounding multiplatform development include approaches to portability, business justifications, pitfalls, tools, and how to win the portability game.



SCOTT BALDWIN © 1995

Using one source code base to target multiple platforms is possible, but not ideal

Desperately Seeking Portability

The idea of portability is conceptually simple: Keep the environment-specific code in its own layer. Then, when you move an application from platform to platform, simply swap out the old environment layer and swap in a new one.

For example, when developing a C++ application for portability, the developer places all the native GUI- and OS-specific code in its own object or group of objects. Then, when moving the application from platform to platform, the developer must replace just the native-object layer to redeploy the application in a new environment.

Most developers find that achieving true portability using traditional programming techniques is an arduous task. But a number of portable class libraries (e.g., C++ Views from Intersolv, zApp from Inmark Development, and Zinc from Zinc Software) and fourth-generation-language (4GL) tools (e.g., C/S Elements

from Neuron Data, Uniface from Compuware, Unify Vision from Unify, and VisualWorks from Digital/ParcPlace) are available to make the job much easier.


These tools provide a layered API framework. At some layer of this framework, the tools maintain the environment-specific code. Developers then build applications on top of the environment-specific layer.

By using proprietary API calls from third-generation-language (3GL) code, developers don't have to deal with the differences between native environments. The API provides a consistent set of available functions from compiler to compiler and from platform to platform to enable normal applications operations. It's the job of the tool, not the programmer, to handle the presentation of the application in the various environments supported by the portable development tool.

Although the basic concepts remain the same, there are many ways in which portable development tools approach the portability problem. These include lowest common denominator (LCD) and emulation. LCD tools (e.g., XVT from XVT Software) support those features found within all environments.

Yet to maintain portability, you have to give up some native application features. For example, LCD does not support non-portable features, such as Multiple Document Interface (MDI) for Windows applications or the geometry management found in Motif applications.


And while LCD provides the same look and feel across platforms, it doesn't consistently provide their *native* look and feel. For example, a Windows application built with an LCD tool looks out of place. But this can be an advantage. For instance, system administrators who manage many



Unify's Vision provides multiplatform rapid application development for the Macintosh (a), Windows NT (b), Windows (c), and Unix (d). Vision's automated application-partitioning feature allows developers to partition applications across various applications servers.



Access to OS Services: Two Styles



In one style of access (left), the development tool translates 4GL references into native calls. In another style, the tool supplies a proprietary API to which developers write code.

different types of systems may appreciate system-administration applications that look the same across all platforms.


In contrast, portable development tools that use emulation (e.g., C/S Elements) draw their own GUI controls for each environment. These tools go directly to the graphics subsystems of each specific environment, avoiding the native APIs. Again, these applications never really look at home, and bypassing the native API can cause other problems.

For example, by the time this article sees print, many people will have already upgraded to Windows 95. But portable applications built with emulation-based tools in the Windows 3.1 environment probably won't find a happy home with Windows 95: These applications rudely bypass its Win16 and Win32 native APIs. Or, even if the application does run, it will have a Windows 3.1 look and feel in the Windows 95 environment.

To correct this problem, the developer



NOW YOU CAN



IGS5™
IGS20E™

Internet
Gateway
Servers



Integrrix Internet Gateway Servers

provide PC, Macintosh and workstation users an easy and affordable way to cast their nets into cyberspace, with complete pre-configured solutions.

Open Your Mind

The IGS includes a host of features and utilities to put you just a few clicks from the Internet.

Easy Access - Turnkey Operation

The unique, fully integrated design ensures ease of use, power, and expandability. So, what can it do for you?

Mosaic - the "killer application" of the 90's, a point and click graphical interface that gives you access to the internet's vast pool of information.

Firewall security - a combination of security programs that control traffic in and out of your local network, preventing unauthorized access.

POP3 Mail Server & Eudora - delivers email between your desktop and the rest of the world through an intuitive, easy to use interface.

SLIP/PPP, ISDN, and T1 (optional) Interface - multiple possibilities for connecting the system to the internet; from low-cost SLIP/PPP dialup to a direct, high-speed T1 line.

WAIS - libraries of knowledge can be accessed through a powerful search utility.

TCP/IP - every machine on your network gets as much or as little internet capability as needed.

Flexibility Built-In

Two models running under Solaris™1 are available.

The **IGS 5/85** has an 85 MHz microSPARC™ processor, five SBus slots and supports 10 to 50 users.

The **IGS 20E™** has a 75 MHz SuperSPARC™ or HyperSPARC™ processor, with room for up to four CPUs that can support 300 users. Provides a built-in ISDN interface.

Value Extends Beyond Price

Integrrix innovation, reliability and award-winning designs are always at work for you. And, all this attention to detail and quality comes at a cost significantly lower than that of the competition.

Technical Smarts

We are committed to provide you with custom, ready to go systems. Explore your options - servers, workstations, graphics boards, RAID - for your site. For fast, personalized service, call us.



Corporate Headquarters

1200 Lawrence Drive, Suite 150
Newbury Park, California 91230
Tel: 800-300-8288 / 805-375-1055
Fax: 805-375-2799
Email: sales@integrrix.com

Asia

Beijing, P.R.China
Tel: 861-257-0018
Fax: 861-253-5306
Seoul, Korea
Tel: 2-515-5303
Fax: 2-515-5302

must rebuild the portable application using a new Windows 95 version of the portable development tool. The same is true for other platforms as well.

So, what's the best approach? It's no big surprise that the situation is not simply black and white. There are no clear differences between the LCD and emulation approaches to portable applications development when you consider the purchase of a portable development tool. In fact, most tools fall somewhere between the two approaches (e.g., XVT is more LCD, while C/S Elements is more emulation), and the only way to determine the efficiency of a portable tool's approach is to test it in the environments where you wish to deploy it.

But don't abandon all hope. There could be good news on the horizon for portable applications developers. As portable-tools vendors, such as Intersolv, work to improve their products, there seems to be a movement toward using more of the native APIs when deploying portable applications. This will eliminate many of the drawbacks of using portable development tools by making portable applications indistinguishable from native applications.

Thus, many tools, such as Intersolv's C++/Views, are moving to a *superset* approach to portability. Using this approach, portable tools build as many native functions as they can into portable applications. If any native functions are missing, the tools emulate the missing features. The resulting applications should provide all the native features you need while remaining completely portable. But using the native API makes a portable-tool vendor's job much more complicated, and it's going to take time before most tools move in the native direction.

Tools That Rule

Developers can divide portable tools into 3GLs and 4GLs. If you decide to go the 3GL route, you'll find a number of portable C++ libraries, including zApp, Zinc, and C++/Views. The basic idea behind these tools is that C++ developers will use these frameworks, which leverage the object-oriented aspects of C++, and place environment-specific code in their own libraries. Thus, when you switch platforms, you switch libraries as well.

Using portable C++ libraries, an application can access all OS and GUI services using the proprietary API of the tool, which in turn implements the proprietary API call using environment-specific calls. Since the tool API never changes from platform to platform, the applications are portable.

You can, as an option, put environment-specific calls in your application using these portable frameworks. However, you'll have to either remove or work around those calls to make your application portable to other platforms.

As with any 3GL, developing portable applications using C++ takes a great deal of time and patience. To build portable applications in less time, you should consider portable 4GL development environments. Instead of using a proprietary API, 4GL tools provide a high-level language across platforms.


Examples of portable 4GL tools include C/S Elements, Uniface, and Unify. These tools use proprietary 4GL languages that sit on top of the environment-specific features of the tool. Uniface, for example, can deploy its 4GL applications on Windows, OS/2, Windows NT, Unix, and the Mac.

When selecting a portable 4GL tool, you should consider its ability to handle other application services, such as database-server connections, and its ability to assist in the development of a database schema. Many of these tools, such as Uniface and Unify, make good rapid-application-development (RAD) tools as well.

One drawback of portable 4GL tools is that they almost always use an interpreter, and therefore their performance is usually lackluster. With 3GL and 4GL tools, you need to check with the applications vendor to see if they support all the environments you plan to deploy applications on. Many tools support only a select few, or they support only one or two very well, while supporting others poorly.

Portable Traps

Despite the drawbacks, the allure of portability is just too strong for many organizations to resist. Most companies run a wide range of processors, OSes, and GUIs, and having to write an application just once for all those environments solves many problems. However, portability creates other problems. Failed portable applications development projects outnumber successful implementations, and it's clear that the honeymoon with portable appli-



JYACC's Jam 7 is a multiplatform client/server applications development tool. Jam 7 applications are portable to (from top to bottom) the Mac, Windows, and Unix, plus other OSes.

cations development tools is over.

The problem with building portable applications is traceable to the differences among platforms. Like "one-size-fits-none" gloves, portable development tools can't be all things to all platforms; therefore, they don't work exceptionally well on any of them. Most users can instantly discern a portable application from a native one and reject it as seemingly out of place.

For example, zApp, a useful portable C++ library that allows developers to deploy applications on Windows, Unix, Windows NT, OS/2, and Macintosh environments, looks a lot like a native Windows application no matter what platform you deploy it on. A developer may get away with this with Windows users, but not with anyone else.

Look and feel aside, when you use

Compaq,
IBM, Dell,
and Toshiba
do **not** offer



"If you're looking for a lot of computer in a small box, look no further than Tadpole's SPARCbook..."

BYTE Magazine, June 1995

"This is the creme de la creme of power notebooks."

INFOWORLD, June 5, 1995

Tadpole Technology Does.

ultra-high
performance
notebooks.

None of the other guys do. In fact, there's only one company that offers 32-bit, ultra-high notebook performance in either a SPARC™ or Pentium™ platform...Tadpole Technology.

Powerful Pentium Performance

Tadpole's family of Pentium notebooks is the fastest on the planet. The newest member, the Tadpole P1300, features 133MHz performance and PCI bus, a Lexmark keyboard, 1MB video RAM, and an 800 x 600 SVGA 10.4" TFT screen.

Watch Our SPARCbooks Fly

Tadpole's family of microSPARC II notebooks delivers UNIX workstation performance, high portability, plus Solaris and Windows compatibility. Tadpole's 110MHz SPARCbook 3GX features 2MB of video RAM, a Weitek P9100 graphics accelerator for fast screen redraws, and an 800 x 600 SVGA 10.4" TFT screen.

Performance Today... And Tomorrow

Tadpole's family of notebooks features modular architecture that can be configured to match your changing needs. You can get memory upgrades to 128MB, a removable 2.5" hard drive with up to 1.2GB capacity and two PCMCIA slots. And to protect your investment, Tadpole surrounds the inside with a lightweight, rock-hard magnesium case. These are the last notebooks you'll ever need to buy!

The Right Move For Those On The Move

Our family of Pentium and microSPARC II notebooks isn't for everyone. But if you're someone who demands ultra-high performance, compatibility, connectivity, and durability in a notebook, Tadpole Technology has your number. The next move is yours. Call **1-800-232-6656** today.



TADPOLE
TECHNOLOGY

United States: 512 219 2200
United Kingdom: 01223 428200
France: 1 60 86 27 92
Germany: 49 9129 2859 70
World Wide Web: <http://www.tadpole.com>

SPARCbook is a registered trademark of SPARC International, licensed exclusively to Tadpole Technology. Pentium is a registered trademark of Intel Corporation. Windows and Windows NT are registered trademarks of Microsoft Corporation. All other trademarks belong to their respective companies. © 1995, Tadpole Technology.

Circle 172 on Inquiry Card (RESELLERS: 173).

portable tools you have to give up other native goodies as well. Portable development tools that support Windows, for instance, might not have the mechanisms to use OLE 2.0 objects, Visual Basic custom controls (VBXes), or MDI. Moreover, they might make it difficult—or impossible—to use other third-party development tools and libraries.

Other issues are cost and performance. Most portable applications don't run as fast as native applications do, because of the overhead of using a native layer. In addition, portable development tools add significant cost to development projects, usually doubling the tool cost. You also need to consider staffing costs as well. Portable applications, especially in the 3GL world, take more time to develop, and their learning curve is steep.

Unarrested Development

Before jumping into portable applications development, take a deep breath and consider whether you really need to do so. Although vendors' sales pitches are compelling, if you don't have an immediate need to deploy applications on multiple environments, just say no. Multiplatform development adds both cost and trouble to the development life cycle. It's much easier to build native applications, and users are happier with them.

What if you decide to go native and get an unexpected demand to run your application on a different platform? The good news is that you can rebuild your application around a portable tool that handles the new platform. The bad news is that it requires a lot of additional work.

If portable applications development makes sense for your application, you need to consider the type of tools to use. While multiplatform development frameworks for C++ are flexible, they're difficult to learn and use. Moreover, it takes more time to build an application using a 3GL, such as C++, than it does with a 4GL.

Portable tools that use 4GLs offer an easier development environment, but—in support of the you-can't-have-everything theory—you might run into performance problems. For each type of tool, you always need to consider the OSes and GUIs that each works on. You probably want to set up pilot applications on all the platforms you're supporting as well. Never assume that your portable application will work the same across all platforms. Developers are often unpleasantly surprised at how widely tools-vendor support varies from platform to platform.

If you want to put advanced GUI features in your portable application, such as MDI, OLE, DDE, and Motif geometry, then make sure the tools support them. If you plan to use graphics, make sure the tools can display and print the graphics for your application on each platform.

You need to look at other details as well. For example, some portable applications development tools don't use the native help systems or the native help file; others don't use native fonts or bit maps. As always, it's caveat emptor.

Finally, when considering getting into the portable applications development game, use common sense. Determine your application requirements and platform requirements up front. Next, research the

Compware Corp.
Farmington Hills, MI
(800) 368-4326
(810) 737-7300
fax: (810) 737-7199

Digitalk/ParcPlace
(companies are merging)
Santa Ana, CA
(800) 759-7272
(408) 773-7514
fax: (408) 481-9095
sales@parcplace.com
http://www.parcplace.com

Inmark Development Corp.
Mountain View, CA
(800) 346-6275
(415) 691-9000
fax: (415) 691-9099

Intersolv, Inc.
Rockville, MD
(800) 547-4000
(301) 838-5000
fax: (301) 838-5432
http://www.intersolv.com

JYACC, Inc.
New York, NY
(800) 458-3313
(212) 267-7722

fax: (212) 608-6753
jazzn@jyacc.com
http://www.jyacc.com

Neuron Data, Inc.
Palo Alto, CA
(800) 876-4900
(415) 321-4488
fax: (415) 321-3728

Unity Corp.
Sacramento, CA
(800) 864-3948
(916) 928-6400
fax: (916) 928-6406

XVT Software, Inc.
Boulder, CO
(800) 878-7988
(303) 443-4223
fax: (303) 443-0969

Zinc Software
Pleasant Grove, UT
(800) 683-8665
(801) 785-8900
fax: (801) 785-8996
info@zinc.com
http://www.zinc.com

different portable development tools and select the ones that meet your requirements. From there, test each tool to determine its viability. Don't be afraid to dump a tool if it doesn't meet your expectations.

While portable applications development has many advantages in today's heterogeneous world, there are many trade-offs to consider when selecting a portable development environment. As tools vendors become better at building portable development environments, someday maybe all development tools will provide portability, settling all the problems once and for all. ■

David S. Linthicum is a technical manager with EDS in Falls Church, Virginia. You can reach him at 70742.3165@compuserve.com or on BIX c/o "editors."

Get the
Competitive
Edge — Visit
TÜV Rheinland
at COMDEX '95


TÜV Rheinland

Get the edge on your competition with the TÜV Rheinland Ergonomics Approved Mark. TÜV Rheinland can successfully guide you through the new European Union Directives and Laws.

For Hardware:

- Video Displays — CRTs & Flat Panels
- Workstations and Systems — PC, Macintosh, Notebooks, etc.
- Video Graphic Controllers
- Input Devices — Keyboards, Mouse & Pens, etc.

For Software:

TÜV Rheinland can help you design your Graphic User Interface to meet ergonomic standards for:

- User-Friendly Dialogue
- Information Presentation
- Easy Navigation Menus
- Proper Color Use

TÜV Rheinland is your certification and testing choice for Ergonomics (ISO 9241), Product Safety, EMC and ISO 9000 registrations.

Visit our booth at COMDEX Fall '95,
November 13 - 17, Las Vegas, NV
Sands Expo and Convention Center • Booth #S3050

For more information, contact:

Europe: 49/221/806-1795 Cologne, Germany
Asia: 81/45/470-1850 Yokohama, Japan
USA: 203/426-0888 Newtown, Connecticut
510/734-8100 Pleasanton, California
Web: http://www.tuv.com/ Internet: info@tuv.com



Crashing the Party

BRUCE BROWN

Although their fans speak of them in almost transcendental terms, the major desktop OSes sometimes exhibit all the rigor of a tube of toothpaste: You squeeze here, it bulges there; you squeeze there, it breaks. It's almost axiomatic in computer technology, of course, that every strength is simultaneously a weakness, and nowhere is this more apparent than in the crash performance of the major desktop OSes.

Under stress, Windows 3.1, Windows NT 3.5, OS/2 Warp, and Mac OS 7.5 (the PowerPC and Motorola 68000 versions) are all vulnerable to their own particular brands of system failure. They are often called General Protection Faults (GPFs) in the Windows world and system bombs on the Mac side. These flashes of woe (or whoa) typically render the active software application unusable and can freeze the whole system solid, requiring rebooting. As a bonus, you probably lose whatever you were working on, too.

Sometimes seemingly random system failures can at other times be replicated by following specific procedures, with near-scientific reproducibility. The following tour of the shores of computer hell is offered not for the sake of mayhem (or, at least, not for mayhem alone), but for what it reveals about the workings of various desktop OSes and the state of OS development. Forewarned is forearmed.

Breaking Windows

To crash Windows 3.1: Simply open and close Windows applications. Repeat a few dozen times, or until the Black Screen of Death appears.

The most popular OS is also the one that's most prone to total system meltdown. In fact, one of the dark facts about Windows is that you can cause Windows 3.1 and Windows for Workgroups 3.11 to crash simply by using them enough.

Windows 3.x is notoriously susceptible to potentially fatal memory leaks in two crucial 64-KB resource heaps used for system operation: USER.EXE and GDI.EXE. It's common for Windows applications to consume, or *leak*, memory (i.e., releasing less

memory back to the system when closing than they took when opening).

Microsoft estimates that Word for Windows 6.0 and Excel for Windows 5.0 both leak about 6 percent of system resources whenever applications are opened and closed. Keep this up long enough, and the OS will choke—asphyxiated by lack of memory—and the system will crash. Thus, simply opening and closing enough Windows programs can eventually exhaust system memory and produce a GPF—even if you've got 100 MB of RAM installed.

There's an almost-infinite number of ways to bring on system-resource crashes in Windows 3.x. It's particularly (and ironically) easy with many Microsoft applications. For instance, if you insert a series of Microsoft Graph 5.0 objects into a Microsoft Word for Windows 6.0 document, you lose system resources every time you do so, until you eventually crash.

continued



JOSEF GLAST © 1995

How to crash the major desktop OSes, and what it says about their architectures

Many Windows users exit from and restart Windows all day, not for the cool breeze of the Microsoft logo blowing by, but to replenish the depleted system resources on their machines. Although they may start out with 80 percent or more of free resources, several hours of hard use can leave them on the wrong side of the perilous 50 percent line, even with no applications open. One of the great attractions of Windows 95 is that it reduces—but does not eliminate—this problem.

Windows NT, a true 32-bit multithreaded OS, promises much greater stability than Windows 3.1, but it has still singed a few eyebrows along the way. Here's a recipe for a quick Windows NT disaster: With either Word for Windows 6.0 or Excel for Windows 5.0 running under Windows NT 3.1, close the program, reopen it, minimize it, and then quit again. Then listen for the splat. Microsoft acknowledges that this particular GPF is the result of a bug—not a feature—in the Windows-on-Windows subsystem memory manager in KRNL386.EXE.

In both Windows NT 3.1 and 3.5, available memory can also become exhausted if more than 100 threads or processes are launched simultaneously. The reason? The great insulation of applications from each other, which is one of NT's virtues, requires system overhead that can overwhelm the system. So, to protect against the sort of bumper-car GPFs that plague Windows 3.x, Windows NT introduces at least the slim possibility of another sort of calamity. "Quis custodiet ipsos custodes?" (translation: "Who shall guard the guards themselves?") is what you're probably saying to yourself at this point.

Protection...for a Price

OS/2 Warp, Windows NT's main high-end 32-bit competitor in the OS wars, has



Some Windows error messages are not that helpful, even before a General Protection Fault occurs.

trimmed its sails in a somewhat different fashion. One of OS/2's virtues is that it's more sentient about hardware than Windows is. It can actually tell if your system has a bad memory chip, a floppy drive controller heading south, or even a loose add-in card.

But OS/2's hardware intelligence has a downside. Here's a way to quickly produce the "trap 0002" or "trap e" meltdown in OS/2 Warp—and probably burn up thousands of dollars in consultant fees, too. Open up the case on the system and slightly loosen one of the add-in cards (a network interface card [NIC] or modem will do nicely). Don't take the card out; just loosen it a little.

You now have the makings of an exquisite little bit of misfortune. If you do it right, on a dual-boot machine you will then be able to run DOS just fine, but when you try to run OS/2, you'll get a black screen rudely slammed in your face.

Consultant Chris White, who's based in West Sacramento, California, remembers running into this exact problem. "DOS ran fine, but I kept getting these bomb-outs all the time in OS/2," she recalls. It turned out that this was the beginning of a hardware failure that ultimately cost a great deal of lost data. "OS/2 was trying to warn me, but I didn't understand until it was too late," she explains. "At the time, I was just furious that the system would not work."

Also, while shielding applications from each other, as Windows

NT does, OS/2 does not shield the OS from errant code as fully as NT does. A good deal of Warp code and data reside in portions of memory that are distressingly writable by all applications, which opens another door to memory conflicts and system crashes.

Sys! Boom! Bah!

Meanwhile, the Mac, like Windows, has its own heaps of memory trouble. Some Mac users report encountering strange names and arcane text on their screens during particularly showy system failures. These include the following:

```

_Jackson
+0000 408314A *Debugger
+0002 408314C _NewHandle, Immed
+0004 408314E BNE.S
_DisposeCIcon+0032
    
```

These are vestiges of the original Mac development process. The name *Jackson*, for instance, is an abbreviated label for *_JacksonPollock*, the development code name for Color QuickDraw.

When Mac OS 7.5 users see the name *Jackson* amid the digital debris, they are probably in the grip of System Error 25, which can also generate out-of-memory errors and the bomb dialog box if MacBug is not installed. Mac System Error 25 occurs when memory stacks and heaps collide. This is commonly caused by an improper calling sequence by an application, prompting the stack to grow until it overruns the heap. (Boom!)

Another type of memory issue causes

Where to Find

Apple Computer, Inc.
Cupertino, CA
(800) 776-2333
(408) 996-1010
fax: (408) 996-0275

IBM Corp.
Armonk, NY
(800) 426-3333

Microsoft Corp.
Redmond, WA
(800) 426-9400
206) 882-8080
fax: (206) 936-7329

BugNet
Sumas, WA
(360) 988-2801
bugnet@bugnet.com
http://www.bugnet.com/~bugnet

photon™ microGUI

Breakthrough Technology for Embedded Systems

Looking for ways to achieve more with less? More performance with less hardware? More productivity in less time? More bang with less buck?

Presenting the Photon microGUI™. QNX's full-featured windowing system that can give even your smallest PC-based realtime systems a phenomenal front end.

Breakthrough Architecture

Photon is built around a 45K microkernel and modular processes, so you can easily add or remove graphics functionality to fit your target.

The cornerstone of Photon's event-driven architecture is the QNX realtime OS. Which means Photon applications inherit



QNX's scalability, message-based IPC, and network-distributed processing. The result is a realtime graphical platform never before seen in the PC world.

...a window into your embedded system from an X workstation.

Breakthrough Connectivity

Imagine being able to see into your embedded device — and control it — from a remote QNX box. Or from an X workstation. Or from a Windows-based PC.

Photon's *jump-gate connectivity™* even lets you "beam" or transport an application from one QNX node to another!

Breakthrough Efficiency

Photon can deliver high-end, workstation-class graphics even on low-cost PC hardware. It uses memory wisely. And it comes with a low runtime price tag.

You can also expect to save development time, thanks to Photon's easy-to-use API and extensible widget library.

And when you use the code-generating Photon Application Builder, you won't have to spend any time coding your interface by hand — and it won't cost you an arm and a leg either.

Breakthrough Performance

Imagine the power of a high-end graphics system, but with the agility of a realtime executive. With

Photon's impressive drawing speeds (even across phone lines!) and intuitive UI design, your embedded PCs will look and feel

like turbo-charged workstations.



...a window into your embedded system even from within MS-Windows.

Photon Takes You Places

With Photon's phenomenal performance, incredible efficiency, unique jump-gate connectivity... there's no telling how far you can go. And since Photon supports

Unicode, you'll be able to take your realtime solutions anywhere in the world.



The Photon Application Builder beats tedious hand-coded GUI building hands down!



At last, a window into the black box. Photon lets you monitor and control your embedded system from remote computers — even from non-QNX platforms.



The Leading Realtime OS for PCs

To find out more about the leading realtime OS for PCs, call **800 676 0566** or 613 591 0931. (EXTENSION 1009) Or reach us via email at info@qnx.com or on the web at <http://www.qnx.com>.

AMAZING JUKEMAN



IXOS-JUKEMAN is the leading management system for CD jukeboxes and recorders. It provides simple and effective access to all available optical storage devices. With its unrivalled performance and flexibility, IXOS-JUKEBOX redefines the state of the art in high-performance jukebox servers.

- Presents a standard file system: NFS or native file system for NT or both

- Presents CD-Recordable as a standard writable file system

- Access from UNIX, Windows, Windows NT, Macintosh, NextStep, VMS...

- High throughput thanks to sophisticated caching and scheduling strategies

- Configurable access rights for specific user groups

IXOS-JUKEMAN
READS, WRITES AND
MANAGES UNLIMITED
NUMBERS OF JUKE-
BOXES AND CDs IN
ANY LAN...

Download your free test copy from:
<http://www.ixos.de/jukeman.html>

IXOS Software Inc.
1070 Sixth Ave Suite 200,
Belmont, CA 94002, USA
Tel: (415) 610 82 40 Fax: (415) 802 95 70
Internet: info@belmont.ixos.com

IXOS Software GmbH
Bretonischer Ring 12
D-85630 Grasbrunn/Munich, Germany
Tel: (49) (89) 460 05-0 Fax: (49) (89) 460 05-199
Internet: office@munich.ixos.de
<http://www.ixos.de/>

SOFTWARE
PROJECTS
PRODUCTS
TRAINING
SUPPORT

IXOS
WE SERVE OUR CLIENTS

SPECIAL REPORT

system bombs on classic Motorola-powered Macs. It results from the code-swapping model that's used by Mac OS 7.5 when virtual memory or RAM Doubler is turned on.

Unlike the PowerPC version of Mac OS 7.5, the 68000 chip version segments code so that it doesn't have to be loaded into memory all at once. This is an advantage in some respects (especially on machines with limited memory and disk space), but it can lead to situations where there isn't enough memory left to load a particular program's code into RAM when the time comes. (Bawoomba!)

PowerPC machines running Mac OS 7.5 are designed to overcome this problem, but in the process they introduce a new type of crash. The PowerPC version of Mac OS 7.5 *doesn't* segment and swap code, and therefore it requires that enough memory—virtual or otherwise—be available to load a program's code into memory all at once.

To crash Mac OS 7.5 on the PowerPC: To crash a PowerPC system with less than 16 MB of RAM, all you have to do is turn off virtual memory and RAM Doubler, and then reboot the machine and try to run Adobe Photoshop. (MacSplat!)

Crash-Test Dummies?

So, what's the moral of all this sorrow? It's not necessarily that every desktop OS is a disaster waiting to happen, nor that everyone's data is doomed. The problems discussed here do not plague every desktop user every day. In fact, they are rare enough that many users may never see them at all.

Yet in a general sense, the crash characteristics of the major desktop OSes reveal some fundamental OS verities. One is that, like military generals, OS designers often seem to be fighting the previous war (e.g., Mac OS 7.5 for PowerPC versus Motorola 68000, or Windows NT versus Windows 3.1). Another is that the major OSes are all essentially involved in the same trade-offs (or deals with the devil) when it comes to protection against showstoppers. Each has gleaming strengths, and each has potentially mortal weaknesses.

Users should remember that each OS represents a real-world compromise. And you know what the real world is like. ■

Bruce Brown is the editor of the BugNet electronic newsletter and is based in Sumas, Washington. He can be reached on the Internet at bugnet@bugnet.com, on the World Wide Web at <http://www.bugnet.com/~bugnet>, or on BIX c/o "editors."

Searching For The Best Multimedia Pentium Notebook?

STRIKE IT RICH WITH SOUNDX GOLD



The Sceptre
Soundx
Multimedia

Pentium Notebook, chosen BYTE Magazine's BEST OVERALL in head-to-head notebook comparisons, is now available in Sceptre's new **Gold Series**. This includes our Premium Service Program, Three Year Warranty and a handsome attache.

Add your voice to the growing list of satisfied Sceptre users. The Gold Series is offered through distribution. Call **1-800-788-2878**.

- INTEL 90-MHZ PENTIUM PROCESSOR
- 10.2" DSTN/TFT WITH 16M COLORS IN 640 X 480 RESOLUTION
- PCI BUS TO INCREASE HDD AND VGA SPEED
- POSITIVE-TOUCH KEYBOARD WITH PALM-REST DESIGN
- BUILT-IN STEREO SPEAKERS AND MICROPHONE
- 256K CACHE MEMORY, L3
- 6.3 POUNDS; 10.9" X 8.6" X 1.7"
- INFRARED SERIAL PORT
- INTELLIGENT HEAT SENSOR! NO FAN NEEDED



INGRAM
MICRO
800-456-8000



"Brutius" is a monitor lizard.

SCEPTRE®

EXCELLENCE FOR ALL THE WORLD TO SEE

SCEPTRE donates a portion of all profits to the Zoological Society of San Diego in support of C.R.E.S., the Center for Reproduction of Endangered Species.

© 1995 SCEPTRE Technologies, Inc. All Rights Reserved. All product and brand names are trademarks or registered trademarks of their respective companies.

Circle 174 on Inquiry Card (RESELLERS: 175).

The *problem*

with other CD-ROM drives

is the constant

loading *and* unloading.



With its patented six-disc magazine, the Pioneer DRM-624X CD-ROM changer keeps your discs right at your fingertips while at the same time guarding them from any damage. Making it easy to categorize, organize and utilize all of your CD-ROMs.

Put down your CD-ROMs for a second and think about this: With a Pioneer DRM-624X changer sitting faithfully at your

PC's side, all the little things that can damage your discs, from yesterday's lunch to today's newsprint, don't have a chance. You see, along with being the fastest multi-disc CD-ROM changer on the market, the DRM-624X's patented magazine is the only one that lets you pop in six discs at once and never have to touch them again. And, as your CD-ROM needs grow, you simply add magazines. So give us a call today at 1-800-444-OPTI and learn how you can make CD-ROMs a hands-off operation on your PC.

 **PIONEER**
Pioneer New Media Technologies, Inc.

Powered by the
GLINT™ 300SX

Order today,
1-800-995-OMNI.
Dealer inquiries
welcome.

3DEMON

3 year warranty



Finalist

For applications
such as:

MicroStation®
OpenInventor®
Pro/ENGINEER®
Pro/JR.™
AutoCAD®
3D Studio®
and others

Come see us at

COMDEX/Fall '95

Booth SM 1225

In the

Multimedia Pavilion
at Sands Expo

**OMNCOMP GRAPHICS
CORPORATION**
1734 W. SAM HOUSTON
PKWY. N.
HOUSTON, TEXAS 77043

PHONE: (713) 464-2990

FAX: (713) 827-7540

email:
omnicmp@phoenix.phoenix.net

World Wide Web:
<http://phoenix.phoenix.net:80-omnicmp>

WORKSTATION GRAPHICS AT PC PRICES

Unleash the power of the 3DEMON™ on your graphics application. Omnicomp now brings you a PCI based graphics accelerator board capable of 3-D workstation class performance at affordable PC prices. The 3DEMON accelerates rendering with 24-bit Z-buffering, anti-aliasing, alpha-blending, texture mapping and fast clear features. For Windows NT™, the 3DEMON provides double buffering and optimizes OpenGL™ applications.

Tomorrow's Vision Today

OmnicomP

Graphics Corporation

APIs and Libraries
supported by the
3DEMON

OpenGL™
© SiliconGraphics, Inc.

**REALITY™
LAB**
RENDERMORPHICS

RenderWare®
C
criterion
software

BRender™
Argonaut

3DR™
Intel®

X™
INSIDE
INCORPORATED

AUTODESK® SM
REGISTERED DEVELOPER

Omnicom and 3DEMON are trademarks of Omnicomp Graphics Corporation. GLINT 300SX is a trademark of 3DLabs Inc., Ltd. Windows NT is a trademark of Microsoft, Inc. OpenGL is a trademark and a copyright, and Open Inventor is a copyright of Silicon Graphics, Inc. RenderWare and Criterion are trademarks of Criterion Software, Inc. X Inside is a registered trademark of X Inside, Inc. 3DR is a trademark and Intel is a registered trademark of Intel, Inc. MicroStation is a registered trademark of Bentley Systems Inc. Pro/ENGINEER is a registered trademark and Pro/JR. is a trademark of Parametric Technology Corporation. trueSpace is a trademark of Caligari Corporation. 3DEMON is not an Autodesk product. The Autodesk logo is registered in the U.S. Patent and Trademark Office by Autodesk, Inc. All other trademarks or registered trademarks are the property of their respective owners and are hereby acknowledged. The specifications in this document are subject to change without notice.

Circle 194 on Inquiry Card (RESELLERS: 195).

NEW

Copy Protection.....



- ✓ WIBU-KEY – Secure against systematic "crackers"!
- ✓ WIBU®-BOX for LPT, COM, ADB, as card for (E)ISA slots and as PC-Card (PCMCIA Type II)
- ✓ WIBU-BOX is smallest ASIC based dongle!
- ✓ Protection for DOS, Windows and networks without requiring source code modification
- ✓ Windows™, Windows™95+NT, Mac™ OS, OS/2®, Novell
- ✓ CD-ROM Install-Shield

**Call now:
800-986-6578**

WIBU-KEY

The most complete palette of copy protection hardware

Order your evaluation package today!



WIBU-KEY

High Quality in Software Protection

**WIBU
SYSTEMS**


WIBU-SYSTEMS GmbH
Rueppurrer Strasse 54
D-76137 Karlsruhe, Germany
Phone: +49-721-93172-0
FAX: +49-721-93172-22
CIS: 100142,1874

**EUROPEAN SOFTWARE
CONNECTION**

1617 St. Andrews Drive, Lawrence, KS 66047
Phone: (913) 832-2070, FAX: (913) 832-8787
Techn.Support:(913) 832-1623, CIS: 71141,3624

Circle 302 on Inquiry Card.

See your business data in a minute...
...with RegioGraph, the desktop mapping system



The powerful GIS technology for business is used in RegioGraph for professional presentation and reports, regional analysis, site selection, sales district planning, market delineation and controlling.

Functions

Thematic mapping and shading; 2-D, 3-D pie charts, bar graphs; dot density maps; scaled symbol maps; 3-D prism and contour lines; portfolio technique: presentation of cross tables in maps; easy creation of sales territories; fast aggregation of maps and data; spatial selection and data filter in maps and data; geocoding of pointfiles (customers); unlimited number of layers; multimedia layer; ODBC/OLE; interface to SPSS; import capability of different graphic formats; digitizing module; high quality, scalable output.



MACON GmbH
Schoenbornstrasse 21
D-68753 Waghäusel, Germany
Phone: +49-7254-983-0
FAX: +49-7254-983-290

Circle 303 on Inquiry Card.

Companies from Baden-Württemberg, Germany together at COMDEX/Fall'95

Kleinmann GmbH

Am Trieb 13, D-72820 Sonnenbuehl, Germany
Phone: +49-7128-9292-0, FAX +49-7128-9292-92

Circle 304 on Inquiry Card.

Computer Cleaning Products

Not for Endusers. Exclusive with private Label.



<http://www.isg.de>

For C++ Developers and Designers Only...

Circle 204 on Inquiry Card (RESELLERS: 205).

EASYCOM GALILEO

Just Plug & Phone!

The true PC and telephone integration.



Record instantly your telephone conversation while speaking and replay it a moment later to the person you are speaking to ... or paste it into any of your documents or presentations! Play your new CD on the telephone to your remote interlocutor while speaking! Talk on the phone while playing the most sophisticated games! Scan documents with your local fax machine while phoning or receiving an external fax! Drive EasyCom Galileo phone functions through DTMF keys! ... and much more!

All communication features integrated: Telephony + Sound / Voice / Modem / Fax

General specifications:

ISA 16 bits Plug & Play, powerful proprietary interface (COM port independent), totally evolutive (DSP based), auxiliary COM port emulation for full compatibility with any communication software. Windows 3.1, 3.11 and DOS drivers.

External I/O connections:

Microphone input, line-in, CD-in, line-out, motherboard speaker in, speakers out, phone line, handset line.

Integrated Telephony:

Twin independent lines (handset/local fax and external phone line), powerful handset management, full duplex handset and/or speakerphone, spy mode, recording and replay phone conversation, PBX management directly from the PC (calls transfer and routing), access to telephone directories in any database.

Audio & Sounds:

16 bits Stereo / 48 KHz sound and OPL3 synthesis, MPC II & Microsoft Sound System compatible, Sound Blaster and Ad Lib games compatibility, MPU 401 MIDI Interface (uart), IDE CD-ROM interface.

Voice Mail System:

Countless Voice servers and Answering machines, Fax on demand and remote querying / DTMF keys.

Fax / Modem 14400:

V32bis, V32, V22bis, V22, V42, V42bis.

Terminal emulation and transfer.

V17, V29, V27ter, V21, V23.

Std. COM port, Class 1 & 2 protocols.

Software:

All functions are fully integrated and managed by the powerful native EasyCom software under Windows 3.1, 3.11 and Windows 95.

By BuroBotics

Rte Suisse 9, 1295 Mies, SWITZERLAND
+41 22 7792255 tel. or 22 7791504 fax
CompuServe : 100063,2624



Visit us at COMDEX 95

Windows standards compatibility, all Windows compatible networks supported.
PTT approval in more than 15 worldwide countries in process. Competitive price policy.
Distributors and OEM integrators welcomed.

Circle 216 on Inquiry Card (RESELLERS: 217).

"We've been developing a complex Client/Server application using C++ and SQL. OEW does a tremendous job increasing our productivity. Today we wouldn't even think about working without it."

Karl Kessler, Worldcom

"Microsoft Visual C++™ means productivity through reuse and the fact that OEW can reverse-engineer any standard C++ source code supports our mission. OEW can reverse-engineer Microsoft Foundation Classes and re-generate them as part of a new application ready to be compiled and debugged by Visual C++."

Don Johnson, Microsoft

"I am in awe of this tool. It's the best thing I've seen for C++ development in its price category."

Mick Hittesdorf, Andersen Consulting

"Every once in a while, a tool appears on the market that makes you think how did I ever manage before this came along. OEW is just that kind of tool."

Jan White, Consultant at Westinghouse

<http://www.isg.de>

"OEW's functionality and its design make OEW a very powerful and easy to learn CASE tool for object-oriented software development. OEW not only supports all phases of the development process, it also generates a great deal of very useful project documentation. I really can recommend OEW to anyone who considers developing object-oriented software with C++."

Torsten Staab, Sky-Logic

"TopControl, implemented on windows and OS/2 systems using C++, enables its user to remotely control mainframe computing centers. OEW has shown an outstanding performance in the quality control of TopControl's development."

Dr. Hans König-Goy, debis Systemhaus CSF

"Informix provides leading edge technology for parallel relational database systems. With the new OEW V2.1, there is finally an efficient way to map C++ designs to our DBMS."

Oliver Hoeveler, Informix

"OEW has convinced me. Innovative Software's 24-hour customer support is as important as the program itself: whenever I have a question or a problem, I receive a highly competent answer right away."

Ora Jaervinen, Digital Equipment

OEW is available on all major platforms. For more information contact:

OEW International

Innovative Software GmbH ☎ +49 69 236929 Fax +49 69 236930
Australia - OSE ☎ +61 52 377388 Fax +61 52 377054
Austria - Ambit ☎ +43 1 5354690 Fax +43 1 53546909
BeNeLux - Protocols Software ☎ +31 20 645 5023 Fax +31 20 640 3341
Finland - Micromax Systems Ky ☎ +358 0 4002014 Fax +358 0 4003024
France - Ici ☎ +331 34657777 Fax +331 34659097
Germany - Kessler Software ☎ +49 551 507620 Fax +49 551 5076222
Italy - ISA ☎ +39 323 922066 Fax +39 323 925208
Russia - Rodnik Software ☎ +7 095 1137001 Fax +7 95 3169754
Sweden - Fax Data ☎ +46 8 6268100 Fax +46 8 6269808
Switzerland - ProArt Informatik ☎ +41 31 9712373 Fax +41 31 9712307
UK - Silicon River ☎ +44 181 3177777 Fax +44 181 3167778
USA, Canada - Terasoft ☎ +1 508 6348400 Fax +1 508 6348236




TERASOFT™

Terasoft Technology Corporation

221 East Main Street
Milford, Ma 01757
Phone (508) 634-8400
Fax (508) 634-8236
CompuServe 73602,2737

PCI SCSI ADAPTERS FROM DPT


FAST AS LIGHTNING!



SEE US AT
COMDEX/Fall
Booth #2668
LAS VEGAS CONVENTION CENTER

Lightning does strike twice!

Combine DPT's PCI SCSI performance with the power of your Pentium, and watch your system sizzle. Of course you can install your DPT PCI SCSI adapters with confidence because they are fully compatible with the latest version of the PCI specification, and we have tested compatibility with thousands of products and operating systems.



For even faster performance, you can easily add hardware caching and RAID support with optional plug-on modules.

Installation couldn't be easier: all DPT PCI SCSI Adapters are Plug-and-Play ready and come complete with Storage Manager,™ DPT's award-winning setup and maintenance software.

Order a DPT PCI SCSI Adapter today and find out for yourself just how fast lightning really is.

1-800-322-4378

DPT
Distributed Processing Technology

140 Candace Drive, Maitland, FL 32751



Web Site, Internet Gateway, and Workgroup Suite — All In One.



Introducing Worldgroup Internet Server

Workgroup Features

- ◆ Free Windows Client
- ◆ Teleconferencing/Chat
- ◆ Electronic Mail
- ◆ Group Message Forums
- ◆ File Libraries
- ◆ Polls & Questionnaires
- ◆ Multimedia File Launch
- ◆ Modem Access
- ◆ LAN Access
- ◆ Internet (TCP/IP) Access
- ◆ ISDN Access
- ◆ X.25 Access
- ◆ Offline Client Use
- ◆ Transparent Updates

Internet Features

- ◆ SLIP/CSLIP/PPP Access
- ◆ Pass-Thru Web Browsing
- ◆ Web Server
- ◆ Web Forms Support
- ◆ VRML & Java Support
- ◆ CGI Web Server API
- ◆ Web Usage Reporting
- ◆ SMTP Send & Receive
- ◆ NNTP Send & Receive
- ◆ IRC Client
- ◆ Telnet Client & Server
- ◆ Rlogin Client & Server
- ◆ FTP Client & Server
- ◆ Finger Client & Server

And More Features

- ◆ Up to 256 Connections
- ◆ Interactive Sessions
- ◆ Multithreaded Engine
- ◆ ASCII/ANSI Access
- ◆ Administrative Reports
- ◆ Locks & Keys Security
- ◆ Unlimited User Classes
- ◆ Remote Management
- ◆ Visual Basic API
- ◆ ISV Credit Card Verifier
- ◆ ISV Photograph Database
- ◆ ISV Group Calendar
- ◆ ISV Document Retrieval
- ◆ ISV Shopping Mall

On one PC, you can easily provide full access to and from the Internet. You can have a stunning Web site that engages a client/server workgroup environment. And you can provide a gateway to the Web for your modem and LAN users.

You can do all of this and more with the Worldgroup Internet Server — on a

single 486 or Pentium DOS machine. Minimal maintenance. Maximum impact. With airtight security and easy administration. Starting under \$1,500.


You can add client/server databases, order entry, voice/image conferencing, and more with a quick "A:INSTALL" — no laborious HTML work.

To use the Internet for real business, give us a call at 1-800-328-1128 (outside U.S. and Canada call 305-583-5990). Or browse us at <http://www.gcomm.com>.



GALACTICOMM
Bringing your vision online

These Holiday Prices Will Make You Change Your Tune.



The Tympani
\$469
Value Packed!



The Tuba II
\$729
High Performance!

THIS HOLIDAY SEASON, Orchestra wants you to indulge your eyes with a symphony of colors. You've been good all year, so go ahead. Delve into rich, harmonic hues that will delight your eyes and wallet alike. Look at the new Tuba II and Tympani 17" monitors. They'll bring the music of your Windows 95 software to a thrilling crescendo.

When it comes to monitors, bigger is definitely better. And now is the time to invest because Orchestra has made the exceptional affordable. *PC Magazine*, *Byte*, *MacUser* and *CD ROM* magazines all agree that our 17" displays offer superior value. So replace your 14" monitor with a Tympani or Tuba II. Get all the multi-tasking workspace you need to be more productive. Jazz up your games, on-line services, CD-ROM's



and World Wide Web pages. And do so, knowing that our quality, price and performance compose a rare value.

The Tuba II is our latest opus, with an ensemble of features to spoil you. It offers high resolutions and refresh rates, microprocessor controls and compliance for today's power consumption and emission standards. Our On-Screen Display system also enhances performance by controlling the following:

- Pincushioning/Barreling
- Color Temperature
- Trapezoidal Distortion
- Tilt/Rotation
- Color Balance

New Windows 95 users will appreciate Tuba II's fine 0.28mm dot pitch, 2000 x2000 maximum resolution and FST edge-to-edge big screen display. All this, with an estimated selling price of under \$729. If you want a big, high-performance monitor at a holiday-budget price, choose the Tuba II.

If your budget is in a minor key, fear not, for the

Tympani is the answer for those with big-screen dreams and a small-screen budget. For \$469, you can have a 17" screen, with two-thirds more Windows screen area than many 15" screens which cost about the same. A suite deal in any key.

The Tympani features a maximum non-interlaced resolution of 1024 x 768, pincushioning controls and Energy Star

compliance. It's the ideal monitor for the oversized display of games, CD-ROM reference content, on-line access services and general use applications, at a price that's truly music to your ears.

All Orchestra monitors, including the Tuba II and Tympani, come with a three-year warranty and toll-free tech support. For a free brochure or dealer information call (800)237-9988. And remember, Orchestra brings you a symphony of color for a song of a price!

Specification Comparisons	Tuba II	Tympani	NEC XY17	MAG DX17F	Viewsonic 17G	NOKIA 447 Multigraph	HANA0 F2-17EX
Dot Pitch (mm)	0.26/0.28	0.42	0.28	0.28	0.26	0.26	0.26
Maximum Resolution (Non-interlaced)	2000x2000	1024x768	1280x1024	1280x1024	1280x1024	1600x1200	1600x1200
Trapezoidal Control	•				•	•	•
Tilt/Rotation Control	•		•	•			
Pincushion Control	•	•	•	•	•	•	•
Color Balance Control	•		•	•	•	•	•
Color Temperature Control	•		•	•	•	•	•
Microprocessor Controls	•		•	PARTIAL	PARTIAL	•	•
On-screen Controls	•		•	•	•	•	•
Estimated Street Price	\$729	\$469	\$799	\$799	\$945	\$1075	\$1098

USA FLEX
1-800-846-0004

TigerDirect
1-800-888-4437

DARTEK
1-800-832-7835

MacWholesale
1-800-555-MALL

MacWholesale
1-800-531-4MAC

Orchestra
MultiSystems, Inc
Technology In Concert
(800)237-9988

© 1995 Orchestra MultiSystems, Inc. All trade names are trademarks of their respective companies. Technical specifications may change from time of publication.

Street Machine

COMDEX Las Vegas
Sands Expo S 1631/S 1637
13.11.- 17.11.1995



Up and away on the Information-Highway!

Mobile Assistant I™

– a multifunctional device for mobile communications, traffic and information management. It brings together all the latest technology such as radio modems, satellite navigation and computer power to give you the best service you can expect.

Mobile Assistant I™ is intended for professionals in areas such as:
Freight Carriers • Field Service Organizations • Field Sales Organizations
• Rental Car Agencies • Police- and Fire-Departments • Emergency Road Service • Hazardous Materials and Security Transports • Public Transportation Systems.

ONLINE NAVIGATION



TRAFFIC INFORMATION



MOBILE OFFICE



Notebook PDA

FLEET-MANAGEMENT




ONLINE SERVICE



EMERGENCY SERVICE



ELECTRONIC TOLL COLLECTION



- ⊕ Wireless Communication Computer
- ⊕ GPS, Computer, Modem
- ⊕ Just 6-Keys
- ⊕ Car Radio Size
- ⊕ Supported Networks: MODACOM/ARDIS-MOBITEK/RAM - GSM/CDPD

ComROAD®

Internet: <http://www.solidinfo.com>

Circle 210 on Inquiry Card (RESELLERS: 211).

GRAPHIC TOOLS

Available on DOS, MS Windows, Windows NT, OS/2 PM, SCO Unix, Interactive Unix, Solaris on Intel and SUN SPARC. Your applications written with the GSS Graphic Tools are portable to all platforms. 32 bit technology also on DOS through support of PharLap DOS extender, Lahey Fortran LF90, Watcom C, Watcom Fortran, MS Visual C/C++, MS Fortran Powerstation and Metaware High C/C++.

GSS*GDT

CGI-Standard

Graphics Development Toolkit enables you to develop applications in a device and system independent way. Based on the ISO CGI standard GSS*GDT supports a variety of input and output devices through device-specific CGI drivers. GSS*GDT is completely integrated into the underlying windowing system and comes with more than 160 callable C and Fortran functions. Furthermore, it is compatible with the Graphics Development Tools from IBM and SCO.

CGM

CGM-Standard

Computer Graphics Metafile is the ISO/ANSI standard for system independent storage of vector and rasterbased graphical information. CGM is part of the worldwide CALS and ATA initiatives that optimize industrial processes and is implemented in hundreds of applications. Together with our partner, Henderson Software Inc., whose president Lofton Henderson is the technical editor of the CGM standard, EMATEK offers a complete product line of CGM tools.

- MetaGen:** The C function library to generate standard compliant CGM metafiles.
- MetaTran:** The C function library to interpret CGM metafiles.
- MetaCheck:** The tool to check CGM metafiles for standard conformity.
- MetaPrint:** CGM printer driver for MS Windows.
- HSIview:** Metafile Interpreter for MS Windows and CGM/WMF Converter.
- GSS*CGM:** The high level C and FORTRAN function libraries to interpret and convert CGM metafiles via GSS*GKS and GSS*GDT.

GSS*GKS

GKS-Standard

Graphical Kernel System is a C and FORTRAN function library that enables you to develop portable graphic applications which include for example user interaction, coordinate transformation and object segmentation, based on the ISO GKS Standard. GSS*GKS, which is installed in large quantities on the DOS platform and has been proved successful for years, is now available for the graphical user interfaces and therefore offers the software developer a smooth transition to the new windowing systems.

CGI Print Manager for X11

Windows NT shook the UNIX community decently. But on closer examination it is the numerous small features which make NT attractiv and which the UNIX system does not possess. For example the Windows Graphical Device Interface (GDI) is one of these features and allows every hardware manufacturer to develop device drivers and to deliver them with his devices. Hence every customer can, at any point, install additional drivers himself thus optimizing the use of his software. Up until now this is impossible under UNIX. But EMATEK has just developed a print manager for Motif/X11 on the base of the Computer Graphics Interface (CGI) standard. The final product will allow each X11-based application to address printers, plotters or output files through the CGI device interface. In addition, CGI as an ISO standard adheres to the UNIX open systems' philosophy.

GSS*EasyChart

This brandnew library for MS Windows provides you with functions to easily integrate business charts and graphs into your application. For an incredibly low price you can view your datasets as pie, bar, line, step or schedule charts and customize each detail. Enhance your existing application with presentation graphics capabilities. Business Charts and Graphs supports various C and Fortran compilers.

Training & Consulting

Our training & consulting group deals with a variety of activities ranging from customer consulting to training in the use of graphical standards as well as designing and developing graphical solutions.

Circle 209 on Inquiry Card.

*We comply with standards
and so should you to ensure
the long life of your applications!*

15 Years
EMATEK

Ematek GmbH
Subbelrather Strasse 17 · D-50823 Cologne, Germany
Phone: +49-221-512074 · Fax: +49-221-529666
Email: gsscgi@ematek.de



A sign of Quality for over 12 Years

The First Migration Toolkit

From COBOL to C++



For more informations
www.freinet.de/CCC/

1. Independent of platform:

All COBOL language elements are contained in a COBOL-API, such that all dialogues are handled by means of a SYSTEM-API. This gives you a high level of portability. DOS, Windows, Windows NT, OS/2, UNIX - all are reduced to a few run-time libraries.

2. Faster and easier change:

Transfer from COBOL to C++ takes place automatically and therefore rapidly. A COBOL-like syntax is retained. Programs are recognisable to a high degree, since the sources remain comprehensible. In addition, the previous program structure (program sequence) is retained, because of which the unfamiliarity experienced by the customer in the application is less extensive than with a new development.

3. Competitive advantage:

By migration of software, you protect your investment. Since you can use the migrated software immediately, you gain time for any new developments that you have. At the same time, you also protect the investments of your customers in your software. Your customers can continue to use the old data inventories, since data transfer from the "old" to the "new" software takes place automatically.

4. Flexibility:

In addition, you can extend the migrated software subsequently with additional dialogue and features. The resource workshop gives you all the facilities insert continuing dialogue within Windows software.

5. Multitasking/ergonomics:

With migration, you can utilise all the advantages of modern Windows software. Apart from the possibility of multitasking, the ergonomics, i.e. the usability of your programs is substantially enhanced.

6. Analysis of the program structure forming the basis:

Examines how the problem encapsulation is reflected in the individual COBOL modules. Usually the individual program functions are started from a central shell, which at the same time contains the menu management. Often, however, additional functions, such as initialisation and management of a global data area are integrated into this shell.

7. Revision of COBOL sources:

When there is a special program structure, it can be sensible to prepare the sources for migration. Possible steps here are:

- Consistent modularisation
- Separation from old menu systems
- Sub-division of the menu shell into individual components (menu system, management of global area)
- Make main modules capable of being separately run from the test environment

8. Migration:


After careful preparation of the sources, conversion of the COBOL sources into C++ sources is carried out automatically. Depending on the compiler, adaptations of the run-time libraries can still result.

9. Visual layout:

Function keys either become standard buttons in a tool bar or selection lists. ASCII graphics appear raised, inverted areas depressed. Integration of message boxes and use of new dialogue are possible, using the resource editor. You not only makes screens visually more attractive, but also more effective and thus improve the ergonomics of the software.

10. Use of class libraries:

The migrated programs are programs with run-times identical to the programs of the original software, on one hand, and on the other hand are pure message-driven programs, e.g. Windows. Therefore, newly-developed program code can be installed at any point in the C++ program code without restriction, using other class libraries.



- Advantages of migration
- Procedure for migration projects

Place Your Order Today!



ASSISI Group
 2 Route 'd Ingersheim -
 F 68230 Turckheim / France

fax order 00 33 / 89 27 52 29

- Check Enclosed (Make checks payable to ASSISI Group)
- MasterCard VISA AMEX

Name _____

Card# _____ Exp. Date _____

Address _____

City _____ State _____

Signature _____

Country _____ Zip _____

Please allow 6-8 weeks for delivery.
 All programs will be delivered on CD-ROM.

- CCC - Converter (generates C++ from COBOL ANSI85, incl. Headerfiles & Prototypes) for \$ 790
- CCC - Cobol - Runtime - Library MF Level II compatibel (Win31-DLL, Codebase-Filesystem & Documentation) for \$ 690
- CCC - GUI for Windows 3.1 (DLL's & Documentation) for \$ 390
- CCC - Cobol - Runtime - Library MF Level II compatibel - Sourcecode for BC 3.1 for \$ 2,800
- CCC - GUI for Windows 3.1 - Sourcecode for BC 3.1 for \$ 2,800
- CCC complete package without Sourcecode for \$ 1,500
- CCC complete package with Sourcecode for \$ 5,900

IBM		
THINKPAD 755C DX4/75, 4/540mb disk, active color \$3699	THINKPAD 755CSE DX4/100,8/540mb disk, passive color \$3575	THINKPAD 755CE DX4/100,8/810mb disk, active color \$4799

THINKPAD 755CX P/75, 810mb disk, active color \$4299	THINKPAD 755CV DX4/100,8/810mb disk, active color \$4899	THINKPAD 755CDV DX4/100,8/810mb disk, active color \$DEAL
---	---	--

THINKPAD 755CD DX4/100,8/540mb Active color display, CD rom drive, 1.44mb floppy drive \$4499	THINKPAD 755CD DX4/100,8/840mb Active color display, CD rom drive, 1.44mb floppy drive \$4799
--	--

THINKPAD 701C
DX4/75,8/540mb disk, active color , pcmcia external floppy , built in sound, full size expandable keyboard, mouse
\$3899

POWER PC THINKPAD
Model 820 & 850
100MHz RISC PROCESSORS
64-bit bus, 16/32mb ram, camer snap in, windows NT or AIX ready

CALL FOR SERVER 500 SERVER 320 PS/2 MODELS PC 300 & 700 THINKPADS ADAPTERS SOFTWARE

POWER PC DESKTOP
100MHz /120MHz/ 133MHz RISC PROCESSORS 64-bit bus, 16/32mb ram, windows NT or AIX ready Call for Price

NOVELL

3.12/4.1	5 USER.....	490
3.12/4.1	10 USER.....	1060
3.12/4.1	25 USER....	1399/1399
3.12/4.1	50 USER....	1699/1799
3.12/4.1	100 USER..	2099/2399
3.12/4.1	250 USER..	3250/3450

ALL RED BOX All in Stock

TOSHIBA

T1960CS	DX2/50	200/340MB	stock
T1960CT	DX2/50	200/340MB	
T2400CS/CT	DX2/50	200/320MB.	
T2110CS	DX4/75	350MB	
T4860CT	75MHZ	8/510MB	
T4900CT	75MHZ	8/810MB	
T2100	DX2/50	4/260MB	
T2105 CS/CT	DX2/50	320MM.	
T2150CD	DX4/75	8/540MB	
T2110CS	DX4/75	4/340MB	
T2130CS/CT	DX4/75	0/520MB	
T4000CDT	P/75	8/010MB	
T4000CS	P/75	8/810MB	

CALL FOR TOSHIBA B-STOCK

BRAND NAME
LOW PRICES LEADER SINCE 1983
We export with international warranty

HEWLETT PACKARD

Printers

HP DESKJET 320.....	299
HP DESKJET 540.....	CALL
HP DESKJET 600(NEW).....	279
HP DESKJET 660C.....	379
HP DESKJET 850C.....	510
HP DESKJET 1200C.....	929
HP LASER 4L.....	470
HP LASER 5L(new).....	CALL
HP LASER 4+/4M.....	1349/CALL
HP LASER 4V/4MV.....	call
HP LASER 5P/5MP.....	825/call
HP SCANJET 3P/3C.....	310/899
HP LASER 4SI/4SIMX.....	2775/call

HP OMNIBOOK

HP OMNIBOOK 400SERIES.....	CALL
HP OMNIBOOK 400SERIES.....	CALL
HP OMNIBOOK 5000.....	CALL

HP VECTRA PC

HP VECTRA PENTIUM 75MHZ.....	CALL
HP VECTRA PENTIUM 90MHZ.....	CALL
HP VECTRA PENTIUM 100MHZ.....	CALL
HP VECTRA PENTIUM 120MHZ.....	CALL
HP VECTRA PENTIUM 133MHZ.....	CALL

HP SERVERS

HP NETSERVER LC.....	CALL
HP NETSERVER LF.....	CALL
HP NETSERVER LH.....	CALL
HP NETSERVER LM.....	CALL

COMPAQ

CONTURA AERO 4/33
486/33, 4/170MB, PASSIVE DISPLAY
\$ 965

CONTURA 420CX
DX4/75, 8/420MB DISK ACTIVE COLOR
\$ 2899

CONTURA 430CX
DX4/75, 8/730MB DISK ACTIVE COLOR
\$ 3399

COMPAQ DESKTOP

PROLINEA

Prolinea P/75 16/720MB ..	1899
Prolinea P/90 16/720.	2099
Prolinea P/100 16/1gb	call
Prolinea P/120 16/1gb	call
Prolinea P/133 16/1gb	call

DESKPRO XL

Deskpro XL P/100 16/1gb..	3190
Deskpro XL P/120 16/1gb..	3499
Deskpro XL P/133 16/1gb ..	call

COMPAQ SERVERS

PROSIGNIA 300 PENTIUM	CALL
PROSIGNIA 500 PENTIUM	
PROLIANT 1000 PENTIUM	
PROLIANT 1500 PENTIUM	
PROLIANT 4500 PENTIUM	

AST notebook Special
AST Ascentia 900N, Dx4/75, 8MB/700MB Disk, Active color **\$ 3299**

Authorized Service Center for IBM, COMPAQ, TOSHIBA, HP
All parts in stock

PRINTER SPECIAL
OKIDATA OL400E.....399
OKIDATA OL410E.....525
EPSON ACTION 1100.....389
OKIDATA ML 590.....425
OKIDATA ML 591.....563
We carry full product range from above manufacturers. call for

Notebook Accessories	Desktop Accessories	CPU INTEL	MULTIMEDIA
MEMORY	MEMORY	P/75.....DEAL	CD ROM KITS
4MB.....199	4MB.....150	P/90.....329	Discovery 4X KIT....325
8MB.....399	8MB.....279	P/100.....410	HITACHI 4X KIT.....285
16MB.....deal	16MB.....deal	P/120.....850	VALUE 4X KIT.....269
HARD DRIVES	HARD DISK	P/133.....CALL	CD ROM DRIVES
420MB.....159	420MB.....159	MOTHER BOARDS	TOSHIBA 4X IDE.....189
540MB.....169	540MB.....169	DX2/66.....99	TEAC 4X IDE.....189
2.5" 250MB.....199	850MB.....219	INTEL ZEPH	TOSHIBA 4X SCSI.....209
2.5" 340MB.....299	1GB.....299	TRITON.....285	NEC 6X SCSI.....459
2.5" 540MB.....345	2GB SCSI.....899	FLOPPY	PLEXTOR 6X SCSI.call
2.5" 640MB.....599	MODEM	1.44MB.....31	PLEXTOR 4X SCSI.call
PCMCIA MODEM	14.4.....89	1.2MB.....41	COMPUTER CASE
ZOOM 14.4.....159	28.8.....145	IDE I/O	MID TOWER.....65
N/MEDIA 14.4.....129		VLB.....25	MINI TOWER.....59
M/HERTZ 14.4.....175		ISA 16 bit.....20	FULL TOWER.....89
M/HERTZ 28.8.....299			CALL FOR VIDEO CARDS

Optical CD Drives
Recordable CD
Pinnacle RCD 1000.1699
Recordable Drive+scsi card+software
Sony sypressa 920.1599
Recordable drive
Rewritable CD
Sony 1.3GB optical drive.2299
Fujitsu 230MB opticaldeal
We also carry IBM, HP, PANASONIC ,call for price

Computerlane Inc.

Corporate Accounts
Volume Discounts Welcome

Outside California: 1-800- 526- 3482

Inside California: 818-884-8644 • Fax: 818-884-8253

7500 Topanga Cyn Blvd, Canoga Park, Ca 91303

Hours: Monday - Friday: 9 - 6

Compaq is a Registered Trademark Of Compaq. IBM is a Registered Trademark Of International Business Machines. All Quoted Prices Reflect A 5% Cash Discount. Visa, MasterCard , Wire Transfer Also Accepted. Prices Subject To Change Without Notice.

THE RAID COMPANY

If you are a VAR or OEM and are looking for an **innovative manufacturer of SCSI Disk Array Controllers**, we would like to draw your attention

Concerning:

Competence

to ICP. For many years we have been engaged in research and development in this field. Our SCSI Disk Array Controllers are **Made in Germany**. They meet

the highest performance and stability requirements. They are based on multiprocessor RISC technology with transputer and XOR coprocessor. A cache RAM of up to 32 MB optimizes the data throughput. Our SCSI Disk Array Controllers support RAID levels 0, 1, 4, 5, have an intelligent fault bus, and offer hot-fix and hot-plug features. They are available for the PCI and EISA buses with one, two, three or five Fast SCSI channels. Drivers for common operating systems are included. **The time has come for SCSI Disk Array Controllers from ICP!**



Intelligent Computer Peripherals


ICP

vortex Computersysteme GmbH
Falterstraße 51-53 • D-74223 Flein
Tel. +49-7131-5972-0 • Fax. +49-7131-255063
BBS +49-7131-5972-15 • Compuserve # 100015,330

C o m p e t e n c e i n C o n t r o l l e r s

Circle 222 on Inquiry Card (RESELLERS: 223).

Before you invest in the hardware, make sure you're compatible.



Buying computer products is a major commitment. A commitment of time and money. So before you jump in with both feet, make sure the relationship is going to work. Look for the NSTL Seal.

National Software Testing Laboratories puts hardware and software through the most rigorous testing in the industry. Our exclusive compatibility tests, using real world equipment like yours, ensure that components will talk to each other, work together, get along great — or they can't carry the Seal. And that's true for everything from drivers and servers, to applications, adapters and printers.




For more information about the NSTL Seal or a list of manufacturers who have earned it, call 800-220-NSTL or 610-941-9600. Before you walk down the aisle.

The PC Revolution





Cheaper and faster data access than server based LANs!
 Runs MS-/IBM-DOS and Windows 3.1x MU/MT preemptively!
 Replaces LANs of up to 6 workstations!



8,000 units sold!

ISA or PCI
 SVGA


Up to 12 parallel printers & 32 serial devices!



One PC serves up to 6 workplaces!
 DOS and Windows app's in text and graphic modes!

- The worldwide unique and US patented single PC based multiuser solution with LAN functionality (file/record locking)
- No maintenance costs and learning curve
- Users only see and work with DOS/Windows
- The only solution using ISA or PCI standard SVGA or MultiVGA cards plugged in parallel
- Expandable to large networks with only few PCs
- The ideal multi-workplace front end for C/S environments
- Full featured device sharing of LPTs, COMs, hardlocks, NICs!

NetBIOS and Novell 3.x/4.x compatible!



Your exclusive distributor in North and South America:

ELSNER Technologies Company
 5020 Mark IV Parkway
 Fort Worth 76106 Texas

Call now: 1-800-243-2228

See us at:

Network & Interop, Atlanta
 Booth # 7364
 Comdex/Fall, Las Vegas
 Booth # A4333, # S3050/19
 Networks Expo, Boston '96
 Booth # 300

LIGHTSTONE Multiuser Systems GmbH

Call your national distributor:

NL: +31-77-736204 PL: +48-58-562595 H: +36-75-312861
 CH: +41-61-9769292 TAN: +255-51-28316 ROC: +886-2-963-0706
 KEN: +254-11-227834 CR: +42-48-487021/+42-38-31291

Int'l Fax: +49-5643-980122

When software can make the difference between life or death, you need a serious development tool.

DATA FLEX[®] MEANS BUSINESS


When you choose the DataFlex application development system, you can count on delivering powerful solutions. DataFlex's greatest strength is in the language, a 4GL strong enough to sustain anything you can build on it. Powerful enough to take you far beyond the point at which most other products leave you stranded.

Over 350,000 installations and 2,000,000 users in 40 countries make DataFlex a proven solution for a wide range of business applications for companies like Mercedes-Benz, Coca-Cola, and Streetgard.

"In the business of saving lives, no other development software offers the performance and reliability we need. Clients also like the fact that we can transparently port to any hardware or operating system they may have. The power of DataFlex's language and database have shaved two minutes off Paramedic response time for the St. Louis 911 operators. We would not consider application development in anything but DataFlex."

John Rich, Streetgard

DataFlex means business. We speak your language because we want you to speak ours. Call us today for a free information kit.



In the United States, Phone 1-800-451-3539 For Sales Information

Country	Telephone	Fax	Country	Telephone	Fax
Australia	1-800-65-3545 1-800-63-3539	(09) 481-1874 (03) 888-9950	Malta	356-241246	356-230631
Brazil	(011) 872-9266	(011) 653-899	Mexico	(525) 631-4663	(525) 631-4538
Canada	416-226-2181	416-226-4341	Netherlands	074-55 56 09	074-50 34 66
Denmark	36 72 46 46	36 72 46 47	Northern Ireland	01762-362002	01762-362003
England	0181-866-4400 0181-742-8055	0181-866-3725 0181-742-7843	Norway	(22) 55 99 66	(22) 56 28 25
Germany	06172-9568-0	06172-9568-12	Poland	(42) 30 76 43	(42) 30 76 46
Greece	(1) 6517945	(1) 6536891	Scotland	0141-554-1185	0141-554-6183
Italy	(0184) 231 606	(0184) 231 243	Spain	(1) 372-95-17	(1) 372-81-56
Japan	(3)-3296-7324	(3)-3296-7329	Sweden	(0) 300-19530	(0) 300-70910
			Thailand	(02) 276-2559	(02) 275-9156
			Trinidad	(809) 628-9330	(809) 628-9259


DATA ACCESS
CORPORATION

CompuServe: GO DACCESS - Internet (WWW): <http://www.daccess.com>
Phone (305) 238-0012

Fix Any PC...FAST!

AllMicro, the leader in troubleshooting tools and utilities.

FIND THE SOURCE OF PC PROBLEMS...FAST!



The Troubleshooter™ is the most advanced PC diagnostic software available that really finds the bugs. The Troubleshooter bypasses DOS & tests all major hardware components directly for true accuracy. Works with Windows, Windows NT, Windows 95, Novell, MS DOS,

OS2, etc. — fully O/S independent. Loaded with all the tests you'll need to accurately isolate the source of PC failures. Priced far below all competitors. Call now for full list of latest features!

NEW UPGRADED VERSION!

RECOVER DATA FROM CRASHED DRIVES...FAST!



RESCUE Data Recovery Software™ is the only program to easily recover lost data from crashed floppies & hard drives even when DOS can't read them! RESCUE recovers data other recovery programs cannot. RESCUE automatically recovers DOS & Windows files including data from compressed drives. Be prepared for any problem. RESCUE is the insurance and security you need to safeguard your valuable data. Call now! Don't wait until your data is lost!

Be prepared for any problem. RESCUE is the insurance and security you need to safeguard your valuable data. Call now! Don't wait until your data is lost!

RESOLVE ANY IRQ OR DMA CONFLICT...100%



The Discovery Card™ is the first tool to accurately resolve any IRQ or DMA conflict. 18 L.E.D. lights (11 for all interrupts and 7 for all DMA) immediately report actual usage thus saving time when configuring, upgrading or debugging PC's. Software alone cannot detect DMA usage and is often wrong when reporting IRQ conflicts! Call now, save time and end the frustration!

"The Discovery Card will be the most valuable tool in your diagnostic kit."



THE SOLUTION WHEN WINDOWS WON'T WORK!




Skylight™ is the #1 rated Windows diagnostic (PC Magazine) that tunes optimizes & troubleshoots Windows for maximum speed and performance. Edits all .INI files safely. Graphically displays how Windows is using memory, system resources, system

metrics, G.D.I. heap usage plus much more with hundreds of reports! A must for all Windows users! Call now for full list of features!



FIX OR INSTALL ANY HARD DRIVE...FAST!



DrivePro™ provides fast, precise installation and maintenance for any hard drive. Override BIOS limitations for user-definable drive types. DOS format any size hard drive in under 30 seconds. IDE drives can be installed in less than 60 seconds. Allows the use of IDE

drives with MFMRLL or ESDI drives in the same system. Retrieves the manufacturers' recommended specs from the drive itself, plus much more! Call now for full list of features!


ISOLATE INTERMITTENT FAILURES!



The Alert Card™ is the only add-on card that monitors and diagnoses power and temperature changes in a PC or File Server. L.E.D. lights and an audible alarm alert you whenever a system's power or temperature goes out of a safe operating range. Ideal for

troubleshooting hard to find intermittent failures in any PC. A must for every file server to pinpoint problems before they occur. Call now for complete specs!

DESIGN OR UPGRADE NETWORKS...FAST!



LANDesigner™ is the first network design software that makes creating and installing a network easy, fast and inexpensive! Exposes protocol violations. Issues warnings where designs lead to spec violations, installation problems or outstrip site power and cooling. Provides

reports for bill of materials, installation sequence, installation time estimates, tool requirements, spare parts inventory, site energy, HVAC infrastructure and much more! Call today for full specs!

VITAL HARDWARE SPECS AT A GLANCE!



The Micro House Technical Library™ on CD-ROM is compiled from over 50,000 pages of technical hardware manuals! Contains complete configurations, specifications, diagrams, settings, component locations and other vital hardware technical information all at your

fingertips on CD-ROM. Includes main boards, network interface cards, hard drives, controller and I/O cards. A must for any service department. Call today for special pricing!



PINPOINT THE CAUSE OF DEAD PCS...FAST!



Don't throw away expensive motherboards, use PocketPost™ to debug dead PC's. Feature packed diagnostic add-on card displays B.I.O.S. P.O.S.T. codes and tests 9 critical bus and clock signals. 300+ page manual has all the B.I.O.S. manufacturer codes you need to isolate the

source of failures. Includes detachable logic probe for optional component level testing. Call today and start saving money!

ORDER TODAY AND RECEIVE FREE WITH EVERY PURCHASE:

911 BACKUP™!

Emergency Boot Disk for Windows!

When Windows crashes 911 BACKUP will restore system files and configuration information automatically, it even ensures the total restoration of program groups, icons and system settings. A must for every Windows user! (\$40 value)

This offer is limited so call now!

Free Technical Support • Next Day Shipping • Performance Guaranteed

(800) 653-4933



International: (813) 539-7283 • Fax: (813) 531-0200
BBS#: 813-535-9042 • Internet: ALLMICRO@IX.NETCOM.COM

AllMicro, Inc.

18820 U.S. Hwy. 19 N, #215, Clearwater, FL 34624

© 1995 AllMicro, Inc. Fix Any PC Fast, Rescue Data Recovery Software, The Discovery Card, The Troubleshooter, LANDesigner and The Alert Card are trademarks of AllMicro, Inc. All Rights Reserved. Other names are trademarks of their associated owners. Specifications subject to change without notice.

BM

Circle 203 on Inquiry Card.



Call today for free catalog

- ◆ Print servers
- ◆ Data switches
- ◆ Keyboard/video control

800-333-9343

P.O. Box 742571 ◆ HOUSTON, TEXAS 77274
TEL 713/933-7673 ◆ FAX 713/933-0044

with a Rose keyboard monitor switch

Streamline your computer room by reducing excess equipment. Access up to 256 CPU's from a single keyboard, monitor, and mouse. ServeView is our best-selling switch, has every feature you can imagine, and installs in minutes. Compare price, features, performance, quality, and support and you'll find Rose can't be beat.

Call us to discuss your application
or to receive your free information kit.



Pollution Solution.

This symbol identifies high performance energy-efficient computers, monitors and printers that save you money and reduce air pollution by "powering



down" when not in use.

Be part of the solution.

Start buying Energy StarSM equipment today. To receive a list of available products, call the Energy StarSM Hotline at 202 775-6650.



Buy It And Save.



**We've done it!
We've conglobulated
UNIX with
Windows 95!**

XoftWare® PC X servers. Masters of UNIX Connectivity.

Now, you don't have to be a rocket scientist to run UNIX applications. With our new XoftWare 4.0 user interface, it's as easy as point and click. By connecting your PCs to your UNIX workstations, XoftWare gives you instant, 32-bit access to every resource on the network. A simple, Windows-based login and startup makes the installation a no-brainer. And our Concurrent Window Manager lets you display both UNIX and Windows applications at the same time — and even cut & paste between them. Best of all, XoftWare lets you leverage all your existing platforms — including Windows 95, Windows 3.1, Windows NT, DOS, Macintosh and PowerPC systems — to create one corporate-wide X server solution. So why not run your own experiment? Call us at **1-800-PICK-AGE** (1-800-742-5243) or e-mail us at sales@age.com for your \$99 introductory copy.

**NEW 4.0
RELEASE FOR
WINDOWS 95**



AGE Logic, Inc. 12651 High Bluff Drive, San Diego, CA 92130
Tel: 619.755.1000 Toll Free: 1.800.742.5243 East Coast: 1.800.722.3702
Fax: 619.755.3998 e-mail: sales@age.com Internet: <http://www.age.com>
PacerTerm, PacerShare and XoftWare are registered trademarks of AGE Logic, Inc.
All other trademarks are the property of their respective owners.

NEW WINDOWS 95 CERTIFIED INTERFACE

Circle 201 on Inquiry Card (RESELLERS: 202).

When disaster strikes your computer, be prepared with advanced technology from MICRO 2000...

ALL COMPUTER EQUIPMENT will eventually fail. It may take years before your hard drive crashes. It may be months before you have any serious data loss, problems with your memory or experience chip failure. Then again, it could be today!

At MICRO 2000 we are constantly thinking ahead to provide you with the products you'll need to protect yourself from hours of frustration and downtime. Our expanding line of products can assist you to recover data from a crashed disk when all the others have failed.

We can help you diagnose what's wrong with your PCs in a flash, on-site or remotely—without a modem!

Tech Support you can count on in the crunch...

Good products are one thing, but how about someone to walk you through the tough stuff? Even though a large percentage of our clients are professional technicians and power users, we regularly receive calls from novice users who need help getting started. After all, these are tomorrow's power users and technicians.

Advanced technology based on what you need...

You can help us to serve you. If you use any of our products, please let us know what you like about them, or what improvements we could make. We try to make each new version fulfill as many needs and wishes as possible, because your business and success are important to us. Give us a call or write to us with any comments.

**MICRO
2000**

Call **1-800-864-8008**



THIS IS A MUST-HAVE TOOL for PC Service Technicians everywhere. Supply your customers with this inexpensive software and let MICRO-SCOPE CLIENT diagnose what's wrong with their PCs without leaving your office!

When your customer calls you with a service problem, simply have him boot his PC with the Micro-Scope CLIENT floppy disk in drive A and select either the Quick Test or the Extensive Test. Then just look up the resulting error codes in the CLIENT manual and you'll know exactly what's wrong and be able to bring the correct replacement chips, drives, cables, etc. CLIENT also reports the exact system configuration so you can insure compatibility. Saves time and money!



MICRO-SCOPE CENSUS LETS YOU keep track of hundreds or even thousands of computers and know each one's exact hardware and system configuration at a glance. Many technicians and MIS Directors use this


software tool to save hours of downtime in companies with multiple computers.

Simply load the supplied disk into each computer on site (up to 100 PCs recordable on each disk). CENSUS automatically records complete system information and assigns each PC a unique ID number. The data can now be downloaded from the disk into any database program so it's ready to retrieve at a moments notice. For even greater productivity and speed, use CENSUS in combination with MICRO-SCOPE CLIENT to remotely diagnose each PC and arrive with the exact parts required, fully compatible. You'll be in and out in a flash with a greater profit margin.



QUITE OFTEN THINGS AREN'T what they seem. The rated speed and efficiency of a computer can be misleading—and sometimes absolutely false. You should know exactly what you're getting for your money!

Imagine walking into a computer store, pulling out your COMPUTER CONSULTANT diskette, placing it into the A drive of a computer and having detailed, 100% accurate information about the PC. In a matter of minutes you could test every PC in the store, and knowing the exact configuration of each, determine which one was best for your needs without all the sales hype. That's what COMPUTER CONSULTANT can do for you.



AT LAST—EXTENSIVE AND FOOLPROOF data recovery for everyone! The only comparable service to 911-RECOVER is a professional data recovery company, which could take several weeks and cost you hundreds or thousands of dollars.

Avoid the downtime and worry by using 911-RECOVER right in your own office. 911-RECOVER reads right down to the bit level even if the directories and File Allocation Tables are damaged. It can recover data that has been damaged by other "recovery software." Does not need DOS intact to function. If the data is physically on the drive, it *can* be recovered.

What to do when your PC coughs, wheezes and/or dies?

Get the Toolkit...

the UNIVERSAL DIAGNOSTICS TOOLKIT



Compatible with any PC & Operating System!



Call Now for Information on Special Pricing:

1-800-864-8008

or Fax (818) 547-0397



1100 East Broadway, Suite 301, Glendale, California
Phone 818/547-0125 • Fax 818/547-0397

International Orders please call:

Micro 2000 Australia: 61-42-574144

Micro 2000 Europe (UK): 44-462-483-483

The Universal Diagnostics Toolkit contains these two award-winning products:

Micro-Scope 6.0

UNIVERSAL DIAGNOSTIC SOFTWARE



Fully O/S independent diagnostic software...

Call for upgrade pricing & complete new features list!

MICRO-SCOPE Universal Computer Diagnostics was developed to satisfy the expanding need for accurate system diagnosis in the rapidly growing desktop computer market. Patterned after super-mini and mainframe diagnostic routines, MICRO-SCOPE runs independently of any standard operating system, and is therefore at home on any machine in the Intel world. Speed, ease-of-use, and razor sharp accuracy are a few of the advantages that arise from this system independence. Jerry Pournelle awarded MICRO-SCOPE & POST-PROBE the User's Choice Award in the May 1994 issue of Byte Magazine: "You name it, this tests it. If you maintain PCs you'll love it."

- ◆ **LOW-LEVEL FORMAT**—Performs Low-level format on all drive types including IDE drives. This function cannot hurt IDE drives.
- ◆ **USE CONTROLLER BIOS**—Program will access BIOS format built into any hard disk controller—even Controllers yet to be invented.
- ◆ **O/S INDEPENDENT**—Does not rely on O/S for diagnostics. Talks to PC on hardware level. All tests are full function regardless of O/S (i.e. Novell, UNIX, OS/2).
- ◆ **TRUE HARDWARE DIAGNOSTICS**—Accurate testing of CPU, IRQ's, DMA's, memory, hard drives, floppy drives, video cards, etc.
- ◆ **BATCH CONTROL**—All tests, even destructive, may be selected for testing.
- ◆ **ERROR LOGGING**—Automatically inputs errors during testing to an error log.
- ◆ **AUTOMAPPING**—Automatically bad sector maps errors found on hard disks.
- ◆ **IRQ DISPLAY**—Show bits enabled in IRQ chip for finding cards that are software driven. (Network, Tape Backup, etc.)
- ◆ **IRQ CHECK**—Talks directly to hardware and shows I/O address and IRQ of devices that respond.
- ◆ **MEMORY EXAMINE**—Displays any physical bit of memory under 1 Meg. Very useful for determining memory conflicts. Very useful for determining available memory space.
- ◆ **SECTOR EDITOR**—Allows the editing of any sector of floppy or hard disk media (even track 0).
- ◆ **AND MUCH MORE...** We don't have enough space here for everything this software can do!

Post-Probe™

First Ever Universal P.O.S.T. Card for All PCs!

Use this Power-On Self-Test card to debug any "dead" PC that won't boot...

"This is the only card that will function in every system on the market. The documentation is extensive, and not only covers the expected POST Codes for different BIOS versions, but also includes a detailed reference to the bus signals monitored by the card." —**Scott Mueller** from his globally recognized book, *'Upgrading & Repairing PCs, Second Edition'*

- ◆ Includes pads for voltmeter to attach for actual voltage testing under load.
- ◆ 4 LEDs monitor +5vdc -5vdc +12vdc -12vdc.
- ◆ Monitors Hi & Lo clock and OSC cycles to distinguish between clock chip or crystal failure.
- ◆ Monitors I/O Write and I/O Read to distinguish between write and read errors.
- ◆ Monitors memory write/ read to distinguish between address line failures and memory chip failures.
- ◆ Monitors ALE for proper CPU/DMA operation.
- ◆ Monitors Reset to determine if reset is occurring during POST, indicating short.
- ◆ Monitors progress of POST *without* POST codes.
- ◆ Reads POST codes from any IBM or compatible that emits POST codes. ISA/EISA/MCA.
- ◆ Compatible with Micro Channel computers.
- ◆ Dip switch allows easy selection of I/O ports to read.
- ◆ Includes tri-state **LOGIC PROBE** to determine actual chip failures.
- ◆ Manual includes chip layouts and detailed POST procedures for all major BIOS's.
- ◆ **AND MUCH MORE...** call for more details.



Govt. Serv. #: GS-00K-94AGS-5396


Circle 200 on Inquiry Card.

MICRO 2000

Examples of Multi-Server-Network-Centers


Single access system

- Basic units available for 2*, 4, 8, 12, 16, 24, and 32 CPUs
- Remote control optionally
- distance up to 328 ft (100 m)
- high quality video at high resolution and refresh rate
- mixed use of serial and PS/2 mice within one single unit
- microprocessor-controlled keyboard and mouse emulation for error-free booting



Multi access system

- Basic units available for 8, 16, and 32* CPUs
- access from consoles on up to four locations to many CPUs without interfering each other (real matrix)
- all features of the single access system build in



*TBA

The only recommended system by CompuServe Inc. and Microsoft C.E.!

MultYcon

See us at:

Networks Expo, Dallas
 Network & Interop, Atlanta
 Systems, Munich (Germany)
 Comdex Fall, Las Vegas

Distributors and system integrators worldwide welcome!

North America:

ELSNERTechnologies Company
 5020 Mark IV Parkway
 76106 Fort Worth Texas
 Tel.: 1-800-243-2228
 Fax: 1-817-626-5330

Mail: CompuServe 75457,1377

International (Germany):

PolyCon Data Systems

Tel.: +49-5204-9134-21

Fax: +49-5204-9134-22

Mail: CompuServe 100020,1571



ONE FOR ALL

and all on one



1024 CPUs under control using the MultYcon Console Switching and Management System

Save monitors, keyboards, and mice!
 Save administration costs, hardware, office
 fixtures, energy, and space!

A Message to Our Subscribers

From time to time we make the BYTE subscriber list available to other companies whose products or services would be of interest to our readers. We take great care to screen these companies, choosing only those who are reputable. Furthermore, subscriber names are made available for direct mail purposes only; telemarketing calls are strictly prohibited.

Many BYTE subscribers appreciate this carefully managed program, and look forward to receiving information of interest to them via the mail. While we believe this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive promotional literature. Should you wish to restrict the use of your name, please send your request (including your magazine mailing label, name, address, and subscription account number) to:



BYTE Magazine Subscriber Services
PO Box 555
Hightstown, NJ 08520

A Division of The McGraw-Hill Companies



You'll find it in the heartland of America.

...in the hot and dusty cab of a giant combine, using a GPS and recording crop yields

You'll find it in demanding environments

...such as hospitals supplying critical Point-Of-Care information at the touch of a finger



When faced with selecting a PC for control or data processing systems, designers usually must choose between a desktop system, notebook or an expensive single board industrial computer.



DATALUX now offers an alternative with the essential PC system components in a series of unique packages that both save space and are easy to integrate.

THE DATABRICK from DATALUX

A **tough, compact PC** solution that offers the modularity of a desktop system and the **small size** of a notebook.

Please see us at
COMDEX/Fall '95
Booth 56624



Stand-Alone LCD Monitors

DATALUX is in its 4th year of LCD monitor manufacture and is an industry leader. Its new LCD Monitors use brighter 10.4" diagonal Dual-Scan or TFT Color panel in a rugged, sealed, yet attractive housing with a selection of 8 wall or base mounting options. Resolution is 640 x 480. The monitors can be driven directly from a Databrick or through an ISA bus controller. No external power is required. An integrated resistive **Touch Screen** is optional with input through one of the Com Ports. Monitors may be extended to 50' from the CPU.



Keyboards

The Space-Saver keyboard is the smallest full function 100 key keyboard available. With standard left right spacing touch typing is easy yet the overall size is only 6" x 10.75". It is available in a flat, panel mount or desktop model. The Guidepoint® pointing device is available as an option.



Databrick Vertical Systems

The new DATALUX Databrick Vertical System (DVS) combines the Databrick, LCD Monitor and the Space-Saver Keyboard in a unique enclosure for Wall, Swing Arm, or Pedestal Mounting. The all-aluminum housing provides compactness and security. The monitor screen tilts to accommodate the height of the user. A variety of options include bar code and mag stripe readers, speakers, or a small printer. The DVS measures 13.5" x 19.6" x 3.2".

Databrick

The Databrick is the heart of the DATALUX system. In performance and features it is more like a desktop unit, in size comparable a notebook (10.25" x 4.8" x 2"), yet more rugged and more easily mounted than either.

Specifications:

486DX2/66 or DX4/100 CPU
2-64 Meg Standard SIMM DRAM
Internal or External FDD
Internal HDD to 540 Meg
SVGA CRT and LCD Video Ports w/1Meg
2 Serial, 1 Extended Parallel Port

Options:

2 slot PCMCIA
10Bt Ethernet LAN
Com Ports 3 & 4
DC-DC Power converter



DVS shown here on Rolling Stand

**FAX BACK
DATA SHEETS
(540) 662-1675**

Circle 190 on Inquiry Card.



DATALUX

Datalux Corporation
155 Aviation Drive
Winchester, Virginia 22602
Phone: (540) 662-1500
Fax: (540) 662-1682
Toll Free: 1-800-328-2589
(1-800-DATALUX)

Datalux International, LTD
Euro House Curtis Road,
11 Old Water Yard
Dorking, Surrey
UNITED KINGDOM RH41EJ
Phone: 44+(1)306-876718
Fax: 44+(1)306-876742

SmartPad.

THE inter-application, *total automation*,
fully customizing, **STRESS REDUCING**
so YOU work *smarter* SOFTWARE.



Embed user-customizable controls in any application.

Automate user tasks involving multiple applications.

Transport data between applications via DDE, OLE and field-level "screen-scraping" data capture.

Add balloon help and pop-up button clues to any application.

FOR A FREE 30-DAY EVALUATION
E-MAIL US AT:
Internet: sales@softblox.com
CIS: 76477,3563

Softblox, Incorporated
1201 West Peachtree St.
Atlanta, GA 30309

800.434.0202
404.892.2323
FAX 404.892.0981



"We are very enthusiastic about the technology you have created."

— Amy D. Wohl, Wohl Associates

You're not alone, Amy. Because for the first time Windows (& Windows 95) users can integrate, automate and customize all of the applications they use, no matter who created them! Embed custom control pads into *any* application that perform shortcuts, command sequences and even remote data retrieval from *any other* application on your network. Create "universal remote control" pads that float above your applications, giving you (and your user community) direct and seamless access to any function within any application.

Use SmartPad's 7 button types to handle any kind of integration or automation task from simple keystrokes to SmartPad's advanced scripting language. Then build your buttons in friendly, tabbed toolpads associated with the appropriate application(s).

Unlimited customization. Unlimited integration. Unlimited productivity. You can see why there's plenty of enthusiasm to go around. To find out more, call us and request our fully functional 30-day evaluation kit.



SMARTPAD™
The Inter-Application Automator

Softblox

ONLY
\$99
Standard Edition


Outdoor Stamp of Approval

Ferocious Computing Devices If your working conditions bring out the rigors of the environment, you need the only line of computers with the outdoor stamp of approval. Badger is the most extensive line of rugged mobile computers available anywhere in the world. Badger offers custom configurations with numerous wireless connectivity options including ARDIS, RAM, Cellular/CDPD, Spread Spectrum, CDPD, and Private Network. Barcode scanners and integrated GPS are also available. Products are DOS/Windows-compatible and designed for mobile data collection, distributed processing, and communications to support any of your computing needs. For more information call **1-800-3-BADGER** and take a BYTE out of your workload today.



BADGER
Computers

The Computer
OUTDOORS



BADGER Computers • 10901 Malcolm McKinley Drive • Tampa, Florida 33612 • (813) 972-6246 • FAX (813) 972-6715

A Division of Group Technologies Corporation
Circle 176 on Inquiry Card.

Thinking Windows?



Think memory. Think Kingston.



Windows® NT. Windows 95. OS/2. All the hype about these powerful, new operating systems overlooks one tiny fact—most PCs and servers simply can't run them unless you add more memory. But Kingston can help you meet the demands of today's memory-hungry software, no matter what kind of systems you have.

You see, Kingston makes memory modules for more than 2,300 kinds of PCs, workstations, and printers. Not just all of the newest models from the leading brands, we make memory for all of the

older systems too. Plus, we're the only ones who actually test 100% of our memory. And all of it comes with a lifetime guarantee.

How can you find the right memory configuration for your particular systems? That's easy. We make an electronic guide that helps find the exact memory you need in seconds. It's called the KEPLER configuration guide and it comes on a convenient, new Windows CD. You can get it free by calling (800) 251-9058. Or download it from our BBS by calling (714) 435-2636 or from CompuServe by typing GO KINGSTON.



Kingston
TECHNOLOGY CORPORATION

For information on our memory products, call (800) 251-9058.

Kingston Technology Corporation, 17600 Newhope Street, Fountain Valley, CA 92708 USA, (714) 435-2600, Fax (714) 435-2699.

© 1995 Kingston Technology Corporation. Kingston Technology is a registered trademark of Kingston Technology Corporation. All rights reserved. Windows is a registered trademark of Microsoft in the U.S. and other countries. All other products or services are the trademarks or registered trademarks of their respective holders.

Circle 155 on Inquiry Card (RESELLERS: 156).

So many factors go into making a great computer. You need to consider I/O, storage, memory, and the display. Oh, and don't forget ergonomics: human factors are very important. But what *really* gets your heart pumping is what lies at the heart of today's best systems: the newest, most screaming, most radically designed CPUs.

We have become addicted to speed. Gordon Moore is our pusher. Moore's law, which states that processing power will double every year and a half, has thus far held true. CPU designers, always in search of a better fix, drain every possible ounce of fat from processor cores, squeeze clock cycles, and cram components into smaller and smaller dies.

They also steal ideas from each other. As "CPU Scorecards" shows, the line between CISC and RISC is getting blurrier every day, and the next-generation offerings from the major chip families continue this trend. The upside for us is that a SPECint95 score of 300 will soon be the high-performance midrange, and we'll be eyeing scores of over 500 by this time next year.

However, processors aren't just getting faster; they are becoming more specialized as well. Consider the handful of new multimedia chips that we describe in detail in "Chip Fashion."

Perhaps nothing epitomizes the merging of CISC and RISC and the rise of specialization more than IBM's stealth processor, the PowerPC 615. This single-chip marriage of PowerPC and x86 promises to run native applications from both platforms with little performance hit. Insiders say that IBM has been working on it for years and has found the design mind-numbingly difficult to build.

The latest round of rumors puts the chip's introduction sometime in 1996. IBM, which barely admits that the project even exists, won't talk technical details. So we asked a leading expert on chip design, the *Microprocessor Report's* Linley Gwennap, to design the 615 for us. As far as we know, this design, outlined in "Why the 615 Matters," isn't necessarily what IBM is working on, but the efficiencies of Gwennap's shared-memory model may be fodder for Big Blue's engineers.

Whether you admire CPUs inherently or just appreciate them as one of the many important system components, the technologies described in the following pages should raise your pulse. ■

—Alan Joch, Senior Editor

HEART THROBS

CPU designers beg, borrow, and steal for every ounce of performance they can get

Chip Fashion

Multimedia drives the hot chips at this year's Microprocessor Forum.....**171**



CPU Scorecards

A technical comparison of nine next-generation CPUs.....**179**



Why the 615 Matters

Here's our design for natively running x86 software on a PowerPC CPU.....**198**



WHEN IT
COMES TO
YOUR
COMPANY'S
WORKSTATIONS,
SPEED
IS
MONEY!



Increase the processing speed of your SPARC[®] workstations or servers and you get more work done in the course of the day — simple, right?

Unfortunately, the decision about how to increase your workstation's or server's processing speed usually complicates matters. Until now, that is. ROSS Technology proudly announces the 125 MHz hyperSPARC™ Upgrade, available in single, dual and quad processor configurations. These Upgrades improve the performance and add multiprocessing capability to SPARCstation™ 10, SPARCstation 20 and SPARCserver™ 630/670/690 machines.

Not only are ROSS SPARC Upgrade processors the fastest on the market, they are a risk-free way to upgrade your workstation and server performance. ROSS is the original source of Sun's multiprocessors, and we are currently powering Sun's highest-performance desktop workstations.

How Fast? Way Fast. At ROSS we say, "When in doubt, check the data." Compare ROSS' numbers with the performance of major high-end RISC microprocessors, as reported by Dataquest:

	SPECint 92	SPECfp 92
hyperSPARC 125 MHz	133	154
MIPS 175 MHz	130	100
Alpha 166 MHz	108	135
superSPARC 75 MHz	126	121
microSPARC-II 110 MHz	75	65

Think about what this means for your business. You can extend the useful life of your machines for minimal cost. You'll see performance increases in the range of two to five times current processing speed, while leaving the chassis, memory, disk and peripherals intact. Our hyperSPARC Upgrades feature compact multi-die packaging, which

allows each MBus slot to contain up to two processors; they take less than 30 minutes to install.

Most importantly, ROSS will continue to produce Upgrades that keep your SPARC workstations and servers on the blazing edge. Call your ROSS representative today to get more details on hyperSPARC multiprocessing, or send e-mail to ross_info@ross.com.

1-800-774-ROSS
<http://www.ross.com>

ROSS[®]
TECHNOLOGY, INC.

ROSS Technology, Inc.
5316 Hwy. 290 W., Austin, TX 78735
1-800-774-ROSS in U.S. • 512-919-5207 Global
512-919-5200 Fax

© 1995 ROSS Technology. All rights reserved. All SPARC trademarks are trademarks or registered trademarks of SPARC International, Inc. hyperSPARC is licensed exclusively to ROSS Technology, Inc. SPARCstation and SPARCserver are licensed exclusively to Sun Microsystems, Inc. Products bearing SPARC trademarks are based upon architecture developed by Sun Microsystems, Inc. All other product or service names mentioned herein are trademarks of their respective owners.

CHIP FASHION

Multimedia chips will dominate the technical talk at this year's Microprocessor Forum

TOM R. HALFHILL AND JOHN MONTGOMERY


In 1996, skirts will be longer, suits will be double-breasted, and chips will go multimedia. The latter is the big news at this year's Microprocessor Forum. This is the high-tech equivalent of the annual Paris fashion shows. At last year's forum, all the excitement surrounded next-generation CPUs. But at this year's forum in San Jose, California, the focus is moving to a wave of specialized microprocessors optimized for multimedia.

Some will replace general-purpose CPUs in vertical applications, such as TV set-top boxes. Others will work as coprocessors alongside conventional CPUs in mainstream PCs. They all share a departure from the generalized computational architecture that typifies today's microprocessors. To deal more efficiently with real-time digitized streams of analog audio and video, these innovative microprocessors are adopting some techniques used by digital signal processors (DSPs). Indeed, they often resemble hybrid CPU/DSP architectures in fascinating ways.

The four multimedia chips expected to heat up this year's forum are the MicroUnity Mediaprocessor, the Philips Trimedia, the Chromatic Mpaact Media Engine, and the Nvidia NV1. They're all scheduled to appear in products in 1996.

General-purpose CPUs are also adapting to the demands of multimedia, and the forum will highlight those chips as well. Sun Microsystems is announcing the UltraSPARC-II, an enhanced version of its CPU, with special multimedia instructions, that was unveiled at last year's forum. Cyrix is expected to release some details about its Multimedia 586, which is apparently an M1 variant. Intel is known to be working on a multimedia version of the Pentium (code-named P55C), though it probably won't be presented this year.

Clearly, a new trend in chip design is under way. As PCs move beyond simple



STATE OF THE ART Chip Fashion

numbers and words to richer, more complex data types, the old approach to number crunching is no longer adequate. Over the next decade, we'll see a new generation of PCs that are as adept at handling audio and video as today's computers are at running word processors and spreadsheets.

MicroUnity Mediaprocessor

MicroUnity has been working in great secrecy on a new chip set that is supposed to revolutionize multimedia and broadband communications. What hath MicroUnity wrought? Only time will tell if it's a breakthrough, but its technical underpinnings are fascinating. MicroUnity has created a three-part chip set that streamlines the links among broadband interactive networks (e.g., coaxial cable, fiber optics, and wireless) and client devices.

The client device could be a next-generation set-top box, where MicroUnity's chip set might replace a general-purpose CPU and half a dozen ASICs. Or it could be a communications device, such as a cable modem or an asynchronous transfer mode (ATM) switch, where the chip set might replace an embedded processor, a DSP, and various support chips. The MicroUnity chip set could also be integrated onto the motherboard of a multimedia PC, if it can weather the economics of today's low-margin clone market.

Central to the MicroUnity chip set is the Mediaprocessor, which is a program-

mable microprocessor that combines CISC, RISC, and DSP techniques with a high-bandwidth architecture. The actual interface to the broadband network is provided by the MediaCodec, an A/D converter (ADC) that boasts an impressive set of communications functions. Rounding out the trio is the MediaBridge, an external cache that can interface to a Peripheral Component Interconnect (PCI) bus and main-memory DRAM. The MediaCodec and MediaBridge are optional.

By far the most interesting chip is the Mediaprocessor, which is capable of prodigious throughput. MicroUnity is fabricating a "slow" 300-MHz version of the chip on a 0.6-micron CMOS process. The fast version, built on 0.5-micron BiCMOS, runs at 1 GHz (i.e., 1000 MHz). Thanks to a proprietary process technology invented by MicroUnity (which has built a chip foundry), the 1-GHz version squeezes about 10 million transistors onto a die only 10 millimeters square. It achieves these tiny dimensions by using four interconnected layers of ultraplantar metal, which is also part of the secret behind the Mediaprocessor's blazing speed. The critical paths are extremely short.

The other reason for the Mediaprocessor's high performance is a unique architecture. It's a five-cylinder multithreaded microprocessor. It can handle five tasks at once, devoting 200 MHz of processing bandwidth to each task. To do this, it main-

MICROUNITY MEDIAPROCESSOR

- Optimized for multimedia and broadband communications
- Clock speeds from 300 MHz to 1 GHz
- 32-bit instruction set with signal-processing and extended-math operations
- Optional MediaBridge cache and MediaCodec I/O chips with 1-Gbps I/O interfaces



tains five files of 64-bit registers, with 64 registers per file. It also has 64 KB of on-board cache memory, equally divided between instructions and data. A dedicated I/O bus that's only 8 bits wide but can transfer 1 GB of data per second connects the Mediaprocessor to the MediaCodec and MediaBridge.

The Mediaprocessor has a dense instruction set that includes special operations for signal processing and extended math. For example, one of the instructions is called group fixed-point multiply and add. In a single cycle, this lone instruction can multiply four 32-bit operands by four other 32-bit operands, add the results to four more 32-bit operands, and return four 32-bit final results. That's 512 bits of bandwidth per clock cycle: 384 bits of input and 128 bits of output.


The Mediaprocessor is fully programmable and can run its own real-time OS or other low-level real-time OSes. It can even run a higher-level OS such as Unix. Thus, it doesn't need a regular CPU for vertical solutions (e.g., set-top boxes). MicroUnity expected to announce products that will use its chip set in October.

Philips Trimedia

If you think of small talking heads in postage-stamp-size windows when you think of PC video, Philips may have a surprise for you. The Trimedia microprocessor is capable of taking over for your video and sound cards and generating multiple, independently scaled live video windows that overlap in any way you want.

The Trimedia is a general-purpose microprocessor that

MicroUnity Building Blocks



STATISTICA

Windows 3.1
and WINDOWS-95

STATISTICA™ (automatically configures itself for Windows 3.1 or WINDOWS 95) ■ A complete data analysis system with thousands of on-screen customizable, presentation-quality graphs fully integrated with all procedures ■ Comprehensive Windows™ support, OLE (client and server), DDE, customizable *Auto Task* toolbars, pop-up menus ■ Multiple data-, results-, and graph-windows with *data-graph* links ■ The largest selection of statistics and graphs in a single system; comprehensive implementations of: Exploratory techniques with advanced brushing; multi-way tables with banners (presentation-quality reports); nonparametrics; distribution fitting; multiple regression; general nonlinear estimation; stepwise logit/probit; general ANCOVA/MANCOVA; stepwise discriminant analysis; log-linear analysis; confirmatory/ exploratory factor analysis; cluster analysis; multidimensional scaling; canonical correlation; item analysis/reliability; survival analysis; a large selection of time series modeling/forecasting techniques; structural equation modeling with *Monte Carlo* simulations; and much more ■ On-line *Electronic Manual* with comprehensive introductions to each procedure and examples ■ Hypertext-based Stats Advisor expert system ■ Workbooks with multiple *AutoOpen* documents (e.g., graphs, reports) ■ Extensive data management facilities (fast spreadsheet of unlimited capacity with long formulas, *Drag-and-Drop*, *Autofill*, *Auto-Recalculate*, split-screen/variable-speed scrolling, advanced Clipboard support, DDE links, hot links to graphs, relational merge, data verification/cleaning) ■ Powerful *STATISTICA BASIC* language (professional development environment) with matrix operations, full graphics support, and interface to external programs (*DLLs*) ■ Batch command language and editable macros, flexible "turn-key" and automation options, custom-designed procedures can be added to floating *Auto Task* toolbars ■ All output displayed in *Scrollsheets*™ (dynamic, customizable, presentation-quality tables with instant 2D, 3D, and multiple graphs) or word processor-style report editor (of unlimited capacity) that combines text and graphs ■ Extremely large analysis designs (e.g., correlation matrices up to 32,000x32,000, unlimited ANOVA designs) ■ Megabyte Manager with up to 32,000 variables (8 Mb) per record ■ Unlimited size of files; extended ("quadruple") precision; unmatched speed ■ Exchanges data and graphs with other applications via DDE, OLE, or an extensive selection of file import/export facilities (incl. *ODBC* access to virtually all data bases and mainframe files) ■ Hundreds of types of graphs, incl. categorized multiple 2D and 3D graphs, ternary 2D/3D graphs, matrix plots, icons, and unique multivariate (e.g., 4D) graphs ■ Facilities to custom-design new graph types and add them permanently to menus or toolbars ■ On-screen graph customization with advanced drawing tools (e.g., scrolling and editing of complex objects in 32x real zoom mode), compound (nested) OLE documents, *Multiple-Graph AutoLayout Wizard*, templates, special effects, icons, page layout control for slides and printouts; unmatched speed of graph redraw ■ Interactive rotation, perspective and cross-sections of 3D displays ■ Large selection of tools for graphical exploration of data: extensive brushing tools with animation, fitting, smoothing, overlaying, spectral planes, projections, layered compressions, marked subsets ■ Price \$995.

Quick STATISTICA (for Windows) ■ A subset of *STATISTICA*; comprehensive selection of basic statistics and the full analytic and presentation-quality graphics capabilities of *STATISTICA* ■ Price \$495.

STATISTICA/OC - Industrial statistics add-on package (requires *STATISTICA* or *Quick STATISTICA* for Windows) ■ The largest selection of industrial statistics in a single package; quality control charts (compatible with real-time data acquisition systems), process capability analysis, R&R, sampling plans, and an extremely comprehensive selection of experimental design (DOE) methods ■ Flexible tools to customize and automate all analyses and reports (incl. "turn-key" system options, and tools to add custom procedures) ■ Price \$495.


STATISTICA/Mac (for Macintosh) ■ Price \$695 (Quick - \$395).

Domestic sh/tn \$12 per product; 30-day money back guarantee.



2325 E. 13th St. • Tulsa, OK 74104 • (918) 583-4149
Fax: (918) 583-4376

Overseas Offices: StatSoft of Europe (Hamburg, FRG), ph: 040/ 4200347, fax: 040/4911310; StatSoft UK (London), ph: 01462/482822, fax: 01462/482855; StatSoft Pacific (Melbourne, Australia), ph: (03) 663 6580, fax: (03) 663 6117; StatSoft France ph: (1) 45 66 97 00, fax: (1) 45 66 06 51; Available from other Authorized Representatives worldwide: Sweden: AkademiData Scientific ph: 018-210035, fax: 018-210039; Finland: Stalcon Oy ph: 03-3667-1110, fax: 03-3668-3110; Italy: Prompt SRL ph: 49-893-3227, fax: 49-893-2897; Poland: Companion Oprogramowanie ph: 12-369660, fax: 12-360791; Taiwan: Intelligent Integration Corp. ph: 2-759-1791, fax: 2-759-1790. StatSoft, the StatSoft logo, STATISTICA, and Scrollsheet are trademarks of StatSoft, Inc.



Circle 97 on Inquiry Card.

has been enhanced to boost multimedia performance. It's a cross between a CPU and a DSP. When the Trimedia is placed in a typical PC, it will act as a multimedia coprocessor. Its role as a general-purpose microprocessor will be realized only when it's used in such devices as set-top boxes.

At the center of it is a 400-Mbps bus that connects autonomous modules, including video in, video out, audio in, audio out, an MPEG variable-length decoder (VLD), an image coprocessor, a communications block, and a very long instruction word (VLIW) processor.

The VLIW processor includes a rich instruction set, with many extensions for handling multimedia. It is capable of sustaining five RISC operations per clock cycle at 100 MHz. Philips gets this performance by incorporating 27 functional units in the VLIW engine and feeding them with five instruction-issue registers. The functional units include multiple-integer ALUs, a multiple floating-point ALU, several integer and floating-point multipliers, and DSP attachment units. The functional units are pipelined, ranging from one deep (the integer ALU) to three deep (the floating-point ALU). Pipelines are also redundant

neously. The key to this is DMA. The VLIW core can issue a single instruction that opens a DMA path between main memory (stored off the chip) and any of the modules. With two instructions, video and audio could start streaming into the Trimedia. The video in and audio in modules would then asynchronously prepare the data for whatever future it may have.


The Trimedia uses "glueless" interfaces to the PCI bus, a digital camera, a video encoder, a stereo audio ADC/DAC, and a V.34 modem analog front end or ISDN terminal interface. The glueless interfaces decrease the cost of installing the Trimedia in a system—by up to one-third—by eliminating the need for separate adapters. The chip will cost below \$50 in quantity.

With its low price and high performance (Philips estimates it will be able to perform 2 to 4 billion operations per second [BOPS] at 100 MHz), the Trimedia has the potential to become a standard part of PCs and consumer electronics devices. Philips, however, was reluctant to disclose its partners at press time.

Mpact Media Engine

The Mpact Media Engine, which is from Chromatic Research, is architecturally similar to a general-purpose DSP. However, it's actually a highly specialized microprocessor that's designed to bring a wealth of multimedia features to mass-market x86-compatible PCs. When integrated on a PC motherboard, the Mpact can do the jobs of a Windows graphics accelerator, a 3-D graphics coprocessor, an MPEG video encoder/decoder, a sound card, a fax modem, and a telephony card. It should cost system vendors less than \$150 and should be in PCs by mid-1996.

Internally, the Mpact is a 1.4-million-transistor specific-purpose processor, not just a gate array or a standard-cell amalgam of other chips. It has five ALUs, including one dedicated to motion estimation—a critical function for video encoding and



videoconferencing. The parallel ALUs tie into an enormous 792-bit-wide crossbar bus that can move up to 8 billion integers per second between the ALUs and the chip's primary cache. The cache has eight ports and 4 KB of static RAM (SRAM), and it's connected over a 500-Mbps bus to an off-chip secondary cache that has 2 to 4 MB of Rambus DRAM (RDRAM).

According to Chromatic, this architecture (which is reminiscent of the Texas Instruments MVP DSP) can sustain 1 to 2 BOPS for most multimedia functions. Its peak rate when performing motion-estimation functions is an incredible 20 BOPS.

Much of this speed is made possible by the Mpact's dense instruction stream and DSP-like optimizations. The Mpact processor has its own machine language that packs two op codes into every word by

PHILIPS TRIMEDIA

- DMA mastering-video and audio-I/O units
- MPEG-2 VLD that also supports MPEG-1
- Interfaces to PCI bus, digital cameras, and stereo audio
- Low cost (under \$50)

(e.g., there is more than one add unit). With this design, the only functional unit that can't be fed on every clock cycle is the floating-point square root/divide.

The VLIW engine also includes 48 KB of cache memory: 32 KB for instructions and 16 KB for data. To save bandwidth and storage space, the VLIW instructions are compressed until the VLIW core needs them—even the instruction cache stores them compressed.

The other modules are processors that are each responsible for handling data-specific functions. These are generally functions that prepare data for the VLIW core.

The Trimedia is tuned to enable multiple modules to prepare their data simulta-

MPACT MEDIA ENGINE

- MPEG-1 real-time video and audio encoding/decoding
- MPEG-2 video and audio decoding
- Wave-table and wave-guide sound synthesis
- H.320 (ISDN) and H.324 (analog phone line) videoconferencing



There's only one thing
about our computer
that's not in keeping
with industry standards.

The performance.

Indy Modeler. The affordable CAD/CAM/CAE solution.

There's one computer in the market that runs all major CAD/CAM/CAE software, supports network standards like TCP/IP, Netware™ and NFS™, comes standard with SoftWindows™ and innovative workgroup collaboration software, and gives you incredibly powerful 3D modeling performance.

Indy Modeler.™

So it's hardly surprising that it won the AIM Benchmark award for best price/performance in its class.

Indy Modeler runs all major software including Pro/Engineer,™ Pro/JR,™ AutoCAD® R13, SDRC-I-DEAS Master Modeler,™ Matra Datavision—Prelude and MicroStation Modeler.™

For copies of the Indy Modeler brochure and video, and the name of your nearest reseller, call 1-800-636-8184, Dept. D440, or visit us on the World Wide Web at <http://www.sgi.com/Works>.



© 1995 Silicon Graphics, Inc. All rights reserved. Silicon Graphics is a registered trademark, and Indy Indy Modeler and see what's possible are trademarks of Silicon Graphics, Inc. Netware is a trademark of Novell. NFS is a trademark of Sun Microsystems. SoftWindows is a trademark of Insignia. Pro/Engineer and Pro/JR are trademarks of Parametric Technology Corporation. AutoCAD is a registered trademark of Autodesk, Inc. I-DEAS Master Modeler is a trademark of SDRC. MicroStation Modeler is a trademark of Bentley Systems, Inc. Screen image courtesy of Intergraph Corp.



see
what's
possible

Unleash your Pentium/Alpha!

Microway's NDP Fortran & C/C++ are the only 32-bit compilers which take full advantage of the Pentium and Alpha's dual numeric units. They run on DOS, UNIX, OS/2, NT and OS/F. To get RISC numeric performance from a Pentium or Alpha you need to schedule your code and use Superscalar optimizations. In his Jan. '95 Dr. Dobbs article, S. Fried describes how to get 35 megaflops from a Pentium using NDP Fortran. The Alpha version of NDP Fortran hits 88 megaflops running on OS/F or NT systems or on DOS using Microway's new ISA add in card. Put our compilers or Pentium, i860 and Alpha systems to work for you today. Call for white papers on Pentium, i860, or Alpha Code Generation. See us at **COMDEX/Fall '95** Booth H442B

i860/Pentium/Alpha SuperComputers

- BX Series Pentium/Alpha/i860 Workstations** - Microway's workstations and industrial PC's come configured with DOS, OS/2, UNIX, From....\$2195
- Gigacube**® Three to six QuadPuters - Up to 24 i860's for \$50K! Computational Server runs NFS.
- Number Smasher**®-860 Up to 80 megaflops, does 1024 FFT in just .9 ms, From.....\$2995
- QuadPuter**®-860 Four 40 MHz i860's plus shared memory equals 320 megaflops\$11995
- ArrayPRO/XP**™ - 100/200 megaflops, 400 MB/Sec memory, 80 and 33 MB/Sec DSP Interfaces.... \$8995
- Number Smasher**®-Alpha 100+ megaflops - this ISA Superscalar add in card runs on DOS or UNIX. It uses T8 links for parallel processing. From \$5995


NDP Compilers

- Microway's family of 32-bit compilers run on DOS, OS/2, NT, UNIX, and OS/F generating code for the Intel 386, 486, Pentium, i860 and DEC Alpha.
- NDP Fortran**™ is a full F77 with complete VMS, F66, DOD, and MS extensions.
- NDP C/C++**™ runs in K&R, ANSI and C++ modes and generates the highest quality numeric code of any 32-bit C compiler.
- NDP Pascal**™ is a full ISO Level 0 translator.
- DOS releases include VCPI, DPML, NDPLink, VM, NDPLib and GREX-Microway's bit mapped graphics library. The 486/Pentium version adds 486/Pentium code generation, Clearview, the MGX vector graphics library, and DPML DOS Box support for demand paging and GREX.
- 386 Version 4.41.....\$695
- Pentium/486 Version 4.5.....\$995
- OS/2 releases use IBM Tools, take advantage of the IBM WorkFrame and include MGX
- 386.....\$595
- 486/Pentium.....\$895
- Alpha NDP compilers start at.....\$795
- Call for UNIX, OS/F and NT pricing.
- NDP Fortran 90 extensions to NDP Fortran...\$295

Microway

Research Park, Kingston, MA 02364 USA
 (508) 746-7341 FAX (508) 746-4678
 Call for Germany, India, Indonesia, Israel, Japan, Poland, Russia and U.K.

STATE OF THE ART Chip Fashion



using a long instruction word (LIW) format. The op codes are single-instruction multiple-data operations that can perform vector functions on arrays of operands without time-consuming program loops.

This programmability is crucial to the Mpac's versatility. Multimedia algorithms written in the Mpac's machine language will run atop the chip's own real-time OS. Device drivers running under the system OS—such as virtual device drivers (VxDs) in Windows 95—map high-level API calls to these low-level programs, which are called *mediaware modules*. Thus, users can adapt their PCs to new industry standards and improved algorithms merely by upgrading the Mpac's device drivers and mediaware modules.

Nvidia NV1

Nvidia wants your games. The NV1 is a highly integrated multimedia accelerator that includes a 3-D video accelerator (which can do 2-D graphics, too), a 350-MIPS audio engine (with Sound Blaster emulation), and an I/O processor (for joysticks and the like). This chip is designed to improve the game experience significantly. If early demonstrations are any indicator, it will.

The 3-D video accelerator is the most interesting part of the chip. What's intriguing is a graphics primitive called QTM (Quadratic Texture Map), a derivative of an algorithm named nonuniform rational B-splines (NURBS).

Here's why. Computers are good at generating straight lines, but curves present a problem. Most 3-D accelerators represent curves by interlocking polygons—polygons that consist of three or more vertices connected by straight lines. To make a curve smooth, a 3-D accelerator must use lots of small polygons, and that's compute-intensive.

The NV1 is more clever than that. Put simply, it curves the sides of its polygons, so it doesn't need as many to make curves

smooth. Fewer polygons mean fewer calculations and faster 3-D acceleration. The NV1 picks up extra speed by decreasing the number of control points required by the host CPU to move through 3-D space. Its resolution is something more like plus or minus 1 pixel. In short, it's great for games with fast 3-D motion.

The audio subsystem is similarly game-oriented. It can generate 32 concurrent audio channels of CD-quality (i.e., 16-bit) audio with phase shifting (for 3-D sound). Perfect for monsters breathing, guns firing, and a great sound track. The secret of the audio subsystem is its DMA engine. The NV1 can push and pull data from main memory incredibly quickly over its preferred PCI or VL-Bus interface. Thus, it

NVIDIA NV1

- Wave-table sound synthesis
- MIDI
- 3-D graphics acceleration
- Up to 32 16-bit audio channels



doesn't need on-board memory to hold wave sounds—it can store them in main memory. The one potential problem with the NV1's DSP is that its algorithms are hard-wired into its silicon, so upgrades could be difficult. It's a gamble that reduces the cost and size of the NV1 overall.

Everything's connected with a 32-bit unidirectional ring bus. The bus's controller accepts transaction requests and sends instructions to every component.

The main problem we see with the NV1 is its lack of MPEG-1 decoding. MPEG-1 is popular with games. A secondary problem has to do with the new game APIs in Windows 95: They aren't optimized to the

Excel

Word 6.0

WordPer



Interactive Training

MS Mail

cc:Mail

Keep pace with
ever-changing technology

Access

SRA Technology Training, a Division of The McGraw-Hill Companies, is the leader in self-directed, technology-based training for I/T professionals and end-users around the world. We are dedicated to providing a full line of technically-accurate, comprehensive, up-to-date courses at an excellent value.

PowerPoint

Lotus 1-2-3

Would you like to

learn more about

Freelance
Graphics

SRA's PC and Desktop training courses?

Organizer

FREE

Lotus Notes

SRA Electronic Training Source Catalog.

Approach

Call us to learn how you can improve your employee's technical skills and organization's performance.

Windows 95

tel. 800 • SRA • 1277
in Canada, 800 • 551 • 2127

Ami Pro

Circle 125 on Inquiry Card.

Save Disk Space

PKZIP[®]

PKZIP version 2.0

PC WORLD



WORLD CLASS
AWARD

PKWARE[®] introduces the next generation of its award winning compression utility. PKZIP 2.0 yields greater performance levels than achieved with previous releases of the software. PKZIP compresses and archives files. This saves disk space and reduces file transfer time.

Software developers! You can significantly reduce product duplication costs by decreasing the number of disks required to distribute your applications. Call for Distribution License information.

Put Your Executables on a Diet

Software developers! Save disk space and media costs with smaller executables. You can distribute your software in a compressed form with PKLITE Professional.[®] PKLITE Professional gives you the ability to compress files so that they cannot be expanded by PKLITE. This discourages reverse engineering of your programs.



PKLITE increases your valuable disk space by compressing DOS executable (.EXE and .COM) files by an average of 45%. The operation of PKLITE is transparent, all you will notice is more available disk space!

Compression for YOUR Application



The PKWARE Data Compression Library[®] allows you to incorporate data compression technology into your software applications. The application program controls all the input and output of data, allowing data to be compressed or extracted to or from any device or area of memory.

All Purpose Data Compression Algorithm compresses ASCII or binary data quickly. The routines can be used with many popular DOS languages. A Windows DLL and an OS/2 32-bit version is also available!

PKWARE[®] INC.

The Data Compression Experts[®]

9025 N. Deerwood Drive, Brown Deer, WI 53223-2437
(414) 354-8699 Fax (414) 354-8559

PKWARE Data Compression Library for DOS \$275 PKWARE Data Compression Library for OS/2 \$350
PKWARE Data Compression Library DLL for Windows \$250

PKZIP \$47.00 PKLITE \$50.00 PKLITE Professional \$135.00

Please add \$5.00 SMT per package for the US & Canada, \$11.75 overseas.
Wisconsin residents add appropriate state sales tax & county sales tax.
Visa and Mastercard accepted, no COD orders.

See us at COMDEX Booth #S7619

BY1105

STATE OF THE ART

NV1's 3-D texture map, so games written to these APIs won't exploit the NV1. With a volume price of \$70, we'll probably see many multimedia boards built on this chip, so maybe the API problem will work itself out. Already, Sega has worked out a deal to port many of its games to the NV1, and Diamond has developed a board that uses the NV1.

Lights, Camera, Action

These aren't the only multimedia chips around—they're not even the only ones at the Microprocessor Forum this year. Hewlett-Packard's PA7300LC has multi-

Product Information

Mediaprocessornot announced
MicroUnity Systems
Engineering, Inc.
Sunnyvale, CA
(408) 734-8100
fax: (408) 734-8141
Circle 1242 on Inquiry Card.

Mpact Media Engineunder \$150
Chromatic Research
Mountain View, CA
(415) 254-1600
fax: (415) 254-5849
info@mpact.com
Circle 1243 on Inquiry Card.

NV1 \$70
Nvidia
Sunnyvale, CA
(408) 720-6100
fax: (408) 720-6111
Circle 1244 on Inquiry Card.

Trimediaunder \$50
Philips Semiconductors
TriMedia Product Group
Sunnyvale, CA
(800) 234-7381
(408) 991-2000
fax: (408) 991-2311
Circle 1245 on Inquiry Card.

media instructions, for example, and Motorola and IBM are announcing new versions of their venerable DSPs.

But these chips do show that microprocessor developers are reconsidering what a microprocessor is and how it should function. More important, they show a trend toward consumerization: These multimedia processors are inexpensive and small, and they consume little power. You'll be seeing them not only in your PC, but in your set-top box, your TV, and probably devices we haven't even thought of yet. ■

The guardians of BYTE's San Mateo office, Tom R. Halfhill is a senior editor, and John Montgomery is the features editor. They can be reached on the Internet or BIX at thalfhill@bix.com and jmontgomery@bix.com.

CPU SCORECARDS

A look at how tomorrow's next-generation chips stack up

**DICK POUNTAIN AND
TOM R. HALFHILL**

CPU choices used to be clean when the great rivals, CISC and RISC, were in two distinct camps. But with the CPU introductions set to begin late this year, each camp steals the other's best ideas, and blurs replace distinctions.

For example, Intel's P6 translates long x86 CISC instructions into simple, fixed-length micro-operations executed by what is essentially a RISC processor core. Sun Microsystems' UltraSparc-II will boast special graphics instructions to speed up the MPEG decoding that would require up to 48 instructions on other processors. These are CISC instructions in all but name.

The scorecards on the following pages show that next-generation CISC and RISC CPUs will fight performance battles on four fronts: executing more instructions per cycle, executing instructions out of order to sidestep dependencies, renaming registers to avoid register famine, and contributing to faster overall system performance, not just CPU speed.

All these chips issue more than one instruction per cycle; the five RISC CPUs here are all four-issue superscalar designs. But they vary in the number of function units they provide, ranging from nine in the UltraSparc to four in the Alpha 21164.

Processes are shrinking, too. Intel, Digital, and Mips will all deliver 0.35-micron chips by early 1996. By 1997, expect to see CPUs built in 0.25-micron CMOS, clocked at 400 MHz, and delivering 1000 SPECfp95. It's also reasonable to expect that by then software designers will have found a way to soak up all that power and redraw the battle lines.

Dick Pountain is a BYTE contributing editor based in London. Tom R. Halfhill is a BYTE senior editor based in San Mateo, California. You can reach them on the Internet or BIX at dickp@bix.com and thalfhill@bix.com, respectively.



CURRENT STATUS: Entering production

LIKELIHOOD INTRODUCTION DATE WILL BE MET: Good

TARGET CLOCK SPEED: 150 MHz

ESTIMATED PERFORMANCE:
220 SPECint92; 215 SPECfp92

FABRICATION PROCESS/FEATURE SIZE:
BiCMOS/0.6-micron

TECHNOLOGICAL ADVANTAGES:

A multichip package with a 256-KB secondary cache coupled to the CPU at full core speed; out-of-order superscalar microarchitecture; chip is superpipelined for high clock speeds.

TECHNOLOGICAL DISADVANTAGES:

The multichip package is costly to manufacture; the microarchitecture is tuned for 32-bit software, yielding poor performance with 16-bit code; power consumption and heat dissipation are currently unsuitable for notebook computers.

PRIMARY MARKET: Servers and high-end PCs.

WHERE TO FIND: Intel, Santa Clara, CA, (800) 628-8686 ext. 134 or (408) 765-8080; fax (800) 628-2283 (documents 7162 through 7165); <http://www.intel.com/>.

INTEL

Next generation: P6


DOSSIER: The first PCs containing Intel's sixth-generation P6 processor should appear late this year. Intel originally planned to introduce the P6 at 133 MHz, but thanks to better-than-expected performance from the initial silicon, Intel now hopes to debut the chip at 150 MHz. Some speed-sorted parts may reach 166 MHz.

Even faster clock speeds are coming soon, and Intel designed the superpipelined P6 to handle them. In 1996, the P6 will begin migrating from Intel's 0.6-micron BiCMOS process to a smaller, faster, 0.35-micron BiCMOS process technology. (High-end Pentiums are already fabricated on this process.) The optical shrink could allow Intel's flagship processor to hit 231 MHz by the end of next year.

The P6 has a dark side, however. It runs 16-bit software slower than a Pentium does. Intel optimized the P6 for 32-bit code, making compromises that severely impair its performance with older, 16-bit code. As a result, even a Pentium that runs at a slower clock speed than a P6 will do a better job with most of today's mainstream software. (See News & Views, September and October BYTE.)

Competitors are ecstatic about this, but Intel is keeping a stiff upper lip. By around 1997, the P6's price should drop low enough to make it a mainstream processor, and 32-bit OSES and applications should be commonplace.

Meanwhile, the Pentium will continue to dominate the market for x86 CPUs. Late this year, Intel will introduce a 150-MHz Pentium, to be followed by faster versions in 1996. The 0.35-micron process technology should allow future Pentiums to run at 167 to 180 MHz, and perhaps 200 MHz. These advances at the high end will pull the entire market forward. Today, standard Pentiums run at 75 to 100 MHz; by this time next year, the midpoint will probably be 120 MHz.



The P6 is superpipelined for fast clock speeds, starting at 150 MHz.

They'll be asking how you did it!



Imagine having the power of a wizard. Being able to give a magic touch to what you see around you! Do you really want to turn the world upside down, – or just change the colour of a friend's face?

Well, it's all here: The Image

Wizard™ imaging system lets you capture high quality colour video images with a simple Click & Freeze. Then it gives you the power to manipulate the image to the limits of your imagination, all with easy-to-use Wizard software.

A complete imaging system

If you have a desktop or portable PC with a PCMCIA card slot and access to video sources such as VCRs, camcorders, TVs, laser discs etc., then all you need is the Image Wizard

from MRT. The video capture system consists of a PCMCIA card type I, a video adaptor cable, the Image Wizard software package and an easy-to-follow user manual.

What you see is what you can get!

The Image Wizard software is a powerful Windows-based image enhancement tool which allows colour correction and retouching in an amazingly easy-to-use package. You can blend, lighten, darken, sharpen, remove blemishes, change colours and cut-and-paste to your heart's content. Combine your own video images with the sample images included on the diskettes. In addition to video sources, Image Wizard also provides direct support for scanners and PhotoCD. If you can see it, you can paste it into your document with a resolution of 511 x 511 pixels and 24-bit true colour. Best of all: The process is exceptionally quick and easy.





Check out Image Wizard at your nearest PC store. It cannot fail to impress you.

MRT

MRT micro as.
Strømsvn. 74, N-2010 Strømmen, Norway
Tel.: +47 63 89 20 20 Fax: +47 63 80 12 12
USA Tel.: +1 603 465 2830 Fax: +1 603 465 2680
Germany Tel.: +49 8092 880 77 Fax: +49 8092 880 76

All trademarks in this document are the property of their respective owners.





CURRENT STATUS: Taped out (i.e., design completed)

LIKELIHOOD INTRODUCTION DATE WILL BE MET: Fair

TARGET CLOCK SPEED: 120 MHz

ESTIMATED PERFORMANCE: 176 to 203 SPECint92

FABRICATION PROCESS/FEATURE SIZE: CMOS five-layer metal/0.6-micron

TECHNOLOGICAL ADVANTAGES: Performance is estimated to be equal to or better than that of the Pentium-150, with a 50 percent smaller die than the original 6x86-100.

TECHNOLOGICAL DISADVANTAGES: Die size is still relatively large compared to that of the latest Pentiums.

PRIMARY MARKET: Mainstream PCs.

WHERE TO FIND: Cyrix, Richardson, TX, (214) 968-8388; fax (214) 699-9857; <http://www.cyrix.com>.

CYRIX

Next generation: **M1rx**

DOSSIER: Cyrix's first M1 chip, the 6x86-100, is crippled by a monstrosously large die that's difficult and expensive to manufacture. The M1rx (a code name) addresses that problem by using five layers of metal instead of three on the same 0.6-micron process, which reduces the die from 394 square millimeters to approximately 225 mm². This also allows Cyrix to boost the internal clock speed to 120 MHz.

Cyrix is ramping up production of both the 6x86-100 and the M1rx-120 late this year, but don't expect to see high volumes of either chip until 1996. In fact, nobody will be surprised if the large-die 6x86-100 *never* attains high volumes; it's so costly it will probably be discontinued after a relatively short product life.


In the first quarter of 1996, Cyrix plans to optically shrink the 6x86 to a 0.5-micron, five-layer-metal process that will reduce production costs still further and increase the clock speed to 133 MHz. That version should match or exceed the performance of a 167-MHz Pentium. In the third or fourth quarter of 1996, Cyrix promises that the 6x86 will reach 150 MHz. The estimated performance would exceed that of a 180-MHz Pentium.

If Cyrix is able to meet these goals, the company will likely sell all the CPUs it can make. Clock for clock, the 6x86 beats the Pentium and is competitive with Intel's P6. Indeed, the 6x86 should easily outperform the P6 when running the 16-bit and mixed 16-/32-bit code that dominates the PC market today.

Meanwhile, Cyrix isn't ignoring entry-level PCs. Although the company is phasing out 486 production late this year, it's filling the gap with the 5x86, a hybrid design that adopts some of the 6x86's features in a chip that's initially pin-compatible with 32-bit 486 sockets (see "New 486 Chips Deliver Inexpensive Power," September BYTE). The low-power 5x86 is also ideal for notebook computers.

Although Cyrix has had trouble getting the 6x86 into production, the company now appears well-positioned to take advantage of the explosive growth in the PC market. The P6's poor performance with 16-bit code is a lucky break for Cyrix, because the 6x86 will be a better choice for the millions of people using Windows 3.1 and Windows 95.

The M1rx Foundation



The M1rx will shrink Cyrix's 6x86 design down to a more manageable die size.

NEXT YOU'LL PROBABLY WANT US TO ELIMINATE DEATH AND TAXES



CALL ANYWHERE. TALK FOREVER. NEVER PAY LONG DISTANCE.

Until now, paying for long distance service was as certain as death and taxes. But with DIGIPHONE and DIGIPHONE DELUXE, you can talk nationally and internationally and never pay a cent for long distance. DIGIPHONE is the only complete full-duplex voice software system that lets you use your PC and your Internet connection just like a telephone. Local access gets you long distance. DIGIPHONE gets you talking.

We've got somebody working on the eternal life deal, but the IRS is gonna be tough.

For the facts, try us at <http://www.ikon.com/digiphone> or visit your nearest retailer.

 **THIRD PLANET PUBLISHING, INC. 17770 PRESTON ROAD DALLAS, TX 75252 A SUBSIDIARY OF CAMELOT CORPORATION (NASDAQ Symbol CAML)**

DIGIPHONE GIVES YOU BASIC PHONE SOFTWARE FOR THE INTERNET. DIGIPHONE DELUXE HAS EVERYTHING BUT THE KITCHEN SINK.

Circle 288 on Inquiry Card.

*Maybe
if you had
ten free hours on
our online service,
you could get that
fat, lazy dream
off the ground.*



Because we are the only online service that offers full internet access, easy-to-use email and unsurpassed content, we have become a vital connection between people and their dreams. And right now, you can have 10 free hours to fly anywhere you'd like on this powerful service. Visit over 3000 sites. Sit in on countless forums. Surf the Net. Whatever you want to do, you can do it free for ten hours your first month. After that, a CompuServe membership is yours for only \$9.95 a month; and only \$2.95 an hour after 5 free hours of access every month. So give your dreams wings. Give them CompuServe. **For a free membership kit, mail the reply card or call 1-800-487-4838.**

CompuServe



CURRENT STATUS: Design stage

LIKELIHOOD INTRODUCTION DATE WILL BE MET: Fair

TARGET CLOCK SPEED: Unknown

ESTIMATED PERFORMANCE: Unknown; probably comparable to that of the Intel P6.

FABRICATION PROCESS/FEATURE SIZE: CMOS/0.35- or 0.25-micron

TECHNOLOGICAL ADVANTAGES: The Nx686 will enhance the decoupled RISC-like microarchitecture first introduced in the Nx586 while retaining the Nx586's high-speed dedicated cache interface.

TECHNOLOGICAL DISADVANTAGES: The Nx686 could reveal the future limits of increased parallelism in a decoupled core.

PRIMARY MARKET: Mainstream desktop PCs.

WHERE TO FIND: NexGen, Inc., Milpitas, CA, (800) 863-9436 or (408) 435-0202; <http://www.nexgen.com>.

NEXGEN

Next generation: Nx686

DOSSIER: Little is known about the Nx686, because the chip hasn't been announced yet and NexGen doesn't want to tip its hand to rivals AMD, Cyrix, and Intel. However, NexGen has stated that the Nx686 will match the performance of Intel's P6 and build on the microarchitecture introduced by the Nx586 in 1994.

That microarchitecture, dubbed RISC86 by NexGen, was the first of its kind to appear in an x86 processor. Similar microarchitectures have since been adopted by Intel's P6 and AMD's K5. The basic idea is to convert the troublesome CISC instructions of x86 software into RISC-like operations that execute in parallel within a RISC-like processor core. This approach, known as a *decoupled microarchitecture*, allows a CISC processor to take advantage of RISC's architectural innovations and be backward-compatible with existing x86 software.

The Nx686 will advance this philosophy to the next logical level. Currently, the Nx586 has three execution units, a three-way superscalar core, and the ability to decode only one x86 instruction per clock. That opens up several opportunities for


improvement. The Nx686 will probably have at least five execution units, four execution pipelines, and multiple decoders capable of handling two or more x86 instructions per clock. To cope with the increased complexity of this design, the Nx686 will likely add more rename registers and instruction queues.

One thing that won't change is the integrated cache controller and high-speed cache interface. The Nx686, like its predecessor, will talk to its secondary cache over a dedicated I/O bus that runs at the full speed of the processor core. Intel adopted this feature in the P6 and went even further by including a 256-KB static RAM (SRAM) cache in a multichip package.

NexGen says it's considering this option because its foundry partner, IBM Microelectronics, is good at making SRAM and multichip modules (MCMs).

An example of IBM's MCM technology can be seen in a new version of the Nx586 that's scheduled to ship this quarter and includes both a CPU and an FPU die in an MCM. At the same time, a layout and a process shrink to 0.35 micron have made it possible for NexGen to dramatically reduce the size of the CPU die to less than 118 mm²—the smallest in its class.

A Hint of Things to Come?



BIU = branch interface unit

The earlier-generation Nx586 architecture, shown here, will probably be extended in the Nx686.

MAXTECH

Award winning products

PC
MAGAZINE
EDITORS'
CHOICE

September 13, 1994
MaxTech 28.8Kbps Fax Modem

JUNE 1995

BYTE

BEST VALUE

V.34 EXTERNAL

MODEM



Budget-pleasing prices

If you love PCs but hate the high price tags on top peripherals, MaxTech is for you. Unmatched quality. Eye-popping price-value features. Economy and great performance on modems, notebooks, networking products, monitors — everything you need to power up on-line. MaxTech award winning products deliver the very best of what you want at prices you can afford.

The MaxTech family of products has something for every PC lover. Voice fax and DSVD modems with speeds up to 28.8 Kbps, PCMCIA cards, the exclusive MaxTech Yesbook™ modular notebook computer, a full line of ethernet products including HUBs, NIC cards and transceivers, and color monitors from 9" to 21". The list goes on, the prices stay low and MaxTech quality shines through on every purchase you make.

© 1995 MaxTech Corp. All brand names are the property of their respective holders.

As one of the world's largest OEMs, MaxTech has been part of many of the best-selling PC brands for over 17 years. OEM manufacturers know MaxTech delivers reliable, high quality and affordable products. Now you know it too. Look for the full line of MaxTech personal computing products at your favorite computer store now.



For more information call
1-800-9FOR-MAX

MAXTECH
YOUR GVC CONNECTION

Manufacturer of award winning products since 1978

Modems • Monitors • Motherboards
Notebooks • Networking products

Circle 117 on Inquiry Card (RESELLERS: 118).



CURRENT STATUS: Sampling in first quarter of 1996

LIKELIHOOD INTRODUCTION DATE WILL BE MET: Unknown

TARGET CLOCK SPEED: Over 300 MHz

ESTIMATED PERFORMANCE: 500 SPECint92; 700 SPECfp92

FABRICATION PROCESS/FEATURE SIZE: CMOS/0.35-micron

TECHNOLOGICAL ADVANTAGES:

The Alpha 21164A retains the microarchitecture of the 21164, a four-way superscalar design with extremely simple, stripped-down data paths that allow it to be clocked faster than other vendors' chips.

TECHNOLOGICAL DISADVANTAGES:

At around \$3000, the Alpha 21164 is the most expensive RISC chip on the market, and the 21164A is likely to retain this distinction. The latest version depends more on compiler quality to achieve maximum throughput than some competitors. For optimum throughput, the chip must cluster instructions into groups of four that execute together, and this task is left entirely to the compiler.

PRIMARY MARKET: Scientific and engineering workstations and high-end Windows NT and Unix servers.

WHERE TO FIND: Digital Equipment, Hudson, MA, (800) 332-2717 or (508) 568-6868; semiconductor@digital.com.

DIGITAL EQUIPMENT

Next generation: Alpha 21164A


DOSSIER: The Alpha adheres more closely to the RISC philosophy than its competitors by stripping away every ounce of fat from the hardware and instruction set in favor of the fastest possible data path. Alpha designers believe that a faster clock will buy you what other chips achieve through fancy hardware. The principle appears to work: The 21164 was the fastest single-chip microprocessor in the world when it was launched in 1995, with three times the integer performance of a Pentium/100 and faster FPU performance than Mips' R8000 supercomputer chip set. The next-generation 21164A's layout has not changed, but the chip will apply a process shrink and compiler enhancements to deliver even more SPECmarks.

The 21164 family eschews out-of-order execution, relying instead on smart compilers that can sequence code to minimize pipeline stalls. At 9.3 million transistors, these chips have the largest transistor budget of any CPUs made so far, but most of them are used for cache-memory cells. The 21164 design has relatively small (8-KB) direct-mapped primary caches, but it's the first CPU to place a large (96-KB) secondary cache actually on-chip for minimum latency. Intel's P6 has its secondary cache in the same package, but not on the same silicon slice.

The 21164 family has four execution units (two integer and two floating-point) and can issue two instructions of each kind per cycle. It has a four-stage instruction pipeline that feeds into separate integer, floating-point, and memory-execution pipelines. Compared to other next-generation RISC chips, the 21164 has pipelines that are relatively deep and simple, for high clock speeds.

The instruction pipeline doesn't do any complex checking for data dependencies or issue any instructions out of order. If the current four instructions cannot all be issued into different execution units, the instruction pipeline stalls until they can. Unlike its competitors, the 21164 doesn't use register renaming; instead, it updates architectural registers directly once a result has reached the final writeback stage of the pipeline. To avoid delaying any dependent instructions, the chip has extensive register-bypass routes so that shared operands are available well before the write-back stage.

Digital intends to push the Alpha for NT servers rather than for the more traditional Unix. Coupled with keener pricing, this could become a winning strategy.



The 21164A improves upon the existing Alpha design with a process shrink and a better compiler.

YOU'D SMILE TOO IF YOU JUST CUT YOUR NETWORK PRINTER COSTS IN HALF.

KYOCERA SUCCESS STORY #559

BACKGROUND: Switched from HP to Kyocera. Recently purchased 150 Kyocera "cartridge-free" printers.

KYO-SAVINGS: More than \$100,000 in the first year.



INTRODUCING THE NEXT GENERATION OF "CARTRIDGE-FREE" PRINTERS FROM KYOCERA.

They're incredibly fast. Advanced. And reliable. So how come they cost 50% less to operate than HP® and Lexmark™ printers?

Because the largest printer expense isn't the cost of the printer — but the cost of all those expensive toner cartridges you have to buy.

Kyocera® printers are the first — and only — laser printers with long-life imaging components, so you never have to replace expensive cartridges.

"CARTRIDGE-FREE" TECHNOLOGY REDUCES PRINTING COSTS BY 50%.

Over time, the savings can be enormous. One printer alone could save you \$3,700* the

first year. Depending on your network, your savings could be hundreds of thousands, even millions of dollars.

That's not all you'll save with Kyocera. Our modular paper-handling options give you the flexibility to upgrade over time, as you need it. You'll even save space with our extra small footprint. So why pay more for the same speed, performance and reliability?



CALL 1-800-232-6797 FOR A FREE DEMO: "HOW TO CUT YOUR PRINTER COSTS." ASK FOR DEPT. 1015.

Every Kyocera printer is backed by a 5 billion-dollar company that's world-renowned for service, support and leading-edge technology. Call today. And soon you'll be smiling, too.

Kyocera offers a broad range of "cartridge-free" printers:

- 300 and 600 dpi
- 4, 10 and 18 ppm
- Internal NIC
- Multi-protocol support
- Modular paper-handling
- Duplexing
- Energy Star compliant
- Small footprint



Circle 311 on Inquiry Card (RESELLERS: 312).

*Based on duty cycle of 20,000 pages per month at list prices. Allow 4 weeks delivery for the demo disk. © 1995 Kyocera Electronics, Inc. Kyocera is a registered trademark of Kyocera Corporation. Energy Star does not represent EPA endorsements of any product or service. All other product or service names mentioned herein may be trademarks or registered trademarks of their respective owners.



CURRENT STATUS: Sampling

LIKELIHOOD INTRODUCTION DATE WILL BE MET: Good

TARGET CLOCK SPEED: 200 MHz

ESTIMATED PERFORMANCE:
300 SPECint92; 600 SPECfp92

FABRICATION PROCESS/FEATURE SIZE:
CMOS/0.35-micron

TECHNOLOGICAL ADVANTAGES:

The 64-bit R10000 has five functional pipelines, so it can potentially execute up to five instructions in any given cycle. With two double-precision FPUs, the R10000 is optimized for high floating-point performance.

TECHNOLOGICAL DISADVANTAGES:

For best performance, the off-chip secondary cache needs to be built from expensive SRAM.

PRIMARY MARKET: Graphics workstations, symmetric multiprocessing (SMP) servers, and supercomputers.

WHERE TO FIND: Mips, Mountain View, CA, (415) 933-6477; fax (800) 446-6477; <http://www.mips.com>.

MIPS

Next generation: R10000

DOSSIER: The R10000 inherits its superscalar design from the R8000, which was created for the scientific supercomputing market. But the R10000 is intended for more mainstream applications. The R10000's adoption of dynamic instruction scheduling, which reduces the need to recompile software that's written for older-generation processors, is of particular benefit to Mips partner Silicon Graphics, which has a back-catalog of large and complex graphics applications.


The R10000 is the first single-chip superscalar processor from Mips. It features dynamic branch prediction to minimize pipeline stalls, with up to four levels of speculative execution, using register renaming to ensure that no results are committed to the real registers until the branch is resolved. The chip maintains a "shadow map" of its rename register mappings. In the event of a mispredicted branch, it just restores this map rather than having to clear registers and flush buffers, which reduces the penalty to one cycle.

The R10000 also features a radical out-of-order execution scheme. Instructions remain in program order through the first three pipeline stages, but following that they divert into one of three queues (which wait on the integer ALUs, the FPUs, or the load/store unit). These queues get served in whatever order that their resources become free.

Program order is eventually restored by always "graduating" (which is Mips jargon for retiring) the oldest instruction first. This also ensures precise exception reporting. This hardware-assisted instruction reordering offers a great advantage to end users, because code that's written for Mips's older, scalar CPUs (e.g., the R4000) will gain almost the entire speed benefit without needing to be recompiled.

Although it has the potential to issue five execution instructions per cycle, the Mips R10000 can fetch and retire only four; a fifth cannot complete on the same cycle. Nevertheless, this excess of dispatch bandwidth offers more flexible opportunities for instruction scheduling, which means that the R10000 can complete four instructions per cycle for more of the time.

One of the twin double-precision FPUs handles addition; the other processes multiply/divide and square-root functions. The latter is further split into two sub-units that can execute a division operation and a square-root operation in parallel. An on-chip processor-bus interface permits up to four R10000s to be clustered in a multiprocessor configuration without requiring any glue logic.



Twin FPUs in the R10000 processor mean exceptional SPECfp92 speeds.

COMPUTEX TAIPEI

The 16th Taipei International Computer Show

June 6-10, 1996

COMPUTEX TAIPEI is your gateway to computing success. The show is a door opening onto a world of industry innovation, and an excellent opportunity to see the absolute best of PC equipment and Taiwan's leaping multi-media industry. COMPUTEX TAIPEI is also never short on information, featuring a huge range of seminars and speeches on the latest industry trends. So it's simple. If you want to profit in the IT business this year, COMPUTEX

INGENIOUSLY CONCEIVED

INGENIOUSLY PRODUCED

INGENIOUSLY TAIWAN

TAIPEI will give you the edge you need--the cutting-edge. Come and see the ingenious products of Taiwan.



Circle 67 on Inquiry Card.



Organizer:
China External Trade Development Council
5 Hsinyi Rd., Sec. 5, Taipei, Taiwan, R.O.C.
Tel: 886-2-725-1111, Fax: 886-2-725-1314

Venue:
Taipei World Trade Center Exhibition Hall
(TWTC)



Sponsor:
Taipei World Trade Center

For more exhibition information, please contact the organizer.





CURRENT STATUS: Design

LIKELIHOOD INTRODUCTION DATE WILL BE MET: Excellent

TARGET CLOCK SPEED: 250 to 300 MHz

ESTIMATED PERFORMANCE:

350 to 420 SPECint92; 550 to 660 SPECfp92

FABRICATION PROCESS/FEATURE SIZE:

Five-layer-metal CMOS/0.3-micron

TECHNOLOGICAL ADVANTAGES:

The UltraSparc-II is a 64-bit, four-way superscalar CPU that Sun optimized for multimedia and networking applications rather than for outright CPU performance.

TECHNOLOGICAL DISADVANTAGES:

The lack of hardware assistance for instruction reordering places a premium on compiler quality and requires companies to recompile older software to reap the benefits of the UltraSparc's enhancements.

PRIMARY MARKET:

Multimedia workstations.

WHERE TO FIND: Sun Microsystems, Sunnyvale, CA, (800) 681-8845 or (408) 774-8119; <http://www.sun.com/sparc/Net.Engine>.

SUN MICROSYSTEMS

Next generation: **UltraSparc-II**

DOSSIER: An early adopter of RISC technology, Sun specified SPARC in 1988 as a scalable, "future-proof" architecture. However, by 1993, the SuperSparc implementation had begun to lag badly behind its competitors.

The UltraSparc, the fourth SPARC generation, will make up much of that lost ground. It contains no less than nine execution units: two integer ALUs, five FPUs (two for floating-point addition, two for floating-point multiplication, and one for floating-point division/square roots), a branch-processing unit, and a load/store unit. The UltraSparc has dynamic branch prediction integrated into its primary instruction cache and speculatively executes predicted branches, but it cannot issue instructions out of order. It relies on optimizing compilers to order them well.


The SPARC architecture has always offered register *windows*, eight overlapping banks of 24 duplicate registers that can preserve the processor state during context switches instead of doing an expensive write to memory. Compiler writers have often found these windows insufficient, so the UltraSparc adds an extra mechanism whereby a fresh window of eight registers becomes available every time an interrupt, memory management unit (MMU), or other trap occurs. This should greatly speed up the handling of multithreaded code.

To get high sustained system bandwidth, the UltraSparc uses a hierarchy of decoupled buses. The memory bus is 128 bits wide and runs at full processor speed. This connects via buffer chips to a 128-bit system bus that runs at half, one-third, or one-fourth the core speed. At the slowest level, the SBus is used for I/O to low-cost peripherals.

Sun implements this scheme at the hardware level by a crossbar switch chip, which is part of the support chip set. This chip can isolate the memory bus from the I/O bus so that instead of stalling during memory reads, the CPU continues writing to graphics or other I/O devices. The effect of this scheme is high overall bus utilization and sustainable 1.3-GBps throughput.

The UltraSparc-II uses the Visual Instruction Set (VIS), which includes 30 instructions for handling multimedia, graphics, imaging, and other integer-oriented algorithms. VIS instructions include addition, subtraction, and multiplication operations, which allow up to eight integer byte-wise or halfword-wise operations to be performed in parallel with a load or store operation and a branch in a single clock cycle.

This approach can be used to improve video performance. For example, for alpha blending (i.e., superimposing one image on top of another with a translucent top image), VIS includes instructions specifically designed to multiply the alpha value by the pixel values, a process that can take many floating-point operations.



Sun Microsystems' UltraSparc offers nine execution units.

If You're Buying A Modem At Present, Get One With A Future.



Why put off buying the new standard in PCMCIA (PC Card) modems for tomorrow if you can enjoy its advantages today?

The new standard: Our 28.8 with the XJACK® Connector



In the PCMCIA slot, XJACK® pops out for use and back in for travel.

The Megahertz 28.8 modem lets you establish high-speed, dial-up Internet and on-line service connections right now. Which means faster downloads and lower phone bills.

And connecting couldn't be easier. Our built-in XJACK® connector pops out for standard RJ-11 phone cord connections, giving you one less cable to carry or lose. Independent tests have also proven it the most

durable PC Card connector around. Plus, intelligent installation, with plug-and-play support, gets users up and running fast.

Our focus on mobile users' needs has made Megahertz the PC Card modem leader. It's helped us eliminate notebook compatibility problems and simplify upgrades with Flash DSP and Flash ROM.

The Megahertz Digital Line Guard feature protects the modem from damage caused by accidental connections to higher-voltage PBX or digital lines. And adherence to the V.34 industry standard ensures improved performance, compatibility and reliable, high-speed connections.

So don't just buy a modem that solves your needs now. Buy the modem with the future built in. The 28.8Kbps, V.34 modem from Megahertz.

For details, call 1-800-LINKING, ext. 4324, or visit our web page at <http://www.xmission.com/~mhz>

Ethernet® Modem with XJACK®



Cellular Modem



28.8 with XJACK®



Ethernet with XJACK®



Megahertz offers a complete line of industry-leading mobile connectivity solutions.



Megahertz
Linking Your Worlds

The XJACK connector is U.S. Patent Nos. 5,183,404, 5,336,099 and 5,338,210, property of Megahertz Corporation. ©1995 Megahertz Corporation. Megahertz, the Megahertz logo, XJACK and Linking Your Worlds are all registered trademarks of Megahertz Corporation. Megahertz is a wholly owned subsidiary of U.S. Robotics Corporation. Megahertz is licensed by Spectrum Cellular Corporation. All other product names are trademarks or registered trademarks of their respective holders.

Circle 313 on Inquiry Card.



CURRENT STATUS: Sampling

LIKELIHOOD INTRODUCTION DATE WILL BE MET: Good

TARGET CLOCK SPEED: 200 MHz

ESTIMATED PERFORMANCE:
Greater than 360 SPECint92;
greater than 550 SPECfp92

FABRICATION PROCESS/FEATURE SIZE:
CMOS/0.5-micron

TECHNOLOGICAL ADVANTAGES: HP is the only RISC vendor to leave its primary instruction and data caches off-chip, where they can be made to be several megabytes in size. (RISC cores designed solely for maximum processing speed often perform badly on data sets that are too big to fit in the cache.)

TECHNOLOGICAL DISADVANTAGES: The off-chip caches run at full CPU speed and so need to be created with ultra-fast SRAM, which makes them expensive to build.

PRIMARY MARKET: Commercial data processing; engineering and scientific workstations.

WHERE TO FIND: Hewlett-Packard, Cupertino, CA, (408) 447-4747; fax (408) 447-7983.

HEWLETT-PACKARD

Next generation: **PA-8000**

DOSSIER: Hewlett-Packard was an early entrant into the RISC market, launching its first 32-bit PA-RISC processor in 1986. Practically all PA-RISC chips go into HP's 9000 series workstations. HP shipped enough of these machines from 1991 to 1993 (prior to the introduction of PowerPC systems) to make PA-RISCs the biggest-selling RISC chips in dollar volume.


HP set up the Precision RISC Organization (PRO) to promote the use of its chips by other manufacturers. Then, in 1994, HP dropped the bombshell that it was teaming up with Intel to create a new architecture. This throws doubt on the future of the PRO.

The PA-8000 is a 64-bit, four-way superscalar design with a radical out-of-order execution scheme. The chip has 10 function units: two integer ALUs, two integer shift/merge units, two floating-point multiply/accumulate (MAC) units, two floating-point divide/square-root units, and two load/store units. The MAC units have a three-cycle latency and are fully pipelined for single-precision processing to deliver up to 4 FLOPS per cycle. The divide units have 17-cycle latency and are not pipelined, but they can be run concurrently with the MACs.

The PA-8000 uses a 56-instruction-deep instruction reorder buffer (IRB), which looks ahead to the next 56 instructions in the stream to find four that can execute in parallel. The IRB actually consists of two 28-slot buffers: The ALU buffer holds instructions for the integer unit and FPU, and the memory buffer holds load/store instructions.

Once an instruction has been stored into an IRB slot, the hardware watches all instructions being dispatched to the function units to see whether any of them supplies one of the operands for the instruction in the slot. The instruction in the slot runs only after the last instruction for which it is waiting has been dispatched. Each of the IRB's two buffers can dispatch two instructions per cycle, and in all cases it's the oldest instruction in the buffer that gets issued. Since the PA-8000 uses register renaming and retires instructions from the IRB in program order, it maintains a precise exception model.

HP designed the PA-8000 especially for commercial data processing and complex computational applications, such as genetic engineering, where data sets tend to be too big to fit into any conceivable on-chip cache. Thus, the PA-8000 employs external primary data and instruction caches. The slots in a third 28-slot buffer, called the address-reorder buffer (ARB), are associated one-to-one with the slots of the IRB's memory buffer. The ARB keeps the virtual and physical addresses of all dispatched load/store instructions. In addition, the ARB permits loads and stores to execute out of order while maintaining coherency, and it effectively hides the long latency associated with the addressing of off-chip caches.



Off-chip instruction and data caches make HP's design unique.

Finding a single source for all your mass storage needs, from WORM to multifunction, is definitely a big advantage. With this in mind, one name continues to rise to the top: Panasonic. Panasonic offers both the security of true WORM and the flexibility of multi-function in its wide range of optical drives and jukeboxes. Here's a quick look at just a few of Panasonic's offerings:

WORM.

The Panasonic LF-5300A 5 1/4" WORM Optical Disk Drive. Ideal for backup/archival, CAD/CAM and image storage. It's large capacity (1.4 GB) and small size makes it an excellent choice if you're starved for space. Phase Change media makes it highly reliable and secure.

Multi-function.

Panasonic LF-7300A/LF-7304. The best of both WORM and rewritable capability in a single drive. High capacity (1.5 GB) and fast read and write times, aided by Panasonic's Phase Change technology, provides low cost storage for many data, imaging and CAD/CAM applications.

Multi-function Autochangers.

Panasonic offers a full range of jukebox solutions for near

on-line data storage and retrieval. A 28 platter 42 GB single drive, 24 platter 36 GB dual drive, 50 platter 75 GB dual drive and a 300 platter 450 GB multi-drive jukebox.

All four models offer major advantages.

- (1) Increased storage capacity and quick and easy access to data.
- (2) Compact size.
- (3) Their ability to utilize either Rewritable or Write Once (WORM) media for increased flexibility.

DEVICE DRIVER SUPPORT	OPERATING SYSTEM
Panasonic	DOS, Windows, Mac, Novell, OS/2, SUN
Corel	DOS, Windows, Mac, Novell, OS/2
Optisys	DOS, Windows, Banyan, 3COM, Novell
Ten X Technology	AIX, NFS, TCP/IP, IPX, Network Envir.
Software Architects	Macintosh
OTG	Windows NT
IMAGING & BACKUP SOFTWARE SUPPORT	OPERATING SYSTEM
FileMagic!	Windows, Novell
Optika	Windows, Novell
Paperclip	Windows, Novell
Cheyenne	Novell
Palindrome	Novell

PowerDrive

Keep your eye open for PowerDrive, Panasonic's new "2-in-1" drive. PD combines optical disk storage technology with the added convenience of a 4X speed CD-ROM player.

In the high capacity storage arena, Panasonic has definitely come out swinging. And with their huge selection of optical disk drives and jukeboxes in every imaginable capacity, they are definitely a contender to be reckoned with.

Good Thing We Didn't Show The Entire Line.

No one has more optical disk drives for all your high capacity network storage needs than Panasonic. And because we have everything from optical disk drives and jukeboxes to media and interface kits, only Panasonic is your **single source solution**.

Panasonic has drives and jukeboxes in every capacity to fit

all your storage needs. And at only **12 cents per megabyte** you won't find storage that's more competitively priced.


In addition, Panasonic is the only company that offers the flexibility and security of both **true WORM and multi-function 5 1/4" drives**.

We also have **complete interface kits** for PC, Apple and UNIX workstations.

Plus, Panasonic offers a **toll free technical support line** and a Fast Fax service for detailed answers to all your technical questions.

Panasonic Optical Disk Drives. Breaking new ground in high capacity storage.

For more information call 1-800-742-8086.



Panasonic
Communications & Systems Company

INGRAM MICRO Tech Data MERIS E.L.

Circle 314 on Inquiry Card.

Other brand and company/product names are trademarks or registered trademarks of their respective companies.



CURRENT STATUS: Sampling

LIKELIHOOD INTRODUCTION DATE WILL BE MET: Good

TARGET CLOCK SPEED: 133 MHz

ESTIMATED PERFORMANCE:
225 SPECint92; 300 SPECfp92

FABRICATION PROCESS/FEATURE SIZE:
CMOS/0.5-micron

TECHNOLOGICAL ADVANTAGES: The 620 can software-switch between 64- and 32-bit modes. It can also switch between big-endian and little-endian modes; this will be useful for running mixed OSes, as is envisioned in IBM's future plans.

TECHNOLOGICAL DISADVANTAGES: The performance of the 620 lags behind that of other next-generation RISCs.

PRIMARY MARKET: Graphics workstations, SMP servers, parallel supercomputers, and Macintoshes.

WHERE TO FIND: For Motorola information: (800) 845-6686 or (512) 434-1502; <http://www.mot.com>. PowerPC/ or Motorola@Selectnet.BGA.com. For IBM information: (800) 769-3772.

POWERPC ALLIANCE

Next generation: **PowerPC620**

DOSSIER: The PowerPC620 is the first 64-bit implementation of the PowerPC architecture. With 64-bit registers and internal data paths, and 7 million transistors, the 620 uses a larger die than—and is almost twice as complex as—the PowerPC 604. The 620 is a four-way superscalar design with six execution units: three integer ALUs, an FPU, a load/store unit, and a branch unit. The latter performs four-level branch prediction and speculative execution using a register-renaming scheme.


The microarchitecture of the 620's RISC core is similar to that of the 604. It differs mainly in its wider registers and data paths, and it has more reservation stations for speculative execution. Most of the overall performance enhancements come from a much-improved bus interface. There is now a 128-bit-wide memory interface that can fetch two 64-bit longwords per bus access and a 40-bit address bus that can address 1 TB of physical memory.

The bus interface offers integral support for a second-level cache of up to 128 MB, which can run at 100, 50, or 25 percent of the CPU's clock speed. This allows flexibility for the price of the memory parts used. The bus interface uses pipelined snoop responses, which reduce the latency due to bus snooping in SMP systems and improve throughput.

The 620 has the same 16-entry reorder buffer as the 604, which tracks instructions from dispatch to completion to facilitate out-of-order execution. However, the 620 releases up to four rename buffers per cycle (compared to the 604's two), making them more available to other instructions in the pipeline. As a result, the 620 needs only 16 rename buffers, compared to the 604's 20.

Nevertheless, the PowerPC's challenge to Intel seems to have lost some of its momentum. The alliance's declared intention was to offer twice the price/performance value of a comparable Intel CPU. The 601 processor achieved this against the Pentium. Since then, however, Intel has been progressively narrowing the gap in terms of maximum integer performance. A 200-MHz 620 processor may appear in mid-1996, but a 200-MHz P6 will also arrive around then. While Motorola continues work on a fast 604+ chip, other RISC vendors, including Mips and HP, seem to be overtaking the PowerPC alliance in the absolute-performance stakes.

620 Building Blocks



The 620 is the PowerPC Alliance's first 64-bit processor. It software-switches between 64- and 32-bit modes.

Typhoon
PRINTERS
by Dataproducts



FOR THE ULTIMATE IN PERFORMANCE...
POWER UP A 1200 DPI TYPHOON 8!

Dataproducts' Typhoon 8 is the ultimate desktop printer. With stunning, typeset-quality 1200 dpi resolution, full-bleed 11" x 17" imaging, Adobe PostScript® Level 2, PCL 5 and now, *free* camera-ready faxing, the Typhoon 8 takes laser printing to incredible new heights.



Leave your network printing problems behind. The Typhoon 8's patented Virtual Printer Technology (VPT™)

handles multiple protocols and provides custom settings for up to 64 users on your network!

So get up to speed. At \$5,199, we've broken the price barrier to the next level of printing.

Call today and ask about our free PostScript fax/modem offer
1-800-980-0374

 **Dataproducts**
Taking your printing needs by storm

WHY THE 615 MATTERS

Even though it's not in the British Museum's collection, emulation is RISC's Rosetta stone

LINLEY GWENNAP

Software is like water for a computer: Even the best hardware can't thrive without it. Intel-compatible PCs are awash in applications software, more than the platform can really use. Most RISC machines, however, can only sip slowly from the software spring.

One of the most intriguing answers for expanding the RISC software base is IBM's secretive PowerPC 615 project. IBM only grudgingly admits the project even exists. Although technical details are unavailable, reliable sources tell us this hybrid chip will natively run both PowerPC and x86 code. It is scheduled to ship in the second half of 1996. But the 615 has encountered many delays due to the complexity involved, so its shipping date could slip further. (See the text box "We Build a 615" for details on how a first-generation 615 might be built. Also see the text box "Alternate Views of the 615" on page 200 for details on a Pentium-pin-out design.)

Several roadblocks stand in the way of completing the 615. IBM has designed its own Blue Lightning 486, but certain restrictions in the Intel license would force IBM to design a clean-room x86 core for the 615. To properly execute x86 code, the PowerPC's memory management unit (MMU) and caches must be modified to correctly handle x86 quirks, such as unaligned accesses, segmentation, and self-modifying code. Finally, the entire design must be tested and verified to properly execute two distinct instruction sets, a task that has never been achieved.

If IBM executes this strategy well, it will have a chip that outruns the fastest Pentium chips when executing native-PowerPC code, while delivering strong Pentium-class performance on x86 applications. The price premium to end users could be only \$30 to \$40 over the price of a traditional PowerPC system. Such a system could convince users of x86-based PCs to switch to the PowerPC because they could keep their old software and gradually ease over to new RISC applications.

Better Software Could Win Out

But not everyone is convinced that the 615 is the best approach. Software emulation is the most common tactic RISC vendors use for building a software base. The best example is the 68000

emulator that Power Macs use to execute software written for older Macs. The emulator examines each 68000 instruction, decodes it, and faithfully—if considerably more slowly—replicates the actions that would have occurred in a real 68000 CPU.

Another option is the two-headed beast Apple sells: a system that has 486 and PowerPC chips in the same box. The cost of

We Build a 615

Our hypothetical design combines an x86 and a PowerPC 604 processor on one chip. By using the same package, the processors can share all external memory, support logic, the FPU, and even the on-chip cache to reduce costs.

We chose a 486 core because it is less than one-third the size of the Pentium core. Even so, the 486 with necessary modifications would make the die size of this 615 about 20 percent larger than a standard 604 chip. The 486 should be able to keep up with the clock speed of the 604; both could reach 133 MHz in current IC processes. At this speed, the combined chip would deliver roughly 75-MHz Pentium performance for x86 software and 150-MHz Pentium performance on native-PowerPC software. By the second half of 1996 (when IBM's 615 may debut), process advancements should allow both the 486 and 604 cores to reach as high as 180 MHz, giving a proportional increase in performance.

The Pentium's FPU is significantly faster than the 486's. But our design leverages the fast PowerPC FPU to achieve results competitive with a Pentium's, even with some 486-related overhead in the shared design.

The 486 core natively executes x86 instructions. This approach is faster and simpler from a design standpoint than alternatives that involve decoding and converting x86 instructions into RISC instructions. For a first-generation device, we think it makes sense to use a simple x86 core rather than adding a bulky translation unit. Translating x86 code into the PowerPC's RISC instruction set is difficult and may require modifications to the PowerPC core to handle x86 condition codes and other features.

Finally, a native-PowerPC OS would handle such things as the PC BIOS and core logic. DOS applications that directly access the hardware would have to be emulated, as in SoftWindows today. Performance would be mediocre for these types of programs.

As we have designed it here, the 615 would cost about 30 percent more to build than a standard PowerPC 604. At current margins, this would be an additional \$30 to \$40. However, business considerations would probably encourage a vendor such as IBM to sell the chip without charging a premium.

including two processors, along with their associated memory and support chips, makes this an expensive option that's unappealing to PC buyers.

A third alternative is to improve the performance of software emulation with hardware "assist" functions that speed up the emulator. For example, a new RISC instruction called decode x86 could quickly translate an x86 instruction into an integer offset; current emulators must extract fields and do table lookups to decode instructions. Another assist would implement in hardware the x86 condition flags, which are difficult to emulate.

These and other assist functions could be added to a standard RISC chip at little

cost. Such changes could cut by half the number of RISC instructions needed to emulate a CISC instruction. Even this strategy, however, leaves the x86 programs running at no better than a third of the speed of native code, and even that performance achievement requires specially modified RISC chips.

A more promising approach is to convert the x86 code into RISC instructions using a technique called binary translation. A special program converts each x86 instruction into one or more RISC instructions, creating a new version of the program that can execute natively on the RISC processor. Many x86 instructions can be replaced by a single RISC instruc-

tion, and most of the rest require only two or three. The translated program could run at 50 percent to 80 percent of the speed of a program that has been ported directly to the RISC platform.

The advantages of translation are good performance, no added hardware cost, and the ability to run on existing RISC chips. But the translation technology is tricky. No vendor has produced an x86-to-RISC translator that is reliable and delivers adequate performance. Digital Equipment has deployed a VAX-to-RISC translator for its Alpha processors and may be the closest to delivering a viable x86 translator.

If a vendor makes binary translation work, it could make obsolete hardware



RISC VERSUS CISC INSTRUCTION PROCESSING.
A mode bit in a control register sends instructions to the correct CPU.

16-KB INSTRUCTION CACHE.
A PowerPC design modified to support cache coherency (for self-modifying code).

POWERPC FPU.
Shared with the 486 core to deliver fast execution of floating-point-math instructions and reduce the die size.

486 INTEGER CPU CORE.
Executes up to one x86 instruction per cycle.

POWERPC 60X BUS INTERFACE.
It could be replaced by a Pentium-style bus interface for compatibility with low-cost PC system logic (see the text box "Alternate Views of the 615").

POWERPC 604 INTEGER CPU CORE.
Executes up to three PowerPC instructions per cycle.

MEMORY MANAGEMENT UNIT.
A PowerPC design modified to support x86-style segmentation.

16-KB DATA CACHE.
A PowerPC design modified to allow unaligned data accesses.

POWER CONSUMPTION:
A 2.5-V core with 5-V I/O.

solutions such as the 615. In any case, watch for RISC PCs with fast x86 emulation coming to a store near you by the end of next year. These systems could begin

to break the software stranglehold the x86 has on the PC industry. ■

Linley Gwennap is the editor of the Micro-

processor Report, an industry newsletter from MicroDesign Resources (Sebastopol, CA). You can contact him on the Internet or BIX at editors@bix.com.

Alternate Views of the 615

TOM R. HALFHILL

What if almost everything that has been written about the PowerPC 615 is backward? What if IBM's goal is not to bring x86 compatibility to PowerPC systems, but rather to bring PowerPC compatibility to x86 systems?

The difference is subtle but crucial. It means IBM would have to design a PowerPC chip that works on standard PC motherboards and performs as well as the latest x86 processors. Yet, the same chip would also make its native instruction set visible to PowerPC-compatible OSes and applications. In other words, you'd get the same multiplatform compatibility that has been rumored all along for the 615, but within an ordinary PC instead of a system based on the PowerPC Reference Platform (PReP), Common Hardware Reference Platform (CHRP), or Power Mac architectures.

Sources close to the project, but who spoke to us on the condition of anonymity, say IBM is developing exactly that kind of chip. Sources say this version of the PowerPC 615 will fit a Pentium socket on existing PC motherboards and deliver Pentium-level performance at a comparable price. It will also run native PowerPC software at speeds competitive with other PowerPC processors.

This scenario raises a host of technical and marketing questions that only IBM can answer, and IBM isn't talking. However, by interviewing sources close to IBM, BYTE has pieced together an intriguing view of the PowerPC 615.

First of all, such a chip is technically feasible; similar x86 processors exist today. Intel's P6, AMD's K5, and NexGen's Nx586 all use a hybrid CISC/RISC


design known as a decoupled microarchitecture. This design combines a RISC-like execution core with a sophisticated x86 instruction decoder. The decoder translates x86 CISC instructions into simpler RISC-like operations that execute more efficiently in a superscalar RISC core. It's a way of adopting the advantages of RISC while maintaining compatibility with x86 software.

Sources say that IBM is developing a similar chip that uses PowerPC as the RISC core. The chip also has an x86-style bus architecture and a Pentium pin-out, so it fits into Pentium sockets. However, unlike the P6, K5, and Nx586—which use RISC-like instructions for internal purposes only—IBM's hybrid CPU can make both instruction sets visible to an OS.

One catch, according to sources, is that the hybrid chip can't easily switch between x86 and PowerPC modes. You have to boot up the system in one mode or the other to get full performance. Also, one source said the chip has a "fairly big die," which would make it relatively expensive to manufacture. But he said it's still cheaper than putting x86 and PowerPC processors in a system.

Another drawback is that a hybrid CPU on a PC motherboard would need special versions of Windows NT and OS/2, apart from the existing PReP/CHRP versions. And it almost certainly wouldn't run the Mac OS, which supports the largest in-

Pentium-Pin-out PowerPC



Based on information obtained from sources close to IBM, this speculative design for a Pentium-pin-out PowerPC chip shows how a PowerPC core could be united with an x86-compatible bus. The dual-mode CPU would support both instruction sets, routing x86 instructions through a special decoder that converted the CISC instructions into native-RISC instructions.

stalled base of PowerPC software.


Nevertheless, if this variation of the 615 goes into production, it could be IBM's way of hedging its bets. The hybrid CPU could compete directly with the Pentium for sockets on PC motherboards, ensuring some kind of future for PowerPC chips in case PReP and CHRP fail. It would also let the PowerPC infiltrate the mainstream PC market.

IBM is believed to have several variations of the 615 in development. The first announcements are expected in the first half of 1996.


Tom R. Halfhill is a senior editor for BYTE in San Mateo, California.



8820987-XX \$29.95
Counts as 2/Softcover



0496633 \$50.00




9117864 \$45.00



0514879 \$34.95
Softcover




0632634-XX \$79.50
Counts as 2



8820502 \$27.95
Softcover




0359687-XX \$60.00
Counts as 2



8820251 \$24.95
Softcover




0449856 \$49.50



0203598-XX \$65.00
Counts as 2



0062153-XX \$40.00
Counts as 2




8819695 \$27.95
Softcover




8820375 \$34.95
Softcover



0050767 \$50.00




8820278 \$29.95
Softcover



8819806 \$29.95
Softcover




0052034 \$50.00



882043X \$29.95
Softcover




016732X \$42.00




8819903 \$34.95
Softcover



32799 \$26.95
Softcover




0239940 \$55.00



5869632-XX \$24.95
Counts as 2



0574421 \$54.50



8820812 \$29.95
Softcover




8819512-XX \$34.95
Counts as 2/Softcover



0203466 \$45.00



8819652-XX \$39.95
Counts as 2/Softcover



0576173 \$30.00



0433003 \$45.00

If card is missing, write to: **Computer Professionals' Book Society**,
A Division of The McGraw-Hill Companies, P.O. Box 549, Blacklick, OH 43004-9918

PHONE: 1-614-759-3666 (8:30 a.m. to 5:00 p.m. EST Monday-Friday)

FAX: 1-614-759-3749 (24 hours a day, 7 days a week)

**THE EASY, RELIABLE
WAY TO SATISFY YOUR
PROFESSIONAL NEEDS**

**4 BOOKS
FOR
ONLY
\$4.95**

when you join the
**Computer
Professionals'
Book Society**

**Values
up to
\$209.50**

As a member of the Computer Professionals' Book Society... you'll enjoy receiving Society bulletins every 3-4 weeks containing exciting offers on the latest books in the field at savings of up to 50% off the regular publishers' prices. If you want the Main Selection, do nothing and it will be shipped automatically. If you want another book, or no book at all, simply return the reply form to us by the date specified. You'll have at least 10 days to decide. If you ever receive a book you don't want due to late delivery of the bulletin, you can return it at our expense. And you'll be eligible for **FREE BOOKS** through the Bonus Book Program. Your only obligation is to purchase 3 more books during the next 2 years, after which you may cancel your membership at any time. All books are hardcover unless otherwise noted. Publishers' prices shown. If you select a book that counts as 2 choices, write the book number in one box and XX in the next. A shipping/handling charge & sales tax will be added to all orders. © 1995 CPBS
BYP1195

Dedicated.

It's not the name of a song. It doesn't have to do with your new building. It's not about your pet dog.

DEDICATED refers to the kind of Internet connectivity you can have through ServInt™'s unique services.

DEDICATED means your own domain name. Instant Net access by fast, reliable T3 lines and high-quality equipment such as Sun SPARC 20s or Alpha servers. Secure, UNIX-based servers. Firewall protection. Netscape Secure Commerce Servers. Hot Java™. And the option to customize your service with the latest in Internet technology. A dynamic Net presence.

ServInt™ does all the work. You get the flexibility of the expensive equipment, link and administration...at a fraction of the cost and without the bother of actually

owning or maintaining the equipment. Get exactly the services you need—when you need them. On a computer that's dedicated solely to you.

Web sites...storefronts...servers...dial-in access... equipment and maintenance...24-hour support—you get the benefits while ServInt™ takes care of the rest with your ~~cost-effective~~ flexible option for Internet access. Our computers. Your dedicated service—no matter what the size of your company.

On the Information Superhighway, you should be in the driver's seat. To get there, call ServInt™ today at 1-800-5ServInt, ext. 12.

ServInt™


The INTELLIGENT Way to Get Connected.

ServInt™ • 1-800-5ServInt, ext. 12 or fax to 703.847.1383 • email to accounts@servint.com

Circle 299 on Inquiry Card.

JON UDELL

GLOBAL GROUPWARE



AL KARVEY © 1995

How we built two Web applications that showcase both private and public networking

If you work for a company that employs more than a hundred people, it's probably set up a lot like BYTE: one headquarters and a bunch of satellite offices. Linking far-flung intracorporate LANs is a problem that many companies solve poorly, if at all. Linking those intracorporate sites to extracorporate ones is a problem that most companies don't even *try* to solve.

World Wide Web technology can tackle both. I'll show how this month with a pair of applications, one private and one public.

The private application, *demos*, converts reports filed by BYTE staff members into a password-protected Web archive that only fellow BYTE staff members can view and search. The public application, *vpr* (which stands for virtual press room), empowers vendors to submit product and technology announcements directly to BYTE's Web server; it builds a Web archive that BYTE's staff or any other Web user can navigate and search.

Web vs. Notes

Nearly every day of the week, vendors demonstrate their products and technologies to BYTE editors in Peterborough; San Mateo, California; and New York. We file reports on these demos in our private conference on BIX, where we also hold an ongoing debate about which emerging technologies matter most and how best to cover them.

BIX is a fine discussion forum, but a lousy text database. Once a report scrolls by, it's hard to find it again. The deluxe tool for distributing, managing, and discussing this kind of semistructured data is clearly Lotus Notes. Pervasively deployed throughout a company, Notes enables even ordinary users to build *demos*-like applications—a stunning simplification of client/server software development. The problem is *getting* Notes deployed

as pervasively as the Web technology that's becoming the kudzu of the corporate LANscape.

You wouldn't toss out your Notes server and put in a Web server to run the likes of *demos* and *vpr*. But if you don't already have a Notes infrastructure in place, these applications might make you stop and think. They're easy to build, they work within and across corporate networks, and they run on nearly every kind of client.

Destination Host Unreachable

The Internet's pervasive, but is it a reliable transport for mission-critical applications? Not by a long shot. Start with a network that's anarchically managed, dismantle and privatize its backbone (NFSnet), and dump in a few million new users (from America Online, CompuServe, MSN, and Prodigy). You'll end up with a mess.

Folks in the Internet business assume—not unreasonably—that it'll get cleaned up sooner or later. But right now, slowdowns and partial outages are common. I access the Internet primarily from four points: two local providers and two national providers. More often than I like to admit, a *ping* command from any one of these access points returns the infuriating reply "Destination host unreachable."

Experiments with *traceroute* reveal no single culprit; congestion seems to afflict a variety of intermediate networks in a variety of ways.

Those on the East Coast of the U.S. know that afternoons, when both Route 128 and Silicon Valley are in full swing, can be especially sluggish. At an Internet seminar I recently attended in New York, not a single afternoon presenter could fetch a complete home page.

Still, a global network that works most of the time is far more powerful than a local one that always works. You wouldn't build a real-time trading system on today's Internet, because such applications require guaranteed low latency and high availability. But applications like *demos*

RFC 1597 REVISITED

In "Live Wire" (August BYTE), I discussed the pros and cons of using non-unique IP addresses to form private corporate networks. Use of the 192.1.1 Class C network for this purpose is an Internet folk tradition, I said. RFC 1597 proposes instead to reserve one Class A network, 16 Class B networks, and 256 Class C networks for non-unique addressing.

Why isn't 192.1.1 one of the Class C networks

that RFC 1597 proposes to reserve? Well, you can't always trust folk traditions. As it turns out, 192.1.1 is a registered network. Walter "Doc" Urbaniak, a network engineer with BBN Corporate Telecommunications, contacted me to set the record straight.

For years, 192.1.1 has been registered to Bolt, Beranek, and Newman. Urbaniak says that because 192.1.1 is widely but wrongly believed to be available for testing, BBN doesn't even try to use it

anymore. "We even found some instances in which vendors were shipping hardware preconfigured for the 192.1.1 network," he adds.

He agrees that private IP networking can be a useful thing, endorses RFC 1597, and configures his own routers not to accept those networks as sources from the Internet. "However," he says, "I wish people wouldn't just assume that 192.1.1—and also 192.1.2 and 192.1.3 [also registered to BBN]—are test city."

and vpr can deliver useful benefits even on an imperfect substrate.

The Power of Plain ASCII

Some months ago, I posted a form (see the figure "A Simple Tagged ASCII form") to our staff conference on BIX and asked editors to use it to structure their demo reports. This simple but surprisingly powerful technique is all you need to make an E-mail or conferencing system work as the data-input front end to a database.

Because the demos database that these forms go into is really just a collection of Hypertext Markup Language documents, the form we use could make everyone tag entries in HTML, but that would be overkill. A simpler format, like the one shown in the figure, is easier for users and works just fine.

It matters not at all *which* tags you use; it matters only *that* you use them and do so consistently. With Perl or any other text-processing language that supports regular expressions, it's trivial to convert any well-formed ASCII tags into HTML. (Why plain ASCII? All word processors can produce it, Internet mailers can reliably exchange it, and text-processing tools can easily parse it.)

A Simple Tagged ASCII Form

```
<visitdate>
95-05-24
<company>
XYZ, Inc.
<product>
XYZ Internet router
<attendees>
DaveA, DaveE, DaveR
<summary>
The XYZ router...
<report>
This RISC based router...
<recommendations>
Candidate for upcoming roundup?
```

You can use any old tags for the front end of a database of HTML documents; just use them consistently. Perl makes conversion to HTML a snap.

For demos, I wrote a little Epsilon Extension Language (EEL) program to do the HTML conversion and built a simple table of contents that lists the reports in reverse chronological order. When a bunch of demo reports had accumulated in the BIX conference, I downloaded them, ran the converter, indexed the resulting HTML files with free-WAIS (see "Web Search," September BYTE), moved the archive to the Web server, and secured it with a password.

Securing Private Data

The demos application is an example of a private application that uses the public Internet as its transport. (Another flavor of private application runs only *within* private IP networks hidden from the public Internet; see the text box "RFC 1597 Revisited.") Because demos runs on the Internet, it's accessible from anywhere—offices, homes, hotel rooms, and phone booths around the world. But since the Internet's one big party line, how can you publish documents intended for only limited distribution on a Web server that the whole world can see?

The first line of defense is to disallow browsing of the directory tree that the Web server controls. If nobody can see the DEMOS directory on the server, and no readily accessible

Structure of a vpr Record

```
<html><head>
<title>VENDOR INFO: 95-08-11 /
XYZ Company / XYZ Internet
Router</title>
<meta name=date content=
95-08-11>
<meta name=comp content=
XYZ Company>
<meta name=prod content=XYZ
Internet Router>
</head><body>
<h1>BYTE Virtual Press
Release</h1>
```

The HTML <meta> tag is a convenient place to tuck arbitrary name/value pairs. You can use the values stored here to create ordered views of an HTML document archive.

pages contain links to it, then nobody's likely to find and explore it. Many Web archives and applications begin life this way: as prototypes that are public but are advertised only to a small audience.

If you need more than the most casual form of privacy, though, you'll want to guard against unauthorized use of your private archive's hidden uniform resource locators (URLs). Most servers, following the style of the National Center for Supercomputing Applications (NCSA) and European Laboratory for Particle Physics (CERN) servers, support two forms of authorization: by user name/password and by IP address.

User name/password methods rely on a directory of Web users that's distinct from the underlying network OS's (NOS's) user directory. This duplication is something that I normally abhor because I've spent too many hours synchronizing E-mail, fax-server, and other user directories with NetWare binderies. I want LAN-based services to synchronize with NOS user databases, and I'm often disappointed when they don't.

But Web applications are a different breed. They're inherently global. And unless your corporate LAN is in the minority that's running NetWare 4.x or Vines, you probably don't have a global directory to tap into, so it makes sense to create one for this purpose.

Don't be scared off by the grand unified theory of directory services, however. In practice, securing a Web archive is quite simple. If your private application doesn't need to track individual users, you can

Use this form to submit a press release or product announcement to BYTE. Copy text into each of the fields from your GUI word processor. If you supply HTML, we'll use it. If not, we'll automatically convert URLs into links.

It's the
2in1
rewritable
optical disk
and CD-ROM
drive.

It's

PowerDrive²
from
Panasonic.

It's
the new standard
of multimedia
storage.

If you're thinking about buying a *backup* storage device, think *twice*. PowerDrive² gives you *both* a rewritable optical disk and *CD-ROM* in one drive. It even reads and writes like a hard drive. If you're thinking CD-ROM capabilities, think *2X*. And *4X*. PowerDrive² reads both existing *and* emerging titles. If you're thinking compatibility options, PowerDrive² gives you *two* of those as well. Its internal or external drive easily connects to any PC or Mac.

PowerDrive² from Panasonic. It will change the way you look at multimedia storage, forever. For more information on the new Panasonic PowerDrive², call 1-800-742-8086, and ask for ext. PD.



All other brand and company/product names are trademarks or registered trademarks of their respective companies.

Circle 315 on Inquiry Card.

Panasonic
Communications & Systems Company

PD-BY

even have everyone share a single, common account, as we do with demos.

With the other approach—restriction by IP address—you can, in principle, form a virtual private network on the Internet. If our Peterborough, San Mateo, and New York subnetworks were 199.125.99, 199.125.100, and 199.125.101, respectively, our Web server could be configured to allow only the nodes on those subnetworks into the DEMOS directory.

In practice, however, this doesn't work so well. Allowing only these subnetworks defeats the worldwide access that makes this kind of application so compelling. But if you also allow access for IP addresses from the likes of BIX, CompuServe, and MSN so that traveling staff can reach the Internet through these services, you can't distinguish between staff and nonstaff users: Both will present the same IP addresses.

User/Password Authentication: Unix and NT

To secure a DEMOS directory on the BYTE Network Project's BSDI 2.0 machine, which was running the NCSA Web server, I first created a password file with this command:

```
htpasswd -c /pwdir/.passwd
DEMONS_USER
```

This prompts for and confirms a pass-

word, creates in /pwdir the password file .passwd, creates in .passwd the user name DEMONS_USER, and prompts for a password. Then, in the DEMOS directory that I wanted to protect, I put a file called .htaccess, which contains these lines:

```
AuthUserFile
    /pwdir/.passwd
AuthGroupFile /dev/null
AuthName ByPassword
AuthType Basic

<Limit GET>
require user DEMONS_USER
</Limit>
```


This setup limits HTTP GET requests (the kind that fetch documents) to user DEMONS_USER, specifies password authentication, and then refers the server to /pwdir/.passwd for DEMONS_USER's password.

On the pair of NT Web servers I've been using—O'Reilly and Associates' WebSite and Process Software's Purveyor—there's none of this Unix-style, text-file-oriented administration. Both offer GUI tools that you use to create users and groups, specify passwords, and authorize access to resources. WebSite provides tabbed dialog boxes that you use to define users, groups, and realms, which contain both users and groups. Purveyor installs a File Manager extension that you use to define and interactively test access controls.

These graphical tools are great when you're sitting at the server's console. But they're no help at all when you need to modify access restrictions on a distant server. NT's lack of support for both telnet- and X Window System-style remote access is its most serious drawback as a platform for Web service. The Unix way is more primitive, but for remote administration it's far more effective.

Searching the Archive

For this project, I used the Simple Web Indexing System for Humans



The hit list includes BYTE articles and vendor-supplied info.

(SWISH) 1.1 (<ftp://ftp.eit.com>), which compiled easily and ran smoothly under BSDI 2.0. SWISH is just an indexing and search tool. To use it in a Web application, you need to wrap it in a front-end form that sends in search keywords and a back-end filter that formats the SWISH output as HTML—more trivial chores for Perl scripts.

Once the vpr archive was searchable, I realized it could merge with the BYTE on-line archive. That way, a user of the archive who enters the search keyword *telephony* sees a list of hits that includes BYTE articles mentioning telephony, as well as vendor-supplied press releases and white papers on telephony (see the screen above). Therefore, users get more information, vendors get more exposure, and BYTE gets better control over vital—but hitherto intractable—sources of information.

I'm excited about vpr because I'm swamped with paper press releases. Vendors: I hate to say it, but if you send me paper, I might as well burn it for all the good it does either you or me. So drop on by <http://www.byte.com> and try vpr. It will ensure that BYTE staff members worldwide can find your information when they need it.

How long will it take to move the stuff from a private editors-only archive to the public BYTE archive? The gating factor is administrative, not technical: We just need someone to verify what we republish to the world. Nothing else prevents this internal corporate application from becoming a global one. That's why the Internet, if it can get past the era of brownouts, just might live up to its hype. ■

Jon Udell (judell@bix.com) is BYTE's executive editor for new media.

TOOLWATCH

Webhint

(<http://www.unlpress.com/web-hint/>)

HTML Validation Service

(<http://www.halsoft.com/html-val-svc/>)

BYTE reader Adrian John Howard recommended these on-line HTML checkers to me, and I recommend them to you. Point either one of them at one of your own URLs to find out which HTML sins Netscape has been allowing you to commit.


BOOKNOTE



Programming Perl, \$29.95
by Larry Wall and Randall Schwartz
O'Reilly and Associates, 1995
ISBN 0-937175-64-1

O'Reilly and Associates says that an update to the Perl bible is forthcoming. Until then, this is it: the complete guide to the programming glue that holds the Web together.


The Art of Smart



SmarTerm for Windows offers a true MDI interface and automation tools to reduce support costs.

SmarTerm's TCP/IP stack offers drag-and-drop FTP and an FTP file viewer for easy file transfers.

TCP Addition™ for SmarTerm provides a sophisticated PPP/SLIP dialer for efficient remote access.



SmarTerm® is a fine art form. High-end host connectivity and TCP/IP make SmarTerm the corporate standard of choice for DOS, Windows, Windows NT, and Windows 95. Whether you need VT, TN3270, Data General, SCO Console, ANSI BBS, TCP/IP, LAT, PPP, or SLIP—SmarTerm is your very own masterpiece.

Persoft has painted an entire series of SmarTerm emulations, added a completely Windows-based TCP/IP stack (a Windows Sockets DLL), and given you the power to create your own work of art with its automation tools. If you want the Art of Smart, then you want the Art of SmarTerm.

**Call us today at 1-800-TCP-3130
to qualify for a 90-day evaluation.**

Persoft, Inc., 465 Science Dr., P.O. Box 44953, Madison, Wisconsin 53744-4953 U.S.A.
Phone (608)273-6000, Fax (608)273-8227, Sales:1-800-EMULATE or sales@persoft.com,
World Wide Web: www.persoft.com

Persoft Inc, European Headquarters, Lower Woodend Barns, Fawley, Henley-on-Thames, Oxfordshire, RG9 6JF, United Kingdom
Phone +44 (0)1491 638090, Fax +44 (0)1491 638010

Please See Us at
COMDEX Booth #C8738

persoft

CONNECTIVITY SOLUTIONS
DOS • Windows • Ethernet • Token Ring

Copyright 1995 Persoft, Inc. All Rights Reserved. SmarTerm and Persoft are registered trademarks and TCP Addition is a trademark of Persoft, Inc. All other trademarks are property of their respective owners.

Circle 85 on Inquiry Card.

ISO 9002



The industry's highest quality

Rainbow is the world's *only* software protection supplier with ISO 9002 certified quality standards.

Reliability to depend on

In 1994, Sentinel improved its industry leading reliability to over 99.985% - *far more* reliable than any other software protection product.



Manage network licenses

NetSentinel™ is the *only* protection to undergo rigorous testing by and receive approval from Novell.

Truly transparent protection

Designed to go unnoticed by your customers, Sentinel does not interfere with hardware, peripherals or other software programs.

A substantial investment in R&D

In 1994 alone, Rainbow invested over \$4,500,000 in R&D to make the world's leading software protection even better.

Compatible with your software

Our partnerships with Apple, Microsoft and IBM mean Sentinel protects software for any hardware or operating system.



Global service & support

Rainbow supports its customers with offices and distributors in more than 40 countries.

Product is shown larger than actual size. In fact, the SentinelSuperPro is the world's smallest dongle.

Total security & flexibility

Sentinel keys are available with proprietary ASIC technology, multiple EEPROM cells or even a microcontroller - giving you the world's best software protection.



Why this dongle protects more software than all others combined!

Over 7 million Sentinel® keys protect software worldwide. In fact, 55% of all protected software has a Sentinel key, from Rainbow Technologies.

Today, software piracy is at an all-time high. If you're selling software without protection, you're losing sales and revenue.

Start protecting your software investment. Stop software piracy

with Sentinel, then watch your sales and profits increase.

Discover the Sentinel difference. Sentinel is easy to implement, transparent to your end-users, and backed by the world leader. When you need on-time delivery and global support, you need Sentinel.

Only Sentinel gives you leading-edge technology, ISO 9002 certified quality and over 99.985% reliability.

Protect your software investment. Call now to receive your **FREE Sentinel Guide to Software Protection.**

Or start protection immediately - order a low-priced Sentinel Developer's Kit today. Each kit is complete with a Sentinel key, software, documentation, and the Sentinel CD-ROM.

(800) 852-8569



SENTINEL

Software Protection



FROM THE EASTERN U.S. & CANADA, CALL (800) 843-0413 ■ VISIT OUR HOME PAGE AT: <http://www.rnbo.com>
WORLD HEADQUARTERS: 50 Technology Drive, Irvine, CA 92718 ■ Tel: (714) 450-7300 ■ Fax: (714) 450-7450
ASIA/LATIN AMERICA: (714) 450-7300 ■ U.K.: (44) 1932 570066 ■ FRANCE: (33) 1 41 43 2900 ■ GERMANY: (49) 89 32 17 98 0

ARGENTINA: Agri-Aid, S.A. 54 1 8030536
AUSTRALIA: LOADPLAN 61 3 690 0455
BELGIUM/LUXEMBURG: E2S 32 92 21 11 17
BRAZIL: MIPS Sistemas Ltda. 55 11 574 8686
BULGARIA: KSIMETRO 35 9279 1478
CHILE: ChileSoft Ltda. 56 2 2327617
CHINA (Eastern): Shanghai Pudong Software Park Electronics Company 86 21 4178628

CHINA (Northern): CS&S 86 10 2173640
COLOMBIA: Construdata 57 1 610 7500
CZECH REPUBLIC: ASKON Int'l 42 2 3103 652
GREECE: Byte Computer S.A. 301 924 17 28
HONG KONG: Computers & Peripherals 852 2515 0018
HUNGARY: Polyware Kft 36 76 481 236
INDONESIA: PT. Promtrade InfoScan 62 21 375 166
IRAN: GAM Electronics 98 21 205 5750

ITALY: BFI IBEVSA SPA 39 23 31 00535
ITALY: Siosistemi 39 30 24 21074
JAPAN: Giken Shop Co., Ltd. 81 52 972 6544
JORDAN: CDG Engineering 96 26 863 861
KOREA: Genesis Technologies 82 2 578 3528
LEBANON: National Group Consultants 961 1 494317
MALAYSIA: Eastern Sys Design (M) Sdn Bhd 60 3 241 1188
MEXICO: Impexa Corp., S.A. de C. V. 52 66 210 291

MIDDLE EAST: Hoche Int'l 44 181 459 8822
MOROCCO: Futur & Soft 212 2 40 03 97
NETHERLANDS: IntroCom 31 74 430 105
PHILIPPINES: Mannasoft Tech Corp. 63 2 813 4162
POLAND: HITEX Sp. z o.o. 48 22 41 97 51
PORTUGAL: COMELTA 351 1 941 65 07
SCANDINAVIA: Perico A/S 47 2249 1500
SINGAPORE: Systems Design PTE LTD 65 747 2266

SPAIN: MECCO 34 3 422 7700
SWITZERLAND: BV AG 41 1741 2140
SWITZERLAND: Safe Compaid S.A. 41 2421 5386
TAIWAN: Evershine Tech. 886 2 820825
THAILAND: BCS Int'l 66 2 319 4451
TUNISIA: ASCI 216 1 781 751
TURKEY: BIMEKS, Ltd. 90 216 348 3508
VENEZUELA: HRTM Osers 58 2 261 4282

Applications

Development Edition



Databases Get Objective

Database architects, anxious to support objects, have shoehorned object orientation into existing models. New models are emerging, however, that should require less exertion. **PAGE 208DM 13**

Whither ODBC?

ODBC is not simply evolving, it's spreading. Upcoming versions will add object support as well as move ODBC into the realm of three-tier systems. **PAGE 208DM 5**

Visual Basic 4.0



Think of it like that guy dave who
looks exactly like your friend dave
— talks like him, walks like him —
but wait, this dave
can bench-press a car.

Introducing Microsoft® Visual Basic® 4.0. Looks like the high-productivity development tool you know, but now enables teams to create multi-tier, scalable, 16- and 32-bit client-server solutions.


Now, with the Remote Automation technology in the Visual Basic programming system, Enterprise Edition, your development team can quickly build scalable, maintainable applications and deploy them across enterprises big or small — *using a tool they already know.*

And with support for Windows 3.1, Windows NT,™ and Windows® 95 operating systems, the new Visual Basic 4.0 Enterprise and Professional Editions let you transition to 32-bit at your own pace, while preserving your investment in existing code,



skills and technology.** Best of all, now you can even create your own open, reusable OLE components such as OLE DLLs and OLE automation servers. So your applications won't just get faster, they'll actually get smarter by design.

For more information about the Visual Basic 4.0 Enterprise and Professional Editions, call (800) 228-6139, Dept. Y4Q to get your free Developer Roadmap CD. Or visit us at <http://www.microsoft.com/vbasic>. For those eager to get started immediately on more powerful Visual Basic 4.0 solutions, call one of the resellers below.



Enterprise-wide multi-tier solutions*

Partition applications across networks*

High-performance remote data access*

Large-scale team development*

32-bit with built-in 16-bit support

Open, reusable OLE component creation

Open, integrated development environment

New data-bound OLE controls

Egghead

(800) 741-4395

Softmart

(800) 328-1319

Stream

(800) 835-0625

CDW

(800) 858-4CDW(4239)

Microsoft®

WHERE DO YOU WANT TO GO TODAY?™

*Features available only on Enterprise Edition. **32-bit development requires a 32-bit operating system. Developer Roadmap CD offer expires 12/31/95. © 1995 Microsoft Corporation. All rights reserved. Microsoft, Visual Basic, and Windows are registered trademarks and Windows NT and Where do you want to go today? are trademarks of Microsoft Corporation.

Application Partitioning

DAVID S. LINTHICUM

Although application-partitioning tools may not be on your client/server radar screen now, they will become more common as companies move to implement three-tier and other client/server applications. Application-partitioning tools let you break down an application into components that execute on separate machines. Strategic Focus (Milpitas, CA), a consulting firm that specializes in client/server and component-based software market studies, expects three-tier applications to quadruple in the next two years. This will certainly spur growth in application-partitioning tools (see the chart).


Ed Horst of Forté Software (Oakland, CA), whose company produces an application-partitioning tool (also called Forté), agrees. Horst is nevertheless quick to point out that application partitioning is not new. "People were building three-tier appli-

cations long before Forté came along. They were just doing it the hard way: Buy a GUI builder from one company, write the middle tier with a bunch of C code, write the database application with stored procedures, and then buy a messaging system to tie it all together." Forté bundles all these pieces in a single package, along with debugging and performance-monitoring tools.

Other companies are also on the scene with partitioning tools. Dynasty Technologies'

(Naperville, IL), Dynasty, is considered a contender in the same industrial-strength arena that Forté plays in (a typical installation can run \$50,000 or more). Existing application-building tools with lower price tags—Oracle's (Redwood Shores, CA) Developer/2000 and Unify's (Sacramento, CA) Vision, for example—are being modified to offer application-partitioning features that will allow easy distribution of objects between client and server.

Growth In Three-Tier Applications Will Spur Growth in Partitioning Tools



The percentage of applications that use a three-tier architecture will grow from 4.9 percent to 18.7 percent in two years, according to a survey of corporate sites in the U.S. conducted by Strategic Focus. The percentage of applications that are nonclient/server will shrink from 69.9 percent to 37.7 percent. This trend toward client/server applications—particularly the increase in three-tier development—is likely to generate a demand for application-partitioning tools.

Are Distributed Objects Safe?

Distributed objects are the threshold technology of a new era in computing. They will allow the construction of sophisticated applications with widely dispersed software components. Before


promise becomes reality, however, developers need well-defined standards for object characteristics, including an architecture for secure distribution and object collaboration.

Recognizing these problems, Microsoft unveiled the broad outlines of its distributed object strategy as part of its OLE 96 announcement. Distributed OLE objects will be secured with a Kerberos-based validation scheme that ensures not only that objects interact appropriately, but that data they acquire in privileged transactions is not passed to unauthorized objects.

OLE 96 is still on the drawing

board, but Neuron Data's (Mountain View, CA) Distributed Communications Environment is already in action. It is designed to slide in under existing object technologies, providing a robust, secure transport layer. Distributed Communications Environment models a hardware network router in software, eliminating the need to maintain point-to-point connections for communicating objects. The routing agent intelligently analyzes messages and delivers them only to objects that should get them. It builds four levels of security into its transport layer abstraction: permitted host and object class lists, Kerberos-style authentication, packet-level protection (which prevents the unauthorized insertion or deletion of packets from the stream), and packet-level encryption. Neuron Data has published the API and its object standard. It currently supports a wide variety of platforms, including OS/2, Unix, Macintosh, and Windows.

—Nancy Nicolaisen



Objects running in Neuron Data's Distributed Communications Environment communicate through software routers. Security features can be concentrated in the routing agents. For example, the routing agents can—using packet-level protection—guarantee that communications between Object A and Object D have not been tampered with.

Move to the Plus Side of Math –



IMSL® Math Module for C++ . . . *positively the easiest way to develop technical applications!*

Get your math from the math experts.

Now the object-oriented development tools you need are available from the name you have relied on for nearly 25 years for numerical analysis and technical application development. The IMSL Math Module for C++ is the first release from Visual Numerics' new family of object-oriented development tools, Visual Numerics' *ObjectSuite™*.

The **IMSL Math Module for C++** uses the power and flexibility inherent in the C++ language to greatly reduce coding requirements. The combination of powerful algorithms and ease-of-use makes the **IMSL Math Module for C++** ideally suited for object-oriented programmers building business, scientific, and research applications. The Module's object-oriented interface provides a natural algebraic approach to mathematical programming.

- ▶ Includes classes in a variety of precisions for : complex arithmetic, vectors, matrices, matrix decomposition, interpolation and approximation, pseudorandom number generation
- ▶ Conforms to established conventions of C++ programming.
- ▶ Built upon efficient algorithms.
- ▶ Includes comprehensive online documentation.

Coming Soon!

Two new members to the *ObjectSuite* family!

IMSL Business Charting Module for C++

A comprehensive set of business graphs such as bar charts, pie charts, scatter plots, and 3D surface and contour plots.

IMSL Signal Processing Module for C++

Solve signal processing problems involving: complex numbers, vector and matrix computations, signals and systems, filter approximation, filter realization and much more!

Supported systems:

- Intel-based PCs running Windows with Win32s or Windows NT
- Sun Microsystems and Hewlett-Packard workstations
- Coming soon for Windows 95

IMSL Fortran and C/C++
Application Development Tools



Visual Numerics and IMSL are registered in the U.S. Patent and Trademark Office by, and *ObjectSuite* is a trademark of, Visual Numerics, Inc. Windows, Windows NT and Windows 95 are trademarks of Microsoft Corporation. All other product and company names are trademarks or registered trademarks of their respective companies.

When you build your applications with the IMSL Math Module for C++ you will:

- ▶ dramatically decrease your development time.
- ▶ save thousand of dollars in design, testing and maintenance.
- ▶ get comprehensive online documentation.
- ▶ save – no fees for run time fees.
- ▶ develop object-oriented cross-platform solutions.

*See why over 250,000 developers worldwide
use IMSL for mission-critical applications.*

Get your math from the math experts. Call today!

1-800-364-8880

Visual Numerics®

phone (713) 954-6785 fax (713) 781-9260

e-mail: marketing@houston.vni.com

<http://www.vni.com>

London +44 (0) 1753-790600 • Paris +33-1-46-93-94-20

Stuttgart +49-711-13287-0 • Taiwan 886 (0) 2-727-2255 • Tokyo +81-3-5689-7550

Circle 407 on Inquiry Card (RESELLERS: 408).

AD95130

WHITHER ODBC?

KEN NORTH

Multidatabase products have become increasingly important as developers target applications for more than one DBMS. In the world of Windows applications, Microsoft's Open Database Connectivity (ODBC) API has become the de facto standard for multidatabase access. ODBC will continue to play a major role in Windows' future, particularly since Microsoft has identified ODBC as an integral part of OLE DB.

But Windows does not circumscribe ODBC's arena: It is available for a variety of OSEs (ODBC drivers can be had for the Macintosh, OS/2, and various flavors of Unix), and it's soon to be aligned with a new international standard SQL call level interface (CLI). Additionally, Visigenic Software (San Mateo, CA) has ported the ODBC Software Development Kit (SDK) to OS/2, Macintosh, SCO Unix, Solaris, SunOS, HP-UX, AIX, Irix, and the Power Mac.

ODBC is a technology in motion. Though there are alternatives—Oracle Glue and the Integrated Database API (IDAPI), for example—most don't provide access to as many different databases as ODBC. (Some actually extend their database coverage by reverting to ODBC sockets or adapters.) Consequently, serious database developers would do well to study ODBC's trajectory and ask the question: What are its current and planned capabilities?

ODBC Today

The ODBC API includes core, level 1, and level 2 functions to connect to data sources, as well as functions to specify connection and statement options. Because ODBC uses SQL to operate on data, it also includes functions to execute or compile SQL statements. Prepared queries permit a DBMS to optimize a query, store its access plan, and reuse the plan without the overhead of optimizing the query again and again. Some drivers emulate prepared queries when they are not available in the DBMS by creating temporary stored procedures.

ODBC includes a variety of metadata functions that return information about tables, columns, procedures, owners, and indexes. The sequence of ODBC operations is similar whether an

New Standards, new servers, and OLE DB

application requests data or metadata from the DBMS (see the figure "Typical ODBC Data or Metadata Request" on page 208DM 6). ODBC supports escape clauses and parameter markers in SQL statements, and its `SQLBindParameter` function binds the data to substitute for parameter markers. Escape clauses are constructs that are used to delineate SQL extensions such as outer joins, date-and-time-stamp expressions, procedure calls, scalar functions, and LIKE predicates. Because the driver translates the ODBC syntax into the native SQL, the escape clauses let programmers express SQL statements in an interoperable fashion.

Both ODBC and OLE have mechanisms to use run-time binding and adaptive programming techniques. Developers who write OLE programs write late binding code by calling `GetTypeInfo`



of an object's IDispatch interface to determine object characteristics. To write interoperable ODBC applications, developers can use similar logic to identify database characteristics at run time. (This isn't necessary when using a native API with known data types and features.) To support multiple database platforms, ODBC includes functions that provide run-time information about DBMS features and data types. This allows a developer to build adaptive code. SQLFunctions enumerates the ODBC API functions supported by a driver, while SQLGetTypeInfo and SQLProcedures enumerate data types and stored procedures. SQLGetInfo returns a host of information about features such as default isolation levels, cursor commit behavior, and so on.

ODBC 2.5 and 3.0

Microsoft rolled out ODBC 2.5 while awaiting approval of the new SQL CLI. It will release version 3.0 to align with the new CLI standard and SQL-92, although ODBC will remain a superset of the standard CLI. ODBC defines three levels of conformance to its SQL grammar and its ODBC API. The core-level API functions

were specified in the original 1992 SQL Access Group (SAG) CLI, while level 1 and 2 are extensions to that specification. Because driver capabilities vary, ODBC provides a function (SQLGetInfo) that returns information about the API and SQL that a given driver implements.

ODBC 2.5 is a 32-bit update for Windows 95 that uses Windows 95 3-D controls. It adds an uninstall API and system data source names that are accessible to all users and system services on a machine.

ODBC 3.0, the version that will align ODBC with the ANSI/ISO CLI, will include:

- enhanced metadata capabilities
- more efficient handling of binary objects
- new handle allocation capabilities
- attribute information for database connections and SQL statements
- extensible diagnostics data structures for error handling

Other major new features include SQL-92 descriptors and SQL-3 locators. (SQL-3 is the SQL specification that eventually will succeed SQL-92.)

Locators support the retrieval of binary large objects (BLOBs) and memos, which are character objects. A locator is a handle or a pointer that is used to retrieve data for a specific binary or character object. The use of locators is likely to replace current ODBC programming practices such as binding to a variable-length binary column and retrieving all instances of the data for that column.


While ODBC 2.0 programmers can call SQLColAttributes and SQLDescribeCol for data about columns, ODBC 3.0 and SQL 92 programmers will be able to use descriptors to provide information about columns and statement parameters. A developer can allocate a descriptor handle and use a data structure that contains metadata about SQL statement parameters or query results.

Parameter descriptors can provide two views of the parameter's metadata: one as seen by the application and the other as seen by the driver (i.e., the application parameter after data conversion). Row descriptors provide information about query results. Application row descriptors and driver row descriptors provide information about result set data before and after data conversion by the driver. Descriptors use a fixed header and a variable number of detail records that include fields such as type, length, precision, scale, pointer to a null indicator, and so on.


ODBC uses handles to track resources associated with the application environment, each connection to a database, and each SQL statement. ODBC 2.0 includes SQLAllocEnv, SQLAllocConnect, and SQLAllocStmt to allocate environment, connection, and statement handles, respectively. Version 3.0 adds a generic SQLAllocHandle function that accepts a handle type code that includes the new descriptor handles. Version 3.0 also adds functions to get attributes for the environment, connections, and statements.

To retrieve error information after issuing ODBC calls, developers currently use a loop that calls SQLError. For version 3.0, Microsoft is adding two functions, SQLGetDiagRec and SQLGetDiagField, which work with an extensible diagnostics data structure, in contrast to the fixed argument list SQLError uses.

ODBC developers expect the version 3.0 Driver Manager to maintain the kind of backward compatibility shown, for example, when version 2.0's SQLBindParameter replaced version 1.0's SQLSetParam. The Driver Manager will support existing applications that use drivers that conform to the new SQL CLI. However, it will not



Gain Access to the World of Smartcards



In an increasingly wired world, thousands of profitable smartcard applications are just waiting to be developed... in education, telecommunications, healthcare, banking, security. You name it. By personalizing and securing data, smartcards satisfy a real need of the Information Age.

To seize this opportunity and create successful smartcard applications, all you need is ASE™ – The Aladdin Smartcard Environment. ASE is an integrated development environment that gives software developers an efficient, flexible and secure tool for making the most of this new business opportunity.

The ASE system includes *ASESoft*, an integrated smartcard programming environment; *ASEDrive*, a versatile smartcard read/write drive unit; and *ASECards*, personalized smartcards of various types.

ASE offers ease-of-use and a short learning curve, with standards-compliant support for a wide range of smartcards. And ASE incorporates advanced security features, including digital signature, authentication, and other public key cryptographic functions.

ASE Development Kits – as well as stand-alone *ASEDrives* and customized *ASECards* – are now available.

Aladdin, a world leader in software security, has more than 10 years of experience in providing advanced solution for application developers, in the fields of security applications, system integration, and development tools.

For more information about ASE – your key to the world of smartcards – call 1-800-223-4277 today.

See us at
COMDEX/Fall '95
Booth S-7422

Visit Our Web Site!
<http://www.aks.com/>

North America Aladdin Software Security Inc.
Tel: (800) 223 4277, 212-564 5678
Fax: 212-564 3377
E-mail: sales@hasp.com

Intl Office Aladdin Knowledge Systems Ltd.
Tel: 972-3-537 5795
Fax: 972-3-537 5796
E-mail: sales@aks.com

1 - 8 0 0 - 2 2 3 - 4 2 7 7



ALADDIN

The Professional's Choice

Circle 400 on Inquiry Card (RESELLERS: 401).



PKWARE®

Data Compression Library® Products

The PKWARE Data Compression Library products allow you to include state-of-the-art, patented data compression technology within your software applications. Data produced by the PKWARE Data Compression Library products is compatible across platforms!

The PKWARE Data Compression Library products offer an all-purpose data compression algorithm that compresses ASCII or binary data quickly. An adjustable dictionary size allows software to be fine-tuned for maximum speed or compression efficiency. The use of application-defined callback functions allow maximum flexibility. No runtime royalties. The format used by the compression routine is completely generic and not related to the PKZIP® file format.

Versions available for DOS, OS/2, Windows, Win32, DOS32, and UNIX (call for latest platform availability).



- Compatible with IBM Cset/2 & Borland C++ for OS/2.

for OS/2 \$350



- Compatible with Microsoft Windows 3.x applications.

for Windows \$350



- Separate versions for Intel, Alpha object, and Power PC.

for Win32 \$375 ea.



- Compatible with popular 16-bit language compilers.

for DOS \$275



- Separate versions for SCO, AIX, Solaris 1.x Sparc, Solaris 2.x Sparc, Solaris 2.x X86, and UnixWare.

for Unix \$450 ea.



- Compatible with most 32-bit DOS extenders.

for DOS32 \$350

See us at COMDEX Booth #S7619



The Data Compression Experts®
9025 N. Deerwood Drive
Brown Deer, WI 53223-2437
Phone: (414)354-8699 Fax: (414)354-8559
WEB: <http://www.pkware.com>

Please add \$5.00 Shipping & Handling per package in the U.S. & Canada; \$11.25 overseas. Wisconsin residents please add applicable state & county sales tax. No COD.



Copyright 1995, PKWARE, Inc. PKWARE, the PKWARE logo, PKZIP, and the PKWARE Data Compression Library are registered trademarks of PKWARE, Inc. Trademarks of other companies mentioned here appear for identification purposes only and are the property of their respective companies.

BY1195

EXTRA

support the use of existing drivers by applications that write to the new CLI.

Object Interfaces

Though ODBC and the ANSI/ISO CLI represent well-entrenched standards, there is a newer class of developer tools that provide object interfaces to databases. These include Microsoft Data Access Objects (DAO), Oracle Objects for OLE, and Sylvain Faust's (Hull, Quebec, Canada) SQL Sombrero (an OLE interface to SQL Server). Though Microsoft currently supports different versions of DAO in Access, Visual Basic, and Visual C++, it will release a version with OLE DB underpinnings. OLE DB and Network OLE will extend DAO to include remote and cross-application data objects.

The emergence of object interfaces caused some confusion among industry observers, who tended to view component technology and APIs as mutually exclusive. One way to clarify Microsoft's positioning of ODBC and OLE is to look at Visual Basic 4.0, one of the company's key products. Microsoft offers an Enterprise Edition for developers who want to create three-tier client/server applications using Visual Basic, OLE, and ODBC. It uses ODBC to implement remote data objects and emphasizes OLE as a tool for encapsulating business rules.

Three-Tier Architecture

The three-tier architecture for client/server database applications separates presentation logic, business rules, and data access into different processes, generally on different computers. The typical ODBC installation found today (see the figure "Typical ODBC Installation" on page 208DM 10) produces a two-tier, fat-client architecture in which machines have multiple network and client libraries, multiple drivers, the ODBC Driver Manager, and other ODBC components.

The Enterprise Edition of Visual Basic offers one route to three-tier applications development, but the developer traffic moving toward three-tier architecture is heavy enough that other routes are appearing. Intersolv (Rockville, MD) and Visigenic are working on ODBC server technology that moves much of the infrastructure (network, client libraries, and ODBC) onto an ODBC server, yielding a client with only a single network transport and ODBC driver (see the figure "Application Topology Using an ODBC Server" on page 208DM 12). All ODBC client applications use a single driver and network library to talk to an ODBC server that has

System Architect. As much as we'd like to have you buy it, we'd rather have you try it first.

If you're looking for a client/server software engineering tool that destroys the myth about low price meaning low functionality,

we'd like to send you an evaluation copy of System Architect.™ You will receive the actual product, not a demo. Keep it for 30 days to see if it makes sense for developing your client/server applications.

SA Now Supports
**OMT/
Rumbaugh**

System Architect supports the most popular OO methodologies including BOOCH 94, Coad/Yourdon & now available: OMT/Rumbaugh.

Multiple Methodologies

System Architect simplifies the development of client/server applications by supporting OMT/Rumbaugh, Yourdon/DeMarco,


Gane & Sarson, Ward & Mellor (real-time), IDEF, Coad/Yourdon, Shlaer/Mellor (OO), Booch, Information Engineering, SSADM IV and ER diagrams. To give you added flexibility, System Architect comes in either MS Windows®, NT® or OS/2 PM® versions.

SA Schema Generator. For Most Popular RDBMs:

AS/400 • OS/2 Database Mgr.
ANSI SQL • Paradox • dBASE III
PROGRESS • DB2 • Rdb (VAX)
Informix • SQL Base
Ingres • SQL Server • Interbase
SYBASE • SYBASE 10 • Oracle
XDB • WATCOM
Teradata • ODBC

Exceedingly Customizable

System Architect is the essence of unrestrained possibilities. It comes fully loaded



All you pay for is shipping. Offer available in U.S. and Canada only.

with an integrated data dictionary that can be customized to your own particular needs. For instance, you can define up to 50 user objects. SA is easy to use and ready to produce results from day one. What are you waiting for?

What Every Project Team Needs

Team members can work concurrently on the network version of SA. They share the SA repository by locking diagram and data dictionary records and by using the check-in/check-out facility. Also available is forward and reverse engineering of C++. Moreover, SA is affordable enough for every project team member to use, not just a select few. Network security is also provided.

What Else Is On Your Wish List?

Here are the System Architect options now available:

- *SA Object Oriented Analysis & Design
- *SA Schema Generator
- *SA Screen Painter
- *SA Reverse Data Engineer
- *SA Project Documentation Facility- Windows only
- *SA/PowerBuilder Link- Windows only
- *SA/SQL Windows Link (available from Gupta)



If you want more information about any of these, just call us. Better yet, when you order an evaluation copy, we'll include the options you request. Then if you still don't have what you're looking for, stay tuned. We may be working on it.

It's Your Money

A customizable model-based development tool used to cost more than most businesses could afford. Since 1988, we have proved repeatedly that low price and high performance need not be mutually exclusive. Today there are more than 50,000 users of System Architect worldwide. Which goes to show there are prudent people everywhere.

It's Easy To Qualify For An Evaluation Copy Of System Architect.

Just Call 800-732-5227, x 621.
Or Fax Us At 212-571-3436.



SYSTEM ARCHITECT™

Popkin Software & Systems, Inc.
11 Park Place, New York, NY 10007

REAL TOOLS FOR THE REAL WORLD.

Australia (1-800) 658660 • Benelux 31-3406-65530 • Brazil 55-11-535-5200 • Chile 56-2-695-3330 • Columbia 57-1-218-8877 • Denmark 45-4599-9300
England 44-926-450858 • Germany 49-6151-86203 • Iceland 354-1-671920 • Italy 39-49-8700366 • Korea 212-751-1109 • Malaysia 60-3-757-1806
New Zealand 61-02-346499 • Peru 5114-417828 • Spain 34-3-415-7800 • Sweden 46-8-626-8100 • Switzerland 41-61-6922-666

©1995 Popkin Software & Systems, Inc. The System Architect logo is a trademark of Popkin Software & Systems, Inc. All other brand and product names are trademarks or registered trademarks of their respective holders.

Circle 405 on Inquiry Card.

YOU ALREADY USE OUR PRODUCTS EVERY DAY



SINCE 1979 THE WORLD'S LEADING COMPANIES HAVE BUILT THEIR APPLICATIONS WITH OUR TECHNOLOGY

THE PROFESSIONAL DBMS

FOR YOUR NEXT PROJECT CONSIDER FAIRCOM: THE BEST PRICE FOR THE BEST PERFORMANCE

c-tree Plus®

ROYALTY-FREE HIGH PERFORMANCE DBMS

By simply linking with a different c-tree Plus library, an application can move from a single-user application to a multi-user application, to a client-server application. c-tree Plus is distributed in complete C source code and is known for its unparalleled flexibility, portability and royalty-free licensing policy. This licensing puts your development budget to work for you. c-tree Plus provides "makes" for the following platforms: DOS (Microsoft C, Borland C, Symantec, and for Zortech C and Watcom C, 16/32-bit); Microsoft Windows (Microsoft C, Borland C); Microsoft NT; OS/2 (Microsoft C, IBM C/SET, Borland OS/2); Unix; GNX (16 and 32-bit); Coherent; IBM RS6000; SUN; Motorola B80PEN; HP9000; Xenix; Apple Macintosh and DEC Alpha

- COMPLETE "C" SOURCE CODE.
- SINGLE / MULTI USER
- CLIENT / SERVER (optional)
- FULL ISAM FUNCTIONALITY
- NO ROYALTIES
- TRANSACTION PROCESSING
- FIXED / VARIABLE LENGTH RECORDS
- MULTIPLE KEYS
- DYNAMIC SPACE RECLAMATION
- HIGH SPEED DATA / INDEX CACHING
- BATCH OPERATIONS
- UNSURPASSED PORTABILITY

r-tree®

REPORT GENERATOR

The r-tree Report Generator handles virtually every aspect of report generation.

- COMPLETE "C" SOURCE CODE
- COMPLEX MULTI-LINE REPORTS
- MULTI-FILE ACCESS
- COMPLETE LAYOUT CONTROL
- CONDITIONAL PAGE BREAKS
- NESTED HEADERS AND FOOTERS
- DYNAMIC FORMAT SPECIFICATIONS
- HORIZONTAL REPEATS
- AUTOMATIC ACCUMULATORS

Server®

SERVERS

FairCom Servers are available for the following platforms: DOS/Windows, Windows NT, NLM, OS/2, AT&T Unix, SCO Unix, Interactive Unix, GNX, Banyan, HP9000, SUN, Solaris, IBM RS6000, Motorola B80PEN, Apple A/LX, Apple System 7, DEC Alpha.

FairCom Servers communicate using NETBIOS, SPX/IPX, TCP/IP, shared memory, message queues or StreetTalk depending on the server platform. Most server platforms support more than one protocol providing you the flexibility to choose how your client applications communicate to the server. For example, the FairCom OS/2 server can communicate with shared memory and NETBIOS clients at the same time, and most of the Unix packages include a shared memory and a TCP/IP FairCom Server.

- CLIENT / SERVER MODEL
- TRANSACTION PROCESSING
- HETEROGENEOUS NETWORK
- REQUIRES < 2MB RAM
- ON-LINE BACKUP
- DISASTER RECOVERY
- ROLL BACK - FORWARD
- ANTI-DEADLOCK RESOLUTION
- CLIENT-SIDE "C" SOURCE
- MULTI-THREADED
- OEM (UPON REQUEST)

d-tree™

APPLICATION DEVELOPMENT

d-tree provides the convenience of a 4GL product at the C development tool level.

- COMPLETE "C" SOURCE CODE
- PROTOTYPE GENERATION
- DATA DICTIONARY
- PORTABLE SCREEN HANDLER
- RUNTIME RESOURCE CONTROL
- FLEXIBLE DATA WINDOWS
- DATA FILE REFORMATTING
- EASY TO USE DBMS INTERFACE
- MUCH MUCH MORE

THE UNIQUE SOLUTION: ONE PRODUCT FOR OVER 100 PLATFORMS



FAIRCOM
corporation

<http://www.faircom.com/>

(800)
234-8180

U.S.A. 4006 W. Broadway - Columbia, MO 65203 U.S.A. - phone (314) 445-8833 - fax (314) 445-9998
EUROPE Via Sottocorne 15/17 - 24021 Albino (BG) - ITALY - phone (035) 773-484 - fax (035) 773-806
JAPAN KEIDA Bldg. #3, 4F - 112-5, Kameichou - Tsu-cby, MIE 514 Japan - phone (0592) 28-7504 - fax (0592) 24-9723


EXTRA

the drivers, proprietary libraries, and protocol stacks necessary to connect to ODBC data sources. In addition to simplifying installation and administration, the new architecture opens the door for development of server-side heterogeneous joins and three-tier client/server applications. Several companies are working on ODBC drivers for the Internet. Open Horizon (Belmont, CA) is developing a product to support three-tier applications by using Distributed Computing Environment (DCE) remote procedure calls (RPCs).

Performance

When discussing ODBC's maturation, industry observers often note that driver performance is now comparable to native-API performance. I recently benchmarked

Typical ODBC Installation



Intersolv DataDirect drivers, using client/server benchmarks for Oracle, Ingres, Sybase, and Informix servers that tested ODBC against a mix of embedded SQL and native CLIs. My tests showed that ODBC had better performance about half the time; the difference between ODBC and native performance was negligible for most tests.

[Editor's note: The author's benchmark is a Windows application, written in C, that uses DLLs to implement tests for each of the SQL APIs. The benchmark kit—called APIBENCH—is available in the

Powerful. Efficient. Reliable.


Introducing
OLE Custom Controls
for Windows 95 applications

Cutting edge development tools for Windows developers

Formula One™ 3.0

\$249 US

- The best spreadsheet component just got better!
- **NEW!** Now available as a 16-bit and 32-bit OLE Custom Control.
- **NEW!** Read and write Microsoft Excel 5.0 and 7.0 worksheets.
- **NEW!** Support for Excel-style workbooks including the tabbed worksheet interface; include up to 256 worksheets in a workbook! Plus, use three-dimensional cell references.
- Enhanced calculation engine. The fastest spreadsheet component just got faster!
- Larger color palette.
- **NEW!** New worksheet functions including SUMIF, COUNTIF, CONCATENATE, ROUNDUP, and ROUNDDOWN.
- **NEW!** New events including Mousedown, Mouseup, Mousemove, ObjGotFocus, ObjLostFocus, and Modified.
- Enhanced printing support.
- **NEW!** Autofill worksheets with days, dates, numbers, or create your own custom fills.
- **NEW!** Draw chart objects directly on worksheets.
- **NEW!** Data validation rules.
- Royalty-free run time distribution.



First Impression® 2.0

\$249 US

- Now, get even more charting and graphics power!
- **NEW!** Now available as a 16-bit and 32-bit OLE Custom Control.
- **NEW!** New chart types include XYZ, Contour and 3D Surface charts.
- **NEW!** New data grid allows you to view and interactively change chart data.
- **NEW!** Chart Wizard takes you step-by-step from raw data to finished chart. Plus, it includes an easy-to-use gallery of chart types.
- **NEW!** Complete object-based API.
- The only charting component that gives you a photo-realistic rendering engine. Create 3D charts in true perspective.
- Royalty-free run time distribution.

VisualSpeller™ 2.0

\$149 US

- **NEW!** Now available as a 16-bit and 32-bit OLE Custom Control.
- **NEW!** Improved and streamlined API.
- Includes comprehensive standard dictionary with more than 100,000 entries.
- Easily create custom dictionaries with built-in dictionary maker.
- Royalty-free run time distribution.

Visual Components propels you into the next generation of Windows-based application development with the introduction of our OLE custom controls. Available as 16-bit and 32-bit products, reusable OLE components from Visual Components are the perfect tools for building state of the art, cutting edge applications in Visual Basic, Visual C/C++, Access, Visual FoxPro, and other OCX supported environments.

Look to Visual Components for robust development tools that provide unmatched functionality and the reliability you require for mission critical applications. It won't take long for you to understand why we're absolutely the leader in component software.

Limited Time Offer!
Buy any two products
from Visual Components and
receive a FREE trial subscription to
INSIDE VISUAL BASIC
from The Cobb Group




The Leader in Component Software

**Call today
(800)884-8665**

15721 College Blvd. Lenexa, KS 66219
(913)599-6500 • FAX: (913)599-6597
BBS: (913)599-6713 • CIS: 60 VISTOOLS
WEB: <http://www.visualcomp.com>

In Europe, contact Visual Components Europe
TEL: 44 1892 834343 • FAX: 44 1892 835843



HEADS, IT'S REAL. TAILS, IT'S FAKE.



It's your choice. A little more than 50 percent of all business software in use today is pirated. If you buy it, you could end up with virus-ridden, phony software that has no documentation or product support.

Selling or copying pirated software without authorization is against the law, with severe criminal and civil penalties including imprisonment of up to five years, fines of up to \$250,000, or both. If you suspect the sale or use of pirated software, call the BSA Anti-Piracy hotline:

BSA (800) 688-BSA1 (2721)



© 1993 Business Software Alliance. All rights reserved.

EXTRA

ODBC library of the WINEXT forum on CompuServe.]

There is not an obvious way to directly compare ODBC to desktop databases such as Paradox, dBase, or FoxPro. Desktop drivers have a single-tier configuration in which the driver includes a SQL engine that sits over an indexed sequential-access method (ISAM) layer. ODBC uses SQL for all data-access operations. Relative performance would be difficult to assess; it would involve comparing SQL to ISAM operations.

Developer Reaction

Ronald Laeremans, who is a consultant with expertise in ODBC development using C++ and the MFC application framework, sees MFC as having much improved performance: "The ODBC database classes in MFC started out as a VB/Access look-alike layer for ODBC with very little thought given to performance. Performance has improved quite a bit with subsequent MFC releases." Laeremans adds that he expects 16-bit ODBC development to "die an incredibly speedy death" because 32-bit development tools will quickly eclipse the feature set and robustness of their 16-bit counterparts.

Lee Fesperman of FFE Software (El Cerrito, CA), who developed FirstSQL and its ODBC driver, commenting on the effort required to develop an RDBMS architecture that exposes OLE interfaces, suggests that the basic nature of an RDBMS will remain unchanged. However, he sees replacement of the parser, treatment of the execution plan as an object, and support for objects and methods embedded in the database as parts of the move toward a cooperating component architecture. Transactions, security, replication, and archiving are operations that will likely shared, according to Fesperman, but he sees "basic access to and organization of tables remaining under the full control of the RDBMS. That is what they do best."


Dean Guida of ProtoView Development (Cranbury, NJ), an independent software vendor (ISV) of Windows prototypers and client/server tools, says that porting applications to 32-bit ODBC was easy. However, migrating to OLE Custom Controls (OCXes) is "time-consuming and requires a port to MFC." Regarding Microsoft's direction with ODBC and OLE, he observes, "New technology is a double-edged

Application Topology Using an ODBC Server

ODBC Client



ODBC Server



An application built on an ODBC server technology would result in a "thin client" with a single network transport for communication with the ODBC server.

sword for an ISV. You either understand it, how you can add value to what Microsoft is doing, how to quickly improve on their solutions and tell the world about it, or you find your market share and revenue being eaten up and shifted to Microsoft and other players that can understand and execute a plan quickly." ■

Ken North is a software consultant and the author of Windows Multi-DBMS Programming (John Wiley & Sons, 1995). You can contact him on the Internet at 71301.1306@compuserve.com or on BIX c/o "editors."

DATABASES GET OBJECTIVE

OLIVER SHARP

New kinds of database systems have emerged over the last several years to challenge the well-entrenched relational DBMS (RDBMS). Their developers tout them as object-oriented or object-relational. They are designed to handle the new and more complex types of information that we are already generating in a world heading relentlessly toward object orientation.

These object-aware databases differ widely, so it can be difficult to see what advantage one offers over another. Relational-database products may be distinguished by unique sets of features, but they generally share the same fundamental model. Databases that are designed to handle objects are at a much earlier stage in their evolution and benefit from no such consensus. They use different programming models, terminology, and implementation strategies. Some efforts are under way to develop standards, but there isn't yet a broad agreement on what an object-oriented database should be or how it should be programmed.

Relational Databases

Relational databases, which represent on the order of \$4 billion in annual sales, are a well-understood and relatively mature technology. Most readers are probably familiar with the underlying programming model. Data is stored in tables; each row is an item, and each column has a particular type that is known to the database system. Application programs written in a language such as C do not directly access the database; interactions are mediated by SQL. Usually, the database is completely segregated from the application, and the two talk via interprocess communication.

Relational databases have become so popular because they offer a number of nice features. They use a standardized notation, SQL, that works with many different languages. They support multiple users well, offer flexible optimized queries, and allow good control over who is allowed to access information in the database. Over the years, relational-database implementations have become robust, efficient, and standardized. Utility programs

As the database world embraces object orientation, what will it end up hugging?

that ease administration tasks are available for the major database engines.

All is not perfect, however. For one thing, SQL is alien to standard programming languages. Programmers must insert SQL statements into their code, and the result is not very pretty. As Michael Stonebraker (well-known database expert, University of California at Berkeley professor, and the mind behind Illustra) says, it is like making an apple pancake by "gluing the apple onto the pancake."

The Motivation for Change: Objects

The pros and cons of the relational model have been argued since the first relational databases were developed. However, there is a new reason to look for a more flexible model: the emergence of objects. There is widespread interest in using an object-oriented programming style to take advantage of encapsulation, complex types, and inheritance. Current relational databases, however, are inherently poor at dealing with objects.

continued



FRANK MILLER PHOTOILLUSTRATION © 1995

A standard relational database knows how to deal with only a fixed set of types, such as numbers and text. There are three ways to put an object of a new and unsupported type into the database:

- store it in a file
- store it as a binary large object (BLOB)
- disassemble the object

The easiest thing to do is to insist that all unknown object types be stored in a file and that the database have only a pointer to the filename. But this is not a very satisfactory solution; after all, the whole point of the database is to store data. Objects in files are not protected via locking and access controls and cannot be restored to a previous state if a transaction is aborted.

The next option is to keep the objects in the database as an opaque collection of bits, known as a BLOB. Then, at least the database access controls apply to the object. However, meaningful queries are impossible, and you can lock only the entire object or none of it.

The last approach is the only one that allows the database to manage the object in any real sense. The idea is to add the object

to the database by taking it apart and storing its various fields in tables (see the figure "Storing Objects in a Relational Database" on page 208DM 16). Of course, the object must be reassembled when it is extracted from the database. This poses two problems. First, writing the conversion code is a major nuisance; second, not every object is composed of primitives that can be handled well by the database. The first issue can be addressed by providing tools to automatically do the conversion, but the second is more difficult to work around.

Some types of objects (e.g., sound clips and images) don't decompose well. Even when an object can be disassembled appropriately, the result may not support the kinds of queries that users would like to make. For example, a document could be treated as one enormous text field, a collection of smaller ones (paragraphs or sentences, perhaps), or a collection of words. None of those representations allow you to make comparisons between documents in any reasonable way.

Performance can also be poor, thanks in part to the B-tree indexing mechanism typically used by relational databases. Although it usually works well with the stan-

dard types, it runs into trouble when new kinds of objects are being managed.

Object-Oriented Model

In the past 10 years, several companies have begun implementing databases in a totally different way. Instead of adhering to a rigid separation between the application code and the database, they integrated them. They got rid of the query language and made the database "more invisible" by treating it as a seamless extension of an object-oriented language (usually C++ or Smalltalk). A program picks an object out of the database, operates on it like any other object in the language, and then puts it back before terminating. Rick Cattell, chairman of the Object Database Management Group's ODMG-93 standards committee, describes the database as containing "pickled objects."

The simplest way to think about an object-oriented database is that a data type can have a new property that's called *persistence*. If you have a persistent data type, you can retrieve instances from the database and store them there. A run-time library handles the details for you, usually interacting with a remote object server.

continued

A Revolution in The Making!

WIZDOM Pro Speeds Object-Oriented Application Development



The Class Manager is the focal point from which you can define, view, and subsequently modify the entire structure of your application.

W I Z D O M E
APPLICATION GENERATION

Best
Development Tool

Best of Show/CeBIT95



The WIZDOM Pro application generator lets you rapidly develop true object-oriented applications by focusing on the problem, rather than the user interface. With WIZDOM Pro, OO development is as easy as using a visual programming tool, yet WIZDOM Pro lets you define applications that fully conform to the object-oriented model. Even business programmers can develop OO applications quickly and easily.

Wanted Strategic Partners

International headquarters



Software & Computers Industries Ltd.

14 Karlibach St., Tel Aviv 61200 Israel
Fax: 972-3-565-6744, Tel: 972-3-565-6748

Circle 410 on Inquiry Card (RESELLERS: 411).

"WIZDOM Pro brings object-oriented design concepts to end-user programmers. While it shares with Microsoft's Visual Basic and Borland's Delphi a visual approach to program development, WIZDOM Pro focuses on the structure of your problem, rather than on the user interface of the application you're designing. This program could change the way software developers build applications."


Rafe Needleman
Editor in Chief
BYTE

Call today!

**NEW WORLD
SYSTEMS**

71 Bayberry Drive Somerset, NJ 08873
Tel: (908) 873-6478 Fax: (908) 873-6453

NobleNet: The Standard For Easy-to-Use Development-Tool Middleware



EZ-RPC For Distributed APIs: The Truly Multi-platform RPC

- ▲ EZ-RPC supports partitioning APIs among heterogeneous platforms and distributing remote APIs from UNIX to Windows with automatic conversion of C APIs to Windows DLLs
- ▲ EZ-RPC integrates distributed applications with industry-standard APIs such as WinSock, ODBC, and XFN
- ▲ EZ-RPC's patented memory management algorithms allocate and free memory for inherently stable server code and to protect against client-side memory leaks
- ▲ EZ-RPC XDR libraries support passing of complex data structures; only implementation of ONC RPC library on Windows 3.1, NT and Macintosh

Orbix For Distributed Objects: The Original CORBA-Compliant ORB

- ▲ Orbix includes complete development environment for managing multi-platform fine-grained objects
- ▲ Orbix includes Implementation Repository and advanced administrative tools such as a stream-based Dynamic Invocation Interface
- ▲ Orbix provides programmable client-transparent proxies for performance improvement
- ▲ Orbix features process-level filters to integrate thread packages, monitoring and debugging, auditing and authentication/authorization/encryption support
- ▲ Orbix provides full implementation of CORBA 1.1 standard

Both create portable lightweight middleware that travels with the application. There's no need to change or upgrade systems when you roll-out applications. NobleNet products protect developers from complex network coding, distribute C and C++ code, support fast code partitioning for rapid prototyping with tools such as Visual BASIC and PowerBuilder, and operate across TCP-IP and IPX/SPX stacks. ONC and CORBA compliant. Works on all the key platforms: From and to AIX, DG/UX Digital UNIX, HP-UX, Macintosh, NetWare, NeXt, OpenVMS, OS/2, Pyramid, SCO-UNIX, SGI, Siemens-Nixdorf, Solaris, Stratus, System V Rev.4, Sun/OS, UNIXware, VxWorks, Windows 3.x and Windows NT. As clients and servers.

Copyright © 1995, NobleNet Inc.
Product names are trademarks or registered trademarks of their owners
NobleNet is a North American distributor of IONA Technologies' Orbix product.

*Call Today For
No-Obligation Evaluation Copy!*


1-800-809-8988



NobleNet

NobleNet, Inc., 337 Turnpike Rd., Southboro, MA 01772
508-460-8222 FAX 508-460-3456
E-mail: sales@NobleNet.com

Storing Objects in a Relational Database



One means of storing an object in a relational database: The object is carved up, and its various fields are placed in rows.

Once you have incorporated an object into your environment, you can work with it directly.

This integration eliminates the awkwardness of using a separate interface like SQL. There is also no need to decompose the object when you store it; the system understands your type declarations. To use database terminology, the type structure defines the database schema implicitly.

The close integration of language and

database is a mixed blessing, however. The database tries to be seamless by obeying the data model of the programming language, but a language like C++ was not designed to work with a database. It doesn't have any support for locking objects, limiting access to them, sharing objects between processes, querying, or transactions. There is a fundamental conflict between remaining faithful to the programming language and efficiently im-

plementing database services.

Consider the relationship between persistent objects that are stored in the database and normal (transient) ones that are not (see the figure "Problems with Object-Oriented Databases" on page 208DM 18). To achieve seamless integration, the programmer should be able to treat them alike. Shouldn't a query apply to every object of the appropriate type regardless of whether it is persistent? The transient objects, however, reside only in the application, not in the database, so it becomes much more difficult to optimize and execute such a universal query.

Transaction semantics are also an issue; if a transaction is aborted, the persistent objects will be restored to their original state. It would be difficult to do the same thing for transient objects as well. For both querying and transactions, the most obvious solution would be to draw a rigid distinction between the two kinds of objects and provide database support only for those that are persistent. But that forces the programmer to make the same distinction and to treat persistent and transient objects differently.

Access control presents a more serious

C/C++ Libraries for NetWare

Over 400 C/C++ functions accessing the NetWare API. Supports NetWare 2.X, 3.X and 4.X for both DOS and Windows. Librari source code is available. No royalties! Supported services include:

- | | | |
|--------------|---------------|------------------------|
| • accounting | • bindery | • directory/file |
| • connection | • console | • IPX communications |
| • printing | • file server | • queue management |
| • locking | • semaphores | • security/rights |
| • messages | • workstation | • transaction tracking |

The Network C Library includes over 100 sample programs including source code for NetWare utilities like map, capture, nprint and userlist.



800-669-0842
513-528-1809

Providing quality software development tools since 1989.



WIZRULE FOR WINDOWS


- A powerful data mining tool
- Provides tremendous insight into your database by revealing hidden patterns and relationships
- Purge your database of costly errors

A REVOLUTION IN DATABASE AUDITING!

WizRule for Windows reveals rules and errors in the contents of a database

WizRule for Windows:

- Reads databases created by all popular applications (Access®, Clipper®, dBASE®, FoxPro®, Paradox®, etc.) through ODBC
- Independently discovers known and unknown rules which govern the contents of a database
- Identifies records deviating from the rules: such deviations indicate "suspect" errors in the database



WizRule for Windows is based on a unique mathematical algorithm (patent pending) by which it independently discovers qualitative and quantitative rules within a database. There is no need to specify the rules in advance - *WizRule for Windows* automatically detects the governing rules of the database.

WizSoft

WizSoft Inc., 945 Concord Street, Framingham, MA 01701
Phone: 508 620 4554 Fax: 508 879 0698


THE ARTICLES THAT CHANGED THE WORLD MORE THAN A BIT—FROM BYTE

Only one magazine has been taking readers to the front lines of the microcomputing revolution since its inception almost two decades ago—*BYTE*!

Now you can relive the most glorious moments with this unrivaled chronicle of the evolution of this empowering technology. Here—and only here—you'll find the groundbreaking articles and features that *BYTE* alone had the vision to publish, including:

- Kernighan and Ritchie on C
- Stroustrup on C++
- Seminal pieces by Wozniak
- Articles covering the most important operating systems developments
- *BYTE* Awards from 1989-1992
- First-announcement product advertisements

You won't want to miss this invaluable new "best of" collection. Of course, all the bits of microcomputing's most significant magazine count—but, from time to time, some bits of *BYTE* change the world. Get them all with *The Best of BYTE*.



\$24.95 (Paperback)

**Available at your local bookstore
or call toll-free 1-800-822-8158**




The McGraw-Hill Companies

problem. Traditional databases allow administrators to control what user applications are allowed to do to a database object. Because the database is in a separate process and is manipulated through SQL, it can enforce almost any access policy. In an object-oriented database, however, once an object is loaded from the database into an application, it is difficult to have any further control over what happens to it.

Object-Relational Model

During the past few years, a third model has emerged as an alternative to both relational and object-oriented databases. This object-relational model tries to preserve the fundamental principles of relational theory while still addressing the needs of an object-oriented world.

Object-relational databases are similar in philosophy to relational databases—interactions with the database are handled through an enhanced SQL. There is no attempt to match the close level of programming language integration of an object-oriented DBMS. The difference is that the object-relational database engine can store and manipulate objects based on a



flexible type system.

An RDBMS supports a limited set of simple types—numbers, text, and so forth. Query optimization is tuned to understand the built-in types, the organization of storage is optimized for them, and SQL can manipulate them directly. Object-relational systems let you define new types using object-oriented structuring techniques like

inheritance. It is possible to provide new access methods in situations where the standard B-tree indexing is not appropriate.

Rather than forcing a document to fit preexisting types, in an object-relational system, you can define a new type called “document” and list the methods that can be applied to it. You might want to look for documents that discuss the same topic. In that case, you could define a method called “relevance” that compares two documents and grades their similarity. The programmer could use a SQL query to apply relevance to a table full of documents, just as a traditional query can add numbers or test for equality. You can put an object in the database without disassembling it and still take advantage of traditional database features like transactions, query support, and query optimization.

The Future

The relationship of databases and objects is in rapid flux. The relational-database companies are trying to make their engines more flexible so they can move closer to the object-relational approach. The object-oriented database companies are trying to standardize, notably through the ODMG. They are also adding more sophisticated database management features and improving performance. The object-relational systems vendors are improving their implementations and building tuned packages that support new data types.

In the meantime, everyone is eyeing the evolving object standards: Common Object Request Broker Architecture (CORBA), Common Object Model (COM), and System Object Model/Distributed System Object Model (SOM/DSOM) (see the text box “The Proliferating Object Standards” to the left for details). These interfaces will have tremendous impact on software system design during the next several years.

The databases of the future will need to manage objects, store methods, and interact with object frameworks. Not all applications deal with complex data, and some that do can manage by disassembling objects so they fit into relational tables. However, there are a number of data management problems for which the basic relational systems are just not good enough. As complex objects become pervasive and databases try to manage them, applications programmers will have to migrate toward a more flexible model. ■

Oliver Sharp is the director of strategic marketing at Colusa Software (Berkeley, CA). You can reach him on the Internet at sharp@colusa.com or on BIX c/o “editors.”

The Proliferating Object Standards

There is a large pile of emerging standards for dealing with objects. It is easy to get lost in all the acronyms, but the basic intent behind them is worth understanding.

One way to think about these standards is to treat applications design as a spectrum. The traditional monolithic application that is compiled into a static executable file that runs on a single isolated machine constitutes one end of the spectrum. At the other end is a distributed system that is divided into pieces that can be retrieved from remote databases and executed on a range of hardware architectures.

The whole alphabet soup of standards is designed to support your progress toward the complicated end of the spectrum. The steps usually proceed as follows:

Separating Code and Data: The first step is to pry objects away from the applications that built them. In a traditional application, an object, once it is built, cannot be extracted and sent elsewhere. The object definition is intimately bound up with the compiled form of the program. The object models (like IBM’s System Object Model [SOM] and Microsoft’s Common Object Model [COM]) define ways to describe an object so that it can be used by another application.

Sharing an Object Between Applications: Once you achieve some separation between


applications and objects, the next step is to allow applications to share an object. That is the job of standards like OpenDoc from Apple and OLE 2.0 from Microsoft.

Using Distributed Objects: The next level of sophistication would let programs and objects come together across a network. In particular, a program would like to be able to search for an appropriate remote object, call its methods, and generally interact with it. Ideally, the application and the object could reside on different machines. That is the promise of Common Object Request Broker Architecture (CORBA). It defines a whole framework of services to support the use of objects in a distributed environment.

Using Mobile Objects: To completely support distributed systems, objects should be able to execute on any machine. You might have a centralized database of objects that includes methods and data. A query might yield a set of objects, with methods that could be executed locally regardless of the architecture. This kind of strategy requires objects to be expressed in a form that can be executed anywhere. Currently, there are interpreted languages that can provide this functionality, including Java from Sun and Telescript from General Magic. There is also Omniware, from Colusa, which is a compiled solution that supports C/C++.

STRESS YOUR APPLICATION

SQA has released SQA LoadTest, an automated tool for load, stress, and multiuser testing of Windows client/server applications. SQA LoadTest can exercise both the client and server sides of an application and can easily handle Unix, Windows NT, or OS/2 servers connected to Windows clients. It also supports all the popular network protocols: TCP/IP, NetBIOS, and IPX/SPX. LoadTest is offered as an add-on product for users of SQA TeamTest or is bundled as part of SQA Suite. Pricing is based on how many machines run the client software.



THE WEB-WIRED DATABASE

Aspect Software Engineering has released dbWeb 1.0, which is a software tool that provides database connectivity for HTTP Web servers running on Microsoft Windows NT. Essentially, dbWeb is a gateway between ODBC data sources and Web servers such as Purveyor, WebSite, and EMWAC HTTPS. dbWeb offers full insert, update, and delete capabilities, as well as query-by-example record selection. dbWeb uses 32-bit ODBC, providing access to databases such as Microsoft's SQL Server, Microsoft Access, Sybase, and Oracle. dbWeb comes with administrative tools and application wizards that simplify the process of publishing database information. A schema wizard, for example, lets you rapidly create

and test a schema without writing a single line of HTML. dbWeb requires a minimum of a 386 processor, 16 MB of RAM, and 10 MB of hard disk space. dbWeb's suggested retail price is \$695.

Contact: Aspect Software Engineering, Honolulu, HI, (808) 539-3782; fax: (808) 539-3785; <http://www.aspectse.com>
Circle 1264 on Inquiry Card.

POWERBROKER

Expersoft has released the PowerBroker 4.0 suite of ORB and object management tools. PowerBroker 4.0 lets CORBA 2.0, OLE 2.0, Visual Basic, Smalltalk, and C++ interoperate, and it includes CORBA Services 1.0 as well. The PowerBroker technology supports an extensive range of platforms, including SunSoft's Solaris 1 and 2, Hewlett-Packard's HP-UX, IBM's AIX, SGI's Irix, Digital Equipment's Unix for Alpha, Microsoft Windows (client only), and Windows NT. PowerBroker offers three programming models: a "C++-centric" model, a CORBA-compliant Smalltalk model, and a CORBA-compliant environment that has C++ mappings. PowerBroker OLE automates interaction between

PowerBroker objects and OLE automation clients. Finally, PowerBroker lets programmers express CORBA object references in the World Wide Web's URL format, making it easy to build Internet-accessible applications and services. Price varies according to platform and language.

Contact: Expersoft Corp., San Diego, CA, (619) 546-4100; fax: (619) 546-4110; <http://www.expersoft.com>
Circle 1271 on Inquiry Card.


WEB SERVER FOR WINDOWS 95

O'Reilly & Associates makes the job of building a World Wide Web server easier with WebSite.



Now available for Windows 95, WebSite can take advantage of many of the new OS's user-interface features, such as tabbed dialog boxes, tree displays, and Visual Basic support. WebSite lets you incorporate data from spreadsheets and databases into Web documents via a Windows Common Gateway Interface. It can even accommodate ODBC and OLE automation within your Web documents. WebSite is priced at \$499. It requires a 386 or better processor, at least 12 MB of RAM (16 MB is better), 5 MB of disk space, TCP/IP connectivity, and Windows 95.

Contact: O'Reilly & Associates, Inc., Sebastopol, CA, (800) 998-9938 or (707) 829-0515; fax: (707) 829-0104; <http://website.ora.com>
Circle 1263 on Inquiry Card.




Contact: SQA, Inc. Woburn, MA, (800) 228-9922 or (617) 939-3000; fax: (617) 932-3280; info@sqa.com
Circle 1266 on Inquiry Card.

COBOL FOREVER

Not only is it COBOL, object-oriented, and ready for Windows 95: It's visual. A longtime provider of products for The Language That Will Not Die, Micro Focus now makes available Visual Object COBOL for Windows 95 (\$499). Visual Object COBOL presents a new development environment that boasts tools such as a Project Wizard and a Resource Editor. Shaking off any suggestions of senility, Visual Object COBOL supports OLE automation (including the ability to create OLE service providers), features a 32-bit architecture, and can even create multithreaded applications. To supplement the system's object-oriented nature, Micro Focus also includes a class library and browser.

Contact: Micro Focus, Inc., Palo Alto, CA, (415) 856-4161; fax: (415) 856-6134; <http://www.mfltd.co.uk>
Circle 1270 on Inquiry Card.




WHAT'S NEW

ONE LESS THING TO WORRY ABOUT

Windows 95 users can breathe easier. McAfee has released **VirusScan for Windows 95**, which, the company says, accurately detects over 5100 viruses. **VirusScan** can optionally scan for viruses at system start-up, on demand, or on access. (On-access scanning permits **VirusScan** to detect viruses during the launch of an executable file.) **VirusScan** also offers extensive configuration options. For example, it can be set either to clean the infection or delete the offending file. For a limited time, **VirusScan** for Windows 95 will also include protection for Windows 3.1, to assist users who are migrating from that OS to Windows 95. **VirusScan** is available for \$65, though Internet users can download a free evaluation version from McAfee's FTP site (<ftp.mcafee.com>).

Contact: McAfee, Santa Clara, CA, (408) 988-3832; fax: (408) 970-9727; <http://www.mcafee.com>
 Circle 1267 on Inquiry Card.



THE YEAR 2000 APPROACHETH


Many of today's applications base date calculations on the last two digits of the year. When the millennium rolls around, such calculations are liable to be in error—it's possible that an application will report the difference between two dates as a negative number. Consequently, Micro Focus is offering **Challenge 2000**, an extensive package of tools that will allow programmers to identify potentially "date-confused" applications and make the necessary changes. **Challenge 2000** also includes a consulting service package that provides access to experienced consultants who can help users appraise the potential for damage and recommend action. Prices start at \$3000.

Contact: Micro Focus, Inc., Palo Alto, CA, (415) 856-4161; fax: (415) 856-6134; <http://www.mfild.co.uk>
 Circle 1262 on Inquiry Card.

WATCOM C/C++ 10.5 AVAILABLE

The Watcom Products Division of Powersoft is shipping version 10.5 of the respected Watcom C/C++ multiplatform compiler. The new release adds Windows 95 to the compiler's list of target OSes and incorporates Blue Sky Software's Visual Programmer applications-development

tool, which generates MFC code for both 16- and 32-bit Windows environments. The retail price is \$350. A version upgrade is available for \$129; a competitive upgrade is \$199.



Contact: Powersoft Corp., Watcom Products Division, Waterloo, Ontario, Canada, (800) 265-4555 or (519) 886-3700; <http://www.watcom.on.ca>
 Circle 1261 on Inquiry Card.

SIMPLER SQL MANAGEMENT

Sheridan Software Systems' **sp_Assist** (\$595) makes life easier for anyone who has to deal with SQL Server databases. **sp_Assist** can generate both SQL and Visual Basic code, making it critical for building Visual Basic front ends to SQL Server back ends. It also helps developers generate and maintain a wide variety of SQL objects, including stored procedures, tables, triggers, and more.


sp_Assist, which is available for Windows 3.1 or Windows 95, includes database administration tools for user and group manage-

ment, ISQL script creation, and SQL GRANT RIGHTS functions. **sp_Assist** maintains its own database, which it uses as a kind of repository for SQL code. Consequently, it works well in team development environments, where code tracking is important.

Contact: Sheridan Software Systems, Inc., Melville, NY, (516) 753-0985; fax: (516) 753-3661; On CompuServe, GO SHERIDAN
 Circle 1269 on Inquiry Card.

EMBEDDED WIN32

Designers of 32-bit embedded systems will welcome Phar Lap Software's new **TNT Embedded ToolSuite 8.0**. Programmers familiar with the Win32 API and popular 32-bit C/C++ compilers (Borland, Watcom, Microsoft, and MetaWare) can now exercise that familiarity in the embedded world. Embedded applications built with the ToolSuite will run on any Intel 386, 486, or Pentium processor, and offer developers a ROMable real-time kernel that supports threads, priority scheduling, and advanced



interthread communication. In addition, the kernel includes an MS-DOS-compatible file system and a floating-point emulation library. The ToolSuite's Visual System Builder provides rapid kernel configuration. The base price is \$4995. Developers who do not need real-time capabilities may purchase the Standard Edition—which lacks the real-time kernel, MS-DOS file system, floating-point emulator, DLL loader, and real-time manual—for \$2995.

Contact: Phar Lap Software, Inc., Cambridge, MA, (617) 661-1510; fax: (617) 876-2972; info@pharlap.com
 Circle 1265 on Inquiry Card.

REMOTELY POSSIBLE

Avalan Technology's **Remotely Possible/32** is a 32-bit remote-control communications package that supports Windows 95 and Windows NT. In its simplest form, **Remotely Possible/32** lets you control your office PC from a distant location or over the LAN. (**Remotely Possible/32** works equally well over networks and modems.) One advanced feature, multitakeover, lets a single host PC simultaneously control multiple viewer



PCs. **Remotely Possible/32** also supports file transfer and chat; even while controlling other machines, the host can perform background file downloads and carry on a chat session. The base price of \$169 includes a license for one host and one viewer PC. Packages for additional PCs are discounted.

Contact: Avalan Technology, Holliston, MA, (508) 429-6482; fax: (508) 429-3179; <http://www.avalan.com/~avalan>
 Circle 1268 on Inquiry Card.

NT Roars on the 604

Faster than P6 and Mips, slower than Alpha, the PowerPC 604 makes a mean NT workstation

DAVE ROWELL

Systems running Windows NT on the PowerPC 604 RISC processor are finally here. Our cross-platform BYTEmark tests show these machines have processor performance nearly twice that of Pentium PCs at the same clock speed. The 604 also compares favorably to other RISC chips, although the latest 21164 Alpha chip is still 30 percent to 50 percent faster (see "Alpha Stays Ahead" on page 210).

We tested three of the first available systems: Motorola's 100-MHz PowerStack Series E 604-100P server, IBM's 133-MHz Personal Computer Power Series 850, and a beta PowerPlay² 604/133 from Austin Direct that provides symmetrical multiprocessing (SMP) with two 133-MHz 604 chips. Performance testing with BYTEmark and several native PowerPC NT applications shows that the 604 makes a mean NT workstation.

All three systems we tested comply with the PowerPC Reference Platform (PReP), a hardware standard that hardware-component and operating-system vendors can de-



Two PowerPC 604 workstations and a server (from left to right): Motorola's PowerStack Series E 604-100P server, Austin Direct's PowerPlay² 604/133, and IBM's Power Series 850.

No screws, no cables. You can dismantle Motorola's PowerStack systems down to the bare chassis without tools.

sign to. PReP leverages off existing x86-based standards, specifying the PCI expansion bus, for example. As a result, the three systems we review share many similarities besides the 604 processor. All have expansion card risers, for example, and two use similar PCI SCSI-2 or Ethernet controllers. PReP systems run Windows NT 3.51 and AIX 4.1 now, and they should be running OS/2 by year end and Solaris next year.

For consistency with our first round of NT workstation testing (see "Fastest NT Workstations," March BYTE), we requested high-end system configurations. The tested machines have 64 MB of memory, 1 GB of hard drive capacity, a CD-ROM drive, accelerated graphics (PCI-based SVGA), and an Ethernet adapter. We ran as many of the same benchmarks as were available for PowerPC, but under Windows NT Workstation 3.51 instead of 3.5.

Along with the BYTEmark benchmarks (formerly the BYTE Native Mode benchmarks), we tested application performance with North Coast Software's PhotoMorph 2.01 (beta SMP version), a multimedia image-processing program, and with an alpha version of Bentley Systems' MicroStation 95, a CAD package (the equivalent of version 5.5). NSTL's InterMark test for NT wasn't ready for PowerPC.

The PhotoMorph Swirl test creates a 2.5-MB AVI file using a swirl distortion; the test basically measures floating-point performance. The MicroStation tests were driven by a script developed by NSTL. We ran the tests in both 8- and 24-bit color depths, because the IBM Power Series 850's built-in graphics doesn't support 24-bit color. PhotoMorph and, to some degree MicroStation 95, take advantage of NT's SMP capabilities, giving added performance when a system has multiple

TECHNOLOGY FOCUS

601 to 604

Microsoft didn't release Windows NT 3.51 for the PowerPC until June, not long after IBM and Motorola fixed problems with the bug-delayed PowerPC 604 chip. Since we first tested the PowerPC systems, performance has improved dramatically. While the speed increase comes partly from refinements in Motorola's compiler technology, it's mostly due to the switch from first-generation 601 chips to the second-generation 604.

From BYTEmark results at the same clock speed, the 604 comes out roughly 30 percent faster than the 601. While both chips are 32-bit implementations of the 64-bit PowerPC architecture, the 604 is more superscalar than the 601. It can do more work per clock cycle. Here are some major differences between the two chips:

PowerPC 601

- 2.8 million transistors
- Three independent execution units
- Dispatches up to three instructions per clock
- Completes up to three instructions per clock
- Static branch prediction
- 32-KB unified cache
- Eight-way set associative cache

PowerPC 604

- 3.6 million transistors
- Six independent execution units
- Dispatches up to four instructions per clock
- Completes up to five instructions per clock
- Dynamic branch prediction
- Separate 16-KB instruction and data caches
- Four-way set associative cache

Alpha Stays Ahead

The last time we tested NT workstations, Alpha 21064A-based systems were the clear performance winners. Today's 133-MHz PowerPC 604 systems provide the same BYTEmark performance as those Alpha boxes did at 275 MHz. Since then, however, Digital Equipment Corp. has come out with the faster 21164 CPU, a chip that includes among its enhancements both a 16-KB primary cache and a built-in 96-KB L2 cache (see "Alpha Rides High," October 1994 BYTE).

Eager to test the 21164, we got our hands on one of the first systems to use it: DeskStation's Raptor 3 (DeskStation Technology, Lenexa KS; (913) 599-1900). DeskStation has developed an architecture called UniFlex that allows the same system board to take processor cards carrying either Mips or Alpha CPUs, with Windows NT as the operating system. Our test machine came with a 266-MHz 21164 module (the 300-MHz version wasn't yet available) loaded with 2 MB of write-back L3

cache. Other performance features include a claimed 900-Mbps bus to external cache and a 128-bit 150-Mbps bus to external memory.

The \$15,000 price includes 64 MB of system memory, a 1-GB Seagate ST31230 SCSI drive, a 2x CD-ROM drive, a 4-MB Diamond Stealth 64 PCI graphics card, built-in Ethernet, and a 17-inch ViewSonic 17E monitor. Performance testing with BYTEmark put the Raptor 3 far ahead of the crowd. Its CPU performance was 40 percent to 60 percent faster than 275-MHz 21064A systems and single-processor 133-MHz PowerPC systems (see the BYTEmark test results below). The 300-MHz version should be another 13 percent faster.



processors (as in the case of Austin's PowerPlay²). MicroStation didn't support SMP in our previous testing.

Austin Direct PowerPlay²

We examined a dual-processor PowerPlay² 604/133 beta system that should be available by the time you read this. (List price with 64 MB will be \$9995.) Several jumper wires crisscrossed the motherboard, and a flash BIOS upgrade arrived later to enable the 512-KB L2 cache, but we ran into few problems. (FirePower, which designs and manufactures this system for Austin Direct, makes a similar system for Canon, but it wasn't ready for review.)

Notable features include the two 133-MHz 604 processors, ECC memory, and a

memory-bus-direct graphics system controlled by FirePower's Powerized Graphics L1A9403 chip, which moves graphics data from the CPU to the 4-MB VRAM frame buffer over the system's 128-bit-wide memory bus. The CPU does the graphics work. A Philips SAA7196 video decoder/scaler chip has its own 2-MB VRAM frame store buffer. The FirePower motherboard provides asynchronous I/O, which decouples I/O from the memory bus so that activities like disk I/O don't hold up CPU/memory operations.



The BYTEmark CPU test exercises only one processor at a time. With both CPUs enabled, the Austin trailed the 133-MHz IBM Power Series 850 just slightly, due to the overhead of

managing two CPUs. But in the PhotoMorph test, two CPUs gave the PowerPlay² a great advantage; it performed better on this test than any machine we've seen yet. Display of graphics isn't amenable to SMP under NT, but MicroStation uses SMP when it can. However, with no independent graphics processor, the PowerPlay² fell 19 percent behind the IBM system in the 8-bit MicroStation CAD test.

IBM Power Series 850

IBM's Power Series 850 is also aimed at the desktop. It has IDE drives, but no built-

Test Results: PowerPC 604 vs. The Other Guys



The BYTE cross-platform BYTEmark CPU test shows the PowerPC 604 favorably compared to other CPUs. The Austin PowerPlay² 604/133 trailed the 133-MHz IBM Power Series 850 just slightly, due to the overhead of managing two CPUs. Two processors gave the PowerPlay² a strong advantage in the PhotoMorph Swirl test, but not in the MicroStation CAD test (results not shown), where graphics controllers are a big factor.

POWERPC SYSTEM FEATURES

	AUSTIN DIRECT POWERPLAY ² 133	IBM PERSONAL COMPUTER POWER SERIES 850	MOTOROLA POWERSTACK SERIES E 604-100P
Processor(s)/Memory			
CPU(s)/speed (MHz)	Two PowerPC 604s/133	PowerPC 604/133	PowerPC 604/100
Secondary cache (all direct mapped, write-back)	512 KB split (will be shared in final version)	512 KB, synchronous	256 KB
Memory bus width/speed	128 bits/66 MHz	64 bits/66 MHz	64 bits/66 MHz
RAM (standard/as tested/maximum, in MB)	32/64/256, ECC	16/32/192, parity	32/64/256, parity (ECC optional)
Storage			
Hard drive	One 1-GB Fujitsu M1606 SAU 3.5-inch SCSI-2	One 1-GB IBM DPEA- 31080 3.5-inch EIDE	Two 525-MB Toshiba MK2428FB 2½-inch SCSI-2
CD-ROM drive	Hitachi IDE (4x)	IBM CRMC-FX400C3 IDE (4x)	Toshiba XM-4101B (2x)
Drive bays	Two accessible 5½-inch, two accessible 3½-inch	Two accessible 5½- by 1-inch, one 3½-inch floppy, two internal 3½-inch drives	Three 5½- by 1-inch drive bays (two accessible), one floppy
Graphics			
Graphics card	Built-in	Built-in	Number Nine GXE64 Pro PCI graphics card
Graphics processor	Powerized Graphics 128-bit L1A9403, Philips SAA7196 video decoder/scaler	S3 64-bit Vision864	S3 64-bit Vision964
Video memory (as tested/maximum, in MB)	6/6 VRAM (includes 2-MB video frame store)	2/2 DRAM	4/4 VRAM
Pixel clock maximum	135 MHz	135 MHz	220 MHz
Max. 24-bit resolution (refresh rate)	1024 by 768 (75-Hz)	No 24-bit driver support	1280 by 1024, 76-Hz.
Max. resolution (color depth, refresh rate)	1280 by 1024 (16-bit, 75-Hz)	1280 by 1024 (8-bit, 72-Hz)	1600 by 1200 (16-bit, 76-Hz)
Monitor	17-inch Austin	17-inch IBM 17S/S Sight and Sound	none
Optimal resolution (refresh rate)	1280 by 1024 (70-Hz)	1280 by 1024 (77-Hz)	not applicable
Dot pitch (mm)	0.26	0.27	not applicable
Expansion interfaces/ports			
Total slots	Two 33-MHz PCI, two ISA (none shared)	Two shared 33-MHz PCI/ISA, three ISA (one half-length)	Three 33-MHz PCI
SCSI	Built-in PCI, 8-bit Fast SCSI-2, internal and external connectors	none	Built-in PCI, 16-bit (Wide) Fast SCSI-2, internal (8-bit) and external (16-bit) connectors
Serial	Two 9-pin 57.6-Kbps	Two 9-pin 115.2-Kbps	Two 9-pin 19.2-Kbps asynchronous; two 26-pin mini-D 1-Mbps synchronous
Parallel	One IEEE 1284 25-pin	One IEEE 1284 25-pin	One IEEE 1284 36-pin high-density.
Networking			
Interface	Built-in PCI Ethernet (10Base-T)	Built-in PCI Ethernet (10Base-T)	Built-in PCI Ethernet (10Base-T (tested), thin-net, or AUI)
Pricing			
Price (as tested)	\$8295 (32 MB RAM)/\$9995 (64 MB RAM)	\$5607 (32 MB RAM)/ \$7303 (64 MB), monitor \$1410 extra	\$6869 (32 MB RAM)/\$9279 (64 MB), no monitor
Price includes	CD-quality audio with speaker and mic, videoconferencing camera	Built-in 16-bit "business" audio with speaker and mic	Optional "business" audio (on floppy-drive card)
Warranty	Three years, parts and labor; first year on-site; lifetime 24-hour, 7-day tech support	Three years, parts and labor; first year on-site	Five years, parts and labor, depot; or three years on-site (2-day response); or one year on-site (best-effort response) with 7-day, 24-hour phone support
FCC Rating	Class B pending	Class A	Class A

in SCSI, and an 8-bit graphics system—an S3 Vision864 accelerator chip with only 2 MB of frame buffer. Graphics options include IBM's H10 PCI card with 4 MB of VRAM and a video coprocessor. "Business" audio and 10Base-T networking are also built in.

Security starts with a locking front cover. Once it's unlocked, you can open the mostly metal case without turning any screws. There is a ZIF socket that can take an upgrade CPU, though IBM has no firm

plans for this socket.

Like the Motorola system, the Power Series 850 uses the Motorola MPC105 PCI Bridge/Memory Controller chip and therefore has a 64-bit memory data bus and a 32-bit address bus. The 850 Series comes in 100- and 120-MHz versions, which have a 256-KB asynchronous cache instead of a 512-KB synchronous cache. As noted, the 133-MHz system performed slightly better with non-SMP benchmarks than the Austin Direct PowerPlay² did.

The \$7017 test system came with IBM's 17-inch 17S/S Sight and Sound monitor, which provides speakers, microphone, and an empty enclosure for an optional video camera. The unit also comes with IBM software that can take advantage of the 604's floating-point capabilities, including an MPEG decoder.

Motorola PowerStack Series E

Motorola Computer Group sells its systems only through reseller channels and

REVIEWS NT Roars on the 604

offers a limited selection of peripherals, expecting resellers to add their own. The PowerStack Series E is designed as a desktop server. It lacks ISA slots and an internal IDE connector but provides four serial ports (two synchronous), built-in Fast and Wide SCSI-2, and Ethernet. You can stack a SCSI expansion module on top of the Series E. The system provides over-temperature detection for the CPU and also for the external SCSI module.

The 100-MHz PowerStack Series E 604-100P is a solid, cleverly built unit. You can quickly take the whole system apart (including removal of the motherboard and power supply) without touching a screw or a cable; there are none.

The system we tested (list price \$9279) came

with a Number Nine GXE64 Pro PCI graphics card (loaded with 4 MB of VRAM) but no monitor. It also included two Toshiba 525-MB SCSI hard drives and a CD-ROM drive. The floppy-drive card plugs into its own proprietary slot on the expansion card riser and also holds the business-audio option.

In fact, all the drives are on cards so that they can plug in without using cables. The hard-drive cards can hold up to three 2½-inch SCSI drives. By plugging in two of these cards, you can pack this server with six hard drives (plus the CD-ROM drive). You will need a second PCI SCSI controller if you want to add the stacking SCSI expansion module, which holds four 5¼-inch drives. Normally, it can run off the

built-in SCSI controller.

In terms of performance, the 100-MHz Series E suffered in comparison with the 133-MHz IBM and Austin systems, but it performed proportionately to its lower clock speed.

Are You Running NT Software?

PowerPC NT systems are priced very competitively with equivalently configured x86-based systems, particularly when you consider that they perform faster than the initial 150-MHz Intel P6 systems we've tested. While NT allows running of 286-level 16-bit software under emulation, that feature becomes increasingly less appealing as more 32-bit Windows 95 software arrives. To justify buying a RISC-based NT system, you must not only require top performance with a major processor-intensive application, but you must also be able to satisfy most of your software needs with NT applications. ■

Dave Rowell is a BYTE technical editor who covers hardware. You can reach him on BIX or the Internet at drowell@bix.com.

Company Information

Austin Direct PowerPlay²
IPC Technologies
Austin, TX
(800) 752-1577
(512) 339-3500
fax: (512) 454-1357
<http://www.ipctechinc.com>
Circle 1147 on the Inquiry Card.

Personal Computer Power Series 850
IBM Personal Computer Co.
Somers, NY
(800) 772-2227
fax: (800) 426-4329
Circle 1148 on the Inquiry Card.

PowerStack Series E 604-100P
Motorola Computer Group
Tempe, AZ
(800) 759-1107, ext. PR
(512) 434-1526, ext. PR
<http://www.mot.com/computer/>
Circle 1149 on the Inquiry Card.

PEABODY, HERE...
WITH THE
FAX-ON-DEMAND
SYSTEM THAT
WON'T SET YOU
"WAY BACK."



As a recognized authority in the fields of technology and history, it is no surprise that COPIA has asked me to say a few words about their FaxFacts product. After all, we are both best of breed.

- Retrieve Info via fax/voice
- Expandable to meet your needs
- U.S. Patent holder for same call fax delivery
- Fax Broadcast/Fax Mailbox
- Fax from any Windows program
- IVR provides realtime queries
- Credit Card charge per fax

See us at COMDEX Booth #S3989

Faxfacts[®]
by Copia

International Ltd.
Wheaton, Illinois 60187
800/689-8898

TRY THIS DEMO:
708/924-3030
DOC. NO. 889812



WELCOME TO YOUR NEXT "OPEN SYSTEMS" PLATFORM — MICROSOFT WINDOWS NT™!

FEATURED UNIX PRODUCTS FOR MICROSOFT WINDOWS NT FROM SOFTWAY AMERICA:

- Hummingbird eXceed X for Windows NT \$397
Full featured X software for Windows NT
- B&W Connect NFS for Windows NT from \$359
Client & server NFS solutions for NT
- MKS Toolkit for Windows NT \$199
UNIX shell, commands & utilities for NT
- Microsoft Windows NT 3.51 Workstation \$299
The new "Open Systems" workstation
- Microsoft Windows NT 3.51 Server from \$695
The ultimate multi-OS server

Other great UNIX products for Intel PCs

- UnixWare Personal Edition 2.01 \$289
Desktop UNIX with graphics & networking
- UnixWare Application Server 2.01 \$1,095
Unlimited user UNIX with the "works"!
- WordPerfect 6.0 for UnixWare \$331
State of the art graphical word processing for UNIX!



Call for our complete list of UNIX products!

BONUS!!!

Order one of our products for Windows NT today and receive a FREE shareware and sampler CD-ROM containing the hottest UNIX & internet tools for Windows NT.

All registered trademarks and trademarks are the property of their respective owners.

For years the UNIX™ system vendors have been trying to make UNIX and Windows work together on the same machine — without much luck. Now its our turn to show you how Windows NT can be your next integrated "Open Systems" platform.

Softway America is one of the world's leading suppliers of UNIX products for Intel-based platforms. We specialize in integrating UNIX tools and networking products with Microsoft Windows NT — tools to give you NFS client/server networking, X Windows, UNIX commands & utilities and full blown UNIX development environments. On top of that we offer great prices and support on all products and a no risk 30-day money back guarantee that makes us the place to come for UNIX products!

CALL NOW...



- GREAT PRICES
- SERVICE & SUPPORT
- SATISFACTION GUARANTEED

Softway America Incorporated
P.O. Box 2821
Evergreen, Colorado 80437-2821
Phone: 303/670-5345
Facsimile: 303/727-7618
E-mail: sales@softway.com
WWW: <http://www.softway.com/america>

Enterprise Database Managers

You can run a whole business on DB2/2, Oracle, or SQL Server. But there are important differences in scalability, support, and reliability.

BARRY NANCE

If you work with important business information such as customer names, orders, billings, and payments, a relational database management system (RDBMS) is essential. Running an RDBMS on a networked desktop PC puts the data close to the people who use it.

For this review, we looked at the latest versions of three PC-based RDBMSs that have the power and the capabilities needed to run an enterprise: IBM's DB2/2 2.1, Oracle's Oracle 7.1, and Microsoft's SQL Server 6.0.

All three systems offer stored procedures, triggers, and constraints. A stored procedure is a set of processing steps that executes on the database server PC rather than on the client. A trigger is a stored procedure that fires when a specified event (row insertion, deletion, or updating) occurs. A constraint is a business rule in the database that specifies acceptable values or relationships among data fields. Constraints let you enforce referential integrity relationships among your database tables; you can ensure, for example, that no one can delete a customer's account in one table if billing records for that customer still exist in another table.


These are big-league features that, along with higher capacity and performance, help distinguish these database managers from such products as Microsoft Access, Lotus Approach, and Borland Paradox.

Stress Test


Overall, we found Oracle to be the best of the three. It scales the most consistently across PCs, minicomputers, and mainframes (see the chart "Comparing Relational Database Features" on page 216), and it offers more platform choices than DB2 or SQL Server. We recommend Oracle for enterprises with many remote sites of diverse sizes. It is also mature, a market leader, and rich in features.

DB2/2, though it scales almost as well as Oracle, doesn't offer you as big a range of choices; for example, the next higher gradation of DB2, which runs on IBM's RS/6000 RISC workstation, has relatively little third-party support. Still, for com-

DB2/2 2.1 helps new database administrators by automatically running a user-setup program and sample database-creation software after installation.



▲ Oracle 7.1's Object Manager lets you assign specific database privileges to each user.



◀ SQL Server 6.0 works closely with NT's built-in security mechanisms, especially its User Manager, which lets you define security levels by group.

panies downsizing to client/server and that already have DB2 on a mainframe, DB2/2 is an excellent desktop solution. It's also a good choice for organizations that need the utmost in reliability.

SQL Server runs only on Microsoft Windows NT, which limits its scalability to 486-based PCs through DEC Alpha-based systems and, eventually, PowerPCs. But it offers excellent integration with Visual Basic and with Microsoft and third-party applications.

To gauge reliability, we wrote an "RDBMS killer" program to find out how each product behaves at its saturation point. The multithreaded program, emitting SQL operations to each RDBMS at an ever-increasing rate, ran directly on the database server rather than across the LAN. All three products died during the stress test, as we expected. We wanted to study the failure itself, not measure how long each RDBMS lasted (long before your own database software died, you would have gotten more hardware and scaled your systems upward).

DB2/2 failed gracefully, shutting down and leaving the database undamaged. But when SQL Server and Oracle died, we had to run repair utilities before we could resume using the database.

DB2/2 2.1

IBM continues to make DB2 more consistent across PCs (running OS/2), RS/6000s (AIX), AS/400s (OS/400), and mainframes. IBM has targeted other platforms for DB2 as well, including HP-UX, Solaris, Sinix (Siemens Nixdorf Unix), and Windows NT. But DB2 is not yet one database product with a single code base. Slight differences exist among versions, most notably in the Data Definition Language (DDL) statements you use to allocate and initialize a new database. The bottom line: You sacrifice some portability with DB2.

We tested DB2/2, the OS/2 version that supports symmetric multiprocessing (SMP). DB2/2 supplies programming interfaces for a wide variety of computer languages, including C, C++, COBOL, and FORTRAN. IBM's own VisualAge and many third-party products (such as Watcom's VX-REXX) are excellent add-on tools you can use with DB2/2.

You can configure DB2/2 to replicate data among a set of database servers. DB2/2 can also work through Distributed Database Connection Services (DDCS) or other middleware products to interface with mainframe DB2 databases. Administration is easy, either locally or remotely,

through GUI administration software. For remote sites that don't have their own database administrator, DB2/2 offers remote administration tools. A separate product, Visualizer, lets you build, update, or query your database.

DB2/2 2.1 subjects SQL statements to one of nine levels of optimization just prior to processing those statements. The nine levels, which can be configured by a database administrator or set by application software, allow precise tuning of database response times. You'd use level 0 or 1 for SQL that's already optimized by the programmer. Higher levels let DB2/2 examine and reformat SQL submitted by, for instance, a front-end query tool such as Microsoft Access.

Programs can emit either "dynamic" or "static" SQL to DB2. Dynamic SQL is compiled at run time; it can be a string of text, for instance, that someone types into a program at the command line. In contrast, static SQL consists of statements, embedded directly in the program, that are fully known at compile time. Precompile and postcompile steps, part of a process IBM calls "binding," store the static SQL statements in files with a .BND extension. In general, static SQL executes much faster than dynamic SQL.

Oracle 7.1

Oracle runs on more than 90 platforms (about 60 of which are Unix environments). Because the database software is essentially the same code for each platform, Oracle is amazingly consistent on

different platforms. Moving an Oracle database from one platform to another is a simple matter of using the export and import utilities supplied with the package. Database administration and design are also consistent among platforms. The same DDL for creating an OS/2 Oracle database can also create a NetWare NLM, NT, or Unix one.

Oracle takes advantage of SMP in environments that offer multiple CPUs (OS/2, NT, AIX, SCO). The previous version of Oracle provided only "strict" data replication through two-phase commit or unsynchronized table snapshots. Version 7.1 adds loose, time-delayed replication from a primary database site and optimistic replication that allows any one database site to update without waiting for other sites to catch up. You can also configure Oracle to replicate table updates onto another (remote) Oracle database or a DB2 mainframe database.

Administering Oracle is easy, since the OS/2 and NT versions come with native GUI tools, but you administer the NetWare NLM version through an over-the-wire Windows interface. Oracle, through a separate product, offers remote administration tools for distant sites that don't have their own database administrators.

Oracle supports the use of triggers, stored procedures, and database constraints through its PL/SQL database server pro-

TOP THREE REASONS TO BUY...

DB2/2

- Supports faster-executing static SQL
- Works on SNA networks
- Is easy to program

Oracle

- Supports row locking
- Scales in fine gradations from PCs to mainframes
- Is consistent across platforms

SQL Server

- Works well with Visual Basic and shrink-wrapped Windows programs
- Has good Windows NT-based security features
- Replication is easy to set up and administer

gramming environment. It also supports dynamic SQL and, for embedded SQL, a form of static SQL. However, unlike in DB2/2, there is no separate "bind" step the programmer performs during development. And, to improve processing of SQL statements, Oracle uses an optimizer to predigest SQL. (See the Technology Focus box below for an explanation of SQL processing in all three products.)

Oracle isn't quite as easy to program as DB2/2, and it doesn't have tight, thread-oriented integration with the host operating system. On the other hand, Oracle enjoys a great deal of support from third-party software vendors, and SQL*NET is an excellent, multiplatform-oriented SQL de-

SQL Compilers: The Performance Nexus


The database engine's SQL compiler is arguably the most important part of an RDBMS. It must recognize and understand natural language (SQL), then turn the SQL statements into "instructions" it gives to the database engine's retrieval and update processes. The job is compounded by speed requirements.

SQL compilers process SQL statements in five basic steps. The first step parses the SQL, examines it for syntax errors, then converts the SQL parse tree into an internal representation. The second step examines the reformatted SQL to ensure that executing the statement won't violate referential integrity. This step also notes whether the database engine should process a constraint or trigger for the SQL.

Next, the SQL compiler rewrites the SQL statement, replacing view references with actual column names and transforming the SQL for processing by the optimizer. The transformation eliminates redundant joins, adds implied predicates, and converts INTERSECT clauses to EXISTS subqueries.

In the fourth step, the optimizer uses cost-based algorithms

to determine the most efficient execution method for the SQL statement. It finds the best join order, for example, and it decides whether the execution of the SQL statement will be CPU- or I/O-bound. The optimizer chooses an execution path for the SQL statement that will result in the quickest response from the database engine.



The fifth step "remembers" the essence of the SQL statement for later comparison with other SQL statements; the SQL compiler keeps a history of how well it optimizes statements so it can "learn" the fastest ways to access the database. After this fifth step, the SQL compiler delivers the compiled, optimized SQL statement to the retrieval and update processes in the database engine.

THE 1995 MICROGRAFX CHILI FOR CHILDREN COOK-OFF

TUESDAY NOVEMBER 14, 1995 6PM-11PM THOMAS & MACK CENTER (UNLV)



Mo' Dillos



Mo' Chili



Motown

NATIONAL CENTER FOR MISSING & EXPLOITED CHILDREN



MICROGRAFX
Proud patron of the Chili for Children Cook-Off

Join the computer industry's leaders for the hottest charity event of the year - the Micrografx Chili for Children Cook-Off. With lots of great eats, dillo-racin' fun and live music from the one and only Temptations, the party is sure to cook! Best of all, your \$50 cook-off ticket will help support the National Center for Missing and Exploited Children. So come have a blast and help a great cause! For information or tickets, call The Chili Hot Line at 1-800-357-7255. Or stop by the Micrografx Chili for Children Booth in the lobby of the LV.C.C. or the Sands Expo at Comdex/Fall. On behalf of the children, thank you in advance for your support.

Check out the latest info on our home page: <http://www.micrografx.com/chili.html>

MICROGRAFX CHILI FOR CHILDREN



A RECIPE FOR HOPE

1995 CATTLE BARON SPONSORS



EPSON



Microsoft



All net proceeds are distributed to the Micrografx Chili for Children Foundation, Inc. beneficiaries.

livery mechanism.

SQL Server 6.0

Microsoft originally licensed an OS/2 version of SQL Server from Sybase. But when Microsoft ditched OS/2 for Windows NT, it terminated that business relationship. The latest version of SQL Server continues to look much like the Sybase database management products (which run on Unix platforms), but Microsoft says that it has changed about 60 percent of SQL Server. We found that the underlying architecture has changed considerably from prior versions. The programming interface and configuration process, on the other hand, are similar to earlier versions of both Microsoft SQL Server and the Sybase product.

SQL Server, which now runs only under NT, has a new GUI administration tool called SQL Enterprise Manager (SEM). While previous versions of the RDBMS used a text-mode Interactive SQL (ISQL) interface, this one has GUI database-administration tools. New features include scrollable cursors, distributed management objects, and extended stored procedures. Before, you coded your SQL Server stored procedures in Microsoft's (Sybase's) Transact-SQL language, and you were limited both in performance and in function to the design of Transact-SQL. Extended stored procedures allow SQL Server to use external programs to handle database events. And, like Oracle, the program uses a cost-based optimizer to examine and reformat SQL statements.

Microsoft has tightly integrated SQL Server into the NT environment. It is consistently the same database manager, from both architectural and user interface viewpoints, on Intel, Mips, or DEC Alpha sys-

COMPARING RELATIONAL DATABASE FEATURES

	DB2/2	ORACLE	SQL SERVER
Price per user (50 users) ¹	\$123	\$101	\$25
Server platforms (with OS)	PC (OS/2), RS/6000 (AIX), AS/400 (OS/400), mainframe (MVS, VM)	PC (OS/2, NT, NetWare), assorted Unix, mainframe (MVS, VM)	NT
Client platforms	DOS, Windows, OS/2, Macintosh	DOS, Windows, OS/2, Macintosh	DOS, Windows ²
RAM (replication enabled)	16 MB	16 MB	32 MB
Symmetric multi-processing support	●	●	●
Maximum columns per table	256	256	250
Row locking	— ³	●	— ³
Replication	●	●	●
Centralized management	●	— ⁴	●
Referential integrity	●	●	●
Stored procedures, triggers, and constraints	●	●	●
Programming languages	C, C++, COBOL, REXX, FORTRAN	C, C++, COBOL, FORTRAN	C, C++, COBOL, Visual Basic
Transport protocols	IPX, NetBIOS, SNA (APPC), TCP/IP	IPX, NetBIOS, TCP/IP	IPX, NetBIOS, TCP/IP
Static SQL	●	○	○
SNMP alerts	●	○	○

● = yes; ○ = no

¹ Includes base product plus 49 client licenses

² Microsoft does not support OS/2 and Mac clients, but third-party support is available.

³ Page-level only

⁴ Oracle offers separate remote-monitoring utilities.

tems. NT schedules individual SQL Server threads on different CPUs if your database server is an SMP machine.


SQL Server, like DB2/2 and Oracle, can automatically replicate changes onto remote databases, but its replication uses a publish-and-subscribe metaphor. A distribution server hosts a distribution database, which holds rows from published tables until SQL Server can copy the rows to the databases that subscribe to the published tables. A publication database can define publication tables, and a subscription database can subscribe to those published items. Through SQL Server's SEM interface, replication is particularly easy to set up. However, changes made on a remote SQL Server by means of a remote procedure cannot be rolled back (undone).

SQL Server's tight integration with NT helps make it a secure database, and SEM gives it point-and-click ease of use. But SQL Server isn't yet ready for the enterprise. If you use OS/2 or Macs, you'll have to buy an ODBC connectivity solution from a company other than Microsoft. And because of the rift between Microsoft and Sybase, SQL Server customers who want to

mix the Sybase and Microsoft versions of the program will have trouble. ■

Contributing editor Barry Nance is the author of several books, including Using OS/2 Warp and Client/Server LAN Programming (Que, 1994). You can reach him via the Internet at barryn@bix.com.

Moving On Up



While SQL Server runs only on Windows NT, DB2 scales from PCs up through mainframes. Oracle, which runs on more than 90 platforms, scales especially well.

Product Information

DB2/2 Client/Server 2.1 . . . \$1495 (includes five client licenses; \$85 per additional client)
IBM
Armonk, NY
(800) 342-6672
(914) 765-1900
fax: (313) 225-4020
Circle 1144 on Inquiry Card.

Oracle 7.1 \$199 per server (\$99 per client)
Oracle
Redwood Shores, CA
(415) 506-7000
fax: (415) 506-7200
Circle 1145 on Inquiry Card.

SQL Server 6.0 \$999 (plus \$119 for 20 client licenses)
Microsoft
Redmond, WA
(800) 426-9400
(206) 882-8080
fax: (206) 936-7329
Circle 1146 on Inquiry Card.

Organization Made Loud and Clear

NetManage's ECCO Pro is both a sophisticated PIM and an alternative Windows desktop

JOHN MONTGOMERY

There is a method in your madness, you continue to insist, despite working in an office that seems to have been decorated by the guy who invented the Post-It, where the papers on your corkboard should be carbon-dated, and where any horizontal surface is a filing cabinet. This is entropy in action.

NetManage's ECCO Pro is a personal information manager (PIM) that fights entropy. By using linked outlines, ECCO not only can round up your to-do list, your list of people to call, and your phone book, it can help restructure the way you work. With ECCO, you'll start to think in hierarchical terms, categorizing what needs to be done and even doing simple project management.

But that's ECCO's downside, too. As with any PIM, you have to adjust to the way it works. Despite this one possible shortcoming, ECCO is powerful enough to handle most PIM tasks. Actually, ECCO is a little scary. It's so all-inclusive that you may find you can't function without it. You won't feel comfortable jotting a name down on a piece of paper. You'll have to

enter it directly into ECCO's phone book.

Not Just a PIM

About three years ago, ECCO reintroduced PIM users to the concept of outlines. The new version (3.0) calls them notepads, but they're basically still outlines, with some user interface (UI) improvements, such as easy ways to join and split lines.

ECCO is capable of far more complex presentation and organization, though. You can add columns, as you can in a spreadsheet. For a project outline with a month-project-tasks hierarchy, you could add a start date and an end date, a pop-up list of people available to work on the project, and a check box to mark when you finish a stage of the project. If you wanted to get really fancy, you could even add Gantt charts and columns based on information



Unlike standard Windows applications that are compliant with the Multiple Document Interface (MDI), ECCO Pro actually merges different views into one seamless window, so it's easy to move data from one notepad to another.

in your phone book or to-do list. In fact, you can cross-reference the information in any of the outlines you create.

This type of cross-referencing is handy. You can drag information from one outline into another, and it will be referenced in both places. For example, drag a name from your phone book to your calls list. ECCO not only adds it there but adds a check mark by that name in the phone book to remind you to call the person. During the phone call, you can take notes under the person's name in either the calls list or the phone book. The name and note will appear in both places. When you mark the call as done, it's added to your completed tasks list, so you can keep a record for your nosy boss.

Learning How to Think

ECCO includes six templates, each targeted at a type of information: general, legal, manager, project, research, and sales. Common to each template are, not surprisingly, a calendar and a phone book—standard in any PIM. Common across most are a tasks list and a calls list.


Outlines and templates aside, what makes ECCO special is its integration with other applications. It supports OLE 2.0, so you can embed documents into ECCO outlines with no problem (though in these days of widespread OLE 2.0 availability, that goes without saying). Beyond that,

ECCO's Unique File-Locking System

When you share files on a network, you need some way to ensure that two people can't modify the same data at the same time. That's easy if you're not expecting two people to try to access one file at once. But with shared files, such as those ECCO uses, you need sophisticated file locking.

ECCO isn't record-oriented, so it can't use the type of locking found in most commercial databases. Instead, it usually (depending on the type of file) locks a file for as long as a client needs it and then unlocks it. This basic protocol is called **OF_SHARE_DENY_NONE**, which specifies that if the file is already open in another mode, a second open command should fail, but multiple clients can open it in this mode. When the file is open, ECCO sets the first 16 bytes of the file as locked using the DOS FLOCK function (a DOS INT 21H function). Once all this is set up, only the locking process can read or write to the file.

File locking varies a little depending on the type of file you're opening. The most common scenario would run like this. You open a shared file. ECCO opens the shared file itself, loads it into memory on your machine, and then closes it. ECCO then opens a pair of shared status files and holds them open until you close the original file.



TECHNOLOGY FOCUS

What's New in Version 3.0

- Group scheduling via direct network access, TCP/IP, and E-mail
- Real-world templates (e.g., Rolodex and three-ring binder)
- Expanded drag-and-drop functions
- Time and expense tracking
- Simplified dialog boxes

ECCO also includes a clever tool called the Shooter—a sophisticated cut-and-paste tool that far surpasses Windows' own. When you install ECCO, the Shooter (a small arrow) appears in the title bar of all the applications you run. You left-click on it, and a drop-down menu appears, offering you the option of "shooting" selected information to another application. Generally, you'll probably be shooting names and addresses from your ECCO phone book into word processing documents.

Here's the best part: When you update the information in your ECCO phone book, it will be updated in your word processing document, too. We noticed a minor problem with the Shooter, however. On

slow machines, it drags down the responsiveness of your running applications. But on any machine faster than a 486/50, you shouldn't notice a problem.

The main drawback to ECCO is that the database around which it's centered isn't fully relational, and the filtering engine can't compensate for this. So, to take different views of a project, you must create a new outline and drag the folders from the folder manager into the new outline. You can't click on a column in your existing outline and say, "view by this column." You can sort by columns, however.

Once you have mastered ECCO, you will probably find that your co-workers are envious of your new-found efficiency. That's when to install it on your network. ECCO uses three tools for sharing information. With the first tool, ECCO stores its shared files on a file server but keeps the executable file on your local disk. You then use the second tool—an

E-mail transport such as Vendor-Independent Messaging (VIM) or MAPI—to request meetings. The third tool is replication. You can replicate local information from a desktop computer to a notebook and back.

Enforced Organization

For people who are already organized, ECCO is a natural way to work. If you're not organized, ECCO can help you get there by making you think of projects and information hierarchically. But if your style is more free-form, maneuvering to the correct outline, finding the right place to enter data, and learning how to use the information in the various columns could be more trouble than it's worth. With that caveat, we recommend ECCO Pro for anyone who is striving to reach the apex of organization. ■

Product Information

ECCO Pro 3.0 \$175
 NetManage, Inc.
 ECCO Division
 (206) 885-4272
 fax: (206) 885-0127
 eccoservice@netmanage.com
 http://www.netmanage.com
Circle 1231 on Inquiry Card.

John Montgomery is BYTE's features editor. You can reach him on the Internet or BIX at jmontgomery@bix.com.

New, Used and Remanufactured Sun Workstations • Peripherals • Tadpole Laptops • Axil Computer Workstations & Servers • Memory •

real world solutions

WEITEK
 TADPOLE
 ROSS
 AXIL
 AXILERATE
 SUN

Rave Computer SUN MARKETPLACE Reseller

You want the best, the fastest and most reliable products • You're budget is limited • Your hardware must optimize the software • You need performance, upgrades and trade-ins • You want options • You're in the market for reliable compatibles and price sensitive servers • You want real world solutions...

Welcome to the Revolution
 The world is changing and so is Rave.

There's a revolution of SPARC compatible products that can redefine the way you do business - smarter, faster and more economical. You have rightsized, now ravesize with the number one Sun Marketplace Reseller - Rave Computer. We carry a full line of new, used and remanufactured Sun hardware and compatible workstations and servers. Plus performance upgrades, software, peripherals, and technical support.

You get real world solutions with manageable, economical products from Rave. To find out more, call us today.

Rave Computer Association, Inc.
 36960 Metro Court • Sterling Heights, MI 48312 • Fax: (810) 939-8230
1-800-966-7283
 E-Mail: sales@rave.com
Rave Financial Services, Inc 1-800-500-7283

Visit us on the Internet:
<http://www.rave.net>

PERIPHERALS • TADPOLE LAPTOPS • AXIL COMPUTERS • AXILERATE BOARD UPGRADES • MEMORY

SUNSOFT • AXILERATE BOARD UPGRADES • TADPOLE LAPTOPS • AXIL WORKSTATIONS & SERVERS

ROSS • TECH-SOURCE • GRAPHICS UPGRADES • SPARCSTATIONS & SERVERS I, I+, IPC, IPX, S, IO, Z0 & 600MP, S1000

Storming the Enterprise

OLE Automation servers make Visual Basic 4.0 a tool for three-tier client/server applications

STEVE GILLMOR

With release 4.0, Visual Basic developers can create their own OLE components, deploy them via Remote Automation technology, and programmatically control the development environment. Microsoft's new version offers other significant improvements to the existing Standard and Professional Editions, as well as adding an Enterprise Edition for team-based client/server projects. It's a big leap forward.

As Microsoft moves millions of computer users to the 32-bit world of Windows 95 and NT, Visual Basic has been endowed with both 16- and 32-bit versions. Now users can not only create NT and Windows 95 logo-ready applications, but they can use the same Visual Basic for Applications programming language that was first introduced in Microsoft Excel.

From 16-bit VBXes to 32-bit OCXes

Since version 1.0, Visual Basic has prospered by providing an intuitive development toolkit augmented with third-party Visual Basic custom controls (VBXes). Version 4.0 delivers a migration path from 16-bit VBXes to 16- and 32-bit OLE Controls (OCXes).

The conversion is automatic. Visual Basic checks to see if OCX updates exist when your project is loaded, and it then prompts you with a dialog box to confirm the changes. You can still use VBXes if you like, but only with the 16-bit versions of Visual Basic 4.0 provided in the Professional and Enterprise Editions. The Standard Edition is available only in the 32-bit version. All three editions ship with 10 Windows 95 custom controls.

Integration of the Data Control and the data-aware controls, which began with version 3.0, continues with the new product. The OLE Container Control now is data-bound, as are the grid, list, and combo boxes. A new 32-bit version of the Jet database engine, which Visual Basic shares with Microsoft Access, adds referential integrity, cascading updates and deletes, programmatic security control for users and groups, multiple workspaces for multiple simultaneous connections, and Rushmore

technology for accelerated queries.

Version 3.0 of the Jet engine also marks Microsoft's first steps toward database replication; developers can now convert databases into replicable forms that can be copied and subsequently synchronized. If you have Access for Windows 95, you can synchronize (or merge) one replica with another via the Windows 95 Briefcase.


We were particularly pleased with Visual Basic's leveraging of the Windows 95 environment. For example, you need Windows 95's expanded Resources to load multiple instances of the program, a requirement for developing remote OLE servers on a local machine. Drag-and-drop and right-mouse quick-menu support (both Windows 95 features) quickly become old friends during forms development.

The Look and Feel of OLE

Like its predecessor, Visual Basic 4.0 lets you control other applications' objects via OLE Automation. You can use the enhanced OLE Container Control to display stored OLE documents, including audio and video clips. Commercial applications, such as Excel, Word, and Visio for Windows, can provide ToolBox icons to represent their OLE document objects.

The Visual Basic editor reflects the expanded integration of OLE Automation. You use the new Object Browser (see the screen) to explore the object libraries supplied by OLE-enabled applications. When an OLE server is installed on your system, you can select its object library from a drop-down list that also includes your current project. You then choose a class from the Classes/Module box, which displays the associated methods and properties in the companion window.

You can show or paste syntax templates



Visual Basic 4.0's Object Browser displays objects you create, as well as objects from other applications. Here objects are being selected from Visual Basic's own integrated development environment (IDE) library.

into your code, jump to context-sensitive help, or simply use the Browser as a quick way to navigate from one spot to another in your project's code. You can also set an option to view either one procedure at a time or all in a scrollable listing.

OLE Automation and Other Developments

Microsoft is midway through the process of migrating the Visual Basic for Applications language across its Office suite; Office 95 now has it in Excel and Project, with Access to receive it soon, and Word and PowerPoint to follow by year's end. VBA has finally arrived, bringing with it optimized OLE tools such as the With and For Each statements and the Collection data type. These constructs make code simpler, faster, and more readable, plus you can use code generated by the Excel macro recorder without modification.

VBA allows conditional compilation both in code and from the command line, making it simple to create common code that can be recompiled for either 16- or 32-bit versions of projects. You can use the new Compile on Demand and Background Compile switches to determine whether a project is to be fully compiled before it starts, compiled as needed to speed application start-up, or compiled in the background during idle time. Support has been added for automatic incremen-


Executing Remote Objects

Visual Basic 4.0's technology for distributing and executing remote objects offers a glimpse of future Windows technology. Microsoft says these remote-execution features will be included as part of Cairo, the next major upgrade of Windows NT.

When you install the Enterprise Edition on a client machine, Visual Basic adds a new OLE Automation proxy. When an OLE client asks to use an object, the Windows Registry knows whether that object resides on a local or remote machine. If it's on a remote machine, the Registry communicates with the new OLE proxy, which converts the standard OLE Automation call to a Windows NT remote procedure call (RPC). The object is then sent across the network wire, where it's picked up by the Automation Manager, a multithreaded, redistributable application that the Visual Basic developer places on the server by using the Setup Wizard.

The Automation Manager receives the RPC message stream and reconverts (or *unmarshalls*) the data to standard OLE Automation calls, which are then sent to the server application. Neither the client nor the server deals with anything other than standard OLE Automation. In addition, the programmer doesn't need to know anything about RPC coding.

Because OLE servers created in Visual Basic are single-threaded, programmers tend to run several instances of the same object within a server to achieve multitasking. But since each object takes up roughly



Remote Automation works by replacing the original proxy and stub with modules that use the remote procedure call (RPC) protocol to communicate over the network.

500 KB of RAM, running multiple remote servers simultaneously can drag down performance. To get around this problem, Visual Basic provides a Pool Manager, which maintains pools of objects that can be handed to clients as needed. The pools can be on separate computers.

The Remote Automation technology works only with out-of-process servers. You cannot access a remote in-process DLL directly from a client machine, but the remote server can access those DLLs on its own machine.

Protect Software Once and for All

Software Security's UniKey® Anti-Piracy System

- \$17 hardware key is the industry's most powerful protection
- Developer-accessible memory
- Protects multiple applications
- Supports future upgrades
- The only patented software protection technology
- Automatic protection — no programming!
- DOS, Windows (including NT and 95), Unix, Power Mac, NetWare and other networks supported

**Call now and order your UniKey Developer's Kit:
800-841-1316**



6 Thorndal Circle, Darien, CT 06820-5421 (203)656-3000

Software Security International Ltd.
+44 - (0) 1784-430-060

See us at Comdex Booth #S4657

A Message to Our Subscribers

From time to time we make the BYTE subscriber list available to other companies whose products or services would be of interest to our readers. We take great care to screen these companies, choosing only those who are reputable. Furthermore, subscriber names are made available for direct mail purposes only; telemarketing calls are strictly prohibited.

Many BYTE subscribers appreciate this carefully managed program, and look forward to receiving information of interest to them via the mail. While we believe this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive promotional literature. Should you wish to restrict the use of your name, please send your request (including your magazine mailing label, name, address, and subscription account number) to:

**BYTE Magazine Subscriber Services
PO Box 555, Hightstown, NJ 08520**

A Division of The McGraw-Hill Companies

A Minuteman UPS Can Save More Than Your... Equipment.



Spikes, surges, brownouts and blackouts---they're all disasters waiting to attack. It's not if your network will get hit, it's a question of when. Without a complete power protection strategy, your entire network is at risk.

What happens when servers go down? What about bridges, routers and hubs? Each component on the network that relies on AC can cause havoc.

When you choose a brand of power protection, you put your reputation, even your job on the line, and you've got to make sure your back-side is covered. Minuteman has a comprehensive line of power protection products ranging from UPSs for workstations and servers, to total SNMP solutions.

We understand that if you lose yours, we lose ours,

and that's why we take extra care in designing and manufacturing our UPSs to the highest quality standards. After all, reliability is why you buy power protection, and that's exactly why more and more network administrators and hardware specialists are choosing Minuteman UPSs.

Our power protection specialists are trained to assist you in configuring the right protection strategy that fits your needs and your budget. You can't buy better power protection for your mission critical applications. Make sure you're covered. Rely on Minuteman. We'll save more than your... equipment.

Minuteman Has The Solutions For All Power Requirements

Alliance Series
300VA to 2000VA
Feature-rich,
Aggressively-priced
\$139 to \$1059

Continuous Power Series
500VA to 10,000VA
True On-line, Intelligent,
\$799 to \$9999

XRT Series
600VA to 2000VA
Intelligent, Line-interactive,
True sinewave, Extended Runtime
\$799 to \$1799

SNMP Solutions
From single-port to
4-port systems,
10-base-2, 10-base-T
and Token Ring, MIB Agent
\$169 to \$999

Powermind Series
600VA to 2000VA
Intelligent, Line-interactive,
True sinewave
\$499 to \$1499

Power Management Software
From single-user to
Large Networks
\$69 to \$299

MINUTEMAN
UNINTERRUPTIBLE POWER SUPPLIES

1455 LeMay Dr.
Carrollton, TX 75007
(214) 446-7363 Voice
(214) 446-9011 Fax



**Call Today For
A Special Offer**

1-800-238-7272

Circle 82 on Inquiry Card (RESELLERS: 83).

tal versioning, and you can now edit and store Windows EXE header-file information (e.g., comments and trademarks).

The Professional Edition takes a giant step by offering the ability to create your own OLE Automation servers. Two types are possible: in-process and out-of-process. Both expose methods and properties that can be browsed by any OLE client application. An in-process server is implemented as a DLL and runs in the same

process as the client that accesses it.

Out-of-process servers run in their own address space; they require OLE's proxy/stub mechanism to receive parameters from the client and then return them. The Enterprise Edition adds the capability of executing these out-of-process servers remotely over a network (see the Technology Focus box). You can move frequently changing code from front-end client machines to a centralized OLE Automation

server for easier maintenance, while processor-intensive tasks are executed by powerful remote servers at the back end.

Visual Basic 4.0 is itself an OLE server, exposing its integrated development environment (IDE) to interaction with OLE-compatible applications, including OLE servers that you can now create. This technology opens Visual Basic to a variety of integrated add-ins, including Wizards, template libraries, forms generators, CASE, and team development tools.

A Promising Future

Visual Basic 4.0 continues to expand the horizons for custom applications. Wholesale adoption of OLE Automation throughout the programming system goes hand in hand with Microsoft's Office 95 strategy. Gone are the synchronization issues with Microsoft Access that required reduced-functionality compatibility layers.

The ability to create OLE Automation servers is not matched in OCXes; that task still falls to Microsoft Visual C++ or comparable tools. Visual Basic continues to generate code that requires a run-time interpreter for execution, with a resulting trade-off in performance versus a compiled product. On the other hand, Visual Basic executables remain smaller, because they don't have to add run-time code for each module in a distributed application.

Furthermore, the Remote Automation technology does not constitute true, distributed-component computing. Rather, it supports a new approach to rapid applications development for client/server tools. Because business rules are separated from the front and back ends, the resulting code can be revised, maintained, and reused more easily. And the new OLE-server capability can make users providers—not just consumers—of Visual Basic applications and add-ins. ■

Steve Gillmor is director of Southern Digital, Inc., a consulting firm in Charleston, South Carolina. He is coauthor of Using Visual Basic 3 (Que/Prentice-Hall, 1993). He can be reached on the Internet at sgillmor@aol.com or on BIX c/o "editors."

Can Your UPS Do This?



Smart Series Exclusive #1

PowerAlert Plus software allows you to view operating information on any network station from any network station.



Smart Series Exclusive #2

PowerAlert Plus records all power problems networkwide to one easy-to-view Master Log.



Smart Series Exclusive #3

PowerAlert Plus' built-in graphing utility allows you to graph incoming power anywhere on the network.

FIND OUT MORE

Call now and we'll send you our **FREE VIDEO** or your no-obligation sample unit.
312/755-8741
Ask for Dept. Q30



280 VA to 5000 VA models available



500 N. Orleans
Chicago, IL 60610
Tel: 312/755-8741
Fax: 312/644-6505



**The Smart Series UPS from Tripp Lite
The Power Protection Price Leader**

Product Information

Visual Basic 4.0
Enterprise Edition \$995
(Standard Edition, \$99; Professional Edition, \$499)
Microsoft Corp.
Redmond, WA
(206) 882-8080
(800) 426-9400
fax: (206) 936-7329
Circle 1026 on Inquiry Card.

PRICES
REDUCED UP TO
30%

289

Fortress quality power protection arrests them all.

POWER

THUGS

WILL TRY TO

MUG

YOUR

SYSTEM

THIS YEAR.

HELP!

Typical network locations in the U.S. get mugged by an average of 289 power disturbances yearly. Surges. Spikes. Sags. Brownouts. Nasty stuff that can corrupt your data. Steal productivity.

Fortress® uninterruptible power systems stop this crime wave cold. With advanced features like Adaptive Power Tracking, Fortress—unlike some “UPS”—prevents any break in computer-grade power to your system.

As for violent crime, Fortress passed grueling tests to earn its UL 1449 badge for lightning and surge protection.

Fortress scores highest.
In the 1994 Reliability Ratings Survey, the BEST Fortress customer satisfaction/reliability score was higher than any other (UPS) vendor surveyed - 4.94 average rating on a 1-to-5 scale. All surveyed would buy BEST again.

(A “Double Lifetime” Warranty is standard.)*

Plus, Fortress is loaded with intelligence. The front panel displays critical data like runtime remaining (no software needed). Customizing operation is a breeze. And sophisticated network power management is a snap.

Serious about crime prevention? Find out more about today's best value in serious power protection. Fortress.

Call 1-800-356-5794, ext. 102 for more information.

Come See Us at COMDEX Booth #S3056



BEST POWER
A UNIT OF GENERAL SIGNAL

Circle 64 on Inquiry Card (RESELLERS: 65).



(And other major operating systems)

*“Double Lifetime” surge/lightning warranty on UPS and protected equipment (up to \$25,000) U.S. and Canada. Ask for details of this limited warranty.

© Best Power Technology, Incorporated 1995



FREE
“Crime” survey for your area.
Obtain FREE hard data on power quality in your area from the BEST National Power Laboratory * five-year real-world study
Call 1-800-356-5794, ext. N005


New Back-UPS:® \$119 blackouts, brownouts




MICROSOFT
WINDOWS
COMPATIBLE

Just don't have the time for power problems on your PC? Don't worry. They'll always make the time for you. It's not if a power problem will occur, but when. Due to household appliances, poor wiring, bad weather or even other office equipment, power problems are as inevitable as death and taxes. You can't run, but you can hide, behind APC protection.

That's why we've just introduced new models in our award-winning Back-UPS line, now delivering reliable protection for just \$119.



Source: Contingency Planning



Source: Bell Laboratories

IN THE NEXT THREE MONTHS, MORE THAN 30,000,000 PCs WILL BE HIT BY POWER PROBLEMS...

Who needs power protection? If you use a computer, you do. A study in a recent *PCWeek* showed that the largest single cause of data loss is bad power, accounting for almost as much data loss as all other causes combined. Every PC plugged into an outlet is vulnerable. In fact, you have better odds of winning the lottery than of escaping the sting of power problems. One study found a typical PC is hit over 100 times a month, causing keyboard lockups, hard drive damage, and worse.

Simply put, if power problems are the least of your troubles, you've got one chance to keep it that way. You insure your car and home with the best policy you can afford. It just doesn't make sense to leave your PC (which is at far greater statistical risk) vulnerable to loss or damage.

WHY A \$119 APC UPS COSTS LESS THAN A \$9.99 "SURGE PROTECTOR"...

Contrary to most people's belief, a PC alone already has more protection built into it than a low-end "surge suppressor," which is usually nothing more than a well-packaged extension cord. In other words, going without any protection is just as good as underspending on one of the most important PC decisions you'll make.

And since sags and blackouts represent more than 90% of power problems likely to hit your computer, even quality, high-performance surge suppressors are literally powerless to protect you from data loss.

That's why you need instantaneous battery backup power from an APC Uninterruptible Power Supply to prevent



For extended brownout protection for advanced PC workstations call about APC's New Back-UPS Pro!

PC World
Top 20
Upgrade

"Don't take chances. Get the ultimate protection... from APC."
--PCWorld

"★★★★ Back-UPS should be standard on every desktop... effective, affordable, designed to last..." --PC Computing

"A UPS can pay for itself the first time it saves your data." --MacUser

PC
MAGAZINE
UK
EXCELLENCE
AWARD

"The clear winner in price performance... it's unbeatable..." --PC Magazine UK



LIFETIME EQUIPMENT PROTECTION
\$25,000

FOR AS LONG AS YOU OWN THE PRODUCT, IF YOUR PROPERLY CONNECTED EQUIPMENT IS EVER DAMAGED BY AN AC SURGE, INCLUDING SURGES DUE TO LIGHTNING, APC WILL REPAIR OR REPLACE YOUR PRODUCT AND UP TO \$25,000 OF CONNECTED EQUIPMENT (SEE POLICY FOR DETAILS, VALID IN U.S. AND CANADA ONLY).

protection against and other trials by fire

More than 3,000,000 satisfied customers count on APC reliability that goes above and beyond the call of duty

After a raging fire which took 18 trucks to subdue, Michael Benolkin, director of the Systems Division at Correa Enterprises, Inc. didn't expect much. "While rummaging through the ashes, we heard something beeping. Our four APC units were still in action, while two UPSes from another brand were history. We're still using these same APC units at our new office location - they still work like a charm! We're impressed with the ruggedness, reliability, and product support offered by APC."



Trial by Fire

Brian Krause, Network Manager for Goodyear Airship Operations, knows how critical APC protection can be. "The night of the All-star game a tornado came through our blimp hanger and took out our roof. Our airships demand absolute communication so I protect our local and remote servers with the most reliable protection I can find: APC. APC's PowerChute software shut our server down in an orderly way... closed out all files nice and neatly. When we reconnected, everything came back up perfectly, without a hitch."



Trial by Air

Doug Welch learns his reliability lessons well: "While still a Computer Science student, I was at home preparing a large spreadsheet for a final project when Anchorage experienced an all too common 5+ Richter earthquake. If not for my Back-UPS 400 it would have been back to square one! I'm now the Network Systems Manager at Charter College, in charge of three networks. I learned my UPS lesson well back in my student days. I've never been disappointed with APC and the product has had quite a work out."



Trial by Earth

Faced with a water main break, Mark Conley, Regional Manager of Novell's remote sales office in Detroit was amazed at APC's reliability. "The APC unit was sitting in an inch and a half of water, working just fine, as though nothing was unusual and we lost no data to this disaster. We've used APC here now for at least four years - more than a dozen units are all around the office, and we're well satisfied, so we were even more impressed to learn that the units are amphibious!"



Trial by Water



Back-UPS Award Winning FEATURES

- ▶ Unmatched surge/lightning protection for maximum hardware safety
- ▶ Site diagnostics automatically spot missing ground and reversed polarity
- ▶ LAN signaling allows simple shutdown with interface kits for automatic data protection (400 and above)
- ▶ User replaceable, hot swappable batteries insure uptime safe disposal. Batteries will last 3-5 years under normal use.
- ▶ \$25,000 lifetime Equipment Protection
- ▶ 10 minute runtime with specified applications. For longer runtimes choose next largest unit.

Model	Application	Sugg. List
200 NEW	"Green" PCs	\$119
280 NEW	LAN Nodes	\$139
400	Desktop 486/386 systems	\$199
450	Tower 486/386 systems	\$254
600	CAD/CAM workstations	\$359
900	Longer runtime	\$529
1250	Multiple systems	\$689

keyboard lockups, data loss, and crashes. With an APC UPS, you get six times the protection of a high-end surge protector for little more than twice the price. And \$119 is much less expensive than false peace of mind. APC UPSs carry up to a \$25,000 lifetime guarantee against surge damage to your properly connected equipment, and are available to suit any application, from network servers and PCs, to fax and satellite systems.

PROTECT YOURSELF OR KICK YOURSELF...

It's been said that there are two types of computer users: those who have lost data, and those who are about to. Prevent the single largest cause of computer problems and join a fast-growing third category: those who protect their PC's with the most reliable protection they can buy: APC UPSes. So ask for APC at your favorite reseller. At just \$119 an APC UPS is serious protection no serious computer user should be without.



Visit APC's
NEW PowerPage[®]
on the Internet

www.apcc.com

APC has won more awards for reliability than all other UPS vendors combined...



APC[®]

AMERICAN POWER CONVERSION

Call 800-800-4APC

Tel: (401)789-5735

Fax: (401)788-2797

Compuserve: GO APCSUPPORT

Internet: apctech@apcc.com

please reference Dept. A2

The most protection less money can buy.

The OPTI-UPS 280E has more features yet costs less than the APC 280 Back-UPS Pro or Tripp Lite Smart 280.
(Why pay more to get less?)

The OPTI-280E is part of our power-packed E-Series, which also includes the 420E, 650E, 1000E and 1400E. It offers the high-end features you need like buck and boost line conditioning, a smart communications port and compatibility with our OPTI-SAFE+ UPS Communication Software. The bottom line is that the OPTI-UPS E-Series offers more than basic

protection and still costs over \$60 less than the comparable APC or Tripp Lite unit!

Don't allow yourself to be under-protected by 'value-of-data' charts and graphs. The OPTI-UPS E-Series has been designed with the idea that everyone's data is equally important and deserves the highest level of protection available. Designed for network and stand-alone use, the OPTI-UPS E-Series provides guaranteed security from power blackouts, surges, sags, and other destructive electrical disruptions.

It's never been easier to get the most protection less money can buy. For more information on the money saving OPTI-UPS E-Series simply call 1-800-THE-OPTI; Product Code 519.

Circle 80 on Inquiry Card (RESELLERS: 81).

MODEL	OPTI-UPS 280E	APC		TRIPP LITE		
		BK280	BP280	BC280	OMNIPRO280	SMART280
Price*	\$129	\$139	\$199	\$137	\$194	\$295
VA	280	280	280	280	280	280
Type	Line Interactive	Standby	Line Interactive	Standby	Line Interactive	Line Interactive
Voltage Regulation	Buck & Boost	None	Buck & Boost	None	Buck & Boost	Buck & Boost
Intelligent Comm. Port	Yes	No Port	No Port	No Port	No Port	Yes
Data Line Protection	Yes	No	Yes	No	No	No
User Replaceable Battery	Yes	Yes	Yes	No	No	No
Auto Self Test	Yes	No	Yes	No	Yes	Yes



OPTI-UPSTM
Uninterruptible Power Systems
By OPTIQUEST.



Sudden Darkness

BYTE tests 31 network-capable UPSes and picks the best

**REX BALDAZO, RICK GREHAN,
AND DAVE ROWELL**

Deciding that your network servers need power protection is easy. Choosing an uninterruptible power supply (UPS) to protect them is not.

At the very least, you'll want a UPS that can automatically and gracefully shut down servers without data loss during a power outage. The ability to run through brownouts is important in some locations, and any UPS should filter out voltage transients (e.g., spikes, surges, and noise) that can damage data or equipment.

Before you buy, however, you should consider many other factors, such as local power conditions, equipment load, network topology, business dependency, budget, and even your style of system administration. To help simplify your decision, we tested 31 such network-capable UPSes with capacities between 750 and 1250 volt-amperes—enough to comfortably support two to three file servers. Prices ranged from \$600 to \$2050.

We evaluated hardware performance and network software features. In most cases, all 31 units can do the job, but some better than others. Weighing output quality, software functionality, battery life, and price, we wholeheartedly recommend seven of these units (see the photo at right). To help you decide which is best for your needs, see our feature-comparison table that begins on page 228.

Line Interactive or On-line

UPSes suitable for backup of small server installations come in two classes: line-interactive units and on-line units (the latter tend to cost more).

The main distinction between line-interactive UPSes and on-line UPSes, practically speaking, is what happens to output voltage at the moment of a power loss. A line-interactive unit lets through a small and usually inconsequential power gap (measured in milliseconds as a *transfer time*) when it switches to battery power during an outage.

Line-interactive units are basically high-class standby UPSes that have micro-



The network UPSes we'd recommend most. For on-line units (back row, left to right): Powercom's ONL-1250, Exide Electronics' Powerware Prestige 1000P-1, Controlled Power's LT-1200, Powercom's ONH-1000, and Hewlett-Packard's PowerWise 1000 VA UPS. For line-interactive units (paired in front): Deltec's PowerRite Pro 1000VA and American Power Conversion's Smart-UPS 1000.

processors, some voltage regulation, better performance characteristics, and a greater ability to communicate with software on a server, usually through a serial connection. (We didn't test standby UPSes with lesser capabilities.)

A typical on-line UPS constantly converts AC to DC and then back to AC again, and a power outage (or just about any other power abnormality) has little or no effect on output. Most PC power supplies, especially server-quality units, can easily withstand voltage dropouts of 20 milliseconds, and sometimes longer, without consequence. The longest transfer time we measured from a line-interactive UPS was 15 ms (see the comparison table). Some electronic equipment may not tolerate any transfer time, and touchy power supplies in some older PCs might reboot with transfer times as short as 5 ms, but these are not typical situations on most networks.

Quality of voltage regulation is perhaps a more important difference between the two classes. On-line UPSes produce a nearly constant, purely sinusoidal voltage between 115 VAC and 120 VAC regardless of input voltage. Line-interactive units pass utility power directly through to their

output receptacles, although with noise filtering and surge suppression. As a result, output voltage rises as input voltage does. At a lower-threshold voltage, and usually at an upper-threshold voltage, the UPS switches to battery power.

To extend its operational voltage range and reduce variations in output voltage, a line-interactive design uses a transformer that boosts low voltages and often trims (or bucks) high voltages (see the text box "Boost and Buck" on page 231). One result is that a line-interactive UPS can power through extended periods of low utility voltage (i.e., brownouts). The line-interactive units from American Power Conversion (APC), Deltec, Superior Electric, and Tripp Lite can also tolerate overvoltage as high as 140 VAC because they trim input voltages around 125 VAC or above (see "Boost/buck trigger levels" in the feature-comparison table).

The power supplies in most computers can operate over a wide range of AC voltages, generally 102 V to 132 V, but running long-term near either end of the range shortens operating life. If power in your area is consistently high or low, an on-line unit makes sense.

COMPARISON OF UPS MODELS TESTED

BLUE = HIGHLY RECOMMENDED
RED = HONORABLE MENTION

	MODEL	PRICE	CAPACITY (VOLT AMPS)	PRICE PER VOLT AMP	TAKES EXTERNAL BATTERIES	REMOTE TURN-ON OPTION	SNMP HARDWARE OPTION	WARRANTY ¹	WEIGHT (LBS.)	SOFTWARE TESTED (NETWARE/WINDOWS NT)
Line-Interactive Systems										
Acme Electric	SM 800	\$799	800	1.00	○	●	○	2 years, incl. batteries; 5 years transformers	45	PowerMon II/PowerMon II
American Power Conversion	Smart-UPS 1000	\$769	1000	0.77	○	●	internal	2 years; \$25,000 load protection	42	PowerChute Plus/PowerChute Plus
Best Power	Fortress LI 1020B	\$799	1020	0.78	●	●	external	2 years, \$25,000 load protection	45	CheckUPS/Windows NT
Clary	OnGuard LI-1000	\$849	1000	0.85	○	●	external	2 years	49	Data Save Plus 7.0/Data Save Plus 3.5
Deltac Electronics	PowerRite Pro 1000VA	\$699	1000	0.70	●	software only	external	60-day money-back, 10 years, prorated after 2 years, \$25,000 load protection	54	LanSafe III/LanSafe III
Hewlett-Packard	PowerWise UPS L900VA	\$649	900	0.72	○	○	○	2 years, next-day exchange	48	PowerWise Assistant/PowerWise Assistant
International Power Technologies	I-UPS 1250	\$899	1250	0.72	○	●	external	5 years, battery pre-rated after 3 years, unlimited load protection	55	IPT-Vision/IPT-Vision
Liebert	UPStation D	\$972	900	1.08	○	●	internal	2 years, \$25,000 load protection	45	SiteNet 2/SiteNet 1
Oneac	ON900A	\$949	900	1.05	○	●	external	5 years; 2 years battery	64	MopUPS-RM/Windows NT
Para Systems	Minuteman Alliance A1250	\$689	1250	0.55	○	○	external	2 years, \$25,000 load protection	50	Network Manager II/Windows NT
Para Systems	Minuteman Powermind PML1250	\$879	1250	0.70	○	●	external	2 years, \$25,000 load protection	49	LanMaster/Windows NT
Powercom America	UPS 1200-A	\$599	1200	0.50	●	software only	external	2 years, parts; 1 year labor and battery	59	Power Mon II/Power Mon II
Square D-EPE	Topaz SV 1200	\$999	1250	0.80	●	software only	external	2 years	51	Merlin-Gerin UPS Manager/Windows NT
Superior Electric	Stabiline SL 1000	\$695	1000	0.70	○	○	external	2 years	50	Power Mon II/Power Mon II
Tripp Lite Manufacturing	Smart 1050	\$664	1050	0.63	○	●	external	2 years, \$50,000 load protection	32	PowerAlert Plus/PowerAlert Plus
Upsonic	LAN 100	\$699	1000	0.70	●	●	external	4 years; 2 years battery; \$25,000 load protection	64	UPSaver/Windows NT
On-Line Systems										
Alpha Technologies	CFR 1000	\$1649	1000	1.65	●	○	external	2 years, in-the-field warranty adds labor costs	93	AlphaNet C/Windows NT
Best Power	Femups 1.15	\$1789	1150	1.56	●	●	external	2 years, \$25,000 load protection	126	CheckUPS/Windows NT
C-Power Products	Guardian CPG-750	\$1255	750	1.67	●	●	external	5 years electronics; 3 years batteries	57	PowerEdge/Windows NT
Controlled Power Company	LT-1200	\$1165	1200	0.97	●	●	external	1 year	108	PowerMon II/PowerMon II
Exide Electronics	Powerware Prestige 1000P-1	\$889	1000	0.89	●	●	external	2 years	28	OnliNet/OnliNet
Hewlett-Packard	PowerWise 1000 VA UPS	\$1099	1000	1.10	●	through software	internal	2 years; next-day exchange	48	PowerWise Assistant/PowerWise Assistant
IntelliPower	Bright-UPS IQ 1100	\$1099	1100	1.00	●	●	external	1 year	38	PowerEdge 1.1/PowerMon II
Liebert	UPStation GX	\$1485	1000	1.49	●	●	internal	2 years, \$25,000 load protection	71	SiteNet 2/SiteNet 1
Para Systems	Continuous Power CP1K	\$1399	1000	1.40	●	●	external	2 years, \$25,000 load protection	50	LanMaster/Windows NT
Powercom America	ONH-1000	\$969	1000	0.97	●	software only	external	2 years, parts; 1 year labor and battery	55	Power Mon II/Power Mon II
Powercom America	ONL-1250	\$1095	1250	0.88	●	software only	external	2 years, parts; 1 year labor and battery	114	Power Mon II/Power Mon II
Square D-EPE	Topaz SX 900	\$1390	900	1.54	●	●	external	2 years	60	Merlin-Gerin UPS Manager/Windows NT
Toshiba International	1400S Series 1000VA	\$2049	1000	2.05	●	●	external	3 years on-site (includes battery), 4-hour response	70	PowerMon II/Windows NT
Tripp Lite Manufacturing	Unison MPS 1200	\$1399	1200	1.17	○	●	external	2 years, \$100,000 load protection	58	PowerAlert/Windows NT
Upsonic	System 100	\$999	1000	1.00	●	●	external	10 years, 1 year on-site with 2-day response, 2 years for battery	51	UPSaver/Windows NT

● = yes ○ = no

¹ Load protection pays for surge and lightning damage to load equipment; days are business days.

² All software for the UPSes we tested can shut down the server, alert workstations on the network, and log blackouts.

Some line-interactive UPSes, while running on battery power, produce output that is nicely sinusoidal (it costs more to do), but many units create just a rough approximation (a stepped square wave) that is tough to digest for some equipment. Fortunately, your servers need use it only during a controlled shutdown.

An on-line UPS can offer power factor correction—circuitry that reduces the “spiking” effects of the switching power supplies

used in computers so that they draw less current from the wall (and you can run more equipment). An on-line UPS also has a higher crest factor (i.e., the ability to take a short surge of current much higher than it's rated for, typically 3 to 1) than that of line-interactive units (often just 2 to 1); thus, they can better handle the surge that occurs when computers are first turned on.

The typical on-line UPS's disadvantages are equipment cost, lower power efficiency

(its rectifier and inverter constantly run), and heat production, which requires a fan. A line-interactive UPS costs less because of its simpler design, so it's less expensive to manufacture. A line-interactive UPS runs more efficiently because power is usually just passing through. And a line-interactive unit generates little heat because no real circuitry is active.

For mission-critical applications, you will probably want the reassurance of

SOFTWARE FEATURES ²							HARDWARE TESTING RESULTS				
SOFTWARE RATING (1-5)	SHOWS BATTERY CHARGE OR RUN TIME	SHOWS UPS TEMPERATURE	SHOWS WEAK BATTERY	PERFORMS UPS DIAGNOSTIC TEST	DOES SOFTWARE UPS SHUTDOWN	SUPPORTS MULTIPLE SERVERS ³	BATTERY RUNDOWN TIME (MINUTES), 70% LOAD	BATTERY SWITCH POINTS (VAC); LOW/HIGH ⁴	BOOST/BUCK TRIGGER LEVELS (VAC)	TOTAL HARMONIC DISTORTION (PERCENT); NORMAL/ON BATTERY	TRANSFER TIME/AVERAGE WORST CASE
2.5/2.5	○/○	○/○	●/●	○/○	○/○	●/●	4.0	90/132	102/none	3.4/14.5	4.3/5.0
5.0/5.0	●/●	●/●	●/●	●/●	●/●	●/●	6.0	99/148	102/130	1.7/6.8	3.2/5.8
3.0/2.5	●/○	●/○	○/○	○/○	●/●	●/●	5.5	94/135	108/none	2.7/8.8	—/17.2
3.0/3.0	●/●	○/○	●/●	●/●	●/●	●/○	6.0	95/137	105/none	2.2/14.0	5.5/5.8
4.0/4.0	●/●	○/○	●/●	●/●	●/●	●/●		97/144	108/127	1.5/9.0	3.0/3.4
5.0/5.0	●/●	●/●	●/●	●/●	●/●	●/●	10.5	93/131	102/none	1.7/3.4	9.3/12.0
3.0/3.0	●/●	○/○	●/●	●/●	●/●	●/●	6.0	92/134	113/none	2.3/8.7	5.5/5.8
5.0/2.5	●/○	●/○	●/○	●/○	●/○	●/●	5.5	88/131	102/none	3.6/11.3	4.7/6.5
2.5/2.5	○/○	●/○	●/○	●/○	●/○	●/●	6.0	87/140	103/none	4.8/52.2	10.8/5.0
3.0/2.5	○/○	○/○	●/○	●/○	●/○	●/●	4.5	93/131	103/none	1.9/34.0	3.3/5.6
3.0/2.5	●/○	●/○	●/○	●/○	●/○	●/●	7.0	98/138	104/none	2.1/3.5	8.7/12.4
2.5/2.5	○/○	○/○	○/○	○/○	●/●	●/●	7.5	90/135	105/none	4.4/— ⁶	2.6/5.6
3.5/2.5	●/●	○/○	●/○	●/○	●/○	●/○	7.5	93/130	101/none	2.2/3.7	9.3/12.3
2.5/2.5	●/●	○/○	●/●	●/●	●/●	●/●	14.0	97/142	108/128	3.2/7.0	3.8/5.4
4.0/4.0	●/●	●/●	●/●	●/●	●/●	●/●	10.0	86/139	110 and 101/126	1.7/30.2	4.7/5.8
3.5/2.5	○/○	●/○	●/○	●/○	●/○	●/○	4.0	85/133	117/118	2.1/2.5	5.8/6.2
2.5/2.5	○/○	○/○	●/○	○/○	●/○	●/●	8.0	92/139	N/A	12.9/12.6	N/A
3.0/2.5	●/○	●/○	○/○	○/○	●/●	●/●	8.0	87/140	N/A	7.2/7.5	N/A
2.5/2.5	●/○	○/○	●/○	●/○	●/○	●/○	10.0	86/140	N/A	5.6/5.9	N/A
2.5/2.5	○/○	○/○	●/●	●/●	●/●	●/●	18.0	84/138	N/A	7.3/8.1	N/A
3.0/3.0	●/●	●/●	●/●	●/●	●/●	●/●	9.0	94/140	N/A	2.9/2.9	N/A
5.0/5.0	●/●	●/●	●/●	●/●	●/●	●/●	7.0	88/140	N/A	3.7/3.8	N/A
2.5/2.5	○/○	○/○	○/○	○/○	○/○	●/● ⁴	6.0	91/140	N/A	5.1/5.9	N/A
5.0/2.5	●/○	●/○	●/○	●/○	●/○	●/●	8.0	90/140	N/A	3.6/3.7	N/A
3.0/2.5	●/○	●/○	●/○	●/○	●/○	●/●	6.5	90/140	N/A	4.9/4.8	N/A
2.5/2.5	○/○	○/○	○/○	○/○	●/●	●/●	12.0	78/140	N/A	3.8/3.8	N/A
2.5/2.5	○/○	○/○	○/○	○/○	●/●	●/●	14.0	80/140	N/A	3.9/4.9	N/A
3.5/2.5	●/●	●/○	●/○	●/○	●/○	●/○	10.0	80/140	N/A	1.5/1.4	N/A
2.5/2.5	○/○	○/○	○/○	○/○	○/○	●/●	9.5	<75/140	N/A	3.3/3.4	N/A
2.5/2.5	○/○	○/○	○/○	●/○	○/○	●/○	8.0	81/140	N/A	2.7/2.7	N/A
3.5/2.5	○/○	●/○	●/○	●/○	●/○	●/○	9.5	89/138	N/A	4.6/6.1	N/A

N/A = not applicable.

³ Under Windows NT, UPS requires cabling option.

⁴ Up to two servers

⁵ With most on-line units, we did not test above 140 VAC.

⁶ THD difficult to measure; modified square wave.

⁷ Transition times too variable to measure; sometimes none, sometimes up to 7.2 ms.

cleaner, more regular power, which you get from an on-line UPS. For most ordinary networks, line-interactive units are adequate.

Applying the Volts

Our hardware testing yielded few surprises from any of the UPSes; results were generally in agreement with vendor specifications. We used a California Instruments AC power source to drive varying voltages into each UPS and to test how well each han-

dled low- and high-voltage conditions. With a BMI 3060 PowerProfiler, we accurately measured voltages going into and coming out of the UPS under test. The BMI also measured total harmonic distortion (THD) of output, a gauge of how far the output waveform diverges from sinusoidal (a low percentage is good; 25 percent is getting squared off). We judged the THD that a UPS produces on battery power as a significant measurement of quality.

To simulate power failures, we shorted the power source's output with a switch. That operation triggered a Tektronix TD5410A digital-storage oscilloscope with which we observed UPS output waveforms and, for line-interactive units, measured transfer times. We ran 10 trials for each UPS, more if the waveform was noisy, which nonsinusoidal output tended to be in the cycles just after transfer to battery.

After charging a UPS overnight, we

FOR MORE INFORMATION ON UPS MODELS TESTED

BLUE = HIGHLY RECOMMENDED RED = HONORABLE MENTION	MODEL	LOCATION	PHONE	INQUIRY NUMBER
Line-Interactive Systems				
Acme Electric	SM 8001	Cuba, NY	(800) 325-5848; (716) 928-2400	1150
American Power Conversion	Smart-UPS 1000	West Kingston, RI	(800) 800-4272; (401) 789-5735	1151
Best Power	Fortress LI 1020B	Necedah, WI	(800) 356-5794; (608) 565-7200	1152
Clary	OnGuard LI-1000	Monrovia, CA	(800) 442-5279; (818) 359-4486	1153
Deltec Electronics	PowerRite Pro 1000VA	San Diego, CA	(800) 854-2658; (619) 291-4211	1154
Hewlett-Packard	PowerWise UPS L900VA	Rockaway, NJ	(800) 533-1333; (201) 627-6400	1155
International Power Technologies	I-UPS 1250	Orem, UT	(800) 944-0356; (801) 224-4828	1156
Liebert	UPStation D	Columbus, OH	(800) 877-9222; (614) 888-0246	1157
Oneac	ON90A	Libertyville, IL	(800) 327-8801; (708) 816-6000	1158
Para Systems	Minuteman Alliance	Carrollton, TX	(800) 238-7272; (214) 446-7363	1159
Para Systems	Minuteman Powermind PMT 1250	Carrollton, TX	(800) 238-7272; (214) 446-7363	1159
Powercom America	UPS 1200-A	Placentia, CA	(800) 666-8931; (714) 632-8889	1160
Square D-EPE	Topaz SV 1200	Costa Mesa, CA	(800) 344-0570; (714) 557-1636	1161
Superior Electric	Stabiline SL 1000	Bristol, CT	(800) 787-3532; (203) 585-4500	1162
Tripp Lite Manufacturing	Smart 1050	Chicago, IL	(312) 755-5400	1163
Upsonic	LAN 100	Viejo, CA	(800) 877-6642; (714) 448-9500	1164
On-Line Systems				
Alpha Technologies	CFR 1000	Bellingham, WA	(360) 647-2360	1165
Best Power	Ferrups 1.15	Necedah, WI	(800) 356-5794; (608) 565-7200	1152
C-Power Products	Guardian CPG-750	Rockwall, TX	(214) 771-4303	1166
Controlled Power Company	LT-1200	Troy, MI	(800) 521-4792; (810) 528-3700	1167
Exide Electronics	Powerware Prestige 1000P-1	Raleigh, NC	(800) 554-3448; (919) 872-3020	1168
Hewlett-Packard	PowerWise 1000 VA UPS	Rockaway, NJ	(800) 533-1333; (201) 627-6400	1155
Intelli-Pack	Bright-UPS IQ 1100	Irvine, CA	(714) 587-0155	1169
Liebert	UPStation GX	Columbus, OH	(800) 877-9222; (614) 888-0246	1157
Para Systems	Continuous Power CP1K	Carrollton, TX	(800) 238-7272; (214) 446-7363	1159
Powercom America	ONH-1000	Placentia, CA	(800) 666-8931; (714) 632-8889	1160
Powercom America	ONL-1250	Placentia, CA	(800) 666-8931; (714) 632-8889	1160
Square D-EPE	Topaz SX 900	Costa Mesa, CA	(800) 344-0570; (714) 557-1636	1161
Toshiba International	1400S Series 1000VA	Houston, TX	(800) 231-1412; (713) 466-0277	1170
Tripp Lite Manufacturing	Unison MPS 1200	Chicago, IL	(312) 755-5400	1163
Upsonic	System 100	Aliso Viejo, CA	(800)-877-6642; (714) 448-9500	1164

connected it to enough computer equipment to create a load that was around 75 percent of its rated capacity. Starting with a 115-VAC input, we lowered the voltage into the UPS in 5-V increments, observing output voltages at each step. We noted where taps changed on line-interactive units and where battery power kicked in on all units. We repeated the same procedure in the other direction, going from 115 VAC to 140 VAC and sometimes further.

All the UPSes showed a built-in hysteresis when returning from battery power. If a UPS kicked on to battery power at 85 VAC, for example, it would stay on battery power even as input voltage climbed back up to 90 VAC, 95 VAC, and sometimes even 100 VAC. Hysteresis prevents a UPS from oscillating off and on battery when power hovers near the threshold. The APC SmartUPS 1000 has a sensitivity switch that lets you control the hysteresis (e.g., you can increase hysteresis when voltage is variable).

Some regulation was more complex. When we first tested the line-interactive Upsonic LAN 100, it produced 124-VAC output with 115 VAC going in. After low-voltage testing, it produced 113-VAC output with 115-VAC input. The Upsonic's output at 115 VAC was dependent on how

the input had gotten to 115 VAC—whether it had risen, or fallen, to 115 VAC. The Controlled Power LT-1200 is unusual because it uses fuzzy logic to adjust its lower threshold to match load (the lesser the load, the lower the shutdown voltage).

For some UPSes, we tracked output voltage for 5 minutes after going on battery. While on-line units held their output constant, some line-interactive UPSes let output voltage drop over time. Some of the "smarter" line-interactive UPSes—the Superior Electric Stabiline SL 1000, for example—used its transformer to boost the battery and keep the voltage up.

Several of the on-line UPSes regulate overvoltages but don't cut to battery as voltage climbs beyond their specified operating range. This is the case with units from IntelliPower, Toshiba, and Tripp Lite, though the first two have that capability as an option. When we pushed one unit up to 160 VAC, it burned out. You're not likely to run into utility power over 140 VAC, but it does occur in some areas of the world and in miswired buildings.

We tested battery run-down (i.e., hold-up) time under a load that was 70 percent of rated UPS capacity. (Most UPSes were not very accurate in their own load-meas-

suring capabilities, erring conservatively on the high side.) With half load, you should get more than twice as much run-down time as we did.

Although run-down time is related to actual battery capacity, it's a pretty loose relationship. Some UPSes shut down while reporting 70 percent charge remaining. Not only does the UPS prevent you from discharging batteries to destructive levels, in some cases, there's enough charge to go through several consecutive blackouts without battery charging in between. In other words, if programmed differently, some of these units could give you more hold-up time, but at the expense of a safety margin.

In general, all you need is enough time to comfortably shut down whatever server OS you're using. Usually, 5 minutes is okay, but 10 is better. The Controlled Power unit provided an exceptionally long battery life, but it's also a big guy (108 lbs.), as are other on-line units that use a ferroresonant transformer (e.g., the Alpha CFR 1000 and the Best Ferrups).

The Soft Side

The software that makes a UPS suitable for a network server comes in three basic levels of functionality: unattended shutdown, status monitoring, and SNMP monitoring. We judged software functionality at all three levels, giving weight to ease of use (see "Software Rating" in the comparison table). You may not care about some of the more sophisticated UPS software features because you're close enough to eyeball the UPS setup, or because you know you don't have time to learn and configure the software. However, for large networks, the ability to remotely monitor power problems is a labor- and money-saving feature. Also, the best software isn't expensive and often comes with the most cost-competitive hardware.

Most UPS vendors can supply software for most OSes, usually as an option (American Power Conversion includes the software in the UPS price). We tested each UPS's server software under NetWare 3.11 and Windows NT 3.51 (x86 flavor).

Many UPS units come with third-party software, such as System Enhancements' PowerMon II or CompuSci's PowerEdge (often disguised with customized screens). These aren't as good as the best stuff we saw during our testing, although Liebert's UPStation comes with System Enhancements' SiteNet II, an excellent package. Windows NT comes with a built-in UPS program that shuts down a server and logs power outages. Some vendors therefore

supply just a communications cable as their NT option. Used with the Windows-based monitoring software some vendors offer, it makes a fairly complete package. Current Windows UPS software can't shut down an NT server, but the Windows 95-compliant programs that can should be available by now.

For this review, all units needed a communications-cable connection and software for shutdown of one or more servers. Desirable software features here are the ability to send alarms to all network workstations (natural to NetWare) and close down all the servers connected to the UPS. Under NT, the latter requires add-on multiplexing hardware so that each server gets a communications cable. Some units offer remote turn-on hardware options that let you control startup or shutdown over phone lines. Pager notification, as found in Tripp Lite's Power Alert Plus, can also be a very useful feature; if power goes out over the weekend, for example, the UPS software will beep your facilities manager.

From the front panel of most UPSes, you can configure the unit, do diagnostics, and check for a weak battery (which requires briefly using battery power). A battery that can't hold much charge doesn't help in an outage.

We rated a UPS and its software on how much diagnostic data the UPS could communicate to the software, and how accessible the software made the data to the systems administrator. Thus, the UPS should have true RS-232 serial communications (rather than just a contact closure connection that signals the power's out and the battery's low). The software should also let you initiate or schedule UPS battery tests. Hewlett-Packard's PowerWise 1000 VA UPS constantly monitors battery health, and Deltec's PowerRite Pro automatically tests its battery every 30 days.

Ideally, you should be able to access your UPS across the network, either with the unit's network software or with optional SNMP hardware and software. Most vendors offer hardware options (internal or external) that provide a direct UPS/network connection, as well as software that makes the UPS management information base (MIB) available to your SNMP platform software. (We tested with HP's OpenVue). There is basically a standard MIB, but many UPSes come with extended MIBs. Agent software makes the data available to the MIB browser of different SNMP platforms. American Power Conversion and Tripp Lite also sell SNMP manager software that provides organized

graphics displays of data from multiple UPSes, much like their LAN software.

Other Factors

A clean, well-regulated output signal is a manifestation of quality, and good software makes management easier, but they're not the only factors to consider. Check out service and warranty policies, too. For example, we think the Toshiba 1400S is one of the best on-line UPSes, but it's expensive. However, the company offers a three-year on-site warranty with a 4-hour response time. That may be worth the price to some people.

Weighing price, software, and performance, we highly recommend seven models: five on-line and two line-interactive units. Among on-line models, HP's PowerWise 1000 VA had the best software and a low price; Powercom's ONH-1000 and ONL-1250 both provide good output quality at a low price, as does Exide's Powerware Prestige 1000P-1; and Controlled

Power's LT-1200 has the longest battery holdup time, and fuzzy logic, too. For line-interactive UPSes, we recommend APC's Smart-UPS 1000 and Deltec's PowerRite Pro 1000VA, both for great software and clean output.

We give honorable mentions to Tripp Lite's on-line Unison MPS 1200—by the time you read this, it will come with the excellent Power Alert Plus software; Toshiba's on-line 1400S Series 1000VA for its great quality and warranty; Superior Electric's line-interactive Stabiline 1000 for its clean signal and low transfer time; Best's line-interactive Fortress LI 1020B for the same reasons; and Square D-EPE's on-line Topaz SX 900 for the cleanest output. ■

Rick Grehan is technical director of the BYTE Lab. Rex Baldazo and Dave Rowell are BYTE technical editors. You can contact them by sending E-mail to rick_g@bix.com, rbaldazo@bix.com, or drowell@bix.com.

Boost and Buck


Output from a line-interactive UPS varies with the input voltage, but regulation extends the voltage range of input power the UPS can use without going to battery. Typically, the regulator is a transformer with multiple taps that can be switched in or out, depending on line conditions. Like changing gears, the tap switching boosts voltage up when it gets low (brown-out protection) or trims it down when it gets high.

If you plot input against output voltage, you get a sawtooth pattern, as represented by our test results with Deltec's PowerRite Pro 1000VA (see the figure). Lowering input voltage from 115 VAC (to the left), output voltage declines. At 110 VAC on input, the UPS switches to another transformer tap, and output jumps to 118 VAC. (The "less than abrupt" output change that takes place during a tap switch isn't evident here because we took readings at 5-V inter-

vals.) The sawtooth just below 100 VAC is where the unit switched to battery.

Proceeding up from 115 VAC, the output voltage climbs until about 125 VAC, where a tap switch bucks it down to about 115 VAC. Again, as the input voltage continues rising, output rises until just around 140 VAC, when the battery kicks in and output drops to 117 VAC. Some units provide just a single tap point for low voltage. Others provide more than two—as does Tripp Lite's Smart 1050—to provide finer regulation and another tooth in the plot. —Rick Grehan

The Line-Interactive Sawtooth Curve



With a line-interactive UPS, such as Deltec's PowerRite Pro, output voltage varies with input voltage. Regulation by the UPS's transformer keeps output within a tolerable range, but not at a constant level.

Beauty Isn't Only Skin Deep. Neither Is Quality.



The quality of the Toshiba 1400 Plus Series UPS extends much deeper than the surface. Inside you will discover the beauty of our technology, including IGBT high-powered transistors, surface-mount technology circuit boards and a high speed microprocessor in a totally modular design. However, the real beauty lies in the performance of these units. Toshiba's 1400 Plus Series UPS offers a wide input voltage/frequency window and an intelligent charger for increased battery life, high crest factor and overload capabilities, ensuring the UPS will run at its rated value without oversizing. Input power factor correction eliminates overheating of circuits and an RS232 communication feature provides SNMP compatibility and "smart" UPS power monitoring.

Indeed, the beauty of the Toshiba 1400 Plus Series UPS is more than just skin deep. Every unit is built with superior quality and commitment in our ISO 9001 certified U.S. manufacturing facility. Each and every unit (not just random sampling) is inspected and electrically tested to meet stringent quality control standards before it is packaged and shipped to you. We take our protection one step further with Toshiba's "Security Plus" On-Site Warranty, ensuring trouble-free operation and peace of mind for three full years-parts, labor, travel and batteries included. A staff of experienced service technicians is available 24 hours a day-7 days a week for any assistance you may need. No other company can match this protection package offered by Toshiba.

Superior quality, unmatched reliability and true on-line protection are all in one enclosure. This is the true beauty of Toshiba's 1400 Plus Series UPS.

In Touch with Tomorrow
TOSHIBA

Virtual Whiteboards

We look at seven desktop-conferencing programs that bring coworkers together over shared, editable documents

DAVID SEACHRIST


Sharing and discussing ideas with colleagues, regardless of their location, is what makes videoconferencing so attractive. But for some collaborative work, you don't have to see and hear each other. Document-conferencing software—a set of tools for sharing “live” documents across remote or networked computers—is often an easier and more cost-effective alternative.

NSTL evaluates seven Windows-based, NetWare-compatible programs that provide some level of collaborative editing of bit-mapped images (a technique known as whiteboarding). All seven also offer varying degrees of file transfer. Most of them let you share and annotate Windows applications. Recognizing the appeal of videoconferencing to many companies, we limited our review to document-conferencing programs that have upgrade paths to videoconferencing.


PictureTel's LiveShare Plus is the clear winner for its ease of use, feature versatility, and performance. Our second and third choices, Intel's ProShare Premier Edition and Future Labs' TalkShow, top LiveShare Plus in supporting conferencing between more than two workstations.

Conferencing Basics

Document-conferencing programs offer four main ways to collaborate: whiteboarding, applications and data sharing, file transfer, and real-time text messaging (i.e., chatting). Whiteboard modules are named after their real-world counterparts, but in practice they more resemble paint programs. Because the whiteboard is a graphical environment, documents imported into it can't be edited as they could in a word processor. Instead, editing marks are superimposed on the “page.” Thus, a program's ability to get graphics into and out of the whiteboard module, and its



Superior performance, richness of features, and ease of use make PictureTel's LiveShare Plus the best of seven document-conferencing programs reviewed by NSTL. Shown here are LiveShare Plus's whiteboard (left) and applications-sharing module, standard components in any good conferencing program.



selection of markup tools, strongly determine its usefulness.

To get images into whiteboards, the most convenient way is print capture, in which you convert word processing files to print files using a special Windows driver. You can also use import filters to pull in files saved in Windows' BMP format. (All but one of the programs do some type of importing, but they vary widely in the number of file types supported.) A third approach uses the Windows Clipboard to import screens captured from other Windows programs.

Three image-manipulation tools are important in making whiteboarding a comfortable medium. Magnification allows closer scrutiny of the screen. Synchronization refreshes all participants' screens to make sure they are working with the

same information at the same time. Page sorters allow browsing and moving document pages by viewing thumbnails. The features comparison table on page 234 shows which products have these tools. (All seven support synchronization.)

Applications-sharing capabilities vary, with some programs offering a remote-control environment that lets users edit files simultaneously. Others periodically send bit-mapped images that can be edited by only one attendee, though seen by all. The reviewed programs do not support this feature as well as they do whiteboarding. In judging them, look for full remote control (where two people can take turns editing the same file) and the ability to share data in the Windows Clipboard. *continued*

OVERVIEW								KEY
NSTL RATING		VERSION	PERFORMANCE	VERSATILITY	EASE OF LEARNING	EASE OF USE	PRICE	
★★★★	LiveShare Plus	2.0	▲	▲	▲	▲	\$249	★★★★★ Outstanding ★★★★ Excellent ★★★ Average ★★ Below average ★ Poor ▲ Good ■ Fair ▼ Unacceptable
★★★	ProShare Premier Edition	1.6	▼	■	▲	▲	\$299	
★★★	TalkShow	3.02	■	■	▲	▲	\$249	
★★★	AT&T Vistium Share	1.0	■	▼	▲	▲	\$99	
★★	InVision	3.1.23	■	■	▲	■	\$595	
★★	Person to Person	1.0.3	▼	■	▲	▲	\$280	
★	Face to Face	2.0.1	▼	▼	▲	■	\$59	

CONFERRING FEATURES							
	AT&T VISTIUM SHARE	FACE TO FACE	INVISION	LIVESHARE PLUS	PERSON TO PERSON	PROSHARE PREMIER	TALKSHOW
Videoconferencing							
Capture video to movie file	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Capture still to Clipboard	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>				
Capture still to file	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>				
Freeze frame	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>				
Adjust color	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
Whiteboarding							
Selection or screen-capture tool	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>				
Copy/cut/paste and clear	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>				
Page sorter/organizer	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
Highlighter tool	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
Magnification (zoom) tool	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
Import graphics files	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>				
Import text files	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
Import spreadsheet files	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
Import via Windows Clipboard	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
Export graphics files	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>				
Applications and data sharing							
Share Windows Clipboard	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Number of applications-sharing participants	2	0	0	2	0	2	Unlimited
Users can request/relinquish control of shared applications	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Share DOS applications	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
Share Windows applications	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
OLE and DDE support	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	DDE only	<input checked="" type="radio"/>	<input checked="" type="radio"/>
File transfer							
Attach file to message	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
View transfer status	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Option to compress/decompress files during send/receive	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
Chat							
Number of chat participants	2	0	2	2	8	0	Unlimited
Chat window lists participants	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

¹ Requires additional package sold by same vendor or third-party vendors.
 ●=yes; ○=no. Features not integral to the package are marked ○ but are sometimes available as options or in future versions.

Conferencing with the World

Will today's document-conferencing products stand the test of time? Unless one of these systems becomes dominant enough to establish a de facto standard, industry standards committees will be needed to fill the void.

T.120 is the standard proposed by the International Telecommunications Union (ITU) to facilitate interoperability of different vendors' document-conferencing products. It's an evolving specification offering guidelines on key aspects of document-conferencing technology, including domains in which confer-

ences can occur, document-conferencing protocols, conference management protocols, and network interfaces. T.120 primarily addresses whiteboarding and file transfer considerations. Applications sharing is not currently a part of the specification.

Though none of the programs in this evaluation comply with T.120, many of the vendors plan to support it in the near future. AT&T plans to add T.120 to Vistium Share eventually. Intel (ProShare Premier Edition) and Future Labs (TalkShow) plan to do so by early next year.

File transfer lets you send files (e.g., a spreadsheet) between conference attendees to allow the sharing of data for off-line and on-line editing. All seven programs do this. Their interfaces vary somewhat, but they all center on the Windows File Open dialog box, where you select files from a scrolling file list and issue a command to send.

Chatting allows the exchanging of text messages in real time. If you're used to the amenities of on-line services such as Prodigy and America Online, you will not be impressed with the relatively simple tools available in these programs.

AT&T Vistium Share

Based on AT&T's TeleMedia Personal Video System, AT&T Vistium Share is a

From the Editors of BYTE Magazine . . .

Available
NOW!

BYTE on CD-ROM

FIVE YEARS OF BYTE AT YOUR FINGERTIPS!

- Cover Stories • Product Reviews • BYTE Lab/NSTL Reports
- Benchmarks • Features • Core Technologies Columns
- Product and Technology News
- And Much More!

SEARCH
for product,
technology,
company, author

SELECT
copy and print
what you need!

LOCATE
the information you
need quickly and
easily from your
BYTE issues library

EXPORT
selected articles
to your word
processor

FIND
search results in
context, by issue,
or by article title

SCAN
the comprehensive
index in as much
detail as you need

Introductory
Offer:
SAVE \$5
off the regular
price!



Place Your Order
Today!
Call 1-800-924-6621
or FAX your order
609-426-5592

Order Now & Save!
Order BYTE on CD-ROM today for only \$54.95 and receive the full text of BYTE from 1990-1994 PLUS quarterly updates on CD-ROM that include full text and graphics from every issue in 1995! Or order the full text of BYTE on CD-ROM (text only) from 1990-1994 for only \$39.95.

- Send me **BYTE on CD-ROM PLUS** 1995 quarterly updates with full text and graphics for just \$54.95.
 - Send me **BYTE on CD-ROM** with the full text of BYTE from 1990-1994 for just \$39.95.
- Charge my: MasterCard Visa Amex Check enclosed (make checks payable to BYTE Magazine, US Funds Only)

Card # _____ Exp. Date _____ Signature _____
 Name _____ Address _____
 City _____ State _____ Zip _____

Mail to: **BYTE on CD-ROM**
PO Box 526, Hightstown, NJ 08520

Circle 66 on Inquiry Card.

CDBY653

Canadian and US orders, please add \$2.95 for shipping and handling, and state sales tax where applicable (Canadian orders add appropriate GST). Outside North America, add \$5.00 for air mail delivery. Allow 6-8 weeks for delivery.

1-800-924-6621 Credit card orders only

BYTE

A Division of The McGraw-Hill Companies



low-cost, easy-to-use solution that sacrifices versatility to gain simplicity, though its performance is generally among the best. It lags behind the other programs in its whiteboard and applications- and data-sharing features. (It can't import spreadsheets, for example, and it lacks a page sorter.) Chat support is minimal, and password protection is nonexistent.

Vistium Share is speedy in five of the six performance tests, slowing down only in network file transfer tests. It's also the only program to support the telephony API (TAPI), making it easier to customize with other telephony applications.

Face to Face

Priced at only \$59, Crosswise's Face to Face is meant to be a simpler, less-feature-rich solution than the other products. Thus, it lacks applications- and data-sharing features, and it has mediocre speed and versatility.

Face to Face can't import Windows

GATHER 'ROUND THE POWER MAC

At MacWorld Expo in August, Apple unveiled what it claims are the first personal computers with built-in conferencing features. Apple Media Conference, a QuickTime conferencing application, will be bundled with the new Power Mac 7500 and 8500.

Though the software works with the PlainTalk microphone supplied with the computer, you must add an NTSC analog-output camera for videoconferencing. Plain document conferencing works right out of the box. Apple claims the product has whiteboarding features, but we weren't able to see how the quality compares with that of the Windows-based products we tested.

The new Power Macs start at \$1699. Apple says it will offer an upgrade kit for current Power Mac owners in the first quarter of 1996.



Two new Power Macs make desktop conferencing standard equipment.

BMP files, which is an important requirement for routine whiteboard use. Instead, you must use the program's print-capture utility to bring documents into the whiteboard.

Face to Face is the only cross-platform product, however, with Macintosh and Windows versions.

InVision

InVision, from InVision Systems, is the only reviewed program that has bundled videoconferencing software. It employs an older—and less feature-rich—version of a competitor, Future Labs' TalkShow, for many of its conferencing features. It is unique, however, in employing OLE,

GENERAL PROGRAM FEATURES

	AT&T VISTIUM SHARE	FACE TO FACE	INVISION	LIVESHARE PLUS	PERSON TO PERSON	PROSHARE PREMIER	TALKSHOW
Communications/Networking							
Number of attendees per document conference (LAN)	2	2	1	2	8	2	17 (TCP)
Number of attendees per document conference (modem)	2	2	17 (TCP)	2	8	2	17 (TCP)
Number of video-capture boards supported	2	0	11	0	1	1	0
Document conferencing via plain old telephone system (POTS)	●	●	●	●	●	●	●
Document conferencing via ISDN	○	●	●	○	●	●	●
Document conferencing via LAN	●	●	●	●	●	●	●
Document conferencing via TCP/IP	○	●	●	○	●	●	●
Simultaneous LAN and modem connections in document conference	○	○	●	○	●	○	●
Videoconferencing via POTS ¹	○	○	●	○	○	○	●
Videoconferencing via ISDN ¹	●	○	●	●	○	●	●
Videoconferencing via LAN ¹	○	○	●	●	●	●	●
Videoconferencing via TCP/IP ²	○	○	●	○	○	●	●
Simultaneous LAN and modem connections in videoconference ²	○	○	○	○	○	●	○
Supports telephony API (TAPI)	●	○	○	○	○	○	○
Address Book							
Allows multiple-address databases	●	○	●	●	●	●	●
Maintains LAN and modem addresses	●	●	●	●	●	●	●
Attach graphics files (photos) to address	●	○	●	○	○	●	●
Attach movie files to address	○	○	○	○	○	○	○
Miscellaneous							
Number of modem setups included	190	193	43	160	20	183	234
Add custom modem setup	●	●	●	●	●	●	●
Supports Voice over Data (VOD) modems	○	●	●	●	●	●	●
Utility to print third-party files to document image files	●	●	○	●	○	●	●

¹ 13 using IPX/SPX, seven using NetBIOS. ² Requires additional videoconferencing hardware. ●=yes; ○=no
Features not integral to the package are marked ○ but are sometimes available as options or in future versions.

rather than standard remote control, for applications sharing. This approach makes it harder to use, however.

Along with TalkShow and IBM Direct's Person to Person, InVision allows more than two people to mark up a document per conference. It is among the top two in network file transfer speed, but it's a bit below average in whiteboard speed.

LiveShare Plus

PictureTel's LiveShare Plus clearly offers the best balance of usability, features, and performance. This program is the hands-down winner in two-site conferencing, but it also has numerous other advantages, including the best chat environment and friendly installation.

LiveShare Plus's tool set and work environment are more complete than those of the other programs. Its overall performance score puts it head and shoulders above the rest due to fast file transfer and efficient whiteboard transfers. However, it can't do data sharing over ISDN or TCP/IP lines, and its interoperability support is poor (though the others aren't much better at supporting international standards and non-Windows environments such as the Mac or OS/2).

Person to Person

IBM Direct's offering has the best file transfer features of the group. Besides letting you view the status of incoming and outgoing files and saving the results to a log file, the program allows the attaching of files to text messages, as in E-mail. Its chat windows, like those in LiveShare

Plus, are the best of the lot, showing participants' names and date/time stamps of when messages were sent.

Performance is Person to Person's downfall. Surprisingly, its two-level compression scheme somehow results in *more* bytes flying across the network during file transfers.

Person to Person's whiteboard lacks a highlighter tool, a page sorter, and a zoom option—all helpful during the often awkward process of coordinating shared document editing.


ProShare Premier Edition

Intel's document-conferencing program offers usability and features comparable to LiveShare Plus. It is our second choice, winning high praise for ease of use. It has excellent applications-sharing and file transfer features, and an especially user-friendly whiteboard.

As is the case with Face to Face, InVision, and TalkShow, ProShare Premier Edition comes with a receive-only version that you can send to conference participants. This purposely limited version of the program does not let recipients initiate their own conferences.

But for disappointing performance, ProShare Premier Edition might have been our top pick. However, the product also is hurt by lack of a whiteboard eraser, chat module, and password protection.

Graphing Whiteboards



AT&T Vistium Share was the fastest program at updating a graph displayed on the whiteboard. This test used uncompressed files to measure network performance only (factoring out file loading, format conversion, establishing the network link, and so forth).

TalkShow

TalkShow's multipoint conferencing and strong support of transfer protocols merit praise. The program lets LAN and modem participants join a single conference (InVision and Person to Person also do it), and it's the only one that lets you scan documents directly into the whiteboard.

Ranking near the top in ease of use, TalkShow is only middling in performance and feature versatility. Raw file transfer speed is among the fastest, but network efficiency in whiteboard transfers (which adds file size to the equation) is among the worst. The program's applications-sharing module lets only one participant make changes, and its chat windows are not as informative as those in Person to Person and LiveShare Plus. However, its whiteboard is among the easiest to use. It employs a slide-tray metaphor that functions as a page sorter. ■

This report contains the partial results of a recent issue of Software Digest, a monthly publication of NSTL, Inc. To purchase a complete copy of the report, contact NSTL at 625 Ridge Pike, Conshohocken, PA 19428, (610) 941-9600; fax (610) 941-9950; on the Internet, editors@nstl.com. For a subscription, call (800) 257-9402. BYTE Magazine and NSTL are both operating units of the McGraw-Hill Companies.

AT&T Vistium Share 1.0.....\$99
AT&T Global Information Solutions
Dayton, OH
(800) 447-1124
Circle 1232 on Inquiry Card.

Face to Face 2.0.1.....\$59
Crosswise Corp.
Santa Cruz, CA
(800) 747-9060
(408) 459-9060
fax: (408) 426-3859
Circle 1233 on Inquiry Card.

InVision 3.1.23.....\$595
InVision Systems Corp.
Tulsa, OK
(800) 847-1662
fax: (918) 584-7775
Circle 1234 on Inquiry Card.

LiveShare Plus 2.0.....\$249
PictureTel Corp.
Danvers, MA
(800) 716-6000
(508) 762-5000
fax: (508) 762-5245
Circle 1235 on Inquiry Card.

Person to Person 1.0.3.....\$280
IBM Direct
(800) 342-6672
fax: (512) 823-1864
Circle 1236 on Inquiry Card.

ProShare Premier Edition 1.6.....\$299
Intel Corp.
Hillsboro, OR
(800) 538-3373
(503) 629-7354
fax: (503) 264-6223
Circle 1237 on Inquiry Card.

TalkShow 3.02.....\$249
Future Labs, Inc.
Los Altos, CA
(415) 254-9000
fax: (415) 254-9010
Circle 1238 on Inquiry Card.

HANDS-ON TESTING

12 NETWORK PRINTERS

Keep those print jobs rolling with these fast, 16- to 32-page-per-minute networked laser printers and stay ahead of the paper flow

JIM KANE

Maybe your 12-page-per-minute networked laser printer just doesn't cut it anymore, with print jobs festering in the print queue because of its too-slow print engine. Perhaps you need some duplexing capabilities, or maybe you just want to be able to know if the printer is off-line, out of paper, or tied up. Your old printer was OK when you just had a handful of employees sending print jobs, but now your company has grown, and you need a faster, networkable, more manageable unit.

We evaluated 12 network laser printers with print speeds ranging from 16 to 32 ppm—fast enough to satisfy the needs of larger workgroups. These faster devices also have built-in Ethernet capabilities, so you don't have to use a PC as a baby-sitter to provide network functionality.

With third-party equipment, any printer can be considered a network printer, so we focused on network integration and tested only those printers with internal network interfaces (either standard or optional). Network management software helps differentiate between dedicated network printers and those with third-party add-ons. Network-printer-management software deliv-

ers configuration tools to the workstation and also reports the remote printer's status to your PC, keeping you informed.

To get real-world network performance numbers, we tested only monochrome printers in network configurations. Most of these units—which range in price from \$3549 for the desktop Hewlett-Packard LaserJet 4MV to \$29,616 for the copy-machine-size Dataproducts Typhoon 30—have at least two paper-input trays that are switchable on demand via the driver or the printer management software.

These 300- to 1200-dot-per-inch-resolution printers allow documents with typical graphics to print relatively fast, along with the normal flow of letters and other text documents. The 1200-dpi devices, however, slow down when you send print jobs that have complex graphics.

We categorized these network printers into two groups: 16- to 20-ppm units and 30- to 32-ppm units. The 16- to 20-ppm printers are more common in smaller offices than their high-speed counterparts and offer higher-quality output. You can buy three or four of the 16- to 20-ppm printers for the cost of the least expensive 30- to 32-ppm printer that we put through the paces. Only two of the devices in the lower-speed group exceed \$5000 as configured for testing.

The major differences between desktop lasers (some of which are featured here as printers for smaller networks) and the console-type, high-volume/high-speed lasers is that the high-end units provide larger paper capacities, faster engine speeds, better longevity, and security features.

Of course, there are also price/performance issues to consider when choosing a network printer. Do you really need a 30-ppm printer/fax machine when three

How to use this guide

We used our suite of PC- and Macintosh-based printer tests to choose the fastest network printers with the best-quality output. We summarize test details about the winners and runners-up in each of the two categories (16- to 20-ppm and 30- to 32-ppm printers) using charts like the one shown here.

The vendor's rating for engine or print-head speed, measured in pages per minute; it does not include printer-processing time.

BEST OVERALL Xerox 4520mp Desktop Laser Printer

With its excellent performance (due to its 20-ppm print engine) and good usability and quality scores, the Xerox 4520mp was our overall winner. It comes with three paper-input trays and supports up to five. Its maximum resolution of 600 dpi helps when printing graphics-intensive documents. It has standard parallel, serial, and unbuffered-ethernet (177) Ethernet ports; LocalTalk and Token Ring ports are optional.



PPM	PRICE AS TESTED	QUALITY SCORE	PCL	POSTSCRIPT	EMULATORS	CPH SPEED (MPM)	QUALITY (TEXT)	QUALITY (GRAPHICS)	QUALITY (SECURITY)	
16	Xerox 4520mp	\$4335	0.71	11.4	8.9	7.4	20	AAAA	AA	AAAA
16-20	HP LaserJet 4MV	\$3670	0.68	11.7	NA	NA	16	AAA	AA	AAAA
30-32	HP LaserJet 4000	\$5210	0.64	10.7	9.4	7.1	20	AAA	AAA	AAAA
30-32	HP LaserJet 4000	\$3549	0.61	10.9	8.3	7.8	32	AAA	AAA	AAAA


The printer's processor speed, measured in MHz.

The price of the as-tested configuration, which may include optional memory (see the Roll Call on page 246).

A composite rating for text- and graphics-output quality; based on a 10-point scale, with higher numbers indicating better print quality.

SET THE PACE

Built for Speed



smaller, slower, dedicated print servers distributed evenly throughout the building would solve your printer problems? Or do your users queue up 100-page jobs regularly, making it more cost-effective to wait 4 minutes for a print job to get to the front of the line, and 4 minutes more for it to print, instead of fighting through the local queue only to wait 15 minutes for the print

to complete?

You must also take into account the normal duty cycles of these printers. The higher-end, faster printers are supposed to last significantly longer between maintenance and consumables replacement. The median duty cycle for the 30- to 32-ppm printers is 200,000 pages, compared to 50,000 pages for the 16- to 20-ppm units.

16- TO 20-PPM PRINTERS

BEST OVERALL Xerox 4520mp Desktop Laser Printer

This 20-ppm desktop printer is great for midsize workgroups and is affordably priced at \$4335. It offered excellent across-the-board performance in our PostScript, Printer Control Language (PCL), and EtherTalk performance tests. **PAGE 241**

HIGH-QUALITY Lexmark Optra Lx

For quality output, the 16-ppm Optra Lx (\$3997) bests all other printers in this group with its support for resolutions of up to 1200 dpi. But the drawback of this high quality is reduced performance: The Optra performed poorly in our PostScript and PCL performance tests. It supports up to 64 MB of memory, has two external font slots, and supports three paper-input trays. **PAGE 241**

MACINTOSH Kyocera Ecosys FS-3600A

Number one in both EtherTalk and PostScript performance in this group, the 18-ppm Kyocera Ecosys achieved an overall EtherTalk score of 9.5 ppm, second only to that of the QMS 3225 Print System, which swept the higher-end 30- to 32-ppm category. **PAGE 241**

30- TO 32-PPM PRINTERS

BEST OVERALL QMS 3225 Print System

With a blazingly fast 19.2-ppm rating in our PCL performance tests, the QMS 3225 Print System is by far the fastest printer that we put through the paces. **PAGE 243**

HIGH-QUALITY QMS 3225 Print System

This printer's 400-dpi output breaks through the 300-dpi-resolution barrier. This \$17,149 console system has the highest quality-index score of the three printers in this category. **PAGE 243**

MACINTOSH QMS 3225 Print System

It's a sweep for the 3225 as it takes the Mac category, too. With its support for three paper-input trays and 3000 sheets of paper, it can stave off the needs of many networked users. The unit also has a 200,000-page monthly duty cycle. **PAGE 243**

A WINNING COMBINATION

Victory is frequently the result of teamwork — and IBM® wants you to win. That's why they contracted with NSTL to put hundreds of applications through their laps to ensure their compatibility with OS/2 Warp. So when you see the "Ready for OS/2 Warp - NSTL Tested" seal, you can count on a winning combination.

To learn more about this and other independent testing services, contact NSTL at 800-220-NSTL or info@nstl.com. Or call IBM at 800-285-2936 for additional information.

NSTL NSTL is a division of The McGraw-Hill Companies

Ready for

OS/2 WARP

NSTL Tested

1-800-220-NSTL

Circle 79 on Inquiry Card.

Adobe's™ Acrobat™ for Workgroups
Allen Communication, Inc.'s Quest Multimedia Authoring
Aperture™ Technologies, Inc.'s Aperture™
Baker Hill Corporation's Lending Library™
Baron Software Services' Name Your Baby!™
Boca Soft's Wipeout
Boca Soft's System Sounds for OS/2
Competence Software's Investment Basics
Computer Security Consultants, Inc.'s RecoveryPAC
DUX Software's SimCity Classic™
DUX Software's American Heritage Dictionary Concise Edition™
Felsina Software's A-Talk® for Windows
Gazelle™ Systems' Back-it™ for Windows
Grolier Electronic Publishing's 1995 Multimedia Encyclopedia
Intellisoft's™ Accounting Vision/32™


Interplay's™ Mario's® Game Gallery
Interplay's™ Kingdom™ The Far Reaches
Merit Studios' Fortress of Dr. Radickl™
Merit Studios' Fighter Wing™
Merit Studio's Psychotron™
MicroDoc Products, Inc.'s Child Development Guide
MicroLearn Nordic's Game Pack Volume 1
On-Line Data's OnCmd®
Parsons Technology's Money Counts®
Pinnacle Technology's Kid Proof/2™
Read Software's OS/2 Black Jack
Stardock System Inc.'s™ Star Emperor™
Stardock System Inc.'s™ Havoc™
Starpress Multimedia's 808 Great Letters
T/Maker's ClickArt Newsletter Art

High speed and quality

BEST OVERALL Xerox 4520mp Desktop Laser Printer



With its excellent performance (due to its 20-ppm print engine) and good usability and quality scores, the Xerox 4520mp was our overall winner. It comes with three paper-input trays and supports up to five. Its maximum resolution of 800 dpi helps when printing graphics-intensive documents. It has standard parallel, serial, and unshielded-twisted-pair (UTP) Ethernet ports; LocalTalk and Token Ring ports are optional.



	PRICE AS TESTED	OVERALL SCORE	PPM			CPU SPEED (MHZ)	SCORES		
			PCL	POSTSCRIPT	ETHERTALK		QUALITY	FEATURES	USABILITY
BEST Xerox 4520mp	\$4335	8.71	11.4	8.9	7.4	25	★★★★	★★	★★★★
RUNNER-UP Kyocera Ecosys FS-3400A	\$3578	8.65	11.7	N/A	N/A	16	★★★	★★	★★★★
RUNNER-UP HP LaserJet 4Si MX	\$5299	8.44	10.7	9.4	7.1	25	★★★	★★★★	★★★★
RUNNER-UP HP LaserJet 4MV	\$3549	8.41	10.6	8.3	7.6	33	★★★★	★★★★	★★★★

When looking sharp counts...

HIGH-QUALITY Lexmark Optra Lx



If detailed documents are your main concern, then the 1200-dpi Lexmark Optra Lx deserves a close look. It may not have lightning-fast performance, but it achieved the highest quality scores in this report. With its accompanying MarkVision management and monitoring software, the Optra Lx is one of the easiest-to-use printers we tested. The unit in this group that outscored it in usability was the 1200-dpi QMS 1660E Print System.

	PRICE AS TESTED	OVERALL SCORE	PPM			CPU SPEED (MHZ)	SCORES		
			PCL	POSTSCRIPT	ETHERTALK		QUALITY	FEATURES	USABILITY
BEST Lexmark Optra Lx	\$3997	8.34	7.1	5.3	4.9	25	★★★★	★★	★★★★
RUNNER-UP QMS 1660E Print System	\$3999	8.12	9.5	7.5	6.9	33	★★★★	★★★	★★★★
RUNNER-UP Dataproducts Typhoon 16	\$3699	8.08	6.7	7.0	6.6	25	★★★★	★★★★	★★★★
RUNNER-UP HP LaserJet 4MV	\$3549	8.05	10.6	8.3	7.6	33	★★★★	★★★	★★★★

A fast paper-pusher

MACINTOSH Kyocera Ecosys FS-3600A



Our choice for best overall printer for the Mac is the Kyocera Ecosys FS-3600A. With its as-tested price of \$4278, this printer supports resolutions of up to 600 dpi. The FS-3600A blew away the other printers in the EtherTalk ppm ratings with a score of 9.5. The nearest competitor in the group was the HP LaserJet 4MV, which sported a 7.6-ppm rating. The Dataproducts Typhoon 16, boosted by quality, features, and usability all superior to that of the top-rated Mac printers, was a close third.

	PRICE AS TESTED	OVERALL SCORE	PPM			CPU SPEED (MHZ)	SCORES		
			PCL	POSTSCRIPT	ETHERTALK		QUALITY	FEATURES	USABILITY
BEST Kyocera Ecosys FS-3600A	\$4278	7.4	9.4	10.0	9.5	50	★★★	★★	★★★★
RUNNER-UP HP LaserJet 4MV	\$3549	6.9	10.6	8.3	7.6	33	★★★★	★★★	★★★★
RUNNER-UP Dataproducts Typhoon 16	\$3699	6.8	6.7	7.0	6.6	25	★★★★	★★★★	★★★★
RUNNER-UP Xerox 4520mp	\$4335	6.75	11.4	8.9	7.4	25	★★★★	★★	★★★★

network printer. The unit's performance scores were below average, but only Lexmark's Optra Lx had a better quality-index rating. In addition, the Typhoon 16 had the best features score in this category, as well as one of the best ease-

of-use ratings.

Finally, HP's 600-dpi LaserJet 4MV (\$3549) and LaserJet 4Si MX (\$5299) put up strong performance numbers in our three subcategories and had above-average quality scores. HP is rumored to be introduc-

KEY

Ratings from 1 to 4: ▲ is the lowest; ▲▲▲▲ is the highest.

ing a replacement model for the 4Si, a new 24-ppm laser that will be available sometime in November.

For most needs, one of the nine 16- to 20-ppm laser printers that we tested should be fast enough for midsize offices with 25 to 75 users wired to a network. These printers generally can handle enough volume so that you won't have to call crowd control whenever multiple print jobs are sent to the queue. Although the 30- to 32-ppm lasers offer more speed

and paper-handling capabilities, the 16- to 20-ppm units have the ability to print higher-quality documents with integrated graphics.

Most of these printers are desktop units that support 600-dpi output and let you print general graphics relatively quickly. Some

support resolutions of up to 1200 dpi, which is great for detailed reports; however, you may have to wait a bit if your text report is in the queue behind a coworker's complex newsletter. The average cost of the printers in this category is \$4236, and only two exceed \$5000 for their as-tested configurations.

Our overall winner in this category is the Xerox 4520mp Desktop Laser Printer, by virtue of its 20-ppm print speed and high quality.

Also ranking high is the Kyocera Ecosys FS-3400A; it ripped through our PCL tests with the best score in the group. However, it didn't come with a PostScript option, which eliminated it from our PostScript and EtherTalk tests. The FS-3400A printed at

11.7 ppm in the PCL tests, and if you just need to print in PCL mode, it's a bargain at \$3578.

At \$3699, the 16-ppm Dataproducts Typhoon 16 is another outstanding lower-priced

Weighting for Best Overall

PERFORMANCE 40%

QUALITY 30%

FEATURES 15%

USABILITY 15%

Weighting for High-Quality

QUALITY 70%


PERFORMANCE 10%

FEATURES 10%

USABILITY 10%

*Lexmark introduces
new 1200 dpi Optra laser printers.*

RARELY HAVE SO MANY DOTS MOVED SO FAST.



Outrunning the competition. It's making the world's sharpest desktop laser printers run faster without raising the price. Introducing the new 16 ppm Lexmark Optra™ plus models: True 1200 dpi printing, up to 50% faster throughput, enhanced paper handling and unsurpassed connectivity. Never has so much performance cost so little.

Call 1-800-891-0399, ext.233, to

receive a free Optra print sample. Or visit our Web Site at <http://www.lexmark.com>. And see for yourself just how well we run.

LEXMARK™

ADVANCING THE ART OF PRINTING



The three high-end network printers we tested—the Dataproducts Typhoon 30, QMS 3225 Print System, and Xerox 4230/MRP—are all built for speed and durability. These workhorses are best suited for offices with high-volume-text and duplex print jobs. They range in price from approximately \$17,000 to \$30,000 and feature multiple paper-input trays and high-capacity loaders and stackers that help differentiate them from the 16- to 20-page-per-minute lasers.

With resolutions of 300 and 400 dpi, these printers produce output that's not as high-quality as that of the 16- to 20-ppm units, but they can produce acceptable charts, spreadsheets, and simple graphics for use in typical business reports.

Although it's seemingly a stretch to rate printers with resolutions of 300 and 400 dpi for quality, remember that these printers are not designed to spit out presentation graphics, but rather to satisfy the needs of larger workgroups. We rated them on the same quality scale as their 16- to 20-ppm counterparts; as a result, their scores are low.

Although the QMS 3225 received top honors in all categories in this group, the other two units in our test-bed also had strong performance scores. The Xerox 4230/MRP comes closest to the QMS 3225 in speed, with an average rating of 11.5 ppm when its PostScript, PCL, and EtherTalk test scores are combined. The QMS 3225 zips through the tests at an average of 15.5 ppm, while the Typhoon 30 averages out at 9.8 ppm.

At \$20,245 as tested, Xerox's 4230/MRP is the least expensive of the group. Its accompanying printer management software makes network configuration a breeze. The 4230/MRP has a 230,000-page monthly duty cycle and supports five paper-input trays, for up to 1800 sheets of paper, and a high-capacity output tray.

Eat my dust

BEST OVERALL QMS 3225 Print System



This 32-ppm printer is the only unit to achieve double-digit performance in our PCL, PostScript, and EtherTalk tests (with scores of 19.2, 14.6, and 12.8 ppm, respectively). It offers duplexing capability, two regular input trays, and a high-capacity input tray. The QMS 3225 also has two output trays, a hard drive, and a floppy drive. This printer has good features and usability, but its performance really puts it over the top in this category: It's 7 ppm faster than the first runner-up, the Xerox 4230/MRP.



	PRICE AS TESTED	OVERALL SCORE	PPM			CPU SPEED (MHZ)	SCORES		
			PCL	POSTSCRIPT	ETHERTALK		QUALITY	FEATURES	USABILITY
BEST QMS 3225 Print System	\$17,149	9.0	19.2	14.6	12.8	33	▲▲▲	▲▲▲	▲▲▲▲
RUNNER-UP Xerox 4230 MRP	\$20,245	7.3	12.5	12.9	9.2	20	▲▲▲	▲▲▲	▲▲▲▲
RUNNER-UP Dataproducts Typhoon 30	\$29,616	6.8	11.1	10.5	7.9	33	▲▲▲	▲▲▲	▲▲▲▲

Scale up for quality output

HIGH-QUALITY QMS 3225 Print System



At 400 dpi, the QMS 3225 has the highest quality scores, which, combined with its excellent performance, make it the best-quality printer of these lower-resolution lasers. Its standard features include auto-sensing between emulations, PostScript Levels 1 and 2, and Hewlett-Packard LaserJet III (PCL 5) emulation. The first runner-up, the Dataproducts Typhoon 30, also supports 400 dpi, and its quality scores are similar to those of the QMS 3225.

	PRICE AS TESTED	OVERALL SCORE	PPM			CPU SPEED (MHZ)	SCORES		
			PCL	POSTSCRIPT	ETHERTALK		QUALITY	FEATURES	USABILITY
BEST QMS 3225 Print System	\$17,149	8.0	19.2	14.6	12.8	33	▲▲▲	▲▲▲	▲▲▲▲
RUNNER-UP Dataproducts Typhoon 30	\$29,616	7.5	11.1	10.5	7.9	33	▲▲▲	▲▲▲	▲▲▲▲
RUNNER-UP Xerox 4230 MRP	\$20,245	7.3	12.5	12.9	9.2	20	▲▲▲	▲▲▲	▲▲▲▲

It's a sweep

MACINTOSH QMS 3225 Print System



With an EtherTalk rating of 12.8 ppm, the QMS 3225 easily outperformed the other printers in all aspects of Mac printing, except for the font test, for which the Typhoon 30 took top honors. A 9.2-ppm EtherTalk rating, combined with excellent features and usability, made the Xerox 4230/MRP the first runner-up. The Typhoon 30 offered good EtherTalk performance, but it wasn't good enough to beat the other printers in the group.

	PRICE AS TESTED	OVERALL SCORE	PPM			CPU SPEED (MHZ)	SCORES		
			PCL	POSTSCRIPT	ETHERTALK		QUALITY	FEATURES	USABILITY
BEST QMS 3225 Print System	\$17,149	9.0	19.2	14.6	12.8	33	▲▲▲	▲▲▲	▲▲▲▲
RUNNER-UP Xerox 4230 MRP	\$20,245	7.5	12.5	12.9	9.2	20	▲▲▲	▲▲▲	▲▲▲▲
RUNNER-UP Dataproducts Typhoon 30	\$29,616	7.0	11.1	10.5	7.9	33	▲▲▲	▲▲▲	▲▲▲▲

The 30-ppm Dataproducts Typhoon 30 is the most expensive printer in the group, sporting an as-tested price of \$29,616. However, it offers some technological advances that set it apart from the others. A paper-feed mechanism enables you to refill one paper tray while the printer feeds

from another tray, allowing continuous operation. The toner compartment can also be filled on the fly. In addition, the Typhoon 30 uses Dataproducts' Virtual Printer Technology (VPT), which adds network smarts to printers by acknowledging and receiving up to 64 different printer con-


KEY

Ratings from 1 to 4: ▲ is the lowest; ▲▲▲▲ is the highest.

figurations concurrently.

The Typhoon 30 supports five paper-input trays and 3500 sheets of paper. The device offers a 200,000-page monthly duty cycle.

NETWORK-PRINTER-MANAGEMENT SOFTWARE



Admin comes with all HP JetDirect interfaces, including versions for DOS and Windows. From JetAdmin, an administrator has

the ability to lock the printer's physical control panel. It also allows you to see what jobs are active on all queues. JetPrint configures both the print server and queue

utility is a little confusing to install, but it's easy to use. **CrownAdmin.** QMS's CrownAdmin for Windows and the Mac manages and configures QMS network printers. It searches out the printers by address and allows on-line configuration, but without any TSRs. CrownAdmin does not create your Novell Print Server for you, but it provides the name and printer descriptions in the NetWare configuration-menu item. It's easy to install and use.

Document Services for Printing (DSP) and XRXADMIN. Xerox offers two network-printer-management utilities for DOS. The DSP management/utility software installs easily and sports an easy-to-use interface. It helps you select a "best-fit" printer, depending on your output needs. DSP can track the status of multiple printers on the network as well as install the Novell PSERVER for you. The only downside: two TSRs for the printer-status application and terminal emulation.

XRXADMIN is easy to install and use and doesn't require a TSR. However, it seems to be designed more for printer configuration and management than for keeping tabs on printer status. The Xerox NICPRINT.EXE utility finds the printer for you and creates a PSERVER. However, it didn't run reliably under Windows as a DOS session.

Most network printers come bundled with software for managing printers from across the network. Some applications simply check the status of the printer to see if it's on-line, out of paper, or busy. Most include some sort of configuration capability. But some applications go further. Below are some notable features of the software we tested.


PrintWatch. Dataproducts' PrintWatch for Windows can monitor the print server and its status via TCP/IP, as well as configure the printer. Although it's more difficult to configure and install than some other utilities, it's easy to use once you set it up.

JetAdmin and JetPrint. Hewlett-Packard's JetAdmin provides configuration capabilities and printer-status information for users and administrators. Easy to use and install, Jet-

and maintains status information on the printer.

Printset. Kyocera's Printset utility for Windows creates a Novell Print Server and provides TCP/IP and AppleTalk configuration information. Printset also keeps track of the printer's status, but the status information is not as detailed as it is with many of the other utilities.

MarkVision. LexMark's MarkVision for Windows uses bidirectional communications to maintain, configure, and track the printer's status. A graphical representation of the printer's control panel and a detailed printer-status window let you know what's going on. The



HONORABLE MENTIONS

Masochistic as it may sound, we actually enjoyed clearing paper jams with a couple of these printers. The control panel of the Xerox 4230/MRP directs you to the



Xerox 4230/MRP

paper jam's specific area and requests that you open the correct doors to clear the jam. The LED of the Data-

products Typhoon 30 also gives on-target directions on how to find and clear paper jams. Note that, aside from a



Dataproducts Typhoon 30

small mechanical failure in one printer, we had to cause the jams ourselves; the units showed no desire to jam on their own.

paper jam occurs or "thank you" when you fix it. However, with better sound capability, it works great. This may be a little annoying to some, but mainly just to those who don't expect sound or who don't have a high-quality sound card.

Dubious Achievement

Although the QMS 3225 Print System has many attributes we like, it has one feature that we really can't stand: Page Sensing Tabs for the paper-input trays. These tabs tell the printer what kind of paper you're using. As with the paper-tray keys found on other printers, these devices help you use the same paper tray for different-size paper. From experience, we know that small pieces like these can vanish in an instant—down a heating duct or somewhere inside the printer.



How We Tested

To pick the top network laser printers, we test the devices' performance (i.e., speed), quality of printed output, features, and usability. We test and score each of these elements separately, and then we compute the overall score by assigning a weight to each element. For example, we assign weights in the overall performance category as follows: 40 percent for performance, 30 percent for quality, 15 percent for features, and 15 percent for usability. For the high-quality category, the weighting is 10 percent for performance, 70 percent for quality, 10 percent for features, and 10 percent for usability. In the Mac category, we use the same formula that we use for the best overall category. The only difference is that we use the EtherTalk rating for the performance score.

PERFORMANCE

We set each printer to poll the network as frequently as possible to ensure we get the most consistent times attainable. NSTL's performance tests measure how fast a printer can print text, graphics, and fonts. The dense-text test requires printing a 2-KB file of ASCII text with little white space. Performance in this test correlates to raw speed, because there are no fonts or graphics for the printer to interpret.

The graphics tests use bit-mapped images to simulate documents with custom fonts or screen shots. These tests help us determine how efficiently each printer communicates with a computer. One test measures the printer's ability to draw complex lines and filled areas. A second test produces curves and gray scales. An additional complex-graphics test, created in CorelDraw, includes gray-scale shading, lensing, and other complex images. This test stresses the printer's processor and RAM capabilities.

We also use the font test to measure the speed of a printer's processor. This test requires printers to create Times (serif) and Helvetica (sans serif) fonts in regular and boldface in 30 different point sizes. We immediately repeat this test without resetting the printer to determine the unit's font-caching capabilities.

PRINT QUALITY

NSTL's print-quality tests measure a unit's ability to produce a photographic image;

print attractive, legible text in a wide range of sizes; and draw lines. Because most laser printers produce monochrome-only output, color-print-quality tests are not included in this review. The line-squeeze test forces a printer to draw two lines increasingly closer together until the gap between them vanishes, which indicates the printer can no longer make the black-to-white-to-black transition. The test suite also gauges other print-quality considerations, such as how accurately the unit positions paper and how well it displays reversed (i.e., white-on-black) text and graphics.

OTHER FACTORS

Participating vendors supplied us with responses to a printer-features survey that included a wide range of questions about what emulations are supported, the printers' maximum horizontal and vertical resolutions, and what services are included with the standard warranty. We verified these responses and assigned a features score based on the most important features. We also evaluated how easy the printers are to use, based on such aspects as ease of ink-medium installation, intuitiveness of the control panel, ease of driver installation, ease of network setup, and clarity of the user's manuals.


CONFIGURATIONS

We tested all the printers in a network configuration using a Compaq Deskpro 66M network file server with 16 MB of RAM and Novell NetWare 3.12 installed on the hard drive. For a PC workstation, we used a Dell Dimension XPS P75 with 8 MB of RAM running DOS 6.22 and Windows for Workgroups 3.11. Our network file server used an NE3200 EISA Ethernet adapter; the workstation used an Intel PCI Ether-Express Pro/100 Ethernet adapter.

Each network adapter is bound to a variety of protocols to ensure it connects with each printer's network interface card (NIC). Our technicians tested printers with a Mac interface on a Quadra 640AV work-

station with System 7.1, 16 MB of RAM, and EtherTalk installed. We tested each printer with the drivers that were supplied or recommended by its vendor. We disabled all print servers, spoolers, and buffers during performance testing.

On the PC platform, we used an NSTL-designed Windows applet to launch test files to each printer. After the last page of a test file dropped into the tray, a tester pressed Enter; the applet then displayed the number of seconds it took the printer



Using NSTL's network-printer-performance test-bed, project manager Jim Kane evaluates printer performance, quality, features, and ease of use.

to print the file. We used a similar applet to measure EtherTalk performance. On the PC platform, we tested printers in both PCL and PostScript emulations; on the Mac platform, we tested printers in PostScript only. Tests in both emulations were run with the printer set to its highest resolution.

Contributors

Michele Guy, Project Manager/NSTL, has been testing hardware and software products for NSTL for the past four years.

Tarig Imbrahim, Tester/NSTL, has been an independent network consultant for the past five years.

Jim Kane, Project Manager/NSTL, has been testing network and PC hardware at NSTL for the past six years.

John McDonough, Technical Editor/NSTL, has been writing for high-tech publications for several years.

The Lab Report is an ongoing collaborative project between BYTE magazine and National Software Testing Laboratories (NSTL). BYTE magazine and NSTL are both operating units of The McGraw-Hill Companies, Inc. Contact the NSTL staff on the Internet at editors@nstl.com or by phone at (610) 941-9600. Contact BYTE on the Internet or BIX at editors@bix.com or at (603) 924-2624.

ROLL CALL

	DATAPRODUCTS CORP. TYPHOON 16	DATAPRODUCTS CORP. TYPHOON 30	DIGITAL EQUIPMENT CORP. PRINTSERVER 17/600	HEWLETT-PACKARD CO. LASERJET 4MV	HEWLETT-PACKARD CO. LASERJET 4SI MX
Price as tested	\$3699	\$29,616	\$5390	\$3549	\$5299
MONOCHROME PERFORMANCE (PPM)					
PostScript	7.0	10.5	4.9	8.3	9.4
PCL	6.7	11.1	8.4	10.6	10.7
EtherTalk	6.6	7.9	N/A	7.6	7.1
PERFORMANCE SCORES					
Quality	8.3	7.6	7.7	8.1	7.9
Features	8.1	7.3	5.3	7.0	7.1
Usability	8.4	8.3	5.0	8.2	8.3
Overall	7.2	6.8	5.9	8.4	8.4
MEMORY					
Memory as tested (MB)	12	24	20	12	10
Memory base/maximum (MB)	12/68	16/32	16/32	12/44	10/26
Engine model	Fuji-Xerox Haruna	Hitachi	Canon 174-PCB	Canon P380	Canon MXP174
Maximum resolution (vertical/horizontal; in dpi)	600/600	400/400	600/600	600/600	600/600
ppm monochrome at maximum resolution*	16	30	17	16	17
INPUTS					
Auto-switching between inputs/emulations	●/●	●/●	○/●	●/●	●/●
Monthly duty cycle (pages)	30,000	200,000	70,000	50,000	75,000
Interfaces as tested	LocalTalk, Ethernet, SCSI, Centronics, RS-232, RS-234	Ethernet	Ethernet	LocalTalk, Ethernet, Centronics, HP BiTronics Parallel	LocalTalk, Ethernet, Centronics, HP BiTronics Parallel
INTERFACES					
RS-232/RS-422	●/●	●/●	○/○	Opt./Opt.	Opt./Opt.
SCSI-1/SCSI-2	●/●	○/○	○/○	○/○	○/○
Ethernet/LocalTalk/Token Ring	Opt./●/Opt.	Opt./○/○	●/○/○	●/●/Opt.	●/●/Opt.
PDLs					
HPGL	●	○	○	●	●
PostScript Level 1/Level 2	○/●	●/○	●/●	○/●	○/●
PostScript/Vendor	●/Adobe	●/Phoenix	●/Adobe	●/Adobe	●/Adobe
Intellifont	●	●	○	●	●
True Image	●	●	○	○	○
HP LaserJet III (PCL5/PCL4)	●/●	●/●	●/●	○/○	○/○
SUPPORTED PAPER SIZES					
Letter (8.5 × 11 in.)	●	●	●	●	●
Legal (8.5 × 14 in.)	●	●	Opt.	●	●
A4 (8.26 × 11.69 in.)	●	●	Opt.	●	●
B5 (7.17 × 0.12 in.)	●	○	●	●	●
Tabloid (11 × 17 in.)	●	●	○	●	○
Executive (7.25 × 10.5 in.)	●	○	Opt.	●	●
Number of input trays standard/maximum	1/3	3/5	2/3	2/3	2/3
Envelope tray	●	○	Opt.	●	●
Envelope/transparency/ adhesive-backed labels	●/●/●	○/○/●	●/●/●	●/●/●	●/●/●
Envelope feeder	Opt.	○	Opt.	●	●
Duplex printing	○	●	●	○	Opt.
Dimensions in inches (W × L × H)	17 × 23 × 11	26 × 25 × 40	17.9 × 22.4 × 19	18.1 × 20.6 × 12.5	21.5 × 23.5 × 16.5
Weight (lbs.)	42	132	98	51	94
FCC class/noise in high-speed draft mode (decibels)	A/53	A/55	A/50	B/55	B/55
Energy Star-compliant	●	○	●	●	●
Voltage	120	120	120 or 220	220	220
Warranty (years)/coverage	1/P, L	90 days/P, L	1/P, L	1/P, L	1/P, L
Phone	(703) 648-0930	(703) 648-0930	(508) 493-5111	Call local HP dealer	Call local HP dealer
Toll-free phone	(800) 980-0374	(800) 980-0374	(800) 777-4343	(800) 752-0900	(800) 752-0900
On-line address	http://www.dpc.com	http://www.dpc.com	http://www.digital.com	http://www.hp.com	http://www.hp.com
Inquiry number	1396	1397	1398	1399	1400

 = BYTE Best.

● = yes; ○ = no; N/A = not applicable.

*Scores for monochrome performance are actual, real-world performance scores.

Warranty:

P = Parts L = Labor F = Freight to repair center R = Return to customer

KYOCERA ELECTRONICS, INC. ECOSYS FS-3600A	KYOCERA ELECTRONICS, INC. ECOSYS FS-3400A	LEXMARK INTERNATIONAL OPTRA LX	QMS, INC. 1660E PRINT SYSTEM	QMS, INC.  3225 PRINT SYSTEM	XEROX CORP.  4520MP DESKTOP LASER PRINTER	XEROX CORP. 4230/MRP ^A
\$4278	\$3578	\$3997	\$6798	\$17,149	\$4335	\$20,245
10.0	N/A	5.3	7.5	14.6	8.9	12.9
9.4	11.7	7.1	9.5	19.2	11.4	12.5
9.5	N/A	4.9	6.9	12.8	7.4	9.2
7.8	7.9	8.8	8.2	7.8	8.0	7.1
6.1	6.0	6.7	7.0	7.7	6.7	7.9
8.0	8.0	8.7	8.8	8.5	8.3	8.9
6.3	8.7	7.1	8.1	9.0	8.7	7.3
6	5	12	48	16	12	20
2/66	1/5	4/64	12/64	16/32	8/52	20/20
Kyocera FS-3600 600/600	Kyocera FS-3400 1200/300	Lexmark Optra 1200/1200	Canon BX II 1200/1200	Ricoh M32 400/400	Fuji-Xerox XP-20 800/800	Fuji-Xerox 4230/MRP 300/300
18	18	8	16	32	20	30
●/●	●/●	●/●	●/●	●/●	●/●	●/●
50,000	50,000	75,000	35,000	200,000	75,000	230,000
Ethernet, Centronics	Ethernet, Centronics	Ethernet, Centronics, RS-232, RS-234	Ethernet, SCSI, AppleTalk, RS-232	Ethernet, Centronics, Centronics, AppleTalk, RS-232	Ethernet, RS-232, RS-234	LocalTalk, Ethernet, Centronics, RS-232
Opt./Opt.	Opt./Opt.	●/●	●/○	●/○	●/●	●/○
○/○	○/○	○/○	●/○	●/●	○/○	○/○
Opt./Opt./Opt.	Opt./Opt./Opt.	Opt./Opt./Opt.	●/Opt./Opt.	Opt./●/Opt.	●/Opt./Opt.	Opt./Opt./Opt.
●	●	●	●	●	○	○
Opt./○	Opt./○	●/●	●/●	●/●	○/●	○/●
○	○	○	●/QMS	●/Adobe	●/Adobe	●/Adobe
●	●	●	Opt.	N/A	●	●
●	●	○	○	○	○	●
●/●	●/●	●/●	●/○	●/●	●/○	●/○
●	●	●	●	●	●	●
Opt.	Opt.	Opt.	●	●	Opt.	●
Opt.	Opt.	●	●	●	Opt.	●
Opt.	Opt.	●	●	●	Opt.	●
○	○	○	●	●	●	●
●	●	●	●	●	Opt.	●
1/4	1/4	1/3	3/2	2/3	4/5	5/5
●	●	Opt.	○	○	●	●
●/●/●	●/●/●	●/●/●	○/●/●	○/●/●	●/●/●	●/●/●
Opt.	Opt.	Opt.	○	○	Opt.	●
●	●	●	○	●	○	●
13.6 × 13.6 × 8.7	13.6 × 13.6 × 9.7	16.1 × 21.1 × 17.2	18 × 23.2 × 11.8	37.4 × 25.8 × 29.5	20.5 × 22 × 20.8	39 × 26.7 × 41.7
23	23	50	N/A	187	83	356
B/50	B/50	B/50	B/N/A	A<55	B/53	A/55
●	●	●	●	○	●	●
120	120	120	120 or 220	120 or 220	120 or 220	220
1/P, L, F	1/P, L, F	1/P, L, F, R	1/P, L	90 days/P, L	1/P, L	3 months/P, L
(908) 560-3400	(908) 560-3400	(606) 232-2000	(334) 633-4300	(334) 633-4300	Call local Xerox dealer	Call local Xerox dealer
(800) 232-6797	(800) 232-6797	(800) 891-0331	(800) 523-2696	(800) 523-2698	(800) 349-3769	(800) 349-3769
john_storch@kel-us.cc: mail.compuserve.com	john_storch@kel-us.cc: mail.compuserve.com	http://www.lexmark.com	http://www.qms.com	http://www.qms.com	N/A	N/A
1401	1402	1403	1404	1405	1406	1407

Do you know which CD-recorder is best for you?



We do.

Anyone can sell you a CD-ROM recorder. But can they help you make sure you get the one you need? With so many recorders on the market, PC, Mac and Unix platforms, and over 25 different premastering and mastering software packages available, which one is the best for you?

Do you need disc-at-once or track-at-once? What kind of discs will you be making? Data? Video? Audio? Multimedia? Are you cutting Mode 2 Form 1 or Mode 2 Form 2? What write speed do you need? Read speed? Buffer size? Do you need tray load? Caddy load? What kind of system throughput do you need? Lots of the same disk? A lot of different disks? There are so many factors.

DataDisc can help you make the right choice. We regularly test the latest available CD-R hardware, software, and media. When you call, we will help

you identify which products best meet your particular needs. We have sold CD-ROM recorders from every manufacturer. And, if we don't have the solution you need, we'll tell you where to find it.

How do we know all of this? We own and use this equipment in our service bureau so we are intimately familiar with how it works. As a result, we can better help you. Both in picking the right equipment and with answering your technical support questions. Some companies simply want to take your money and hope you don't call back. Our life-time, toll-free technical support ensures you're never stuck.

We are also the largest blank disc retailer in the country. We're your one-stop-shop for all your CD-ROM recording needs. If you're thinking about getting your own desktop CD-ROM recorder, give us a call and find out exactly what you need - even the

call is priced right - call 800-DATADISC (that's 800-328-2347). If you're already sure which CD-recorder you want, give us a call and check out our pricing.

From the simplest low-cost data backup unit to full featured lights-out production systems, dataDisc knows them all.

Knowledge, experience, support, pricing - only from dataDisc.



dataDisc
everything CD-ROM!
800-328-2347 (800-DATADISC)

PixelFlow: Scalable Image Processing

It divides and conquers rendering by drawing the objects first, then combining them

DICK POUNTAIN

PixelFlow is a new chip architecture for generating photo-realistic images in real time. Created by researchers at the University of North Carolina, PixelFlow is aimed squarely at the very top end of the graphics market, presently dominated by such exotic hardware as Silicon Graphics' RealityEngine² (see "Damn the Torpedoes!," November 1993 BYTE). To compete in this arena, a system must offer full color (with fog and transparency effects), high resolution, photo-realistic Phong shading, antialiasing, and bump- and texture-mapping, all while delivering up to 60 video frames per second.

The sort of customers who can afford this high level of realism right now include Hollywood studios chasing another *Jurassic Park*-class blockbuster film, and military departments. The latter is looking into PixelFlow for use in sophisticated VR combat simulators (research on PixelFlow has been partly supported by the U.S.'s Defense Advanced Research Projects Agency).

PixelFlow shares some of the same design decisions that went into the RealityEngine². First, it employs massive parallelism, since there's no way to get sufficient bandwidth from a single processor. Second, it separates the floating-point-intensive geometry processing from the


rendering process, which uses high-performance integer calculations. This is explained by the fact that geometry processing works on a database of real numbers—the 3-D coordinates that describe objects—using matrix math. These

calculations transform this data into a current screen view composed of triangles. Conversely, rendering works on bit maps at the pixel level, coloring in the triangles to give the illusion of a scene with lighting and shadows.

Where the PixelFlow architecture differs from its competitors is that it's fully scalable in both the geometry and the rendering dimensions. It splits the rendering process itself into separate rasterizing and shading steps (so-called "deferred shading") that are implemented on separate boards. A PixelFlow system consists of a backplane into which you can fit the appropriate mixture of rendering and shading boards to achieve the performance you require (see the figure "PixelFlow Hardware" on page 250).

Subdivision vs. Composition

Key to PixelFlow's scalability is the way it distributes tasks among its parallel processors, using a technique called *image composition*. The more obvious way to distribute graphics tasks is through *screen subdivision*, where you divide up the screen into a number of nonoverlapping regions and assign a different renderer to each region. This approach scores on conceptual simplicity but complicates implementation. Most of the objects in any



scene will cross region boundaries, and they'll also move around the screen as the viewpoint changes. Hence, a global routing network is needed so that any geometry engine can deliver objects to any renderer (see section (a) of the figure "Imaging Architectures Compared" on page 249). This network needs a very high bandwidth and, crucially, the bandwidth required rises with the rendering rate. Having to sort the drawing primitives by screen region also complicates software implementation.

In image composition, by contrast, each graphics processor works over the whole screen area but renders only some of the primitives (see section (b) of "Imaging Architectures Compared"); the partial images so produced are then composited (hence the name) into a single picture. This does away with the global switching network completely, as each geometry engine always serves the same renderer. Instead, you need a compositing network to combine the partial images; however, as this carries only local traffic from each renderer to its neighbor, its necessary bandwidth (though still high) remains constant as you add more renderers. Therefore, you have scalability.

Composition-network bandwidth depends on the screen size and frame rate. Say we want a 1280- by 1024-pixel image that's 48 bits deep, displayed at a 30-Hz frame rate. This amounts to a base bandwidth of 2.3 Gbps. In PixelFlow, however, antialiasing requires each pixel to be super-sampled four times over, and the deferred shading algorithm multiplies the required bandwidth further by a factor of 2 or 3. The architecture that handles these operations is based on a 256-bit-wide image-composition network running at 132 MHz, for a total of 33.8 Gbps. The very name PixelFlow stems from the fact that a stream of pixels flows in one direction along this compositing data path, with each rendering board adding its own contribution to the image as it passes through.


The compositing port on each board contains hardware comparators that implement a z-buffering scheme, so only those pixels that should be visible (that is, those pixels that have a smaller z coordinate and so are in front of any other pixel) pass over the network to the next renderer. This comparison hardware works in parallel, so that a board can be rendering the next frame while the current one is passing over the network.

"Deferred shading" implies that the renderers don't generate final RGB values. They generate an intermediate pixel representation that encodes attributes such as intrinsic color, direction of surface normals, and texture coordinates. These intermediate values flow into the shaders (all located downstream from the renderers) where they are converted to RGB using shading and texturing algorithms. The last station on the network is the frame buffer, where the final composited image accumulates.

PixelFlow Hardware

At the heart of the PixelFlow architecture is a processing array of enhanced memory chips (EMCs), which you can think of either as a single-instruction multiple-data parallel computer or, equivalently, as an intelligent memory. This EMC, for which first silicon is due this quarter, is the latest in a family of UNC designs called Pixel-Planes. It's a 16 by 16 array of cells, each of which consists of an 8-bit ALU, a linear expression evaluator, 2048 bits of local memory to store pixel data, and an 8-bit memory bus. The linear expression evaluators compute the value of bilinear

PixelFlow Hardware



expressions of the form $Ax+By+C$ for each cell's x,y coordinates. The ALUs perform arithmetic (including 16-bit multiplies) and logic operations on the cell's pixel data, in parallel across the whole array.

Programming involves broadcasting the parameters A , B , and C for each of the three corners of a triangle to the whole array, along with an ALU micro-instruction specifying an operation. All the cells compute in parallel whether their own pixel lies within this triangle ($A1x+B1y+C1<0$, etc.) and perform the requested operation if the pixel does.

This EMC array is equally useful for rendering or shading operations, so all PixelFlow boards contain the same core components: a floating-point RISC geometry processor and an array of EMC chips. The EMC array is dual-ported. One port connects to the composition network. The second port is used differently, according to the type of board: On a renderer board it's unused; on a shader board it connects to eight banks of RAM used for storing texture maps; on a frame-buffer board it connects to the frame buffer itself. Since shading and frame-buffer boards perform no geometry calculations, their underused RISC processors can be redeployed for image-processing operations, such as warping, and for procedural texturing (running Renderman, for example.)

While it would be nice to provide enough EMCs to render the whole screen in parallel, this would currently be prohibitively expensive, as you'd need 5120 (80 by 64) EMCs per board. Real PixelFlow systems will use just 64 EMCs per board and render the screen as a time sequence of 128- by 128-pixel regions. This image sequencing, and that associated with antialiasing sampling, is performed by a custom control ASIC.

PixelFlow is now poised to enter the commercial arena. Division Inc. (Bristol, U.K.), a firm specializing in virtual reality systems, has formed a partnership with UNC to develop a PixelFlow board set, and Hewlett-Packard has invested in this project with an option to use the system in future graphics workstations. Consequently, Division has chosen HP's own PA-7200 (250+ SPECfp92) as the geometry processor (to be replaced when available by the PA-8000). The performance target—for a system with 128 PixelFlow boards—is 100,000,000 Phong-shaded, antialiased, textured triangles per second. ■

Dick Pountain is a BYTE contributing editor based in London. You can reach him on the Internet or BIX at dickp@bix.com.

Open(ing) VMS to Win32

Adding Win32 support to Digital's OS will allow developers to target OpenVMS and NT machines

MARK FENIELLO

Good things come to those who wait. Digital Equipment Corp. and Microsoft have had an agreement for several years to help each other develop, promote, and market products. Soon after this relationship was formed, Digital's Alpha AXP machines were among the first to support Windows NT. Since then, however, there have been few tangible results to support the flurry of marketing and PR announcements. But finally this alliance is starting to bear real fruit.

The two companies have agreed to exchange engineers, license some of each other's patented technology, and provide access to each other's source code. And Microsoft will fund the training of at least 1500 Digital employees to support Microsoft products. But perhaps the biggest news is Digital's announcement that its OpenVMS operating system will soon support Microsoft's Win32 API.

Word for OpenVMS?

So does this mean Microsoft Word will run on OpenVMS? That's a question Wes Melling, Digital vice president of OpenVMS Systems Business, hears often. And his answer is "No." The long version of the answer is that when enough of the Win32 API is supported by OpenVMS, you could get Word to run under OpenVMS by recompiling and relinking the source code. That is not likely to be a high priority for either Microsoft or Digital, so Melling is probably right; the answer remains "No."

On the other hand, many OpenVMS developers want to know if they can now develop Windows applications and then run them on an OpenVMS system. This is the question Digital wants to hear, because the answer is a resounding "Yes." Digital wants developers to build applications for Windows and then keep OpenVMS in mind when deciding which platforms to support with these new applications. This is the message Digital must keep telling developers as desktop machines play an ever-increasing role in the day-to-day business operations of Digital's traditional user base—

medium to large scientific and commercial sites.

The announcement of OpenVMS support for the Win32 API is part of a much larger picture Digital is painting. OpenVMS is already widely

accepted as a bulletproof operating system capable of providing 24-hour-a-day, 365-day-a-year reliability to business-critical, enterprise-wide applications. But Digital knows that business desktops are dominated by PCs, most of which are running Windows. Digital wants to make it easier for developers to create client/server applications for a single OS (i.e., Windows) and then deploy those applications on a combination of Windows, Windows NT, and OpenVMS systems.

The Three-Tier Approach


Digital and others in the industry are now promoting a new model for client/server applications. They are warning that applications with a "fat client" or a "fat server" will not scale or perform well in the future.

An application with a fat client is one in which the client handles not only the user interface but most of the application's decision logic as well. This leaves only the data-retrieval and update functions to the back-end server. A fat server application results when the client is little more than a GUI that issues SQL requests to a database server. In this type of application, the server handles most of the decision logic and calculations. The server then sends packets of formatted information back to the client for display.

Some analysts and makers of development tools are now advocating a three-tier client/server model (see the

figure). In this model, the decision logic and heavy calculations are separated from the rest of the application and put into a partition of their own. This becomes the middle tier of the three-tier model. The first tier contains only the presentation services, the GUI. The third tier provides all the data management services.

With an application partitioned in this way, you have the flexibility to deploy each piece of the application on the system that gives it the best performance. Instead of running a CPU-hogging number cruncher on a 66-MHz 486, let it rip on a blazingly fast 275-



OpenVMS with Win32 will enable developers to deploy three-tier client/server applications.

MHz Alpha AXP system. If you have to work with huge amounts of data, why try to cram a small piece of it into the 8 MB on the desktop client when you could fit everything into memory at once by accessing 512 MB of shared memory on an application server?

Some development tools take this even further by allowing you to replicate the application logic across multiple servers. With this configuration, automatic load balancing can be performed, letting the application server with the most available resources handle the clients' requests for services. Having multiple application servers also provides another benefit: Even if one or more servers goes down, requests can still be processed by the remaining servers. You can quickly envision a system that is as fast and as reliable as you want to make it. All you need to do is throw more hardware at the problems until there are no more problems left to solve.

Platform Oblivious

If you are a developer, you may wonder what hoops you have to jump through to get a program to work like this. That is one of the main reasons that Digital is building support for the Win32 API into OpenVMS. It is already possible for you to build and partition a client/server application using the three-tier model, and you have a number of development tools to choose from to help you. The problem comes when you need to choose the target platform.

With most of the existing tools, you need to be very aware of the target platform for which you are writing the application. If you don't continually take this into account, your beautifully designed program will probably not run properly when it gets to the target system. According to Digital's Melling, it is Digital's goal to make things so transparent that the developer can be "platform oblivious."

By supporting the Win32 API on OpenVMS, Digital has brought developers one step closer to being "oblivious." You will be able to develop a client/server application on a Windows or Windows NT machine and then deploy it on any combination of Windows, Windows NT, or OpenVMS systems.

Support for the entire Win32 API will not come all at once (see the chart above). First, Digital will support what Microsoft used to call the Win32s subset of the API. This portion of the API provides everything needed by a typical Windows program, such as I/O functions, memory management, and object management, plus the common graphics- and window-management calls. By the time you read this, support for the Win32s portion of the API, along with support for OLE 2 and the Microsoft Foundation Class, should be available. Within six to nine months, some of the Win32 server API calls will be supported.

Digital is now in the process of surveying customers as to which calls are most important and should be included in this second phase of support. Then, in the next 12 to 24 months, Digital intends to support the rest of the Win32 server API calls as well as the BackOffice API.

Presto Change-o

Bristol Technologies (Ridgefield, CT) is performing the magic that allows OpenVMS to understand and handle the Win32 API calls. Bristol is writing a library of callable routines that translate the Win32 API calls into the appropriate OpenVMS system services. The routines translate GUI-related API calls into their equivalent Motif calls. To enable an application designed for Windows to run under OpenVMS, you simply recompile your source program

on an OpenVMS system and link it with this library. Except for minor differences between the Motif and Windows interfaces, you shouldn't know or care about the operating system on which your application is running.

It will take benchmark tests to determine comparative performance figures based on real applications. But Digital expects that performance will be almost identical between a Windows application running under Windows NT and the same application running under OpenVMS on the same hardware. Mike Cuccia, director of OpenVMS marketing at Digital, says that application performance on an OpenVMS platform is within 10 percent plus or minus of the performance on a comparable NT platform. Some

Win32 API Support on OpenVMS

Expected Release Time	Features Supported
Now to 3 months	Win32s API, OLE 2, Microsoft Foundation Class
6 to 9 months	Selected Win32 Server API calls
12 to 24 months	Remaining Win32 Server API, BackOffice API

calls are faster under OpenVMS and others are slower, so the performance of your specific application will vary depending on what it does.

Large applications that can be scaled over multiple processors can benefit from the better symmetric multiprocessing performance of OpenVMS. Windows NT tops out at three or four processors, while OpenVMS can go up to 10 or 12 processors. Another potential benefit of OpenVMS is that it will soon support 64-bit memory addressing. If your application manipulates massive amounts of data, you could see performance increases of up to 200 times by being able to get all the data into memory at once instead of having to bring it into memory in smaller pieces.

Digital expects that most client/server application development will continue to be done on Windows or Windows NT platforms. The company is therefore concentrating on making its OpenVMS development tools integrate with existing Windows development tools. Digital is making its compilers compatible with Microsoft compilers and is porting its development tool set to run under Windows NT.

Digital is working with other development-tool makers to ensure that these tools integrate well with Windows clients and OpenVMS servers. Some of these third-party environments help the developer with both the design process and the complex task of partitioning the final application. These environments insulate the developer from the underlying hardware and OS dependencies. Their ultimate goal is allowing the developer to concentrate on the application. The details of splitting the source code into different parts for compiling and deploying on different OS platforms will all be handled automatically by the development environment.

For years, OpenVMS has proven to be a secure, highly reliable OS for mission-critical applications. If Digital can pull off the integration of OpenVMS with Win32, it will have a powerful argument to convince developers of future client/server applications that they should continue using Digital's operating system. ■

Mark Feniello has worked with various Digital systems, including OpenVMS, for 15 years. He is currently a systems analyst for Spokane Computer in Spokane, Washington. He can be reached c/o editors@bix.com.

Windows NT Threads

To truly reap the rewards of a multiprocessor NT system, you have to use threads

SHASHI PRASAD

Multithreading (MT) is becoming increasingly attractive for applications; it offers one of the best choices for harnessing the power of SMP (symmetric multiprocessing) machines. In my article "Weaving a Thread" (October BYTE), I discussed multiprocessing and MT on Solaris and Windows NT. In this article, I'll take a closer look at the Win32 interface in Windows NT for developing MT applications.

Processes and Threads

A *process* in NT is a running instance of an application; it has its own virtual address space and owns system resources, such as memory, windows, and open files. When a process is created by a call to `CreateProcess`, an initial thread is automatically built for the process. You create additional threads by calling the following function:

```
HANDLE CreateThread(LPSECURITY_ATTRIBUTES lpsa,
    DWORD cbStack,
    LPTHREAD_START_ROUTINE lpStartAddr,
    LPVOID lpThreadParm,
    DWORD fdwCreate,
    LPDWORD lpIDThread);
```

The newly created thread starts executing the routine specified by `lpStartAddr`, and this routine can take the optional argument `lpThreadParm`. The thread-routine argument is generally a dynamically allocated variable or a global variable. Each thread in NT has its own user and kernel stack, and the size of the stack for the newly created thread can be specified in `cbStack`.

Threads in NT have 32 different priority levels. The *dispatcher*—the module responsible for thread-scheduling—uses a preemptive priority scheduler. In Windows NT, the highest-priority thread is always scheduled to run. Threads can change their priority by calling the function `SetThreadPriority`.

NT threads can be suspended and resumed by other threads in the process via calls to `SuspendThread` and `ResumeThread`, respectively. You can also create a thread in suspended state, which means it doesn't start execution until the creating thread calls `ResumeThread`.

A thread can terminate in one of the following ways: It can return from the initial routine; it can call the function `ExitThread` to terminate itself; or it can be terminated by some other thread in the process that calls `TerminateThread`. When a thread terminates, the thread ob-

ject becomes *signaled*—all other threads waiting for the thread to terminate are notified. A waiting thread can determine the exit status of a terminated thread with the function `GetExitCodeThread`.

Each thread has a unique identifier that can be retrieved by calling the function `GetCurrentThreadId` (this identifier is also returned in the `lpIDThread` argument during thread creation). However, several Win32 functions require an object's handle, which, for a thread, is separate from its ID. The handle to the thread object can be retrieved by calling the function `GetCurrentThread`. (The handle is also returned by the function `CreateThread`.) For example, when a thread wants to change its priority class, it can call the following:

```
SetThreadPriority(GetCurrentThread(),
    THREAD_PRIORITY_LOWEST);
```

Thread Synchronization

In a multithreaded program, all threads within the process run in a single address space. Threads allow easy data sharing; however, safeguards against corruption of the shared data are required. All access to shared resources must be protected by mutual exclusion.

In NT, mutexes are used to serialize critical sections of code. A *critical section* is defined as a segment of code in which a thread accesses shared, modifiable data, and where state changes happen

over several instructions. Hence, only one thread can be executing that section at a given time. Access must be serialized by some form of locking mechanism.

Before entering the critical section, the calling thread acquires the mutex lock by calling the `WaitForSingleObject` function. If the lock is held by some other thread, the calling thread is suspended until the thread holding the mutex lock releases it by calling `ReleaseMutex`.

Critical-section objects are similar to mutexes but can be used only by threads of a single process. `EnterCriticalSection` is used to acquire ownership of a critical section, and `LeaveCriticalSection` releases ownership. This is one of the fastest mechanisms for mutual exclusion; only a few instructions are executed when there is no contention for the critical section. (If contention occurs, a kernel synchronization object is automatically used.)

In a multithreaded application, it's common to divide work among multiple threads. In such cases, one thread might wait for another thread to reach a particular state before proceeding. NT provides event objects for thread synchronization. One thread can call `WaitForSingleObject`, thus blocking its execution until a certain condition is satisfied. The other thread, after satisfying the con-

dition, can notify the waiting thread by calling `SetEvent`.

Semaphore objects are similar to mutexes, except there is no ownership associated with semaphores. Additionally, semaphores have resource counts, which allows multiple threads to acquire a semaphore at the same time.

Finally, NT provides atomic memory operations for integer variables. The functions `InterLockedIncrement` and `InterLockedDecrement` increment and decrement a variable, respectively, while the function `InterLockedExchange` reads the value of a variable.

Threads and Performance

Once you've grasped the basic concepts of NT threads, you need to consider the performance and scalability of threaded applications. A thread in NT can normally be in one of the following states at any given time: waiting for a specified event to occur (it cannot run); ready to run and waiting for an available processor; or running on a processor.

Threads in the ready or running state can take advantage of the CPUs (presuming they are running on a multiprocessor system). Excessive interthread synchronization can cause too many threads to be in the waiting state, and the creation of too many threads can cause multiple threads to be in the ready state. The number of threads in the running state can never be more than the number of processors. When the number of threads in the ready state is much higher than the number of running threads, the kernel spends a lot of time doing thread-context switching.

As an illustration, consider the various threading models used in the design of a multithreaded TCP/IP server. (This assumes you're familiar with Windows socket APIs on Windows NT.)

The first model is single-threaded. The main thread does an accept call on the socket and handles the client request. The disadvantage of this model is that while the server is processing a client request, all other requests are being queued.

The second model is also single-threaded: The main thread does a *select* call on all the connected sockets. The *select* call indicates which connected sockets have data available (i.e., they are waiting to be serviced). Now multiple clients can be serviced concurrently, but—as in the previous model—this does not exploit the power of multiple CPUs.

In the third model, the main thread creates a thread for each client. This model is extremely easy to program, but it does not scale well for a high number of active clients. Creating multiple threads takes advantage of multiple processors but uses excessive system resources and causes scheduling overhead. The performance of the system degrades under "burst" traffic. As the number of ready threads increases, the system spends lots of time context-switching threads in and out of the running state.

Finally, in the fourth model, a pool of worker threads is created to handle client requests. The main thread does a *select* on all the connected sockets; each new request gets passed to one of the worker threads. The number of worker threads should be slightly greater than the number of processors, because some of the worker threads might become blocked.

This model uses less system resources than the third model, but there's a built-in context switch on every transaction between the main thread and the worker threads. The context switch might not be a problem for longer transactions, but the overhead could be high for short transactions. Also, unless the main thread does some rotation on the results of the *select* call, this model does not have built-in fairness (i.e., an active client may block other, less active ones).

I/O-Completion Ports

To overcome the limitations of these four models, the engineers of NT 3.5 created a mechanism called *I/O-completion ports*. These ports are designed to handle asynchronous or overlapped I/O. `CreateIoCompletionPort` associates a port with a collection of file handles, and the port acts as a synchronization point. When a pending I/O operation on any of the file handles completes, an I/O-completion packet is then queued to that particular port. A number of worker threads can manage I/O for clients by calling `GetQueuedCompletionStatus` to wait on the I/O-completion port.

I/O-completion ports have built-in concurrency control. The kernel tries to limit the number of runnable threads associated with a port, never to exceed the port's concurrency value (which is specified when the port is created). When a thread calls `GetQueuedCompletionStatus`, it returns when I/O is available. When one of the threads associated with a completion port is blocked, the kernel selects another thread waiting on the completion port to run. Thus, the system isn't deluged with runnable threads.

Threads that block on a completion port are awakened in last-in/first-out (LIFO) order, while I/O requests are serviced in first-in/first-out (FIFO) order. Running threads—after completing a transaction—can pick up the next request without causing any context switch. I/O-completion ports work efficiently under all loads; their performance does not suffer under heavy traffic.

If my sample TCP/IP server were implemented using I/O-completion ports, the main thread would create an I/O-completion port along with a pool of worker threads to wait on the port. This model is the most efficient; it does not suffer from context-switching overhead (as the fourth model would). The thread that reads the transaction services it. Fairness is built into the completion-port model, since I/O requests are satisfied in FIFO order.

The Common Thread

MT on an SMP machine can provide optimal performance and scalability if the applications are designed correctly. You should not be surprised to see poorly designed applications run slower on an SMP machine than they do on a uniprocessor machine.

Windows NT is a good environment for developing multithreaded applications, but it's important to remember that the OS alone is not responsible for performance and scalability. Understanding such features as I/O-completion ports and overlapped I/O are key to building scalable multithreaded applications on Windows NT. ■

Shashi Prasad is vice president of ANSTEC Technologies, a systems-integration and consulting firm in Somerset, New Jersey. He is the author of an upcoming book from McGraw-Hill on multithreading programming techniques, covering multiple OSes. He can be reached on the Internet at shashi@anstec.com or on BIX c/o "editors."

SYNCHRONIZING THREADS

Mutex—Serializes access to shared data.

Critical-section object—Faster than a mutex; cannot be shared across processes.

Event object—Used to signal occurrence of an event.

Semaphore—Controls multithreaded access to a shared but limited resource.

Interlock call—Provides atomic access to integer variables.

ATM with a Twist of LAN

LAN Emulation brings legacy

LANs onto the ATM bandwagon

REX BALDAZO

LAN Emulation (LE) may be the killer application that brings asynchronous transfer mode (ATM) networking into the mainstream. ATM is a fast, modern networking technology that is considered by many to be the biggest thing since Ethernet (see "On the Road to ATM," September 1994 BYTE). But corporations with huge investments in mission-critical applications running on Ethernet and Token Ring networks have been loath to make the transition, slowing the acceptance of ATM.

The reason was simple—interoperability, or rather the lack thereof. Computers directly connected to an ATM network couldn't run legacy applications that depended on a LAN's unique properties. Instead, the only way to bring some of the benefits of ATM to legacy networks required devices such as Ethernet-to-ATM switches (see "Merging ATM and Ethernet," August BYTE). But perhaps ATM's biggest strength is as an end-to-end solution, connecting desktops across the enterprise—one network architecture, from LAN to WAN. LE is just the ticket, allowing legacy applications to run essentially unchanged, while also allowing the computers on which the applications run to be directly connected to the ATM network.

ATM was developed by telecommunications companies. It is based on fast ATM switches and is connection-oriented (see "All-Terrain Networking," August 1993 BYTE). In contrast, LANs such as Ethernet and Token Ring are based on a shared, not switched, medium, and the protocols are connectionless.

LE, which was developed by the ATM Forum's LAN Emulation Subworking Group, bridges the gap by hiding the underlying ATM network at the media access control (MAC) layer. This layer provides device-driver interfaces such as Open Data-Link Interface (ODI) and Network Driver Interface Specification (NDIS), so higher-level applications dependent on these protocols work without modification. A group of ATM stations acting as a traditional LAN is called an emulated LAN (ELAN).

Performing this magic requires four components: LAN Emulation Client (LEC), LAN Emulation Server (LES), Broadcast and Unknown Server (BUS), and LAN Emulation Configuration Server (LECS). (See the figure "Getting from Here to There.") The LEC resides on all ATM-attached stations (e.g., bridges and workstations) that are participating in the LE service. The three server components may reside on one ATM-attached workstation or on separate workstations.

Some vendors may even implement one or more of the server functions inside an ATM switch.

The Client

The LEC is responsible for the MAC-layer connectionless service that hides ATM from LAN-based applications. In a basic configuration, each LEC possesses two addresses: an IEEE-format 48-bit MAC address and a 20-byte ATM address. If the LEC is running on a bridging device such as ATM-to-Ethernet, the LEC might have multiple IEEE MAC addresses for which it is responsible.


When a new outgoing message arrives from a higher-layer entity to the LEC, that message includes a MAC address for the intended destination. The LEC must translate that address into the appropriate 20-byte ATM address, establish a connection (if one is not already open), and transmit the message.

The LEC begins by looking at the connections, called Virtual Channel Connections (VCCs), it has open. The LEC maintains a translation table of destination MAC addresses to VCCs. If the destination address for the new message is in the table, the LEC can simply send the message using the existing VCC.

If the destination address is not in the translation table, the LEC has to perform an address resolution using the LAN Emulation Address Resolution Protocol (LE-ARP). It sends an address-resolution request to the LES. When the LEC receives back the valid destination ATM address, it performs standard ATM signaling to establish a VCC and transmit the message.

LECs are able to register their ATM-to-MAC address

Getting from Here to There



For two virtual LAN clients to make a connection, a client first queries the LAN Emulation Server for the destination client's asynchronous transfer mode (ATM) address. The server looks up the address and determines the appropriate path (over the ATM network) to that address.

translation with the LES. Then, when the LES receives an address-resolution request, it can reply directly with a message containing the matching ATM address. Otherwise, the LES must forward the message to the destination ATM station, which replies with the correct address.

Each LES entity represents one ELAN. On any ATM network, there might be multiple LESEs maintaining independent networks. The LECS is responsible for maintaining configuration information about the various ELANs. An LEC is assigned to an ELAN based on the configuration stored in the LECS.

The BUS to Everywhere

When an LEC has a multicast or broadcast message to send, it does not know a priori the MAC addresses of all the recipients. Even if it did, repeatedly querying the LES and setting up an ATM VCC for each station would be wasteful of bandwidth and computing resources. The solution is the BUS.

During the initialization of an LEC, it has to determine the ATM address of the BUS. It transmits to the LES an address-resolution request for the broadcast address (hexadecimal FFFFFFFF) and receives back the ATM address for the BUS. The LEC must then establish a VCC to the BUS.

ATM supports a one-way point-to-multipoint broadcast mechanism. One station becomes the root. It sets up one-way VCCs to each receiving station. The BUS sets up such a tree, with the BUS as the root node and all stations of the ELAN as branches. This tree is maintained as long as the ELAN is in service. New LEC stations joining the ELAN are added to, and stations leaving the ELAN are pruned from, this broadcast tree.

Thus, the BUS has several two-way VCCs, one to each LEC, that are established during the initialization of each LEC. The BUS also maintains a one-way broadcast tree to those same LECs. Data to be broadcast from each LEC, as well as control information between the BUS and LECs, travels on the two-way VCCs. The BUS uses the one-way broadcast tree to send the actual broadcast messages.

It is important to mention here a limitation of the LE scheme. To achieve its high bandwidth, ATM relies on fixed-size packets called cells. An ATM cell contains 53 bytes (48 bytes of payload and a 5-byte header containing the VCC), an error-control code to protect the header, and some control bits.


The format of the payload is left up to what are called ATM Adaptation Layers (AALs). LE uses AAL5, which is the most efficient in terms of the 48-byte payload. Other AALs use part of each cell's 48-byte payload for things such as cyclic redundancy checks (CRCs) and sequencing numbers. This allows multiplexing different cell streams onto the same VCC, but it wastes part of every cell's payload. LE eschews such services by using AAL5, which breaks up an incoming message into 48-byte blocks and passes them onto the ATM physical layer for transmission.

The upside is efficient use of bandwidth. The downside is that the BUS is limited to sending out a broadcast message from only one LEC at a time. The BUS has to accumulate all the cells of a broadcast message, unpack them into the original frame to make sure a valid frame has been received, and repackage and send out the broadcast message. Incoming broadcast messages from other LECs must be queued up, awaiting their turn.

The LEC sends to the BUS all messages for which the LEC does not yet know the corresponding ATM address. This includes broadcast and multicast messages. However, it also includes any regular message whose destination address has not yet been received from the LES. This is where the "Unknown" com-

Key Components for ATM LAN Emulation

- **LAN Emulation Client**—a software driver that runs on a network client
- **LAN Emulation Server**—maintains a mapping between ATM and LAN addresses
- **Broadcast and Unknown Server**—maintains lists of Virtual Channel Connections



ponent in the BUS acronym comes from.

As mentioned earlier, when an LEC has a message with an unknown destination MAC address, it transmits an address-resolution request to the LES. While awaiting the reply from the LES, the LEC does not sit idle. It begins transmitting the message to the BUS. If the LEC receives an ATM address from the LES, the LEC stops transmission to the BUS and connects directly to the destination station. Thus, some frames may arrive at a receiving station from a VCC connected to the BUS, and some from a VCC connected directly to the source LEC.

This may be undesirable in some cases. In a shared medium such as 802.3 and 802.5 LANs, frames will usually arrive in order. But in an ELAN, where some frames get sent via the BUS and some over a direct LEC-LEC connection, there is a real possibility the frames will arrive out of order. So the LE specification includes an optional flush protocol.

The sending LEC suspends transmission of the data frames and transmits a flush message down the old path, in this instance to the BUS. The BUS in turn broadcasts the flush message to all the stations in the ELAN. The destination station whose address matches the flush message replies to the flush. When the sending LEC receives this response, it begins transmitting again on the new path, in this case the direct VCC to the destination LEC.

Still on the Road to ATM

The success of technologies such as switched Ethernet and fast Ethernet is not due solely to technical merit. These technologies leverage the existing investment in software, providing greater throughput without requiring a total rewrite of all applications. This lesson has not been lost on the ATM Forum.

All the extra protocol baggage may seem like a lot of effort on the part of an ATM network just to accommodate old LAN software. But it is probably the key to the acceptance of ATM. It allows incremental deployment of ATM. You can replace the physical wiring of your existing LAN with an ATM network but keep existing applications intact. When you're ready, you can make the leap to applications that take full advantage of ATM.

Of course, dangers lie ahead. Early implementations of LE may have initial interoperability problems, as with any new specification. And because the specification leaves open the question of where the various servers reside—on one or multiple machines, or even in the ATM switch itself—there will be numerous solutions offered from numerous vendors. You may not be able to take one vendor's LES and another's BUS. Pick one vendor's solution and stick with it for now. It's going to be a minefield for the IS department, but with users clamoring for bandwidth, you will have to negotiate that minefield sooner or later. ■

Rex Baldazo is a BYTE technical editor. You can reach him on the Internet or BIX at rbaldazo@bix.com.

JERRY POURNELLE

Digital Models

I've just come back from Siggraph, the graphics convention, where the big theme was "see what's possible." The short answer to that is "practically anything."

The key word there is *practically*. We're a lot closer to Robert Heinlein's Adam Selene—a computer complex that became self-conscious and sentient when the networked hardware got complex enough in *The Moon Is a Harsh Mistress*—than I'd have predicted even five years ago, but we're not quite there.

They're pretty close with the graphics. The computer-generated humans at Siggraph look good from a moderate distance, but you can tell they're not "real" in close-ups. The expressions are good, but not quite good enough. Give it a few years, though, and I suspect you won't be able to tell whether you are looking at a live actor or a screen-generated person, even in love scenes. Is simulated sex and violence considered the real thing for ratings?

MIT's Media Lab booth featured a computer-generated dog who could interact on-screen with a human. That is, the human stands in an open area and is seen by a camera. The human and the dog then appear life-size on a projection screen. The dog tries to get the human to play with him and will react to being petted. He'll bring you his ball, and when he's done something vigorous, he gets a drink of water.

Dog, ball, and water bowl are all computer images. The computer tries to be aware of the human, and the dog will generally avoid being stepped on. It's up to the human not to step on the spot onstage occupied by the nonexistent water bowl.

The dog interacts well with the human. If you encourage him, he rubs up against your legs; if you reject his advances, he becomes visibly sad. It's a long way from Adam Selene, but it's quite impressive.


On a more practical level, Viewpoint DataLabs has the 3-D Model Library CD-ROM, containing 3000 3-D video models. These aren't models of the sort we used to build out of balsa wood and tissue paper, but full 3-D CAD descriptions

that can be put into a program like Macromedia Director.

The models include civilian and military objects, creatures, a *Godzilla*-like movie set, and a partridge in a pear tree. These are very realistic—a Viewpoint T-38 video model was used for the flyover scene in the movie *Apollo 13*. (And if you haven't seen that film, go see it; it has some terrific computer-generated effects.) They also modeled Denzel Washington for *Virtuosity*.

Viewpoint DataLabs was giving away CD-ROMs of some of their models at Siggraph. Others are in the public domain and available for downloading. The best, of course, are for sale. Complexities range from relatively undetailed real-time models, such as a Los Angeles-class sub with 394 polygons, to an Iowa-class battleship with 30,113 polygons, to a model of what looks to me like the *Bounty* with 102,857 polygons. Viewpoint DataLabs' 3-D Model Library CD-ROM catalog is gorgeous. It's a lesson in the state of the art in image modeling.

For photo images, you aren't likely to do better than the Corel Stock Photo Library 2, which contains 200 CD-ROMs and 20,000 photographs



AMY ETTRA © 1995

Digital images are available for everything from an Iowa-class battleship to Denzel Washington. Seeing is no longer believing.

on every imaginable subject, from the Grand Canyon to tall ships, bobcats and deer, highway signs and bobsledding, foliage and flowers, old master paintings—the list is endless. Software is included to let you use the photos as screen savers. Resolutions can be altered in a range from 128 by 192 pixels to 2048 by 3072 pixels. The library comes with software to allow the images to be exported in TIF, BMP, EPS, PCX, or GIF for Windows, and TIFF and PICT for the Mac.

These are all in Kodak Photo CD format, so you can use them to build slide shows or paste them into documents. They're royalty-free. I'm using mine to illustrate lectures; it's quite easy to integrate them with pictures I took myself. For that matter, I can, with programs like Adobe Photoshop or Macromedia Director, combine pictures and put myself into a better photo of me at the Leaning Tower of Pisa than I was able to take myself.

It's now possible to take pictures, have Kodak put them on a CD-ROM, read the digital image into a program like Corel-Draw, alter it almost any way you like, put the image back on disc, and then print it. Want to see yourself shaking hands with President Clinton? Then add Newt Gingrich. Add angels, or trolls, as you prefer. Put clouds in the sky. It's all possible now. Seeing isn't believing anymore.

Even if all you want is eye candy, the Corel Stock Photo Library 2 is wonderful. Highly recommended.


Corel's box of 200 CD-ROMS cries for a good library program. I've got one, but first an aside.

I never sell evaluation software, and I'm pretty careful whom I give it to; schools, mostly. I suppose that's not true of every writer, but even so, I am constantly amazed at the lengths publishers will go to to protect their stuff. As an example: Aldridge has for weeks been trying to get me to look at CD-Cabin (with Link'N'Logging). Their PR people had already persuaded me, and the Corel Stock Photo Library 2 package was the clincher; but when I went looking for a copy, I couldn't find it. This was probably because I took it to the beach house with the intent of trying it there, got involved with fiction writing, and left it when I came back to Chaos Manor. In any event, I asked Aldridge to send another copy.

As usual, there was an "Evaluation Copy: Not For Resale" sticker on the outside of the shrink-wrap. In addition, there

was another one inside the shrink-wrap. So far, nothing unusual—but inside the box, not only is the manual stamped in big red letters, but someone has written "EVAL" on the disk labels.

Of course, this makes me wonder whether what I have is really what my readers can buy. I presume it is, but fair warning, what I have is very prominently marked "EVAL."



Despite the terminally cute title, CD-Cabin with Link'N'Logging is a very useful program. Although it's a Windows 3.11 program, installation under Windows 95 (Win 95) was simple.

Using it is pretty intuitive: put a CD-ROM in your drive, click on new, and stand back. CD-Cabin scans the CD-ROM and builds a directory tree. Because Aldridge's Tree 86 was for a long time one of the best of the DOS directory shell programs, I expected this to work properly, and it does. While it's building the tree, it scans the program file extensions and builds a database of what's in there. Alas, there seems to be no way to cut and paste from it; CD-Cabin doesn't seem to be Windows-aware. I had to make notes by hand to tell you that it found 19 executable, no compressed, 141 graphics, 10 help, and five sound files on the Corel CD-ROM.

There's a nifty viewer that's quite fast for throwing visual images on the screen. It works with most popular image file formats. You can also use CD-Cabin to listen to sounds, including wave sounds. Fair warning, though: be sure you want to listen, because once CD-Cabin starts playing a sound, you have to either wait for it to end or turn off your computer.

The cataloging program has provisions for making volume (but not individual file) notes, as well as for creating program categories like OSes, utilities, games, accessories, and sounds. A CD-ROM can be associated with more than one category. You can also give each disc a Library ID and record not only when you got it, but where. All this stuff can be sorted in various ways. When it's all done, CD-Cabin builds a compressed database containing the catalog information and a directory tree with all the filenames.

Most of those filenames will not be useful. For example, Lightbinders' Darwin CD-ROM has such uninformative filenames as 000001.001, and a lot of CD-ROMs have a HELP.TXT file. The Library of the Future volumes, many of which contain the only copies of some

works of literature, have no filename clues as to what their contents are, and thus neither does the CD-Cabin catalog (unless you make such a list as a comment). Still, this is about the best you can do without doing your own index.

CD-Cabin's data compression is pretty good, but the database can grow like anything if there are a lot of files on a disc. One Corel Art Show disc takes up nearly 100 KB for its catalog. I don't know how big a database I'll have after I put all 200 Corel Stock Photo Library 2 CD-ROMs through this wringer, but I expect it will be many megabytes.

Given the pile of CD-ROMs I have acquired, I desperately need some way to catalog them, and CD-Cabin is surely the easiest to use of any I have found. However, there's one major defect. The program only builds an on-line catalog; if there's any provision for printing a list of cataloged CD-ROMs, I haven't found it. Given the information this program stores, you wouldn't want a printed copy of everything, but a simple listing of titles, Library ID, and comments would be a useful thing to have. It wouldn't be all that hard to add. Given time, I suspect I could crack their compression code and write a BASIC program to print my list, but maybe they'll provide that in an update.

Given the infinity of weird formats that CD-ROMs use for their tables of contents and databases, I don't suppose there will ever be a program that can automatically catalog everything contained on a CD-ROM, although I sure wish someone would figure out how to do that and let me print an indexed list. Until then, Aldridge's CD-Cabin with Link'N'Logging is at least as good as anything else I've seen, and I expect to use it. It is limited, but it's also fast and convenient, and I had no problems with it in Win 95. Recommended, with hope for improvements.

I'd hoped to get through this column without logging yet another problem with Win 95, but that was not to be. In attempting to catalog my CD-ROMs, I inserted Strategic Simulation's The Definitive Wargame Collection CD-ROM. This is one of the better CD-ROM game collections.

Alas, they've included a batch file for running the installation program, and Win 95 finds that and tries to run it—and you can't eject the silly CD-ROM until you run the installation program. I had to use a paper clip to release the CD-ROM carrier and pliers to pull it out of the drive; *nothing* I could do short of turning the machine off would make Win 95 release that disc.

Understand, these are mostly DOS

games, and Strategic Simulations didn't try to make it one of the famous Win 95 plug-and-play CD-ROMs; it just works out that they used a format that Win 95 recognizes that way. It sure was frustrating to try to catalog a disc and end up using a bent paper clip and pliers to get it out of the machine.

On the other hand, the game collection is excellent, and any two of the games are worth the price of the whole thing.

Models and Photo CDs, and images drawn with programs like CorelDraw, Macromedia Freehand, and AutoCAD are pretty standard for games and movies now. Some of the models are dynamic: *Jurassic Park* showed the way, and now a great many movies use computer animation scenes. Most of the space scenes in *Apollo 13* are computer-generated; the actual filmed footage looks like newsreels, not as realistic as what the computer can do. While a lot of *Waterworld* was filmed on an ultraexpensive location, the super-tanker deck was on dry land, with the wide water vistas added by computer.

In its time, the state of the art for movies was *Star Wars*. Physical, not computer, models with stop-action camera work produced most of those marvels. Today, much of that would be done by computer, but for those interested in how things used to be, Ballantine Del Rey Books has a series called *The Art of Star Wars*, with photographs of the models, early sketches and paintings, portions of the scripts, cartoons, and spin-off art. They're good history, but what's striking is just how much of that can now be done with computers.

On that subject, LucasArts Entertainment has its LucasArts Archives Vol. I CD-ROM, which features a number of adventure and simulation games. These are all fancier games than those in Strategic Simulations' collection; if you like great graphics with lots of action sequences and sound, this is a pretty good collection. As games, I prefer Strategic Simulations' group, but there's no doubt at all that the LucasArts collection, which comes on six CD-ROMs, has better graphics. Like all Lucas games, these are clean fun, with no sex, and the violence is fairly muted.

Depending on the machine, some of my modems are faster than my serial ports. That is, with one machine, I can never connect faster than 9600 bps regardless of the

modem or what service it's connected to. Doubtless this is a defective chip in the serial port. On the other hand, serial ports are inherently slower than parallel, and we're rapidly running up against their limits as modems get faster and faster.

Microcom has a remedy for this: use a parallel-port modem. Parallel ports are inherently faster than serial ports. Many communications programs assume serial connections, but that's no problem either. The Microcom DeskPorte Fast 28.8 modem (which also comes with a serial-port connection) comes with software that will fool your system into thinking it's communicating through serial ports. Of course, you can't have this attached to your LPT1 port and still print through that; but around here, all printing is done through LPT2, which is a network connection to the ValuePoint Pentium running OS/2 Warp as the print server. That works just fine.

Microcom's modem works pretty well. By the time you read this, they'll have drivers for OS/2 Warp and a way to fool Windows NT into believing that it's a serial communications device. Parallel communications is just new enough to have a few kinks.

For most users, though, installation is simple, the modem locks on even to noisy lines, and you'll get true 28.8-Kbps communications if your telephone lines are clean enough. Most aren't, but the Microcom DeskPorte Fast 28.8 modem will get as much out of them as possible. I suspect that parallel-port modems are the wave of the future.

The gadget of the month is CoStar's LabelWriter SE200 Plus. It consists of a triangular box 8 inches at the base, 6 inches high, and 4 inches thick. It has its own power source and connects to the computer through a serial port. You load it with labels of whatever size you like—wide or narrow—install the printer drivers, and print labels.

I've had units that came with software to capture addresses or other printable data off the screen, but this is a kind of do-it-yourself kit: you get the unit, BASIC source code for all kinds of printer commands, some drivers, a programmer's guide, and the good wishes of the manufacturer. Doing label programs isn't difficult. The LabelWriter accepts escape codes that let you control margins, characters per line, and everything else you need. It will do bar codes and Proprietary XL graphics. It's pretty easy to connect this up with a database program.

continued

American Made Steel Chassis Computer or RAID Applications



- Rugged all-steel construction
- Designed for FCC certification
- Easy assembly and service
- Full line of models and sizes
- Competitive prices
- American made redundant power supplies, removable disk drive modules, RAID controllers, Passive Back Planes in stock!

See us at COMDEX Booth #S7049

Call **NOW** for information and **FREE** color catalog

1-800-394-4122

VISA & MasterCard accepted
Same day shipment!

Designed,
Manufactured,
Guaranteed by:



408-638-9460

205 Apollo Way - Hollister, CA 95023



**"With grueling competition...
SuperTCP [Suite]*
pulled ahead to garner
Communication
Week's MAX Award."**

-Communications Week, April 24, '95

*"Frontier's SuperTCP [Suite] for Windows
boasted the most applications of any product
we tested, yet it was among the easiest pack-
ages to set up."*

*-Data Communications, Feb '95
Tester's Choice Award*

*"This product is the Swiss Army knife of the
TCP/IP client: It has an implement for
every application. [Including NFS, X
Windows and Internet Access]"*

*-LAN Magazine, April '95
Product of the Year*

**Great reviews. Now judge for yourself.
Call today for your free eval CD
1-800-929-3054**

**See us at
COMDEX
Booth 648**



10201 N. Port Washington Road, Mequon, WI 53092
EMAIL SuperTCP@frontiertech.com
World Wide Web: www.frontiertech.com

SuperTCP Suite for Windows 95 and NT available!

© 1995 Frontier Technologies, Inc. All rights reserved. *Formerly known as SuperTCP Pro

POURNELLE

A small business could use this to generate disk and shipping labels complete with bar codes and serial numbers. This is one of those gadgets that not everyone needs, but if you need it, you need it bad.

I've just had another lesson, although I'm not sure what it means. I now have the final "gold" Win 95; I also have the "gold" Norton Utilities for Win 95. Both are on CD-ROMs.

Back in earlier builds of Win 95, I had an earlier version of Norton Utilities installed, and I liked it; there are a number of useful features, including Norton Unerase and Disk Doctor. However, the early beta version did something odd to my local network; removing Norton Utilities cured the difficulties. Since it was all beta-test software, it wasn't worth recording details.

About the time I had the final Win 95 running and all was stable, Symantec sent the final Norton Utilities. The installation seemed to go well, but to finish I had to restart the machine—and it would *not* restart. First, it said it couldn't open Explorer, then something else, then it offered to open Win 95 in "safe" mode, and then it crashed utterly and completely. I was dead.

When I installed Win 95, I made a start-up disk, so I tried it; nothing happened. Finally, I found an MS-DOS 6 boot-up disk, installed enough CONFIG.SYS that the system would recognize my CD-ROM drive, and reinstalled Win 95 from scratch. It took a long time. First, Win 95 Setup ran a DOS SCANDISK program, and it found about 25 MB of what it thought were corrupted files; it also said there were "long filename" problems, but I'd have to run Windows SCANDISK to fix those.

Eventually, DOS SCANDISK was done and Win 95 began to install. When it came up, it was in generic 640- by 480-pixel VGA mode and the network wouldn't work—but Norton Utilities was running. I had to reinstall all the network software. I also had to tell Control Panel I have a ViewSonic 17GA Monitor and reset my fonts. After each correction, I had to restart the computer, and I sure got sick of watching the Win 95 start-up screen.

Then Norton Utilities found all kinds of problems with my disk. Eventually it got done correcting them. I'm now back where I was 3 hours ago, except that I have Norton Utilities for Win 95 installed.

Installed but not running. I'm writing this in Q&A Write. That's a DOS program with a character-based text editor, and it's the editor I use for text creation. There's only one problem. It's jerky. That is, with Norton Utilities running, I can from time to time type most of a word before the first

When failure is not an option for your client/server investment, you need power you can depend on. The LT Series uninterruptible power system represents a significant advance in UPS technology. The system utilizes Fuzzy Logic theory to provide a regulated output voltage over a much wider input fluctuation range, down to 50% of nominal input voltage, before resorting to battery power. This patented "Fuzzy Ranging™" feature greatly extends battery life and increases backup time during full power outages. Other competitive advantages of the LT Series UPS include:

- Full power protection, conditioning and power purification
- True Magnetic Isolation
- Regulates output voltage within +/- 3%
- Input power factor correction/harmonic attenuation
- Provides R232 communication with SNMP capability
- Utilizes advanced LAN/WAN network monitoring of all electrical parameters readable in realtime and is recorded for review and analysis
- Up to 12 hours of optional battery time

So when failure is not an option for your operation and you need power you can depend on, turn to a company with over 25 years of power control expertise and experience. Controlled Power also offers unsurpassed product support that includes technical assistance and service 24 hours a day, seven days a week.


For more information on Quality Solutions to Power Problems call 1-800-521-4792.



CONTROLLED POWER COMPANY

1955 STEPHENSON HWY • TROY, MI 48063 • (810) 528-3700 • FAX (810) 528-0411
PHONE: 1-800-521-4792 • FAX: 1-800-642-9625

WHEN FAILURE IS NOT AN OPTION.



letters of the word appear on-screen. If I backspace, it may take a moment before the cursor moves.

It took about 3 minutes of that before I turned off Norton Utilities. That seems to have cured the jerkiness.

There are a lot of things I like about Win 95, but none of them is so great that I'll put up with a jerky text editor. I'd rather go back to Zeke under CP/M and an S-100-bus system! I make my living doing creative writing, and I don't need my computer adding distractions.


I suppose all's well that ends well. Win 95 with Norton Utilities turned off seems to be running smoothly. Moreover, the new build has fixed the problem I had with pasting into DOS Q&A under Win 95. The release version seems pretty clean. I do worry that a simple background process can make a DOS character-based editor jerky; what happens when we have a dozen threads running at once?

Win 95 uses a new system called the registry for keeping track of what Win 95-compliant programs do to your system, and its "remove programs" feature works fine. However, Win 95 does not do well at uninstalling older Windows programs. For that, you need Quarterdeck's new CleanSweep.

I've been using a test version, and it's useful, not only for uninstalling old stuff, but also for finding duplicate files. It's also safe, which is important. When you delete files, CleanSweep bundles them into a package, compresses them, and archives

them where it can find them again.

For example, CleanSweep tries to find DLLs that are never called by any program. It then offers you a chance to delete them. In my case, the test version got rid of a few system DLLs that Win 95 needs. There was no harm done. CleanSweep



keeps a log of everything it has done and will restore all or any of the archived files. I told it to restore my DLLs, and everything works again.

They're still working on CleanSweep, and they're implementing several suggestions I made. More when it comes out, but this looks

to be, like Norton Utilities, one of the must-have Win 95 supplementary programs.

I previously recommended Internet in a Box. It has now ceased working, giving me the message "A2S4LWP.DLL The library is too old to use with this application." I don't know if the program has somehow expired or if it can't handle Win 95 upgrades. Attempts to contact Spry's technical support for the last three weeks via E-mail have been frustrating and useless. You have been warned.

The CD-ROM of the month is Voyage to the Outer Planets from NRSspace. NASA/JPL have accumulated a lot of data, but the formats make it hard to look at their pictures. NRSspace provides a viewer. You get two CD-ROMs of data and pictures of the planets, 2000 photos, and half an hour of video.

Grolier has come out with The 1995 Guinness

Multimedia Disc of Records. It's more fun than just looking things up in the book. Want to see a picture of a woman with hair 14 feet long?

I mostly played old games this month. One thing I had fun with was Interactive Image Technologies' Electronic Workbench 4; this is an update of a program I've reviewed previously. When I was a kid, my dream was to have a box full of electronics components and a bucket of solder. This gives you the same thing, except that if you let the blue smoke out of a component, you can fix it on-screen. Build and test electronic circuits of amazing complexity. I wish I'd had this in high school, or college, or when I was at Boeing, for that matter.

The book of the month is Peter Magid and Ira Schneider's *OS/2 Warp Uncensored* (IDG Books, 1995). The title is meaningless, but the book is very complete. If you use or contemplate using OS/2, you'll find this valuable.

Now I'm off to Korea to be keynote speaker at a conference on the unity of the sciences, while Mrs. Pournelle gives a paper on the future of education. ■

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. Jerry welcomes readers' comments and opinions. Send a self-addressed, stamped envelope to Jerry Pournelle, c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on the Internet or BIX at jerry@bix.com.

Product Information

CD-Cabin with Link'N'Logging (\$99.95) is at least as good as anything else I've seen, and I expect to use it. Contact The Aldridge Co., Houston, TX, (800) 548-5019 or (713) 953-1940; 75462.2340@compuserve.com. **Circle 1246 on Inquiry Card.**

Even if all you want is eye candy, the **Corel Stock Photo Library 2** (\$995) is wonderful. Contact Corel Corp., Ottawa, Ontario, Canada, (800) 772-6735 or (613) 728-3733; <http://www.corel.com>. **Circle 1247.**

The **Definitive Wargame Collection** (estimated street price, \$34) is excellent, and any two of the games are worth the price of the whole thing. Contact Strategic Simulations, Inc., Sunnyvale, CA, (800) 245-4525 or (408) 737-6800. **Circle 1248.**

The **DeskPorte Fast 28.8 Modem** (\$519) works pretty well. Contact Microcom, Inc., Norwood, MA, (800) 822-8224 or (617) 551-1000; <http://www.microcom.com>. **Circle 1249.**

Electronics Workbench 4 (\$299) lets you build and test electronic circuits of amazing complexity. Contact Interactive Image Technologies, Ltd., North Tonawanda, NY, (800) 263-5552 or (416) 977-5550; <http://www.interactiv.com>. **Circle 1250.**

The **LabelWriter SE200 Plus** (\$499) is one of those gadgets that not everyone needs, but if you need it, you need it bad. Contact CoStar Corp., Greenwich, CT, (800) 426-7827 or (203) 661-9700. **Circle 1251.**

If you like great graphics with lots of action sequences and sound, the **LucasArts Archives Vol. I** (estimated street price, \$29.95) is a pretty good collection. Contact LucasArts Entertainment Co., San Rafael, CA, (800) 782-7927 or (415) 472-3400; <http://www.lucasarts.com>. **Circle 1252.**

The **1995 Guinness Multimedia Disc of Records** (\$49.95) is more fun than just looking things up in the book. Contact Grolier Electronic Publishing, Inc., Danbury, CT, (800) 285-4534 or (203) 797-3530; <http://www.grolier.com>. **Circle 1253.**

The **3-D Model Library CD-ROM** (\$19.95) is gorgeous. It's a lesson in just what is the state of the art in image modeling. Contact Viewpoint DataLabs International, Orem, UT, (800) 328-2738 or (801) 229-3000; <http://www.viewpoint.com>. **Circle 1254.**

The CD-ROM of the Month is **Voyage to the Outer Planets** (\$49.95). Contact NRSspace, Seattle, WA, (800) 548-7766 or (206) 783-2707. **Circle 1255.**

PREVIEW PROCESSOR UPGRADES

Intel Delivers a Better Pentium OverDrive

With a street price of approximately \$400, Intel's first Pentium OverDrive chip, which was released earlier this year, offers a moderately appealing solution for upgrading your PC's processor from a 25-MHz 486 to a 63-MHz Pentium. The chip's design has compromises, however: It uses a 32-bit, 486-style I/O bus instead of a true Pentium 64-bit internal/external data pathway.

The newest OverDrive still has the 32-bit I/O bus, but its lower price and higher performance make it a better bargain. BYTE's cross-platform BYTEmark CPU/FPU benchmark tests (see the figure below) on the new 5-V, 83-MHz Pentium OverDrive show that this upgrade chip will boost an Intel 66-MHz 486DX2 PC (or any other PC with a 33-MHz I/O bus and a #3 socket) up to performance levels that are slightly less than that of a 90-MHz Pentium. Intel expects the 83-MHz Pentium OverDrive to sell for about \$270. (Intel is also lowering the price of the 63-MHz chip to under \$300.)

Installing the chip is easy if your PC has a ZIF slot, such as the one in the Gateway 2000 486DX2/66 that we tested. You simply raise the latch, pull out the 486 chip, and plop in the OverDrive chip. As with the previous OverDrive, the 83-MHz version comes with a fan attached to the top of the chip (see the photo), as well as a program that monitors the fan. If the fan slows down or stops, the program generates an error message and the CPU throttles back its clock speed.



DENNIS WARNESEY © 1995

Intel Corp.
Santa Clara, CA
(800) 538-3373 or call your local Intel dealer
<http://www.intel.com/procs/ovdrive>
Circle 976 on Inquiry Card.

The 83-MHz Pentium OverDrive chip is an inexpensive and effective upgrade if you want to squeeze more power out of your PC instead of taking the plunge of purchasing a new system.

—Dave Andrews



SIX-SPEED CD-ROM DRIVE

The SCSI Express CD6X (internal, \$695; external, \$875) offers a 900-KBps data transfer rate, an access speed of 145-ms random access, 115-ms random seek, and a 256-KB buffer. A variety of hardware configurations are

available, ranging from single internal drives to one to four external drives in interlocking enclosures, seven-drive towers, and 28- and 49-drive cabinets with MDI's CD-ROM Extenders. Extenders are a bundled option allowing as many as 49 CD-ROM

drives on a single host adapter in NetWare environments.

Contact: *Micro Design International*, Winter Park, FL, (800) 228-0891 or (407) 677-8333; info@microdes.com.

Circle 993 on Inquiry Card.

ACCESS NETWORK LANS VIA ISDN LINES

The PacketBlaster/ISDN PRI (\$9995) lets you connect remote sites over switched on-demand ISDN networks or a router-based backbone using ISDN. You can integrate up to 23 B channels in North America or 30 B channels in Europe, with simultaneous

server-to-server and remote client-to-server dial-in access. The PacketBlaster/ISDN BRI (\$5495; branch-level version, \$3995) incorporates a four-port ISA-bus card that supports up to eight concurrent LAN or remote-user B-channel connections. The PacketBlaster ISDN cards provide MPR routing features such as IPX, TCP/IP, and AppleTalk routing; NLSP and Open Shortest Path First (OSPF) link-state routing; packet, service, route, and protocol filtering; data and header compression; synchronous and asynchronous PPP; and remote installation and configuration management.

Contact: *Eicon Technology*, Dallas, TX, (800) 803-4266 or (214) 239-3270; <http://www.eicon.com>.

Circle 981 on Inquiry Card.

PENTIUM MOTHERBOARD WITH PCI FAST AND WIDE SCSI

Available in three models—the P54TS (fast SCSI) (\$495), P54TSW (wide SCSI) (\$565), and P54TSW2 (ultra-wide SCSI) (\$635)—the P54TS Pentium PCI motherboard features 128 MB of memory; 75- to 200-MHz processor speeds; five ISA and three PCI

expansion slots; and 256 to 512 KB of cache. The P54TS supports EDO/burst EDO DRAM, COAST (for "cache on a stick"), pipelined burst synchronous cache SRAM, two high-speed 16550 UARTs, PS/2 mice, two IDE channels with Bus Master/DMA, and EPP and ECP IEEE 1284 printers.

Contact: *Quick Technology*, Tustin, CA, (800) 950-8999 or (714) 258-4500.

Circle 986 on Inquiry Card.

PENTIUM NOTEBOOK WITH CD-ROM ▼

Based on Intel's 75-, 90-, or 100-MHz Pentium CPU, the 7.1-pound PowerCD features an 800-by 600-pixel or 640-by 480-pixel 9-, 10.4-, or 11.3-inch dual-scan color or active-matrix color display; a CD-ROM drive; a 3½-inch floppy drive; a center-based TouchPad; a PCI local bus; a microphone and stereo speakers; and a PC Card Type III slot. The PowerCD's (\$3550 to \$5900) options include an MPEG playback module, a video-capture module, and an internal 14.4/14.4 fax modem. You can upgrade the 8 MB of RAM to 16 or 40 MB, the double-speed CD-ROM drive to triple- or quad-speed, and the 340-MB hard drive to 1 GB.

Contact: *Associates Mega Sub-System*, Irwindale, CA, (818) 814-8851.

Circle 988 on Inquiry Card.





ALPHA WORKSTATIONS

Powered by a 266- or 300-MHz Alpha 21164 RISC microprocessor, the AlphaStation 600 Models 5/266 and 5/300 can process more than 1 billion instructions per second. The Model 5/266 includes 32 MB of ECC RAM; 2 MB of cache; a 1-GB hard drive; a quad-speed CD-ROM drive; a 3½-inch floppy drive; a 17-inch color monitor; ZLXp-E1 graphics; an audio card; a headset; a microphone; a keyboard mouse; and Windows NT, Digital

Unix, or OpenVMS (\$29,300 to \$31,800). The AlphaStation Model 600 5/300 (\$44,995) adds 64 MB of ECC RAM, 4 MB of cache, and a 21-inch monitor to the Model 5/266's configuration. Multimedia enhancements include programming interfaces, video-capture boards, speech-recognition software, and collaborative computing software.

Contact: Digital Equipment, Maynard, MA, (800) 344-4825; <http://www.digital.com/info/alphastation>.

Circle 977 on Inquiry Card.

ADD SEVEN 32-BIT PCI SLOTS

With the Model 2102 PCI Expansion Unit (\$995), you can transparently add seven 32-bit PCI slots to a host computer. The unit supports throughput to 132 MBps and zero-wait-state burst operations. The mini-tower-style cabinet contains an eight-slot PCI motherboard, a PCI backplane controller card that plugs into one of the eight backplane slots, expansion bays for three 3½-inch and two 5¼-inch peripherals, a 250-W power supply, and a 115-/230-V input line-voltage switch.

Contact: Bit 3 Computer, Minneapolis, MN, (612) 881-6955; info@bit3.com.

Circle 979 on Inquiry Card.

ALPHA-BASED WORKSTATION

Based on Digital Equipment's 21064A Alpha processor, a fully configured Telluride Power Workstation (\$9994 to \$14,607) includes a 200- or 275-MHz Alpha 21064A CPU; 2 MB of secondary cache, upgradable to 8 MB; a double-speed CD-ROM drive; a 1-GB fast SCSI-2 hard drive; a PCI fast SCSI-2 drive controller; 32 MB of DRAM, upgradable to 1 GB; a 4-MB PCI video adapter; 1 MB of flash ROM; a 17-inch, 85-kHz monitor; a high-speed Ethernet PCI combo adapter; a 3½-inch 1.44-

MB floppy drive; a full-size tower case; a Keytronics AT keyboard; and a Microsoft PS/2 mouse. The workstation comes with six dedicated PCI slots (three full-length), one dedicated ISA slot, and one PCI/ISA shared slot. Two high-speed serial connectors and one high-speed bidirectional parallel port are included, along with a dedicated serial port for remote diagnostics and maintenance. The Telluride Power Workstation supports Windows NT Workstation, Windows NT Server, Digital Unix, and Digital OpenVMS and is also available as a fully redundant, hot-swappable RAID 5 client/server.

Contact: Aspen Systems, Wheat Ridge, CO, (303) 431-4606; <http://www.aspsys.com>.

Circle 1000 on Inquiry Card.

30-BIT SINGLE-PASS FLATBED SCANNER

The high-performance 30-bit Z1-600 scanner can distinguish more than 1 billion colors and 1024 shades of gray and, with a maximum of 2400 dpi (300- by 600-dpi optical resolution), hold fine line tolerances and provide razor-sharp details for clearer images. The scanner features an 8½- by 11-inch scanning size combined with dark correction, dark point, white point, histogram dis-

play, and automatic threshold control. Also, the Z1-600 (\$699) is available with an optional transparency adapter for slides, transparencies, and negatives, plus an optional automatic document feeder.

Contact: Tamarack Technologies, Orange, CA, (714) 744-3979.

Circle 994 on Inquiry Card.

TWO-LINE VOICE/DATA/FAX/AUDIO SYSTEM

A two-line voice/data/fax and 16-bit audio system, the VoicePro+2 (\$329) includes a 14.4-Kbps fax/data modem, dual-line voice-mail, fax-message forwarding, auto-paging, a speakerphone, an external fax switcher, music on hold from internal or external audio sources, and caller ID with four message formats. VoicePro+2 also provides local voice recording and playback for both lines; voice/fax message remote retrieval and delivery; 1000 user-defined voice/fax mailboxes; fax-on-demand/fax back on both lines; and page/hold/park/transfer calls. The fax/data modem includes V.32bis and V.17 with CCITT V.29, V.27ter, and V.21 ch2; automatic voice/data/fax recognition; V.42 and MNP 2 through 4 error correction; data


compression in V.42bis and MNP 5; and Group 3 fax support.

Contact: Teledapter Systems, San Marcos, TX, (800) 997-7762 or (512) 392-6600; 74011.2572@compuserve.com.

Circle 983 on Inquiry Card.

POWER FOR 3-D, IMAGING ▼

The Indigo² Impact workstations' graphics subsystem generates 100 million trilinear interpolations per second and provides texture mapping, volume rendering, HDTV resolution, and digital media features. Base configurations include 64 MB of memory, a 2-GB hard drive, 2 MB of cache, and a 19-inch monitor with 1280- by 1024-pixel resolution. Models include the Indigo² High Impact, which is available with a 200- or 250-MHz Mips R4400 microprocessor (\$35,000 and \$40,000, re-




spectively); the Indigo² Maximum Impact, which has a 250-MHz Mips R4400 microprocessor (\$51,000); and the Power Indigo² Maximum Impact, which has a 75-MHz R8000 microprocessor (\$60,000).

Contact: Silicon Graphics, Mountain View, CA, (800) 800-7441 or (415) 960-1980; <http://www.sgi.com/Products/Indigo2/IMPACT>.

Circle 982 on Inquiry Card.

WHAT'S NEW Hardware



MULTIMEDIA PENTIUM NOTEBOOK ▲

The 6½-pound SENS800 (\$2799 to \$3799) comes with an Intel 75-MHz P54LM CPU (upgradable to 90 MHz); 8 MB of RAM (expandable to 40 MB via 8-, 16-, or 32-MB memory cards); a 10.4-inch DSTN or TFT color screen with a resolution of 640 by 480 pixels; a microphone and speakers; a 340-MB to 1-GB removable hard drive; a 3½-inch floppy drive; one PC Card Type II slot; one PC Card Type III slot; an 84-key AT-compatible keyboard; an Internal Tracking Ball; 1 MB of video memory; 16-bit stereo sound; local-bus video; and Microsoft Windows Sound System compatibility. Samsung's Power Management System provides up to 4 hours of mobile-computing time and includes such functions as hibernation mode, Smart sleep, suspend/resume, battery-charge control, and a low-battery alarm. Options include a multimedia docking station with a built-in CD-ROM drive (\$599).

Contact: Samsung Electronics America, Ridgefield Park, NJ, (800) 316-9914 or (201) 229-4000.

Circle 987 on Inquiry Card.

QUAD-SPEED MULTIMEDIA KIT

The MPC3-compliant Diamond Power Kit 7000 (\$399) combines a 16-bit Wavetable Diamond sound card, a quad-speed CD-

ROM drive, speakers, an ergonomic joystick, a microphone, and 22 entertainment and reference titles. The sound card uses advanced data-compression technology to fit 2 MB of pre-recorded audio samples into 1 MB of memory. The Photo CD- and Multisession XA-compatible CD-ROM drive transfers data at 600 KBps with an access time of 240 ms and a buffer size of

128 KB. The amplified 15-W-per-channel speakers offer separate volume, bass, and treble controls. Contact: Diamond Multimedia Systems, San Jose, CA, (800) 468-5846 or (408) 325-7000; <http://www.diamondmm.com>.

Circle 984 on Inquiry Card.

UPGRADE YOUR SPARCSTATION

You can increase the performance of your SparcStation 10, SparcStation 20, and SparcServer 630/670/690 machines to 90- or 125-MHz performance. Available in single-, dual-, and quad-processor configurations, the HyperSparc CPU upgrades (90-MHz, from \$3918; 125-MHz, from \$6758) offer high-performance symmetric multiprocessing on a standard MBus CPU module. The company also offers a 110-MHz processor (from \$10,272) with 1 MB of on-board cache.

Contact: Ross Technology,

Austin, TX, (800) 774-7677 or (512) 892-7802; <http://www.ross.com>.

Circle 980 on Inquiry Card.

FULL-SCREEN VIDEO PLAYBACK

A 64-bit DRAM card, the Paradise Pipeline 64 (from \$169) accelerates 8-, 16-, and 24-bit color depths at resolutions of up to 1600 by 1200 pixels.

Available for the PCI and VL-Bus with up to a 4-MB DRAM frame buffer, the card features Western Digital's Rock-etChip WD9710

graphics and motion-video accelerator. This accelerator combines a high-performance RAM-DAC, a programmable clock, a VGA core, a graphics engine, and a motion-video engine with built-in logic for YUV-to-RGB color-space conversion, horizontal and vertical scaling and interpolation, and shared frame-buffer control.

Contact: Western Digital, Irvine, CA, (714) 932-5000; <http://www.wdc.com>.

Circle 989 on Inquiry Card.

V.34 MODEMS ▲

Four V.34 fax modems, which are available in external and internal configurations, offer ITU-TSS V.34, for connect speeds up

to 28.8 Kbps, and V.42bis and MNP 5 data compression, to allow throughput up to 115.2 Kbps. Performance and accuracy are provided through V.42 (MNP 2 through 4; LAP-M) and MNP 10 error correction. The Fax and Fax II lines support V.34, V.FC, V.32bis, V.32, V.22bis, V.22, V.21, and Bell 212A and 103 standards, as well as the fax standards of V.17, V.29, V.27ter,



and V.21. Models include the EC288Fax external modem (\$449), PCM288Fax internal modem (\$399), EC288Fax II external modem (\$549), and the PCM288Fax II internal modem (\$499). The Fax II modems offer a system security feature, which restricts the unauthorized access of confidential data or the uploading of damaging files, and Ven-Tel's proprietary Remote Options Access and Downloading, which enables access and reconfiguration of the Fax II modems from any location.

Contact: Ven-Tel, San Jose, CA, (800) 538-5121 or (408) 436-7400.

Circle 995 on Inquiry Card.

TWO-WAY WIRELESS PC CARD MODEM

Designed for use with the ARDIS wireless data communications network, which provides dual 4.8-/19.2-Kbps operation, the Personal Messenger 100D (about \$700 to \$750) PC Card modem for Type II and III slots lets you send and receive E-mail from your office network or the Internet, send faxes, and access corporate databases. Depending on the application, the battery-powered modem card can continue to receive and store messages even when it's not connected to your portable computer.

Contact: Motorola Wireless Data Group, Schaumburg, IL, (800) 894-7353; <http://www.mot.com/wdgl>.

Circle 978 on Inquiry Card.



BYTE

WEARHOUSE

Celebrate BYTE's 20th Anniversary with
Special Limited Edition Merchandise

All products are officially
approved by BYTE.



MOCK TURTLENECK

Outer Banks 100% cotton mock
turtleneck. White. Sizes
M(BYT 4), L(BYT 5), XL(BYT 6).
\$26.00



BASEBALL CAP

Soft brushed cotton free-
form cap with adjustable
Velcro closure back. Black.
(BYT 11) \$10.00



INSIGNIA PEN

Parker Insignia
ball point pen.
Lacquer black.
(BYT 9) \$34.50



MUG

11oz. ceramic
mug with logo
on both sides.
(BYT 8) \$4.50



SWEATSHIRT

11 oz. cross grain Lee sweatshirt features
generous athletic cut and side gussets.
95% cotton, 5% polyester. Ash. Sizes
M(BYT 1), L(BYT 2),
XL(BYT 3). \$31.00



COMPUTER TOOL KIT

Deluxe computer device
tool kit in black vinyl
zipper case features:
2 nut drivers, 3-prong
parts retriever, torx
driver, IC extractor, 1
phillips and two slotted
screwdrivers. (BYT 12)
\$20.00



T-SHIRT

100% cotton Oneita Power-T. White.
Sizes L(BYT 13), XL(BYT 14). \$8.00



VECTOR PEN

Parker Vector
Sport roller ball
pen. Black.
(BYT 10) \$6.25



MOUSE PAD

Hard top mouse
pad. 7.5" x 8.5".
(BYT 7) \$5.25

HA-LO

Call 1-800-676-4256

or 1-708-647-4906 in Illinois, 8:30 a.m.-5:00 p.m. Central Time.
We accept VISA, MasterCard, American Express, and Discover.

Merchandise in stock will ship within 3 days of receipt. HA-LO notifies customers of out-of-stock items and gives the option to back order, substitute, or cancel the item. Sales tax additional where applicable. UPS ground shipping on domestic orders: up to \$50 - add \$5.75, \$50 to \$100 - add \$7.75, over \$100 - add 8%. Additional shipping charges apply to international orders.

PREVIEW FREE-FORM TEXT DATABASES

askSam Gets Faster and Fuzzier

Version 3.0 of askSam for Windows adds numerous features that should appeal to those who publish electronic directories, policy manuals, instruction books, and other text-based products. Highlights of version 3.0, which is primarily a 16-bit Windows application but also runs under 32-bit Windows, include faster searching, support for fuzzy searching, and the ability to import graphics images in a variety of formats (see the screen). For downloading documents from the Internet, askSam 3.0 lets you import, create, and export documents in the HTML format used on the World Wide Web.

Version 3.0's support for full-text indexing greatly improves its search capabilities in databases of several hundred megabytes: Searching a 500-MB indexed file, for example, now takes about a second. Also, support for fuzzy searching lets you locate information when you're unsure of the spelling. For example, I used a fuzzy search to find several documents in an electronic archive of BYTE articles with only the approximate spelling of the author's last name.

askSam lets you define data-entry forms, so end users can rapidly summarize documents they add to a database. To simplify the entry of data into a document database, askSam 3.0 supports pick lists. For example, when you're filling in an author-name field, you can pick a name from a pick list instead of typing it in.

Once you've created an electronic book, you can generate a variety of reports (e.g., all documents created by a specific author). Because askSam is not a relational database, you can't directly generate a report that summarizes information from several electronic books (e.g., all documents created by an author in both the accounting manual and the ethics manual).

But with the program's ability to generate hypertext links across files, you can create an electronic table of contents for navigating through numerous document databases. The full-text indexing should make askSam 3.0 for Windows a stronger product for corporations wishing to create 100-MB or larger electronic books.

—Dave Andrews



askSam 3.0 for Windows

Standard version (without full-text indexing), \$149; Professional version (with indexing), \$295; version with freely distributable run-time readers, \$1495.

askSam Systems
Perry, FL
(800) 800-1997
(904) 584-6590
<http://www.asksam.com/>
asksam.htm

Circle 1001 on Inquiry Card.

BUILD A DATABASE IN YOUR OWN LANGUAGE

With Salsa software (\$149; with starter kit, \$189), you describe the things you want to track using simple drag-and-drop templates, menus, and buttons, and the program does the rest. You

can use your own words, or words specific to your business, to identify a semantic object and each of its characteristics. The software automatically prompts you when it needs more information and provides simple screens for you to input it. With

one keystroke, Salsa automatically produces database tables, menus, forms, and reports, and it packages them in an application with its own icon on the Windows desktop.

Contact: Wall Data, Seattle, WA, (800) 987-2572 or (206) 442-9257.

Circle 1004

on Inquiry Card.

MANAGE ROUTERS, BRIDGES, AND SWITCHES ON WANS

An SNMP-based application, RouterManager/AutoBahn (from \$1995) provides network management capabilities for multi-vendor, multiprotocol WANs. The program automates the network-monitoring and data-collection process by monitoring critical network information on an ongoing basis, as well as in the background. With RouterManager/AutoBahn, you can manage your WANs from Windows or any major Windows- or NT-based platforms.

The ConfigurationManager manages router configurations from a central location on a domain or global basis; AlarmManager continuously monitors the status of each router and generates an alarm whenever any errors are found or when user-defined thresholds are crossed. SecurityControl allows the administrator to limit access to RouterManager/AutoBahn features to select individuals or groups; PathFinder pinpoints the problem areas when connectivity is lost between sites or when links are congested; and FlashManager supplies a directory of all the software images that

are stored on the routers.

Contact: StonyBrook Software, Bohemia, NY, (516) 567-6060; sales@sbrook.mhs.com; [compuserve.com](http://www.compuserve.com).


Circle 1012 on Inquiry Card.

CIRCUIT SIMULATION INSIDE MICROSOFT EXCEL

Spectre/XL embeds circuit simulation inside Microsoft Excel, so you can evaluate, develop, and optimize circuit designs. As with other Excel functions, you can combine Spectre/XL functions in formulas, use them in design calculations, organize them into tables, or chart them. From within Excel, you embed a circuit object with a SPICE-like description onto a worksheet. You then set up links between the worksheet cells and component values in the circuit. Changing the cell value—by hand, by formula, or by programming—automatically changes the circuit value. Spectre/XL (\$695) returns DC, AC, or nonlinear frequency responses and lets you use Excel's built-in Goal Seek and Solver optimizing functions to improve designs.

Contact: Avista Design Systems, Folsom, CA, (800) 985-6080 or (916) 985-6080; <http://www.avista.com/avista>.

Circle 1011 on Inquiry Card.



AUTOMATE E-MAIL ► ON YOUR MAC


Whether you subscribe to an Internet service or to America Online, CompuServe, eWorld, or RadioMail, Claris E-mailer lets you send, receive, reply, forward, and store E-mail messages and files. An address book of E-mail addresses can store multiple E-mail addresses for individuals, as well as group addresses, so you can send the same message to multiple recipients with a single command. The text editor lets you easily create outgoing messages and attach files from your hard disk or network. Claris E-mailer (\$89) supports file-compression formats such as RinHex, uuencode, Base 64, and MIME.

Contact: Claris, Santa Clara, CA, (800) 544-8554 or (408) 987-7000; <http://www.claris.com>.

Circle 1007 on Inquiry Card.

OS/2 AND UNIX DICTIONARY

The American Heritage Dictionary and Roget's II Thesaurus Deluxe Edition for OS/2 and Unix (\$59.95) is a package that provides an up-to-date dictionary with full definitions, parts



of speech, pronunciations, abbreviations, and sample sentences for more than 200,000 words. In addition, the electronic thesaurus has more than 500,000 synonyms, word senses, and meanings. The product works within applications such as word processors, spreadsheets, databases, and even E-mail. Available in single and multiuser LAN versions, the package is also available in international versions.

Contact: Dux Software, Palo Alto, CA, (800) 543-4999 or (415) 473-1800; <http://www.rivendell.com/dux>.

Circle 1013 on Inquiry Card.

PCB LAYOUT FOR WINDOWS 3.1

WinBoard 2.0 (\$995; with WinDraft schematics, \$1495) includes placement tools for x,y placement and Place File; enhanced editing, including the

ability to edit net characteristics; select or exclude layers for routing and via placement; more than 400 new SMT footprints, including the complete IPC-SM-782 library; and improved memory management. With the Online Graphical Editor, you can create custom modules or edit existing modules on-line. WinBoard's Pad Stack Editor lets you create any number of user-definable pad shapes per layer, and Update Netlist lets you forward annotations from the schematic. A Module De-Compiler provides library source code, so you can make ASCII edits to the library files; the T-Tracks feature lets you move or drag adjoining track segments.

Contact: Ivex Design International, Beaverton, OR, (503) 531-3555; <http://www.ivex.com>.

Circle 1006 on Inquiry Card.

Software Update

StorageManager 4.0, backup and storage management for NetWare 3.x and 4.x servers, combines the backup capabilities of Backup Director 4.0, the automated archiving and media management of The Network Archivist, and rules-based Hierarchical Storage Management software. The program prevents, detects, and automatically recovers from system, user, hardware, or media failure. Single-server networks of up to 25 users, \$995; single server with unlimited user support, \$1995; multiserver with unlimited users, \$3595.

Contact: Palindrome, Naperville, IL, (800) 288-4912 or (708) 505-3300; <http://www.palindrome.com>.

Circle 1018 on Inquiry Card.

A desktop organizer, **DragStrip 2.0** includes extensive AppleScript support; new options for icon and button styles, custom fonts, colors, and labeling; options for renaming items and editing pop-up document lists; support for Control Strip modules; the ability to apply labels and colors on a per-strip basis; and Bali, a program that lets you cancel accidental application launches with a single click. \$59.95.

Contact: Natural Intelligence, Cambridge, MA, (800) 999-4649 or (617) 876-4876; <http://www.natural.com/>.

Circle 1022 on Inquiry Card.

NetTools 5.3, Windows desktop-configuration management, incorporates HelpPlus, an ODBC-compliant trouble-ticket generator that helps you identify improperly set or altered desktop-configuration files and supports Adobe PostScript printer drivers. Two-year subscription fee for NetWare and NT Server, \$32 per node for 50 nodes to \$19.50 per node for 1000 licenses.

Contact: McAfee, Santa Clara, CA, (408) 988-3832; <http://www.mcafee.com>.


Circle 1020 on Inquiry Card.

MANAGE CONTACTS AND DOCUMENTS IN WINDOWS 95


Janna Contact 95 (US\$99) provides contact, document, and time management; communications; and a multimedia database. You can store documents, including letters, faxes, spreadsheets, presentations, and even voice notes and full-motion videos, along with your contacts. Contact management features include name, company, address, phone, and fax numbers; unlimited addresses, custom fields, and categories; and unlimited date-stamped text notes. Communications features let you send personalized letters to contacts, send and receive E-mail with Microsoft Exchange, and send and receive faxes with Microsoft Fax at Work. With OLE 2.0 support and the multimedia database, you can import data into the Microsoft Access 95 database.

Contact: Janna Systems, Toronto, Ontario, Canada, (800) 268-6107 or (416) 483-7711; info@janna.com.

Circle 1002 on Inquiry Card.



WHAT'S NEW Software



MOLECULAR VISUALIZER ▲

ChemSite for Windows (\$99) is a molecular visualizer for building, displaying, and simulating the dynamic behavior of chemical structures, which you can then incorporate into presentations, lectures, and laboratory studies. Built-in rules of chemistry prevent you from creating structures that are chemically impossible, or you can simply deactivate them to construct any configuration of atoms. ChemSite also reads and writes data files from other molecular-modeling and chemical-drawing programs, allows you to transport structures directly into programs that support the Windows Clipboard or BMP files, and

renders collections of spheres, balls and sticks, Bézier curves, and molecular orbitals.

Contact: Pyramid Learning, San Jose, CA, (800) 610-2436 or (415) 323-4907; pyramid@netcom.com.

Circle 1010 on Inquiry Card.

DATA RECOVERY FOR DOS AND WINDOWS

Rescue (\$99) can recover data from crashed floppy disks and hard drives, even those with corrupted or deleted primary partitions, in as little as 60 seconds, according to AllMicro. The program automatically recovers virtually any DOS or Windows file, including EXE, application, compressed, deleted, binary, and graphics files; works on com-

pressed drives and deleted files; includes antivirus features that detect and eliminate more than 5000 viruses and immunize your files from further infections; and automatically backs up your files. Contact: AllMicro, Clearwater, FL, (800) 653-4933 or (813) 539-7283; allmicro@ix.netcom.com.

Circle 1008 on Inquiry Card.

FIREWALL FOR NOTEBOOKS

EagleNomad (\$99) addresses the security needs of mobile PC users by establishing a private "tunnel" between two systems, allowing users transparent, secure communication to authorized destinations in the enterprise. Another version of the product, EagleDesk (\$99), protects workgroup PCs within the enterprise.

Contact: Raptor Systems, Waltham, MA, (617) 487-7700; http://www.raptor.com.

Circle 1014 on Inquiry Card.



3-D GRAPHICS AND ANIMATION

Now artists, designers, and multimedia developers can work in 3-D with Visual Reality 2.0 for Windows (\$259). The package, which consists of four modules—RenderizeLive, Visual Model, Visual Font, and Visual Image—lets you drag and drop objects, materials, and images between applications. RenderizeLive, a 3-D rendering and animation tool, lets you combine input from other Visual Reality 2.0 modules and images to create full-color, high-resolution, photo-realistic renderings. Visual Model lets you create 3-D models, Visual Font transforms TrueType fonts into 3-D words, and Visual Image lets you combine or collage photos and images and then perform multilayer image-processing and enhancement procedures. Visual Reality 2.0 also includes push/pull, melt, stretch, twist, and band tools; enhanced free-form modeling; key-frame object and camera animation; the ability to drag and drop 3-D data from Visual Catalog, a 3-D data module; solid-shaded modeling; 3-D Boolean operations; organic deformations; and 3-D morphing between objects.

Contact: Visual Software, Woodland Hills, CA, (800) 669-7318 or (818) 883-7900.

Circle 1003 on Inquiry Card.

Software Update

A query tool for AS/400 data access, ShowCase Vista 3.1 lets you import Query/400 and SQL/400 objects; manage and control query jobs by assigning which batch subsystem a job can run in, and at what priority; and test queries in a controlled environment before handing them over to end users. Other features include OS/400 V3R1 compatibility and improved data-viewer capabilities. Single-user license, \$1500.

Contact: ShowCase, Rochester, MN, (800) 829-3555 or (507) 288-5922; http://www.bismark.com/showcase.

Circle 1021 on Inquiry Card.

Software that lets you run Lotus SmartSuite, Microsoft Office, and other Windows applications on Solaris, Wabi 2.1 includes multimedia support and ODBC support, which lets you access databases such as Oracle and Sybase from your Windows productivity databases. An X Window System client application, Wabi can run in a client/server configuration, residing on one system (a server) and displaying on others (clients). Wabi 2.1 is available in French, Japanese, Italian, German, Spanish, and Swedish versions. \$225.

Contact: SunSoft, Mountain View, CA, (800) 786-7638 or (512) 434-1511; http://www.sun.com/sunsoft/Products/PC-integration-products.

Circle 1019 on Inquiry Card.

A Unix-based, multifunctional, network-ready package, OnContact Enterprise 3.53 adds enhanced security, new scheduling methods, setup features, fax integration, upgraded merging capabilities, and advanced printing functionality. \$1095 per user.

Contact: Software Development Group, Cedarburg, WI, (800) 886-0866 or (414) 375-6555.

Circle 1023 on Inquiry Card.

"I oversee a
\$24 million
budget and support
2400 users.

Every month

BYTE

helps me
evaluate

products & technologies that keep

Lincoln National Life

ahead of the

technology/productivity
curve."

Name: Skip Carstensen

Title: VP Product Administration Systems

Company: Lincoln National Life Insurance Company

Annual IT Budget: \$24 million

BYTE Reader: 9+ years



BYTE readers set the agenda for corporate Information Technology purchases. Their recommendations can take your products to the top – or leave them at the door. Why? Because BYTE readers are the *technology experts*. They define the short list. They specify brands. They tell the buyers what to buy.

Want to get your product in front of Skip? Advertise in BYTE. And reach more than a half-million technology experts who drive the IT buy.

BYTE Because the *Experts* Decide.

See for Yourself: To find out more about the buying power of BYTE readers, call 603-924-2618 and ask to see our *Information Technology Buying Process* video. BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

Communication is a Strategy Not Child's Play



Providing Data Acquisition, PCMCIA Cards and Communication Adapters to all Industries.

COMDEX/Fall'95 November 13-17, 1995 • Las Vegas, Nevada USA

Circle 89 on Inquiry Card (RESELLERS: 90).



BYTE

BUYER'S GUIDE

**Essential Products
and Services for
Technology Experts**

Mail Order

Top mail-order vendors offer the latest hardware and software products at the best prices.

272

Hardware/Software Showcase

Your full-color guide to in-demand hardware and software products, categorized for quick access.

291

Buyer's Mart

The BYTE classified directory of computer products and services, organized by subject so you can easily locate the right product.

301



COMPUTER DISCOUNT WAREHOUSE™



EZ135 Drive™ Affordable high-performance data storage



- ✓ Capacity: 135MB on one formatted 3.5" EZ135 cartridge
- ✓ Seek time: 13.5ms, up to 2.4MB/second sustained transfer rate
- ✓ IDE, SCSI (SCSI host adapter sold separately) and parallel port configurations
- ✓ Includes one EZ135 cartridge and data-management software
- ✓ Small, lightweight design: 1" x 4" x 5.91", 1lbs
- ✓ 2 year warranty

Internal IDE.....	\$198.99	CDW 55470
External SCSI.....	\$239.49	CDW 55471
External parallel.....	CALL!	

WHY PAY RETAIL?

CDW® Sells For Less



Pentium™ OverDrive® Processors

Power up to a new performance level



Boost your system's overall performance and run software at amazing speeds with an Intel Pentium™ OverDrive® processor.

66MHz.....	\$279.13	CDW 50521
for Intel486SX, 5X2, DX, DX2, 25MHz and 50MHz CPU-based PCs		
83MHz.....	\$279.13	CDW 58179
for Intel486SX, 5X2, DX, DX2 33, 66 and 100MHz CPU-based PCs		

*Call for compatibility information.

HARDWARE, SOFTWARE & PERIPHERALS AT DISCOUNT PRICES

NETWORKING PRODUCTS

NOVELL

Netware V4.1	
5 User CD.....	804.70
10 User CD.....	1479.51
25 User CD.....	2244.74
50 User CD.....	3233.37
100 User CD.....	4229.56
Netware V3.12	
5 User 3.5".....	619.98
10 User 3.5".....	1488.77
25 User 3.5".....	2062.50
50 User 3.5".....	2929.99
100 User 3.5".....	3526.82

Call for Pricing on Novell NetWare upgrades!

3Com

3C503 Etherlink II coax.....	159.44
3C509B Etherlink III coax.....	114.14
3C509B Etherlink III coax 5pk.....	478.65
3C509B Etherlink III 10BT.....	111.14
3C509B Etherlink III 10BT 5pk.....	442.38
3C509B Etherlink III combo.....	123.77
3C509B Etherlink III combo 5pk.....	538.78
3C579 Etherlink EISA coax.....	229.91
3C579 Etherlink EISA 10BT.....	229.91
3C1627 12 port Linkbuilder 10BT.....	821.98

ARTISOFT

NodeRunner 2000A.....	315.56
NodeRunner 2000T.....	169.05
NodeRunner 2000C.....	169.05
NodeRunner/SI 2000A.....	87.13
NodeRunner/SI 2000T.....	79.50
LANtastic V6.0.....	329.87
LANtastic V6.0 Starter Kit.....	229.13
Central Station II.....	389.13
Simply LANtastic starter kit.....	163.79
T-Runner 8 port 10BT.....	179.99
T-Runner 12 port 10BT.....	199.82



Multiprotocol print server 10BT HP MIO.....	248.93
Multiprotocol print server 10BT pocket.....	237.30
Multiprotocol 2 printer server combo.....	287.15
Intelligent AutoSwitch, 2 comp to 1 printer.....	76.59
Intelligent AutoSwitch, 4 comp to 1 printer.....	116.10
SNAP starter kit-2 computers, 1 printer.....	49.50
SNAP add-on transmitter.....	49.50
Fax Authority Solo network fax.....	499.99

IBM

Token Ring Adapter II 16/4 ISA.....	349.99
Token Ring Auto Adapter 16/4 ISA.....	249.95
IBM Token Ring MAU.....	399.42



EtherExpress PRO/10Mbps PCI.....	219.19
EtherExpress PRO/10Mbps EISA.....	246.52
EtherExpress PRO/10Mbps PCI 5pk.....	998.34
EtherExpress PRO/10 Fish 10BT.....	108.01
EtherExpress PRO/10 Fish 10BT 5pk.....	419.96
EtherExpress PRO/10 Fish 10BT 20pk.....	1494.74
EtherExpress PRO/10 Fish combo.....	115.07
EtherExpress PRO/10 Fish combo 5pk.....	472.90
EtherExpress PRO/10 Fish combo 20pk.....	1739.70
EtherExpress 10 10BT.....	99.33
EtherExpress 16 10BT 2 5pk.....	469.50
EtherExpress 16 10BT 20pk.....	1996.38
EtherExpress ACA 10BT.....	166.52
EtherExpress 16 combo.....	116.77
EtherExpress 16 combo 5pk.....	549.72
EtherExpress EISA, coax.....	409.96
EtherExpress Fish combo.....	129.79
EtherExpress Flash combo 5pk.....	591.05
TokenExpress 16/4.....	328.99
NetportExpress II 10BT.....	368.85

MICRODYNE

Eagle NE2000+ coax.....	76.63
Eagle NE2000T+ 10BT.....	64.38
Eagle NE2000+ combo.....	82.99
IRMAtrac 4/16Mbps ISA Converter.....	328.99
IRMAtrac 4/16Mbps ISA Hardtop.....	294.97

NETWORKING PRODUCTS

SMC

EtherEZ 10BT.....	94.47
EtherEZ coax.....	94.47
EtherEZ combo.....	167.08
Etherpower 10BT PCI.....	138.81
Etherpower coax PCI.....	149.97
Etherpower2 10BT.....	252.26
Ultra16 Ethernet coax.....	271.06
Ultra16 coax 6pk.....	91.86
Ultra16 10BT 6pk.....	429.08
Ultra16 10BT 24pk.....	1429.27
Ultra16 Ethernet combo.....	167.71
TigerHub TP6 6 port + AUJ.....	149.98
TigerHub TP6B 6 port - BNC.....	189.63
TigerHub TP12 12 port + AUJ.....	346.98
3608 Ethernet 8 port hub 10BT.....	299.99
3512 Ethernet 12+2 port hub 10BT.....	548.83
PC600WS ARCNET coax.....	118.83
ARCNET 8 port active hub coax.....	228.41
TokenCard Elite 16/4.....	221.27



TC5143 Ethernet 10BT.....	71.00
TC5143 Ethernet 10BT 6pk.....	399.94
TC6242 ARCNET 8-bit coax.....	66.98
TC6245 ARCNET coax.....	178.99
TC6505 Ethernet 8 port hub 10BT.....	338.28
TC Tropic Token Ring 16/4.....	428.61

CDW Carries the Complete Line of TCHS Products. Call for Details!

TERMINALS

Link MCS amber/green/white.....	273.85
Link MC80 14" color.....	418.80
Wise 55 amber/green/white.....	223.21
Wise 60 amber/green/white.....	279.80
Wise 160 amber/green/white.....	329.80

Xircom

PE3108C pocket Ethernet coax.....	317.26
PE31082 pocket Ethernet coax.....	377.51
PE3108T pocket Ethernet 10BT.....	377.31
PT316CTP pocket Ethernet III.....	478.83
PPX03 Parallel port multiplexer.....	77.99
PS-CE2 PCMCIA Token Ring.....	489.84

TAPE & REMOVABLE MEDIA DRIVES

COLORADO MEMORY SYSTEMS INC.

Jumbo 350 internal.....	127.18
Jumbo 700 internal.....	199.89
Zip disks 100MB 3pk.....	238.21
Trakker 700 parallel port.....	239.21
T1000 800MB Travan.....	182.34
PowerTape 1.1GB SCSI internal.....	698.57
PowerTape 2.4GB SCSI internal.....	937.98
PowerTape 2.4GB SCSI external.....	1077.99

iomega

Zip drive 100MB parallel interface.....	189.99
Zip drive 100MB SCSI interface.....	199.00
Zip disks 100MB 3pk.....	69.99
Ditto 420MB tape drive internal.....	99.99
Ditto Easy 800MB Travan tape drive external.....	149.99
Ditto Easy 800MB Travan tape drive internal.....	149.99

MICROSOLUTIONS

Backpack 3.5" 1.44MB floppy parallel.....	148.32
Backpack 800MB Travan parallel.....	296.12
Backpack 250MB tape backup parallel.....	259.89

TAPE & REMOVABLE MEDIA DRIVES

CONNER

Tape'Stor 250MB Internal.....	118.28
Tape'Stor 420MB internal.....	138.26
Tape'Stor 420MB parallel.....	309.49
Tape'Stor 800MB Travan internal.....	198.06
Tape'Stor 800MB Travan parallel.....	319.88
Tape'Stor 850MB internal.....	219.87
Tape'Stor 850MB parallel.....	368.25
Tape'Stor 4GB internal IDE.....	539.78



FileSafe TD-350, 350MB internal.....	184.33
FileSafe 800MB Travan internal.....	174.58



EZ135 135MB internal IDE interface.....	189.99
EZ135 135MB external SCSI interface.....	239.49
EZ135 135MB cartridge.....	19.97

MULTIMEDIA AND CD-ROM

Creative Labs

Multimedia Home CD 4x kit internal.....	448.99
Blaster CD 4x kit.....	213.89
Sound Blaster Value CD 4x kit.....	286.99
Sound Blaster Performance CD 4x kit.....	428.99
Phone Blaster 14.4K internal w/software.....	189.99
Modem Blaster 14.4K.....	68.99
Moon Blaster 28.8K.....	159.79
Sound Blaster 16 v. value edition (IDE).....	99.99
Sound Blaster 16 SCSI-2.....	178.99
Sound Blaster AWE32.....	289.99
Sound Blaster AWE32 (IDE).....	188.99
Wave Blaster II GamePack.....	154.50

Advent PP570 speakers 35W.....	245.97
Advent PP622 speakers subwoofer.....	185.54
Diamond 4000 Quad CD kit internal.....	289.78
Jensen JPS35 speakers 5W.....	84.99
Jensen JPS45 speakers 10W.....	89.53
Logitech SoundMan Wave.....	119.49
Microsolutions 4X CD parallel.....	354.89
Microsolutions 4X CD parallel w/sound.....	488.15
NEC 6X.....	456.14
NEC 6Xe.....	547.58
Pioneer DPM824X 6 disc 4X changer.....	575.02
Plextor 4plex quad external.....	558.85
Plextor 4plex quad internal.....	427.96
Plextor 6X internal.....	499.87
Sigma Designs RealMagic Lite.....	258.59
Sigma Designs RealMagic MPEG.....	366.68
Sigma Designs RealMagic CD Kit.....	638.44
Sony 4X internal w/IDE interface.....	299.43
Sony 4X internal w/SCSI-2 interface.....	318.62
Teac SuperQuad 4X internal.....	189.18
Toshiba 3601 SCSI 4X internal.....	309.98
Turtle Beach Monte Carlo.....	84.71
Turtle Beach Tropez.....	189.67
Turtle Beach Monterey.....	318.94

DIGITIZERS & SCANNERS



DB III 12X12 4 button.....	298.67
DB III 12X12 16 button.....	299.87
DB III 12X12 pressure pen.....	399.87
Drawing Slate II 12X12 4 button cordless.....	228.58

DIGITIZERS & SCANNERS

EPSON

300GS personal document scanner.....	499.31
ES-1000C.....	768.44
ES-1200-ProPC.....	1199.88



ScanJet 3P.....	319.57
ScanJet 3P document feeder.....	309.46
ScanJet 3C W/ISA interface.....	938.88
ScanJet 3C document feeder.....	468.50

MICROTEK

Scanmaker IIG grayscale.....	249.29
Scanmaker II color.....	394.65
Scanmaker IIS color.....	498.32
Scanmaker IIHR color.....	749.98
ScanMaker III color.....	3408.95
Scanmaker 35T slide scanner.....	698.89

Summagraphics.

Summasketch III 12 X 12 16 button.....	243.13
Summasketch III 18 X 12 4 button.....	488.33

MONITORS

Mag Innovation DX16F.....	379.88
Mag Innovation DX17F.....	689.78
Mag Innovation MXP17F.....	678.07
Mag Innovation MXP21F.....	1889.47
Magnavox CM2088 14" 28.....	237.98
Magnavox CM2089 14" 28 Ni.....	249.57
Magnavox CM42015 15" 1024.....	322.79
Magnavox CM44016 15" 1280.....	375.94
Magnavox CM44017 17" 31.....	669.25
Magnavox CM44018 17" 28.....	674.57
Magnavox 20C484 20".....	1087.98
NEC XV14 14".....	311.83
NEC XV15 15".....	438.63
NEC XV17 17".....	789.49
NEC XE15 15".....	576.77
NEC XE17 17".....	988.59
NEC XP21 21".....	1779.24
NEC XP15 15".....	187.18
NEC XP17 17".....	1088.38
NEC XP21 21".....	2168.43
Samsung 15G1U 15".....	489.74
Samsung 17G1U 17".....	737.71
Samsung 17GL17 17".....	934.80
Sony CPD-1425 14".....	311.33
Sony 15S1 15".....	489.27
Sony 17S1 17".....	879.48
Sony 20SE1 20".....	1929.38
ViewSonic 16GS 16".....	438.20
ViewSonic 17GS 17".....	757.54
ViewSonic 21PS 21".....	1893.70

VIDEO BOARDS

ADS VGA to TV Elite internal.....	134.89
ADS VGA to TV Elite external.....	189.89
ATI Graphics Xpression VLB 2MB.....	199.36
ATI Graphics Xpression VLB 2MB.....	189.36
ATI Graphics Pro Turbo ISA 2MB.....	319.87
ATI Graphics Pro Turbo VLB 2MB.....	319.87
ATI Graphics Pro Turbo PCI 2MB.....	319.87
ATI Graphics Pro Turbo PCI 4MB.....	448.68
Diamond SpeedStar Pro ISA 1MB.....	95.69
Diamond SpeedStar 64 ISA 1MB.....	199.00
Diamond SpeedStar 64 ISA 2MB.....	153.58
Diamond Stealth Video VLB 2MB.....	339.21
Diamond Stealth Video PCI 2MB.....	237.80
Intel Smart Video Recorder Pro.....	388.99

If You Find a Better Price, Call CDW® Before You Buy (800) 959-4CDW

NASDAQ
BUY WITH CONFIDENCE
CDW® IS A NASDAQ
TRADED COMPANY
TICKER SYMBOL: CDWC
D & B listed S&P
Date 10-7627892

No surcharge for credit cards

Credit Card charges are not submitted until time of shipment. Freight is calculated as the carrier's actual charge (including insurance and packaging) minus the cost of insurance at 20% (0.20%) of the net invoice. Packaging materials and lost items: \$4.00 per package (over \$4.00 per unit) package returns. For your convenience we ship only to your credit billing address. Non-acceptance returns subject to restocking fee. Allow 10 business days for shipping when buying by parcel. Check, funds, drafts and other electronic payments are not available. All pricing subject to change. * Excludes items that are not available for shipment.

CDW® TELEPHONE HOURS
 Sales 7:00-8:00 CDT Mon-Fri.
 9:00-5:00 CDT Sat.
 Tech Support for Customers
 8:00-7:00 CDT Mon-Fri.

COMPUTER DISCOUNT WAREHOUSE™



HP DeskJet 600 True 600 dpi Inkjet printer

- ✓ Crisp monochrome output at up to 600 x 600 dpi ✓ 1 ppm print speed at 600 x 600 dpi, 4 ppm at 300 x 300 dpi ✓ HP PCL 3 emulation, includes TrueType fonts for Windows ✓ Paper handling up to 100 sheets of letter or legal paper or 20 envelopes ✓ Prints on plain or glossy paper, transparency film, cards, labels and more ✓ Parallel interface, ECP and Bi-Tronic compliant ✓ 3 year warranty ✓ H-P-C2184A

\$299.48 CDW 57117

WHY SETTLE FOR LESS?

CDW® SERVICES YOU BETTER

FREE Lotus SmartSuite on CD* A \$399 value!

IBM® ThinkPad® 701C



Business Partner

- ✓ IntelDX2™ 60MHz CPU
 - ✓ 4MB RAM, 20MB max. ✓ 10.4" active-matrix color display ✓ Local bus video with 1MB RAM ✓ PCMCIA slots: 2 Type II or 1 Type III ✓ Built-in 14.4K bps fax/modem with voice and telephony
 - ✓ Full-size, 85-key, expandable "Butterfly" keyboard ✓ Keyboard-integrated TrackPoint III® pointing device ✓ Super NiCD battery ✓ 3 year warranty
 - ✓ Lightweight and compact: 4.5 lbs, 9.7" x 7.9" x 1.7"
- 360MB hard drive.....**\$2199.00** CDW 51788
540MB hard drive.....**\$2399.00** CDW 51789



*Offer fulfilled directly by IBM via mail-in coupon on purchases between 3/1/95 and 12/31/95.

CDW® CARRIES OVER 20,000 PRODUCTS. IF YOU DON'T SEE IT, CALL!

COMPUTERS

TOSHIBA

T2110CS DX4/75 330MB pas color	1999.80
T2110CS DX4/75 500MB pas color	2444.20
T2130CT DX4/75 500MB act color	3638.99
T2130CS DX4/75 500MB pas color CD	2985.16
400CS 5/75 772MB pas color	3547.91
400CDT 5/75 772MB act color CD	4366.31
4100 5/75 772MB 524MB dual cir CD	3699.78
4100CDT 5/75 772MB act color CD	CALLI
Portege 610CT 5/90 720MB act color	4338.05
Portege 610CS 5/75 800MB pas color	4718.13
Tetra 700CT 5/120 1.2GB act color	CALLI

AST

Ascenta 910N 4/75 510MB pas color	2526.67
Ascenta 910N 4/75 510MB act color	3189.81
Ascenta 910N 4/75 700MB act color	3359.00
Ascenta 950N 5/75 800MB pas color	3638.48
Ascenta 950N 5/75 800MB pas color	4065.11
Ascenta 950N 5/75 1.2GB act color	5182.24

Advantedge Adventure desktops

Advantedge 814 5/100 1.2GB 16MB CD	2579.76
Advantedge 818 5/133 1.6GB 16MB CD	3079.60

Bravo MS desktops

5/75 8MB, 850MB WIN 95	CALLI
5/75 8MB, 850MB CD WIN 95	CALLI
5/75 16MB, 1.2GB WIN 95	CALLI
5/100 8MB, 850MB WIN 95	CALLI
5/100 8MB, 850MB CD WIN 95	CALLI
5/120 16MB, 1.2GB WIN 95	CALLI
5/120 16MB, 1.2GB CD WIN 95	CALLI
5/133 16MB, 1.2GB WIN 95	CALLI

Bravo MS-T mini-towers

5/75 8MB, 850MB WIN 95	CALLI
5/75 8MB, 850MB CD WIN 95	CALLI
5/100 8MB, 850MB WIN 95	CALLI
5/100 8MB, 850MB CD WIN 95	CALLI
5/120 16MB, 1.2GB WIN 95	CALLI
5/120 16MB, 1.2GB CD WIN 95	CALLI
5/133 16MB, 1.2GB WIN 95	CALLI

Orion Starion 900 multimedia mini-towers

910 5/75 8MB, 850MB CD WIN 95	1749.00
915 5/100 8MB, 850MB CD WIN 95	1989.50
920 5/75 8MB, 1.2GB CD WIN 95	2189.00
930 5/100 16MB, 1.2 GB CD WIN 95	2499.90
940 5/133 16MB, 1.2 GB CD WIN 95	2999.00

IBM

360CE DX2/50 540MB act color	3099.00
360CE DX2/50 540MB act color	3449.00
701CS DX4/75 540MB pas color	2449.00
701CS DX4/75 350MB act color	2959.00
701C DX2/50 540MB act color	2199.00
701C DX2/50 360MB act color	2399.00
701C DX4/75 360MB act color	2999.00
701C DX4/75 540MB act color	3999.00
755CSE DX4/100 340MB pas color	2499.00
755CSE DX4/100 540MB pas color	3949.00
755CE DX4/100 540MB act color	4649.00
755CE DX4/100 810MB act color	5099.00
755CD DX4/100 540MB act color CD	4749.00
755CD DX4/100 810MB act color CD	5149.00
755CX (SBL) 5/75 540MB act color	4199.00
755CX 5/75 540MB act color	4849.00
755CX 5/75 810MB act color	6249.00
755CV 4/100 540MB act color	5249.00
755CDV 4/100 810MB act color CD	5349.00

PC300 Series desktop

PC300 5/75 8MB, 540MB	1622.00
PC300 5/90 16MB, 850MB	2254.00
PC300 5/75 8MB, 540MB	1622.00
PC350 5/75 16MB, 850MB	2139.00
PC350 5/90 16MB, 850MB	2317.00
PC750 5/90 16MB, 540MB CD	3132.00
PC750 5/90 16MB, 1GB	3069.00
PC750 5/133 16MB, 1GB	3348.00

NEC

Versa V 4/50 4MB, 250MB dual cir	1499.00
Versa V 4/50 4MB, 340MB dual cir	1819.00
Versa V 4/50 4MB, 540MB act color	2244.70
Versa V 4/50 4MB, 340MB act cir	1899.00
Versa 2000 4/75 4MB, 350MB dual cir	1999.57
Versa 2000 4/75 8MB, 350MB act cir	2499.73
Versa 2000 4/75 8MB, 540MB act cir	2978.82
Versa 4000 5/75 8MB, 540MB act cir	3789.90
Versa 4000CT 5/75 720MB act color	3999.90
Versa 4000CTC 5/90 720MB act color CD	4649.00
Versa 4000HC 5/90 810MB hi-res cir	4799.00

COMPUTERS

TEXAS INSTRUMENTS

Extensa 450 DX4/75 340MB dual color	1799.77
Extensa 450T DX4/75 340MB act color	2399.67
Extensa 550 5/75 524MB dual color	2499.77
Extensa 550CD 5/75 524MB dual cir CD	2999.88
Extensa 550CDT 5/75 524MB act cir CD	3599.98
TM4000M DX4/75 453MB dual color	2499.78
Extensa 550CDT 5/75 524MB act cir CD	2999.98
TM4000M DX4/75 524MB act color	2783.73
TM4000M DX4/100 524MB 10 4 act cir	3254.79
TM5000 5/75 524MB dual color	3699.81
TM5000 5/75 810MB act color	4839.22
TM5000 5/90 1.2GB act color	5197.95

DOT MATRIX & LASER PRINTERS

OKIDATA

184 Turbo	225.07	Pacemaker 3401	1286.49
ML320	314.30	OL400E	349.26
ML321	437.49	OL410E	483.42
ML380	221.04	OL40E/PS	750.86
ML395	997.83	OL810	904.98
ML395C	1081.43	OL810E	798.33
ML520	378.77	OL530 Plus	1078.81
ML521	499.83	OL1200	1115.68
ML590	437.54	OKIlet 2010	367.77
ML591	592.12		

Canon

BJ30 mono	298.86
BJC70 color	388.66
BJ200x	499.54
BJC210	CALLI
BJC230	391.56
BJC500 color	479.24
BJC610	449.00
BJC4000 72dpi + color	344.78
BJC4100	379.00

EPSON

AF3260	187.80	DFX8000	2589.80
LX300	174.32	Stylus 300	183.18
FX870	303.96	Stylus 1000	479.34
FX1170	405.23	Stylus Color	528.53
LC1070	498.54	Stylus Color II	449.00
LC870	448.43	Stylus Pro	799.00
LQ1170	689.85	ActionLaser 1100	395.52
LQ2550	985.28	ActionLaser 1100	462.63
DFX5000 Plus	1528.28		

LEXMARK LASER PRINTERS

WinWriter 150c thermal inkjet	348.84
WinWriter 600 laser	999.00
ValueWriter 300 (4037 SE 5PPM)	454.67
4030 10 Plus 10ppm	1218.38
Optra R 12ppm	1444.46
Optra Rx 16ppm	1988.23
ExecJet I/c	262.46

Panasonic

1150	134.15
2023	182.89
2130	294.60
2135 Color	347.83
3123	251.68
4400 Laser	454.90
5400 Laser	398.55
KC-SP100 printer/facsimile	778.54

TEXAS INSTRUMENTS

microLaser 600	885.10
microLaser Pro 600 PS23	1197.02
microLaser Pro E	1365.40
microLaser Power Pro 600 PS65	1886.76

HEWLETT PACKARD

OfficeJet inkjet fax/copier/printer	612.08
DeskJet 320 portable	369.28
DeskJet 600	399.48
DeskJet 650C	397.22
DeskJet 850C	549.91
DeskJet 1600C	1389.07
LaserJet 5P	998.77
LaserJet 5L	129.33
LaserJet 4 Plus	1449.90
LaserJet 4SI	2996.95
LaserJet 4V	1867.35
LaserJet Color	8928.62

COSTAR

LabelWriter XL WIN	139.80
LabelWriter XL Plus WIN	224.80

HARD DRIVES & CONTROLLERS

Maxtor

270MB Fast-ATA	158.74	540MB Fast-ATA	177.67
420MB Fast-ATA	186.76	650MB Fast-ATA	207.00

MICROPOLIS

4221 2GB SCSI-2	988.18
1838 3GB SCSI-2	989.82
3243 4.3GB SCSI-2	1312.90

CONNER

425MB IDE	182.25	650MB Fast-ATA	233.77
540MB IDE	218.40	1.27GB Fast-ATA	298.96

All Conner drives listed include complete installation hardware and software.

Seagate

428MB Fast-ATA	148.39	1GB Fast-ATA	255.73
545MB Fast-ATA	172.32	1GB Fast SCSI-2	248.64
853MB Fast-ATA	293.87		

WESTERN DIGITAL

Cavelr 540MB EIDE	187.02	Cavelr 1.2GB EIDE	213.30
Cavelr 853MB EIDE	228.10		

CONTROLLERS

AcuLogic SIDE-3+ w/on-board BIOS	48.90
AcuLogic SIDE-4 w/par, Zaer, game	35.06
AcuLogic SIDE-4VL EIDE, 16550 serial	69.76
AcuLogic ISApport SC3i-2	126.82
Adaptec 1542CP SCSI Master Kit	259.73
Adaptec AVA150S SCSI-2 CD Kit	54.96
Adaptec AVA2825 VLB SCSI-2/EIDE	166.87
Adaptec 2842 VLB SCSI-2	249.83
Promise 2300i EIDE VLB	59.87

MODEMS & COMMUNICATIONS

Robotics

SPORTSTER MODEMS

14.4K internal w/fax	84.81
14.4K external w/fax	111.00
Vi 14.4K internal w/fax & voice	113.59
Vi 14.4K external w/fax & voice	133.78
V.34 28.8K internal w/fax	179.88
V.34 28.8K external w/fax	199.86
Vi 28.8K internal w/fax & voice	228.70
Vi 28.8K external w/fax & voice	225.32
Vi DSVDV V.34 internal w/fax & voice	278.82

COURIER MODEMS

V.34 internal w/fax	387.80
V.34 external w/fax	422.32

Hayes

ACCUJA 144 internal w/fax	81.87
ACCUJA 144 external w/fax	111.18
ACCUJA 288 V.34 internal w/fax	183.78
ACCUJA 288 V.34 external w/fax	218.08
OPTIMA 144 internal w/fax	374.30
OPTIMA 144 pocket w/fax	312.59
OPTIMA 288 V.34 internal w/fax	365.14
OPTIMA 288 V.34 external w/fax	415.44

PRACTICAL PERIPHERALS

14.4 internal w/fax	72.88
14.4 Mini Tower w/fax	89.76
V.34 28.8 internal w/fax	167.84
V.34 28.8 Mini Tower w/fax	196.86
Practical Pro Series	CALLI

BOCA

Multimedia Voice Modem 14.4 Internal	99.55
Online Express 14.4 internal w/fax	79.78
Online Express 14.4 external w/fax	159.00
V.34 28.8 internal w/fax	205.00
V.34 28.8 external w/fax	205.00

MICROCOM

Desktop ES 14.4	146.39
Desktop Fast EP V.34 28.8	166.87
Desktop Fast EP V.34 28.8	238.98

ZOOM

V.34 FaxModem Internal	142.88
V.34 FaxModem External	168.87
Voice FaxModem VFP 14.4V Internal	168.87
Voice FaxModem VFX 14.4V External	148.30
14.4 V.32bis w/fax internal	76.74
14.4 V.32bis w/fax external	115.16

BATTERY BACKUP AND UPS

American Power Conversion

Back UPS Pro 280 Plug and Play	172.28
Back UPS Pro 420 Plug and Play	233.30
Back UPS Pro 650 Plug and Play	284.90
SmartUPS 700	377.86
SmartUPS 1000	519.84
SmartUPS 1400	640.70
SmartUPS 2200	1169.00
SmartUPS 3000	1787.74
SurgeArrest Network	32.25
SurgeArrest Pro	29.46
SurgeArrest Network + Phone	49.80
Line-R 600	218.40

Tripp Lite

BC350	94.87
BC PERS 420	138.89
BC PFR 500	169.16
BC PFR 550	

We Carry

- ALPS** 
- BASF brother.**
Canon
- CENTRONICS**
- CITIZEN** 
- CREATIVE LABS INC.**
- CURTIS** Dataproducts
-  **Dysart**
- EPSON EXABYTE**
- FACIT** 
-  **GRAHAM MAGNETICS**
- GENCOM**
-  **HEWLETT PACKARD** **IBM**
-  **OMEGA** 
- 3M** M. TALLY
- maxell MICROSOFT**
- Nashua** **NEC**
- OCLI OKIDATA**
- olivetti OLYMPIA**
- OTC PACIFIC DATA**
- Panasonic**
-  **Polaroid** **QMS**
- Qume** **RICOH**
-  **Seagate**
- SEIKOSHA** SMITH CORONA
- SONY** 
- SYQUEST** 
- TEAC** 
-  **TOSHIBA**
- TRIPPLITE**
- Verbatim** 

**and many more
OEM supplies!**

**ALL LOGOS ARE THE
PROPERTY OF THEIR
RESPECTIVE COMPANIES**

**HIGH-CLIP
PREFORMATTED
MF2HD 3.5" HD
1.44MB DISKS
10 PER BOX...\$3.70**

LOWEST PRICES

Prices in US \$ from America's Leading Exporter

DISKETTES (10 PER BOX)

DESCRIPTION	TDK	BASF	MAXELL	SONY
5 1/4" DS/DD	3.15	3.15	3.35	3.00
5 1/4" DS/HD	4.15	3.75	4.45	4.25
3 1/2" DS/DD	4.00	4.00	4.45	3.75
3 1/2" DS/HD	4.40	4.40	4.40	4.40

BULK DISKS

DESCRIPTION	FORMAT	OEM GRADE
5 1/4" DS/DD	0.17	0.19
5 1/4" DS/HD	0.22	0.24
3 1/2" DS/DD	0.24	0.26
3 1/2" DS/HD	0.28	0.29

DATA CARTRIDGES

DESCRIPTION	3M	MAXELL	SONY
DC-2120	8.90	8.20	8.50
DC-6150	9.50	9.30	9.30
DC-6250	12.50	12.30	12.30
DC-6525	16.50	16.30	16.30

STREAMER CASSETTES

MAXELL		TEAC	
CS-600 HD	11.95	60 MB	CT-600H 14.75
CS-600 XD	12.95	150 MB	CT-600N 19.75
CS-600 SX	19.95	600 MB	CT-600F 30.75

4 MM & 8 MM CARTRIDGES

DESCRIPTION	TDK	SONY	EXABYTE
4MM 60 Meter	4.95	5.95	8.25
4MM 90 Meter	5.35	7.35	9.95
8MM 112 Meter	5.25	6.75	8.95

OPTICAL DISKS

DESCRIPTION	MAXELL	3M	SONY
3.5" 512/128 MB	17.95	18.95	14.95
3.5" 512/230 MB	27.95	27.95	25.95
5.25" 600/650 MB	54.95	55.95	52.95
5.25" 1.2/1.3 GB	65.95	66.95	63.95

HEWLETT PACKARD

INK JETS		TRANSPARENCY/PAPER	
HP51604A	8.50	HP51630Z	15.75
HP51625A	22.50	HP51630S	45.75
HP51626A	20.50	HPC3835A	37.75
HP51629A	21.50	HP92281K	52.75
HP51649A	23.50	HP17703T	35.75

LASER TONERS		RIBBONS	
HPC3900A	123.95	HP92151H	4.25
HPC3903A	67.95	HP92155A	11.75
HP92291A	106.95	HP92155L	13.95
HP92295A	61.95	HP92156S	8.45
HP92298A	92.95	HP92154B	109.00

We carry a complete line of HP Products. Please call for the lowest prices.

PANASONIC

KX-P115 RIBBON	6.99
KX-P155 RIBBON	6.99
KX-P4450 TONER KIT	28.69
KX-P4450 DRUM KIT	115.69

(CALL FOR OTHER PANASONIC ITEMS)

RICOH

TONER 6000 +	15.95
TONER 80 PLUS	31.95
TONER 150 PLUS	31.95
OPC KIT 80	102.95
OPC KIT 81	102.95
OPC KIT 150	102.95

KYOCERA

TONER	32.00
DEVELOPER	117.00
DRUM	156.00
FUSER	206.00

DIGITAL

LN03X-AC TONER KIT	36.75
LN03X-AD OPC KIT	124.00
TK-50 TAPE CARTRIDGE	21.95
TK-70 TAPE CARTRIDGE	26.95
TK-85 TAPE CARTRIDGE	34.95
RA60-P DISK PACK	450.00
Dac Ribbons & other supplies Please call for the lowest prices.	

IOMEGA (Bernoulli Cart)

5 1/4" GOLD 20 MB	63.95
5 1/4" GOLD 44 MB	103.95
5 1/4" GOLD 90 MB	74.95
5 1/4" GOLD 150 MB	79.95

SYQUEST (Removable Disk Cart)

44 MB	56.95
88 MB	56.95
105 MB	56.95
270 MB	55.95

CANON

BC-01 INK CARTRIDGE	17.95
BC-02 INK CARTRIDGE	18.95
BJI-481 INK CARTRIDGE	11.95
BJI-642 INK CARTRIDGE	14.95
BJI-801 INK CARTRIDGE	8.95
EPS/SX TONER HP 92295A	55.95
EPL/IIP TONER HP 92275A	62.95

TEKTRONIX (Phaser III supplies)

016-1123-00 COLOR STIX BLACK	130.00
016-1124-00 COLOR STIX CYAN	75.00
016-1125-00 COLOR STIX MAGENTA	75.00
016-1128-00 COLOR STIX YELLOW	75.00
016-1144-00 CLEANING KIT	30.50
016-1103-00 TRANSPARENCY SHEETS	125.00
016-1219-00 TRANSPARENCY FILM	125.00

(CALL FOR OTHER TEKTRONIX ITEMS)

EPSON

RIBBONS		LASER	
7753	3.45	SO50002	117.95
7754	3.85	SO51005	149.95
7762	5.85	SO51009	192.95
8750	3.05	SO51011	155.95
8755	3.45	SO51023	108.95
8762	5.85	INK JETS	
8763	4.25	SO20002	18.95
8764	9.05	SO20025	9.50
8766	17.75	SO20034	11.75
8767	11.45	SO20036	23.95

COPIER TONERS

CANON	
F41-2302-100	75.00
F41-4102-710	100.00
F41-4214-700	89.00

CANON COLOR

F41-6811-000	83.00
F41-6821-000	83.00
F41-6801-000	83.00

KONICA

946-181	9.25
946-241	12.25
947-376	31.25

MINOLTA

8915-743	12.90
8915-348	27.90
8931-202	76.90

MITA

37037011	12.25
37041011	5.25
37042011	27.25

RICOH

887051	5.75
887132	6.75
887143	17.75

SHARP

SF-730MTI	16.50
SF-830MTI	14.50
SF-980MTI	33.50

TOSHIBA

T-220P	22.50
T-61P	10.50
T-68P	11.50

XEROX

6R-229	27.90
6R-244	51.90
6R-257	41.90

IBM

RIBBONS		LASER	
1040150	8.20	1348330	520.00
1040282	45.30	1348331	295.00
1040440	11.40	1348347	170.00
1040930	7.50	1348349	38.00
1299095	1.80	1380200	143.00
1299790	9.90	1380520	160.00
1299845	3.90	1669113	17.00
1299933	13.80	1669115	60.00
1319308	11.30	1669151	60.00
1337765	2.70	70X7001	72.00
1361195	1.60	70X7002	175.00
1380999	3.40	70X7003	17.00
6295158	28.40	70X7280	34.00
6328829	5.30	70X7281	124.00
6845100	28.90	70X7243	363.00
7034437	27.50	70X7244	276.00
7034640	5.60	70X7285	85.00
7819690	12.80	70X7286	384.00

MAXOPTIX

OPTICAL DISKS			
800 MB WORM	OC-800	103.00	
650 MB POLY	512/1024	69.00	
650 MB GLASS	512/1024	109.00	
1 GB POLY	512/1024	93.00	
1 GB GLASS	512/1024	139.00	
1.2 GB POLY	512/1024	99.00	
1.2 GB GLASS	512/1024	139.00	

CLEANING KIT

OC-800 DRIVE CLEANING KIT	43.00
MEDIA CLEANING KIT	28.00
TAHITI CLEANING KIT	190.00



STARTECH International
COMPUTER SUPPLIES

5575 Magnatron Blvd., Suite G
San Diego, CA 92111 USA

TEL: 619-278-2600

FAX: 619-278-2780

Circle 295 on Inquiry Card (RESELLERS: 296).

EXPORT SPECIALISTS

TERMS: C.O.D., BANK DRAFT, WIRE TRANSFER OR L/C AT SIGHT. P.O.'S ACCEPTED FROM RECOGNIZED INSTITUTIONS ON NET 30 DAYS. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE. WE CANNOT BE RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.

Products highlighted in yellow offer special pricing for BYTE readers only! Take advantage of these outstanding values by mentioning VIP #B5 when you call today to place your order.

Jameco 486SLC2 66MHz Bare-bones System

Includes motherboard, computer case and power supply. Monitor and keyboard not included.

- IBM 486SLC2-66 CPU
- Supports optional 80387SX-33 math-coprocessor
- Memory expandable to 16MB using (70ns) SIMMs
- Seven 16-bit with two 32-bit (VESA local bus) slot extensions and one 8-bit slot • AMI BIOS

121208 486SLC2 66MHz.....\$279.95



Jameco Motherboards

- Some motherboards also available without CPU.
- Call for details
- Diagnostic and operating system software available
- One-year warranty

116941 80386SX 40MHz w/ CPU\$89.95
117481 80386DX 40MHz w/ CPU129.95
79214 80486SX 25MHz w/ CPU179.95
116118 80486SLC 66MHz w/ CPU219.95
95222 80486DX 33MHz w/ CPU249.95
95169 80486DX w/ CPU139.95
119731 486DX2 66MHz Motherboard329.95
124652 Pentium 75MHz Motherboard499.95
124644 Pentium 75/90/100MHz w/ CPU299.95

* Applicable w/ DX2-66/50 or DX33/40/50



Dynamic RAM

DIPs

Part No.	Product No.	Pins	Description	Price
41620	4164-100	16	64KB x 1100ns	\$1.39
41435	41256-60	16	256KB x 1 60ns	2.39
41443	41256-80	16	256KB x 1 80ns	2.19
41371	41256-100	16	256KB x 1100ns	1.79
42243	511000P-70	18	1MB x 1 70ns	6.29
42251	511000P-80	18	1MB x 1 80ns	6.19

SIMMs

Part No.	Product No.	Description	Price
53761	940005-70	4MB x 9 70ns	\$169.95
53719	940005-80	4MB x 9 80ns	164.95
41486	41256A9B-10	256KB x 9 100ns	8.95
41507	41256A9B-60	256KB x 9 60ns	14.49
41515	41256A9B-70	256KB x 9 70ns	14.25
41523	41256A9B-80	256KB x 9 80ns	13.75
41769	421000A9B-80	1MB x 9 80ns	44.95

IDE Hard Drives

- For laptops and standard cases

119087 7120A1 120MB 3.5"\$129.95
119095 ST9145AG120MB 2.5" for laptops 149.95
123191 H2172-A2 172MB 2.5" for laptops 149.95
115764 CFS420A 426MB 3.5"189.95
125701 CFS635A 635MB 3.5"239.95
118949 CFA850A 850MB 3.5"279.95
124978 CFS1275A 1.27GB 3.5"399.95
67061 JE1066A 16-bit hard/floppy card29.95



Floppy Disk Drives

- PC/XT/AT compatible
- P/N 120045 includes mounting kit & acceptor plate for use in 5.25" floppy disk drive bays

120045 Sony 1.44 MB 3.5"\$44.95
118957 Panasonic 1.2 MB 5.25"39.95
118922 Panasonic 1.44 MB 3.5"49.95
119722 Toshiba 1.44 MB 3.5"44.95
74392 Teac 3.5/5.25" Combo129.95



Computer Power Supplies

- Fits most popular desktop, mini vertical and vertical cases
- 8088/80286/80386 and compatible
- One-year warranty
- Built-in fan

19465 150 Watt (8088)\$49.95
67467 200 Watt (8088/80286)59.95
19545 200 Watt69.95
19529 200 Watt mini49.95
65728 300 Watt99.95



Keyboard Blowout!



20431 84-key keyboard\$19.95
114868 84-key keyboard, AT, use 11485059.95
114850 18-key keypad for 114868 only29.95
78297 101-key AT compatible keyboard19.95
67432 101-key PC/XT/AT/386/486 compat. 19.95
119044 101-key w/ trackball, PC/XT/AT; PS2 59.95
119167 101-key foldable, PC/XT/AT; PS279.95
17128 101-key enhanced keyboard69.95
119554 101-key w/ built-in phone headset 109.95
124089 101-key multimedia keyboard99.95
119669 124-key programmable keyboard69.95
17136 130-key keyboard with calculator79.95

Jameco Heat Sink/Fans for 80486/Pentium CPUs!

Keep your 80486 and Pentium cool!

- High efficiency cooling fan design
- Installation is easy! Just snap it in

85497 486 CPU Heat Sink only\$3.95
67660 486 CPU Heat Sink w/fan8.95
112379 486 CPU Heat Sink w/fan & heat pump49.95
117348 Pentium 60/66 Heat Sink w/fan14.95
118992 Pentium 75/90/100 Heat Sink w/fan 14.95



TSM Fancard II

- Can be installed into any PC slot
- MTBF: 30,000 hours
- Circulates air directly
- CFM: 25 • One-year warranty

79020 TSM Fancard II\$19.95

Jameco PC Air Exhaust Fan

- Connects to card slot (non electrically)
- The airduct can be extended and fan assembly reversed
- 12VDC 20 CFM airflow
- One-year warranty

124492 PC air exhaust fan\$24.95



28.8 bps Data/Fax Internal Modem

- Data throughput up to 115,200 bps (data compression)
- 28,800 bps (Data v.34)
- 14,400 bps group III fax
- V.42 / MNP 2-4 error control
- 16550A UART compatible interface
- Hayes compatible
- FCC class B, part 68 certified
- Weight: 2 lbs.
- One-year warranty

124478 Internal 28800 Fax/modem\$179.95



ACECAD Acecat II

For use with PC/XT/AT and compatibles with MS DOS, MS Windows 3.x, Pen DOS or Pen Point

- Includes 2-button, feather-light pen
- MM1201 and Microsoft Mouse emulation
- Compact 5" x 5" active area
- 2000 LPI resolution • Lift-up template overlay
- Easy Auto-Driver installation utility
- Includes WINTAB, ADI and MS Mouse Drivers
- Can co-exist with a mouse in Windows
- Size: 8"W x 9.5"D x 1"H
- Weight: 1.0 lb. • One-year warranty

120096 5" x 5" Digitizer tablet\$99.95



3 Button Serial Mouse

- PC/XT/386/486 and compatible computers
- Microsoft® Mouse compatible
- One-year warranty
- Weight: 1 lb.

104411 3 Button serial mouse\$8.95



TEAC Combo 4X CD-ROM and 1.44MB Floppy Drive

- 5.25" half-height internally mounted drive connects to CD-ROM and floppy drive interfaces
- MPC, Multisession Photo CDE, CD-DA, CD Interactive, video CD, High Sierra and ISO 9660 compatible
- 150-600KB per second data transfer rate, 195ms average access time • One-year warranty
- Size: 5.8"W x 8"D x 1.1"H • Weight: 5 lbs.

124960 Combo CD-ROM & floppy drive\$279.95



9600 bps Fax Machine

- Turns your computer printer into an intelligent, plain paper fax machine
- Prints high-quality faxes and transmits/receives high quality, computer-generated documents and graphics
- Includes fax forwarding, junk fax screening and scheduled transmission • Weight: 5.5 lbs.

123131 9600bps fax machine\$49.95



Gamestar Programmable Game Controller

- Works w/ any IBM compatible with MS DOS or PC DOS
- Plugs into keyboard port
- Emulates any keystroke from joystick
- Program and save created game templates
- Variable rapid-fire feature
- Includes configuration and game control
- Size: 6.5"L x 3.3"W
- Weight: 1.1 lbs.
- One-year warranty

124505 Programmable game controller\$19.95



Software & Books

Micro House EZ Drive Software takes the guesswork out of hard drive installation! Provides fast and easy set-up of any IDE drive. Requires MS-DOS/PC-DOS 3.0 or greater, 286 or better ISA system, 5.25" or 3.5" floppy drive and 512K of memory.

DrivePro Software provides comprehensive hard disk utilities for MF, RLL, ESDI, SCSI and IDE format drives. Same requirements as EZ Drive.

Technical Library CD-ROM puts professional tech support at your fingertips! Complete data on everything from main boards to network interfaces. Requires MS Windows 3.1 or OS/2 2.1, 386-SX or better, 4MB RAM, 2MB disk space, CD-ROM drive and VGA graphics.

Hard Drive Encyclopedia contains the most extensive collection of hard drive and controller card technical data available. Includes data not documented in manufacturer's manuals or technical reference guides.

123060 EZ Drive software\$29.95
123078 DrivePro software89.95
123051 Technical Library CD-ROM279.95
123086 Hard Drive Encyclopedia149.95



Jameco Fast Input/Output Card

- UART chips emulate 16550 UARTs
- 16-bit card
- PC/XT/AT and compatible computers
- Can be used in an 8-bit system with IRQ 3, 4, 5, 7
- Four serial ports
- Three parallel ports
- All ports configurable to IRQ 3, 4, 5, 7, 9, 10, 11, 12, and 15
- Parallel ports are selectable for normal or bi-directional modes
- Weight: 1 lb. • One-year warranty

117971 Input/Output card\$79.95



Jameco Input/Output Card

- UART chips emulate 16450 UART's
- 16-bit card
- PC/XT/AT and compatible computers
- Can be used in an 8-bit system with IRQ 3, 4, 5, 7
- Serial ports addressable to 3B8, 2F8, 3E8, 2E8
- All ports configurable to IRQ 3, 4, 5, 7, 9, 10, 11, 12 and 15
- Cables and panel brackets included for all ports
- Weight: 1 lb. • One-year warranty

104109 Input/Output card\$59.95



DataShield™

Data Communication Line Surge Suppressors protect data lines connecting networked equipment. Guard against the effects of lightning, electrostatic discharge, ground surges and faulty wiring which routinely cause glitches, lock-ups, and hardware damage. Lifetime product warranty.

124345 Ethernet 10Base-T, RJ45\$29.95
124311 Ethernet 10Base-2, BNC29.95
124353 Ethernet 10Base-T, RJ4534.95
124361 Token Ring RJ4529.95
124370 RS-232 DB9 serial ports, DB927.95
124388 RS-232 DB25 serial ports, DB2529.95
124396 Single and two line telephone equip., RJ11, RJ45 (UL497A)29.95



JAMECO
ELECTRONIC COMPONENTS
COMPUTER PRODUCTS

© 1995 Jameco 11/95

No Minimum Order!
Call for Details



Mention V.I.P.#NB5

Call 1-800-831-4242 to order today!

TOSHIBA

Tecra 700

- Pentium 120MHz processor - fastest available on a notebook!
- PCI bus architecture (internal & external)
- 11.3", 800x600 high resolution displays
- Optional 4X CD-ROM Drive (swap floppy & CD-ROM)
- Multimedia docking station with PCI bus
- Built-in 16-bit sound, microphone, 2 speakers & MIDI
- HUGE, 1.26GB hard drives



Processor	Screen	HD	Price
Pentium 120	11.3" Dual Scan	1.26GB	CALL
Pentium 120	11.3" Active	1.26GB	CALL

Satellite 2110/2130

- 10.4" Dual Scan & Active
- Built-in AC adapter - small, sleek design & reduced weight
- Integrated Accupoint - small, accurate & easy to use



Processor	Screen	HD	Price
486DX4/75	10.4" Dual Scan	330MB	\$1979
486DX4/75	10.4" Dual Scan	500MB	2459
486DX4/75	10.4" Active	500MB	3059

Satellite 2130

Satellite Pro 400

- Built-in 4X CD-ROM Drive (Swap floppy & CD-ROM) (Active model only, optional on Dual Scan)
- Pentium 75MHz Processor
- Built-in 16-bit sound, microphone, speaker & MIDI
- 10.4" Active & Dual Scan
- Built-in AC adapter - small, sleek design & reduced weight
- Integrated Accupoint - small, accurate & easy to use
- Lithium Ion battery technology
- Built-in infrared for no-hassle printer connections

Processor	Screen	HD	Price
Pentium 75MHz	10.4" Dual Scan	772MB	\$3539
Pentium 75MHz	10.4" Active	772MB	4359

Pentium 75 with Built-in 4X CD-ROM



Satellite Pro 400

Portégé 610CT

- Pentium 90MHz processor
- 9.5" True Color display for optimum color
- Built-in 16-bit sound (SoundBlaster Pro compatible), microphone & speaker
- Lithium Ion battery technology
- Accupoint stick for easy control

Processor	Screen	HD	Price
Pentium 90MHz	9.5" True Color	720MB	\$4359



Portégé 610CT

© PCs Compleat. All prices subject to change and do not include shipping. All products or brand names are trademarks of their respective companies. PCs Compleat, 34 St. Martin Drive, Marlborough, MA 01752. Phone (508) 624-6400. Not responsible for typographical errors.

NEC



Versa 2000

- Lithium Ion battery technology
- VersaGlide touch-pad pointer - simple & accurate
- Built-in, upgradable 14.4 fax/modem (on selected models)
- LOADS of FREE software preinstalled

Processor	Screen	HD	Price
486DX4/75	10.4" Dual Scan	350MB	\$1999*
486DX4/75	9.5" Active	350MB	2299*
486DX4/75	9.5" Active	350MB	2599
486DX4/75	9.5" Active	540MB	2799

*14.4 fax/modem not built-in



NEC Versa 4000

- Built-in CD-ROM Drive! (Standard on some models, optional on others)
- Pentium 75 and Pentium 90 processors
- 256KB Level 2 Cache to optimize performance
- Unbelievable displays - 65K color Dual Scan, 16.8 million color Active (High resolution Active Matrix displays available - 800x600 res.)
- Built-in 16-bit sound, microphone, MIDI and 2 built-in speakers
- Multimedia docking station with outstanding Altec Lansing 4 speaker array

Processor	Screen	HD	Price
Pentium 75	10.4" Dual Scan	540MB	\$3499
Pentium 75	10.4" Dual Scan	540MB	3799*
Pentium 75	10.1" Active	540MB	3999
Pentium 90	10.1" Active	810MB	4649*
Pentium 90	10.4" High Res.	810MB	4799

*Features built-in CD-ROM drive standard

TEXAS INSTRUMENTS



Extensa 550

- 75MHz Pentium w/PCI bus & 256KB cache
- Built-in 2X CD-ROM drive (optional on some models)
- Built-in 16-bit sound, microphone & speaker
- Integrated touchpad pointer
- 10.4" Active Matrix display/10.4" Dual Scan
- Built-in infrared for wireless communications

Processor	Screen	HD	Price
Pentium 75	10.4" Dual Scan	524MB	\$2499*
Pentium 75	10.4" Dual Scan	524MB	2939
Pentium 75	10.4" Active	524MB	3519

*CD-ROM Drive is an optional accessory on this model

Extensa 450

- 10.4" Dual Scan & 9.5" Active display
- GlidePad pointing device
- Advanced battery pro
- Built-in infrared for no-hassle printer connections

Processor	Screen	HD	Price
486DX4/75	10.4" Dual Scan	340MB	\$1769
486DX4/75	9.5" Active	340MB	2349

TravelMate 5000/5100

- 75MHz or 90MHz Pentium with PCI Bus to optimize Pentium processor performance
- 10.4" Active Matrix display with 2MB Video RAM
- 10.5" Dual Scan display with 2MB Video RAM
- 65K colors on notebook display
- 16-bit Sound Card, Speaker, Microphone & MIDI
- Upgradable hard drive - easily add more storage
- Built-in Dual Lithium Ion batteries
- Built-in infrared for no-hassle printer connections

Processor	Screen	HD	Price
Pentium 75	10.4" Dual Scan	500MB	\$3479
Pentium 75	10.4" Active	772MB	4499
Pentium 90	10.4" Active	1.2GB	5299

ANDS, PRICE, & SERVICE

CALL for Guaranteed Lowest Price!

PCs COMPLETE

800-298-4727

AST
Authorized Reseller

AST, AST logo are trademarks of AST Research, Inc. All rights reserved.




Advantage Adventure Desktop Multimedia (4X CD-ROM) NEW for Windows 95

- Quad Speed CD-ROM Drive
- Advanced Telephony - 14.4 or 28.8 fax/modem, telephone answering system, and speaker phone (Differs by model. Call for details).
- Integrated 3-D surround sound system
- Loads of FREE software preinstalled
- Windows 95 keyboard for increased productivity
- AST Works II navigation software - featuring "SPOT"
- Intel P6 Overdrive processor upgradable

Processor	Screen	HD	Price
Desktop (614)	Pentium 100	850MB	\$2099
Minitower (812)	Pentium 100	1.2GB	2199
Minitower (814)	Pentium 100	1.2GB	2499*
Minitower (818)	Pentium 133	1.6GB	3099*

Monitors priced separately *16MB RAM standard



Ask about the NEW 90MHz Pentium Model!

Ascentia 950N

- 75MHz Pentium - for blazing performance
- 10.4" Active & Dual Scan
- High Res. displays - 800x600 res. on notebook
- Built-in 16-bit sound, microphone & speaker
- Lithium ion battery technology
- Built-in infrared for no hassle printer connectors

Processor	Screen	HD	Price
Pentium 75	10.4" Dual Scan	500MB	\$3299
Pentium 75	10.4" Dual Scan	800MB	3589
Pentium 75	10.4" Dual Scan	1.2GB	4059
Pentium 75	10.4" Active	800MB	4699
Pentium 75	10.4" Active	1.2GB	5189

IBM



ThinkPad® 701

NEW LOW PRICES!

ThinkPad® 701

Processor	Screen	HD	Price
486DX2/50	10.4" Active	360MB	\$2199
486DX2/50	10.4" Active	540MB	2399
486DX4/75	10.4" Dual Scan	360MB	3149
486DX4/75	10.4" Dual Scan	540MB	3449
486DX4/75	10.4" Active	360MB	3699
486DX4/75	10.4" Active	540MB	3999
486DX4/75	10.4" Dual Scan	720MB	3649
486DX4/75	10.4" Active	720MB	4199



Aptiva®

Aptiva® Multimedia

- Quad Speed CD-ROM Drive
- 16-bit stereo sound - SoundBlaster Compatible
- Advanced Telephony - 28.8 fax/modem, full duplex speaker phone, answering machine & voice mail
- 30 Watt stereo speakers
- Built-in MPEG support for full screen, full motion video
- Over 40 FREE software titles

Chassis	Processor	HD	Price
Minitower	Pentium 75	1GB	\$1799

Monitors priced separately

Additional Models Available
ThinkPad 760 P90
Notebooks with a 12.1" Active Display just announced.
Call for Lowest Prices!

COMPAQ

WIN95 INSTALLED

NEW!



LTE 5000

- 75MHz or 90MHz Pentium w/PCI bus & 256KB cache
- 32-bit PCI Local bus graphics
- 8MB RAM exp. to 72MB
- Built-in 16-bit sound, microphone & 2 speakers
- MultiBay - holds CD-ROM, 2nd HDD, Floppy, or 2nd battery.
- Up to 1.35GB hard drives (2.7GB max. capacity)
- Built-in infrared for wireless communications
- Supports NiMH & Lithium Ion batteries (up to 8 hrs.)
- Optional MPEG and TV video adapter

Processor	Screen	HD	Price
Pentium 75	10.4" Dual Scan	510MB	CALL
Pentium 75	11.3" Dual Scan	810MB	CALL
Pentium 75	10.4" Active	810MB	CALL
Pentium 90	10.4" Active	810MB	CALL
Pentium 90	10.4" Active	810MB	CALL*

*Features Built-in CD-ROM drive

Contura 420/430

- 10.4" Active & Dual Scan
- Fast 486DX4/75 or 486DX4/100 processors
- Optical trackball - smoother & more reliable
- High capacity drives - up to 720MB
- Compaq, 3-year worldwide warranty

Processor	Screen	HD	Price
486DX4/75	10.4" Dual Scan	420MB	\$2459
486DX4/75	10.4" Active	420MB	3029
486DX4/100	10.4" Dual Scan	720MB	2839
486DX4/100	10.4" Active	720MB	3499

hp HEWLETT PACKARD

90MHz Pentium



HP OmniBook 5000

- Pentium 90MHz with 32-bit PCI Local bus
- 1.2GB drives available for high capacity storage
- High resolution - 800x600 resolution on notebook display
- Built-in 16-bit sound, microphone & speaker

Processor	Screen	HD	Price
Pentium 90	10.4" Active	1.2GB	\$5579
Pentium 90	10.4" Active	1.2GB	6239*

*16MB RAM standard

NEW!

DeskJet 340 \$289.99



- HP LaserJet 340**
- HP LaserJet 340 printer (portable) \$289.99
 - HP LaserJet 5P printer (IBM, 6ppm, 600dpi) . \$879.99
 - HP LaserJet 5L printer (IBM, 4ppm, 600dpi) . \$479.00
- HP InkJet Printers**
- HP DeskJet 340 printer (portable) \$289.99
 - HP DeskJet 600 printer 289.99
 - HP DeskJet 600C printer 299.00
 - HP DeskJet 660C printer 389.99
 - HP DeskJet 660Cse printer 399.00
 - HP DeskJet 855C printer 549.00
 - HP DeskJet 1600C printer 1349.99
- Home Office Products**
- HP OfficeJet \$599.99
 - HP OfficeJet LX 689.99
 - HP FAX-700 549.99

More Brand Names, peripherals and software available. If you don't see it, CALL! International 508-624-6400 Internet: sales@pcscomplete.com Open 24 Hours weekdays. 8am-8pm weekends and holidays.

800-298-4727

Circle 148 on Inquiry Card.

Take the Reins of Consolidated Control!



AutoBoot Commander Personal Commander

The industry standard AutoBoot Commander allows you to monitor and control up to 96 PCs or file servers with just one keyboard, monitor and mouse. For desktop control of smaller installations, give our Personal Commander a try!



Slimline Commander Magnum Commander

The most streamlined members of the AutoBoot family, these Commanders are designed specifically for all your rack mount applications. Choose the 1.75" (1U) Slimline for 19" racks, or the 3.5" (2U) Magnum for 19, 23, or 24" racks.



AutoBoot Commander 4xP/1xP

The most advanced AutoBoot products yet, the 4xP and 1xP add multiuser, multiplatform and multimedia capabilities to the Commander world. Control PC, Mac and Sun computers from one location! Use the 4xP for larger installations; try the 1xP for desktop control of smaller configurations.

See us at

COMDEX/Fall '95

November 13-17, 1995
Las Vegas, Nevada USA

Booth #L4554



Cybex Corporation
4912 Research Drive Huntsville, AL 35805 USA
(205) 430-4000 (205) 430-4030 fax
<http://www.cybex.com/>



PC is a registered trademark of International Business Machines Corporation. Mac is a registered trademark of Apple Computer, Inc. Sun is a registered trademark of Sun Microsystems. Cybex, AutoBoot, Commander, Slimline, 4xP and 1xP are trademarks of Cybex Corporation.

Back up!



New Product
New Low Cost

\$169

M. S. R. P.

Before all your hard work goes down
the drain.

Why risk losing a single bit of your valuable data when it's so easy to **BACK UP** with a **backpack 800TD** printer port tape drive? The **backpack QIC-80 800TD** stores up to 800MB of data on a single Travan TR-1 tape and uses all QIC-80 tapes too.

No slots? No problem. There are no cards to install. You don't even have to open



backpack[®]
800TD

MicroSolutions

Call Toll Free - 800.295.1214

Please see us at
COMDEX/Fall '95
Booth 57135

your computer. Plug the **backpack 800TD** into your computer's printer port; plug your printer into the port provided on the back of the tape drive (Windows™ and DOS backup software is included free).

Join the **backpack** drive family today... Easy plug and play tape back up, CD-ROM, hard disk and diskette drives.


TRAVAN[®]
TECHNOLOGY
Travan is a trademark of 3M.

132 W. Lincoln Hwy. DeKalb, Illinois 60115 • Telephone 815.756.3411 • FAX 815.756.2928

Circle 135 on Inquiry Card (RESELLERS: 136).

SCITECH *Best Sellers* at great prices SOFTWARE FOR SCIENCE


SCIENTIFIC,
ENGINEERING
& TECHNICAL
SOFTWARE
IS OUR
SPECIALTY.



MICROSOFT® FORTRAN POWERSTATION 4.0

Develop & run Fortran programs of virtually any size & complexity with Microsoft FORTRAN 4.0; the most powerful Fortran development system for Windows® 95. Migrate Fortran code from other platforms with little or no modification. Reduce code development time with Microsoft Developer Studio—the new integrated development environment. The professional Edition includes the IMSL® libraries—nearly 1,000 mathematical and statistical routines. Call for upgrade pricing!


Professional Edition\$799



MICROSOFT® VISUAL C++ 4.0

If you program in C or C++ & use MS-DOS®, Windows, Windows 95 or Windows NT™, Visual C++™ 4.0 is the product for you. Use features like the Component Gallery & the Microsoft Foundation Class Library to build reusable applications in less time. Take advantage of the same integrated development environment (Microsoft Developer Studio) in Visual C++ 4.0 and Fortran PowerStation 4.0 to do seamless mixed language programming.

Retail product\$499
Upgrade (licensed users of Fortran PowerStation 4.0) \$349



EndNote Plus

Bibliography maker that creates bibliographies in your word processor. Comes with a collection of bibliographic styles for more than 240 leading academic journals. Choose from these or create your own. Flexible searching and sorting functions help you to organize your references. EndLink, sold separately, imports references downloaded from online or CD-ROM directly into your EndNote database. *New Windows Version!*

Windows, Mac price\$199

ORIGIN

The Ultimate Solution


First technical graphics software developed for the Windows environment. Recognized for being powerful and fast, yet easy-to-use. Features many graph types, point-and-click editing and multiple graphs on a page. Wide selection of math/stat functions including non-linear curve-fitter. Forthcoming version 4.0 is Windows 95 compatible. Free demo disk.




Windows price\$399

TECPLLOT

Interactive, menu-driven data visualization and plotting program for engineers and scientists that is advanced yet easy to use. Integrates XY plotting and 2D/3D plotting capabilities. Creates and combines meshes, vector fields, contours, color flooded contours, scatterplots and light source shaded surfaces. Handles multiple, non rectangular data structures and general 3D surfaces. Optional 3DV module adds volumetric plotting. Selected Best Visualization Software by SCA in 1994. PostScript output.



DOS price\$595
UNIX price\$1669



MathType

Upgrade your Equation Editor to MathType. Get the full-featured version of the Equation Editor that comes with Microsoft Word and many other Windows and Macintosh applications. MathType is as easy to use as Equation Editor and you get a lot more features to help you work faster and produce better looking documents.

Windows, Mac price\$129
Upgrade from Equation Editor\$89



metrowerks® CodeWarrior™ 7 Gold

The New Industry Standard in Mac-hosted Development Tools!

CodeWarrior allows you to develop applications for 68K and PowerMacintosh™, Magic Cap™, and Windows 95™ and Windows NT™/x86 on your favorite Mac-hosted platform. CodeWarrior offers C/C++ and Pascal all on one CD with a single Integrated Development Environment (IDE).

CodeWarrior™ 7 Gold\$399
CodeWarrior™ Programming Starter Kit\$79

To order or for more information call
1.800.622.3345
ask for our free 116-page catalog with
more than 2,000 products!

(M-F, 7:30am - 6pm CST)

(Fax 312.486.9234, 24 hours)

See us on the Internet! Our URL is <http://www.scitechint.com/scitech/>

SciTech

SciTech International, Inc. 2525 N. Elston Avenue, Chicago, IL 60647-2003 Tel 312.486.9191
Resellers call 1.800.622.3320 for a Confidential Reseller Price List

Circle 142 on Inquiry Card.

GET EXPERT
TECHNICAL
SUPPORT
BEFORE YOU
BUY.

CALL FOR
MORE INFORMATION &
FREE DEMO
DISKS.

30-DAY
MONEY BACK
GUARANTEE

GET
PERSONAL
ATTENTION
EACH TIME
YOU CALL

HARD DISK EXCHANGE

BUY, SELL OR UPGRADE
YOUR HARD DISK & PC

(714) 505-3157

UNIVERSITY, SCHOOLS,
GOVERNMENT &
CORPORATE P.O.'S WELCOME

Int'l Orders/Tech Assistance Inquiries



HARD DISK PRICES SLASHED



IDE	ESDI	MFM/RLL	SCSI	COMPAQ
40MB \$59	Micropolis 1355 \$99 /	ST-225 20MB \$39 /	ST-225N \$49	CP4021 \$149
65MB \$69 /	Micropolis 1558 \$189	ST-251 40MB \$79	ST-277N \$89	CP4041 \$209
120MB \$99	XT-438DE \$129	ST-151 40MB \$129	ST-4380N \$129 /	CP2121 \$179
210MB \$129	XT-876DE \$399 /	ST-4096 80MB \$109 /	Quantum & WD Available	
Maxtor, Seagate Available	ST-476SE \$499	Priam-185 71MB \$89 /		
Comer & Maxtor Available		ST-238R 32MB \$69		
		ST-277R 65MB \$99		
		XT-2190 145MB \$299		
		XT-1140 120MB \$279		

LOOKING FOR SOMETHING SPECIAL?
ASK US!

MOTHERBOARDS

CPU INCLUDED

386 SX/40 \$69
486 SLC-33 \$69
486 DX2/66 \$139
486DX2/80 \$149
Pentium 100 \$599
Pentium 120/133 Call

SPECIAL !!!
DX4-100MB with 256 Cache,
Fan & CPU \$229

NEW HARD DRIVES

IDE-3.5"

540MB \$169
650MB \$199
1.26GB \$249

SCSI-II

540MB \$229
1.08GB \$444
2.10GB \$899
4.00GB \$1499

WIDE SCSI-II

1.08GB \$579
2.10GB \$1099
4.10GB \$1599

2.5" Notebook Drives

40MB \$79
65MB \$89
120MB \$159
250MB \$199
340MB \$299
540MB \$399
810MB \$599

SPECIAL
240MB Maxtor ... \$199
65MB \$69

Math Co.
387SX \$29
387DX \$29

CPU

486DX-33 \$59
486DX2-66 \$69
486DX2-80 \$79
486DX4-100 \$89
Pentium 90 \$329
Pentium 100 \$429
120/133 CALL

DATA RECOVERY

By Experts
UNIX, DOS, MAC, OS/2, NOVELL
Almost 100% Success
CALL FOR ESTIMATE
No Recovery - No Charge
Ask for Jim, Matt or Mandy

MEMORY

256x9 \$11.99
1x3 - 70 \$36.99
4x3 - 70 \$129.99
4MB - 72 Pins \$149.99
8MB - 72 Pins \$299.99
16MB - 72 Pins \$499.99
32MB - 72 Pins CALL

CALL FOR CURRENT PRICES

MEMORY for WINDOWS 95

WE BUY

MEMORY SIMMS & HARD DISKS
Call Perry, Mandy or Matt
(714) 505-3157

CUSTOMIZE YOUR PC'S

PC 486DX2/66

- For ages 3-99
- Mini Tower
 - 200+ watts p/supply
 - DX2-66 CPU
 - M/B with 4 VESA, 3 ISA slots
 - IDE Controller w/2 serial, 1 parallel ports
 - 2MB RAM
 - 1.44 FDD
 - 540 MB Hard Disk
 - 256K VGA Card
 - One Year Warranty
 - Reasonable Price
- ONLY \$499**
While Supplies Last

PENTIUM 100

- For Adults Only
- Mini Tower
 - 200+ watts p/supply
 - Pentium 100 CPU
 - PCI Motherboard
 - PCI FHD Controller
 - 2 serial, 1 parallel port
 - 1.44 FDD
 - 8MB RAM
 - 1.2GB HDD
 - 4 speed CD ROM & speakers
 - 16 bit sound card
 - 1MB PCI graphics card
 - CPU cooling fan
 - 101 Keyboard
 - One Year Warranty

PC 486DX4/100

- For Working Men & Women
- Mini Tower
 - 200+ watts p/supply
 - DX4-100 CPU
 - M/B with 4 ISA, 3 VESA slots
 - 2 serial, 1 parallel ports
 - 4MB RAM
 - 2 FD / 2HD Controller
 - 1.44 FDD
 - 1.2GB HD
 - 256K Cache
 - 256K VGA Card
 - CPU Cooling Card
 - 101 Keyboard
 - One Year Warranty
- FORMERLY \$699**
EXCELLENT PRICE !!

Ridiculously Low \$1299

- ### DX4/100 STARTER SYSTEM
- Misers Special
- Mini Tower
 - 200+ watts p/supply
 - 2F/2HDD Controller
 - 2 serial, 1 parallel ports
 - 3 VESA, 4 ISA Slots
 - Motherboard w/486DX4/100 CPU
 - 1.44 FDD
 - 101 Keyboard
 - Give-away Price
- ONLY \$299**
Limited Quantities Only

CONTROLLERS, ETC.

MFM 8/16 \$29
IDE 16 Bit \$19
IDE 8 Bit \$49
SCSI 8 Bit \$39
SCSI 16 Bit \$89
ESDI 16 Bit (300MB) \$49
ESDI 16 Bit (1GB) \$149
Adaptec 1542 \$219
Adaptec 2940 \$239
IDE VLB \$29

SRAM/CACHE MEMORY

32K x 8, 64K x 8 &
128K x 8 CALL!

MONITOR -.28DP

14" - 1024x768

Color **\$179** SVGA

**DEMO
NOTEBOOK
\$399**

CREDIT CARD ALERT!

Beware... Fraudulent
users are caught by our
security system.
- 35 convictions pending.

IBM PS/1, PS/2 CORNER

Contact Jim or Mandy

SUPER SPECIAL PS/2 HDD

IBM 665, 667, 669 - All Models

Only \$59 - Limited Qty.

THINKPAD DRIVES

Model 380/750/755	WD-380S \$69
340MB	ST-1771 \$99
540MB	WD-3158 \$149
810MB	 \$599

Ask for Think Pad Memory
& Value Point Memory...

... We Carry PS/1 & PS/2 Keyboards & Floppies

TAPES, CD, EXT. HDD

Ext. Printer Port Tape Tracker

250MB \$199
350MB \$229
750MB \$299

1-2GB Hard Disk
Ext. Printer Port \$499
2 speed CD ROM Kit (Int) \$99
4 speed CD ROM Kit (Int) \$199

For Customer Service Call between
11:00 a.m. to 3:00 p.m. PST
at (714) 505-3831

INTERNET: ashtek@AOL.com

800-801-9400

Call Toll Free for Orders Only



ASHTEK INC.

2600-B WALNUT AVE., TUSTIN, CA 92680

THESE ARE CASH PRICES & SUBJECT TO CHANGE WITHOUT NOTICE.

SHIPPING BY FEDERAL EXPRESS AND U.P.S. C.O.D. - (There is a 20% re-stocking charge.)

714-505-2693

FOR FAX ORDERS



MEMORY DISCOUNT HARDWARE

HARD DRIVE WAREHOUSE

1-800-636-6792 HOURS: MON-FRI 9:00-9:00 SAT 9:00-4:00 FAX 1-215-922-0116

GOVERNMENT, EDUCATIONAL CORPORATE & INTERNATIONAL ORDER SPECIALISTS

215-922-0050 EXPRESS International Order Line
215-922-4640 EXPRESS Technical Support
215-922-0116 EXPRESS FAX - Domestic International
800-636-6792 International Order Line - TOLL FREE
Dedicated to serving Purchasing Agents Worldwide
Pre-Approved Open Accounts for all Fortune 2000

AMERICAN EXPRESS VISA MASTERCARD DISCOVER NO SURCHARGE

BEST BUY! 1995!

Seagate

FACTORY NEW 1.5 YEAR WARRANTY INT EXT

ST15120A	200MB	15MS	IDE	1149.250
S13130GA	345MB	14MS	IDE	177.320
S13130GA	345MB	14MS	IDE	168.570
S13130GA	1065MB	14MS	IDE	249.990
S13130GA	2025MB	14MS	IDE	349.990
S13130GA	4050MB	14MS	IDE	499.990
S13130GA	8100MB	14MS	IDE	649.990
S13130GA	16200MB	14MS	IDE	799.990
S13130GA	32400MB	14MS	IDE	949.990
S13130GA	64800MB	14MS	IDE	1099.990
S13130GA	129600MB	14MS	IDE	1249.990
S13130GA	259200MB	14MS	IDE	1399.990
S13130GA	518400MB	14MS	IDE	1549.990
S13130GA	1036800MB	14MS	IDE	1699.990
S13130GA	2073600MB	14MS	IDE	1849.990
S13130GA	4147200MB	14MS	IDE	1999.990
S13130GA	8294400MB	14MS	IDE	2149.990
S13130GA	16588800MB	14MS	IDE	2299.990
S13130GA	33177600MB	14MS	IDE	2449.990
S13130GA	66355200MB	14MS	IDE	2599.990
S13130GA	132710400MB	14MS	IDE	2749.990
S13130GA	265420800MB	14MS	IDE	2899.990
S13130GA	530841600MB	14MS	IDE	3049.990
S13130GA	1061683200MB	14MS	IDE	3199.990
S13130GA	2123366400MB	14MS	IDE	3349.990
S13130GA	4246732800MB	14MS	IDE	3499.990
S13130GA	8493465600MB	14MS	IDE	3649.990
S13130GA	16986931200MB	14MS	IDE	3799.990
S13130GA	33973862400MB	14MS	IDE	3949.990
S13130GA	67947724800MB	14MS	IDE	4099.990
S13130GA	135895456000MB	14MS	IDE	4249.990
S13130GA	271790912000MB	14MS	IDE	4399.990
S13130GA	543581824000MB	14MS	IDE	4549.990
S13130GA	1087163648000MB	14MS	IDE	4699.990
S13130GA	2174327296000MB	14MS	IDE	4849.990
S13130GA	4348654592000MB	14MS	IDE	4999.990
S13130GA	8697309184000MB	14MS	IDE	5149.990
S13130GA	17394618368000MB	14MS	IDE	5299.990
S13130GA	34789236736000MB	14MS	IDE	5449.990
S13130GA	69578473472000MB	14MS	IDE	5599.990
S13130GA	139156946944000MB	14MS	IDE	5749.990
S13130GA	278313893888000MB	14MS	IDE	5899.990
S13130GA	556627787776000MB	14MS	IDE	6049.990
S13130GA	1113255775552000MB	14MS	IDE	6199.990
S13130GA	2226511551104000MB	14MS	IDE	6349.990
S13130GA	4453023102208000MB	14MS	IDE	6499.990
S13130GA	8906046204416000MB	14MS	IDE	6649.990
S13130GA	17812092408832000MB	14MS	IDE	6799.990
S13130GA	35624184817664000MB	14MS	IDE	6949.990
S13130GA	71248369635328000MB	14MS	IDE	7099.990
S13130GA	142496739270656000MB	14MS	IDE	7249.990
S13130GA	284993478541312000MB	14MS	IDE	7399.990
S13130GA	569986957082624000MB	14MS	IDE	7549.990
S13130GA	1139973914165248000MB	14MS	IDE	7699.990
S13130GA	2279947828330496000MB	14MS	IDE	7849.990
S13130GA	4559895656660992000MB	14MS	IDE	7999.990
S13130GA	9119791313321984000MB	14MS	IDE	8149.990
S13130GA	18239582626643968000MB	14MS	IDE	8299.990
S13130GA	36479165253287936000MB	14MS	IDE	8449.990
S13130GA	72958330506575872000MB	14MS	IDE	8599.990
S13130GA	145916661013151744000MB	14MS	IDE	8749.990
S13130GA	291833322026303488000MB	14MS	IDE	8899.990
S13130GA	583666644052606976000MB	14MS	IDE	9049.990
S13130GA	11673332881053213952000MB	14MS	IDE	9199.990
S13130GA	23346665762106427904000MB	14MS	IDE	9349.990
S13130GA	46693331524212845808000MB	14MS	IDE	9499.990
S13130GA	93386663048425691616000MB	14MS	IDE	9649.990
S13130GA	186773326096851383232000MB	14MS	IDE	9799.990
S13130GA	373546652193702766464000MB	14MS	IDE	9949.990
S13130GA	747093304387405532928000MB	14MS	IDE	10099.990
S13130GA	149418660775481065856000MB	14MS	IDE	10249.990
S13130GA	298837321550962131712000MB	14MS	IDE	10399.990
S13130GA	597674643101924263424000MB	14MS	IDE	10549.990
S13130GA	1195349286023648466848000MB	14MS	IDE	10699.990
S13130GA	2390698572047296933696000MB	14MS	IDE	10849.990
S13130GA	4781397144094593867392000MB	14MS	IDE	10999.990
S13130GA	9562794288189187734784000MB	14MS	IDE	11149.990
S13130GA	19125588573777975469568000MB	14MS	IDE	11299.990
S13130GA	38251177147555950939136000MB	14MS	IDE	11449.990
S13130GA	76502354295111901878272000MB	14MS	IDE	11599.990
S13130GA	1530047085902238035756544000MB	14MS	IDE	11749.990
S13130GA	3060094171804476071513088000MB	14MS	IDE	11899.990
S13130GA	6120188343608952143026176000MB	14MS	IDE	12049.990
S13130GA	12240376687217904286445312000MB	14MS	IDE	12199.990
S13130GA	24480753374435808572890624000MB	14MS	IDE	12349.990
S13130GA	48961506748871617145777728000MB	14MS	IDE	12499.990
S13130GA	97923013497733234351555552000MB	14MS	IDE	12649.990
S13130GA	1958460269954664871111111104000MB	14MS	IDE	12799.990
S13130GA	3916920539909329742222222208000MB	14MS	IDE	12949.990
S13130GA	7833841079818659484444444416000MB	14MS	IDE	13099.990
S13130GA	1566768355963711976888888832000MB	14MS	IDE	13249.990
S13130GA	313353671192742335377777764000MB	14MS	IDE	13399.990
S13130GA	626707342385484670755555528000MB	14MS	IDE	13549.990
S13130GA	125341464771372934151111111104000MB	14MS	IDE	13699.990
S13130GA	25068292954274586830222222208000MB	14MS	IDE	13849.990
S13130GA	50136585908549173660444444416000MB	14MS	IDE	13999.990
S13130GA	1002731718183473472088888832000MB	14MS	IDE	14149.990
S13130GA	200546343636694694577777764000MB	14MS	IDE	14299.990
S13130GA	401092687273389389155555528000MB	14MS	IDE	14449.990
S13130GA	802185374546778778311111111104000MB	14MS	IDE	14599.990
S13130GA	1604370719135575576222222208000MB	14MS	IDE	14749.990
S13130GA	3208741438271111111111111104000MB	14MS	IDE	14899.990
S13130GA	641748285454222222222222208000MB	14MS	IDE	15049.990
S13130GA	128349650910844444444444416000MB	14MS	IDE	15199.990
S13130GA	2566993018176888888888832000MB	14MS	IDE	15349.990
S13130GA	5133986036353777777777764000MB	14MS	IDE	15499.990
S13130GA	1026797267067555555555528000MB	14MS	IDE	15649.990
S13130GA	205359453413511111111111104000MB	14MS	IDE	15799.990
S13130GA	41071890682706222222222208000MB	14MS	IDE	15949.990
S13130GA	8214378136541244444444416000MB	14MS	IDE	16099.990
S13130GA	164287562730824888888832000MB	14MS	IDE	16249.990
S13130GA	328575125461697777777764000MB	14MS	IDE	16399.990
S13130GA	657150250923395555555528000MB	14MS	IDE	16549.990
S13130GA	131430050184691111111111104000MB	14MS	IDE	16699.990
S13130GA	2628601003693822222222208000MB	14MS	IDE	16849.990
S13130GA	5257202007387644444444416000MB	14MS	IDE	16999.990
S13130GA	1051440401477288888832000MB	14MS	IDE	17149.990
S13130GA	2102880802954577777764000MB	14MS	IDE	17299.990
S13130GA	420576160590915555555528000MB	14MS	IDE	17449.990
S13130GA	8411523211818311111111104000MB	14MS	IDE	17599.990
S13130GA	168230462363662222222208000MB	14MS	IDE	17749.990
S13130GA	336460924727324444444416000MB	14MS	IDE	17899.990
S13130GA	672921849454648888832000MB	14MS	IDE	18049.990
S13130GA	1345843689089297777764000MB	14MS	IDE	18199.990
S13130GA	269168737817859555555528000MB	14MS	IDE	18349.990
S13130GA	5383374756357191111111104000MB	14MS	IDE	18499.990
S13130GA	107667491131358222222208000MB	14MS	IDE	18649.990
S13130GA	2153349822627176444444416000MB	14MS	IDE	18799.990
S13130GA	4306699645254352888832000MB	14MS	IDE	18949.990
S13130GA	8613399290508705777764000MB	14MS	IDE	19099.990
S13130GA	1722679578117411555555528000MB	14MS	IDE	19249.990
S13130GA	3445359156234823111111104000MB	14MS	IDE	19399.990
S13130GA	689071831246964622222208000MB	14MS	IDE	19549.990
S13130GA	1378143624939293444444416000MB	14MS	IDE	19699.990
S13130GA	2756287249878586888832000MB	14MS	IDE	19849.990
S13130GA	5512574499757173777764000MB	14MS	IDE	19999.990
S13130GA	1102514999515347555555528000MB	14MS	IDE	20149.990
S13130GA	2205029999030695111111104000MB	14MS	IDE	20299.990
S13130GA	4410059998061390222222208000MB	14MS	IDE	20449.990
S13130GA	882011999612780444444416000MB	14MS	IDE	20599.990
S13130GA	176402399225561888832000MB	14MS	IDE	20749.990
S13130GA	352804798451123777764000MB	14MS	IDE	20899.990
S13130GA	705609596902247555555528000MB	14MS	IDE	21049.990
S13130GA	141121913364495111111104000MB	14MS	IDE	21199.990
S13130GA	282243826728990222222208000MB	14MS	IDE	21349.990
S13130GA	564487653457980444444416000MB	14MS	IDE	21499.990
S13130GA	112897526691560888832000MB	14MS	IDE	21649.990
S13130GA	225795053383121777764000MB	14MS	IDE	21799.990
S13130GA	451590106766243555555528000MB	14MS	IDE	21949.990
S13130GA	903180213532487111111104000MB	14MS	IDE	22099.990
S13130GA	180636042706495422222208000MB	14MS	IDE	22249.990
S13130GA	361272085412990844444416000MB	14MS	IDE	22399.990
S13130GA	722544170825981688832000MB	14MS	IDE	22549.990
S13130GA	1445088415511633377764000MB	14MS	IDE	22699.990
S13130GA	2890176831026267555555528000MB	14MS	IDE	22849.990
S13130GA	578035366205253511111104000MB	14MS	IDE	22999.990
S13130GA	115607073241007022222208000MB	14MS	IDE	23149.990
S13130GA	231214146482001444444416000MB	14MS	IDE	23299.990
S13130GA	462428292964002888832000MB	14MS	IDE	23449.990
S13130GA	924856585928005777764000MB	14MS	IDE	23599.990
S13130GA	1849713171776011555555528000MB	14MS	IDE	23749.990
S13130GA	369942634355202311111104000MB	14MS	IDE	23899.990
S13130GA	739885268710404622222208000MB	14MS	IDE	24049.990
S13130GA	147977053740808944444416000MB	14MS	IDE	24199.990
S13130GA	295954107481617888832000MB	14MS	IDE	24349.990
S13130GA	591908214963235777764000MB	14MS	IDE	24499.990
S13130GA	118381642927271555555528000MB	14MS	IDE	24649.990
S13130GA	236763285854543111111104000MB	14MS	IDE	24799.990
S13130GA	473526571709086222222208000MB	14MS	IDE	24949.990

AutoBoot Technology in a New 'Slimmer' Size!

- Control up to 96 file servers with just 1 keyboard, monitor and mouse
- AutoBoot™ feature boots all attached computers without user intervention
- 1.75" unit fits easily into your computer rack using a minimum of space
- Push-button and keyboard controlled scanning standard
- Control all computers from a second location up to 150 feet away
- Supports all 100% IBM compatible PCs and PS/2 or serial mouse; optional Macintosh and Sun support available
- Rear peripheral access available



See us at
COMDEX/Fall '95
November 13-17, 1995
Las Vegas, Nevada USA
BOOTH #L4554

SLIMLINE™
COMMANDER™

Cybox Corporation
4912 Research Drive Huntsville AL 35805 USA
(205) 430-4000 (205) 430-4030 fax
<http://www.cybox.com/>


An
Inc.
500
Company

 **CYBEX™**

IBM, PC and PS/2 are trademarks of International Business Machines Corporation. Macintosh is a registered trademark of Apple Computer, Inc. Sun is a trademark of Sun Microsystems. Cybox, Commander and AutoBoot are trademarks of Cybox Corporation.
Dealer Program Available

Made in USA

BIX: Your Coach to the Internet!



The Internet connects you with more than 10 million people, at universities, companies, and other online services. Now, get full access to the Internet free of charge when you subscribe to BIX! You'll also get expert assistance from BIX moderators who can help you find your way around the Internet.

These experts can guide you through the many services and features available, and help you find the information you're looking for. Anytime you need help, just join our special 'internet' conference and get fast answers to your questions.

As you become more familiar with the Internet, you'll be able to download files from all over the world using FTP, connect to other sites and services through telnet, read and reply to Usenet Newsgroups, access utilities like finger and whois, and much more! BIX and the Internet together provide the largest and most effective technical resource for computing professionals.

And with over 600 local access numbers in the U.S., plus telnet access via the Internet, BIX makes it easy to connect. Try BIX today through our special 5 for Free offer - and become part of the top technical team!

New Member
5 hours for Free
Introductory Offer

Give BIX a try with our new 5 for Free Offer! Join BIX today and get 5 hours of evening and weekend access for free!

Take the rest of the calendar month to explore BIX, and then continue for our standard \$13 monthly membership fee.

Further details and complete rate information are provided during registration. Using any communications program, dial 1-800-695-4882. At the "logon" prompt enter bix.

Then at the "name?" prompt enter bix.byte39. If you have any questions, call us at 1-800-695-4775 (voice). Or fax us at 617-491-6642.

Send Internet mail to info@bix.com. Windows users can order BIXnav, our graphical interface for BIX, for easy point and click access. Details are available during registration.

Under the 5 for Free plan, daytime rates (\$3/hr.) apply for access during prime time hours. The 5 for Free offer is valid for first-time members only.

Circle 450 on Inquiry Card.

BIX

If you can hack it

The Micro International 7600 Notebook.

THE BEST NOTEBOOK VALUE COMES FROM HOUSTON!

Raw power is just the
beginning of what
you get for only

\$2480.

Built-in multimedia speakers
for the built-in soundblaster
compatible 16-bit soundcard!

Two type II PCMCIA card
slots (equal to 1 type 3)

340mb removable local bus
HD (up to 810mb available)

8mb RAM (up to 40mb using
user-upgradeable modules)
and 256K L2 cache!



Brilliant 10.3" Dual-scan
Passive Matrix Color
screen (Active Matrix
also available).



Mic In / Speaker /
Headphone out jacks

3.5" floppy drive

19mm trackball in
just the right spot

Dependable
NIMH Battery

A focus on service and support since 1984!

We give you *free* lifetime *toll-free* tech support. We *preload* the latest versions of DOS and Windows for Workgroups, including all video, sound, and PCMCIA card utilities. Our 1 Year Parts and Labor Warranty* includes an outstanding 48 hour warranty service turnaround time, *proving* that we understand how you depend on our products. Our 30-day money back guarantee is *pretty simple*: you get a refund* if you're not satisfied *for any reason*. Our RealHelp disk included with every notebook allows us to service your technical configuration files *by remote access*. Our 48-hour+ extensive burn-in and testing period on every single notebook, *before* it leaves our facility, ensures an absolute minimum of failures in *your notebook*. Anything less is just not mint!

*Optional extended and cross-shipment warranties are also available.
Shipping and handling charges will be withheld from all refunds.

Micro International, 10850 Seaboard Loop, Houston, Texas 77099. Top quality service and support *since 1984!*
Full information (including specifications, all options & prices) available by fax or mail on request.

Fax (713) 495-7791 Hours: 8-6 Monday-Friday. Call today toll free:

*Pentium is a registered trademark of Intel Corporation.

1-800-967-5667

Single Board Computers



Pentium PCI

- ◆ Pentium PCI/ISA CPU cards for processors up to 120MHz.
- ◆ PCI/ISA Pentium boards with on board SCSI-II, Enhanced IDE, High Speed Serial Ports, and Enhanced Parallel Port.
- ◆ 486 CPU cards available in both ISA and PCI/ISA bus.
- ◆ 486 computer boards with on-board VL SVGA & optional SCSI-II interface.
- ◆ ISA or PCI/ISA backplanes from 4 slots to 14 slots.
- ◆ Complete custom configured rack mount systems available.

Complete line of PC Rack Mount Products

Enclosures Computers Monitors
Keyboards Custom Designs Printers

Visit our Web site for product descriptions and highlights at:
<http://www.industry.net/recortec>
or e-mail us at: recortec@ix.netcom.com



Made In
USA

RACKFAX™
(408) 734-9374
Fax-On-Demand System



Call for free catalog

1-800-729-7654

RECORTEC, INC.

1290 Lawrence Station Road, Sunnyvale CA 94089
Tel: (408) 734-1290 Fax: (408) 734-2140

Circle 310 on Inquiry Card.

Advertisement



Rack Mount Enclosure with TFT LCD
The RME-180 8 slot computer enclosure features a built-in 9.4", 4096 colors, active matrix TFT LCD display. The display which requires no special cards or drivers, connects directly to standard VGA cards. The enclosure contains a 250W power supply and is supplied with equipment slides. A 14 slot version (RME-184) and complete computer systems are also available.

RECORTEC, INC. 1-800-729-7654.

Circle 307 on Inquiry Card.



Rack Mount Keyboard with Mouse
The RMK-111S industrial rack mount keyboard combines a reduced width 101 key keyboard and a 400dpi serial touch pad mouse. For maximum accessibility and use, the mouse is centered between the "G" and "H" keys. A palm rest is built into the keyboard for a comfortable typing position. The RMK-111P with a PS/2 touch pad mouse is also available. Both models are only 1.75 inches high.

RECORTEC, INC. 1-800-729-7654.

Circle 308 on Inquiry Card.



Rack Mount 17" Ultra VGA Monitor
The RMM-237 is a rack mounted 0.26mm dot pitch 17" Ultra VGA color monitor. The rack mounted monitor also has a FST, dark glass, non-glare tube and INVAR mask. It contains a microprocessor based digital control system with a maximum non-interlaced resolution of 1280 x 1024. The rack mounted frame is constructed of rugged 14 GA steel while the back of the monitor is fully enclosed in an aluminum housing.

RECORTEC, INC. 1-800-729-7654.


Circle 309 on Inquiry Card.

Defacto RAID

High-Performance SCSI RAID Systems

Discover the best RAID price/performance in the industry. Raidtec is the affordable, open, SCSI-to-SCSI hardware RAID solution for complete data protection. Ideal for mission critical applications, document imaging & multimedia.

It's time to re-visit the ultimate in high-availability storage. Contact Raidtec today at (770) 664-6066.



- Fast & Wide SCSI II
 - RAID levels 0, 1, 10, 3/5
 - Programmable RAID Level selection
 - On-the-fly hardware parity generation eliminates read, modify, write-back performance overhead
 - Single ended or differential
 - Configurable read & write buffers
 - Rackable, stackable
 - Downloadable flash firmware
 - Remote alarms, configuration & monitoring
 - Environmental sensor ports
 - "Hot Replaceable" disk drive bays & power supplies
 - Single SCSI ID
 - Solid state load sharing power subsystem
 - LCD control panel status display
- See us at COMDEX, booth #S2661

THE STANDARD IN ADVANCED MASS STORAGE SYSTEMS

Raidtec USA
105 Hembree Park Dr. • Suite C
Roswell, GA 30076
Tel: (770) 664-6066
FAX: (770) 664-6166

Raidtec EUROPE
Glen Mervyn House • Glanmire
Cork, Ireland
Tel: (353) 21-821454
FAX: (353) 21-821654

Raidtec

CORPORATION

LASER INKJET COMPUTER CHECKS

CONTINUOUS FEED CHECKS AND CHECK SAVERS ALSO AVAILABLE

AS LOW AS \$24.95

CALL: 1-800-239-4087

FAX ORDERS: 1-800-774-1118
(PLEASE CALL FOR A FAX ORDER FORM)

- ✓ QUICKEN
- ✓ SIMPLY MONEY
- ✓ MICROSOFT MONEY
- ✓ MANY MORE!

LASER AND CONTINUOUS FEED CHECKS AVAILABLE IN:

- ✓ BUSINESS SIZE
- ✓ BUSINESS SIZE with Voucher
- ✓ WALLET SIZE

Available in Singles and Duplicates.

Choose From 4 Stylish Colors!



MC, VISA & AMERICAN EXPRESS ACCEPTED

Designer CHECKS

How to Order

1. Enclose reorder form or voided check from existing check supply, noting any changes.
2. Include deposit slip from existing check supply.
3. Enclose payment check.
4. All orders will be shipped within 7 working days.
5. Complete the order form and mail with items 1, 2, & 3 to:
Designer Checks • P.O. Box 13387 • Birmingham, AL 35202



ORDER FORM

P11204B5
BYTE

Software: _____ Version: _____


Start my checks with number: _____
(if not given 1001 will be used)

Singles Duplicates (call for prices)
Pick **ONE** Color: Classic Blue Tan Classic Green Prestige

Laser/Inkjet Checks	250	500	1000	2000	
Business Size	\$29.95	\$44.95	\$59.95	\$88.95	\$
Business Size w/voucher	\$39.95	\$57.95	\$79.95	\$128.95	\$
Wallet Size	\$24.95	\$39.95	\$63.95	\$89.95	\$

Continuous Feed Checks	250	500	1000	2000	
Business Size	\$26.95	\$39.95	\$57.95	\$89.95	\$
Business Size w/voucher	\$29.95	\$42.95	\$64.95	\$99.95	\$
Wallet Size	\$26.95	\$39.95	\$59.95	\$89.95	\$

Shipping & handling					\$ 5.00
Shipping & handling by AirBorne add \$2.50					\$
Subtotal					\$
Alabama residents add 8% sales tax					\$
TOTAL AMOUNT					\$



Serving you since 1979

JDR Microdevices®

1850 SOUTH 10TH STREET, SAN JOSE CA 95112-4108



Special Prices for Byte Buyers!
Good Through 12/31/95

To receive these special prices, you must mention key code #1071

Upgrades to Run Windows '95 Efficiently

4X IDE CD-ROM Drive

This affordable CD-ROM drive transfers data four times faster than standard single-speed drives!

- 5-1/4" internal drive is MPC, Multisession Photo CD, High Sierra and ISO 9660 compatible

CDROMI-4 \$189.95
 CDROMI-2 Double speed drive \$99.95



\$189.95

BYTE Special!

Microsoft's Windows 95

Unlock the potential of your computer with Microsoft's Windows 95 operating system!

- 32-bit preemptive multitasking capability allows multiple programs to work simultaneously
- Improves print and storage performance

WIN95-U Upgrade, 3-1/2" disks \$89.95
 CD-WIN95-U Upgrade, CD \$89.95
 WIN95 Standard, 3-1/2" disks \$189.95



2 Floppy Drives in 1 Slot!

By combining two drives into one slot, even systems with limited drive slots have room to add a CD-ROM or tape drive to their standard system case!

- Supports 1.2MB/360KB 5-1/4" and 1.44MB/720KB 3-1/2" diskettes
- Independent jumper selectable drive addresses



\$79.95

BYTE Special!

JDR Multimedia Upgrade Kits

These bundles combine a CD-ROM drive, a SoundBlaster compatible sound card and stereo speakers.

- 16-bit PC compatible ISA card with CD-RDM interface
 - 300kB/sec dual or 600kB/sec quad speed CD-ROM drive uses IDE interface
- JDR-BMMK-2 With 300kB/sec drive \$159.95
 JDR-BMMK-4 With 600kB/sec drive \$249.95



\$159.95

BYTE Special!

PCI VGA Accelerator

This PCI card features the fast but affordable Trident 9440 chip set.

- 32-bit PC compatible PCI card
- Resolution up to 1600 x 1200 in 16" colors, 1280 x 1024 in 256" colors, 1024 x 768 in 16/256 colors

MCT-PVGA-1 \$99.95
 *Note: This mode requires 2MB of RAM



\$99.95

BYTE Special!

MCT Network Cards Cost Less!

These cards feature a jumperless design so that software can automatically configure the card for you! A 16KB RAM buffer is included for faster network transmission and reception.

- NE-2000 compatible
 - 8/16-bit PC compatible ISA cards
- MCT-10B2 Thin Net BNC connector only \$29.95
 MCT-10B1 With RJ45 connectors \$29.95



\$29.95

BYTE Special!

Examine Hardware During Boot-Up!

In addition to monitoring Power On Self Test (POST) codes, this card also displays DMA and IRQ activity.

- 16-bit PC compatible ISA card
 - Supports BIOS's that generate POST codes,
 - Includes AMI diagnostic software
- JDR-PDI+ \$149.95



\$149.95

BYTE Special!

30-Pin SIMMS

PART #	ORG	SIZE	SPEED	PRICE
1MX9-70X9	1M x 9	1MB	70ns	\$46.95
4MX9-70X9	4M x 9	4MB	70ns	\$175.95
4MX9-60X9	4M x 9	4MB	60ns	\$179.95
16MX9-60X9	16M x 9	16MB	60ns	\$725.00

72-Pin SIMMS

1MX36-70	1M x 36	4MB	70ns	\$184.95
2MX36-70	2M x 36	8MB	70ns	\$379.95
4MX36-70	4M x 36	16MB	70ns	\$619.00
8MX36-70	8M x 36	32MB	70ns	\$1199.00

Keep Your CPU Cool!

Make your processor run cooler with these specially designed fans. They feature easy snap-in installation so you don't have to remove your CPU. The in-line adaptor draws power from your floppy drive.



- PS4C-FAN For Pentium processors \$29.95
- PS4C-FAN-R Above with refrigeration device \$79.95
- 486-FAN For 486 processors \$19.95
- 486-FAN-R Above with refrigeration device \$49.95

FREE JDR CATALOGS!

PC PRODUCTS AND ELECTRONIC COMPONENTS

CALL US TOLL-FREE!

1-800-538-5000



High-Performance Motherboards with Triton Chip Set

Using the Intel Triton chip set, these motherboards are prepared to deliver performance into the future!

- 75MHz, 90MHz, 120MHz or 133MHz Intel Pentium Processor with 16kB internal cache memory and Triton chip set
- RAM expandable on board to 128MB, with 4 SIMM sockets, using standard or EDO 1M x 32, 2M x 32, 4M x 32 or 8M x 32 72-pin SIMMS in multiples of 2 (0kB installed)

MCT-T586-75 75MHz version \$549.00
 MCT-T586-90 90MHz version \$649.00
 MCT-T586-120 120MHz version \$999.00
 MCT-T586-133 133MHz version \$1129.00



\$549

BYTE Special!

Leap to 486DX4 Performance!

For increased 486 performance from your 486SX or DX motherboard, simply plug in Intel's DX4 or DX2 OverDrive Processor!



- BOXDX40DP100 Plugs into 33MHz socket \$199.95
- BOXDX40DP100 Replaces 33MHz CPU \$199.95
- BOXDX40DP75 Plugs into 25MHz socket \$149.95
- BOXDX40DP75 Replaces 25MHz CPU \$149.95
- BDXPDP5V63 \$289.95
- Pentium OverDrive replaces 25MHz and 50MHz 486 CPU's
- BDXPDP5V83 \$279.95
- Pentium OverDrive replaces 33MHz and 66MHz 5V 486 CPU's

Static RAM Cache Upgrades



PART #	ORG	SPEED	# PINS	PRICE
4KX4-15DIP	4k x 4	15ns	22/3"	\$4.95
7C185-15	8k x 8	15ns	28/3"	\$4.95
6288-20	16k x 4	20ns	22	\$3.95
HM62832-20	32k x 8	20ns	28/3"	\$6.29
4C187-15	64k x 1	15ns	22	\$6.99
6208-25	64k x 4	25ns	24/3"	\$8.49
7C1024-20	128k x 8	20ns	32/4"	CALL

Seagate Hard Drives

Upgrade to a new, high-quality, high-capacity Seagate hard drive! Our prices have never been lower.

- As low as 24¢ a meg!
 - Fast ATA and Fast SCSI-2 drives accelerate performance
- ST-3600A 545MB, 14ms, Fast ATA, 31¢/MB \$169.95
 ST-5850A 854MB, 11ms, Fast ATA-2, 26¢/MB \$219.95
 ST-31220A 1 08GB 12ms, Fast ATA-2, 24¢/MB \$249.95
 ST-32430N 2 1GB, 11ms, Fast SCSI-2, 43¢/MB \$899.00



SPECIALS FOR BYTE CUSTOMERS ONLY



Sales 1-800-538-5000 Toll-Free Fax Ordering 1-800-538-5005

Local/International 1-408-494-1400

Order 24-Hours-A-Day By Phone or Fax



TERMS: For shipping & handling include \$4.29 for ground & \$6.99 for 2nd day air. Orders over 1 lb. and foreign orders may require additional shipping charges—contact our Sales Dept. for the amount. CA residents must include applicable sales tax. Prices subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sales. A full copy of our terms is available upon request. Items pictured may only be representative. JDR, the JDR logo, JDR Microdevices, and the MCT logo are registered trademarks of JDR Microdevices. Modular Circuit Technology is a trademark of JDR Microdevices. Copyright 1995 JDR MICRODEVICES. Other trademarks are the property of their respective owners.

WE WILL TRY TO MATCH OR BEAT ANY ADVERTISED PRICE. CALL FOR LATEST PRICING!!

WE ACCEPT PO'S FROM QUALIFIED FIRMS

30 DAY MONEY BACK GUARANTEE

MEMORY

LIFETIME WARRANTY

SECURITY WILL CALL WINDOW NOW OPEN! NO SURCHARGE FOR AC, VISA AE & DISCOVER

CACHE MEMORY

Model	128K	128K	256K	256K
3242	14.00	14.00	14.00	14.00
3242 (3.3)	-	14.00	14.00	14.00
64K4	-	11.00	9.00	8.00
64K4	-	7.50	5.50	4.50
128K4	-	11.00	9.00	8.00
128K4	-	7.50	5.50	4.50

Individual D-RAM Chips

MEMORY FOR IBM & APPLE	IBMS	IBMS	IBMS	IBMS
1Mbit	41.00	39.00	39.00	39.00
2Mbit	24.00	22.00	21.00	21.00
4Mbit	12.00	11.00	10.00	10.00
8Mbit	7.50	7.00	6.50	6.00
16Mbit	5.00	4.50	4.00	3.50
32Mbit	3.50	3.00	2.50	2.00
64Mbit	2.50	2.00	1.50	1.00
128Mbit	1.80	1.50	1.20	1.00
256Mbit	1.20	1.00	0.80	0.70
512Mbit	0.80	0.70	0.60	0.50
1GB	0.60	0.50	0.40	0.30
2GB	0.40	0.30	0.20	0.15
4GB	0.25	0.20	0.15	0.10
8GB	0.15	0.10	0.08	0.05
16GB	0.10	0.08	0.05	0.04
32GB	0.08	0.05	0.04	0.03
64GB	0.05	0.04	0.03	0.02
128GB	0.04	0.03	0.02	0.01
256GB	0.03	0.02	0.01	0.01
512GB	0.02	0.01	0.01	0.01
1TB	0.01	0.01	0.01	0.01
2TB	0.01	0.01	0.01	0.01
4TB	0.01	0.01	0.01	0.01
8TB	0.01	0.01	0.01	0.01
16TB	0.01	0.01	0.01	0.01
32TB	0.01	0.01	0.01	0.01
64TB	0.01	0.01	0.01	0.01
128TB	0.01	0.01	0.01	0.01
256TB	0.01	0.01	0.01	0.01
512TB	0.01	0.01	0.01	0.01
1PB	0.01	0.01	0.01	0.01
2PB	0.01	0.01	0.01	0.01
4PB	0.01	0.01	0.01	0.01
8PB	0.01	0.01	0.01	0.01
16PB	0.01	0.01	0.01	0.01
32PB	0.01	0.01	0.01	0.01
64PB	0.01	0.01	0.01	0.01
128PB	0.01	0.01	0.01	0.01
256PB	0.01	0.01	0.01	0.01
512PB	0.01	0.01	0.01	0.01
1EB	0.01	0.01	0.01	0.01
2EB	0.01	0.01	0.01	0.01
4EB	0.01	0.01	0.01	0.01
8EB	0.01	0.01	0.01	0.01
16EB	0.01	0.01	0.01	0.01
32EB	0.01	0.01	0.01	0.01
64EB	0.01	0.01	0.01	0.01
128EB	0.01	0.01	0.01	0.01
256EB	0.01	0.01	0.01	0.01
512EB	0.01	0.01	0.01	0.01
1EB	0.01	0.01	0.01	0.01
2EB	0.01	0.01	0.01	0.01
4EB	0.01	0.01	0.01	0.01
8EB	0.01	0.01	0.01	0.01
16EB	0.01	0.01	0.01	0.01
32EB	0.01	0.01	0.01	0.01
64EB	0.01	0.01	0.01	0.01
128EB	0.01	0.01	0.01	0.01
256EB	0.01	0.01	0.01	0.01
512EB	0.01	0.01	0.01	0.01
1EB	0.01	0.01	0.01	0.01
2EB	0.01	0.01	0.01	0.01
4EB	0.01	0.01	0.01	0.01
8EB	0.01	0.01	0.01	0.01
16EB	0.01	0.01	0.01	0.01
32EB	0.01	0.01	0.01	0.01
64EB	0.01	0.01	0.01	0.01
128EB	0.01	0.01	0.01	0.01
256EB	0.01	0.01	0.01	0.01
512EB	0.01	0.01	0.01	0.01
1EB	0.01	0.01	0.01	0.01
2EB	0.01	0.01	0.01	0.01
4EB	0.01	0.01	0.01	0.01
8EB	0.01	0.01	0.01	0.01
16EB	0.01	0.01	0.01	0.01
32EB	0.01	0.01	0.01	0.01
64EB	0.01	0.01	0.01	0.01
128EB	0.01	0.01	0.01	0.01
256EB	0.01	0.01	0.01	0.01
512EB	0.01	0.01	0.01	0.01
1EB	0.01	0.01	0.01	0.01
2EB	0.01	0.01	0.01	0.01
4EB	0.01	0.01	0.01	0.01
8EB	0.01	0.01	0.01	0.01
16EB	0.01	0.01	0.01	0.01
32EB	0.01	0.01	0.01	0.01
64EB	0.01	0.01	0.01	0.01
128EB	0.01	0.01	0.01	0.01
256EB	0.01	0.01	0.01	0.01
512EB	0.01	0.01	0.01	0.01
1EB	0.01	0.01	0.01	0.01
2EB	0.01	0.01	0.01	0.01
4EB	0.01	0.01	0.01	0.01
8EB	0.01	0.01	0.01	0.01
16EB	0.01	0.01	0.01	0.01
32EB	0.01	0.01	0.01	0.01
64EB	0.01	0.01	0.01	0.01
128EB	0.01	0.01	0.01	0.01
256EB	0.01	0.01	0.01	0.01
512EB	0.01	0.01	0.01	0.01
1EB	0.01	0.01	0.01	0.01
2EB	0.01	0.01	0.01	0.01
4EB	0.01	0.01	0.01	0.01
8EB	0.01	0.01	0.01	0.01
16EB	0.01	0.01	0.01	0.01
32EB	0.01	0.01	0.01	0.01
64EB	0.01	0.01	0.01	0.01
128EB	0.01	0.01	0.01	0.01
256EB	0.01	0.01	0.01	0.01
512EB	0.01	0.01	0.01	0.01
1EB	0.01	0.01	0.01	0.01
2EB	0.01	0.01	0.01	0.01
4EB	0.01	0.01	0.01	0.01
8EB	0.01	0.01	0.01	0.01
16EB	0.01	0.01	0.01	0.01
32EB	0.01	0.01	0.01	0.01
64EB	0.01	0.01	0.01	0.01
128EB	0.01	0.01	0.01	0.01
256EB	0.01	0.01	0.01	0.01
512EB	0.01	0.01	0.01	0.01
1EB	0.01	0.01	0.01	0.01
2EB	0.01	0.01	0.01	0.01
4EB	0.01	0.01	0.01	0.01
8EB	0.01	0.01	0.01	0.01
16EB	0.01	0.01	0.01	0.01
32EB	0.01	0.01	0.01	0.01
64EB	0.01	0.01	0.01	0.01
128EB	0.01	0.01	0.01	0.01
256EB	0.01	0.01	0.01	0.01
512EB	0.01	0.01	0.01	0.01
1EB	0.01	0.01	0.01	0.01
2EB	0.01	0.01	0.01	0.01
4EB	0.01	0.01	0.01	0.01
8EB	0.01	0.01	0.01	0.01
16EB	0.01	0.01	0.01	0.01
32EB	0.01	0.01	0.01	0.01
64EB	0.01	0.01	0.01	0.01
128EB	0.01	0.01	0.01	0.01
256EB	0.01	0.01	0.01	0.01
512EB	0.01	0.01	0.01	0.01
1EB	0.01	0.01	0.01	0.01
2EB	0.01	0.01	0.01	0.01
4EB	0.01	0.01	0.01	0.01
8EB	0.01	0.01	0.01	0.01
16EB	0.01	0.01	0.01	0.01
32EB	0.01	0.01	0.01	0.01
64EB	0.01	0.01	0.01	0.01
128EB	0.01	0.01	0.01	0.01
256EB	0.01	0.01	0.01	0.01
512EB	0.01	0.01	0.01	0.01
1EB	0.01	0.01	0.01	0.01
2EB	0.01	0.01	0.01	0.01
4EB	0.01	0.01	0.01	0.01
8EB	0.01	0.01	0.01	0.01
16EB	0.01	0.01	0.01	0.01
32EB	0.01	0.01	0.01	0.01
64EB	0.01	0.01	0.01	0.01
128EB	0.01	0.01	0.01	0.01
256EB	0.01	0.01	0.01	0.01
512EB	0.01	0.01	0.01	0.01
1EB	0.01	0.01	0.01	0.01
2EB	0.01	0.01	0.01	0.01
4EB	0.01	0.01	0.01	0.01
8EB	0.01	0.01	0.01	0.01
16EB	0.01	0.01	0.01	0.01
32EB	0.01	0.01	0.01	0.01
64EB	0.01	0.01	0.01	0.01
128EB	0.01	0.01	0.01	0.01
256EB	0.01	0.01	0.01	0.01
512EB	0.01	0.01	0.01	0.01
1EB	0.01	0.01	0.01	0.01
2EB	0.01	0.01	0.01	0.01
4EB	0.01	0.01	0.01	0.01
8EB	0.01	0.01	0.01	0.01
16EB	0.01	0.01	0.01	0.01
32EB	0.01	0.01	0.01	0.01
64EB	0.01	0.01	0.01	0.01
128EB	0.01	0.01	0.01	0.01
256EB	0.01	0.01	0.01	0.01
512EB	0.01	0.01	0.01	0.01
1EB	0.01	0.01	0.01	0.01
2EB	0.01	0.01	0.01	0.01
4EB	0.01	0.01	0.01	0.01
8EB	0.01	0.01	0.01	0.01
16EB	0.01	0.01	0.01	0.01
32EB	0.01	0.01	0.01	0.01
64EB	0.01	0.01	0.01	0.01
128EB	0.01	0.01	0.01	0.01
256EB	0.01	0.01	0.01	0.01
512EB	0.01	0.01	0.01	0.01
1EB	0.01	0.01	0.01	0.01
2EB	0.01	0.01	0.01	0.01
4EB	0.01	0.01	0.01	0.01
8EB	0.01	0.01	0.01	0.01
16EB	0.01	0.01	0.01	0.01
32EB	0.01	0.01	0.01	0.01
64EB	0.01	0.01	0.01	0.01
128EB	0.01	0.01	0.01	0.01
256EB	0.01	0.01	0.01	0.01
512EB	0.01	0.01	0.01	0.01
1EB	0.01	0.01	0.01	0.01
2EB	0.01	0.01	0.01	0.01
4EB	0.01	0.01	0.01	0.01
8EB	0.01	0.01	0.01	0.01
16EB	0.01	0.01	0.01	0.01
32EB	0.01	0.01		



Computer Gate
is your international
superstore for PC
accessories,
multimedia and
network products.

\$2.95 Power Strip

For a **FREE** Catalog call 408 730-0673

Circle 273 on Inquiry Card (RESELLERS: 274).

We Want to Send You a
FREE!
268 PAGE CATALOG OF DISCOUNT
COMPUTER SUPPLIES & ACCESSORIES

Plus!
We will add you
to our mailing
list for one year
on a trial basis –
in which time
you will receive 4
catalogs from the
most unique
company in
our industry.



LYREN
COMPUTER SYSTEMS

5545 Bridgewood, Sterling Heights, MI 48310
CALL US TOLL-FREE (800) 493-5777 or Fax (810) 268-8899

Simply utilize the reader service number below –
or call, write or fax us for your free catalog.

Circle 280 on Inquiry Card.

SERIAL/PARALLEL I/O ADAPTERS

**RS-232/422/485 • Dual Serial
Quad Serial • Serial/Parallel**

16550/16650 Buffered UARTs
Flexible Address and Interrupt Capability

Ask about our new PCI I/O Products!



• Made in USA • Lifetime Warranty
• Unlimited Technical Support

Globetek, Inc.
3505 E. Royalton Rd. Ste. 160 • Broadview Hts., OH 44147
800-229-4640 • 216-526-8550 • Fax: 216-526-8817

Circle 275 on Inquiry Card (RESELLERS: 276).

Print fast, quality Bar Codes in
Windows applications **\$148**

As used by: Colleges, Universities, Health Organizations, Government
Agencies, Magazine Publishers + Businesses large & small.

BAR CODE FONTS - TrueType fonts can display and
print all major bar codes in any Windows program.
Print at your printer's max. resolution and speed.

DLI - Automatically encodes database fields in; **MS
Access, Visual Basic**, (any program that can call
DLL's), Print your own bar codes on; Forms,
Reports, Labels, etc. Start a label printing business.

DDE - Printing bar codes via DDE is also included.

PASTE - Utility to paste perfect bar codes in to any
Windows Program. Add Product Codes to;
Packaging designs, Book and Magazine covers, etc.

Distribution and Trade Enquiries Welcome
Blue Quetzal Ltd
Alperton, Wingates, Bray, Co. Wicklow, Ireland
Tel +353.1.287 4711 Fax +353.1.287 6010
E-Mail 100451.3155@compuserve.com

Professional VALUE Pack
BAR CODE PRO
Software that makes printing bar codes easy

UCC EAN 128
POSTNET + FIM
BOOKLAND
CODABAR
CODE 39
CODE 93
CODE 128
ITF
EAN
UPC
ISSN

Windows
3.1 + 95
Compatible

**Bar Code Printing Technology
for Windows® Applications**

Circle 286 on Inquiry Card.

The Portable Solution



Videx manufactures portable,
durable, and programmable data
collectors for applications such as:

- inventory • warehousing
- security • asset tracking
- field inspections

and virtually any application
requiring data collection at the
work site.

Cast-metal cases protect the
products and allow them to
work reliably in harsh
environments. Each is
designed to fit in the palm
of your hand.

Call for a free
information kit today!
See us at COMDEX, Booth #L155
1105 N.E. Circle Blvd., Corvallis, OR 97330
503-758-0521 • Fax 503-752-5285



Videx, TimeWand, DuraWand, TouchProbe, and OmniWand are registered trademarks of Videx, Inc. GC0582

Circle 236 on Inquiry Card.

What Do You Need?

- Harddisks?
- Networking Cards?
- Adapters?
- Memory?
- Constrained Product?
- Surplus Items?
- Best Price?
- Best Availability?

We have it! Or we'll find it for you — worldwide!

IBM **COMPAQ** **hp** HEWLETT
PACKARD

Call: USA 1 904 913 9001 **COCOM 5**
Fax: USA 1 904 913 0814 Attn: International Division

Export Regulations will be followed. IBM, COMPAQ and HP
are registered trademarks and property of their respective owners.

Circle 287 on Inquiry Card.

Rhetorex Voice Processing boards make CTI a reality.

If you're asking "what's CTI," you're missing one of the hottest new technologies going.

Computer Telephony Integration links PC-based computer applications to the telephone network, providing voice/fax mail, interactive voice response, voice/fax servers and more.

Interested? Maybe you're already developing a CTI application. Then it's time to discover Rhetorex.™

For the best value in CTI technology—from our 2 and 4 port DSP-based voice and fax processing boards, to our 24-port platform—give Rhetorex a call. And start making CTI a reality today.



RHETOREX

Rhetorex, Inc., 200 E. Hacienda Ave., Campbell, CA 95008-6617
Tel. (408) 370-0881; Fax (408) 370-1171

All trademarks identified by the ™ symbol are trademarks of Rhetorex, Inc. All other trademarks belong to their respective owners. © 1993 Rhetorex, Inc.

Circle 233 on Inquiry Card.

Voice Boards from New Voice. Now the others are obsolete. (Scary, isn't it?)

Computer Telephony Integration (CTI) is one of the fastest growing markets. Pick the voice board with performance that screams. Our sophisticated 2, 4, or 8 port models provide the best building blocks for success. Used in applications such as:

- Int'l Callback/Debit Card
- Interactive Voice Response
- Voice Mail/Messaging
- Automated Attendant
- Fax Back/On-Demand
- Tele-conferencing
- 800/900 Services
- Telemarketing
- Audiotex
- Talking Yellow Pages
- T1 Interface Support

1893 Preston White Drive
Suite #120
Reston, VA 22091

Tel (703) 648-0585
Fax (703) 648-9430

New
oice

Circle 254 on Inquiry Card.

Computer Telephony Voice Cards Developer Kits

As a leader in Computer Telephony Integration platforms, PIKA is not only redefining technology standards but also the standards of vendor commitment to CTI software developers.

Contact us to find out about our latest offerings in DSP based multi-line voice cards with developer kits for DOS, Windows, OS/2 and NT.

PIKA TECHNOLOGIES INC.

155 Terence Matthews Cres.
Kanata, Ontario K2M 2A8, Canada
Tel: 1-613-591-1555
Fax: 1-613-591-1488
Email: info@pika.pika.ca



Circle 300 on Inquiry Card (RESELLERS: 301).

CONTROL ALL YOUR SERVERS


FROM ONE KEYBOARD, MONITOR AND MOUSE



NEW
Hot-Key
Selection

MasterConsole® Save space, time and money

- 2 - 64 Computers
- Any mix of PCs; PS/2 & Serial Mouse
- Add Mac & Sun
- Keyboard/Mouse Emulation
- AUTOSCAN™
- Front Panel & Keyboard Selection
- Remote Access to 150*
- Desktop or Rack Mount



CALL TODAY! 800-RCI-8090 x 71

RARITAN COMPUTER, INC. (908) 874-4072 Fax (908) 874-5274
10-1 Ilene Court, Belle Mead, NJ 08502 ■ sales@raritan.com ■ http://www.raritan.com

30-DAY MONEY BACK GUARANTEE FULL 1-YEAR WARRANTY

Network + Interop, Atlanta, Booth #4646, Sept. 27-29 ■ COMDEX/Fall, Las Vegas, NV, #1C 5000, Nov 13-17
INTERNATIONAL France: (33) 1-64 67 64 67 Germany: (49) 180-522-8222 Ireland: (353) 1-454-0589
Italy: (39) 2-66800548 Japan: (81) 3-3255-1517 Korea: (82) 2-412-5775
Netherlands: (31) 10-4423313 Sweden: (46) 020-788850 Switzerland: (41) 22-7532200
UK: (44) 244-520222 or (44) 344-424-333 RCI Taiwan: (886) 2-218-1117 RCI Europe (31)-10-4586-673
INTERNATIONAL RESELLERS INQUIRIES WELCOME — CONTACT RCI (908) 874-4072



Circle 250 on Inquiry Card (RESELLERS: 251).

LET YOUR COMPUTER DO THE TALKING!

Integrated Voice/Fax Mail

integrates major voice/fax applications plus program control into one full-featured high performance software. PC-AT/386/486 based. Menu driven. Easy to use. Full support for Rhetorex, New Voice, Dialogic, Biocom, Pika, TTI and Intel voice and fax hardware. Supports up to 32 voice lines and up to 8 fax lines.

Hardware + Software Kits **\$595**
2 voice lines kit starts at
Fax-on-Demand lines: 818-368-4566 or 818-368-8848

SigmaTech Software
Tel: (818) 368-6132 Fax: (818) 368-7859
10801 Bismarck Ave., Northridge, CA 91326 USA
(Resellers/Dealers/OEMs/Private labels are welcome)

- Automated Attendant
- Unlimited Audiotex
- Voice Mail
- Talking Yellow pages
- Telemarketing
- Fax Mail
- Fax-on-Demand
- Fax Broadcasting
- Date/Party lines
- Int'l Call Back

Circle 241 on Inquiry Card (RESELLERS: 242).

BREAK INTO WINDOWS!

- ◆ Voice Mail
- ◆ Auto - Attendant
- ◆ Fax - On - Demand
- ◆ Programmers' Tool Kits

For Sales & Information CALL:
800.685.4884
We Sell Web Space. Ask Us!
(Developer/OEM packages available) VISA-MC-AMEX-COD



TALKING TECHNOLOGY, INC.
1125 Atlantic Avenue, Alameda, California, 94501
Voice: 510.522.3800 Fax: 510.522.5556

Circle 235 on Inquiry Card.

Rackmount



- ENCLOSURES for 386, 486 & Pentium
- KEYBOARDS
- MONITORS
- DRIVE ENCLOSURES

PC Enclosures
from \$300

Monitor:
10" Super VGA
Color from \$650

Keyboards:
Drawer, Shelf & Panel from \$85

- Excellent Air Flow & Cooling
- Accepts Most Motherboards and Passive Backplanes
- Rack & Desk Models • Up to 20 Slots • Rugged, Modular Construction
- 200, 300 & 400 Watt Supplies, UL, CSA, TUV • Made in U.S.A.

Call or write for descriptive brochures, prices or applications assistance.

INTEGRAND
RESEARCH CORP

8620 Roosevelt Ave. • Visalia, CA 93291
209/651-1203 FAX 209/651-1353

PC™ IBM • 386/486 Pentium™ Intel • Drives and computer boards not included.

Circle 228 on Inquiry Card.

\$349.00
MONEY BACK GUARANTEE

STARVIEW PS/2 Model SV421

Control up to 216 Servers
with just 1 Monitor, Keyboard, and Mouse

- Supports SVGA, VGA, and Multisync Monitors
- Keyboard or pushbutton CPU selection
- Autoboosts Keyboards and mice (SV421)
- Cascadable

Model	Control	Monitors	Keyboards	Mice	Price
SV621	AT	6	216		\$349
SV421	PS/2	4	64		\$349

USA/Canada: 800-265-1844 (ext. 231)
France: 0-930-3661 / UK: 0-800-96-7710
Fax: (519) 438-6555 / Internet E-Mail: startech.computer@onlinesys.com
See us at COMDEX/Fall 95, Las Vegas - Booth 5-4044

StarTech COMPUTER PRODUCTS
USA • Canada • UK • Germany • Hong Kong

European/International Distribution use Fax or Internet or Call: (519) 438-8529 (ext.231)
Visa/Mastercard/American Express

Circle 268 on Inquiry Card (RESELLERS: 269).

Industrial Strength PC Solutions - Made in USA

Rack Mount Products - Designed, Built in USA

- Rack mount Systems - 386 to Dual Pentiums
- Rack mount Chassis - Up to 20 Slots Custom Design & Modifications available
- Rack mount Monitor - Up to 20"
- Rack mount Cherry 101 Keyboard
- HDD / CD-ROM Enclosure - Hot Swappable
- NEMA 4/12 Workstation

Single Board Computers

- 386/486/Pentium - ISA / EIAS / VESA / PCI
- Passive Backplanes - from 3 slots to 20 slots Segmented Backplane Available

20 Slot Hot Swap Redundant PS
800-927-5464
408-452-9200 • 408-452-9210 FAX

CALL or FAX for Full Catalog
2032 Bering Drive • San Jose, CA 95131
In-House Design • In-House Manufacturing • Custom Configurations

Circle 239 on Inquiry Card (RESELLERS: 240).

Pentium™ Industrial

Rugged computers, monitors and keyboards for industry use. Standard or custom designs!

- Industrial Telecommunications Military
- All-in-one 80486 or Pentium CPUs. Up to 3 per system.
- 3-20 slot ISA/PCI backplanes.

- 230W to 440W power supplies, 115/230 VAC or 24/48 VDC.
- Modular "hot swap" electronics.
- Shock mounted rugged designs with up to 4 fans, 9 drives.
- Low profile 3.5" to 8.75" rack chassis. FCC/NEBS compliant.
- 10", 14" or 17" rack monitor
- Rack keyboard with trackball.
- 12 standard designs to choose. Low cost specials to your need.
- Made in USA. 2 year warranty.



Refining PCs for Industry
619-598-1900

Micro Alliance



Circle 284 on Inquiry Card.

Computer Systems • Data Acquisition

Full Line of INDUSTRIAL COMPUTER SYSTEMS
 • Systems • Chassis • Monitor & Monitor Enclosures
 • Keyboards • Backplanes • CPU Cards & More

Pentium CPU Card!
We'll beat any Price with Best Quality!

- Up to 150 MHz CPU
- Up to 812MB On Board Memory
- Built-In Adaptec 2940 PCI SCSI Controller
- Built-In PCI Enhanced IDE Controller
- Varieties of 386 & 486 CPU Cards also available!

19" Rackmount Chassis

- Locking Front Panel Access
- AT M/B or 14 Slot Passive B/P
- Shock-Mounted Drive Bay
- Filter Positive Air Pressurization
- 250W P/S(U/L, CSA & TUV)

Best Value!

Still a Boss 1-800-700-8560 Tel 408-720-1099 Fax 408-245-2570

Circle 260 on Inquiry Card.

Rackmount Solutions

RACKMOUNT COMPONENTS - QTY 25 PRICING

Rackmount Chassis 19"x7"x17"	\$131
Rackmount VGA Monitor	\$531
Rackmount Monitor Shelf	\$113
Rackmount Cherry Keyboard Drawer	\$200

RACKMOUNT PLATFORMS - Qty 1 Pricing

RMS486DX2-66 EISA	\$1593	RMS486SX-33	\$915
RMS486DX-33	\$1136	RMS386SX-33	\$665

RACKMOUNT CHASSIS - 15 Models up to 20 Board Slots
SLOT CPU BOARDS - EISA/ISA 486, 486SX, 386, 386SX
RACKMOUNT MONITORS - Super VGA & Monochrome
RACKMOUNT KEYBOARDS - High Quality Cherry KB
RACKMOUNT SWITCH - Video/KB up to 12 CPUs
RACKMOUNT CABINET - Modular from 21" to 96" high

Exclusive International Distributor Program now Available



2468 Armstrong Street, Livermore CA 94550
 (510) 447-2030 FAX: (510) 447-4559




Circle 238 on Inquiry Card.

Industrial PC Solutions



- Rackmount PCs**
- Industrial PC Chassis**
- Industrial Workstations**
- Panel Display PCs**
- Pentium/486/386 CPU Cards**
- RS-232/422/485 Interface**
- Analog and digital I/Os**
- Data Acquisition**



Call **800-800-6889** to receive a **FREE 100-page Solution Guide** for your OEM or system integration needs.

ADVANTECH.
 750 E. Arques Ave.
 Sunnyvale, CA 94086
 408-245-6678, Fax 408-245-8268

Circle 224 on Inquiry Card.

Data Acquisition

8 BIT, 250 MSPS A/D Card



- ✓ 12 bit, 60 MSPS A/D
- ✓ Software Drivers
- ✓ Up to 16 Meg Memory



CSLITE	8 bit, 40 MSPS	\$595
CS250	8 bit, 100 MSPS	\$3500
CS2125	8 bit, 250 MSPS	\$4995
CS1012	12 bit, 20 MSPS	\$4995
CS8012	12 bit, 60 MSPS	\$6995

U.S. Prices listed. International prices may vary.

GAGE
 1-800-567-GAGE

Gage Applied Sciences Inc.
 5610 Bois Franc, Montreal, QC, Canada H4S 1A9
 From outside North America, call +1-514-337-6683
 Fax: (514) 337-6411, BBS: (514) 337-4317

Circle 226 on Inquiry Card.

Portable Data Acquisition 1MHz

Our new DSP-based, 1M sample/s portable digitizer offers the fastest notebook PC-based data acquisition available. Its 55&H and programmable low-pass filter options accommodate a variety of transducers, DOS, Windows™, and icon-based software support included. From \$2,495.

(216) 439-4091 • Fax (216) 439-4093

Otech, Inc.
 25971 Cannon Rd.
 Cleveland, OH 44146

DOS & Windows are registered trademarks of Microsoft Corporation.

Circle 229 on Inquiry Card.

INTELLIGENT DATA ACQUISITION



from **MICROSTAR LABORATORIES™**
 the onboard intelligence company

- DAP3200e™ with onboard DX4*
- High Speed I/O
 - Digital Signal Processing
 - Multiprocessor Systems
 - Most PC Software
 - DAPtools for HP VEE
 - Control Loop < 1 ms
 - Windows, OS/2 Warp
 - External Expansion
 - DLL, VBX, Delphi
 - DASYLab, LabVIEW...

206-453-2345 — 206-453-3199 fax
 info@mstarlabs.com — www.mstarlabs.com/mstarlabs/

LOW COST/FAST A/D BOARD
Model AD-8H50AT for PC/AT ISA Bus

- 50 MSPS, 8 bit
- \$3,595 with 1 MB
- Up to 4 MB Memory
- Versatile Function
- Easy Programming
- Free Demo Program



Worldwide agent - Sci Tran Products
 1734 Emery Drive, Allison Park, PA 15101 U.S.A.
 Tel: (412) 367-7063 Fax: (412) 367-7063
Headquarters - Thamway Co., Ltd.
 3-9-2 Imaizumi, Fujishi, Shizuoka 417 JAPAN
 Tel: (0545) 53-8965 Fax: (0545) 53-8978



Circle 281 on Inquiry Card.

Custom Fast 20 SCSI Tools

SCSIVue™ Active Terminator

- Benefits:**
- Improves SCSI Bus Performance
 - Less Errors; More Reliable Data Transfer
 - Diagnoses Problems • Analyzes Signal Quality

- Features:**
- Active Regulation • Supports 68 Pin, 50 Pin
 - Status Indicators • Gold Contacts



Fast 20 & Ultra SCSI compatible



From: \$39

SCSIVue™ Gold Diagnostic Cables

- Benefits:**
- No Loss Of Important Data
 - Faster Performance • Test Cable Integrity
- Features:**
- Diagnostic Indicators • Large Ferrite Filters
 - Triple Shielding (Unique Cable Design)
 - Double Gold 20u" Plated Connectors
 - Extra Heavy 26 Gauge Wire, 50 & 68 Pin

Over 40 Cable Styles In Stock

SCSIVue™ Teflon Custom Internal Cables

- Benefits:**
- Less Errors, Ultimate Performance
 - Silver Wire Improves Signal Quality

- Features:**
- Perfect 90 Ohm Impedance Match
 - Triple Pronged Connector With Gold contacts



From: \$39

Custom Internal Cables in 1 DAY!



SCSIVue™ Active Digital Switch

- Benefits:**
- Share SCSI Devices Between 2 Computers
 - Attach up to 14 Devices to 1 Computer
- Features:**
- 2-1 Active Digital Switch/Repeater
 - Regenerates SCSI Signal for Long Runs

Granite DIGITAL The SCSI Solution Company

3101 Whipple Rd. • Union City, Ca. 94587 • Ph: 510-471-6442 • Fax 510-471-6267

Circle 243 on Inquiry Card (RESELLERS: 244).

CUSTOMIZE YOUR KEYBOARD

- Custom Key Imprinting - all brands!
- Custom Colored keys for IBM®, DEC®, Wyse®, Key Tronic®, Cherry®, and more!
- Custom and stock keytop label kits for software support & languages.
- Full color keyboard templates made to your exact specifications.
- Word Perfect Keyboards.
- Cyrillic, Arabic, Hebrew, etc. Keyboards



CUSTOM HOTLINE 800 937-1337
from the leader in Keytop Innovations™ Dept. BYTE, 260 Justin Dr. Cottonwood, AZ 86326

Hooleon CORPORATION 520 634-7515
FAX 520 634-4620

Circle 227 on Inquiry Card.

ANTEC ZERO DOWN TIME SERVER SOLUTION w/ Hot-Swap Redundant Power Supply

- 18 Bay File Server Case**
- 8 Open Drive Bays
 - Removable Motherboard Rack
 - 3 System Cooling Fans



- Hot-Swap Redundant Power Supply**
- Load-Sharing Design
 - Power Fault Alarm/LED/Signal
 - N+1 Redundancy
- Also available other Server & RAID Cases



ANTEC INCORPORATED
2859 Bayview Drive, Fremont, CA 94538
(510) 770-1200 ext 313 Fax (510) 770-1288

Circle 272 on Inquiry Card.

REMOVABLE STORAGE MODULES



FEATURES & OPTIONS:

- Supports most 3.5" hard drives
- IDE, or SCSI interfaces
- Hot removability
- Key lock ON/OFF security
- Fan cooling option
- Built-in SCSI ID selector switch option
- Ruggedized aluminum or low-cost plastic version
- Power/Drive activity LEDs
- Patent protected

RUGGED RACKMOUNT KEYBOARDS



- 19" rackmount keyboards
- 1U or 1.75" space
- 25 models
- Full travel and membrane types
- IBM PC XT/AT, PS2 compatible
- US and Intl. versions
- Spring-lock front panel
- Serial output 16mm, 2 button trackball

Call Elma at
510-656-3400

ELMA Electronic Inc.
44350 Grimmer Blvd
Fremont, CA 94538
Tel: (510) 656-3400
Fax: (510) 656-3783



Circle 252 on Inquiry Card (RESELLERS: 253).

Laptop/Notebook UPGRADES

CPU and Hard-drive Upgrades
for all major brands.

- 486SLC2 clock-doubled CPU upgrades for 286/386SX's - IBM 486SLC2 (with 16KB cache) for true 486 performance.
- 386DX to IBM 486BL3 clock-tripled CPU upgrades.
- i486SX/DX to i486DX4 clock-tripled CPU upgrades.
- Upgrade-packages (CPU & hard-drive) from \$495.00 - Packages include installation, file transfer & return shipping.

Request our new Upgrade Guide

Now available! 486 upgrades for most IBM PS/2 models.

CORPORATE Upgrades, Inc.

(800) 240-6190

US/Canada: Tel: (916) 536-3710 Fax: (916) 536-3719 PO Box 289, Fair Oaks, CA 95628

Europe: Tel: (+46) 8-751-7668 Fax: (+46) 8-751-4601 Box 1189, Kista, Sweden

All trademarks are the property of their respective owners.

Circle 270 on Inquiry Card (RESELLERS: 271).

Mail Order • Memory/Chips/Upgrades

if you were thinking of expanding your storage or adding a CD-ROM, you might want to give us a call. We specialize in expansion housing, from one 3-1/2" portable, or two 5-1/4" Mini-FDP all the way up to eighteen 3-1/4"HH.

CALL US FOR A PORTFOLIO TO ORDER 800-75-WETEX
OUTSIDE CALIFORNIA 93839

WETEX INTERNATIONAL (USA) CORP.
624 S. Hambleton Ave., City of Industry, CA 91744
Tel: (818) 454-6600, Fax: (818) 454-6611

Circle 283 on Inquiry Card.

SIMMVERTER™
Save \$100s in memory when upgrading to newer PC Systems!
SimmVerte™ converts your old 30 pin SIMMs to 36 bit, 72 pin connector SIMMs...

...for only \$19*

- ✓ Converts four 1MBx9 SIMMs to one 1MBx36 SIMM (4MB).
- ✓ Converts four 4MBx9 SIMMs to one 4MBx36 SIMM (16MB).
- ✓ Guaranteed to work in any system using 36 bit memory.
- ✓ Works along with other 36 bit and even 32 bit SIMMs.
- ✓ Up to 4 adapters can be installed side by side.
- ✓ 4 models to choose from to fit any system.
- ✓ Patented and designed in the USA.

To Order call 1-800-440-7466
OEM, dealer & distributor inquiries welcome!

CAMELEON TECHNOLOGY, INC.
1978 Lowmy Way
San Jose, CA 95131
Ph. 408-937-0390
Fax. 408-937-0391

* Price per adapter. Add \$5 for shipping and handling and sales tax where applicable.

Circle 265 on Inquiry Card (RESELLERS: 266).

Let your "true colors shine through" when you advertise your computer products in **BYTE's** **HARDWARE/SOFTWARE SHOWCASE** our popular, affordable, 4-color advertising section!

For more information call your **BYTE** sales representative (see listing, page 307) or fax 603-924-2683

SIMMSTACK™ Win 95 Ready
Convert 30-pin SIMMs into 72-pin SIMMs. Add 72-pin SIMM slots to your system.

Plug & Play installation
486, Pentium & Mac compatible
Totally transparent
Will fit virtually all systems
On board logic ICs
Each adapter individually tested
Lifetime warranty
Manufactured since 1993

800-209-7126
<http://www.simmstack.com>

1751 Second Ave., New York, NY 10128 Tel: (212) 410-1597 Fax: (212) 410-0452

Circle 278 on Inquiry Card (RESELLERS: 279).

Modems/Multiplexors • Multimedia

VoicePro+2™ \$329.00
for Windows™
2-Line VoiceMail/Fax/Data & Sound System
Takes voice calls and faxes on 2 lines, routes voice mail, transfers calls, rings extensions, and delivers fax-on-demand calls...running in the background!

FEATURES

- Toll Quality Voice Mail
- Fast 14/4 Data/Fax Modem
- 1 or 2 Line Simultaneous Voice Mail Operation
- Soundblaster 16 Compatible Audio
- Built-in Caller ID
- Distinctive Ring Detection
- External Fax Ringer/Discriminator
- Outbound List Dialer
- Fax Forward
- Fax On Demand
- Auto Attendant
- Music/Message on Hold
- Unattended Call, Page, and Message Forwarding
- Automatic Data Collection
- 2-Way Speakerphone
- External Speakerphone & Audio Source Connections
- Record with Handset or Microphone

INCLUDES

- Teledat VoicePro +2 Message Center™
- SuperVoice™ and ESS AudioDrive™ Software
- Cables & Complete Operating Instructions
- * External Speaker & Microphone Optional

Minimum requirements: 386-33 mhz and MicroSoft Windows 3.1 for 2-line operation.

Every upgrade to Remote Voice Recognition, Unattended Message Delivery, & TAPI drivers for Windows 95. We provide free technical support for the first 90 days.

Sales: 1-800-997-PRO2
Info: 1-512-392-6600
Fax-On-Demand: 1-512-392-3991

Teledat Systems, Inc.
Making The Pieces Fit

Circle 267 on Inquiry Card.

At **Boxlight**, you get the exact system for your needs. We have over 50 models in stock, so you aren't limited to just a few products. Your order is shipped in less than 24 hours, worldwide. Buying

NEW LOWER PRICE!
\$1999
Boxlight ColorShow™ 1200

presentation equipment doesn't get any more convenient. And our 30-day money-back guarantee means there's absolutely no risk. So why wait? Pick up the phone. Call today!

CALL FOR OUR LATEST SPECIALS!


CALL BOXLIGHT!
Wide variety of printers and more to choose!
1-800-762-5757
Monday through Friday, 9am-5pm, Pacific Time.

Why buy from **Boxlight Direct**? An immediate dating with knowledgeable people, the best prices you can find, and the best equipment for your unique situation - from our on-hand inventory of over 50 models, all immediately shipped if everything we sell by our in-house service people. Industry leading Lifetime Assurance Program. An immediate overnight delivery to exclude world-wide locations. An exclusive 30 day money back guarantee. No Rentals. No Free Returns after the sale. Technical support should you have any questions. Call today and ask for a catalog.

BOXLIGHT DIRECT
IBM, HP, Epson, Canon, Lexmark, Ricoh, Xerox, Dell, HP, 500

Circle 258 on Inquiry Card (RESELLERS: 259).

IF WE DON'T SELL IT, IT'S NOT WORTH LOOKING AT.



PANELIGHT IS YOUR ONE STOP SHOP FOR ALL LEADING BRANDS • SALES, RENTALS, & LEASES MONEY-BACK GUARANTEE • OVERNIGHT SHIPPING.

PANELIGHT OFFERS THE BEST IN SELF-CONTAINED LCD PROJECTORS, LCD PROJECTION PANELS, SUPER-BRIGHT OVERHEADS, MULTIMEDIA MONITORS, AND ACCESSORIES FROM THE WORLD'S LEADING MANUFACTURERS; HITACHI, IN FOCUS, PROXIMA, NEC, NVIEW, POLAROID AND OTHERS.

**CALL THE EXPERTS AT
PANELIGHT
DISPLAY SYSTEMS, INC.**

CALL
**PANELIGHT FOR
OUR
FREE CATALOG:
1-800-726-3599.**

MON.-FRI..
6:30AM-5:30PM P.S.T.
24-HR. FAX: 415-986-3817

PANELIGHT DISPLAY SYSTEMS, INC.,
P.O. BOX 190940,
SAN FRANCISCO, CA 94119.
OR CALL 415-772-8800.



Circle 282 on Inquiry Card.

Tape Solutions

...The Tape Experts



- 9 TRACK
- 3480 • 3490 • 3490E
- LIBRARIES

Qualstar Corporation
6709 Independence Avenue
Canoga Park, CA 91303

FAX (818) 592-0116 TEL (818) 592-0061
(800) 468-0680

Circle 232 on Inquiry Card.

PC/Mainframe/Mini Information Exchange

- Tape Transfer and Format Conversion
- EBCDIC ↔ ASCII Data Manipulation
- AS/400, TK50, and 14" QIC Drives
- UNIX Tar and DEC Save Set Options
- Reseller Inquiries Invited



QuickCopy™ Tape Duplication

**READ/WRITE 9-TRACK
3480 • 8MM • DAT on
YOUR PC NOW!**

Call Us ... (317) 842-2077 or

1-800-248-3475

<http://www.shaffstall.com/info>



SHAFFSTALL CORPORATION
FAX: (317) 842-8294

Circle 246 on Inquiry Card (RESELLERS: 247).

Use our SmartCore as a shortcut to a custom-designed controller. It is a C-programmable microprocessor core with memory, supervisor, DMA, and clock already built in. Just add your own interface and control logic.

SmartCore™



\$59
qty
one

1724 Picasso Ave. Davis, CA 95616
916.757.3737
916.753.5141 FAX
Call our AutoFAX 916.753.0618 from your FAX. Request data sheet #34. Also ask about our \$99 evaluation kit!



Circle 237 on Inquiry Card.

250W/+24VDC Input 250W/-48VDC Input DC-to-DC Converter

Contact us for +12VDC input model !!

- ACE-925T: -40VDC to -57VDC
- ACE-925C: 18VDC to 30 VDC
- Input protection against wrong polarity
- Operating Temp: 0 C ~ 50 C
- Storage Temp: -40 C ~ +75 C
- Dimensions: 5 7/8 X 5 1/2 X 3 1/2



Western Region: 1-800-983-1177
Eastern Region: 1-800-886-2243

Circle 263 on Inquiry Card (RESELLERS: 264).

To Subscribe to BYTE magazine, or for Customer Service, contact your local BYTE Subscription Representative:

Benelux
Gerry Westerhof
Phone: 31 2209 1855
Fax: 31 2209 1145

France
Eric Le Quinlo
Phone: 33 1 49 77 03 06
Fax: 33 1 43 76 74 29

Germany, Austria, Switzerland
Wolfgang Brezina
Phone: 49 89 525 847
Fax: 49 89 529 850

Greece
Maria Hadjiannou
Phone/Fax: 30 61 272072

Hungary
Imre Szabo
Phone: 36 76 488888
Fax: 36 76 488889

Ireland
Ian Bangham
Phone: 353 1 2859609
Fax: 353 1 2857370

Italy
Enrico Campia
Phone: 39 11 8127656
Fax: 39 11 8127744

Middle East
Zafar Inamdar
Phone: 971 4 666788
Fax: 971 4 621149

Poland
Wlodek Binczyk
Phone: 48 2 625 22 75
Fax: 48 2 628 16 14

Portugal
Manuel Neves
Phone: 351 1 3479301
Fax: 351 1 3475127

Scandinavia
Lauge Dehn
Phone: 45 86223188
Fax: 45 86228159
or Gunnar Sandbjerg
Phone: 45 42803341
Fax: 45 45805579

South Africa
MAST Publications
Phone: 27 11 8804988
Fax: 27 11 4428327

Spain
Publtrade
Phone: 34 1 733 7346
Fax: 34 1 733 8970
or Eduardo Montojo
Phone/Fax: 34 1 57 16685

Turkey
Cengiz Eren
Phone: 90 2 16 345 3473
Fax: 90 2 16 346 2464

United Kingdom
Peter Gregson
Phone: 44 61 430 3423
Fax: 44 61 494 6976
or John Luker
Phone: 44 258 821114
Fax: 44 258 821115

If there is no BYTE representative listed above for your country, please contact:



BYTE Subscriber Services:
PO Box 72, Galway,
Ireland.

Fax: +1 353 91 752793.
Phone: +1 353 91 752792.

A Division of The McGraw-Hill Companies

Talkie™ INTEGRATED I.V.R.

- INTERNATIONAL CALL BACK
- LONG DISTANCE RESELLER
- PREDICTIVE DIALERS
- DATE-LINES \ CHAT LINES
- CONFERRING
- VOICE-MAIL
- AUTO-ATTENDANT
- FAX-ON-DEMAND
- AUDIOTEX
- OUTDIALING
- TELEMARKETING
- APP-GEN & MORE

BUNDLE
4 PORTS - \$715

Computer TELEPHONY
1-9-9-4
PRODUCT OF THE YEAR

"Very good product for VARs"
Computer Telephony, Mar 94

U.S.: 1-800-TALKIE4 Fax: 716-855-2244 CAN: 416-665-7638

Circle 262 on Inquiry Card.

Factory Data Collection




The TransTerm 5 is a work station data entry/display terminal for on-line shop floor data collection into PC/AT/PS-2 systems. The unit is one of a family of such terminals which feature LC displays for operator prompting and data entry via sealed touch keys or an optional barcode scanner or badge reader (Code39,UPC+). A multi-terminal network controller (up to 250 stations) and a dBASE IV compatible software package are also available. System costs start below \$300 per station. Options include display backlighting, barcode scanning, counter inputs, control output.

COMPUTERWISE®

302 N. Winchester • Olathe, KS 66062
913-829-0600 • 800-255-3739 • FAX 913-829-0810

Circle 225 on Inquiry Card.

Genius Hypermedia earthquake in learning!



Genius combines late-breaking technologies in hypermedia, knowledge representation, memory and learning. Based on **SuperMemo**: a worldwide known algorithm for spacing repetitions that intelligently adapts to user's memory. Already the most popular Polish Windows software thanks to its ability to greatly reduce forgetting and increase productivity in learning.

See us at Comdex, Las Vegas, Sands Expo and Convention Center, M5932
SuperMemo World, ul R. Maya 1, 61-371 Poznan, Poland, tel +48 61 764066, fax +48 61 764073
Czech Rep: tel +42 5 529912, fax +42 5 529911 Finland: tel +358 0 7001 7560, fax +358 0 70017562
Germany: tel +49 2304 818 54, fax +49 2304 832 71 Holland: tel +31 71 214781, fax +31 71 227329
Norway: tel +47 22 211676, fax +47 22 212154 UK: tel +44 181 569 0083, fax +44 181 569 7175
USA: tel 217 244 7144, fax 217 244 7757 e-mail: suprmemo@fireflyprairie.net

Circle 248 on Inquiry Card (RESELLERS: 249).

298 BYTE NOVEMBER 1995

FAST TRAK! TRAINING SYSTEM

for Novell's CNE Certification

ONLY \$595
plus \$20 shipping & handling

Test Master
ASSESSMENT SOFTWARE INCLUDED

Featuring the best-selling
Novell's CNE Study Guide

plus the complete
So You Wanna Be a CNE?!
video series

Conforms to Novell's
NEW CNE PROGRAM
announced April 11, 1995

- Train all your LAN managers for one low price.
- Study in the convenience of your home or office.
- Learn at your own pace.
- Save hundreds of dollars compared to live instruction!


Six months free on-line support from live instructor via BBS included.

REQUIRED	COURSES COVERED	SELECTIVE
■	NetWare 3.1x Administration	
■	NetWare 3.1x Advanced Administration	
■	NetWare 3.1x Installation & Configuration	
■	NetWare 4 Update	
■	Service and Support	
■	Networking Technologies	
■	TCP/IP	

United Education Centers
50 South Main, Pleasant Grove, UT 84062
801-785-7900 ext. 28

CALL 1-800-877-4889 ext. 28

Circle 261 on Inquiry Card.



Numerical Analysis Software

Free HiQ numerical analysis and data visualization demonstration software for Macintosh. The demonstration package includes the HiQ demo program and an 84-page step-by-step demonstration manual that gives the user a comprehensive look at HiQ. Example problems include: signal processing, ordinary differential equations, linear algebra, numerical integration, and 3D visualization.

National Instruments

6504 Bridge Point Parkway, Austin, TX 78730
(512) 794-0100
(800) 433-3488 (U.S. and Canada)
Fax (512) 794-8411

Ask about our Windows 95 32-bit software

Circle 230 on Inquiry Card.

PC T_EX

For High-Quality Scientific Publishing, use PCT_EX Typesetting Software.

Use PCT_EX

$$= \sum_{n \geq 0} z^n \left(\sum_{\substack{k_0, k_1, \dots \geq 0 \\ k_0 + k_1 + \dots = n}} \right)$$

FOR WINDOWS AND DOS

Make all your documents and math formulas look their best!

For a free brochure, call 800/808-7906 or 415/388-8853
 Fax: 415/388-8865 E-mail: pti@crl.com WWW: http://www.crl.com/pti/
 Personal T_EX, Inc. 12 Madrona Street Mill Valley, CA 94941 USA

Circle 231 on Inquiry Card.

Learn C++ & Windows™-Based Programming...
Simply, Quickly!

With the OML Learning Series™ you can learn C/C++, object technology and Windows™-Based programming quickly and conveniently in the privacy of your home or office. The OML Learning Series features:

- Visual Series™
- C/C++ Series™
- OOA/OOD Series™
- OLE Series™

Each series: \$249* (reg. \$400)
 Any 2 series: \$399* (reg. \$750)
 Any 3 series: \$549* (reg. \$1050)
 All 4 series: \$649* (reg. \$1300)

LAN version: Call
 * Limited Time Offer

800-6789-OML

Call us for information, and FREE Demo Software

30-DAY MONEY-BACK GUARANTEE

OBJECT MANAGEMENT LABORATORY
 TEL: 805-373-8111
 FAX: 805-373-8116

Circle 257 on Inquiry Card.

TOTAL INTERNET ACCESS

\$15 PER MONTH UNLIMITED! UNCENSORED!

File Edit View Go Bookmarks Options Directory Help

WEB BROWSER

Location: http://home.mcom.com/

IDT WEB BROWSER

ESCAPES FINANCIAL JOBS NEWS & REFERENCE INTERNET SERVICES E-MAIL

Why pay through the nose to access the Internet with those big, bland on-line services? (Especially since they censor what you can see and do.)

- IDT believes you have the right to unregulated & uncensored information & entertainment.
- For \$15 monthly we deliver unlimited and uncensored usage with free customer support.
- We also provide free Netscape™ the ultimate WEB browser with every Slip/PPP account.
- Plus, it's always a local call.

To sign up call anytime: **1-800-743-4343**

IDT

- NO PER MINUTE CHARGES
- ALWAYS A LOCAL CALL
- UNLIMITED E-MAIL

• For 56k or T1 call 201-883-7932 •

Fame & Fortune Awaits

Let Us Create Your WWW Home Page

40 Million Internet Users are Looking for You

Participate in the Evolving Global Economy It's Growth Limiting to Miss the 'Net Wave'

World Wide Web Home Page Package

WWW Business Site Package, Turnkey Setup \$249
 24 hr. Account \$59 per month

- World-Wide Domain Name Registration
- Electronic Publishing Full Color Pages
- E-Mail World-Wide for About 5¢/min.
- Hypertext Your Brochures, Data Sheets
- Measure Customer Visits / Interest
- Music, Voice Messages Too

Individuals - Non Business WWW Package Setup \$89 and Account \$20 per month

Don't miss out on the fastest growing method of communication or advertising. Let the world know about you and your products or services.

Internet WWW Division **SiliconSoft** www.siliconsoft.com on Internet or Call for Details
 800-969-4411 Ph: 408-446-4521
 5131 Moorpark Ave. #303, San Jose, CA 95129
 Fax: 408-446-5196

Circle 234 on Inquiry Card.

Japan

NEW RELEASE

KJGOME2 For Windows 95

Japanese word processor for MS-Windows.

With OLE2.0 server feature, you can insert Japanese on English applications.

Automatically translate e-mail messages to English/Japanese

For detail, please check our WWW home page:
<http://www.infransnet.bc.ca>

High end Japanese/English machine translation program. Incredible translation speed.

Call for details
KUREO TECHNOLOGY LTD.
 303-3600 Gilmore Way,
 Burnaby, B.C. V5G 4R8 CANADA
 Tel: (604) 433-7715 Fax: (604) 433-3393
 inq@infransnet.bc.ca

Circle 255 on Inquiry Card (RESELLERS: 256).

Let your "true colors shine through" when you advertise your computer products in the

BYTE

HARDWARE/SOFTWARE SHOWCASE

our popular, affordable, 4-color advertising section!

For more information call your BYTE sales representative (see listing, page 307) or fax 603-924-2683

MULTINET FOR WINDOWS THE WORLD'S ONLY TCP/IP POWERFUL ENOUGH FOR EVERY ENTERPRISE

MultiNet for Windows Applications

Terminal Emulation
Telnet & rlogin
TN3270
VT100-320
Graphical keyboard
remapping
Kerberos
Network Diagnostics
Monitor application
Packet utility
Network Printing
LPR
Stream (Reverse Telnet)
PCNFS

Internet Access
WWW browser
Email: SMTP, POP,
and MIME
File Sharing
FTP client
FTP server
NFS client
Network Utilities
Ping
Traceroute
Nslookup
Whois
Finger

Cross-platform enterprise computing demands greater speed, reliability, support and ease-of-use from a TCP/IP solution. No other TCP/IP product can deliver it.

But don't just take our word for it. Order your free evaluation of new MultiNet® for Windows today and prove it to yourself!

Free Evaluation Software
Call 800-TGV-3440 or 408-457-5200



The Enterprise TCP/IP Experts

Fax: 408-457-5205 Email: sales@tgv.com Web Server: http://www.tgv.com
TGV Europe Tel: +44-1-256-841511

"TGV has redefined TCP/IP for Windows. MultiNet establishes new benchmarks for speed, compatibility and range of services."



David Shute,
Internet Publishing Consultant
The Facilitators, Inc.

*Developer tested only. Novell makes no warranty with respect to this product. MultiNet is a registered trademark of TGV Software, Inc. All other trademarks are the property of their respective owners. ©1995 TGV Software, Inc. 003

WINDOWS TCP/IP

Circle 285 on Inquiry Card.

- 15" & 17" large screen Monitor Ergonomic layout of control panel with intelligent microprocessor digital control
- Innovative options include a multimedia base designed to fit all PC monitor

ACTION provides a full range of monitors to choose from. A special recommendation is the 17" home computer monitor with a large screen at reasonable price. For more information, call us today.



ACTION ELECTRONICS CO., LTD.

Head office

Action Electronics Co., Ltd.

198, Chung Yuan Rd., Chung Li Industrial Zone,
Tao-yuan, Taiwan, R.O.C.

Tel.886-3-451-5494 • Fax.886-3-452-0697

Taipei Sales Office Tel.886-596-5955 • Fax.886-2-5928138

U.S.A. Office

Action Computer Technology Inc. Tel.909-444-1300 • Fax.909-444-1308

European Office

Axion Technology GmbH Tel.49-2166-9527-0 • Fax.49-2166-9527-27



A Special Choice for Multimedia Application



COMDEX / Fall '95
NOVEMBER 13-17, 1995
LAS VEGAS, NEVADA USA
Hall:SECC, Booth nos:S3526G

THE BUYER'S MART

A DIRECTORY OF PRODUCTS AND SERVICES

THE BUYER'S MART is a unique classified section organized by product category to help readers locate suppliers. Each ad has Inquiry numbers to aid readers requesting information from advertisers.

AD FORMAT: Each ad will be designed and typeset by BYTE. Do NOT send logos or camera-ready artwork. Advertisers should furnish typewritten copy. 2"x1 1/2" ads can include headline (23 characters maximum), descriptive text (300 characters is the maximum recommended) plus company name, address, tele-

phone and fax number. 2"x2 1/4" ad has more space for descriptive text (850 characters is the maximum recommended).

DEADLINE: Ad copy is due approximately 2 months prior to issue date. For example: November issue closes on September 8. Send your copy and payment to: **THE BUYER'S MART**, BYTE Magazine, 1 Phoenix Mill Lane, Peterborough, NH 03458. For more information call: **Your BYTE Sales Representative** (See Listing pg.307) or FAX: 603-924-2683.

RATES (Jan. 1995)

	3-5 Issues	6-11 Issues	12 Issues
1 ad	\$731	\$701	\$614
2"x1 1/2"	2 ads/issue -	-	584
	3 ads/issue -	-	556
1 ad	\$1,462	\$1,402	\$1,228
2"x2 1/4"	2 ads/issue -	-	1,169
	3 ads/issue -	-	1,111

*****COLOR - Add \$100*****

ACCESSORIES

KEYBOARD, VIDEO, MOUSE, AUDIO

Extend signals from PC with **EXTENDER**
Split signals with **COMPANION/PC EXPANDER**
Switch signals among PCs with **COMMANDER**
Boosts signals up to 600 feet. Control up to 96 PCs with one keyboard, monitor and mouse.

CYBEX CORPORATION

4912 Research Dr., Huntsville, AL 35805
Phone: 205-430-4000 Fax: 205-430-4030

Inquiry 651.

STABILANT 22 CONTACT ENHANCER

"Highly recommended..." Jerry Pourcelle

A long-term environmentally-safe, resident contact treatment; Stabilant 22 substantially improves the reliability of connectors and contacts for computers, bio-medical electronics, telecom, avionics, process control, CATV, video, audio, and automotive equipment.

D.W. Electrochemicals Ltd.

97 Newkirk Road (North) Unit 3, Richmond Hill, Ontario L4C 3G4, Canada (905) 508-7500

Inquiry 652.

SVGA Splitters

- Connect 2, 4, or more monitors to your computer
- Bright and crisp presentation simultaneously on all monitors - **Guaranteed**
- Works with all VGA, SVGA, and RGB monitors
- Supports 1280 x 1024 - **MADE IN USA**
- Special VGA extension cables to 250 ft

HALL RESEARCH

Santa Ana, CA (714) 641-6807

800-959-6439

Inquiry 653.

BAR CODE

Bar Code Readers

For PC, XT, AT, PS/2, Macintosh and Serial Terminals

- ★ Attaches as 2nd Keyboard, no software changes
- ★ Reads 2of5, 128, UPC/EAN, Code 39, etc.
- ★ External or Internal attachment on PC
- ★ Wand, CCD, Slot Badge, Magstripe or Laser
- ★ Supports DOS, Novell, UNIX, Mac OS, etc.
- ★ 100+ Configurable Options
- ★ Supports USA & International Keyboards
- ★ 2 Year Warranty, 30 Day \$\$ Back Guarantee
- ★ Direct From Manufacturer
- ★ **Top Rated by Independent Review**
- ★ Complete with CCD Scanner - \$599
- ★ Complete with Laser Scanner - \$655
- ★ Complete Wand only Reader - \$329

Worthington Data Solutions

3004 Mission Street • Santa Cruz, CA 95060 408-458-9938

800-345-4220

BAR CODE

Portable Reader

- ★ AA Battery Operated, 64K or 256K
- ★ Display messages and optional voice messages tell operator what to do. Messages are easily recorded (like answering machine) in any language. This unit is EASY!
- ★ Double duty as Non-portable Reader
- ★ 4x20 Supertwist LCD Display, 35 Rubber Keys
- ★ 2 Built-In Inventory Programs or create custom
- ★ Download tables and Pick Lists
- ★ Wand, CCD, or Laser Scanner Input
- ★ Serial Interface and Keyboard Interface
- ★ Reads 2of5, UPC/EAN, 128, Code 39, etc.
- ★ 2 year Warranty on Reader & Wand
- ★ 30 Day Money Back Guarantee
- ★ 64K Complete with Steel Wand - \$799
- ★ Small Size and very long battery life

Worthington Data Solutions

3004 Mission Street • Santa Cruz, CA 95060

408-458-9938 FAX 408-458-9964 800-345-4220

BAR CODE

Portable Bar Code Reader

- Use as a PORTABLE, WEDGE, or SERIAL
- 9V Battery Operation with Lithium Backup
- 2x18 Supertwist LCD Display
- 54 Key Keyboard with Separate Numeric Keys
- Real-time Clock Supports Date & Time Stamps
- Reads all Popular Bar Codes (16 types)
- Wand, CCD, Laser, or Serial Input Devices
- Built-In Program Generator
- Create Your Own Custom Programs
- 6 Built-In Inventory Programs
- Up to 250 Programs Can Reside in Memory
- Create up to 250 Data Files per Program
- Up to 250 Look-Up Files in Memory
- Built-In Calculator
- Supports Hayes Compatible Modems
- 64K Memory with Data Compression
- 30-day \$\$ Back Guarantee - 1 Year Warranty
- Complete Unit with WAND Scanner - \$795

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Eules, TX 76040

(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

Labeling Software

For DOS and Windows with dot-matrix, LaserJet or DeskJet. Easy WYSIWYG design. Any format/size. Mix big text, bar codes, and PCX graphics. Formats for AIAG, KMart, Sears, MIL-STD, Penneys, WalMart. File Input. LabelRIGHT for DOS-\$279. LabelRIGHT for Windows-\$295.

30 Day Money Back Guarantee

Worthington Data Solutions

(408) 458-9938 800-345-4220

BAR CODE READERS

For PC, XT, AT, PS/2, & Serial Terminals

- Emulates Keyboard: Works With Any Software
- Data Appears as Keyboard Input
- Uses Enhanced Decoding Algorithms
- Accepts Wand, Slot/Badge, CCD, Laser, Magnetic Stripe Reader, & RS232 Serial Input
- Reads All Popular Bar Codes (16 types)
- Reads HIGH, MEDIUM, & LOW density codes
- Auto-Discriminates Between Bar Code Types
- Easily Programmed with a Bar Code Menu
- Over 140 User Configurable Options
- Daisy Chain Up to 96 Readers
- Supports NOVELL Networks
- Supports US & INTERNATIONAL Keyboards
- Direct From Manufacturer
- 30-day \$\$ Back Guarantee, 1 Year Warranty
- Complete Unit with LASER Scanner - \$845
- Complete Unit with WAND Scanner - \$299

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Eules, TX 76040

(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

RF Terminal

Communicates 2 way to Serial Base Station from 150-600 ft. Relay units extend range to 4000 ft. 1-16 terminals per base station. Keyboard, wand, CCD or laser scanner input. 16 Selectable frequencies. Small size and low weight - 12 oz. with batteries. Base Station - \$795. Terminal - \$1095.

Worthington Data Solutions

(408) 458-9938 (800) 345-4220

Windows Bar Code Fonts

Add bar codes to any font based Windows program. Fonts designed for dot matrix, DeskJet and LaserJet. Print Codabar, 2 of 5, Code 128, UPC/EAN and Code 39 inside your Windows program. TrueType fonts, bitmaps and metafile support included. Only \$199.

Worthington Data Solutions

(408) 458-9938 (800) 345-4220

Bar Code Library DLL

Bar Code Library sends bar codes to the display, Windows clipboard, bitmap file, or printer. Bar Code Library supports most applications with a built-in programming language that can call a DLL. \$349

StrandWare, Inc.

715-833-2331 Fax: 715-833-1995

800-552-2331 (in US)

Inquiry 654.

THE BUYER'S MART

BAR CODE

Bar Code Printing Software LabelWorks for Windows

- ▶ Prints all Popular Bar Code Types (19 Types)
- ▶ Desktop Publishing Features: WYSIWYG, Scalable Fonts, Rulers, Guides, Lines, Shapes, Page Zooms (25%-400%), Templates
- ▶ Rotates Text, Bar Codes, and Graphics
- ▶ Supports Windows Compatible Fonts
- ▶ Choose From Over One Hundred Popular Label Formats or Design Your Own
- ▶ Rich Text Support: Mix Styles, Types, & Sizes
- ▶ Automatically Prints Serial Numbers
- ▶ Imports & Exports Graphic Files: TIFF, GIFF, BMP, PCX, WPG, WMF, TARGA
- ▶ Supports Virtually all Windows Compatible Printers (PostScript, Laser, & Dot Matrix)
- ▶ 30-day Money-Back Guarantee, \$295

CALL FOR FREE DEMO SOFTWARE

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040
(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

CD-ROM

INTERNET on CDROM!

- GAMES for DAZE 2 CD Set\$30
- X2FTP Archive, hundreds of games & demos!
- WORLD WIDE WEB Catalog on CD-ROM\$30
- See the Web without being on-line!
- LINUX Developers Resource 4 CD Set\$25
- Complete OS, Source Code Slackware & more!
- MOO-TIFF CD-ROM\$99
- Complete development sys, 100% OS/2/Motif
- INTERNET Tools CD-ROM\$30
- Networking tools & utilities for DOS & UNIX
- BSDisc (NetBSD & FreeBSD)\$35
- Ready to use formats with install scripts
- USENET 2 CD Set\$25
- comp.sources & alt. sources + many FAQ's from other groups
- SOURCE CODE CD-ROM\$30
- 4.4 BSD-Lite, X11R6, MACH, Andrew Windowing
- PERL & TCL/TK CD-ROM\$35
- Utility lang + command lang & toolkit for X-Windows
- STANDARDS 2 CD Set\$30
- RFC's, IEN's, CCITT/ITU Bluebook, Windows Sockets

MC, VISA & AMEX **1-800-800-6613**

tel: +1-520-526-9565

InfoMagic fax: +1-520-526-9573

P.O. Box 30370, Flagstaff, AZ 86003-0370 info@infomagic.com

Inquiry 658.

COMPUTER BOOKS

COMPUTER PROFESSIONALS

Easy online searching and ordering at our online stores. Computer books from 300+ publishers. On the Web, <http://www.computers.com/books.html>. CompuServe, GO CBK, NIFTY-Serve, GO WSN. Worldwide shipping by UPS or USPO. Our catalogs are online at ftp.computers.com/pub/books

CompuBooks™ Online Bookstores
512-321-9652 Fax 512-321-4525 800-880-6818

COMPUTER INSURANCE

INSURES YOUR COMPUTER

SAFEWARE Computerowner's coverage provides replacement of hardware, media and purchased software. As little as \$49 a year covers accidents, theft, power surges and more. One call does it all.

1-800-800-1492

SAFEWARE, The Insurance Agency Inc.
PO Box 02211, 2929 N. High St., Columbus, OH 43202
Now available in Ontario!!!

Inquiry 661.

COMPUTER MEMORY

WE'LL PAY YOU FOR YOUR OLD MEMORY

Summs, Dips, Laser Printer, 1 MegB, 4 MegB, DRam Chips

— ANY MEMORY —

All Memory Has Value! Don't let your old memory collect dust

Call or fax what you have available

1-800-718-7755

THE MEMORY LIQUIDATORS

"The company that buys memory back"

531 Main St., Ste. 1174, El Segundo, CA 90245-3060

Ph. 310-676-3074 Fax 310-676-3076

DATA RECOVERY

We Can Save It!

All Platforms - All Storage Devices
Proprietary techniques so advanced we rescue data others simply abandon.

DRIVESAVERS

Restoring data since 1985

1-800-440-1904

415-883-4232

Inquiry 662.

The Leader in Data Recovery

● Expertise in virtually every operating system & media storage device.

● 24-Hour support & emergency services available.

● Call for a FREE consultation!

ONTRACK DATA RECOVERY

MN: 1-800-872-2599 • CA: 1-800-752-7557

DC: 1-800-650-2410 • Europe: +44 (0)181 974 5522

Inquiry 663.

CAD/CAM

CONTOURING MOTION CONTROL FROM A PRINTER PORT!

Indexer LPT™ software **\$249**
VERSION 3 VISA/MC

- Controls up to six step motors simultaneously.
- Linear and Circular Interpolation.
- New features to accommodate machine control.
- Easy-to-use DOS device driver. Super Manual.
- CAD-CAM interface available.

Ability Systems

Corporation, 1422 Arnold Ave.
Roslyn, PA 19001 (215) 657-4338
FAX: (215) 657-7815

Inquiry 657.

302 BYTE NOVEMBER 1995

COMMUNICATIONS

Frame Relay, X.25, BSC, HDLC, SDLC, PPP

Rock solid, compliant, inexpensive and robust PC APIs and router implementations. On board protocol support reduces PC overhead.

- For MS-DOS, Windows, Win NT, Unix, OS/2, Netware and others.
- Routers Interconnect any PC systems or LANs.
- Cards for 56kbps to T1/E1.
- Powerful management and test utilities.

Sangoma Technologies Inc.

(800)-388-2475 • (905)-474-1990 • Fax: (905)-474-9223
E-Mail: dm@sangoma.com • Web: www.sangoma.com

Inquiry 660.

DATA/DISK CONVERSION

THE #1 CHOICE

in disk & tape conversion

for many leading corporations, government agencies, law firms, and companies in every industry—world-wide.

Free test • Satisfaction guaranteed

Graphics Unlimited Inc.

3000 Second St. North, Minneapolis, MN 55411

(612) 588-7571 FAX: (612) 588-8783

1-800-745-7571

Inquiry 664.

BARCODE & MAG. STRIPE SYSTEMS

- Keyboard Wedge with HP Stainless Steel Wand/Mag. Stripe Reader **\$249**
- Keyboard Wedge with SYMBOL LS2000 or SP400 Laser & Mag. Stripe Reader **\$849**
- Keyboard Wedge with PSC QuickScan Laser/Mag. Stripe Reader **\$699**
- Software Wedge Decoder with HP Stainless Steel Wand or Laser Scanner (DOS & WIN - RS-232 or parallel) **\$189 +**
- All Wedge Packages include a Wand or Laser Holder
- Mag. Stripe Encoder/Reader (3 Trks) w/Software **\$1299**
- Printing Software (DOS, WIN, UNIX...) **\$149 +**
- Portable Data Terminals (128K-4.2MB) **\$599 +**
- Complete POS System: 486 40Mhz, 4MB RAM, monitor, POS Software, SP212 Receipt Printer, M-S Cash Drawer, pole display, HP stainless steel wand and magnetic stripe reader with decoder
- Application Software: Inven, Asset, Tools, Time & Attend...
- Radio Frequency Terminals (spread spectrum/narrow band)
- Bar Code Printing Software (DOS) included with each purchase
- Made in the USA • 30 Day \$\$ Back • Spanish Dept. Avail. • Direct from Mfg.

BARCODE INTERNATIONAL SYSTEMS (BIS)

12140 Severn Way, Riverside, CA 92503 (909) 270-0016 Int'l
(800) 653-4252 US • (800) 219-5178 CAN • FAX (909) 270-0920

Inquiry 655.

CAD

Circuit Design Software for Windows
Easy-to-use schematic entry, PCB design, and simulation software, starting at \$149 each. Complete PCB package with schematics, autorouter, and layout for 2-layer circuit boards, \$399. Enhanced version with autoplacement, more symbol libraries, and up to 16 layers, \$649. CAM file outputs.

Mental Automation, Inc.

5415 136th Place, SE-Bellevue WA 98006
(206) 641-2141 FAX (206) 649-0767 BBS (206) 641-2846

Inquiry 656.

DATA/DISK CONVERSION

CONVERSION SERVICES

Convert any 9-track magnetic tape to or from over 6000 formats including 3 1/2", 5 1/4", 8" disk formats & word processors. Disk-to-disk conversions also available. Introducing CD-ROM conversions. Call for more info.

Pivar Computing Services, Inc.
165 Arlington Hgts. Rd., Dept. #B, Buffalo Grove, IL 60089
(800) Convert (708) 459-6010

WE WROTE THE BOOK!

Deal *direct* with the company who developed the systems that most others use... **SHAFFSTALL!** Tape/Diskette Transfer/Conversion/Duplication. PC/Mini/Mainframe/Workstation Tape Transfer. WP to WP Document Conversion Services.

1-800-357-6250 317-842-2077
Shaffstall Corporation (Fax) 317-842-8294

Inquiry 665.

EDUCATION

B.S. & M.S. In COMPUTER SCIENCE

The American Institute For Computer Sciences offers an in-depth home study program to earn your Bachelor of Science at home. B.S. subjects covered are: MS/DOS, BASIC, PASCAL, C, C++, Data File Processing, Data Structures & Operating Systems. M.S. program includes subjects in Software Engineering and Artificial Intelligence. Ada and Using Windows courses also available. Accredited Member: World Association of Universities and Colleges.

AMERICAN INST. FOR COMPUTER SCIENCES
2101-BY Magnolia Ave., Suite 200, Birmingham, AL 35205
1-800-767-2427 • 1-205-323-6191

Inquiry 666.

FINANCIAL SOFTWARE

BrainMaker:

"The most fascinating computer software I've ever seen...learn about this stuff." *John Dvorak, PC Mag.* Predicts stocks, bonds, sales, inventories. Comprehensive manual. Menus. 20,000 sold. PC or Mac.
Still only \$195!

Free Flyer: 800/284-8112, 916/478-9040
California Scientific Software

Inquiry 667.

FLOPPY DISKETTE

3.5" FLOPPY DISK RELIABLE & DURABLE

- We are a manufacturer licensed by Sony Corporation.
 - Our disks are all 100% Tested and Certified Error Free with guaranteed Clipping Level.
 - Available products: 2HD, 2DD, video tape, CD Jewelry box.
 - Our own brand MEGA, OEM or bulk pack are also available.
 - Duplicators & wholesalers are welcome.
- YHC Cassette Ind. Ltd.** INMARK IND. LTD.
75 Sainsbury Square 1A Man Fong Industrial Bldg.
Scarborough, Ont. 7 Cheung Lee Street,
M1V 3K1 Canada Chai Wan, Hong Kong
Tel: (416) 321-1179 Tel: (8522) 5582203
Fax: (416) 321-8451 Fax: (8522) 8973700

Inquiry 668.

FLOW CHARTS

COBOL STRUCTURE CHARTS

The new PowerStructure for Windows generates incredible structure charts DIRECTLY from your COBOL source - STRUCTURED or NOT! Forget manual flowcharting. PowerStructure will diagram your spaghetti code, do it in seconds, and free programmers for more important work.
Now just \$149.

CyberMetrics
5541 S. Marine Drive., Tempe, AZ 85283
(602) 838-3310

Inquiry 669.

FLOW CHARTS

WINDOWS FLOWCHARTER \$129

RFFlow 3.0 is a professional drawing tool for flowcharts & org. charts. Requires Microsoft Windows; 500 shapes auto adjust in size; diagonal lines and curves; auto line routing and re-routing; OLE server; click on a shape to bring up a sub-chart; import/export bitmaps and metallics; Call for free trial disk.

RFF ELECTRONICS
1053 Banyan Court, Loveland, CO 80538
Phone: (970) 683-8767 FAX: (970) 669-4889

FOREIGN LANGUAGES

OVER 150 LANGUAGES

Translation, Language Learning
Tutorials, Fonts, Dictionaries and
Language Systems for DOS, Mac and Windows.
Japanese, Chinese, Spanish speaking staff.
Call us first for best prices and expert support.
Character Language Resources
2130 Sawtelle Blvd. 304A, Los Angeles, CA 90025
800-569-2099 FAX 310-996-2303

Inquiry 670.

FORMS DESIGN & PRINTING

FORMS OVERLAY MACROS...from US \$95.00

Forms Electric is the forms overlay solution for LaserJet & compatible printers. Use your preferred Windows applications to create PCL forms overlay macros for merging with Windows, DOS, UNIX and AS/400 applications. Windows 95 supported.

<http://www.visual.co.uk/>
Visual Software
Tel / Fax: +44 1306 742 425 CIS: 100023.1167

Inquiry 671.

FORTRAN

LS FORTRAN for Power Macintosh

- ★ ANSI standard FORTRAN 77 compiler
- ★ Built-in diagnostics and source level debugging
- ★ Mainframe extensions (VAX, Data General, Cray)
- ★ Optimized code generation for any Macintosh
- ★ Up to 29 mflaps (SLInpack)

Language Systems Corporation
(800) 252-6479 100 Carpenter Dr.
(703) 689-9593 Fax Sterling, VA 20184

Inquiry 672.

HARDWARE

Pre-Owned Electronics, Inc.TM

THE Independent Provider, serving the Dealer, Professional, Corporate, Government, and Educational Buyer since 1985.

APPLE II® & MACINTOSH® SYSTEMS • PARTS • EXCHANGE REPAIRS

Call for a Catalog... **800-274-5343**
INT'L: 617-275-4600 • FAX: 617-275-4848
205 BURLINGTON ROAD • BEDFORD, MA 01730

Inquiry 673.

HEWLETT-PACKARD

Buy - Sell - Trade

LaserJet	ColorPro
DeskJet	DraftPro
RuggedWriter	DraftMaster
Electrostatic Plotters	DesignJet

HP 9000 Workstations and Vectras also available.
Ted Dasher & Associates
4117 Second Ave., S. Birmingham, AL 35222
Phone: (205) 591-4747 Fax: (205) 591-1108
(800) 638-4833 E-mail: sales@dasher.com

Inquiry 674.

LANS

Little Big LAN

The most flexible network

- Peer to Peer LAN to 250 nodes
- \$75 total software cost, not per node!
- Link via serial, parallel, or Modems
- Also via Ethernet or Arcnet, or mix!
- Typically only 40K of RAM

Information Modes
817-987-3339 / P.O. Drawer F, Denton TX 76202
Fax 817-382-7407 Orders 800-628-7992

Inquiry 675.

MANUFACTURING SOFTWARE

Manufacturing Software

E-Z-MRPTM is complete material requirements planning software for the PC. Includes bill of materials, material planning make/buy calculation, capacity planning, purchase orders, labor distribution, job costing, physical inventory, AutoCAD interface, and more. The best entry-level manufacturing solution. Complete for \$2,995. Special Lite version for \$995. Call for information.

Alliance Manufacturing Software
(800) 490-2520 (805) 565-5126

Inquiry 676.

PROGRAMMERS TOOLS

The Fastest xBASE Engine...

for C, C++, Visual Basic and Delphi programmers. Get multi-user compatibility with FoxPro, Clipper and dBASE files. CodeBase is portable between DOS, Windows and UNIX! Includes client/server option as well as data-aware custom controls and a visual report writer!

FREE 30 day trial
Call **Sequitur Software Inc.** for details!
Phone 403 437 2410 FAX 403 436 2999

Inquiry 677.

SECURITY

Leaders in Software Security

EVERLOCK and **EVERKEY II** copy protection. Features include - Encryption, Serialization, Remotely resettable access flags, date limits, execution counts and network user limits - and much more! Free demo available.

Call today and ask about our low cost Trial Kits!
Az-Tech Software, Inc.
201 East Franklin St., Richmond, MO 64085-1883
(800) 227-0644 (816) 776-2700 FAX (816) 776-8398

Inquiry 678.

CRYPKEY SOFTWARE LICENSING SYSTEM

"Software Copy Protection with NO Hardware Key and NO Disk Key"
CrypKey is software copy protection that is

- completely secure from any disk copy program
- completely compatible with MSDOS, MS WINDOWS, WIN 95, WIN NT
- completely compatible with CD-ROM, BBS, or Internet distribution!
- customer friendly - no disk key, no hardware key, less support calls

CrypKey can increase your software sales by allowing you to sell your program

- by increments - sell add-on software options or levels to your customers
- by number of runs - e.g. sell 100 calculations for \$100.00
- by time period - e.g. lease or demo your program for 60 days

CrypKey uses a numeric key that can be transmitted by phone, fax, or email. Sell your customers more options, more copies, more time or more runs instantly, just by making a telephone call (great for overseas customers or distributors). CrypKey is produced by Kenonic Controls Ltd. - engineering and software since 1972.

Kenonic Controls Limited
7175-12th Street South East
Calgary, Alberta, Canada T2H 2S6
(403) 258-6200 • fax: (403) 258-6201
INTERNET: crypkey@kenonic.com

Inquiry 679.

THE BUYER'S MART

SECURITY

THE ULTIMATE SOFTWARE SECURITY

- STOPCOPY family - UNCOPIABLE copy protection
- STOPVIEW software encryption
- NETLIMIT network license metering
- DOS, Windows, Macintosh, OS/2, support
- No source code changes required - for ANY of our products in ANY environment
- Our products destroy ALL of our competition
- Call for FREE demo disk, or to discuss our products' MANY options

BBI Computer Systems, Inc.

14105 Heritage Lane, Silver Spring, MD 20906
800/TRY-ABBI • 800/879-2224 • 301/871-1094 • FAX:301/460-7545

Inquiry 680.

Cop's CopyLock II

Professional software protection with TRUE Machine Install. Option Board safe. DOS, OS2, Networks, Windows, Trace 3000. DialCOPS Access Control for mass distribution via CD-ROM or Internet. Known and used world-wide since 1984.

LINK Data Security

Int'l: + 45 3123-2350 Fax: + 45 3123-8448

KEY LOCK™ SECURITY

Software Piracy Prevention — Survival 13 years proves effectiveness of powerful multilayered security. Algorithmic response, programmable memory, counters, lease control, remote update. DOS/WINDOWS/NT/WINDOWS95/UNIX. Low pricing (\$13.95/1000, \$18.95/100, \$21.95/50, \$24.95/25, \$29.95/10, \$37.95/2). No startup costs. No ID on devices. Also, ACCESS CONTROL systems and disk drive/system LOCKS

MICROCOMPUTER APPLICATIONS

3167 E. Otero Circle, Littleton, CO 80122
1-800-4KEY-LOK (303) 770-1917 FAX: (303) 770-1863

Inquiry 681.

SOFTWARE PACKAGING

FREE SOFTWARE PACKAGING CATALOG

Everything you will need to Package, Distribute, and Ship Your Software! From manuals and binders to mailers and shippers

LABELS • LABELS • LABELS

For your diskettes, plain or custom printed dot matrix or laser printer... Free samples

•••FREE CATALOG•••

Hice & Associates

8586 Monticello Dr., West Chester, OH 45069
Phone/Fax: 513-779-7977

Inquiry 682.

SOFTWARE/DEVELOPMENT TOOLS

Viewing

Add file viewing capabilities to your application with our Viewing and Conversion Enabling Technology (VCET™).

Support over 150 formats in a matter of hours: CAD/Vector, Raster, and Hybrid Based Engineering; Raster/Bitmap, and Vector Graphics; Postscript; Word Processor; Spreadsheet; and Database.

View, print, plot, convert, rotate, scale to gray, text search, MDI support, and more.

"Intergraph uses C.S.I. technology in our DM/View and DM/Redline products. The products are well received with our customer base."

Terry Lynch, Executive Director, Intergraph Corp.

"We were easily able to integrate VCET into our software application. It was the simplest part of our development process."

Mike Hunting, Project Manager, Kruse Inc.

Cimmetry Systems Inc.

(800) 361-1904 Fax (514) 735-6440
Tel (514) 735-3219 BBS (514) 735-3905

Inquiry 683.

SOFTWARE/BUSINESS

DATA ENTRY SOFTWARE

Full featured, heads-down data entry with two-pass verification, edit language, operator stats, batch control, on-line help, output record reformat, free tech support.

For the PC, PC LAN, S/36, AS/400.

FREE 30 day trial

Computer Keyes Tel: 206-776-6443
21929 Mahah Rd., Fax: 206-776-7210
Woodway, WA 98020 USA: 800-358-0203

SOFTWARE/ENGINEERING

Analog/Digital Simulation!!

- Windows, NT, DOS
- Model Libraries, RF, Power
- Power Mac, Macintosh
- More Than 5000 parts
- IsSpice4 Real Time SPICE
- Waveform Analysis
- Mixed Mode Simulation
- Full SPICE programs
- Schematic Entry
- starting at \$95. Complete
- New AHDL Modeling Kit!! systems, \$595-\$2595

P.O. Box 710 San Pedro, CA 90733-0710
(310)833-0710, FAX (310)833-9658 **intusoft**

Call for your Free Demo and information kit.

Inquiry 684.

FIT DATA EFFORTLESSLY!

Magestic™ — Outstanding, flexible fitting from within MS Excel. Handles large models, multiple functions simultaneously, arbitrary numbers of parameters, numerical or user-supplied derivatives, automatic sequences. Plus Monte Carlo global minimization, DLL interface for huge/complex models. \$295

Logix Con. Inc. 1-800-900-5541

Check us on the web: <http://www.lgx.com>

Inquiry 685.

SAUNA: 3D THERMAL ANALYSIS

- Models: PCBs, stacked plates, heatsinks, multiboard enclosures.
- All heat transfer modes: convection, radiation, conduction
- Interactive menu-driven
- Thermal parameters library
- Fast "What if": dimension, mat'l, finish, analyses
- Easy to learn & use
- IBM PC & Macintosh II

Call or FAX for free evaluation program

Tatum Labs, Inc.

1287 N. Silo Ridge Drive, Ann Arbor, MI 48108
313-663-8810 FAX 313-663-3640

Inquiry 686.

SOFTWARE/GRAPHICS

New Version!

AccuSoft Image Format Library 5.0

Programmers: Add support for 36 raster file formats instantly!

TIFF, JPEG, PCX, TARGA, DIB, DCX, GIF, BMP, WMF, PICT, WPG, EPS, Group 3, Group 4
New Formats: Photo CD, PhotoShop, ASCII, KoFax, RLE, LaserData, CALS, ATT, CLP, XWD, IMG, IFF, SUN, XBM, ICO, ICCA, CX2, XPM, CUT, Brooktrout, MAC, MSP.

Guaranteed to read all raster images in existence in the listed formats!

- * Import, export, scanning, conversion, compression
- * Printing, display, image processing
- * Supports all languages
- * Fax formats and multi-page images
- * Rotate, zoom, scale, color reduction
- * Thumbnails, sharpen, special-effects
- * Windows, NT, WinPro Gold 32, VBX, VBX32
- * Watcom, OS/2, MAC, UNIX, Clipper, FoxPro

AccuSoft Corp. Call 800-525-3577
Two Westborough Business Park Westborough, MA 01581 USA
TEL (508) 898-2770 FAX (508) 898-9662

Inquiry 687.

SOFTWARE/GRAPHICS

Autodesk's DWG OEM

- ◆ Programmers' Toolkit to Read/Write AutoCAD DWG & DXF Files.
- ◆ Object oriented, modular, database-like access to CAD data.
- ◆ View, Print, Plot and Pick Modules.
- ◆ Available for C/C++ for DOS, X-DOS, Windows, Sun, and other Unix systems.

Autodesk OEM Sales

1301 Marina Village Parkway, Alameda, CA 94501
Phone: (510) 337-7203 Fax: (510) 523-2880

Inquiry 688.

DbCAD dev 1.3 DLLs

Create, select, edit, import (DXF, DWG), all the AutoCAD 2D vector entities, in a graphics database (DBF). Display raster images (RLC, RLE, BMP) on which you can overlay vector drawings (DWG, WMF, graphic DBF). Manage a graphic window (pan, zoom, overview, pick). Print by using Windows driver and fonts.

Channel inc. U.S.A.

+617-863-0068

Inquiry 689.

CAD Developers Kit

TG-CAD Professional 5.5, a 'C' Win/DOS SDK. Read/Write/View PCX/GIF files & DXF to R12. Create fonts & text. Ray Tracing & Shading. Hundreds of 2D & 3D routines. Comes as DOS Lib., Win Lib. & Win DLL. Source available. Free Technical White Paper available. Call or write today.

Disk Software, Inc., Box 941152

Plano, TX USA 75094-1152

800-635-7760, Fax 214-423-7288

Inquiry 690.

LEADTOOLS - The comprehensive imaging development toolkit for Bitonal, Grayscale and Color.

Easy to Use! Integrating LEADTOOLS will be quick and easy because of single-function implementation. A single call will load or save any supported file format.

Saves you Time! We've written the code for you. With LEADTOOLS, you get example source code which you can "cut and paste" directly into your applications.

Performance! LEADTOOLS extensive image processing features have all been optimized for performance.

Ultimate Control! Our extensive background and experience in the software toolkit business has enabled us time to create high level functions to cut development time.

Comprehensive Solution! LEADTOOLS supports the most raster file formats! and much more!

Call today for FREE imaging applications built with LEADTOOLS 51

800-637-1835

LEAD TECHNOLOGIES
INCORPORATED

900 Baxter Street • Charlotte, NC 28204 • 704-332-5532 Fax: 704-372-8161

Inquiry 691.

SOFTWARE/SCIENTIFIC

TeX Scientific Desktop Publishing

- Scalable Fonts • Font effects • Typeface customization
- Equations • Tables • Graphics • Foreign languages
- Multi-lingual spell & hyphenation • IDE • On-line help
- Dos, Dos-32 and Windows versions • From \$199

"TeX of Tomorrow" - Notices of AMS, March 1991

Call now for a FREE DEMO DISK

MicroPress, Inc.

68-30 Harrow Street, Forest Hills, NY 11375
Tel (718) 575-1816 Fax (718) 575-8038

Inquiry 692.

SOFTWARE/SECURITY

Lock Out Pirates! Lock in Profits!

Marx CRYPTO-BOX - The most effective protection against software piracy you can buy: Programmable microprocessor • 1,000,000 read/write operations • Program ID codes without special equipment • Integrated Crypt Algorithm • DOS, WINDOWS, or OS/2 Compatibility • Perfect transparency.

Marx International, Inc.

1-800-MARX INT
 (404) 321-3020 FAX (404) 321-0760
 Germany: 8403 1555 France: 8881 4031

Inquiry 693.

SOFTWARE/VOICE/FAX

Computer Telephony 'C' Libraries

Multi-Voice V4.0 and Multi-Fax V2.0 Toolkits give you the most powerful solution to integrate telephony to your 'C' applications. Unique design based on multi-tasking; DOS Extender; Supports most major voice and fax boards; Commented source code; Royalty free; Best value. Also available: Windows based application generator.

ITI SOFTWARE

Tel: 514-835-3124 Fax: 514-835-4772 BBS: 514-835-5845
 Fax-On-Demand: 514-835-2216, E-mail: ggagnon@cam.org
 Check our home page: <http://www.cam.org/~ggagnon>

UNIX FOR PCS

LINUX

RELEASE 1.1

32 bit Unix compatible OS for 386, 486, 586's

Includes C, C++, Obj. C, Pascal, smalltalk, Perl, X11, R6, TCP/IP, UUCP, PPP, Slp, NFS, VI, emacs, Openlook, plus much more. Supports: SCSI, IDE, ESDI, MFM, VGA, S3, CGA, CD-Rom, Soundblaster, full man pages, 600 pg. manual included. *Full Internet support* \$59.95 on CD-ROM, \$69.95 on disks, Dr. Linux Book \$49.95.

Linux Systems Labs, 49884 Miller Ct., Chesterfield, MI 48047
 (800) 954-2938, (810) 716-1700, fax (810) 716-1703

Inquiry 694.

VIDEO CAPTURE

Capture with Digital Fotovix

Tamron's IIS-D captures 35 mm film in under 10 seconds. Database images, add them into your multimedia presentations or make your own product catalogues. Modern images to clients or capture for FPO purposes. Grab other video sources through IIS-D's S-video input. Photoshop Plug-in and driver software included.

Tamron Industries

99 Seaview Blvd., Port Washington, NY 11050
 516-484-8880

Inquiry 695.

WINDOWS

* FREE INTERNET

217-322-1111

Full Access 14.4K 8/N/1 All Nodes
 Service is FREE *You Pay L.D. Charge
 Voice Help 1-217-322-1212

Inquiry 696.

THE ULTIMATE BBS

FREE FREE FREE FREE FREE FREE

Latest Windows and DOS Utils, Pgms, Source Code, Lively CHAT, online games, Internet Access and more and all FREE. Call from home or office up to 14.4K and download for FREE. (n/8/1)

217-792-3663

Customer Service 415-281-4428

Inquiry 697.

NETWARE

NOVELL NETWORK PROM-PRICES

No. User	ver. 3.12	ver. 4.1
5-user	\$ 435	\$ 435
10-user	\$ 895	\$ 995
25-user	\$1,295	\$1,395
50-user	\$1,795	\$1,895
100-user	\$2,595	\$2,695
250-user	\$3,895	\$3,995

NOVELL UPGRADES UP TO 50-60 % OFF LIST! Free shipping for all Novell Network purchases! We carry a full line of network connectivity products from all manufacturers. Call for quotes!!
1-800-373-2485 VANDY MICRO CORP
 Fax 1-714-769-1063 Visa - Mastercard - Am. Ex.

Inquiry 698.

ADD IMPACT WITH
COLOR
 IN THE BUYER'S MART!!

Attract the attention
 of your customers
 with the addition of
 color to your ad.

Call

Your BYTE

Sales Representative

(See Listing pg. 307)

for rates and details

or Fax 603-924-2683

Inquiry 699.

Something Missing?

Complete your **BYTE** collection by ordering **Back Issues today!**

	1992	1993	1994	1995
January				
February				
March				
April				
May				
June				
July				
August				
September				
October				
November				
December				
Special Issues	Windows '92 Portability '92	Windows '93 B Guide Summer '93 B Guide Fall '93		

Special Issues U.S. Delivery \$3.00 Foreign \$4.00
 1990 - 1995 U.S. Delivery \$6.50 Foreign \$8.50 Canada & Mexico \$7.00
 All issues prior to 1990 U.S. Delivery \$3.00 Foreign \$4.00

All checks must be in U.S. funds and drawn on a U.S. bank.

The above prices include postage (US), surface mail (foreign).

Please indicate which issues you would like by checking (✓) the boxes. Send requests with payment to:

BYTE

Back Issues, One Phoenix Mill Lane
 Peterborough, N.H. 03458 (603) 924-9281

Charge: MasterCard VISA American Express

Card # _____

Exp. Date _____

Signature _____

Name _____

Address _____

City _____

State _____ Zip _____

All orders must be prepaid.
 Please allow four weeks delivery.



A Division of The McGraw-Hill Companies

INDEX TO ADVERTISED PRODUCTS

For FREE product information from individual advertisers, circle the corresponding inquiry numbers on the response card!

To receive information for an entire product category, circle the category number on the response card!

Category No.
Inquiry No.

Page No.

HARDWARE

1 ACCESSORIES

273-274 COMPUTER GATE 291
280 LYBEN COMPUTER SYSTEMS 291

2 ADD-IN BOARDS

501-502 BOCA RESEARCH INC (INT'L) 48IS 4
265-266 CAMELEON TECHNOLOGY INC 296
275-276 GLOBETEK 291
* JAMECO ELECTRONICS 275
194-195 OMNICO MP GRAPHICS CORPORATION 143
89-90 OUATECH INC 270
235 TALKING TECHNOLOGY INC 293
565-566 TNPC 288PC 1
222-223 VORTEX COMPUTERSYSTEMES GMBH 155

3 BAR CODING

286 CIA SOFTWARE 291
280 LYBEN COMPUTER SYSTEMS 291
236 VINDEX INC 291

4 COMMUNICATIONS/ NETWORKING

557 ALTEX ELECTRONICS 288NE 1
561 ALTEX ELECTRONICS 288SO 1
525-526 AXIS COMMUNICATIONS (INT'L) 25
126 BAY NETWORKS 74-75
216-217 BUROBOTICS 148
287 COCOM 5 291
70-71 DATAPRODUCTS 197
535-536 ERGOTRON EUROPE 48IS 11
* IBM SERVERS (N.A.) 25
155-156 KINGSTON TECHNOLOGY 168
313 MEGAHERTZ CORPORATION (N.A.) 193
254 NEWVOICE 292
300-301 PIKA TECHNOLOGIES 292
212-213 POLYCON GMBH DATA SYSTEMS 164
250-251 RCI 292
233 RHETOREX INC 292
559-560 RMS 288NE 4
567-568 RMS 288PC 4
198-199 ROSE ELECTRONICS 160
542-543 SEH COMPUTERTECHNIK GMBH 48IS 26
299 SERVINT CORP (N.A.) 202
241-242 SIGMA TECH SOFTWARE 293
210-211 SOLID COMPUTER GMBH 151
181 SPRINT BUSINESS SERVICES (N.A.) 63
268-269 STARTECH COMPUTER PRODUCTS 293
235 TALKING TECHNOLOGY INC 293

5 COMPUTER SYSTEMS

239-240 APPRO INTERNATIONAL INC 293
190 DATALUX CORPORATION 165
* DELL COMPUTER CORP (N.A.) CII
* DELL COMPUTER CORP (N.A.) CIV
* DELL COMPUTER CORP (N.A.) 100-101
218-219 ELSNER TECHNOLOGIES (U.S.) 157
* GATEWAY 2000 18-19
* GATEWAY 2000 42-46
* IBM PERSONAL POWER PC (N.A.) 10-11
* IBM RS6000 (N.A.) 65
* IBM SERVERS (N.A.) 25
228 INTEGRAND RESEARCH 293
152 INTEGRIX INC 133
* INTEL CORPORATION 26-27
218-219 LIGHTSTONE MULTIUSER GMBH (INT'L) 157
284 MICRO ALLIANCE 293
107 MICRON COMPUTER C8-1
78 NSTL 156
512-513 OLIVETTI S.P.A. (INT'L) 32-33
146 PC'S COMPLEAT 276-277
563 POLYWELL COMPUTERS INC 288PC 2
562 POLYWELL COMPUTERS INC 288SO 4
118 RAVE COMPUTER ASSOCIATES 218
307-310 RECORTREC INC 287
177 SAG ELECTRONICS 80
* SILICON GRAPHICS 175

Category No.
Inquiry No.

Page No.

260 SILICONRAX 294
172-173 TADPOLE TECHNOLOGY 135
565-566 TNPC 288PC 1
238 TRI VALLEY TECHNOLOGY INC 294
104 ZEOS INTERNATIONAL 128-129

6 DATA ACQUISITION

224 AMERICAN ADVANTECH 294
226 GAGE APPLIED SCIENCES INC 294
229 IO TECH 294
* MICROSTAR LABORATORIES 294
89-90 OUATECH INC 270
281 SCI TRAN PRODUCTS 294

53 DIAGNOSTIC EQUIPMENT

200 MICRO 2000 162-163

7 DISK & OPTICAL DRIVES

150 ASHTEK INC 281
114 CONNER PERIPHERALS (N.A.) 48NA 7
243-244 GRANITE DIGITAL 295
153-154 KINGSTON TECHNOLOGY 130
155-156 KINGSTON TECHNOLOGY 168
135-136 MICRO SOLUTIONS COMP PROD 279
159-160 MICROPOLIS CORP (N.A.) 97
314 PANASONIC COMMUNICATIONS & SYS 195
315 PANASONIC COMMUNICATIONS & SYS 205
86-87 PINNACLE MICRO 9
147-148 RAIDTEC CORPORATION 288
295-296 STARTECH INTERNATIONAL 274

9 FAX BOARDS/MACHINES

216-217 BUROBOTICS 146
108 SUPRA CORPORATION (N.A.) 48NA 3

11 KEYBOARDS

180 DATALUX CORPORATION 165
252-253 ELMA ELECTRONIC 295
227 HOOLEON CORPORATION 295

12 LAN HARDWARE

272 ANTEC 295
501-502 BOCA RESEARCH INC (INT'L) 48IS 4
503-504 COMPEX INC (INT'L) 61
129-130 CYBEX CORPORATION 278
131-132 CYBEX CORPORATION 283
506-507 CYBEX CORPORATION (INT'L) CII
* DATA COMMUNICATIONS (INT'L) 14-15
* DATA COMMUNICATIONS (INT'L) 78-79
218-219 ELSNER TECHNOLOGIES (U.S.) 157
535-536 ERGOTRON EUROPE 48IS 11
133-134 FIRST SOURCE INT'L 286
218-219 LIGHTSTONE MULTIUSER GMBH (INT'L) 157
573-574 PSI PRINTER SYSTEMS INT'L 48IS 22
177 SAG ELECTRONICS 80
542-543 SEH COMPUTERTECHNIK GMBH 48IS 26
222-223 VORTEX COMPUTERSYSTEMES GMBH 155

13 LAPTOPS & NOTEBOOKS

176 BADGER COMPUTER 167
528 CHICONY (INT'L) 117
* COMPAQ PORTABLES (N.A.) 32-33
270-271 CORPORATE UPGRADES 295
* DELL COMPUTER CORP (N.A.) 48NA 4-5
* DELL COMPUTER CORP (N.A.) 53
523 FIRST INTERNATIONAL COMPUTER 48IS 2
* JDR MICRODEVICES 289
117-118 MAXTECH CORP (N.A.) 187
141 MICRO-INTERNATIONAL INC 285
531 MITAC INTERNATIONAL CORP (INT'L) 65
162 MOTOROLA 85
529 MULTIVENTURE (INT'L) 97
148 PC'S COMPLEAT 276-277
174-175 SCEPTRE TECHNOLOGIES 141
172-173 TADPOLE TECHNOLOGY 135
168-169 TEXAS INSTRUMENTS 110-111
* TOSHIBA AMERICA INC (N.A.) 72A-D
110 WINBOOK (N.A.) 13
104 ZEOS INTERNATIONAL 128-129

Category No.
Inquiry No.

Page No.

14 MAIL ORDER

561 ALTEX ELECTRONICS 288SO 1
557 ALTEX ELECTRONICS 288NE 1
128 COMPUTER DISCOUNT WAREHOUSE 272-273
* COMPUTER DISCOUNT WAREHOUSE OUTSERT
189 COMPUTERFLANE UNLIMITED 154
* JAMECO ELECTRONICS 275
558 MANCHESTER EQUIPMENT CO 288NE 2-3
146 PC'S COMPLEAT 276-277
295-296 STARTECH INTERNATIONAL 274
283 WETEX INTERNATIONAL 296

15 MEMORY/CHIPS/UPGRADES

* ADVANCED MICRO DEVICES (N.A.) 14-15
* ADVANCED MICRO DEVICES (N.A.) 90-91
265-266 CAMELEON TECHNOLOGY INC 296
133-134 FIRST SOURCE INT'L 286
* INTEL CORPORATION 26-27
* JAMECO ELECTRONICS 275
143-144 L A TRADE 290
92-93 ROSS TECHNOLOGY INC 170
278-279 SERMAX 296
* WORLDWIDE TECHNOLOGIES 282

16 MISCELLANEOUS HARDWARE

289-290 CALIFORNIA PC PRODUCTS INC 259
* MOTOROLA 104-105
* MOTOROLA 106-107

17 MODEMS/MULTIPLEXORS

530 ATRIE TECHNOLOGY INC 48IS 6
216-217 BUROBOTICS 146
553-554 E-TECH (INT'L) 125
* JDR MICRODEVICES 289
117-118 MAXTECH CORP (N.A.) 187
313 MEGAHERTZ CORPORATION (N.A.) 193
108 SUPRA CORPORATION (N.A.) 48NA 3
267 TELEDAPTER SYSTEMS INC 296

18 MONITORS & TERMINALS

149 ACTION 300
190 DATALUX CORPORATION 165
540-541 GVC CORP (INT'L) 78
117-118 MAXTECH CORP (N.A.) 187
163-164 NANA USA CORP (N.A.) 99
214-215 ORCHESTRA MULTISYSTEMS 150
180 SAMSUNG ELECTRONICS 83
94-95 SAMTRON DISPLAYS INC (N.A.) 17
516 SMILE 48IS 19
101-102 VIEWSONIC 57

19 MULTIMEDIA/CD-ROM

258-259 BOXLIGHT CORPORATION 296
106 CREATIVE LABS INC 50
* DATADISC (N.A.) 248
533-534 ELEKTROSON BV (INT'L) 63
551-552 INFOCUS (INT'L) 17
120-121 MRT 181
282 PANELIGHT 297
84 PASSPORT DESIGNS INC (N.A.) 125
196-197 PIONEER NEW MEDIA TECHNOLOGIES 142
170-171 PROXIMA CORPORATION 112
* SILICON GRAPHICS 175

20 PRINTERS/PLOTTERS

70-71 DATAPRODUCTS 197
569-570 KYOCERA (INT'L) 248
311-312 KYOCERA ELECTRONICS INC (N.A.) 189
* LEXMARK 242
558 MANCHESTER EQUIPMENT CO 288NE 2-3
527 MANNESMANN TALLY 48IS 27
514-515 OLIVETTI S.P.A. (INT'L) 10-11
98 TEKTRONIX 39

21 PROGRAMMABLE HARDWARE

400-401 ALADDIN KNOWLEDGE SYSTEMS 208DM 7
* DATA ACCESS CORP 158
509-510 FAST SECURITY AG 48IS 9
* JDR MICRODEVICES 289

INDEX TO ADVERTISED PRODUCTS

Category No. Inquiry No.		Page No.
304	KLEINMANN GMBH	144
303	MACON	144
91	RAINBOW TECHNOLOGIES	208
302	WIBU	144
237	Z-WORLD ENGINEERING	297

56 RAID DRIVE ARRAYS		
191	DISTRIBUTED PROCESSING TECH	148
575-576	SOLID COMPUTER GMBH (INT'L)	187
222-223	VORTEX COMPUTERSYSTEMES GMBH	155

22 SCANNERS/OCR/DIGITIZERS		
548	MDI SYSTEMS LTD	48IS 23
571-572	RECOGNITA (INT'L)	109

52 SECURITY		
61-62	ALADDIN KNOWLEDGE SYSTEMS	58
400-401	ALADDIN KNOWLEDGE SYSTEMS	208DM 7
509-510	FAST SECURITY AG	48IS 9
304	KLEINMANN GMBH	144
303	MACON	144
91	RAINBOW TECHNOLOGIES	208
302	WIBU	144

23 TAPE DRIVES		
544-545	COMBYTE INC (INT'L)	CIV
114	CONNER PERIPHERALS (N.A.)	48NA 7
74-75	EXABYTE CORPORATION	21
135-136	MICRO SOLUTIONS COMP PROD	279
232	QUALSTAR CORP	297
246-247	SHAFFSTALL CORP	297

24 UPS/POWER MANAGEMENT		
263-264	ACI	297
*	AMERICAN POWER CONVERSION	224A-B
63	AMERICAN POWER CONVERSION	224-225
64-65	BEST POWER TECHNOLOGY	223
316	CONTROLLED POWER COMPANY	260
72-73	DELTEC / NSSI	70
546-547	LUNAR ENERGY CO	48IS 15
82-83	MINUTEMAN	221
80-81	OPTIQUEST	226
122-123	TOSHIBA INTERNATIONAL CORP	232
99-100	TRIPP LITE	222

SOFTWARE

25 BUSINESS		
145	DESIGNER CHECKS	288
577-578	FINSON (INT'L)	13
*	IBM APPLICATION DEVELOPMENT	87
293-294	MICROGRAFX	121
170-171	PROXIMA CORPORATION	112
127	VISUAL THINKING	68

26 CAD/CAM		
124	SDRC	69

27 COMMUNICATIONS/ NETWORKING		
----------------------------------	--	--

201-202	AGE LOGIC	161
549-550	CASPER	48IS 24
503-504	COMPEX INC (INT'L)	61
288	DIGIPHONE (CAMELOT)	183
537-538	DISTINCT CORPORATION	48IS 12
133-134	FIRST SOURCE INT'L	286
76-77	FRONTIER TECHNOLOGIES	260
182-183	ICL (EMBLA)	96
*	MICROSOFT CORPORATION	2-5
85	PERSOFT INC	207
234	SILICONSOFI INC	299
555-556	SOFT & NET DSTIBUTION SA	48IS 10
262	TALKIE	298
*	TGV	300
285	TGV	300
*	WALKER, RICHER & QUINN (INT'L)	53

28 DATA ACQUISITION		
519-520	NATIONAL INSTRUMENTS	48IS 14
127	VISUAL THINKING	68

29 DATABASE		
220-221	ASSISI MULTIMEDIA S.A.R.L.	153
225	COMPUTERWISE	298
539	HYPERSYSTEMS	48IS 22
*	IBM DATA MANAGEMENT (N.A.)	36-37

Category No. Inquiry No.		Page No.
204-205	INNOVATIVE SOFTWARE	145
206-207	INNOVATIVE SOFTWARE	147
*	ORACLE CORPORATION	93
409	WIZSOFT	208DM 16

30 EDUCATIONAL		
517-518	LOGIC PROGRAMMING ASSOCIATES	48IS 26
248-249	SUPER MEMO WORLD	298
261	UNITED EDUCATION CENTERS	298

31 ENGINEERING/SCIENTIFIC		
111	F & H SIMULATIONS	71
517-518	LOGIC PROGRAMMING ASSOCIATES	48IS 26
231	PERSONAL TEX	299
407-408	VISUAL NUMERICS	208DM 4

33 GRAPHICS		
151	COREL DRAW 6	102
69	COREL DRAW 3-4-5	35
209	EMATEK GMBH	152
293-294	MICROGRAFX	121
*	MICROGRAFX	215
163-164	NANAO USA CORP (N.A.)	99
84	PASSPORT DESIGNS INC (N.A.)	125
170-171	PROXIMA CORPORATION	112

35 MAIL ORDER		
128	COMPUTER DISCOUNT WAREHOUSE	272-273
*	COMPUTER DISCOUNT WAREHOUSE	OUTSERT
505	COMPUTER QUICK	48IS 8
511	GREY MATTER LTD	48IS 20

36 MATHEMATICAL/STATISTICAL		
230	NATIONAL INSTRUMENTS	298
231	PERSONAL TEX	299
97	STATSOFT	173
407-408	VISUAL NUMERICS	208DM 4

37 MISCELLANEOUS SOFTWARE		
577-578	FINSON (INT'L)	13
524	ON TIME MARKETING	48IS 24

38 ON-LINE SERVICES		
450	BIX	284
*	COMPUSERVE	184A-B
66	COMPUSERVE	185
*	COMPUSERVE	OUTSERT
192-193	GALACTICOMM INC	149
*	IDT	299
112	INTERCON / PSINET (N.A.)	61
234	SILICONSOFI INC	299

39 OPERATING SYSTEMS		
218-219	ELSNR TECHNOLOGIES (U.S.)	157
218-219	LIGHTSTONE MULTUSER GMBH (INT'L)	157
165	ONX SOFTWARE SYSTEMS LTD	139
166-167	QUARTERDECK OFFICE SYSTEMS	115

54 OS/2		
*	IBM OS/2 (N.A.)	76
79	NSTL	240
409	WIZSOFT	208DM 16

40 PROGRAMMING LANGUAGES/ TOOLS		
------------------------------------	--	--

412	ASCI INC	208DM 16
220-221	ASSISI MULTIMEDIA S.A.R.L.	153
549-550	CASPER	48IS 24
*	COPIA INTERNATIONAL LTD	212
402	FAIRCOM CORPORATION	208DM 10
511	GREY MATTER LTD	48IS 20
204-205	INNOVATIVE SOFTWARE	145
206-207	INNOVATIVE SOFTWARE	147
517-518	LOGIC PROGRAMMING ASSOCIATES	48IS 26
*	MICROSOFT CORPORATION	208DM 2
*	MICROWAY	176
410-411	MLL SOFTWARE & COMPUTERS IND LT	208DM 14
403	NOBLENET	208DM 15
257	OBJECT MANAGEMENT LABORATORY	299
524	ON TIME MARKETING	48IS 24
*	ORACLE CORPORATION	93
405	POPKIN S/W & SYSTEMS INC	208DM 9
521-522	RAIMA CORP	48IS 7
*	SOFTBLOX INC	166
105	SYMANTEC	41
406	VISUAL COMPONENTS INC	208DM 11
407-408	VISUAL NUMERICS	208DM 4
*	WALKER, RICHER & QUINN (INT'L)	53

Category No. Inquiry No.		Page No.
103	WATCOM SQL	31

41 SECURITY		
61-62	ALADDIN KNOWLEDGE SYSTEMS	58
400-401	ALADDIN KNOWLEDGE SYSTEMS (U.S.)	208DM 7
508	EUTRON	48IS 16
509-510	FAST SECURITY AG	48IS 9
304	KLEINMANN GMBH	144
303	MACON	144
91	RAINBOW TECHNOLOGIES	208
96	SOFTWARE SECURITY	220
302	WIBU	144

45 UNIX		
201-202	AGE LOGIC	161
*	COPIA INTERNATIONAL LTD	212
537-538	DISTINCT CORPORATION	48IS 12
182-183	ICL (EMBLA)	96
291-292	IXOS SOFTWARE GMBH	140
403	NOBLENET	208DM 15
521-522	RAIMA CORP	48IS 7
555-556	SOFT & NET DSTIBUTION SA	48IS 10
115-116	SOFTWARE AMERICA INC	212
184-185	UNIDIRECT	98
*	WALKER, RICHER & QUINN (INT'L)	53

46 UTILITIES		
203	ALLMICRO	159
200	MICRO 2000	162-163
88	PKWARE INC	178
404	PKWARE INC	208DM 8
166-167	QUARTERDECK OFFICE SYSTEMS	115

47 WINDOWS		
*	COPIA INTERNATIONAL LTD	212
537-538	DISTINCT CORPORATION	48IS 12
577-578	FINSON (INT'L)	13
76-77	FRONTIER TECHNOLOGIES	260
511	GREY MATTER LTD	48IS 20
255-256	KUREO TECHNOLOGY INC	299
*	MICROSOFT CORPORATION	2-5
163-164	NANAO USA CORP (N.A.)	99
555-556	SOFT & NET DSTIBUTION SA	48IS 10
*	VISIO CORPORATION (N.A.)	109
110	WINBOOK (N.A.)	13

48 WORD PROCESSING/DTP		
297-298	ACCENT SOFTWARE INTERNATIONAL	311

GENERAL

49 BOOKS/PUBLICATIONS		
178-179	AP PROFESSIONAL	127
*	AVIATION WEEK (INT'L)	36-37
66	BYTE ON CD ROM	235
*	BYTE READER	269
*	COMPUTER PROFESSIONAL'S BK SOC	201
*	DATA COMMUNICATIONS	288SO 2-3
186-187	INTERNATIONAL THOMSON PUBLISHING (N.A.)	117
*	OSBORNE MCGRAW-HILL	22-23

51 MISCELLANEOUS		
*	BEST OF BYTE	208DM 17
*	BUSINESS SOFTWARE ALLIANCE	208DM 12
*	BYTE BACK ISSUES	305
*	BYTE BACK ISSUES (INT'L)	202
*	BYTE CIRCULATION	220
*	BYTE EURODECK (INT'L)	91
*	BYTE REPRINTS (INT'L)	99
*	BYTE SUB MESSAGE	164
*	BYTE SUB MESSAGE	48IS 28
*	BYTE WEARHOUSE	265
*	BYTE WEB SITE	55
67	CETDC	191
*	DATAPRO (INT'L)	101
*	DATAPRO (INT'L)	189
564	DECUS / TALLEY MANAGEMENT GROUP	288PC 3
*	MCGRAW-HILL COMPANIES	54
*	MCGRAW-HILL COMPANIES (INT'L)	100
*	MCGRAW-HILL ON-LINE (INT'L)	90
161	MITSUBISHI MOTOR SALES OF AMERICA (N.A.)	78-79
*	POLLUTION SOLUTION	160
*	SOFTWARE PUBLISHER'S ASSOCIATION	288NE 4
*	SOFTWARE PUBLISHER'S ASSOCIATION	288PC 4
125	SRA TECHNOLOGY TRAINING CO	177
188	TUV RHEINLAND OF NORTH AMERICA	136

Accent

Over thirty
word
processors
in one



With Accent you
can type in these
languages.

Arabic	Italian
Belorussian	Norwegian
Bulgarian	Polish
Croatian	Portuguese
Czech	Romanian
Danish	Russian
Dutch	Serbian
English	Slovakian
Finnish	Slovenian
Flemish	Spanish
French	Swedish
German	Swiss-
Greek	German
Hebrew	Turkish
Hungarian	Ukrainian
Icelandic	

YOU SPEAK THE LANGUAGE NOW GET A WORD PROCESSOR THAT DOES, TOO

The languages you need.

For years you've struggled with your English based word processor which doesn't work in the other languages you need. Now with Accent™ your struggle is over. Find out why PC Magazine called Accent "the best multilingual word processor we've seen."

With more than 50 interactive keyboards, Accent makes it easy to type in your language with all the right characters. And Accent has more than 150 TrueType fonts for elegant looking documents. Accent gives you more languages, more fonts, more value.

Perfect multilingual documents every time.

No matter how many languages you use, Accent automatically uses the correct spell checker, thesaurus and hyphenation rules to deliver perfect multilingual documents. Plus you get the Berlitz® Interpreter™, for English, French, German, Spanish and Italian.

Menus and on-line help in your language.

Accent makes it easy to work in your own language. You can change the language of menus, dialogue boxes and on-line help to the one most comfortable for you. For example, type in Russian while menus are in English.

Add impact to your existing documents.

Now add those missing languages to the documents that you've prepared with other word processors. You will impress your clients, hand in complete assignments and build stronger relationships. And Accent works under any language version of Windows® so it's portable wherever you are in the world.

Accent - "An indispensable tool for multilingual business" PC Computing.

When you need more than just English, use Accent to prepare business letters and reports, homework assignments, presentations or a letter to family. Accent speaks your language and theirs too.

"For an individual or business that corresponds in more than one language, Accent is heaven-sent."

The New York Times

For more information
Tel. 800 535 5256

Visit our Web site.
<http://www.accentsoft.com/>



Circle 297 on Inquiry Card
(RESELLERS: 298).



**Accent
LanguageWare™**
Premium word
processing for
people who use
more than just
English.

Things to Come

The inventor of hypertext forecasts the future, including the demise of the human race

Desktop computers

Very few computers will be on the desktop in 10 years. Today's workstation capacity will be in wristwatches, on the wall, off the wall, and so on.

Mobile computers

My favorite design, which I call the Walkie-Thinkie, is a wearable computer with a five-finger keyboard on your lapel (but there are lots of other options), a headphone, and a microphone. This device will have real-time digital recording and audio editing, a telephone, an answering machine, and voice mail built in. But I'm not holding my breath for reliable voice recognition.

User interfaces

It won't be the Mac/Windows-type interface or the voice interface seen in *Star Trek*. Both ideas are inane. The alternative is the design of abstract worlds and spaces with new rules and topologies that people can easily understand, use, and enjoy. Everybody should have the interface they want, so it will be increasingly important for "applications" to be delivered detached from "interfaces."

Operating systems

Linux will become very important. Then Taos, a very strong multitasking system for real-time (i.e., time-compelling) applications, set-top boxes, and so on.

Virtual reality

That oxymoron for interactive realism will become just another interface and another big way to waste time. But it could also be very practical for lots of stuff—maps, instructions, and x-ray views.

On-line publishing

As I've always envisioned (and built into Project Xanadu), there will be: automatic royalty on a pro rata basis for any portion of a document or object sold; stable publishing, so that materials may be reliably linked; unrestricted republication of any material, if that material uses Xanadu's "transcopyright" doctrine (i.e., a permission system that lets anyone reuse someone else's transcopyrighted material in a new document; you transmit a pointer to the desired material, and each customer purchasing your work buys each quotation from its original publisher).

Software-development tools

C++ will sink, C will resurge, Visual Basic (which ought



to be called Structured COBOL) will be big. Prograph, possibly the best, will catch on. CASE tools will become convenient.

Componentware

We need a king to make the rules about how the components divide and fit together. Standardization politics rules. But most of the issues of software will change completely, just as they have every five years.

Tomorrow's killer applications

My hope is that there will be no more applications, because future software will be set up to be tied together, piped together, scripted together. The real killer applications will be nanotech bugs that escape.

Players of the twenty-first century

Microsoft has peaked. By 2000, it should be second to Netscape. Silicon Graphics will live on. So will Sun. Thinking Machines will make a comeback. Apple will be acquired by Wal-Mart. Quarterdeck will make it big, but I'm not sure what with. IBM will die a terrible death, possibly bankruptcy or being acquired by Quarterdeck.

The data highway

It will be a conglomerate of parts on an Internet-like model, with some fast priority lanes and something like the Clipper chip for encryption—which everyone will bypass. But that doesn't matter, since it will let the government arrest whomever they choose, since we'll all be breaking the big, vague new law against everything.

How computing technology will change the world

In every possible way. But I find it hard to believe that the human race will survive to the year 2100. ■

Ted Nelson coined the concepts hypertext and hypermedia in 1965. He is best known for Project Xanadu. You can reach him on the Internet or BIX at editors@bix.com.

DELL LATITUDE
Dependable Notebooks
With Superior Battery Life



DELL LATITUDE™ XPi P75D
75MHz PENTIUM™ PROCESSOR

- ★ 10.4" Dual Scan Color Display
- 8MB RAM (40MB Max RAM)
- ★ 256KB L2 Cache
- 420MB Removable Hard Drive (1.2GB Max)
- ★ Smart Lithium Ion Battery with Advanced Power Management
- 32-bit Local-bus Video, 1MB Video RAM

- 2 Type II/1 Type III PCMCIA Slots
- Preloaded Communications Software
- 6.2 Pounds
- Optional Dell Latitude DeskDock™ Available
- 1 Year Warranty*
- ★ *Order an additional smart Lithium Ion battery for only \$199 more.*

Business Lease: \$96/Mo.
Order Code #800025

Our New Pentium Chip
Latitude XPi
Now Only

\$2599

IT'S LIKE GETTING THIS MUCH BATTERY LIFE IN A PENTIUM CHIP NOTEBOOK.



If airlines had outlets at every seat, it wouldn't matter so much that most Pentium processor notebooks only last an hour or two. But the only outlets are in the restroom. And you can't spend the whole trip in there.

Introducing the Dell Latitude XPi notebook. The first Pentium processor notebook that can last take-off to touch-down, with a 75MHz or 90MHz Pentium chip.

This thanks to Dell's record-breaking smart Lithium Ion battery and power management technology (not to mention Intel's new LM Pentium chip). In "Cross-Country"™ tests* conducted by VeriTest, inc., a leading independent test lab, the Dell Latitude XPi P75 dual scan notebook lasted an average of 4 hours and 40 minutes. That's LA to New York, no problem. Of course, actual battery life will vary depending on the nature of your use and configuration. You might even get more.

So call today to order your Latitude XPi. It's packed with power. And we don't mean just Pentium.

DELL®

TO ORDER, CALL

800-822-3787

In Canada,* call 800-668-3021

Mon-Fri 7am-9pm CT • Sat 10am-6pm CT

Sun 12pm-5pm CT • <http://www.us.dell.com/>

Keycode #01056



Designed for

Microsoft®
Windows®95

Promotional pricing is not discountable. *The VeriTest Cross-Country v2.0 test simulates typical executive use of Microsoft Office® applications in Microsoft Windows® 3.11 during an airplane flight. Power management was enabled and 8MB RAM was installed. VeriTest, inc. is located in Santa Monica, CA.

DESKTOP PRICES HAVE ACROSS THE MOTHER

DELL DIMENSION XPS P133c

133MHz PENTIUM® PROCESSOR

- Mini Tower Model
- 16MB EDO Memory (128MB Max RAM)
- 512KB Pipeline Burst Cache
- 2GB Hard Drive [10.5ms, Mode 4]
- 17LS Monitor (17" CRT, NI)
- 9FX Motion Graphics Accelerator with 2MB VRAM (128-bit 4MB VRAM Max)
- 6X Multi-session EIDE CD-ROM Drive
- MS® Office Professional with Bookshelf for Windows® 95
- Dell Software Suite
- AWE32 Wave Table Sound Card
- Altec Lansing ACS-5 Speakers
- Microsoft Windows 95/30 Days Free Support

\$3749

Business Lease: \$135/Mo.
Order Code #500142

DELL DIMENSION XPS P133c

133MHz PENTIUM PROCESSOR

- Mini Tower Model
- 8MB EDO Memory (128MB Max RAM)
- 256KB Pipeline Burst Cache
- 1GB Hard Drive [10ms, Mode 4] (1.6GB Max)
- 15LS Monitor (15" CRT, NI)
- 64-bit PCI 1MB DRAM Video (128-bit 4MB VRAM Max)
- 4X Multi-session EIDE CD-ROM Drive
- Sound Blaster 16 Sound Card
- Altec Lansing ACS-31 Speakers
- Microsoft Windows 95/30 Days Free Support
- ★ Upgrade to a 3 Year Extended Warranty for only \$199 more.

\$2399

Business Lease: \$89/Mo.
Order Code #500143

DELL DIMENSION XPS P120c

120MHz PENTIUM PROCESSOR

- Mini Tower Model
- 16MB EDO Memory (128MB Max RAM)
- 512KB Pipeline Burst Cache
- 1.6GB Hard Drive [10ms, Mode 4]
- 15LS Monitor (15" CRT, NI)
- 9FX Motion Graphics Accelerator with 2MB VRAM (128-bit 4MB VRAM Max)
- 4X Multi-session EIDE CD-ROM Drive
- MS Office Professional with Bookshelf for Windows 95
- Dell Software Suite
- Sound Blaster 16 Sound Card
- Altec Lansing ACS-5 Speakers
- Microsoft Windows 95/30 Days Free Support

\$2999

Business Lease: \$111/Mo.
Order Code #500145

DELL DIMENSION XPS

120MHz PENTIUM PROCESSOR

- Mini Tower Model
- 8MB EDO Memory (128MB Max RAM)
- 256KB Pipeline Burst Cache
- 1GB Hard Drive [10ms, Mode 4] (1.6GB Max)
- 15LS Monitor (15" CRT, NI)
- 64-bit PCI 1MB DRAM Video (128-bit 4MB VRAM Max)
- Microsoft Windows 95/30 Days Free Support
- ★ Add the HP DeskJet 6600 for only \$389 more.

\$1999

Business Lease: \$74/Mo.
Order Code #500144

DELL DIMENSION XPS P100c

100MHz PENTIUM PROCESSOR

- Mini Tower Model
- 16MB EDO Memory (128MB Max RAM)
- 256KB Pipeline Burst Cache
- 1GB Hard Drive [10ms, Mode 4] (1.6GB Max)
- 17LS Monitor (17" CRT, NI)
- 9FX Motion Graphics Accelerator with 2MB VRAM (128-bit 4MB VRAM Max)
- 4X Multi-session EIDE CD-ROM Drive
- MS Office Professional with Bookshelf for Windows 95
- Dell Software Suite
- Microsoft Windows 95/30 Days Free Support

\$2749

Business Lease: \$102/Mo.
Order Code #500146

DELL DIMENSION P100t

100MHz PENTIUM PROCESSOR

- Mini Tower Model
- 8MB EDO Memory (128MB Max RAM)
- 540MB Hard Drive [12ms] (1.6GB Max)
- 15LS Monitor (15" CRT, NI)
- 64-bit PCI 2MB DRAM Video
- 4X Multi-session EIDE CD-ROM Drive
- Microsoft Windows 95/30 Days Free Support
- ★ Add a 3COM ELink Combo Network Interface Card for only \$109 more.

Pictured System

\$1799

Business Lease: \$67/Mo.
Order Code #500148

DELL DIMENSION P75t

75MHz PENTIUM PROCESSOR

- Mini Tower Model
- 8MB EDO Memory (128MB Max RAM)
- 540MB Hard Drive [12ms] (1.6GB Max)
- 15LS Monitor (15" CRT, NI)
- 64-bit PCI 1MB DRAM Video (2MB DRAM Max)
- 4X Multi-session EIDE CD-ROM Drive
- Sound Blaster 16 Sound Card
- Altec Lansing ACS-5 Speakers
- Microsoft Windows 95/30 Days Free Support
- ★ Add a 28.8 US Robotics Fax/Modem for only \$149 more.

\$1629

Business Lease: \$60/Mo.
Order Code #500140

DELL DIMENSION P75t

75MHz PENTIUM PROCESSOR

- Mini Tower Model
- 8MB EDO Memory (128MB Max RAM)
- 540MB Hard Drive [12ms] (1.6GB Max)
- 14XE Monitor (14" CRT, NI)
- 64-bit PCI 1MB DRAM Video (2MB DRAM Max)
- Microsoft Windows 95/30 Days Free Support
- ★ Upgrade to the 15LS 15" for only \$30 more.

\$1399

Business Lease: \$52/Mo.
Order Code #500141

★ SYSTEMS FEATURED ARE JUST A SAMPLING OF THE THOUSANDS OF POPULAR CONFIGURATIONS AVAILABLE.

† Promotional pricing is not discountable. * Guarantees available in the U.S. only for registered owners of Dell Dimension systems purchased after 8/1/93. † For a complete copy of our Guarantees or Limited Warranties, please write Dell USA L.P., 2214 W. Braker Lane, Building 3, Austin, TX 78758. ‡ Business leasing arranged by Leasing Group, Inc. * Prices and specifications valid in the U.S. only and subject to change without notice. The Intel Inside logo and Pentium are registered trademarks and IntelDX4 is a trademark of Intel Corporation. MS, Windows, Microsoft and the Windows logo are registered trademarks of Microsoft Corporation. ©1995 Dell Computer Corporation. All rights reserved.



WE DROPPED RBOARD.

DELL DIMENSION
Reliable PCs For High
Performance Computing

P120c
OR
3 Max RAM)
ne
ode 4)



DELL LATITUDE XPi P75D
75MHz PENTIUM PROCESSOR

- 10.4" Dual Scan Color Display
- 8MB RAM (40MB Max RAM)
- 256KB L2 Cache
- 420MB Removable Hard Drive (1.2GB Max)
- Smart Lithium Ion Battery with Advanced Power Management
- 32-bit Local-bus Video, 1MB Video RAM
- 2 Type II/1 Type III PCMCIA Slots
- 6.2 Pounds
- 1 Year Warranty!

★ Order an additional smart Lithium ion battery for \$199 more.

\$2599

Business Lease: \$96/Mo.
Order Code #800025

color printer



DELL LATITUDE LX 4100D
100MHz INTEL DX4™ PROCESSOR

- 10.4" Dual Scan Color Display
- 8MB RAM (24MB Max RAM)
- 128KB L2 Cache
- 420MB Upgradeable Hard Drive (810MB Max)
- \$99 More for 2nd NiMH Battery (Slides into floppy drive to achieve extended battery life)
- 32-bit Local-bus Video, 1MB Video RAM
- 2 Type II/1 Type III PCMCIA Slots
- 6.2 Pounds
- 1 Year Warranty

★ Add a 28.8 PCMCIA X-Jack modem for \$299 more

\$1999

Business Lease: \$74/Mo.
Order Code #800020

3 Max RAM)

DELL LATITUDE XPi P90ST
90MHz PENTIUM PROCESSOR

- 10.4" SVGA Active Matrix Display
- 8MB RAM (40MB Max RAM)
- 256KB L2 Cache
- 420MB Removable Hard Drive (1.2GB Max)
- Smart Lithium Ion Battery with Advanced Power Management
- 32-bit Local-bus Video, 1MB Video RAM
- 2 Type II/1 Type III PCMCIA Slots
- 6.2 Pounds
- 3 Year Extended Warranty!

★ Add a 1 2GB hard drive for \$800 more.

\$4299

Business Lease: \$155/Mo.
Order Code #800035

color monitor


DELL LATITUDE LX 4100T
100MHz INTEL DX4 PROCESSOR

- 10.4" Active Matrix Color Display
- 8MB RAM (24MB Max RAM)
- 128KB L2 Cache
- 420MB Upgradeable Hard Drive (810MB Max)
- \$99 More for 2nd NiMH Battery (Slides into floppy drive to achieve extended battery life)
- 32-bit Local-bus Video, 1MB Video RAM
- 2 Type II/1 Type III PCMCIA Slots
- 6.2 Pounds
- 1 Year Warranty

★ Double your RAM for only \$499 more.

\$2299

Business Lease: \$85/Mo.
Order Code #800033



Dell's featured digital artist is Max Seabaugh of San Francisco.

Now we've dropped prices on our *entire* Dell Dimension Pentium processor line. So compare spec to spec, hertz to hertz and decimal point to decimal point with any other Pentium processor PC, and you'll find Dell comes out on top.

Actually, you'll come out on top. Because, besides getting a great deal on our award-winning PCs, you'll also get a company that has a proven track record in service, support and reliability. For a record eleven years.

So order your new, low-priced Dell Pentium processor PC today. And save across the board with a single phone call.

DIRECT NEWS ON THE INTERNET

For free updates on Dell's product offerings, pricing and other news electronically, send an email message to "DirectNews-request@dell.com." Please use the word "subscribe" as the body of your message.



TO ORDER, CALL

800-822-3783

In Canada,* call 800-668-3021
Mon-Fri 7am-9pm CT • Sat 10am-6pm CT
Sun 12pm-5pm CT • <http://www.us.dell.com/>

Keycode #01057

signed for
Microsoft
Windows 95

DELL DIMENSION
Reliable PCs For High
Performance Computing

DELL DIMENSION™ XPS P100c
100MHz PENTIUM® PROCESSOR

- Mini Tower Model
- ★ 16MB EDO Memory (128MB Max RAM)
- ★ 256KB Pipeline Burst Cache
- 1GB Hard Drive [10ms, Mode 4] (1.6GB Max)
- ★ 15LS Monitor (15" CRT, NI)
- ★ 64-bit PCI 2MB DRAM Video (128-bit 4MB VRAM Max)

- 4X Multi-session EIDE CD-ROM Drive
- ★ MS® Office Professional with Bookshelf for Windows® 95
- ★ Dell Software Suite
- AWE32 Wave Table Sound Card
- Altec Lansing ACS-5 Speakers
- Microsoft® Windows® 95 / 30 Days Free Support

Business Lease*: \$92/Mo.
Order Code #500147

Fully Loaded
100MHz Pentium
Processor PC
For Only
\$2499

WHAT'S INSIDE THE IDEAL WINDOWS 95 MACHINE? FREE STUFF, OF COURSE.



For a limited time, this Dell Dimension XPS P100c system is available with a special pre-configured software bundle at no extra charge. That's right, seven full 32-bit applications to maximize the performance of your new 32-bit Windows 95 operating system. A \$450 value, available only from Dell.

You also get 16MB EDO memory and a 1GB hard drive, so you're running at optimum speed. Basically, this thing comes more equipped for business than a Harvard MBA.

And now you can order this perfect business PC for just \$2499. It's even backed by Dell's next-business-day on-site service, guaranteed*.

But call today. This offer expires November 30, 1995.

DELL®

TO ORDER, CALL

800-822-3781

In Canada,* call 800-668-3021

Mon-Fri 7am-9pm CT • Sat 10am-6pm CT

Sun 12pm-5pm CT • <http://www.us.dell.com/>

Keycode #01055



Designed for

Microsoft®
Windows®95

Dell's featured computer artist is Glenn Mitsui of Studio MD, Seattle