CABLES TO GO

Custom Cable Specialists

CUSTOM CABLE ASSEMBLIES



COMPUTER ACCESSORIES



SCSI & SCSI II

DATA SWITCHING DEVICES



INSTALLATION SERVICES



FIBER OPTICS



BULK CABLE & COMPONENTS

VIDEO CABLES



LAN SPECIALISTS

Dear Valued Customer:

If you've been with us from the beginning, you will understand what I mean when I say, "We've come a long way!" If you are a new Cables To Go customer, I congratulate you for making an excellent decision. Cables To Go is now offering more new products with the same competitive pricing that keeps customers coming back. This year brings a complete line of fully molded SCSI II cables, many new lengths of standard cables, a new line of auto switching devices, and a full assortment of computer accessories.

All of our products are 100% satisfaction guaranteed. We offer same day shipping along with the highest level of customer service available. Thank you again for choosing Cables To Go!

Sincerely,



Michael Shane
CEO

ORDERING

Orders may be placed from 8:30 a.m. to 6:00 p.m. Monday - Thursday and 8:30 a.m. to 5:00 p.m. Friday (Eastern Standard Time) by calling our toll-free order line (1-800-826-7904). Fax orders may be placed 24 hours a day (800-331-2841).

When ordering for the first time, your account will be set up and assigned, not just to an order taker, but a dedicated account representative. Our account representatives are data communication professionals: they can answer your questions, suggest options and help assure that the proper solution is provided.

QUANTITY DISCOUNTS

Quantity discounts are available.

HOURS

Monday - Thursday, 8:30-6:00 pm (EST)
Friday, 8:30-5:00 pm (EST)

METHOD OF PAYMENT

C.O.D. is the quickest and most convenient method preferred by the majority of our customers. Company checks and personal checks are acceptable. There will be a $20 service charge for all returned checks (plus legal fees if action is required).

MasterCard/Visa orders are welcomed. Please have your card ready when ordering.

Open account terms are available for qualifying accounts. Processing of credit applications may delay shipment on the initial order.

MINIMUM ORDER CHARGE

$6 for all orders under $50.

EXEMPT SALES TAX

Due to strict regulations, Ohio customers who do not have a current tax exempt statement on file will be charged Ohio sales tax. To obtain a copy of this form, contact your CTG account representative.

RETURN MERCHANDISE

Returns will not be accepted without a return merchandise authorization. Contact our RMA department.

Other conditions may apply without notice.

To Order Call

1-800-826-7904

513-224-To Go (8646)
24 Hour Fax Line 513-496-2666

CUSTOM CABLING CAPABILITIES

CTG specializes in custom cabling assemblies and components. If you do not find what you're looking for, we can build to meet your requirements. Our extensive database includes more than 10,000 pin out configurations.

OEM SPECIALISTS

Our professionally-trained engineering staff specializes in designing products according to your specifications. Then, our domestic manufacturing staff will provide immediate solutions to your time sensitive product needs. Additionally, CTG has an international sourcing group that delivers cost-effective alternatives for long-term volume requirements.

INSTALLATION SERVICES

CTG is a full service company for network support with remote or on-site installation services. We provide planning with AutoCad to maximize today's needs with tomorrow's goals.

Cables
pages 2-7

Gender Changers/Adapters
page 8

Switch Boxes
pages 9-12

Surge Protector/Power Cables
page 12

High-Resolution Video Cables
pages 13-15

SCSI I & II
pages 16-19

Local Area Networking Cables
page 20

Connectors (Coaxial & Twinaxial)
page 21

Baluns
page 22

Wallplates
page 23

Modular Cables & Accessories
pages 24-25

Fiber Optics
pages 26-27

Tools
page 28

Computer Accessories
pages 29-32

Bulk Cable & Components
pages 33-42

Connector Guide/Index
page 43-44

IBM

Economy 18 Conductor Assembled IBM Printer Cables
This low-cost alternative provides the lowest cost solution, while still maintaining the quality standards Cables To Go is famous for!

Ref#			
1	DIBMA18C06	6' IBM PRINTER CABLE	1.49
2	DIBMA18C10	10' IBM PRINTER CABLE	1.79
3	DIBMA18C15	15' IBM PRINTER CABLE	2.19

Quality Molded IBM Printer Cables (molded 18 conductor with thumbscrews)
Our most popular cable is this low-cost molded cable which offers extended thumbscrews, full shielding and gold-plated contacts. This cable is manufactured with an 18 conductor configuration.
NOTE: Can not be used for laser printer applications.



4	DIBM18C03	3' IBM PRINTER CABLE	2.49
5	DIBM18C06	6' IBM PRINTER CABLE	2.79
6	DIBM18C10	10' IBM PRINTER CABLE	3.95
7	DIBM18C15	15' IBM PRINTER CABLE	4.95
8	DIBM18C20	20' IBM PRINTER CABLE	9.99
9	DIBM18C25	25' IBM PRINTER CABLE	11.99
10	DIBM18C35	35' IBM PRINTER CABLE	15.99
11	DIBM18C50	50' IBM PRINTER CABLE	20.99
12	DIBMR18C06	6' RIGHT ANGLED IBM PRINTER CABLE	4.95
13	DIBMR18C10	10' RIGHT ANGLED IBM PRINTER CABLE	5.95

Premium Molded IBM Printer Cables (molded 25 conductor with thumbscrews)
Cables To Go's premium molded cables are manufactured with a 25 conductor configuration, suitable for laser printer applications.



14	DIBM25C03	3' IBM PRINTER CABLE	3.05
15	DIBM25C06	6' IBM PRINTER CABLE	3.25
16	DIBM25C10	10' IBM PRINTER CABLE	4.25
17	DIBM25C15	15' IBM PRINTER CABLE	5.75
18	DIBM25C20	20' IBM PRINTER CABLE	10.95
19	DIBM25C25	25' IBM PRINTER CABLE	12.95
20	DIBM25C35	35' IBM PRINTER CABLE	17.95
21	DIBM25C50	50' IBM PRINTER CABLE	21.95
22	DIBMFR04	4' FLAT RIBBON IBM PRINTER CABLE	3.95

SERIAL/NULL MODEM

Cables To Go's null modem cables are manufactured with two D-sub 25 position connectors. The M/M null modem cable connects two RS232 DTE devices. The M/F serial printer cable is designed to connect many serial printers to PC/XT compatible computers. And, the F/F null modem cable connects two PCs for most data transfers. These cables are fully molded with plastic thumbscrews.



23	DNULL25MF06	6' XT™ SERIAL/DB25 M/F NULL MODEM	3.99
24	DNULL25MF10	10' XT SERIAL/DB25 M/F NULL MODEM	4.99
25	DNULL25MF15	15' XT SERIAL/DB25 M/F NULL MODEM	5.99
26	DNULL25MF20	20' XT SERIAL/DB25 M/F NULL MODEM	6.99
27	DNULL25MF25	25' XT SERIAL/DB25 M/F NULL MODEM	7.99
28	DNULL25M9F06	6' AT™ SERIAL/DB9F/DB25M NULL MODEM	3.99
29	DNULL25M9F10	10' AT SERIAL/DB9F/DB25M NULL MODEM	4.99
30	DNULL25M9F15	15' AT SERIAL/DB9F/DB25M NULL MODEM	5.99
31	DNULL25MM06	6' XT SERIAL/DB25 M/M NULL MODEM	3.99
32	DNULL25MM10	10' XT SERIAL/DB25 M/M NULL MODEM	4.99
33	DNULL25MM15	15' XT SERIAL/ DB25 M/M NULL MODEM	5.99
34	DNULL25MM20	20' XT SERIAL/DB25 M/M NULL MODEM	6.99
35	DNULL25MM25	25' XT SERIAL/DB25 M/M NULL MODEM	7.99
36	DNULL25FF06	6' XT SERIAL/DB25 F/F NULL MODEM	3.99
37	DNULL25FF10	10' XT SERIAL/DB25 F/F NULL MODEM	4.99
38	DNULL25FF15	15' XT SERIAL/DB25 F/F NULL MODEM	5.99
39	DNULL25FF20	20' XT SERIAL/DB25 F/F NULL MODEM	6.99
40	DNULL25MM25	25' XT SERIAL/DB25 F/F NULL MODEM	7.99

GPIB/HPIB IEEE CABLES



41	DHPIB01	1 METER HPIB IEEE-488 BUS CABLE	29.99
42	DHPIB02	2 METER HPIB IEEE-488 BUS CABLE	35.99
43	DHPIB04	4 METER HPIB IEEE-488 BUS CABLE	44.99
44	DHPIB08	8 METER HPIB IEEE-488 BUS CABLE	54.99

ALL LINES (DB25)

Cables To Go RS232 extension cables are manufactured with D-sub 25 pin connectors with all 25 leads supported. This product is most commonly used in extension and switch box applications, or as standardized cabling with null modem adapters. These cables are fully molded with thumbscrews.



45	DEXT25MM03	3' DB25 M/M ALL LINES	2.99
46	DEXT25MF03	3' DB25 M/F ALL LINES	2.99
47	DEXT25FF03	3' DB25 F/F ALL LINES	2.99
48	DEXT25MM06	6' DB25 M/M ALL LINES	3.99
49	DEXT25MF06	6' DB25 M/F ALL LINES	3.99
50	DEXT25FF06	6' DB25 F/F ALL LINES	3.99
51	DEXT25MM10	10' DB25 M/M ALL LINES	4.99
52	DEXT25MF10	10' DB25 M/F ALL LINES	4.99
53	DEXT25FF10	10' DB25 F/F ALL LINES	4.99
54	DEXT25MM15	15' DB25 M/M ALL LINES	6.99
55	DEXT25MF15	15' DB25 M/F ALL LINES	6.99
56	DEXT25FF15	15' DB25 F/F ALL LINES	6.99
57	DEXT25MM20	20' DB25 M/M ALL LINES	10.95
58	DEXT25MF20	20' DB25 M/F ALL LINES	10.95
59	DEXT25FF20	20' DB25 F/F ALL LINES	10.95
60	DEXT25MM25	25' DB25 M/M ALL LINES	12.95
61	DEXT25MF25	25' DB25 M/F ALL LINES	12.95
62	DEXT25FF25	25' DB25 F/F ALL LINES	12.95
63	DEXT25MM35	35' DB25 M/M ALL LINES	17.95
64	DEXT25MF35	35' DB25 M/F ALL LINES	17.95
65	DEXT25FF35	35' DB25 F/F ALL LINES	17.95
66	DEXT25MM50	50' DB25 M/M ALL LINES	21.95
67	DEXT25MF50	50' DB25 M/F ALL LINES	21.95
68	DEXT25FF50	50' DB25 F/F ALL LINES	21.95

CENTRONICS

Our centronics extension cables are manufactured with 36 pin centronics connectors with 25 lines supported. This fully molded cable is used in parallel switchbox applications or to extend standard IBM parallel cables.

69	DEXT36MM06	6' M/M CENTRONICS	4.99
70	DEXT36MF06	6' M/F CENTRONICS	4.99
71	DEXT36MM10	10' M/M CENTRONICS	6.99
72	DEXT36MF10	10' M/F CENTRONICS	6.99
73	DEXT36MM15	15' M/M CENTRONICS	9.99
74	DEXT36MF15	15' M/F CENTRONICS	9.99

CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

EXTENSION CABLES

MONITOR/KEYBOARD

Cables To Go's monitor extension cables use D-sub 9M/F connectors and are designed for EGA/CGA signal transmission. CTG offers both coiled and straight versions of PC keyboard extensions. These cables are fully molded.



75	DEXTMON06	6' MONITOR EXTENSION	2.99
76	DEXTMON10	10' MONITOR EXTENSION	3.99
77	DEXTMON15	15' MONITOR EXTENSION	4.99
78	DEXTPS2MON06	6' VGA MONITOR EXTENSION	4.99
79	DEXTPS2MON10	10' VGA MONITOR EXTENSION	5.99
80	DEXTPS2MON15	15' VGA MONITOR EXTENSION	6.99
81	DEXTKEY06	6' KEYBOARD EXT - COILED (5 PIN DIN)	2.49
82	DEXTKEY10	10' KEYBOARD EXT - COILED (5 PIN DIN)	3.49
83	DEXTKEYS06	6' KEYBOARD EXT - STRAIGHT (5 PIN DIN)	2.99
84	DEXTKEYS10	10' KEYBOARD EXT - STRAIGHT (5 PIN DIN)	3.99
85	DEXTPS2KEY06	6' PS/2 KEYBOARD EXT (6 PIN MINI DIN)	3.75
86	DEXTPS2KEY10	10' PS/2 KEYBOARD EXT (6 PIN MINI DIN)	4.99

MISCELLANEOUS

87	DEXT15HDMM06	6' DB15 HIGH DENSITY M/M	4.99
88	DEXT15MDMM12	12' DB15 HIGH DENSITY M	6.99
89	DEXT37MF03	3' DB37 M/F	8.99
90	DEXT37MF06	6' DB37 M/F	10.99
91	DEXT37MM03	3' DB37 M/M	8.99
92	DEXT37MM06	6' DB37 M/M	10.99
93	DEXT9MM06	6' DB9 M/M EXT	3.99
94	DEXT9MM012	12' DB9 M/M EXT	5.99
95	DEXT6MM06	6' 6 PIN MINI DIN M/M	3.75
96	DEXT6MM12	12' 6 PIN MINI DIN M/M	4.99
97	DEXTKEYSMM06	6' 5 PIN DIN M/M	3.75
98	DEXTKEYSMM12	12' 5 PIN DIN M/M	4.99

MODEM CABLE

CTG's modem cables are designed for Hayes compatible asynchronous modem communications for PC/XT compatibles and AT compatibles.



99	DATMODEM06	6' AT MODEM DB9F/DB25M	2.99
100	DATMODEM10	10' AT MODEM DB9F/DB25M	3.99
101	DATMODEM15	15' AT MODEM DB9F/DB25M	4.99
102	DPCMODEM06	6' PC/XT MODEM DB25F/DB25M	2.99
103	DPCMODEM10	10' PC/XT MODEM DB25F/DB25M	3.99
104	DPCMODEM15	15' PC/XT MODEM DB25F/DB25M	4.99

CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

SERIAL AND SCSI

Cables To Go's Mac Plus - Imagewriter II cables are manufactured with 8 pin mini M/M molded connectors. Our Mac Plus - Imagewriter I and Mac Plus - Hayes Modem cables use the 8 pin mini male D-sub 25 pin male molded connectors. The SCSI system cable connects Apple computers with the first SCSI device.



105	DMPIW206	6' MAC PLUS - IMAGEWRITER II	2.99
106	DMPIW210	10' MAC PLUS - IMAGEWRITER II	3.99
107	DMPIW215	15' MAC PLUS - IMAGEWRITER II	5.99
108	DMPHM06	6' MAC PLUS - HAYES MODEM	2.99
109	DMPHM10	10' MAC PLUS - HAYES MODEM	3.99
110	D8PMM06	6' 8 MINI DIN - 8 MINI DIN M/M	3.99
111	D8PMM10	10' 8 MINI DIN - 8 MINI DIN M/M	4.99
112	DMPIW106	6' MAC PLUS- IMAGEWRITER I	3.99
113	DMPIW110	10' MAC PLUS - IMAGEWRITER I	4.99
114	DAP2CIW106	6' APPLE IIc - IMAGEWRITER I	4.99
115	DAP2CIW206	6' APPLE IIc - IMAGEWRITER II	4.99
116	DMPHM06	6' APPLE IIe - IMAGEWRITER II	3.75
117	DMPHM10	10' APPLE IIe - IMAGEWRITER II	4.99
118	DAP2CHM06	6' APPLE IIc - HAYES MODEM	4.99
119	DMPADAPTER01	1' MAC PLUS ADAPTER CABLE	3.99
120	DMACIW206	MAC 512 - IMAGEWRITER II	4.37



121	DAPPSYS02	2' 25C SCSI SYSTEM CABLE DB25M/50M	5.99
122	DAPPSYS06	6' 25C SCSI SYSTEM CABLE DB25M/50M	6.99
123	DAPPSYS10	10' 25C SCSI SYSTEM CABLE DB25M/50M	9.99
124	DAPSCSIMM03	3' 25C SCSI PERIPHERAL 50M/50M	6.99
125	DAPSCSIMM06	6' 25C SCSI PERIPHERAL 50M/50M	7.99
126	DAPSCSIMF06	6' 25C SCSI EXTENSION 50M/50F	7.99
127	DAPSCSI50CMM03	3' SCSI PERIPHERAL 50C M/M	9.99
128	DAPSCSI50CMM06	6' SCSI PERIPHERAL 50C M/M	10.99
129	DSCSITERM	SCSI TERMINATOR 50M	8.99
130	DSCSITERMF	SCSI TERMINATOR 50M/50F	9.99
131	DAPSCSI30P25M02	18" POWER BOOK SCSI 30P/DB25	34.95
132	DAPSCSI30P50M02	18" POWER BOOK SCSI 30P/50 CENT	34.95

See Page 18 for Apple Premium SCSI

VIDEO

133	DCTGMAC04	4' CTG MAC DB9 MALE/DB15 MALE	11.95
134	DBNC4/MACW06	6' 15 PIN-4BNC FOR MACINTOSH	32.85

ACCESSORIES



135	DAPTALK8M	APPLETALK™ COMP. KIT (8 PIN MINI)	16.95
136	DPNET8M	PHONENET™ COMP. KIT (8 PIN MINI)	10.95
137	DAPTALKCBL15	15' APPLETALK COMP. CBL (3 PIN MINI M/M)	7.99
138	DAPTALKCBL25	25' APPLETALK COMP. CBL (3 PIN MINI M/M)	11.99
139	DAPTLKSPLICE KIT	APPLETALK FIELD SPLICE KIT (2) 3 PIN SPLICE + PIGTAIL	17.60

CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

DRIVE CABLES

Our flat ribbon assemblies are manufactured for a variety of drive applications including floppy drive cables for the XT and AT compatibles, hard drive controller and data cables, and IDE drive cables and PS/2 SCSI drive cables. CTG also offers a universal floppy cable that supports both 5 1/4" and 3 1/2" drives simultaneously.



140	DFRPC2FD/SEE	PC/XT DUAL FLOPPY (S-E-E)	1.99
141	DFRPC2FD/EEE	XT DUAL FLOPPY 3 EDGES	2.05
142	DFRAT1HD	AT/PC SINGLE HARD DRIVE SET	1.99
143	DFRAT2HD	AT/PC DUAL HARD DRIVE SET	2.15
144	DFR3PC/AT2HDSET	3 PIECE AT DUAL SET (FLOPPY & HARD)	2.95
145	DFRPS22D	IDE DUAL DRIVE CABLE (40 PIN)	2.99
146	DFRPS21D	IDE SINGLE DRIVE CABLE (40 PIN)	2.59
147	DFRPS2SCSI1D	50 PIN SCSI SINGLE DRIVE (SOCKET)	3.65
148	DFRPS2SCSI2D	50 PIN SCSI DUAL DRIVE (SOCKET)	4.35
149	DFRUNIVERSAL	UNIVERSAL FLOPPY CABLE	3.95
150	DFRDATA20S20E	DATA CABLE 20S-20E	0.92

POWER "Y" SPLITTERS

151	DPWY - DUAL5.25	DUAL 5.25" DRIVES	1.15
152	DPWY - 5.25/ 3.5	5.25"/ 3.5" DRIVES	1.15
153	DPWY - DUAL/ 3.5	DUAL 3.5" DRIVES	1.15



GENDER CHANGERS/ADAPTERS

GENDER CHANGERS

CTG's Gender Changers provide solutions to mismatched genders and are an inexpensive alternative to use with existing cable. All gender changers (except slimline) are fully shielded and molded with PVC.



154	DGC25MM	DB25 M/M GENDER CHANGER	1.95
155	DGC25FF	DB25 F/F GENDER CHANGER	1.95
156	DGC9MM	DB9 M/M GENDER CHANGER	1.95
157	DGC9FF	DB9 F/F GENDER CHANGER	1.95
158	DGCMINI25MM	DB25 M/M SLIMLINE GENDER CHANGER	2.95
159	DGCMINI25FF	DB25 F/F SLIMLINE GENDER CHANGER	2.95
160	DGCMINI9MM	DB9 M/M SLIMLINE GENDER CHANGER	2.95
161	DGCMINI9FF	DB9 F/F SLIMLINE GENDER CHANGER	2.95
162	DGC36MM	36 CENTRONICS M/M GENDER CHANGER	4.50
163	DGC36FF	36 CENTRONICS F/F GENDER CHANGER	4.50

AT/NULL MODEM, KEYBOARD AND MONITOR ADAPTERS



164	DADPTAT	DB9F/DB25M AT ADAPTER	2.75
165	DADPTAT9F25	DB9F/DB25F AT ADAPTER	2.75
166	DADPTAT9M25F	DB9M/DB25F AT ADAPTER	2.75
167	DADPTAT9M25M	DB9M/DB25M AT ADAPTER	2.75
168	DADPTAT01	1' AT ADAPTER	2.75
169	DADPTNM25MM	DB25 M/M NULL MODEM ADAPTER	2.99
170	DADPTNM25MF	DB25 M/F MULL MODEM ADAPTER	2.99
171	DADPTNM25FF	DB25 F/F NULL MODEM ADAPTER	2.99
172	DADPTCGAVGA	VGA ADAPTER HD15M/DB9F	3.99
173	DADPTCGAVGA-R	VGA ADAPTER-REV GENDER (HD15 F/DB9M)	3.99
174	DADPTPS2KEY6M5	PS/2 KEYBOARD ADPT (6M/5F)	2.99
175	DADPTPS2KEYCBL	PS/2 KEYBOARD ADPT CBL (6M/5F)	3.99
176	DADPTPS2KEYCBLR	PS/2 KEYBOARD ADPT CBL - REV (6F/5M)	4.49
177	DADPTPS2KEY6F5M	PS/2 KEYBOARD ADPT - REV (6F/5M)	4.49

MODULAR ADAPTER KITS

Our modular adapters are in a kit form or can be assembled to your specifications for an additional charge.



178	DMARJ12DB25M	RJ12/DB25M MODULAR ADAPTER KIT	3.95
179	DMARJ45DB25M	RJ45/DB25M MODULAR ADAPTER KIT	3.95
180	DMARJ12DB25F	RJ12/DB25F MODULAR ADAPTER KIT	3.95
181	DMARJ45DB25F	RJ45/DB25F MODULAR ADAPTER KIT	3.95
182	DMARJ12DB9M	RJ12/DB9M MODULAR ADAPTER KIT	3.95
183	DMARJ45DB9M	RJ45/DB9M MODULAR ADAPTER KIT	3.95
184	DMARJ12DB9F	RJ12/DB9F MODULAR ADAPTER KIT	3.95
185	DMARJ45DB9F	RJ45/DB9F MODULAR ADAPTER KIT	3.95

MANUAL DATA SWITCH BOXES

CTG's Data switches allow multiple PCs to share the same peripheral device or vice versa. Additionally, DB25 boxes will support parallel and serial applications. Our switch boxes support all leads and common chassis ground. All manual data switch boxes have female ports.



186	DSW25/2	2-1 SERIAL	10.95
187	DSW25/3	3-1 SERIAL	12.95
188	DSW25/4	4-1 SERIAL	15.95
189	DSW25/6	6-1 SERIAL	34.95
190	DSW25/X	2-2 X TYPE SERIAL	19.95
191	DSW36/2	2-1 PARALLEL	12.95
192	DSW36/3	3-1 PARALLEL	14.95
193	DSW36/4	4-1 PARALLEL	18.95
194	DSW36/X	2-2 X TYPE PARALLEL	21.95
195	DSW9/2	2-1 DB9	14.95
196	DSW9/4	4-1 DB9	16.95
197	DSW8/2	2-1 8 PIN MINI	14.95
198	DSW8/4	4-1 8 PIN MINI	17.95
199	DSWHD15/2	2-1 VGA	24.95
200	DSWHD15/4	4-1 VGA	32.95
201	DSW3625/2	2-1 PARALLEL (2 x 36C/1 x DB25)	13.95
202	DSW3625/3	3-1 PARALLEL (3 x 36C/1 x DB25)	15.95
203	DSW3625/4	4-1 PARALLEL (4 x 36C/1 x DB25)	19.95
204	DSW3625/X	2-2 X TYPE PARALLEL (2 x DB25/2 x 36C)	22.95

AUTO DATA SWITCH BOXES

205	DSWAUTOPAR/2	2-1 AUTO PARALLEL input: DB25M output: DB25F	32.95
206	DSWAUTOSER/2	2-1 AUTO SERIAL input: DB25F (DCE) output: DB25M (DTE) Non-Selectable	32.95
207	DSWAUTOPAR/4	4-1 AUTO PARALLEL input: DB25F output: DB25F	59.95
208	DSWAUTOSER/4	4-1 AUTO SERIAL input: DB25F (DCE) output: DB25F (DTE) Default by jumper settings	69.95
209	DSWAUTOPAR/8	8-1 AUTO PARALLEL input: DB25F output:DB25F	129.95
210	DSWAUTOSER/8	8-1 AUTO SERIAL input: DB25F (DCE) output: DB25F (DTE) Default by jumper settings	134.95
211	DSWAUTOPAR/2-2	2-2 AUTO PARALLEL input: 36 Centronics F output: 36 Centronics F	119.95



CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

212	DSWAUTOSER/2-2	2-2 AUTO SERIAL input: DB25F (DTE) output: DB25M (DTE) Non-Selectable	129.95
213	DSWAUTOPAR/4-2	4-2 AUTO PARALLEL input: 36 Centronics F output: 36 Centronics F	139.95
214	DSWAUTOSER/4-2	4-2 AUTO SERIAL input: DB25F (DTE) output: DB25M (DTE)	149.95
215	DSWAUTOPAR/8-2	8-2 AUTO PARALLEL input:DB25F output: DB25F	169.95
216	DSWAUTOSER/8-2	8-2 AUTO SERIAL input: DB25F (DTE) output: DB25F (DTE) Non-Selectable	179.95

PARALLEL SMART SWITCHES

CTG's smart switch not only allows you to connect up to six computers to share two printers but you can also control the data switch from your own keyboard with friendly "Hot Key" software; users need not leave their desks to change the switch setting.



217	DSWAUTOSMRT/6-2	6-2 SMART SWITCH BOX	229.95
218	DSWAUTOSMRT/4-2A	4-2 SMART PRINT BUFFER 256K	349.95
219	DSWAUTOSMRT/4-2B	4-2 SMART PRINT BUFFER 512K	449.95
220	DSWAUTOSMRT/4-2C	4-2 SMART PRINT BUFFER 1MB	599.95



PARALLEL BUFFERS

221	DSW256KBUFFER	256K COMPACT IN-LINE BUFFER	189.95
222	DSW512KBUFFER	512K COMPACT IN-LINE BUFFER	229.95
223	DSW1MBBUFFER	1MB COMPACT IN-LINE BUFFER	319.95
224	DSW2MBBUFFER	2MB COMPACT IN-LINE BUFFER	479.95



PARALLEL LINE EXTENSIONS

225	DSWLINEEXT/DB25*	DB25 PARALLEL LINE EXT KIT, MAX 1200'	69.95
226	DSWLINEEXT/C36*	D25/C36 PARALLEL LINE EXT KIT, MAX 1200'	79.95
227	CCSWMODLINKKIT*	MODULAR LINK TRANS(2)/REC(1) KIT	158.95
228	DSWMODLINK TRANS*	MODULAR LINK TRANSMITTER	55.95

* *Call your CTG account representative for more information about this low cost alternative*





CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

SPECIALTY SWITCH BOXES



CTG's specialty switches provide solutions for a variety of applications ranging from Twinax, IEEE, BNC, high density D-sub 15 pin connectors to RJ11 and RJ45 type applications. Our technical support engineers can recommend additional switch devices for more complex applications. All of the specialty switch boxes have female ports.

229	DSWTWINAX/2	2-1 TWINAX	39.95
230	DSWIEEE/2	2-1 IEEE	49.00
231	DSWIEEE/4	4-1 IEEE	95.00
232	DSWBNC/2	2-1 BNC	19.95
233	DSWBNC/4	4-1 BNC	29.95
234	DSW37/2	2-1 DB37 ALL LINES	59.95
235	DSW37/4	4-1 DB37 ALL LINES	69.95
236	DSW25/3-2	3-2 SERIAL	64.60
237	DSWRJ11/2	2-1 RJ11 SWITCH	17.95
238	DSWRJ11/4	4-1 RJ11 SWITCH	20.95
239	DSWRJ45/2	2-1 RJ45 SWITCH	19.95
240	DSWRJ45/4	4-1 RJ45 SWITCH	22.95
241	DSW50/2	2-1 50 PIN CENTRONICS SWITCH	69.95
242	DSW5PDIN/DB9	2-1 PC/XT KEYBOARD/MONITOR	29.95
243	DSWHD156PM/2	2-1 PS2/VGA KEYBOARD/MONITOR	32.95
244	DSWHD156PM/3	3-1 PS2/VGA KEYBOARD/MONITOR	39.95

SWITCH BOXES

CONVERTERS/BOOSTERS

Converters permit signal conversion from parallel to serial, serial to parallel and CGA to analog for a variety of applications. Our RS232 parallel and serial line boosters double the length for successful signal transmission.



245	DSWPC701	PC701 ANALOG/DIGITAL CONVERTER	139.95
246	DSMARTUNIVMM	SMART UNIVERSAL CABLE M/M	45.85
247	DSMARTAT	IBM AT SMART CABLE	40.75
248	RS232LINEBOOST	RS232 SERIAL LINE BOOSTER	59.00
249	DSWPARBOOSTER	PARALLEL BOOSTER	39.95
250	DSWBICONV	BIDIRECTIONAL CONVERTER SER/PAR	49.95
251	DSWMONMULTI/9	9 OUTLET MONITOR MULTIPLEXER	249.95
252	DSWMONMULTI/3	3 OUTLET MONITOR MULTIPLEXER	179.95

SURGE PROTECTOR / POWER CABLES

All it takes is one brief power surge to shut down an entire system, destroy data and even damage equipment. Protect yourself with CTG power accessories.



253	DPWSURGE	6' SURGE PROTECTOR	5.99
254	DPWEXT06	6' POWER CORD EXTENSION	3.59
255	DPWCORD06	6' POWER CORD	2.25
256	DPWCORD10	10' POWER CORD	4.49
257	DPWMONADAPT	1' MONITOR POWER ADAPTER	1.60
258	DPWMONADAPT06	6' MONITOR POWER ADAPTER	3.99
259	DLINESURGE PROT	RS232 DATA LINE SURGE PROTECTOR	5.79
260	DLINESURGE2-8/20	RS232 SURGE PROTECTOR 2-8,20	15.20

POWER "Y" SPLITTERS



261	DPWY-DUAL5.25	DUAL 5.25" DRIVES	1.15
262	DPWY-5.25/3.5	5.25"/3.5" DRIVES	1.15
263	DPWY-DUAL/3.5	DUAL 3.5" DRIVES	1.15

HIGH-RESOLUTION VIDEO CABLES

Cables To Go understands the need to connect computer output to today's high-quality video equipment. Cables are the core element for clean transmission of the video signal and this can only be achieved by using high-resolution video cables. CTG manufactures high-performance cable assemblies specifically designed to minimize attenuation and distortion in order to achieve the sharpest video image possible.

Several Video Cable Features:

- Fully-molded BNC leads on all standard cables to provide superior strain relief
- Woven shielding to insure protection against EMI/RFI
- Color-coded BNC leads for easy identification and installation
- Availability for a wide array of compatible monitors
- Custom lengths always available

SONY™

264	CCCTG503	4' DB9 MALE TO 8 PIN RGB (DIGITAL) *CGA/EGA to Sony CPD 1310 KV1311*	24.95
265	DCTG512	4' DB9 MALE TO DB9 MALE (DIGITAL) *CGA to Sony CPD 1302/1303/1304*	8.95
266	DCTGPS204	4' HIGH DENSITY DB15 MALE TO DB9 MALE *VGA to Sony CPD 1302/1303/1304*	12.95
267	DCTGMAC04	4' DB15 MALE TO DB9 MALE *MAC II Video to Sony CPD 1302/1303/1304*	11.95

TRUEVISION™

Truevision cables allow the inputs/outputs of the TARGA and NuVista cards to be used. These cables can be used with the input or output connection of Truevision cards.

Call for quantity discounts.

268	CA1	CCTRUEV-CA1	6' 4 PIN MINI DIN MALE TO 4 PIN MINI DIN MALE *SVHS to SVHS*	35.00
269	CA2	DCA2-6	6' 9 PIN TO 4 BNC *Molded TARGA* to molded 4 BNCs, R, G, B & Sync*	55.00
270	CA3	DCA3-6	6' 9 PIN TO 5 BNC *Molded TARGA* to molded 5 BNCs, R, G, B, Sync & Video*	60.00
271	CA4	CCTRUEV-CA4	6' 9 PIN TO 9 PIN *TARGA** to Sony 1302*	15.00
272	CA5	CCTRUEV-CA5	6' 9 PIN TO HD 15 PIN *TARGA** to Apple RGB Color Monitor*	30.00
273	CA6	DCA6-6	6' 9 PIN TO 5 BNC WITH ONE 4 PIN MINI DIN *Molded TARGA** to molded R, G, B & Sync Inputs/Outputs via BNC Connectors & SVHS*	80.00

CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

274	CA7	CCTRUEV-CA7	6' 9 PIN TO 9 PIN WITH ONE 4 PIN MINI DIN AND ONE BNC *TARGA** to Sony 1302/ Composite video/SVHS Output*	70.00
275	CA8	CCTRUEV-CA8	6' 6 PIN MINI DIN TO TWO 4 PIN MINI DIN *Video VGA to SVHS Connector/SVHS Input & Output*	60.00
276	CA9	CCTRUEV-CA9	6' 9 PIN TO 9 PIN *EGA Output Device to VDA/D Input*	20.00
277	CA10	CCTRUEV-CA10	6' 9 PIN TO RCA PHONO *TARGA** to RCA Phono (Composite Video)*	20.00
278	CA11	CCTRUEV-CA11	6' 9 PIN TO HD 15 PIN WITH 4 BNC *CGA Output Device to TARGA M8 (Input)*	60.00
279	CA12	CCTRUEV-CA12	6' 9 PIN TO 34 PIN *TARGA** to Sony monitors supporting 34 pin connector*	60.00
280	CA13	CCTRUEV-CA13	6' RCA PHONO TO RCA PHONO *Composite Output (male) to Composite Video (male)*	10.00
281	CA14	CCTRUEV-CA14	6' 26 PIN SOCKET TO 26 PIN SOCKET *VGA board or TARGA+ board feature connector to VGA board or TARGA+ board feature connector*	12.00
282	CA15	CCTRUEV-CA15	6' 26 PIN SOCKET TO 26 PIN EDGE CARD *VGA board or TARGA+ board feature connector to VGA board or TARGA+ board feature connector*	12.00
283	CA16	CCTRUEV-CA16	6' 9 PIN TO 9 PIN AND ONE BNC *TARGA** to Sony 1302 & Composite Video*	60.00
284	CA17	CCTRUEV-CA17	6' 9 PIN TO HD 15 PIN AND ONE BNC *TARGA** to NEC Multisync 3-D or VGA Hardwired Variable Sync monitors*	60.00
285	CA18	CCTRUEV-CA18	6' HD 15 PIN TO 5 BNC *VGA to Separated RGB, H-Sync & V-Sync*	80.00
286	CA19	CCTRUEV-CA19	6' HD 15 PIN TO 9 PIN *VGA to Sony 1302*	35.00

** TARGA, NuVista, ICB (output), VDA/D, TARGA+, TARGA M8, ATVista*
*** TARGA, NuVista, TARGA+, ATVista*

HIGH-RESOLUTION VIDEO CABLES

APPLE

Mac II ci, Mac II si, Mac LC and Mac Quadra adapter cables are available. Please call your account representative today for more information.

287	DBNC4/MACW04	4' APPLE MAC II*** TO 4 BNCs (FULLY MOLDED) *Molded DB15 male to 4 BNCs R, G, B, Sync*	39.95
288	CCAPPMAC2SONYGVM	6' APPLE MAC II***TO SONY GVM 1300, 2000 *Assembled DB15 male to assembled DB9 female*	16.95
289	CCAPPMAC2MAG135	6' APPLE MAC II*** TO MAGNAVOX CM135 *Assembled DB15 male to assembled DB9 male*	16.95
290	CCAPPMAC2PRINUL15	6' APPLE MAC II*** TO PRINCETON ULTRA 15 *Assembled DB15 male to assembled DB25 male*	16.95
291	CCAPPMAC2CINEC50	6' APPLE MAC II CI/SI TO NEC MULTISYNC 5D/4D *Assembled DB15 male to assembled high density DB15 male*	16.95
292	CCAPPMAC2TAXAN770	6' APPLE MAC II*** TO TAXAN 770 *Assembled DB15 male to assembled DB9 male*	16.95
293	CCAPPMAC2MITSU3715	6' APPLE MAC II*** TO MITSUBISHI XC 3715 *Assembled DB15 male to assembled DB15 male*	16.95
294	DCTGMAC04	4' MAC II VIDEO TO SONY CPD 1302/1303/1304 *Molded DB15 male to molded DB9 male*	11.95

***MAC II (FX, SI, CI , CX, X)

MOLDED VGA MONITOR CABLES

295	DBNC5/VGAW06	6' VGA TO 5 BNCs (R, G, B, H. SYNC, V. SYNC) *Molded DB15 HD to molded 5 BNC male*	45.00

ASSEMBLED VGA MONITOR CABLES

CTG's VGA assemblies are built with foil/braid shielded cable for maximum protection against interference.

296	CCVGAHITACH12085	6' VGA TO HITACHI CM2085M *Assembled DB15 HD male to assembled DB9 male*	19.95
297	CCVGAMAGCM873	6' VGA TO MAGNAVOX CM873 *Assembled DB15 HD male to assembled DB9 female*	19.95
298	CCVGAMITSUDB15	6' VGA TO MITSUBISHI XC3715/XC3725 *Assembled DB15 HD male to assembled DB15 male*	19.95
299	CCVGAMITSUDB15HD	6' VGA TO MITSUBISHI 3905/3425 *Assembled DB15 HD male to assembled DB15 HD male*	21.95
300	CCVGAMITSDB25	6' VGA TO MITSUBISHI 1371/1381 *Assembled DB15 HD male to assembled DB25 male*	19.95
301	CCVGANECMULTI	6' VGA TO NEC MULTISYNC I *Assembled DB15 HD male to assembled DB9 male*	19.95
302	CCVGASONYGVM	6' VGA TO SONY GVM 1300/2000 *Assembled DB15 HD male to assembled DB9 female*	19.95

Please call for other VGA/MAC configurations!

CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

Due to the ever changing technology of the computer industry towards smaller more powerful systems, high density SCSI II connectors in excess of 100 pins are being used for interconnecting systems. Cables To Go stocks the largest selection available in SCSI cabling and can manufacture any SCSI configuration. Our production facility is UL/CSA approved with tooling for Fujitsu, AMP, Honda and 3M SCSI II Connectors. All of our assemblies are built using the highest impedance CL2 cable available. Call today for more information.



Molded 1/2 pitch micro D50



Molded 50 Centronics M



Assembled 1/2 pitch micro D50

Molded DB50 Male

SUN™ COMPATIBLE SCSI II

28 AWG, CL2 High Impedance, 25 pair, SCSI II

Assembled Sun SPARC™ to Centronics 50 Male

303	DZSUNC50M3	3.5' SUN SPARC STATION TO MOLDED CENTRONICS 50 MALE *Assembled 1/2 pitch micro D50 male to molded centronics 50 male*	44.50
304	DZSUNC50M6	6' SUN SPARC STATION TO MOLDED CENTRONICS 50 MALE *Assembled 1/2 pitch micro D50 to molded centronics 50 male*	49.95

Molded Sun SPARC to Centronics 50 Male

305	DZSUNMOLDC50M3	3.5' SUN SPARC STATION TO CENTRONICS 50 MALE (FULLY MOLDED) *Molded 1/2 pitch micro D50 male to molded centronics 50 male*	47.50
306	DZSUNMOLDC50M6	6' SUN SPARC STATION TO CENTRONICS 50 MALE (FULLY MOLDED) *Molded 1/2 pitch micro D50 male to molded centronics 50 male*	52.49

Assembled Sun SPARC Station to DB50 Male

307	DZSUND50M3	3.5' SUN SPARC STATION TO DISK DRIVE - 50SA *Assembled 1/2 pitch micro D50 male to molded DB50 male*	46.00
308	DZSUND50M6	6' SUN SPARC STATION TO DISK DRIVE - 50SA *Assembled 1/2 pitch micro D50 male to molded DB50 male*	51.45

Assembled Sun SPARC Station to Sun Disk, CD, and Tape Packs

309	DZSUNMM3	3.5' SUN SPARC/SUN DISK, CD OR TAPE PACK *Assembled 1/2 pitch micro D50 male to assembled 1/2 pitch micro D50 male*	53.00
310	DZSUNMM6	6' SUN SPARC/SUN DISK, CD OR TAPE PACK *Assembled 1/2 pitch micro D50 male to assembled 1/2 pitch micro D50 male*	58.45

Molded Sun SPARC Station to Sun Disk, CD and Tape Pack

311	DZSUNMOLDMM3	3.5' SUN SPARC/SUN DISK, CD OR TAPE PACK (FULLY MOLDED) *Molded 1/2 pitch micro D50 to molded 1/2 pitch micro D50*	56.00
312	DZSUNMOLDMM6	6' SUN SPARC/SUN DISK, CD OR TAPE PACK (FULLY MOLDED) *Molded 1/2 pitch micro D50 to molded 1/2 pitch micro D50*	61.45

DB50 to Centronics 50

313	DZC50MD50M3	3' SUN DATA CABLE - DD - 50SA TO CENTRONICS MALE (FULLY MOLDED) HIGH IMPEDANCE *Molded DB50 male to molded Centronics 50 male*	22.60

CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

314	DZC50MD50M6	6' SUN DATA CABLE - DD - 50SA TO CENTRONICS 50 MALE (FULLY MOLDED) HIGH IMPEDANCE *Molded DB50 male to molded Centronics 50 male*	29.97

Sun Terminator

315	DZSUNTERM	SUN SPARC STATION TERMINATOR *Assembled 1/2 pitch micro D50 male one sided for end of line*	28.00



Assembled 1/2 pitch micro D50 with thumbscrews

HEWLETT PACKARD™ SCSI II

316	CCZHEWLETC50M3	3.5' HEWLETT PACKARD SCSI II TO CENTRONICS 50 MALE *Assembled 1/2 pitch micro D50 with thumbscrews to a molded centronics 50 male*	65.00
317	CCZHEWLETC50M6	6' HEWLETT PACKARD SCSI II TO CENTRONICS 50 MALE *Assenbled 1/2 pitch micro D50 with thumbscrews to a molded centronics 50 male*	70.45
318	CCZHEWLETD50M3	3.5' HEWLETT PACKARD SCSI II TO DB50 MALE *Assembled 1/2 pitch micro D50 with thumbscrews to a molded DB50 male*	66.50



Assembled 1/2 pitch D68 Female

DEC™ SCSI II

DEC to Centronics 50 Male

319	CCZDECC50M3	3.5' DEC TO MOLDED CENTRONICS 50 MALE *Assembled 1/2 pitch micro D68 female to molded centronics 50 male*	54.50
320	CCZDECC50M6	6' DEC TO MOLDED CENTRONICS 50 MALE *Assembled 1/2 pitch micro D68 female to molded centronics 50 male*	59.95

DEC to DB50 Male

321	CCZDECD50M3	3.5' DEC TO MOLDED DB50 MALE *Assembled 1/2 pitch micro D68 female to DB50male*	56.00



Molded 1/2 pitch 60 Centronics Male

IBM SCSI II

322	DZIBMC50M5	5' IBM PS2 RS6000/CENTRONICS 50 MALE (FULLY MOLDED) *Molded 1/2 pitch 60 position centronics to molded centronics 50 male*	77.00
323	DZIBMC50MF5	5' IBM RS6000/DAISY CHAIN CENTRONICS 50 M/F (FULLY MOLDED) *Molded 1/2 pitch 60 position centronics to molded centronics 50 male/female*	110.00

CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

Custom Lengths Available

SCSI II HIGH IMPEDANCE EXTENSION & PERIPHERAL CABLES

28 AWG, CL2 High Impedance, 25 pair, SCSI II

Centronics 50 to Centronics 50 (Peripheral Cable)

324	DZC50MM3	3' HIGH IMPEDANCE SCSI PERIPHERAL CABLE (FULLY MOLDED) *Molded centronics 50 male to molded centronics 50 male*	26.00
325	DZC50MM7	7.5' HIGH IMPEDANCE SCSI PERIPHERAL CABLE (FULLY MOLDED) *Molded centronics 50 male to molded centronics 50 male*	32.55
326	DZC50MM12	12' HIGH IMPEDANCE SCSI PERIPHERAL CABLE (FULLY MOLDED) *Molded centronics 50 male to molded centronics 50 male*	47.27

Centronics 50 to Centronics 50 (Extension Cable)

327	DZC50MF6	6' HIGH IMPEDANCE SCSI EXTENSION CABLE (FULLY MOLDED) *Molded centronics 50 male to molded centronics 50 female (Dual shield, 25 twisted-pair)*	30.00

DB50 to DB50

328	DZD50MM3	3' 50 CONDUCTOR DB50 MALE TO 50 CONDUCTOR DB50 MALE (FULLY MOLDED) HIGH IMPEDANCE *Molded DB50 male to molded DB50 male*	28.40
329	DZD50MM7	7.5' 50 CONDUCTOR DB50 MALE TO 50 CONDUCTOR DB50 MALE (FULLY MOLDED)HIGH IMPEDANCE *Molded DB50 male to molded DB50 male*	34.97
330	DZD50MM12	12' 50 CONDUCTOR DB50 MALE TO 50 CONDUCTOR DB50 MALE (FULLY MOLDED) HIGH IMPEDANCE *Molded DB50 male to molded DB50 male*	49.69

APPLE SCSI (FULLY SHIELDED)





28 AWG, Foil Shield

331	DAPPSYS02	2' SCSI SYSTEM CABLE *Molded DB25 male to molded centronics 50 male*	5.99
332	DAPPSYS06	6' SCSI SYSTEM CABLE *Molded DB25 male to molded centronics 50 male*	6.99
333	DAPPSYS10	10' SCSI SYSTEM CABLE *Molded DB25 male to molded centronics 50 male*	9.99
334	DAPSCSIMF06	6' SCSI EXTENSION CABLE *Molded centronics 50 male to molded centronics 50 female*	7.99
335	DAPSCSIMM03	3' SCSI PERIPHERAL CABLE *Molded centronics 50 male to molded centronics 50 male*	6.99
336	DAPSCSIMM06	6' SCSI PERIPHERAL CABLE *Molded centronics 50 male to molded centronics 50 male*	7.99
337	DAPSCSI50CMM03	3' 50 CONDUCTOR SCSI PERIPHERAL CABLE *Molded Centronics 50 male/male, 50C*	7.99
338	DAPSCSI50CMM06	6' 50 CONDUCTOR SCSI PERIPHERAL CABLE *Molded Centronics 50 male/male. 50C*	8.99

CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

Satisfaction Guaranteed

APPLE PREMIUM SCSI

26 AWG, Foil & Braid Shield, 19 Pair

339	DAPPSYS-P02	2' PREMIUM SCSI SYSTEM CABLE	8.50
340	DAPPSYS-P06	6' PREMIUM SCSI SYSTEM CABLE	11.25
341	DAPSCSIMF-P06	6' PREMIUM SCSI EXTENSION CABLE	15.50
342	DAPSCSIMM-P03	3' PREMIUM SCSI PERIPHERAL CABLE	11.50
343	DAPSCSIMM-P06	6' PREMIUM SCSI PERIPHERAL CABLE	14.25



Premium

PREMIUM APPLE POWERBOOK

26 AWG, Foil & Braid Shield, 19 Pair

344	DAPSCSI30P50M02	18" APPLE POWERBOOK SCSI SYSTEM CABLE *Molded HDI-30 connector to molded centronics 50 male*	34.95
345	DAPSCSI30P25M02	18" APPLE POWERBOOK TO MAC SCSI CABLE *Molded HDI-30 connector to molded DB25 male*	34.95
346	DAPSCSI30P50F02	18" APPLE POWERBOOK 100 SCSI DOCKING CABLE *Molded HDI-30 connector to molded Centronics 50 female*	34.95



PREMIUM SCSI ADAPTERS (DUAL SHIELD)

26 AWG, Foil & Braid Shield, 19 Pair

347	DAPSCSI25M50F-P1	18" SCSI ADAPTER DB25M/C50F	
348	DAPSCSI25F50F-P1	18" SCSI ADAPTER DB25F/C50F	16.99
349	DAPSCSI25F50M-P1	18" SCSI ADAPTER DB25F/C50M	18.40
			15.99

FLAT RIBBON SCSI

350	DFRPS2SCSI1D	18" SINGLE INTERNAL SCSI DRIVE CABLE *Assembled 50 socket to assembled 50 socket*	3.65
351	DFRPS2SCSI2D	22" DUAL INTERNAL SCSI DRIVE CABLE *Assembled 50 socket to assembled 50 socket (15") to assembled 50 socket (7")*	4.35



STANDARD SCSI TERMINATORS

352	DSCSITERM	SCSI TERMINATOR (FULLY MOLDED) *Molded 1" wide centronics 50 male one sided*	8.99
353	DSCSITERMF	FEED THRU SCSI TERMINATOR M(FULLY MOLDED) *Molded one piece centronics 50 male to centronics 50 female*	10.99
354	DZSUNTERM	SCSI II MICRO D50 TERMINATOR *Assembled 1/2 pitch micro D50 male one sided for end of line*	28.00
355	DSCSITERMDB50M	SCSI DB50 MALE TERMINATOR (FULLY MOLDED) *Molded 1" wide DB50 Male one sided*	30.00
356	DSCSIFXTERMMF	APPLE FX HI-SPEED SCSI TERMINATOR (FEED THRU) *Molded one piece Centronics 50 Male/Centronics 50 Female*	12.95





SCSI II microD50

CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

LOCAL AREA NETWORKING CABLES

ETHERNET BACK BONE (SPINE) CABLES (RG8)

A shielded coaxial cable, more commonly known as "Back bone" cable is the "spine" to your LAN. In accordance with Ethernet specifications, the total network length of each back bone is 1500 feet. Standard Ethernet coaxial cable is available with both the lower-cost PVC standard coating or fire resistant FEP jacket for use in air plenums.

357	CCETHERBACKBONE	PVC JACKET	20.00 + 0.54 FT
358	CCETHERBACKPLEN	FEP JACKET	20.00 + 1.85 FT

THINNET CABLES (RG58)

Thin coaxial cables are also available for installing networks in small office environments. ThinNet coaxial cabling has become the standard for this type of application due to its low cost. The maximum length for each coaxial segment, in accordance with Ethernet specifications is, 607 feet (185m).



359	CCRG58BNCMM	THINNET COAXIAL CABLE (RG58)	10.00 + 0.15 FT

TOKEN RING CABLES

Call your CTG sales representative for more information about Token Ring Cables.



360	CCTOKENRINGADPT	ADAPTER CABLES (DATA CONN/DB9)	16.00 + 0.40 FT
361	CCTOKENRINGPATCH	PATCH CABLES (DATA CONN/DATA CONN)	22.00 + 0.40 FT

ARCNET CABLES (RG62)

Our ArcNet cables are proven technology with over 10 years of implementation. ArcNet is inexpensive and easy-to-install cable with an impedance of 93 ohms.



362	CCRG62BNCMM	ARCNET CABLES	10.00 + 0.17 FT

TRANSCEIVER CABLES

Our transceiver cables are ready to ship in standard lengths or quickly available in custom lengths. As always, CTG cables are 100% quality assured and are NEC compliant.



363	CCTRANSVERI	PVC JACKET	17.00 + 0.78 FT
364	CCTRANSVERIPLEN	FEP JACKET	17.00 + 1.63 FT

COAXIAL CONNECTORS

- **Crimp Style** is the most common style for use in coaxial network applications. It requires the intended coaxial tool for the connector to be properly terminated.
- **Solder Style** is a very good termination style but requires a soldering iron.
- **Twist-On Style** is economical in price but is not recommended for computer network installations.

BNC Crimp Male RG59,62

BNC Chassis Mount Jack



BNC Terminators (RG58, 59)

BNC T

BNC Twist-On RG59,62 M/F

N-Type Male Crimp

Twinax Male Connector

Crimp Coaxial BNC Connectors			
365	CNP158MBJBP	BNC MALE RG58	1.63
366	CNP158FBDBN	BNC FEMALE RG58	2.89
367	CNP159MBJBP	BNC MALE RG59, 62	1.00
368	CNP159FBJBP	BNC FEMALE RG59, 62	1.94
369	CNP1174MBKBP	BNC MALE RG174, 179	1.40
370	CNP1174FBDBP	BNC FEMALE RG174, 179	8.96
371	CNP158MBQBT	BNC MALE RG58, PLENUM	2.85
372	CNP159MBJBT	BNC MALE RG59, 62, PLENUM	1.20
Solder Coaxial BNC Connectors			
373	CNP158MBDBN	BNC MALE RG58 (AMPHENOL 31-2)	1.96
374	CNP159MADBN	BNC MALE RG59, 62 (AMPHENOL 31-12)	2.31
375	CNP158FOPNN	BNC CHASSIS MOUNT JACK	2.67
BNC Terminators			
376	CNP158MIONN	RG58 (50 OHM) MALE	1.14
377	CNP159MIONN	RG59 (75 OHM) MALE	1.38
378	CNP162MIONN	RG62 (93 OHM) MALE	1.38
Coaxial BNC T Connectors & Adapters			
379	CNP158NNONN	BNC T (JACK-PLUG-JACK)	2.87
380	CNP158FLONN	BNC F/F CABLE MATCHER COUPLER	0.72
381	CNP158MMPNN	BNC M/M CONVERTER	3.82
Twist-On Coaxial BNC Connectors			
382	CNP158MGONP	BNC MALE RG58	0.75
383	CNP158FGJNP	BNC FEMALE RG58	0.83
384	CNP159MGONP	BNC MALE RG59, 62	0.84
385	CNP159FGONP	BNC FEMALE RG59, 62	1.45
N-Type Connectors			
386	CNG101MBONP	N-TYPE MALE CRIMP	10.13
387	CNG100MMJNN	N-TYPE M/M SPLICE	4.82
388	CNG100FLJNN	N-TYPE F/F SPLICE	4.82
389	CNG100MIONN	N-TYPE TERMINATOR MALE	7.71
390	CNG100FIQNN	N-TYPE TERMINATOR FEMALE	7.42

TWINAXIAL CONNECTORS

391	CNE102MAONN	TWINAX MALE	2.59
392	CNE102MIJNN	TWINAX TERMINATOR MALE	7.29
393	CNE102FLJNN	TWINAX F/F COUPLER	2.89
394	CNE102FNJNN	TWINAX T CONNECTOR J/J/J	7.59

CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841



Reduce Coax and Twinax cabling costs with CTG's baluns. Baluns make it possible to use existing twisted-pair wire for all connections between terminals, printers and controllers having coax or twinax inputs. ST = screw terminals.





395	DBALBNCFRJ11ST	BNC FEMALE TO RJ11/ST BALUN	7.89
396	DBALBNCMRJ11ST	BNC MALE TO RJ11/ST BALUN	7.89
397	DBALBNCMRJ11	BNC MALE TO RJ11 BALUN	11.65
398	DBALBNCMST	BNC MALE/SCREW TERMINAL BALUN	11.10
399	DBALBNCRJ11ST	BNC FEMALE TO RJ11/SCREW TERMINAL	11.79
400	DBALBNCSCREWTYPE	BNC SCREW TYPE BALUN	CALL
401	DBALTWINAXPORT	PORT BALUN FOR IBM AS/400	CALL
402	DBALTWINAXTERM	TERMINAL BALUN FOR IBM AS/400	CALL
403	DBALIBM3270	IBM 3270 ROLM BALUN	CALL

MODULAR WALLPLATES

High-grade plastic wallplates for use with 4-, 6- or 8-wire telco cable.
(Jacks and screw terminals included.)



404	DWPRJ11WC	RJ11 WALLPLATE, SINGLE	1.16
405	DWPRJ11DUAL	RJ11 WALLPLATE, DUAL	1.30
406	DWPRJ11SINGSURF	RJ11 SURFACE MOUNT BOX, SINGLE	1.19
407	DWPRJ12SINGLE	RJ12 WALLPLATE, SINGLE	1.30
408	DWPRJ12DUAL	RJ12 WALLPLATE, DUAL	1.59
409	DWPRJ12SINGSURF	RJ12 SURFACE MOUNT BOX, SINGLE	1.45
410	DWPRJ45NOBAR	RJ45 WALLPLATE, SINGLE	1.67
411	DWPRJ45DUALFLUSH	RJ45 WALLPLATE, DUAL	3.55
412	DWPRJ45SURFACE	RJ45 SURFACE MOUNT BOX, SINGLE	1.67
413	DWPRJ45DUALSURF	RJ45 SURFACE MOUNT BOX, DUAL	4.30

SERIES D WALLPLATES

Stainless steel wallplates without connectors.

414	DWPDB25SINGLE	DB25 SINGLE OUTLET (W/O CONN)	1.30
415	DWPDB25DUAL	DB25 DUAL OUTLET (W/O CONN)	1.40
416	DWPDB15SINGLE	DB15 SINGLE OUTLET (W/O CONN)	1.30
417	DWPDB15DUAL	DB15 DUAL OUTLET (W/O CONN)	1.40
418	DWPDB9SINGLE	DB9 SINGLE OUTLET (W/O CONN)	1.30
419	DWPDB9DUAL	DB9 DUAL OUTLET (W/O CONN)	1.40

COAXIAL WALLPLATES

Stainless steel wallplates without connectors.

420	DWPBNCSINGLE	BNC WALLPLATE, SINGLE (W/O CONN)	1.35
421	DWPBNCDUAL	BNC WALLPLATE, DUAL (W/O CONN)	1.45

CENTER HOLE

Stainless steel wallplates

422	DWPCENTERHOLE	CENTER HOLE WALLPLATE (25C MAX)	0.90
423	DWPDUALHOLE	DUAL HOLE WALLPLATE (25C MAX)	1.16

MODULAR CABLES



Cables To Go uses (industry standard) 24 AWG, stranded copper, non-shielded conductors, with a silver satin jacket.

Silver Satin Line Cord

424	CLPH04BSSFB	1000' 4 CONDUCTOR	40.00
425	CLPH06BSSFB	1000' 6 CONDUCTOR	50.00
426	CLPH08BSSFB	1000' 8 CONDUCTOR	70.00

RJ11 6x4 Modular Assemblies

427	DMOD6P4C07S	7' 6 PAIR/4 CONDUCTOR - STRAIGHT	1.99
428	DMOD6P4C07C	7' 6 PAIR/4 CONDUCTOR - CROSSED	1.99
429	DMOD6P4C25S	25' 6 PAIR/4 CONDUCTOR - STRAIGHT	4.99
430	DMOD6P4C25C	25' 6 PAIR/4 CONDUCTOR - CROSSED	4.99

RJ45 Modular Assemblies

431	DMOD8P8C07S	7' 8 PAIR/8 CONDUCTOR - STRAIGHT	2.99
432	DMOD8P8C07C	7' 8 PAIR/8 CONDUCTOR - CROSSED	2.99
433	DMOD8P8C25S	25' 8 PAIR/8 CONDUCTOR - STRAIGHT	5.99
434	DMOD8P8C25C	25' 8 PAIR/8 CONDUCTOR - CROSSED	5.99

RJ11 6x4 Twisted-Pair Modular Assemblies

435	DMOD6P4CTP07S	7' 6 PAIR/4 CONDUCTOR - STRAIGHT	2.99
436	DMOD6P4CTP07C	7' 6 PAIR/4 CONDUCTOR - CROSSED	2.99
437	DMOD6P4CTP25S	25' 6 PAIR/4 CONDUCTOR - STRAIGHT	5.99
438	DMOD6P4CTP25C	25' 6 PAIR/4 CONDUCTOR - CROSSED	5.99

RJ45 Twisted-Pair Modular Assemblies

439	DMOD8P8CTP07S	7' 8 PAIR/8 CONDUCTOR - STRAIGHT	3.99
440	DMOD8P8CTP07C	7' 8 PAIR/8 CONDUCTOR - CROSSED	3.99
441	DMOD8P8CTP25S	25' 8 PAIR/8 CONDUCTOR - STRAIGHT	5.99
442	DMOD8P8CTP25C	25' 8 PAIR/8 CONDUCTOR - CROSSED	5.99

MODULAR CONNECTORS

443	CNJ104FLJNN	4 PIN MODULAR COUPLER	1.38
444	CNJ104MBJNN	RJ11 4X4 MODULAR PLUG	0.05
445	CNJ106FLPNN	6 PIN MODULAR COUPLER	1.51
446	CNJ106MBANN	RJ12 6X6 MODULAR PLUG (FOR ROUND CABLE)	0.34
447	CNJ106MBJNN	RJ12 6X6 MODULAR PLUG	0.06
448	CNJ164MBJNN	RJ12 6X4 MODULAR PLUG	0.05
449	CNJ106MBONN	MMP RJ12 (DEC)	0.12
450	CNJ106FMONN	MMJ COUPLER	3.92
451	CNJ108FMONN	8 PIN MODULAR COUPLER	3.13
452	CNJ108MBANN	RJ45 MODULAR PLUG (FOR ROUND CABLE)	0.61
453	CNJ108MBJNN	RJ45 8 PIN MODULAR PLUG	0.09
454	CNJ110MBJNN	10 POSITION MODULAR CONNECTOR	0.29



MODULAR ADAPTERS

455	DMARJ12DB25M	RJ12/DB25 M MODULAR ADAPTER KIT	3.95
456	DMARJ45DB25M	RJ45/DB25 M MODULAR ADAPTER KIT	3.95
457	DMARJ12DB25F	RJ12/DB25 F MODULAR ADAPTER KIT	3.95
458	DMARJ45DB25F	RJ45/DB25 F MODULAR ADAPTER KIT	3.95
459	DMARJ12DB9M	RJ12/DB9 M MODULAR ADAPTER KIT	3.95
460	DMARJ45DB9M	RJ45DB9 M MODULAR ADAPTER KIT	3.95
461	DMARJ12DB9F	RJ12/DB9 F MODULAR ADAPTER KIT	3.95
462	DMARJ45DB9F	RJ45/DB9 F MODULAR ADAPTER KIT	3.95



CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

All Adapters Are In Stock

FIBER OPTICS

Cables To Go produces a wide range of high performance single-mode and multi-mode cable assemblies using high quality fiber optic cable and connectors. Our cable assemblies are produced with cable and components from leading manufacturers like AT&T, AMP, Amphenol, Augat, 3M, Chromatic Technologies and Siecor, to assure you of the highest quality and performance standards.

We recommend that CTG terminate the cable to your specified length due to complexity of the process. If you are equipped to terminate the cable, CTG is a source of bulk fiber optic cable and accessories. Contact your CTG account representative today for price and delivery information.

FIBER OPTIC CABLE

463	CLFO02CPS	2 FIBERS 62.5/125 PVC	0.61 FT
464	CLFO02CPA	2 FIBERS 62.5/125 EXTERIOR	0.87 FT
465	CLFO02DPS	2 FIBERS 50/125 PVC	0.54 FT
466	CLFO02EPS	2 FIBERS 100/140 PVC INDOOR	0.81 FT
467	CLFO04CPA	4 FIBERS 62.5/125 EXTERIOR	1.29 FT
468	CLFO04CTS	4 FIBERS 62.5/125 PLENUM	1.76 FT
469	CLFO06CPB	6 FIBERS 62.5/125 EXTERIOR	1.86 FT
470	CLFO06CPS	6 FIBERS 62.5/125	1.79 FT
471	CLFO08CTS	8 FIBERS 62.5/125 PLENUM	3.10 FT



FIBER OPTIC CONNECTORS

472	CNN101CDANN	ST (BAYONET) 100/140 CERAMIC (AMP) *The 2.5 bayonet connectors are fully compatible with the AT&T connector, used in premises distribution systems. Available for 125 and 140 micron glass fiber.*	13.05
473	CNN101PDANN	ST 905 PLASTIC (AMP)	16.55
474	CNN101PDMNN	ST HOT MELT (3M)	9.95
475	CNN101PDTPN	ST "CAMLITE" (SIECOR)	35.88
476	CNN101SMAMN	ST COUPLER (AMP)	11.29
477	CNN101PFTNN	BICONIC (AT&T) *The Biconic Multi-mode connectors are used for the optical portion of the IBM Token Ring Network. They are also used with AT&T premises distribution systems.*	36.32



CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

Call About Our Installation Services

478	CNN101SEANN	SMA 905 (AMP) *Industry compatible FSMA-I connectors used to terminate 125 and 140 micron glass fiber. Resilient tip design minimizes mating tolerance problems.*	11.49
479	CNN101SEANP	SMA 906 (AMP) *Industry compatible FSMA-II connectors used to terminate 125 and 140 micron glass fiber.*	11.58
480	CNN101SENNN	SMA (T&B)	10.20
481	CNN101SQOMN	MINI BNC 100/140 *The mini connector is used to attach a 100/140 fiber to the IBM 8219 fiber optic repeater.*	27.72
482	CNN101SQONN	MINI BNC	37.97
483	CNN101SRONN	MINI BNC COUPLER	32.62
484	CNN101SUANN	SIMPLEX (AMP) *The Simplex connector is a field installable connector that has corrosion resistance construction. The metal bodies help provide EMI/RFI shielding for sensitive electropic circuitry.*	7.17
485	CNN102CDANN	FSD PLUG 62.5/125 (AMP)	30.66

JUMPER CABLES

All of the following cables use Duplex 62.5/125 Fiber.

486	CCFIBER3MST/ST	ST-ST	50.37 + 0.61 FT
487	CCFIBERBI/BI	BICONIC-BICONIC	160.46 + 0.61 FT
488	CCFIBERBI/BNC	BICONIC-MINI BNC	163.75 + 0.61 FT
489	CCFIBERBI/SMA906	BICONIC-SMA 906	110.98 + 0.61 FT
490	CCFIBERSMA/SMA	SMA-SMA	95.23 + 0.61 FT
491	CCFIBERST/BI	ST-BICONIC	107.72 + 0.61 FT
492	CCFIBERSTSMA62.5	SMA-ST	58.06 + 0.61 FT

CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

MODULAR CRIMP TOOLS

Terminate your twisted-pair easily.

493	TLMODCRIMP	RJ11 & RJ12 CRIMP TOOL	18.90
494	TLSRJ45CRIMP	RJ45 CRIMP TOOL	25.75
495	TLRJ45	AMP RJ45 TOOL WITH DIE	160.50



THIN COAXIAL TOOLS

496	TLRG58CRIMP	RG58 CRIMP TOOL, PVC	51.50
497	TLRG5962	RG 59 & RG62 CRIMP TOOL, PVC	47.65
498	TLRG58CRIMPPLEN	RG58 CRIMP TOOL, PLENUM (CAMBRIDGE)	102.95
499	TLCOAXSTRIP	THIN COAX STRIPPING TOOL	20.89

THICK COAXIAL TOOLS

500	TLNTYPECRIMPPVC	N-TYPE CRIMP TOOL, PVC (CAMBRIDGE)	166.95
501	TLNTYPECRIMPPLEN	N-TYPE CRIMP TOOL, PLENUM (CAMBRIDGE)	166.95

COMPUTER ACCESSORIES

CTG SUPER MOUSE

- Microsoft™ Compatible
- Compatible with IBM PC/AT
- Compatible with all major application software
- Dynamic resolution & fast tracking speed
- Opto-mechanical encoder
- 2 or 3 button selectable

502	DMOUSE	CABLES TO GO SUPER MOUSE	14.99
503	DMOUSE/PS2	6 PIN COMPATIBLE BUS MOUSE	19.99
504	DMOUSEPAD	MOUSE PAD (1/4" X 8" X 9 1/2")	2.49
505	DADPTATMOUSE/PS2	AT MOUSE PS/2 ADAPTER	3.99
506	DADPTAT9M25F	AT ADAPTER DB9M/DB25F	2.75

COPY HOLDERS

Reduce eye fatigue and increase workspace.



DACCOPYHOLD415



DACCOPYHOLD411



DACCOPYHOLD412



DACCOPYHOLD413



DACCOPYHOLD414

507	DACCOPYHOLD415	PLASTIC CLIP COPY HOLDER	1.99
508	DACCOPYHOLD411	SINGLE COPY HOLDER	7.95
509	DACCOPYHOLD412	SINGLE WITH FLEXIBLE ARM COPY HOLDER	10.95
510	DACCOPYHOLD413	DOUBLE WITH FLEXIBLE ARM COPY HOLDER	15.95
511	DACCOPYHOLD414	SINGLE WITH METAL ARM COPY HOLDER	12.95

CPU STANDS

Increase desk space by placing your CPU beside your desk. All CPU stands are adjustable to accomodate CPU's from 4 3/4" to 6 3/4".



DACCPUSTAND393



DACCPUSTAND391 & 392

512	DACCPUSTAND393	HIGH IMPACT PLASTIC CPU STAND	5.95
513	DACCPUSTAND391	SOLID STEEL CPU STAND	19.95
514	DACCPUSTAND392	SOLID STEEL CPU STAND WITH CASTERS	21.95

CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

DISK STORAGE

Protect your disks on the road with our 5 and 10 piece travelers.


DACDBOX312


DACDBOX313


DACDBOX305


DACDBOX306

515	DACDBOX312	3 1/2" DISK BOX (HOLDS 5 DISKS)	0.99
516	DACDBOX313	3 1/2" DISK BOX (HOLDS 10 DISKS)	1.75
517	DACDBOX305	5 1/4" DISK BOX (HOLDS 5 DISKS)	0.99
518	DACDBOX306	5 1/4" DISK BOX (HOLDS 10 DISKS)	1.49

Protect your in office disks from the hands of intruders. Keep them under lock and key.


DACDBOX318

DACDBOX319

DACDBOX307


DACDBOX309

519	DACDBOX318	3 1/2" DISK BOX WITH LOCK (HOLDS 50 PIECES)	5.50
520	DACDBOX319	3 1/2" DISK BOX WITH LOCK (HOLDS 100 PIECES)	7.99
521	DACDBOX307	5 1/4" DISK BOX WITH LOCK (HOLDS 50 PIECES)	4.95
522	DACDBOX309	5 1/4" DISK BOX WITH LOCK (HOLDS 100 PIECES)	6.99

KEYBOARD STORAGE

Three inexpensive ways to work at your desk in comfort. Also, increase work space by tucking your keyboard out of the way.


DACKEYDRAWER432

523 DACKEYDRAWER432 — UNDERCARRIAGE KEYBOARD DRAWER — 14.95

- Specifically designed to hold your detachable keyboard snuggly.
- Mounts under any desktop or shelf.
- Dimensions: 2 3/4" H x 22 1/2" W x 10" D

DACKEYDRAWER431

524 DACKEYDRAWER431 — DESKTOP KEYBOARD DRAWER — 24.95

- Designed to store keyboard under CPU or monitor safely out of the way of dust and dirt.
- Accomodates PC/AT keyboard and PC mouse to 2 3/4"H x 22 1/2"W x 10"D.

CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

525	DACKEYDRAWER433	DELUXE KEYBOARD STORAGE • Solid steel structure. • Locking mechanism prevents the drawer from moving. • Designed to hold detachable keyboard and PC mouse (2 3/4"H x 22 1/2"Wx 10"D). • Anti-static touch pad with coiled ground cord.	49.95



MONITOR FILTERS

Reduce eye strain and monitor glare with CTG's monitor filters. Provides clean, clear, easy to read characters.

526	DACMONFILT571-1	12" MONO MONITOR FILTER	7.95
527	DACMONFILT571-2	12" COLOR MONITOR FILTER	7.95
528	DACMONFILT571-3	14" MONO MONITOR FILTER	7.95
529	DACMONFILT571-4	14" COLOR MONITOR FILTER	7.95

ANTI-STATIC MATS

Wipe-clean static electricity. Each mat includes a grounding coil to eliminate static.



530	DACMAT583	KEYBOARD (11.5" x 22")	7.95
531	DACMAT584	PC/XT SYSTEM* (19.5" x 23.5")	9.95
532	DACMAT585	PC/AT SYSTEM* (23.5" x 23.5")	10.95

* Accomodates the PC, printer and keyboard

MONITOR STAND

533	DACMONSTAND474	FOR CRT'S UP TO 14" • Stable 25° tilt and 360° turnaround • Beige • High-impact plastic	8.95



534	DACMONARM454	MONITOR ARM WITH METAL PLATFORM • Heavy duty metal arm • Span variable 6-20" • Tray 12" • Tilting 15° • Max load 40 kgs	49.95



DUST COVERS



Fight dust and static with CTG's high quality vinyl covers. Our dust covers are made of a heavy duty vinyl which will protect your expensive equipment for years.

535	DACDUST531	PC KEYBOARD	1.99
536	DACDUST537	14" MONITOR	2.99
537	DACDUST536	12" MONITOR	2.99
538	DACDUST538	80 COLUMN PRINTER	2.99
539	DACDUST539	132 COLUMN PRINTER	3.49
540	DACDUST532	PC/AT SYSTEM	5.49
541	DACDUST533	PC/XT SYSTEM	5.49

PRINTER STANDS



DACSTAND364



DACSTAND355



DACSTAND361

542	DACPSTAND364	UNIVERSAL/STEEL WIRED	4.25
543	DACPSTAND355	UNIVERSAL/PLASTIC	4.95
544	DACPSTAND356	UNIVERSAL	4.95

356 & 357



358 & 359



DACSTAND351 & 352

545	DACPSTAND356	STEEL WIRED 80 COLUMN	7.95
546	DACPSTAND357	STEEL WIRED 132 COLUMN	8.95
547	DACPSTAND358	STEEL WIRED 80 COLUMN DELUXE	7.95
548	DACPSTAND359	STEEL WIRED 132 COLUMN DELUXE	8.95
549	DACPSTAND351	ACRYLIC 80 COLUMN	29.95
550	DACPSTAND352	ACRYLIC 132 COLUMN	32.95

COAXIAL CABLE

551	CBCX179BPSEH	BELDEN 9221, 75 OHM, MINI COAX, PVC	0.24
552	CBCX5APSBE	BELDEN 9243-RG59U, PVC	0.15
553	CLCX06APS	RG6U, PVC	0.18
554	CLCX08BPS	RG8U, PVC	0.35
555	CLCX58APS	RG58U, SOLID, PVC	0.09
556	CLCX58BPS	RG58 AU, STRANDED, PVC	0.15
557	CLCX58ATS	RG58, SOLID, PLENUM	0.39
558	CBCX58BTSBE	BELDEN 89907-RG58, PLENUM	0.30
559	CLCX59APS	RG59U, SOLID, PVC	0.10
560	CLCX59ATS	RG59, SOLID, PLENUM CL2P	0.39
561	CLCX62APS	RG62, SOLID, PVC	0.10
562	CLCX62ATS	RG62, SOLID, PLENUM	0.34
563	CLDW59APS	DUAL WANG RG59	0.32



TWINAXIAL CABLE

564	CLTW02APS	TWINAXIAL, PVC	0.35
565	CLTW02BTS	TWINAXIAL, PLENUM	0.91



STRANDED TWISTED PAIR CABLE

566	CBTP02BPSCD	2 PR, 22 AWG, INV SHIELD, PVC	0.14
567	CLTP02BPSFD	2 PR, 22 AWG, UNSHIELD, PVC	0.14
568	CBTP02BPSFC	BELDEN 9502 EQUIV, 2 PR, 24 AWG, PVC	0.12
569	CLTP02BTSAC	2 PR, 24 AWG, FOIL, PVC	0.22
570	CBTP03BPSFC	BELDEN 9503 EQUIV, 3 PR, 24 AWG, PVC	0.18
571	CLTP04BPSAC	4 PR, 24 AWG, FOIL, PVC	0.22
572	CLTP04BTSAC	4 PR, 24 AWG, FOIL, PLENUM	0.36
573	CBTP04BPSFC	BELDEN 9504 EQUIV, 4 PR, 24 AWG, PVC	0.16
574	CLTP05BPSAC	5 PR, 24 AWG, FOIL, PVC	0.30
575	CLTP05BPSBA	5 PR, 28 AWG, F/B, PVC	0.45
576	CBTP06BPSFC	BELDEN 9506 EQUIV, 6 PR, 24 AWG, PVC	0.28
577	CLTP06BTSAD	6 PR, 24 AWG, FOIL, PLENUM	0.51
578	CLTP08BPSDC	8 PR, 24 AWG, BRAID, SHIELD	0.36
579	CLTP10BTSAC	10 PR, 24 AWG, FOIL, PLENUM	0.96
580	CLTP12BTSAC	12 1/2 PR, 24 AWG, FOIL, PLENUM	1.12
581	CBTP12BPSFC	BELDEN 9515 EQUIV, 12 1/2 PR, PVC	0.54
582	CLTP19BPSAC	19 PR, 24 AWG, FOIL, PVC	0.66
583	CLTP25BPSAC	25 PR, 24 AWG, FOIL, PVC	1.16
584	CLPH25BPSFC	25 PR, 24 AWG, PVC	0.31



CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

SOLID TWISTED PAIR CABLE

585	CLPH04APSAC	4 PR, 24 AWG, FOIL, PVC	0.09
586	CLPH04ATSAC	4 PR, 24 AWG, FOIL, PLENUM	0.15
587	CLPH02AP3FCA	2 PR, 24 AWG, UTP, LEVEL 3, PVC	0.05
588	CLPH02AT3FCC	2 PR, 24 AWG, UTP, LEVEL 3, PLENUM	0.10
589	CLPH03AP3FCA	3 PR, 24 AWG, UTP, LEVEL 3, PVC	0.06
590	CLPH03AP4FCC	3 PR, 24 AWG, UTP, LEVEL 4, PVC	0.09
591	CLPH03AT3FCC	3 PR, 24 AWG, UTP, LEVEL 3, PLENUM	0.10
592	CLPH03AT4FCC	3 PR, 24 AWG, UTP, LEVEL 4, PLENUM	0.13
593	CLPH04AP3FCA	4 PR, 24 AWG, UTP, LEVEL 3, PVC	0.06
594	CLPH04AP4FCC	4 PR, 24 AWG, UTP, LEVEL 4, PVC	0.10
595	CLPH04AT3FCC	4 PR, 24 AWG, UTP, LEVEL 3, PLENUM	0.15
596	CLPH04AT4FCH	4 PR, 24 AWG, UTP, LEVEL 4, PLENUM	0.23



TELEPHONE WIRE

597	CLPH04BSSFB	4 COND, TELEPHONE, SILVER SATIN	0.05
598	CLPH06BSSFB	6 COND, TELEPHONE, SILVER SATIN	0.07
599	CLPH08BSSAB	8 COND, TELEPHONE, S. SATIN, SHIELD & DRAIN	0.12
600	CLPH08BSSFB	8 COND, SILVER SATIN	0.09



IBM CABLE

601	CILAN01APSGD	IBM TYPE 1, PVC	0.21
602	CILAN01ATSGD	IBM TYPE 1, PLENUM	0.59
603	CILAN03APSFC	IBM TYPE 3, PVC	0.07
604	CILAN06BPSGD	IBM TYPE 6, PVC	0.28
605	CILAN09ATSBB	IBM TYPE 9, PLENUM	0.45



FLAT RIBBON CABLE

606	CLFR25BPSFA	25 CONDUCTOR UNSHIELDED	0.25
607	CLFR36BPSFA	36 CONDUCTOR UNSHIELDED	0.37
608	CLFR40BPSFAA	40 CONDUCTOR UNSHIELDED	0.38
609	CLFR50BPSFA	50 CONDUCTOR UNSHIELDED	0.51



APPLETALK CABLE

610	CBAT02BPSDD	APPLETALK CABLE, PVC	0.19
611	CLAT02BTSDC	APPLETALK CABLE, PLENUM	1.03

CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

Quantity Discounts Available

MULTI-CONDUCTOR CABLE

612	CLMC04BPSAD	4 COND, 22 AWG, FOIL, PVC	0.19
613	CLMC04BTSAD	4 COND, 22 AWG, FOIL, PLENUM	0.25
614	CLMC07BPSAC	7 COND, 24 AWG, FOIL, PVC	0.12
615	CLMC09BPSDC	9 COND, 24 AWG, F/B, PVC	0.25
616	CLMC09BTSDC	9 COND BRAID, 24 AWG, PLENUM	0.75
617	CLMC10BPSAC	10 COND, 24 AWG, FOIL, PVC	0.19
618	CLMC10BPSBC	10 COND, 24 AWG, F/B, PVC	0.63
619	CLMC10BTSAC	10 COND, 24 AWG, FOIL, PLENUM	0.52
620	CLMC12BPSAC	12 COND, 24 AWG, FOIL, PVC	0.19
621	CLMC12BPSBC	12 COND, 24 AWG, F/B, PVC, CL2	0.63
622	CLMC15BPSAC	15 COND, 24 AWG, FOIL, PVC	0.29
623	CLMC15BPSDC	15 COND, BRAID, 24 AWG, PVC	0.69
624	CLMC25BPSAC	25 COND, 24 AWG, FOIL, PVC	0.39
625	CLMC25BPSBA	25 COND, 28 AWG, F/B, PVC	0.93
626	CLMC25BPSBC	25 COND, 24 AWG, F/B, CL2	1.02
627	CLMC37BPSBA	37 COND, 28 AWG, F/B & DRAIN	2.35



LOW CAPACITANCE CABLE

628	CLLC02BPSAC	2 PR, 24 AWG, FOIL, PVC	0.18
629	CLLC02BPSBC	2 PR, 24 AWG, F/B, PVC	0.35
630	CLLC03BTSAC	3 PR, 24 AWG, FOIL, PLENUM	0.36
631	CLLC04BPSBC	4 PR, 24 AWG, F/B, PVC	0.35
632	CLLC06BPSBC	6 PR, 24 AWG, F/B, PVC	0.45
633	CLLC12BPSBC	12 1/2 PR, 24 AWG, F/B, PVC	0.93
634	CLLC12BTSDC	12 1/2 PR, 24 AWG, F/B, PLENUM	1.46
635	CLLC25BPSAC	25 COND, 24 AWG, FOIL, PVC	0.55

FIBER OPTICS

636	CLFO02CPA	2 FIBERS 62.5/125 EXTERIOR	0.87
637	CLFO02CPS	2 FIBERS 62.5/125	0.61
638	CLFO02DPS	2 FIBERS 50/125	0.54
639	CLFO04CPA	4 FIBERS 62.5/125 EXTERIOR	1.29



AUI CABLE

640	CLTP04BPSCE	4 PR, 20 AWG, ETHERNET, PVC	0.66
641	CLLAN04BTSCE	4 PR, 20 AWG, ETHERNET, PLENUM	1.16
642	CBLAN03BPSBC	BELDEN 9903 - 4 PR, 24 AWG, OFFICE TRANSCEIVER	0.67



CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

CRIMP CONNECTORS

643	CNA109FBCAN	DB9 FEMALE	0.47
644	CNA109MBCAN	DB9 MALE	0.47
645	CNA115FBCAN	DB15 FEMALE	0.56
646	CNA115MBCAN	DB15 MALE	0.56
647	CNO115FBJAN	DB15 HIGH DENSITY FEMALE	1.29
648	CNO115MBCAN	DB15 HIGH DENSITY MALE	1.29
649	CNA125FBCAN	DB25 FEMALE	0.51
650	CNA125MBCAN	DB25 MALE	0.51
651	CNA137FBOAN	DB37 FEMALE	0.69
652	CNA137MBOAN	DB37 MALE	0.69
653	CNA150MBCZN	DB50 MALE	1.87



D-SUB CRIMP PINS

654	CAA1A1FA1C	FEMALE CRIMP PINS	0.04
655	CAO1AFA1J	HIGH DENSITY FEMALE PINS	0.06
656	CAA1A1MA1C	MALE CRIMP PINS	0.04
657	CA01A1MA1C	HIGH DENSITY MALE PINS	0.06

MODULAR CONNECTORS

658	CNJ104FLJNN	4 PIN MODULAR COUPLER	1.38
659	CNJ104MBJNN	RJ11 4X4 MODULAR PLUG	0.05
660	CNJ106FLPNN	6 PIN MODULAR COUPLER	1.51
661	CNJ106MBANN	RJ12 6X6 MODULAR PLUG (ROUND CABLE) SOLID	0.34
662	CNJ106MBJNN	RJ12 6X6 MODULAR PLUG	0.06
663	CNJ164MBJNN	RJ12 6X4 MODULAR PLUG	0.05
664	CNJ106MBONN	MMP RJ12 (DEC)	0.12
665	CNJ106FMONN	MMJ COUPLER	3.92
666	CNJ108FMONN	8 PIN MODULAR COUPLER	3.13
667	CNJ108MBANN	RJ45 MODULAR PLUG (ROUND CABLE) SOLID	0.61
668	CNJ108MBJNN	RJ45 8 PIN MODULAR PLUG	0.09
669	CNJ110MBJNN	10 POSITION MODULAR CONNECTOR	0.29



MODULAR TOOLS

670	TLMODCRIMP	RJ11 & RJ12 CRIMP TOOL	18.90
671	TLRJ45CRIMP	RJ45 CRIMP TOOL	25.75
672	TLRJ45	RJ45 CRIMP TOOL AMP (1-231652-1)	160.50

FLAT RIBBON CONNECTORS

673	CNX110FKDPP	10 PIN SOCKET	0.70
674	CNX114FKDPP	14 PIN SOCKET	0.94
675	CNX116FBANN	16 PIN BERG SOCKET	0.82
676	CNA216MKONP	16 PIN DIP PLUG	0.70
677	CNX116FKJPP	16 PIN SOCKET	0.41
678	CNX120FBANN	20 PIN BERG SOCKET	1.30
679	CNZ120FKDPP	20 PIN EDGE CARD	0.41
680	CNX120FKDPP	20 PIN SOCKET	0.41
681	CNZ126FKJPP	26 PIN EDGE CARD	0.84
682	CNX126FKJPP	26 PIN SOCKET	0.34
683	CNZ134FKDPP	34 PIN EDGE CARD	0.59
684	CNX134FKDPP	34 PIN SOCKET	0.46
685	CNB136MKJPP	36 PIN CENTRONICS MALE	0.96
686	CNZ140FKJPP	40 PIN EDGE CARD	1.23
687	CNX140FKJPP	40 PIN SOCKET	0.73
688	CNB150MKJPP	50 PIN CENTRONICS MALE	3.68
689	CNZ150FKJPP	50 PIN EDGE CARD	1.06
690	CNX150FKDPP	50 PIN SOCKET	0.63
691	CNA109MKDPP	DB9 MALE	1.86
692	CNA109FKDPP	DB9 FEMALE	1.86
693	CNA125MKJPP	DB25 MALE	2.26
694	CNA125FKJPP	DB25 FEMALE	2.26



DIN CONNECTORS

695	CNC104MAJNN	4 PIN DIN MALE	0.61
696	CNC105FAJNN	5 PIN DIN FEMALE	0.55
697	CNC105MAJNN	5 PIN DIN MALE	0.42
698	CNC105FOJNN	5 PIN FEMALE CHASSIS MOUNT	0.84
699	CNC106FAJNN	6 PIN DIN FEMALE	0.93
700	CNC106MAJNN	6 PIN DIN MALE	0.50
701	CNC106FOJNN	6 PIN FEMALE CHASSIS MOUNT	0.70
702	CNC107FAJNN	7 PIN DIN FEMALE	0.93
703	CNC107MAJNN	7 PIN DIN MALE	1.07
704	CNC108FAJNN	8 PIN DIN FEMALE	0.93
705	CNC108MAJNN	8 PIN DIN MALE	0.54

MINI DIN CONNECTORS

706	CND104FAJNN	4 PIN MINI FEMALE	0.83
707	CND104MAJNN	4 PIN MINI MALE	0.63
708	CND105FAJNN	5 PIN MINI FEMALE	1.30
709	CND105MAJNN	5 PIN MINI MALE	1.10
710	CND106FAJNN	6 PIN MINI FEMALE	1.23
711	CND106MAJNN	6 PIN MINI MALE	0.77
712	CND107MAJNN	7 PIN MINI MALE	1.30
713	CND108FAJNN	8 PIN MINI FEMALE	1.17
714	CND108MAJNN	8 PIN MINI MALE	0.84
715	CND109FMAJNN	9 PIN MINI FEMALE	1.84
716	CND109MAJNN	9 PIN MINI MALE	1.84
717	CND113MAJNN	13 PIN MINI MALE	1.93

BNC/COAXIAL CONNECTORS

718	CNP1174MBKBP	BNC RG174U CRIMP MINI MALE	0.98
719	CNP158FGJNP	BNC RG58 FEMALE TWIST ON, PVC	0.58
720	CNP158MBDBN	BNC MALE RG 58 CRIMP AMPHENOL 31-2	1.96
721	CNP158MBJBP	BNC RG58 CRIMP MALE	0.63
722	CMP158MGONP	BNC MALE TWIST ON RG58, PVC	0.75
723	CNP158MGQNT	BNC MALE TWIST ON RG58 PLENUM	2.28
724	CNP159FBJBP	BNC RG59/62 CRIMP FEMALE	1.94
725	CNP159FGONP	BNC FEMALE TWIST ON RG59, RG62, PVC	1.45
726	CNP159MADBN	BNC MALE SOLDER RG59/RG62 AMPHENOL 31-2	2.31
727	CNP159MBJBP	BNC RG59/62 CRIMP MALE	1.00
728	CNP159MBJBT	BNC MALE CRIMP RG59/62 PLENUM	1.20
729	CNP159MGONP	BNC RG59/62 TWIST ON MALE, PVC	0.84
730	CNP159MGONT	BNC RG59/62 TWIST ON MALE, PLENUM	1.22



BNC/COAXIAL TERMINATORS

731	CNP158FHONN	BNC F/F BULKHEAD (FOR WALLPLATES)	2.17
732	CNP158FLONN	BNC F/F COUPLER	0.72
733	CNP158NNONN	BNC T ADAPTER F/M/F	2.87
734	CNP158MIONN	BNC RG58 TERMINATOR	1.14
735	CNP159MIONN	BNC RG59 TERMINATOR	1.38
736	CNP162MIONN	BNC RG62 MALE TERMINATOR	1.38



THIN COAXIAL TOOLS

737	TLRG58CRIMP	RG58 CRIMP TOOL, PVC	51.50
738	TLRG5962	RG 59 & RG62 CRIMP TOOL, PVC	47.65
739	TLRG58CRIMPPLEN	RG58 CRIMP TOOL, PLENUM (CAMBRIDGE)	102.95
740	TLCOAXSTRIP	THIN COAX STRIPPING TOOL	20.89



CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

Quantity Discounts Available

THICK COAXIAL TOOLS

741	TLNTYPECRIMPVC	N-TYPE CRIMP TOOL, PVC (CAMBRIDGE)	166.95
742	TLNTYPECRIMPPLEN	N-TYPE CRIMP TOOL, PLENUM (CAMBRIDGE)	166.95

DB CONNECTORS - SOLDER TYPE

743	CNA109FAJAN	DB9 FEMALE	0.35
744	CNA109MAJAN	DB9 MALE	0.35
745	CN0115MAJAN	DB15 MALE HIGH DENSITY	2.61
746	CNO115FAJZN	DB15 FEMALE HIGH DENSITY	1.30
747	CNA115MAOZN	DB15 MALE	0.58
748	CNA115FAOZN	DB15 FEMALE	0.58
749	CNA123FAJAN	DB23 FEMALE	2.61
750	CNA123MAJAN	DB23 MALE	2.30
751	CNA125FAOZN	DB25 FEMALE	0.39
752	CNA125MAOZN	DB25 MALE	0.39
753	CNA137FAOZN	DB37 FEMALE	0.70
754	CNA137MAOZN	DB37 MALE	0.70
755	CNA150FAOZN	DB50 FEMALE	0.77
756	CNA150MAOZN	DB50 MALE	0.77



CENTRONICS CONNECTORS - SOLDER TYPE

757	CNB124MADMN	24 PIN CENTRONICS MALE	4.24
758	CNB136FADMN	36 PIN CENTRONICS FEMALE	3.47
759	CNB136MADMN	36 PIN CENTRONICS MALE	1.77
760	CNB150FAJMN	50 PIN CENTRONICS FEMALE	4.29
761	CNB150MACMN	50 PIN CENTRONICS MALE	4.29



TWINAXIAL CONNECTORS

762	CNE102MAONN	TWINAXIAL MALE	2.59
763	CNE102FNJNN	TWINAXIAL T CONNECTOR	7.59
764	CNE102FLJNN	TWINAXIAL COUPLER FEMALE/FEMALE	2.89
765	CNE102MIJNN	TWINAXIAL MALE TERMINATOR	7.29

APPLETALK CONNECTORS

766	CND103FLJNN	APPLETALK EXTENDER (COUPLER)	5.15
767	CND103MAJNN	APPLETALK CONNECTOR (3 PIN MALE MINI DIN)	4.05
768	DAPTLKSPLICEKIT	APPLETALK CONNECTOR SPLICE KIT	15.20

CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

IDC CONNECTORS

769	CNB136MCCAN	36 CENTRONICS MALE	3.54
770	CNB136MCAPN	36 CENTRONICS RIGHT ANGLE PLUG	2.69
771	CNB150FCAPN	50 CENTRONICS FEMALE RIGHT ANGLE TELCO	3.05
772	CNB150MCAPN	50 CENTRONICS MALE RIGHT ANGLE TELCO	3.05
773	CNA125MCCAPN	DB25 MALE	1.55
774	CNA125FCCPN	DB25 FEMALE	1.55



MISCELLANEOUS CONNECTORS/CONNECTOR HARDWARE

775	CNQ124BCANN	HPIB/GPIB CONNECTOR M/F	12.33
776	HH1115NN	DB15 PLASTIC ETHERNET HOOD BOOT	0.35
777	CNR134FBANN	V.35 AMP FEMALE	2.52
778	CNR134MBANN	V.35 AMP MALE	2.52
779	CARA1FA1A	V.35 FEMALE CONTACTS	0.24
780	CARA1MA1A	V.35 MALE CONTACTS	0.22
781	HDH134DAMA	V.35 AMP HOOD	7.07
782	HHH134FF	V.35 SINGLE THREAD F JACKSCREW	1.89
783	HHH134HM	V.35 SINGLE THREAD M JACKSCREW	1.89
784	CNI104NBOPN	TOKEN RING DATA CONNECTOR	5.70
785	CNU106MAONN	6 PIN RGB MALE	2.29
786	CNU108FAJNN	8 PIN RGB FEMALE	4.54
787	CNU108MAJNN	8 PIN RGB MALE	3.42
788	CNY104FBAPN	4 PIN AMP FEMALE MATE-N-LOCK	0.27
789	CNY104MBAPN	4 PIN AMP MALE MATE-N-LOCK	0.27
790	CAY1A1FA1A	AMP MATE-N-LOCK FEMALE CONTACTS	0.12
791	CAY1A1MA1A	AMP MATE-N-LOCK MALE CONTACTS	0.12
792	CNT110FBANN	10 PIN AMP MODU	1.95
793	HHE110JN	10 PIN AMP MODU FERRULE	0.45
794	HHE110KN	10 PIN AMP MODU METAL HOOD	2.89
795	HHE110LN	10 PIN AMP MODU TOP SHIELD	0.12
796	HHE110MN	10 PIN AMP MODU BOTTOM SHIELD	0.12
797	CNT116FBANN	16 PIN AMP MODU	2.82
798	HHEE116JN	16 PIN AMP MODU FERRULE	0.35
799	HHE116KN	16 PIN AMP MODU METAL HOOD	3.08
800	HHE116LN	16 PIN AMP MODU TOP SHIELD	0.23
801	HHE116MN	16 PIN AMP MODU BOTTOM SHIELD	0.23



CONNECTOR HOODS

802	HDA109BAND	DB9 BLACK PLASTIC	0.55
803	HDA109CANF	DB9 METALIZED PLASTIC	0.55
804	HDA109DAND	DB9 METAL (NORTHERN)	1.60
805	HDA109BBNJ	DB9 90 DEGREE BLACK PLASTIC	0.61
806	HDA109DENG	DB9 LOW PROFILE METAL	2.52



CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841

807	HDC109AANF	DUAL DB9 GREY PLASTIC	0.80
808	HDC109BANF	DUAL DB9 BLACK PLASTIC	1.00
809	HDC109CANF	DUAL DB9 METALIZED PLASTIC	0.72
810	HDA115BAND	DB15 BLACK PLASTIC	0.61
811	HDA115CANJ	DB15 METALIZED PLASTIC	0.91
812	HDA115AAND	DB15 GREY PLASTIC	0.61
813	HDA115ADND	DB15 45 DEGREE GREY PLASTIC	0.61
814	HDA115BCNJ	DB15 90 DEGREE/STRAIGHT	0.87
815	HDA115DAND	DB15 METAL	1.52
816	HDA115DENG	DB15METAL LOW PROFILE	2.09
817	HDA115EAND	DB15METAL ETHERNET	2.38
818	HDA115CANJ	DB15 METALIZED PLASTIC	0.90
819	HDA119AANF	DB19 GREY PLASTIC	1.06
820	HDA123AANF	DB23 GREY PLASTIC	1.06
821	HDA125AAND	DB25 GREY PLASTIC	0.69
822	HDA125ABNJ	DB25 GREY PLASTIC RIGHT ANGLE	0.95
823	HDA125BAND	DB25 BLACK PLASTIC	0.67
824	HDA125CANF	DB25METALIZED PLASTIC	0.59
825	HDA125DAND	DB25 METAL HOOD (NORTHERN)	1.56
826	HDA125DANJ	DB25 METAL	1.01
827	HDC125AANF	DUAL DB25 GREY PLASTIC	1.01
828	HDC125CANF	DUAL DB25 METALIZED PLASTIC	1.07
829	HDA1378AAND	DB37 GREY PLASTIC	0.78
830	HDA137BAND	DB37 BLACK PLASTIC	0.78
831	HDA137DAND	DB37 METAL HOOD	3.12
832	HDA137CANF	DB37 METALIZED HOOD	1.38
833	HDA150AAND	DB50 GREY PLASTIC	0.95
834	HDA150CANJ	DB50 METALIZED PLASTIC	1.84
835	HDA150DANK	DB50 METAL	3.07
836	HDA162DANJ	DB62 METAL	4.93
837	HDB136BBNA	36 CENTRONICS RIGHT ANGLE	0.94
838	HDB150BBNA	50 CENTRONICS RIGHT ANGLE	0.61



HOOD HARDWARE

839	HHA100GN	DB CLIP HARDWARE	0.10
840	HHA100HN	THUMBSCREWS (METAL)	0.23
841	HHA100SN	THUMBSCREWS SLOTTED METAL	0.23
842	HHA109HN	DB9 THUMBSCREWS (METAL)	0.28
843	HHA100ON	HEX FEMALE NUTS	0.07
844	HHA100PN	HEX POSTS	0.15
845	DETHERNET	DB15 ETHERNET POST/LATCH SET	0.75
846	HHI1158IN	BNC S.R. BOOT FOR RG58	0.74
847	HHI1174IN	BNC S.R. BOOT FOR RG179	0.65



CONNECTOR KITS

848	CCKIT10PINMODU	10 PIN MODU KIT	5.57
849	CCKIT16PINMODU	16 PIN MODU KIT	6.99
850	CCKITV.35M	V.35 MALE ALL LINES KIT	19.91
851	CCKITV.35F	V.35 FEMALE ALL LINES KIT	20.48
852	CCKITDB9FCRI	DB9F KIT	1.45
853	CCKITDB9MCRI	DB9M KIT	1.45
854	CCDB15FCRI	DB15F KIT	1.85
855	CCDB15MCRI	DB15M KIT	1.88
856	CCDB25FCRI	DB25F KIT	2.34
857	CCDB25MCRI	DB25M KIT	2.34



DB25 (4-, 12- OR 24-PIN)
RS-232 (V.24), IBM®
PARALLEL, RS-530

DB37
RS-449, 442, 423, BERNOULLI®

DB50
DATAPRODUCTS®, DATAPOINT®,
UNIVAC® AND OTHERS

DB15
TEXAS INSTRUMENTS®
NCR® POS, ETHERNET



DB9
449 SECONDARY, ATARI®, DAA,
VIDEO INTERFACES AND RS232



5-PIN DIN
IBM PC KEYBOARD

36-PIN
PARALLEL PRINTERS: CENTRONICS®,
EPSON®, GEMINI®



IEEE-488
GPIB, HPIB



M/34
V.35



M/50
DATAPRODUCTS®,
UNIVAC®, DEC™ AND OTHERS



BNC COAXIAL



BNC ,TNC AND WANG DUAL COAX



TWINAXIAL
IBM SYSTEMS 34, 36, 38
5520 AND OTHERS

TELCO TELEPHONE



RJ11
VOICE TELEPHONE

RJ45
DATA TELEPHONE



INDEX

ADAPTER CABLE 8, 19, 29

ADAPTERS 8, 19, 25, 29
- AT/Null Modem 8
- Keyboard 8
- Modular 8
- Monitor 8
- Mouse 29
- Premium SCSI 19

ANTI-STATIC MATS 31

APPLE ACCESSORIES 6

APPLE CABLES
- Serial & SCSI 6
- Video 6, 15
- SCSI 18-19

APPLETALK (COMPATIBLE)
- Cable 6
- Kits 6
- Bulk 34

APPLETALK CONNECTORS 39

ARCNET CABLE 20, 33

AUI CABLE 35

BALUNS 22

BOOSTERS 12

BUFFERS 10

CENTRONICS CONNECTORS SOLDER TYPE 39

COAXIAL CABLE
- Bulk 33
- LAN 20
- Video 13-15

COAXIAL CONNECTORS 21, 38

COAXIAL TERMINATORS 21, 38

CONNECTOR GUIDE 43

CONNECTOR HARDWARE 40

CONNECTOR HOODS 40-41

CONNECTOR KITS 42

CONVERTERS 12

COPY HOLDERS 29

CPU STANDS 29

CRIMP CONNECTORS 36

D-SUB CRIMP PINS 36

DB CONNECTORS 39

SOLDER-TYPE 39

DIN CONNECTORS 37

DISK STORAGE 30

DRIVE CABLES 7

DUST COVERS 32

ETHERNET CABLES 20, 33

EXTENSION CABLES
- All Lines (DB25) 4
- Centronics 4
- Monitor/Keyboard 5
- Miscellaneous 5

FIBER OPTICS 26-27, 35

FLAT RIBBON 7, 34, 37

GENDER CHANGERS 8

HOOD HARDWARE 41

IBM
- Printer Cables 2
- SCSI 17
- Bulk 34
- LAN 20

IDC CONNECTORS 40

KEYBOARD STORAGE 30-31

KEYBOARD CABLES 5

LOW CAPACITANCE CABLE 35

MICE 29

MINI DIN CONNECTORS 38

MODEM CABLES 5

MODULAR
- Cables 24
- Connectors 25, 36
- Adapters 8, 25

MODULAR TOOLS 28, 36

MONITOR CABLES 5

MONITOR FILTERS 31

MONITOR STAND 31

MULTI-CONDUCTOR CABLE 35

PATCH CABLES 20

POWER CABLES 12

POWER Y SPLITTERS 12

PRINTER CABLES
- IBM 2
- Serial/Null Modem 3
- GPIB/HPIB IEEE Cables 3

PRINTER STANDS 32

SCSI I & II
- Sun 16-17
- Hewlett Packard 17
- DEC 17
- IBM 17
- Apple 6, 18-19
- Flat Ribbon 19

SCSI ADAPTERS 19

SCSI TERMINATORS 19

SMART SWITCHES 10

SONY CABLES 13

SUN 16-17

SURGE PROTECTORS 12

SWITCH BOXES
- Manual 9
- Auto 9-10
- Smart Switches 10
- Buffer 10
- Specialty 11
- Converters/Booster 12

TELEPHONE WIRE 34

THICK COAXIAL TOOLS 28, 39

THIN COAXIAL TOOLS 28, 38

THINNET CABLE 20, 33

TOKEN RING CABLE 20, 34

TOOLS 28, 36, 38, 39

TRANSCEIVER CABLES 20

TRUEVISION CABLES 13-14

TWINAXIAL CABLE 33

TWINAXIAL CONNECTORS 21, 39

TWISTED-PAIR CABLE
- Stranded 33
- Solid 34

VIDEO CABLES 13-15
- Sony 13
- Truevision 13-14
- Apple 15
- VGA 15

WALLPLATES 23

CABLES TO GO
1 800 826-7904 • 1-513-224-To Go (8646)
24 HRS TOLL FREE FAX LINE 1-800-331-2841



1501 WEBSTER ST.

DAYTON, OHIO 45404

513 224-TO GO (8646)

800 826-7904

800 331-CTG1 (2841) FAX